Title List of Documents Made Publicly Available

February 1-28, 1995

U.S. Nuclear Regulatory Commission

Office of Administration

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Title List of Documents Made Publicly Available

February 1-28, 1995

Date Published: April 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

MASTER

CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	8
Standardized Nuclear Power Plant Design — Docket 52	169
Domestic Licensing of Special Nuclear Material — Docket 70	172
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	179
Licensing of Independent Spent Fuel Storage — Docket 72	188
Nondocketed Items	189
10 CFR — Commission Meeting Records	189
ACNW — Advisory Committee on Nuclear Waste	189
ACRS — Advisory Committee on Reactor Safeguards	189
ADVCM — NRC Advisory Committee	191
COMMISSION — NRC Commissioners	191
CONTRACT — NRC Contracts and Modifications	193
FOIA — Freedom of Information Act Requests and Releases	195
GEN TECH IS — Generic Technical Issues	209
I&E — Inspection and Enforcement	209
MISC — Public Document Room Miscellaneous	210
NUREG — NUREG Reports and Related Correspondence	211
ORG — Correspondence with Other Organizations	213
PR — Proposed Rule	215
PRESS — Press Releases	221
PRM — Petition for Rulemaking	221
PROJ — Projects—Predocket Licensing	227
PT21 — Noncompliance Reports and Related Correspondence	228
QA999 — Quality Assurance Inspections	229
REG CERT — Registry Certificate	229
REGGD — Regulatory Guides	229
REVIEW GROUP — NRC Research Review Groups	230
SECY — Position Papers Before the Commission	231
STATE PROG — State Programs	232
TOPREP — Vendor Reports and Related Correspondence	236
WASTE MGT — Nuclear Waste Management	238
XPORTLIC — Export and Import Licenses	242
Personal Author Index	245
Corporate Source Index	265
Report Number Index	281
Cross Reference of Enclosures to Principal Documents	283
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

DOCKETED ITEMS (cont.)

R. Periodic operating reports and related correspondence	U. Congressional/executive correspondence
S. Reportable occurrences, PNOs, PNSs, and related correspondence	V. Licensing of operators and related correspondence
T. Transcripts, testimony, and briefings on non-antitrust matters	W. Decommissioning stage documents and correspondence
	X. Onsite storage of low-level waste
	Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- ① P. Operating license stage documents & correspondence

②	③
8907070172	Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

- DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

- CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181-50442:182

1. NRC/PDR Document category (see Appendix A).
 2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
 3. Description of information contained in the document.
 4. Personal author(s). An asterisk in this position indicates that there is no personal author.
 5. Author affiliation (NRC, corporate, agency, or nonindividual source).
 6. Date of document described.
 7. Recipient of the document.
 8. Recipient affiliation (NRC or corporate).
 9. Pages in this document.
 10. This five-digit number is the NRC 48X microfiche designation.
 11. The three-digit portion of this entry is the number of the frame on which this document starts.
 12. This five-digit number is the microfiche on which this document ends.
 13. The three-digit portion of this entry is the number of the frame on which this document ends.
- The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
ACRS—Advisory Committee on Reactor Safeguards
ADVCM—NRC Advisory Committees
COMMISSION—NRC Commissioners
CONTRACT—NRC Contracts and Modifications
FOIA—Freedom of Information Act Requests and Releases
GEN TECH IS—Generic Technical Issues
IE—Inspection and Enforcement Issuances
MISC—Public Document Room Miscellaneous
NUREG—NRC-Issued Formal Reports and Related Correspondence
ORG—Organizational File
PR—Proposed Rules
PRM—Petitions for Rulemaking
PROJ—Projects
PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
REGGD—Regulatory Guides
RES—Research and Technical Assistance Reports
REVIEW GRP—Research Review Groups
RM—Rulemakings
SECY—Staff Position Papers Before the Commission
STATE PROG—State Programs
TOPREP—Vendor Topical Reports and Correspondence
WASH—AEC-Issued Formal Reports and Correspondence
WM—Waste Management Documents
WMRES—Waste Management Contract Documents
XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

- ① NUREG—NRC-Issued Formal Reports and Related Correspondence

② ③ ④
8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
TEST VI-2

⑤ ⑥
OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦ ⑧ ⑨ ⑩ ⑪
FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫ ⑬ ⑭ ⑮
51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is
Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is
National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is
2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radiowaste Disposal Sites - Docket 27			40-8852	FERRULMATIC, INC., TOTOWA, NJ	5
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8857	POWER RESOURCES, INC., GLENROCK, WY	5
DOCKET	UNKNOWN	1	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	5
Domestic Licensing of Source Material - Docket 40			40-8903	HOMESTAKE MINING CO., GRANTS, NM	5
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	5
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1	40-8905	QUIMIRA MINING CO., GRANTS, NM	5
40-0501	ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	1	40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	5
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	1	40-8912	GRACE ENERGY CO., VENICE, CA	6
40-0791	UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	1	40-8940	ALPHA Q. INC., COLCHESTER, CT	6
40-1478	KERR-MOGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	1	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	6
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	6
40-2384	RMI CO., ASHTABULA, OH	2	40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	6
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	7
40-3453	ATLAS CORP., DENVER, CO	2	40-8981	PATHFINDER MINES CORP., MILLS, WY	7
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2	40-8984	MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	7
40-5738	VIRGINIA, UNIV. OF, CHARLOTTESVILLE, VA	2	40-8989	ENVIROCAR OF UTAH, INC., SALT LAKE CITY, UT	7
40-8622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	40-9024	ENERGY FUELS NUCLEAR	7
40-8940	CABOT CORP., BOYERTOWN, PA	2	40-9027	CABOT CORP. READING & REVERE	7
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	2	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-7397	FOOTE MINERAL CO., EXTON, PA	2	50-2	FORD NUCLEAR REACTOR	8
40-7455	WHITTAKER CORP., LOS ANGELES, CA	2	50-3	INDIAN POINT STATION, UNIT 1	8
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	8
40-8027	SEQUOYAH FUELS CORP., GORE, OK	3	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	8
40-8084	RIO ALGOM MINING CORP., MOAB, UT	3	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	9
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3	50-29	YANKEE-ROWE NUCLEAR POWER STATION	9
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	3	50-54	CINTICHEM	10
40-8681	UMETCO MINERALS CORP., BLANDING, UT	4	50-57	BUFFALO MATERIALS RESEARCH CENTER	10
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	4	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	10
40-8724	CHEMETRON CORP., PROVIDENCE, RI	4	50-75	ZERO POWER REACTOR-I	10
40-8778	MOLYCORP, INC., LOS ANGELES, CA	4	50-77	CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	10
40-8792	EDISON INSTITUTE, DEARBORN, MI	5	50-83	UNIV. OF FLORIDA TRAINING REACTOR	10
40-8838	ARMY, DEPT. OF, MADISON, IN	5	50-89	GENERAL ATOMICS	10

Docket	Name	Page	Docket	Name	Page
50-97	CORNELL UNIV. ZERO POWER REACTOR	11	50-251	TURKEY POINT PLANT, UNIT 4	27
50-108	ALLIS-CHALMERS MFG. CO. CRITICAL ASSEMBLY	11	50-254	QUAD-CITIES STATION, UNIT 1	28
50-116	IOWA STATE UNIV. RESEARCH REACTOR	11	50-255	PALISADES NUCLEAR PLANT	29
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	11	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	31
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	11	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	32
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	11	50-261	H.B. ROBINSON PLANT, UNIT 2	33
50-142	UCLA TRAINING REACTOR	11	50-263	MONTICELLO NUCLEAR GENERATING PLANT	35
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	11	50-264	DOW CHEMICAL CO.	36
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	11	50-265	QUAD-CITIES STATION, UNIT 2	36
50-155	BIG ROCK POINT NUCLEAR PLANT	12	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	37
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	12	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	38
50-157	CORNELL UNIV. RESEARCH REACTOR	12	50-269	OCONEE NUCLEAR STATION, UNIT 1	39
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12	50-270	OCONEE NUCLEAR STATION, UNIT 2	41
50-163	GENERAL ATOMICS	13	50-271	VERMONT YANKEE NUCLEAR POWER STATION	42
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	13	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	43
50-182	PURDUE UNIV. RESEARCH REACTOR	13	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	45
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	14	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	46
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	14	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	47
50-197	ZERO POWER REACTOR-II, NATIONAL AERONAUTICS & SPACE	14	50-280	SURRY POWER STATION, UNIT 1	49
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	14	50-281	SURRY POWER STATION, UNIT 2	50
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	51
50-213	HADDAM NECK PLANT	15	50-285	FORT CALHOUN STATION, UNIT 1	52
50-219	OYSTER CREEK NUCLEAR POWER PLANT	17	50-286	INDIAN POINT STATION, UNIT 3	53
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	18	50-287	OCONEE NUCLEAR STATION, UNIT 3	54
50-223	UNIV. OF LOWELL RESEARCH REACTOR	19	50-288	REED COLLEGE RESEARCH REACTOR	56
50-225	RPI CRITICAL EXPERIMENT	19	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	56
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	19	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	57
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	21	50-295	ZION NUCLEAR POWER STATION, UNIT 1	59
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	22	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	60
50-247	INDIAN POINT STATION, UNIT 2	24	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	61
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	25	50-298	COOPER NUCLEAR STATION	61
50-250	TURKEY POINT PLANT, UNIT 3	26	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	63
			50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	64
			50-304	ZION NUCLEAR POWER STATION, UNIT 2	65
			50-305	KEWAUNEE NUCLEAR POWER PLANT	67

Docket	Name	Page	Docket	Name	Page
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	68	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	103
50-309	MAINE YANKEE ATOMIC POWER PLANT	68	50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	103
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	69	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	104
50-312	RANCHO SECO NUCLEAR GENERATING STATION	71	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	105
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	71	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	106
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	73	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	107
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	74	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	108
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	75	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	109
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	76	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	111
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	77	50-373	LASALLE COUNTY STATION, UNIT 1	112
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	78	50-374	LASALLE COUNTY STATION, UNIT 2	114
50-322	SHOREHAM NUCLEAR POWER STATION	79	50-382	WATERFORD GENERATING STATION, UNIT 3	115
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	80	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	116
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	81	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	118
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	83	50-389	ST. LUCIE PLANT, UNIT 2	120
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	84	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	120
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	86	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	123
50-329	MIDLAND PLANT, UNIT 1	87	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	125
50-330	MIDLAND PLANT, UNIT 2	87	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	126
50-331	DUANE ARNOLD ENERGY CENTER	88	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	127
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	89	50-409	LA CROSSE BOILING WATER REACTOR	128
50-334	BEAVER VALLEY POWER STATION, UNIT 1	90	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	129
50-335	ST. LUCIE PLANT, UNIT 1	91	50-412	BEAVER VALLEY POWER STATION, UNIT 2	130
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	92	50-413	CATAWBA NUCLEAR STATION, UNIT 1	131
50-338	NORTH ANNA POWER STATION, UNIT 1	94	50-414	CATAWBA NUCLEAR STATION, UNIT 2	132
50-339	NORTH ANNA POWER STATION, UNIT 2	95	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	134
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	96	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	135
50-344	TROJAN NUCLEAR PLANT	97	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	135
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	98	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	137
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	98	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	139
50-352	LIMERICK GENERATING STATION, UNIT 1	100	50-433	UNIV. OF CALIFORNIA AT SANTA BARBARA RESEARCH REACTOR	140
50-353	LIMERICK GENERATING STATION, UNIT 2	101	STN-50-437	FLOATING NUCLEAR PLANT	141

Docket	Name	Page	Docket	Name	Page
50-438	BELLEfonte NUCLEAR PLANT, UNIT 1	141	52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	171
50-439	BELLEfonte NUCLEAR PLANT, UNIT 2	141	52-005	CANDU 3U AECL TECHNOLOGIES, INC.	171
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	142	DOCKET	UNKNOWN	172
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	142	Domestic Licensing of Special Nuclear Material - Docket 70		
50-443	SEABROOK NUCLEAR STATION, UNIT 1	143	70-0007	ICN PHARMACEUTICALS, INC., IRVINE, CA	172
50-444	SEABROOK NUCLEAR STATION, UNIT 2	144	70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	172
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	144	70-0026	WESTINGHOUSE ELECTRIC CO.	172
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	145	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	172
STN-50-454	BYRON STATION, UNIT 1	146	70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	173
STN-50-455	BYRON STATION, UNIT 2	148	70-0121	INTERIOR, DEPT. OF, DENVER, CO	173
STN-50-456	BRAIDWOOD STATION, UNIT 1	149	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	173
STN-50-457	BRAIDWOOD STATION, UNIT 2	151	70-0139	D.E. MAKEPEACE CO., ATTLEBORO, MA	173
50-458	RIVER BEND STATION, UNIT 1	153	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	173
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	154	70-0152	PURDUE UNIV., WEST LAFAYETTE, IN	173
50-461	CLINTON POWER STATION, UNIT 1	154	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	174
50-463	FULTON GENERATING STATION, UNIT 1	155	70-0687	CINTICHEM, INC., TUXEDO, NY	174
50-464	FULTON GENERATING STATION, UNIT 2	155	70-0712	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	174
50-471	PILGRIM NUCLEAR POWER STATION, UNIT 2	156	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	174
STN-50-482	WOLF CREEK GENERATING STATION	156	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	175
STN-50-483	CALLAWAY PLANT, UNIT 1	157	70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	175
STN-50-486	CALLAWAY PLANT, UNIT 2	158	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	175
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	158	70-1007	GENERAL ELECTRIC CO., SAN JOSE, CA	175
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	161	70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	175
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	164	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	175
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	164	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	175
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	166	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	176
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	167	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	176
50-537	CLINCH RIVER BREEDER REACTOR	169	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	176
STN-50-580	ERIE NUCLEAR PLANT, UNIT 1	169	70-1369	IRT CORP., SAN DIEGO, CA	176
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	169	70-1403	NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ	176
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.	169	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	176
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	170	70-2174	SOUTHEAST MISSOURI HOSP., CAPE GIRARDEAU, MO	177

Docket	Name	Page	Docket	Name	Page
70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	177	71-0220	GENERAL DYNAMICS CORP.	180
70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	177	71-0227	TENNESSEE VALLEY AUTHORITY	180
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	177	71-0228	CAPITAL X-RAY SERVICE	180
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	178	71-0234	X-RAY, INC.	180
70-3082	ARMY, DEPT. OF, REDSTONE ARSENAL, AL	178	71-0236	AMERICAN AIRLINES, INC.	180
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	178	71-0238	AGRICULTURE, DEPT. OF	180
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	178	71-0253	TWIN PORTS TESTING, INC.	180
DOCKET	UNKNOWN	179	71-0262	WISCONSIN INDUSTRIAL TESTING, INC.	180
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-0263	YUBA HEAT TRANSFER CORP.	180
71-0001	ANECO, INC.	178	71-0269	LEHIGH TESTING LABORATORIES, INC.	180
71-0011	ARROW TANK & ENGINEERING CO.	179	71-0301	CTL ENGINEERING, INC.	180
71-0018	NUCLEAR ASSURANCE CORP.	179	71-0308	ALASKA INDUSTRIAL X-RAY	180
71-0026	EASTERN TESTING & INSPECTION	179	71-0319	GENERAL TESTING & INSPECTION CO.	180
71-0036	GRINNELL CORP.	179	71-0325	CONSUMERS POWER CO.	181
71-0044	UNITED AIRLINES, INC.	179	71-0330	ALLIED INSPECTION SERVICES, INC.	181
71-0051	HARRISON STEEL CASTINGS CO.	179	71-0352	NILES STEEL TANK CO.	181
71-0055	H.R. INSPECTION SERVICE	179	71-0354	ADVANCED MEDICAL SYSTEMS, INC.	181
71-0075	NORFOLK SHIPBUILDING & DRYDOCK CORP.	179	71-0362	WISCONSIN PUBLIC SERVICE CORP.	181
71-0098	NEWPORT NEWS SHIPBUILDING & DRY DOCK CO.	179	71-0363	BRIGGS ASSOCIATES, INC.	181
71-0100	VENEGAS INDUSTRIAL TESTING LABORATORIES, INC.	178	71-0368	BRANCH RADIOGRAPHIC LABORATORIES, INC.	181
71-0110	BUCKEYE STEEL CASTINGS	179	71-0392	BAKER TESTING SERVICES, INC.	181
71-0113	NOOTER CORP.	179	71-0383	VORTH HYDRO, INC.	181
71-0114	COLBY-THIELMEIER TESTING CO.	179	71-0404	CTL, INC.	181
71-0119	WINGERSOLL-RAND CO.	179	71-0407	APV REFINERY PRODUCTS CORP.	181
71-0123	HERRON TESTING LABORATORIES, INC.	179	71-0408	MISSOURI STEEL CASTINGS CO.	181
71-0139	TULSA GAMMA RAY, INC.	179	71-0422	OKLAHOMA STEEL CASTINGS CO.	181
71-0146	GLOBE X-RAY SERVICES, INC.	180	71-0423	H&H X-RAY SERVICES, INC.	181
71-0153	ANCHOR-DARLING VALVE CO.	180	71-0436	GENERAL MOTORS CORP.	181
71-0158	X-RJ TESTING OF MICHIGAN	180	71-0461	ATLANTIC RESEARCH CORP.	181
71-0171	GLITSCH FIELD SERVICES/NDE, INC.	180	71-0476	MIDWEST INSPECTION SERVICES, INC.	181
71-0172	EMPIRE STEEL CASTINGS, INC.	180	71-0487	ARMY, DEPT. OF	181
71-0181	CENTURY INSPECTION, INC.	180	71-0508	PENN INSPECTION CO.	181
71-0186	HIGH STEEL STRUCTURES, INC.	180	71-0509	MET-CHEM ENGINEERING LABORATORIES, INC.	181
71-0201	DURALLOY BLAW-KNOX, INC.	180	71-0514	NORTH AMERICAN INSPECTION	181
71-0206	PRYOR FOUNDRY, INC.	180	71-0525	PHILADELPHIA ELECTRIC CO.	181
71-0216	CONAM INSPECTION, INC.	180	71-0529	THERAPY SERVICES	182
			71-0538	WALASHEK ENTERPRISES, INC.	182
			71-0542	MATTINGLY TESTING SERVICES, INC.	182
			71-0555	ALLEGHENY LABORATORIES	182
			71-0558	CRAMER & LINDELL ENGINEERS, INC.	182
			71-0559	NON DESTRUCTIVE TESTING CORP.	182
			71-0563	EDWARDS PIPELINE TESTING, INC.	182
			71-0585	MQS INSPECTION, INC.	182

Docket	Name	Page	Docket	Name	Page
71-0592	BRAUN ENGINEERING TESTING, INC.	182	71-0801	MCNDT LEASING, INC.	184
71-0585	AKRON INDUSTRIAL SERVICES, INC.	182	71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	184
71-0603	JAN X-RAY SERVICES, INC.	182	71-5362	MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	184
71-0611	INDUSTRIAL NDT CO.	182	71-5957	MODEL: BMI-1, CINTICHEM, INC.	184
71-0627	CONSOLIDATED NDE, INC.	182	71-5979	MODEL: 5979, ALPHA-OMEGA SERVICES, INC.	184
71-0629	SCIENTIFIC TECHNICAL, INC.	182	71-5984	MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	184
71-0630	PROGRESS SERVICES, INC.	182	71-6208	MODEL: MODEL B. B&W FUEL CO.	184
71-0635	H & G INSPECTION CO., INC.	182	71-6717	MODEL: 6717-B, AMERSHAM CORP.	184
71-0637	WESTERN STRESS, INC.	182	71-8006	MODEL: AI 500 SU, AMERSHAM CORP.	184
71-0639	WOS TESTING CO., INC.	182	71-9007	MODEL: AI 520, AMERSHAM CORP.	184
71-0640	PSI ENERGY, INC.	182	71-9010	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	184
71-0652	SAM-SON INSPECTION & TECHNICAL SERVICES, INC.	182	71-9023	MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP.	184
71-0669	COMO TECH, INC.	182	71-9027	MODEL: 741 & 741E, AMERSHAM CORP.	184
71-0672	LUCIUS PITKIN, INC.	182	71-9028	MODEL: 694 & 684E, AMERSHAM CORP.	185
71-0679	TESTMASTER INSPECTION CO.	182	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	185
71-0683	TESTING TECHNOLOGIES, INC.	182	71-9032	MODEL: 660, AMERSHAM CORP.	185
71-0685	SIERRA TESTING, INC.	183	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	185
71-0690	INDESERV, INC.	183	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	185
71-0691	TEI ANALYTICAL SERVICES, INC.	183	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	186
71-0693	CENTERIOR SERVICE CO.	183	71-9039	MODEL: 715, AMERSHAM CORP.	186
71-0694	PIE, INC. (PIPELINE INSPECTION & ENGINEERING)	183	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	186
71-0696	GEORGIA POWER CO.	183	71-9107	MODEL: 771, AMERSHAM CORP.	186
71-0697	NAVY, DEPT. OF	183	71-9126	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	186
71-0706	S.K. MCBRYDE, INC.	183	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	186
71-0707	CARONDELET FOUNDRY CO.	183	71-9133	MODEL: C-10, AMERSHAM CORP.	186
71-0718	ARCTIC SLOPE INSPECTION SERVICES, INC.	183	71-9135	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	187
71-0724	VALLEY INSPECTION SERVICE, INC.	183	71-9143	MODEL: 920, AMERSHAM CORP.	187
71-0725	CANSPEC TESTING, INC.	183	71-9148	MODEL: 770, AMERSHAM CORP.	187
71-0730	TESTING ENGINEERS, INC.	183	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	187
71-0736	MAGNA CHEK, INC.	183	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	187
71-0759	NATIONWIDE TESTING SERVICES, INC.	183	71-9167	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	187
71-0764	DIAMOND H TESTING CO.	183	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	187
71-0769	GREAT LAKES TESTING, INC.	183	71-9183	MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	187
71-0770	RUST REMEDIAL SERVICES	183	71-9187	MODEL: 865, AMERSHAM CORP.	187
71-0771	LONGVIEW INSPECTION - GULF COAST GROUP, INC.	183			
71-0777	VALLEY INDUSTRIAL X-RAY & INSPECTION SVCS	183			
71-0781	PROFESSIONAL QUALITY TESTING CO. NEW KENSINGTON	183			
71-0782	INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES	184			
71-0790	OKLAHOMA STATE UNIVERSITY	184			
71-0792	NDE SERVICES, INC.	184			

Docket	Name	Page	Docket	Name	Page
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	187	Licensing of Independent Spent Fuel Storage - Docket 72		
71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	187	72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	188
71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	187	72-0005	WISCONSIN ELECTRIC POWER CO., 50-266 & 50-301	188
71-9235	MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	187	72-0007	CONSUMERS POWER CO., 50-255	188
71-9243	MODEL: 934, AMERSHAM CORP.	187	72-0008	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	188
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	187	72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	188
71-9252	MODEL: 51032-2, B&W FUEL CO.	187	72-0010	NORTHERN STATES POWER CO., 50-282 & 50-306	188
71-9257	NORDION INTERNATIONAL INC.	187	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	188
71-9259	MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	188	72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	188
71-9260	MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	188			

 

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			RIO ALGOM MINING CORP., MOAB, UT	40-8084	3
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	6
Domestic Licensing of Source Material - Docket 40			RMI CO., ASHTABULA, OH	40-2384	2
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2	SEQUOYAH FUELS CORP., GORE, OK	40-8027	3
ALPHA Q, INC., COLCHESTER, CT	40-8940	6	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	6
ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	40-0501	1	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	2
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	5
ARMY, DEPT. OF, MADISON, IN	40-8838	5	UMETCO MINERALS CORP., BLANDING, UT	40-8681	4
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	5	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
ATLAS CORP., DENVER, CO	40-3453	2	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	6
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3	UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	40-0791	1
CABOT CORP. READING & REVERE	40-9027	7	VIRGINIA, UNIV. OF, CHARLOTTESVILLE, VA	40-5738	2
CABOT CORP., BOYERTOWN, PA	40-8940	2	WHITTAKER CORP., LOS ANGELES, CA	40-7455	2
CHEMETRON CORP., PROVIDENCE, RI	40-8724	4	Domestic Licensing of Production and Utilization Facilities - Docket 50		
EDISON INSTITUTE, DEARBORN, MI	40-8792	5	ALLIS-CHALMERS MFG. CO. CRITICAL ASSEMBLY	50-108	11
ENERGY FUELS NUCLEAR	40-8024	7	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	137
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	7	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	139
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	3	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	71
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	6	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	108
FERRULMATIC, INC., TOTOWA, NJ	40-8852	5	BEAVER VALLEY POWER STATION, UNIT 1	50-334	90
FOOTE MINERAL CO., EXTON, PA	40-7397	2	BEAVER VALLEY POWER STATION, UNIT 2	50-412	130
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	1	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	141
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	141
GRACE ENERGY CO., VENICE, CA	40-8812	6	BIG ROCK POINT NUCLEAR PLANT	50-155	12
HOMESTAKE MINING CO., GRANTS, NM	40-8903	5	BRAIDWOOD STATION, UNIT 1	STN-50-456	149
HYDRO RESOURCES, INC., DALLAS, TX	40-8868	7	BRAIDWOOD STATION, UNIT 2	STN-50-457	151
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	3	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	31
KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	40-1478	1	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	32
MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	40-8984	7	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	60
MOLYCORP, INC., LOS ANGELES, CA	40-8778	4	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	83
PATHFINDER MINES CORP., MILLS, WY	40-8981	7	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	81
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2	BUFFALO MATERIALS RESEARCH CENTER	50-57	10
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2	BYRON STATION, UNIT 1	STN-50-454	146
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8898	4	BYRON STATION, UNIT 2	STN-50-455	148
POWER RESOURCES, INC., GLENROCK, WY	40-8857	5	CALLAWAY PLANT, UNIT 1	STN-50-483	157
QUIVIRA MINING CO., GRANTS, NM	40-8905	5			

Name	Docket	Page	Name	Docket	Page
CALLAWAY PLANT, UNIT 2	STN-50-486	158	GENERAL ATOMICS	50-89	10
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	75	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	10
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	76	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	12
CATAWBA NUCLEAR STATION, UNIT 1	50-413	131	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	134
CATAWBA NUCLEAR STATION, UNIT 2	50-414	132	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	135
CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	50-77	10	H.B. ROBINSON PLANT, UNIT 2	50-261	33
CINTICHEM	50-54	10	HADDAM NECK PLANT	50-213	15
CLINCH RIVER BREEDER REACTOR	50-537	169	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	103
CLINTON POWER STATION, UNIT 1	50-461	154	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	11
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	144	INDIAN POINT STATION, UNIT 1	50-3	8
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	145	INDIAN POINT STATION, UNIT 2	50-247	24
COOPER NUCLEAR STATION	50-298	61	INDIAN POINT STATION, UNIT 3	50-286	53
CORNELL UNIV. RESEARCH REACTOR	50-157	12	IOWA STATE UNIV. RESEARCH REACTOR	50-116	11
CORNELL UNIV. ZERO POWER REACTOR	50-97	11	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	89
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	64	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	98
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	98	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	106
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	45	KEWAUNEE NUCLEAR POWER PLANT	50-305	67
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	80	LA CROSSE BOILING WATER REACTOR	50-409	128
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	73	LASALLE COUNTY STATION, UNIT 1	50-373	112
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	74	LASALLE COUNTY STATION, UNIT 2	50-374	114
DOW CHEMICAL CO.	50-264	36	LIMERICK GENERATING STATION, UNIT 1	50-352	100
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	8	LIMERICK GENERATING STATION, UNIT 2	50-353	101
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	19	MAINE YANKEE ATOMIC POWER PLANT	50-309	68
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	25	MANHATTAN COLLEGE RESEARCH REACTOR	50-199	14
DUANE ARNOLD ENERGY CENTER	50-331	88	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	9
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	78	MIDLAND PLANT, UNIT 1	50-329	87
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	107	MIDLAND PLANT, UNIT 2	50-330	87
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	96	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	22
ERIE NUCLEAR PLANT, UNIT 1	STN-50-580	169	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-398	92
FLOATING NUCLEAR PLANT	STN-50-437	141	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	135
FORD NUCLEAR REACTOR	50-2	8	MONTICELLO NUCLEAR GENERATING PLANT	50-263	35
FORT CALHOUN STATION, UNIT 1	50-285	52	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	18
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	38	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	129
FULTON GENERATING STATION, UNIT 1	50-463	155	NORTH ANNA POWER STATION, UNIT 1	50-338	84
FULTON GENERATING STATION, UNIT 2	50-464	155	NORTH ANNA POWER STATION, UNIT 2	50-339	86
GENERAL ATOMICS	50-163	13	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	61

Name	Docket	Page	Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 1	50-269	39	SEABROOK NUCLEAR STATION, UNIT 2	50-444	144
OCONEE NUCLEAR STATION, UNIT 2	50-270	41	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	84
OCONEE NUCLEAR STATION, UNIT 3	50-287	54	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	86
OYSTER CREEK NUCLEAR POWER PLANT	50-219	17	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	127
PALISADES NUCLEAR PLANT	50-255	29	SHOREHAM NUCLEAR POWER STATION	50-322	79
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	164	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	158
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	166	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	161
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	167	ST. LUCIE PLANT, UNIT 1	50-335	91
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	13	ST. LUCIE PLANT, UNIT 2	50-389	120
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	46	SURRY POWER STATION, UNIT 1	50-280	49
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	47	SURRY POWER STATION, UNIT 2	50-281	50
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	8	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	116
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	142	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	118
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	142	TEXAS A&M UNIV. RESEARCH REACTOR	50-128	11
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	57	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	56
PILGRIM NUCLEAR POWER STATION, UNIT 2	50-471	156	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	77
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	37	TROJAN NUCLEAR PLANT	50-344	97
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	63	TURKEY POINT PLANT, UNIT 3	50-250	26
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	51	TURKEY POINT PLANT, UNIT 4	50-251	27
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	68	UCLA TRAINING REACTOR	50-142	11
PURDUE UNIV. RESEARCH REACTOR	50-182	13	UNIV. OF CALIFORNIA AT SANTA BARBARA RESEARCH REACTOR	50-433	140
QUAD-CITIES STATION, UNIT 1	50-254	26	UNIV. OF FLORIDA TRAINING REACTOR	50-83	10
QUAD-CITIES STATION, UNIT 2	50-265	36	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	11
RANCHO SECO NUCLEAR GENERATING STATION	50-312	71	UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	103
REED COLLEGE RESEARCH REACTOR	50-288	56	UNIV. OF LOWELL RESEARCH REACTOR	50-223	19
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	14	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	14
RIVER BEND STATION, UNIT 1	50-458	153	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	12
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	21	VERMONT YANKEE NUCLEAR POWER STATION	50-271	42
RPI CRITICAL EXPERIMENT	50-225	19	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	125
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	43	WATERFORD GENERATING STATION, UNIT 3	50-382	115
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	69	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	120
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	123
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	104	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	109
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	105	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	111
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	11	WOLF CREEK GENERATING STATION	STN-50-482	156
SEABROOK NUCLEAR STATION, UNIT 1	50-443	143	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	11

Name	Docket	Page	Name	Docket	Page
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	154	NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ	70-1403	176
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	126	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	173
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	184	PURDUE UNIV., WEST LAFAYETTE, IN	70-0152	173
YANKEE-ROWE NUCLEAR POWER STATION	50-29	9	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	176
ZERO POWER REACTOR-I	50-75	10	SOUTHEAST MISSOURI HOSP., CAPE GIRARDEAU, MO	70-2174	177
ZERO POWER REACTOR-II, NATIONAL AERONAUTICS & SPACE	50-187	14	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	177
ZION NUCLEAR POWER STATION, UNIT 1	50-295	59	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	177
ZION NUCLEAR POWER STATION, UNIT 2	50-304	65	TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	176
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	170	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	178
CANDU 3U AECL TECHNOLOGIES, INC.	52-005	171	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	178
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	169	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	175
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	171	WESTINGHOUSE ELECTRIC CO.	70-0926	172
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	168	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	175
Domestic Licensing of Special Nuclear Material - Docket 70			Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ARMY, DEPT. OF, REDSTONE ARSENAL, AL	70-3082	178	ADVANCED MEDICAL SYSTEMS, INC.	71-0954	181
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	173	AGRICULTURE, DEPT. OF	71-0238	180
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	172	AKRON INDUSTRIAL SERVICES, INC.	71-0595	182
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0384	174	ALASKA INDUSTRIAL X-RAY	71-0308	180
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	172	ALLEGHENY LABORATORIES	71-0555	182
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	175	ALLIED INSPECTION SERVICES, INC.	71-0330	181
CINTICHEM, INC., TUXEDO, NY	70-0887	174	AMERICAN AIRLINES, INC.	71-0236	180
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	173	ANCHOR-DARLING VALVE CO.	71-0153	180
D.E. MAKEPEACE CO., ATTLEBORO, MA	70-0139	173	ANECO, INC.	71-0001	179
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	176	APV REFINERY PRODUCTS CORP.	71-0407	181
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	175	ARCTIC SLOPE INSPECTION SERVICES, INC.	71-0718	183
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	174	ARMY, DEPT. OF	71-0487	181
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	175	ARROW TANK & ENGINEERING CO.	71-0011	179
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	176	ATLANTIC RESEARCH CORP.	71-0461	181
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1007	175	BAKER TESTING SERVICES, INC.	71-0392	181
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	175	BRANCH RADIOGRAPHIC LABORATORIES, INC.	71-0368	181
ICN PHARMACEUTICALS, INC., IRVINE, CA	70-0007	172	BRAUN ENGINEERING TESTING, INC.	71-0592	182
INTERIOR, DEPT. OF, DENVER, CO	70-0121	173	BRIGGS ASSOCIATES, INC.	71-0363	181
IRT CORP., SAN DIEGO, CA	70-1359	176	BUCKEYE STEEL CASTINGS	71-0110	178
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	178	CANSPEC TESTING, INC.	71-0725	183
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0712	174	CAPITAL X-RAY SERVICE	71-0228	180
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	177	CARONDELET FOUNDRY CO.	71-0707	183

Name	Docket	Page	Name	Docket	Page
CENTERIOR SERVICE CO.	71-0693	183	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	186
CENTURY INSPECTION, INC.	71-0181	180	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	187
COLBY-THIELMEIER TESTING CO.	71-0114	179	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	71-9126	186
COMO TECH, INC.	71-0669	182	MODEL: 3206B, 3227B & 321B, AMERSHAM CORP.	71-9187	187
CONAM INSPECTION, INC.	71-0216	180	MODEL: 51032-2, B&W FUEL CO.	71-9252	187
CONSOLIDATED NDE, INC.	71-0627	182	MODEL: 5979, ALPHA-OMEGA SERVICES, INC.	71-5979	184
CONSUMERS POWER CO.	71-0325	181	MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	71-5984	184
CRAMER & LINDELL ENGINEERS, INC.	71-0558	182	MODEL: 650, AMERSHAM CORP.	71-9032	185
CTI, INC.	71-0404	181	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	185
CTL ENGINEERING, INC.	71-0301	180	MODEL: 6717-B, AMERSHAM CORP.	71-6717	184
DIAMOND H TESTING CO.	71-0764	183	MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	185
DURALLOY BLAW-KNOX, INC.	71-0201	180	MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	185
EASTERN TESTING & INSPECTION	71-0026	179	MODEL: 684 & 684E, AMERSHAM CORP.	71-9028	185
EDWARDS PIPELINE TESTING, INC.	71-0563	182	MODEL: 715, AMERSHAM CORP.	71-9039	186
EMPIRE STEEL CASTINGS, INC.	71-0172	180	MODEL: 741 & 741E, AMERSHAM CORP.	71-9027	184
GENERAL DYNAMICS CORP.	71-0220	180	MODEL: 770, AMERSHAM CORP.	71-9148	187
GENERAL MOTORS CORP.	71-0438	181	MODEL: 771, AMERSHAM CORP.	71-9107	186
GENERAL TESTING & INSPECTION CO.	71-0319	180	MODEL: 865, AMERSHAM CORP.	71-9187	187
GEORGIA POWER CO.	71-0696	183	MODEL: 920, AMERSHAM CORP.	71-9143	187
GLITSCH FIELD SERVICES/NDE, INC.	71-0171	180	MODEL: 934, AMERSHAM CORP.	71-9243	187
GLOBE X-RAY SERVICES, INC.	71-0148	180	MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	184
GREAT LAKES TESTING, INC.	71-0769	183	MODEL: AI 520, AMERSHAM CORP.	71-9007	184
GRINNELL CORP.	71-0036	179	MODEL: BMI-1, CINTICHEM, INC.	71-5957	184
H & G INSPECTION CO., INC.	71-0635	182	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-8036	186
H&H X-RAY SERVICES, INC.	71-0423	181	MODEL: C-10, AMERSHAM CORP.	71-9133	186
H.R. INSPECTION SERVICE	71-0055	179	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	71-9135	187
HARRISON STEEL CASTINGS CO.	71-0051	179	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	187
HERRON TESTING LABORATORIES, INC.	71-0123	179	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	187
HIGH STEEL STRUCTURES, INC.	71-0186	180	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9159	187
INDESERV, INC.	71-0690	183	MODEL: MODEL B, B&W FUEL CO.	71-6206	184
INDUSTRIAL NDT CO.	71-0511	182	MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	71-9183	187
INGERSOLL-RAND CO.	71-0119	179	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	187
INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES	71-0782	184	MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	71-9235	187
JAN X-RAY SERVICES, INC.	71-0603	182	MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	71-5362	184
LEHIGH TESTING LABORATORIES, INC.	71-0269	180	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	71-9010	184
LONGVIEW INSPECTION - GULF COAST GROUP, INC.	71-0771	183			
LUCIUS PITKIN, INC.	71-0672	182			
MAGNA CHEK, INC.	71-0736	183			
MATTINGLY TESTING SERVICES, INC.	71-0542	182			
MONDT LEASING, INC.	71-0601	184			
MET-CHEM ENGINEERING LABORATORIES, INC.	71-0509	181			
MIDWEST INSPECTION SERVICES, INC.	71-0476	181			
MISSOURI STEEL CASTINGS CO.	71-0408	181			

Name	Docket	Page	Name	Docket	Page
MODEL: NL-10/24, NUCLEAR ASSURANCE CORP.	71-9023	184	TEI ANALYTICAL SERVICES, INC.	71-0691	183
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4966	184	TENNESSEE VALLEY AUTHORITY	71-0227	180
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	187	TESTING ENGINEERS, INC.	71-0730	183
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	71-9056	188	TESTING TECHNOLOGIES, INC.	71-0683	182
MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	71-9260	188	TESTMASTER INSPECTION CO.	71-0679	182
MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	71-9259	188	THERAPY SERVICES	71-0529	182
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	187	TULSA GAMMA RAY, INC.	71-0139	179
MOS INSPECTION, INC.	71-0585	182	TWIN PORTS TESTING, INC.	71-0253	180
NATIONWIDE TESTING SERVICES, INC.	71-0759	183	UNITED AIRLINES, INC.	71-0044	179
NAVY, DEPT. OF	71-0897	183	VALLEY INDUSTRIAL X-RAY & INSPECTION SVCS	71-0777	183
NDE SERVICES, INC.	71-0792	184	VALLEY INSPECTION SERVICE, INC.	71-0724	183
NEWPORT NEWS SHIPBUILDING & DRY DOCK CO.	71-0098	179	VENEGAS INDUSTRIAL TESTING LABORATORIES, INC.	71-0100	179
NILES STEEL TANK CO.	71-0352	181	VOITH HYDRO, INC.	71-0393	181
NON DESTRUCTIVE TESTING CORP.	71-0559	182	WALASHEK ENTERPRISES, INC.	71-0538	182
NOOTER CORP.	71-0113	179	WESTERN STRESS, INC.	71-0637	182
NORDION INTERNATIONAL INC.	71-9257	187	WISCONSIN INDUSTRIAL TESTING, INC.	71-0262	180
NORFOLK SHIPBUILDING & DRYDOCK CORP.	71-0075	179	WISCONSIN PUBLIC SERVICE CORP.	71-0382	181
NORTH AMERICAN INSPECTION	71-0514	181	WOS TESTING CO., INC.	71-0839	182
NUCLEAR ASSURANCE CORP.	71-0018	179	X-R-1 TESTING OF MICHIGAN	71-0158	180
OKLAHOMA STATE UNIVERSITY	71-0790	184	X-RAY, INC.	71-0234	180
OKLAHOMA STEEL CASTINGS CO.	71-0422	181	YUBA HEAT TRANSFER CORP.	71-0263	180
PENN INSPECTION CO.	71-0503	181	Licensing of Independent Spent Fuel Storage - Docket 72		
PHILADELPHIA ELECTRIC CO.	71-0525	181	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	72-0008	188
PIE, INC. (PIPELINE INSPECTION & ENGINEERING)	71-0634	183	CONSUMERS POWER CO., 50-255	72-0007	188
PROFESSIONAL QUALITY TESTING CO. NEW KENSINGTON	71-0781	183	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	188
PROGRESS SERVICES, INC.	71-0630	182	MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	188
PRYOR FOUNDRY, INC.	71-0208	180	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	188
PSI ENERGY, INC.	71-0640	182	NORTHERN STATES POWER CO., 50-282 & 50-306	72-0010	188
RUST REMEDIAL SERVICES	71-0770	183	PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	188
S.K. MCBRYDE, INC.	71-0708	183	WISCONSIN ELECTRIC POWER CO., 50-266 & 50-301	72-0005	188
SAM-SON INSPECTION & TECHNICAL SERVICES, INC.	71-0652	182	UNKNOWN	DOCKET	179
SCIENTIFIC TECHNICAL, INC.	71-0629	182	UNKNOWN	DOCKET	172
SIERRA TESTING, INC.	71-0685	183	UNKNOWN	DOCKET	1

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-046 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9502178250 Forwards proposed rev to "US Ecology, Inc. Richland, WA Facility Site Manual (FSM)" Rev in response to comments from WA Dept of Health (WDOH) after WDOH review of initial FSM rev submitted on 9/4/05
LEDDUM, R. American Ecology Corp. 95/01/25 HOGG, R. NRC - No Detailed Affiliation Given 3pp 82795 163-82795 289

9502170254 Proposed rev of "US Ecology, Inc. Richland, WA Facility Site Manual"
American Ecology Corp. 94/12/14 86pp 82795 165-82795 286

9502170264 Notices Dept of Health of mgt & organizational changes within American Ecology Corp
WRIGHT, C.C. American Ecology Corp. 95/01/04 HOGG, R. NRC - No Detailed Affiliation Given 2pp 82790 089-82790 080

DOCKET DOCKET UNKNOWN

9502060177 Forwards written transcripts of licensee employees per 950104 request
JONES, J.D. Region 3 (Post 820201) 95/01/31 FITZGERALD, C.M. Alliant Technology Systems Inc. 1p 82648 153-82648 152

9502150060 Forwards insp repts 40-3558/94-01 & 70-0026/94-01 on 941213 No violations noted
KINNEAMAN, J.D. Region 1 (Post 820201) 95/02/08 NARDIA, J. Westinghouse Electric Corp. 5pp 82722 343-82722 351

9502150064 Insp repts 40-3558/94-01 & 70-0026/94-01 on 941213 No violations noted Major areas inspected organization, staffing & training of workers
ROBERTS, M.C., KINNEAMAN, J.D. Region 1 (Post 820201) 95/02/08 5pp 82722 348-82722 351

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UNETCO MINERALS CORP., RIVERTON, WY

9502140157 Describes design mods per evaluation of verbal concerns from M. Haque, E. Brunner & T. Harris re Heap Leach Refinement Plan
GIECK, T.E. UNETCO Minerals Corp. 95/02/06 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) HAQUE, M. NRC - No Detailed Affiliation Given 19pp 82734 316-82734 334

9502270095 Advises that planning to begin test of effect of pumping & treating that has been in progress for past 4 yrs on inactive tailings area in East Gas Hills groundwater remediation site
MOORE, J.C. UNETCO Minerals Corp. 95/02/10 HAQUE, M.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 82959 031-82959 031

9502260403 Forwards re: "Seismotechnic Stability, East Gas Hills Site, Wyoming" by J.F. Gibbons as suppl to license for 950206 in response to NRC comments to re-licensing plan, dtd Sept 1994
GIECK, T.E. UNETCO Minerals Corp. 95/02/23 HOLONICH, J.J. Division of Waste Management (NMSS 940403) 1p 82853 232-82853 257

9502260409 "Seismotechnic Stability, East Gas Hills Site, Wyoming"
GIBBONS, J.F. UNETCO Minerals Corp. 95/02/12 25pp 82853 233-82853 257

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9502060157 Responds to P. Match 950112 re describing method RUST Federal Svcs proposes to use to determine radiological status of pylons & soil beneath former Defense Logistics Agency warehouses in Curtis Bay, MD
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/28 REILLY, K. Defense Dept. of Defense Logistics Agency 1p 82686 251-82686 251

9502060094 Forwards comments on hydrogeologic data re: former DLA facility in Curtis Bay, MD, in response to 941209 by from W.C. Gerald of RUST Emoron & Infrastructure to N. Coleman Responses to NRC comments should be provided within 30 days
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/25 REILLY, K. Defense Dept. of Defense Logistics Agency 4pp 82711 356-82711 359

9502060230 Informs that Berg provide add attention to project to allow get back on responsible completion schedule
ESKEND, Anne Arundel County, MD 95/01/30 JOHNSON, C. Maryland, State of 3pp 82706 258-82706 270

9502070174 Forwards requested responses to 950112 re Resumes of mgt replacements for project that will occur in early part of Feb
REILLY, K. Defense Dept. of Defense Logistics Agency 95/02/02 ORLANDO, D.A. Division of Low-Level Waste Management & Decommissioning (870413-940402) 11pp 82693 325-82693 325

9502240239 Submits request made for bldgs L416-L420, that border DLA fence
VALENTINE, D.A. Rust Engineering Co. 95/02/21 ORLANDO, D.A. Division of Low-Level Waste Management & Decommissioning (870413-940402) 2pp 82870 359-82870 350

DOCKET 40-0601 ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA

9502060187 Final response to FOIA request for records App I records and POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/14 MITCHELL, W. Armstrong Gordon Mitchell & Daniels 2pp 82684 187-82684 170

9502060296 Record of telcon w/D. Flynn on 930730 re status of Bldg 66 activities Final survey repts for Bldg 66 & roof & drains received & copy forwarded to ORISE ORISE will provide review scheduling on 930806
JOHNSON, T.C. NRC - No Detailed Affiliation Given 93/07/30 1p 82694 171-82694 171

9502060654 Advises that Environ Survey & Site Assessment Program of ORISE has reviewed results of thorium analyses performed on two QA water samples & nine groundwater samples collected from Alcoa landfill in Cleveland, OH Results provided
ABELQUIST, E.W. Oak Ridge Associated Universities 95/01/20 JOHNSON, T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 2pp 82705 238-82705 240

9502280462 Forwards Final Rept ORISE 94/L-61, "Radiological Sampling & Analyses from Groundwater Monitoring Wells at ALCOA Industrial Landfill Cleveland, OH"
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/15 KING, R.C. Aluminum Co. of America 8pp 82945 177-82945 216

9502280465 Final Rept ORISE 94/L-61, "Radiological Sampling & Analyses from Groundwater Monitoring Wells at ALCOA Industrial Landfill Cleveland, OH"
ABELQUIST, E.W., LAUDEMAN, J.J., PAYNE, A.T. Oak Ridge Associated Universities Pl. A-3093 ORISE 94/L-61 94/12/15 NRC - No Detailed Affiliation Given 26pp 82945 184-82945 216

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9502100028 Forwards insp repts 40-0534/94-01 on 941116-17 & 950130 No violations noted Requests that licensee submit decommissioning plan within 24 months for all facilities no longer conducting principal licensed activities
SHEAR, G.L. Region 3 (Post 820201) 95/02/09 ZIELINSKI, A.M. General Electric Co. 2pp 82880 148-82880 163

9502100035 Insp repts 40-0534/94-01 on 941116-17 & 950130 No violations noted Major areas inspected license & document review of all current & former locations of use covered under license & review of info re current radiological status of sites
WIEDEMAN, D.G., LAFRANZO, J.M., HOLT, B.J. Region 3 (Post 820201) 95/02/09 14pp 82690 150-82690 163

DOCKET 40-0791 UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT

9502260386 Safety insp on 950117-0206 of license Sub-B-151 Insp findings no violations observed & inspector verified steps taken to correct violations identified in previous insp
Region 1 (Post 820201) * United Technologies Corp. 95/02/09 1p 82853 047-82853 047

DOCKET 40-1476 KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK

9502030128 FOIA request for documents & repts re Kerr-McGee facility at Cushing, OK
MARBLE, J.D. Hucksby Fleming, Fraley, Chaffin & Darrin 94/02/14 Division of Freedom of Information & Publications Services (880206-940714) 1p 82621 001-82621 001

9502030346 Partial response to FOIA request for documents Forwards app A & B records available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/05/06 MARBLE, J.D. Hucksby Fleming, Fraley, Chaffin & Darrin 7pp 82621 002-82621 277

9502030162 Informs that item 14 of NMSS 910211 Delegation of Authority, delegates authority to grant Kerr-McGee Corp. exemptions from physical protection requirements of 10CFR73 & criticality accident requirements of 10CFR70.24
BANGART, J.L. Division of Low-Level Waste Management & Decommissioning (870413-940402) 93/04/05 AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230) 44pp 82621 009-82621 277

9502100154 Second partial response to FOIA request for records App C records avail 8099 in PDR App D records avail & available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/20 MARBLE, J.D. Hucksby, Fleming, Fraley, Chaffin & Darrin 4pp 82717 001-82717 139

9502130183 Responds to 930219 re requesting meeting to discuss decommissioning activities involving Fernald site & Kerr-McGee sites in Cimarron & Cushing Agrees w/ licensee that close cooperation needed for timely remediation
BERNEJO, R.M. Office of Nuclear Material Safety & Safeguards 94/06/20 EATON, P.F. Oklahoma, State of 3pp 82717 006-82717 082

9502280130 Third partial response to FOIA request for documents Forwards App E record available in PDR w/ six oversize drawings
Division of Freedom of Information & Publications Services (880206-940714) 94/07/12 Hucksby, Fleming, Fraley, Chaffin & Darrin 3pp 82830 245-82830 248

2 DOCKETED ITEMS

DOCKET 40-2269 PATHFINDER MINES CORP., RIVERTON, WY

9502070200 Provides copy of annual technical evaluation of performance of embankment for as required by license condition 34
HARDGROVE, T.W. Pathfinder Mines Corp. 95/01/19. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 82595 325-82595 332

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9502080832 Conveys RMI position on communications relating to RMI decommissioning activities made to NRC by DOE
HENDERSON, J.W. RMI Co. 95/01/19. ULECK, R. Division of Waste Management (NMSS 940403) 4pp 82702 345-82702 350

9502180285 Summary of 950130 meeting w/Region III staff & RE Uleck in Ashtabula, OH to provide Senior Glenn & Representative LaTourrette info on DOE funding levels, RMI capabilities & performance
ULECK, R. B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/05. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 4pp 82720 230-82720 235

DOCKET 40-2382 ALLIED-SIGNAL, INC., METROPOLIS, IL

9502090323 Forwards RAI re revised application did 940701 (transmitted by Ir did 940711) requesting removal of license SUB-525. Add info specified in end, should be provided within 45 days of date of Ir
LAWASTRA, M. Licensing Branch 95/01/31. KOSMIDER, M.D. Allied-Signal Corp. 3pp 82685 358-82685 350

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9502020339 Submits results of review of response to NRC 941026 demand for info on potential corporate organizational changes. Response satisfactory
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 94/12/12. BLUBAUGH, R. Atlas Corp. 3pp 82682 347-82682 348

9502010039 Expresses disappointment re delay in release of draft version of EIS for Moab tailings site, from original date of Nov 1994 to current estimate date of Mar 1995
MANZ, S. Atlas Corp. 95/01/23. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 82587 247-82587 248

9502010039 Forwards proposed activities in response to NRC comments on issues related to geology, seismology & subsidence
BLUBAUGH, R. E. Atlas Corp. 95/01/23. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 9pp 82587 249-82587 257

9502010039 Application for amend to license SUA-817 amending license condition 55 A (2) to change completion date for placement of interim cover on tailings from 850215 to 1091
BLUBAUGH, R. E. Atlas Corp. 95/01/23. 3pp 82587 265-82587 267

9502020124 Ack receipt of 841212 Ir re surety review & replacement of Ir of credit w/ surety bond
NELSON, D. R. Utah, State of 95/01/23. GREAVES, J. Division of Waste Management (NMSS 940403) 1p 82620 280-82620 280

9502030088 Requests review of end Ir re Town of Castle Valley concern surrounding use of igneous mts taken from Round Mountain to cap replace Atlas tailings pile in Moab Canyon
ROBERTS, D. Affiliation Not Assigned 95/01/23. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 11pp 82617 236-82617 244

9502020235 Notification of significant licensee meeting w/Atlas Corp on 950207 to discuss scope & results of sediment sampling program in Colorado River adjacent to Atlas U mill
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/24. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 82619 339-82619 341

9502020240 Forwards FRN to be transmitted to Oic of FR for publication of license amend to change reclamation instructions for U recovery facility at Moab, UT
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 82619 351-82619 355

9502020240 Notice of receipt of application from Atlas Corp to amend condition 55 of license SUA-817, modifying license to change completion date for placement of interim cover on tailings impoundment from 950215 to 951091
THOMAS, J.C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27. 3pp 82619 353-82619 355

9502070121 Requests copy of DEIS & FEIS re Atlas Corp U milling facility remediation in Moab, UT
HAZEN, G. A. Affiliation Not Assigned 95/02/01. MULLINS, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 82686 326-82686 328

9502100838 Forwards Ir to NRC staff member from Exxon Production Research Co. Ir identifies locations of seismic line crossings of Moab fault & owners of data
GILLEN, D.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/08. BLUBAUGH, R. Atlas Corp. 1p 82720 301-82720 306

9502180227 Forwards map of Moab fault showing position of seismic lines listed below
HUDEC, M.R. Exxon Production Research Co. 94/01/28. IBRAHIM, A.K. NRC - No Detailed Affiliation Given. 3pp 82720 302-82720 308

9502170467 Provides add results pertaining to effluent & monitoring program for half of 1994. Original rpt distributed on 840831
BLUBAUGH, R. E. Atlas Corp. 95/02/14. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 82730 215-82730 248

9502170169 Transmits results of effluent & monitoring programs as required by 10CFR40.65 & License Condition 48 Results & info hereby transmitted for first half of 1994
BLUBAUGH, R. E. Atlas Corp. 94/08/31. HOLONCH, J.J. Division of Waste Management (NMSS 940403) 3app 82780 218-82780 248

9502270382 Forwards info on Atlas Moab U mill site per request
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/16. MORTON, L. B. Utah, State of 3pp 82903 340-82903 342

9502280187 Responds to S. Manz 950123 Ir expressing concern w/amount of time being required for NRC to complete draft EIS being prepared to assess effects on erosion of reclamation plan for Moab U mill tailings
HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/16. MANZ, S. Atlas Corp. 4pp 82945 252-82945 255

9502280487 Submits results of staff review of Atlas Corp Geology/Seismology work-plan did 950123
JUR, T.U.S. Engineering & Geosciences Branch (NMSS 940403) 95/02/22. GILLEN, D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 82945 172-82945 176

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9502230272 Forwards "Semi-Annual Rept for Second Half of 1994" & Ground Water Corrective Action Program
SALSBURY, W.C. American Nuclear Corp. 95/02/13. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 5pp 82639 229-82639 304

9502230275 "American Nuclear Corp Ground Water Corrective Action Program 1994 Annual Rept."
American Nuclear Corp. 95/02/13. 3pp 82639 233-82639 240

9502230278 "Semi-Annual Rept on Radioactive Effluents per 10CFR40.65" for Jul-Dec 1994
American Nuclear Corp. 94/12/31. 6app 82639 241-82639 304

DOCKET 40-5738 VIRGINIA, UNIV. OF, CHARLOTTESVILLE, VA

9502280225 Mails licensing package for amend 7 to license SUD-857 for Univ of Virginia Control 255-49
WRIGHT, E. G. Region 2 (Post 820201) 95/01/13. 12pp 82681 342-82681 353

DOCKET 40-6522 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9502210306 "Environ Monitoring Data for Second Half 1994" w/950213 Ir
HURDOCK, E.S. Pathfinder Mines Corp. 94/12/31. HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 24pp 82807 275-82807 302

DOCKET 40-8940 CABOT CORP., BOYERTOWN, PA

9502100234 Confirms arrangements re 950306 meeting w/Cabot in Rockville, MD to discuss decommissioning funding for Boyertown facility
KLASKY, M. Licensing Branch 95/02/08. GANNON, W. Cabot Corp. 1p 82720 236-82720 236

9502130686 Trip rpt of 941108 visit to Cabot Boyertown facility re renewal of license SWB-820
KLASKY, M. Licensing Branch 95/02/08. PIERSON, A.C. Licensing Branch 1p 82728 138-82728 139

9502210042 Decreases CAL-1-95-02 re 950201-07 insp of licensee. Inform of several potential safety & regulatory concerns related to adequacy of licensee radiological & engineering controls used to limit thorium & U releases by workers
HEHL, C.W. Region 1 (Post 820201) 95/02/08. UNDELL, J. Cabot Corp. 4pp 82788 311-82788 314

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9502030283 Ack receipt of 941218 Ir informing NRC of steps taken to correct violations noted in insp rpt 40-07102/39-01
KONNEMAN, J. D. Region 1 (Post 820201) 95/01/27. EVES, C.S. Shieldalloy Metallurgical Corp. 1p 82642 351-82642 353

9502030286 Responds to NRC 941123 Ir re violations noted in insp rpt 40-07102/39-01. Corrective actions SMC agrees to initiate sampling program for measuring effluent from Dept 111 stacks in order to satisfy requirements of open item
EVES, C.S. Shieldalloy Metallurgical Corp. 94/12/16. MILLER, M.T. Region 1 (Post 820201) 2pp 82642 352-82642 353

DOCKET 40-7597 FOOTE MINERAL CO., EXTON, PA

9502280099 Responds to concerns raised at public meeting on 941101 at Pritchard Laughlin Ctr in Cambridge. NRC reviewed public transcript & determined many questions & concerns raised not sufficiently addressed at meeting
SHEAR, G.L. Region 3 (Post 820201) 95/02/16. LEE, P. Affiliation Not Assigned. 5pp 82846 019-82846 023

DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9502280028 FOIA request for documents re Whittaker Corp Greenville Metals
See Greenville PA license SMA-1018
CROURKET, J. CIGNA Loss Control Services Inc. 94/04/04. NRC - No Detailed Affiliation Given. 1p 82688 044-82688 044

9502220333 Discusses tour of Whitaker Corp site, Greenville, PA in Dec w/consultants from LAW Environ Inc. Proposes to move forward to obtain better control of identified licensed material on site & reduce further health risk at site
LEVIN R. Whitaker Industries Ltd. c/o Whitaker Steel Smp (formerly Whitaker Corp) 95/02/16 AUSTIN, J. Office of Nuclear Material Safety & Safeguards App 82622 302-82622 305

DOCKET 48-7588 FANSTEEL, INC., NORTH CHICAGO, IL

9502080384 Forwards application for amend to License SMB-911, requesting to permit processing of existing pond residues
HUNTER, J. J. Fansteel, Inc 95/01/25 DATT, A. NRC - No Detailed Affiliation Given 1p 82702 093-82702 238

9502080386 Application for amend to License SMB-911 requesting to permit processing of existing pond residues Encl withheld (rel 10CFR2 790)
Earth Sciences Associates 95/01/25 147pp 82702 094-82702 238

9502090969 Responds to 841107 technical assistance request in support of request to close four deep monitoring wells
AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403) 95/01/31 PERSSON, R. Licensing Branch App 82552 327-82552 330

9502240930 Forwards rpt containing calculations performed to verify Fansteel, Inc. conclusions re statistical difference between two water chemistries in response to earlier request for technical assistance concerning deep well closure
TRIAGARD, M. Performance Assessment & Hydrology Branch (NMSS 940403) 95/02/10 DATT, A. Licensing Branch App 82613 078-82613 081

DOCKET 48-8827 SEQUOYAH FUELS CORP., GORE, OK

9501170081 Provides Commission w/opportunity to review before signature proposed MOU re Sequoyah Fuels Corp facility as revised to address comments by EPA region VI
TAYLOR, J. M. Ofc of the Executive Director for Operations SECY-95-003 95/01/04 26pp 82642 115-82642 148

9502220922 Memorandum (notice regarding authorities) * Requests that parties be prepared to address applicability of any of listed authorities w/respect to hearing on 841202 motion for protective order W/Certificate of Svc Served on 950125
GLEASON, J. P. Atomic Safety & Licensing Board Panel #195 16260 95/01/25 App 82559 088-82559 101

9502220947 Forwards testimony of CJ Earl re Sequoyah Fuels Corp application, dtd 9/5/95 for amend to operating license. Testimony on behalf of Native Americans for Clean Environ & Cherokee Nation and
CURRAN, D. Native Americans for a Clean Environment, CURRAN, D. Cherokee Nation CURRAN, D. Harmon, Curran, Gallagher & Spiegelberg (formerly Harmon, Curran & Toussley) #195 16276 95/01/25 GLEASON, J. P. Atomic Safety & Licensing Board Panel 1p 82559 156-82559 212

9502220951 Motion for one-day extension of filing deadline to file testimony * Motion unopposed by counsel for Sequoyah Fuels Corp
CURRAN, D. Native Americans for a Clean Environment, CURRAN, D. Cherokee Nation CURRAN, D. Harmon, Curran, Gallagher & Spiegelberg (formerly Harmon, Curran & Toussley) 95/01/25 Atomic Safety & Licensing Board Panel 1p 82559 157-82559 157

9502220964 Testimony of CJ Earl re mgt changes proposed by Sequoyah Fuels Corp on 940506 as revised 841123 Supporting documents and W/Certificate of Svc
EARL, C. J. Native Americans for a Clean Environment, EARL, C. J. Cherokee Nation EARL, C. J. Resource Management Systems, Inc 95/01/25 56pp 82559 158-82559 212

9502221048 Transcript of 950127 oral argument in Rockville, MD 1p 124-220

* Atomic Safety & Licensing Board Panel 95/01/27 9pp 82583 001-82583 099

9502221084 Transcript of 950127 oral argument in Rockville, MD 1p 1-97

* Sequoyah Fuels Corp 95/01/27 9pp 82620 001-82620 088

9502220934 Informs that CJ Earl testimony was filed in license amend proceeding for proposed mgt changes by Sequoyah Fuels Corp on 950125 W/Affirmation
CURRAN, D. Harmon, Curran, Gallagher & Spiegelberg (formerly Harmon, Curran & Toussley) #195 16303 95/02/01 HOYLE, J. C. Office of the Secretary of the Commission 2pp 82561 177-82561 178

9502150125 Informs that staff has concluded analyses submitted w/amend demonstrates that SFG would be in compliance w/10CFR40.31
GLENN, J. E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/01 Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 3pp 82772 046-82772 053

9502150128 Informs that waste license SUB-1010 amended to remove requirement to maintain radiological contingency plan
GLENN, J. E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/01 ELLIS, J. H. Sequoyah Fuels Corp 3pp 82772 043-82772 044

9502150139 Amend 20 to license SUB-1010 for Sequoyah Fuels Corp, removing requirement for contingency plan
GLENN, J. E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/01 3pp 82772 045-82772 048

9502150131 Safety evaluation recommending approval of amend 20 to license SUB-1010
Office of Nuclear Reactor Regulation Director (Post 870411) 95/02/01 5pp 82772 049-82772 053

9502090052 Stipulated supplemental motion for protective order * W/Certificate of Svc
DUNCAN, S. M. Office of the General Counsel (Post 860701) #195 16309 95/02/03 Atomic Safety & Licensing Board Panel 5pp 82651 301-82651 305

9502090057 NRC Staff supplement to oral argument re motion for protective order * Requests that Licensing Board adopt proposed protective order w/staff proposed paragraph 7 W/Certificate of Svc
UTTAL, S. L. Office of the General Counsel (Post 860701) #195 16312 95/02/03 Atomic Safety & Licensing Board Panel 20pp 82552 054-82552 073

9502100199 Responds to concerns about schedule for site characterization rep. Sequoyah Fuels Corp included in site decommissioning mgt program
SNAPP, M. R. Division of Waste Management (NMSS 940403) 95/02/05 ELLIS, J. H. Sequoyah Fuels Corp 7pp 82720 180-82720 185

9502160189 Informs NRC counsel received motion, dtd 950203 from General Atomics re addition of paragraph on FOIA requests for material protected under proposed protective order. Requests action on paragraph be deferred until parties resolve differences
UTTAL, S. L. Office of the General Counsel (Post 860701) #195 16334 95/02/06 GLEASON, J. P. BOLLWERK, G. P. KLINE, J. R. Atomic Safety & Licensing Board Panel 1p 82736 205-82736 205

9502160195 Forwards, on behalf of Native Americans for Clean Environ, Cherokee Nation & Sequoyah Fuels Corp, Joint Motion to Establish Revised Schedule for Submittal of Written Presentations * W/Certificate of Svc
CURRAN, D. Sequoyah Fuels Corp CURRAN, D. Native Americans for a Clean Environment CURRAN, D. Cherokee Nation #195 16331 95/02/06 GLEASON, J. P., KLINE, J. R. Atomic Safety & Licensing Board Panel App 82735 257-82735 360

9502160128 Submits on behalf of General Atomics response to NRC staff supply to oral argument re motion for protective order. Notes NRC has advanced several arguments in which General Atomics strongly disagrees W/Certificate of Svc
DUNCAN, S. M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) DUNCAN, S. M. Mays & Valentine #195 16330 95/02/06 GLEASON, J. P., KLINE, J. R., BOLLWERK, G. P. Atomic Safety & Licensing Board Panel App 82736 245-82736 248

9502160281 Submits changes to paragraphs 3 & 5 of proposed protective order & informs that disclosure of protected discovery material should be made only to listed individuals
UTTAL, S. L. Office of the General Counsel (Post 860701) #195 16350 95/02/10 GLEASON, J. P., KLINE, J. R., BOLLWERK, G. P. Atomic Safety & Licensing Board Panel 2pp 82736 258-82736 259

9502240182 Joint motion to suspend schedule for submittal of written presentations * Licensees request that Presiding Officer enter order suspending schedule for submittal of written presentations in listed matter W/Certificate of Svc
ANELRAD, M. Sequoyah Fuels Corp CURRAN, D. Native Americans for a Clean Environment WILCOXEN, J. Cherokee Nation #195 16361 95/02/10 Atomic Safety & Licensing Board Panel App 82617 130-82617 134

9502220954 Ack receipt for invitation to join advisory board for Sequoyah Fuels education project
BERNERD, R. M. Office of Nuclear Material Safety & Safeguards 95/02/10 AUSTIN, J. Arizona, Univ of Tucson AZ 3pp 82945 217-82945 219

9502240186 Order * Informs of suspension of proceeding until NRC Staff informs Presiding Officer that proposed motions do not amount to new license amend application W/Certificate of Svc Served on 950215
GLEASON, J. P. Atomic Safety & Licensing Board Panel #195 16360 95/02/15 Office of the General Counsel (Post 860701) App 82617 113-82617 116

9502240193 NRC Staff Motion to defer decision on General Atomic stipulated Suppl Motion for Protective Order * Staff requests that Board defer any action re proposed paragraph until parties resolve differences W/Certificate of Svc
UTTAL, S. L. Office of the General Counsel (Post 860701) #195 16373 95/02/17 Atomic Safety & Licensing Board Panel 5pp 82617 107-82617 112

9502240189 NRC Staff Motion to defer decision of GA stipulated suppl motion for protective order * Staff requests that Board defer action re proposed paragraph concerning treatment of FOIA request W/Certificate of Svc Served on 950222
Office of the General Counsel (Post 860701) #195 16379 95/02/17 Atomic Safety & Licensing Board Panel 3pp 82617 195-82617 197

9502240304 Forwards Table 10-2 containing limited summary info re arrangements w/ConservDyn
ELLIS, J. H. Sequoyah Fuels Corp 95/02/17 BERNERD, R. M. Office of Nuclear Material Safety & Safeguards 3pp 82671 320-82671 325

9502270448 Discusses 950215 order by presiding officer to suspend licensee proceeding. NRC believes that if license amend application is in fact modified as proposed, noting modified application contained and/or circumstances
HOMER, R. Office of the General Counsel (Post 860701) 95/02/23 GLEASON, J. P., KLINE, J. R. Atomic Safety & Licensing Board Panel 1p 82652 355-82652 355

DOCKET 48-8084 RIO ALGON MINING CORP., NOAB, UT

9502200829 Forwards responses re revised erosion protection design for Lebon approved reclamation plan w/four oversize drawings
FERDINAND, B. Rio Algon Mining Corp 95/02/10 HOLDRICH, J. Office of Nuclear Material Safety & Safeguards 40pp 82685 001-82685 042

9502070114 Confirms that Rio Algon will be supplying info re upper tailings evaporation cell to NRC no later than 950228
FERDINAND, B. Rio Algon Mining Corp 95/02/03 HOOKS, K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 82586 302-82586 302

DOCKET 48-8542 BEAR CREEK URANIUM CO., CASPER, WY

9502130172 Forwards results of effluent & environ monitoring data collected at Bear Creek during past six months, in accordance w/License Condition 47 C of License SUA-1310
CHASE, G. Bear Creek Uranium Co CHASE, G. Union Pacific Corp 95/01/30 HOLDRICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) ABRAHAM, C. NRC - No Detailed Affiliation Given 16pp 82727 342-82727 357

DOCKET 48-8544 KENNECOTT URANIUM CO., RAWLINS, WY

9502070212 Forwards "Annual Program Review Corrective Action Program," for 1994. Rept summarizes monitoring & mitigation efforts in area of tailings cell under groundwater corrective action program
PAULSON, O. A. Kennecott Corp 95/01/26 HOLDRICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 82559 001-82559 145

4 DOCKETED ITEMS

9502070219 Annual Program Review Corrective Action Program
* Kennecott Corp 95/01/26 14pp 82659 002-82659 145

9502140418 Forwards annual ALARA audit, addressing conditions 11.7 & 12.4 of license
SUA-1350
WORMAN, G.W. Kennecott Corp 95/01/12 HOLONICH, J.J. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 14pp 82744 073-82744 066

9502140147 Provides info re 1994 visual survey of land use in & within five mile radius
of Sweetwater U Mill restricted area
WORMAN, G.W. Kennecott Corp 95/01/13 HOLONICH, J.J. Document Control
Branch (Document Control Desk) 1p 82734 311-82734 311

9502100047 Confirms 950118 telcon between O.A. Paulson & C. Abrams re meeting
scheduled for 950223 to discuss listed issues re Sweetwater U project
PAULSON, O.A. Kennecott Uranium Co. (formerly Minerals Exploration Co.) 95/01/19
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS
940403) 2pp 82732 069-82732 060

9502140188 Forwards semiannual 10CFR40.65 rept for 1994 re environ monitoring Rept
addresses License Conditions 11.5 12.1 & 12.3(A) Rept contains air data Groundwater
monitoring rept (License Condition 12.3) submitted under separate cover
WORMAN, G.W. Kennecott Corp 95/01/20 HOLONICH, J.J. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 1p 82734 354-82734 357

9502140171 Semiannual 10CFR40.65 rept for 1994 re environ monitoring
* Kennecott Corp 94/12/31 3pp 82734 353-82734 357

9502150276 Submits notification of 950223 meeting w/Kennecott U Co in Rockville, MD
to provide preliminary comments & questions resulting from technical review of environ
rept & conceptual design findings incl study for Sweetwater U
GILLEN, D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
95/02/08 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
1p 82770 332-82770 332

DOCKET 40-4681 UMETCO MINERALS CORP., BLANDING, UT

9502060071 Requests license amend to receive & process annually approx 30,000 lbs
of U from Dawn Mining Co.
SCHIERMAN, S.L. Energy Fuels Nuclear, Inc. 95/01/11 High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 1p 82637 203-82637 203

9502060074 Requests license amend to receive & process U contained in form of
Uranium Nitrate from Rhone-Poulenc Chemicals
SCHIERMAN, S.L. Energy Fuels Nuclear, Inc. 95/01/12 High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 4pp 82624 217-82624 220

9502240671 Forwards results of annual radon-222 emission rate tests for 1994 per
40CFR61.254 Notes that for both cells tested radon levels were below mandatory
limit
ROBERTS, H.R. Energy Fuels Nuclear, Inc. 95/01/19 ROBERTS, R. Utah, State of
1p 82614 232-82614 274

9502240076 WESHAPS Radon Flux Measurement Program White Mesa Mill 1994
* Affiliation Not Assigned 95/01/31 40pp 82614 233-82614 274

9502070318 Raises listed concerns re amend requests received from licensee to process
U contained in form of Uranium Nitrate from Rhone-Poulenc Chemicals in TX & U in
slurry form from ion exchange process from Dawn Mining in WA
SHOCLAIR, W.J. Utah, State of 95/01/20 HOLONICH, J.J. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 3pp 82667 302-82667 304

9502090051 Memorandum & order (Teleconference of 950117) "Orders that counsel
for M. Begay reserves right to the motion to discontinue proceeding after three-month
time period has elapsed w/Certificate of Svc Served on 950202
GLEASON, J.P. Atomic Safety & Licensing Board Panel #195 16298 95/02/01
Office of the General Counsel (Post 860701) 4pp 82551 287-82551 300

9502080133 Forwards rept to MLLDO6 calculations pages 33-41 as discussed w/S
Schierman on 950202 DAC values for effluent converted from mCi/ml to pCi/mg as
values replaced original MPC values for calculations
MAYES, J.C. Energy Fuels Nuclear, Inc. 95/02/03 MCKENNEY, C. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 10pp 82687 127-82687 136

9502240021 Discusses licensee mods & improvements to White Mesa Mill near
Blanding, UT in preparation of 950401 start up informs that operating training will in-
clude MSHA training, operating procedure study & task training
SPARLING, D.K. Energy Fuels Nuclear, Inc. 95/02/10 ABRAMS, C. Division of Waste
Management (NMSS 940403) 1p 82613 057-82613 057

9502240059 Forwards per 950214 telcon revised MLLDO6 calculations for eighteen re-
ceptor locations for White Mesa Mill Notes four locations exceed radioactive limits but
no non-compliance indicated because none have full-time residents
SCHIERMAN, S.L. Energy Fuels Nuclear, Inc. 95/02/14 MCKENNEY, C. Division of
Waste Management (NMSS 940403) 11pp 82614 125-82614 135

DOCKET 40-4656 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9502060066 "Effluent Monitoring Rept Jul-Dec 1994" W/950131 R
MORRILL, V. Plateau Resources, Ltd. 94/12/31 HOLONICH, J.J. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 10pp 82705 227-82705 235

DOCKET 40-4724 CHEMETRON CORP., PROVIDENCE, RI

9502010158 Third partial response to FOIA request for records App E records encl &
available in PDR App F records partially withheld (FOIA exemption 5)
Division of Freedom of Information & Publications Services (950206-940714) 94/
05/19 MITCHELL, W. Armstrong, Gordon, Mitchell & Damiani 4pp 82591 001-
82591 050

9502010172 Affidavit of MB Gardner re radiological evaluation rept by Rad Safety
Consultants Inc.
GARDNER, M.B. Ulmer & Berne 93/09/27 3pp 82591 008-82591 010

9502010185 Partially deleted tr dtp 930917 from SJ Aron to RE Owen of Ohio Dept of
Health indicating that U-238 concentration of radioactivity equal to 1.283 pCi/g has
been found
DEGULIS, G. Ulmer & Berne 93/09/17 NORELIUS, C. Region 3 (Post 820201) 2pp
82591 012-82591 013

9502010206 Partially deleted "Radiological Evaluation Rept"
* Affiliation Not Assigned 94/06/19 36pp 82591 014-82591 050

9502090251 Fourth partial response to FOIA request for documents Forwards App G &
H documents which will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-
940714) 94/05/24 MITCHELL, W. Armstrong, Gordon, Mitchell & Damiani 3pp
82615 166-82615 256

9502230130 Nuclear Regulation/Cleanup Delays Continue at Two Radwaste Sites in
Ohio
* General Accounting Office GAO/ROED-93-156 93/06/30 29pp 82616 191-
82616 218

9502010021 Record of telcon w/B Koh/Koh & Associates on 930927 to obtain info on
recent publicly re 1,200 pCi/g sample taken outside Bart Avenue fence line by
Ulmer & Berne consultant & status of remediation plan preparation
* NRC - No Detailed Affiliation Given 93/09/27 1p 82616 251-82616 251

9502020204 Record of telcon w/B Koh of Koh & Assoc on 931019 re accelerating
preparation of meeting sections from remediation plan Final survey plan scheduled for
931101 & SAR & dose assessment scheduled for 931115
* NRC - No Detailed Affiliation Given 93/10/22 1p 82616 252-82616 252

9401120254 Record of telcon w/Axelsson on 931208, discussing chemical explosion in
McGean-Rohco bldg 20, adjacent to Chemetron Harvard Ave site
* Region 3 (Post 820201) 93/12/08 1p 82618 253-82618 253

9403180185 Record of telcon w/M McGean, K Lambert & L Fryer on 940314, re settle-
ment of legal suit with Chemetron
* NRC - No Detailed Affiliation Given 94/03/14 1p 82618 254-82618 256

9502090283 Submits comments on radiological survey plan for residential public &
commercial properties in vicinity of Harvard Ave, per 930820 telcon
NORELIUS, C.E. Region 3 (Post 820201) 94/06/24 GREEVES, J.T. Low-Level Waste &
Decommissioning Projects Branch (NMSS 940403) 2pp 82618 221-82618 248

9502090287 Expresses appreciation for cooperation & assistance provided during radi-
ological surveys of residences & businesses in vicinity of Chemetron facility
DAVIS, A.B. Region 3 (Post 820201) 93/05/26 EDWARDS, K. Newburgh Heights OH
1p 82618 250-82618 250

9502090076 Provides current status of various Chemetron remediation activities
KOH, B. Chemetron Corp 95/01/17 SHEAR, G. Region 3 (Post 820201) 2pp
82705 291-82705 242

9502090102 Provides responses to NRC 941208 request re plans for characterizing &
completing remediation of area of contaminated soil located north of Fryer foundation
KOH, B. Chemetron Corp 95/01/18 JOHNSON, T.C. Low-Level Waste & Decommissioning
Projects Branch (NMSS 940403) 2pp 82705 253-82705 254

9502090091 Provides results of soil remediation project for Alcoa site
JOHNSON, P. B. Koh & Associates, Inc. 95/01/20 JOHNSON, T. Division of Waste
Management (NMSS 940403) LAMBERT, K. NRC - No Detailed Affiliation Given 5pp
82705 243-82705 247

9502090040 Forwards insp rept 40-8724/94-06 on 941018-20 No violations noted
SHEAR, G.L. Region 3 (Post 820201) 95/01/25 SARGENT, D.R. Chemetron Corp
3pp 82645 276-82645 289

9502090046 Insp rept 40-8724/94-06 on 941018-1201 No violations noted Major areas
inspected: contamination surveys of McGean-Rohco bldg 3A northwest corner of bldg
11 interior surfaces bldg 20A interior surfaces & bldg 20C floor
LAMBERT, K.J., SNEEL, W.G. Region 3 (Post 820201) 95/01/20 11pp 82645 276-
82645 289

9502090065 Submits comments from Cuyahoga County Board of Health on Chemetron
Corp package dtd 941219 w/refer to Harvard Avenue & Bart Avenue final site reme-
diation plan
BRADY, T.T. Cuyahoga County, OH 95/01/30 JOHNSON, T.C. Low-Level Waste &
Decommissioning Projects Branch (NMSS 940403) 3pp 82705 256-82705 252

9502180230 Ack receipt for comments on Chemetron response re final site remediation
plan for Harvard Avenue & Bart Avenue sites
JOHNSON, G.L. Low-Level Waste & Decommissioning Projects Branch (NMSS
940403) 95/02/03 BRADY, T.T. Ohio, State of 82720 291-82720 232

9502090066 "Field Survey Map Location Bldg 10/ Area Sections A & B 1st Floor"
LAMBERT, K. Region 3 (Post 820201) 95/02/05 2pp 82705 249-82705 249

9502240455 Informs licensee of recent NRC actions pertinent to petition under
10CFR2.206(d) 950106 to compel Chemetron Corp to immediately commence de-
contamination of Harvard Avenue site
BERNER, R.M. Office of Nuclear Material Safety & Safeguards 95/02/10
ROMER, K.R. McGean-Rohco, Inc. (formerly McGean Chemical Co. Inc.) 3pp
82945 220-82945 222

DOCKET 40-4778 MOLYCORP, INC., LOS ANGELES, CA

9502010178 Forwards response to review of MolyCorp Guarantee to Demonstrate Fi-
nancial Responsibility for Decommissioning Activities Apologizes for delay
DANKMYER, B.K. MolyCorp, Inc. 95/01/19 PERSON, L.S. Low-Level Waste & Decom-
missioning Projects Branch (NMSS 940403) 2pp 82590 199-82590 227

9502010188 Responds to NRC review of MolyCorp Guarantee to Demonstrate Finan-
cial Responsibility for Decommissioning Activities for Washington, PA facility
DANKMYER, B.K. MolyCorp, Inc. 95/01/13 PERSON, L.S. Low-Level Waste & Decom-
missioning Projects Branch (NMSS 940403) 18pp 82590 200-82590 215

-9502010184 Certifies that Union Oil Co of CA currently going concern & possesses positive tangible net worth in stated amount of \$91231 in support of company use of financial test to demonstrate financial assurance as part of 100FF40
SCHMALENE Union Oil Co of California (dba Unocal) SCHMALENE Union 78
Materials 95/01/18 NRC - No Detailed Affiliation Given 11pp 82590 215-82590 216

-9502010185 Guarantees that Union Oil Co of CA, through parent company guarantee submitted to demonstrate compliance under 100FF40 decommissioning of aged facility owned & operated by subsidiary (see) of firm
SCHMALENE Union Oil Co of California (dba Unocal) SCHMALENE Union 78
Materials 95/01/18 NRC - No Detailed Affiliation Given 11pp 82590 217-82590 227

9502010179 Advises that radiological survey of Building 38 has been completed Therefore, licensee requests NRC to disregard 950111 G Dawes request for add review
DANKMYER B K MolyCorp Inc 95/01/25 PERSON L S Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 82583 346-82583 346

9502000201 Forwards map rept 40-8778/94-01 on 940713-14 No violations noted Listed concerns require revision
KINNEBARK J D Region 1 (Post 820201) 95/01/31 DAWES, G W MolyCorp Inc 3pp 82646 166-82646 168

-9502000206 Insp rept 40-8778/94-01 on 940713-14 No violations noted Major areas inspected training & instruction of employees radiation protection practices, posting & labeling
WHITLED, KINNEBARK, J D Region 1 (Post 820201) 95/01/31 30pp 82646 168-82646 168

9502000207 Submits request for working right to file affidavit re confidentiality of auditor statement per 100FF2.70(b)
DANKMYER B K MolyCorp Inc 95/02/13 PERSON L S Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 82667 357-82667 357

DOCKET 40-8792 EDISON INSTITUTE, DEARBORN, MI

9502000284 Discusses 950128 Edison re exists of activities conducted under licensee license as related to radiation safety & to compliance w/Commission rules & regulations
GROBE, J A Region 3 (Post 820201) 95/02/16 BONDITCH, J Edison Institute, Dearborn, MI 1p 82799 232-82799 232

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9502000423 Informs of inclusion of JFG in NRC site decommissioning rept plan transfer of project mgt responsibility from NRC Region III to Headquarters summary notes from 941215 meeting & cost estimates for NRC decommissioning review
GLENN, J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/28 OLCUP, Army, Dept. of 12pp 82661 325-82661 327

9502000379 Discusses mandatory closure of Jefferson Proving Grounds no later than 950300 Licensee intends to terminate portion of license SUB-1435 for areas outside initial area in manner consistent w/interim closure criteria
WEEKLY, T M Army, Dept. of 95/02/16 WEBER, M F Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 3pp 82626 229-82626 234

DOCKET 40-8882 FERRULMATIC, INC., TOTOWA, NJ

9502000215 FOIA request for documents re copy of Almet Technologies, Inc./Ferrulmatic, Inc. current NRC license & all license commitment &/or "tie-down" condition documents re listed facility address
DRYSDALED III Affiliation Not Assigned 94/04/28 POWELL, R Division of Freedom of Information & Publications Services (950206-940714) 1p 82631 001-82631 001

9502000228 Final response to FOIA request for documents Forwards App A records available in PCR Encd App B records being partially withheld (rel FOIA Exemption B)
"Division of Freedom of Information & Publications Services (950206-940714) 94/06/02 DRYSDALED III Affiliation Not Assigned 4pp 82631 002-82631 127

-9502000233 Advises that effective on or before 940114 Ferrulmatic, Inc. will become fee owner of real property associated w/license SUB-1443
NORTH, S U Affiliation Not Assigned 93/12/21 PERKINS, M NRC - No Detailed Affiliation Given 3pp 82631 008-82631 010

-9502000265 Application for renewal of license SUB-1443 authorizing use of listed licensed fuel including depleted U alloy
REDA, E R Ferrulmatic, Inc 95/06/14 20pp 82631 042-82631 071

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9502000159 Provides written notification that monitor M-10A went on excursion status on 950125 & forwards water quality data for well M-10A from Jan 1994 to present
HILDEN, P R Power Resources Corp 95/02/01 HOLONICH, J J Division of Waste Management (NMSS 940403) 4pp 82734 312-82734 315

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9502000157 Forwards "Comparison Study Of Radon Flux Measurements Using ERG Canisters & EPA Large Area Activated Charcoal Canisters"
BAKER, K R 95/01/09 HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 82704 096-82704 197

-9502000176 "Comparison Study Of Radon Flux Measurements Using ERG Canisters & EPA Large Area Activated Charcoal Canisters"
BAKER, K R SMITH, K C 95/01/31 90pp 82704 097-82704 187

9502000351 Forwards TER on license 900620 petition & 910627 addendum to petition for alternate concentration limits for groundwater at ARCO Bluewater Mill site near Grants, NM
GILLEN, D M High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/20 ZIEGLER, R S Atlantic Richfield Co (ARCO) 16pp 82667 313-82667 328

9502000337 Notification of 950209 meeting w/ARCO in Rockville, MD to discuss ARCO Bluewater Mill Groundwater Corrective Action Program
GILLEN, D M High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p 82652 346-82652 346

9502000302 Application for amend to License SUA-1470 addressing site reclamation issues at Bluewater Mill site
ZIEGLER, R S Atlantic Richfield Co (ARCO) 95/02/08 HOLONICH, J J Uranium Recovery Branch (Post 901230) 2pp 82709 231-82709 276

-9502000304 "Disposal of Special Byproduct Waste & Other Debris in Disposal Area 1 & Reclamation of North & South Landfills"
Atlantic Richfield Co (ARCO) 94/02/08 44pp 82709 233-82709 276

9502000278 Forwards 1994 annual rept for Bluewater U Mill in compliance w/100FF61 104
ZIEGLER, R S Atlantic Richfield Co (ARCO) 95/02/16 WEBER, A S Environmental Protection Agency 1p 82914 211-82914 227

-9502000282 "Rept on Compliance w/Clean Air Act Limits for Radon/Gas Emissions for 1994"
Atlantic Richfield Co (ARCO) 94/12/31 16pp 82914 212-82914 227

9502000288 Informs that Bluewater U Mill Site in final stages of decommissioning & site reclamation
ZIEGLER, R S Atlantic Richfield Co (ARCO) 95/02/20 HOLONICH, J J Low-Level Waste & Uranium Recovery Projects Branch 1p 82683 224-82683 253

-9502000202 "Radiation Protection Program for Bluewater U Mill"
Atlantic Richfield Co (ARCO) 95/02/20 26pp 82683 225-82683 253

9502000268 Application for amend to license SUA-1470, eliminating one environ samplng station w/drawings
ZIEGLER, R S Atlantic Richfield Co (ARCO) 95/02/22 HOLONICH, J J Low-Level Waste & Uranium Recovery Projects Branch 32pp 82687 293-82687 329

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9502000335 Informs that NRC has completed review of 940725 amend request & found proposed evaporation pond acceptable, approved amend
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 CRAFT, F R Homestake Mining Co 7pp 82657 296-82657 312

-9502000329 Amend 19 to license SUA-1471 for Homestake Mining Corp, attending by adding license condition 39
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 10pp 82657 303-82657 312

DOCKET 40-8904 SOHO WESTERN MINING CO., SALT LAKE CITY, UT

9502000170 Forwards copies of correspondence to insp etc as follow-up to site visit to L-Bar property on 950119
CROUCH, D B Kennecott Corp 95/01/31 ABRAMS, C Division of Waste Management (NMSS 940403) 1p 82813 010-82813 038

-9502000171 Responds to Region IV request during recent site visit to L-Bar property & forwards copy of organization chart for Soho Western Mining Co
CROUCH, D B Kennecott Corp 95/01/31 MCLEAN, L Region 4 (Post 820201) 3pp 82813 011-82813 013

-9502000174 Forwards copies of most recent safety documents as follow-up to site visit to L-Bar property on 950119
CROUCH, D B Kennecott Corp 95/01/20 MCLEAN, L Region 4 (Post 820201) 1p 82813 014-82813 038

9502000067 Forwards insp rept 40-8904/95-01 on 950118 No violations noted
COLLINS, S J Region 4 (Post 820201) 95/02/21 CROUCH, D B Kennecott Corp 4pp 82831 030-82831 045

-9502000173 Insp rept 40-8904/95-01 on 950119 No violations noted Major areas inspected incl & organization controls, operations review radiation protection, radioactive waste mgt & environ monitoring
CAIN, C L Region 4 (Post 820201) 95/02/13 12pp 82831 034-82831 045

DOCKET 40-8905 QUYVIRA MINING CO., GRANTS, NM

9502000041 "ALARA Review 1994" W/950131 R
LUTHIGER, P Quivira Mining Co 94/12/31 HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 23pp 82616 308-82616 351

9502000402 "Discharge Plan 352 for Fourth Quarter 1994" W/950131 R
LUTHIGER, P Quivira Mining Co 94/12/31 CHROM, R New Mexico, State of 3pp 82778 015-82778 017

9502000258 Discusses amend request to reduce Pb barrier thickness at Ambrosia Lake site
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 FERDINAND, B Quivira Mining Co 12pp 82666 179-82666 201

-9502000277 Amend 31 to license SUA-1473 for Quivira Mining Co, changing radon barriers
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 11pp 82665 191-82665 201

9502000256 Provides results of staff response to query from DOE re ground-water corrective action plan Quivira Ambrosia Lake U Mill site Grants NM
AUSTIN, J Performance Assessment & Hydrology Branch (NMSS 940403) 95/02/10 HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 82645 266-82645 258

6 DOCKETED ITEMS

DOCKET 40-8907 UMC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9502280010 "Semi-Annual Ground Water Monitoring Rept for Jul-Dec 1994" W/950208
for
MORALES E M United Nuclear Corp (subs of UNC, Inc.) 94/12/31 54pp
82887 187-82887 243

9502280014 "Semi-Annual QA Church Rock Site Second Half of 1994 Jul & Oct Sam-
pling Events" W/950208 for
MORALES E M United Nuclear Corp (subs of UNC, Inc.) 94/12/31 50pp
82887 244-82887 283

9502030320 Informs that staff has completed review of UNC 1993 groundwater correc-
tive action program annual performance & request for license amend to allow
reductions, satisfactory
HOLONICH J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
94/01/27 VELASQUEZ J R United Nuclear Corp (subs of UNC, Inc.) 11pp 82857 285-82857 285

9502280292 Forwards semi-annual effluent & environ/personnel monitoring rept for Jul-
Dec 1994 Data specifies concentration of principal radionuclide released to unresist-
ed areas in air particulate & water effluent during period of Jul-Dec 1994
MORALES E M United Nuclear Corp (subs of UNC, Inc.) 95/02/15 HOLONICH J J
High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p
82898 308-82898 337

9502280293 Semi-Annual Effluent & Environ/Personnel Monitoring Repts for Jul-Dec
1994
MORALES E M United Nuclear Corp (subs of UNC, Inc.) 94/12/31 28pp
82898 309-82898 337

9502270058 Informs that licensee has completed review of 941227 for Discusses con-
cerns expressed by Navajo Superintendent & New Mexico Environ Dept W/drawing and
VELASQUEZ J R United Nuclear Corp (subs of UNC, Inc.) 95/02/17 GHOSSE S K
Region 4 (Post 820201) 11pp 82911 240-82911 252

DOCKET 40-8912 GRACE ENERGY CO., VENICE, CA

9502160348 Forwards telcon w/c Smith
"NRC - No Detailed Affiliation Given 95/01/10 LAYTON M C NRC - No Detailed
Affiliation Given 3pp 82768 035-82768 037

DOCKET 40-8940 ALPHA Q, INC., COLONESTER, CT

9502010157 Safety insp on 950119 of license STB-1504 insp findings quarterly audits
not performed from Jul 1992 to Jan 1994
AFREDOHDO S Region 1 (Post 820201) "ALPHA Q, Inc (formerly REB Industries,
Inc.) 95/01/19 1p 82645 078-82645 078

DOCKET 40-8943 PURRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9502140126 Informs that on 950125 Crow Butte Resources, Inc detected exceedance of
single parameter upper control limit for sulfate on shallow monitor well SM 4-5 during
routine biweekly water sampling
COLLINGS S P 95/01/31 HOLONICH J J High-Level Waste & Uranium Recovery
Projects Branch (NMSS 940403) 3pp 82734 283-82734 285

9502020398 Forwards amend 28 to license SUA-1534 incorporating annual surety
updates contained in 940922 submitted & subsequently revised by 941102 for
HOLONICH J J High-Level Waste & Uranium Recovery Projects Branch (NMSS
940403) 95/02/01 COLLINGS S P Affiliation Not Assigned 3pp 82661 308-
82661 321

9502020400 Amend 28 to license SUA-1534 for Crow Butte Resources, Inc, incorporat-
ing annual surety updates
HOLONICH J J High-Level Waste & Uranium Recovery Projects Branch (NMSS
940403) 95/02/01 11pp 82661 311-82661 321

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9502160138 Forwards "Operation-Specific QA Mgt Plan," rev 0
JONES L L PTI Services, Inc 95/02/07 NELSON R A Office of Nuclear Material
Safety & Safeguards 1p 82777 001-82777 358

9502160143 Rev 0 to "Operation-Specific QA Mgt Plan"
KLESZEWSKI J M, WINTER M C, CARSWELL P B PTI Services, Inc 93/09/01
957pp 82777 002-82777 358

9502090219 Forwards "Geology Southwest Guernsey County, OH," by AG
Undersky, dated June 1940
NELSON R A NRC - No Detailed Affiliation Given 95/02/08 COPELAND J NRC - No De-
tailed Affiliation Given 1p 82723 201-82723 306

9502090222 "Geology of Southwest Guernsey County, OH"
UNKLESBAY A G Ohio, State of 40/05/30 104pp 82723 203-82723 308

9502240161 Forwards preliminary draft of field sampling plan, QA project plan, health &
safety plan & Section 5 of work plan for review
SHIELDS W J Affiliation Not Assigned 95/02/08 STELLO M A Ohio, State of
541pp 82911 253-82911 055

9502260291 Forwards draft work plan "Remedial Investigation & Feasibility Study at
Shieldalloy Metallurgical Corp Site Cambridge, OH"
SHIELDS W J PTI Services, Inc 95/02/18 STELLO M A Ohio, State of 2pp
82808 001-82811 007

9502260293 Draft work plan "Remedial Investigation & Feasibility Study of Shieldalloy
Metallurgical Corp Site Cambridge, OH"
PTI Services, Inc 95/02/16 730pp 82808 003-82811 007

9502240148 "Radon & Thoron Property Working Level Air Sampling on Two Slag Piles
at Shieldalloy Metallurgical Corp, Cambridge, OH"
Radiation Safety Services, Inc 94/12/22 23pp 82856 311-82856 334

9502260305 Determines that qualifications documented in 941114 & 1222 hrs are ade-
quate to change person responsible for licensed material
GLENN J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/01/20 EVES C S Shieldalloy Metallurgical Corp 3pp 82657 274-82657 284

9502020311 SEF approving amend 2 to license SWS-1507, requesting change to
person responsible for licensed material
GLENN J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/01/20 2pp 82657 277-82657 276

9502020315 Amend 2 to license SWS-1507 for Shieldalloy Corp re request of change
to person responsible for licensed material
GLENN J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/01/20 6pp 82657 279-82657 284

9502020325 Provides summary of staff approach to developing draft EIS for decommis-
sioning slag piles at facility in Cambridge, OH Informs that analysis will be updated to
incorporate more site-specific info when info provided by SMC
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/01/24 EVES C S Shieldalloy Metallurgical Corp 5pp 82857 268-82857 272

9502070144 Requests environ impact statement currently being prepared by NRC for
Cambridge, OH site be modified as discussed
EVES C S Shieldalloy Metallurgical Corp 95/01/25 NELSON R A Low-Level Waste &
Decommissioning Projects Branch (NMSS 940403) 2pp 82856 359-82856 360

9502090287 Submits comments on draft scoping document for remedial investigation &
feasibility study at Shieldalloy Metallurgical Corp site
WENDEL L J Environmental Protection Agency 95/01/27 BLAIR B Ohio, State of
3pp 82716 358-82716 360

9502020417 Forwards Mr from Shieldalloy Metallurgical Corp, dated 950125, forwarded for
info as participating agency in development of environ impact statement
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/01/29 BRUGGER J B Ohio, State of 3pp 82881 322-82881 324

9502020445 Responds to 941222 for which forwarded draft rept, "Radiological Survey of
Magnesium Electron Facility (Flemington, NJ)"
GASIONIC E Licensing Branch 95/01/30 ABELOUST E Oak Ridge Associated Un-
iversities 3pp 82952 350-82952 352

9502060341 "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical
Corp Site Cambridge, OH"
PTI Services, Inc 95/01/31 64pp 82665 104-82665 168

9502100314 Requests that documents & correspondence re EIS for Cambridge, OH fa-
cility be forwarded to agencies listed on encl to assist NRC in meeting expedited
schedule to develop draft EIS for decommissioning slag at facility by Dec 1995
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/02/01 EVES C S Shieldalloy Metallurgical Corp 2pp 82715 358-82715 359

9502100318 Responds to 950119 for forwarding comments on work plan for determining
characteristics of slag at Shieldalloy Metallurgical Corp Cambridge, OH facility
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/02/01 OWEN R E Ohio, State of 1p 82720 222-82720 226

9502160188 Ack receipt of ltr dtd 950117 in response to unresolved item identified in
NRC insp rept 40-8948/RM-01 NRC concurs w/ assessment
SHEAR, G L Region 3 (Post 820201) 95/02/06 EVES C S Shieldalloy Metallurgical
Corp 1p 82723 077-82723 077

9502270448 Forwards second info request re Shieldalloy Metallurgical
Corp, Cambridge, OH w/o encl
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
FBI L-2094 95/02/08 WADEM C Oak Ridge National Laboratory 1p 82898 358-
82898 358

9502260327 Forwards OH EPA overview of Shieldalloy Metallurgical Corp remedial in-
vestigation/feasibility study (R/IFS) scoping document to be used as guidance in de-
velopment of R/IFS work plan
STELLO M A Ohio, State of 95/02/10 EVES C S Shieldalloy Metallurgical Corp 8pp
82626 185-82626 186

9502260295 Summary of 950201 meeting w/ licensee in Cambridge, OH to discuss NRC
staff second request for add info re development of environ impact statement associ-
ated w/ decommissioning of facility at Cambridge, OH
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/02/13 KENNEDY J E Low-Level Waste & Decommissioning Projects Branch
(NMSS 940403) 14pp 82645 228-82645 242

9502260318 Reviews QA Mgt Plan & analytical procedures prepared by Lockheed An-
alytical Svcs (LAS) submitted by 950111 for Documents identified as proprietary prop-
erty of LAS w/o encl
NELSON R A Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/02/13 KELLY B A Affiliation Not Assigned 1p 82959 034-82959 034

DOCKET 40-8964 RIO ALGON MINING CORP., OKLAHOMA CITY, OK

9502100250 Forwards amend 8 to SUA-1548 & TER Amend deletes license condition
9.7 requiring decommissioning plan for Smith Ranch facility mine water treatment
ponds
HOLONICH J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
95/02/06 FERDINAND B Rio Algon Mining Corp 6pp 82720 251-
82720 269

9502180257 Amend 8 to license SUA-1548 for Rio Algon Mining Corp, deleting li-
cense condition 9.7 requiring decommissioning plan for Smith Ranch facility mine
water treatment ponds
HOLONICH J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
95/02/06 13pp 82720 257-82720 268

9502230391 Forwards annual ALARA audit for Smith Ranch Project Audit conducted for
CYP4 on 950201-02
FERDINAND B Rio Algon Mining Corp 95/02/14 HOLONICH J J Office of Nuclear
Material Safety & Safeguards 1p 82848 195-82848 205

-5502230393 Rio Algom Mining Corp Smith Ranch Facility ALARA Summary Jan-Dec 1994
 * Rio Algom Mining Corp 94/12/31 10pp B2B48 186-82848 205

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9502020219 Responds to draft environmental impact statement solution mining proposal
 REITZ, A. E. New Mexico, State of 94/01/03 NRC - No Detailed Affiliation Given 16pp B2B19 268-82619 303

9502020085 Comments on Hydro-Resources application for license to operate in Crowpoint, NM area. Supports licensing
 SUCCO, N. Affiliation Not Assigned 95/01/11 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p B2B20 335-82620 336

9502020117 Requests that NRC finalized draft EIS & request approval re allotment \$50 in Crowpoint area
 CHAPLIE, D. Affiliation Not Assigned 95/01/11 Uranium Recovery Field Ofc RA 1p B2B20 333-82620 334

9502020132 Supports draft EIS to const & operate Crowpoint U Solution Mining Project in Crowpoint, NM
 JACKSON, H. Navajo Nation 95/01/13 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p B2B20 327-82620 327

9502020138 Expresses concern re proposed solution mining of U in Crowpoint, NM & about groundwater of area would be irreversibly vitiated by in situ leach mining process
 HOSMER, E. A. Affiliation Not Assigned 95/01/16 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp B2B20 328-82620 329

9502020092 Comments on Hydro-Resources application to open U mine in Crowpoint, NM. Supports licensing
 MANION, T. F. SMITH, B., FARRAR, J. M. Affiliation Not Assigned 95/01/18 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 1p B2B20 337-82620 337

9502020007 Informs that Resolution of Eastern Navajo Health Board, memo from M Tilden & signature petition being served on and rat in Hydro Resources Inc proceeding. Served on 95/01/25 w/ Certificate of Service
 JULIAN, E. L. Docketing & Services Branch #196 18259 95/01/25 Docketing & Services Branch 16pp B2B59 004-82559 019

9502020039 Ask receipt of FRN 950110 re review & comments for NRC. Comments attached as requested
 * Interior, Dept. of, Bureau of Indian Affairs 95/01/27 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp B2705 326-82705 329

9502168145 Discusses project on environmental impact statement re impact of proposed solution mining by Hydro Resources, Inc.
 * Affiliation Not Assigned 95/01/27 Division of Waste Management (NMSS 940403) 1p B2772 169-82772 170

9502020344 Comments on proposed in-situ leach U mining project, Church Rock & Crowpoint, NM (Hydro Resources Inc)
 DODSON, M. New Mexico, State of 95/01/29 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp B2705 330-82705 332

9502020412 Other notice of public meeting to receive comments on NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM"
 HOLONICH, J. J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/30 6pp B2B57 349-82657 354

9502060312 Submits comments re DEIS to construct & operate Crowpoint U solution project in Crowpoint, NM
 SEKAVEG, G. B. Interior, Dept. of 95/01/30 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 20pp B2B65 176-82665 178

9502160203 Comments on NRC approval of license to Hydro Resources, Inc. to construct & operate three separate facilities
 GRAHAM, B. Affiliation Not Assigned 95/01/30 Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p B2758 356-82758 356

9502100341 Submits request for copy of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM"
 PARK, J. R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 HUGHES, J. Marsh Associates 1p B2720 201-82720 201

9502100348 Submits request for copies of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM"
 PARK, J. R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 GOODMAN, L. Colorado, State of 1p B2720 200-82720 200

9502100354 Submits request for copies of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM"
 PARK, J. R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 WIDEN, J. Affiliation Not Assigned 1p B2720 194-82720 194

9502160281 Deposits comments on Hydro Resources DEIS & list of translators
 GILLEN, D. M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/02 TILDEN, M. Affiliation Not Assigned 1p B2770 333-82770 333

9502160387 Informs that Hydro Resources Inc has engaged J Hill to represent firm in proceeding w/ Certificate of Service
 HILL, J. Affiliation Not Assigned HILL, J. Affiliation Not Assigned #195 18322 95/02/03 2pp B2735 196-82735 196

9502160367 Comments on U mining at Crowpoint, NM
 BECENTI, N. E. Affiliation Not Assigned 95/02/06 NRC - No Detailed Affiliation Given 1p B2776 343-82776 344

9502020254 Comments on DEIS re operations of facility in Crowpoint, NM. Supports licensing
 ETCITY, C. Affiliation Not Assigned 95/02/08 Uranium Recovery Field Ofc RA 1p B2705 292-82705 293

9502170196 Comments on draft EIS for proposed Crowpoint U processing plant
 BROSTROM, R. Health & Human Services, Dept. of, U.S. Public Health Service 95/02/09 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp B2802 348-82802 350

9502160348 Opposes Hydro-Resources Inc doing U mining in Crowpoint, NM domestic supply
 SCHRAEDER, D. Affiliation Not Assigned 95/02/10 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp B2776 345-82776 346

9502160376 Comments on U mining at Churchrock & Crowpoint, NM by Hydro Resources, Inc
 HARWOOD, P. H. New Mexico, State of 95/02/10 High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp B2776 251-82776 254

9502140188 Forwards materials provided to NRC during site visit to Hydro Resources, Inc
 LAYTON, M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/13 RUDLEY, S. Office of Information Resources Management (Post 890208) 5pp B2734 283-82734 287

9502160387 Discusses telcon re NUREG-1508, "Draft Environmental Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM"
 BOULANGER, A. R. Affiliation Not Assigned 95/02/14 Office of Nuclear Material Safety & Safeguards 2pp B2776 320-82776 321

9502160353 Discusses proposed U mining at Crowpoint, NM & effect on community
 DAZEL, Affiliation Not Assigned 95/02/16 NRC - No Detailed Affiliation Given 2pp B2776 347-82776 349

DOCKET 40-8961 PATHFINDER MINES CORP., MILLS, WY

9502060091 Submits comments re licensee request to amend license re design of evaporation ponds at North Butte In Situ Leach site
 GILLEN, D. M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 WICHERS, D. Pathfinder Mines Corp 5pp B2B69 241-82669 246

9502060198 Forwards annual update for North Butte & Ruth facility estimates per requirements of Condition 37 of License SUA-1540. Explanation of each estimate for 1995 listed w/ two overseas drawings
 WICHERS, D. L. Pathfinder Mines Corp 95/01/28 HOLONICH, J. J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 36pp B2B81 142-82B81 212

-9502060284 North Butte ISL Project 1994 Wildlife Monitoring" rept w/ two overseas drawings
 * Affiliation Not Assigned 94/12/31 35pp B2B61 178-82B61 212

DOCKET 40-8964 MAGNESIUM ELEKTROK, INC., FLEMINGTON, NJ

9502020370 Informs of Magnesium Elektro, Inc. plans to move forward expeditiously w/ disposal of sludge in Ponds 6 Upper & 6 Lower
 JAEGER, R. F. 95/01/31 GASKIN, C. Licensing Branch 3pp B2B57 263-82B57 268

9502160281 Expresses appreciation re participation at meeting on disposal of existing sludge & provides assurance requested
 JAEGER, R. F. Magnesium Elektro, Inc (formerly Metabek, Inc) 95/02/03 GASKIN, C. NRC - No Detailed Affiliation Given 3pp B2732 353-82732 355

DOCKET 40-8968 ENVROCORE OF UTAH, INC., SALT LAKE CITY, UT

9502020257 FOIA request for listed info re Envirocore license SMC-1558, including ALARA program & inst agreement
 BLUMENFELD, C. R. Boyle & Gates 94/06/24 Uranium Recovery Branch (Post 9012301) 2pp B2B31 345-82B31 346

DOCKET 40-8024 ENERGY FUELS NUCLEAR

9502160467 Forwards responses to NRC SE review, EA review & supplemental radiological assessment info comments, dtd 940719, 0615 & 1214 respectively. Licensee currently preparing responses to hydrology portion of SE review comments & 941024 request
 WETZ, T. V. Energy Fuels Nuclear, Inc 95/02/10 HOLONICH, J. J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 243pp B2B19 001-82B19 243

DOCKET 40-8027 CABOT CORP., READING & REVERE

9502020363 Trip rept of 950116 & 19 survey of main processing bldg & surrounding areas at Cabot Corp Reading site
 HOGG, R. C. Division of Waste Management (NMSS 940403) 95/01/24 Division of Waste Management (NMSS 940403) 2pp B2B65 163-82B65 166

9502100178 Trip rept of 950130 & 31 visit to Reading site re Cabot Reading confirmatory survey. Phase 2 Licensee provided final survey data & analysis for NRC review during ORISE confirmatory survey visit also
 HOGG, R. C. Division of Waste Management (NMSS 940403) 95/02/02 Division of Waste Management (NMSS 940403) 2pp B2775 225-82775 226

9502270370 Responds to verbal request for clarification of NRC guidance in Chapter 6 of NUREG/CR-5849 re interpretation of final status survey results
 HOGG, R. C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/08 CRAIG, K. A. Nuclear Energy Services, Inc CRAIG, K. A. Industrial Electric Service Co 2pp B2B03 338-82B03 339

9502220348 Forwards ship rept 40-9027/94-01 on 941221-950105 No violations noted
 KINNEHAN, J. D. Region 1 (Post 820201) 95/02/14 BARRON, R. S. Cabot Corp 3pp B2B01 065-82B01 072

8 DOCKETED ITEMS

9502220351 Insp rept 40-8027/94-01 on 941221-950105 No violations noted Major areas inspected Cabot Reading, PA Site Decommissioning Plan implementation
HOLMES, S.W. KINNEMAN, J.D. Region 1 (Post 820201) 95/02/14 5pp 82800 068-82800 072

9502220352 Forwards msp rept 40-8027/95-01 on 950118-24 No violations noted KINNEMAN, J.D. Region 1 (Post 820201) 95/02/14 8pp 82800 073-82800 106

9502220353 Insp rept 40-8027/95-01 on 950118-24 No violations noted Major areas inspected confirmatory survey of overhead & walls of main processing bldg at licensee Reading, PA facility
HOLMES, S.W. KINNEMAN, J.D. Region 1 (Post 820201) 95/02/14 8pp 82800 076-82800 106

9502220354 Informs that NRC will amend license to remove bldg & outdoor areas identified in and site map so as to permit unrestricted use
WEBER, A.F. Low-Level Waste & Decommissioning Projects Branch (MSS 94403) 95/02/17 CAPTELLA, Cabot Corp 4pp 82845 223-82843 226

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 80-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9502240091 "Michigan Memorial-Pharm Project, Univ of Michigan Emergency Plan Ford Nuclear Reactor" W/950214 R
BURN, R.R. Michigan Univ of, Ann Arbor, MI 95/02/14 MCHAELES, T.S. Office of Nuclear Reactor Regulation (Post 941001) 102pp 82815 099-82815 197

G. Inspection reports, IE Bulletins & correspondence

9502150015 Ack receipt of 940119 Rr informing NRC of steps taken to correct violations noted in insp rept 50-002/94-03 on 941221
AXELSON, W.L. Region 3 (Post 820201) 95/02/08 FLEMMING, R.F. Michigan, Univ of Ann Arbor, MI 1p 82721 358-82721 360

V. Operator Examinations

9502220278 Forwards results for Operator Initial Exam conducted on 940109-10 W/o and
RICHARDS, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 FLEMMING, R.F. Michigan, Univ of, Ann Arbor, MI 1p 82812 357-82812 357

9502240223 Forwards initial exam rept 50-002/OL-85-01 for wk of 950106, facility comments & NRC resolution of comments & exam & answer key Exam conducted in accordance w/NUREG-1478 W/o and
RICHARDS, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 FLEMMING, R.F. Michigan, Univ of, Ann Arbor, MI 1p 82838 086-82838 086

DOCKET 80-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502020190 Forwards public version of implementing procedures (IP), including Rev 5 to IP-1012, Rev 4 to IP-1018 & Rev 6 to IP-1043 & revised emergency plan page 6-20, App A, ltr of agreement & App B W/950131 release memo
QUINN, S.E. Consolidated Edison Co of New York, Inc 94/12/05 Document Control Branch (Document Control Desk) 2pp 82613 312-82613 359

9502010037 Public version of revised emergency plan, page 6-20, App A, page A-1, 240829 ltr of agreement between uoi & Phelps Memorial Hosp Ctr & App B, Con Edison Medical Dept, Consultants & Agencies
QUINN, S.E. Consolidated Edison Co of New York, Inc 94/11/17 8pp 82613 314-82613 321

9502020196 Public version of revised EPR, including rev 6 to IP-1012, "On-Site Medical Emergency," rev 4 to IP-1018, "Public Info Mobilization During Emergencies" & rev 6 to IP-1043, "Operation of State of NY Radiological Emergency"
QUINN, S.E. Consolidated Edison Co of New York, Inc 94/11/17 38pp 82613 322-82613 359

9502150138 Forwards public version of rev to emergency plan Changes do not reduce attractiveness of emergency plan & emergency plan as whole continues to meet std of 10CFR50.47(b) & requirements of 10CFR50, App E W/950213 release memo
QUINN, S.E. Consolidated Edison Co of New York, Inc 95/01/18 Document Control Branch (Document Control Desk) 2pp 82746 328-82746 367

9502150140 Public version of rev to emergency plan
QUINN, S.E. Consolidated Edison Co of New York, Inc 95/01/01 28pp 82746 330-82746 367

9502210002 Forwards msp rept 50-003/94-80 on 941212-15 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/02/10 QUINN, S.E. Consolidated Edison Co of New York, Inc 3pp 82769 060-82769 061

9502210003 Insp rept 50-003/94-80 on 941212-15 No violations noted Major areas inspected mgt oversight/safety review program, TS compliance, EPR, radiation protection, mgt condition & maint.
BORES, R. JOYNER, J.H. Region 1 (Post 820201) 95/02/10 29pp 82769 063-82769 091

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'NEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502030251 "Enforcement action tracking sys, Licensee history rept (short list) sorted by licensee 850101-940509"
NRC - No Detailed Affiliation Given 94/08/06 33pp 82621 281-82621 313

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDF & App JJ records being partially withheld (re: FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned 4pp 82717 157-82717 014

9502130283 Partially deleted SECY, providing Commissioners w/summaries of comments received in response to informal proceeding initiated by issuance of Commission May 30 order
BICKWIT, L. Office of the General Counsel (Post 860701) SECY-A-80-096 80/07/11 29pp 82717 182-82717 220

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502020349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
BROCK, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 841001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82905 013-82905 029

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 5pp 82905 038-82905 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82658 001-82658 006

9502100268 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82818 037-82818 042

9502210003 Forwards msp rept 50-003/94-80 on 941212-15 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/02/10 QUINN, S.E. Consolidated Edison Co of New York, Inc 3pp 82769 060-82769 061

9502210009 Insp rept 50-003/94-80 on 941212-15 No violations noted Major areas inspected mgt oversight/safety review program, TS compliance, EPR, radiation protection, mgt condition & maint.
BORES, R. JOYNER, J.H. Region 1 (Post 820201) 95/02/10 29pp 82769 063-82769 091

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 028

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024

9502210067 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 018-82818 025

DOCKET 80-6 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9502130250 Informs NRC of interim justification for continued operation within current licensing basis Proposed action plan included
DHRLEY, D.A. Pennsylvania State Univ., University Park, PA 95/02/06 Document Control Branch (Document Control Desk) 2pp 82727 316-82727 317

DOCKET 80-10 CRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502140494 Revised EPRs, including Rev 5 to EPR 0100-01 & Rev 4 to EPR 0105-01
Commonwealth Edison Co 95/01/27 68pp 82742 264-82742 533

9502220220 Forwards White Paper, "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mail Cable Ampercity Derating Factor Calculation," in response to GL 92-08
VORIK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822-073-82822 301

9502220245 "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9502286259 Forwards vtd submittal re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs." End withheld
BRONSON, J.C. Commonwealth Edison Co 95/02/20 NRC - No Detailed Affiliation Given 3pp 82912 359-82917 350

G. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82606 023

9501290298 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 184

9501260134 Forwards insp repts 50-010/94-19, 50-237/94-19 & 50-249/94-19 on 941122-950109 & notice of violation Violation of concern because it involved lack of procedure adherence & unauthorized mods
GREENMAN, E.G. Region 3 (Post 820201) 95/02/02 FERRY, J.S. Commonwealth Edison Co 4pp 82692 317-82692 356

9502180138 Notice of violation from insp on 941122-950109 Violation noted control room operators failed to verify relay position of individual MSIV before proceeding to next valve
* Region 3 (Post 820201) 95/02/02 3pp 82690 321-82690 322

9502100143 Insps repts 50-010/94-19, 50-237/94-19 & 50-249/94-19 on 941122-950109 Violations noted Major areas inspected maintenance, surveillance, engineering, technical support, plant support, safety assessment & quality verification
HILAND, P.L. Region 3 (Post 820201) 95/01/27 3pp 82690 324-82690 356

9502150239 Forwards NRC repts for 1994 entitled, "Repts on Changes Imposed by NRC on Sys, Structures, Components, Procedures, Organization or Design of Operating Nuclear Power Plants." Repts presented in accordance w/committee rules
THE CHAIRMAN, SENIOR Commissioners (Post 750119) 95/02/02 MYERS, J.T. House of Rep., Appropriations 8pp 82747 051-82747 058

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82658 001-82658 008

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042

9502210681 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210650 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Strategizing Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 016-82618 024

9502240637 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502280296 Radioactive effluent repts for Jan-Dec 1994 for Dresden Nuclear Power Station W/950220 ltr
BAX, B.L. Commonwealth Edison Co 94/12/31 MARTIN, J.B. Region 3 (Post 820201) 77pp 82939 206-82939 282

9502280132 Monthly operating repts for Jan 1995 for Dresden Nuclear Power Station
SYKES, J.W., HOLLAND, P.G. Commonwealth Edison Co 95/01/31 24pp 82912 205-82912 228

W. Decommissioning Stage Documents & Correspondence

9502280266 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'NEILL, M. Affiliation Not Assigned 3pp 82621 279-82621 213

9502280281 "Enforcement action tracking sys./License history repts (short list) sorted by license 850101-940509"
* NRC - No Detailed Affiliation Given 94/06/08 33pp 82621 281-82621 213

9502080327 Inform of 950118-19 NRC SNM re performance of NPPs & submits summary of discussions re Dresden plant/Concludes sense of progress evident at plant but that much remains to be done re plant maint condition & work control sys
TAYLOR, J.M. Dir of the Executive Director for Operations 95/02/01 O'CONNOR, J.J. Commonwealth Edison Co 7pp 82683 258-82683 258

9502080325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502280229 Forwards White Paper, "Amplifying Design Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damant Firewrap Mail Cable Amplifying Design Factor Calculation," in response to GL 92-08
VONKUM, J.M. Commonwealth Edison Co 95/02/16 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502280248 "Amplifying Design Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETH, W.G., MACDONALD, S.Z. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9501260446 Administrative Ltr 95-02 to all holders of OLS or CPs re cost/benefit licensing accord
IMBRO, E.V. Cost/Benefit Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY REACTOR

F. Security, medical, emergency & fire protection plans

9502210224 Revised "Emergency Plan" W/950216 ltr
NEWTON, T.H., LAJES, BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA 95/02/16 190pp 82604 170-82604 358

P. Operating license stage documents & correspondence

9502280136 Submits summary of review for first three patents re neutron capture therapy trials
BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA 95/01/24 Document Control Branch (Document Control Desk) 3pp 82620 330-82620 332

9502140371 Forwards amend 29 to license R-37 & safety evaluation Amend extends amended license expiration date from 950507-990808
ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA 3pp 82729 301-82729 317

9502140378 Amend 28 to license R-37, extending expiration date of license
WEISS, S.H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 2pp 82729 304-82729 305

9502140378 Safety evaluation supporting amend 28 to license R-37
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 4pp 82729 306-82729 306

9502140382 Environ assessment & finding of no significant impact re proposed license amend changing expiration date of amended license R-37
WEISS, S.H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 8pp 82729 310-82729 317

9502280275 Application for amend to license R-37, revsng surveillance frequency requirement for one cell of emergency battery sys W/end
NEWTON, T.H., LAJES, BERNARD, J.A. Nuclear Reactor Laboratory 95/02/22 Document Control Branch (Document Control Desk) 5pp 82853 001-82853 005

S. Reportable occurrences, LEIs & related correspondence

9502240045 Reportable Occurrence 95-020/95-01 on 950206, voltage & specific gravity measurements of cell of emergency battery bank recorded at less than specified weekly SR in TS 4.8.5 C/A will modify SR to monitor
NEWTON, T.H., LAJES, BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA 95/02/17 Document Control Branch (Document Control Desk) 3pp 82614 045-82614 047

V. Operator Examinations

9502270165 Notices that MC Feldman resigned position as PO at MIT Research Reactor
BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA 95/01/27 Document Control Branch (Document Control Desk) 1p 82695 305-82695 305

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9502030073 Advises that 941130 rev 4 to detailed security plan consistent w/provisions of 10CFR50.54(b) & acceptable
JOYNER, J.H. Region 1 (Post 820201) 95/01/17 GRANT, J. Yankee Atomic Electric Co 3pp 82652 324-82652 326

9502170126 Change 130 to EPH, removing Figures 4 & 5 of OP 3504 titled "Emergency Communications" & replace w/Figures 4 & 5 of OP 3504 w/attached pages
* Yankee Atomic Electric Co 95/01/31 4pp 82779 286-82779 289

H. General correspondence

9412280544 Respond to 941122 ltr addressed to Chairman Selin re JM Block 941107 concerns on NRC licensing procedures & NRC role in engaging public in decommissioning process US Court of Appeals for First Circuit 94-1362, 341201 brief and TAYLOR, J.M. Dir of the Executive Director for Operations 94/12/20 KERRY, J.F. Senate 3pp 82737 348-82737 350

9502010132 Forwards J Block ltr re licensing procedures & role in engaging public in decommissioning process of plant
KERRY, J.F. Senate 94/11/22 THE CHAIRMAN, SENIOR Commissioners (Post 750119) 3pp 82737 348-82737 350

9502080265 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations at NPP Advises that basis & form of proposed rule flawed & proposed actions re shutdown & low-power operation should be reconsidered
SCHULTZ, S.P. Yankee Atomic Electric Co 95/02/03 Docketing & Services Branch 6pp 82648 209-82648 214

10 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC Headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc Spp 82652 195-82652 199

9502090197 Summary of 950131 meeting w/Yankee,Chern-Nuclear & LUNL in Rockville,MD re transport of Flow RV
OSGOOD,N L Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/07 CHAPPELL,C R Division of Industrial & Medical Nuclear Safety (Post 870729) 19pp 82712 248-82712 285

Q. Inspection reports, IE Bulletins & correspondence

9501090218 NRC Bulletin 85-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 048

9501250428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82552 188-82552 194

9502030312 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc Spp 82688 001-82688 008

9502100823 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc Spp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc Spp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc Spp 82648 018-82648 025

W. Decommissioning Stage Documents & Correspondence

9502170034 "NRC Staff Approves Decommissioning Plan for Yankee Nuclear Power Station"
Office of Public Affairs (Post 911117) 95/02/14 1p 82618 011-82618 011

9502230370 Forwards order approving decommissioning plan & authorizing decommissioning of plant Order responds to application, did 931220 & suppl thereto, did 940805, 0822 1024 & 1025
FAITHELM,B Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 KAT,J A Yankee Atomic Electric Co 4pp 82825 070-82825 156

9502230380 Order approving decommissioning plan & authorizing decommissioning of Yankee NPGS W/app
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 Yankee Atomic Electric Co 83pp 82825 074-82825 156

9502150349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

DOCKET 95-54 CINCINNATI

Q. Inspection reports, IE Bulletins & correspondence

9502130228 Forwards insp rept 95-054/95-01 & 70-0687/95-01 on 950110-13 No violations or regulatory requirements noted
JOYNER,J H Region 1 (Post 820201) 95/02/03 MCGOVERN,J J Cincham, Inc Spp 82707 246-82707 253

9502130228 Insp repts 95-054/95-01 & 70-0687/95-01 on 950110-13 No violations noted Major areas inspected status of previously identified items, internal radiation surveys, waste disposal control & oversight of work & radiation program
DRAGOUN,T F, ULLRICH,E Region 1 (Post 820201) 95/02/03 Spp 82707 249-82707 253

W. Decommissioning Stage Documents & Correspondence

9502020224 Responds to 941206 ltr & informs that staff has concluded delay in completion of decommissioning of facility justifiable & meets conditions described in Condition H of license amend 6 of license
GLENN,J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/19 MCGOVERN,J J Cincham, Inc 2pp 82619 304-82619 310

9502020236 Amend 7 to license SNM-536 for Cincham, Inc, extending Condition H
GLENN,J E Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/19 Spp 82619 306-82619 310

9502090259 Confirms discussions had yesterday & morning re Strontium-90 analyses of water discharged through 001 Outfall at Cincham site
YOUNGBERG,B New York, State of 95/02/01 TRUSKOWSKIE Cincham Inc 2pp 82713 220-82713 221

9502150913 Submits comments re Cincham, Inc decommissioning proposed bedrock criteria
MERGES,P J New York State of 95/02/02 ORLANDO,D NRC - No Detailed Attachment Given 2pp 82770 358-82770 359

DOCKET 95-57 BUFFALO MATERIALS RESEARCH CENTER

F. Security, medical, emergency & fire protection plans

9502090009 Informs that response to insp rept 95-057/94-02 before 950215 acceptable, per 940119 ltr requesting extension for reply to rept
JOYNER,J H Region 1 (Post 820201) 95/01/30 LANDL,M New York, State Univ of, Buffalo, NY 3pp 82645 029-82645 034

9502090012 Ack receipt of 941222 ltr & insp rept 95-057/94-02 Advises that licensee will not be able to respond to issue of gaseous air monitor sensitivity determination within expected time
HENRY,L G New York, State Univ of, Buffalo, NY 95/01/19 JOYNER,J H Region 1 (Post 820201) Spp 82645 032-82645 034

Q. Inspection reports, IE Bulletins & correspondence

9502090009 Informs that response to insp rept 95-057/94-02 before 950215 acceptable, per 940119 ltr requesting extension for reply to rept
JOYNER,J H Region 1 (Post 820201) 95/01/30 LANDL,M New York, State Univ of, Buffalo, NY Spp 82645 029-82645 034

9502090012 Ack receipt of 941222 ltr & insp rept 95-057/94-02 Advises that licensee will not be able to respond to issue of gaseous air monitor sensitivity determination within expected time
HENRY,L G New York, State Univ of, Buffalo, NY 95/01/19 JOYNER,J H Region 1 (Post 820201) Spp 82645 032-82645 034

DOCKET 95-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

P. Operating license stage documents & correspondence

9502140361 Requests that DOE provide funding during FY95 to permit conversion of NTR from HEU fuel to LEU fuel
CUNNINGHAM,G E General Electric Co 95/02/06 STEPHENS,R E Energy, Dept of 1p 82759 359-82759 359

DOCKET 95-75 ZERO POWER REACTOR-1

P. Operating license stage documents & correspondence

9502140186 Submits Oak Ridge Institute for Science & Education survey of terminated non-power reactor licenses CX-13 & CX-21
RADCLIFFE,W H Office of Nuclear Material Safety & Safeguards 94/08/27 JOHNSON,T C Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 3pp 82728 259-82728 269

DOCKET 95-77 CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9502170258 Informs that add info needed as listed in order to complete review of final status survey rept as submitted per 941220 ltr
JOYNER,J H Region 1 (Post 820201) 95/02/03 LUSTER,D Catholic Univ of America, Washington, DC Spp 82769 050-82769 054

DOCKET 95-83 UNIV. OF FLORIDA TRAINING REACTOR

P. Operating license stage documents & correspondence

9502100186 Forwards amend 20 to license R-86 & safety evaluation Amend revised TS Sections 3.4.5(1) & (2) & 4.2.4(3) to refer to relevant sections of 10CFR20 & to more accurately describe releases into sanitary sewage sys
MICHAELS,T S 03/02/06 VERNETSON,W G Florida, Univ of, Gainesville, FL Spp 82704 085-82704 095

9502100186 Amend 20 to license R-86, revising TS Sections 3.4.5(1) & (2) & 4.2.4(3) to refer to relevant sections of 10CFR20 & to more accurately describe releases into sanitary sewage sys
WEISS,S H 95/02/06 Spp 82704 086-82704 092

9502100186 Safety evaluation supporting amend 20 to license R-86
Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 Spp 82704 093-82704 095

DOCKET 95-84 GENERAL ATOMICS

P. Operating license stage documents & correspondence

9502170130 Requests 30 day extension of time to submit Annual Rspis for General Atomics Mark I & Mark F reactors
ASHMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/02/14 ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 1p 82779 294-82778 294

9502230948 Application for amend to License R-38, requesting TS for Mark I TRIGA reactor
ASHMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/02/17 ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82667 332-82667 334

DOCKET 95-97 CORNELL UNIV. ZERO POWER REACTOR

F. Security, medical, emergency & fire protection plans

8582830675 Advises that 941201 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable
JOYNER, J.H. Region 1 (Post 820201) 95/01/23 CADY, K.B. Cornell Univ. Ithaca NY 3pp 82652 317-82652 318

DOCKET 95-106 ALLIS-CHALMERS INFL. CO. CRITICAL ASSEMBLY

P. Operating license stage documents & correspondence

9502148227 Submits Oak Ridge Institute for Science & Education survey terminated non-power reactor license CX-15
RADCLIFFE, W.H. Office of Nuclear Material Safety & Safeguards 94/09/27 JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (RMSS 940403) 2pp 82794 271-82794 278

DOCKET 95-116 IOWA STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9502070111 Notices of resignation of listed RO from position at Iowa State Univ following completion of academic program
ADAMS, J.T. Iowa State Univ., Ames, IA 95/01/30 Document Control Branch (Document Control Desk) 1p 82688 300-82688 300

DOCKET 95-128 TEXAS A&M UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9502020183 Confirms 950119 telcon re interpretation of licensee FOL R-83, section (B)(3) re use of byproduct shell at facility
O'KELLY, S. Texas A&M Univ., College Station, TX 95/01/13 MICHAELS, T.S. 1p 82620 311-82620 311

DOCKET 95-130 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9502248212 Forwards summary of 950118 changes to emergency plan
ANGUS, M.J. Pacific Gas & Electric Co. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82683 322-82683 320

P. Operating license stage documents & correspondence

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC Headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502140172 Provides disks that contained records in requested electronic format re GL 54-04, "Voluntary Reporting of Adul Radiation Exposure Data." W/o disk
RUEGER, G.M. Pacific Gas & Electric Co. 95/02/08 NRC - No Detailed Allusion Given 1p 82744 216-82744 216

9502160354 Notification of 950224 meeting w/utl in Rockville, MD to discuss currently proposed & prospective license amend requests & ongoing site activities
WEISS, M.K. 95/02/14 WEISS, S.H. 4pp 82758 165-82758 168

9502160349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial & compens actions
HUBBARD, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

9502288270 Notification of 950228 meeting w/utl in San Francisco, CA to discuss seismic & structural issues associated w/plant
MARBLE, A.W. 95/02/23 RUSSELL, W., MIRAGLIA, F., THADANLA 4pp 82669 254-82669 257

Q. Inspection reports, IE Bulletin & correspondence

9503080219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Mat'l"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 033

9501230280 NRC Info Notice 95-007, "Radiopharm. Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 039-82605 046

9501250428 NRC Info Notice 95-006, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 186-82652 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82686 001-82686 008

9502180283 Suppl 1 to NRC Info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502220354 Ack receipt of 941230 ltr re commitment to reevaluate certain evaluations for revs to SAFSTOR decommissioning plan
COLLINS, S.J. Region 4 (Post 820201) 95/02/14 RUEGER, G.M. Pacific Gas & Electric Co. 5pp 82600 107-82600 120

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering Mfg. Co."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210059 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 010-82648 025

DOCKET 95-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

H. Periodic operating reports & related correspondence

9502070108 Worcester Polytechnic Inst annual rpt for 1994
GOSBECK, L.M. Worcester Polytechnic Institute, Worcester, MA 95/01/26 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82664 348-82664 349

DOCKET 95-142 UCLA TRAINING REACTOR

W. Decommissioning Stage Documents & Correspondence

9502060178 Ack receipt of 941223 W, which answered 941130 & 1212 ltrs to Chairman informing that its currently unsatisfactory
MARCUS, C.S. California, Univ. of Los Angeles, CA 95/01/10 PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 3pp 82662 332-82662 334

9502060175 Inquires about reason for puzzling delay concerning "Patent Discharge Rule"
MARCUS, C.S. California, Univ. of Los Angeles, CA 95/01/24 THE CHAIRMAN SELIN, J. Commissioners (Post 750119) 2pp 82656 359-82656 360

DOCKET 95-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9502270442 Notification of 950327 meeting w/licensee in Rockville, MD to discuss status of facility & plans for radiological characterization of facility to develop decommissioning plan
ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 WEISS, S.H. Office of Nuclear Reactor Regulation (Post 941001) 4pp 82652 366-82652 369

9502280287 Forwards amend 12 to license DPR-4 & safety evaluation. Amend changes TS to add facility characterization as activity permitted within exclusion area of facility
ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 HILDEBRAND, J.E. Saxton Nuclear Experimental Corp. 3pp 82656 267-82656 296

-9502280240 Amend 12 to license DPR-4, changing TS to add facility characterization as activity permitted within exclusion area of facility & to add administrative requirements that commensurate w/facility characterization
WEISS, S.H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 13pp 82656 270-82656 282

-9502280246 Safety evaluation supporting amend 12 to license DPR-4
Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 18pp 82656 283-82656 298

DOCKET 95-151 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9502230315 Forwards tested procedure related to liquid effluent discharges to sanitary sewerage & informs that licensee installing 0.45 um filter in discharge flowpath to sanitary sewerage
HOLM, R.L. Illinois, Univ. of Urbana, IL 95/02/15 Document Control Branch (Document Control Desk) 1p 82645 297-82645 308

-9502230317 "Retention Tank Discharge Procedure"
Illinois, Univ. of Urbana, IL 95/02/14 3pp 82645 296-82645 300

12 DOCKETED ITEMS

-9502230320 HP Procedure NRIHP-33 "Analysis of Radioactivity in Water"
RALSTON, J.M. KACZOR, M.A., HOLM, R.L. Illinois Univ. of Urbana IL 95/02/13
4pp 82848 301-82848 304

-9502230322 HP Procedure NRIHP-10 "Weekly Background Efficiency & MDC/MDA
Calculations for BC-4 Beta Counters, SAC-4 Alpha Scintillation Counter, RM14SA/HP-
260 & RM-14/HP-210T Beta Counters"
RALSTON, J.M., KACZOR, M.A., SHAFER, P.W. Illinois Univ. of Urbana IL 95/11/17
4pp 82848 305-82848 308

G. Inspection reports, IE Bulletins & correspondence

9502220001 Forwards insp repts 50-151/95-01 & 50-356/95-01 on 950118. 20 No violations or deviations noted. Weakness identified in liquid radwaste monitoring & analysis program.
MCCORMICK-BARGE Region 3 (Post 820201) 95/02/10 JONES, B.G. Illinois Univ. of Urbana IL 2pp 82785 344-82785 350

-9502220003 Insp repts 50-151/95-01 & 50-356/95-01 on 950118. 20 No violations noted. Major areas inspected: radiation controls, radwaste management, review of periodic & special repts & transportation activities. One weakness identified.
NELSON, D., MCCORMICK-BARGE Region 3 (Post 820201) 95/02/10 5pp 82785 346-82785 350

H. Periodic operating reports & related correspondence

9502150236 "Annual Rept 1994 IL Advanced TRIGA" W/950208 Ltr
HOLM, R.L. JONES, B.G. Illinois Univ. of Urbana IL 94/12/31 11pp 82772 158-82772 158

DOCKET 58-158 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9502130255 Rev 116 to "Site Emergency Plan" W/undated Ltr
WOODSTER, J.A. SHAFER, K. Consumers Power Co 95/02/02 7pp 82727 190-82727 258

P. Operating license stage documents & correspondence

9502230246 Fast partial response to FOIA request for documents. Records in App A will be made available in PDR.
REED, C.A. Division of Freedom of Information & Publications Service (890208-940714) 94/06/13 O'MEALIA, J. Affiliation Not Assigned 2pp 82621 279-82621 313

-9502030251 "Enforcement action tracking sys. Licensee history repts (short list) sorted by licensee 950101-940509"
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502020192 Forwards fitness-for-duty program unsatisfactory performance testing incident for Big Rock Point Plant.
DONNELLY, P.M. Consumers Power Co 95/01/25 Document Control Branch (Document Control Desk) 10pp 82620 187-82620 186

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 185-82652 189

9502210242 Inform of 950216 meeting in Bethesda, MD re plant decommissioning issues.
CONNAUGHTON, K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 HANCOCK, J.N. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82788 207-82788 209

9502160348 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions.
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (OBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501050219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9502010050 Ack receipt of 950117 Ltr informing NRC of steps taken to correct violations noted in insp repts 50-155/94-15.
PHILLIPS, M.P. Region 3 (Post 820201) 95/01/26 DONNELLY, P.M. Consumers Power Co 1p 82544 143-82544 143

9501230260 NRC Info Notice 95-007, "Radiopharm Viol Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9501250428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 168-82652 194

9502080023 Forwards "1994 ISI 3-2 Big Rock Point Plant" conducted during period of 941001-1127.
DONNELLY, P.M. Consumers Power Co 95/02/02 Document Control Branch (Document Control Desk) 2pp 82704 320-82704 348

-9502080025 "1994 ISI 3-2 Big Rock Point Plant"
* Consumers Power Co 95/02/02 27pp 82704 322-82704 348

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82689 001-82689 008

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042

9502150014 Forwards NRR repts on Maint Rule review visit to plant during 941205-12.
SHAFER, W.O. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co KAUP, K. GRAESSER, K. Commonwealth Edison Co 2pp 82722 012-82722 028

9502150006 Forwards insp repts 50-155/95-02 on 950123-27. No violations noted.
JACOBSON, J.M. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co 2pp 82736 309-82736 319

-9502150008 Insp repts 50-155/95-02 on 950123-27. No violations noted. Major areas inspected: licensee response to GL 89-10, "Safety Related MDV Testing & Surveillance" & licensee self-assessment in area.
BURGESS, S.D., GAUZMAN, J.G., PEGG, W.D. Region 3 (Post 820201) 95/02/10 3pp 82736 311-82736 319

9502220060 Forwards insp repts 50-155/94-18 on 941220-950203. Non-cited violations noted. Weakness noted re lack of resolution of long-standing problems associated w/ operating accumulator charging header control valve in "auto".
PHILLIPS, M.P. Region 3 (Post 820201) 95/02/15 DONNELLY, P.M. Consumers Power Co 4pp 82799 128-82799 144

-9502220061 Insp repts 50-155/94-18 on 941220-950203. Non-cited violation noted. Major areas inspected: operations, maintenance, engineering & plant support activities.
PHILLIPS, M.P. Region 3 (Post 820201) 95/02/15 13pp 82799 132-82799 144

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82618 016-82618 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

H. Periodic operating reports & related correspondence

9502230397 "1994 Annual Rept Occupational Exposure" W/950214 Ltr
DONNELLY, P.M. Consumers Power Co 94/12/31 4pp 82622 305-82622 308

9502150006 Monthly operating repts for Jan 1995 for Rock Point Nuclear Plant W/950201 Ltr.
JOHNSTON, J.R., DONNELLY, P.M. Consumers Power Co 95/01/31 8pp 82772 054-82772 059

S. Reportable occurrences, LERs & related correspondence

9502200041 PRC-48-95-007 on 950216, plant shutdown for repair of steam to core spray sys flow caused by sys being clogged. Repair on sys started; plant to be shut down four days. State of Ill notified.
PHILLIPS, M.P. Region 3 (Post 820201) 95/02/17 1p 82848 137-82848 137

V. Operator Examinations

9502220079 Inform that NRC plans to administer GFES of written operator licensing exam on 950405.
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co CHASENSKY, T.M., SCHMIDT, T.L. Commonwealth Edison Co 3pp 82559 355-82559 357

DOCKET 58-156 UNIV. OF WISCONSIN RESEARCH REACTOR

V. Operator Examinations

9502270077 Requests that one set of ref. mat for Reactor/Sensor Reactor operating licensing exam be taken between RJ Cashwell & W. Eresman for administration of exams.
ERESMAN, W.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 CASHWELL, R.J. Wisconsin Univ. of Madison, WI 11pp 82852 075-82852 085

DOCKET 58-157 CORNELL UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9502030079 Advises that 941201 rev to physical security plan consistent w/provisions of 10CFR50.54(b) & acceptable.
JOYNER, J.H. Region 1 (Post 820201) 95/01/23 CADY, K.B. Cornell Univ Ithaca, NY 3pp 82652 317-82652 319

DOCKET 58-158 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9502160033 Forwards 881115 Ir from ML Ernst to JP Creane re GANE contention 9 Reg Guide 5.59, "Std Format & Content for Licensee Physical Security Plan for Protection of SNM of Moderate or Low Strategic Significance," also encl TURKISE Office of the General Counsel (Post 860701) #195 16337 95/02/08 BECHHOEFER, C. LAMP, S. KLINE, JR Atomic Safety & Licensing Board Panel 8pp 82736 011-82736 085

G. Adjudicatory correspondence

9502020129 Inform of support of PB O'Brien petition for directors decision per 10CFR2.206 to NRC on 941003 Reasons for support listed STAUFFER, L. Affiliation Not Assigned 95/01/18 DMRANDA, C. NRC - No Detailed Affiliation Given 4pp 82820 261-82820 284

9502090658 Requests in writing opportunity to speak during pre-hearing conference re re-licensing of Georgia Tech Research Reactor scheduled for 950151-0202 GILBERT, M. P. Affiliation Not Assigned #195 16293 95/01/24 Atomic Safety & Licensing Board Panel 2pp 82851 221-82851 222

9502020054 NRC Staff response to amended petition for leave to intervene & supply thereto filed by Georgians Against Nuclear Energy * Staff responds to amended petition & supplying of affidavit on 950113 W/Certificate of Svc TURKISE Office of the General Counsel (Post 860701) #195 16287 95/01/25 Atomic Safety & Licensing Board Panel 4pp 82559 213-82559 258

9502090068 GA Inst of Technology opposition to petition for leave to intervene filed by Georgians Against Nuclear Energy * W/Certificate of Svc & supporting documentation NORDEN, R. A. Georgia Institute of Technology, Atlanta, GA #195 16382 95/01/25 Atomic Safety & Licensing Board Panel 34pp 82652 001-82652 034

9502160096 Georgians Against Nuclear Energy Adm Affidavit, * Affidavits that provided affidavits names of citizens be entered in record of proceedings W/Certificate of Svc CARROLL, G. Georgians Against Nuclear Energy #195 16281 95/01/26 21pp 82559 266-82559 304

9502160093 Forwards 881115 Ir from ML Ernst to JP Creane re GANE contention 9 Reg Guide 5.59, "Std Format & Content for Licensee Physical Security Plan for Protection of SNM of Moderate or Low Strategic Significance," also encl TURKISE Office of the General Counsel (Post 860701) #195 16337 95/02/08 BECHHOEFER, C. LAMP, S. KLINE, JR Atomic Safety & Licensing Board Panel 8pp 82736 011-82736 086

9502160184 Forwards mail that was given to court reporter in Atlanta at Georgia Institute of Technology Prehearing Conference during Limited Appearance session W/Certificate of Svc Served on 850209 COMEZA, A. Atomic Safety & Licensing Board Panel #195 16336 95/02/08 JULIANE, L. Docketing & Services Branch 9pp 82736 125-82736 134

H. General correspondence

9502160343 Ack receipt of 950118 Ir indicating support for 10CFR2.206 petition from PB O'Brien re Georgia Tech Research Reactor GRIMES, B. K. 95/02/14 STAUFFER, L. Affiliation Not Assigned 2pp 82756 160-82756 161

P. Operating license stage documents & correspondence

9502130184 Submits add info re condition of 72 inch steam line runs under corner of old/abn bldg of Neely Nuclear Research Ctr at Georgia Techn response to 941104 request KARAM, R. A. Georgia Institute of Technology, Atlanta, GA 95/01/10 STORR, J. P. Region 2 (Post 820201) 2pp 82728 132-82728 135

Q. Inspection reports, IE Bulletins & correspondence

9502020064 NRC Staff response to amended petition for leave to intervene & supply thereto filed by Georgians Against Nuclear Energy * Staff responds to amended petition & supplying of affidavit on 950113 W/Certificate of Svc TURKISE Office of the General Counsel (Post 860701) #195 16287 95/01/25 Atomic Safety & Licensing Board Panel 4pp 82559 213-82559 258

9502160093 Forwards 881115 Ir from ML Ernst to JP Creane re GANE contention 9 Reg Guide 5.59, "Std Format & Content for Licensee Physical Security Plan for Protection of SNM of Moderate or Low Strategic Significance," also encl TURKISE Office of the General Counsel (Post 860701) #195 16337 95/02/08 BECHHOEFER, C. LAMP, S. KLINE, JR Atomic Safety & Licensing Board Panel 8pp 82736 011-82736 095

T. Hearing transcripts on non-antitrust matters

9502020170 Transcript of 950131 prehearing conference in Atlanta, GA re Georgia Institute of Technology Research reactor Pp 1-188 BECHHOEFER, C. KLINE, J. LAMP, S. Atomic Safety & Licensing Board Panel 95/01/31 188pp 82619 601-82619 190

9502060144 Transcript of 950201 prehearing conference in Atlanta, GA re Georgia Institute of Technology Research reactor Pp 189-325 BECHHOEFER, C. KLINE, J. LAMP, S. Atomic Safety & Licensing Board Panel 95/02/01 143pp 82618 128-82618 271

9502090306 Transcript of 950201 public hearing in Atlanta, GA re Georgia Inst of Technology Research Reactor Pp 1-78 * Atomic Safety & Licensing Board Panel 95/02/01 78pp 82708 153-82708 230

9502060307 Transcript of 950202 prehearing conference in Atlanta, GA re Georgia Inst of Technology Research Reactor Pp 326-419 * Atomic Safety & Licensing Board Panel 95/02/02 85pp 82708 231-82708 326

DOCKET 88-163 GENERAL ATOMICS

P. Operating license stage documents & correspondence

9502140146 Responds to NRC 950117 RAI in support of renewal of license 940907 request for license amend to withdraw authorization to operate GA TRIGA, Mark F reactor, as amended/supplemented 941220 Proposed new wording for TS 8.12 & 8.2.3 encl ASMUSSEN, K. E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/01/27 ADAMS, A. 11pp 82734 292-82734 302

9502170130 Requests 30 day extension of time to submit Annual Repts for General Atomics Mark I & Mark F reactors ASMUSSEN, K. E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/02/14 ADAMS, A. Office of Nuclear Reactor Regulation (Post 941001) 1p 82779 294-82779 294

DOCKET 90-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9502140144 Third partial response to FOIA request for documents Records in app C encl & will be available in FOR POWELL, R. A. Division of Freedom of Information & Publications Services (860206-840714) 94/07/06 O'NEAL, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502160349 Administrative Ltr 95-02 to all holders of OLs or OPs re cost beneficial licensing actions BARRO, E. V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/19 Consolidated Edison Co of New York, Inc 11pp 82605 012-82605 022

9502160369 NRC Info Notice 95-007, "Radon/Thm Vent Breakage During Preparation" PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82612 158-82612 164

9502030518 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B. K. 95/02/03 Consolidated Edison Co of New York, Inc 9pp 82696 001-82696 008

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B. K. 95/02/10 Consolidated Edison Co of New York, Inc 9pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, LLC" GRIMES, B. K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502230050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow Straightening Device" GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 015-82618 024

9502230037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82648 018-82648 025

S. Reportable occurrences, LERs & related correspondence

9502170233 Part 21 rept re possible mail defect in stainless steel Swagelok tube fittings or adapters ZAHURANEC, E. J. Crawfords Fitting Co 95/02/07 Document Control Branch (Document Control Desk) 7pp 82602 354-82602 360

DOCKET 90-182 PURDUE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9502160057 Forwards shp repts 90-182/94-01 & 70-0152/94-01 on 941121-23 & 950109 No violations noted BARGER, J. W. Region 3 (Post 820201) 95/02/01 RANSOM, V. Purdue Univ West Lafayette, IN 2pp 82580 262-82580 269

14 DOCKETED ITEMS

-9502100064 Insp repts 50-182/94-01 & 70-0152/94-01 on 941121-23 & 950109 No violations noted Major areas inspected organization logs/records, review & audits, surveillance & emergency planning
REDINGER, T., NELSON, D., BARGER, J.W. Region 3 (Post 820201) 95/02/01 6pp 82690 254-82690 289

9502220007 Forwards insp repts 50-182/95-01 & 70-0152/95-01 on 950118 No violations noted
CREED, J.R. Region 3 (Post 820201) 95/02/08 RANSOM, V. Purdue Univ., West Lafayette, IN 2pp 82784 355-82784 360

-9502220010 Partially deleted insp repts 50-182/95-01 & 70-0152/95-01 on 950118 (ref 10CFR2790) No violations noted Major areas inspected review of approved security plan for reactor, test breeder blanket facility & nuclear fuel storage areas
BELENGER, J.L., CREED, J.R. Region 3 (Post 820201) 95/02/08 4pp 82784 357-82784 360

G. Inspection reports, IE Bulletins & correspondence

9502100067 Forwards insp repts 50-182/94-01 & 70-0152/94-01 on 941121-23 & 950109 No violations noted
BARGER, J.W. Region 3 (Post 820201) 95/02/01 RANSOM, V. Purdue Univ., West Lafayette, IN 2pp 82690 252-82690 289

-9502100064 Insp repts 50-182/94-01 & 70-0152/94-01 on 941121-23 & 950109 No violations noted Major areas inspected organization logs/records, review & audits, surveillance & emergency planning
REDINGER, T., NELSON, D., BARGER, J.W. Region 3 (Post 820201) 95/02/01 6pp 82690 254-82690 289

9502220007 Forwards insp repts 50-182/95-01 & 70-0152/95-01 on 950118 No violations noted
CREED, J.R. Region 3 (Post 820201) 95/02/08 RANSOM, V. Purdue Univ., West Lafayette, IN 2pp 82784 355-82784 360

-9502220010 Partially deleted insp repts 50-182/95-01 & 70-0152/95-01 on 950118 (ref 10CFR2790) No violations noted Major areas inspected review of approved security plan for reactor, test breeder blanket facility & nuclear fuel storage areas
BELENGER, J.L., CREED, J.R. Region 3 (Post 820201) 95/02/08 4pp 82784 357-82784 360

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9502160353 Informs that NRC completed review & evaluation & accepting changes to Univ. of Missouri at Columbia Research Reactor Emergency Response Plan submitted on 951219 in compliance w/ 10CFR50.54(a)
ADAMS, A. 95/02/02 RHYME, J.J. Missouri, Univ. of Columbia, MO 9pp 82756 162-82756 164

G. Operating license stage documents & correspondence

9502150369 Application for amend to license R-103, increasing stable U-235 possession limit from 45 kg to 60 kg & increasing U-235 temporary possession limit to 75 kg until 970331
MEYER, W.A., MCKIBBEN, J.C. Missouri, Univ. of Columbia, MO 95/02/07 Office of Nuclear Reactor Regulation (Post 941901) 5pp 82770 351-82770 355

G. Inspection reports, IE Bulletins & correspondence

9502180368 Submits proprietary info subsequent to notice of violation & proposed imposition of civil penalties, did 940912 Encl withheld
GLASCOCK, M.D. Missouri, Univ. of Columbia, MO 95/02/06 Ofc of Enforcement (Post 970413) 1p 82761 113-82761 113

DOCKET 50-183 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

F. Security, medical, emergency & fire protection plans

9502290007 Forwards insp repts 50-183/94-02 on 941207-09 & notice of violation
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 TEHAN, T. Rhode Island, State of 3pp 82846 011-82846 018

-9502280011 Notice of violation from insp on 941207-09 Violations noted licensee did not secure from unauthorized removal approx 75 uCi of Co-60 from reactor room, controlled area
* Region 1 (Post 820201) 95/02/21 1p 82846 014-82846 014

-9502280016 Insp repts 50-183/94-02 on 941207-09 No violations noted Major areas inspected implementation of EP program & corrective actions for loss of control of low level radioactive material
DRAGON, T.F., ULLRICH, E. Region 1 (Post 820201) 95/02/21 4pp 82846 015-82846 016

F. Operating license stage documents & correspondence

9502270017 Ack receipt of advanced notification of series of 10CFR73 shipments w/ Shipment ID R95-111894A & R95-111894B
BENNINGTON, G. NRC - No Definite Affiliation Given 94/11/22 JOHNSON, D.G. Rhode Island, State of 4pp 82831 068-82831 072

G. Inspection reports, IE Bulletins & correspondence

9502280007 Forwards insp repts 50-183/94-02 on 941207-09 & notice of violation
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 TEHAN, T. Rhode Island, State of 3pp 82846 011-82846 018

-9502280011 Notice of violation from insp on 941207-09 Violations noted licensee did not secure from unauthorized removal approx 75 uCi of Co-60 from reactor room, controlled area
* Region 1 (Post 820201) 95/02/21 1p 82846 014-82846 014

-9502280016 Insp repts 50-183/94-02 on 941207-09 No violations noted Major areas inspected implementation of EP program & corrective actions for loss of control of low level radioactive material
DRAGON, T.F., ULLRICH, E. Region 1 (Post 820201) 95/02/21 4pp 82846 015-82846 016

DOCKET 50-197 ZERO POWER REACTOR-B, NATIONAL AERONAUTICS & SPACE

F. Operating license stage documents & correspondence

9502140186 Submits Oak Ridge Institute for Science & Education survey of terminated non-power reactor licenses CX-13 & CX-21
RADCLIFFE, W.H. Office of Nuclear Material Safety & Safeguards 94/09/27 JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NWSS 940403) 3pp 82728 239-82728 269

DOCKET 50-198 MANHATTAN COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9502290074 Forwards revised physical security plan Plan withheld per 10CFR73.21
DUGGAN, W.P. Manhattan College, Riverdale, NY 95/01/19 Document Control Branch (Document Control Desk) 1p 82587 331-82587 331

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502060031 Forwards latest issue of Emergency Response Telephone Directory for intervention into Nuclear Emergency Response Team notebooks
MARSH, W.C. Southern California Edison Co. 95/01/29 Region 4 (Post 820201) 1p 82624 232-82624 236

-9502060034 "SONGS Emergency Response Telephone Directory"
* Southern California Edison Co. 95/03/31 23pp 82624 239-82624 236

9502210336 Revised EPIPs including Rev 2 to 501-VIII-30, Rev 2 to 5023-VIII-30, Rev 2 to 50123-VIII-1 Temporary Change Notice 2-1 to Rev 2 to 50123-VIII-1, Rev 3 to 50123-VIII-30, Rev 3 to 50123-VIII-30 & Rev 3 to 50123-VIII-30 1 W/950214
MARSH, W.C. Southern California Edison Co. 95/02/14 227pp 82808 001-82808 227

F. Operating license stage documents & correspondence

9502260226 Final response to FOIA request for documents Records in App A & B will be available in FOR App C records will be withheld in part (ref Exemption 6)
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/26 BUNTING, G.F. Affiliation Not Assigned 5pp 82641 019-82641 339

-9408030006 Responds to 940406 re requesting assistance in addressing concerns expressed in IR by DL Johnson re seismic safety of San Onofre Nuclear Generating Station & Diablo Canyon Power Plant
TAYLOR, J.M. Ofc of the Executive Director for Operations 94/05/25 FEINSTEIN, D. Senate 6pp 82641 327-82641 330

9502030273 Informs that (a) repl, GENE-523-A178-1294, did Dec 1994, will be withheld from public disclosure per 10CFR2790(b)(5) & Section 103(b) of Atomic Energy Act of 1954
BRINKMAN, D.S. Project Directorate (-) (PD-1) (Post 841001) 95/01/30 BECKHAM, J.T. Southern Nuclear Operating Co. 3pp 82622 194-82622 196

9502020226 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502180348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost benefit information actions
CARRO, J.V. Cost Benefit Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501080218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230360 NRC Info Notice 95-007, "Radiopharm Yield Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501280428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502280313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 5pp 82688 001-82688 006

9502100283 Suppl 1 to NRC info notice 95-010 Potential for Loss of Automatic ESFA
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037
82618 042

9502210061 NRC Info Notice 95-012 Potentially Nonconforming Fasteners Supplied by AEG Engineering & Inc.
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82618 025-82618 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82618 016-
82618 024

9502240037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82649 018-
82648 025

R. Periodic operating reports & related correspondence

9502010116 Forwards semiannual fitness for duty program performance data for period 94/01/1-1231
MARSH,W.C. Southern California Edison Co. 85/01/24 Document Control Branch (Document Control Desk) 6pp 82590 302-82590 307

DOCKET 95-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9502070056 Forwards rev 28 to physical security plan Plan withheld
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/31 Document Control Branch (Document Control Desk) 6pp 82638 315-82639 317

9502140096 Rev 28 to emergency plan
* Connecticut Yankee Atomic Power Co. 95/01/31 17pp 82744 001-82744 017

9502270232 Rev to EPIP index pp 1-4 of 4,080 950201
* Connecticut Yankee Atomic Power Co. 95/02/01 5pp 82695 256-82695 260

9502280089 Forwards ensp repl 50-213/95-01 on 950123-27 No safety concerns or violations noted
JOYNER,J.H. Region 1 (Post 826201) 95/02/21 OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp 82653 063-82653 070

9502280015 Partially withheld insp repl 50-213/95-01 on 950123-27 (ref 10CFR73.21) No violations observed Major areas inspected previously identified items, audits & effectiveness of mgt controls, protected area detection equipment & alarm system
ALBERT,R.J. LAMROTH,D.F. Region 1 (Post 826201) 95/02/21 5pp 82653 066-82653 070

G. Adjudicatory correspondence

9502030166 Responses to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request Denied
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B. Affiliation Not Assigned 52pp 82665 001-82665 053

9502060295 Notice of receipt of petition for directors decision under 10CFR2.205, in matter of all reactor licensees w/installed Thermo-Lag 330-1 Fire Barrier Material Requests immediate shutdown of all plants using Thermo-Lag
CRUTCHFIELD,D. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 1p 82665 052-82665 052

9502060244 Requests immediate shut down of all reactor using Thermo-Lag until material removed & replaced due to Thermo-Lag failure to meet NRC regulations Vendor indicated for detrauding govt
DEBOLT,B. Affiliation Not Assigned 94/11/14 Office of Nuclear Reactor Regulation (Post 941001) 1p 82665 053-82665 053

H. General correspondence

9502230137 Comments on proposed rules 10CFR50.52 & 100 re reactor site criteria, including seismic & earthquake engineering criteria. The licensee believes that acceptance criteria expressed in terms of TEDE would be consistent w/ recent guidance
OPEKA,J.F. Northeast Utilities Service Co. 95/02/14 CHILUK,S.J. Office of the Secretary of the Commission 6pp 82608 156-82608 161

P. Operating license stage documents & correspondence

9502080246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED,C.A. Division of Freedom of Information & Publications Services (950208-940714) 94/06/13 OMEALUAM Affiliation Not Assigned 2pp 82621 279-82621 313

9502080251 "Enforcement action tracking sys. Licensee history repl (short list) sorted by licensee 950101-940509"
* NRC - No Detailed Affiliation Given 94/06/06 23pp 82621 281-82621 313

9502090098 Informs NRC of actions that will be taken to address impact of recent St Lucie Unit 1 data on mechanical plug corrosion w/ regard to Haddam Neck Plant
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/23 Document Control Branch (Document Control Desk) 18pp 82708 116-82708 133

9502090052 Forwards "Notice of Consideration of Issuance of Amend to Facility Operating License & Opportunity for Hearing" for FR publication
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/24 OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp 82605 387-82605 345

9502090067 Notice of consideration of issuance of amend to license DPR-61 & proposed NESHG determination & opportunity for hearing Amend would modify TS 3.4.5 "Steam Generators" & surveillance requirements 4.4.5.2 a & 4.4.5.3 b
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/24 6pp 82605 341-82605 345

9502090250 Forwards amend 178 to license DPR-61 & safety evaluation Amend revises TS 3.4.11.3.7.1.1 & table 3.7-1
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/26 OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp 82577 034-82577 056

9502090256 Amend 178 to license DPR-61, revising TS 3.4.11.3.7.1.1 & table 3.7-1
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/26 11pp 82577 038-82577 048

9502090258 Safety evaluation supporting amend 178 to license DPR-61
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 6pp 82577 049-82577 058

9502090324 Informs NRC review completed of civil submittal dtd 940623 & suppl 950118 re allowing W Vantage 5H fuel to be used at plant starting w/ cycle 19 Forwards SE approving use of said fuel
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/26 OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp 82577 246-82577 251

9502090328 SE approving use of W vantage 5H fuel assemblies at plant starting at refueling cycle 19
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 2pp 82577 250-82577 251

9502090135 Transmits revised TS pages re Cycle 19 operation
OPEKA,J.F. Northeast Utilities OPEKA,J.F. Northeast Utilities Service Co. 95/01/31 Document Control Branch (Document Control Desk) 6pp 82688 331-82688 339

9502090137 Revised proposed tech specs pages re Cycle 19 operations.
* Northeast Nuclear Energy Co. 95/01/31 6pp 82688 334-82688 339

9502090126 Forwards amend 178 to license DPR-61 & safety evaluation Amend revises license condition 2 C 4 re implementation & intent of FP program w/ new license condition Amend also updates TS
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/01 OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp 82691 299-82691 322

9502090138 Amend 178 to license DPR-61, replacing license condition 2 C 4 re implementation & intent of FP program w/ new license condition TS also updated
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/01 20pp 82691 297-82691 318

9502090132 Safety evaluation supporting amend 178 to license DPR-61
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 6pp 82691 317-82691 322

9502090171 Forwards Environ Assessment & FONSI related to 940407 application for amend to license dtd 940407
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/01 OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp 82626 248-82626 253

9502090193 Environ assessment & finding of no significant impact re 940407 application for amend Amend proposes to revise TS 3.4.4.6, "Pressure Temperature Limits, RCS"
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/01 4pp 82626 250-82626 253

9502090255 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 6pp 82682 185-82682 189

9502090289 Informs that request for withholding info from public disclosure of repl. Determination of Design DNER Limits for Haddam Neck Plant approved
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/02 WIPARULON,J. Westinghouse Electric Corp. 4pp 82681 358-82681 359

9502100240 Forwards EA & FONSI re 940607 application for amend Amend would revise TS 3.11.3, "Shutdown Margin," & TS 3.3.3.9, "Boron Dilution Alarm" & associated Basis sections.
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/03 OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp 82711 057-82711 064

9502100243 Environ assessment & finding of no significant impact re issuance of amend to license DPR-61 issued to util for operation of plant Amend would revise TS 3.11.3, "Shutdown Margin" & TS 3.3.3.9, "Boron Dilution Alarm"
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/03 4pp 82711 061-82711 064

9502100244 Forwards EA & FONSI re 940517 application Amend would revise plant TS to support Cycle 19 operation w/ new Westinghouse fuel
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/03 OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp 82711 049-82711 056

9502100246 Environ assessment & finding of no significant impact re issuance of amend to license DPR-61 issued to plant for operation Amend would revise plant TS to support Cycle 19 operation w/ use of Westinghouse Vantage 5H fuel
MCKEE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/03 4pp 82711 053-82711 056

9502100350 Forwards SE accepting clarification on licensee method for statistical combination of uncertainties & DNER penalties associated w/ rod bow & transverse core effects
WANG,A.B. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/07 OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp 82706 341-82706 345

16 DOCKETED ITEMS

-9502100351 Safety evaluation accepting clarification on licensee method for statistical combination of uncertainties & CNBR penalties associated w/rod bow & transition core effect.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 2pp 82706 345 82706 346

9502170082 Forwards amend 180 to license DPR-61 & safety evaluation. Amend will revise TS 3.11.3, "Shutdown Margin" & TS 3.3.3.8, "Boron Dilution Alarm" & associated Basis sections & add new TS 3.11.4, "Shutdown Margin".
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/09 OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co 3pp 82767 040-82767 060

-9502170086 Amend 180 to license DPR-61, revising TS 3.11.3, "Shutdown Margin" & TS 3.3.3.8, "Boron dilution Alarm" & associated Basis sections & add new TS 3.11.4, "Shutdown Margin".
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/09 14pp 82767 043-82767 056

-9502170086 Safety evaluation supporting amend 180 to license DPR-61.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 4pp 82767 057-82767 060

9502170217 Advice that CYAPO & NNEC intends to implement formal industry position on severe accident mgt approved by Nuclear Energy Institute Nuclear Strategic Issues Advisory Committee on 941104.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Document Control Branch (Document Control Desk) 2pp 82802 352-82802 353

9502210189 Forwards amendments 181, 79, 184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NFF-48, respectively & SE Amends modify administrative controls section by replacing present Nuclear Review Board for Haddam Neck plant.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co 5pp 82789 210-82789 274

-9502210189 Amendments 181, 79, 184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NFF-48, respectively, revising administrative controls section of TS by replacing present Nuclear Review Board for Haddam Neck plant.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 67pp 82789 215-82789 271

-9502210189 SE supporting amendments 181, 79, 184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NFF-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 3pp 82789 272-82789 274

9502210237 Summary of 950125 meeting w/ fuel to discuss extension of fuel cycle for plant to 24 months. Handout & attendance list encl.
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 Project Directorate I-4 (PD1-4) (Post 941001) 20pp 82790 044-82790 069

9502240084 Informal that request to amend operating license did 941031, included original program plans instead of corrected copies. Requests that those program plans be disregarded.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/02/14 Document Control Branch (Document Control Desk) 2pp 82813 001-82813 002

9502210218 Forwards amend 182 to license DPR-61 & safety evaluation. Amend revises TS 3/4.4.8, "Pressure/Temp Limits, RCS," Figures 3-4.3.4 & 3 & associated Basis section. Notice of issuance also encl.
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/16 OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co 3pp 82790 025-82790 043

-9502210222 Amend 182 to license DPR-61, revising TS 3/4.4.8, "Pressure/Temp Limits, RCS," Figures 3-4.3.4 & 3 & associated Basis section.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/16 5pp 82790 026-82790 036

-9502210225 Safety evaluation supporting amend 182 to license DPR-61.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 5pp 82790 037-82790 041

-9502210233 Notice of issuance of amend 182 to license DPR-61.
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/16 2pp 82790 042-82790 043

9502270216 Forwards EA & FONSI re 950222 application for amend. Amend would revise TS 3/4.4.10, "Structural Integrity," & SR 4.4.10, staff approved for cycle 18 refueling outage footnote to amend reactor coolant pump flywheel insp for pump 1 & 2.
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22 OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp 82852 276-82852 283

-9502270221 Emerson assessment & finding of no significant impact re propose to revise TS 3/4.4.10, "Structural Integrity," & SR 4.4.10, licensee proposed alternate reactor coolant pump flywheel insp frequency & test methods.
HERNAN, J.W. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22 4pp 82852 280-82852 283

9502100349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions.
MARB, C.E. Cost General Licensing Actions Staff (CSLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 022

9502100287 EN-95-006 on 950131, notice of proposed exercise of enforcement discretion issued to licensee Action based on licensee identification of condition that could have prevented RHR sys from performing safety function.
BEALL, J. LIEBERMAN, J. Ofc of Enforcement (Post 870413) 95/01/26 1p 82775 220-82775 220

9501230260 NRC Info Notice 95-007 "Radioactive Vial Breakage During Preparation".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502090268 Ack receipt of 950103 re informing NRC of steps taken to correct violations noted in insp rept 50-213/94-22.
DURR, J.P. Region 1 (Post 820201) 95/01/27 OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp 82623 311-82623 320

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design".
GRIMES, B.K. Ofc of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 168-82652 194

9502090234 Inform of authorization to exercise enforcement discretion re 941025-1214 insp at plant.
MARTIN, T.T. Region 1 (Post 820201) 95/01/31 OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp 82645 173-82645 176

9502090313 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82616 037-82616 042

9502220309 Forwards insp rept 50-213/94-27 on 941215-950123 No violations noted. Control of spent fuel building ventilation sys when moving fuel should be strengthened.
DURR, J.P. Region 1 (Post 820201) 95/02/15 OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp 82799 323-82799 351

-9502220325 Insp rept 50-213/94-27 on 941215-950123 No violations noted. Major areas inspected plant operations, maintenance & technical support. Plant activities & review of preparations for refueling.
NICHOLSON, L.E. Region 1 (Post 820201) 95/02/15 26pp 82798 325-82798 351

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&S Engineering LLC".
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502260389 Forwards insp rept 50-213/95-01 on 950123-27 No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp 82853 063-82853 070

-9502260315 Partially withheld insp rept 50-213/95-01 on 950123-27 (ref 10CFR73.21) No violations observed. Major areas inspected previously identified deficiencies & effectiveness of mgt controls, protected area detection equipment & alarm station.
ALBERT, R.J., LIMOTH, D.F. Region 1 (Post 820201) 95/02/21 5pp 82858 066-82858 070

9502210080 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device".
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance".
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502210089 Monthly operating rept for Jan 1995 for Haddam Neck Plant, W/ 950215 re ENHANS, K., RYLEY, M., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/01/31 7pp 82811 219-82811 225

9502150322 Forwards semiannual FPD performance data for Jul-Dec 1994 for Haddam Neck Plant & Millstone Nuclear Power Station Units 1, 2 & 3.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Nuclear Service Co. 95/02/08 Document Control Branch (Document Control Desk) 19pp 82761 239-82761 257

S. Repeatable occurrences, LERs & related correspondence

9502100308 Summary of operating reactor events briefing 95-02 conducted on 950201 to inform senior managers from listed sites of selected events that occurred since last briefing on 950118 List of attendees encl.
CHAFFEE, A.E. 95/02/07 GRIMES, B.K. 20pp 82768 140-82768 158

9502230065 LER 95-001-00 on 950118, two fire bamer delimiters found affecting operability of barmers. Caused by degraded gland seal due to past procedure delimiters. Continuous fire watch established during gland seal repair W/ 950214 re KAZUKYAN, T., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/02/14 7pp 82842 033-82842 040

9502260429 LER 95-003-00 on 950124, CR high energy line break bamer breached. Caused by failed program on bamer boundaries not being identified or maintained. Installed appropriate cover on 950124 W/ 950221 re MANSOUR, J., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/02/21 4pp 82945 168-82945 172

9502280419 LER 95-002-00 on 950125, debris in floor drain valves caused flooding in diesel rooms. Plugged floor drains W/ 950222 re CALDERONE, J., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/02/22 5pp 82945 159-82945 163

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9502070073 Forwards summary description for protection against nonviolent use of vehicles at nuclear power plants. Encl withheld.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82639 319-82639 314

9502080023 Forwards insp rept 50-219/95-03 on 950117-20 No violations noted.
JOYNER, J.H. Region 1 (Post 820201) 95/02/02 BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp 82645 164-82645 172

9502080027 Insp rept 50-219/95-03 on 950117-20 No violations noted. Major areas inspected: radiological environ monitoring program & meteorological monitoring program including: mgmt controls, QA audits & implementation of tested programs.
PELLUSO, L.A., ULLRICH, E. Region 1 (Post 820201) 95/02/02 8pp 82645 167-82645 172

9502150081 Revised EPIPs including rev 4 to EPIP-OC-04, rev 6 to EPIP-OC-31 & rev 18 to 6430-ADM-1318 01 W/950208.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/08 110pp 82749 114-82749 222

G. Adjudicatory correspondence

950208159 Response to postcard chd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lab Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/16 DEBOLT, E. Affiliation Not Assigned 52pp 82686 001-82686 050

H. General correspondence

9502080837 Comment opposing proposed rule 10CFR50 re shutdown & lowpower operations for nuclear reactors.
FORNICO, J.C. General Public Utilities Corp. - GPU Service Corp. 95/02/01 Docking & Services Branch 4pp 82601 139-82601 142

P. Operating license stage documents & correspondence

9502080044 Third partial response to FOIA request for documents. Records in App F already available in PDR. App G records being made available in PDR.
FERRO, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/14 RICOOP, J.P. Public Citizen's Critical Mass Energy Project 5pp 82688 012-82688 043

9502080278 Provides written documentation of licensee request re enforcement discretion. Forwards request info to support request.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/01/21 MARTIN, T. Region 1 (Post 820201) 4pp 82688 019-82688 025

9502148144 Third partial response to FOIA request for documents. Records in app C and J will be available in PDR.
POWELL, B.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'NEAL, J.M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502140173 List of CAL numbers.
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 194-82729 220

9502230196 Final response to FOIA request for documents. Records in App A will be available in PDR. App B records withheld in entirety (not FOIA exemption 5).
POWELL, B.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 3pp 82806 322-82806 333

9502230198 "Notices of Enforcement Discretion".
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502010844 Forwards utility response to second RAI on shear modulus reduction & damping curves. 941220 telcon.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/27 Project Directorate 1-4 (PD1-4) (Post 941001) 14pp 82577 021-82577 033

9502080212 Informs that request that portions of Rept 84941228 "Confirmatory Dynamic Analysis of Oyster Creek Reactor Internals for Core Shroud Repair Evaluation" be declared proprietary. Approved.
DROMERICK, A.W. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 5pp 82626 292-82626 295

9502080337 Provides confirmation that licensing activities listed in encl completed on or before end of 15R outage.
KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82665 089-82665 100

9502080025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in contact telephone & FAX numbers at NRC headquarters.
GRUBBS, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 156-82652 159

9502146255 Forwards environ assessment & finding of no significant impact re use 940615 application for amendments supplemented 940923 & 1103. Amend would change setpoints of TS 2.3.D, "Reactor High Pressure, Relief Valve Inlet" by increasing setpoint value by 15 psig for each of electronic relief valves in ADS.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/08 BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp 82731 118-82731 126

9502146257 Environ assessment & finding of no significant impact re revising setpoints of TS 2.3.D, "Reactor High Pressure, Relief Valve Inlet" by increasing setpoint value by 15 psig for each of electronic relief valves in ADS.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/08 4pp 82731 122-82731 125

9502150252 Forwards response to add info re TS Change Request 222, dtd 941111. Attachment 2 provides TS Pages 5.2-1 & 5.2-2 affected by Ref 2 request.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/08 Document Control Branch (Document Control Desk) 8pp 82772 107-82772 116

9502150299 Proposed tech specs re Oyster Creek spent fuel pool expansion.
* General Public Utilities Corp. - GPU Service Corp. 95/02/08 2pp 82772 115-82772 116

9502170183 Advises of changes made in GPU Nuclear Corp. Provides list of employees authorized to submit fingerprints to NRC & receive results under Criminal History Program.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/02/08 Document Control Branch (Document Control Desk) 2pp 82779 258-82779 260

9502240044 Discusses NRC request for add info re uti request to utilize 45 addl SF storage locations which currently exist in fuel storage pool. Forwards response to request into.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/15 Document Control Branch (Document Control Desk) 10pp 82814 207-82814 216

9502280311 Documents current status of plant GL 85-10, MON program.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82848 390-82848 391

9502270274 Forwards amend 177 to license DPR-16 & safety evaluation. Amend revises TS 2.3.D to change setpoints "Reactor High Pressure, Relief Valve Inlet" by increasing setpoint value by 15 psig for electronic relief valves in ADS.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/21 BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp 82852 313-82852 334

9502270278 Amend 177 to license DPR-16, revising TS 2.3.D to change setpoints "Reactor High Pressure, Relief Valve Inlet" by increasing setpoint value for each of electronic relief valves in ADS.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/21 4pp 82852 317-82852 320

9502270285 Safety evaluation supporting amend 177 to license DPR-16.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 12pp 82852 321-82852 332

9502270286 Notice of issuance of amend 177 to license DPR-16, revising TS 2.3.D to change setpoints "Reactor High Pressure, Relief Valve Inlet" by increasing setpoint value for each of electronic relief valves in ADS.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/21 2pp 82852 333-82852 334

9502160345 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial & changing actions.
HUBBARD, E.V. Cost Beneficial Licensing Actions Staff (CSLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, NE Bulletin & correspondence

950210121 Partial response to FOIA request for documents. Records in App encl & will be available in PDR. App G records withheld in part (ref FOIA exemption 5). App D records completely withheld (ref FOIA exemption 5).
POWELL, B.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FIDELLER, Affiliation Not Assigned 6pp 82824 140-82824 031

9502210158 Partially deleted listing of "Enforcement Action Tracking Sys".
* NRC - No Detailed Affiliation Given 94/06/06 176pp 82824 168-82824 005

9501080215 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail".
PAPERRELL, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82806 013-82806 023

9501230265 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation".
PAPERRELL, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 3pp 82806 038-82806 046

9502010247 Discusses 950119 telcon between licensee & NRC staff to discuss insp of reactor vessel internals performed at plant during recent 15R refueling outage.
DROMERICK, A.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/27 Project Directorate 1-4 (PD1-4) (Post 941001) 3pp 82576 277-82576 279

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Calling For Piping & Pipe Support Evaluation & Design".
GRUBBS, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 188-82852 194

9502080283 Forwards response to NRC ltr re violations noted in insp rept 50-219/94-28. Corrective actions: four of five exterior areas corrected within 2 h of being identified by NRC inspectors.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/02/01 Document Control Branch (Document Control Desk) 7pp 82665 169-82665 175

9502080337 Provides confirmation that licensing activities listed in encl completed on or before end of 15R outage.
KEATEN, R.W. General Public Utilities Corp. - GPU Service Corp. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82665 099-82665 100

9502080023 Forwards insp rept 50-219/95-03 on 950117-20 No violations noted.
JOYNER, J.H. Region 1 (Post 820201) 95/02/02 BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp 82645 164-82645 172

9502080027 Insp rept 50-219/95-03 on 950117-20 No violations noted. Major areas inspected: radiological environ monitoring program & meteorological monitoring program including: mgmt controls, QA audits & implementation of tested programs.
PELLUSO, L.A., ULLRICH, E. Region 1 (Post 820201) 95/02/02 8pp 82645 167-82645 172

18 DOCKETED ITEMS

950200073 Forwards insp rept 50-219/84-28 on 941129-950109 & notice of violation DURR, J.P. Region 1 (Post 820201) 95/02/02 BARTON, J.J. General Public Utilities Corp - GPU Service Corp App 82646 003-82646 023

950200085 Notice of violation from insp on 941129-950109 Violation noted job supervisor did not coordinate w/planner or job coordinator when work outside scope of job order performed on two drywell ventilation exhaust valves
* Region 1 (Post 820201) 95/02/02 1p 82646 006-82646 006

950200088 Insp rept 50-219/84-29 on 941129-950109 Violations noted Major areas inspected plant operations, maintenance, engineering, plant support & safety assessment/quality verification
ROGGE, J. Region 1 (Post 820201) 95/02/01 17pp 82646 007-82646 023

950200093 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc Bpp 82688 001-82688 008

950200095 Discusses enforcement conference on 950123 re violations identified during reactive insp 50-219/84-28 on 941024-1201 re EDG & combustion turbines Expresses appreciation for info provided Decision re EA to be submitted later w/encs
WIGGINS, J.T. Region 1 (Post 820201) 95/02/06 BARTON, J.J. General Public Utilities Corp - GPU Service Corp 2pp 82707 058-82707 079

950200097 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc Bpp 82618 037-82618 042

950200098 Discusses insp rept 50-219/84-24 on 941024-1201 & forwards notice of violation
MARTIN, T.T. Region 1 (Post 820201) 95/02/15 BARTON, J.J. General Public Utilities Corp - GPU Service Corp Bpp 82613 056-82613 066

950200099 Notice of violation from insp on 941024-1201 Violation noted design mod documents did not detail all changes made & bases for changes were not included in documents
* Region 1 (Post 820201) 95/02/15 4pp 82613 066-82613 069

950200101 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

950200102 Ack receipt of ir dtd 950201 explaining corrective actions & preventative measures in response to 950106 NRC letter insp findings
JOYNER, H. Region 1 (Post 820201) 95/02/21 BARTON, J.J. General Public Utilities Corp - GPU Service Corp 2pp 82659 093-82659 041

950200104 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc Bpp 82618 018-82618 024

950200107 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc Bpp 82648 018-82648 025

R. Periodic operating reports & related correspondence

950200002 Monthly operating rept for Jan 1995 for Oyster Creek Nuclear Generating Station W/350216
EDELMAH, P.G., BARTON, J.J. General Public Utilities Corp - GPU Service Corp 95/01/31 7pp 82670 341-82670 347

S. Reportable occurrences, LERs & related correspondence

950200175 Part 21 rept re possibilities of some nonconforming codes may have been used in safety related spare parts provided for SAND, DAN, TAIN & 2100C
KELLY, C. Westronics, Inc of Texas dba Tracor Westronics 95/01/30 Document Control Branch (Document Control Desk) 2pp 82619 311-82619 312

DOCKET 50-229 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

950200122 Forwards Rev 0 to Emergency Plan Mgmt Procedure (EPMP) EPMP-EPP-09, "Emergency Response Organization Expectations & Responsibilities" & Rev 31 to "Site Emergency Plan"
MCCORMICK, M.J. Niagara Mohawk Power Corp 95/01/27 Document Control Branch (Document Control Desk) 1p 82697 299-82697 345

950200124 Rev 0 to Emergency Plan Mgmt Procedure (EPMP) EPMP-EPP-09, "Emergency Response Organization Expectations & Responsibilities"
WARE, C.T. Niagara Mohawk Power Corp 94/12/14 7pp 82697 300-82697 306

950200127 Rev 31 to "Site Emergency Plan"
ABBOTT, R.B., DAHLBERG, K.A. Niagara Mohawk Power Corp 94/12/20 40pp 82697 307-82697 346

950200140 Rev 4 to EPIP-EPP-08, "Off-Site Dose Assessment & Protective Action Recommendation" W/950217
ABBOTT, R.B., DAHLBERG, K.A., MCCORMICK, M.J. Niagara Mohawk Power Corp 95/02/17 35pp 82904 154-82904 188

G. Adjudicatory correspondence

950200156 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 5pp 82693 001-82693 053

F. Operating license stage documents & correspondence

950200144 Third partial response to FOIA request for documents Records in app C and E will be available in PDF
POWELL, R.A. Division of Freedom of Information & Publications Services (990206-940714) 94/07/06 O'NEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

950200173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

950200197 Forwards application for amend to license DPR-63, revising TS 3.4.1, "Leakage Rate" & associated bases reflecting change in reactor bldg leakage rate from 2,000 cfm to 1,800 cfm
SYLVIA, B.R. Niagara Mohawk Power Corp 95/01/24 Document Control Branch (Document Control Desk) 1p 82624 265-82624 273

950200199 Application for amend to license DPR-63, revising TS 3.4.1, "Leakage Rate" & associated bases reflecting reduction in allowable reactor bldg leakage rate from 2,000 cfm to 1,800 cfm
SYLVIA, B.R. Niagara Mohawk Power Corp 95/01/24 1p 82624 266-82624 266

950200121 Proposed tech specs 3.4.1, "Leakage Rate" & associated bases, reducing allowable reactor bldg leakage rate from 2,000 cfm to 1,800 cfm
* Niagara Mohawk Power Corp 95/01/24 7pp 82624 267-82624 273

950200124 Forwards nonproprietary versions of documentation supporting Nine Mile Point Unit 1 core shroud repair, in response to GL 94-03 "IGSCC of Core Shrouds in BWRs"
TERRY, C.D. Niagara Mohawk Power Corp 95/01/26 Document Control Branch (Document Control Desk) 1p 82733 001-82733 181

950200132 Nonproprietary "Justification of Allowable Displacements of Core Plats & Top Guide-Shroud Repair"
CHARNEY, J.E., GIBB, E.Y., DILLMANN, C.W. General Electric Co GENE-771-44-0834 R02 94/11/16 7pp 82733 002-82733 008

950200138 Nonproprietary "Nine Mile Point 1 Nuclear Station Seismic Analysis Core Shroud Repair Mod"
MAHADEVANA, W.U.R., HENRIED, K. General Electric Co GE-NE-B13-01739-03R0 94/12/16 23pp 82733 009-82733 097

950200144 Nonproprietary "Nine Mile Point Unit 1 Shroud Repair Hardware Stress Analysis"
STEVENS, G.L., HAVEL, W.A., KARIM, PANAH, K. General Electric Co GE-NE-B13-01739-04R0 95/01/16 11pp 82733 038-82733 152

950200148 Nonproprietary "Nine Mile Point 1 Nuclear Station Safety Evaluation GE Core Shroud Repair Design"
FARRELL, W.F., WALLER, P.J., CHARNEY, J.E. General Electric Co GE-NE-B13-01739-05R1 95/01/16 38pp 82733 153-82733 181

950200155 Informs that licensee 941121 submitted, "Plant-Specific Charpy Shift Model for Plant," will be withheld from public disclosure (ref 10CFR2.790)
BRINKMANS, S. Project Directorate 1-1 (PD-1-1) (Post 941001) 95/01/30 SYLVIA, B.R. Niagara Mohawk Power Corp App 82574-057-82574 060

950200156 Forwards application for amend to license DPR-63, revising TS 3.6.13, "Remote Shutdown Panels" such that w/one or more required functions inoperable 30 days permitted to restore required function to operable status
SYLVIA, B.R. Niagara Mohawk Power Corp 95/02/01 Document Control Branch (Document Control Desk) 2pp 82664 318-82664 331

950200157 Application for amend to license DPR-63, revising TS 3.6.13, "Remote Shutdown Panels" such that w/one or more required functions inoperable 30 days permitted to restore required function to operable status
SYLVIA, B.R. Niagara Mohawk Power Corp 95/02/01 1p 82664 320-82664 320

950200158 Proposed tech spec 3.6.13, "Remote Shutdown Panels"
* Niagara Mohawk Power Corp 95/02/01 11pp 82664 321-82664 331

950200158 Informs NRC that will withdraw portion of amend associated w/extension of calibration frequency for SRMs & IRMs
SYLVIA, B.R. Niagara Mohawk Power Corp 95/02/01 Document Control Branch (Document Control Desk) 1p 82666 340-82666 368

950200162 Proposed tech specs re use of range 10 on IRMs & extension of calibration frequency associated w/SRMs & IRMs
* Niagara Mohawk Power Corp 95/02/01 18pp 82666 341-82666 358

950200208 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc Bpp 82652 195-82652 198

950200119 Requests b/c of WJ Vatter on 950425 as presenter during Incident Investigation Team Training Course to provide informative presentation re industry participation during incident investigation in past training courses
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 95/02/02 KINLEY, W.R. Institute of Nuclear Power Operations 1p 82711 154-82711 154

950200228 Informs that all evaluated Human Engineering Observations EA-006 & EA-007 & determined that no plant mode warranted Justification for not making changes associated w/EA-006 & EA-007 delineated in encs
TERRY, C.D. Niagara Mohawk Power Corp 95/02/03 Document Control Branch (Document Control Desk) 3pp 82769 346-82769 348

950200237 Forwards Request CS-RR-6 re core spray sys for review & approval
TERRY, C.D. Niagara Mohawk Power Corp 95/02/10 Document Control Branch (Document Control Desk) 3pp 82840 351-82840 363

950200119 Responds to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors" Util intends to perform UT & surface UT mapping wave exam to detect cracking of core shroud H8 weld
TERRY, C.D. Niagara Mohawk Power Corp 95/02/14 Document Control Branch (Document Control Desk) 3pp 82815 313-82815 315

9502160349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost benefit licensing actions
HARRIS, D.R. Cost Benefit Licensing Actions Staff (CSLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 7pp 82648 001-82648 017

9502200449 Forwards request for add into re cons should refer for plant per 950106 & 23 applications Responses requested by 950220
BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/24
SYLVIA, B.R. Niagara Mohawk Power Corp. 7pp 82609 209-82609 216

G. Inspection reports, NRC Bulletins & correspondence

9502210121 Partial response to FOIA request for documents. Records in App encl & will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FIDELLER, Affiliation Not Assigned 6pp 82624 140-82625 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/06/06 17pp 82624 166-82625 005

950109219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82606 013-82606 023

9501230260 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82606 038-82606 048

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502200313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82618 001-82618 008

9502160048 Forwards insp repts 50-220/94-28 & 50-410/94-31 on 941219-23 No violations noted Weakness re long duration of three Unit 2 outstanding temporary mods suggests that administrative measures not completely effective
RULAND, W.H. Region 1 (Post 820201) 95/02/07 SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp 82722 260-82722 274

9502150648 Insp repts 50-220/94-28 & 50-410/94-31 on 941219-23 No violations noted Major areas inspected incl oversight of engineering activities, interface/communications, technical staffing & review of plant design modifications
CHEUNG, L., BEARD, G.L.E.C., RULAND, W.H. Region 1 (Post 820201) 95/02/07 12pp 82722 263-82722 274

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502210091 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 039

9502210080 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502200827 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502230023 Monthly operating rpt for Jan 1995 for Nine Mile Point Unit 1 W/950210
COLEMAN, D.E., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/01/31 5pp 82640 262-82640 266

S. Reportable occurrences, LIRs, & related correspondence

9502060038 PNO-1-95-003 on 950201 plant experienced reactor recirculation pump run back to min flow from 77 percent power Caused by plant personnel error Resident inspectors dispatched State of NY notified
DOERFLEIN, L., MORRIS, B. Region 1 (Post 820201) 95/02/01 2pp 82645 274-82645 275

9502160221 Special rpt on 950124 containment hydrogen monitor unit (HMS) 11 removed from svc to allow installation of new analysis sys per facility mod N1-99-013 installation & testing of new HMS 11 expected to be completed in Feb 1995
ABBOTT, R.B. Niagara Mohawk Power Corp. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82761 358-82761 359

DOCKET 90-223 UNIV. OF LOWELL RESEARCH REACTOR

V. Operator Examinations

9502090248 Forwards certificates suitable for training to all new R/O & SRO licensees in recognition of important role licensed operators fulfill in protecting health & safety of public W/o encl
BOGER, B.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 BOGER, B.A. Massachusetts, Univ. of Lowell, MA (formerly Lowell, Univ. of) 1p 82614 304-82614 304

DOCKET 90-225 RPI CRITICAL EXPERIMENT

V. Operator Examinations

9502060258 Discusses initial exam which had been administered during week of 941205 to employees of facility that applied for license to operate Rensselaer Polytechnic Institute Reactor W/o encl
RICHARDS, S.A. 95/01/30 HARRIS, D.R. Rensselaer Polytechnic Institute, Troy, NY 1p 82661 220-82661 220

9502060275 Forwards results for operator initial exam conducted at Rensselaer Polytechnic Institute on 941206-07
RICHARDS, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 HARRIS, D.R. Rensselaer Polytechnic Institute, Troy, NY 1p 82627 347-82627 347

9502060295 Discusses administration of operator licensing examinations at school scheduled for week of 950424 Requests reference mail as listed in encl 1 within 60 days Also forwards correspondence re rules & procedures for exams
ERESIAN, W.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 HARRIS, D.R. Rensselaer Polytechnic Institute, Troy, NY 11pp 82663 201-82663 212

9502140245 Forwards SRO license certificates for MC Licensee recognition of important role licensed operators fulfill in protecting health & safety to public & of achievement reported by meeting all NRC requirements W/o encl
BOGER, B.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 BOGER, B.A. Rensselaer Polytechnic Institute, Troy, NY 1p 82729 359-82729 369

DOCKET 90-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502140484 Revised EPIPs, including Rev 5 to EPIP 0100-01 & Rev 4 to EPIP 0105-01
* Commonwealth Edison Co. 95/01/27 63pp 82742 264-82742 333

9502220238 Forwards Wyle Paper, "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Current Firewrap Mull Cable Amperity Derating Factor Calculation," in response to GA 92-08
VONK, M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOTHE, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 065

9502200259 Forwards submittal re 100RR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" Encl withheld
BRON, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Affiliation Given 8pp 82617 358-82617 360

G. Adjudicatory correspondence

9502020045 Submits clarification re "problems w/record" as identified in KG Pierce hearing in response to Board request as rel in Memo & Order dated on 950118 W/Certificate of Svc
PIERCE, K.G. Affiliation Not Assigned #195 16286 95/01/23 Docketing & Services Branch 8pp 82559 160-82559 155

9502200271 NRC Staff response to Memorandum & Order dtd 950118 * Staff submits answers to Board questions posed to parties re documentary evidence of record in KG Pierce hearing W/Certificate of Svc
WOODHEAD, C.P. Office of the General Counsel (Post 860701) #195 16270 95/01/25 Atomic Safety & Licensing Board Panel 7pp 82559 257-82559 263

9502190198 KG Pierce motion for extension of time * Intends w/Board approval to submit findings on 950221 provided Staff may rebut by 950228 W/Certificate of Svc
PIERCE, K.G. Affiliation Not Assigned #195 16342 95/02/09 Atomic Safety & Licensing Board Panel 2pp 82736 268-82736 269

9502240154 KG Pierce proposed limited findings of fact & conclusions of law re order dtd 940421 issued to KG Pierce * Requests that Licensing Board should cancel order issued to KG Pierce on 940421 W/Certificate of Svc
PIERCE, K.G. Affiliation Not Assigned #195 16383 95/02/21 63pp 82618 275-82618 337

P. Operating license stage documents & correspondence

9502060246 First partial response to FOIA request for documents. Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'NEILL, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502030251 "Enforcement action tracking sys. Licensee history repts (short list) sorted by licensee 950101-940609"
* NRC - No Detailed Affiliation Given 94/06/06 30pp 82621 281-82621 319

9502190111 Final response to FOIA request for info Forwards App A info in part, already available to PDR App A info partially withheld (See FOIA Exemption 5-D)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, J.J. Affiliation Not Assigned 2pp 82738 186-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SAM re status of problem plants identified at June 1993 Region II SAM & performance of other plants * NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 181-82738 215

20 DOCKETED ITEMS

- 950210240 Supplemental application for amend to licenses DPR-19 & DPR-25, proposing to include test frequency of two yrs to IST TS surveillance table (3.0 D 2), per NUREG-1433 & draft NUREG-1482
 PIET, P.L. Commonwealth Edison Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82583 322-82583 345
- 950210241 Proposed tech specs including test frequency of two yrs to IST TS surveillance table (3.0 D 2) & updating ISU/IST refs from 920729 (TSUP Section 4.0/E 1) to accurately reflect appropriate sections of 10CFR50.55a
 * Commonwealth Edison Co 95/01/27 21pp 82583 325-82583 345
- 950210072 Forwards SE re resolution of GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," at plants
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 FARRAR, D.L. Commonwealth Edison Co App 82605 295-82605 308
- 950210304 Safety evaluation accepting licensee power operation until each unit next scheduled refueling outage at which time core shrouds at each unit will be replaced
 * Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 8pp 82606 298-82606 306
- 950210027 Inform of 950119-19 NRC SAM re performance of NRCSS & submits summary of decisions re Dresden plant. Concludes sense of progress evident at plant but that much remains to be done re plant condition & work control sys
 TAYLOR, J.M. Dir. of the Executive Director for Operations 95/02/01 O'CONNOR, J.J. Commonwealth Edison Co 7pp 82683 263-82683 268
- 950210025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82682 185-82682 199
- 950210078 Forwards SE accepting licensee 941208 re submitting assessment of plant specific applicability of GE topical rept NEDD-3206-A, Rev 1 to plant reactor vessels
 FARRAR, D.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR, D.L. Commonwealth Edison Co 3pp 82689 263-82689 287
- 950210077 Safety evaluation accepting licensee assessment of plant specific applicability of GE topical rept NEDD-3206-A, Rev 1
 * Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82689 268-82689 287
- 950210028 Forwards exemption granted from requirements of 10CFR App J, for two-ply containment penetration expansion bellows at plants
 PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 FARRAR, D.L. Commonwealth Edison Co 2pp 82731 087-82731 104
- 950210024 Exemption granted from requirements of 10CFR50 App J, for two-ply containment penetration expansion bellows at four reactor units
 ROE, J.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 Commonwealth Edison Co 6pp 82731 089-82731 104
- 950210014 Forwards NRC repl on Merit Rule review visit to plant during 941205-12
 SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co GIPSON, D.R. Detroit Edison Co SCHROCK, C.A. Wisconsin Public Service Corp 2pp 82722 012-82722 028
- 950210038 Forwards White Paper, "Aspect Derating Factors for Thermo-Lag 930-1 TSI Fire Barriers," & Rev 2 of Calculation G-63, "Damaged Firewrap Mail Cable Ampacity Derating Factor Calculation," in response to GL 82-08
 VONK, M.J. Commonwealth Edison Co 95/02/16 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301
- 9502100245 "Aspect Derating Factors for Thermo-Lag 930-1 TSI Fire Barriers"
 BLDETTE, W.G., HADDAD, S.Z. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085
- 950210034 Forwards revised TS bases pp 3/3/4 3-4, 3/4 3-7, 3/4 3-7a & B 3/4 3-14 reflecting alternate method of reactivity SDM demonstration testing for plants
 PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co 8pp 82819 319-82819 326
- 950210078 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program response to GL 88-10 W/o proprietary info
 VONK, M.J. Commonwealth Edison Co 95/02/16 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 248
- 950210078 Rev 2 to White Paper MOV-WP-101, "As-Left Stem/Stem Nut Coefficient of Friction"
 KORN, S., KELLY, J.F. Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 059
- 950210087 Draft Rev C to White Paper MOV-WP-156, "ANSI Type 1018 Motor Pinion Key Torque Limits & Motor Pinion Key Insp/Installation Guidelines"
 KELLY, J.F. BUNTE, B. Commonwealth Edison Co MOV-WP-156 DRAFT RC 94/06/30 189pp 82858 060-82858 248
- 950210243 Forwards amends 131, 125, 152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 respectively & safety evaluation Amends upgrade sections 1.0, 3.0/4.0 & 3/4.3 re definitions, applicability & reactivity of plants TS, per 920729 request
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co 5pp 82852 003-82852 068
- 950210251 Amends 131, 125, 152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, upgrading sections 1.0, 3.0/4.0 & 3/4.3 of plants TS re definitions, applicability & reactivity per 920729 request
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 61pp 82852 009-82852 068
- 950210260 Safety evaluation supporting amends 131, 125, 152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 respectively
 * Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 12pp 82852 057-82852 068
- 950210088 Forwards corrected attachment 5 of 950218 ltr re MOV as specified in GL 88-10
 VONK, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 3pp 82815 241-82815 274
- 950210012 Forwards RAI concerning TS upgrade program at plants
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR, D.L. Commonwealth Edison Co 23pp 82846 336-82846 358
- 950210030 Forwards amends 132 & 126 to licenses DPR-19 & DPR-25 & safety evaluation Amends would upgrade existing custom TS to BWR STS
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR, D.L. Commonwealth Edison Co 3pp 82852 187-82852 214
- 950210034 Amends 132 & 126 to licenses DPR-19 & DPR-25, respectively, upgrading existing custom TS to BWR STS
 STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 12pp 82852 200-82852 211
- 950210035 Safety evaluation supporting amends 132 & 126 to licenses DPR-19 & DPR-25, respectively
 * Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 3pp 82852 212-82852 214
- 950210034 Administrative Ltr 95-02 to all holders of OLRs or CPEs re cost beneficial & testing actions
 MARRAS, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017
- Q. Inspection reports, IE Bulletins & correspondence**
- 950210121 Partial response to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (ref FOIA exemption 5) App Q records completely withheld (ref FOIA exemption 5)
 POWELL, R.A. Division of Freedom of Information & Publications Services (880206-880714) 84/07/06 FIDELLER, Affiliation Not Assigned 8pp 82824 140-82824 091
- 950210158 Partially deleted listing of "Enforcement Action Tracking Sys"
 * NRC - No Detailed Affidavits Given 94/06/06 175pp 82824 188-82824 005
- 9502100219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
 PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023
- 950210030 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
 PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/17 Consolidated Edison Co of New York, Inc 8pp 82605 038-82605 046
- 950210040 Supplemental application for amend to licenses DPR-19 & DPR-25, proposing to include test frequency of two yrs to IST TS surveillance table (3.0 D 2), per NUREG-1433 & draft NUREG-1482
 PIET, P.L. Commonwealth Edison Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82583 322-82583 345
- 950210241 Proposed tech specs including test frequency of two yrs to IST TS surveillance table (3.0 D 2) & updating ISU/IST refs from 920729 (TSUP Section 4.0/E 1) to accurately reflect appropriate sections of 10CFR50.55a
 * Commonwealth Edison Co 95/01/27 21pp 82583 325-82583 345
- 950210042 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82852 188-82852 194
- 9502100134 Forwards insp repts 50-010/94-15, 50-237/94-19 & 50-249/94-13 on 941122-950109 & notice of violation Violation of concern because it involved lack of procedure adherence & unauthorized mods
 GREENHAWKE, G. Region 3 (Post 820201) 95/02/02 PERRY, J.S. Commonwealth Edison Co 4pp 82890 317-82890 356
- 9502100138 Notice of violation from insp on 941122-950109 Violation noted control room operators failed to verify relay position of individual MSIV before proceeding to next valve
 * Region 3 (Post 820201) 95/02/02 3pp 82890 321-82890 323
- 9502100143 Insp repts 50-010/94-15, 50-237/94-19 & 50-249/94-13 on 941122-950109 Violations noted Major areas inspected
 maintenance, surveillance, engineering, technical support, plant support, safety assessment & quality verification
 HILAND, P.L. Region 3 (Post 820201) 95/01/27 33pp 82890 324-82890 358
- 9502100313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
 GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008
- 950210088 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
 * Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 137-82742 138
- 9502100243 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
 GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042
- 950210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
 GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 038
- 950210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
 GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024
- 950210087 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
 GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502200298 Radioactive effluent report for Jan-Dec 1994 for Dresden Nuclear Power Station W/950220 to BAX R.L. Commonwealth Edison Co. 94/12/31 MARTIN, J.B. Region 3 (Post 820201) 7pp 82938 205-82939 262

9502200432 Monthly operating report for Jan 1995 for Dresden Nuclear Power Station SYKES, K.W., HOLLAND, P.G. Commonwealth Edison Co. 95/01/31 24pp 82812 205-82812 228

9502190293 Forwards fitness for duty program performance data for 6 month period ending 941231 SIMPRIN, T.W. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9502090172 LER 95-001-00 on 950107 booster fan tripped during operating surveillance on CR HVAC sys. Caused by inadequately sized thermal overload heater related work requests to replace thermal overload devices W/950130 to REESE, J. JOYCE, T.P. Commonwealth Edison Co. 95/01/30 5pp 82709 268-82709 294

9502090448 LER 94-021-01 on 940804 HPCI turbine tripped on high exhaust pressure due to exhaust check valve failed Valve disc was resuspended w/piston guide & lock welded W/950131 to CHURILLA, M. JOYCE, T.P. Commonwealth Edison Co. 95/01/31 11pp 82715 089-82715 099

9502150033 LER 95-003-00 on 950110 preparations to restart 2B reactor recirculation pump inadvertently tripped Caused by restart of side recirculation pump under circumstances Event discussed w/mgt team involved W/950209 to GIDEON, W.R. JOYCE, T.P. Commonwealth Edison Co. 95/02/09 5pp 82786 146-82786 155

950220144 LER 95-002-00 on 950117 testing identified failed valve to be leaking an undetermined amount. Cause currently under investigation Trouble shooting & repair of Drywell Air Sample Valve performed W/950214 to MCGIVERN, M. JOYCE, T.P. Commonwealth Edison Co. 95/02/14 5pp 82818 097-82818 101

V. Operator Examinations

9502080075 Informs that NRC plans to administer GFES of written operator licensing exam on 950405 RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. CHASER, S.K. F.M. SCHMIDT, T.L. Commonwealth Edison Co. 5pp 82559 355-82559 357

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502010125 Forwards record of telcon which documents resolution of 7 remaining issues re emergency action levels MECREDY, R.C. Rochester Gas & Electric Corp. 95/01/23 JOHNSON, A.R. Project Directorate I-3 (PD1-3) 11pp 82590 315-82590 325

9502060032 Revised emergency operating procedures including procedures index Rev 8 to AP-VCVS 1, "CVCS Leak," Rev 3 to AS-2, "Attachment SW Loads on ONMT" & Rev 4 to AS-5, "Attachment Cont to S/G" W/950125 to WIDAY, J.A. Rochester Gas & Electric Corp. 95/01/25 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 27pp 82664 332-82664 358

9502030081 Advises that 941214 rev I to physical security plan consistent w/provisions of 10CFR50.54(a) & acceptable JOYNER, J.H. Region 1 (Post 820201) 95/01/25 MECREDY, R.C. Rochester Gas & Electric Corp. 3pp 82652 307-82652 309

9502060083 Forwards insp rept 50-244/94-29 on 941219-22 & notice of violation Audits of various program areas & performance of health physics training program have been good JOYNER, J.H. Region 1 (Post 820201) 95/01/27 MECREDY, R.C. Rochester Gas & Electric Corp. 3pp 82646 035-82646 047

9502080112 Insp rept 50-244/94-29 on 941219-22 Violations noted Major areas inspected audits & surveillance, organization & facility changes, exposure reduction status review of radiological events & training radiation protection staff NOGGLE, J. BORES, R. Region 1 (Post 820201) 95/01/27 5pp 82646 039-82646 047

9502080164 Forwards insp rept 50-244/95-08 on 950117-20 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/01/31 MECREDY, R.C. Rochester Gas & Electric Corp. 3pp 82646 125-82646 132

9502080170 Insp rept 50-244/95-05 on 950117-20 No violations noted Major areas inspected previously identified items effectiveness of mgt control/mgt support & vital area access control of personnel KING, E.B., UMROTH, D.F. Region 1 (Post 820201) 95/01/31 5pp 82646 125-82646 132

9502130279 Revised EPIPs including Rev 21 to EPIP 1-5 Rev 6 to EPIP 2-3 & Rev 7 to EPIP 2-18 W/950203 to WIDAY, J.A. Rochester Gas & Electric Corp. 95/02/03 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 73pp 82734 001-82734 074

9502130285 Rev 5 to AS-17.0, "Attachment SO-1" W/950203 to WIDAY, J.A. Rochester Gas & Electric Corp. 95/02/03 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 4pp 82728 025-82728 029

9502210082 Forwards Rev 3 to EOP ECA-1.2, "LOCA Outside Containment." WIDAY, J.A. Rochester Gas & Electric Corp. 95/02/08 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 2pp 82805 247-82805 255

9502210095 Rev 3 to ECA-1.2, "LOCA Outside Containment." MARLOW, T.A. Rochester Gas & Electric Corp. 95/02/08 7pp 82805 249-82805 255

9502240448 Responds to NRC 950113 ltr re violations noted in insp rept 50-244/94-28 on 941121-22 Corrective actions all personnel w/unscheduled site access tested under random drug & alcohol testing process MECREDY, R.C. Rochester Gas & Electric Corp. 95/02/13 Document Control Branch (Document Control Desk) 6pp 82814 085-82814 088

P. Operating license stage documents & correspondence

9502090268 Third partial response to FOIA request for documents Records in App F already available in PDR App G records being made available in PDR REED, C.A. Division of Freedom of Information & Publications Services (950205-940714) 94/06/14 RICCIO, J.P. Public Citizen's Global Access Energy Project 5pp 82688 012-82688 043

9502090284 Forwards request, background info & justification re request for enforcement discretion Provides all necessary info requested during 940214 telcon MECREDY, R.C. Rochester Gas & Electric Corp. 94/02/15 MARTIN, T.T. Region 1 (Post 820201) 5pp 82688 037-82688 043

9502090122 Advises that unit has reversed impact of cracking of W Alloy 600 mechanical plugs discovered in Nov 1994 at St Luke Unit 1, on operation of Ginna NPP Items considered as part of review based MECREDY, R.C. Rochester Gas & Electric Corp. 95/01/25 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 4pp 82624 281-82624 284

9502080232 Discusses 950117 meeting w/NRC re TS improvement program for plant Consensus reached between RG&E & NRC that improved TS LAR will be submitted by RG&E in May 1995 MECREDY, R.C. Rochester Gas & Electric Corp. 95/01/31 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 2pp 82705 290-82705 291

9502080425 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 186-82652 189

9502080079 Requests that listed changes be made to 940104 ltr re rev 20 to OR program Ltr should have been dtd 950104, revs dtd, 940816 & 0923 should be added to existing ltr & paragraph 7 should be deleted MOORE, M.C. Region 1 (Post 820201) 95/02/02 MECREDY, R.C. Rochester Gas & Electric Corp. 2pp 82646 033-82646 034

9502080245 Responds to NRC 941130 RAI re use of neutron flux instrumentation for monitoring post-accident severe accident conditions w/respect to Reg Guide 1.97 MECREDY, R.C. Rochester Gas & Electric Corp. 95/02/03 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 4pp 82708 282-82708 289

9502100328 Forwards amend 58 to license DPR-18 & safety evaluation Amend in partial response to application 940513, as supplemented by ltr dtd 940624 & 0927 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/06 MECREDY, R.C. Rochester Gas & Electric Corp. 4pp 82711 001-82711 009

9502100331 Amend 58 to license DPR-18, partially responding to application dtd 940513, as supplemented by ltr dtd 940624 & 0927 BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/06 26pp 82711 005-82711 030

9502100333 Safety evaluation supporting amend 58 to license DPR-18 * Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 5pp 82711 031-82711 039

9502100448 Discusses plant improved TS meeting summary re plans to convert to improved STS JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/14 MECREDY, R.C. Rochester Gas & Electric Corp. 3pp 82801 305-82801 306

9502210287 Forwards SE which finds that proposed changes to plant EALs & supporting documentation meet requirements of 10CFR50.47 (4) & app E to 10CFR50 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/15 MECREDY, R.C. Rochester Gas & Electric Corp. 4pp 82790 104-82790 110

9502210288 SE informing that proposed EAL changes for plant consistent w/guidance in NUMARC/NESP-007 & meet requirements of 10CFR50.47(b)(4) & App E to 10CFR50 * Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 3pp 82790 107-82790 110

9502270148 Informs that NRC staff accepts analytical approach re SG replacement concurrence on license planned reevaluation of postulated effects on reactor vessel internals JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/15 MECREDY, R.C. Rochester Gas & Electric Corp. 3pp 82846 259-82846 273

9502240309 Provides addl info to question received by unit re Refuel Request 18-1 & 18-2 submitted by unit dtd 821215 MECREDY, R.C. Rochester Gas & Electric Corp. 95/02/18 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 2pp 82899 339-82899 340

9502360349 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost benefit & offsetting actions BARNES, E.V. Cost Benefit/Licensing Actions Staff (GILA) (Post 941001) 95/02/22 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Guidelines & correspondence

9502210121 Partial response to FOIA request for documents Records in App end E will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (950205-940714) 94/07/06 FIDELLE, R. Affidavit Not Assigned 5pp 82624 140-82624 031

22 DOCKETED ITEMS

-5502210155 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Attribution Given 94/06/06 175pp 82824 168-82825 005

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 028

9501290260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82805 038-82805 046

9502080063 Forwards insp rept 50-244/94-29 on 941219-22 & notice of violation Audits of various program areas & performance of health physics training program have been good
JOYNER, J.H. Region 1 (Post 820201) 95/01/27 MECREDY, R.C. Rochester Gas & Electric Corp 3pp 82846 035-82846 047

-9502080092 Notice of violation from insp on 941219-22 Violation noted surveys were not made of concentrations of radioactive material in air in work areas resulting from removal from SGDS of pipe flange w/ noted contamination up to 100,000 dpm/20cm
* Region 1 (Post 820201) 95/01/27 1p 82846 036-82846 038

-9502080112 Insp rept 50-244/94-29 on 941219-22 Violations noted Major areas inspected audits & surveillance organization & facility changes, exposure reduction status, review of radiological events & training radiation protection staff
NICKOLE, J., BONES, R. Region 1 (Post 820201) 95/01/27 8pp 82846 039-82846 047

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 158-82652 184

9502080164 Forwards insp rept 50-244/95-05 on 950117-20 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/01/31 MECREDY, R.C. Rochester Gas & Electric Corp 3pp 82846 125-82846 132

-9502080170 Insp rept 50-244/95-05 on 950117-20 No violations noted Major areas inspected previously identified items, effectiveness of mgmt control, mgmt support & vessel area access control of personnel
KING, S., LAMROTH, D.F. Region 1 (Post 820201) 96/01/31 5pp 82846 128-82846 132

9502080313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502150373 Responds to NRC 950110 ltr re violation noted in insp rept 50-244/94-27 on 941122-1231 Corrective actions replacement expansion joint designed to specific range-to-flange dimensions procured & installed on 941228
MECREDY, R.C. Rochester Gas & Electric Corp 85/02/08 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 841001) 3pp 82771 349-82771 351

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502240048 Responds to NRC 950113 ltr re violations noted in insp rept 50-244/94-28 on 941121-22 Corrective actions all personnel w/uninspected site access tested under random drug & alcohol testing process
MECREDY, R.C. Rochester Gas & Electric Corp 85/02/13 Document Control Branch (Document Control Desk) 5pp 82814 066-82814 068

9502240063 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&S Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 028

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 014-82818 024

9502240097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection Systems Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 016-82848 025

R. Periodic operating reports & related correspondence

9502140396 Monthly operating rept for Jan 1995 for RE Ginna Nuclear Power Plant (W/ 950207 ltr
WALDEN, J., WODAY, J.A. Rochester Gas & Electric Corp 95/01/31 5pp 82744 152-82744 165

9502240053 "RE Ginna Nuclear Power Plant Simulator Four Yr Certification Rept." W/ 950215 ltr
MECREDY, R.C. Rochester Gas & Electric Corp 95/02/15 11pp 82814 075-82814 085

V. Operator Examinations

9502150372 Provides voluntary response to Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule" Updated NRC Form 536 and
MECREDY, R.C. Rochester Gas & Electric Corp 95/02/10 JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 841001) 2pp 82776 129-82776 130

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502030088 Adresses that 941031 rev 20 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable
JOYNER, J.H. Region 1 (Post 820201) 95/01/26 OPEKA, J.F. Northeast Nuclear Energy Co 3pp 82652 311-82652 313

9502070070 Rev 15 to "Millstone Plant Emergency Plan"
* Northeast Nuclear Energy Co 95/01/31 25pp 82665 327-82665 350

G. Adjudicatory correspondence

9502030166 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lab Request Denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/01/19 DEBOLT, S. Affiliation Not Assigned 52pp 82685 001-82685 053

9502030312 Suppl 931025 & 940816 responses to CD Reynolds 930822 10CFR2 206 petition alleging harassment & discrimination in violation of 10CFR50.7
OPEKA, J.F. Northeast Nuclear Energy Co OPEKA, J.F. Northeast Utilities Service Co 95/01/27 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 24pp 82622 252-82622 275

9502040074 Provides Director's Decision that responds to 10CFR2 206 petition filed on 930821 which addresses issues raised in petition & have denied request as set forth in said Director's Decision
GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 MARIEN, C.V., NERICCIO, M.W. Affiliation Not Assigned 4pp 82830 211-82830 244

-9502240083 Directors Decision 95-04 re CV Marien & MW Nericcio 930821 request for immediate investigation & accelerated EA against licensee for alleged violations of employee protection provision of 10CFR50.7 informs that request denied
GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 3pp 82830 215-82830 217

-9502240105 Notice of issuance of Director's Decision under 10CFR2 206 OE issued decision re petitions filed on 930821 which requested that NRC initiate investigation & action against licensee for willful violation of employee per 10CFR50.7
GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 18pp 82830 219-82830 244

H. General correspondence

9502030399 Responds to ltr dated 941211 expressing concern about NRC responsiveness to previous technical concerns about plants & charges of harassment by NRC informers NRC investigation ongoing & will inform on findings when completed
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 841001) 95/02/08 ROSS, A.J. Affiliation Not Assigned 4pp 82819 327-82819 330

9502230337 Comment on proposed rules 10CFR50.52 & 100 re reactor site criteria including seismic & earthquake engineering criteria Unit believes that acceptance criteria expressed in terms of TEDE would be consistent w/recent guidance
OPEKA, J.F. Northeast Utilities Service Co 85/02/14 CHILK, S.J. Office of the Secretary of the Commission 8pp 82805 156-82805 161

P. Operating license stage documents & correspondence

9502030114 Partial response to FOIA request for documents re SECY-92-043 dated 920207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RICCIO, J.P. Public Citizen's Official Mass Entry Project 121pp 82592 009-82592 275

-9502030284 Forwards updated list of WOEDs as transmitted on 940111
GREENMAN, G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - III, IV, V (Post 801216) 3pp 82592 228-82592 230

9502140144 Third partial response to FOIA request for documents Records in app C and C will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 84/07/08 O'MEALLA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Attribution Given 94/04/22 40pp 82729 184-82729 223

9502030182 Provides utl response to NRC 941205 & 28 ltr raising issues re maintenance related activities at Millstone Units 1 & 2 Add submittals will be made to address remaining concerns
OPEKA, J.F. Northeast Utilities Service Co 95/01/26 MARTIN, T.T. Region 1 (Post 820201) 25pp 82619 313-82619 337

9502030025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 8pp 82652 195-82652 198

9502080147 Forwards Notice of Withdrawal of Application for Amend to License DPR-21
ANDERSON, J.W. Project Directorate I-4 (PD1-4) (Post 841001) 95/02/02 OPEKA, J.F. Connecticut Yankee Atomic Power Co 4pp 82669 349-82669 354

-9502080149 "Notice of Withdrawal of Application for Amend to Facility Operating License DPR-21"
ANDERSON, J.W. Project Directorate I-4 (PD1-4) (Post 841001) 95/02/02 2pp 82669 353-82669 354

9502140343 Forwards handouts from 941208 meeting re improvements in handling of employee concerns
DURR,J.P. Region 1 (Post 820201) 95/02/09 OPEKA,J.F. Northeast Nuclear Energy Co 27pp 82740 301-82740 327

9502179181 Informs that utility has concluded internally initiated design review of structures associated w/plant Unit 1 SW & ES/W sys
OPEKA,J.F. Northeast Utilities OPEKA,J.F. Northeast Utilities Service Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82780 251-82780 252

9502170217 Advises that CYAPCO & NNEC intends to implement formal industry position on severe accident mgt approved by Nuclear Energy Institute Nuclear Strategic Issues Advisory Committee on 941104
OPEKA,J.F. Northeast Utilities 95/02/10 Document Control Branch (Document Control Desk) 2pp 82802 352-82802 353

9502210185 Forwards amends 181.79.184 & 104 to licenses DPR-61,DPR-21, DPR-65 & NPF-48 respectively & SE Amends modify administrative controls section by replacing present Nuclear Review Board for Haddam Neck plant.
MOORE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/14 OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co 5pp 82789 216-82789 274

-9502210180 Amends 181.79.184 & 104 to licenses DPR-61,DPR-21,DPR-65 & NPF-48, respectively, modifying administrative controls section of TS by replacing present Nuclear Review Board for Haddam Neck plant.
MOORE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/14 57pp 82789 215-82789 271

-9502210186 SE supporting amends 181.79.184 & 104 to licenses DPR-61, DPR-21,DPR-65 & NPF-48 respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 3pp 82789 272-82789 274

9502210188 Notification of 950228 meeting w/ut in Rockville,MD to discuss proposed amend to plant Unit 1 TS concerning nuclear building ventilation logic
ANDERSON,J.W. Project Directorate 1-4 (PD1-4) (Post 941001) 95/02/14 MOORE,P.F. Project Directorate 1-4 (PD1-4) (Post 941001) 3pp 82789 268-82789 300

9502240004 Informs that request to amend operating license dtd 941031, included original program plans instead of corrected copies. Requests that those program plans be demargined
OPEKA,J.F. Northeast Nuclear Energy Co OPEKA,J.F. Connecticut Yankee Atomic Power Co 95/02/14 Document Control Branch (Document Control Desk) 2pp 82818 001-82818 002

9502168449 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
MEYER,G.W. Cost Beneficial Licensing Actions Staff (CSLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502286337 Response to RAI on required pressure of FW coolant injection subsystem
OPEKA,J.F. Northeast Utilities OPEKA,J.F. Northeast Utilities Service Co 95/02/23 Document Control Branch (Document Control Desk) 2pp 82955 041-82955 042

Q Inspection reports, IE Bulletins & correspondence

9501170217 Eighth partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR. App Q documents partially withheld (rel FOIA exemption 5). App R documents withheld (rel FOIA exemption 6)
POWELL,R. Division of Freedom of Information & Publications Services (890205-940714) 93/12/08 HUBBARD,V. Winston & Strawn 12pp 82573 001-82573 036

9502218121 Partial response to FOIA request for documents. Records in App end & will be available in PDR. App C records withheld in part (rel FOIA exemption 5). App D records completely withheld (rel FOIA exemption 5)
POWELL,R. Division of Freedom of Information & Publications Services (890205-940714) 94/07/06 FIDELLE R. Antikam Not Assigned 6pp 82824 140-82825 031

-9502210159 Partially deleted listing of "Enforcement Action Tracking Sys."
NRC - No Detailed Affiliation Given 94/06/05 175pp 82824 166-82825 005

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 85/01/13 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023

9501238260 NRC Info Notice 95-007, "Radiopharmaceutical Vial Breakage During Preparation"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 6pp 82805 038-82805 048

9502020008 Provides response to violations noted in Insp Repts 50-245/94-31 & 50-336/94-30. Corrective actions change written in AWO 82-93-13805 to document gauge line connection & returned to mechanic to reconnect line
DEBARBAE,A. Northeast Nuclear Energy Co DEBARBAE,A. Northeast Utilities Service Co 95/01/27 Document Control Branch (Document Control Desk) 20pp 82822 282-82822 301

9502070286 Forwards response to NRC 941215 ltr re violations noted in insp repts 50-245/94-31 & 50-336/94-30 on 940801-05. CAs first quarter of 1995 NNECO design engineering assumed responsibility for all PCRs within organization
DEBARBAE,A. Northeast Utilities DEBARBAE,A. Northeast Utilities Service Co 95/01/30 Document Control Branch (Document Control Desk) 17pp 82893 336-82893 352

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82852 188-82852 194

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/09 Consolidated Edison Co of New York, Inc 8pp 82888 001-82888 008

9502130186 Ack receipt of 940630 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-31 & 50-423/94-28
DURR,J.P. Region 1 (Post 820201) 95/02/07 OPEKA,J.F. Northeast Nuclear Energy Co 4pp 82707 024-82707 039

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502170177 Informs NRC of ltr intent to conduct SW6 operational performance insp at plant. Advises that has scheduled ssk- assessment using SW50PI module at plant Unit 2 950826
OPEKA,J.F. Northeast Utilities OPEKA,J.F. Northeast Utilities Service Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82780 254-82780 255

9502220289 Forwards insp repts 50-245/95-03,50-336/95-03,50-423/95-03 on 941018-13,NOV & notice of deviation
RULAND,W.H. Region 1 (Post 820201) 95/02/15 OPEKA,J.F. Northeast Nuclear Energy Co 4pp 82799 256-82799 316

-9502220307 Notice of violation from insp on 950108-13 Violation noted plant did not incorporate acceptance limits contained in applicable design documents
Region 1 (Post 820201) 95/02/15 1p 82799 300-82799 300

-9502220316 Notice of deviation from insp on 950108-13 Deviation noted control circuit for automatic transfer failed to include signal from synchrostat check relay
Region 1 (Post 820201) 95/02/15 1p 82799 301-82799 301

-9502220322 Insp repts 50-245/95-03,50-336/95-03 & 50-423/95-03 on 950108-13 Violations & deviations noted Major areas inspected design change & plant mod process, mechanical & SE for permanent & temporary mods
DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201) 95/02/15 15pp 82799 302-82799 316

9502270197 Ack receipt of 950127 ltr informing NRC of steps taken to correct violations noted in insp 50-245/94-31,50-336/94-30 & 50-423/94-28
DURR,J.P. Region 1 (Post 820201) 95/02/17 OPEKA,J.F. Northeast Nuclear Energy Co 4pp 82831 255-82831 277

9502280024 Forwards insp repts 50-245/94-36,50-336/94-33 & 50-423/94-32 on 941205-09 No violations noted
MEYER,G.W. Region 1 (Post 820201) 95/02/17 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82848 105-82848 122

-9502280031 Insp repts 50-245/94-36,50-336/94-33 & 50-423/94-32 on 941205-09 No violations noted Major areas inspected review of operability determinations associated w/ degraded or nonconforming conditions at plant Units 1,2 & 3
D'ANTONIO,J.M., MEYER,G.W. Region 1 (Post 820201) 95/02/17 14pp 82846 109-82846 122

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering & Inc"
GRIMES,B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 035

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 015-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502281148 Monthly operating repts for Jan 1995 for Millstone Nuclear Power Station W/950213 to
NEWBURN,H.L., MILLER,D.B. Northeast Nuclear Energy Co 95/01/31 17pp 82812 163-82812 179

9502150222 Forwards semiannual PFD performance data for Jul-Oct 1994 for Haddam Neck Plant & Millstone Nuclear Power Station Units 1,2 & 3
OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co OPEKA,J.F. Northeast Utilities Service Co 95/02/08 Document Control Branch (Document Control Desk) 19pp 82781 239-82781 257

S. Reportable occurrences, LERs & related correspondence

9501170217 Eighth partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR. App Q documents partially withheld (rel FOIA exemption 5). App R documents withheld (rel FOIA exemption 6)
POWELL,R. Division of Freedom of Information & Publications Services (890205-940714) 93/12/08 HUBBARD,V. Winston & Strawn 12pp 82573 001-82573 036

9502030228 LER 94-019-01 on 940510, engineering analysis determined MSI drain valves & FWCI valves may have been unable to perform intended safety function. Caused by inadequate design. Control wiring modified & operating procedures revised W/950124 ltr
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co 95/01/24 4pp 82805 086-82805 088

9502170223 Part 21 repl re possible melt defect in stainless steel Swagelok tube fittings or adaptors
ZAHURANEC,E.J. Crawford Fitting Co 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

9502220366 LER 95-002-00 on 950117, determined that daily instrument check of main condenser augmented off gas treatment sys explosive hydrogen monitor not being performed per TS SF 886.1, "Control Operator Log" updated W/950213 ltr
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co 95/02/13 3pp 82842 060-82842 032

24 DOCKETED ITEMS

9502200388 CER 95-001-00 on 950116 determined that 18-month color of back sampler flow rate monitor & SJA-E off-gas monitor not performed within required interval due to personnel error. Surveillances updated to 18 month frequency W/950219 for HARRIS D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/02/13 App 82896 005-82896 010

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502020198 Forwards public version of implementing procedures (IP), including Rev 5 to IP-1012, Rev 4 to IP-1018 & Rev 6 to IP-1043 & revised emergency plan page 6-20, App A/10 of agreement & App B W/950131 release memo QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/05 Document Control Branch (Document Control Desk) 3pp 82613 312-82613 359

-9502010397 Public version of revised emergency plan, page 6-20, App A, page A-1, 940829 hr of agreement between unit & Phelps Memorial Hosp. Co. & App B, Con Edison Medical Dept. Consultants & Agencies
* Consolidated Edison Co. of New York, Inc. 95/01/17 8pp 82613 314-82613 321

-9502080195 Public version of revised EPRPs including rev 5 to IP-1012, "On-Site Medical Emergency," rev 4 to IP-1018, "Public Info Mobilization During Emergencies" & rev 6 to IP-1043 "Operation of State of NY Radiological Emergency"
* Consolidated Edison Co. of New York, Inc. 95/01/17 38pp 82613 322-82613 359

9502150138 Forwards public version of rev to emergency plan. Changes do not reduce effectiveness of emergency plan & emergency plan as whole continues to meet std of 10CFR50.47(b) & requirements of 10CFR50, App E W/950213 release memo QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/01/13 Document Control Branch (Document Control Desk) 2pp 82745 328-82745 357

-9502150143 Public version of rev to emergency plan
* Consolidated Edison Co. of New York, Inc. 95/01/01 28pp 82745 330-82745 357

9502140246 Forwards proposed license condition 2 K, revised to include applicable NRC SERs & listing of fire protection & App R SERs issued for facility QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/05 Document Control Branch (Document Control Desk) 13pp 82744 257-82744 289

G. Adjudicatory correspondence

9502030165 Response to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82695 001-82695 053

H. General correspondence

9502180127 Final response to FOIA request for info Forwards App A records PUGH, N.L. Division of Freedom of Information & Publications Services (880206-940714) 94/05/27 CRAIG, L.O.W.A. ABC, Inc./ABC News 2pp 82688 119-82688 157

-811980321 Forwards change of address BLATZ, H. BLATZ, E. Affiliation Not Assigned 67/04/28 Atomic Energy Commission (Pw 750118) 1p 82688 121-82688 157

I. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SEG-Y-82-043, dtd 8/20/07. Listing of records in App A already available in PDR Records in App B end & will be available in PDR REED, C.A. Division of Freedom of Information & Publications Services (880206-940714) 94/05/17 RICCIO, J.P. Public Citizen's Crisis Mass Energy Project 121pp 82592 009-82592 275

-9502020284 Forwards updated list of NOEDs as transmitted on 940111 GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - III, IV (Post 801218) 3pp 82592 228-82592 230

9502020246 First partial response to FOIA request for documents Records in App A will be made available in PDR REED, C.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/13 O'NEILL, J.M. Affiliation Not Assigned 8pp 82521 278-82521 313

-9502030251 "Enforcement action tracking sys. Licensee history rept (short list) sorted by license 850101-940509"
* NRC - No Detailed Affiliation Given. 94/06/06 33pp 82621 281-82621 312

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (rel FOIA exemptions 3 & 5) POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/20 GIURSKY, V. Affiliation Not Assigned 4pp 82717 157-82717 014

-9502130209 Partially deleted SEG-Y, providing Commentators w/summaries of comments received in response to informal proceeding initiated by substance of Commission May 30 order BICKWITZ, J. Office of the General Counsel (Post 880701) SEG-Y-A-80-086 80/07/11 28pp 82717 188-82717 220

9502140144 Third partial response to FOIA request for documents Records in app C end & will be available in PDR POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/06 O'NEILL, J.M. Affiliation Not Assigned 2pp 82728 181-82728 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given. 94/06/22 40pp 82729 184-82729 223

9502020148 Forwards nonproprietary version of rept NET-085-02-NP, Rev 1, "Extended RPI Deviation Limits & On-Line Color of RPI Channels for Indian Point Unit 2" in response to 950105 telecon QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/01/25 Document Control Branch (Document Control Desk) 2pp 82616 158-82616 222

-9502020154 Rev 1 to nonproprietary version of "Extended RPI Deviation Limits & On-Line Color of RPI Channels for Indian Point Unit 2"
* Consolidated Edison Co. of New York, Inc. NET-085-02-NP R01 95/01/31 65pp 82616 158-82616 222

9502070186 Forwards interim rept on Westinghouse Alloy 600 SG mechanical plugs installed at Indian Point Unit 2 in response to NRC request QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/01/31 Document Control Branch (Document Control Desk) 5pp 82667 334-82667 338

9502070380 Requests that portion of 940413 proposed amend to TS request re SG tube sleeving be separated from original request in order to allow add'l review of current sleeving technical issues Proposed TS pages supporting separation end QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/01/31 Document Control Branch (Document Control Desk) 3pp 82667 339-82667 352

-9502070381 Proposed tech specs pages re SG tube sleeving
* Consolidated Edison Co. of New York, Inc. 95/01/31 11pp 82667 342-82667 352

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC Headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 185-82652 189

9502060098 Informs that staff finds util proposed approach & schedule upgrading wide range SG level instrumentation acceptable WILLIAMS, F.J. Project Directorate I-1 (PD1-1) (Post 841001) 95/02/02 QUINN, S.E. Consolidated Edison Co. of New York, Inc. App 82625 342-82625 345

9502130230 Forwards suppl to 840818 application for amend to license DPR-26, providing one-time interval extension for Type A test (CLRT) from current scheduled 46 months to approx 70 months QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/03 Document Control Branch (Document Control Desk) 2pp 82734 119-82734 118

-9502130234 Suppl to 840818 application for amend to license DPR-26, providing one-time interval extension for Type A test (CLRT) from current scheduled 46 months to approx 70 months QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/03 App 82734 115-82734 118

9502140239 Forwards TS page 2.3-4 w/revised bases Revised bases previously submitted to NRC & approved by NRC 940621 to re 24 month fuel cycle QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/03 Document Control Branch (Document Control Desk) 3pp 82744 254-82744 256

-9502140243 Proposed tech specs page 2.3-4 basis to accommodate 24 month fuel cycle
* Consolidated Edison Co. of New York, Inc. 95/02/03 1p 82744 256-82744 256

9502140246 Forwards proposed license condition 2 K, revised to include applicable NRC SERs & listing of fire protection & App R SERs issued for facility QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/02/06 Document Control Branch (Document Control Desk) 13pp 82744 257-82744 289

9502200110 Forwards request for add'l info re util proposed amend to TSs which would permit SG tube sleeving as alternative to removing defective tubes from svc through use of tube plugs & would provide new tube acceptance criteria WILLIAMS, F.J. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/15 QUINN, S.E. Consolidated Edison Co. of New York, Inc. App 82795 358-82795 358

9502160349 Administrative Ltr 95-02 to all holders of OUs or OPs re cost beneficial licensing actions (MSRD, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

C. Inspection reports, IE Bulletins & correspondence

9502200121 Partial response to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/05 FIDELLER, Affiliation Not Assigned 8pp 82824 140-82824 091

-9502200159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given. 94/06/06 175pp 82824 165-82824 005

9502180219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERBELL, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/07/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERBELL, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/07/27 Consolidated Edison Co. of New York, Inc. App 82605 038-82605 048

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030213 NRC Info Notice 95-010, "Potential for Loss of Automatic EOPs" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82686 001-82686 006

9502100291 Forwards SE re in-service map request for relief for plant unit 2 WILLIAMS, F.J. Project Directorate I-1 (PD1-1) (Post 841001) 95/02/03 QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp 82706 263-82706 271

-9502100298 Safety evaluation re in-service map request for relief for plant unit 2
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 6pp 82706 267-82706 271

9502140252 Forwards Relief Request 35 for third 10-yr ISI program, requesting relief from removal of insulation from pressure retaining bolted connections during pressure testing & visual exam VT-2 Relief Request 36 also sent
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/02/06 Document Control Branch (Document Control Desk) 10pp 82744 270-82744 279

9502140283 Suppl 1 to NRC info notice 95-010, Potential for Loss of Automatic ESFA
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502140304 Forwards insp rept 50-247/84-20 on 941127-950107 No violations noted
COVIGILL,C.J. Region 1 (Post 820201) 95/02/10 QUINN,S.E. Consolidated Edison Co. of New York, Inc. 6pp 82769 285-82769 300

9502140337 Insp rept 50-247/84-20 on 941127-950107 No violations noted Major areas inspected resident inspector core, regional initiative & reactive maps performed during day & backshift hours of station activities
DOERFLIN,L.T. Region 1 (Post 820201) 95/02/08 13pp 82769 288-82769 900

9502140361 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502140385 Forwards insp rept 50-247/95-03 on 950130-0203 No violations noted
MODES,M.C. Region 1 (Post 820201) 95/02/22 QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp 82853 115-82853 125

9502140354 Insp rept 50-247/95-03 on 950130-0203 No violations noted Major areas inspected engineering & technical support at headquarters & site engineering & engineering analysis at plant site
PATRICK,P. MODES,M.C. Region 1 (Post 820201) 95/02/22 6pp 82853 117-82853 125

9502140390 NRC Info Notice 95-011, "Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82818 016-82818 024

9502140397 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502140196 Monthly operating rept for Dec 1994 for Indian Point Unit 2 W/950117 fr REED,C.A. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31 6pp 82592 955-82592 960

9502140198 Monthly operating rept for Jan 1995 for Indian Point Unit 2 W/950215 fr REED,C.A. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/01/31 6pp 82592 354-82592 153

DOCKET 80-248 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502140404 Revised EPIPs, including Rev 5 to EPIP 0100-01 & Rev 4 to EPIP 0105-01
Commonwealth Edison Co. 95/01/27 6pp 82742 254-82742 333

9502140239 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mail Cable Amperity Derating Factor Calculation," in response to GL 92-08
VONK,M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502140245 "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLDTHIE,W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 073-82822 085

9502140259 Forwards rpt submitted re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" - Encl withheld
BRONZ,J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Attachment Given 2pp 82817 356-82817 980

G. Adjudicatory correspondence

9502140165 KG Pierce motion for extension of time* Intends w/Board approval to submit findings on 950221 provided Staff may rebut by 950228 W/Certificate of Svc
PIERCE,K.G. Attachment Not Assigned. #195 16942 95/02/09 Atomic Safety & Licensing Board Panel 2pp 82738 268-82738 269

9502140164 KG Pierce proposed limited findings of fact & conclusions of law re order dtd 940421 issued to KG Pierce* Requests that Licensing Board should cancel order issued to KG Pierce on 940421 W/Certificate of Svc
PIERCE,K.G. Attachment Not Assigned. #195 16383 95/02/21 6pp 82818 275-82818 337

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED,C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 OMBALIA,M. Attachment Not Assigned 2pp 82821 279-82821 313

9502030251 "Enforcement action tracking sys./Licensee history rept (short list) sorted by licensee 850101-940508"
* NRC - No Detailed Attachment Given 94/06/08 33pp 82521 281-82521 313

9502130111 Final response to FOIA request for info Forwards App A info, in part, already available to POR App A info already withheld (See FOIA Exemption 5-6)
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG,L.J. Attachment Not Assigned 2pp 82738 188-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problem plants identified at June 1993 Region II SMM & performance of other plants
* NRC - No Detailed Attachment Given 94/01/11 NRC - No Detailed Attachment Given 24pp 82738 191-82738 215

950210240 Supplemental application for amend to licenses DPR-19 & DPR-25 proposing to include test frequency of two yrs to IST TS surveillance table (3.0 D.2), per NUREG-1493 & draft NUREG-1482
PIET,P.L. Commonwealth Edison Co. 95/01/27 Document Control Branch (Document Control Desk) 6pp 82553 322-82553 345

9502030241 Proposed tech specs, including test frequency of two yrs to IST TS surveillance table (3.0 D.2) & updating (SI/IST) rate from 920728 (TSUP Section 4.0/E.1) to accurately reflect appropriate sections of 10CFR59.55a.
* Commonwealth Edison Co. 95/01/27 21pp 82553 325-82553 345

9502030072 Forwards SE re resolution of GL 94-09, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," at plants
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 FARRAR,D.L. Commonwealth Edison Co. 6pp 82605 285-82605 306

9502070261 "Dresden Unit 3 Cycle 14 Startup Test Rept" W/950131 fr HOLLAND,P.G. Commonwealth Edison Co. 95/01/31 12pp 82686 163-82686 174

9502080327 Inform of 950118-19 NRC SMM re performance of NPPGs & submits summary of discussions re Dresden plant Concludes sense of progress evident at plant but that much remains to be done re plant main condition & work control sys
TAYLOR,J.M. Office of the Executive Director for Operations 95/02/01 O'CONNOR,J.J. Commonwealth Edison Co. 7pp 82683 253-82683 259

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 6pp 82552 195-82552 199

9502080070 Forwards SE accepting licensee 941208 fr submitting assessment of plant-specific applicability of GE topical rept NEDO-3205-A, Rev 1 to plant reactor vessels
CAPRA,R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR,D.L. Commonwealth Edison Co. 3pp 82669 283-82669 287

9502080077 Safety evaluation accepting licensee assessment of plant-specific applicability of GE topical rept NEDO-3205-A, Rev 1
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82669 285-82669 287

9502140238 Forwards exemption granted from requirements of 10CFR, App J, for two-ply containment penetration expansion bellows at plants
PULSIFER,J.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 FARRAR,D.L. Commonwealth Edison Co. 2pp 82731 097-82731 104

9502140241 Exemption granted from requirements of 10CFR, App J, for two-ply containment penetration expansion bellows at four reactor units
RICE,J.V. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 Commonwealth Edison Co. 6pp 82731 099-82731 104

9502140239 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mail Cable Amperity Derating Factor Calculation," in response to GL 92-08
VONK,M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502140245 "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLDTHIE,W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 073-82822 085

9502140334 Forwards revised TS bases pp 3 8/4 9-9.3/4 3-7.3/4 3-7a & 3 8/4 3-14 reflecting alternate method of reactivity SDM demonstration testing for plants
PULSIFER,J.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR,D.L. Commonwealth Edison Co. 6pp 82819 319-82819 325

9502140170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 89-10 W/o proprietary info
VONK,M.J. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk) 6pp 82858 001-82858 248

9502140176 Rev 2 to White Paper MOV-WP-101, "As-Left Stem/Stem Nut Coefficient of Friction"
KORN,S. KELLY,J.F. Commonwealth Edison Co. MOV-WP-101 R02 95/01/12 51pp 82858 000-82858 039

9502170243 Forwards amends 131,125,152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation Amends upgrade sensors 1.0, 3.0/4.0 & 3/4.3 re definitions, applicability & reactivity of plants TS per 920729 request
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR,D.L. Commonwealth Edison Co. 6pp 82852 003-82852 068

9502170251 Amends 131,125,152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, upgrading sensors 1.0, 3.0/4.0 & 3/4.3 of plants TS re definitions, applicability & reactivity per 920729 request
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 61pp 82852 009-82852 088

9502170260 Safety evaluation supporting amends 131,125,152 & 148 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 12pp 82852 057-82852 068

9502140106 Forwards corrected Attachment 6 of 950216 fr re MOV as specified in GL 89-10
VONK,M.J. Commonwealth Edison Co. 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82815 274

26 DOCKETED ITEMS

9502270212 Forwards RAI concerning TS upgrade program at plants
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR,D.L. Commonwealth Edison Co 23pp 82846 336-82846 356

9502270328 Forwards amends 132 & 126 to licenses DPR-19 & DPR-25 & safety
evaluation Amends would upgrade existing custom TS to BWR STS
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR,D.L. Commonwealth Edison Co 3pp 82852 197-82852 214

-9502270324 Amends 132 & 126 to licenses DPR-19 & DPR-25, respectively, upgrading
existing custom TS to BWR STS
STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 12pp
82852 200-82852 211

-9502270326 Safety evaluation supporting amends 132 & 126 to licenses DPR-19 &
DPR-25, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 3pp 82852 212-
82852 214

9502168348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial li-
censing actions
BURROUGHS, J. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/22
Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

Q Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App and & will
be available in PDR App C records withheld in part (ref FOIA exemption 5) App D
records completely withheld (ref FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (800206-
940714) 94/07/06 FIDELLER Affiliation Not Assigned 6pp 82824 740-82825 031

-9502210159 Partially deleted listing of "Enforcement Action Tracking Sys."
NRC - No Detailed Affiliation Given 94/06/06 17pp 82824 168-82825 005

9501098249 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/
01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/
01/27 Consolidated Edison Co of New York, Inc 9pp 82605 030-82605 046

9502010240 Supplemental application for amend to licenses DPR-19 & DPR-25, propos-
ing to include test frequency of two yrs to IST TS surveillance table (3.0 D.2), per
NUREG-1493 & draft NUREG-1492
PIET, P.L. Commonwealth Edison Co 95/01/27 Document Control Branch (Docu-
ment Control Desk) 3pp 82583 322-82583 345

-9502010241 Proposed tech specs including test frequency of two yrs to IST TS sur-
veillance table (3.0 D.2) & updating ISU/IST refs from 920729 (TSUP Section 4.0/E.1) to
accurately reflect appropriate sections of 10CFR50.55a
Commonwealth Edison Co 95/01/27 21pp 82583 325-82583 345

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Con-
solidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502100134 Forwards insp repts 50-010/94-19, 50-237/94-19 & 50-249/94-19 on
941122-950109 & notice of violation violation of concern because it involved lack of
procedure adherence & unauthorized mode
GREENMAN, G. Region 3 (Post 820201) 95/02/02 PERRY, J.S. Commonwealth
Edison Co 3pp 82680 317-82680 356

-9502100138 Notice of violation from insp on 941122-950109 Violation noted control
room operators failed to verify relay position of individual MSIV before proceeding to
next valve
Region 3 (Post 820201) 95/02/02 3pp 82680 321-82680 353

-9502100143 Insp repts 50-010/94-19, 50-237/94-19 & 50-249/94-19 on 941122-
950109 Violations noted Major areas inspected
maintenance, surveillance, engineering, technical support, plant support, safety assess-
ment & quality verifications
MILANO, P.L. Region 3 (Post 820201) 95/01/27 33pp 82680 324-82680 356

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-
82688 003

9502070177 Forwards "DPR13 Reducing Outage ISI Summary Rept. 940309-1103" of
RPV & primary sys piping & piping supports at Dresden Nuclear Power Station Unit 3
SPANGENBERG, F. Commonwealth Edison Co 95/02/03 Document Control Branch
(Document Control Desk) 2pp 82638 106-82638 267

-9502070178 "DPR13 Reducing Outage ISI Summary Rept. 940309-1103"
Commonwealth Edison Co 95/02/03 160pp 82639 108-82639 267

9502130049 NRC Staff Identified Nuclear Power Plants Warranting Increased Regula-
tory Attention
Office of Public Affairs (Post 811117) 95/02/03 8pp 82742 137-82742 138

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 007-
82618 042

9502150014 Forwards NRC repts on Plant Rule review visit to plant during 841206-12
SHAFFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers
Power Co QUERIORE Commonwealth Edison Co WATZLE Northern States
Power Co 2pp 82722 012-82722 028

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by AEG Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp
82818 025 82818 036

9502210088 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-
82818 024

9502240037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-
82848 025

R. Periodic operating reports & related correspondence

9502280296 Radioactive effluent repts for Jul-Dec 1994 for Dresden Nuclear Power
Station W/950220
BAK, R.L. Commonwealth Edison Co 94/12/31 MARTIN, J.B. Region 3 (Post 820201)
77pp 82939 206-82939 282

9502220132 Monthly operating repts for Jan 1995 for Dresden Nuclear Power Station
STYKES, K.W., HOLLAND, P.G. Commonwealth Edison Co 95/01/31 24pp 82812 206-
82812 228

9502190293 Forwards fitness for duty program performance data for 8 month period
ending 941231
SAMPKIN, L.W. Commonwealth Edison Co 95/02/09 Document Control Branch (Docu-
ment Control Desk) 21pp 82727 321-82727 341

3. Reportable occurrences, IERs & related correspondence

9502140152 IER 95-001-00 on 950109, Unit 3 scram from main turbine stopped valve
closure due to moisture separator level MSDT 2A spill valves inspected, controllers
rechecked, calor & control loop was tested prior to startup W/950203 for
GARRETT, P., JOYCET, F. Commonwealth Edison Co 95/01/30 10pp 82743 203-
82743 218

9502150302 IER 95-002-00 on 950110, Unit 3 scram from type RV low water level
closure isolation valve for PS 3-263-31A was replaced due to air whined into
sys Explained root cause of event to operations WAD after completed engineer
review W/950131 for
COOPER, G.L., JOYCET, F. Commonwealth Edison Co 95/01/30 5pp 82785 162-
82785 166

V. Operator Examinations

9502020079 Inform that NRC plans to administer GPES of written operator licensing
exam on 950405
RICKS, J.A. Region 3 (Post 820201) 95/01/26 LACROIX, G. Consumers Power Co
CHASEN, J.M., SCHMIDT, T. Commonwealth Edison Co 3pp 82559 356-
82559 357

DOCKET 80-250 TURKEY POINT PLANT, UNIT 3

F. Safety, medical, emergency & fire protection plans

9502080139 Revised EPIP 20111, "Re-Entry" W/950203
PLUNKETT, T.F. Florida Power & Light Co 95/02/03 15pp 82687 137-82687 151

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of
all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

F. Operating license stage documents & correspondence

9502020128 FOIA request for document re repts dtd 890616 entitled, "Turkey Point Nu-
clear Power Plant Employee Allegations of Harassment & Discrimination"
OMELIA, M. Affiliation Not Assigned 94/06/09 GRIMES, B.K. Division of Free-
dom of Information & Publications Services (800206-940714) 1p 82582 344-
82582 344

9502060008 Forwards re documenting info received from concerned individual re allega-
tion RI-94-A-0220 End withheld (ref 10CFR2.780)
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/30 GOLDBERG, J.H. Florida
Power & Light Co 3pp 82601 038-82601 040

9502070106 Documents w/ response to concerns re SG mechanical tube plugs fabri-
cated from thermally treated Alloy 800
PLUNKETT, T.F. Florida Power & Light Co 95/01/31 Document Control Branch (Docu-
ment Control Desk) 4pp 82584 344-82584 347

9502070268 Forwards summary plan for issues 2 b & 4 c re effect of Hurricane Andrew
on plant
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 95/02/
01 TAYLOR, J.M. Dir of the Executive Director for Operations 4pp 82658 309-
82658 312

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Con-
solidated Edison Co of New York, Inc 5pp 82652 195-82652 109

9502080187 Forwards nonproprietary WCAP-14238 & proprietary WCA-14237, "Techni-
cal Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design
Basis" demonstrating compliance w/USAR methodology Proprietary repts withheld
PLUNKETT, T.F. Florida Power & Light Co 95/02/02 Document Control Branch (Docu-
ment Control Desk), 4pp 82587 031-82587 126

9502080161 Requests that proprietary rept WCAP-14237 "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants" be withheld per 10CFR2.790
LIPARULO N.J. Westinghouse Electric Corp. 95/01/27. RUSSELL W.T. Document Control Branch (Document Control Desk) 3pp. 82687 037-82687 045

9502080168 Nonproprietary "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants."
BROWNICK D.C., PETSCHKE J.F., PRAGER D.E. Westinghouse Electric Corp. WCAP. 14238. 94/12/31. 80pp. 82687 046-82687 126

9502140408 Notification of 950228 meeting w/utl in Bethesda MD to discuss submittals re proposed power uprate
CROTEAU R. Division of Reactor Projects I/II (DRPE) Post 941001. 95/02/08
MATTHEWS D.B. Division of Reactor Projects I/II (DRPE) Post 941001. 3pp. 82729 351-82729 353

9502150123 Forwards SE re resolution re unresolved safety issue A-46, Suppl 1 to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
NORRIS J. CROTEAU R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/02/09. GOLDBERG J.H. Florida Power & Light Co. 4pp. 82746 312-82746 327

9502150184 Safety evaluation accepting utl response to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
"Office of Nuclear Reactor Regulation (Post 941001). 95/02/09. 12pp. 82746 316-82746 327

9502200200 Forwards response to NRC 941117 RAI re proposed license amendments submitted by 940719 & 1020. Revising TS 3.4.7.1.1 & associated tables which addresses insu allowable reactor thermal power operation w/operable MSSVs
PLUNKETT T.F. Florida Power & Light Co. 95/02/20. Document Control Branch (Document Control Desk) 7pp. 82931 045-82931 051

9502180349 Administrative Ltr 95-02 to all holders of OLs or OPs re cost beneficial licensing actions
IMBRO E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/02/23. Consolidated Edison Co. of New York, Inc. 17pp. 82846 001-82846 017

2. Inspection reports, NE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Material"
PAPERELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/13. Consolidated Edison Co. of New York, Inc. 11pp. 82805 013-82805 023

9501230250 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/27. Consolidated Edison Co. of New York, Inc. 9pp. 82805 038-82805 046

9501250425 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria for Piping & Pipe Support Evaluation and Design"
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/31. Consolidated Edison Co. of New York, Inc. 7pp. 82852 188-82852 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/03. Consolidated Edison Co. of New York, Inc. 8pp. 82858 001-82858 006

9502130261 Forwards response to violations noted in Insp Repts 80-250/94-23 & 50-261/94-23. Corrective actions/signature test selector switch placed in OFF position thus disabling automatic test feature
GOLDBERG J.H. Florida Power & Light Co. 95/02/07. Document Control Branch (Document Control Desk) 5pp. 82734 263-82734 267

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/10. Consolidated Edison Co. of New York, Inc. 8pp. 82818 037-82818 042

9502200061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES B.K. 95/02/21. Consolidated Edison Co. of New York, Inc. 12pp. 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B.K. 95/02/24. Consolidated Edison Co. of New York, Inc. 9pp. 82818 016-82818 024

9502280037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B.K. 95/02/24. Consolidated Edison Co. of New York, Inc. 8pp. 82848 016-82848 025

3. Periodic operating reports & related correspondence

9502220130 Monthly operating reports for Jan 1995 for Turkey Point Units 1 & 2 W/ 950214 ltr
KNORR J.E., PLUNKETT T.F. Florida Power & Light Co. 95/01/31. 8pp. 82826 268-82826 274

9502210165 Forwards FRD program performance data for six month period ending 941231
BONLUKE W.H. Florida Power & Light Co. 95/02/16. Document Control Branch (Document Control Desk) 6pp. 82803 351-82803 356

3. Reportable occurrences, LERs & related correspondence

9502220392 LER 94-005-01 on 941103 design defect found in safeguards bus sequencer 1st logic planning facility outside design basis. Design mode to eliminate software logic problems will be implemented during next refueling outage. W/850209 ltr
MCWHIRY C.L., PLUNKETT T.F. Florida Power & Light Co. 95/02/09. 18pp. 82842 007-82842 025

9502280037 Special rept on 950201 rapid start of EDG attempted & alarms failed to sound when EDG did not start. Caused by high resistance on contacts of relay Relay replaced & EDG restarted satisfactorily W/850220 ltr
PLUNKETT T.F. Florida Power & Light Co. 95/02/20. EBNETER S.D. Region 2 (Post 920201). 4pp. 82825 335-82825 356

4. Operator examinations

9502140357 Forwards utl final applications for thirteen individuals in initial license Group 15 & senior operator 1994 upgrade program
PLUNKETT T.F. Florida Power & Light Co. 95/02/09. EBNETER S.D. Region 2 (Post 920201). 1p. 82759 360-82759 360

DOCKET 50-261 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9502080139 Revised EPIP 20111 "Re-Entry" W/950203 ltr
PLUNKETT T.F. Florida Power & Light Co. 95/02/03. 15pp. 82687 137-82687 151

G. Adjudicatory correspondence

9502030166 Responds to postcard dated Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. DEBOLT B. Attention Not Assigned. 52pp. 82695 001-82695 063

P. Operating license stage documents & correspondence

9502030128 FOIA request for document re rept dtd 890815 entitled "Turkey Point Nuclear Power Plant Employee Allegations of Harassment & Discrimination"
O'NEAL M. Attention Not Assigned. 94/05/09. GRIMSLEY D.H. Division of Freedom of Information & Publications Services (950206-940714). 1p. 82592 344-82592 344

9502080006 Forwards for documenting info received from concerned individual re allegation A11-94-A-0220. Encl withheld (rel 10CFR2.790)
MERSCHOFF E.W. Region 2 (Post 820201). 95/01/30. GOLDBERG J.H. Florida Power & Light Co. 3pp. 82801 038-82801 040

9502070106 Documents utl response to concerns re SG mechanical tube plugs fabricated from thermally treated Alloy 800
PLUNKETT T.F. Florida Power & Light Co. 95/01/31. Document Control Branch (Document Control Desk) 4pp. 82884 344-82884 347

9502070268 Forwards summary plan for issues 2 b & 4 c re effect of Hurricane Andrew on plant
MORAN J.L. Office for Analysis & Evaluation of Operational Data. Director. 95/02/01. TAYLOR J.M. Ofc of the Executive Director for Operations. 4pp. 82858 309-82858 312

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02. Consolidated Edison Co. of New York, Inc. 5pp. 82652 195-82652 199

9502080241 Confirms completion of all design-basis reviews, analyses, verifications, tests & insps performed to comply w/terms & through h of GL 88-10 for Turkey Point Unit 4, per GL 88-10, item 10
PLUNKETT T.F. Florida Power & Light Co. 95/02/02. Document Control Branch (Document Control Desk) 8pp. 82887 322-82887 324

9502080157 Forwards nonproprietary WCAP-14236 & proprietary WCA-14237 "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis - demonstrating compliance w/LBB methodology. Proprietary rept withheld
PLUNKETT T.F. Florida Power & Light Co. 95/02/02. Document Control Branch (Document Control Desk) 6pp. 82887 051-82887 126

9502080161 Requests that proprietary rept WCAP-14237 "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants" be withheld per 10CFR2.790
LIPARULO N.J. Westinghouse Electric Corp. 95/01/27. RUSSELL W.T. Document Control Branch (Document Control Desk) 9pp. 82687 037-82687 045

9502080168 Nonproprietary "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants"
BROWNICK D.C., PETSCHKE J.F., PRAGER D.E. Westinghouse Electric Corp. WCAP. 14238. 94/12/31. 80pp. 82687 046-82687 126

9502140408 Notification of 950228 meeting w/utl in Bethesda, MD to discuss submittals re proposed power uprate
CROTEAU R. Division of Reactor Projects I/II (DRPE) Post 941001. 95/02/08. MATTHEWS D.B. Division of Reactor Projects I/II (DRPE) Post 941001. 3pp. 82729 351-82729 353

9502150123 Forwards SE re resolution re unresolved safety issue A-46, Suppl 1 to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
NORRIS J., CROTEAU R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/02/09. GOLDBERG J.H. Florida Power & Light Co. 4pp. 82746 312-82746 327

9502150184 Safety evaluation accepting utl response to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
"Office of Nuclear Reactor Regulation (Post 941001). 95/02/09. 12pp. 82746 316-82746 327

28 DOCKETED ITEMS

9502290200 Forwards response to NRC 941117 RA re proposed license amendments submitted by 940719 & 1029 hrs, revamping TS 3/4.7.1.1 & associated bases which addresses max allowable reactor thermal power operation w/operable MSSVs.
PLUNKETT, T.F. Florida Power & Light Co. 95/02/20 Document Control Branch (Document Control Desk) 7pp 82891 045-82891 051

9502290349 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
BIBERO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERUELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERUELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 048

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 188-82852 194

9502270341 Contains completion of all design-basis reviews, analyses, verifications, tests & insps performed to comply w/requirements through 1 of GL 88-10 for Turkey Point Unit 4, per GL 89-10, item 1
PLUNKETT, T.F. Florida Power & Light Co. 95/02/02 Document Control Branch (Document Control Desk) 3pp 82667 322-82667 324

9502090313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82668 001-82668 008

9502130281 Forwards responses to violations noted in Insp Repts 95-250/84-23 & 95-251/84-23. Corrective actions sequencer test selector switch placed in OFF position, thus disabling automatic test feature.
GOLDBERG, J.M. Florida Power & Light Co. 95/02/07 Document Control Branch (Document Control Desk) 5pp 82734 263-82734 267

9502270127 Forwards "Turkey Point Plant Unit 4 1994 Refueling Outage ISI Rept"
Form NIS-1 owners data re: for inservice stops. Form NIS-4B owner data re: of Eddy current exams & Form NIS-2 owners data re: of repairs & replacements also encl.
PLUNKETT, T.F. Florida Power & Light Co. 95/02/09 Document Control Branch (Document Control Desk) 1p 82827 001-82827 172

9502210132 "Turkey Point Plant Unit 4 1994 Refueling Outage ISI Rept"
Florida Power & Light Co. 94/12/31 171pp 82827 002-82827 172

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straitening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 018-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502220330 Monthly operating reports for Jan 1995 for Turkey Point Units 1 & 2 W/ 950214 IR
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 95/01/31 9pp 82826 266-82826 274

9502210985 Forwards FPD program performance data for six month period ending 941231
BOHLKE, W.H. Florida Power & Light Co. 95/02/16 Document Control Branch (Document Control Desk) 6pp 82803 351-82803 356

V. Operator Examinations

9502140357 Forwards util final applications for thirteen individuals in initial license Group 15 & senior operator 1994 upgrade program
PLUNKETT, T.F. Florida Power & Light Co. 95/02/08 BENETER, S.D. Region 2 (Post 820201) 1p 82759 360-82759 360

DOCKET 90-254 QUAD-CITIES STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502090006 Ack receipt of 940124 ltr, transmitting changes identified as Rev 33 to Plant Security Plan. Changes found inconsistent w/ provisions of 10CFR50.54(b) & unacceptable. Corrections to plant requested within two months. Safeguards info withheld.
CAMANO, R.J. Region 3 (Post 820201) 95/01/31 JOHNSON, J.M. Commonwealth Edison Co. 2pp 82845 027-82845 028

9502170191 Forwards Rev 35 to security plan. Signed original & copies of security plan re: being provided to d/c. Encl withheld.
JOHNSON, J.M. Commonwealth Edison Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82820 353-82820 354

9502290413 Forwards FEMA exercise rpt/dtd 950217 re low portion of full participation plume exposure pathway exercise of offsite emergency preparedness aspects of plant exercise conducted 940727
MCGOWAN, BARGE Region 3 (Post 820201) 95/02/13 KRAFT, E. Commonwealth Edison Co. 2pp 82846 024-82846 079

9502080161 Forwards copy of final rept addressing State of IA portion of 940727 full participation plume exposure pathway exercise of offsite radiological emergency response plans site specific to plant.
HEPLER, O.M. Federal Emergency Management Agency 95/01/17 SPASSARD, R.L. 2pp 82846 024-82846 027

9502090166 Exercise Evaluation of Implementation of State & Local Radiological Emergency Response Plans, Conducted 940727 & Rescheduled Exercise Conducted 941025 for Quad Cities Nuclear Power Station
Federal Emergency Management Agency 94/11/18 43pp 82848 028-82848 079

9502220225 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers & Rev 2 of Calculation G-63, "Damart Firewrap Melt Cable Amperity Derating Factor Calculation," in response to GL 92-08
VONKUM, J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 841001) 2pp 82822 073-82822 301

9502220246 "Amperity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLUETHE, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 073-82822 085

9502290259 Forwards util submittal re 10CFR Rulemaking, "Protection Against Malevolent Use of Vehicles at NPPs" Encl withheld.
BRONSON, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Affiliation Given 2pp 82917 359-82917 360

P. Operating license stage documents & correspondence

9502030246 First serial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (880209-940714) 94/08/13 OMEALIAM Affiliation Not Assigned 2pp 82821 279-82821 313

9502030251 "Enforcement action tracking sys. Licensee history rept (short list) sorted by licensee 950101-940504"
NRC - No Detailed Affiliation Given 94/04/06 33pp 82821 281-82821 313

9502010283 Forwards listing of facility & procedure changes, tests & experiments relating safety evaluations completed during Dec 1994 for Quad Cities Station Units 1 & 2
ATKIN, P.C. Commonwealth Edison Co. 95/01/24 Document Control Branch (Document Control Desk) 16pp 82591 189-82591 205

9502030272 Forwards SE re resolution of GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," at plants
STANGS, J.F. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 FARRAR, D.L. Commonwealth Edison Co. 4pp 82608 285-82608 306

9502030115 Notification of 950216 meeting w/selected attendees in Rockville, MD for util to address plant shroud mod as submitted in 950116 ltr
PULSFER, R.M. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 841001) 6pp 82607 338-82607 339

9502080114 Informs that all procedure changes required by Requested Action 1 of GL 94-02 completed at Quad-Cities Station on 941231. Certain operating crews trained by 950108, due to training schedule conflicts.
KRAFT, E.S. Commonwealth Edison Co. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82698 352-82698 353

9502080327 Informs of 850118-19 NRC SMR re performance of NPPGs & submit summary of discussions re Dresden plant. Concludes sense of progress evident at plant but that much remains to be done re plant mgt condition & work control sys.
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/01 OCHOA, R.J. Commonwealth Edison Co. 7pp 82693 253-82693 259

9502080225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 2pp 82652 196-82652 199

9502100041 Informs that util investigation sufficient to support conclusion that Whole Body Counting Sys at plant operating correctly & that affected individual not internally contaminated. No add. questions re matter exist.
AXELSON, W.L. Region 3 (Post 820201) 95/02/02 JOHNSON, J.M. Commonwealth Edison Co. 2pp 82690 204-82690 205

9502130040 Forwards SE accepting licensee 950125 ltr re staff review & approval of plant specific applicability of GE topical rept NEDO-32205-A, Rev 1
CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 841001) 95/02/08 FARRAR, D.L. Commonwealth Edison Co. 3pp 82729 229-82729 233

9502130054 Safety evaluation supporting licensee submittal for staff review & approval of plant specific applicability of GE topical rept NEDO-32205-A, Rev 1
Office of Nuclear Reactor Regulation (Post 841001) 95/02/08 2pp 82729 232-82729 233

9502140238 Forwards exemption granted from requirements of 10CFR, App J, for two-ply containment penetration expansion bellows at plants
PULSFER, R.M. Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 FARRAR, D.L. Commonwealth Edison Co. 2pp 82731 087-82731 104

9502140241 Exemption granted from requirements of 10CFR, App J, for two-ply containment penetration expansion bellows at four reactor units
ROE, J.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 Commonwealth Edison Co. 6pp 82731 099-82731 104

9502220238 Forwards White Paper "Amplify Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers & Rev 2 of Calculation G-53, "Damaged Firewrap Mail Cable Amplify Derating Factor Calculation," in response to GL 92-06 VONK,M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

-9502220245 "Amplify Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" BLOETH,W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82622 075-82622 065

9502220334 Forwards revised TS bases pp 3/3/4 3/3/3 3/4 3-7.3 3/4 3-7a & B 3/4 3-14 reflecting alternate method of reactivity SDM demonstration testing for plants PULSIFER,R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR,D.L. Commonwealth Edison Co. 6pp 82619 319-82619 326

9502220370 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 89-10 W/o proprietary info VONK,M.J. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk) 6pp 82658 001-82658 248

-9502220376 Rev 2 to White Paper MOV-WP-101, "As-Let Stem/Stem Nut Coefficient of Friction" KORN,S. Commonwealth Edison Co. MOV-WP-101 R02 95/01/12 51pp 82658 009-82658 059

9502220443 Forwards amendments 131,125,152 & 148 to licenses DPR-18,DPR-25, DPR-29 & DPR-30, respectively & safety evaluation amendments sections 1.0,3.0/4.0 & 3/4.3 re definitions, applicability & reactivity of plants TS, per 920728 request STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR,D.L. Commonwealth Edison Co. 6pp 82652 003-82652 065

-9502220451 Amendments 131,125,152 & 148 to licenses DPR-18,DPR-25,DPR-29 & DPR-30, upgrading sections 1.0,3.0/4.0 & 3/4.3 of plants TS re definitions,applicability & reactivity,per 920728 request STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 61pp 82652 008-82652 056

-9502220459 Safety evaluation supporting amendments 131,125,152 & 148 to licenses DPR-18,DPR-25,DPR-29 & DPR-30, respectively Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 12pp 82652 087-82652 066

9502220561 Forwards plant specific fracture mechanics assessment as attachment to 941214 re to NRC info contained in encl report believed to be true & reliable SCHRAGE,J.L. Commonwealth Edison Co. 95/02/17 Document Control Branch (Document Control Desk) 3pp 82614 139-82614 194

-9502220578 "Flow Tolerance Evaluation Quad Cities Units 1 & 2 Feedwater Nozzles," dtd 950228 MESSI,G.A., PYTEL,M.L., DEARDORFF,A.F. Structural Integrity Associates, Inc. SIR-95-010 95/02/14 5pp 82614 142-82614 194

9502220586 Forwards corrected attachment 5 of 950218 re re MOV as specified in GL 89-10 VONK,M.J. Commonwealth Edison Co. 95/02/20 Document Control Branch (Document Control Desk) 3pp 82615 241-82615 274

9502220678 Application for amendments to licenses DPR-29 & DPR-30 re changes to name of Iowa-Illinois Gas & Electric Co.,25% co-owner of plant, to reflect results of merger between electric company,Midwest Power Sys Inc & Midwest Resources Inc SCHRAGE,J.L. Commonwealth Edison Co. 95/02/21 Document Control Branch (Document Control Desk) 11pp 82688 345-82688 333

9502220712 Forwards RAJ concerning TS upgrade program at plants STANG,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR,D.L. Commonwealth Edison Co. 2pp 82646 396-82646 358

9502220849 Administrative Ltr 95-02 to all holders of OLE or CPs re cost beneficial & certain actions BURRO,E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, FE Briefings & correspondence

95022218121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C reports withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5) POWELL,R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/06 FIDELLER Affiliation Not Assigned 8pp 82624 140-82625 031

-9502221819 Partially deleted listing of "Enforcement Action Tracking Sys." NRC - No Detailed Affiliation Given 94/06/06 17pp 82624 168-82626 005

95022209219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 019-82605 023

9502220988 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 048

95022209429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design" GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 189-82652 184

95022209543 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82668 001-82668 006

95022210049 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention" Office of Public Affairs (Post 911117) 95/02/06 8pp 82742 137-82742 136

95022210283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

95022210614 Forwards NRC rpt on Main Fluid review visit to plant during 941205-12 SHAFER,W.D. Region 3 (Post 820201) 95/02/10 DONNELLY,P.M. Consumers Power Co. 2pp 82722 012-82722 029

9502220259 Forwards insp repts 90-254/94-29 & 90-265/94-29 on 941216-950125 & NOV GREENMAH,E. Region 3 (Post 820201) 95/02/15 KRAFT,E. Commonwealth Edison Co. 2pp 82799 101-82799 127

-9502220284 Notice of violation from insp on 941216-950125 Violation noted operators repositioned 171 vent valves for main related out of svc on plant CR drive sys w/o placing out of svc cards on valves Region 3 (Post 820201) 95/02/15 2pp 82799 103-82799 104

-9502220289 Insp repts 90-254/94-29 & 90-265/94-29 on 941216-950125 Violations noted Major areas inspected operations,main, engineering & technical support MILANO,P. Region 3 (Post 820201) 95/02/14 25pp 82799 105-82799 127

9502220661 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering Inc" GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502220690 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502220697 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502220746 Monthly operating repts for Jan 1995 for Quad Cities Nuclear Station Units 1 & 2 W/950208 re MOORE,K., AITKEN,P.C. Commonwealth Edison Co. 95/01/31 21pp 82779 148-82779 168

9502220899 Forwards fitness for duty program performance data for 6 month period ending 941231 SHUPRIAT,T.W. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

95022209119 LER 95-001-00 on 950102,RCIC governor valve failed to meet expected capabilities during unit startup due to valve steam corrosion RCIC governor valve disassembled,inspected & repaired w/more compatible matls,W/950131 re BRIGLD., PEARCE,L.W. Commonwealth Edison Co. 95/02/01 8pp 82799 277-82799 284

95022209254 LER 95-002-01 on 950120 thermal overloads improperly sized found on CR HVAC sys due to inadequate original design analysis Completed issue screened & engineered evaluation performed W/950217 re HARMAS,M., PEARCE,L.W. Commonwealth Edison Co. 95/02/17 8pp 82688 253-82688 259

V. Operator Examinations

9502220979 Informs that NRC plans to administer GPES of written operator licensing exam on 950405 RING,M.A. Region 3 (Post 820201) 95/01/25 LACROIX,D.G. Consumers Power Co. DALLP,J.F. Union Electric Co. THOMPSON,L.P. Illinois Power Co. 3pp 82658 356-82658 357

95022210375 Advises that license OP-30519-2,for RJ Bryant will not be maintained PEARCE,L.W. Commonwealth Edison Co. 95/02/06 Document Control Branch (Document Control Desk) 1p 82759 356-82759 356

DOCKET 95-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

95022210346 Forwards Rev 14 to suitability,training & qualification plan (STOP),providing clarification of change included in Rev 13 to STOP W/o encl HAAS,K.M. Consumers Power Co. 95/01/24 Document Control Branch (Document Control Desk) 1p pp 82587 330-82587 330

95022210124 Rev 3 to Emergency Implementing Procedure EI-6.4, "Release/ Potential Release Determination From Containment High-Range Monitors," applicability review WYMER,S.L. Consumers Power Co. BROTT,N.K. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06 8pp 82761 324-82761 331

95022210113 Rev 4 to Emergency Implementing Procedure EI-14, "Medical Care/Treatment of Contaminated Injured Personnel," applicability review WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/02/06 8pp 82761 349-82761 357

95022210118 Rev 3 to Emergency Implementing Procedure EI-6.6, "Gamma E Determination," applicability review WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/02/06 8pp 82761 332-82761 338

9502220955 Forwards info re physical security activities at plant for review & followup & requests that results of disposition of matter be submitted to within 30 days W/o encl CANIANO,R.J. Region 3 (Post 820201) 95/02/06 PALMSANO,T. Consumers Power Co. 2pp 82784 300-82784 301

30 DOCKETED ITEMS

9502170189 Submits response to NRC request for addl info discussed in 941221 re re physical security concerns at plant
PALMSAND, T.J. Consumers Power Co 95/02/13 Document Control Branch (Document Control Desk) 6pp 82780 001-82780 061

9502170191 "Palisades Plant Investigative Rept."
WILSON, M.G. SHERIDAN, J., STALEY, P.L. Consumers Power Co 95/01/27 55pp 82780 007-82780 061

9502170171 Discusses changes to ERDS including replacement of critically functions monitoring sys (CFMS) which provides SPDS functionality Replacement of CFMS computer scheduled for Mar or Apr of 1995
HAAS, K.M. Consumers Power Co 95/02/13 Document Control Branch (Document Control Desk) 14pp 82803 278-82803 291

G. Adjudicatory correspondence

9502030186 Responds to postcard dated Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82885 001-82885 063

H. General correspondence

9502140212 Advises that AM Oms change in duty does not need to be included in distribution
DAVIS, A.M. Consumers Power Co 95/02/07 NRC - No Detailed Affiliation Given 1p 82758 357-82758 357

P. Operating license stage documents & correspondence

9502000257 Requests that NRR review & provide feedback on adequacy of pump testing at low flow conditions to demonstrate operational readiness
MARTIN, T.O. Region 3 (Post 820201) 93/07/22 ZWOLINSKI, J.A. Division of Reactor Projects - III, IV, V (Post 901215) 2pp 82622 192-82622 193

9502000114 Partial response to FOIA request for documents re SECY-82-043, dtd 820207 listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, J.A. Division of Freedom of Information & Publications Services (900205-940714) 94/06/17 RICO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 276

9502000284 Forwards updated list of NODs as transmitted on 940111
GREEN, M.A. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - III, IV, V (Post 901215) 3pp 82592 228-82592 230

9502000246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, J.A. Division of Freedom of Information & Publications Services (900205-940714) 94/06/18 CRIMM, A.M. Affiliation Not Assigned 2pp 82621 279-82621 318

9502000251 "Enforcement action tracking sys, Licensee history rept (short list) sorted by licensee 850101-940508"
NRC - No Detailed Affiliation Given 94/06/08 33pp 82621 281-82621 313

9502010058 Requests approval for use of Code Case N-498-1 for IST during 1995 refueling outage, presently scheduled to begin in May 1995
HAAS, K.M. Consumers Power Co 95/01/24 Document Control Branch (Document Control Desk) 6pp 82590 278-82590 283

9502000012 Informs licensee that revised rept "Evaluation of Palisades Current Pressurized Thermal Shock Screening Criteria Margin" found acceptable Previous versions of rept w/proprietary info withheld & returned to licensee
GAMBERONI, M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 HAAS, K.M. Consumers Power Co 8pp 82714 339-82714 346

9502000025 Suppl 1 to NRC Administrative LR 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82682 105-82682 106

9502070026 Provides corrected containment hood vol for 941229 application for amend to license DPR-20
HAAS, K.M. Consumers Power Co 95/02/02 Document Control Branch (Document Control Desk) 1p 82663 356-82663 356

9502070190 Submits change in commitments to perform post-outage containment M concentration analysis & sump pH analysis of NUREG-0737, Item II B 3
HAAS, K.M. Consumers Power Co 95/02/02 Document Control Branch (Document Control Desk) 4pp 82661 344-82661 347

9502070192 Submits NRE & proposed mod to prevent core debris from entering containment sump
HAAS, K.M. Consumers Power Co 95/02/02 Document Control Branch (Document Control Desk) 7pp 82665 316-82665 322

9502000137 Forwards SE finding w/ has met requirements of CEOG response & GL 89-19 re SG overall events & SLOCA & conduct applicability analysis
GAMBERONI, M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 HAAS, K.M. Consumers Power Co 2pp 82689 342-82689 348

9502000143 Safety evaluation re CE Owners Group SG overall protection MSLE probability very likely lower than 0.5
Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 5pp 82668 344-82668 348

9502170065 Notices of meeting w/ w/ on 950223 in Rockville, MD to review Palisades compliance w/ PTS Screening Criteria
GAMBERONI, M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82768 354-82768 356

9502200177 Notification of 950223 meeting w/ w/ in Rockville, MD to discuss plant compliance w/ PTS screening criteria Meeting cancelled
GAMBERONI, M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82795 344-82795 348

9502150388 Forwards application for amend to license DPR-20, proposing one time del of limit of several 18-month refueling interval surveillance tests
HAAS, K.M. Consumers Power Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82770 202-82770 224

9502150389 Application for amend to license DPR-20, proposing one time del of 18-month refueling interval surveillance tests
HAAS, K.M. Consumers Power Co 95/02/10 3pp 82770 204-82770 206

9502150390 Proposed tech spec supporting one time del of refueling interval surveillance tests
Consumers Power Co 95/02/10 18pp 82770 207-82770 224

9502150387 Requests exemption from certain requirements of 10CFR50, App G & application of ASME Code Case N-514 "LTOP" in determining acceptable LTOP setpoint for plant
HAAS, K.M. Consumers Power Co 95/02/10 Document Control Branch (Document Control Desk) 5pp 82803 273-82803 277

9502240216 Provides answers to NRR reviewer C Lang questions re 941005 TS change request proposing revised PCS pressure-temp limits Revised TS page 3-1d removing ref to pressurizer level in proposed spec 3.1.1 & clarifying bases and
HAAS, K.M. Consumers Power Co 95/02/10 Document Control Branch (Document Control Desk) 4pp 82871 267-82871 271

9502240220 Proposed TS page 3-1d, removing ref to pressurizer level in spec 3.1.1 & clarifying bases
Consumers Power Co 95/02/10 1p 82871 271-82871 271

9502230282 Forwards revised TS Figure 3-4 "LTOP Setpoint Limit" only allowing PCP start under conditions which have been shown, analytically to be acceptable per C Lang questions re 941005 TS change request revising PCS PT limits
HAAS, K.M. Consumers Power Co 95/02/20 Document Control Branch (Document Control Desk) 4pp 82839 200-82839 205

9502230284 Proposed TS Figure 3-4, "LTOP Setpoint Limit"
Consumers Power Co 95/02/20 2pp 82839 204-82839 205

9502270222 Forwards EA & FONSI re 950210 request for exemption from requirements of App G to 10CFR50 so that ASME Code Case N-514 may be used as acceptable alternative method to determine acceptable low temp protection setpoints
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 HAAS, K.M. Consumers Power Co 2pp 82852 175-82852 182

9502270228 EA & FONSI re request for exemption from certain requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operations" EIS unwarranted
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 8pp 82852 177-82852 182

9502290349 Administrative LR 95-02 to all holders of OLE or CPs re cost beneficial licensing actions
BRODIE, V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82846 001-82846 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (ref FOIA exemption B) App D records completely withheld (ref FOIA exemption 5)
POWELL, A. Division of Freedom of Information & Publications Services (900205-940714) 94/07/06 FIDELLER, Affiliation Not Assigned 6pp 82824 140-82824 031

9502200168 Partially deleted listing of "Enforcement Action Tracking Sys"
NRC - No Detailed Affiliation Given 94/06/05 175pp 82624 158-82624 005

9501000219 NRC Bulletin 95-001, "QA Programs for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501200060 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82605 038-82605 046

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502030319 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82818 037-82818 042

9502150014 Forwards NRR rept on Main Rule review w/ to plant during 941205-12
PAPERIELLO, C.J. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co 2pp 82722 012-82722 028

9502200239 Provides update on status of testing, mode & design reviews for plant emergency escape airlock, as follows to w/ 910729, 980830 & 0522 responses to proposed NOV in NRC Insp Rept 90-286/99-09, dtd 990421
HAAS, K.M. Consumers Power Co 95/02/10 Document Control Branch (Document Control Desk) 7pp 82839 296-82839 311

9502170162 Advances of add planned action to be taken in response to NDV on failure to prevent degraded performance of EDG
HAAS,K.M. Consumers Power Co. 95/02/13 Document Control Branch (Document Control Desk) 2pp 82779 854-82779 355

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 095

9502210850 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82843 016-82843 025

R. Periodic operating reports & related correspondence

9502100174 Monthly operating rep for Jan 1995 for Palisades Nuclear Plant W/950202
BURLING,W. WILLIAMS,A.I. Consumers Power Co. 95/01/31 5pp 82720 175-82720 179

V. Operator Examinations

9502020021 Discusses action between J. Linnertz & R. Frigo re arrangements made for administration of licensing exams at plant written exams & operating tests scheduled for wk of 950317
RING,M.A. Region 3 (Post 820201) 95/01/25 PALMISANO,T. Consumers Power Co. 2pp 82550 335-82550 335

9502020079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING,M.A. Region 3 (Post 820201) 95/01/25 LACROIX,D.G. Consumers Power Co. DAMPE,J.F. Union Electric Co. THOMPSON,D.P. Mirco Power Co. 3pp 82559 355-82559 357

9502020018 Advances that 950124 rev 14 to plant suitability, training & qualification plan consistent w/requirements of 10CFR50.54(p) & acceptable
CANNANO,R.J. Region 3 (Post 820201) 95/01/31 HAAS,K.M. Consumers Power Co. 2pp 82645 050-82645 051

V. Dry Cask Independent Spent Fuel Storage Installations

9502220189 Informs that NRC in process of responding to public re dry cask storage at plant. Forwards RAI re dry cask storage in order to respond accurately to public inquiry. Requests response within 30 days
KENNEDY,J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 HAAS,K.M. Consumers Power Co. 3pp 82795 352-82795 354

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502180337 Rev 19 to "Radiological Emergency Plan" W/950208
MEDFORD,J.O. WHITAKER,E.W. Tennessee Valley Authority 95/01/12 18pp 82772 060-82772 079

9502020062 Revised EPIPs, including index & rev 17 to EPIP-1, "Emergency Plan Classification Logic" W/950120
SALAS,P. Tennessee Valley Authority 95/01/20 21pp 82620 158-82620 178

9502140040 Forwards insp repts 50-258/95-04, 50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted
CASTO,C.A. Region 2 (Post 820201) 95/02/08 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82713 260-82713 260

9502140047 Insp repts 50-259/95-04, 50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted. Major areas inspected fire protection, design changes & modifications & plant operations
WISEMAN,G.R. Region 2 (Post 820201) 95/02/07 7pp 82713 263-82713 289

9502220155 Forwards insp repts 50-259/95-06, 50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS,D.M. Region 2 (Post 820201) 95/02/17 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82653 133-82653 136

9502220037 Insp repts 50-258/95-06, 50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted. Major areas inspected security, lighting, access controls, search equipment, protected area barriers, security sys power supplies & alarm stations
THOMPSON,D.P. Region 2 (Post 820201) 95/02/16 1p 82853 135-82853 136

G. Adjudicatory correspondence

9502030156 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B. Affiliation Not Assigned 52pp 82655 001-82655 059

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043,dtd 7/20/77 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED,C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RICCI,O.J. Public Citizen's Critical Mass Energy Project. 121pp 82562 009-82562 275

9502220207 Requests FR publication of notice of consideration of issuance of amendments to licenses DPR-33, DPR-52 & DPR-68 & proposed NSIC determination & opportunity for hearing on 821223 request re mod of requirements for LPCA sys
HEBDON,F.J. Project Directorate 114 (formerly TVA Project Directorate) (Post 900603) 94/03/18 NRC - No Detailed Affiliation Given 4pp 82592 131-82592 134

9502130111 Final response to FOIA request for info Forwards App A info, in part already available in PDR App A info partially withheld (See FOIA Exemption 5-6)
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG,L.J. Affiliation Not Assigned 2pp 82738 158-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problem plants identified at June 1993 Region II SMM & performance of other plants
NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 151-82738 215

9502060043 Informs that IAW Senior Management meeting decision, Units 1 & 3 remain classified as requiring close NRC monitoring
TAYLOR,M. Dir. of the Executive Director for Operations 95/02/01 KINGSLEY,O.D. Tennessee Valley Authority 4pp 82868 276-82868 282

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 195-82552 189

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to fully address issues raised in NRC 941108 ltr re implementation schedule for retention of Nuclear Experience Review group records as QA records at TVA facilities
WHITAKER,E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 154-82744 185

9502160313 Forwards amendments 215,231 & 168 to licenses DPR-33, DPR-52 & DPR-68 & safety evaluation. Amendments in response to 950829 application re testing slots for charcoal used in ventilation sys at plant
WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 KINGSLEY,O.D. Tennessee Valley Authority 1p 82754 143-82754 185

9502160316 Amendments 215,231 & 168 to licenses DPR-33, DPR-52 & DPR-68, respectively, responding to 950829 application re testing slots for charcoal used in ventilation sys at plant
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 39pp 82754 144-82754 183

9502160319 Safety evaluation supporting amendments 215,231 & 168 to licenses DPR-33, DPR-52 & DPR-68, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 2pp 82754 164-82754 185

9502190049 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
IMBRO,E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

9502270223 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68, reusing TS-348 re removal heat removal sys interlock installation
MACHON,R.D. Tennessee Valley Authority 95/02/23 Document Control Branch (Document Control Desk) 3pp 82863 155-82863 223

9502270228 Proposed tech specs re RHR sys interlock installation
Tennessee Valley Authority 95/02/23 56pp 82683 155-82683 223

G. Inspection reports, NE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents. Records in App end & will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FIDELLE,R. Affiliation Not Assigned 8pp 82824 140-82824 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
NRC - No Detailed Affiliation Given 94/06/06 175pp 82824 158-82824 005

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 039-82805 048

9502030172 Forwards insp repts 50-258/95-01, 50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted
CASTO,C.A. Region 2 (Post 820201) 95/01/30 KINGSLEY,O.D. Tennessee Valley Authority 4pp 82624 080-82624 088

9502030174 Insp repts 50-258/95-01, 50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted. Major areas inspected maintenance of electrical systems & engineering support for maintenance
FILLION,P. SHYMLOCK,M. Region 2 (Post 820201) 95/01/29 5pp 82624 084-82624 089

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82552 158-82552 184

9502140816 Ack receipt of 950119 ltr informing NRC of steps taken to correct violations noted in insp repts 50-258/94-11, 50-260/94-11 & 50-296/94-11
PEEBLES,T.A. Region 2 (Post 820201) 95/02/02 KINGSLEY,O.D. Tennessee Valley Authority 2pp 82713 141-82713 142

32 DOCKETED ITEMS

9502230313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502130049 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
Office of Public Affairs (Post 91117) 95/02/03 8pp 82742 137-82742 138

9502140040 Forwards insp repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted
CASTO,C.A. Region 2 (Post 820201) 95/02/08 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82713 260-82713 269

9502140047 Insp repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted Major areas inspected fire protection design changes & modifications & plant operations
WISEMAN,G.R., CASTO,C. Region 2 (Post 820201) 95/02/07 7pp 82713 263-82713 268

9502140117 Forwards insp repts 50-259/94-36,50-260/94-36 & 50-296/94-36 on 941218-950114 Noncritical violation noted
LESSER,M.S. Region 2 (Post 820201) 95/02/08 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82714 258-82714 279

9502140123 Insp repts 50-259/94-36,50-260/94-36 & 50-296/94-36 on 941218-950114 Noncritical violations noted Major areas inspected areas of operations,surveillance testing,emergency activities & review of open items
WERT,L.D., LESSER,M.S. Region 2 (Post 820201) 95/02/08 18pp 82714 262-82714 278

9502140203 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502230360 Forwards proposed insp plan & checklist for SWS operational performance (insp rpt 940202 to notify NRC of intent to perform self-assessment of SWS)
SALAS,P. Tennessee Valley Authority 85/02/18 Document Control Branch (Document Control Desk) 85pp 82848 302-82848 342

9502230358 Forwards insp rpt 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS,D.M. Region 2 (Post 820201) 95/02/17 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82653 133-82653 136

9502230370 Insp repts 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted Major areas inspected security lighting,access controls-search equipment,protected area barriers,security sys power supplies & alarm stations
THOMPSON,D., MACSUIRE,D. Region 2 (Post 820201) 95/02/16 1p 82653 136-82653 136

9502230001 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 018-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502140178 Monthly operating repts for Jan 1995 for Browns Ferry Nuclear Plant W/
950207 to
SMITH,T.R., SALAS,P. Tennessee Valley Authority 95/01/31 13pp 82744 223-82744 235

V. Operator Examinations

9502210005 Notifies staff of Region II annual Training Managers Conference in Atlanta,GA on 950208-09 to inform regional training & operations mgmt of status & policies that affect licensing of reactor plant operators
PEGGLES,T.A. Region 2 (Post 820201) 95/01/24 KINGSLEY,O.D. Tennessee Valley Authority 2pp 82768 063-82768 064

9502060325 Reports change in medical status for listed individual in accordance w/ 10CFR25.25 Change became effective 950105 Medical info & certification of medical exams (NRC Form 396) and Exits withheld per 10CFR2.790(a)(6)
MACHON,R.D. Tennessee Valley Authority 95/01/30 EDNETER,S.D. Region 2 (Post 820201) 2pp 82665 229-82665 230

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502180327 Rev 18 to "Radiological Emergency Plan" W/950208 to
MEDFORD,M.O., WHITAKER,E.W. Tennessee Valley Authority 95/01/12 19pp 82772 060-82772 079

9502020062 Revised EIRPs including index & rev 17 to EIRP-1, "Emergency Plan Class-4/Category Logic" W/950120 to
SALAS,P. Tennessee Valley Authority 95/01/20 21pp 82620 158-82620 178

9502140040 Forwards insp repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted
CASTO,C.A. Region 2 (Post 820201) 95/02/08 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82713 260-82713 269

9502240047 Insp repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted Major areas inspected fire protection design changes & modifications & plant operations
WISEMAN,G.R. Region 2 (Post 820201) 95/02/07 7pp 82713 263-82713 269

9502260355 Forwards insp rpt 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS,D.M. Region 2 (Post 820201) 95/02/17 KINGSLEY,O.D. Tennessee Valley Authority 3pp 82653 133-82653 136

9502260370 Insp repts 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted Major areas inspected security lighting,access controls-search equipment,protected area barriers,security sys power supplies & alarm stations
THOMPSON,D. Region 2 (Post 820201) 95/02/16 1p 82653 136-82653 136

G. Adjudicatory correspondence

9502030196 Responds to postcard dtd Nov 14,1994,requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B. Attention Not Assigned 52pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502230114 Partial response to FOIA request for documents re SECY-92-043,044 920207 Listing of records in App A already available in PDR Records in App B encl & will be available in PDR
REED,C.A. Division of Freedom of Information & Publications Services (890206 940714) 94/05/17 RHOUGH,J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 008-82582 275

9502230207 Requests RR publication of notice of consideration of issuance of amendments to licenses DPR-33,DPR-52 & DPR-66 & proposed NSHC determination & opportunity for hearing on 921223 request re mod of requirements for LPCI sys
HEBDON,F.J. Project Directorate H-4 (formerly TVA Project Directorate) (Post 900603) 93/03/18 NRC - No Detailed Attention Given 4pp 82592 131-82592 134

9502130111 Final response to FOIA request for info Forwards App A info pert,already available in PDR App A info partially withheld (See FOIA Exemption 5-6)
POWELL,R. Division of Freedom of Information & Publications Services (890206 940714) 94/06/15 ARMSTRONG,L.J. Attention Not Assigned 2pp 82738 185-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problems plants identified at June 1993 Region II SMM & performance of other plants
NRC - No Detailed Attention Given 94/01/11 NRC - No Detailed Attention Given 24pp 82738 181-82738 215

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL,R. Division of Freedom of Information & Publications Services (890206 940714) 94/07/07 BLANCH,P. Attention Not Assigned 5pp 82906 322-82906 339

9502210119 "Notice of Enforcement Decision"
NRC - No Detailed Attention Given 94/06/22 13pp 82906 327-82906 339

9502100393 Requests discretionary enforcement from requirements of TS LCD 3.9 B.3 in order to perform repairs & maintenance necessary to return DG C to operations
SALAS,P. Tennessee Valley Authority 85/01/23 Document Control Branch (Document Control Desk) 14pp 82587 329-82587 349

9502060327 Discusses w/ 950123 re requesting that NRC exercise discretion not to enforce compliance w/actions required in TS 3.9 B.3 NRC grants w/ request for period 950123-26
EDNETER,S.D. Region 2 (Post 820201) 95/01/25 KINGSLEY,O.D. Tennessee Valley Authority 5pp 82601 133-82601 137

9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82662 195-82662 199

9502090305 Forwards "Reactor Containment Bldg ILRT Browns Ferry Nuclear Plant Unit 2 Conducted 941105-07" Requests NRC approval of BFM subsequent ILRT (Type A test) schedule,since 24-hour primary containment total leak rate exceeded TS limit
SALAS,P. Tennessee Valley Authority 95/02/06 Document Control Branch (Document Control Desk) 2pp 82726 258-82727 011

9502090306 "Reactor Containment ILRT Browns Ferry Nuclear Plant Unit 2 Conducted 941105-07," test rpt
CLARKE,K., GREEN,K. Tennessee Valley Authority 95/01/25 11pp 82726 261-82727 011

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to fully address issues raised in NRC 941106 to re implementation schedule for retention of Nuclear Emergency Response group records as QA records at TVA facilities
WHITAKER,E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 184-82744 186

9502180313 Forwards amends 215,231 & 188 to licenses DPR-33,DPR-52 & DPR-66 & safety evaluation Amends in response to 930829 application re testing aids for charcoal used in ventilation sys at plant
WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 KINGSLEY,O.D. Tennessee Valley Authority 1p 82754 143-82754 165

9502180310 Amends 215,231 & 188 to licenses DPR-33,DPR-52 & DPR-66, respectively,responding to 930829 application re testing aids for charcoal used in ventilation sys at plant
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 39pp 82754 144-82754 163

-9502160319 Safety evaluation supporting amends 215-231 & 189 to licenses DPR-33 DPR-52 & DPR-68 respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 2pp 82754 184 82754 185

9502160349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
NRC/OLEV Cost Beneficial Licensing Actions Staff (CBLA) (Post 841001) 95/02/20 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502270239 Application for amends to Licenses DPR-33 DPR-52 & DPR-68, reworking TS-348 re residual heat removal sys interlock installation
MACHON R D Tennessee Valley Authority 95/02/23 Document Control Branch (Document Control Desk) 3pp 82883 155-82883 223

-9502270238 Proposed tech specs re RHR sys interlock installation
* Tennessee Valley Authority 95/02/23 86pp 82883 155-82883 223

O Inspection reports, IE Bulletins & correspondence

9502290121 Partial response to FOIA request for documents Records in App and 3 will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL R A Division of Freedom of Information & Publications Services (890205-940714) 94/07/06 FIDELLE R Attribution Not Assigned 9pp 82824 140-82825 031

-9502210158 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Attribution Given 94/06/06 175pp 82824 158-82825 006

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82805 008-82805 048

9502030172 Forwards insp repts 50-259/95-01, 50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted
CASTO C A Region 2 (Post 820201) 95/01/30 KINGSLEY, O D Tennessee Valley Authority 3pp 82624 060-82624 088

-9502030174 Insp repts 50-259/95-01, 50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted Major areas inspected maintenance of electrical systems & engineering support for maintenance
FULLON P SHYMLOCK M Region 2 (Post 820201) 95/01/26 3pp 82624 084-82624 088

9501250425 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 184

9502140215 Ack receipt of 950118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11
PEEBLES T A Region 2 (Post 820201) 95/02/02 KINGSLEY, O D Tennessee Valley Authority 2pp 82713 141-82713 142

9502030113 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008

9502140440 Forwards insp repts 50-259/95-04, 50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted
CASTO C A Region 2 (Post 820201) 95/02/06 KINGSLEY, O D Tennessee Valley Authority 3pp 82713 260-82713 268

-9502140447 Insp repts 50-259/95-04, 50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted Major areas inspected fire protection design changes & modifications & plant operations
WISSEMAN G R CASTO C Region 2 (Post 820201) 95/02/07 7pp 82713 262-82713 262

9502140117 Forwards insp repts 50-259/94-36, 50-260/94-36 & 50-296/94-36 on 941216-350114 Nonfatal violation noted
LESSER M S Region 2 (Post 820201) 95/02/08 KINGSLEY, O D Tennessee Valley Authority 3pp 82714 269-82714 278

-9502140123 Insp repts 50-259/94-36, 50-260/94-36 & 50-296/94-36 on 941218-950114 Nonfatal violations noted Major areas inspected areas of operations surveillance testing/monitoring activities & review of open items
WERT L D LESSER M S Region 2 (Post 820201) 95/02/08 18pp 82714 262-82714 279

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82818 037-82818 042

9502100048 Forwards "Browns Ferry Plant Unit 2 Cycle 7 ISI NES-1 Rept," in accordance w/paragraphs RFA-6220 & RFA-6230 of ASME B&PV Code, Section XI, 1996 Edition
SALAS P Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 2pp 82760 001-82761 110

-9502100053 "Browns Ferry Nuclear Plant Unit 2 Cycle 7 ISI NES-1 Rept,"
* Tennessee Valley Authority 95/01/12 471pp 82760 004-82761 110

9502230269 Forwards proposed insp plan & checklist for SWS operational performance insp per 840202 ltr notifying NRC of intent to perform self-assessment of SWS
SALAS P Tennessee Valley Authority 95/02/16 Document Control Branch (Document Control Desk) 36pp 82846 309-82848 342

9502230355 Forwards insp repts 50-259/95-06, 50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS D M Region 2 (Post 820201) 95/02/17 KINGSLEY, O D Tennessee Valley Authority 3pp 82853 133-82853 136

-9502200378 Insp repts 50-259/95-06, 50-260/95-06 & 50-296/95-06 on 950129-27 No violations noted Major areas inspected security lighting, access controls, search equipment, protected area barriers, security sys power supplies & alarm stations
THOMPSON D M GOSWAMI D Region 2 (Post 820201) 95/02/16 1p 82853 136-82853 136

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc"
GRIMES B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502240637 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502140178 Monthly operating repts for Jan 1995 for Browns Ferry Nuclear Plant W/
950207 ltr
SMITH T R SALAS P Tennessee Valley Authority 95/01/31 13pp 82744 229-82744 235

S. Reportable occurrences, LERs & related correspondence

9502010018 Forwards rev 1 to LER 94-013 re Unit 2 scram that occurred as result of failure due to setpoint drift in reactor cooling water temp batch Rev reflects add actions being taken to evaluate other balance of plant devices
MACHON R D Tennessee Valley Authority 95/01/19 Document Control Branch (Document Control Desk) 3pp 82605 038-82605 067

-9502010030 LER 94-013-01 on 941202, Unit 2 received full automatic scram from 54% reactor power caused by mechanical degradation of reactor cooling water temp switch Affected systems returned to operable status & temp switch replaced before restart
AUSTIN S W Tennessee Valley Authority 95/01/19 9pp 82605 062-82605 067

V. Operator Examinations

9502210006 Notices url of Region II annual Training Managers Conference in Atlanta, GA on 950206-09 to inform regional training & operations mgr of issues & policies that affect licensing of reactor plant operators
PEEBLES T A Region 2 (Post 820201) 95/01/24 KINGSLEY, O D Tennessee Valley Authority 2pp 82769 093-82769 094

9502040228 Reports change in medical status for listed individual in accordance w/ 10CFR158.25 Change became effective 950105. Medical info & certification of medical exam (NRC Form 396) and ERs withheld per 10CFR2.730(a)(6)
MACHON R D Tennessee Valley Authority 95/01/30 EBNETER, S D Region 2 (Post 820201) 2pp 82688 228-82688 230

DOCKET 58-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protective plans

9502070314 Rev 11 to Plant Emergency Procedure (PEP) PEP-101 "Total Emergency Action" W/950130 ltr
KRICH, R M Carolina Power & Light Co 95/01/30 8pp 82697 294-82697 301

9502070220 Rev 11 to EPP PEP-302, "Dose Projections"
KRICH, R M Carolina Power & Light Co 95/02/02 11pp 82966 152-82966 162

9502130164 Forwards request for exemption from requirements of 10CFR50, App R, Section III in accordance w/ 10CFR50.12(a)(1) re emergency lighting in outdoor areas
KRICH, R M Carolina Power & Light Co 95/02/02 Document Control Branch (Document Control Desk) 3pp 82728 120-82728 122

9502140018 Inform that 950120 ltr transmitted incorrect FEMA evaluation repts & forwards correct repts
CLINE W E Region 2 (Post 820201) 95/02/02 HERNANT, C S Carolina Power & Light Co 9pp 82713 080-82713 140

-9501100275 Forwards final exercise repts for 931130 full participation plume exposure & partial ingestion pathway exercise of offsite radiological emergency response plans site-specific to plant
HEPLER, O M Federal Emergency Management Agency 94/12/20 SPRESSARD, R L Office of Nuclear Reactor Regulation (Post 941001) 1p 82713 083-82713 083

-9501100279 "Final Exercise Repts of HB Robinson Nuclear Station 931130 Exercise"
* Federal Emergency Management Agency 94/11/30 57pp 82713 084-82713 140

9502210346 Revised Plant Emergency Procedures (PEPs) including Rev 8 to PEP-953 "Performance of Drills & Exercises" & Rev 6 to PEP-172, "Assistant to Emergency Response Manager" W/950214 ltr
KRICH, R M Carolina Power & Light Co 95/02/14 16pp 82803 314-82803 329

9502240172 Revised EPIPs including rev 5 to PEP-001, rev 2 to PEP-004, rev 1 to PEP-005, rev 12 to PEP-502 & rev 12 to PEP-503 W/ 950217 ltr
KRICH, R M Carolina Power & Light Co 95/02/17 144pp 82844 118-82844 260

34 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents. Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M. Attention Not Assigned 2pp 82621 279-82621 313

-9502030251 Enforcement action tracking sys License history rept (short list) sorted by licensee 950101-940509
* NRC - No Detailed Action Given 94/06/06 3pp 82621 281-82621 313

9502270269 Forwards correction of exemption did 941220
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19
ORSE, W.S. Carolina Power & Light Co 4pp 82652 089-82652 074

-9502270276 FR notice of correction re exemption for Carolina Power & Light Co plants On page 66979, column 2, paragraph 1 is corrected
WUNDER, G.B. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 1p 82652 073-82652 073

-9502270281 Corrected page 86679 for exemption issued to unpublished in FR did 941220
* Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 Carolina Power & Light Co 1p 82652 074-82652 074

9502030283 Forwards SE re request for relief from section XI requirement on temporary repair of class 3 pipe for plant unit 2 Relief granted until next scheduled outage exceeding 90 days
MOZAFARI, B.L. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/26
HINNANT, C.S. Carolina Power & Light Co 2pp 82614 290-82614 296

-9502030291 Safety evaluation granting request for relief from section XI requirements on temporary repair of class 3 pipe for plant unit 2
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 5pp 82614 293-82614 296

9502030300 Application for amend to license DPR-23 requesting change to reduce or eliminate testing of operable EDG inoperable & to permit TS testing of operable EDG w/o one EDG inoperable w/o entering condition prohibited by TS
KRICH, R.M. Carolina Power & Light Co 95/01/28 Document Control Branch (Document Control Desk) 14pp 82654 256-82654 277

-8502030304 Proposed tech specs requesting to reduce or eliminate testing of operable EDG when other EDG inoperable & to permit TS testing of operable EDG w/o one EDG inoperable w/o entering condition prohibited by TS
* Carolina Power & Light Co 95/01/28 5pp 82654 266-82654 277

9502140084 Informs that review completed of 10CFR50.54(e) submitted, did 941205 re changes to GAP review requirements of plant procedures per NRC 84-1976. Provides approval to use GAP changes described in submittals did 830726 & 941205
GIBSON, A.F. Region 2 (Post 820201) 95/01/31 HINNANT, C.S. Carolina Power & Light Co 3pp 82713 234-82713 238

9502140140 Refers to management meeting conducted in region office on 950120, to discuss results of Robinson 1994 Near Term Improvement Plan & 1995 Business Plan Summary List of attendees & copy of slides and
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/31 HINNANT, C.S. Carolina Power & Light Co 5pp 82715 001-82715 080

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502130184 Forwards request for exemption from requirements of 10CFR50, App R, Section III J in accordance w/ 10CFR50.12(a)(4) re emergency lighting in outdoor areas
KRICH, R.M. Carolina Power & Light Co 95/02/02 Document Control Branch (Document Control Desk) 3pp 82725 120-82725 122

9502140024 Confirms 950130 telcon between R. Rogan & W. Qine re 950215 meeting w/rel in Atlanta, GA to discuss all personnel competency program
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/02 HABERMEYER, J.W. Carolina Power & Light Co 4pp 82713 158-82713 159

9502030150 Application for amend to license DPR-23, amending 920818 TS change request to conform w/add provision of guidance provided by GL 90-08 re resolution of GL 70 & 94
KRICH, R.M. Carolina Power & Light Co 88/02/03 Document Control Branch (Document Control Desk) 10pp 82705 196-82705 213

-9502030183 Proposed tech specs, conforming w/add provision of guidance provided by GL 90-06 for surveillance testing of block valves associated w/presence PORVs
* Carolina Power & Light Co 95/02/03 18pp 82705 196-82705 213

9502140036 Confirms 950131 telcon between author & Rogan re rescheduling of mtg meeting previously planned for 950207. Meeting currently scheduled for 950425 to discuss all performance evaluation section
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/03 HABERMEYER, J.W. Carolina Power & Light Co 4pp 82713 234-82713 237

9502140210 Informs that second installment of \$3,068,000 of annual license fee was electronically transferred to Dept of Treasury & NRC on 950202
ROGAN, J.E. Carolina Power & Light Co 95/02/06 Document Control Branch (Document Control Desk) 1p 82772 036-82772 036

9502100112 Informs of thermal hydraulic calculations planned to support changes to reg guide 1.154 & notes existing data input deck for plant has not been updated since 1984. Forwards RAI to facilitate use of RELAP5/MODIC program for calculations
MOZAFARI, B.L. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/07 HINNANT, C.S. Carolina Power & Light Co 4pp 82711 155-82711 188

9502140135 Confirms meeting arrangement between W. Campbell & staff re meeting on engineering issues scheduled for 950215
CHRISTENSEN, C. Region 2 (Post 820201) 95/02/08 HABERMEYER, J.W. Carolina Power & Light Co 3pp 82714 324-82714 326

9502170206 Forwards amend 157 to license DPR-23 & safety evaluation Amend re vessel containment spray nozzle surveillance interval in TS 4.5.1.4 from 5 to 10 yrs
MOZAFARI, B.L. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/10 HINNANT, C.S. Carolina Power & Light Co 3pp 82776 310-82776 319

-9502170208 Amend 157 to license DPR-23 re vessel containment spray nozzle surveillance interval in TS 4.5.1.4 from 5 to 10 yrs
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/10 5pp 82776 313-82776 317

-9502170210 Safety evaluation supporting amend 157 to license DPR-23
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 2pp 82776 318-82776 319

9502210336 Submits response to request for add info re GL 90-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies 10CFR50.54(h)"
KRICH, R.M. Carolina Power & Light Co 95/02/13 Document Control Branch (Document Control Desk) 2pp 82803 330-82803 331

9502270242 Forwards safety evaluation accepting uhl proposed alternatives to ASME code requirements to test safety injection combined injection check valves to verify full stroke open capability of valves
MOZAFARI, B.L. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/21 HINNANT, C.S. Carolina Power & Light Co 2pp 82852 304-82852 309

-9502270245 Safety evaluation accepting uhl request for use of alternative methods for check valve testing for pump & valve inspection testing program at plant
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 4pp 82852 306-82852 309

9502160349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial > certain actions
PAPERIELLO, C.J. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

9502280427 Application for amend to license DPR-23 removing TS Section 4.3 re primary sys testing following opening since testing already performed per ASME B&PV Code, Section XI, "Rules for ISI of Nuclear RCS" as required by TS Section 4.0.1
KRICH, R.M. Carolina Power & Light Co 95/02/24 Document Control Branch (Document Control Desk) 11pp 82931 072-82931 086

-9502280440 Proposed tech specs reflecting removal of Section 4.3 re primary sys testing following opening
* Carolina Power & Light Co 95/02/24 4pp 82931 083-82931 086

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82905 013-82905 023

9502030001 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in failure to follow plant operating procedures
GIBSON, A.F. Region 2 (Post 820201) 95/01/24 FLETCHER, H.C. Attention Not Assigned 3pp 82901 001-82901 003

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc 5pp 82905 038-82905 046

9502030124 Ack receipt of 941111 ltr in response to NRC NOV from insp rept 50-261/94-24 NRC has evaluated plant response & found to meet requirements of 10CFR2.201 Verification activity adequate to demonstrate station blackout capability
CASTO, C.A. Region 2 (Post 820201) 95/01/30 HINNANT, C.S. Carolina Power & Light Co 3pp 82620 343-82620 355

9502030003 Responds to NRC 941229 ltr re violations noted in insp rept 50-261/94-27 Corrective actions checklist to verify RTGB switch positions will be incorporated as plant procedure by 950407
HINNANT, C.S. Carolina Power & Light Co 95/01/30 Document Control Branch (Document Control Desk) 6pp 82662 345-82662 350

9501250425 NRC Info Notice 95-005, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 198-82652 194

9502140003 Forwards insp rept 50-261/95-02 on 950109-12 No violations or denials noted
CLINE, W.E. Region 2 (Post 820201) 95/02/02 HINNANT, C.S. Carolina Power & Light Co 3pp 82713 026-82713 041

-9502140016 Insp rept 50-261/95-02 on 950109-12 No violations noted Major areas inspected organization & management controls, audits & approvals external exposure control & internal exposure control
PARKER, B.A., RANKIN, W.H. Region 2 (Post 820201) 95/01/31 10pp 82713 032-82713 041

9502030013 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 5pp 82658 001-82658 006

9502140120 Ack receipt of 950130 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/94-27
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/06 HINNANT, C.S. Carolina Power & Light Co 3pp 82714 281-82714 283

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 5pp 82818 037-82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 018-82818 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

9502200427 Application for amend to license DPR-23, removing TS Section 4.3 re primary sys testing following opening, since testing already performed per ASME B&PV Code, Section XI, "Rules for ISI of Nuclear PCs," as required by TS Section 4.0.1 KRICHUR, M. Carolina Power & Light Co. 95/02/24 Document Control Branch (Document Control Desk) 11pp 82801 072-82801 096

R. Periodic operating reports & related correspondence

9502140185 Monthly operating rept for Jan 1995 for HB Robinson SES W/ 950208 W/ SCARBOROUGH, J. KRICHUR, M. Carolina Power & Light Co. 95/01/31 App 82734 345-82734 348

S. Reportable occurrences, LERs & related correspondence

9502210021 PNO-11-95-007 on 950213, plant experienced inadvertent discharge of carbon dioxide in vital area. Area evacuated & air sample taken. Resident inspector responded to event & Status of NO notified. CHRISTENSEN, J. Region 2 (Post 820201) 95/02/13 1p 82769 224-82769 224

V. Operator Examinations

9502210046 Notice of annual training managers conference on 950206 in Atlanta, GA to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 HIRSHANT, C.S. Carolina Power & Light Co. 2pp 82759 359-82759 359

9502210084 Forwards revised NRC form 396 for ML Arnold license SOP-21110 KRICHUR, M. Carolina Power & Light Co. 95/02/03 Document Control Branch (Document Control Desk) 3pp 82867 358-82867 358

DOCKET 50-263 MONTECELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9502200027 Forwards SALP rept 50-263/95-01 for plant covering period 950601-941224. MARTIN, J.B. Region 3 (Post 820201) 95/01/24 WATZLE, E. Northern States Power Co. 2pp 82559 337-82559 344

9502200083 SALP rept 50-263/95-01 for 950601-941224 Overall performance acceptable. * Region 3 (Post 820201) 95/01/24 8pp 82559 339-82559 344

95022100189 Inform that rev 14 to plant emergency plan reviewed & concludes rev acceptable & does not degrade effectiveness of emergency planning. Rev 14 changes EALS used to classify emergency events. CREED, J.R. Region 3 (Post 820201) 95/02/08 WATZLE, E. Northern States Power Co. 2pp 82707 041-82707 042

9502210055 Rev 11 to EPR 4-415, "Containment Gas Sample Obtained at Post Accident Sampling Sys." W/950213 W/ HUDSON, G. Northern States Power Co. 95/02/13 17pp 82744 280-82744 288

9502210131 Advise that 940204 rev 12 to security training & qualification plan consistent w/ provisions of 10CFR50.54(a) & acceptable. CREED, J.R. Region 3 (Post 820201) 95/02/13 ANDERSON, R.O. Northern States Power Co. 1p 82805 288-82805 288

P. Operating license stage documents & correspondence

9502010032 Forwards SE which finds and response to GL 94-08, "Intergranular Stress Corrosion Cracking of Cone Shroud in BWR," acceptable. WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 ANDERSON, R.O. Northern States Power Co. 3pp 82578 290-82578 298

9502010034 SER accepting and response to GL 94-08, "Intergranular Stress Corrosion Cracking of Cone Shroud in BWR." * Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 7pp 82575 290-82575 299

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82852 195-82852 199

9502070170 Forwards Rev 3 of NSP/NAD-8506, "Reload Safety Evaluation Methods for Application to Monticello Nuclear Generating Plant" for NRC approval. ANDERSON, R.O. Northern States Power Co. 95/02/02 Document Control Branch (Document Control Desk) 1p 82697 067-82697 298

9502070171 Rev 3 of "Reload Safety Evaluation Methods for Application to Monticello Nuclear Generating Plant." DEAN, D.W., BONIFANT, C.A., MATSUDA, L.P. Northern States Power Co. NSP/NAD-8506 R03 95/01/27 201pp 82697 088-82697 238

9502170048 Discusses and proposal for grade approach program to verify design-basis capability in safety-related MOVs. Ack. and automated closure letter re GL-89-10 MOV program after request testing conducted during Oct 1994 relieving outage. WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 ANDERSON, R.O. Northern States Power Co. 3pp 82795 352-82795 353

9502160049 Administrative Ltr 95-02 to all holders of OLS or OPA re cost beneficial licensing actions. 1MBRO, E.V. Cost/Benefit Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, R. Bulletin & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502020027 Forwards SALP rept 50-263/95-01 for plant covering period 950601-941224. MARTIN, J.B. Region 3 (Post 820201) 95/01/24 WATZLE, E. Northern States Power Co. 2pp 82559 337-82559 344

9502200083 SALP rept 50-263/95-01 for 950601-941224 Overall performance acceptable. * Region 3 (Post 820201) 95/01/24 8pp 82559 339-82559 344

9501230080 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 048

9502060180 Confirms discussion to change time of upcoming SALP meeting previously scheduled for 950210 Informa that meeting location remains unchanged. GREENMAN, E.G. Region 3 (Post 820201) 95/01/27 WATZLE, E. Northern States Power Co. 2pp 82601 211-82601 212

9501250029 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030019 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502150014 Forwards NER rept on Mont Rule review visit to plant during 941205-12. SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co. TUETKEN, R. Commonwealth Edison Co. 2pp 82722 012-82722 028

9502200210 Response to NRC 950124 re re SALP 12 Board Initial Inp Rept 50-263/95-01 covering period 950601-941224. Analysis provided in SALP 12 rept will be used to strengthen areas where weaknesses evident & provide further improvements. HILL, W.J. Northern States Power Co. 95/02/10 Document Control Branch (Document Control Desk) 1p 82883 310-82883 310

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 018-82818 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502070257 Provides info required by 10CFR50.45(b)(5)(ii) & 10CFR50.45(b)(5)(iii) for Monticello Nuclear Generating Station plant simulator, including required four yr certification rept. ANDERSON, R.O. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82885 387-82885 280

9502220082 Monthly operating rept for Jan 1995 for Monticello Nuclear Generating Station W/950213 W/ PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 95/01/31 5pp 82811 257-82811 261

S. Reportable occurrences, LERs & related correspondence

9502070067 Special rept on 950113, two of three fire protection pumps out of svc for period of approx 15 hr. Action taken for planned preventative maint on two check valves & drain valve in fire suppression sys. Flowing fire watch established. HILL, W.J. Northern States Power Co. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82667 355-82667 356

V. Operator Examinations

36 DOCKETED ITEMS

950228079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RINK, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co
CARTEAU, P.F. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co)
SIMPSON, R.A. Constar Energy Spp 82539 355-82550 357

DOCKET 90-254 DOW CHEMICAL CO.

P. Operating license stage documents & correspondence

9502130256 Forwards response to RAI re 941221 application for amend to license R-108
RIGOT, W.L. Dow Chemical Co 95/02/06 ADAMS, A.A. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82727 259-82727 313

-9502130258 Proposed tech specs re proposed amend to license R-108
"Dow Chemical Co 95/02/06 42pp 82727 271-82727 313

DOCKET 90-295 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502200086 Ack receipt of 940124 W/transporting changes identified as Rev 33 to Plant Security Plan Changes found inconsistent w/ provisions of 10CFR50.54(a) & unacceptable corrections to plant requested within two months. Safeguards info withheld
CAN/AND R.J. Region 3 (Post 820201) 95/01/31 JOHNSON, J. Commonwealth Edison Co 2pp 82545 027-82545 028

9502170131 Forwards Rev 35 to security plan signed original & copies of security plan news being provided to c/c End withheld
JOHNSON, J.M. Commonwealth Edison Co 95/02/07 Document Control Branch (Document Control Desk) 2pp 82620 353-82620 354

9502280813 Forwards FEMA exercise rpt dtd 950217 re Iowa portion of full participation plume exposure pathway exercise of offsite emergency preparedness aspects of plant exercise conducted 940727
MCCORMACK, BARGE Region 3 (Post 820201) 95/02/13 KRAFT, E. Commonwealth Edison Co 2pp 82548 024-82548 079

-9502280815 Forwards copy of final rpt addressing State of IA portion of 940727 full participation plume exposure pathway exercise of offsite radiological emergency response plans site specific to plant
HEPLER, O.M. Federal Emergency Management Agency 95/01/17 SPESARD, R.L. 2pp 82846 026-82846 027

-9502280896 "Exercise Evaluation of Implementation of State & Local Radiological Emergency Response Plans Conducted 940727 & Remedial Exercise Conducted 941025 for Quad Cities Nuclear Power Station
"Federal Emergency Management Agency 94/11/18 43pp 82846 028-82846 079

9502220299 Forwards White Paper, "Amplifying Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Darmatt Firewrap Mini Cable Amplifying Derating Factor Calculation," in response to GL 92-08
VONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

-9502220245 "Amplifying Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9502280259 Forwards w/ submit re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs." End withheld
BRONDS, J.C. Commonwealth Edison Co 95/02/20 NRC - No Detailed Affiliation Given 2pp 82617 359-82617 360

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (800208-940714) 94/06/13 O'MEALIA, Affiliation Not Assigned 2pp 82621 279-82621 313

-9502030251 "Enforcement action tracking sys. Licensee history repts (short list) sorted by licensee 850101-940509"
"NRC - No Detailed Affiliation Given. 94/06/06 33pp 82621 281-82621 313

9502010263 Forwards listing of facility & procedure changes, tests & experiments requiring safety evaluations completed during Dec 1994 for Quad Cities Station Units 1 & 2
ATTKEN, P.C. Commonwealth Edison Co 95/01/24 Document Control Branch (Document Control Desk) 18pp 82581 188-82581 205

9502280072 Forwards SE re resolution of GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," at plants
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 FARRAR, D.L. Commonwealth Edison Co 4pp 82605 295-82605 306

-9502030104 Safety evaluation accepting licensee power operation until such units next scheduled refueling outage at which time core shrouds at each unit will be repaired
"Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 8pp 82605 295-82605 306

9502280115 Notification of 950216 meeting w/ listed attendees in Rockville, MD for w/ to address plant shroud mod as submitted in 950116 re
PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001) Spp 82607 335-82607 329

9502090114 Informs that all procedure changes required by Requested Action 1 of GL 94-02 completed at Quad-Cities Station on 941231 Certain operating crews trained by 941005 due to training schedule conflicts
KRAFT, E.S. Commonwealth Edison Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82598 352-82598 353

9502280027 Informs of 950118-19 NRC SAM re performance of NPPGSs & submits summary of discussions re Dresden plant. Concludes sense of progress evident at plant but that much remains to be done re plant staff condition & work control sys
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/01 O'CONNOR, J.J. Commonwealth Edison Co 7pp 82683 253-82683 259

9502280025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 3pp 82632 195-82632 189

9502100041 Informs that w/ investigation sufficient to support conclusion that Whole Body Counting Sys at plant operating correctly & that affected individual not internally contaminated. No add questions re matter exist
AXELSON, W.L. Region 3 (Post 820201) 95/02/02 JOHNSON, J.M. Commonwealth Edison Co 2pp 82680 204-82680 205

9502130840 Forwards SE accepting licensee 950125 ltr re staff review & approval of plant specific applicability of GE topical repl NEDO-32205-A, Rev 1
CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 FARRAR, D.L. Commonwealth Edison Co 3pp 82729 228-82729 233

-9502130034 Safety evaluation supporting licensee submittal for staff review & approval of plant specific applicability of GE topical repl NEDO-32205-A, Rev 1
"Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 2pp 82729 232-82729 233

9502148226 Forwards exemption granted from requirements of 10CFR App J, for two-ply containment penetration expansion bellows at plants
PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 FARRAR, D.L. Commonwealth Edison Co 2pp 82731 097-82731 104

-9502140024 Exemption granted from requirements of 10CFR50, App J, for two-ply containment penetration expansion bellows at four reactor units
ROE, J.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 Commonwealth Edison Co 6pp 82731 089-82731 104

9502282235 Forwards White Paper, "Amplifying Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Darmatt Firewrap Mini Cable Amplifying Derating Factor Calculation," in response to GL 92-08
VONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

-9502220245 "Amplifying Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9502210334 Forwards revised TS bases pp 3/3/4 3-9/3 3/4 3-7/3 3/4 3-7/a & B 3/4 3-1/4 reflecting alternate method of reactivity SDM demonstration testing for plants
PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co 8pp 82619 319-82619 326

9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program response to GL 90-10 W/ proprietary info
VONK, M.J. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 8pp 82558 001-82558 248

-9502240176 Rev 2 to White Paper MOV-WP-101 "As-Left Stem/Stem Nut Coefficient of Friction"
KORNS, Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82658 009-82658 059

9502270243 Forwards amends 131, 125, 152 & 146 to licenses DPR-19, DPR-25, DPR-28 & DPR-30, respectively & safety evaluation Amends upgrade sections 1.0, 3.0/4.0 & 3/4.3 re definitions, applicability & necessity of plants TS per 920729 request
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co 8pp 82652 003-82652 088

-9502270251 Amends 131, 125, 152 & 146 to licenses DPR-19, DPR-25, DPR-28 & DPR-30, upgrading sections 1.0, 3.0/4.0 & 3/4.3 of plants TS re definitions, applicability & necessity per 920729 request
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 61pp 82652 003-82652 096

-9502270280 Safety evaluation supporting amends 131, 125, 152 & 146 to licenses DPR-19, DPR-25, DPR-28 & DPR-30, respectively
"Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 12pp 82652 057-82652 068

9502280061 Forwards plant specific fracture mechanics assessment as attachment to 941214 ltr to NRC info contained in said rpt believed to be true & reliable
SCHRAEGE, J.L. Commonwealth Edison Co 95/02/17 Document Control Branch (Document Control Desk) 3pp 82614 139-82614 194

-9502280079 "Flow Tolerance Evaluation Quad Cities Units 1 & 2 Feedwater Nozzles" dtd 950228
MESSI, G.A., PYTEL, M.L., DEARDORFF, F.A. Structural Integrity Associates, Inc 58R-95-010 95/02/14 64pp 82614 142-82614 194

9502240108 Forwards corrected attachment 5 of 950216 ltr re MOV as specified in GL 89-10
VONK, M.J. Commonwealth Edison Co 95/02/30 Document Control Branch (Document Control Desk) 33pp 82615 241-82615 274

9502270878 Application for amends to licenses DPR-28 & DPR-30 re changes to name of Iowa-Minnesota Gas & Electric Co, 25% co-owner of plant, to reflect results of merger between electric company Midwest Power Sys Inc & Midwest Resources Inc
SCHRAEGE, J.L. Commonwealth Edison Co 95/02/21 Document Control Branch (Document Control Desk) 11pp 82609 345-82609 356

9502270232 Forwards RAI concerning TS upgrade program at plants
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR, D.L. Commonwealth Edison Co 23pp 82646 335-82646 358

9502180349 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
MERC, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

C. Inspection reports, IE Bulletins & correspondence

9502219121 Partial response to FOIA request for documents Records in App and C and D records completely withheld (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/06 FOIA/ELR Affirmation Not Assigned 6pp 82824 140-82825 031

-9502210189 Partially deleted listing of "Enforcement Action Tracking Sys."
* NRC - No Detailed Affirmation Given 94/06/06 175pp 82824 188-82825 005

9501890219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82905 013-82905 023

9501238260 NRC Info Notice 95-007, "Radiograph Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82806 045

9501238048 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria for Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 188-82852 184

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 9pp 82888 001-82888 008

9502190049 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
* Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 137-82742 138

9502100033 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502180014 Forwards NRC rept on Main Rule review sent to plant during 941205-12
SHAFFER, W.D. Region 3 (Post 828201) 95/02/10 DONNELLY, P.M. Consumers Power Co. 2pp 82722 012-82722 028

9502220259 Forwards insp repts 50-254/94-29 & 50-265/94-29 on 941216-950125 & NOV
GREENMAN, E.G. Region 3 (Post 820201) 95/02/15 KRAFT, E. Commonwealth Edison Co. 2pp 82786 101-82786 127

-9502220264 Notice of violation from insp on 941216-950125 Violation cited operators repositioned 171 vent valves for manual isolated out of svc on plant CR drive sys w/o placing out of svc cards on valves
* Region 3 (Post 820201) 95/02/15 2pp 82799 103-82799 104

-9502220269 Insp repts 50-254/94-29 & 50-265/94-29 on 941216-950125 Violations noted Major areas inspected operations, maint, engineering & technical support
HELAND, P. Region 3 (Post 820201) 95/02/14 23pp 82789 106-82789 127

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 006

9502100030 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82819 016-82819 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/03/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502170046 Monthly operating repts for Jan 1995 for Quad Cities Nuclear Station Units 1 & 2 w/950209
MOORE, K., ATKIN, P.C. Commonwealth Edison Co. 95/01/31 21pp 82773 148-82773 168

9502130293 Forwards Whse for duty program performance data for 6 month period ending 941231
SIMPSON, T.W. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

V. Operator Examinations

9502020073 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RINK, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, G. Consumers Power Co. CARTER, J.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) SIMPKINS, R.A. Centener Energy 3pp 82588 356-82588 057

9502140013 Advises that license DP-30519-2 for RJ Bryant will not be maintained
PEARCE, L.W. Commonwealth Edison Co. 95/02/06 Document Control Branch (Document Control Desk) 1p 82759 356-82759 366

DOCKET 58-268 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502100220 Application for amendments to licenses DPR-24 & DPR-27, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews"
LINK, B. Wisconsin Electric Power Co. 95/01/24 Document Control Branch (Document Control Desk) 8pp 82587 214-82587 230

-9502100223 Proposed tech specs, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews"
* Wisconsin Electric Power Co. 95/01/24 8pp 82587 222-82587 230

9502280004 Forwards summary description of proposed vehicle control measures for plant Encl withheld
LINK, B. Wisconsin Electric Power Co. 95/02/21 Document Control Branch (Document Control Desk) 1p 82904 345-82904 348

G. Adjudicatory correspondence

9502100129 Responds to 930324 ltr to Chairman re PWSCC of Alloy 600 in PWR vessel head penetrations & informs that based on NRC review of findings of plant inspection deemed for reasons given in encl Director's Decision
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 WILLIS, J. Greenpeace Foundation 3pp 82695 242-82695 253

-9502100137 Director's Decision under 10CFR2.208 re J. White petition requesting action on all PWR w/ respect to PWCC of Alloy 600 in PWR vessel head penetrations (DO-95-02)
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 Greenpeace Foundation 3pp 82695 242-82695 253

H. General correspondence

9502020123 Comment on proposed rule 10CFR50 re shutdown & low-power operations for NP reactors informs that use of belief that NRC already has appropriate regulatory authority over shutdown & low-power operations, as provided in Main Rule
ABDOO, R. Wisconsin Electric Power Co. 94/12/20 THE CHAIRMAN, SELIN, J. Commissioners (Post 750118) 3pp 82580 010-82580 012

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-049, dtd 5/20/92 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/17 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 008-82582 278

-9502020264 Forwards updated list of NDEs as transmitted on 940111
GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - IN, V (Post 901216) 3pp 82682 228-82682 230

9502080328 Application for amendments to licenses DPR-24 & DPR-27, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews"
LINK, B. Wisconsin Electric Power Co. 95/01/24 Document Control Branch (Document Control Desk) 8pp 82587 214-82587 230

-9502100221 Proposed tech specs, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews"
* Wisconsin Electric Power Co. 95/01/24 8pp 82587 222-82587 230

9502030028 Forwards correction to SE for amendments 158 & 162 to licenses DPR-24 & DPR-27, respectively. Corrections provide for recent updates to facility not accounted for in original SE
HANSEN, A.G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 LINK, B. Wisconsin Electric Power Co. 3pp 82614 217-82614 225

-9502030048 Corrected SE supporting amendments 158 & 162 to licenses DPR-24 & DPR-27, respectively. Corrections take recent updates of plant into account in SE Redlined & Baked copy & Final copy of SE encl
* Office of Nuclear Reactor Regulation (Post 941001) 94/12/12 8pp 82614 220-82614 225

9502060026 Expresses appreciation for UM 940015 10CFR50.54(a) submittal which incorporated changes to QAP description. Informs that changes acceptable
RINK, M.A. Region 3 (Post 820201) 95/01/30 LINK, B. Wisconsin Electric Power Co. 2pp 82601 131-82601 132

9502060185 Submits mod to bases section for TS 15.3.3, "ECOS ACS, Air Recirculation Fan Coolers & CS," for plant Units 1 & 2
KRIESER, G.M. Wisconsin Electric Power Co. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82705 351-82705 353

-9502060182 Proposed tech specs re mod to bases section for TS 15.3.3, "ECOS ACS, Air Recirculation Fan Coolers & CS," for plant Units 1 & 2
* Wisconsin Electric Power Co. 95/02/01 1p 82705 353-82705 353

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 8pp 82852 195-82852 199

9502060116 Provides action plan submittal schedule for resolution of Westinghouse Alloy 600 TT mechanical plug findings at plant Units 1 & 2
LINK, B. Wisconsin Electric Power Co. 95/02/03 Document Control Branch (Document Control Desk) 3pp 82716 362-82716 364

9502100105 Forwards SE which finds no request for relief VPR-38 from plant Units 1 & 2 inservice testing program acceptable
NORRIS, J.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 LINK, B. Wisconsin Electric Power Co. 2pp 82711 189-82711 182

-9502100111 SER accepting all request for relief from plant Units 1 & 2 inservice testing program
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 2pp 82711 187-82711 182

38 DOCKETED ITEMS

9502140343 Submits addl info for QA program description changes for supps to 1994 rev of FSAH
KRIEGER, G.M. Wisconsin Electric Power Co. 05/02/09 Document Control Branch (Document Control Desk) 3pp 82742 358-82742 360

9502220074 Summary of 950201 meeting w/ubl & Westinghouse in Rockville, MD to discuss ubl plans for inspecting sleeved SG tubes at KNPP during 1995 refueling outage List of meeting participants & meeting handouts and
LAUFERR, J. Office of Nuclear Reactor Regulation (Post 941001) 05/02/15 Office of Nuclear Reactor Regulation (Post 941001) 31pp 82801 322-82801 352

9502280451 Forwards "Semiannual Monitoring Rept Jul-Dec 1994," containing info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CW sys operations & leak testing of sources Revised environ manual also and
KRIEGER, G.M. Wisconsin Electric Power Co. 05/02/20 Document Control Branch (Document Control Desk) 1p 82806 038-82806 140

-9502280464 Rev 10 to "PSNP Unit 1 & 2 Environ Manual"
"Wisconsin Electric Power Co. 04/19/19 48pp 82906 092-82906 140

9502180349 Administrative Ltr 05-02 to all holders of OUs or CAs re cost beneficial licensing actions
INERCO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 05/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501060319 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200269 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/27 Consolidated Edison Co. of New York, Inc. 6pp 82606 038-82606 048

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 05/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/03 Consolidated Edison Co. of New York, Inc. 3pp 82658 001-82658 008

9502100343 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82616 037-82616 042

9502150014 Forwards NRR rpt on Main Rule review wait to print during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 05/02/10 DONNELLY, P.M. Consumers Power Co. 2pp 82722 012-82722 028

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 05/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 015-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 026

H. Periodic operating reports & related correspondence

9502150071 Monthly operating reports for Jan 1995 for Point Beach Nuclear Plant Units 1 & 2 W/950207 to
KOUDELKA, M.B. MAXFIELD, G.J. Wisconsin Electric Power Co. 05/01/31 8pp 82770 348-82770 350

9502130265 Forwards times-for-duty program for period ending 941231
MAXFIELD, G.J. Wisconsin Electric Power Co. 05/02/01 Document Control Branch (Document Control Desk) 3pp 82728 004-82728 006

9502220191 Forwards corrected monthly operating reports for Dec 1994 for Point Beach Nuclear Plant
MAXFIELD, G.J. Wisconsin Electric Power Co. 05/02/09 Document Control Branch (Document Control Desk) 1p 82811 343-82811 352

-9502220195 Corrected monthly operating reports for Dec 1994 for Point Beach Nuclear Plant
KOUDELKA, M.B. Wisconsin Electric Power Co. 04/12/31 9pp 82611 344-82611 352

9502280461 Forwards "Semiannual Monitoring Rept Jul-Dec 1994," containing info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CW sys operations & leak testing of sources Revised environ manual also and
KRIEGER, G.M. Wisconsin Electric Power Co. 05/02/20 Document Control Branch (Document Control Desk) 1p 82806 038-82806 140

-9502280463 "Semiannual Monitoring Rept Jul-Dec 1994"
"Wisconsin Electric Power Co. 04/12/31 51pp 82906 038-82906 001

-9502280464 Rev 10 to "PSNP Unit 1 & 2 Environ Manual"
"Wisconsin Electric Power Co. 04/10/19 48pp 82906 092-82906 140

V. Operator Examinations

9502020070 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 05/01/25 LACROIX, D.G. Consumers Power Co. WEIDNER, R.C. Commonwealth Edison Co. CANTRELL, J.D. NES Utilities Inc. (formerly Iowa Electric Light & Power Co.) 3pp 82558 335-82558 357

V. Dry Cask Independent Spent Fuel Storage Installations

9502240084 Findings of fact, conclusions of law, certificate order & interim order Orders ubl to work w/Commission staff to develop info to support progress for continued operation of existing unit 2 SG
CORRILL, A. Affiliation Not Assigned 05/02/09 35pp 82815 063-82815 097

9502270070 Advises of intent to apply previously approved 10CFR50 App B, QA program to const & operation of ISFSI at plant
KRIEGER, G.M. Wisconsin Electric Power Co. 05/02/14 Office of Nuclear Material Safety & Safeguards 1p 82959 030-82959 030

9502280313 Forwards Wisconsin Electric dry storage project summary, WEPCO Nuclear Power Business Unit combined dry storage event schedule, MSB fabrication schedule & VCC liner fabrication schedule
BAUMANN, M. Wisconsin Electric Power Co. 05/02/23 STURZ, F. NRC - No Detailed Affiliation Given 8pp 82803 345-82803 352

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9502010220 Rev 3 to decommissioning fire protection plan, sections 1-4
"Public Service Co. of Colorado 05/01/17 41pp 82583 281-82583 321

I. Financial information

9502240256 Forwards certificate for reduction of stated amount to reduce ltr of credit by \$7,000,000 effective upon receipt of certificate
LENHART, H. Public Service Co. of Colorado 04/10/03 MERRILL, A. Bank of New York 23pp 82883 324-82883 345

G. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C records withheld in part (a) FOIA exemption 5) App D records completely withheld (b) FOIA exemption 5)
POWELL, J.A. Division of Freedom of Information & Publications Services (890205-940714) 04/07/06 RDELLER, Affiliation Not Assigned 6pp 82824 140-82824 031

-9502210139 Partially deleted listing of "Enforcement Action Tracking Sys."
"NRC - No Detailed Affiliation Given 04/06/06 175pp 82824 188-82824 005

9501060319 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200269 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/27 Consolidated Edison Co. of New York, Inc. 6pp 82606 038-82606 048

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 05/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/03 Consolidated Edison Co. of New York, Inc. 3pp 82658 001-82658 008

9502100343 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82616 037-82616 042

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 05/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 015-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 026

H. Periodic operating reports & related correspondence

9502080378 Forwards encls to annual radiological environ operating rpt for period Jan-Dec 1993 Encls provides clarification, corrects minor errors & provides required explanation of changes made to radiological environ monitoring program
FISHER, M.J. Public Service Co. of Colorado 05/01/30 Document Control Branch (Document Control Desk) 2pp 82712 242-82712 245

-9502080386 Encls to "1993 Annual Radiological Environ Operating Rept"
"Public Service Co. of Colorado 03/12/31 2pp 82712 244-82712 245

S. Reportable occurrences, LERs & related correspondence

9502020002 Forwards three non-compliance reports re FSF NPDES permit FISHER, M.J. Public Service Co. of Colorado 95/01/24 AUSTIN, J.H. Document Control Branch (Document Control Desk) 1p 82652 356-82652 359

9502020003 NPDES noncompliance notification on 941201, sample collected at discharge point 001A exhibited pH of 9.7 s.u. Caused by biological activity Permit amend submitted to delete pH limitation for outfall 001A. LINDT, E. Public Service Co. of Colorado 94/12/01 1p 82652 357-82652 357

9502020004 NPDES noncompliance notification on 941213, sample collected at discharge point 001A exhibited elevated pH of 8.5 s.u. Caused by biological activity Permit amend submitted deleting pH limitations for outfall 001A. LINDT, E. Public Service Co. of Colorado 94/12/13 1p 82652 358-82652 358

9502020009 NPDES noncompliance notification on 941221, sample collected at discharge point 001A exhibited elevated pH of 9.3 s.u. Caused by biological activity Permit amend submitted deleting pH limitation for outfall 001A. LINDT, E. Public Service Co. of Colorado 94/12/21 1p 82652 359-82652 359

W. Decommissioning Stage Documents & Correspondence

9502240255 Forwards certificate for reduction of stated amount, to reduce it of credit by \$7,000,000.00 effective upon receipt of certificate. LEHR, H.A. Public Service Co. of Colorado 94/10/03 MERRILL, A. Bank of New York 23pp 82883 324-82883 348

9502020025 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 195

9502200214 Transmits request for full exemption from onsite property damage insurance requirements of 10CFR50.54(e) for FSF. FISHER, M.J. Public Service Co. of Colorado 95/02/16 Document Control Branch (Document Control Desk) 12pp 82884 291-82884 302

9502240349 Administrative Ltr 95-02 to all holders of OIs or OPs re cost beneficial licensing actions. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

DOCKET 50-289 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502020189 Forwards public version of revised EPIPs, including Rev 94-10 to Vol C of table of contents, Change 13 to HP/0/B/1009/18, Change 5 to HP/0/B/1009/20, Change 2 to HP/0/B/1009/21 & Rev 94-15 to Vol B. HAMPTON, J.W. Duke Power Co. 94/11/09 Document Control Branch (Document Control Desk) 1p 82578 124-82578 354

9502020222 Public version of revised EPIPs, including Rev 94-10 to Vol C of table of contents, Change 13 to HP/0/B/1009/18, Change 5 to HP/0/B/1009/20, Change 2 to HP/0/B/1009/21 & Rev 94-15 to Vol B. HAMPTON, J.W. Duke Power Co. 94/11/09 100pp 82578 125-82578 354

9502020314 Summary of 950119 meeting w/utl re questions concerning design & technical details of proposed modification to provide over frequency protection for plant emergency power paths. WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 Office of Nuclear Reactor Regulation (Post 941001) 24pp 82622 218-82622 241

9502170232 Forwards public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1, emergency telephone directory, Rev 94-04, HP/0/B/1000/08 & RP/0/B/1000/17. HAMPTON, J.W. Duke Power Co. 95/01/28 Document Control Branch (Document Control Desk) 3pp 82775 248-82775 308

9502170235 Public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1, emergency telephone directory, Rev 94-04, HP/0/B/1000/08 & RP/0/B/1000/17. FOSTER, W.W. Duke Power Co. 95/01/31 99pp 82775 251-82775 308

9502210337 Revised EPIPs, including Rev 95-02 to EPIPs cover sheet, table of contents & Safety Assurance Directives 5.1 & 6.2 W/950215 to BROWN, R. FOSTER, W.W. HAMPTON, J.W. Duke Power Co. 95/02/13 12pp 82803 282-82803 303

G. Adjudicatory correspondence

9502180129 Responds to 950324 Rr to Chairman re PWSOC at Alloy 600 in PWR vessel head penetrations & informs that based on NRC review of findings of plant inspection denied for reasons given in encl Director's Decision. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 WILLIS, J. Greenpeace Foundation 3pp 82695 243-82695 253

I. Insurance & indemnity information

9502020429 Forwards listed info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums. TUCKERMAN, M.S. Duke Power Co. 95/01/19 Document Control Branch (Document Control Desk) 20pp 82854 001-82854 071

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207 listing of records in App A already available in PDR Records in App B encl & will be available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (880206 940714) 94/05/17 RICO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 008-82592 130

9502020225 Requests FR publication of notice of issuance of amendments 200, 200 & 197 to licenses DPR-38, DPR-47 & DPR-55 Amendments provide an interim acceptance criteria for control rod drop time on Oconee Unit 1. WIENS, L.A. Project Directorate IL-3 92/05/18 NRC - No Detailed Action Given 2pp 82592 165-82592 177

9502030155 Forwards SE which grants request for relief 92-14 from certain ASME Code requirements. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/12 HAMPTON, J.W. Duke Power Co. 3pp 82622 142-82622 149

9502020189 SE granting request for relief 92-14, per 10CFR50.55a(g)(6)(iv). * Office of Nuclear Reactor Regulation (Post 941001) 95/01/12 3pp 82622 145-82622 149

9502010118 Responds to NRC request for voluntary reporting of add occupational radiation exposure data per GL 94-04. TUCKERMAN, M.S. Duke Power Co. 95/01/20 Document Control Branch (Document Control Desk) 3pp 82590 287-82590 289

9502060002 Confirms action between NRC & utl concerning impl meeting to be conducted on 950206 at Atlanta GA to discuss concerns re identification of safety-related equipment at plant. CRILENIAK, V. Region 2 (Post 920201) 95/01/23 HAMPTON, J.W. Duke Power Co. 4pp 82601 004-82601 007

9502010238 Confirms 950128 action re Nov 1994 plug cracking at plant. NRC understands that utl has adopted latest four-point course of action. WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 TUCKERMAN, M.S. Duke Power Co. 4pp 82577 259-82577 262

9502100253 Informs that utl has reviewed Keowee operating limits supporting calculation & determined that add instrument tolerances needed to be incorporated into calculation. HAMPTON, J.W. Duke Power Co. 95/01/27 Document Control Branch (Document Control Desk) 2pp 82720 249-82720 250

9502070348 Forwards Rev 3 of "Oconee 1 Cycle 16 COLR," per TS 6.8. CANADY, K.S. Duke Power Co. 95/01/30 Document Control Branch (Document Control Desk) 1p 82666 142-82666 151

9502070249 Rev 3 of "Oconee 1 Cycle 16 COLR." ST. CLAIR, R.R. Duke Power Co. CNEH-0400-50 R08 95/01/30 3pp 82666 143-82666 151

9502130189 Forwards add info requested by NRC to support operation of Unit 3 full rated power during Cycle 16. HAMPTON, J.W. Duke Power Co. 95/01/30 Document Control Branch (Document Control Desk) 5pp 82728 085-82728 097

9502130113 Proposed tech specs re Unit 3 Cycle 16 related TS suppl 1. * Duke Power Co. 95/01/30 8pp 82728 090-82728 097

9502070325 Provides interim repl on Westinghouse Alloy 600 SG mechanical plugs installed at DPC plants, as requested by NRC in response to recent field experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs. TUCKERMAN, M.S. Duke Power Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82667 311-82667 314

9502130241 Discusses repl of error in large break LOGA ECCS analysis & forwards repl to determine new LHR limits. HAMPTON, J.W. Duke Power Co. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82734 248-82734 250

9502020025 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502180039 Notification of 950214-15 meetings w/utl in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear startups. MARTIN, R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 019-82704 025

9502180039 Withdraws proprietary attachment under App J, Section 6 to repl entitled "BWOG Integrated Plant Assessment Process Demonstration," submitted by 950105 to Nonproprietary version of info encl. CRONBERGER, D. Babcock & Wilcox Operating Plants Owners Group 95/02/03 CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 3pp 82761 194-82761 238

9502180317 "DPC Oconee Nuclear Station Unit 1 License Renewal Integrated Plant Assessment Engineering Repl ONLY-0005 Rev B." * Babcock & Wilcox Operating Plants Owners Group 47-1228602-01 94/01/19 42pp 82761 197-82761 238

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info. VARGAS, S. Division of Reactor Projects I/H (DRPI) (Post 941001) 95/02/09 TUCKERMAN, M.S. Duke Power Co. 5pp 82776 299-82776 303

9502210164 Forwards request for Relief B-01 from USAS B317 Nuclear Piping Code W/11 outside drawings. HAMPTON, J.W. Duke Power Co. 95/02/09 Document Control Branch (Document Control Desk) 16pp 82824 130-82824 139

40 DOCKETED ITEMS

9502178128 Informs licensee that subject methodologies audit scheduled for 950306-10 & provides list of info to be reviewed
WERNIS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13
TUCKERMAN, M.S. Duke Power Co 8pp 82767 113-82767 117

9502180349 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CELA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

D. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents: Records in App encl & will be available in PDR App G records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (850206-950714) 94/07/08 FIDELITE Affiliation Not Assigned 8pp 82824 140-82824 031

-9502218158 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Attribution Given 94/06/06 17pp 82824 168-82824 005

9502090078 Ltr contract/task order 40, defining task order to "Training & Qualification Effectiveness Insp." for plant units 1, 2 & 3
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-49-038 94/12/09
COLLA, J. Science & Engineering Associates, Inc. 2pp 82864 323-82864 324

9501080218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 019-82805 023

9502010228 Forwards add into re third 10-yr interval ISI plan
HAMPTON, J.W. Duke Power Co 95/01/24 Document Control Branch (Document Control Desk) 8pp 82881 282-82881 280

9502030112 Forwards insp repts 50-268/94-38 50-270/94-38 & 50-287/94-38 on 941127-1231 & notice of violation
CRILENIAK, R.V. Region 2 (Post 820201) 95/01/25 HAMPTON, J.W. Duke Power Co 3pp 82822 302-82822 320

-9502030118 Notice of violation from insp on 941127-1231 Violation noted on 941211, Keweenaw Hydro Unit 1 was not operated in accordance w/DP/O/A/1106/019: operational control of hydro unit was transferred from remote to local
* Region 2 (Post 820201) 95/01/25 1p 82822 305-82822 305

-9502030122 Insp repts 50-268/94-38, 50-270/94-38 & 50-287/94-38 on 941127-1231 Violations noted Major areas inspected plant operations, surveillance testing, maint activities, onsite engineering & technical assistance
HARMON, E., CRILENIAK, R.V. Region 2 (Post 820201) 95/01/25 15pp 82822 308-82822 320

9501230286 NRC Info Notice 95-007 "Radiopharm: Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82805 038-82805 048

9502030884 Forwards SE re plant second 10-yr interval ISI request for relief 94-03 per 10CFR50.55a(g)(9)(v)
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 HAMPTON, J.W. Duke Power Co 3pp 82805 283-82805 294

-9502030970 Safety evaluation granting second 10-yr interval ISI program plan request for relief 94-03
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 4pp 82805 291-82805 294

9502060051 Discusses plant 940224 response to NRC NQV issued on 940125 re insp repts 50-268/93-31, 50-270/93-31 & 50-287/93-31 After consideration, NRC concludes that violation did occur & requests plant written statement re corrective steps taken
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/30 HAMPTON, J.W. Duke Power Co 3pp 82824 225-82824 228

9502148081 Ack receipt of 950119 re informing NRC of steps taken to correct violations noted in insp repts 50-268/94-38, 50-270/94-38 & 50-287/94-38
CRILENIAK, R.V. Region 2 (Post 820201) 95/01/30 HAMPTON, J.W. Duke Power Co 3pp 82713 215-82713 217

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 186-82852 184

9502060206 Forwards SE accepting proposed alternative tests in lieu of required ASME section XI tests & visual exams
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 HAMPTON, J.W. Duke Power Co 3pp 82824 358-82824 360

-9502070245 SER accepting request for relief 94-08, for relief from second 10-year interval inspection insp
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 3pp 82824 358-82824 360

9502100284 Requests extension of data to 950215 in order to complete identification of affected piping boundaries & to complete review process for relief request
HAMPTON, J.W. Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 247-82720 248

9502100348 Informs that scope of project doubled during initial review process & publishing constraints have forced team to adjust completion date to 950801
HAMPTON, J.W. Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 198-82720 199

9502138220 Discusses reply to notice of violation re insp repts 50-268/94-38 50-270/94-38 & 50-287/94-38 Upr requests extension for response until 950301
HAMPTON, J.W. Duke Power Co 95/02/01 Document Control Branch (Document Control Desk) 2pp 82734 109-82734 110

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82888 001-82888 008

9502180082 Forwards add response to deviation noted in insp repts 50-268/93-31, 50-270/93-31 & 50-287/93-31 addressing concerns identified in NRC 950106 re Valves MS-33 & MS-84 closed on three units on 950109
HAMPTON, J.W. Duke Power Co 95/02/08 Document Control Branch (Document Control Desk) 7pp 82768 136-82768 142

9502210211 Revised response to violations noted in Insp Repts 50-268/93-25, 50-270/93-25 & 50-287/93-25 Corrective actions: preliminary results from analysis obtained & being verified
HAMPTON, J.W. Duke Power Co 95/02/09 Document Control Branch (Document Control Desk) 2pp 82805 359-82805 360

9502270166 Forwards SE authorizing licensee submitted request for relief 93-11 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant, units 1 & 2 during 2nd 10 yr interval ISI
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HAMPTON, J.W. Duke Power Co 3pp 82846 314-82846 320

-9502270166 Safety evaluation authorizing licensee submitted request for relief 93-11 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant, units 1 & 2 during 2nd 10 yr interval ISI
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 App 82846 317-82846 320

9502180288 Supp 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82816 037-82816 042

9502210026 Confirms telcon between E. Borchfield & R. Carroll on 950125, concerning management meeting to be conducted in Atlanta, GA to discuss concerns identified during service water sys operational performance insp w/making agenda
CRILENIAK, R.V. Region 2 (Post 820201) 95/02/10 HAMPTON, J.W. Duke Power Co 4pp 82789 241-82789 244

9502240213 Responds to NRC 950113 re re violations noted in insp repts 50-268/94-37, 50-270/94-37 & 50-287/94-37 Corrective actions: procedure use & adherence reinforced w/IEC technicians & supervisors & procedure IP/0/B/0270/001U will be revised
HAMPTON, J.W. Duke Power Co 95/02/10 Document Control Branch (Document Control Desk) 7pp 82883 311-82883 317

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 006

9502270227 Forwards safety evaluation accepting until 940302 ltr, requesting relief 94-02 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant during second 10-yr interval inspection insp
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 HAMPTON, J.W. Duke Power Co 3pp 82852 295-82852 301

-9502270235 Safety evaluation accepting until 940302 ltr, requesting relief 94-02 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant during second 10-yr interval inspection insp
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 App 82852 298-82852 301

9502280452 Informs review completed or request for relief 94-04 re hydrostatic testing on portion of LP-SW sys during second 10-year interval ISI Forwards SE granting request for relief 94-04 & proposed alternative testing
BERKOW, H.N. 95/02/23 HAMPTON, J.W. Duke Power Co 3pp 82885 267-82885 273

-9502280455 Safety evaluation approving second ten year interval ISI program plan request for relief 94-04 for Oconee NPGS, Units 1 & 2
* 95/02/23 App 82889 270-82889 273

9502290550 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

9502280117 Forwards response to NRC 950125 re re violations noted in insp repts 50-268/93-31, 50-270/93-31 & 50-287/93-31 Corrective actions requested for TS change to add surveillance test for mod circuitry has been submitted
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82930 358-82930 360

9502280123 Forwards response to NRC 950125 re re violations noted in insp repts 50-268/94-38, 50-270/94-38 & 50-287/94-38 Corrective actions: Keweenaw procedure CP/O/A2000/041 was revised to give operators instructions
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82931 018-82931 018

9502280132 Forwards response to NRC 941123 re re violations noted in insp repts 50-268/94-34, 50-270/94-34 & 50-287/94-34 Corrective actions: evaluated PIP process as result of violation
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82831 028-82831 033

R. Periodic operating reports & related correspondence

9502201118 Monthly operating repts for Jan 1995 for Oconee Nuclear Station W/ 950215 ltr
WILLIAMS, R.A., WEBER, R.L. Duke Power Co 95/01/31 18pp 82811 225-82811 243

5. Reportable occurrences, LERs & related correspondence

9502150225 LER 95-001-00 on 950106 potential unanalyzed main steam line break scenario documented. Caused by single pipe break downstream of main steam branch isolation valves. Procedures for normal operation revised W/950208 W/ VALUE, L.V. HAMPTON, J.W. Duke Power Co. 95/02/08 10pp 82786 138-82786 147

V. Operator Examinations

9502210068 Inform that Region II will host annual Training Manager Conference in Atlanta on 950209-09 to inform regional training & operations staff of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 HAMPTON, J.W. Duke Power Co. 2pp 82770 105-82770 107

DOCKET 90-970 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502020180 Forwards public version of revised EPIPs including Rev 94-10 to Vol C of table of contents, Change 13 to HP/D/B/1009/18, Change 5 to HP/D/B/1009/20 Change 2 to HP/D/B/1009/21 & Rev 94-15 to Vol B. HAMPTON, J.W. Duke Power Co. 94/11/09 Document Control Branch (Document Control Desk) 1p 82578 124-82578 354

9502010322 Public version of revised EPIPs including Rev 94-10 to Vol C of table of contents, Change 13 to HP/D/B/1009/18, Change 5 to HP/D/B/1009/20, Change 2 to HP/D/B/1009/21 & Rev 94-15 to Vol B. HAMPTON, J.W. Duke Power Co. 94/11/09 100pp 82578 125-82578 354

9502030314 Summary of 950118 meeting w/utl re questions concerning design & technical details of proposed modification to provide over frequency protection for plant emergency power paths. WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 Office of Nuclear Reactor Regulation (Post 941001) 24pp 82522 218-82522 241

9502170232 Forwards public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1 emergency telephone directory, Rev 94-04, HP/D/B/1000/09 & RP/0/8/1000/17. HAMPTON, J.W. Duke Power Co. 95/01/26 Document Control Branch (Document Control Desk) 3pp 82775 249-82775 306

9502150235 Public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1 emergency telephone directory, Rev 94-04, HP/D/B/1000/09 & RP/0/8/1000/17. FOSTER, W.W. Duke Power Co. 95/01/31 5pp 82775 251-82775 308

9502210337 Revised EPIPs, including Rev 95-02 to EPIPs cover sheet, table of contents & Safety Assurance Directive 6.1 & 6.2 W/950213 W/ BROWN, L.R. FOSTER, W.W. HAMPTON, J.W. Duke Power Co. 95/02/13 12pp 82593 282-82593 303

G. Adversatory correspondence

9502180126 Responds to 930324 ltr to Chairman re PWBC of Alloy 600 in PWR vessel head penetrators & informs that based on NRC review of findings of plant inspection denied for reasons given in end Director's Decision. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 WILLIS, J. Greenpeace Foundation 3pp 82695 242-82695 253

J. Insurance & indemnity information

9502020428 Forwards lettered info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums. TUCKMAN, M.S. Duke Power Co. 95/01/19 Document Control Branch (Document Control Desk) 20pp 82584 001-82584 071

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043 dtd 920207 listing of records in App A already available in ROR Records in App B and C will be available in ROR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/17 RICO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 009-82582 130

9502180235 Requests FR publication of notice of issuance of orders 200, 200 & 197 to licensees DPR-92, DPR-97 & DPR-98 Amends provide an interim acceptance criteria for control rod drop time on Oconee Unit 1. WIENS, L.A. Project Decade II-3 93/05/18 NRC - No Detailed Affiliation Given 2pp 82592 166-82592 177

9502210116 Final response to FOIA request for documents Records in App A will be available in ROR App B records withheld in entirety (rel FOIA Exemption 5). POWELL, L.R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82586 322-82586 339

9502210119 "Notice of Enforcement Decision" NRC - No Detailed Affiliation Given 94/06/22 13pp 82606 327-82606 339

9502030155 Forwards SE which grants request for relief 92-14 from certain ASME Code requirements. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/12 HAMPTON, J.W. Duke Power Co. 3pp 82622 142-82622 149

9502030169 SE granting request for relief 92-14, per 10CFR90.55(a)(9)(ii) * Office of Nuclear Reactor Regulation (Post 941001) 95/01/12 5pp 82622 143-82622 149

9502070200 Grants one-time relief from performing required ASME hydrostatic tests while converting to ASME Code Case N-522. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/17 HAMPTON, J.W. Duke Power Co. 4pp 82558 291-82558 294

9502040299 Approves request for relief number 93-07 rel 130 use ASME Code case N-415-1 in lieu of performing hydrostatic pressure test after making weld repairs on core flood tank sys pressure boundary. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 HAMPTON, J.W. Duke Power Co. 3pp 82583 213-82583 220

9502040301 Safety evaluation approving request for relief to use ASME Code Case N-415-1 in lieu of hydrostatic pressure test after making weld repairs on Core Flood Tank sys. * Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 5pp 82583 216-82583 220

9502010110 Responds to NRC request for voluntary reporting of acid occupational radiation exposure data per GL 94-04. TUCKMAN, M.S. Duke Power Co. 95/01/20 Document Control Branch (Document Control Desk) 3pp 82580 287-82580 289

9502050202 Confirms telcon between NRC & utl concerning mgt meeting to be conducted on 950206 at Atlanta, GA to discuss concerns re identification of safety-related equipment at plant. ORLENIAK, R.V. Region 2 (Post 820201) 95/01/23 HAMPTON, J.W. Duke Power Co. 4pp 82591 004-82591 007

9502010229 Confirms 950126 telcon re Nov 1994 plug cracking at plant. NRC understands that utl has adopted tested four-point course of action. WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 TUCKMAN, M.S. Duke Power Co. 4pp 82577 258-82577 262

9502100259 Inform that utl has reviewed Keweenaw operating limits supporting calculation & determined that add instrument tolerances needed to be incorporated into calculation. HAMPTON, J.W. Duke Power Co. 95/01/27 Document Control Branch (Document Control Desk) 2pp 82720 249-82720 250

9502070236 Forwards Rev 1 of "Oconee 2 Cycle 15 COLOR" per TS 6 B. CANADY, K.S. Duke Power Co. 95/01/30 Document Control Branch (Document Control Desk) 1p 82566 132-82566 141

9502070238 Rev 1 of "Oconee 2 Cycle 15 COLOR" ST. CLAIR, R.R. Duke Power Co. ONE-0490-51 R01 95/01/30 3pp 82566 133-82566 141

9502130189 Forwards add info requested by NRC to support operation of Unit 3 full rated power during Cycle 15. HAMPTON, J.W. Duke Power Co. 95/01/30 Document Control Branch (Document Control Desk) 5pp 82729 065-82729 097

9502130113 Proposed tech specs re Unit 3 Cycle 15 reload TS suppl 1. * Duke Power Co. 95/01/30 3pp 82726 060-82726 097

9502070326 Provides interim rept on Westinghouse Alloy 600 SG mechanical plugs installed at OPC plants as requested by NRC in response to recent field experience w/ Westinghouse Alloy 600 thermally insulated mechanical plugs. TUCKMAN, M.S. Duke Power Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82567 315-82567 314

9502130241 Outlines rept of error in large break LOCA ECCS analysis & forwards rept to determine new LHR limits. HAMPTON, J.W. Duke Power Co. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82734 248-82734 258

9502050225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edition Co. of New York, Inc. 5pp 82582 195-82582 199

9502180039 Notification of 950214-15 meetings w/utl in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear stations. MARTIN, R.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 019-82704 023

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info. VARGA, S. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/06 TUCKMAN, M.S. Duke Power Co. 5pp 82776 298-82776 303

9502210164 Forwards request for Relief 95-01 from USAS B31.7 Nuclear Piping Code W/11 overseas drawings. HAMPTON, J.W. Duke Power Co. 95/02/06 Document Control Branch (Document Control Desk) 16pp 82524 130-82524 139

9502170128 Inform licensees that subject methodologies add scheduled for 950206-10 & provides list of info to be reviewed. WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN, M.S. Duke Power Co. 5pp 82787 113-82787 117

9502180348 Administrative Ltr 95-02 to all holders of OAs or CPs re cost beneficial & canceling actions. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edition Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App and C will be available in ROR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5). POWELL, L.R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FIDELL, E.R. Affiliation Not Assigned 8pp 82524 140-82524 031

42 DOCKETED ITEMS

-9502210169 Partially deleted listing of "Enforcement Action Tracking Sys."
* NRC - No Detailed Affiliation Given 94/06/06 17pp 82824 188-82825 005

9502200079 Lic contract task order 40, detailing task order to "Training & Qualification Effectiveness Insp." for plant Units 1, 2 & 3
WRIGHT, J.E. Division of Contracts (Post 940714) NRC-03-03-036 94/12/09
CDUNA 1 Science & Engineering Associates, Inc 2pp 82684 323-82684 324

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 033

9502030112 Forwards insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36 on 941127-1231 & notice of violation
CRLENIJAK, R.V. Region 2 (Post 820201) 95/01/25 HAMPTON, J.W. Duke Power Co 3pp 82622 302-82622 320

-9502200118 Notice of violation from insp on 941127-1231 Violation noted on 941121, Keowee Hydro Unit 1 was not operated in accordance w/OP/OA/1106/019, operational control of hydro unit was transferred from remote to local
* Region 2 (Post 820201) 95/01/25 1p 82622 305-82622 305

-9502200122 Insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36 on 941127-1231 Violations noted Major areas inspected plant operations, surveillance testing, unit, assemblies, on-site engineering & technical assistance
HAMPTON, J.W. Region 2 (Post 820201) 95/01/25 15pp 82622 306-82622 320

9502200258 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc 8pp 82603 038-82603 046

9502200451 Discusses plant 940224 response to NRC NOV issued on 940125 re insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31 After consideration, NRC concludes that violation did occur & requests plant written statement re corrective steps taken
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/30 HAMPTON, J.W. Duke Power Co 3pp 82624 225-82624 229

9502140021 Ack receipt of 950119 re informing NRC of steps taken to correct violations noted in insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36
CRLENIJAK, R.V. Region 2 (Post 820201) 95/01/30 HAMPTON, J.W. Duke Power Co 3pp 82713 215-82713 217

9501280429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 184

9502100364 Requests extension of date to 950216 in order to complete identification of affected piping boundaries & to complete review process for relief request
HAMPTON, J.W. Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 247-82720 248

9502100345 Informs that scope of project doubled during initial review process & publishing constraints have forced team to quit completion date to 950801
HAMPTON, J.W. Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 198-82720 199

9502190220 Discusses reply to notice of violation re insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36 Unit requests extension for response until 950301
HAMPTON, J.W. Duke Power Co 95/02/01 Document Control Branch (Document Control Desk) 2pp 82734 109-82734 110

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82688 001-82688 006

9502160062 Forwards add response to deviation noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31, addressing concerns identified in NRC 950106 re Valves MS-33 & MS-84 closed on three units on 950109
HAMPTON, J.W. Duke Power Co 95/02/08 Document Control Branch (Document Control Desk) 7pp 82768 138-82768 142

9502210211 Revised response to violations noted in Insp Repts 50-269/93-25, 50-270/93-25 & 50-287/93-25 Corrective actions preliminary results from analyses obtained & being verified
HAMPTON, J.W. Duke Power Co 95/02/09 Document Control Branch (Document Control Desk) 2pp 82805 358-82805 360

9502270156 Forwards SE authorizing licensee submitted request for relief 93-11 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant, units 1 & 2 during 2nd 10 yr interval ISI
BERKOW, J.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 HAMPTON, J.W. Duke Power Co 3pp 82846 314-82846 320

-9502270168 Safety evaluation authorizing licensee submitted request for relief 93-11 from certain ASME code requirements determined to be hardship or unusually difficult to perform at plant, units 1 & 2 during 2nd 10 yr interval ISI
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 4pp 82846 317-82846 320

9502100258 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 8pp 82818 037-82818 042

9502210026 Confirms action between E. Burchfield & R. Carroll on 950125, concerning management meeting to be conducted in Atlanta, GA to discuss concerns identified during service water sys operational performance insp w/meeting agenda
CRLENIJAK, R.V. Region 2 (Post 820201) 95/02/10 HAMPTON, J.W. Duke Power Co 4pp 82769 241-82769 244

9502240213 Responds to NRC 950113 re re violations noted in insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37 Corrective actions procedure use & adherence reinforced w/NRC technicians & supervisors & procedure IP/01B/0270/001U will be revised
HAMPTON, J.W. Duke Power Co 95/02/10 Document Control Branch (Document Control Desk) 7pp 82863 311-82863 317

9502230014 Forwards "ISI Rept Duke Power Co Oconee Nuclear Station Unit 2 Fourteenth Refueling Outage"
HAMPTON, J.W. Duke Power Co 95/02/14 Document Control Branch (Document Control Desk) 2pp 82840 001-82840 078

-9502230017 Rev 0 to "ISI Rept Duke Power Co Oconee Nuclear Station Unit 2 Fourteenth Refueling Outage"
ROUSE, J.G. Duke Power Co 95/01/31 7pp 82840 003-82840 078

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AAG Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502280452 Informs review completed of request for relief 94-04 re hydrostatic testing on portion of LPSW sys during second 10-year interval ISI Forwards SE granting request for relief 94-04 & proposed alternative testing
BERKOW, J.N. 95/02/23 HAMPTON, J.W. Duke Power Co 3pp 82669 267-82669 273

-9502280456 Safety evaluation approving second ten year interval ISI program plan request for relief 84-04 for Oconee NPGS, Units 1 & 2
* 95/02/23 4pp 82869 270-82869 273

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82848 018-82848 025

9502280117 Forwards response to NRC 950125 re re violations noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31 Corrective actions requested for TS change to add surveillance test for mod circuitry has been submitted
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82930 358-82930 360

9502280123 Forwards response to NRC 950125 re re violations noted in insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36 Corrective actions Keowee procedure OP/OA/2006/041 was revised to give operators instructions
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82931 016-82931 018

9502280132 Forwards response to NRC 941123 re re violations noted in insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36 Corrective actions evaluated PIP process as result of violation
HAMPTON, J.W. Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82931 029-82931 033

R. Periodic operating reports & related correspondence

9502220116 Monthly operating repts for Jan 1995 for Oconee Nuclear Station W/ 950215 re
WILLIAMS, R.A. WEBER, R.L. Duke Power Co 95/01/31 18pp 82811 236-82811 243

V. Operator Examinations

9502210068 Informs that Region II will host annual Training Manager Conference in Atlanta on 850206-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 HAMPTON, J.W. Duke Power Co 2pp 82770 106-82770 107

DOCKET 56-271 VERMONT YAMKEE NUCLEAR POWER STATION

G. Adjudicatory correspondence

9502200166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 063

P. Operating license stage documents & correspondence

9502220114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890205-940714) 94/07/08 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502220284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - II (V.V. Post 901216) 3pp 92582 228-92582 230

9502140344 Third partial response to FOIA request for documents Records in app C and C will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/07/08 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140373 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 339

9502210119 "Notice of Enforcement Decision"
* NRC - No Detailed Action Given 94/06/22 13pp 82806 327-82806 339

9502200431 Forwards responses to items identified in NRC SER of IST program related requests for pumps & valves & Rev 16 to "IST Program Plan"
PELLETIER, J.P. Vermont Yankee Nuclear Power Corp 95/01/30 Document Control Branch (Document Control Desk) 13pp 82617 001-82617 182

9502200432 Rev 16 to "IST Program Plan"
CONNOLLY, J.W., CAPPUCCIO, G., PELLETIER, J.P. Vermont Yankee Nuclear Power Corp 95/01/26 18pp 82617 014-82617 192

9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502100335 Inform of intent to submit revised proposed change to address issue of improved TS for diesel fuel oil at later date.
REID, D.A. Vermont Yankee Nuclear Power Corp 95/02/02 Document Control Branch (Document Control Desk) 1p 82720 202-82720 202

9502100126 Submits updated status of facility program to address GL 89-19.
PELLETIER, J.P. Vermont Yankee Nuclear Power Corp 95/02/03 Document Control Branch (Document Control Desk) 5pp 82728 103-82728 107

9502100189 Forwards SE re request for relief from NUREG-0619, "BWR Feedwater Nozzle & CR Return Drain Line Nozzle Cracking," for plant.
DORMAN, D.H. Project Director/ste 1-3 (PD1-3) (Post 941001) 95/02/06 REID, D.A. Vermont Yankee Nuclear Power Corp 3pp 82704 024-82704 033

9502100219 Safety evaluation supporting request for relief from NUREG-0619, "BWR Feedwater Nozzle & Control Rod Return Drain Line Nozzle Cracking," for plant.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 7pp 82704 027-82704 033

9502200255 Forwards revised TS pages 153 & 166, replacing term "auxiliary electrical power source" w/term "alternate electrical power source" for TS 3.7 B.1.b & Basis Section 3.7 to clarify 941208 submitted of Proposed Change 177.
TREMBLAY, J.A. Vermont Yankee Nuclear Power Corp 95/02/16 Document Control Branch (Document Control Desk) 2pp 82667 335-82667 337

9502200262 Proposed TS 3.7 B.1.b & Basis Section 3.7, replacing term "auxiliary electrical power source" w/term "alternate electrical power source".
* Vermont Yankee Nuclear Power Corp 95/02/16 2pp 82667 336-82667 337

9502100348 Administrative Ltr 95-02 to all holders of OLRs & CPs re post beneficial licensing actions.
USBR, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Inspection reports, NE Bulletin & correspondence

9502210121 Partial response to FOIA request for documents Records in App and 6 will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/07/06 RIDGELL, Affiliation Not Assigned 5pp 82624 140-82624 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Action Given 94/06/06 175pp 82624 159-82624 005

9501095219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 012-82605 023

9501200250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 3pp 82605 038-82605 048

9502000441 Forwards insp rpt 50-271/94-30 on 941212-16 No violations noted.
RULAND, W.H. Region 1 (Post 820201) 95/01/30 REID, D.A. Vermont Yankee Nuclear Power Corp 3pp 82618 342-82618 356

9502000446 Insp rpt 50-271/94-30 on 941212-16 No violations noted. Major areas inspected status of previously identified issues & adequacy of licensee actions to resolve same.
DELLA GRECA, A. RULAND, W.H. Region 1 (Post 820201) 95/01/30 12pp 82618 345-82618 356

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502000113 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 5pp 82688 001-82688 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82618 037-82618 042

9502210847 Forwards insp rpt 50-271/94-31 on 941211-950121 & notice of violation.
LIVELY, J.C. Region 1 (Post 820201) 95/02/13 REID, D. Vermont Electric Power Co., Inc. 5pp 82770 001-82770 044

9502210054 Notice of violation from insp on 941211-950121 Violation noted on 941028 & 1107-10, safety-related chpt 6 RV water level instrument 2-3-72B was modified w/o connection to recorder & w/o conducting evaluation of it.
* Region 1 (Post 820201) 95/02/13 1p 82770 004-82770 004

9502210063 Insp rpt 50-271/94-31 on 941211-950121 One violation noted. Major areas inspected operations, maintenance, engineering, plant support, safety assessment & quality management.
CONTER, J. Region 1 (Post 820201) 95/02/06 40pp 82770 005-82770 044

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection Systems Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp 82648 014-82648 025

H. Periodic operating reports & related correspondence

9502150504 Monthly operating rpt for Jan 1995 for Vermont Yankee Nuclear Power Station W/950210 R.
WALLIN, G.A., REID, D.A. Vermont Yankee Nuclear Power Corp 95/01/31 5pp 82772 069-82772 104

I. Reportable occurrences, LEAs & related correspondence

9502060402 LER 95-001-00 on 941250, failed to perform surveillances to assure primary containment integrity due to inadequate review of licensing basis before equipment released for restart. Violated primary containment integrity W/950129 R.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp 95/01/29 5pp 82642 348-82642 350

9502240275 LER 95-002-00 on 950118, release path to environ via radwaste cask room doors discovered during smoke testing of radwaste bldg ventilation sys. Root cause of event under investigation. Radwaste cask room doors closed W/950217 R.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp 95/02/17 4pp 82696 239-82696 242

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502170187 Revised EPIP, including Rev 47 to EPIP table of contents & Rev 30 to EPIP 1013, "Emergency Response Personnel Telephone List."
* Public Service Electric & Gas Co. of New Jersey 95/01/16 23pp 82779 331-82779 333

9502010148 Provides updated response to unresolved item noted in insp rpts 50-272/30-80 & 50-311/90-90 re ventilation-related fire door automatic closure problems.
WAGMAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 173-82590 175

9502150153 Revised "Salem Generating Station Event Classification Guide"
BARNEN, C., DION, M., SUMMERS, J. Public Service Electric & Gas Co. of New Jersey 95/01/27 28pp 82747 321-82747 358

9502200193 Forwards summary description of proposed vehicle control measures required by 10CFR73.55(c)(3). Measures described in summary description will be implemented by 950229. Revised security plan will be submitted by 950229. End withheld.
ELIASOUL, R. Public Service Electric & Gas Co. of New Jersey 95/02/17 Document Control Branch (Document Control Desk) 2pp 82648 185-82648 187

9502200006 Forwards outlined basis for util position on scheduling of operational safety-related response evaluation. End withheld.
ELIASOUL, R. Public Service Electric & Gas Co. of New Jersey 95/02/21 Document Control Branch (Document Control Desk) 2pp 82604 349-82604 350

H. General correspondence

9502080126 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for NPP. Encourages NRC to reevaluate regulatory analyses in light of higher costs. Concludes that add rules on shutdown & low power operations not necessary.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 95/02/06 Docketing & Services Branch 5pp 82651 127-82651 138

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-82-043, dtd 920207. Listing of records in App A already available in PDR Records in App B end & will be available in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/17 RIDGELL, J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 008-82582 275

9502020284 Forwards updated list of NOEDs as transmitted on 940111.
GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLEM, Division of Reactor Projects - I/IV (Post 801218) 3pp 82592 226-82592 230

9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDR App E records withheld in entirety (rel exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (950206-940714) 94/06/09 RIDGELL, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 098

9502030340 Discusses requests for enforcement decision & other events due to severe wind/weather conditions.
CALVO, J. Region 1 (Post 820201) 94/01/26 VARGAS, A. Division of Reactor Projects - I/IV (Post 870411) 5pp 82740 003-82740 005

44 DOCKETED ITEMS

9502140144 Third partial response to FOIA request for documents Records in app C and will be available in PDF
POWELL, R. A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'MEALIA, M. Affiliation Not Assigned 5pp 82729 181-82729 223

9502140179 List of CAL numbers

* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502140196 Final response to FOIA request for documents Records in App A will be available in PDF App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R. A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 339

9502140199 "Notices of Enforcement Discretion"

* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502140276 Ltr contract, defining task order #1, "Individual Plant Exam (IPE) Reviews - Internal Events - Human Factors Only, Salem 1 & 2"
MACE, J. M. Division of Contracts (Post 940714) FIN L-1834 94/12/22 HAAS, P. M. Concord Associates, Inc 11pp 82716 257-82716 287

9502080310 Forwards SE authorizing licensee 841118 for requesting approval to use alternative to ASME Code Section XI per provisions of 10CFR50.55(a)(3)
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/20 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 3pp 82693 235-82693 242

9502080317 Safety evaluation authorizing licensee request for approval to use alternative to ASME Code Section XI per provisions of 10CFR50.55(a)(3)
* Office of Nuclear Reactor Regulation (Post 941001) 85/01/20 5pp 82693 238-82693 242

9502080324 Responds to 941219 request re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(a)"
LABRUNA, S. Public Service Electric & Gas Co of New Jersey 95/01/27 Document Control Branch (Document Control Desk) 3pp 82692 343-82692 344

9502070487 Submits letter in support of WDG/Industry initiatives related to most recent industry experience of primary water stress corrosion cracking of Alloy 800 SG mechanical tube plugs only from Heat NX 2387
LABRUNA, S. Public Service Electric & Gas Co of New Jersey 95/01/30 Document Control Branch (Document Control Desk) 3pp 82697 359-82697 352

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502150330 Requests enforcement discretion from provisions of TS 3-4.3.1 action 10 3-4.3.2 Table 3-3.2 action 13 & 3-4.3.1, Table 3-3.1 action 1 relative to solid state protection sys
LABRUNA, S. Public Service Electric & Gas Co of New Jersey 95/02/03 Document Control Branch (Document Control Desk) 10pp 82772 080-82772 084

9502100228 Discusses NRC concern re frequent equipment failures & personnel errors at plant Requests meeting w/ licensee & Board of Directors to discuss need for continued improvement in equipment reliability & staff performance
TAYLOR, J. M. Office of the Executive Director for Operations 95/02/06 FERLAND, E. J. Public Service Electric & Gas Co of New Jersey 4pp 82706 211-82706 215

9502130131 Forwards Emerson Assessment & Finding of No Significant Impact re request for exemption from certain requirements of 10CFR50.60 to allow application of alternate methodology to determine LTOP setpoint for plant Units 1 & 2
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/02/07 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 3pp 82729 241-82729 249

9502130137 Emerson assessment & finding of no significant impact re licensee request for exemption from certain requirements of 10CFR50.60
POKALUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/07 6pp 82729 244-82729 249

9502140217 Inform of 950222 meeting w/ uhl in Bethesda, MD re licensing actions schedules & promises for plant
MORAN, D. M. Project Directorate I-2 (PD1-2) Post 941001 95/02/09 STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 5pp 82740 246-82740 250

9502140433 Application for amendments to Licenses DPR-70 & DPR-75 changing administrative controls to reflect organizational changes
HAGAN, J. J. Public Service Electric & Gas Co of New Jersey 95/02/09 Document Control Branch (Document Control Desk) 7pp 82744 018-82744 037

9502140434 Proposed tech specs re administrative controls to reflect organizational changes
* Public Service Electric & Gas Co of New Jersey 95/02/09 13pp 82744 025-82744 037

9502140273 Inform that staff finds val responses to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(a)"
* 950127 ltr
OLSHAN, L. N. Project Directorate I-2 (PD1-2) Post 941001 95/02/09 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 3pp 82790 096-82790 100

9502220232 Inform that NJ Dept of Environmental Protection Bureau of Nuclear Engineering reviewed 941223 License Change Request 94-33 re rev of surveillance requirements for areas within containment & has no comments
TOSCH, K. New Jersey, State of 95/02/09 Document Control Branch (Document Control Desk) 2pp 82826 290-82826 291

9502150070 Ack receipt of 941227 ltr in response to NRC 941212 ltr & expresses appreciation for informing NRC of licensee planned actions re resolution of NRC concerns
WHITE, J. R. Region 1 (Post 820201) 95/02/10 HAGAN, J. J. Public Service Electric & Gas Co of New Jersey 3pp 82725 012-82725 019

9502170226 Notification of significant licensee meeting 95-17 w/ uhl on 950224 to discuss findings of Office of Investigation re employee concerns involving 10CFR50.5, "Deliberate Misconduct," & 10CFR50.7, "Employee Protection"
WHITE, J. R. Region 1 (Post 820201) 95/02/10 Region 1 (Post 820201) 2pp 82769 001-82769 002

9502202116 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operations"
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/02/13 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 3pp 82812 348-82812 355

9502220272 Exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operations"
VARGAS, A. Division of Reactor Projects I/II (DRPE) Post 941001 95/02/13 Public Service Electric & Gas Co of New Jersey 3pp 82812 351-82812 356

9502280434 Discusses notice of enforcement discretion for Units 1 & 2, relative to reactor trip & engineered safety feature instrumentation sys
COOPER, R. W. Region 1 (Post 820201) 95/02/22 LABRUNA, S. Public Service Electric & Gas Co of New Jersey 3pp 82853 342-82853 347

9502160349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMPROVE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501060270 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERILLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/18 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023

9502010146 Provides updated response to unresolved item noted in insps repts 95-272/90-90 & 95-311/90-90 re ventilation-related fire door automatic closure problems
HAGAN, J. J. Public Service Electric & Gas Co of New Jersey 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 173-82590 175

9502080085 Ack receipt of 941223 ltr re violations noted in insps repts 95-272/94-24 & 95-311/94-24
WHITE, J. R. Region 1 (Post 820201) 95/01/25 HAGAN, J. J. Public Service Electric & Gas Co of New Jersey 3pp 82617 300-82617 318

9502010083 Forwards combined insps repts 95-272/94-33 & 95-311/94-33 on 941130-1202, 1207-09 & 1212-15 inspections concluded that equipment troubleshooting performed after four electrical-related events supported root cause conclusions
RULAND, W. H. Region 1 (Post 820201) 95/01/26 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 4pp 82545 013-82545 036

9502010106 Insps repts 95-272/94-33 & 95-311/94-33 on 941130-1202, 1207-09 & 1212-15 inspections noted Mayor areas inspected licensee actions taken to address four electric-related events occurring between 94111-28
HARRISON, M. RULAND, W. H. Region 1 (Post 820201) 95/01/26 20pp 82545 017-82545 036

9501200260 NRC Info Notice 95-007, "Radiochemical Vial Breakage During Preparation"
PAPERILLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 5pp 82805 036-82805 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 185-82652 194

950203013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/03 Consolidated Edison Co of New York, Inc 5pp 82688 001-82688 006

9502150367 Responds to preliminary SALP repts, dated 950109 Nuclear Business Unit restructuring as organization
ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 95/02/06 Document Control Branch (Document Control Desk) 3pp 82770 338-82770 341

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82618 037-82618 042

9502220264 Ack receipt of 950206 ltr informing NRC of steps taken to correct violations noted in SALP repts 95-272/95-99 & 95-311/95-99
WHITE, J. R. Region 1 (Post 820201) 95/02/16 ELIASON, L. R. Public Service Electric & Gas Co of New Jersey 3pp 82800 127-82800 132

950220061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, LLC"
GRIMES, B. K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

950220061 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502220057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502200288 Forwards monthly operating rept for Jan 1995 for Salem Unit 1 including suppl ltr of 10CFR50.59 evaluations to address 10CFR50.59 evaluations inadvertent by omitted from 1990 MORs
SUMMERS, J. C. Public Service Electric & Gas Co of New Jersey 95/02/14 Document Control Branch (Document Control Desk) 1p 82807 349-82807 349

9502210290 Monthly operating rept for Jan 1995 for Salem Unit 1
MORRISON, J. Public Service Electric & Gas Co of New Jersey 95/01/31 10pp 82807 350-82807 358

9502260401 Forwards FFD performance data rept for six month period ending 941231 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 95/02/17 Document Control Branch (Document Control Desk) 8pp 82903 350-82903 381

G. Reportable occurrences, LERs & related correspondence

9502238677 Summary of operating reactors events meeting 95-03 on 950208 CHAFFEE, A.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 13pp 82836 028-82836 040

V. Operator Examinations

9502240818 Requests that listed candidates be administered PWR GFES of operator licensing exam scheduled for 960405 ORTIZ, L.E.A. Public Service Electric & Gas Co. of New Jersey 95/02/16 NRC - No Detailed Affiliation Given 2pp 82813 052-82813 053

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502130167 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (w/ FOIA exemptions 3 & 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GLINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

-95021308232 Partially deleted SECY re plant physical security proceeding, motions to move hearing site BICKWIT, L. Office of the General Counsel (Post 960701) SECY-A-80-173 80/11/05 31pp 82717 221-82717 250

9502130112 Forwards public version of revised EPRs including rev 11A to EP RB-11 rev 7A to EP RB-15 F, rev 4A to EP RB-15 G, rev 15A to EP EF-2 & rev 14D to EP G-4 W/950205 release memo TOMKINS, J.E. Pacific Gas & Electric Co. 95/01/24 Document Control Branch (Document Control Desk) 2pp 82718 085-82718 176

-95021301130 Public version of revised EPRs including rev 11A to EP RB-11, rev 7A to EP RB-15 F, rev 4A to EP RB-15 G, rev 15A to EP EF-2 & rev 14D to EP G-4 Pacific Gas & Electric Co. 95/01/24 100pp 82718 087-82718 176

9502170205 Forwards Rev 3, Change 14, no emergency plan for plant Units 1 & 2 W/ 950215 1p TOMKINS, J.E. Pacific Gas & Electric Co. 95/01/25 Document Control Branch (Document Control Desk) 12pp 82773 001-82773 217

-9502170208 Rev 3, Change 14, "Emergency Plan" for plant Units 1 & 2 CROCKETT, W.G. Pacific Gas & Electric Co. 94/12/28 933pp 82773 013-82775 217

G. Adjudicatory correspondence

9502090166 Response to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Log Request denied RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 OEBOLT, B. Affiliation Not Assigned 52pp 82665 001-82665 053

9502240125 Inform that time has expired for Commission to act on decision of Board LBR 94-35 W/Certificate of Suitability on 950215 MOYLE, J.C. Office of the Secretary of the Commission #195 16057 95/02/15 Atomic Safety & Licensing Board Panel 3pp 82616 350-82616 352

H. General correspondence

9502140445 Ack receipt of 950109 re: requesting that San Luis Obispo Mothers for Peace be kept informed of matters re three issues identified by Board for unit to address in connection w/initial program in Board recent decision RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 ZAMEK, J. San Luis Obispo Mothers for Peace 8pp 82731 140-82731 145

-9502140354 Requests that San Luis Obispo Mothers for Peace be kept informed of matters re three issues identified by Board for unit to address in connection w/initial program in Board recent decision ZAMEK, J. San Luis Obispo Mothers for Peace 95/01/09 YAYLOR NRC - No Detailed Affiliation Given 1p 82731 145-82731 145

F. Operating license stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (w/ FOIA exemptions 3 & 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GLINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

-9502130179 Partially withheld SECY, informing Commission of Appeal Board decision FITZGERALD, J.A. Office of the General Counsel (Post 960701) SECY-A-80-047 80/04/01 8pp 82717 159-82717 121

9502240228 Final response to FOIA request for documents Records in App A & B will be available in PDR App C records will be withheld in part (w/ exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/26 BUNT, W.K.G.F. Affiliation Not Assigned 5pp 82841 319-82841 339

-9404030809 Responds to 940406 re requesting assistance in addressing concerns expressed in letter by DL Johnson re seismic safety of San Onofre Nuclear Generating Station & Diablo Canyon Power Plant TAYLOR, J.M. Dir. of the Executive Director for Operations 94/05/25 FEINSTEIN, D. Senate 8pp 82841 327-82841 330

9502070214 Provides status rept on Wasinghouse Alley 600 SG mechanical plugs, at request of NRC & as recommended by WOG in 941230 R RUEGER, G.M. Pacific Gas & Electric Co. 95/01/27 Document Control Branch (Document Control Desk) 8pp 82661 355-82661 357

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 185-82652 199

9502100361 Forwards LAR 95-01 to Licensees DPR-80 & DPR-82, revamping TS 3/4/9 14.1.3/4.9 14.2.5.3.1 & 5.8.1 & adding new TS 3/4/9 14.3 to increase max fuel enrichment limit for new & spent fuel pool racks RUEGER, G.M. Pacific Gas & Electric Co. 95/02/06 Document Control Branch (Document Control Desk) 8pp 82719 153-82719 274

-9502100362 LAR 95-01 to Licensees DPR-80 & DPR-82, revamping TS 3/4/9 14.1.3/4.9 14.2.5.3.1 & 5.8.1 & adding new TS 3/4/9 14.3 to increase max fuel enrichment limit for new & spent fuel pool racks RUEGER, G.M. Pacific Gas & Electric Co. 95/02/06 13pp 82719 155-82719 167

-9502100362 Proposed high specs for increase in max fuel enrichment limit for new & spent fuel pool racks Pacific Gas & Electric Co. 95/02/06 31pp 82719 158-82719 168

-9502100364 "Criticality Safety Evaluation of Diablo Canyon New Fuel Vault W/Fuel of 5% Enrichment" TURNER, S.E. Holtec International H-931075 93/12/20 14pp 82719 198-82719 212

-9502100365 "Criticality Safety Evaluation of Region 1 of Diablo Canyon Spent Fuel Storage Racks W/Fuel of 5% Enrichment" TURNER, S.E. Holtec International H-931076 93/12/20 20pp 82719 213-82719 232

-9502100366 "Criticality Safety Evaluation of Region 2 of Diablo Canyon Spent Fuel Storage Racks W/Fuel of 5% Enrichment" TURNER, S.E. Holtec International H-931077 93/12/20 42pp 82719 233-82719 274

9502190025 Discusses licensee 950202 in which requested that NRC provide definition not to enforce compliance w/actions required in TSs 3/4.3.1 & 3/4.3.2 NRC grants licensee request CALLAN, J. Region 4 (Post 820201) 95/02/06 RUEGER, G.M. Pacific Gas & Electric Co. 6pp 82722 116-82722 121

9502190349 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions INERD, E.V. Cost Beneficial Licensing Actions Staff (CELA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502270099 Request to add info before request to increase allowable U-235 enrichment of fuel to 5% approved MILLER, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 RUEGER, G.M. Pacific Gas & Electric Co. 4pp 82845 234-82845 237

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharmaceutical Breakage During Preparation" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 046

9502030252 Responds to violations noted in Insp Repts 50-275/94-27 & 50-323/94-27 Corrective actions Electrical Maint Procedure MP E-64 will be revised to perform electrical testing prior to interlaminar electrical bonding of brackets RUEGER, G.M. Pacific Gas & Electric Co. 95/01/27 Document Control Branch (Document Control Desk) 5pp 82623 340-82623 344

9502180807 Ack receipt of 950117 re informing NRC of steps taken to correct violations noted in insp repts 50-275/94-29 & 50-323/94-29 on 941216 PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 940404) 95/01/27 RUEGER, G.M. Pacific Gas & Electric Co. 4pp 82650 042-82650 045

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 001-82658 008

9502080508 Forwards insp rept 50-275/94-30 & 50-323/94-30 on 941127 Four non-critical violations noted Urges utl attention to assuring that mtg expectations clearly communicated understood & implemented at plant BEACH, L. Region 4 (Post 820201) 95/02/03 RUEGER, G.M. Pacific Gas & Electric Co. 3pp 82651 021-82651 051

-9502090013 Insp repts 50-275/94-30 & 50-323/94-30 on 941127 Violations noted Major areas inspected plant maint, surveillance observation, plant support activities, onsite engineering online maint & on-site review of LERs KIRSCH, D.F. Region 4 (Post 820201) 95/01/31 27pp 82651 028-82651 051

9502150779 Inform that administration of licensing exams to be set in insp repts 50-275/95-04 & 50-323/95-04, scheduled for wk of 950522 at plant per 950125 telcon Ref mails to be submitted by 950222 GRYNN, W.T. Region 4 (Post 820201) 95/02/07 RUEGER, G.M. Pacific Gas & Electric Co. 6pp 82723 059-82723 064

46 DOCKETED ITEMS

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESEA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82818 037-82818 042

9502100310 Informs that on 940930,NRC issued results of SALP for plant. SALP scores met criteria for superior performance recognition by exhibiting superior safety performance in areas of operations,maint,engineering & plant support.
TAYLOR,J M Cdc of the Executive Director for Operations 95/02/10 CLARKE,R A Pacific Gas & Electric Co 3pp 82756 177-82756 179

9502228243 Ack receipt of 950127 ltr informing NRC of steps taken to correct violations noted in insp rept 50-323/84-27 C/A to be reviewed in future insp
PERKINS,K E Walnut Creek Field Ofc, RA (Post 940404) 95/02/14 RUEGER,G M Pacific Gas & Electric Co 4pp 82799 080-82799 083

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82816 025-82816 036

9502210068 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82816 016-82816 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502100234 Forwards "Fourth Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant" & encls containing replacement pages for third quarter NPDES discharge monitoring reports for Diablo Canyon Power Plant.
FUJIMOTO,W H Pacific Gas & Electric Co 95/01/20 BRIGGS,R W California, State of 3pp 82768 202-82768 300

-9502150236 Encls to "Third Quarter 1994 NPDES Discharge Monitoring Repts for DCONPP," correcting effluent COD chromium value for 940906 to read (18 ug/l) & incorporating effluent COD chromium value of 14 ug/l for 940908
Pacific Gas & Electric Co 94/09/30 3pp 82768 205-82768 206

-9502180237 "Fourth Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant"
Pacific Gas & Electric Co 94/12/31 94pp 82768 207-82768 300

9502220108 Monthly operating repts for Jan 1995 for Diablo Canyon Units 1 & 2 W/
950210 ltr
EUBANK,T, STIPICEVICH,J, FUJIMOTO,W H Pacific Gas & Electric Co 85/01/31 13pp 82811 244-82811 258

S. Reportable occurrences, LERs & related correspondence

9502230377 Summary of operating reactors events meeting 95-09 on 950208
CHAFFEE,A E Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 13pp 82836 028-82836 040

9502220100 Forwards rev to LER 1-84-015 re failure to implement RHR sys overpressure protection requirements due to insufficient design basis info Rev adds Diablo Canyon Units 1 & 2 specific design review results & add corrective action
RUEGER,G M Pacific Gas & Electric Co 95/02/14 Document Control Branch (Document Control Desk) 1p 82816 054-82816 071

-9502220111 LER 94-015-01 on 940629,add failed to implement RHRs overpressure protection requirements due to insufficient design basis info FSAR rev will be made to provide design & operational bases re ASME code overpressure protection
SISK,D P Pacific Gas & Electric Co 95/02/14 7pp 82816 055-82816 071

V. Operator Examinations

9502090005 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 950405 Requests that ltr listing names of candidates for exam be submitted by 950302
GWYNNE,T P Region 4 (Post 820201) 95/02/06 RUEGER,G M Pacific Gas & Electric Co 4pp 82651 013-82651 018

9502150079 Informs that administration of licensing exams to be ref in insp repts 50-275/95-04 & 50-323/85-04,scheduled for wk of 950522 at plant per 950125 telcon Ref mails to be submitted by 950318
GWYNNE,T P Region 4 (Post 820201) 95/02/07 RUEGER,G M Pacific Gas & Electric Co 8pp 82723 059-82723 084

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502080306 Rev 4 to emergency response procedure (ERP) ERP-206, "Support Sves Group" W/950131 ltr
HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 95/01/31 7pp 82664 278-82664 284

9502100184 Forwards insp repts 50-277/94-29 & 50-278/94-29 on 941219-23 No violations noted
RULAND,W H Region 1 (Post 820201) 95/02/03 SMITH,D M PECO Energy Co, (formerly Philadelphia Electric Co) 3pp 82707 018-82707 023

-9502130197 Insp repts 50-277/94-29 & 50-278/94-29 on 941219-23 No violations noted Major areas inspected review of plant "Fire Protection Program," through Rev 4 Safety evaluation issued by staff on 950318
SCHULL,L L, RULAND,W H Region 1 (Post 820201) 95/02/02 5pp 82707 019-82707 023

9502200287 Forwards insp rept 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted
JOYNER,J H Region 1 (Post 820201) 95/02/21 SMITH,D M PECO Energy Co, (formerly Philadelphia Electric Co) 3pp 82853 012-82853 020

-9502200283 Insp repts 50-277/95-09 & 50-278/95-09 on 950130-0203 No violations noted Major areas inspected packages & mail alarm stations & communications,testing & maint & compensatory measures & security training & qualification
SMITH,G C, LUMROTH,D F Region 1 (Post 820201) 95/02/21 5pp 82853 016-82853 020

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14,1994,requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/18 DEBOLT,B Affiliation Not Assigned 52pp 82685 001-82685 053

J. Insurance & indemnity information

9502130277 Submits info re amount of onsite property insurance coverage on plants
HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 95/02/08 Document Control Branch (Document Control Desk) 2pp 82726 017-82726 018

P. Operating license stage documents & correspondence

9502140144 Third partial response to FOIA request for documents Records in app C and all will be available in PDR
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/08 O'NEALIA,M Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502030025 Summary of 950111 meeting w/utl in Wayne,PA to discuss staff review of licensee application to adopt improved TS at plant Meeting attendees & staff comments on sections 1,0,3,0 & 4,0 of proposed improved TS encl
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/01/24 Project Directorate I-2 (PD1-2) Post 941001 54pp 82814 165-82814 216

9502010316 Notification of 950207 meeting w/licenses in North Bethesda, MD to discuss review of PECO improved TS application
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/01/27 STOLZ,J F Project Directorate I-2 (PD1-2) Post 941001 3pp 82777 243-82777 245

9502030024 Requests that add info needed to make final determination on unit proposed mod to Section 3.0.3,per 950111 meeting
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/01/31 HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 4pp 82822 188-82822 181

9502020028 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephones & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82852 195-82852 199

9502080154 Informs that Rept DOE-87-0455-1 "TS Improvement Analysis for RPS for Peach Bottom Station,Units 2 & 3" dtd Oct 1987, declared proprietary & will be withheld from public disclosure IAW 10CFR2.750(pH5)
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/02/02 ROBARE,D J General Electric Co 4pp 82689 355-82689 358

9502080171 Informs that OE rept RE-020 will be withheld from public disclosure IAW 10CFR2.750,per licensee request
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/02/02 ROBARE,D J General Electric Co 4pp 82683 309-82683 312

9502080803 Informs that licensee has met requirements of GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," for both units
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/02/06 HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 4pp 82684 254-82684 273

-9502090088 Safety evaluation finding that licensee met requirements of GL 94-03 "Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 16pp 82684 258-82684 273

9502140387 Application for amendments to licenses DPR-44 & DPR-58, correcting administrative errors made during past TS changes
HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 95/02/10 Document Control Branch (Document Control Desk) 2pp 82744 154-82744 161

-9502140388 Proposed tech specs change request 95-02, "Correction of Administrative Errors"
* PECO Energy Co, (formerly Philadelphia Electric Co) 95/02/10 8pp 82744 156-82744 161

9502100321 Notification of 950223 meeting w/utl in North Bethesda,MD to discuss details re PECO proposed mod to item stick & vent stack radiation monitor
SHEA,J W Project Directorate I-2 (PD1-2) Post 941001 95/02/13 STOLZ,J F Project Directorate I-2 (PD1-2) Post 941001 4pp 82754 156-82754 158

9502170174 Advises that licensee completed actions described in first paragraph of item of GL 94-10
HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 95/02/13 Document Control Branch (Document Control Desk) 2pp 82779 358-82779 359

9502230043 Forwards TS ready for publication w/one minor clarification re proposed Basis on TS page 141
HUNGER,G A PECO Energy Co, (formerly Philadelphia Electric Co) 95/02/13 Document Control Branch (Document Control Desk) 2pp 82840 334-82840 339

9502239045 Proposed tech specs re testing requirements of HPCS
PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/13 4pp 82840 956-82840 359

950223066 Requests add info to complete review of air application to adopt improved TS at station Units 2 & 3
SHEA, J.W. Project Directorate 1-2 (PD1-2) Post 941001 95/02/14 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 13pp 82790 085-82790 087

9502220211 Requests attached repair plan info be reviewed & approved by 850421 in order to support contingency repair option for upcoming Unit 3 outage W/ four oversize drawings Drawings withheld
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/14 Document Control Branch (Document Control Desk) 84pp 82871 001-82871 145

9502220217 "Design Rept for Installation of Stabilizers on Peach Bottom 2,3 Core Shroud"
LENZ, M.O., MCCLEAN, N.A., TSCHANZ, L.E. General Electric Co. GENE-771-59-0994 R02 95/02/03 22pp 82871 095-82871 116

9502220218 "Shroud Mechanical Repair Program Peach Bottom Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis"
MCCLEAN, N.A., LENZ, M.O., HERLEKAMP, A.S. General Electric Co. GENE-771-59-0994 R02 95/02/02 29pp 82871 117-82871 145

9502240012 Forwards for review & approval rev 2 to relief request QVR-2 of second 10 yr interval of ISI program for plant Units 2 & 3
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/15 Document Control Branch (Document Control Desk) 3pp 82813 038-82813 041

9502270083 Forwards RAI re license 950117 submittal of license change request 83-18 re source range & intermediate range neutron monitors
SHEA, J.W. Project Directorate 1-2 (PD1-2) Post 941001 95/02/21 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82846 219-82846 222

9502280372 Requests deletion of Rev 1 to Relief Request GVRP-6 & informs that IST Program to be revised to ensure ref to compliance w/ GL 89-04 "Guidance on Developing Acceptable Intersecting Testing Programs"
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/22 Document Control Branch (Document Control Desk) 1p 82853 157-82853 157

9502160349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
MURPHY, E.V. Cost Beneficial Licensing Action Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502280247 Notification of 950306 meeting w/ULI in North Bethesda, MD to discuss review of air improved Tech Spec application
SHEA, J.W. Project Directorate 1-2 (PD1-2) Post 941001 95/02/23 STOLZ, J.F. Project Directorate 1-2 (PD1-2) Post 941001 4pp 82945 261-82945 254

G. Inspection reports, IE Bulletins & correspondence

9501060079 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERDELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9501280260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERDELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 046

9501280429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Orders for Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 198-82852 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82888 001-82888 008

9502180194 Forwards insp repts 50-277/94-29 & 50-278/94-29 on 941218-23 No violations noted
RULAND, W.H. Region 1 (Post 820201) 95/02/03 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82707 016-82707 023

9502180197 Insp repts 50-277/94-29 & 50-278/94-29 on 941218-23 No violations noted Major areas inspected review of plant "Fire Protection Program," through Rev 4 Safety evaluation issued by staff on 830816
SCHOLL, L.L. RULAND, W.H. Region 1 (Post 820201) 95/02/02 5pp 82707 019-82707 023

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502220004 Forwards insp repts 50-277/95-01 & 50-278/95-01 on 950101-0204 & notice of violation
ANDERSON, C.J. Region 1 (Post 820201) 95/02/14 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82784 327-82784 352

9502220008 Notice of violation from insp on 950101-0204 Violation noted reactor bldg structure through installation of temporary bracing structures above seismic Category 1 & 2 structures in place during operation w/o written SE
Region 1 (Post 820201) 95/02/14 1p 82784 331-82784 331

9502220011 Insp repts 50-277/95-01 & 50-278/95-01 on 950101-0204 Violations noted Major areas inspected operations, surveillance, maintenance & technical support
ANDERSON, C.J. Region 1 (Post 820201) 95/02/14 21pp 82784 332-82784 352

9502210063 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502280087 Forwards insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82853 012-82853 020

9502280293 Insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted Major areas inspected packages & mail alarm stations & communications, testing & maint & compensatory measures & security training & qualification
SMITH, G.C., LIMOTHUD, F. Region 1 (Post 820201) 95/02/21 6pp 82853 015-82853 020

9502280050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502280037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502170271 Monthly operating repts for Jan 1995 for Peach Bottom Atomic Power Station Units 1 & 2 W/950213 tr
JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/31 14pp 82780 151-82780 184

S. Reportable occurrences, LERs & related correspondence

9502170333 Part 21 re possible mail defect in stainless steel Swagelok tube fittings or adapters
ZAHARANE, E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 380

V. Operator Examinations

9502280116 Notice of change in limited SRD license issued to GF Ruppert, license SCP-16891 License no longer needed due to permanent reassignment of Ruppert
SMITH, W.H. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/17 Document Control Branch (Document Control Desk) 1p 82945 267-82945 267

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502060306 Rev 4 to emergency response procedure (ERP) ERP-208, "Support Svcs Group" W/950131 tr
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/31 7pp 82864 278-82864 284

9502130194 Forwards insp repts 50-277/94-29 & 50-278/94-29 on 941218-23 No violations noted
RULAND, W.H. Region 1 (Post 820201) 95/02/03 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82707 016-82707 023

9502130197 Insp repts 50-277/94-29 & 50-278/94-29 on 941218-23 No violations noted Major areas inspected review of plant "Fire Protection Program," through Rev 4 Safety evaluation issued by staff on 830816
SCHOLL, L.L. Region 1 (Post 820201) 95/02/02 5pp 82707 019-82707 023

9502280287 Forwards insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82853 012-82853 020

9502280293 Insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted Major areas inspected packages & mail alarm stations & communications, testing & maint & compensatory measures & security training & qualification
SMITH, G.C. Region 1 (Post 820201) 95/02/21 6pp 82853 015-82853 020

G. Adjudicatory correspondence

9502030168 Response to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request closed
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 5pp 82665 001-82665 083

A. Insurance & indemnity information

9502130277 Submits info re amount of onsite property insurance coverage on plants
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/08 Document Control Branch (Document Control Desk) 2pp 82728 017-82728 018

P. Operating license stage documents & correspondence

9502140144 Third partial response to FOIA request for documents, Records in app C and B will be available in FOR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 CRIMMALL, M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502140173 List of CAL numbers
NRC - No Detailed Affiliation Given 94/08/22 40pp 82729 184-82729 223

48 DOCKETED ITEMS

9502030026 Summary of 950111 meeting w/ulm in Wayne, PA to discuss staff review of licensee application to adopt improved TS at plant Meeting attendees & staff comments on sections 1.0.3.0 & 4.0 of proposed improved TS and SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/01/24 Project Directorate I-2 (PD1-2) Post 941001 5pp 82614 155-82614 215

9502018316 Notification of 950207 meeting w/ulm in North Bethesda, MD to discuss review of PECO approved TS application SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 3pp 82577 243-82577 245

9502030354 Requests that add info needed to make final determination on ulf proposed mod to Section 3.0.5 per 950111 meeting SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/01/31 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82622 158-82622 191

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502080154 Informs that Regt. MDE-87-0485-1 "TS Improvement Analysis for RPS for Peach Bottom Station Units 2 & 3" dated Oct 1987, declared proprietary & will be withheld from public disclosure IAW 10CFR2.790(b)(5) SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/02 ROBAED, D.J. General Electric Co. 4pp 82659 355-82659 358

9502080171 Informs that GE repl. RE-020 will be withheld from public disclosure IAW 10CFR2.790 per licensee request SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/02 ROBAED, D.J. General Electric Co. 4pp 82683 309-82683 312

9502080003 Informs that licensee has met requirements of GL 94-03, "Integrating Stress Corrosion Cracking of Core Shrouds in BWR," for both units SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/08 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82684 254-82684 273

9502090006 Safety evaluation finding that licensee met requirements of GL 94-03 "Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 18pp 82684 268-82684 273

9502140387 Application for amendments to licensee DPR-44 & DPR-58, correcting administrative errors made during past TS changes HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/10 Document Control Branch (Document Control Desk) 2pp 82744 154-82744 161

9502140386 Proposed tech specs change request 95-02, "Correction of Administrative Errors" PECO Energy Co. (formerly Philadelphia Electric Co.) 95/02/10 5pp 82744 156-82744 161

9502180321 Notification of 950223 meeting w/ulm in North Bethesda, MD to discuss details re PECO proposed mod to main stack & vent stack radiation monitor SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/13 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 4pp 82754 195-82754 198

9502200043 Forwards TS ready for publication w/one minor clarification re proposed bases on TS page 141 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/13 Document Control Branch (Document Control Desk) 2pp 82840 354-82840 358

9502220045 Proposed tech specs re testing requirements of HPCS PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/13 4pp 82840 358-82840 359

9502210286 Requests add info to complete review of ulf application to adopt improved TS at station Units 2 & 3 SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/14 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 13pp 82790 065-82790 097

9502220311 Requests attached repair plan info be reviewed & approved by 950421 in order to support contingency repair option for upcoming Unit 3 outage w/ four oversized drawings/figures withheld HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/14 Document Control Branch (Document Control Desk) 8pp 82871 001-82871 143

9502280217 "Design Repl for Installation of Stabilizers on Peach Bottom 2.3 Core Shroud" LENZ, M.O., MCCLEAN, A., TSCHANZ, L.E. General Electric Co. GENE-771-59-0894 R02 95/02/03 22pp 82871 085-82871 116

9502220219 "Shroud Mechanical Repair Program, Peach Bottom Units 2 & 3 Shroud & Shroud Repair Handout Stress Analysis" MCCLEAN, A., LENZ, M.O., HERLEKAR, A.S. General Electric Co. GENE-771-58-0994 R02 95/02/02 25pp 82871 117-82871 145

9502240612 Forwards for review & approval, rev 2 to retest request GVR-2 of second 10 yr interval of IST program for plant Units 2 & 3 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/16 Document Control Branch (Document Control Desk) 4pp 82813 039-82813 041

9502270883 Forwards RAI re licensee 950117 submittal of licensee change request 93-18 re source range & intermediate range neutron monitors SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/21 HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82848 219-82848 222

9502280962 Requests exemption from two yr test interval for Type B & C leak rate tests required by 10CFR50 App J, Sections 18 D 2(a) & 18 D 3 per 10CFR50.12(a) & forwards documentation justifying exemption HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/22 Document Control Branch (Document Control Desk) 11pp 82859 143-82859 153

9502280372 Requests deletion of Rev 1 to Risked Request GVR-6 & informs that IST Program to be revised to ensure rel to compliance w/ GL 89-04 "Guidance on Developing Acceptable Inspection Testing Programs" HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/22 Document Control Branch (Document Control Desk) 1p 82863 157-82863 157

9502160348 Administrative Ltr 95-02 to all holders of OLCs or CPs re cost beneficial licensing actions BABRO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82845 001-82845 017

9502280247 Notification of 950306 meeting w/ulm in North Bethesda, MD to discuss review of ulf improved Tech Spec application SHEA/J.W. Project Directorate I-2 (PD1-2) Post 941001 95/02/23 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 4pp 82845 251-82845 254

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200260 NRC Info Notice 95-007, "Radionuclide Vial Breakage During Preparation" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 5pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502010313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 5pp 82658 001-82658 008

9502130194 Forwards insp repts 50-277/84-29 & 50-278/84-29 on 941219-23 No violations noted RULAND, W.H. Region 1 (Post 820201) 95/02/03 SMITH, D.M. PECO Energy Co. (formerly Philadelphia Electric Co.) 3pp 82707 016-82707 023

9502130197 Insp repts 50-277/84-29 & 50-278/84-29 on 941219-23 No violations noted Major areas inspected rework of plant "Fire Protection Program," through Rev 4 Safety evaluation issued by staff on 8/20/94 SCHOLTL, L., RULAND, W.H. Region 1 (Post 820201) 95/02/02 5pp 82707 019-82707 023

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82818 087-82818 042

9502280044 Forwards insp repts 50-277/95-01 & 50-278/95-01 on 950101-0204 & notice of violation ANDERSON, C.J. Region 1 (Post 820201) 95/02/14 SMITH, D.M. PECO Energy Co. (formerly Philadelphia Electric Co.) 4pp 82784 327-82784 352

9502220006 Notice of violation from insp on 950101-0204 Violation noted re category bldg structure through installation of temporary shoring structures above seismic Category 1 & 2 structures in place during operation w/o written SE Region 1 (Post 820201) 95/02/14 1p 82784 331-82784 331

9502220011 Insp repts 50-277/95-01 & 50-278/95-01 on 950101-0204 Violations noted Major areas inspected operations, surveillance, maintenance & technical support ANDERSON, C.J. Region 1 (Post 820201) 95/02/14 21pp 82784 332-82784 352

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502280287 Forwards insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/02/21 SMITH, D.M. PECO Energy Co. (formerly Philadelphia Electric Co.) 4pp 82853 012-82853 020

9502280293 Insp repts 50-277/95-03 & 50-278/95-03 on 950130-0203 No violations noted Major areas inspected packages & mail alarm stations & communications, testing & maint & compensatory measures & security training & qualification SMITH, G.C., LUMOTH, D.F. Region 1 (Post 820201) 95/02/21 4pp 82853 015-82853 020

9502280050 NRC Info Notice 95-011, "Failure of Condensate Pump Because of Erosion/Corrosion at Flow Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502280097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502170271 Monthly operating repts for Jan 1995 for Peach Bottom Atomic Power Station Units 1 & 2 w/950213 re JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/31 14pp 82780 151-82780 164

S. Reportable occurrences, LERs & related correspondence

9502170233 Part 21 repl re possible melt defect in stainless steel Swagelok tube fittings of adapters ZAHURANE, E.J. Crawford, Feking Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 954-82802 960

V. Operator Examinations

9502290115 Notices of change in limited SRO license issued to GF Ruppen, license SOP-10891 License no longer needed due to permanent reassignment of Ruppen SMITH, W.H. PECO Energy Co. (formerly Philadelphia Electric Co.) 95/02/17 Document Control Branch (Document Control Desk) 1p 82945 267-82945 267

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, physical, emergency & fire protection plans

9502138140 Forwards safeguards insp repts 50-280/95-01 & 50-281/95-01 on 950102-06 No violations noted Details withheld COLLINS, D.M. Region 2 (Post 820201) 95/01/30 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82728 116-82728 119

9502138143 Insp repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted Major areas inspected physical security program of power reactors Details withheld TOBIN, W., MCGUIRE, D. Region 2 (Post 820201) 95/01/30 1p 82728 119-82728 119

9502080282 Inform of withdrawal of App B exemption request 27 that addressed manually actuated halon sys in plant Unit 2 ESFR O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/06 Document Control Branch (Document Control Desk) 2pp 82705 348-82705 350

G. Adjudicatory correspondence

9502090186 Response to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82695 001-82695 059

J. Insurance & indemnity information

9502248298 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Ltd II & Nuclear Electric Insurance Ltd III BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 1p 82871 146-82871 165

9502248300 Forwards 18 endorsements of ANI/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 18pp 82871 147-82871 165

K. Safety Final Safety Analysis Report (FSAR) & amendments

9502230024 Rev 23 to updated FSAR for Surry Power Station Units 1 & 2 W/950124 1p O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 549pp 82832 001-82833 185

P. Operating license stage documents & correspondence

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 3pp 82806 322-82806 339

9502210119 "Notices of Enforcement Discretion" * NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502100246 Application for amendments to licenses DPR-32 & DPR-37, modifying "as-found" test acceptance criterion for pressurizer safety valves O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 Document Control Branch (Document Control Desk) 12pp 82591 206-82591 222

95020910249 Proposed tech specs, modifying "as-found" test acceptance criterion for pressurizer safety valves * Virginia Power (Virginia Electric & Power Co.) 95/01/24 5pp 82591 218-82591 222

9502400094 Notices of 950309 meeting w/utl to discuss plant performance over past 18 months & extends invitation for City of Williamsburg to attend as observer EBNETER, S.D. Region 2 (Post 820201) 95/01/25 MCCONNELL, T.B. Williamsburg, VA 4pp 82713 042-82713 045

9502010311 Notification of 950208 meeting w/utl in Rockville, MD to discuss status of two CBLA licensing activities EYKLE, L.B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82577 263-82577 265

9502070150 Adverse that plant has not received copy of waste shipment record, signed by owner or transporter of designated waste disposal site within 45 days since waste shipped off-site MADDERA, W. Virginia Power (Virginia Electric & Power Co.) 95/02/01 DALEY, J. Environmental Protection Agency 3pp 82687 352-82687 355

9502070161 Inform that Scientific Ecology Group, Inc. received shipment S-94-14 which consists of 3 B-25 boxes of asbestos BRACKETT, R.L. Scientific Ecology Group, Inc. 95/01/23 TOPPING, E. Virginia Power (Virginia Electric & Power Co.) 1p 82687 354-82687 355

9502080025 Suppl 1 to NRC Administrative LR 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502140128 Summaries 950125 meeting w/utl in Atlanta, GA re Surry corrective action program & info on 950108 unit 1 overspeed trip of turbine driven auxiliary feedwater pump List of attendees & presentation made and VERRELL, D.M. Region 2 (Post 820201) 95/02/02 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 33pp 82714 291-82714 329

9502139078 Forwards core uprate licensing repl rev to SG tube rupture reanalysis O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/06 Document Control Branch (Document Control Desk) 25pp 82720 307-82720 334

9502160099 Forwards response to request for add info to support review of licensee's core uprate O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/13 Document Control Branch (Document Control Desk) 11pp 82772 341-82772 351

9502248244 Application for amendments to licenses DPR-32 & DPR-37, revamping TS 4.4 D to permit approved exemptions to LRT frequency requirements, including one-time exemption request from Section III D 1(a) of 10CFR50, App J for Surry Unit 2 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/14 Document Control Branch (Document Control Desk) 18pp 82871 272-82871 291

9502240245 Proposed tech specs re App J testing requirements * Virginia Power (Virginia Electric & Power Co.) 95/02/14 2pp 82871 290-82871 291

9502160048 Administrative LR 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions GRIMES, B.K. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, III Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/06 RIDELLE, R. Affiliation Not Assigned 8pp 82824 140-82825 031

9502210159 Partially detailed listing of "Enforcement Action Tracking Sys" * NRC - No Detailed Affiliation Given 94/06/06 175pp 82824 168-82825 005

9501690219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERBELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9502080023 Confirms telcon between M.L. Bowling & L.W. Garner re mtg meeting to be scheduled for 950309 at Surry, VA to discuss SALP of plant during period from 950704 to 950121 VERRELL, D.M. Region 2 (Post 820201) 95/01/19 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82601 118-82601 120

9502010257 Responds to NRC 941122 request & provides add info re ISI accumulator check valve testing O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 Document Control Branch (Document Control Desk) 4pp 82587 154-82587 157

9501230258 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERBELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502138148 Forwards safeguards insp repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted Details withheld COLLINS, D.M. Region 2 (Post 820201) 95/01/30 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82728 116-82728 119

9502138143 Insp repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted Major areas inspected physical security program of power reactors Details withheld TOBIN, W., MCGUIRE, D. Region 2 (Post 820201) 95/01/30 1p 82728 119-82728 119

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 186-82652 184

9502090019 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502140048 Forwards into repl 50-280/95-02 & 50-281/95-02 on 950116-20 & identifies areas of violation not subject to enforcement because licensee efforts in identification/correction met Section VII B of enforcement policy CLINE, W.E. Region 2 (Post 820201) 95/02/06 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82713 240-82713 259

9502140048 Insp repts 50-280/95-02 & 50-281/95-02 on 950116-20 Two non-piled violations noted Major areas inspected occupational radiation exposure, program changes planning & preparation training, qualifications & exposure control WRIGHT, F.M., RANKIN, W.H. Region 2 (Post 820201) 95/02/06 17pp 82713 243-82713 259

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502270125 Inform of receipt of NOV in ref to Dec 1994 excursion of total suspended solids in effluent of WFOES permit for plant MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/02/17 Virginia, Commonwealth of 3pp 82923 346-82923 347

9502248297 Forwards 1994 annual SG ISI repl for Surry Power Station Units 1 & 2 in accordance w/TS 4.18 F.b BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 16pp 82871 304-82871 319

50 DOCKETED ITEMS

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc. GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 026

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 015-82818 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection Systems Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502280003 Monthly operating reports for Jan 1996 for Surry Power Station Units 1 & 2 W/950213 W/ CHRISTIAN, D.A., O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/31 20pp 82886 333-82886 352

S. Reportable occurrences, LERs & related correspondence

9502190175 LER 95-002-01 on 950110, smoke detector surveillance was missed due to administrative process error. Electrical periodic test C-EPT-0304-04 was performed satisfactorily on 950110 W/950203 W/ CHRISTIAN, D.A., Virginia Power (Virginia Electric & Power Co.) 95/02/06 5pp 82723 352-82723 258

9502140130 LER 95-001-00 on 950108, Unit 1 automatic reactor trip occurred due to coupling failed on main feed pump. CR operators acted promptly & placed plant in safe hot shutdown condition W/950204 W/ CHRISTIAN, D.A., Virginia Power (Virginia Electric & Power Co.) 95/02/07 7pp 82743 158-82743 204

V. Operator Examinations

9502210112 Informs that Region II will host annual training manager conference in Atlanta GA on 950209-09. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp 82770 176-82770 177

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502190140 Forwards safeguards insup repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted. Details withheld. COLLINS, D.M. Region 2 (Post 820201) 95/01/30 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82728 116-82728 119

9502130143 Insup repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted. Major areas inspected physical security program of power reactors. Details withheld. TOBIN, W. Region 2 (Post 820201) 95/01/30 1p 82728 118-82728 119

9502190291 Forwards updated data point library forms for Units 1 & 2 Attachment 2 provides data point library rev summaries for affected points for Units 1 & 2 Updated data base provided in dBase IV format on Attachment 3. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/01 Document Control Branch (Document Control Desk) 18pp 82705 333-82705 348

9502190262 Informs of withdrawal of App A exemption request 27 that addressed manually actuated halon sys in plant Unit 2 ESGR. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/08 Document Control Branch (Document Control Desk) 2pp 82706 349-82706 350

G. Adjudicatory correspondence

9502190186 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attention Not Assigned 52pp 82885 001-82885 033

J. Insurance & indemnity information

9502240286 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Ltd. & Nuclear Electric Insurance Ltd. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 1p 82671 148-82671 166

9502240300 Forwards 16 endorsements of A&H/NAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 18pp 82671 147-82671 165

K. Utility Final Safety Analysis Report (FSAR) & amendments

9502230024 Rev 23 to updated FSAR for Surry Power Station Units 1 & 2 W/950124 W/ O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 545pp 82832 001-82832 186

P. Operating license stage documents & correspondence

9502190246 Application for amendments to licenses DPR-32 & DPR-37, modifying "as-found" test acceptance criterion for prestresser safety valves. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 Document Control Branch (Document Control Desk) 12pp 82691 206-82691 222

9502190249 Proposed tech specs, modifying "as-found" test acceptance criterion for prestresser safety valves. Virginia Power (Virginia Electric & Power Co.) 95/01/24 5pp 82691 218-82691 222

9502140004 Notices of 950309 meeting w/utl to discuss plant performance over past 18 months & extends invitation for City of Williamsburg to attend as observer. EBNETER, S.D. Region 2 (Post 820201) 95/01/25 MCCONNELL, T.B. Williamsburg, VA 4pp 82713 042-82713 045

9502190311 Notification of 950206 meeting w/utl in Rockville, MD to discuss status of two CBLA licensing activities. ENGLE, L.B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82577 253-82577 266

9502070158 Advises that plant has not received copy of waste shipment record, signed by owner or operator of designated waste disposal site within 45 days since waste shipped off-site. HADDER, A.W. Virginia Power (Virginia Electric & Power Co.) 95/02/01 DALEY, J. Environmental Protection Agency 3pp 82687 352-82687 355

9502190161 Informs that Scientific Ecology Group, Inc. received shipment S-94-14 which consists of 3 B-25 boxes of asbestos. BRACKETT, J.L. Scientific Ecology Group, Inc. 95/01/23 TOPPING, E. Virginia Power (Virginia Electric & Power Co.) 1p 82687 354-82687 356

9502190025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 193-82652 199

9502140128 Summarizes 950125 meeting w/utl in Atlanta, GA re Surry corrective action program & info on 950108 unit 1 overspeed trip of turbine driven auxiliary feedwater pump. List of attendees & presentation materials. VERRELL, D.M. Region 2 (Post 820201) 95/02/02 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82714 291-82714 323

9502190088 Forwards SE authorizing alternative rules of ASME section XI Code Case N-496-1, dtd 940511, "Alternative Rules for 10-Yr Sys Hydrostatic Testing for Class 1, 2 & 3 Sys" for 10-yr hydrostatic testing for upcoming unit 2 outage. MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp 82695 216-82695 222

9502190056 SE authorizing alternative for hydrostatic testing contained in licensees 940712 proposal. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 5pp 82695 218-82695 222

9502130078 Forwards core upgrade licensing repts rev to SG tube rupture reanalysis. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/06 Document Control Branch (Document Control Desk) 28pp 82720 307-82720 334

9502160390 Forwards response to request for add info to support review of licensees core upgrade. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/13 Document Control Branch (Document Control Desk) 11pp 82772 341-82772 351

9502240244 Application for amendments to licenses DPR-32 & DPR-37 revising TS 4.4 D to permit approved exemptions to LRT frequency requirements, including one-time exemption request from Section II D 1(a) of 10CFR50 App J for Surry Unit 2. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/14 Document Control Branch (Document Control Desk) 18pp 82671 272-82671 291

9502240245 Proposed tech specs re App J testing requirements. Virginia Power (Virginia Electric & Power Co.) 95/02/14 2pp 82671 290-82671 291

9502190348 Administrative Ltr 95-02 to all holders of OLA or CPE re cost beneficial licensing actions. IMERO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents. Records in App encl & will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (850206-940714) 94/07/06 ROELLER, R. Attention Not Assigned 6pp 82824 140-82824 031

9502210188 Partially deleted listing of "Enforcement Action Tracking Sys." NRC - No Detailed Attention Given 94/06/06 175pp 82824 168-82824 005

9501190219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." PAPERELLI, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82606 013-82606 023

9502190023 Confirms telcon between M.L. Bowling & L.W. Garner re next meeting to be scheduled for 950309 at Surry, VA to discuss SALP of plant during period from 950704 to 950121. VERRELL, D.M. Region 2 (Post 820201) 95/01/19 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82691 118-82691 120

9502190257 Responds to NRC 941122 request & provides add info re ISI accumulator check valve testing. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/24 Document Control Branch (Document Control Desk) 4pp 82587 154-82587 167

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502136140 Forwards safeguards insp repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted Details withheld COLLINS, D.M. Region 2 (Post 820201) 95/01/30 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82728 116-82728 119

9502130143 Insp repts 50-280/95-01 & 50-281/95-01 on 950103-06 No violations noted Major areas inspected physical security program of power reactors Details withheld TOBIN, W. JACQUIRE, D. Region 2 (Post 820201) 95/01/30 1p 82728 119-82728 119

9501250425 NRC Info Notice 95-006, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502060313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 008

9502140038 Forwards insp repts 50-280/95-02 & 50-281/95-02 on 950116-20 & identifies areas of violation not subject to enforcement because licensee efforts in identification/correction met Section VII.B of enforcement policy CLINE, W.E. Region 2 (Post 820201) 95/02/06 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82713 240-82713 258

9502140648 Insp repts 50-280/95-02 & 50-281/95-02 on 950116-20 Two non-cited violations noted Major areas inspected occupational radiation exposure, program changes, planning & preparation, training, qualifications & exposure control WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201) 95/02/08 17pp 82713 249-82713 259

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502270125 Inform of receipt of NOV in ref to Dec 1994 excursion of total suspended solids limitations of VPDES permit for plant MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/02/17 Virginia Commonwealth of 3pp 82923 345-82923 347

9502240287 Forwards 1994 annual SG ISI repts for Surry Power Station, Units 1 & 2 in accordance w/TS 4.19 F b BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 16pp 82671 304-82671 319

9502240661 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A-33 Engineering, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 038

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82618 015-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502280003 Monthly operating repts for Jan 1995 for Surry Power Station Units 1 & 2 w/950213 to CHRISTIAN, D.A. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/01/31 20pp 82688 333-82688 352

V. Operator Evaluations

9502210112 Inform that Region II will host annual training manager conference in Atlanta, GA on 950208-09 PEEBLES, T.A. Region 2 (Post 820201) 95/01/26 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82770 176-82770 177

DOCKET 86-252 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502070192 Forwards response to NRC 941117 RAI re Thermo-Lag related to ampacity derating issues WADLEY, M.D. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 15pp 82666 328-82666 340

9502160334 Submits repts of fire protection pump removed from svc for greater than seven days Regular maint performed on motor & entire pump assembly was replaced ANDERSON, R.O. Northern States Power Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82778 127-82778 128

9502140256 Forwards Rev 1 to Prairie Island (PIS) security/safeguards contingency & guard force training & qualification plans. Encls withheld per NRCFR73.21 ANDERSON, R.O. Northern States Power Co. 95/02/10 Document Control Branch (Document Control Desk) 1p 82772 031-82772 031

G. Adjudicatory correspondence

9502030185 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502060211 Forwards 3G6 12 & 22 flow evaluations for Prairie Island Units 1 & 2, respectively Nonproprietary & proprietary handbooks on flow evaluations for Prairie Island SGs & pressurizers also encl Proprietary handbook withheld ANDERSON, R.O. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 43pp 82703 001-82703 276

9502060214 Nonproprietary Handbook on Flow Evaluation for Prairie Island Units 1 & 2 SGs & Pressurizers PRAGER, D.E., BAWFORD, W.H., HSUK, R. Westinghouse Electric Corp. WCAR-14168 95/01/31 231pp 82703 045-82703 276

9502060326 Provides interim repts on Westinghouse Alloy 600 SG mechanical tube plugs installed at plant as requested by NRC during NRC/NEI/USN/Westinghouse meeting on 941222 re recent field experience w/Westinghouse Alloy 600 mechanical plugs ANDERSON, R.O. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 5pp 82685 231-82685 235

9502070182 Forwards response to NRC 941117 RAI re Thermo-Lag related to ampacity derating issues WADLEY, M.D. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 15pp 82666 328-82666 340

9502060325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 6pp 82652 195-82652 199

9502180014 Confirms discussion between M. Dapas of the dc & M. Wadley of staff to have routine mtg meeting on 950302 at Region III site in Little GREENMAN, E.G. Region 3 (Post 820201) 95/02/06 WATZLE, Northern States Power Co. 2pp 82680 047-82680 048

9502180187 Forwards "Simulator Certification Rept for Prairie Island Plant Simulation Facility 1994 Annual Rept" WADLEY, M.D. Northern States Power Co. 95/02/06 Document Control Branch (Document Control Desk) 3pp 82767 273-82767 012

9502180204 "Simulator Certification Rept for Prairie Island Plant Simulation Facility 1994 Annual Rept" Northern States Power Co. 95/01/26 188pp 82767 276-82767 012

9502140428 Submits responses to request for addl info on 950109 license amend request re incorporation of F & L SG tube repair criteria ANDERSON, R.O. Northern States Power Co. 95/02/07 Document Control Branch (Document Control Desk) 3pp 82744 174-82744 178

9502170828 Notification to 950227 meeting w/UM in North Bethesda, MD to discuss review of NSP Byron Credit in SFP Agenda encl THOMAS, C.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HANNON, J.M. Office of Nuclear Reactor Regulation (Post 941001) 4pp 82775 285-82775 288

9502160055 Submits revised figure associated w/request for relief of 3rd 10-yr re-service testing program to requirements of ASME section XI ANDERSON, R.O. Northern States Power Co. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82614 066-82614 067

9502160348 Administrative Ltr 95-02 to all holders of OLS or OPLs re cost beneficial licensing actions IMROE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Inspection reports, IE Bulletins & correspondence

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 012-82605 023

9501030280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250425 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030348 Discusses Insp Rept 72-0010/94-212 on 950125 Insp repts summarizes findings re implementation of QA program at vendor, PX Engineering Co., Inc. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/02/01 ANTONY, D. Northern States Power Co. 3pp 82630 358-82630 361

9502060313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 008

9502280381 Inform NRC of ubi intent to conduct SW5 operational performance self-assessment at plant UM preparing detailed self-assessment plan including scope & schedule WATZLE, L. Northern States Power Co. 95/02/06 PEDERSON, C. Region 3 (Post 820201) 2pp 82648 358-82648 359

52 DOCKETED ITEMS

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 037-82618 042

9502150814 Forwards NRR rept on Maint Rule review visit to plant during 941205-12
SHAFER,W D Region 3 (Post 820201) 95/02/10 DONNELLY P M Consumers Power Co TUETKEN R Commonwealth Edison Co 2pp 82722 012-82722 028

9502220225 Notification of 950217 meeting w/US in Rockville,MD to discuss QA & issues re Dec 1994 snap of records related to TN-40 cask
SCHNEIDER,J F Office of Nuclear Material Safety & Safeguards 95/02/15
HAUGHNEY,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82826 283-82826 284

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82618 023-82618 036

9502280432 Responds to NRC 950123 ltr re violation noted in Insp Rept 72-0010/94-212 Corrective actions sent for Batch 7 estimated based on preceding & subsequent batch times & recorded on data sheet & aluminum channel numbers added
WATZLE L Northern States Power Co 85/02/23 Document Control Branch (Document Control Desk) 13pp 82931 087-82931 089

9502230450 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502130126 Monthly operating reports for Jan 1995 for Prairie Island Nuclear Generating Plant W/950203 ltr
DUGSTAD,D ANDERSON,R O Northern States Power Co 95/01/31 8pp 82728 063-82728 071

S. Reportable occurrences, LERs & related correspondence

9502280080 Forwards suppl LER reversing planned corrective actions re ASME Section XI ISI
ANDERSON,R O Northern States Power Co 95/02/20 Document Control Branch (Document Control Desk) 2pp 82918 132-82918 135

9502280105 LER 92-011-01 on 920810,determined that ASME XI required longitudinal weld seam exams had not been performed Caused by personnel error Missed exams to be performed during 1992 fall dual outage
MUNSTAD,A Northern States Power Co 95/02/26 4pp 82918 132-82918 135

V. Operator Examinations

9502020179 Informs that NRC plans to administer QFES of written operator licensing exam on 950408
RINE,M A Region 3 (Post 820201) 95/01/25 LACROIX,G Consumers Power Co WIDNER,R C Commonwealth Edison Co CANTRELL,D J ES Utilities Inc. (formerly Iowa Electric Light & Power Co) 3pp 82559 355-82559 357

V. Dry Cask Independent Spent Fuel Storage Installations

9502140258 Forwards Rev 1 to Prairie Island NPSI security,safeguards contingency & guard force training & qualification plan (Echidna withheld per 10CFR73.21
ANDERSON,R O Northern States Power Co 95/02/10 Document Control Branch (Document Control Desk) 1p 82772 031-82772 031

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502070829 Revised EIPPs,including rev 2 to EP-1,rev 2 to EP-2,rev 8 to EOP-19,rev 3 to EOP-23,rev 7 to RP-28 & rev 10 to RP-72 W/ 950127 ltr
PATTERSON,T L Omaha Public Power District 95/01/27 27pp 82665 285-82665 313

L. Financial information

9502090334 Forwards OPPD annual accounting for period of Jan-Dec 1994, as required by FCS decommissioning funding plan trust agreement
PATTERSON,T L Omaha Public Power District 95/01/23 Document Control Branch (Document Control Desk) 26pp 82705 150-82705 185

P. Operating license stage documents & correspondence

9502020042 Responds to NRC RAI to assist closure of NRR Staff review of plant re-evaluated of CR helpability W/one oversight encl
PATTERSON,T L Omaha Public Power District 95/01/17 Document Control Branch (Document Control Desk) 4pp 82681 137-82681 141

9502030298 Forwards "Fort Calhoun Station Performance Indicators,Dec 1994"
PATTERSON,T L Omaha Public Power District 95/01/23 Document Control Branch (Document Control Desk) 1p 82623 069-82623 228

9502030380 "Fort Calhoun Station Performance Indicators,Dec 1994"
* Omaha Public Power District, 94/12/31 145pp 82623 070-82623 228

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502150038 Discusses mgt meeting on outage plans,shutdown risk & DG on-line maint on 950125 informs NRC will conduct PRA for plans to conduct on-line DG maint prior to refueling outage W/attendees list & mgt handout
BEACH,A B Region 4 (Post 820201) 95/02/08 PATTERSON,T L Omaha Public Power District 38pp 82722 140-82722 174

9502170038 Forwards application for amend to operating license,revsing TS 2 10 to relocate requirements for incense instrumentation sys to update analysis rept
GATES,W G Omaha Public Power District 95/02/10 Document Control Branch (Document Control Desk) 2pp 82805 185-82805 202

9502170240 Application for amend to license DPR-40,revsing TS to relocate requirements for incense instrumentation sys
* Omaha Public Power District 95/02/10 NRC - No Detailed Attention Given 3pp 82805 187-82805 189

9502170243 Proposed tech specs 2 10 to relocate requirements for incense instrumentation sys
* Omaha Public Power District 95/02/10 13pp 82805 180-82805 202

9502220154 Provides listing of TAC issues ready to be closed
PATTERSON,T L Omaha Public Power District 95/02/10 Document Control Branch (Document Control Desk) 2pp 82826 275-82826 275

9502280458 Forwards "FCS Unit 1 Simulation Facility Performance Testing Rept." per 10CFR55.45(b)(5)(ii)
PATTERSON,T L Omaha Public Power District 95/02/13 Document Control Branch (Document Control Desk) 1p 82930 001-82930 150

9502280460 "FCS Unit 1 Simulation Facility Performance Testing Rept."
* Omaha Public Power District 95/02/13 145pp 82930 002-82930 150

9502220334 Notification of 950302 mgt meeting w/US in Rockville,MD to discuss corrective action program
BEACH,A B Region 4 (Post 820201) 95/02/15 Region 4 (Post 820201) 4pp 82900 023-82900 026

9502160348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9504000219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERDELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82805 013-82805 023

9501230028 NRC Info Notice 95-007, "Radiochemical Vent Breakage During Preparation"
PAPERDELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc 9pp 82805 005-82805 048

9502090235 Forwards SE which authorizes use of alternative rules of ASME Section XI Code Case N-499-1,old 940511, "Alternative Rule for 10-Yr Sys Hydrostatic Testing for Class 1,2 & 3 Sys"
QUAY,T R Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 PATTERSON,T L Omaha Public Power District 3pp 82622 184-82622 172

9502090237 SE authorizing alternative for hydrostatic testing contained in license proposal,per 10CFR50.55a(b)(3)(ii)
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 8pp 82622 187-82622 172

9501280429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82852 188-82852 194

9502030074 Forwards insp rept 50-285/94-23 on 941204-950114 One non-cited violation noted
BEACH,A B Region 4 (Post 820201) 95/01/31 PATTERSON,T L Omaha Public Power District 4pp 82617 336-82617 337

9502030078 Insp rept 50-285/94-23 on 941204-950114 One non-cited violation noted Major areas inspected operational safety verification,plant support activities,maint & surveillance, onsite engineering & open item followup
JOHNSON,W D Region 4 (Post 820201) 95/01/30 18pp 82617 340-82617 357

9502080183 Requests addl info re license 921113 submittal of 10 yr ISI program plan,rev Q,for plant to continue staff review of ISI program plan
BLOOM,S Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 PATTERSON,T L Omaha Public Power District 16pp 82681 241-82681 256

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82688 001-82688 004

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 037-82618 042

9502230280 Forwards insp rept 50-285/94-24 on 941114-1227 & notice of violation Violations involve failure to implement established procedures for documentation & evaluation of design deficiency
CALLAN,L J Region 4 (Post 820201) 95/02/15 PATTERSON,T L Omaha Public Power District 5pp 82739 207-82739 226

-9502220296 Notice of violation from insp on 941114-1227 Violation noted control room air conditioning does not meet design standards & required followup & reporting not done
* Region 4 (Post 820201) 95/02/15 2pp 82799 212-82799 213

-9502220213 Insp repl 50-285/84-24 on 941114-1227 Violations noted Major areas inspected circumstances surrounding licensee identification that component cooling water temperature
JOHNSON, W.D. Region 4 (Post 820201) 95/02/10 13pp 82799 214-82799 226

9502210081 NRC info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&B Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502210058 NRC info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 9pp 82818 016-82818 024

9502240037 NRC info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 5pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502240001 Monthly operating repl for Jan 1995 for Fort Calhoun Station Unit 1 W/
950215 lr
EDWARDS, J.L. PATTERSON, T.L. Omaha Public Power District 95/01/31 5pp 82668 341-82668 348

S. Reportable occurrences, LIRs & related correspondence

9502010008 LIR 94-011-00 on 941225, SR for SG level check was unsatisfied Caused by inadequate review Dept personnel trained on event W/950127 lr
LUNDQUIST, S.A. PATTERSON, T.L. Omaha Public Power District 95/01/27 5pp 82605 138-82605 142

V. Operator Examinations

9502000016 Informs that NRC plans to administer GFES of written OI exams at facility on 950405 Requests its listing names of candidates for exam by 950302
GVYNN, T.P. Region 4 (Post 820201) 95/02/06 PATTERSON, T.L. Omaha Public Power District 4pp 82651 974-82651 077

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502030039 Revised emergency plan procedures including table of contents, Rev 33 to Table 4-1, Rev 1 to IP-2001 & Rev 0 to IP-2000
* Power Authority of the State of New York (New York Power Authority) 95/01/12 53pp 82618 270-82618 322

9502070024 Revised EPPs, including revised table of contents & rev 2 to IP-2500, "Security Emergency Activation Responsibilities"
CHAUBARD, M.A. Power Authority of the State of New York (New York Power Authority) 95/01/30 12pp 82665 256-82665 277

9502060287 Forwards JA FitzPatrick & Indian Point 3 Nuclear Power Plant NFPA code compliance walkdown project summary & commitments
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/01/31 Document Control Branch (Document Control Desk) 8pp 82662 351-82662 353

9502160155 Rev 17 to EPIP IP-1079 "Roster Notification Methods"
* Power Authority of the State of New York (New York Power Authority) 95/02/06 16pp 82770 178-82770 193

9502100238 Forwards corrected TS page 5 to amend 157 to license DPR-64 re fire protection requirements
CONICELLAN, F. Project Directorate 1-1 (PD-1-1) (Post 941001) 95/02/08 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 4pp 82710 341-82710 344

-9502190182 Corrected page 8 to amend 157 to license DPR-64 re fire protection requirements
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/13 1p 82710 344-82710 344

9502270425 Revised EPPs, including table of contents Rev 2 to IP-2306, Rev 96 to index Rev 15 to IP-1001, Rev 2 to IP-1002 & Rev 17 IP-1011
* Power Authority of the State of New York (New York Power Authority) 95/02/21 72pp 82914 137-82914 206

P. Operating license stage documents & correspondence

9502030114 Partial response to FOIA request for documents re SECY-92-043, dtd 820207 Listing of records in App A already available in PDR Records in App B encl & will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 BROCKO, J.P. Public Origin's Critical Mass Energy Project 12tp 82532 009-82532 275

-9502020284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAIRE, G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects (NUV, V) (Post 801216) 3pp 82532 229-82532 230

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/13 O'NEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502130111 Final response to FOIA request for info Forwards App A info part already available to PDR App A info partially withheld (See FOIA Exemption 5-b)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, L.J. Affiliation Not Assigned 2pp 82738 188-82738 215

-9502130121 Partially deleted summary of 940111-13 Region IV SNM re status of problem plants identified at June 1993 Region II SNM & performance of other plants
* NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 191-82738 215

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (re FOIA exemptions 3 & 5)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 GUMINSKY, V. Affiliation Not Assigned 4pp 82717 157-82717 014

-9502130293 Partially deleted SECY providing Commentator w/summaries of comments received in response to informal proceeding initiated by issuance of Commission May 90 order
82CKWIT, L. Office of the General Counsel (Post 860701) SECY-A-80-036 80/07/11 25pp 82717 192-82717 220

9502140144 Third partial response to FOIA request for documents Records in app C encl & will be available in PDR
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/08 O'NEALIA, M. Affiliation Not Assigned 2pp 82728 181-82728 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 229

9502010124 Requests results of review & disposition re activities at plant within 30 days w/no personal privacy, proprietary or safeguards info so it can be released to public & placed in PDR Encl withheld
COOPER, R.W. Region 1 (Post 820201) 95/01/25 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 1p 82545 071-82545 071

9502060014 Informs that plant will continue to be categorized as requiring close NRC monitoring IAW senior management meeting decision Continued improvement needed prior to easing of close monitoring by NRC
TAYLOR, J.M. Dir. of the Executive Director for Operations 95/02/01 FREEMAN, S. Power Authority of the State of New York (New York Power Authority) 4pp 82668 274-82668 277

9502170268 Informs NRC recently received info re certain activities at plant & transmits details for review & follow-up Requests review & disposition of matter be submitted to Region 1 within 30 days W/o encl
COOPER, R.W. Region 1 (Post 820201) 95/02/01 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 1p 82768 047-82768 047

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 156-82652 198

9502100338 Forwards corrected TS page 5 to amend 157 to license DPR-64 re fire protection requirements
CONICELLAN, F. Project Directorate 1-1 (PD-1-1) (Post 941001) 95/02/08 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 4pp 82710 341-82710 344

-9502030182 Corrected page 5 to amend 157 to license DPR-64 re fire protection requirements
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/13 1p 82710 344-82710 344

9502170241 Forwards details re activities at plant for review & follow up Results of review & disposition of matter should be submitted to Region 1 within 30 days of receipt of lr W/o encl
COOPER, R.W. Region 1 (Post 820201) 95/02/09 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 1p 82769 044-82769 044

9502200121 Responds to NRC 941216 re request for evaluation of concerns identified re activities at plant Summary of results provided
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/02/16 Document Control Branch (Document Control Desk) 8pp 82841 340-82841 347

9502270151 Advice of withdrawal of commitment IPN-93-184-03 & nod to commitment IPN-93-184-04
HULL, M. Power Authority of the State of New York (New York Power Authority) 95/02/17 Document Control Branch (Document Control Desk) 8pp 82925 208-82925 213

9502270180 Forwards amend 160 to license DPR-64 & safety evaluation Amend re-reviews TS Section 3.10.8 & associated bases to reduce max allowable control rod drop time from 2.4 to 1.8 seconds
CONICELLAN, F. Project Directorate 1-1 (PD-1-1) (Post 941001) 95/02/21 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 4pp 82945 254-82945 265

-9502270191 Amend 160 to license DPR-64, revising TS 3.10.8 & associated bases to reduce max allowable control rod drop time from 2.4 to 1.8 seconds
MARSHALL, B. Project Directorate 1-1 (PD-1-1) (Post 941001) 95/02/21 5pp 82945 258-82945 262

-9502270193 Safety evaluation supporting amend 160 to license DPR-64
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 3pp 82945 263-82945 265

54 DOCKETED ITEMS

8602160349 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/25
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502280255 Forwards application for amend to License DPR-64,revsing Tech Specs Section 3.7 re min fuel oil required for EDGs
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/02/23 Document Control Branch (Document Control Desk) 2pp 82829 338-82929 350

-9502280262 Application for amend to License DPR-64,revsing Tech Specs Section 3.7 re min fuel oil required for EDGs
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/02/23 1p 82829 340-82829 340

-9502280265 Proposed tech specs re min fuel oil required for EDGs
Power Authority of the State of New York (New York Power Authority) 95/02/23 10pp 82829 341-82829 350

G. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POMELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/07/06 FIDELLE R. Attention Not Assigned 8pp 82824 140-82825 031

-9502210158 Partially deleted listing of "Enforcement Action Tracking Sys"
NRC - No Detailed Attention Given 94/06/06 175pp 82824 188-82825 005

9502080138 Ltr contract,defining task order 51, "Reactor Assessment Team Insp - Indian Point 2"
WIGGINS, E.J. Division of Contracts (Post 940714) 94/12/28 LOFF, R.A. PARAMETER, Inc. 7pp 82718 248-82718 253

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501290269 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502030656 Ack receipt of 950119 re violations noted in insp rept 50-286/94-26
COWGILL, C.J. Region 1 (Post 820201) 95/01/27 HILL, L.M. Power Authority of the State of New York (New York Power Authority) 3pp 82617 274-82617 252

9502030338 Revised response to violations noted in insp Rept 50-286/95-27 Corrective actions prior to start-up, licensee will install backup gas supply to operate damper actuators, for min of 24 h.
HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/01/30 Document Control Branch (Document Control Desk) 9pp 82622 246-82622 251

9501290429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Permit & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 158-82652 194

9502030318 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 091-82658 008

9502130346 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 137-82742 138

9502160283 Suppl 1 to NRC info notice 95-010, Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502290346 Ack receipt of 950100 re informing NRC of steps taken to correct violations noted in insp rept 50-286/95-22, 50-286/95-27, 50-286/95-28 & 50-286/95-31
COWGILL, C.J. Region 1 (Post 820201) 95/02/15 HILL, L.M. Power Authority of the State of New York (New York Power Authority) 9pp 82800 056-82800 054

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 038

9502210850 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240307 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

H. Periodic operating reports & related correspondence

9502220168 Monthly operating rept for Jan 1995 for Indian Point Unit 3 W/950216 ltr
ORLANDO, T. HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/01/31 8pp 82812 079-82812 084

9502240301 Forwards simulator tour yr certification rpt on accordance w/
10CFR55.45(b)(5)(ii) & 10CFR55.45(b)(5)(iii)
HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/02/16 Document Control Branch (Document Control Desk) 11pp 82884 001-82884 118

S. Reportable occurrences, LERs & related correspondence

9502030326 LER 95-001-00 on 950101 & 04, fire watch not maintained in switchgear room as required Caused by personnel error Assignment of continuous fire watch limited to fire watch qualified operators W/950128 ltr
FROEBRICH, R.A. HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/01/26 10pp 82622 083-82622 082

9502230680 Forwards LER 95-002-00 & let of comments re inadequate controls for replacement fuses
HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/02/13 Document Control Branch (Document Control Desk) 3pp 82842 041-82842 050

-9502230682 LER 95-002-00 on 950113, design engineering determined that analysis of installed fuses improper re 32 component CW pump Caused by inadequate administrative controls Fuse control procedure revised & correct fuses installed
KLEIN, T. Power Authority of the State of New York (New York Power Authority) 95/02/13 7pp 82842 044-82842 050

Y. Operator Examinations

9502030303 Notices of completion of required balance of QJT for removal of restrictions on operator licenses
HILL, L.M. Power Authority of the State of New York (New York Power Authority) 95/01/23 Document Control Branch (Document Control Desk) 2pp 82630 357-82630 358

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502020180 Forwards public version of revised EPIPs, including Rev 94-10 to Vol C of table of contents, Change 13 to HP/0/B/1008/18, Change 5 to HP/0/B/1009/20, Change 2 to HP/0/B/1008/21 & Rev 94-15 to Vol B
HAMPTON, J.W. Duke Power Co. 94/11/09 Document Control Branch (Document Control Desk) 1p 82578 124-82578 354

-9502010322 Public version of revised EPIPs, including Rev 94-10 to Vol C of table of contents, Change 13 to HP/0/B/1009/18, Change 5 to HP/0/B/1008/20, Change 2 to HP/0/B/1008/21 & Rev 94-15 to Vol B
HAMPTON, J.W. Duke Power Co. 94/11/09 100pp 82678 125-82678 354

9502030314 Summary of 950119 meeting w/utl re questions concerning design & technical details of proposed modification to provide over frequency protection for plant emergency power paths
WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/28 Office of Nuclear Reactor Regulation (Post 941001) 24pp 82622 218-82622 241

9502170322 Forwards public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1, emergency telephone directory, Rev 94-04, HP/0/B/1008/09 & HP/0/B/1008/17
HAMPTON, J.W. Duke Power Co. 95/01/26 Document Control Branch (Document Control Desk) 3pp 82775 248-82775 309

-9502170325 Public version of Rev 95-01 to EPIPs, including cover sheet, table of contents, page 1, emergency telephone directory, Rev 94-04, HP/0/B/1008/09 & HP/0/B/1008/17
FOSTER, W.W. Duke Power Co. 95/01/31 56pp 82775 251-82775 309

9502210237 Revised EPIPs, including Rev 95-02 to EPIPs coversheet, table of contents & Safety Assurance Directives 9.1 & 9.2 W/950213 ltr
BROWN, J.R. FOSTER, W.W., HAMPTON, J.W. Duke Power Co. 95/02/13 12pp 82803 292-82803 309

G. Adjudicatory correspondence

9502100128 Responds to 920324 ltr to Chairman re PWSCC of Alloy 600 in PWR vessel head penetrations & informs that based on NRC review of findings of plant inspection denied for reasons given in end Director's Decision
RUBESSEL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 WILLIS, J. Greenpeace Foundation 3pp 82695 242-82695 253

A. Insurance & indemnity information

9502020429 Forwards listed info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums
TUCKMAN, M.S. Duke Power Co. 95/01/13 Document Control Branch (Document Control Desk) 20pp 82684 001-82684 071

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043, dtd 8/20/92 Listing of records in App A already available in PDR Records in App B end & will be available in PDR
RICE, C.A. Division of Freedom of Information & Publications Services (890205-940714) 94/05/17 RICE, C.J. Public Citizen's Critical Mass Energy Project 121pp 82592 008-82592 130

-8388210295 Requests FR publication of notice of issuance of amendments 200 200 & 107 to license DPR-39, DPR-47 & DPR-65 Amendments provide an interim acceptance criteria for control rod drop time on Oconee Unit 1
WIENS, L.A. Project Director's II-2 83/05/18 NRC - No Detailed Attention Given 2pp 82592 158-82592 177

9502210115 Final response to FOIA request for documents Records in App A will be available in PDF App B records withheld in entirety (ref FOIA Exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 9/4/07/06. BLANCH, P. Attention Not Assigned. 6pp. 82606322-82606338

-9502210119 "Notice of Enforcement Discretion."
* NRC - No Detailed Attention Given 9/4/07/22. 13pp. 82606327-82606338.

9502210153 Forwards SE which grants request for relief 92-14 from certain ASME Code requirements.
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. HAMPTON, J.W. Duke Power Co. 3pp. 82622142-82622149

-9502210169 SE granting request for relief 92-14, per 10CFR50.55(a)(5)(i).
* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 6pp. 82622145-82622149.

9502210181 Responds to NRC request for voluntary reporting of add occupational radiation exposure data per GL 94-04.
TUCKERMAN, M.S. Duke Power Co. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82650267-82650269.

9502210202 Confirms telcon between NRC & util concerning mgt meeting to be conducted on 950205 at Atlanta, GA to discuss concerns re identification of safety-related equipment at plant.
CRLENJAK, R.V. Region 2 (Post 820201). 95/01/22. HAMPTON, J.W. Duke Power Co. 4pp. 82601004-82601007

9502210269 Confirms 950126 telcon re Nov 1994 plug cracking at plant. NRC understands that util has adopted listed four-point course of action.
WERNER, L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/26. TUCKERMAN, M.S. Duke Power Co. 4pp. 82577259-82577262.

9502210283 Informs that util has reviewed Keweenaw operating limits supporting calculation & determined that add instrument tolerances needed to be incorporated into calculation.
HAMPTON, J.W. Duke Power Co. 95/01/27. Document Control Branch (Document Control Desk). 2pp. 82720249-82720250

9502210307 Forwards Rev 2 to "Donee 3 Cycle 15 COLR."
CANNADY, K.S. Duke Power Co. 95/01/30. Document Control Branch (Document Control Desk). 1p. 82664285-82664284

-9502210310 Rev 2 to "Donee 3 Cycle 15 COLR."
ST. CLAIR, R.R. Duke Power Co. ONE-0400-70 R02. 95/01/30. 5pp. 82664285-82664294

9502210318 Forwards add info requested by NRC to support operation of Unit 3 full rated power during Cycle 18.
HAMPTON, J.W. Duke Power Co. 95/01/30. Document Control Branch (Document Control Desk). 5pp. 82720265-82720267.

-8502210313 Proposed tech spec re Unit 3 Cycle 15 reload TS suppl 1
* Duke Power Co. 95/01/30. 8pp. 82728090-82728097.

9502210328 Provides interim rept on Westinghouse Alloy 600 SG mechanical plugs installed at DPC plant as requested by NRC in response to recent field experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs.
TUCKERMAN, M.S. Duke Power Co. 95/01/31. Document Control Branch (Document Control Desk). 4pp. 82667311-82667314.

9502210341 Discusses rept of error in large break LOGA ECG analysis & forwards rept to determine new LHR limits.
HAMPTON, J.W. Duke Power Co. 95/02/01. Document Control Branch (Document Control Desk). 2pp. 82734248-82734258.

9502210355 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02. Consolidated Edison Co. of New York, Inc. 6pp. 82652185-82652199.

9502210358 Notification of 950214-15 meetings w/util in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear stations.
MARTIN, R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82704019-82704023

9502210401 Expresses appreciation for volunteering in pilot program for exchange of electronic info.
VARIGA, S. Division of Reactor Projects I/R (DRPE) Post 941001. 95/02/08. TUCKERMAN, M.S. Duke Power Co. 5pp. 82776298-82776303

9502210484 Forwards request for Relief 95-01 from USAS B31.7 Nuclear Piping Code W/11 overseas drawings.
HAMPTON, J.W. Duke Power Co. 95/02/09. Document Control Branch (Document Control Desk). 16pp. 82624133-82624139.

9502210428 Informs licensee that subject methodologies audit scheduled for 950305-10 & provides list of info to be reviewed.
WERNER, L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/02/13. TUCKERMAN, M.S. Duke Power Co. 5pp. 82787113-82787117

9502210549 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions.
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/02/23. Consolidated Edison Co. of New York, Inc. 17pp. 82848001-82848017.

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App encl 3 will be available in PDF App C records withheld in part (ref FOIA exemption 5). App D records completely withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 9/4/07/06. POWELL, R. Attention Not Assigned. 6pp. 82624140-82625031

-9502210158 Partially delayed testing of "Enforcement Action Tracking Sys."
* NRC - No Detailed Attention Given 9/4/08/08. 175pp. 82824168-82825005.

9502210079 Ltr contract task order 40, defining task order to "Training & Qualification Effectiveness Insp." for plant Units 1, 2 & 3.
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-036. 9/4/12/09. COLLINA, J. Science & Engineering Associates, Inc. 2pp. 82684323-82684324

9501090239 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/13. Consolidated Edison Co. of New York, Inc. 11pp. 82605013-82605023

9502210112 Forwards insp repts 50-269/94-38, 50-270/94-38 & 50-287/94-38 on 941127-1231 & notice of violation.
CRLENJAK, R.V. Region 2 (Post 820201). 95/01/25. HAMPTON, J.W. Duke Power Co. 3pp. 82622302-82622320

-9502210118 Notice of violation from insp on 941127-1231. Violation noted on 941127-1231. Keweenaw Hydro Unit 1 was not operated in accordance w/OP/OA/1108/019, operational control of hydro unit was transferred from remote to local.
* Region 2 (Post 820201). 95/01/25. 1p. 82622305-82622305

-9502210122 Insp repts 50-269/94-38, 50-270/94-38 & 50-287/94-38 on 941127-1231. Violations noted. Major areas inspected: plant operations, surveillance testing, maint activities, waste engineering & technical assistance.
HARRISON, P.E. CRLENJAK, R.V. Region 2 (Post 820201). 95/01/25. 15pp. 82622306-82622320

9501230289 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729). 95/01/27. Consolidated Edison Co. of New York, Inc. 6pp. 82605038-82605046

9502210051 Discusses plant 940224 response to NRC NOV issued on 940125 re insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31. After consideration, NRC concludes that violation did occur & requests plant written statement re corrective steps taken.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/30. HAMPTON, J.W. Duke Power Co. 5pp. 82624225-82624229

9502210031 Ack receipt of 950118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-38, 50-270/94-38 & 50-287/94-38.
CRLENJAK, R.V. Region 2 (Post 820201). 95/01/30. HAMPTON, J.W. Duke Power Co. 3pp. 82713215-82713217.

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design."
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/31. Consolidated Edison Co. of New York, Inc. 7pp. 82652188-82652194

9502210243 Forwards SE which grants util request for relief 93-04, per 10CFR50.55(a)(5)(i). Requests for relief 93-02, 93-05 & 93-06, authorized per to 10CFR50.55(a)(5)(i).
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/31. HAMPTON, J.W. Consumers Power Co. 4pp. 82662173-82662187

-9502210245 SE granting request for relief 93-04, per 10CFR50.55(a)(5)(i). Requests for relief 93-02, 93-05 & 93-06, authorized per 10CFR50.55(a)(5)(i).
* Office of Nuclear Reactor Regulation (Post 941001). 95/01/31. 11pp. 82622177-82622187

9502210084 Requests extension of date to 950216 in order to complete identification of selected piping boundaries & to complete review process for relief request.
HAMPTON, J.W. Duke Power Co. 95/01/31. Document Control Branch (Document Control Desk). 2pp. 82720247-82720248

9502210039 Informs that scope of project doubled during initial review process & publishing constraints have forced team to await completion date to 950601.
HAMPTON, J.W. Duke Power Co. 95/01/31. Document Control Branch (Document Control Desk). 2pp. 82720199-82720199.

9502210020 Discusses reply to notice of violation re insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34. Util requests extension for response until 950301.
HAMPTON, J.W. Duke Power Co. 95/02/01. Document Control Branch (Document Control Desk). 2pp. 82734109-82734110.

9502210013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/03. Consolidated Edison Co. of New York, Inc. 6pp. 82668001-82668008.

9502210082 Forwards add response to deviation noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31, addressing concerns identified in NRC 950105 ltr. Values MS-93 & MS-94 closed on three units on 950108.
HAMPTON, J.W. Duke Power Co. 95/02/06. Document Control Branch (Document Control Desk). 7pp. 82768136-82768142.

9502210211 Revised response to violations noted in insp repts 50-269/93-25, 50-270/93-25 & 50-287/93-25. Corrective actions: preliminary results from analysis obtained & being verified.
HAMPTON, J.W. Duke Power Co. 95/02/09. Document Control Branch (Document Control Desk). 2pp. 82605359-82605360.

9502210023 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/10. Consolidated Edison Co. of New York, Inc. 6pp. 82618037-82618042

9502210095 Confirms telcon between E. Barnfield & R. Carroll on 950125, concerning management meeting to be conducted in Atlanta, GA to discuss concerns identified during service water sys operational performance insp w/meeting agenda.
CRLENJAK, R.V. Region 2 (Post 820201). 95/02/10. HAMPTON, J.W. Duke Power Co. 4pp. 82769241-82769244

9502210213 Responds to NRC 950113 ltr re violations noted in insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37. Corrective actions: procedure up & adherence reinforced w/ISO technicians & supervisors & procedure IP/0/0270/001U will be revised.
HAMPTON, J.W. Duke Power Co. 95/02/10. Document Control Branch (Document Control Desk). 7pp. 82663311-82663317

56 DOCKETED ITEMS

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II Inc. GRIMES, B K 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502210090 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B K 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82818 015-82818 024

9502210097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B K 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82818 018-82818 025

9502260117 Forwards response to NRC 950125 for re violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31. Corrective actions requested for TS change to add surveillance test for mod oratory has been submitted HAMPTON, J W Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82830 358-82830 360

9502280123 Forwards response to NRC 950125 for re violations noted in insp repts 50-269/94-38, 50-270/94-38 & 50-287/94-38. Corrective actions Keonise procedure OP/D/A2000/041, was revised to give operators instructions HAMPTON, J W Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 3pp 82831 016-82831 018

9502280132 Forwards response to NRC 941123 for re violations noted in insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34. Corrective actions evaluated PIP process as result of violation HAMPTON, J W Duke Power Co 95/02/24 Document Control Branch (Document Control Desk) 5pp 82831 029-82831 032

R. Periodic operating reports & related correspondence

9502280115 Monthly operating repts for Jan 1985 for Oconee Nuclear Station W/ 950215 re WILLIAMS, R A., WEBER, R L Duke Power Co 95/01/31 18pp 82811 228-82811 243

V. Operator Examinations

9502210068 Informs that Region II will host annual Training Manager Conference in Atlanta on 950208-09 to inform regional training & operations mgr of issues & policies that affect licensing of reactor plant operators PEEBLES, T A Region 2 (Post 820201) 95/01/24 HAMPTON, J W Duke Power Co 2pp 82770 108-82770 107

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9502010022 Forwards insp rept 50-288/94-01 on 941205-09 & notice of violation Violation involved failure to perform annual training of emergency response personnel COLLINS, S J Region 4 (Post 820201) 95/01/25 KOBLIK, S S Reed College, Portland, OR 3pp 82544 041-82544 076

-9502010024 Notice of violation from insp on 941205-09 Violation noted inspector determined on 941207 that required annual training of Reed College community safety personnel had not been conducted during 1991, 1993 or 1994 * Region 4 (Post 820201) 95/01/25 2pp 82544 046-82544 047

-9502010027 Inspr rept 50-288/94-01 on 941205-09 Violations noted Major areas inspected qualifications & training, special nuclear mail & accountability, reviews & audits, logs & records, procedures & physical security & repts MURRAY, B Region 4 (Post 820201) 95/01/23 28pp 82544 048-82544 076

9502240157 Responds to violations noted in insp Rept 50-288/94-01, dtd 950125. Corrective actions new procedure & planning calendar should ensure that required training conducted & documented annually FRANTZ, S G Reed College, Portland, OR 95/02/16 Document Control Branch (Document Control Desk) 71pp 82870 348-82870 358

G. Inspection reports, IE Bulletins & correspondence

9502010022 Forwards insp rept 50-288/94-01 on 941205-09 & notice of violation Violation involved failure to perform annual training of emergency response personnel COLLINS, S J Region 4 (Post 820201) 95/01/25 KOBLIK, S S Reed College, Portland, OR 3pp 82544 041-82544 076

-9502010024 Notice of violation from insp on 941205-09 Violation noted inspector determined on 941207 that required annual training of Reed College community safety personnel had not been conducted during 1991, 1993 or 1994 * Region 4 (Post 820201) 95/01/25 2pp 82544 046-82544 047

-9502010027 Inspr rept 50-288/94-01 on 941205-09 Violations noted Major areas inspected qualifications & training, special nuclear mail & accountability, reviews & audits, logs & records, procedures & physical security & repts MURRAY, B Region 4 (Post 820201) 95/01/23 28pp 82544 048-82544 076

9502240157 Responds to violations noted in insp Rept 50-288/94-01, dtd 950125. Corrective actions new procedure & planning calendar should ensure that required training conducted & documented annually FRANTZ, S G Reed College, Portland, OR 95/02/16 Document Control Branch (Document Control Desk) 71pp 82870 348-82870 358

V. Operator Examinations

9502010022 Forwards inspr rept 50-288/94-01 on 941205-09 & notice of violation Violation involved failure to perform annual training of emergency response personnel COLLINS, S J Region 4 (Post 820201) 95/01/25 KOBLIK, S S Reed College, Portland, OR 3pp 82544 041-82544 076

-9502010027 Inspr rept 50-288/94-01 on 941205-09 Violations noted Major areas inspected qualifications & training, special nuclear mail & accountability, reviews & audits, logs & records, procedures & physical security & repts MURRAY, B Region 4 (Post 820201) 95/01/23 28pp 82544 048-82544 076

9502270183 Transmits results of operator initial examinations conducted at Reed College on 950124-26 W/o end RICHARDS, S A Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 KOBLIK, S S Reed College, Portland, OR 1p 82846 274-82846 274

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502010235 Revised EIPs including Rev 4 to EIP-TMI-27 "ECF" & Rev 5 to EIP-TMI-32 "Activation of Annex to EOP" * General Public Utilities Corp - GPU Service Corp 94/07/12 97pp 82583 184-82583 280

9502010078 Forwards revised pages to Rev 31 to modified amended physical security plan & Rev 12 to training & qualification plan Plans withheld LONG, R L General Public Utilities Corp - GPU Service Corp 95/01/23 Document Control Branch (Document Control Desk) 1p 82587 332-82587 332

9502080225 Revised EIPs including Rev 5 to EIP-TMI-28 & Rev 7 to EIP-TMI-29, incorporating PCR: 1-EP-84-0045 & 1-EP-84-0042 respectively & Temporary Change Notice 1-85-0007 to Rev 6 to EIP-TMI-02 BEAVER, J General Public Utilities Corp - GPU Service Corp 95/01/25 60pp 82704 280-82704 319

9502080083 Forwards inspr rept 50-289/94-26 on 941206-950112 No violations noted DURL, J P Region 1 (Post 820201) 95/02/03 BROUGHTON, T G General Public Utilities Corp - GPU Service Corp 3pp 82645 001-82645 026

-9502080084 Inspr rept 50-289/94-26 on 941206-950112 No violations noted Major areas inspected plant operations, maintenance, radiological controls & security activities as related to plant safety ROGGE, J F Region 1 (Post 820201) 95/02/03 23pp 82645 004-82645 026

9502170265 Rev 15 to EIP-TMI-06, "Aid Assistance & Notification" KNOCH, J A BEAVER, J, NELSON, M A General Public Utilities Corp - GPU Service Corp 95/02/07 28pp 82780 091-82780 118

9502170260 Rev 6 to EIP-TMI-06, "Communications & Record Keeping" KNOCH, J A BEAVER, J, NELSON, M A General Public Utilities Corp - GPU Service Corp 95/02/08 18pp 82780 073-82780 088

9502170272 Rev 14 to EIP-TMI-03, "Emergency Notification & Call Outs" * General Public Utilities Corp - GPU Service Corp 95/02/08 38pp 82780 165-82780 200

9502180488 Forwards revs to modified amended physical security plan, training & qualification plan Plans withheld BROUGHTON, T G General Public Utilities Corp - GPU Service Corp 95/02/10 Document Control Branch (Document Control Desk) 1p 82920 350-82920 350

9502230186 Revised EIPs including Temporary Change Notice (TCN) 1-95-0009 to Rev 6 to EIP-TMI-02 & TCN 1-95-0010 to Rev 4 to EIP-TMI-27 TCN 1-95-0007 to EIP-TMI-02 cancelled BEAVER, J General Public Utilities Corp - GPU Service Corp 95/02/10 36pp 82811 307-82811 342

G. Adjudicatory correspondence

9502030186 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied RUSSELL, W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B Attention Not Assigned 32pp 82685 001-82685 053

H. General correspondence

9502080038 Responds to 950102 lb requesting info on nuclear energy & exact cause of accident at plant HERMAN, R W Division of Reactor Projects I/R (DRPE) Post 941001 95/01/31 CLARK, O Attention Not Assigned 1p 82627 345-82627 346

-9502080043 Requests info on nuclear energy re plant accident CLARK, O Attention Not Assigned 95/01/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82627 346-82627 346

9502060037 Comment opposing proposed rule 10CFR50 re shutdown & keep power operations for nuclear reactors FORNICOLA, J C General Public Utilities Corp - GPU Service Corp 95/02/01 Docking & Services Branch 4pp 82601 139-82601 142

P. Operating license stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App 8 records being made available in PDF & App JJ records being partially withheld (ref FOIA exemptions 3 & 5) POWELL, R A Division of Freedom of Information & Publications Services (950208-940714) 94/06/20 GILLESKY, V Attention Not Assigned 4pp 82717 157-82717 014

-950210263 Partially deleted SECY re: Commission of Appeal Board decision. TRUBATCH, L. Office of the General Counsel (Post 800701) SECY-82-412 82/10/12 38pp 82717 295-82717 332

9502140144 Third partial response to FOIA request for documents Records in app G and J will be available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-840714) 94/07/06 OMBALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502181116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-840714) 94/07/07 BLANCHET, Affiliation Not Assigned 5pp 82806 322-82806 339

-9502210119 "Notice of Enforcement Decision"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502298178 Forwards amend 123 to license DPR-50 & safety evaluation Amend requires action requirements of TS 3.5.1, table 3.5.1 in event of inoperable degraded grid voltage or loss of voltage relay or associated limits. HERMAN, R.W. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/31 Broughton, T.G. General Public Utilities Corp - GPU Service Corp App 82626 254-82626 267

-9502298188 Amend 123 to license DPR-50, revising action requirements of TS 3.5.1 & table 3.5.1 in event of inoperable degraded grid voltage or loss of voltage relay or associated limits. MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/31 5pp 82626 258-82626 262

-9502298188 Safety evaluation supporting amend 123 to license DPR-50
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 5pp 82626 263-82626 267

9502020826 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502080119 Summary of 850126 meeting w/ultr in Rockville, MD to discuss util intentions to apply for TMI-1 license amend that would recapture 6.25 yr period from July 78 Oct 93 that TMI-1 shut down under NRC order following accident at unit 2. HERMAN, R.W. Project Directorate I-4 (PD1-4) (Post 841001) 85/02/02 Project Directorate I-4 (PD1-4) (Post 941001) 21pp 82669 292-82669 312

9502080180 Summary of 950125 meeting w/licenses at plant re active TMI-1 licensing issues. HERMAN, R.W. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/02 Project Directorate I-4 (PD1-4) (Post 941001) 13pp 82669 313-82669 325

9502270103 Addresses changes made in GPU Nuclear Corp Provides list of employees authorized to submit fingerprints to NRC & receive results under Criminal History Program. WILSON, J.F. General Public Utilities Corp - GPU Service Corp 95/02/08 Document Control Branch (Document Control Desk) 2pp 82779 256-82779 260

9502210198 Forwards safety evaluation approving use of ASME boiler & pressure vessel code case N-416-1 w/alternate NDE requirements at plant. MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 Broughton, T.G. General Public Utilities Corp - GPU Service Corp App 82769 305-82769 316

-9502210204 Safety evaluation approving use of ASME boiler & pressure vessel code case N-416-1 w/alternate NDE requirements at plant.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 8pp 82769 309-82769 316

9502270415 Discusses nonconservative B&W Nuclear Technologies large break LOCA ECCS analysis Reanalysis scheduled to be completed by 950601. Broughton, T.G. General Public Utilities Corp - GPU Service Corp 95/02/21, Document Control Branch (Document Control Desk) 2pp 82914 206-82914 210

9502280284 Forwards tabulation of personnel exposure data for plants for calendar year 1994 Data based on internal committed dose equivalents & self-reader dosimetry rates. Broughton, T.G. General Public Utilities Corp - GPU Service Corp 95/02/22 Document Control Branch (Document Control Desk) 5pp 82853 007-82853 011

9502260349 Administrative Ltr 95-02 to all holders of O's or C's re cost beneficial licensing actions. MURPHY, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletin & correspondence

9501990219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material" PAPARELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9501230289 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPARELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc 9pp 82608 038-82608 048

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 194

9502070130 Proposes that plant perform SWS operational performance insp self-assessment in accordance w/guidance provided in NRC administrative ltr 94-08. Broughton, T.G. General Public Utilities Corp - GPU Service Corp 95/01/31 Document Control Branch (Document Control Desk) 1p 82697 347-82697 347

9502090312 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82668 001-82668 008

9502080083 Forwards insp rept 90-289/94-26 on 941206-950112 No violations noted. DURR, J.P. Region 1 (Post 820201) 95/02/03 Broughton, T.G. General Public Utilities Corp - GPU Service Corp 3pp 82645 001-82645 028

-9502040004 Insp rept 90-289/94-26 on 941206-950112 No violations noted. Major areas inspected plant operations, maintenance, radiological controls & security activities as related to plant safety. ROOGE, J.F. Region 1 (Post 820201) 95/02/03 23pp 82645 004-82645 026

9502130173 Request NRC review of TMI-1 OTSG tube insp plan for Cycle 11 refusing outage. Broughton, T.G. General Public Utilities Corp - GPU Service Corp 95/02/05 Document Control Branch (Document Control Desk) 4pp 82734 179-82734 182

9502130237 Ack receipt of 941123 & 27 ltrs informing NRC of steps taken to correct violations noted in insp rept 90-289/94-26. DURR, J.P. Region 1 (Post 820201) 95/02/07 Broughton, T.G. General Public Utilities Corp - GPU Service Corp 3pp 82707 257-82707 264

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 8pp 82818 037-82818 042

9502280026 Forwards insp rept 90-289/94-25 on 941208-950120 No violations noted. KELLY, E.M. Region 1 (Post 820201) 95/02/17 Broughton, T.G. General Public Utilities Corp - GPU Service Corp 2pp 82846 123-82846 134

-9502280034 Insp rept 90-289/94-25 on 941206-950120 No violations noted. Major areas inspected engineering & technical support, design mods, plant experience reports & mail nonconformance reports on nuclear safety level water sys. GREGG, J.H. KELLY, E.M. Region 1 (Post 820201) 95/02/17 10pp 82846 125-82846 134

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&B Engineering, Inc" GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502280238 Forwards insp rept 90-289/95-02 & 90-320/95-02 on 950130-0203 No violations noted. JOYNER, J.H. Region 1 (Post 820201) 95/02/21 Broughton, T.G. General Public Utilities Corp - GPU Service Corp 8pp 82853 021-82853 032

-9502280380 Insp rept 90-289/95-02 & 90-320/95-02 on 950130-0203 No violations noted. Major areas inspected licensee had effective program for plant occupational radiation exposures as low as reasonably achievable. NICK, J. BOREER, Region 1 (Post 820201) 95/02/13 9pp 82853 024-82853 032

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502170268 Monthly operating rept for Jan 1995 for TMI-1 W/950209 ltr. HEYSEK, W.G. Broughton, T.G. General Public Utilities Corp - GPU Service Corp 95/01/31 7pp 82780 122-82780 129

T. Hearing transcripts on non-environmental matters

9502130447 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (rel FOIA exemptions 3 & 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-840714) 94/06/20 GLINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

-9502130288 Partially deleted SECY re: review of closed Commission meeting transcript. FITZGERALD, J.A. Office of the General Counsel (Post 800701) SECY-83-322 83/08/05 1p 82718 014-82718 014

DOCKET 90-283 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502130280 Third partial response to FOIA request for documents Forwards records in app F Records in App G & H completely withheld (rel FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-840714) 94/07/13 FLEMING, J.G. Affiliation Not Assigned 5pp 82717 148-82717 166

-9502130249 Discusses CI rept 1-81-011 re plant & util failure to provide complete info re emergency planning issued to NRC Requests OGC analyze rept to determine if enough evidence exists to take EA & demands of telcom scheduled for 930503. LIEBERMAN, J. Office of Enforcement (Post 870413) 93/04/13 MARTIN, T.T. Region 1 (Post 820201) MURPHY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) GOLDBERG, J.R. Deputy Assistant General Counsel for Enforcement 2pp 82717 154-82717 155

9502160134 Rev 14 to emergency plan W/950209 ltr. BOULETTE, E.T. Boston Edison Co. 95/02/09 128pp 82778 215-82778 342

58 DOCKETED ITEMS

H. General correspondence

9502106238 Comment opposing proposed rule 10CFR50 re shutdown & low power operations for nuclear power reactors
BOULETTE, E.T. Boston Edison Co. 95/02/03 Document Control Branch (Document Control Desk) 2pp 82706 305-82706 306

P. Operating license stage documents & correspondence

9502106244 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/08/15 O'MEALIA, M. Affiliation Not Assigned 2pp 82621 278-82621 313

9502106251 "Enforcement action tracking sys./licensee history rept (short list) sorted by licensee 850101-940509"
* NRC - No Detailed Affiliation Given 94/06/06 9pp 82621 281-82621 313

9502106254 Third partial response to FOIA request for documents Records in app C and J will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502106273 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502106276 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, J.P. Affiliation Not Assigned 5pp 82806 322-82806 338

9502106279 Notices of Enforcement Discretion
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 338

9502106280 Notification of significant licensee meeting 95-10 w/ut on 950207 to discuss circumstances surrounding primary containment opening during reactor power operations for about 30 days & related safety implications
CONTE, R.J. Region 1 (Post 820201) 95/01/27 Region 1 (Post 820201) 2pp 82629 380-82629 361

9502106287 Forwards reformatting operating license & appendix A to operating license
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001) 95/01/30 BOULETTE, E.T. Boston Edison Co. 3pp 82658 004-82658 254

9502106289 Reformatting issue of license DPR-35
GIAMBUSSO, A. Atomic Energy Commission (Pre 750118) 72/09/15 5pp 82658 007-82658 254

9502106290 Approves request for withholding info from public disclosure re Pigrum NPS - Core shroud stabilizer design IAW 10CFR2790 as proprietary
EATON, R.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 BOULETTE, E.T. Boston Edison Co. 4pp 82626 274-82626 277

9502106295 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC Headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 196

9502106298 Identifies instances in addition to those reported in previous correspondence informing NRC of instances in which self-corrective actions for DODOR project deferred substantially from C/A reported in final summary rept
BOULETTE, E.T. Boston Edison Co. 95/02/02 Document Control Branch (Document Control Desk) 3pp 82712 228-82712 230

9502106299 Forwards amend 157 to license DPR-35 & safety evaluation Amend removes TS Section 4.5 H 4 which requires testing & calibration of pressure switches in certain ECCS lines
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/02 BOULETTE, E.T. Boston Edison Co. 2pp 82789 340-82789 349

9502106300 Amend 157 to license DPR-35 removing TS Section 4.5 H 4 which requires testing & calibration of pressure switches in certain ECCS lines
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/02 5pp 82789 343-82789 347

9502106314 Safety evaluation supporting amend 157 to license DPR-35
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 2pp 82789 345-82789 349

9502106316 Application for amend to license DPR-35, increasing reactor high water level isolation trip level setting
BOULETTE, E.T. Boston Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 5pp 82781 277-82781 286

9502106319 Proposed tech spec/amending reactor high water level isolation trip level setting
* Boston Edison Co. 95/02/09 7pp 82781 282-82781 288

9502106324 Comments on proposed policy statement on PRA methods in nuclear regulatory activities
BOULETTE, E.T. Boston Edison Co. 95/02/13 Document Control Branch (Document Control Desk) 2pp 82883 308-82883 308

9502106326 Forwards Rev 32 to Procedure 8.7.3, "Secondary Containment Leak Rate Test" - Secondary leak rate test satisfactorily performed 941121 Test verified secondary containment integrity as defined by PNPS TS 4.7 C 1
OLIVER, L.J. Boston Edison Co. 95/02/14 Document Control Branch (Document Control Desk) 1p 82788 079-82788 105

9502106344 Rev 32 to Procedure 8.7.3, "Secondary Containment Leak Rate Test"
CRISTOFARO, F.D. Boston Edison Co. 8.7.3 R32 94/11/18 26pp 82788 080-82788 105

9502106351 Forwards reformatting TS pages supporting for pages contained in proposed TS amendments submitted prior to 850130 authorization
BOULETTE, E.T. Boston Edison Co. 95/02/15 Document Control Branch (Document Control Desk) 2pp 82839 342-82839 360

9502106354 Proposed tech spec substituting for pages contained in proposed TS amendments submitted prior to 850130 authorization
* Boston Edison Co. 95/02/15 17pp 82839 344-82839 360

9502106353 Forwards amend 158 to license DPR-35 & safety evaluation Amend relocates alarms for drywell to suppression chamber vacuum breaker to different annunciator panel
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/16 BOULETTE, E.T. Boston Edison Co. 2pp 82868 200-82868 208

9502106370 Amend 158 to license DPR-35 relocating alarms for drywell to suppression chamber vacuum breaker to different annunciator panel
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/16 5pp 82869 202-82869 208

9502106375 Safety evaluation supporting amend 158 to license DPR-35
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 2pp 82869 207-82869 208

9502106345 Administrative Ltr 95-02 to all holders of OLA or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, E. Citations & correspondence

9502106372 FOIA request for documents re Commission Paper on proposed enforcement against Boston Edison Co.
FLEMING, J.A. Affiliation Not Assigned 94/05/22 GRAY, J. Ofc of Enforcement (Post 870413) 1p 82592 275-82592 278

9502106373 First partial response to FOIA request for documents Forwards App A & B documents Documents partially withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/16 FLEMING, J.P. Affiliation Not Assigned 4pp 82592 277-82592 302

9502106378 Adverses that Commission has not objected to issuance of proposed notice & ltr to BECO
HOYLE, J.C. Ofc of the Secretary of the Commission 94/04/25 TAYLOR, J.M. Ofc of the Executive Director for Operations 1p 82592 281-82592 281

9502106322 Partially withheld SECY advising Commission of intent to issue NCV
TAYLOR, J.M. Ofc of the Executive Director for Operations SECY-84-298 94/04/04 22pp 82592 282-82592 302

9502106321 Partial response to FOIA request for documents Records in App and J will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FIDELLE, R. Affiliation Not Assigned 6pp 82824 140-82824 001

9502106319 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/08/06 17pp 82824 188-82824 005

9502106348 Third partial response to FOIA request for documents Forwards records in App G & H completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/13 FLEMING, J.G. Affiliation Not Assigned 5pp 82717 148-82717 146

9502106349 Discusses CH rept 1-91-011 re plant & unit failure to provide complete info re emergency planning ratios to NRC Requests OGC analysis rept to determine if enough evidence exists to take EA & H records of action scheduled for 930503
LEIBERMAN, J. Ofc of Enforcement (Post 870413) 95/04/13 MARTIN, T.T. Region 1 (Post 820201) MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) GOLDBERG, J.H. Deputy Assistant General Counsel for Enforcement 2pp 82717 154-82717 155

9501098216 NRC Bulletin 85-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502106315 Forwards insp rept 50-293/94-26 on 941207-950117 One violation noted being considered for escalated enforcement
COOPER, R.W. Region 1 (Post 820201) 95/01/30 BOULETTE, E.T. Boston Edison Co. 4pp 82617 254-82617 273

9502106315 Insp rept 50-293/94-26 on 941206-950117 One violation being considered for escalated enforcement. Major areas inspected plant operations maint & surveillance, engineering & plant support
CONTE, R.J. Region 1 (Post 820201) 95/01/30 16pp 82617 256-82617 273

9501250226 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502106320 Requests authorization to use code Cases N-116-1 & 498-1 for Refueling Outage 10 & future ISI evaluations
BOULETTE, E.T. Boston Edison Co. 95/02/02 Document Control Branch (Document Control Desk) 2pp 82744 172-82744 173

9502106313 NRC Info Notice 95-010, Potential for Loss of Automatic ESFA
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502106356 Requests reprint from ASME Code Section XI Articles (NC-2500 & IW-2500) insp requirements for Class 2 RWR/PPC in-service piping watch & supports
BOULETTE, E.T. Boston Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82770 194-82770 201

9502180283 Suppl 1 to NRC info notice 95-016, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82818 037-82818 042

9502210064 NRC info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 030

9502218058 NRC info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502248037 NRC info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82848 018-82848 026

R. Periodic operating reports & related correspondence

9502070032 Monthly operating rept for Dec 1994 for Pignun Nuclear Power Station W/ 950113 W/
MUNRO, W., OLIVER, L.J. Boston Edison Co 94/12/31 6pp 82665 278-82665 284

9502180278 Monthly operating rept for Jan 1995 for Pignun Nuclear Power Station W/ 950214 W/
MUNRO, W., OLIVER, L.J. Boston Edison Co 95/01/31 7pp 82768 028-82768 034

9502248009 "NPDES Discharge Monitoring Rept for Month of Jan 1995" W/ 950216 W/
SULLIVAN, T.A., ROTHERT, W.C. Boston Edison Co 95/01/31 10pp 82871 257-82871 268

S. Reportable occurrences, LERs & related correspondence

9502070145 LER 94-007-00 on 941228, primary containment pressure boundary degraded due to uninstalled instrument plug caused by personnel error isolation valves will be installed on selected instruments W/ 950127 W/
ELLIS, D.W., BOULETTE, E.T. Boston Edison Co 95/01/27 13pp 82684 187-82684 199

9502070154 LER 95-001-00 on 950101, found that air operated valve in B vacuum relief sys operated due to loose fuse in control circuitry for solenoid valve that controls air to air operated valve. New fuse installed W/ 950130 W/
CALFA, J.P., BOULETTE, E.T. Boston Edison Co 95/01/30 6pp 82684 238-82684 243

9502170233 Part 21 rept re possible metal defect in stainless steel Swagelok tube fittings of adapters
ZAHURANE, E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 350

DOCKET 95-296 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502210041 Rev 1 to CEPP-2301-01, "Smoking Officer," W/ table of contents
Commonwealth Edison Co 95/01/17 10pp 82903 304-82903 313

9502160145 Permanent Change A-95-0398 to Rev 1 to EPP 350-5, "A-4 Model Status & Interactions"
COPE, E.S. Commonwealth Edison Co 95/02/09 8pp 82748 355-82748 360

9502220239 Forwards White Paper, "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-53, "Dermit Firewrap Mail Cable Ampercity Derating Factor Calculation," in response to GL 92-08
VONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9502220289 Forwards submittal re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" End withheld
BRONS, J.C. Commonwealth Edison Co 95/02/20 NRC - No Detailed Affiliation Given 2pp 82817 358-82817 360

G. Adjudicatory correspondence

9502230166 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82855 001-82855 053

H. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207 listing of records in App A already available in PDR Records in App B and will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (950206-940714) 94/05/17 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 008-82582 275

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/13 OMEALIA, M. Affiliation Not Assigned 2pp 82821 279-82821 313

9502030251 "Enforcement action tracking sys. Licensee history rept (short list) sorted by licensee 850101-940509"
NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 261-82621 313

9502210176 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/07/07 BLANCHUP, Affiliation Not Assigned 5pp 82806 322-82806 339

9502210118 "Notices of Enforcement Discretion"
NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502180168 Expresses appreciation for meeting w/ Cooper-Bessemer Owner Group on 941122
TUETKEN, R.P. Commonwealth Edison Co 94/12/16 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82770 286-82770 287

9502018258 Responds to Mrs. dtd 930804, 0915 & 950111 in response to GL 92-04 in terms of plan to implement current order timing & current order surveillance test during plant refueling outages
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 FARRAR, D.L. Commonwealth Edison Co 9pp 82585 001-82585 003

9502070191 Forwards interim status rept for Zion Station in response to NRC request at 941222 NRC meeting re recent failure of Alloy 600 TT SG mechanical tube plug at another facility
SHIRAKI, C.Y. Commonwealth Edison Co 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 4pp 82661 348-82661 351

9502020095 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82852 195-82852 199

9502180641 Informs that ubi investigation sufficient to support conclusion that Whole Body Counting Sys at plant operating correctly & that affected individual not internally contaminated. No add questions re earlier email.
AXELSON, W.L. Region 3 (Post 820201) 95/02/02 JOHNSON, I.M. Commonwealth Edison Co 9pp 82590 204-82590 205

9502180395 Forwards amends 160 & 148 to licenses DPR-39 & DPR-48, respectively & safety evaluation Amends revise TS by deleting containment recirculation pump level instrumentation from accident monitoring portions of TS
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 FARRAR, D.L. Commonwealth Edison Co 4pp 82729 334-82729 346

9502180388 Amends 160 & 148 to licenses DPR-39 & DPR-48, respectively, revising TS by deleting containment recirculation pump level instrumentation from accident monitoring portions of TS
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 7pp 82729 336-82729 344

9502180482 Safety evaluation supporting amends 160 & 148 to licenses DPR-39 & DPR-48, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 2pp 82729 345-82729 348

9502180365 Summary of 941214 meeting w/ uel in Rockville, MD to discuss Zion's IPE submittal & license plans to address perceived shortfalls
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 Office of Nuclear Reactor Regulation (Post 941001) 7pp 82754 250-82754 258

9502220238 Forwards White Paper, "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-53, "Dermit Firewrap Mail Cable Ampercity Derating Factor Calculation," in response to GL 92-08
VONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085

9502220282 Confirms arrangements made in telcon between VP Longhead of NRC & MA Waples re of uel to hold mtg meeting on 950228 in Lisle, IL
GRANT, G.E. Region 3 (Post 820201) 95/02/16 TUETKEN, R.P. Commonwealth Edison Co 2pp 82789 358-82789 359

9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 95-10 W/p proprietary info
VONK, M.J. Commonwealth Edison Co 95/02/16 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 248

9502240176 Rev 2 to White Paper MOV-WP-101, "As-Ln Stem/Stem Nut Coefficient of Friction"
KORN, S. Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 059

9502240196 Forwards corrected attachment 8 of 950216 W/ re MOV as specified in GL 95-10
VONK, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82815 274

9502180348 Administrative Ltr 95-02 to all holders of OUs or CPs re cost benefit licensing actions.
MAGRO, E.V. Cost Benefit Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

I. Inspection reports, EE Bulletins & correspondence

9501090216 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERDELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/19 Consolidated Edison Co of New York, Inc 11pp 82808 013-82808 023

60 DOCKETED ITEMS

9502010007 Ack receipt of 950109 for informing NRC of steps taken to correct violations noted in insp repts 50-295/94-21 & 50-304/94-21
GREENMAN E.G. Region 3 (Post 820201) 95/01/26 TUETKEN R.P. Commonwealth Edison Co 2pp 82544 016-82544 017

9501230250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82532 188-82532 184

9502000048 Forwards insp repts 50-295/94-23 & 50-304/94-23 on 941122-950117 No violations noted
MILLER L.F. Region 3 (Post 820201) 95/02/02 TUETKEN R.P. Commonwealth Edison Co 2pp 82690 224-82690 243

9502000061 Insp repts 50-295/94-23 & 50-304/94-23 on 941122-950117 No violations noted Major areas inspected operations, maintenance & surveillance, engineering & plant support
MILLER L.F. Region 3 (Post 820201) 94/02/02 18pp 82690 226-82690 243

9502000313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82688 001-82688 008

9502000283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 8pp 82618 037-82618 042

950200034 Forwards NRR repts on plant rule review visit to plant during 941205-12
SHAFFER W.D. Region 3 (Post 820201) 95/02/10 CONNELLY P.M. Consumers Power Co 2pp 82722 012-82722 028

9502200325 Responds to NRC 950118 for re deviation noted in insp repts 50-295/94-24 & 50-304/94-24 Corrective actions annual review of Rosemount transmitter loss of fill oil trending program will be performed
TUETKEN R.P. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 4pp 82525 231-82525 234

9502200361 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82618 025-82618 036

9502200360 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82618 016-82618 024

9502200337 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502200318 Monthly operating repts for Jan 1995 for Zion Unit 1 W/950215 for
CYGAN J.J. BROCCOLO E.A. Commonwealth Edison Co 95/01/31 19pp 82640 272-82640 284

9502130293 Forwards times for duty program performance data for 6 month period ending 941231
SMIPKIN T.W. Commonwealth Edison Co 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9502000313 Forwards special repts 295-200-95-CAT3-003 & 304-200-94-CAT3-269 from plant per TS requirement 4.15.1 B.5
BROCCOLO E.A. Commonwealth Edison Co 95/01/27 Document Control Branch (Document Control Desk) 1p 82618 347-82618 350

9502000321 Special repts on 941230, 2A EDG failed to start for performance of periodic test Caused by broken drive coupling for left bank starting air distributor. Coupling replaced
Commonwealth Edison Co 95/01/27 1p 82618 348-82618 348

9502000327 Special repts on 950104, 1A EDG exhibited output voltage instability while performing periodic test. Caused by malfunctioning motor-operated voltage adjust potentiometer. Potentiometer replaced
Commonwealth Edison Co 95/01/27 2pp 82618 349-82618 350

9502170084 Rev to post 21 repts re master power connecting rod mfg by Cooper-Bassener (insp confirmed that was playing present on one side of balls). Upon reinspection to determine validity of 1989 Mill Review Board evaluation. Final repts will be issued
SCHNEIDER J.R. Cooper Energy Services 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779 222-82779 224

9502170168 LER 95-001-00 on 950118, special repts on failure to maintain SRO in CR occurred as prescribed by 10CFR80.84 Caused by mgt deficiency. Required designated CO SRO to wear deep on security badge access card W/950218 for
WESNETH M., BROCCOLO E.A. Commonwealth Edison Co 95/02/13 4pp 82608 117-82608 120

V. Operator Examinations

9502020079 Informing that NRC plans to administer GFES of written operator licensing exam on 950405
RINQUA M. Region 3 (Post 820201) 95/01/25 LACROIX D.G. Consumers Power Co EBERHARDT R.R. Detroit Edison Co KWIATKOWSKI D. Wisconsin Public Service Corp 3pp 82559 358-82559 357

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502130337 Rev 18 to "Radiological Emergency Plan" W/950208 for
MEDFORD M.D., WHITAKER E.W. Tennessee Valley Authority 95/01/12 10pp 82772 000-82772 078

9502020062 Revised EPIPs, including index & rev 17 to EPIP-1, "Emergency Plan Classification Logic" W/950120 for
SALAS P. Tennessee Valley Authority 95/01/20 21pp 82620 158-82620 178

9502140040 Forwards insp repts 50-298/95-04, 50-260/95-04 & 50-295/95-04 on 950109-13 No violations noted
CASTO C.A. Region 2 (Post 820201) 95/02/06 KINGSLEY O.D. Tennessee Valley Authority 3pp 82713 290-82713 269

9502140047 Insp repts 50-298/95-04, 50-260/95-04 & 50-295/95-04 on 950109-13 No violations noted Major areas inspected fire protection design changes & modifications & plant operations
WISEMAN G.R. Region 2 (Post 820201) 95/02/07 7pp 82713 290-82713 269

9502200355 Forwards insp repts 50-299/95-06, 50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS D.M. Region 2 (Post 820201) 95/02/17 KINGSLEY O.D. Tennessee Valley Authority 3pp 82653 130-82653 136

9502200370 Insp repts 50-299/95-06, 50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted Major areas inspected security lighting, access controls, search equipment, protected area barriers, security sys power supplies & alarm stations
THOMPSON D. Region 2 (Post 820201) 95/02/18 1p 82653 136-82653 136

G. Advisory correspondence

9502030188 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT E. Attention Not Assigned 5pp 82695 001-82695 053

H. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043/dtd 920207 Listing of records in App A already available in PDR Records in App B encl 6 will be available in PDR
REED C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/03/17 RUCIO J.P. Public Citizen's Check Mass Energy Project 121pp 82582 009-82582 275

9502020207 Requests FR publication of notes of consideration of issuance of amendments to license DPR-33, DPR-52 & DPR-68 & proposed NSIC determination & opportunity for hearing on 821223 request re mod of requirements for LPCI sys
HEBDON F.J. Project Directorate 1-4 (formerly TVA Project Directorate) (Post 900603) 93/03/18 NRC - No Detailed Affiliation Given 4pp 82582 131-82582 134

9502020010 Confirms 950120 telcon between P. Salas & M.S. Lesser re meeting scheduled for 950210 in Atlanta, GA to discuss status & schedule for plant restart activities
LESSER M.S. Region 2 (Post 820201) 95/01/27 KINGSLEY O.D. Tennessee Valley Authority 4pp 82601 041-82601 043

9502020043 Informing that IAW Senior Management meeting decision, Units 1 & 3 remain classified as requiring close NRC monitoring
TAYLOR J.M. Chf. of the Executive Director for Operations 95/02/01 KINGSLEY O.D. Tennessee Valley Authority 4pp 82668 276-82668 282

9502020025 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 186-82652 189

9502140422 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to 1 day address issues raised in NRC 941108 re re implementation schedule for retention of Nuclear Experience Review group records as QA records at TVA facilities
WHITAKER E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 184-82744 186

9502160313 Forwards amends 215,231 & 188 to licensees DPR-33, DPR-52 & DPR-68 & safety evaluation Amends in response to 930928 application re testing aids for charcoal used in ventilation sys at plant
WILLIAMS J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 KINGSLEY O.D. Tennessee Valley Authority 1p 82754 143-82754 185

9502160316 Amends 215,231 & 188 to licensees DPR-33, DPR-52 & DPR-68 respectively, responding to 930928 application re testing aids for charcoal used in ventilation sys at plant
HEBDON F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 8pp 82754 144-82754 183

9502160318 Safety evaluation supporting amends 215,231 & 188 to licensees DPR-33, DPR-52 & DPR-68, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 2pp 82754 184-82754 185

9502160325 Forwards amend 189 to license DPR-68 & safety evaluation Amend adds load shed logic to plant 480-volt emergency power sys
WILLIAMS J.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 KINGSLEY O.D. Tennessee Valley Authority 1p 82754 231-82754 242

9502160327 Amend 189 to license DPR-68, adding load shed logic to plant emergency power sys
HEBDON F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 8pp 82754 232-82754 238

-9502160331 Safety evaluation supporting amend 189 to license DPR-68
* Office of Nuclear Reactor Regulation (Post 841001) 95/02/14 App 82754 239-82754 242

9502289412 Informs staff of completion of Unit 3 specific calculation
MACHON,R.D Tennessee Valley Authority 95/02/22 Document Control Branch (Document Control Desk) 3pp 82859 039-82859 040

9502168349 Administrative Ltr 95-02 to all holders of OILs or CPs re cost beneficial licensing actions
MORLEY,V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502270233 Application for amendments to Licenses DPR-33,DPR-52 & DPR-68, revoking TS-348 re residual heat removal sys interlock installation
MACHON,R.D Tennessee Valley Authority 95/02/23 Document Control Branch (Document Control Desk) 3pp 82883 155-82883 223

-9502270238 Proposed tech specs re FR-R sys interlock installation
* Tennessee Valley Authority 95/02/23 6pp 82883 155-82883 223

G. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C records withheld in part (rel FOIA exemption 5), App D records completely withheld (rel FOIA exemption 5)
POWELL,R.A Division of Freedom of Information & Publications Services (850208-940714) 94/07/06 FIDELLE,R Affiliation Not Assigned 6pp 82824 140-82825 031

-9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/06/06 17pp 82824 168-82825 005

9501902119 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO,C.J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023

9501290280 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation"
PAPERIELLO,C.J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 5pp 82805 034-82805 046

9502301172 Forwards insp repts 50-259/95-01,50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted
CASTO,C.A Region 2 (Post 820201) 95/01/30 KINGSLEY,O.D Tennessee Valley Authority 4pp 82624 080-82624 088

-9502301174 Insps repts 50-259/95-01,50-260/95-01 & 50-296/95-01 on 950109-13 No violations noted Major areas inspected: maintenance of electrical systems & engineering support for maintenance
RILUON,P, SHYLOCK,M Region 2 (Post 820201) 95/01/26 5pp 82624-084-82624 086

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502140016 Ack receipt of 950119 re informing NRC of steps taken to correct violations noted in insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11
PEEBLES,T.A Region 2 (Post 820201) 95/02/02 KINGSLEY,O.D Tennessee Valley Authority 2pp 82713 141-82713 142

9502303113 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82686 001-82686 008

9502130849 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
* Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 137-82742 138

9502140040 Forwards insp repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted
CASTO,C.A Region 2 (Post 820201) 95/02/06 KINGSLEY,O.D Tennessee Valley Authority 3pp 82713 260-82713 259

-9502140047 Insps repts 50-259/95-04,50-260/95-04 & 50-296/95-04 on 950109-13 No violations noted Major areas inspected: fire protection design changes & modifications & plant operations
WISEMAN,G.R, CASTO,C Region 2 (Post 820201) 95/02/07 7pp 82713 253-82713 268

9502340117 Forwards insp repts 50-259/94-36,50-260/94-36 & 50-296/94-36 on 941216-950114 Nonviolated violation noted
LESSER,M.S Region 2 (Post 820201) 95/02/08 KINGSLEY,O.D Tennessee Valley Authority 3pp 82714 269-82714 278

-9502140123 Insps repts 50-259/94-36,50-260/94-36 & 50-296/94-36 on 941216-950114 Nonviolated violations noted Major areas inspected: areas of operations surveillance testing, maint activities & review of open items
WEFT,L.D, LESSER,M.S Region 2 (Post 820201) 95/02/08 18pp 82714 262-82714 279

9502304283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

9502290369 Forwards proposed insp plan & checklist for SWS operational performance insps re 840202 re notifying NRC of intent to perform self-assessment of SWS
SALAS,P Tennessee Valley Authority 95/02/16 Document Control Branch (Document Control Desk) 3pp 82848 309-82848 342

9502280356 Forwards insp repts 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted
COLLINS,D.M Region 2 (Post 820201) 95/02/17 KINGSLEY,O.D Tennessee Valley Authority 3pp 82853 133-82853 136

-9502280370 Insps repts 50-259/95-06,50-260/95-06 & 50-296/95-06 on 950123-27 No violations noted Major areas inspected: security lighting, access controls, search equipment, protected area barriers, security sys power supplies & alarm stations
THOMPSON,D, MCGUIRE,D Region 2 (Post 820201) 95/02/16 1p 82853 136-82853 136

9502218061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc"
GRIMES,B.K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82848 018-82848 025

H. Periodic operating reports & related correspondence

9502140179 Monthly operating repts for Jan 1995 for Browns Ferry Nuclear Plant W/ 950207 ltr
SMITH,T.R, SALAS,P Tennessee Valley Authority 95/01/31 13pp 82744 223-82744 235

I. Reportable occurrences, LERs & related correspondence

9502180287 Forwards voluntary repts on deficiency re Raychem tubing used for environ qualification applications Condition not reportable per 10CFR50.72.50 73 or Part 21
MACHON,R.D Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 2pp 82786 271-82786 277

-9502180290 LER 94-002-00 on 941031, discovered deficiency re Raychem tubing used for environ qualification applications Condition occurred when tubing could not be shrunk enough to provide proper seal per vendor specs W/950207 ltr
HSIEH,C.S Tennessee Valley Authority 95/02/07 5pp 82786 273-82786 277

V. Operator Examinations

9502210005 Notifies unit of Region II annual Training Managers Conference, in Atlanta, GA on 950206-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators
PEEBLES,T.A Region 2 (Post 820201) 95/01/24 KINGSLEY,O.D Tennessee Valley Authority 2pp 82788 083-82788 084

9502080325 Reports change in medical status for listed individual in accordance w/ 10CFR55.25 Change became effective 950105. Medical info & certification of medical exam (NRC Form 396) and Excl withheld per 10CFR2.780(a)(6)
MACHON,R.D Tennessee Valley Authority 95/01/30 EBBERTER,S.D Region 2 (Post 820201) 3pp 82685 229-82685 230

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

P. Operating license stage documents & correspondence

9502140393 Forwards request for addl info, in order to complete review of request for renewal of license R-120 for PULSTAR reactor submitted on 890819
ADAMS,A Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 PEREZ,P.B North Carolina State Univ, Raleigh, NC 4pp 82728 347-82728 350

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9502080161 Rev 10 to EPIP 57.14, "Stable Iodine Thyroid Blocking (KI)" W/950204 ltr
HORN,G.R Nebraska Public Power District 95/02/04 7pp 82684 332-82684 336

9502230279 Responds to NRC 941116 ltr re emergency plan Rev 29 being issued w/ unacceptable & incorrect EAL changes Action taken to prevent recurrence of stated weaknesses in emergency plan review process listed
HORN,G.R Nebraska Public Power District 95/02/13 Document Control Branch (Document Control Desk) 2pp 82867 348-82867 347

9502240288 Rev 0.1 to EPIP 57.9.1, "Activation of Alternate EOP" W/ 950221 ltr
KRUMHOLD,K.M, MAGEE,J.M, HORN,G.R Nebraska Public Power District 95/02/21 11pp 82898 267-82898 307

H. General correspondence

9502270162 Informs that encl documents provided by D Lockbeam to NRC re postulated loss of SPPC events at plant
SHEAR,W Project Directorate I-2 (PD1-2) (Post 941001) 95/02/21 Project Directorate I-2 (PD1-2) (Post 941001) 2pp 82852 171-82852 174

-9502270176 Comments on LER 95-008/94-05 re potential for loss of SGTS due to failure of non-safety related components & Subsequent spent fuel pool cooling case
LOCKHEIM,D Affiliation Not Assigned 95/02/10 SHEAR,W NRC - No Detailed Affiliation Given 1p 82852 174-82852 174

62 DOCKETED ITEMS

I. Financial information

9502000275 Forwards annual rpt of NPPD decommissioning trust fund, including balance on deposit in trust fund as of 9/4/93, inventory of investments held by trustee as of end of 1994 and list of trust fund transactions for period Jan-Dec 1994. HORN, G.R. Nebraska Public Power District 95/02/02 Document Control Branch (Document Control Desk) 3pp 82705 214-82705 228

A. Insurance & indemnity information

9502160132 Forwards two copies of Endorsement 22 on Secondary Financial Protection for Certificate N-41. HORN, G.R. Nebraska Public Power District 95/02/07 Document Control Branch (Document Control Desk) 3pp 82778 343-82778 345

9502160136 Forwards Endorsement 98 to MAELU Policy NF-70 & Endorsement 114 to NELIA Policy NF-200. HORN, G.R. Nebraska Public Power District 95/02/07 Document Control Branch (Document Control Desk) 3pp 82778 018-82778 020

9502210280 Forwards Endorsement 12 to NELIA Policy MW-0107 & Endorsement 12 to MAELU Policy MW-0043 extending coverage through CY95. HORN, G.R. Nebraska Public Power District 95/02/17 Document Control Branch (Document Control Desk) 6pp 82905 353-82905 358

F. Operating license stage documents & correspondence

9502150156 Expresses appreciation for meeting w/Cooper-Bessemer Owner Group on 9/1/92. TUETEN, R.P. Commonwealth Edison Co. 94/12/16 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82770 296-82770 287

9502010015 Notification of licensee meeting w/USC on 9/5/92 to discuss licensee readiness to restart facility. BEACH, A.B. Region 4 (Post 820201) 95/01/25 Region 4 (Post 820201) 5pp 82544 029-82544 033

9502010027 Advises that unit is elected to perform once per cycle requirement delineated in SR 4-B-D-1 for Valve MS-RV-70ARV during next refueling outage scheduled to commence Oct 1995. MUELLER, J.H. Nebraska Public Power District 95/01/26 Document Control Branch (Document Control Desk) 5pp 82587 201-82587 236

9502010284 Forwards amend 167 to license DPR-46 & safety evaluation Amend changes TS sections 3/4 12A to allow for increased flow capacity of control room emergency filter sys. HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 HORN, G.R. Nebraska Public Power District 3pp 82577 272-82577 285

9502010292 Amend 167 to license DPR-46, revising TS 3/4 12A to allow for increased flow capacity of control room emergency filter sys. BECKNER, W.D. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 4pp 82577 273-82577 278

9502010294 Safety evaluation supporting amend 167 to license DPR-46. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 7pp 82577 279-82577 285

9502010332 Advises of plans to defer dynamic testing of MS-MOV-MO77 until refueling outage 18, as committed to in 950109, in providing justification to extend completion of initial testing portion of GL 89-10 MOV program at plant. MUELLER, J.H. Nebraska Public Power District 95/01/27 Document Control Branch (Document Control Desk) 5pp 82587 236-82587 243

9502020007 Suppl to 950126 proposed change 135 to license DPR-46 re control room emergency filter sys. HORN, G.R. Nebraska Public Power District 95/01/27 Document Control Branch (Document Control Desk) 5pp 82620 336-82620 342

9502000016 Identifies 940126 & 0021 correspondence that expressed concerns re performance trends at plant informs that 950118-19 SMI conducted C/A undertaken since have been responsive to NRC concerns but evaluation still ongoing. TAYLOR, J.M. Dir. of the Executive Director for Operations 95/02/01 WATKINS, R.W. Nebraska Public Power District 5pp 82983 243-82983 248

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502100220 Forwards amend 168 to license DPR-46 & safety evaluation Amend revises TS 1 C.J. definition of LOO, consistent w/guidance provided in NRC GL 87-09, "Sections 3.0 & 4.0 of STS". HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 HORN, G.P. Nebraska Public Power District 3pp 82711 078-82711 083

9502100222 Amend 168 to license DPR-46, revising TS 1 C.J. definition of LOO, consistent w/guidance provided in GL 87-09, "Sections 3.0 & 4.0 of STS on Applicability of LOO & SR". HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 4pp 82711 078-82711 081

9502100225 Safety evaluation supporting amend 168 to license DPR-46. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82711 082-82711 083

9502100053 Informs of review of 950127 re requesting approval for scheduler extension for completion of GL 89-10 program for plant. Concludes that licensee adequately justified scheduler extension in accordance w/guidance of GL 89-10 suppl 6. HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 HORN, G.R. Nebraska Public Power District 3pp 82606 234-82606 236

9502150018 Discusses meeting conducted at facility on 950202 open to public & related to completion of licensee restart readiness program phase I of PIP & discussion of power ascension program. BEACH, A.B. Region 4 (Post 820201) 95/02/06 HORN, G.R. Nebraska Public Power District 16pp 82722 056-82722 071

9502150033 Discusses restart authorization of completion of actions specified in CAL 4-94-06 & CAL 4-94-08 & status of NRC manual chapter 0350, "State Guidelines Restart Approval" activities. CALLAN, J. Region 4 (Post 820201) 95/02/06 HORN, G.R. Nebraska Public Power District 6pp 82722 195-82722 200

9502130286 Provides response to NRC request for add info re Rev 1 to GL 52-01 "Reactor Vessel Structural Integrity". HORN, G.R. Nebraska Public Power District 95/02/07 Document Control Branch (Document Control Desk) 7pp 82728 007-82728 013

9502140237 Documents administrative closure of listed items assigned to NRR Cooper Restart Action Plan, dtd 941221. HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 Office of Nuclear Reactor Regulation (Post 941001) 4pp 82740 251-82740 254

9502160049 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions. IMPRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 091-82648 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail". PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200268 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation". PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82606 038-82606 045

9501250425 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design". GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82632 188-82632 194

9502030213 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA". GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82586 001-82586 005

9502130046 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention". Office of Public Affairs (Post 941117) 95/02/03 8pp 82742 137-82742 138

9502130031 Forwards SE authorizing proposed alternative for interim period from IR data through end of current 10-yr insurance insp interval. BECKNER, W.D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 HORN, G.R. Nebraska Public Power District 3pp 82716 279-82716 286

9502130033 SE approving request for relief from 10CFR 50.55(a)(11) requirements. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 3pp 82716 282-82716 285

9502100002 Informs that investigation case numbers 4-94-006 & 4-94-032 closed & no further actions planned w/respect to investigative conclusions. BEACH, A.B. Region 4 (Post 820201) 95/02/09 HORN, G.R. Nebraska Public Power District 4pp 82743 041-82743 044

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA". GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502220007 Forwards insp rpt 50-298/94-32 on 941204-950121 Violations noted but not cited. Violations involved examples of where personnel failed to follow written instructions. BEACH, A.B. Region 4 (Post 820201) 95/02/13 HORN, G.R. Nebraska Public Power District 5pp 82784 302-82784 306

9502220101 Insp rpt 50-298/94-32 on 941204-950121 Violations noted but not cited. Major areas inspected elapse response to events operational safety verification, plant support activities & engineering activities. HARRELL, P.H. Region 4 (Post 820201) 95/02/08 18pp 82784 307-82784 326

9502220294 Forwards insp rpt 50-298/95-02 on 950123-27 No violations noted. GWYN, T.P. Region 4 (Post 820201) 95/02/15 HORN, G.R. Nebraska Public Power District 4pp 82789 290-82789 277

9502220305 Insp rpt 50-298/95-02 on 950123-27 No violations noted. Major areas inspected licensee MOV program to evaluate licensee request to extend completion date for implementation of recommendations of GL 89-10. WESTERMAN, T. Region 4 (Post 820201) 95/02/13 14pp 82789 264-82789 277

9502220229 Submits response to violations noted in Insp Rpt 50-298/94-34. Corrective actions determined that many computer items such as keyboards, data switches & laptop computers can be normally processed through x-ray. MUELLER, J.H. Nebraska Public Power District 95/02/20 Document Control Branch (Document Control Desk) 3pp 82883 257-82883 258

9502220017 Provides response to NRC RAI re 930331 IFE submittal for plant. MUELLER, J.H. Nebraska Public Power District 95/02/20 Document Control Branch (Document Control Desk) 71pp 82908 141-82908 211

9502220051 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering II, Inc.". GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82918 025-82918 036

9502270026 Discusses investigation rpt 4-80-020R on 930817-940803 & demand for info EA 84-177 on 941110 & forwards notice of violation. CALLAN, J. Region 4 (Post 820201) 95/02/21 HORN, G.R. Nebraska Public Power District 5pp 82631 098-82631 102

-9502270827 Notice of violation from investigation on 950617-940903 Violations noted reactor pressure vessel head dryer & separator were moved in secondary containment w/o secondary containment integrity being maintained
* Region 4 (Post 820201) 95/02/21 2pp 82651 101-82651 102

9502210058 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. App. 82618 018-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. App. 82645 018-92645 025

R. Periodic operating reports & related correspondence

9502170038 Forwards monthly operating rpt for Jan 1995 & revised rpt for Dec 1994
HERRON,J.T. Nebraska Public Power District 95/02/10 Document Control Branch (Document Control Desk) 1p 82779 142-82779 147

-9502170040 Monthly operating rpt for Jan 1995 for Cooper Nuclear Station
KRAUSE,J.A. Nebraska Public Power District 95/01/31 App. 82779 142-82779 146

-9502170043 Revised monthly operating rpt for Dec 1994 for Cooper Nuclear Station
* Nebraska Public Power District 94/12/31 1p 82779 147-82779 147

S. Reportable occurrences, LERs & related correspondence

9502060111 LER 94-009-01 on 940525, inadequate load shed & logic sys surveillance testing resulted in inoperability of safety sys. Revised surveillance procedures, completed required testing & modified load shed trip devices W/950126 tr.
HORN,A.J. HERRON,J.T. Nebraska Public Power District 95/01/26 App. 82622 024-82622 031

9502060116 LER 94-035-00 on 941229, determined that SBGTS operability could not be assured due to potential backflow of water from Z sump under design basis accident conditions. Caused by design error. Applicable procedures reviewed W/950126 tr.
SEN,G. HERRON,J.T. Nebraska Public Power District 95/01/26 App. 82622 032-82622 037

9502060165 LER 94-032-00 on 941221, identified weaknesses in ASME Section XI IST program due to discrepancies in component boundary selection criteria. Add components will be added to both ISI & IST programs W/950126 tr.
HORN,A.J. HERRON,J.T. Nebraska Public Power District 95/01/26 App. 82622 039-82622 042

9502060089 LER 94-015-02 on 940810, during RPV evacuation events, heatup/cool-down was exceeded. Caused by TS LCO 3.6 A 1 requirement applied to average coolant temp. Submitted proposed TS changes that clarified LCO 3.6 A 1 W/950131 tr.
ALFORD,A. HERRON,J.T. Nebraska Public Power District 95/01/31 7pp 82715 061-82715 067

9502140076 LER 95-001-00 on 950107, tested surveillance of detection sys supervisory circuits. Caused by defective procedure. Fire watch posted in DG fire areas & maintained until detection sys was declared operable W/950206 tr.
ALFORD,A. HERRON,J.T. Nebraska Public Power District 95/02/06 App. 82743 255-82743 259

9502150040 LER 94-034-01 on 941112, emergency lighting sys could not be assured of meeting 2 h operation requirement due to design & maint deficiencies. Replaced emergency lighting batteries, lamp & battery charger W/950206 tr.
SEN,G. HERRON,J.T. Nebraska Public Power District 95/02/06 App. 82788 174-82788 179

9502150028 LER 95-002-00 on 950110, 14 PCIVs documented as not having been modified to prevent potential auto-opening upon manual reset. Caused by personnel error. Control circuitry of 14 PCIVs modified to prevent auto-opening W/950206 tr.
VICTOR,W.R. HERRON,J.T. Nebraska Public Power District 95/02/06 App. 82786 156-82786 161

9502180062 RHO-TV-95-005 on 950210, licensee unable to demonstrate operability of three relief valves in ADS & as noted, placed facility in cold shutdown. All valves replaced. State of NE notified.
HARRILL,P.H., KORRIVA,R.A. Region 4 (Post 820201) 95/02/13 2pp 82737 100-82737 104

V. Operator Examinations

9502090176 Discussed NRC plans to administer GPES of written operator licensing exam on 950405. Authorized representative from facility trust submit to listing names of candidates for exam by 950302.
GWYNNE,T.P. Region 4 (Post 820201) 95/02/06 HORN,G.R. Nebraska Public Power District App. 82651 163-82651 166

DOCKET 90-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502010030 Application for amendments to licenses DPR-24 & DPR-27, modifying TS Section 15.6.5 "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4 "Emergency Plan Reviews,"
LINK,B. Wisconsin Electric Power Co. 95/01/24 Document Control Branch (Document Control Desk) App. 82587 214-82587 230

-9502010023 Proposed tech specs, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews."
* Wisconsin Electric Power Co. 95/01/24 App. 82587 222-82587 230

9502200004 Forwards summary description of proposed vehicle control measures for plant. End withheld.
LINK,B. Wisconsin Electric Power Co. 95/02/21 Document Control Branch (Document Control Desk) 1p 82904 348-82904 348

G. Adjudicatory correspondence

9502100129 Responds to 950324 tr to Chairman re PWOC of Alloy 600 in PWR vessel head penetrations & informs that based on NRC review of findings of plant inspection dated for stations given in end Director's Decision.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 WILLIS,J. Greenpeace Foundation App. 82695 242-82695 253

H. General correspondence

9502020123 Comment on proposed rule 10CFR50 re shutdown & low-power operations for NP reactors. Informs that util of belief that NRC already has appropriate regulatory authority over shutdown & low-power operations, as provided in Miant Rule.
ABDOO,R. Wisconsin Electric Power Co. 94/12/20 THE CHAIRMAN, SEUNJ. Commissioners (Post 750119) App. 82560 010-82560 012

P. Operating license stage documents & correspondence

9502060114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207. Listing of records in App A already available in PDR Records in App B end & will be available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/17 PACIO,J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 276

-9502060284 Forwards updated list of NCOEDs as transmitted on 940111.
GREENMAN,E.G. Region 3 (Post 820201) 94/01/28 BOYLE,M. Division of Reactor Projects - II, IV V (Post 901216) App. 82592 228-82592 230

9502100228 Application for amendments to licenses DPR-24 & DPR-27, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4, "Emergency Plan Reviews."
LINK,B. Wisconsin Electric Power Co. 95/01/24 Document Control Branch (Document Control Desk) App. 82587 214-82587 230

-9502010023 Proposed tech specs, modifying TS Section 15.6.5, "Review & Audit," & Section 15.7.8, "Administrative Controls," by removing QA audit frequencies, removing Section 15.6.5.4 "Emergency Plan Reviews."
* Wisconsin Electric Power Co. 95/01/24 App. 82587 222-82587 230

9502060028 Forwards correction to SE for amendments 158 & 162 to licenses DPR-24 & DPR-27, respectively. Corrections provide for recent updates to facility not accounted for in original SE.
HANSSEN,G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 LINK,B. Wisconsin Electric Power Co. App. 82614 217-82614 226

-9502060048 Corrected SE supporting amendments 158 & 162 to licenses DPR-24 & DPR-27, respectively. Corrections take recent upgrades of plant into account in SE. Replied & Sketchout copy & Final copy of SE end.
* Office of Nuclear Reactor Regulation (Post 941001) 94/12/12 App. 82614 220-82614 225

9502090130 Requests relief from Section XI of ASME BPV code "Rules for Inservice Exam of RPP Components," 1986 addenda addenda.
MAYFIELD,G. Wisconsin Electric Power Co. 95/01/27 Document Control Branch (Document Control Desk) App. 82716 955-82716 957

9502060066 Expresses appreciation for util 940315 10CFR50.54(a) submitted which incorporated changes to CAP description. Informs that changes acceptable.
RING,M.A. Region 3 (Post 820201) 95/01/30 LINK,B. Wisconsin Electric Power Co. App. 82601 131-82601 132

9502060159 Submits mod to basis section for TS 15.3.3, "ECOS/ACS, Air Recirculation Fan Coolers & CS," for plant Units 1 & 2.
KRIEGER,G.M. Wisconsin Electric Power Co. 95/02/01 Document Control Branch (Document Control Desk) App. 82705 351-82705 353

-9502060162 Proposed tech specs re mod to basis section for TS 15.3.3, "ECOS/ACS Air Recirculation Fan Coolers & CS," for plant Units 1 & 2.
* Wisconsin Electric Power Co. 95/02/01 App. 82705 353-82705 353

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. App. 82652 165-82652 169

9502090115 Provides action plan submittal schedule for resolution of Westinghouse Alloy 600 IT mechanical plug findings at plant Units 1 & 2.
LINK,B. Wisconsin Electric Power Co. 95/02/03 Document Control Branch (Document Control Desk) App. 82716 332-82716 334

9502100105 Forwards SE which finds util request for relief VPR-38 from plant Units 1 & 2 acceptable. Testing program acceptable.
NORRHOLOM,J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 LINK,B. Wisconsin Electric Power Co. App. 82711 158-82711 162

-9502100111 SER accepting util request for relief from plant Units 1 & 2 inservice testing program.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 App. 82711 161-82711 162

9502140043 Submits add info for QA program description changes for suppl to 1994 rev of FSAR.
KRIEGER,G.M. Wisconsin Electric Power Co. 95/02/09 Document Control Branch (Document Control Desk) App. 82742 958-82742 960

64 DOCKETED ITEMS

950220074 Summary of 950201 meeting w/At & Westinghouse in Rockville, MD to discuss unit plans for inspecting sleeved SG tubes at KNPP during 1995 including outage list of meeting participants & meeting handouts and LAUFER, J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 31pp 82901322-82901352

9502200461 Forwards "Semiannual Monitoring Rept Jul-Dec 1994," containing info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CVT ops operations & leak testing of sources Revised environ manual also and KRIESER, G.M. Wisconsin Electric Power Co. 95/02/20 Document Control Branch (Document Control Desk) 1p 82906098-82906140

-9502200464 Rev 10 to "PBN Unit 1 & 2 Environ Manual"
* Wisconsin Electric Power Co. 94/10/19 49pp 82906098-82906140

9502140349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
* WECO, J.E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848001-82848017

Q. Inspection reports, EE Bulletin & correspondence

9501088215 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605013-82605023

9501230280 NRC Info Notice 95-007, "Radioactive Mail Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605038-82605046

9501250423 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652188-82652194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688001-82688008

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818037-82818042

9502150014 Forwards NRC rept on Plant Rule review w/pt to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co. 2pp 82722012-82722028

9502240099 Forwards Owners Inservice Insp Summary, reflecting inservice insp activities during second outage of first period of third 10-yr interval
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/02/17 Document Control Branch (Document Control Desk) 1p 82815319-82815373

-9502240102 "Unit 2 Refueling 20 Inservice Insp Summary Rept for Form NIS-1"
* Wisconsin Electric Power Co. 95/02/17 85pp 82815320-82815380

-9502240103 "Unit 2 Refueling 20 Repair/Replacement Summary Rept for Form NIS-2"
* Wisconsin Electric Power Co. 95/02/17 65pp 82816021-82816079

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818025-82818036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Strategizing Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818016-82818024

9502240057 NRC Info Notice 95-018, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848018-82848025

R. Periodic operating reports & related correspondence

9502150571 Monthly operating repts for Jan 1995 for Point Beach Nuclear Plant Units 1 & 2 w/950207 31
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 95/01/31 9pp 82770342-82770350

9502150255 Forwards fitness-for-duty program for period ending 941231
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/02/01 Document Control Branch (Document Control Desk) 3pp 82728004-82728006

9502220191 Forwards corrected monthly operating repts for Dec 1994 for Point Beach Nuclear Plant
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/02/09 Document Control Branch (Document Control Desk) 1p 82811343-82811352

-9502220195 Corrected monthly operating repts for Dec 1994 for Point Beach Nuclear Plant
KOUDELKA, M.B. Wisconsin Electric Power Co. 94/12/31 8pp 82811344-82811352

9502200461 Forwards "Semiannual Monitoring Rept Jul-Dec 1994," containing info re plant releases, solid waste shipments, new & spent fuel shipments, environ monitoring, CVT ops operations & leak testing of sources Revised environ manual also and KRIESER, G.M. Wisconsin Electric Power Co. 95/02/20 Document Control Branch (Document Control Desk) 1p 82906098-82906140

-9502200463 "Semiannual Monitoring Rept Jul-Dec 1994"
* Wisconsin Electric Power Co. 94/12/31 81pp 82906098-82906099

V. Operator Examinations

9502200779 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RANKIN, A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. EBERHARDT, R.R. Detroit Edison Co. KWIATKOWSKI, D. Wisconsin Public Service Corp. 3pp 82559355-82559357

Y. Dry Cask Independent Spent Fuel Storage Installations

9502140115 Discusses 950126 meeting w/Abdoo, Gogg, Link & Chamoff of unit re current agreement w/state PUC allowing unit to purchase 12 dry spent fuel casks.
SCHMIDT, W.L. Commissioners (Post 750119) 96/01/30 Commissioners (Post 750119) 1p 82754001-82754001

9502240064 Findings of fact, conclusions of law, certificate, order & interim order Orders unit to work w/Commission staff to develop info to support progress for continued operation of existing unit 2 SG
DORR, L.L. Affiliation Not Assigned 95/02/09 86pp 82815063-82815067

9502270070 Advises of intent to apply previously approved 10CFR50 App B, CA program to construct & operation of ISFSI at plant
KRIESER, G.M. Wisconsin Electric Power Co. 95/02/14 Office of Nuclear Material Safety & Safeguards 1p 82958090-82958090

9502240033 Forwards Wisconsin Electric dry storage project summary, WEPCO Nuclear Power Business Unit combined dry storage event schedule, MSB fabrication schedule & VCC liner fabrication schedule
BAIJMAN, M. Wisconsin Electric Power Co. 95/02/23 STURZ, F. NRC - No Detailed Affiliation Given 8pp 82803345-82803352

DOCKET 60-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9502070008 Rev 16 to EPIP EM-204B, "On-Site Dose Assessment During Radiological Emergencies (User Instructions for Radiocore-IV)"
STEPHENSON, J.F. Florida Power Corp. 95/01/27 33pp 82688211-82688243

9502070014 Revised EPIP, including rev 80 to index & rev 48 to EPIP REP-02, "Activation & Mobilization of Corporate Emergency Support Organization"
STEPHENSON, J.F., VOGEL, K., HICKLE, B.J. Florida Power Corp. 95/01/27 55pp 82688271-82688325

9502140033 Informs that 950123 correspondence inadvertently transmitted incorrect FEMA evaluation rept Transmits correct FEMA final rept for 940120 joint exercise of offsite radiological response plans for plant w/o end
CUNNE, W.E. Region 2 (Post 820201) 95/02/02 BEARD, P.M. Florida Power Corp. 3pp 82713219-82713220

9502150141 Revised EOPs, including Rev 2 to EOP-07, "Inadequate Core Cooling" & Rev 3 to EOP-08, "LOCA Cutdown"
* Florida Power Corp. 95/02/09 58pp 82748229-82748317

9502140232 Notification of 950228 meeting w/At in Rockville, MD to discuss unit overall strategy re Thermo-Lag, including recent test results of bleedless & anticipated use as replacement for Thermo-Lag
RAGHAVAN, L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82731094-82731096

9502170262 Forwards response to NRC ltr dtd 950110 Response withheld, per 10CFR73.21
BEARD, P.M. Florida Power Corp. 95/02/09 Document Control Branch (Document Control Desk) 1p 82848183-82848183

9502240181 Rev 22 to EPIP EM-307, "Sampling & Analysis of RCS, Reactor Building Sump & Miscellaneous Waste Storage Tank Under Accident Conditions"
* Florida Power Corp. 95/02/20 65pp 82854264-82854328

9502270097 Notification of 950314 meeting w/At in Rockville, MD to discuss Dec, 1994 request for add'l info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers"
GAMBERONI, M.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R.P. Associate Director for Projects (ADPP) (Post 941001) 7pp 82688280-82688296

G. Adjudicatory correspondence

9502030165 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685001-82685053

P. Operating license stage documents & correspondence

9502240115 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, A. Division of Freedom of Information & Publications Services (850206-940714) 94/07/07 BLANCHUP Affiliation Not Assigned 5pp 82806322-82806339

-9502218119 "Notices of Enforcement Discretion"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806327-82806339

9502030179 TS Change Request 201 to license DFR-72, increasing allowable normal fuel enrichment from 4.2 to 6.0 weight percent for reload fuel assemblies Proprietary BAW Fuel Co. rept BAW-2209P and Proprietary rept BAW-2209P withheld per 10CFR2.790
BEARD, P.M. Florida Power Corp. 95/01/26 Document Control Branch (Document Control Desk) 8pp 82639008-82639106

- 9502030188 Proposed tech specs re fuel enrichment increase
* Florida Power Corp 95/01/26 23pp 82639 018-82639 038
- 9502030183 "Crucial Safety Evaluation of Crystal River Unit 3 New Fuel Storage Vials W/Fuel of 5% Enrichment"
TURNER, S.E. Holtec International HI-93110 93/12/31 32pp 82638 040-82638 071
- 9502030185 "Crucial Safety Evaluation of Pool A Spent Fuel Storage Racks in Crystal River Unit 3 W/Fuel of 5% Enrichment"
TURNER, S.E. Holtec International HI-93111 93/12/31 33pp 82639 072-82639 105
- 9502140023 Requests mtg meeting to discuss performance reviews re unit 3 facility forwards not cause analysis which summarizes principle elements
EBNETER, S.D. Region 2 (Post 820201) 95/02/01 BEARD, P.M. Florida Power Corp 8pp 82719 150-82719 185
- 9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199
- 9502130072 Forwards nonproprietary version of B&W Nuclear Technologies Document 32-1236235-00, "FM Assessment of CR-3 PRZ WP-15 Weld Flow Until End-of-Life"
BEARD, P.M. Florida Power Corp 95/02/03 Document Control Branch (Document Control Desk) 1p 82733 306-82733 347
- 9502130076 Nonproprietary "FM Assessment of CR-3 PRZ WP-15 Weld Flow Until End-of-Life"
MILLIT, KILLIAN, D.E. Babcock & Wilcox Co 32-1236235-00 95/01/25 89pp 82733 309-82733 347
- 9502140023 Notification of 950228 meeting w/atl in Rockville, MD to discuss unit overall strategy re Thermo-Lag including recent test results of Metallurgy & anticipated use as replacement for Thermo-Lag
RAGHAVAN, L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82733 094-82733 096
- 9502160024 Forwards Region II allegation 94-R-0224 for follow-up & requests initiation of review of matter & for findings relevant to event be provided within 45 days W/o end
MEERSCHOFF, E.W. Region 2 (Post 820201) 95/02/08 BEARD, P.M. Florida Power Corp 4pp 82736 355-82736 358
- 9502160027 Notices of 950301 meeting w/atl in Crystal River, FL to present results of unit mtg review panel & review of plant performance
VERRELL, D.M. Region 2 (Post 820201) 95/02/13 BEARD, P.M. Florida Power Corp 4pp 82770 102-82770 105
- 9502200097 Notification of 950314 meeting w/atl in Rockville, MD to discuss Dec. 1994 request for add info re GL 92-06, "Thermo-Lag 330-1 Fire Barriers"
GAMBERONI, M.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R.P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82665 290-82665 298
- 9502160048 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MORFO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, RE Bulletins & correspondence

- 9501090216 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023
- 9502030188 Forwards insp rept 50-302/94-27 on 941204-950107 & notice of violation
VERRELL, D.M. Region 2 (Post 820201) 95/01/26 BEARD, P.M. Florida Power Corp 3pp 82624 061-82624 079
- 9502030185 Notice of violation from insp on 941204-950107 Violation noted two LERs not submitted within required 30 days discovery of reportable event
* Region 2 (Post 820201) 95/01/26 3pp 82624 064-82624 065
- 9502030188 Insp rept 50-302/94-27 on 941204-950107 Violations noted Major areas inspected plant operations, surveillance observations, unit observations, plant support, self assessment
BUTCHER, R., COOPER, T., AIELLO, R. Region 2 (Post 820201) 95/01/20 12pp 82624 066-82624 079
- 9501230060 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 5pp 82605 008-82605 045
- 9502030182 Forwards insp rept 50-302/95-01 on 950109-13 No violations noted
CASTO, C.A. Region 2 (Post 820201) 95/01/30 BEARD, P.M. Florida Power Corp 3pp 82623 350-82623 358
- 9502030188 Insp rept 50-302/95-01 on 950109-13 No violations noted Major areas inspected review of licensee corrective actions to resolve items identified by EDSPI performed on 950628-0730
SALGADO, N., SHYMLOCK, M.B. Region 2 (Post 820201) 95/01/25 5pp 82623 352-82623 358
- 9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 186-82652 194
- 9502030183 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 001-82658 008
- 9502140090 Ack receipt of 940116 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/94-25
VERRELL, D.M. Region 2 (Post 820201) 95/02/03 BEARD, P.M. Florida Power Corp 3pp 82714 188-82714 170

- 9502160029 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042
- 9502200084 Submits plans for performing integrated leak rate testing Current ISI/IST interval for Unit 3 started in Mar 1987 & ends in Mar 1987
BEARD, P.M. Florida Power Corp 95/02/14 Document Control Branch (Document Control Desk) 2pp 82667 352-82667 353
- 9502200061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036
- 9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024
- 9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025
- 9502200187 Forwards response to NRC 950126 ltr re violations noted in insp rept 50-302/94-27 Corrective actions procedure that provides initial instructions for determining responsibility has been revised to strengthen process
BEARD, P.M. Florida Power & Light Co. 95/02/24 Document Control Branch (Document Control Desk) 3pp 82625 359-82625 361

R. Periodic operating reports & related correspondence

- 9502220020 Monthly operating rept for Jan 1995 for Crystal River Unit 3 W/950213 ltr DAO, T.V., BOLDT, G.L. Florida Power Corp 95/01/31 5pp 82611 275-82611 279
- 9502280126 Submits six-month FPD program performance data for 940701-1231
BEARD, P.M. Florida Power Corp 95/02/15 Document Control Branch (Document Control Desk) 10pp 82611 018-82611 028

S. Reportable occurrences, LERs & related correspondence

- 9502030186 Part 21 rept re vendor using incorrect acceptance criteria on qualification test rept & acceptance criteria used not met by CVT's Vendor continues to seek resolution of matter
* Florida Power Corp 95/01/27 NRC - No Detailed Attribution Given 2pp 82616 303-82616 304
- 9502070188 Part 21 rept re furnished commercial grade/non-safety related studs, nuts & washers for use on safety-related Crystal River 5th yr post-tension surveillance program
SWANSON, D.T. VSL Corp 95/01/30 PETTIS, R. NRC - No Detailed Attribution Given 3pp 82661 352-82661 354
- 9502100060 Summary of operating reactors events meeting 95-01 on 950116
CHAFFEE, A.E. 95/01/31 GRIMES, B.K. 25pp 82711 103-82711 187

V. Operator Examinations

- 9502240015 Announces that Region II will host annual training manager conference in Atlanta, GA on 950808-09 to address regional training & operations mgt of issues & policies that affect licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 BEARD, P.M. Florida Power Corp 2pp 82769 126-82769 127

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9502210041 Rev 1 to CEPIP-2301-01, "Briefing Officer" W/table of contents
* Commonwealth Edison Co. 95/01/17 10pp 82603 304-82603 313
- 9502150145 Permanent Change A-95-0036 to Rev 1 to EPIP 350-5, "A-Model Status & Interactions"
COPE, E.S. Commonwealth Edison Co. 95/02/08 6pp 82749 355-82749 360
- 9502220028 Forwards White Paper, "Aspects Deriving Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-43, "Darkest Fireward Mail Cable Ampacity Deriving Factor Calculation," in response to GL 92-06
VONK, M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301
- 9502220045 "Aspects Deriving Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOTT, H.W. G. Sargent & Lundy, Inc. 95/02/08 11pp 82622 075-82622 065
- 9502280028 Forwards ltr substantiating 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" Encl withheld
BRONS, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Attribution Given 2pp 82617 369-82617 360

G. Adjudicatory correspondence

- 9502280186 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attribution Not Assigned 5pp 82685 001-82685 053

66 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9502020114 Partial response to FOIA request for documents re SECY-92-042, dtd 920207 Listing of records in App A already available in FOR Records in App B and will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 BICCO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82582 008-82582 275
- 9502020284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, E. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - IR, IV, V (Post 901216) 3pp 82582 228-82582 230
- 9502030286 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'NEAL, M. Affiliation Not Assigned 2pp 82621 279-82621 313
- 9502030251 "Enforcement action tracking sys. Licensee history report (short list) issued by licensee 850101-840508"
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313
- 9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82808 922-82808 339
- 9502210119 "Notices of Enforcement Discretion"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339
- 9502150156 Expresses appreciation for meeting w/Cooper-Bessemer Owner Group on 941122
TUETKEN, R.P. Commonwealth Edison Co 94/12/16 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82770 285-82770 287
- 9502010255 Responds to ltr, dtd 930804, 0916 & 850111 in response to GL 83-04 in form of plan to implement current order listing & current order surveillance test during plant refueling outages
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 FARRAR, D.L. Commonwealth Edison Co 3pp 82585 001-82585 003
- 9502070191 Forwards interim status report for Zion Station in response to NRC request at 941222 NRC meeting re recent failure of Alloy 600 TT SG mechanical tube plug at another facility
SHIRAKI, C.Y. Commonwealth Edison Co 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 4pp 82661 346-82661 351
- 9502020425 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199
- 9502180041 Informs that all investigation sufficient to support conclusion that Whole Body Counting Sys at plant operating correctly & that affected individual not internally contaminated No additional questions re matter exist
JONES, W.L. Region 3 (Post 820201) 95/02/02 JOHNSON, J.M. Commonwealth Edison Co 2pp 82680 204-82680 205
- 9502140395 Forwards amends 180 & 148 to licenses DPR-39 & DPR-48, respectively & safety evaluation. Amends revise TS by deleting containment recirculation sump level instrumentation from accident monitoring portions of TS
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 FARRAR, D.L. Commonwealth Edison Co 4pp 82728 334-82728 345
- 9502140399 Amends 180 & 148 to licenses DPR-39 & DPR-48, respectively, revising TS by deleting containment recirculation sump level instrumentation from accident monitoring portions of TS
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 7pp 82729 338-82729 344
- 9502140402 Safety evaluation supporting amends 180 & 148 to licenses DPR-39 & DPR-48, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 2pp 82729 345-82729 346
- 9502150865 Summary of 951214 meeting w/utl in Rockville, MD to discuss Zion IPE submittal & licensee plans to address perceived shortfalls
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 Office of Nuclear Reactor Regulation (Post 941001) 7pp 82754 250-82754 256
- 9502220239 Forwards White Paper, "Amplitude Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63 "Damant Finerap Mini Cable Amplitude Derating Factor Calculation" in response to GL 82-08
VOIT, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301
- 9502220245 "Amplitude Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLOTH, W.G. Sargent & Lundy, Inc 95/02/03 11pp 82822 075-82822 085
- 9502220252 Confirms arrangements made in telecon between VP Longhead of NRC & MA Westworth of utl to hold mtg meeting on 950229 in Lisle, IL
GRANT, G.E. Region 3 (Post 820201) 95/02/15 TUETKEN, R.P. Commonwealth Edison Co 2pp 82799 358-82799 359
- 9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program responses to GL 88-10 W/o proprietary info
VOIT, M.J. Commonwealth Edison Co 85/08/16 Document Control Branch (Document Control Desk) 8pp 82558 001-82558 248
- 9502240176 Rev 2 to White Paper MOV-WP-101, "As-Lift Stem/Stem Nut Coefficient of Friction"
KORNS, Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 059
- 9502240188 Forwards corrected attachment 5 of 950216 ltr re MOV as specified in GL 89-10
VOIT, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82815 274

9502180349 Administrative Ltr 95-02 to all holders of QOs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

- 9502210121 Partial response to FOIA request for documents Records in App and will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 FOELLER, Affiliation Not Assigned 8pp 82824 140-82825 031
- 9502210158 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/05/06 175pp 82824 168-82825 006
- 9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023
- 9502010007 Ack receipt of 950109 w/ informing NRC of steps taken to correct violations noted in insp repts 50-295/94-21 & 50-304/94-21
GREENMAN, E. Region 3 (Post 820201) 95/01/26 TUETKEN, R. Commonwealth Edison Co 2pp 82544 016-82544 017
- 9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870726) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 048
- 9501280429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Orders For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 186-82652 194
- 9502080449 Forwards insp repts 50-295/94-23 & 50-304/94-23 on 941122-950117 No violations noted
MILLER, L.F. Region 3 (Post 820201) 95/02/02 TUETKEN, R.P. Commonwealth Edison Co 2pp 82690 224-82690 243
- 9502100051 Insp repts 50-295/94-23 & 50-304/94-23 on 941122-950117 No violations noted Major areas inspected operations, maint & surveillance, engineering & plant support
MILLER, L.F. Region 3 (Post 820201) 24/02/02 18pp 82690 225-82690 243
- 9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 009
- 9502140283 Suppl 1 to NRC Info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042
- 9502150014 Forwards NRC repl on Miant Rule renew visit to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co 2pp 82722 012-82722 028
- 9502230094 Forwards ISI results re 940308 significant tube leak & eddy current exams of tubes in 2B & 2D SGs
SHIRAKI, C.Y. Commonwealth Edison Co 95/02/13 Office of Nuclear Reactor Regulation (Post 941001) 1p 82828 328-82828 329
- 9502230168 "Zion Station Unit 2 Eddy Current Special Rept SG Activities Forced Outage, Mar. 1994"
* Commonwealth Edison Co 95/02/13 11pp 82839 329-82839 329
- 9502230375 Responds to NRC 950119 ltr re deviation noted in insp repts 50-295/94-24 & 50-304/94-24 Corrective actions annual review of Rosemount transmitter loss of BR of trending program will be performed
TUETKEN, R.P. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 4pp 82826 231-82826 234
- 9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036
- 9502210069 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024
- 9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

- 9502130280 Forwards Minus for duty program performance data for 6 month period ending 941231
SHIRAKI, C.Y. Commonwealth Edison Co 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

- 9502090015 Forwards special repts 295-200-95-CAT3-003 & 304-200-94-CAT3-269 from plant per TS requirement 4.15.1 B 5
BROCCOLO, E.A. Commonwealth Edison Co 95/01/27 Document Control Branch (Document Control Desk) 1p 82816 347-82816 350

9502090021 Special repl on 941206.2A EDG failed to start for performance of periodic test. Caused by broken drive coupling for left bank starting air distributor Coupling replaced.
Commonwealth Edison Co 95/01/27 1p 82616 348-82616 348

9502090342 LER 95-004-00 on 950106 source single detectors 21R31 & 21R32 was lost due failed relay replaced failed BFD relays & evaluated replacement of similar relays on Unit 1 W/950209 1p
HEM, M. BROCCOLO E.A. Commonwealth Edison Co 95/02/03 7pp 82709 308-82709 314

9502170084 Rev to part 21 repl re master power connecting rod only by Cooper-Bessemer Inc confirmed that iron plating present on one side of belt Upon respection to determine velocity of 1999 Mail Review Board evaluation, final repl will be issued
SCHNEIDER, J.R. Cooper Energy Services 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779 222-82779 224

V. Operator Examinations

9502020079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. HARMON, S.R. Commonwealth Edison Co SAWATZKE, B.J. Northern States Power Co 3pp 82559 355-82559 357

DOCKET 95-305 KEWAUNEE NUCLEAR POWER PLANT

H. General correspondence

9502220148 Provides notification of organizational changes at unit which affect entire nuclear engineering & technical support staff
SCHROCK, C.A. Wisconsin Public Service Corp 95/02/16 Document Control Branch (Document Control Desk) 4pp 82812 159-82812 182

9502270252 Informs that Mr. March appointed manager of nuclear business group at facility replacing CA Schrock as primary contact responsible for corporate nuclear activities
STEINHARDT, C.R. Wisconsin Public Service Corp 95/02/20 Document Control Branch (Document Control Desk) 1p 82914 237-82914 237

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-82-043, did 920207 Laying of records in App A already available in PCR Records in App B and will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (950206-840714) 94/06/17 RICHIO, J.P. Public Citizen's Council Mass Energy Project 121pp 82592 008-82592 275

9502020284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - II, IV, V (Post 901210) 3pp 82562 228-82562 230

9502020334 Expresses appreciation for 10CFR50.54(a) submittals did 940610 & 950119 re proposed changes to QA program description rev 15 Revisions including reduction in commitment to review procedures acceptable
RING, M.A. Region 3 (Post 820201) 95/01/27 SCHROCK, C.A. Wisconsin Public Service Corp 2pp 82501 153-82501 154

9502030296 Provides commitment to implement formal industry position on severe accident impl for Kewaunee Nuclear Power Plant
STEINHARDT, C.R. Wisconsin Public Service Corp 95/01/30 Document Control Branch (Document Control Desk) 2pp 82621 359-82621 360

9502020825 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 7pp 82652 196-82652 199

9502140353 Forwards "Reload Safety Evaluation for Kewaunee Cycle 21" Cycle 21 core design more conservative than design used in accident analyses Licensee proceeding w/reload in accordance 10CFR50.59(a)(1)
SCHROCK, C.A. Wisconsin Public Service Corp 95/02/08 Document Control Branch (Document Control Desk) 1p 82729 175-82729 245

9502140270 "Reload Safety Evaluation for Kewaunee Cycle 21"
MOTT, L.A., COULT, J.D., HOLLY, J.T. Wisconsin Public Service Corp 95/01/31 89pp 82728 176-82728 245

9502230253 Informs that based on results of five TSP inspections performed from KHPP SGs during spring 1995 refueling outage, licensee fuel intent of NRC position in draft GL satisfied & add tube pulls not required
SCHROCK, C.A. Wisconsin Public Service Corp 95/02/14 Document Control Branch (Document Control Desk) 3pp 82887 349-82887 351

9502220074 Summary of 950201 meeting w/utl & Westinghouse in Rockville, MD to discuss utl plans for inspecting sleeved SG tubes at KHPP during 1995 refueling outage List of meeting participants & meeting handouts and
LAUFER, R.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 31pp 82801 322-82801 352

9502220079 Forwards SE authorizing licensee 941230 submittal requesting approval to use ASME Code Case N-498-1 in lieu of performing code required hydrostatic pressure tests for class 3 sgs (Relat Request RR-G-1)
MORRISON, L.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 SCHROCK, C.A. Wisconsin Public Service Corp 2pp 82801 353-82801 361

9502220084 Safety evaluation authorizing licensee request to use ASME Code Case N-498-1 in lieu of performing code required hydrostatic pressure tests for class 3 sgs (Relat Request RR-G-1)
Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 7pp 82801 355-82801 361

9502240029 Provides more detailed info on current level of activity occurring in area of early considerations for contingency plans for longer term storage
SCHROCK, C.A. Wisconsin Public Service Corp 95/02/16 Document Control Branch (Document Control Desk) 3pp 82619 073-82619 075

9502160349 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502270085 Forwards amend 115 to license DPR-43 & safety evaluation Amend revises TS B & C by removing requirement to conduct biennial review of plant procedures in accordance w/ANSI N18.7-1976, Section 5.2.15
LAUFER, R.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 SCHROCK, C.A. Wisconsin Public Service Corp 3pp 82846 223-82846 233

9502270086 Amend 115 to license DPR-43, removing requirement to conduct biennial review of plant procedures in accordance w/ANSI N18.7-1976, Section 5.2.15
LAUFER, R.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 4pp 82846 226-82846 229

9502270081 Safety evaluation supporting amend 115 to license DPR-43
Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 4pp 82846 230-82846 233

Q. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 048

9502020094 Forwards insp rpt 95-305/94-17 on 941129-950116 No violations noted
FARBER, M.J. Region 3 (Post 820201) 95/01/27 SCHROCK, C.A. Wisconsin Public Service Corp 15pp 82619 234-82619 250

9502030088 Insp rpt 95-305/94-17 on 941129-950116 No violations noted Major areas inspected plant operations, maintenance, engineering, plant support & corrective actions on previous findings
FARBER, M.J. Region 3 (Post 820201) 95/01/26 15pp 82619 236-82619 250

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 195-82652 194

9502030313 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82658 001-82658 006

9502180383 Suppl 1 to NRC info notice 95-010 Potential for Loss of Automatic ESFA
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042

9502180814 Forwards NRR repl on March Rule review w/utl to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M., PALMISANO, T. Consumers Power Co SHELTON, D.C. Cleveland Electric Illuminating Co 2pp 82722 012-82722 028

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-015, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 3pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502140174 Monthly operating rpt for Jan 1995 for Kewaunee Nuclear Power Plant W/ 950210 W
ANDERSON, M.L., SCHROCK, C.A. Wisconsin Public Service Corp 95/01/31 5pp 82744 217-82744 221

9502270087 Forwards fitness for duty program performance data for period ending 941231
MARCH, M.L. Wisconsin Public Service Corp 95/02/21 Document Control Branch (Document Control Desk) 4pp 82914 228-82914 231

V. Operator Examinations

9502020079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. HARMON, S.R. Commonwealth Edison Co SAWATZKE, B.J. Northern States Power Co 3pp 82559 355-82559 357

68 DOCKETED ITEMS

DOCKET 50-304 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

950207192 Forwards response to NRC 941117 RAI re Thermo-Lag related to ampacity derating issues
WADLEY, M.D. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 15pp 82686 326-82686 340

9502158334 Submits rept of fire protection pump removed from svc for greater than seven days Regular maint performed on motor & entire pump assembly was replaced
ANDERSON, R.O. Northern States Power Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82776 127-82776 128

9502140280 Forwards Rev 1 to Prairie Island SFPSI security, safeguards contingency & guard force training & qualification plans. Encls withheld per 10CFR73.21
ANDERSON, R.O. Northern States Power Co. 95/02/10 Document Control Branch (Document Control Desk) 1p 82772 031-82772 031

G. Adjudicatory correspondence

9502030186 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Attention Not Assigned 82pp 82565 001-82565 053

P. Operating license stage documents & correspondence

9502060211 Forwards SGs 12 & 22 flow evaluations for Prairie Island Units 1 & 2 respectively Nonproprietary & proprietary handbooks on flow evaluations for Prairie Island SGs & pressurizers also encl Proprietary handbook withheld
ANDERSON, R.O. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 43pp 82703 001-82703 276

9502060214 Nonproprietary "Handbook on Flow Evaluation for Prairie Island Units 1 & 2 SGs & Pressurizers"
FRADLEY, E., BAINFORD, W.H., HSU, K.R. Westinghouse Electric Corp. WCAP-14186 95/01/31 231pp 82703 048-82703 276

9502060328 Provides status rept on Westinghouse Alloy 600 SG mechanical tube plugs installed at plant as requested by NRC during NRC/NEI/JMI/Westinghouse meeting on 9-12-94 re recent field experience w/Westinghouse Alloy 600 mechanical plugs
ANDERSON, R.O. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 5pp 82665 231-82665 235

950207192 Forwards response to NRC 941117 RAI re Thermo-Lag related to ampacity derating issues
WADLEY, M.D. Northern States Power Co. 95/01/31 Document Control Branch (Document Control Desk) 15pp 82686 326-82686 340

9502080026 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 8pp 82652 155-82652 199

9502190814 Confirms discussion between M. Dapes of this off & M. Wadley of staff to have routine mtg meeting on 850302 at Region III o/c in Little, IL
GREENMAN, E.G. Region 3 (Post 820201) 95/02/06 WATZLE, L. Northern States Power Co. 2pp 82690 047-82690 048

9502160197 Forwards "Simulator Certification Rept for Prairie Island Plant Simulation Facility 1994 Annual Rept"
WADLEY, M.D. Northern States Power Co. 95/02/06 Document Control Branch (Document Control Desk) 3pp 82767 276-82767 012

9502160264 "Simulator Certification Rept for Prairie Island Plant Simulation Facility 1994 Annual Rept"
Northern States Power Co. 95/01/26 189pp 82767 276-82767 012

9502140028 Submits response to request for addl info on 950109 license amend request re incorporation of F & L SG tube repair criteria
ANDERSON, R.O. Northern States Power Co. 95/02/07 Document Control Branch (Document Control Desk) 3pp 82744 174-82744 176

9502170826 Notification to 950227 meeting w/utl in North Bethesda, MD to discuss review of NSF Born Credit in SFP Agenda and
THOMAS, C.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09
HARRISON, J.N. Office of Nuclear Reactor Regulation (Post 941001) 4pp 82776 295-82776 298

9502240855 Submits revised figure associated w/request for relief of 3rd 10-yr in-service testing program to requirements of ASME section XI
ANDERSON, R.O. Northern States Power Co. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82814 066-82814 067

9502160345 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial in-coring actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090275 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501220260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 008-82605 046

9501260425 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030349 Discusses Insp Rept 72-0010/94-212 on 950125 Insp rept summaries findings re implementation of QA program at vendor PX Engineering Co Inc
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/01 ANTONY, D. Northern States Power Co. 3pp 82630 359-82630 361

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502230091 Informs NRC of utl intent to conduct SAE operational performance self-assessment at plant, utl preparing detailed self-assessment plan, including scope & schedule
WATZLE, L. Northern States Power Co. 95/02/08 PEDERSON, C. Region 3 (Post 820201) 2pp 82648 958-82648 958

9502160283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502150014 Forwards NRR rept on Main Rule review visit to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, J.M. Consumers Power Co. 2pp 82722 012-82722 028

9502230226 Notification of 950217 meeting w/utl in Rockville, MD to discuss QA & issues re Ocr 1994 trip of records related to TH-40 task
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards 95/02/15 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82626 283-82626 284

9502100851 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502260432 Responds to NRC 950125 ltr re violation noted in Insp Rept 72-0010/94-212 Corrective actions time for Batch 7 estimated based on preceding & subsequent batch times & recorded on data sheet & aluminum channel numbers added
WATZLE, L. Northern States Power Co. 95/02/23 Document Control Branch (Document Control Desk) 13pp 82931 087-82931 089

9502110050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straitening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 015-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 016-82648 025

R. Periodic operating reports & related correspondence

9502130120 Monthly operating rept for Jan 1995 for Prairie Island Nuclear Generating Plant W/950203 ltr
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 95/01/31 9pp 82728 063-82728 071

V. Operator Examinations

9502260073 Informs that NRC plans to administer GFES of written operator licensing exam on 950406
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, O.G., MOED, D.D. Consumers Power Co. KANDAW, R. Cleveland Electric Illuminating Co. 3pp 82558 355-82558 357

Y. Dry Cask Independent Spent Fuel Storage Installations

9502140266 Forwards Rev 1 to Prairie Island SFPSI security, safeguards contingency & guard force training & qualification plans. Encls withheld per 10CFR73.21
ANDERSON, R.O. Northern States Power Co. 95/02/10 Document Control Branch (Document Control Desk) 1p 82772 031-82772 031

DOCKET 50-304 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9502030085 Advises that 950125 rev 19 to security plan consistent w/provisions of 10CFR50.54(d) & acceptable
JOYNER, J.H. Region 1 (Post 820201) 95/01/23 FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp 82652 314-82652 316

9502220234 Proposed Change 185 to License DPR-35, removing audit of emergency & security plans & implementing procedures from list of responsibilities of company Nuclear Audit & Review Group & by PDR per GL 93-07 & NUREG-1432
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/02/14 Document Control Branch (Document Control Desk) 4pp 82626 292-82626 301

9502230252 Forwards summary description of vehicle control measures & land vehicle bomb compartments Encl withheld
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/02/23 Document Control Branch (Document Control Desk) 1p 82904 321-82904 321

H. General correspondence

9502080235 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations at NPP UM of belief that imposition of excessive equipment operability restrictions contained in rule will cause damage incl flexibility to be lost
HEBERT, J.R. Maine Yankee Atomic Power Co 95/01/31 CHILK, S.J. Office of the Secretary of the Commission 6pp 82646 268-82645 263

P. Operating license stage documents & correspondence

9502160091 Forwards results of SG tube whipping impact calculation per request Determined that impact force of ruptured tube on adjacent tube will be about 28 lb
AYRES, D.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) AYRES, D.J. ASEA Brown Boveri, Inc 94/11/08 EAMES, C. Maine Yankee Atomic Power Co 10pp 82768 125-82768 135

9502160123 Provides results of evaluation that assessed effect of jet force of fluid exiting crack in ruptured SG tube on adjacent tube
AYRES, D.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) AYRES, D.J. ASEA Brown Boveri, Inc 94/11/10 EAMES, C. Maine Yankee Atomic Power Co 6pp 82768 074-82768 078

9502160296 Requests response to question & info requests re leaks & ruptures of steam generator tubes on documents issued by NRC
POLLARD, D. Union of Concerned Scientists 85/01/13 TAYLOR, J.M. Ofc of the Executive Director for Operations 6pp 82776 212-82776 217

950210275 Notification of 950207 meeting w/utl in Rockville, MD to discuss licensee findings from Jul-Aug 1994 SG outage & SG insp plans for upcoming refueling outage
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/01/27 BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 4pp 82577 252-82577 255

9502080141 Responds to ltr, dtd 941214 as supplemented, 941219 requesting relief from provision of ASME Code, Section XI re rules for inservice shop of NPGSS Forwards SE authorizing use of alternative code case N-416-1 for hydrostatic testing
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/01 FRIZZLE, C.D. Maine Yankee Atomic Power Co 3pp 82625 346-82625 352

9502080148 SER approving use of ASME Code Case N-416-1 as alternative to hydrostatic testing requirements of ASME Code, section IX
Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 4pp 82625 348-82625 352

9502080398 Forwards RAI re request to amend plant TS to allow SG tube sleeving
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/01 FRIZZLE, C.D. Maine Yankee Atomic Power Co 4pp 82683 231-82683 234

9502080205 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 196

9502170072 Forwards amend 146 to license DPR-36 & safety evaluation. Amend will allow entry through operable personnel or lock hatch to perform surveillance testing/repair an inoperable hatch or perform other necessary activities re containment
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/10 FRIZZLE, C.D. Maine Yankee Atomic Power Co 3pp 82767 061-82767 076

9502170075 Amend 146 to license DPR-36, allowing entry through operable personnel or lock hatch to perform surveillance testing, repair inoperable hatch or perform other necessary activities inside containment
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/10 8pp 82767 064-82767 071

9502170078 Safety evaluation supporting amend 146 to license DPR-36
Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 5pp 82767 072-82767 075

9502200234 Proposed Change 182 to License DPR-36, removing audit of emergency & security plans & implementing procedures from list of responsibilities of company Nuclear Audit & Review Group & by POFC, per GL 93-07 & NUREG-1432
FRIZZLE, C.D. Maine Yankee Atomic Power Co 95/02/14 Document Control Branch (Document Control Desk) 4pp 82626 282-82626 301

9502200236 Proposed TS 5.0, "Administrative Controls"
Maine Yankee Atomic Power Co 95/02/14 6pp 82626 296-82626 301

9502200453 Offers no objections to uil proposed change 182 to include use of integral fuel burnable absorbers as method of controlling core excess reactivity
DOSTIE, P.J. Maine, State of 95/02/14 Document Control Branch (Document Control Desk) 1p 82669 038-82669 038

9502200458 Offers no objections to uil proposed change 185 modifying 3Rs in TS Section 4.1 to reflect equipment replacement for emergency feedwater flowmeter per discussions w/licensee
DOSTIE, P.J. Maine, State of 95/02/14 Document Control Branch (Document Control Desk) 1p 82669 037-82669 037

9502210210 Forwards Amend 147 to License DPR-36 & safety evaluation. Amend revises TS to change surveillance requirements for new EPW flow instrumentation
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/15 FRIZZLE, C.D. Maine Yankee Atomic Power Co 3pp 82769 350-82769 359

9502210223 Amend 147 to License DPR-36 re changes to TS to modify SR for new EPW flow instrumentation
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/15 5pp 82769 353-82769 357

9502210226 Safety evaluation supporting Amend 147 to License DPR-36
Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 2pp 82769 358-82769 359

9502280457 Comments on licensee proposed change 187 allowing sleeving of SG tubes at facility
DOSTIE, P.J. Maine, State of 95/02/17 Document Control Branch (Document Control Desk) 4pp 82931 100-82931 101

9502160348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
IMPRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82649 001-82649 017

9502200868 Forwards request for add info re licensee steam generator issues Response to be submitted by 950303
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/23 FRIZZLE, C.D. Maine Yankee Atomic Power Co 6pp 82656 140-82656 142

Q. Inspection reports, IE Bulletins & correspondence

9501980219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 019-82605 023

9502010068 Ack receipt of 950118 ltr informing NRC of steps taken to correct violations noted re inadequate control of maint on safety-class component documented in insp rept 90-306/94-21
LINVILLE, J.C. Region 1 (Post 820201) 95/01/26 FRIZZLE, C.D. Maine Yankee Atomic Power Co 2pp 82544 007-82544 010

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 6pp 82605 038-82605 046

950210275 Modification of 950207 meeting w/utl in Rockville, MD to discuss licensee findings from Jul-Aug 1994 SG outage & SG insp plans for upcoming refueling outage
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001) 95/01/27 BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 4pp 82577 252-82577 255

9501250429 NRC Info Notice 95-003, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 184

9502080141 Responds to ltr, dtd 941214 as supplemented, 941219 requesting relief from provision of ASME Code, Section XI re rules for inservice shop of NPGSS Forwards SE authorizing use of alternative code case N-416-1 for hydrostatic testing
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/01 FRIZZLE, C.D. Maine Yankee Atomic Power Co 3pp 82625 346-82625 352

9502080148 SER approving use of ASME Code Case N-416-1 as alternative to hydrostatic testing requirements of ASME Code, section IX
Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 4pp 82625 348-82625 352

9502030213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82618 016-82618 024

9502240027 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 026

S. Reportable occurrences, LERs & related correspondence

9502140394 LER 95-001-00 on 950114, plant tripped due to generator ground. Repaired or replaced damaged coil in generator stator w/950206 ltr
WILLOUGHBY, P.R., HEBERT, J.R. Maine Yankee Atomic Power Co 95/02/13 3pp 82743 262-82743 264

DOCKET 95-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502170187 Revised EIPs, including Rev 47 to EIP table of contents & Rev 30 to EIP 1013, "Emergency Response Personnel Telephone List"
Public Service Electric & Gas Co of New Jersey 95/01/16 23pp 82779 331-82779 383

9502010148 Provides updated response to unresolved item noted in insp rept 90-272/90-80 & 50-311/90-80 re ventilation-related fire door automatic closure problems
HAGAN, J.J. Public Service Electric & Gas Co of New Jersey 95/01/23 Document Control Branch (Document Control Desk) 9pp 82690 173-82690 173

9502070168 Notices of change to Salem Unit 2 ERDS data point library. Changes affect convention parameters for four feedwater flow points defined in "Unique Sys Description" field entry on data point library form
HAGAN, J.J. Public Service Electric & Gas Co of New Jersey 95/01/24 Document Control Branch (Document Control Desk) 18pp 82693 307-82693 324

9502150163 Revised "Salem Generating Station Event Classification Guide"
BARNHILL, C., DION, M., SUMMERS, J. Public Service Electric & Gas Co of New Jersey 95/01/27 9pp 82747 321-82747 358

70 DOCKETED ITEMS

950220183 Forwards summary description of proposed vehicle control measures required by 10CFR73.55(c)(8) Measures described in summary description will be implemented by 950229 Revised security plan will be submitted by 950229 End withheld ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 95/02/17 Document Control Branch (Document Control Desk) 2pp 82648 186-82648 187

950220006 Forwards outline basis for LRI position on scheduling of operational safety guards response evaluation End withheld ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 95/02/21 Document Control Branch (Document Control Desk) 2pp 82904 348-82904 350

H. General correspondence

950208120 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for NPP Encourages NRC to reevaluate regulatory analysis in light of higher costs Concludes that add rules on shutdown & low power operations not necessary LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 95/02/06 Docketing & Services Branch 9pp 82651 127-82651 135

P. Operating license steps documents & correspondence

950214814 Third partial response to FOIA request for documents Records in app C end & will be available in PDR POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

950214017 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 164-82729 223

950214018 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety final FOIA Exemption 5 POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82906 322-82906 302

950224019 "Notices of Enforcement Description"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82906 322-82906 330

950210428 Ltr contract defining task order 41, "Individual Plant Exam (IPE) Reviews - Internal Events - Human Factors Only - Salem 1 & 2" MACE, M. Division of Contracts (Post 940714) P/N L1934 94/12/22 HAAS, P.M. Concord Associates, Inc. 11pp 82716 257-82716 267

950204016 Forwards SE authorizing licensee 941118 for requesting approval to use alternative to ASME Code Section XI per provisions of 10CFR50.55(a)(3) STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/01/20 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82683 235-82683 242

950204017 Safety evaluation authorizing licensee request for approval to use alternative to ASME Code Section XI per provisions of 10CFR50.55(a)(3)
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 5pp 82683 238-82683 242

950202024 Responds to 941218 request re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)" LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 95/01/27 Document Control Branch (Document Control Desk) 2pp 82652 343-82652 344

950207007 Submits listed info in support of WOG/Industry initiatives related to most recent industry experience of primary water stress corrosion cracking of Alloy 800 SG mechanical tube plugs mfg from Heat NX 2387 LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 95/01/30 Document Control Branch (Document Control Desk) 3pp 82687 350-82687 352

950202025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

950215030 Requests enforcement discretion from provisions of TS 3/4.3.1 action 10.3/4.3.2, Table 3-3.3 action 12 & 3/4.3.1, Table 3-3.1 action 1 relative to solid state protection sys LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 95/02/03 Document Control Branch (Document Control Desk) 10pp 82722 080-82722 089

950210028 Discusses NRC concern re frequent equipment failures & personal errors at plant Requests meeting w/ licensee & Board of Directors to discuss need for continued improvement in equipment reliability & staff performance TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/06 FERLAND, E.J. Public Service Electric & Gas Co. of New Jersey 4pp 82706 211-82706 215

9502130131 Forwards Environ Assessment & Finding of No Significant Impact re request for exemption from certain requirements of 10CFR50.50 to allow application of alternate methodology to determine LTOP support for plant Units 1 & 2 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/02/07 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82729 241-82729 249

9502130137 Environ assessment & finding of no significant impact re licensee request for exemption from certain requirements of 10CFR50.50 POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/07 6pp 82729 244-82729 249

9502140217 Inform of 950222 meeting w/utl in Bethesda, MD re licensing actions schedules & priorities for plant MORAN, D.H. Project Directorate I-2 (PD1-2) Post 941001 95/02/09 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 5pp 82740 246-82740 260

9502140433 Application for amendments to Licenses DPR-70 & DPR-75, changing administrative controls to reflect organizational changes HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/02/09 Document Control Branch (Document Control Desk) 7pp 82744 016-82744 037

9502140434 Proposed tech specs re administrative controls to reflect organizational changes
* Public Service Electric & Gas Co. of New Jersey 95/02/09 13pp 82744 025-82744 037

9502210273 Inform that staff finds utl response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)" acceptable per 930729 0821 & 950127 ltr OLSHAN, L.M. Project Directorate I-2 (PD1-2) Post 941001 95/02/09 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82790 085-82790 100

9502220232 Inform that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed utl 941223 License Change Request 94-33 re rev of surveillance requirements for areas within containment & has no comments YOSCHK, New Jersey, State of 95/02/09 Document Control Branch (Document Control Desk) 2pp 82826 290-82826 291

9502150070 Ack receipt of 941227 ltr in response to NRC 941212 ltr & expresses appreciation for informing NRC of licensee planned actions re resolution of NRC concerns WHITE, J.R. Region 1 (Post 820201) 95/02/10 HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 3pp 82723 012-82723 019

9502170226 Notification of significant licensee meeting 95-17 w/utl on 950224 to discuss findings of Office of Investigation re employee concerns involving 10CFR50.5, "Deliberate Misconduct," & 10CFR50.7, "Employee Protection" WHITE, J.R. Region 1 (Post 820201) 95/02/10 Region 1 (Post 820201) 2pp 82769 001-82769 002

9502220218 Forwards exemption from requirements of 10CFR50.50, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operations" STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 95/02/13 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82812 348-82812 356

9502220272 Exemption from requirements of 10CFR50.50, "Acceptance Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operations" VARGAS, A. Division of Reactor Projects I/II (DRPE) Post 941001 95/02/13 Public Service Electric & Gas Co. of New Jersey 6pp 82812 351-82812 356

9502280414 Discusses notice of enforcement discretion for Units 1 & 2, relative to reactor app & engineered safety feature instrumentation sys COOPER, R.W. Region 1 (Post 820201) 95/02/22 LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 3pp 82853 342-82853 347

9502160349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
* NRC - Cost Beneficial Licensing Actions Staff (CSLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, EE Bulletins & correspondence

9502090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/12 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502010148 Provides updated response to unresolved item noted in insp repts 50-272/80-90 & 50-311/90-99 re ventilation-related fire door automatic closure problems HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 95/01/28 Document Control Branch (Document Control Desk) 3pp 82560 173-82560 175

9502030055 Ack receipt of 941223 ltr re violations noted in insp repts 50-272/84-24 & 50-311/94-24 WHITE, J.R. Region 1 (Post 820201) 95/01/25 HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 3pp 82617 300-82617 318

9502010063 Forwards combined insp repts 50-272/84-33 & 50-311/94-33 on 941130-1202, 1207-09 & 1212-16 inspectors concluded that equipment troubleshooting performed after four electrical-related events supported root cause conclusions RULAND, W.H. Region 1 (Post 820201) 95/01/26 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 4pp 82545 013-82545 036

9502010100 Insp repts 50-272/94-33 & 50-311/94-33 on 941130-941202, 1207-09 & 1212-16 No violations noted Major issues impacted licensee actions taken to address four electrical-related events occurring between 941111-28 HARRISON, L.M. RULAND, W.H. Region 1 (Post 820201) 95/01/26 20pp 82545 017-82545 036

9501230268 NRC Info Notice 95-007, "Radioactive Viol Breakage During Preparation" PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 3pp 82605 038-82605 046

9502250425 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82686 001-82686 008

9502150387 Responds to preliminary SALP repts 950103 Nuclear Business Unit restructuring re organization ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 95/02/06 Document Control Branch (Document Control Desk) 3pp 82770 339-82770 341

9502150283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82815 037-82815 042

9502220364 Ack receipt of 950206 re informing NRC of steps taken to correct violations noted in SALP repts 50-272/83-89 & 50-311/93-99 WHITE, J.R. Region 1 (Post 820201) 95/02/16 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82800 127-82800 132

9502210661 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 038

9502210653 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502210637 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502210271 Forwards monthly operating report for Jan 1995 for Salem Unit 2, including supply list of 10CFR50.59 evaluations to address 10CFR50.59 evaluations inadvertently omitted from 1990 MORs. SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey 95/02/14 Document Control Branch (Document Control Desk) 1p 82808 242-82808 253

9502210277 Monthly operating report for Jan 1995 for Salem Unit 2. MORRISON, J. Public Service Electric & Gas Co. of New Jersey 95/01/31 10pp 82806 244-82806 253

9502210401 Forwards FPD performance data report for six month period ending 941231. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 95/02/17 Document Control Branch (Document Control Desk) 9pp 82903 353-82903 361

S. Reportable occurrences, LERs & related correspondence

9502210377 Summary of operating reactor events meeting 95-03 on 950208. CHAPPEL, A.E. Office of Nuclear Reactor Regulation (Post 841001) 95/02/13 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 13pp 82836 028-82836 040

9502210025 LER 94-010-01 on 940919, RCP removed from svc for scheduled preventive maintenance & increased vibration measured in pump speed increaser caused by design/mfg component failure. Pump replaced & tested W/950215. PASTVA, M.J., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey 95/02/15 9pp 82818 036-82818 053

9502210296 Special Rept. 95-01 on 950125, shortly after RCP turned off to remove RCP from svc, momentary RCS pressure transient occurred & pressure peaked 365.5 psig due to pressure equalization through 21 RCS loop. Procedures will be changed. SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey 95/02/15 Document Control Branch (Document Control Desk) 9pp 82869 355-82869 361

9502210405 LER 94-002-05 on 950119, reactor power higher than indicated & tech spec 3.03 not entered. Caused by permeator bypass flow of FW flow nozzles, due to FW pipe chloride induced corrosion/erosion. Corrosion updated W/950215. PASTVA, M.J., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey 95/02/15 9pp 82818 016-82818 024

V. Operator Examinations

9502210818 Requests that listed candidates be administered PWR GFES of operator licensing exam scheduled for 950405. ORTICELLE, A. Public Service Electric & Gas Co. of New Jersey 95/02/15 NRC - No Detailed Affiliation Given 9pp 82813 052-82813 053

DOCKET 95-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9502140161 Advises that facility experienced no loggable events during fourth quarter of 1994. REDEKER, S. Sacramento Municipal Utility District 95/01/11 Document Control Branch (Document Control Desk) 1p 82734 335-82734 335

9502270829 Forwards insp rept 50-312/95-01 on 950130-0202 No violations noted. COLLINS, S.J. Region 4 (Post 820201) 95/02/21 SHETLER, J.R. Sacramento Municipal Utility District 9pp 82831 105-82831 118

9502270838 Insp rept 50-312/95-01 on 950130-0202 No violations noted. Major areas inspected operational status of emergency preparedness program including changes to plan, emergency facilities, equipment, supplies, mgt control etc. MURRAY, B. Region 4 (Post 820201) 95/02/21 9pp 82831 110-82831 118

P. Operating license stage documents & correspondence

9502210116 Final response to FOIA request for documents. Records in App A will be available in PDF App B records withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (B00206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 9pp 82806 222-82806 339

9502210118 "Notices of Enforcement Decision." NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502210428 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82852 185-82852 199

9502150349 Administrative Ltr 95-02 to all holders of DIs or CPs re cost beneficial licensing actions. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, 15 Bulletins & correspondence

9501990219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 029

9501230250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82552 188-82552 194

9502000313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 9pp 82688 001-82688 006

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 9pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 038

9502270429 Forwards insp rept 50-312/95-01 on 950130-0202 No violations noted. COLLINS, S.J. Region 4 (Post 820201) 95/02/21 SHETLER, J.R. Sacramento Municipal Utility District 9pp 82831 105-82831 118

9502270406 Insp rept 50-312/95-01 on 950130-0202 No violations noted. Major areas inspected operational status of emergency preparedness program including changes to plan, emergency facilities, equipment, supplies, mgt control etc. MURRAY, B. Region 4 (Post 820201) 95/02/21 9pp 82831 110-82831 118

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502210637 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502210138 "Rancho Seco Nuclear Generating Station Semiannual Radioactive Effluent Release Rept." W/950215. REDEKER, S. Sacramento Municipal Utility District 94/12/31 CALLAN, J. Region 4 (Post 820201) 100pp 82925 216-82925 251

DOCKET 95-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9502140357 Public version of PC-1 to Rev 26 to EPIP 1903 023, "Personnel Emergency." Entergy Operations, Inc. 94/11/28 9pp 82719 352-82719 357

9502070258 Forwards public version of rev 14 to operating procedure 1903 062, "Communications Sys Operating Procedure." Entergy Operations, Inc. 95/01/12 NRC - No Detailed Affiliation Given 1p 82644 161-82644 179

9502070263 Public version of rev 14 to operating procedure 1903 062, "Communications Sys Operating Procedure." Entergy Operations, Inc. 95/01/13 17pp 82644 162-82644 179

9502090319 Rev 30 to Procedure/Work Plan 1903 060, "Emergency Supplies & Equipment." Entergy Operations, Inc. 95/01/26 82pp 82623 229-82623 310

9502150019 Forwards SALP repts 50-313/95-89 & 50-366/95-89 for period of 830711 through 950107. Functional areas of operations, maint & plant support rated as category 1, which indicates superior safety performance. CALLAN, J. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 8pp 82722 072-82722 084

9502150232 SALP repts 50-313/95-89 & 50-366/95-89 for 930711-950107. Region 4 (Post 820201) 95/02/06 7pp 82722 079-82722 084

9502220184 Rev 21 to Procedure/Work Plan 1903 030, "Evacuation." Entergy Operations, Inc. 95/02/09 26pp 82811 281-82811 306

9502280352 Rev 30 to EPIP CP-1903 060, "Emergency Supply & Equipment." W/950217. Entergy Operations, Inc. 95/02/17 9pp 82853 130-82853 132

9502280380 Rev 28 to EPIP CP-1903 023, "Personnel Emergency." W/950217. Entergy Operations, Inc. 95/02/17 14pp 82853 179-82853 182

G. Adjudicatory correspondence

9502070272 Responds to petition filed on 940705 in which requested that Chairman exercise authority. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 DUMS, D. Citizens' Utility Board 9pp 82657 278-82657 288

72 DOCKETED ITEMS

9502070274 Director's Decision DD-95-03, informing that NRC has determined that 10CFR72.48 can be used by all Part 72 licensees.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 10pp 82667 276-82667 265

9502070278 Notice of receipt of 940705 petition requesting that Chairman exercise authority to determine applicability of 10CFR72.48 whether Entergy in violation of NRC regulations & order ANO to cease using 10CFR72.48 until applicability.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 3pp 82667 286-82667 285

I. Insurance & indemnity information

9502230235 Forwards Endorsement 24 to NEUA Policy NS-507 & Endorsement 25 to MAELU Policy MS-128
MMMS, D.C. Entergy Operations, Inc. 95/02/15 Document Control Branch (Document Control Desk) 4pp 82826 302-82826 305

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (850206-940714) 94/06/13 C'NEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502030251 "Enforcement action tracking sys. Licensee history rept (short list) sorted by licensee 950101-940508"
NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502010286 Forwards copy of EA & finding of no significant impact re application for exemption, 821 941108 Proposed exemption would provide one-time interval extension for performance of next containment ILRT for plant, unit 1
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82577 289-82577 295

9502010288 Enron assessment & finding of no significant impact re proposed exemption to provide one-time interval extension for performance of next containment ILRT
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 4pp 82577 282-82577 295

9502010287 Ack receipt of 941222 re request to update utility service testing program for testing MESSV per part 1 to ASME/ANSI standard for plant, unit 1
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 YELVERTON, J.W. Entergy Operations, Inc. 3pp 82577 289-82577 271

9502070319 Provides planned actions in response to latest field data re use of Wabash House Alloy 500 SG mechanical plugs.
MMMS, D.C. Entergy Operations, Inc. 95/01/31 Document Control Branch (Document Control Desk) 6pp 82667 305-82667 310

9502020325 Suppl 1 to NRC Administrative Lit 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 8pp 82652 195-82652 199

9502130070 Forwards exemption granting licensee request to provide one time interval extension for performance of next containment ILRT
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 YELVERTON, J.W. Entergy Operations, Inc. 3pp 82729 234-82729 240

9502130082 Exemption from requirements of 10CFR50, App J, section 11D.1 (e) to provide one time interval extension for performance of next containment ILRT
ADENSA, M.G. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 Entergy Operations, Inc. 4pp 82729 237-82729 240

9502130043 Forwards amend 175 to license DPR-51 & safety evaluation Amend re issues TS frequency requirements for performing containment integrated leak rate tests
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 YELVERTON, J.W. Entergy Operations, Inc. 3pp 82716 287-82716 286

9502130045 Amend 175 to license DPR-51, reversing TS frequency requirements for performing containment integrated leak rate tests
KALMAN, G. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 4pp 82716 290-82716 287

9502130050 Safety evaluation supporting amend 175 to license DPR-51
Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 3pp 82716 284-82716 296

9502170154 Application for amend to license DPR-51, adding addl info to clarify specification & corrects discrepancy between Bases for TS 2.1 & TS 3.1
MMMS, D.C. Entergy Operations, Inc. 95/02/10 Document Control Branch (Document Control Desk) 3pp 82779 316-82779 330

9502170156 Proposed tech spec, adding addl info to clarify specification & corrects discrepancy between Bases for TS 2.1 & TS 3.1
Entergy Operations, Inc. 95/02/10 12pp 82779 319-82779 330

9502210300 Submits response to GL 94-09, "Voluntary Reporting of Addl Occupational Radiation Exposure Data"
MMMS, D.C. Entergy Operations, Inc. 95/02/13 NRC - No Detailed Affiliation Given 2pp 82805 336-82805 337

9502160049 Administrative Lit 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090215 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Mail"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250425 NRC Info Notice 95-005, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502090184 Responds to NRC ltr re violations noted in shop repts 50-313/94-09 & 50-368/94-08 on 941015-1128 Corrective actions licensing document change request re-balled to correct errors in ANO-2 SAR Table 15.1 0-1
MMMS, D.C. Entergy Operations, Inc. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82718 177-82718 184

9502100883 Forwards shop repts 50-313/94-10 & 50-368/94-10 on 941127-950107 & notice of violation
BEACH, L.B. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 5pp 82890 280-82890 316

9502100885 Notice of violation from shop on 941127-950107 Violation noted licensee had not established procedure for encircling containment dump isolation valves 2CV-5647-1, 2CV-5648-2, 2CV-5649-1 & 2CV-5650-2 in closed direction
Region 4 (Post 820201) 95/02/06 3pp 82890 295-82890 297

9502100881 Shop repts 50-313/94-10 & 50-368/94-10 on 941127-950107 Violations noted Major areas inspected operational safety verification monthly main observation, monthly surveillance, onsite engineering & plant support.
VANDENBURGH, C.A. Region 4 (Post 820201) 95/02/01 19pp 82690 298-82690 318

9502150818 Forwards SALP repts 50-313/95-02 & 50-368/95-02 for period of 950711 through 950107 Functional areas of operations, maint & plant support rated as category 1, which indicates superior safety performance
CALLAN, L.J. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 6pp 82722 072-82722 084

9502150822 SALP repts 50-313/95-08 & 50-368/95-08 for 950711-950107
Region 4 (Post 820201) 95/02/06 7pp 82722 076-82722 084

9502180071 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in shop repts 50-313/94-18 & 50-368/94-18
COLLINS, S.J. Region 4 (Post 820201) 95/02/07 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82723 030-82723 033

9502100882 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502220329 Notification of 950302 licensee meeting to discuss results of NRC SALP repts 50-313/95-02 & 50-368/95-02
BEACH, L.B. Region 4 (Post 820201) 95/02/16 Region 4 (Post 820201) 6pp 82900 016-82900 020

9502240044 Ack receipt of 950203 ltr informing NRC of steps taken to correct violations noted in shop repts 50-313/94-09 & 50-368/94-08
BEACH, L.B. Region 4 (Post 820201) 95/02/16 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82814 023-82814 044

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502230149 Monthly operating rept for Jan 1995 for ANO-1 W/950215 ltr
HAYES, K.R., MMMS, D.C. Entergy Operations, Inc. 95/01/31 8pp 82812 151-82812 158

9502210267 Forwards ANO PFD program performance data for period Jul-Dec 1994
MMMS, D.C. Entergy Operations, Inc. 95/02/15 Document Control Branch (Document Control Desk) 6pp 82905 347-82905 352

V. Operator Examinations

9502070089 Requests withdrawal of licensee SOP-43075-3 for OK Thompson & SOP-4358-3 for ED Wenzel
MMMS, D.C. Entergy Operations, Inc. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82653 354-82653 355

9502090014 Informs of NRC intent to administer GFES of written operator licensing exam at utility facility on 950406 UN should submit names of candidates for exam
GWYNNE, J.P. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82651 066-82651 069

DOCKET 50-316 DONALD C COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502280146 Forwards enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted
AXELSON W L Region 3 (Post 820201) 95/01/30 FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 3pp 82646 091-82646 108

9502280154 Enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted Major areas discussed w/ failure to evaluate derogatory info developed during investigation resulting in granting of unescorted access
BELANGER, J L CREED, J R Region 3 (Post 820201) 95/01/28 15pp 82646 094-82646 108

9502180210 Rev 1 to EPIP PMP 2080 EPP 101, "Emergency Classification"
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/06 77pp 82720 061-82720 078

9502180211 Rev 3 to EPIP PMP 2081 EPP 302 "EOF Communications"
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/06 76pp 82719 275-82719 351

9502130198 Rev 3 to EPIP 2081 EPP 102, "TSC Emergency Communication" & EPIP index
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/06 64pp 82734 183-82734 247

9502130182 Rev 1 to EPIP PMP 2080 EPP 111 "Natural Emergency Guidelines" & EPIP index
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/06 13pp 82733 348-82733 360

9502130273 Informs NRC that licensee submitting scope & objectives for 950909 emergency plan exercise to J McCormick-Barber of radiological programs section
FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/06 Document Control Branch (Document Control Desk) 2pp 82732 356-82732 357

9502210148 Forwards insp repts 50-315/94-24 & 50-316/94-24 on 941217, 950130 No violations noted
KROPP W J Region 3 (Post 820201) 95/02/10 FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 2pp 82805 282-82805 300

9502210151 Insp repts 50-315/94-24 & 50-316/94-24 on 941217-950130 No violations noted Major areas inspected operational safety verification, onsite event follow-up current mail condition & housekeeping cold weather preparation & security
KROPP W J Region 3 (Post 820201) 95/02/10 17pp 82805 284-82805 300

9502280018 Forwards IPE of external events response to NRC audit concerns & RAI
FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/15 Document Control Branch (Document Control Desk) 15pp 82905 001-82905 247

9502280020 "DC Cook Nuclear Plant IPE for External Events Revised Fire PRA"
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/28 15pp 82905 016-82905 169

9502280074 Forwards description summary of proposed plant vehicle control measures Encl withheld
FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/21 Document Control Branch (Document Control Desk) 2pp 82909 343-82909 344

G. Advisory correspondence

9502030164 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B Affiliation Not Assigned 8pp 82885 001-82885 053

P. Operating license stage documents & correspondence

9502280029 "DC Cook Nuclear Plant IPE for External Events Seismic Fragility Calculations"
MATTHEWS, K F Westinghouse Electric Corp 94/10/24 60pp 82905 248-82905 037

9502090284 Responds to ltr dtd 950112 that responded to RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.64(f)" informs C/A & schedules provided w/ response acceptable for satisfying GL 93-04 criteria
HICKMAN, J B Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 FITZPATRICK, Indiana Michigan Power Co 2pp 82695 200-82695 201

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 196-82652 196

9502130198 Application for amend to license DPR-58 re TS changes to incorporate 20 volt steam generator tube support plate plugging criterion for fuel cycle 15
FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/03 Document Control Branch (Document Control Desk) 13pp 82742 112-82742 136

9502130202 Proposed tech specs to incorporate 20 volt steam generator tube support plate plugging criterion for fuel cycle 15
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/03 12pp 82742 125-82742 136

9502220088 Notices that NRC will be conducting reduced scope SWS operational performance insp in lieu of extensive insp required by NRC Temporary Instruction 2515/118
SHAFFER W D Region 3 (Post 820201) 95/02/08 FITZPATRICK, Indiana Michigan Power Co 1p 82800 122-82800 122

9502150146 Application for amend to license DPR-58 & DPR-74 revamping TS to increase limit for control rod misalignment at or below 85% rated (thermal power)
FITZPATRICK, Indiana Michigan Power Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82761 314-82761 323

9502150154 Proposed tech specs 3/4 1 3 re rod misalignment requirement for movable control assemblies
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/10 8pp 82761 316-82761 323

9502270037 Forwards amend 189 & 175 to license DPR-58 & DPR-74, respectively & safety evaluation Amend relocate radiological effluent TS to other controlled documents, per guidance provided in GL 89-01
HICKMAN, J B Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 FITZPATRICK, Indiana Michigan Power Co FITZPATRICK, American Electric Power Service Corp 3pp 82856 043-82856 139

9502270048 Amend 189 & 175 to license DPR-58 & DPR-74, respectively revamping TS to relocate radiological effluent TS to other documents, in response to GL requirement
HANNON, J N Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 8pp 82856 048-82856 134

9502270081 Safety evaluation supporting amend 189 & 175 to license DPR-58 & DPR-74, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 5pp 82856 135-82856 139

9502280018 Forwards IPE of external events response to NRC audit concerns & RAI
FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/15 Document Control Branch (Document Control Desk) 15pp 82905 001-82905 247

9502280020 "DC Cook Nuclear Plant IPE for External Events Revised Fire PRA"
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/28 15pp 82905 016-82905 169

9502280023 "DC Cook Nuclear Plant Units 1 & 2 Addendum to Seismic PRA Note-book"
* Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 95/02/28 70pp 82905 170-82905 247

9502180349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
HARRIS, E V Cost Beneficial Licensing Actions Staff (OSLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

G. Inspection reports, all Bulletins & correspondence

9502100121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C records withheld in part (w/ FOIA exemption 5) App D records completely withheld (w/ FOIA exemption 5)
POWELL, R A Division of Freedom of Information & Publications Services (950206-840714) 94/07/06 FIDELL, E R Affiliation Not Assigned 8pp 82824 140-82824 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/06/06 175pp 82824 168-82824 005

9501080018 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail"
PAPERBELLO, C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230020 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERBELLO, C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82605 038-82605 046

9502280148 Forwards enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted
AXELSON W L Region 3 (Post 820201) 95/01/30 FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 3pp 82646 091-82646 108

9502080156 Enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted Major areas discussed w/ failure to evaluate derogatory info developed during investigation resulting in granting of unescorted access
BELANGER, J L CREED, J R Region 3 (Post 820201) 95/01/28 15pp 82646 094-82646 108

9501230428 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502030012 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82648 001-82648 008

9502150044 Forwards insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted
RING, M A Region 3 (Post 820201) 95/02/09 FITZPATRICK, Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) 2pp 82722 248-82722 259

9502160060 Insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted Major areas inspected training administrative procedures, requalification training records & exam mails
BAILEY, R BURDICK, T Region 3 (Post 820201) 95/02/08 10pp 82722 250-82722 259

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042

74 DOCKETED ITEMS

9502180014 Forwards NRC report on Major Rule review visit to plant during 941205 12. SHAFER, W.D. Region 3 (Post 820201) 95/02/10. DONNELLY, P.M. Consumers Power Co. JOYCE, T. Commonwealth Edison Co. KILLY, J.E. US Electric Inc. (formerly Iowa Electric Light & Power Co.) App 82722 012-82722 028

9502218149 Forwards insp repts 50-315/94-24 & 50-316/94-24 on 941217. 950130 No violations noted. KROPP, W.J. Region 3 (Post 820201) 95/02/10. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) App 82805 282-82805 308

9502218151 Insp repts 50-315/94-24 & 50-316/94-24 on 941217. 950130 No violations noted. Major areas inspected: operational safety verification, on-site event follow-up, current status condition & housekeeping, cold weather preparation & security. KROPP, W.J. Region 3 (Post 820201) 95/02/10. 17pp. 82805 284-82805 300

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc." GRIMES, B.K. 95/02/21. Consolidated Edison Co. of New York, Inc. 12pp. 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24. Consolidated Edison Co. of New York, Inc. App 82818 016-82818 024

9502210057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24. Consolidated Edison Co. of New York, Inc. App 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502140085 Monthly operating report for Jan 1995 for DC Cook Nuclear Plant Unit 1 W/ 950207. JANKS, E.J.O. BUELUCK, D.L., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/01/31. App 82744 167-82744 171

95022170189 Forwards FPD program for period 940701-1231. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/17. Document Control Branch (Document Control Desk) App 82959 025-82959 029

S. Reportable occurrences, LERs & related correspondence

9502020106 LER 94-014-00 on 941225, discovered that TS surveillance 4.11.2.1.2 gland seal exhaust weekly gaseous effluent grab sample not completed for 941217-25. Caused by personnel error. Surveillance schedule sheet modified W/950124. MURPHY, D.O., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/01/24. App 82622 015-82622 018

V. Operator Examinations

9502020079 Inform that NRC plans to administer GFES of written operator licensing exam on 950405. RING, M.A. Region 3 (Post 820201) 95/01/25. LACROIX, D.G., HICED, D. Consumers Power Co. RANDA, W.R. Cleveland Electric Illuminating Co. App 82599 355-82599 357

9502150044 Forwards insp repts 50-315/95-02 & 50-316/95-02 on 950123. 27 No violations noted. RING, M.A. Region 3 (Post 820201) 95/02/09. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) App 82722 248-82722 258

9502150050 Insp repts 50-315/95-02 & 50-316/95-02 on 950123. 27 No violations noted. Major areas inspected: training administrative procedures, requalification training records & exam results. BAILEY, R., BURCK, T. Region 3 (Post 820201) 95/02/08. 10pp. 82722 250-82722 259

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502080146 Forwards enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123. Violations noted. JOHNSON, W.L. Region 3 (Post 820201) 95/01/30. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) App 82546 081-82546 108

9502080148 Enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123. Violations noted. Major areas discussed: use of failure to evaluate derogatory info developed during investigation resulting in granting of unescorted access. BELANGER, J.L. Region 3 (Post 820201) 95/01/26. 16pp. 82546 084-82546 108

9502100210 Rev 1 to EPIP PMP 2080 EPP 101, "Emergency Classification." Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06. 7pp. 82720 001-82720 078

9502100211 Rev 3 to EPIP PMP 2081 EPP 302 "ECF Communications." Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06. 7pp. 82719 275-82719 351

9502130190 Rev 3 to EPIP PMP 2081 EPP 102 "TSC Emergency Communication" & EPIP index. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06. 6pp. 82734 183-82734 247

9502130102 Rev 1 to EPIP PMP 2080 EPP 111, "Natural Emergency Guidelines" & EPIP index. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06. 13pp. 82733 345-82733 380

9502130273 Inform NRC that licensee submitting scope & objectives for 950506 emergency plan exercise to J. McCormick-Barger of radiological programs section. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/06. Document Control Branch (Document Control Desk) App 82732 358-82732 357

9502210149 Forwards insp repts 50-315/94-24 & 50-316/94-24 on 941217. 950130 No violations noted. KROPP, W.J. Region 3 (Post 820201) 95/02/10. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) App 82805 282-82805 300

9502210181 Insp repts 50-315/94-24 & 50-316/94-24 on 941217. 950130 No violations noted. Major areas inspected: operational safety verification, on-site event follow-up, current status condition & housekeeping, cold weather preparation & security. KROPP, W.J. Region 3 (Post 820201) 95/02/10. 17pp. 82805 284-82805 300

9502280118 Forwards IPE of external events response to NRC audit concerns & RAI. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/13. Document Control Branch (Document Control Desk) App 82905 001-82905 247

9502280020 "DC Cook Nuclear Plant IPE for External Events Revised Fire PFA." Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/28. 16pp. 82905 015-82905 169

9502280274 Forwards description summary of proposed plant vehicle control measures. Encl withheld. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/21. Document Control Branch (Document Control Desk) App 82903 343-82903 344

G. Adjudicatory correspondence

9502030166 Response to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19. DEBOLT, B. Adjudication Not Assigned. 52pp. 82585 001-82585 063

9502180189 Response to 500824. Re to Chairman re FWSCC of Alloy 600 in PWR vessel head penetrations & inform that, based on NRC review of findings of plant shop petition denied for reasons given in final Director's Decision. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26. WILLIS, J. Greenpeace Foundation. App 82995 242-82995 257

F. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207. Listing of records in App A already available in PDR Records in App B encl & will be available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (950206-940714) 94/05/17. RICORDI, J.P. Public Citizen's Critical Mass Energy Project. 121pp. 82592 009-82592 275

9502020264 Forwards updated list of NOEDs as transmitted on 940111. GREENMAN, G. Region 3 (Post 820201) 94/01/28. BOYLE, M. Division of Reactor Projects - RIJYV (Post 901218) App 82582 228-82582 230

9502280029 "DC Cook Nuclear Plant IPE for External Events Seismic Fragility Calculations." MATTHEWS, K.F. Westinghouse Electric Corp. 94/10/24. 50pp. 82905 248-82905 037

9502280181 Requests relief from requirements of ASME Section XI in order to allow non-code repair of reactor leak in body of main feedwater isolation valve 2-FMO-203. Background info & justification for ASME Section XI relief request encl. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/01/31. Document Control Branch (Document Control Desk) App 82665 351-82665 359

9502080284 Response to IIR dtd 950112 that responded to RAI re GL 93-04, "Rod Control Sys Failure & Withdraw of Rod Cluster Control Assemblies, 10CFR50.54(f)." Inform C/A & schedules provided w/response acceptable for satisfying GL 93-04 criteria. HICKMAN, J.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01. FITZPATRICK, E. Indiana Michigan Power Co. App 82695 200-82695 201

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02. Consolidated Edison Co. of New York, Inc. App 82652 195-82652 199

9502200358 Notices that NRC will be conducting reduced scope SWS operational performance insp in lieu of extensive insp required by NRC Temporary Instruction 2519/112. SHAFER, W.D. Region 3 (Post 820201) 95/02/06. FITZPATRICK, E. Indiana Michigan Power Co. App 82900 122-82900 122

9502180146 Application for amend to licenses DPR-58 & DPR-78, reusing TS to increase limit for control rod misalignment at or below 88% rated thermal power. FITZPATRICK, E. Indiana Michigan Power Co. 95/02/10. Document Control Branch (Document Control Desk) App 82781 314-82781 323

9502150154 Proposed tech specs 3/4 1.3 re rod misalignment requirement for movable control assemblies. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/10. App 82751 316-82751 323

9502270337 Forwards amend 189 & 175 to licenses DPR-58 & DPR-74 respectively & safety evaluation Amend relocate radiological effluent TS to other controlled documents, per guidance provided in GL 99-01. HICKMAN, J.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10. FITZPATRICK, E. Indiana Michigan Power Co. FITZPATRICK, E. American Electric Power Service Corp. App 82958 043-82958 139

-9502270048 Amends 189 & 175 to licenses DPR-58 & DPR-74 respectively, removing TS to relocate radiological effluent TS to other documents, in response to GL requirement.
HARRISON, J. Office of Nuclear Reactor Regulation (Post 841001) 85/02/10 8pp 82856 046-82856 134

-9502270061 Safety evaluation supporting amends 189 & 175 to licenses DPR-58 & DPR-74 respectively.
Office of Nuclear Reactor Regulation (Post 841001) 95/02/10 5pp 82856 135-82856 139

9502280015 Forwards RFE of external events response to NRC audit concerns & RAI FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/15 Document Control Branch (Document Control Desk) 15pp 82905 001-82905 247

-9502280023 'DC Cook Nuclear Plant Units 1 & 2 Addendum to Safety PRA Notebook'.
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/28 7pp 82905 170-82905 247

Q. Inspection reports, IE Bulletins & correspondence

9502020114 Partial response to FOIA request for documents re BECY-92-049, did 920207 Listing of records in App A already available in PDR Records in App B and will be available in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (890208-940714) 94/05/17 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275

-9502020228 Response to letter did 930709 requesting NRC to exercise discretion not to enforce compliance w/TS 3.1.2.4 & 3.8.2 re report of small CCP within allowable outage time. Grants the request & will not exercise enforcement discretion.
MARTIN, J.P. Region 3 (Post 820201) 93/07/13 FITZPATRICK, E. Indiana Michigan Power Co. 3pp 82592 179-82592 180

9501080218 NRC Bulletin 95-001, 'QA Program for Transportation of Radioactive Material'.
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007 'Recklessness Viol. Breachage During Preparation'.
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 046

9502080146 Forwards enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted.
JENSEN, W.L. Region 3 (Post 820201) 95/01/30 FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp 82645 081-82645 108

-9502080168 Enforcement conference repts 50-315/95-04 & 50-316/95-04 on 950123 Violations noted. Major areas discussed: use failure to evaluate derogatory info developed during investigation resulting in granting of unescorted access.
WELANDER, J.L., CREED, J.R. Region 3 (Post 820201) 95/01/25 15pp 82646 094-82646 108

9502280429 NRC Info Notice 95-008 'Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design'.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 124

9502030313 NRC Info Notice 95-010, 'Potential for Loss of Automatic ESFA'.
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 001-82658 008

9502180044 Forwards insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted.
RING, J.A. Region 3 (Post 820201) 95/02/09 FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 82722 246-82722 258

-9502150050 Insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted. Major areas inspected: training administrative procedures, requalification training records & exam results.
BAILEY, R., BURDECK, T. Region 3 (Post 820201) 95/02/09 10pp 82722 250-82722 259

9502180263 Suppl 1 to NRC info notice 95-010, 'Potential for Loss of Automatic ESFA'.
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 007-82818 042

9502180014 Forwards NRR repts on Main Rule review sent to plant during 941205-12.
SHAFER, J.W. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co. JOYCE, T. Commonwealth Edison Co. KULL, R.S. Utilities Inc. (formerly Iowa Electric Light & Power Co.) 2pp 82722 012-82722 028

9502210149 Forwards insp repts 50-315/94-24 & 50-316/94-24 on 941217-950130 No violations noted.
KROPP, W.J. Region 3 (Post 820201) 95/02/10 FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp 82906 282-82906 300

-9502210151 Insp repts 50-315/94-24 & 50-316/94-24 on 941217-950130 No violations noted. Major areas inspected: operational safety verification, on-site event follow-up, current map condition & housekeeping, cold weather preparation & security.
KROPP, W.J. Region 3 (Post 820201) 95/02/10 17pp 82905 284-82905 300

9502210081 NRC Info Notice 95-012 'Potentially Nonconforming Fasteners Supplied by ASG Engineering LLC'.
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82918 025-82918 036

9502210050 NRC Info Notice 95-011 'Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device'.
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82918 016-82918 024

9502240037 NRC Info Notice 95-013 'Potential For Data Collection Equipment to Affect Protection System Performance'.
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82945 018-82945 025

R. Periodic operating reports & related correspondence

9502150090 Forwards monthly operating repts for Jan 1995 for DCP Unit 2 & revised unit shutdowns & power reductions repts for Dec 1994 for DCP Unit 2. Revised repts correct errors in duration h & cause & O/A to prevent recurrence outage duration.
BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/07 Document Control Branch (Document Control Desk) 1p 82761 340-82761 345

-9502150092 Monthly operating repts for Jan 1995 for DCP Unit 2.
JANESSE, D., BULUCK, D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/01/31 4pp 82761 341-82761 344

-9502150093 Revised unit shutdowns & power reductions repts for Dec 1994 for DCP Unit 2.
BULUCK, D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 94/12/31 1p 82761 345-82761 345

9502270189 Forwards FPD programs for period 940701-1231.
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/02/17 Document Control Branch (Document Control Desk) 5pp 82959 025-82959 029

S. Reportable occurrences, LERs & related correspondence

9502020108 LER 94-008-00 on 941211.4B feedwater heater extreme high level alarm received & turbine trip resulted. Cause related to configuration of alternate drain line high-level alarm switches repaired & tested w/950110 for WEISER, G.A., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 95/01/10 5pp 82622 019-82622 023

V. Operator Examinations

9502080209 Informing that NRC plans to administer GPES of written operator licensing exam on 950405.
RING, J.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. SEIZERT, R.D. Wisconsin Electric Power Co. WALKER, W.P. Northern States Power Co. 3pp 82558 355-82558 357

9502150044 Forwards insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted.
RING, J.A. Region 3 (Post 820201) 95/02/09 FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 82722 248-82722 259

-9502150050 Insp repts 50-315/95-02 & 50-316/95-02 on 950123-27 No violations noted. Major areas inspected: training administrative procedures, requalification training records & exam results.
BAILEY, R. Region 3 (Post 820201) 95/02/09 10pp 82722 250-82722 259

DOCKET 58-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502070190 Rev 21 to EPIP ERP pages 3.4.4-5.4-6.4.7 & 4.8.
Baltimore Gas & Electric Co. 95/01/26 7pp 82696 290-82696 299

9502210034 Response to licensee 941104 for re changes to plant security plan identified as Rev 31 & informants that reviewed changes submitted & determined consistent w/ provisions of 10CFR30.54 (p) & acceptable for inclusion in plan.
JOYNER, J.H. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 DENTON, R.E. Baltimore Gas & Electric Co. 3pp 82760 123-82760 125

9502220248 EPIP ERP-200, rev 0/change 3 & EPIP-703, rev 0/change 3.
Baltimore Gas & Electric Co. 95/02/01 10pp 82826 253-82826 281

9502150377 Forwards Rev 1 to "CONPP EAL Technical Basis Document" EAL changes effected by Rev 1 of technical basis document will be incorporated in Rev 18, Change 3 of EPIP 3.0.
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82770 236-82770 262

-9502150380 Rev 1 to "CONPP Units 1 & 2 EAL Technical Basis Document" of Rev 18, Change 3 of EPIP 3.0, "Immediate Actions".
RUCKER, G.C., OMEARA, T.S., JACKSON, D.E. Baltimore Gas & Electric Co. 95/01/11 23pp 82770 240-82770 262

9502240028 Response to 940117 letter from CJ Council re compensatory fire watch NOV for insp repts 50-317/94-34 & 50-318/94-33. Corrective actions Procedure SA-5-100 revised.
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82919 070-82919 072

H. General correspondence

9502010691 Comment supporting NUMARC comments filed on proposed rule 10CFR2 re rev to general statement of policy & procedure for EA to address issues on discrimination.
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/26 Docketing & Services Branch 2pp 82544 356-82544 356

76 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9502003246 First partial response to FOIA request for documents Records in App A will be made available in PDR
FEED C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 OMEALIAN, M. Affiliation Not Assigned 2pp 82621 279-82621 313

-9502003251 "Enforcement action tracking sys. Licensee history rept (short list) sorted by licensee 850101-940500
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502140144 Third partial response to FOIA request for documents Records in App C and D will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 OMEALIAN, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (not FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82906 322-82906 333

-9502210119 "Notices of Enforcement Decision"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82906 327-82906 333

9502160008 Comment on NRC proposed generic communication, "Use of NUMARC/EPRI rept TR-102348 'Guidelines on Licensing Digital Upgrades' in Determining Acceptability of Performing Aging to Digital Replacements Under 10CFR50.59"
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/23 Rules & Directives Review Branch (Post 920823) 1p 82736 340-82736 340

9502003280 Application for amendments to licenses DPR-53 & DPR-59 revising TS to increase min amount of trisodium phosphate dodecahydrate verified in TS surveillance
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/31 Document Control Branch (Document Control Desk) 6pp 82623 321-82623 334

-9502003283 Proposed tech specs re required vol of trisodium phosphate dodecahydrate in containment
* Baltimore Gas & Electric Co. 95/01/31 8pp 82623 327-82623 334

9502003285 Responds to NRC request in 941222 meeting re recent field experience w/ Westinghouse Alloy 800 thermally treated mechanical plugs
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/31 Document Control Branch (Document Control Desk) 3pp 82705 294-82705 295

9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502170044 Rev 1 to Notification of Significant Meeting 95-02 w/utl on 950210 in King of Prussia to discuss current plant performance & improvement initiatives
DOERFLINGER, L.T. Region 1 (Post 820201) 95/02/03 Region 1 (Post 820201) 2pp 82759 043-82759 046

9502140038 Expresses appreciation for volunteering to participate in pilot program for exchange of electronic info
VARGA, S.A. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/10 DENTON, R.E. Baltimore Gas & Electric Co. 4pp 82740 287-82740 300

9502170050 Summary of 950208 meeting w/BG&E in Rockville MD re programs & activities of nuclear engineering dept of utl staff at plants List of attendees & utl hand-out incl
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/13 Project Directorate I-1 (PD1-1) (Post 941001) 31pp 82767 077-82767 107

9502160349 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost beneficial licensing actions
BIBERLE, V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

9502200196 Forwards SE accepting utl 940827 revised methodology for postulating single passive failures in moderate energy lines at plant
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/24 DENTON, R.E. Baltimore Gas & Electric Co. 4pp 82656 265-82656 266

-9502200202 Safety evaluation accepting methodology for postulating passive failure pipe breaks
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/24 5pp 82656 262-82656 265

Q. Inspection reports, IE Bulletins & correspondence

9501000219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 008-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502000513 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82668 001-82668 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 4pp 82618 037-82618 042

9502150386 Responds to NRC 950111 Jr re violation noted in insp rept 50-317/94-25 & 50-318/94-25 Corrective actions DG Project Instruction DGPI-050 'Cleanliness & Work Area Housekeeping Requirements' issued 941028
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/10 Document Control Branch (Document Control Desk) 3pp 82761 289-82761 291

9502200026 Responds to 940117 Jr from CJ Cowgill re compensatory fire watch NCV for insp rept 50-317/94-34 & 50-318/94-33 Corrective actions Procedure SA-1-100 revised
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82813 070-82813 072

9502200042 Forwards "Calvert Cliffs Unit 1 SG 11 & 12 Eddy Current Insp Final Rept for Mar 1994"
* Baltimore Gas & Electric Co. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82815 004-82815 062

-9502200142 "Calvert Cliffs Unit 1 SG 11 & 12 Eddy Current Insp Final Rept Mar 1994"
* Baltimore Gas & Electric Co. 95/02/17 56pp 82815 007-82815 062

9502210091 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502200037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 018-82818 025

R. Periodic operating reports & related correspondence

9502200094 "Calvert Cliffs Nuclear Power Plant Effluent & Waste Disposal Semi-Annual Rept Suppl Info" W/950217 fr
CRAIG, P.T. Baltimore Gas & Electric Co. 94/12/31 20pp 82614 331-82614 350

9502170070 Monthly operating rept for Jan 1995 for Calvert Cliffs Nuclear Power Plant Units 1 & 2 w/950215 fr
PIAZZA, F. CRUSE, C.H. Baltimore Gas & Electric Co. 95/01/31 11pp 82780 140-82780 150

9502170066 Forecasts fitness for duty program performance data for period of Jul-Dec 1994, per 10CFR26.714d
GUARNIERA, S.R. Baltimore Gas & Electric Co. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82780 119-82780 122

S. Reportable occurrences, LEIRs & related correspondence

9502000149 NPOES noncompliance rept notification on 950111 approx 2,500 gallons of suspended low concentration propylene glycol solution discharged to site outfall 002
CRUSE, C.H. Baltimore Gas & Electric Co. 95/01/30 REAHL, M. Maryland State of 3pp 82616 300-82616 302

DOCKET 58-316 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502070110 Rev 21 to EPIP ERP pages 3.4.4, 4.4.6, 4.7 & 4.8
* Baltimore Gas & Electric Co. 95/01/26 7pp 82688 293-82688 299

9502210014 Responds to licensee 941104 Jr re changes to plant security plan identified as Rev 31 & informs that reviewed changes submitted & determined consistent w/provisions of 10CFR50.54 (g) & acceptable for inclusion in plan
JOYNER, J.H. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 DENTON, R.E. Baltimore Gas & Electric Co. 3pp 82789 123-82789 125

9502220248 ERPP, 206, rev G/Change 3 & ERPP, 703, rev G/Change 3
* Baltimore Gas & Electric Co. 95/02/01 10pp 82626 253-82626 261

9502150377 Forwards Rev 1 to "GCNPP EALS Technical Basis Document. EAL changes effected by Rev 1 of technical basis document will be incorporated in Rev 18, Change 3 of ERPP 3.0"
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82770 236-82770 252

-9502150377 Rev 1 to "GCNPP Units 1 & 2 EALS Technical Basis Document. EAL changes effected by Rev 1 to ERPP 3.0, 'Immediate Actions'"
RUDKOWSKI, G.C. OMEARA, T.S. JACKSON, D.E. Baltimore Gas & Electric Co. 95/01/11 23pp 82770 240-82770 252

9502200028 Responds to 940117 Jr from CJ Cowgill re compensatory fire watch NCV for insp rept 50-317/94-34 & 50-318/94-33 Corrective actions Procedure SA-1-100 revised
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82813 070-82813 072

H. General correspondence

9502100091 Comment supporting NUMARC comments filed on proposed rule 10CFR2 re rev to general statement of policy & procedure for EA to address issues on discrimination
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/26 Docketing & Services Branch 2pp 82544 355-82544 356

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'NEAL, J.M. Affiliation Not Assigned 2pp 82621 278-82621 313

-9502030251 Enforcement action tracking sys. Licensee history repl (short list) sorted by licensee 850101-940509
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502140144 Third partial response to FOIA request for documents Records in app C and will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'NEAL, J.M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502160009 Comment on NRC proposed generic communication, "Use of NUMARC/EPRI rept TR-102348, 'Guidelines on Licensing Digital Upgrades', in Determining Acceptability of Performing Analog to Digital Replacements Under 10CFR50.59"
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/23 Rules & Directives Review Branch (Post 920323) 1p 82736 340-82736 340

9502030220 Application for license to license DPR-63 & DPR-69, revoking TS to increase max amount of trisodium phosphate dodecahydrate verified in TS surveillance
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/31 Document Control Branch (Document Control Desk) 6pp 82623 321-82623 334

-9502030281 Proposed tech spec re required vol of trisodium phosphate dodecahydrate in containment
* Baltimore Gas & Electric Co. 95/01/31 8pp 82623 327-82623 334

9502030255 Response to NRC request at 941222 meeting re recent field experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/31 Document Control Branch (Document Control Desk) 3pp 82708 294-82708 295

9502030225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 195

9502170244 Rev 1 to Notification of Significant Meeting 95-02 w/ul on 950210 in King of Prussia to discuss current plant performance & improvement initiatives
DOERFLEIN, L.T. Region 1 (Post 920201) 95/02/03 Region 1 (Post 920201) 2pp 82768 045-82768 046

9502140259 Expresses appreciation for volunteering to participate in pilot program for exchange of electronic info
VARGAS, S.A. Division of Reactor Projects Mgt (DRPE) (Post 941001) 95/02/10 DENTON, R.E. Baltimore Gas & Electric Co. 4pp 82740 297-82740 300

9502170049 Summary of 950206 meeting w/BG&E in Rockville, MD re programs & activities of nuclear engineering dept of use staff at plants List of attendees & ul hand-out and
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/13 Project Directorate I-1 (PD1-1) (Post 941001) 31pp 82767 077-82767 107

9502160248 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MILBRAD, J.M. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

9502030199 Forwards SE accepting ul 940927 revised methodology for postulating single passive failures in moderate energy lines at plant
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/24 DENTON, R.E. Baltimore Gas & Electric Co. 4pp 82656 258-82656 268

-9502030202 Safety evaluation accepting methodology for postulating passive failure pipe breaks
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/24 5pp 82656 262-82656 266

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230250 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation" PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 048

9501230429 NRC Info Notice 95-006, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 186-82652 194

9502030133 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502100263 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502150386 Responds to NRC 950111 ltr re violation noted in shop repts 50-317/94-28 & 50-318/94-25 Corrective actions DG, Project Instruction DGPI-050, "Cleanliness & Work Area Housekeeping Requirements" issued 941026
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/10 Document Control Branch (Document Control Desk) 3pp 82761 289-82761 291

9502240026 Responds to 940117 ltr from C.J. Cowgill re compensatory fire watch NOV for insp repts 50-317/94-34 & 50-318/94-39 Corrective actions Procedure SA-1-100 revised
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82613 070-82613 072

9502240062 Forwards "Calvert Cliffs Unit 1 SB 11 & 12 Eddy Current Insp Final Rept for Mar 1994"
* Baltimore Gas & Electric Co. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82615 005-82615 062

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 018-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 018-82618 025

R. Periodic operating reports & related correspondence

9502240094 Calvert Cliffs Nuclear Power Plant Effluent & Waste Disposal Semi-Annual Rept Suppl Info W/950217 ltr
CRAIG, P.T. Baltimore Gas & Electric Co. 94/12/31 20pp 82614 331-82614 350

9502170270 Monthly operating repts for Jan 1995 for Calvert Cliffs Nuclear Power Plant Units 1 & 2 W/950215 ltr
CRAIG, P.T. Baltimore Gas & Electric Co. 95/01/31 11pp 82780 140-82780 150

9502170256 Forwards files for duty program performance data for period of Jul-Dec 1994 per 10CFR28.71(d)
GUARNIERI, S.R. Baltimore Gas & Electric Co. 95/02/06 Document Control Branch (Document Control Desk) 4pp 82780 119-82780 122

S. Reportable occurrences, LERs & related correspondence

9502040149 NPOES noncompliance rept notification on 950111 approx 2,500 gallons of suspected low concentration propylene glycol solution discharged to sea outfall 002
CRAIG, P.T. Baltimore Gas & Electric Co. 95/01/30 REAH, J.M. Maryland State of 3pp 82616 300-82616 302

9502040176 LER 95-001-00 on 950103 small shape index channel error occurred due to inadequate self-checking field training session w/technicians & emphasized mgmt expectations for self-checking & vented channel operability W/950202 ltr
MILBRAD, J.M.D., CRAIG, P.T. Baltimore Gas & Electric Co. 95/02/02 6pp 82715 148-82715 153

9502170147 LER 95-002-00 on 950113, Unit 2 tripped due to low levels in 9G6 Both black & white wires associated w/2FT1013A in Panel 2C43A properly reterminated & current wire shipping guidance & QC plan reviewed W/950213 ltr
MILBRAD, J.M.D., CRAIG, P.T. Baltimore Gas & Electric Co. 95/02/13 7pp 82806 097-82806 103

9502170188 LER 95-002-00 on 950115, Unit 2 tripped due to RPS loss of load signal Operations crews briefed on event prior to assuming watch after event, sys. engineering assistance for SGFP control provided & SGFPs 21 & 22 tested W/950213 ltr
MILBRAD, J.M.D., CRAIG, P.T. Baltimore Gas & Electric Co. 95/02/13 8pp 82806 104-82806 111

DOCKET 50-330 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502030238 Revised EPIPs, including Rev 4 to EPIP-TM-27, "EOF" & Rev 5 to EPIP-TM-32, "Activation of Annex to EOF"
* General Public Utilities Corp - GPU Service Corp 94/07/12 97pp 82583 184-82583 290

9502030278 Forwards revised pages to Rev 31 to modified amended physical security plan & Rev 12 to training & qualification plan Plans withheld
LONG, R.L. General Public Utilities Corp - GPU Service Corp 95/01/23 Document Control Branch (Document Control Desk) 1p 82587 332-82587 332

9502030235 Revised EPIPs, including Rev 6 to EPIP-TM-28 & Rev 7 to EPIP-TM-29, incorporating PCRs 1-EP-94-0045 & 1-EP-94-0042 respectively & Temporary Change Notice 1-95-0007 to Rev 6 to EPIP-TM-02
BEAVER, J. General Public Utilities Corp - GPU Service Corp 95/01/25 50pp 82704 260-82704 318

9502170265 Rev 16 to EPIP-TM-06 "Add Assistance & Notification"
KNOCH, E.J., BEAVER, J., NELSON, M.A. General Public Utilities Corp - GPU Service Corp 95/02/07 28pp 82780 091-82780 115

9502170260 Rev 5 to EPIP-TM-05 "Communications & Record Keeping"
KNOCH, E.J., BEAVER, J., NELSON, M.A. General Public Utilities Corp - GPU Service Corp 95/02/06 16pp 82780 073-82780 098

9502170272 Rev 14 to EPIP-TM-03, "Emergency Notification & Call Outs"
* General Public Utilities Corp - GPU Service Corp 95/02/08 26pp 82780 165-82780 200

78 DOCKETED ITEMS

9502100408 Forwards revs to modified amended physical security plan, training & qualification plan Revs withheld
BROUGHTON, T.G. General Public Utilities Corp - GPU Service Corp 95/02/10 Document Control Branch (Document Control Desk) 1p 82620 350-82620 250

9502220195 Revised EPPs, including Temporary Change Notices (TCN) 1-85-0008 to Rev 6 to EPIP-TMI-02 & TCN 1-95-0010 to Rev 4 to EPIP-TMI-27 TCN 1-85-0007 to EPIP-TMI-02 cancelled
BEAVER, J. General Public Utilities Corp - GPU Service Corp 95/02/10 38pp 82811 307-82811 342

H. General correspondence

9502060239 Responds to 950102 ltr requesting info on nuclear energy & exact cause of accident at plant
HERNANDEZ, W. Division of Reactor Projects 1/8 (DIRE) Post 941001 95/01/31 CLARK, O. Affiliation Not Assigned 1p 82627 345-82627 346

9502080243 Requests info on nuclear energy re plant accident
CLARK, O. Affiliation Not Assigned 95/01/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82627 346-82627 346

P. Operating license stage documents & correspondence

9502100147 Twenty-second partial response to FOIA request for documents Forwards App I records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned App 82717 157-82718 014

9502100263 Partially deleted SECY informing Commission of Appeal Board decision
TRUBATCH, S.L. Office of the General Counsel (Post 950701) SECY-82-412 82/10/12 38pp 82717 296-82717 332

9502140144 Third partial response to FOIA request for documents Records in app C and D will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/07/06 O'NEILL, J.M. Affiliation Not Assigned App 82729 181-82729 223

9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/20 App 82729 184-82729 223

9502200255 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 85/02/02 Consolidated Edison Co. of New York, Inc. App 82652 195-82652 199

9502170183 Advances of changes made in GPU Nuclear Corp Provides list of employees authorized to submit fingerprints to NRC & receive results under Criminal History Program
WILSON, J.F. General Public Utilities Corp - GPU Service Corp 95/02/06 Document Control Branch (Document Control Desk) 2pp 82779 256-82779 280

9502200449 Application for amend to license DPR-73, consisting of TS Change Request 72, modifying TS 4.1.1.3 to extend surveillance interval for demonstration of operability for each containment air lock from quarterly to annual interval
BROUGHTON, T.G. General Public Utilities Corp - GPU Service Corp 95/02/18 Document Control Branch (Document Control Desk) 7pp 82640 218-82640 226

9502200495 Proposed TS 4.1.1.3 extending surveillance interval for demonstration of operability for each containment air lock from current quarterly interval to annual interval
* General Public Utilities Corp - GPU Service Corp 95/02/16 App 82640 225-82640 226

9502200284 Forwards tabulation of personnel exposure data for plants for calendar year 1994 Data based on internal committed dose equivalents & self-reported dosimetry rates
BROUGHTON, T.G. General Public Utilities Corp - GPU Service Corp 95/02/22 Document Control Branch (Document Control Desk) 5pp 82653 007-82653 011

9502180349 Administrative Ltr 95-02 to all holders of OIs or OPs re cost beneficial licensing actions
MURPHY, E.V. Cost Beneficial Licensing Action Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App Encl & will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/07/06 FIDELLE, R. Affiliation Not Assigned App 82634 140-82634 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given 94/06/06 175pp 82624 188-82624 006

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 012-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030319 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 006

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. App 82818 037-82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502200298 Forwards insp rept 50-289/95-02 & 50-320/95-02 on 950130-0203 No violations noted
JOYNER, J.H. Region 1 (Post 820201) 95/02/21 BROUGHTON, T.G. General Public Utilities Corp - GPU Service Corp 3pp 82653 021-82653 032

9502200300 Insp rept 50-289/95-02 & 50-320/95-02 on 950130-0203 No violations noted Major areas inspected licensee had effective program for main occupational radiation exposures as low as reasonably achievable
NICK, J., BONES, R. Region 1 (Post 820201) 95/02/13 App 82653 024-82653 032

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. App 82818 016-82818 024

9502200337 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. App 82648 015-82648 025

R. Periodic operating reports & related correspondence

9502030543 Provides summary of activities at TMI-2 during fourth quarter of 1994
BROUGHTON, T.G. General Public Utilities Corp - GPU Service Corp 95/01/27 Document Control Branch (Document Control Desk) 1p 82616 358-82616 355

T. Hearing transcripts on non-environmental matters

9502130197 Twenty-second partial response to FOIA request for documents Forwards App I records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned App 82717 157-82718 014

9502130286 Partially deleted SECY re review of closed Commission meeting transcript
FITZGERALD, J.A. Office of the General Counsel (Post 950701) SECY-83-322 83/08/06 1p 82718 014-82718 014

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502140029 Confirms 950123 Wilson re mgmt meeting requested by NRC scheduled for 950901 to discuss recent H-P & contractor control problems
CRUENKAIK, V. Region 2 (Post 820201) 95/02/02 BECKHAM, J.T. Georgia Power Co 1p 82713 211-82713 214

9502140013 Forwards insp rept 50-321/94-31 & 50-366/94-31 on 941204-950107 & notice of violation
MERSCHOFF, E.W. Region 2 (Post 820201) 95/02/03 BECKHAM, J.T. Georgia Power Co 9pp 82713 052-82713 079

9502140032 Insp rept 50-321/94-31 & 50-366/94-31 on 941204-950107 Violations noted Major areas inspected plant operations, surveillance, main, mods, security, corrective actions for punctured SFP liner & on-line ment planning
HOLBROOK, E.L., CHRISTNOT, J.F., SKINNER, P.H. Region 2 (Post 820201) 95/02/02 21pp 82713 065-82713 079

9502130189 Rev 10 to Emergency Implementing Procedure 73EP-EIP-073-05, "Offsite Emergency Notifications - W/950207"
BECKHAM, J.T. Georgia Power Co 95/02/07 22pp 82726 029-82726 050

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all resident using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

H. General correspondence

9502090140 Comment supporting proposed rule 10CFR21 re procurement of commercial grade steels by NPP licensees
MOODY, D.K. Georgia Power Co 95/02/01 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82651 154-82651 155

9502080231 Comment supporting NUREG comment re proposed rule 10CFR50 re "shutdown & low-power operations for nuclear power reactors"
MOODY, D.K. Georgia Power Co 95/02/03 Docking & Services Branch 4pp 82648 252-82648 255

9502150298 Informs that DM Crowe is replacing SJ Bethay as licensing Svc Manager
CROWE, D.M. Georgia Power Co 95/02/07 Document Control Branch (Document Control Desk) 2pp 82772 105-82772 106

P. Operating license stage documents & correspondence

9502030090 Summary of 950103-06 meeting w/ all re licensee 940225 submitted to revise TS for plant to be consistent w/ STS issued as NUREG-1433 JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82605 352-82605 355

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502140028 Confirms 950123 telcon re mgt meeting requested by NRC scheduled for 950201 to discuss recent HP & contractor control problems CHLENIAK, R.V. Region 2 (Post 820201) 95/02/02 BECKHAM, J.T. Georgia Power Co. 1p 82718 211-82718 214

9502150188 Notification of 950222 meeting w/ GA Power Company & GE in Rockville, MD to discuss and submit add'l 950119 re power update program for plant. Meeting agenda encl. JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82747 024-82747 026

9502170118 Requests for add'l info re revised scope of MOV program developed in response to GL-89-10, "Safety Related Motor Operated Valve Testing & Surveillance" for plant units 1 & 2 JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BECKHAM, J.T. Georgia Power Co. 5pp 82776 258-82776 254

9502170124 Notification of 950330 meeting w/ all in Rockville, MD to discuss status of current licensing activities & corp initiatives for plants JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82767 108-82767 112

9502240062 Submits add'l info requested by NRC re recent core shroud mod on plant Unit 1 BECKHAM, J.T. Georgia Power Co. 95/02/20 Document Control Branch (Document Control Desk) 11pp 82871 168-82871 250

9502240066 "Shroud Repair Hardware Stress Analysis, Sept 1984" SROCHAR, B.N., CHOMRELLI, S.S., RODASAUGH, J.F. General Electric Co. GENE-771-39-0794 R01 94/09/26 54pp 82871 177-82871 236

9502240073 "Suppl to Shroud Repair Hardware Stress Analysis," dated Feb 1995 SROCHAR, B.N., HERLEKAR, A.S., RODASAUGH, J.F. General Electric Co. GENE-771-39-0794 R01 95/02/20 21pp 82871 221-82871 250

9502240348 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions IMERO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/28 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502140071 Forwards insp repts 50-321/95-01 & 50-366/95-01 on 950109-13 & notice of violation CLINE, W.E. Region 2 (Post 820201) 95/02/01 BECKHAM, J.T. Georgia Power Co. 3pp 82714 001-82714 026

9502140075 Notice of violation from insp on 950109-13 Violation noted: licensee failed to label truck type containers of radioactive which had external radiation levels up to 20 mR/h * Region 2 (Post 820201) 95/02/01 2pp 82714 004-82714 005

9502140081 Insp repts 50-321/95-01 & 50-366/95-01 on 950109-13 Violations noted: Major areas inspected external exposure control/control of radioactive materials & contamination surveys & monitoring LOO, W.T., FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201) 95/01/31 15pp 82714 006-82714 029

9502030012 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502140013 Forwards insp repts 50-321/94-31 & 50-366/94-31 on 941204-950107 & notice of violation MERSCHOFF, E.W. Region 2 (Post 820201) 95/02/03 BECKHAM, J.T. Georgia Power Co. 4pp 82713 052-82713 078

9502140019 Notice of violation from insp on 941204-950107 Violations noted on 841221, licensee affecting quality not adequately prescribed * Region 2 (Post 820201) 95/02/03 3pp 82713 066-82713 058

9502140022 Insp repts 50-321/94-31 & 50-366/94-31 on 941204-950107 Violations noted: Major areas inspected plant operations, surveillance, current, mode, security, corrective actions for punctured SFP liner & on-line signal planning HOLBROOK, B.L., CHRISTNOUT, J.F., SKINNER, R.H. Region 2 (Post 820201) 95/02/02 21pp 82713 058-82713 079

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 057-82618 042

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 018-82618 025

R. Periodic operating reports & related correspondence

9502280365 Finest for Duty Performance Data for six-month reporting period Jul-Dec 1994 W/950224 tr BECKHAM, J.T. Georgia Power Co. 94/12/31 5pp 82853 213-82853 217

9502280404 "1994 Annual Operating Period" W/950224 tr BECKHAM, J.T. Georgia Power Co. 94/12/31 80pp 82853 258-82853 340

9502130123 Monthly operating repts for Jan 1995 for El Hatch Nuclear Plant W/950207 tr BEARD, R.M. BECKHAM, J.T. Georgia Power Co. 95/01/31 12pp 82728 051-82728 062

S. Reportable occurrences, LIRs & related correspondence

9502010105 Special repton 950113, monitor displayed microcomputer error code indicating inoperability of flow transducer in sampling sys. Caused by component failure. Several components replaced or adjusted in accordance w/ mgt recommendations BECKHAM, J.T. Georgia Power Co. 95/01/27 Document Control Branch (Document Control Desk) 3pp 82587 358-82587 360

9502150288 LIR 95-001-00 on 950110, personnel error resulted in missed TS surveillance. Operations shift supervisor was counseled on importance of paying attention to detail W/950206 tr TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 95/02/06 4pp 82756 217-82756 221

V. Operator Examinations

9502210018 Notices that Region II will hold annual Training Managers Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgt of issues & policies that affect licensing of reactor plant operators PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 BECKHAM, J.T. Georgia Power Co. 2pp 82788 118-82788 119

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9502030061 Forwards insp repts 50-322/94-05 on 940930-1230 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/01/27 PETSCHAUER, F.J. Long Island Power Authority 5pp 82617 183-82617 234

9502030086 Insp repts 50-322/94-05 on 940930-1230 No violations noted. Major areas inspected status of decommissioning, organization, staffing, training & qualification, QA activities, security & fire protection activities NIMTZ, J.L., BORES, R.J. Region 1 (Post 820201) 95/01/27 46pp 82617 188-82617 234

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502030061 Forwards insp repts 50-322/94-05 on 940930-1230 No violations noted JOYNER, J.H. Region 1 (Post 820201) 95/01/27 PETSCHAUER, F.J. Long Island Power Authority 5pp 82617 183-82617 234

9502030086 Insp repts 50-322/94-05 on 940930-1230 No violations noted. Major areas inspected status of decommissioning, organization, staffing, training & qualification, QA activities, security & fire protection activities NIMTZ, J.L., BORES, R.J. Region 1 (Post 820201) 95/01/27 46pp 82617 188-82617 234

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030012 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

80 DOCKETED ITEMS

8502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

8502210061 NRC Info Notice 95-012. Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc
GRIMES B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

8502210068 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 015-82818 024

8502240087 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 019-82848 025

W. Decommissioning Stage Documents & Correspondence

8502210136 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5)
POWELL R A Division of Freedom of Information & Publications Services (880206-940714) 94/07/07 BLANCHARD Affiliation Not Assigned 5pp 82806 222-82806 393

8502210119 "Methods of Enforcement Description"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 336

8502270366 Record of telcon w/ NRC & licensee 950126 to clarify position re disposition of exempt sources listed in Section 6.3 of Shoreham termination survey final rpt dtd Oct 1994
KUMER S Long Island Power Authority 95/01/26 PITTIQUO L NRC - No Detailed Affiliation Given 7pp 82867 327-82867 333

8502280288 Inform of completion of review of two confirmatory survey repts w/ staff comments encl
FAUVERD M Low-Level Waste & Decommissioning Projects Branch (NRC 840403) 95/01/27 VIKUST J Oak Ridge Associated Universities 3pp 82852 340-82852 342

8502280285 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82852 185-82852 199

8502440014 Informants Commission that decommissioning process completed at plant located in Suffolk County, NY
TAYLOR J M Ofc of the Executive Director for Operations. SECY-95-025 95/02/03 5pp 82743 300-82743 304

8502570234 Notification of licensee meeting 95-14 w/ staff on 950316 to inform public of NRC oversight activities at plant & of NRC plans for termination of stations radioactive materials license
MARTZ J R JOYNER J H Region 1 (Post 820201) 95/02/06 Region 1 (Post 820201) 3pp 82768 014-82768 016

8502760049 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
MERO E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

DOCKET 80-323 DUMBO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8502130147 Twenty-second partial response to FOIA request for documents Forwards App I records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL R A Division of Freedom of Information & Publications Services (880206-940714) 94/06/20 GILMSKY V Affiliation Not Assigned 4pp 82717 157-82718 014

8511830022 Partially deleted SECY re plant physical security proceeding, motions to move hearing site
GILKINT L Office of the General Counsel (Post 890701) SECY-A-90-173 80/11/05 31pp 82717 221-82717 250

8502130112 Forwards public version of revised EPF including rev 11A to EP RB-11, rev 7A to EP RB-15 F, rev 4A to EP RB-15 G, rev 15A to EP EF-2 & rev 14D to EP G-4 W/ 950205 release memo
TOMKINS J E Pacific Gas & Electric Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82718 065-82718 176

8502130130 Public version of revised EPF including rev 11A to EP RB-11, rev 7A to EP RB-15 F, rev 4A to EP RB-15 G, rev 15A to EP EF-2 & rev 14D to EP G-4
Pacific Gas & Electric Co 95/01/24 100pp 82718 067-82718 176

8502170205 Forwards Rev 3, Change 14, to emergency plan for plant Units 1 & 2 W/ 950215
TOMKINS J E Pacific Gas & Electric Co 95/01/25 Document Control Branch (Document Control Desk) 12pp 82773 001-82773 217

8502170208 Rev 3, Change 14, "Emergency Plan," for plant Units 1 & 2
CROCKETT W G Pacific Gas & Electric Co 94/12/28 933pp 82773 013-82773 217

G. Adjudicatory correspondence

9502030166 Response to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT J Affiliation Not Assigned 52pp 82885 001-82885 063

9502240125 Inform that time has expired for Commission to act on decision of Board LRP-94-35 W/ Certificate of Svc Served on 950215
HOYLE J C Office of the Secretary of the Commission #195 16357 95/02/15 Atomic Safety & Licensing Board Panel 3pp 82816 350-82816 352

H. General correspondence

8502140345 Ack receipt of 850109 ltr requesting that San Luis Obispo Mothers for Peace be kept informed of matters re three issues identified by Board for use to address in connection w/ current program in Board recent decision
RUSSELL W T Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 ZAMEK J San Luis Obispo Mothers for Peace 6pp 82731 140-82731 145

8502140354 Requests that San Luis Obispo Mothers for Peace be kept informed of matters re three issues identified by Board for use to address in connection w/ current program in Board recent decision
ZAMEK J San Luis Obispo Mothers for Peace 95/01/09 TAYLOR NRC - No Detailed Affiliation Given 1p 82731 145-82731 145

P. Operating license stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL R A Division of Freedom of Information & Publications Services (880206-940714) 94/06/20 GILMSKY V Affiliation Not Assigned 4pp 82717 157-82718 014

8502130179 Partially withheld SECY informing Commission of Appeal Board decision RTZGERALD J A Office of the General Counsel (Post 850701) SECY-A-90-047 60/04/01 8pp 82717 183-82717 191

8502070214 Provides status rept on Westinghouse Alloy 600 SG mechanical plugs, M of NRC & as recommended by WDC in 941230 ltr
RUEGER G M Pacific Gas & Electric Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82561 355-82561 357

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82852 185-82852 199

8502000361 Forwards LAR 95-01 to Licensee DPR-80 & DPR-82, revising TS 3/4/9 14 1.3/4/9 14 1.3/4/9 14 2.5 3.1 & 5.6 1 & adding new TS 3/4/9 14 3 to increase max fuel enrichment limit for new & spent fuel pool racks
RUEGER G M Pacific Gas & Electric Co 95/02/08 Document Control Branch (Document Control Desk) 2pp 82719 153-82719 274

8502100362 LAR 95-01 to Licensee DPR-80 & DPR-82, revising TS 3/4/9 14 1.3/4/9 14 2.5 3.1 & 5.6 1 & adding new TS 3/4/9 14 3 to increase max fuel enrichment limit for new & spent fuel pool racks
RUEGER G M Pacific Gas & Electric Co 95/02/08 13pp 82719 155-82719 167

8502100363 Proposed tech specs for increase in max fuel enrichment limit for new & spent fuel pool racks
Pacific Gas & Electric Co 95/02/06 31pp 82719 159-82719 196

8502100364 "Criticality Safety Evaluation of Diablo Canyon New Fuel Vault W/ Fuel of 5% Enrichment"
TURNER S E Holtec International H-891075 93/12/20 14pp 82719 199-82719 212

8502100365 "Criticality Safety Evaluation of Region 1 of Diablo Canyon Spent Fuel Storage Racks W/ Fuel of 5% Enrichment"
TURNER S E Holtec International H-891076 93/12/20 20pp 82719 213-82719 232

8502100366 "Criticality Safety Evaluation of Region 2 of Diablo Canyon Spent Fuel Storage Racks W/ Fuel of 5% Enrichment"
TURNER S E Holtec International H-891077 93/12/20 42pp 82719 233-82719 274

9502150025 Discusses licensee 950202 ltr which requested that NRC exercise discretion not to enforce compliance w/ actions required in TSs 3/4/3 1 & 3/4/3 2 NRC grants licensee request
CALLAN L J Region 4 (Post 820201) 95/02/06 RUEGER G M Pacific Gas & Electric Co 6pp 82722 116-82722 121

9502160349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
MERO E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502270094 Requests add info before request to increase allowable U-235 enrichment of fuel to 5% approved
MILLER M A Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 RUEGER G M Pacific Gas & Electric Co 4pp 82845 234-82845 237

Q. Inspection reports, IE Bulletins & correspondence

8501000219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/04/13 Consolidated Edison Co of New York, Inc 11pp 82906 013-82906 023

9502010181 Forwards "Inservic Insp Rept for Unit 2 South Refueling Outage"
RUEGER G M Pacific Gas & Electric Co 95/01/25 Document Control Branch (Document Control Desk) 2pp 82583 100-82583 189

8502010197 "Inservic Insp Rept for Unit 2 South Refueling Outage"
WILSON O, KEENE J A Pacific Gas & Electric Co 95/09/13 81pp 82583 102-82583 189

9502238260 NRC info notice 95-007, "Radioactive Vent Breakage During Preparation. PAPERIELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 035-82605 046

9502238262 Responds to violations noted in Insp Repts 50-275/94-27 & 50-323/94-27 Corrective actions Electrical Maint Procedure MP E-6a will be revised to perform electrical testing prior to intentional manual opening of breakers RUEGER, G.M. Pacific Gas & Electric Co. 95/01/27 Document Control Branch (Document Control Desk) 9pp 82629 340-82629 344

9502180007 Ack receipt of 950117 re informing NRC of steps taken to correct violations noted in insp repts 50-275/94-27 & 50-323/94-26 on 941218 PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 840404) 95/01/27 RUEGER, G.M. Pacific Gas & Electric Co. 4pp 82680 042-82680 048

9501258425 NRC info notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 168-82652 194

9502238313 NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 9pp 82688 001-82688 008

9502090006 Forwards insp rept 50-275/94-30 & 50-323/94-30 on 941127 Four non-critical violations noted Urges all attention to assuring that regl expectations clearly communicated, understood & implemented at plant BEACH, B. Region 4 (Post 820201) 95/02/03 RUEGER, G.M. Pacific Gas & Electric Co. 3pp 82651 021-82651 051

9502090013 Insp repts 50-275/94-30 & 50-323/94-30 on 941127 Violations noted Major areas inspected plant main surveillance observation plant support activities onsite engineering, online maint & in-off review of LEPRs KIRSCH, D.F. Region 4 (Post 820201) 95/01/31 27pp 82651 035-82651 051

9502150079 Informs that administration of licensing exams to be rel in insp repts 50-275/95-04 & 50-323/95-04, scheduled for wk of 950322 at plant per 950125 telcon Ref mths to be submitted by 950222 GWYNNE, T.P. Region 4 (Post 820201) 95/02/07 RUEGER, G.M. Pacific Gas & Electric Co. 6pp 82723 059-82723 064

950200283 Supp I to NRC info notice 95-010 Potential for Loss of Automatic ESFA GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 9pp 82818 037-82818 042

9502160810 Informs that on 940930, NRC issued results of SAUP for plant, SAUP scores met criteria for superior performance recognition by achieving superior safety performance in areas of operations, maintenance, engineering & plant support TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/10 CLARKE, R.A. Pacific Gas & Electric Co. 3pp 82756 177-82756 179

9502220243 Ack receipt of 950127 re informing NRC of steps taken to correct violations noted in insp rept 50-323/94-27 C/A to be reviewed in future shop PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 840404) 95/02/14 RUEGER, G.M. Pacific Gas & Electric Co. 4pp 82799 080-82799 083

9502210051 NRC info notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC" GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82819 025-82819 036

9502210050 NRC info notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240037 NRC info notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 018-82848 026

R. Periodic operating reports & related correspondence

9502150234 Forwards "Fourth Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant" & errata containing replacement pages for third quarter NPDES discharge monitoring repts for Diablo Canyon Power Plant. FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/01/20 6pp 82768 202-82768 300

9502150236 Errata to "Third Quarter 1994 NPDES Discharge Monitoring Repts for DCNPP," correcting effluent 001 chromium value for 940906 to read 16 ug/l & incorporating effluent 001 chromium value of 14 ug/l for 940908 Pacific Gas & Electric Co. 94/09/30 2pp 82768 205-82768 206

9502150237 "Fourth Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant" Pacific Gas & Electric Co. 94/12/31 9pp 82768 207-82768 300

9502220198 Monthly operating repts for Jan 1995 for Diablo Canyon Units 1 & 2 W/ 950210 40 RUBANK, T. STIPICEVICH, J. FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/01/31 13pp 82811 244-82811 256

S. Reportable occurrences, LEPRs & related correspondence

9502150318 LER 94-009-01 on 940707 auxiliary bldg ventilation sys was outside design basis due to previous nonconservative ASTM testing performed UM reviewed all of TS-related critical absorber banks & determined bank was tested W/950208 by S&K D. RUEGER, G.M. Pacific Gas & Electric Co. 95/02/08 7pp 82788 167-82788 173

9502230377 Summary of operating reactors events meeting 95-03 on 950208 CHAFFEE, A.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 13pp 82836 028-82836 040

9502220100 Forwards rev to LER 1-84-015 re failure to implement RHR sys overpressure protection requirements due to insufficient design basis into Rev addn Diablo Canyon Units 1 & 2 specific design review results & addn corrective action RUEGER, G.M. Pacific Gas & Electric Co. 95/02/14 Document Control Branch (Document Control Desk) 1p 82818 064-82818 071

V. Operator Examinations

9502890005 Informs that NRC plans to administer GFES of written operator licensing exam at facility on 950403 Requests that it bring names of candidates for exam be submitted by 950302 GWYNNE, T.P. Region 4 (Post 820201) 95/02/08 RUEGER, G.M. Pacific Gas & Electric Co. 9pp 82651 013-82651 018

9502150079 Informs that administration of licensing exams to be rel in insp repts 50-275/95-04 & 50-323/95-04, scheduled for wk of 950322 at plant per 950125 telcon Ref mths to be submitted by 950222 GWYNNE, T.P. Region 4 (Post 820201) 95/02/07 RUEGER, G.M. Pacific Gas & Electric Co. 6pp 82723 059-82723 064

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502140043 Concludes that changes to Emergency Response Plan, satisfactory & meet planning standards of 10CFR50.47 & requirements of App E to 10CFR60 CLINE, W.E. Region 2 (Post 820201) 95/02/06 ANDERSON, R.A. Carolina Power & Light Co. 9pp 82713 317-82713 319

9502240087 Forwards "Advance Fuel Shipment Notification," rev 1, to util for permanent transfer of safeguards mths SHAFER, J.M. Carolina Power & Light Co. 95/02/19 COOK, J. NRC - No Detailed Affiliation Given 1p 82814 217-82814 217

G. Adjudicatory correspondence

9502090006 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors until Thermo-Lag Request denied RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, E. Affiliation Not Assigned 52pp 82685 001-82685 063

H. General correspondence

9502130176 Partial second response to FOIA request for info Forwards App 9 into App C documents entirely withheld (rel FOIA Exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/01 SCHULTZ, C. Affiliation Not Assigned 4pp 82738 174-82738 184

9502130181 Informs that NRC concurs w/proposed regional enforcement recommendation and re plant. PARTLOW, J.G. Associate Director for Projects (Post 870411) 90/08/21 LIEBERMAN, J. Ofc of Enforcement (Post 870413) 4pp 82738 181-82738 194

I. Operating license stage documents & correspondence

9502090006 First partial response to FOIA request for documents Records listed in app A available in PDR POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/25 SCHULTZ, C. Affiliation Not Assigned SCHULTZ, C. Carolina Power & Light Co. 2pp 82700 053-82700 054

9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDR App E records withheld in entirety (rel FOIA Exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/25 BCCIO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 036

9502140286 Ack 820421 lv which requested Temporary Waiver of Compliance from TS 3.0.3, "LOC" EDWATER, S.D. Region 2 (Post 820201) 92/04/22 WATSON, R.A. Carolina Power & Light Co. 4pp 82738 268-82738 326

9502090006 First partial response to FOIA request for documents Records in App A will be made available in PDR REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502090006 "Enforcement action tracking sys, licensee history rept (short list) sorted by licensee 950101-940509" NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502130111 Final response to FOIA request for info Forwards App A info not already available in PDR App A info partially withheld (See FOIA Exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, L.J. Affiliation Not Assigned 2pp 82738 168-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SUM re status of problem plants identified at June 1993 Region II SUM & performance of other plants NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 191-82738 215

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5) POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82808 322-82808 339

9502220119 "Notes of Enforcement Decision" NRC - No Detailed Affiliation Given 94/06/22 13pp 82809 327-82809 339

82 DOCKETED ITEMS

9502270269 Forwards correction of exemption dtd 941220
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19
CAROLINA POWER & LIGHT CO. 4pp 82652 068-82652 074

9502270276 FR notice of correction re exemption for Carolina Power & Light Co
plants On page 66979, column 2, paragraph 1 is corrected
WUNDER, G.F. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 1p
82652 073-82652 073

9502270283 Corrected page 66979 for exemption issued to and published in FR dtd
941220
* Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 Carolina Power & Light
Co 1p 82652 074-82652 074

9502300216 Forwards amends 173 & 204 to licenses DPR-71 & DPR-62, respectively &
safety evaluation Amend revokes TS to change wording for containment integrated
leakage rate testing in Section 3/4.6.1.2
MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/26
ANDERSON, R.A. Carolina Power & Light Co 3pp 82622 150-82622 163

9502300226 Amends 173 & 204 to licenses DPR-71 & DPR-62, respectively, revising
TS to change wording for containment integrated leakage rate testing in Section 3/
4.6.1.2
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/26 4pp
82622 153-82622 160

9502300231 Safety evaluation supporting amends 173 & 204 to licenses DPR-71 &
DPR-62, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 4pp 82622 161-
82622 163

9502300185 Confirms telcon between J. Gerton & T. Decker on 950125 re meeting
scheduled for 950209 to have general info exchange in areas of plant chemistry &
radiation protection
CHRISTENSEN, H. Region 2 (Post 820201) 95/01/30 ANDERSON, R.A. Carolina
Power & Light Co 3pp 82622 249-82622 351

9502300297 Withdraws request for license amend & exemption request re increasing
as-found leakage limit from 75L to 1.0L
LOPRIOR, R.F. Carolina Power & Light Co 95/01/30 Document Control Branch
(Document Control Desk) 1p 82630 356-82630 356

9502300167 Forwards amends 174 & 205 to licenses DPR-71 & DPR-62, respectively
& safety evaluation Amend change TS to correct several of licensee's typographical
errors to add mail implicitly contained in footnote to applicability statement
MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/01
ANDERSON, R.A. Carolina Power & Light Co 4pp 82729 254-82729 266

9502300188 Amends 174 & 205 to licenses DPR-71 & DPR-62, respectively, change
TS to correct several of licensee's typographical errors to add mail implicitly contained
in footnote to applicability statement
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/01 25pp
82729 256-82729 262

9502300189 Safety evaluation supporting amends 174 & 205 to licenses DPR-71 &
DPR-62, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 4pp 82729 263-
82729 266

9502300225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
dated Edison Co. of New York, Inc. 3pp 82662 195-82662 198

9502300253 Notification of 950208 forthcoming meeting w/ut in Rockville, MD to dis-
cuss proposed TS extends that would increase turbine valve instrumentation surveil-
lance interval for both units
TRUMBUE, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/02
RUSSELL, W. MIRAGLIA, F. THADANLA, NRC - No Detailed Attention Given 3pp
82663 269-82663 301

950230024 Confirms 950130 telcon between R. Rogan & W. Cline re 950215 meeting
w/ut in Atlanta, GA to discuss unit personnel competency program
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/02 HABERMEYER, H.W. Carolina
Power & Light Co 4pp 82713 156-82713 159

9502300253 Requests NRC concurrence w/CP&L plans for future steps of FW spargers
for BSEP Units 1 & 2 As described in and CP&L plans to perform visual exam of FW
spargers in lieu of liquid penetrant testing required by NRC 910606 tr.
ANDERSON, R.A. Carolina Power & Light Co 95/02/03 Document Control Branch
(Document Control Desk) 3pp 82720 195-82720 197

9502300135 Submits Rev 0 to suppl to ASME code relief request number 14 non-code
repair of SW piping
LOPRIOR, R.F. Carolina Power & Light Co 95/02/03 Document Control Branch
(Document Control Desk) 4pp 82726 110-82726 113

9502300266 Forwards MDE-81-0485, Rev 1, "TS Improvement Analysis for Reactor Pro-
tection Sys for Brunswick Steam Electric Plant, Units 1 & 2"
ANDERSON, R.A. Carolina Power & Light Co 95/02/03 Document Control Branch
(Document Control Desk) 3pp 82734 076-82734 106

9502300216 "TS Improvement Analysis for Reactor Protection Sys for Brunswick
Steam Electric Plant, Units 1 & 2"
RAFFERTY, R.P., LARSON, C.L., VISWESWARAN, S. General Electric Co. MDE-81-
0485-RP 95/01/31 31pp 82734 076-82734 106

9502300236 Confirms 950131 telcon between author & Rogan re rescheduling of met
meeting previously planned for 950207 Meeting currently scheduled for 950425 to
discuss unit performance evaluation session
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/03 HABERMEYER, H.W. Carolina
Power & Light Co 4pp 82713 204-82713 237

9502300070 Confirms telcon conversation on 950131 w/ut re rescheduling of met
meeting previously planned for 950222 Meeting now scheduled for 950308 to discuss
plant & self-assessment
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/06 ANDERSON, R.A. Carolina
Power & Light Co 3pp 82713 353-82713 355

9502300010 Informs that second installment of \$3,068,000 of annual licensing fee was
electronically transferred to Dept of Treasury & NRC on 950202
ROGAN, R.E. Carolina Power & Light Co 95/02/06 Document Control Branch (Docu-
ment Control Desk) 1p 82772 036-82772 036

9502300135 Confirms meeting arrangements between W. Campbell & staff re meeting on
engineering issues scheduled for 950215
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/06 HABERMEYER, H.W. Carolina
Power & Light Co 3pp 82714 024-82714 026

9502300118 Summarizes 950209 technical exchange meeting w/ut for plant environ &
radiation control staff to present info to NRC, incl re terms of mutual interest in areas
of radiological controls, exposure reduction & radwaste reduction
CLINE, W.E. Region 2 (Post 820201) 95/02/13 ANDERSON, R.A. Carolina Power &
Light Co 72pp 82769 146-82769 217

9502300068 Submits info re forthcoming shipment of irradiated nuclear reactor fuel to
New HAM, NC by rail in accordance w/10CFR73.37
COWAN, J.P. Carolina Power & Light Co 95/02/13 STROUD, T.C. North Carolina
State of 3pp 82814 135-82814 138

9502300174 Application for amend to licenses DPR-71 & DPR-62, providing clarification
to basis for deletion of instrumentation surveillance from TS 3/4.6.2 on suppression
chamber
COWAN, J.P. Carolina Power & Light Co 95/02/14 Document Control Branch (Docu-
ment Control Desk) 3pp 82803 057-82803 059

9502300349 Administrative Ltr 95-02 to all holders of OLA or CPs re cost beneficial li-
censing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502300121 Partial response to FOIA request for documents Records in App end & will
be available in PDF App C records withheld in part (rel FOIA exemption 5) App D
records completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (990206-
940714) 94/07/06 FIDELLER, Affiliation Not Assigned 6pp 82824 140-82825 031

9502300159 Partially delayed listing of "Enforcement Action Tracking Sys."
* NRC - No Detailed Attention Given 94/05/06 175pp 82824 168-82825 005

9502300218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82803 013-82803 023

9502300260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 3pp 82805 038-82805 046

9502300423 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consol-
dated Edison Co. of New York, Inc. 7pp 82862 188-82862 194

9502300313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 3pp 82868 001-
82868 006

9502300353 Requests NRC concurrence w/CP&L plans for future steps of FW spargers
for BSEP Units 1 & 2 As described in and CP&L plans to perform visual exam of FW
spargers in lieu of liquid penetrant testing required by NRC 910606 tr.
ANDERSON, R.A. Carolina Power & Light Co 95/02/03 Document Control Branch
(Document Control Desk) 3pp 82720 195-82720 197

9502300282 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 3pp 82818 037-
82818 042

9502300861 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied
by AEG Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82818 025-82818 036

9502300806 NRC Info Notice 95-011, "Failure of Condensate Piping Because of En-
don/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 3pp 82818 016-
82818 024

9502300837 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 3pp 82846 018-
82846 025

R. Periodic operating reports & related correspondence

9502300182 Monthly operating reports for Jan 1995 for Brunswick SES w/ 950209 tr.
HARRISON, F., LEVINS, W. Carolina Power & Light Co 95/01/31 7pp 82734 336-
82734 342

S. Reportable occurrences, LERs & related correspondence

9502300257 FOIA request for documents re unplanned exposure during TIP mod project
at plant on 900705
SCHULTZ, C. Affiliation Not Assigned SCHULTZ, C. Carolina Power & Light Co 84/
04/12 Region 2 (Post 820201) 2pp 82700 051-82700 052

950207902 LER 95-001-00 on 950105 discovered that hydrogen/oxygen analyzer sys. drain valve improperly assembled during sys. mod. in 1987. Caused by inadequate mod. installation instructions. Valve reassembled & bench tested W/950202 LER. TABORS, S.F. COWAN, J. Carolina Power & Light Co. 95/02/02 6pp. 82684 223-82684 228

V. Operator Examination

9502210613 Notices of annual training managers conference on 950208-08 in Atlanta, GA to inform regional training & operations management of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 ANDERSON, R.A. Carolina Power & Light Co. 2pp. 82789 121-82789 122

9502080815 Confirms arrangements made during 950112 telcon w/M Williams for administration of licensing exams 50-324/94-300 & 50-325/94-300 at plant Exams scheduled for 950425-28. PEEBLES, T.A. Region 2 (Post 820201) 95/01/26 ANDERSON, R.A. Carolina Power & Light Co. 6pp. 82601 081-82601 085

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502140853 Concludes that changes to Emergency Response Plan, satisfactory & meet planning standards of 10CFR50.47 & requirements of App E to 10CFR50. CLINE, W.E. Region 2 (Post 820201) 95/02/06 ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82713 317-82713 318

G. Adjudicatory correspondence

9502090156 Responds to postcard dtd Nov. 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp. 82585 001-82585 053

H. General correspondence

9502130176 Partial second response to FOIA request for info Forwards App B info App C documents entirely withheld (Ref FOIA Exemption 5). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/01 SCHULTZ, C. Affiliation Not Assigned App 82738 174-82738 184

9502130181 Informs that NRC concurs w/proposed regional enforcement recommendation and re: plant. PARTLOW, J.G. Associate Director for Projects (Post 870411) 90/08/21 LIEBERMAN, J. Dir. of Enforcement (Post 870411) 4pp. 82738 181-82738 184

P. Operating license stage documents & correspondence

9502090286 First partial response to FOIA request for documents. Records listed in app A available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/26 SCHULTZ, C. Affiliation Not Assigned SCHULTZ, C. Carolina Power & Light Co. 2pp. 82700 053-82700 054

9502140184 Partial response to FOIA request for documents. Records in App C & D will be available in PDR App E records withheld in entirety (ref Exemption 5). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 71pp. 82738 216-82740 088

9502140208 Ack 920421 W. which requested Temporary Waiver of Compliance from TS 3.0.3 "LOO". BENNETT, S.D. Region 2 (Post 820201) 92/04/22 WATSON, R.A. Carolina Power & Light Co. App 82738 268-82738 326

9502090286 First partial response to FOIA request for documents. Records in App A will be made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M. Affiliation Not Assigned 2pp. 82621 278-82621 313

9502090281 "Enforcement action tracking sys., Licensee history rept (short list) sorted by licensee 950101-940509". * NRC - No Detailed Affiliation Given 94/06/08 33pp. 82621 281-82621 313

9502130111 Final response to FOIA request for info Forwards App A info partially available to PDR App B info partially withheld (See FOIA Exemption 5-B). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, L.J. Affiliation Not Assigned 2pp. 82738 188-82738 215

9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problem plants identified at June 1993 Region II SMM & performance of other plants. * NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp. 82738 191-82738 215

9502210116 Final response to FOIA request for documents. Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, C.P. Affiliation Not Assigned 5pp. 82906 322-82906 338

9502090119 "Notices of Enforcement Disposition". * NRC - No Detailed Affiliation Given 94/06/22 13pp. 82906 327-82906 339

9502270289 Forwards correction of exemption dtd 941220. BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 CRISER, W.S. Carolina Power & Light Co. App 82652 068-82652 074

9502270278 FR notice of correction re exemption for Carolina Power & Light Co. plants. On page 95079 column 2 paragraph 1 is corrected. WUNDER, G.F. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 1p. 82652 073-82652 078

9502270283 Corrected page 68979 for exemption issued to unpublished in FR dtd 941228. * Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 Carolina Power & Light Co. 1p. 82652 074-82652 074

9502030216 Forwards amends 173 & 204 to licenses DPR-71 & DPR-62 respectively & safety evaluation Amend revises TS to change wording for containment integrated leakage rate testing in Section 3/4 6.1.2. MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/26 ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82622 150-82622 163

9502030226 Amends 173 & 204 to licenses DPR-71 & DPR-62 respectively, revising TS to change wording for containment integrated leakage rate testing in Section 3/4 6.1.2. BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/26 3pp. 82622 153-82622 160

9502030221 Safety evaluation supporting amends 173 & 204 to licenses DPR-71 & DPR-62 respectively. * Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 3pp. 82622 161-82622 163

9502030196 Confirms telcon between J. Gawron & T. Decker on 950125 re meeting scheduled for 950209 to have general info exchange in areas of plant chemistry & radiation protection. CHRISTENSEN, H. Region 2 (Post 820201) 95/01/30 ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82622 348-82622 351

9502030297 Withdraws request for license amend & exemption request re increasing allowable leakage limit from 734A to 1.0 LA. LOPPHORE, R.P. Carolina Power & Light Co. 95/01/30 Document Control Branch (Document Control Desk) 1p. 82630 355-82630 356

9502130187 Forwards amends 174 & 205 to licenses DPR-174 & DPR-205 respectively & safety evaluation Amend's change TS to correct several of licensee's typographical errors to add (add) implicitly contained in footnote to applicability statement. MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/01 ANDERSON, R.A. Carolina Power & Light Co. App 82729 254-82729 286

9502130188 Amends 174 & 205 to licenses DPR-71 & DPR-62 respectively change TS to correct several of licensee's typographical errors to add (add) implicitly contained in footnote to applicability statement. BATEMAN, W. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/01 25pp. 82729 256-82729 282

9502130189 Safety evaluation supporting amends 174 & 205 to licenses DPR-71 & DPR-62 respectively. * Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 App 82729 263-82729 288

9502030225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp. 82652 195-82652 199

9502090258 Notification of 950208 forthcoming meeting w/utl in Rockville MD to discuss proposed TS amends that would increase turbine valve instrumentation surveillance interval for both units. TRIMBLE, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/02 RUSSELL, W. MAFAGLIA, F. TRIADANILA, NRC - No Detailed Affiliation Given 95/02/02 3pp. 82653 299-82653 301

9502140024 Confirms 950130 telcon between R. Rogan & W. Cline re 950215 meeting w/utl in Atlanta, GA to discuss oil personal documentary program. CHRISTENSEN, H. Region 2 (Post 820201) 95/02/02 HABERMEYER, H.W. Carolina Power & Light Co. App 82713 156-82713 159

9502100353 Requests NRC concurrence w/CP&L plans for future maps of FW spargers for GSEP Units 1 & 2 As described in encl. CP&L plans to perform visual exam of FW spargers in lieu of liquid penetrant testing required by NRC 910806 W. ANDERSON, R.A. Carolina Power & Light Co. 95/02/03 Document Control Branch (Document Control Desk) 3pp. 82720 195-82720 197

9502130206 Forwards MDE-81-0485, Rev 1, "TS Improvement Analysis for Reactor Protection Sys. for Brunswick Steam Electric Plant, Units 1 & 2". ANDERSON, R.A. Carolina Power & Light Co. 95/02/03 Document Control Branch (Document Control Desk) 3pp. 82734 075-82734 108

9502130218 "TS Improvement Analysis for Reactor Protection Sys. for Brunswick Steam Electric Plant, Units 1 & 2". RAFFERTY, R.P., LARSON, C.L., VISWESWARAN, S. General Electric Co. MDE-81-0485-NP 95/01/31 31pp. 82734 076-82734 108

9502140026 Confirms 950131 telcon between author & Rogan re rescheduling of mtg meeting previously planned for 950207. Meeting currently scheduled for 950425 to discuss oil performance evaluation section. CHRISTENSEN, H.O. Region 2 (Post 820201) 95/02/06 HABERMEYER, H.W. Carolina Power & Light Co. App 82713 234-82713 237

9502140070 Confirms telcon conversation on 950131 w/Horne re rescheduling of mtg meeting previously planned for 950222. Meeting now scheduled for 950309 to discuss plant & self-assessment. CHRISTENSEN, H. Region 2 (Post 820201) 95/02/06 ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82713 353-82713 355

9502140210 Informs that second installment of \$3,058,000 of annual licensing fee was electronically transferred to Dept of Treasury & NRC on 950202. ROGAIN, R.E. Carolina Power & Light Co. 95/02/06 Document Control Branch (Document Control Desk) 1p. 82772 096-82772 096

84 DOCKETED ITEMS

9502240135 Confirms meeting arrangement between W Campbell & staff re meeting on engineering issues scheduled for 950215
CHRISTENSEN C Region 2 (Post 820301) 95/02/08 HABERMEYER H W Carolina Power & Light Co 3pp 82714 324-82714 325

95022150159 Forwards one-time exemption from scheduler requirements in Section III D.1 (a) of App J to 10CFR50
TRIMBLE D C Project Directorate II.1 (PD2-1) (Post 941001) 95/02/09 ANDERSON R A Carolina Power & Light Co 3pp 82747 011-82747 021

95022150161 Exemption from scheduler requirements in Section III D.1 (a) of App J to 10CFR50
VARGA S A Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 Carolina Power & Light Co 7pp 82747 014-82747 021

9502210018 Summaries 950208 technical exchange meeting w/atl for plant environ & radiation control staff to present info to NRC and re items of mutual interest in areas of radiological controls, exposure reduction & radwaste reduction
CLINE W E Region 2 (Post 820201) 95/02/13 ANDERSON R A Carolina Power & Light Co 72pp 82769 145-82769 217

9502240060 Submits info re forthcoming shipment of irradiated nuclear reactor fuel to New H&C by rail in accordance w/10CFR73.37
COWAN J P Carolina Power & Light Co 95/02/13 STROUD T C North Carolina State of 3pp 82814 136-82814 138

9502210174 Application for amend to licenses DPR-71 & DPR-82 providing clarification to basis for deletion of instrumentation surveillances from TS 3.4.6.2 on suppression chamber
COWAN J P Carolina Power & Light Co 95/02/14 Document Control Branch (Document Control Desk) 3pp 82803 957-82803 359

9502210147 Forwards Rev 1 to Calculation CPL-34Q-301 "Weld Overlay Repair Design for BSEP Unit 1 Feedwater Safe-End Welds" Repairs will be implemented only if defects require repair
LOPPE R P Carolina Power & Light Co 85/02/15 Document Control Branch (Document Control Desk) 3pp 82839 068-82839 222

9502210156 Rev 1 to Calculation CPL-34Q-301 "Weld Overlay Repair Design for BSEP Unit 1 Feedwater Safe-End Welds"
"Structural Integrity Associates, Inc. CPL-34Q-301 R01 94/12/15 180pp 82839 073-82839 222

9502260349 Administrative Ltr 95-02 to all holders of OAs or CPs re cost beneficial licensing process
IMGRIC E V Cost Beneficial Licensing Action Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents. Records in App end A will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POWELL R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 FIDELLE R Affiliation Not Assigned 5pp 82824 140-82825 081

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys."
* NRC - No Detailed Affiliation Given 94/08/06 175pp 82824 168-82825 006

9501090219 NRC Bulletin 95-001 "OA Program for Transportation of Radioactive Mat"
PAPERELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/18 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023

9501200260 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82805 039-82805 046

9501250429 NRC Info Notice 95-008 "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 154

9502260313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/09 Consolidated Edison Co of New York, Inc 8pp 82888 001-82888 008

9502100353 Requests NRC concurrence w/CP&L plans for future steps of FW spargers for BSEP Units 1 & 2 As described in encl CP&L plans to perform visual exam of FW spargers in lieu of liquid penetrant testing required by NRC 910608 to
ANDERSON R A Carolina Power & Light Co 95/02/03 Document Control Branch (Document Control Desk) 3pp 82720 195-82720 187

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82818 037-82818 042

9502170169 Forwards "Core Shroud Repair Plan Unit 1 B110R1 Outage, Apr 1995," in response to GL 94-03 "IGSCC of Core Shrouds in BWRs" Repair plan & plans for evaluation/repair of facility core shroud discussed w/NRC during CP&L/NRC 950117 meeting
COWAN J P Carolina Power & Light Co 95/02/10 Document Control Branch (Document Control Desk) 4pp 82780 201-82780 210

9502170173 "Core Shroud Repair Plan Unit 1 B110R1 Outage, Apr 1995"
WAGNER V, LANGDON J, WILTON B Carolina Power & Light Co 95/02/09 6pp 82780 306-82780 210

9502210051 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II Inc"
GRIMES B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210054 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-019 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

A. Periodic operating reports & related correspondence

9502140162 Monthly operating reports for Jan 1995 for Bauxite SES W/ 950209 fr
HARRISON F, LEVY W Carolina Power & Light Co 95/01/31 7pp 82734 336-82734 342

S. Reportable occurrences, LERs & related correspondence

9502090087 FOIA request for documents re unplanned exposure during TIP mod project at plant on 900706
SCHULTZ C Affiliation Not Assigned SCHULTZ C Carolina Power & Light Co 94/04/12 Region 2 (Post 820201) 3pp 82700 051-82700 052

9502070319 LER 95-001-00 on 850108 TS 3.0.3 entered due to two HOU accumulations being out of spec simultaneously Cause of event under investigation C11-11 valves for two HOU replaced w/ 950202 fr
MCGOWAN J F COWAN J Carolina Power & Light Co 95/02/02 5pp 82684 229-82684 238

V. Operator Examinations

9502210013 Notices of annual training managers conference on 950209-09 in Atlanta GA to inform regional training & operations management of issues & policies that affect licensing of reactor plant operations
PEEBLES T A Region 2 (Post 820301) 95/01/24 ANDERSON R A Carolina Power & Light Co 2pp 82789 121-82789 122

9502260015 Confirms arrangements made during 950112 telecon w/M Williams for administration of licensing exams 50-324/94-300 & 50-325/94-300 at plant Exams scheduled for 950425-28
PEEBLES T A Region 2 (Post 820301) 95/01/26 ANDERSON R A Carolina Power & Light Co 8pp 82601 081-82601 085

DOCKET 58-327 SQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502150337 Rev 19 to "Radiological Emergency Plan" W/950208 fr
MEDFORD M O Tennessee Valley Authority 95/01/12 15pp 82772 080-82772 079

9502070147 Responds to NRC 950122 fr re violations noted in insp reports 80-327/94-301 & 50-328/94-301 Corrective actions review of general employee training conducted & security officer provided an overview of security post requirements
ADNEY R J Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 4pp 82684 354-82684 357

9502080237 Rev 14 to EPIP-6 "Activation & Operation of TSC" W/950202 fr
CATRON N, SHELLE R H Tennessee Valley Authority 95/02/01 48pp 82703 277-82703 325

9502210045 Informs that changes re revision 18 to radiological emergency plan for plant meet side of 10CFR50.47(b) & requirements of App E to 10CFR50 & ask satisfactory resolution of inconsistencies re 950207 fr
CLINE W E Region 2 (Post 820201) 95/02/09 KINGSLEY O D Tennessee Valley Authority 4pp 82769 337-82769 340

G. Adjudicatory correspondence

9502090166 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT B Affiliation Not Assigned 53pp 82685 001-82685 053

F. Operating license stage documents & correspondence

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 (BLANCH) P Affiliation Not Assigned 5pp 82808 322-82808 339

9502210119 "Notices of Enforcement Decision"
* NRC - No Detailed Affiliation Given 94/08/22 13pp 82806 327-82806 339

9502070106 Responds to request from T Ried of NRC re recent field experience w/ Westinghouse Alloy 600 thermally treated (TT) mechanical tube plugs TVA verified that issue does not impact SNP Units 1 & 2 or Watts Bar Unit 1
WHITAKER W Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 2pp 82684 342-82684 343

9502090025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502140811 Forwards amends 195 & 186 to licenses DPR-77 & DPR-79, respectively & safety evaluation Amends remove 900 rpm EDG surveillance test criteria & requirement that plant be shutdown for performance of independence OG tests
LABARGE D E Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 KINGSLEY O D Tennessee Valley Authority 2pp 82729 318-82729 333

-9502140415 Amends 195 & 196 to licensee DPR-77 & DPR-79 respectively removing 900 rpm EDG surveillance test criteria & requirement that plant be shut down for performance of interdependence DG tests
HEBDON F.J. Division of Reactor Projects (I) (DRPE) Post 941001 95/02/08 10pp 82729 320-82729 329

-9502140417 Safety evaluation supporting amends 195 & 196 to licensee DPR-77 & DPR-79 respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 4pp 82729 330-82729 333

9502140342 Forwards supplemental info to TS change request B4-07 re reduction of max applicable power level for operation w/ one or more MSSVs inoperable
SHELL R.H. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 139-82744 149

-9502140346 Proposed tech specs re reduction of max applicable power level for operation w/ one or more MSSVs inoperable
Tennessee Valley Authority 95/02/10 3pp 82744 141-82744 149

9502140353 Forwards TS Change 93-04 Rev 2 re containment vacuum relief lines
SHELL R.H. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 2pp 82744 104-82744 137

-9502140360 Proposed tech specs re containment vacuum relief lines
Tennessee Valley Authority 95/02/10 32pp 82744 105-82744 137

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111 to fully address issues raised in NRC 941108 re re implementation schedule for violation of Nuclear Experience Review group records as QA records at TVA facilities
WHITAKER E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 184-82744 186

9502180349 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
IMBRO E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9502090062 Ltr contract defining task order 55, to "Svc Water Sys Operational Performance Insp
WIGGINS E.J. Division of Contracts (Post 940714) NRC-03-03-026 94/12/29 LOFF R.A. PARAMETER, Inc. 7pp 82684 301-82684 307

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 970725) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 015-82605 023

9502020120 Responds to NRC 941223 ltr re violation noted in insp repts 50-327/94-43 & 50-328/94-43 Corrective actions procedures associated w/ main of Arrow-Hart contractors revised
ADNEY R.J. Tennessee Valley Authority 95/01/23 Document Control Branch (Document Control Desk) 4pp 82616 272-82616 275

9502090047 Ltr contract, mod 1 to task order 55, providing incremental funding in listed amount to "Svc Water Sys Operational Performance Insp"
WIGGINS E.J. Division of Contracts (Post 940714) NRC-03-03-026 95/01/25 ALBERS L. PARAMETER, Inc. 2pp 82684 327-82684 328

9502140020 Inform of 950302 SAUP meeting w/ staff to discuss matters of mutual interest w/ regard to regulation & performance of over 14 months List of attendees, encl
EBNETER S.D. Region 2 (Post 820201) 95/01/26 LEWIS E. A. Mission Not Assigned 2pp 82714 138-82714 136

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 970725) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 025-82605 046

9502090177 Ack receipt of 950123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-43 & 50-328/94-43
CASTO C.A. Region 2 (Post 820201) 95/01/30 KINGSLEY O.D. Tennessee Valley Authority 3pp 82621 353-82621 355

9502070159 Forwards response to violations noted in Insp Repts 50-327/94-41 & 50-328/94-41 Corrective actions standing order allowed fuel handling supervisor to be at other locations other than spent fuel pit involved
ADNEY R.J. Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 4pp 82695 312-82695 315

9501250425 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation and Design"
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502140027 Forwards insp repts 50-327/94-45 & 50-328/94-45 on 941204-950107 No violations identified
LESSER M.S. Region 2 (Post 820201) 95/01/31 KINGSLEY O.D. Tennessee Valley Authority 2pp 82713 163-82713 163

-9502140032 Insp repts 50-327/94-45 & 50-328/94-45 on 941204-950107 No violations noted Major areas inspected plant operations, maint & surveillance observations, onsite engineering, plant support & effectiveness of licensee controls
HOLLAND W.E. LESSER M.S. Region 2 (Post 820201) 95/01/31 24pp 82713 166-82713 169

9502070147 Responds to NRC 950122 ltr re violations noted in insp repts 50-327/94-41 & 50-328/94-41 Corrective actions review of general employee training conducted & security officer provided an overview of security post requirements
ADNEY R.J. Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 4pp 82684 354-82684 357

9502140001 Confirms telecon between K. Mladic & S. Sparks re meeting scheduled for 950302 to discuss results of NRC Systematic Assessment of licensee performance for plant for period of 931010-950107
MERSCHOFF E.W. Region 2 (Post 820201) 95/02/02 KINGSLEY O.D. Tennessee Valley Authority 4pp 82713 001-82713 003

9502140049 Forwards insp rpt 50-327/95-05 & 50-328/95-05 on 950125 No violations noted
PEEBLES T.A. Region 2 (Post 820201) 95/02/02 KINGSLEY O.D. Tennessee Valley Authority 2pp 82713 291-82713 298

-9502140057 Insp repts 50-327/95-05 & 50-328/95-05 on 950125 No violations noted Major areas inspected plant corrective actions taken in response to outstanding items opened in previous NRC insp repts
HOPPER G.T. LAWYER L.L. Region 2 (Post 820201) 95/02/01 7pp 82713 293-82713 299

9502090313 NRC Info Notice 95-010 Potential for Loss of Automatic ESFA
GRIMES B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82616 001-82616 008

950218017 Forwards insp repts 50-327/95-02 & 50-328/95-02 on 941226-950120 & notice of violations Violations involve failure to ensure that configuration of sample sys conformed to as-designed configuration
MERSCHOFF E.W. Region 2 (Post 820201) 95/02/09 KINGSLEY O.D. Tennessee Valley Authority 4pp 82758 125-82758 145

-9502180031 Notice of violation from insp on 941226-950120 Violations noted on or after 790501 activity affecting quality provided as part of Preoperational Test Procedure TVA-29 was not adequately prescribed by documented instructions & drawings
Region 2 (Post 820201) 95/02/09 2pp 82759 133-82759 134

-9502180113 Insp repts 50-327/95-02 & 50-328/95-02 on 941226-950120 Violations noted Major areas inspected Unit 1 Reactor Coolant Sample Sys leakage event plant operations, engineering plant support & licensee control effectiveness
HOLLAND W.E. LESSER M.S. Region 2 (Post 820201) 95/02/09 11pp 82758 135-82758 145

9502100293 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82616 037-82616 042

9502100094 Forwards insp repts 50-327/95-01 & 50-328/95-01 on 950109-13 No violations noted Insp evaluated licensee implementation of commitments to GL 99-10
CASTO C.A. Region 2 (Post 820201) 95/02/10 KINGSLEY O.D. Tennessee Valley Authority 3pp 82770 141-82770 166

-9502101002 Insp repts 50-327/95-01 & 50-328/95-01 on 950109-13 No violations noted Insp assessed implementation of licensee MOV program, GL 99-10, including records, procedures & hardware
GIRARD E. CASTO C.A. Region 2 (Post 820201) 95/02/08 22pp 82770 144-82770 185

9502180081 NRC Info Notice 95-012 Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc.
GRIMES B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82616 025-82616 036

9502180058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82616 016-82616 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82616 018-82616 025

R. Periodic operating reports & related correspondence

9502150079 Monthly operating repts for Jan 1995 for Sequoyah Nuclear Plant Units 1 & 2 W/950208 ltr
HOLLOWAY T.J., SHELL R.H. Tennessee Valley Authority 95/01/31 11pp 82770 225-82770 235

G. Reportable occurrences, LERs & related correspondence

9502180180 Discusses investigation re capacitors installed in HDR converters
PATTERSON L. Nuthorn International, Inc. 94/11/07 DYARC Tennessee Valley Authority 6pp 82768 054-82768 059

9502090111 LER 94-017-00 on 941222 B-train ABL & start of B-train AB3ST occurred as result of high radiation in spent fuel area Personnel involved w/ spent fuel pool rack replacement involved on event W/950123 ltr
PROFFITT J.W., ADNEY R.J. Tennessee Valley Authority 95/01/23 8pp 82622 001-82622 006

9502200101 Special Rept 95-01 on 950119 fire barrier intentionally removed from svc to support planned work activities associated w/ replacement batteries in 24/48 volt battery room
SHELL R.H. Tennessee Valley Authority 95/02/17 Document Control Branch (Document Control Desk) 4pp 82626 248-82626 251

V. Operator Examinations

9502210005 Notice tbl of Region II annual Training Managers Conference at ARLINGDA on 950208-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators
PEEBLES T.A. Region 2 (Post 820201) 95/01/24 KINGSLEY O.D. Tennessee Valley Authority 2pp 82758 063-82758 064

86 DOCKETED ITEMS

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, nuclear, emergency & fire protection plans

5502160337 Rev 18 to "Radiological Emergency Plan" W/550208
MEDFORD, M.O. Tennessee Valley Authority 95/01/12 10pp 82772-090-82772 079

5502070147 Responds to NRC 950122 ltr re violations noted in insp repts 50-327/94-301 & 50-328/94-301 Corrective actions review of general employee training conducted & security officer provided an overview of security post requirements
ADNEY, R.J. Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) App 82684 354-82684 357

5502080237 Rev 14 to EPIP-8, "Activation & Operation of TSC" W/550202 ltr
CATRON, N. SHELL, R.H. Tennessee Valley Authority 95/02/01 48pp 82703 277-82703 325

5502210045 Informs that changes re revision 18 to radiological emergency plan for plant meet stds of 10CFR50.47(b) & requirements of App E to 10CFR50 & ask satisfactory resolution of inconsistencies re 950207 ltr
CLINE, W.E. Region 2 (Post 820201) 95/02/08 KINGSLEY, O.D. Tennessee Valley Authority App 82768 337-82768 340

G. Advisory correspondence

5502030156 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request dated
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/01/19
DEBOLT, B. Attention Not Assigned 5pp 82645 001-82645 053

H. Operating license stage documents & correspondence

5502070108 Responds to request from T Reed of NRC re recent field experience w/ Westinghouse Alloy 800 thermally treated (TT) mechanical tube plugs TVA verified that issue does not impact SNR Units 1 & 2 or Watts Bar Unit 1
WHITAKER, E.W. Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 2pp 82684 342-82684 349

5502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. App 82652 195-82652 199

5502140411 Forwards amends 195 & 196 to licenses DPR-77 & DPR-79, respectively & safety evaluation Amends remove 900 rpm EDG surveillance test criteria & requirement that plant be shutdown for performance of independence DG tests
LABARGE, D.E. Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 KINGSLEY, O.D. Tennessee Valley Authority App 82729 318-82729 333

5502140417 Amends 195 & 196 to licenses DPR-77 & DPR-79, respectively, removing 900 rpm EDG surveillance test criteria & requirement that plant be shut down for performance of independence DG tests
HEBDON, F.J. Division of Reactor Projects (M) (DPR) (Post 841001) 95/02/09 10pp 82729 329-82729 329

5502140417 Safety evaluation supporting amends 195 & 196 to licenses DPR-77 & DPR-79, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 App 82729 330-82729 333

5502140342 Forwards supplemental info to TS change request 84-07 re reduction of max applicable power level for operation w/ one or more MSSVs inoperable
SHELL, R.H. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) App 82744 138-82744 149

5502140346 Proposed tech specs re reduction of max applicable power level for operation w/ one or more MSSVs inoperable
Tennessee Valley Authority 95/02/10 App 82744 141-82744 149

5502140353 Forwards TS Change 95-04, Rev 2 re containment vacuum relief lines
SHELL, R.H. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) App 82744 104-82744 137

5502140360 Proposed tech specs re containment vacuum relief lines
Tennessee Valley Authority 95/02/10 32pp 82744 106-82744 137

5502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to fully address issues raised in NRC 941108 ltr re implementation schedule for retention of Nuclear Experience Review group records as QA records at TVA facilities.
WHITAKER, E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) App 82744 164-82744 166

5502140349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

I. Inspection reports, IE Statements & correspondence

5502080062 Ltr contract delineating task order 55, to "Svc Water Sys Operational Performance Insp"
WIGGINS, E.J. Division of Contracts (Post 840714) NRC-03-83-026 94/12/29 LOFF, R.A. PARAMETER, Inc. 2pp 82684 301-82684 307

5501080218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mst"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

5502080120 Responds to NRC 841223 ltr re violation noted in insp repts 50-327/94-43 & 50-328/94-43 Corrective actions procedures associated w/maint of Arrow-Hart contractors revised
ADNEY, R.J. Tennessee Valley Authority 95/01/23 Document Control Branch (Document Control Desk) App 82616 272-82616 275

5502080047 Ltr contract order 1 to task order 55, providing incremental funding in listed amount, to "Svc Water Sys Operational Performance Insp"
WIGGINS, E.J. Division of Contracts (Post 840714) NRC-03-83-026 95/01/25 ALBERS, J. PARAMETER, Inc. 2pp 82684 327-82684 329

5502140030 Informs of 950302 S&LP meeting w/ul to discuss matters of mutual interest w/regard to regulation & performance of over 14 months List of attendees, and EBNETER, S.D. Region 2 (Post 820201) 95/01/28 LEWIS, E. Attention Not Assigned 2pp 82714 133-82714 136

5501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. App 82605 038-82605 046

5502080177 Ack receipt of 950123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-43 & 50-328/94-43
CASTO, C.A. Region 2 (Post 820201) 95/01/30 KINGSLEY, O.D. Tennessee Valley Authority App 82621 353-82621 355

5502070159 Forwards response to violations noted in Insp Repts 50-327/94-41 & 50-328/94-41 Corrective actions standing order allowed fuel handling supervisor to be at other locations other than spent fuel pit involved
ADNEY, R.J. Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) App 82656 312-82656 315

5501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 186-82652 194

5502140027 Forwards insp repts 50-327/94-45 & 50-328/94-45 on 941204-950107 No violations identified
LESSER, M.S. Region 2 (Post 820201) 95/01/31 KINGSLEY, O.D. Tennessee Valley Authority App 82713 193-82713 198

5502140032 Insp repts 50-327/94-45 & 50-328/94-45 on 941204-950107 No violations noted Major areas inspected plant operations, maint & surveillance observations, on-site engineering/plant support & effectiveness of licensee controls
HOLLAND, W.E. LESSER, M.S. Region 2 (Post 820201) 95/01/31 24pp 82713 198-82713 199

5502070147 Responds to NRC 950122 ltr re violations noted in insp repts 50-327/94-301 & 50-328/94-301 Corrective actions review of general employee training conducted & security officer provided an overview of security post requirements
ADNEY, R.J. Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) App 82684 354-82684 357

5502140001 Confirms telcon between K Meade & S Sparks re meeting scheduled for 950302 to discuss results of NRC Systematic Assessment of licensee performance for plant for period of 951010-950107
MERSCOFF, E.W. Region 2 (Post 820201) 95/02/02 KINGSLEY, O.D. Tennessee Valley Authority App 82713 001-82713 005

5502140049 Forwards insp repts 50-327/95-05 & 50-328/95-05 on 950125 No violations noted
PEEBLES, T.A. Region 2 (Post 820201) 95/02/02 KINGSLEY, O.D. Tennessee Valley Authority App 82713 291-82713 299

5502140057 Insp repts 50-327/95-05 & 50-328/95-05 on 950125 No violations noted Major areas inspected plant corrective actions taken in response to outstanding items opened in previous NRC insp repts
HOPFER, G.T., LANYER, L.L. Region 2 (Post 820201) 95/02/01 7pp 82713 299-82713 299

5502080313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/08 Consolidated Edison Co. of New York, Inc. App 82686 001-82686 006

5502140084 Forwards "SON NIS-1 Owners Data Rept Unit 2 Cycle 6," Vols 1 & 2
SHELL, R.H. Tennessee Valley Authority 95/02/06 Document Control Branch (Document Control Desk) 2pp 82635 001-82635 104

5502140084 "SON NIS-1 Owners Data Rept Unit 2 Cycle 6," Vols 1 & 2
Tennessee Valley Authority 94/11/16 484pp 82635 004-82635 104

5502210017 Forwards insp repts 50-327/95-02 & 50-328/95-02 on 941228-950120 & notes of violations Violations involve failure to ensure that configuration of sample sys conformed to as-designated configuration
MERSCOFF, E.W. Region 2 (Post 820201) 95/02/09 KINGSLEY, O.D. Tennessee Valley Authority App 82768 126-82768 145

5502210113 Insp repts 50-327/95-02 & 50-328/95-02 on 941228-950120 Violations noted Major areas inspected Unit 1 Reactor Coolant Sample Sys leakage even, plant operations, engineering/plant support & licensee control effectiveness
HOLLAND, W.E. LESSER, M.S. Region 2 (Post 820201) 95/02/03 11pp 82769 135-82769 145

5502140023 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. App 82618 037-82618 042

5502210054 Forwards insp repts 50-327/95-01 & 50-328/95-01 on 950108-13 No violations noted Insp evaluated licensee implementation of commitments to GL 89-10
CASTO, C.A. Region 2 (Post 820201) 95/02/10 KINGSLEY, O.D. Tennessee Valley Authority App 82770 141-82770 165

5502210102 Insp repts 50-327/95-01 & 50-328/95-01 on 950109-13 No violations noted Major areas inspected implementation of licensee MOV program, GL 89-10 including records, procedures & hardware
GARRARD, E., CASTO, C. Region 2 (Post 820201) 95/02/08 22pp 82770 144-82770 165

5502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering R Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210080 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 018-82818 024

9502240057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502150379 Monthly operating reports for Jan 1995 for Sequoyah Nuclear Plant Units 1 & 2
HOLLOWAY,T J, SHELL,R H Tennessee Valley Authority 95/01/31 11pp 82770 225-82770 235

S. Reportable occurrences, LERs & related correspondence

9502160190 Discusses investigation re capacitors installed in HDR converters
PATTERSON,L Northern International, Inc. 94/11/07 DYARC Tennessee Valley Authority 8pp 82768 054-82768 059

9502070193 LER 94-015-01 on 941208, failure to perform hourly fire watch as required by TS occurred. Caused by inadequate night attention for spent fuel pit react project fire watch personnel briefed on locked doors W/950130 for
GILLEY,S D, ADNEY,R J Tennessee Valley Authority 95/01/30 7pp 82664 244-82664 250

9502060180 LER 95-001-00 on 950105, turbine tripped followed by reactor trip. Caused by pressure surges in transformer cooling oil, activating gas-operated relay CR personnel responded as prescribed by emergency procedures. W/950202 for
PROFFITT,J W, ADNEY,R J Tennessee Valley Authority 95/02/02 7pp 82709 295-82709 301

9502220410 Special Rept 95-01 on 950119, fire barrier intentionally removed from svc to support planned work activities associated w/replacement batteries in 24/49 volt battery room
SHELL,R H Tennessee Valley Authority 95/02/17 Document Control Branch (Document Control Desk) 4pp 82828 248-82828 251

V. Operator Examinations

9502210005 Notices of Region II annual Training Managers Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgr of issues & policies that affect licensing of reactor plant operators
PEEBLES,T A Region 2 (Post 820501) 95/01/24 KINGSLEY,O D Tennessee Valley Authority 2pp 82768 093-82768 064

DOCKET 95-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephones & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502180349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Adjudicatory correspondence

7906110342 Responds to 771119 re requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility. Notice of violation issued Enforcement action request denied
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER,R G Affiliation Not Assigned 8pp 82842 149-82842 168

7906110347 Believes RG Asperger request for suspension & eventual revocation of CP should be denied
THOMAS,E B LeBoeur, Lamb, Leiby & MacRae 78/01/11 CASE,E G Office of Nuclear Reactor Regulation, Director 4pp 82842 155-82842 158

7906110357 Confirms telcon of 780106 at which time info re sale of portion of facility was requested. At time of closing, no written waivers per Section 9.9 were executed by any party
MARQUARDT,P A Detroit Edison Co. 78/01/11 LIEBERMAN,J Regional Operations & Enforcement Division 7pp 82842 159-82842 165

7906110333 Notices of violation resulting from sale of interest in facility
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL,C M Detroit Edison Co. 1p 82842 166-82842 166

Q. Inspection reports, IE Bulletins & correspondence

7906110343 Responds to 771119 re requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility. Notice of violation issued Enforcement action request denied
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER,R G Affiliation Not Assigned 8pp 82842 149-82842 165

7906110333 Notices of violation resulting from sale of interest in facility
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL,C M Detroit Edison Co. 1p 82842 166-82842 166

9501090219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Mail"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030310 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 001-82658 008

9502100203 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502210051 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 018-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

DOCKET 95-339 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephones & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502180349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Adjudicatory correspondence

7906110345 Responds to 771119 re requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility. Notice of violation issued Enforcement action request denied
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER,R G Affiliation Not Assigned 8pp 82842 149-82842 168

7906110347 Believes RG Asperger request for suspension & eventual revocation of CP should be denied
THOMAS,E B LeBoeur, Lamb, Leiby & MacRae 78/01/11 CASE,E G Office of Nuclear Reactor Regulation, Director 4pp 82842 155-82842 158

7906110357 Confirms telcon of 780106 at which time info re sale of portion of facility was requested. At time of closing, no written waivers per Section 9.9 were executed by any party
MARQUARDT,P A Detroit Edison Co. 78/01/11 LIEBERMAN,J Regional Operations & Enforcement Division 7pp 82842 159-82842 165

7906110333 Notices of violation resulting from sale of interest in facility
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL,C M Detroit Edison Co. 1p 82842 166-82842 166

Q. Inspection reports, IE Bulletins & correspondence

7906110343 Responds to 771119 re requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility. Notice of violation issued Enforcement action request denied
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER,R G Affiliation Not Assigned 8pp 82842 149-82842 165

7906110333 Notices of violation resulting from sale of interest in facility
CASE,E G Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL,C M Detroit Edison Co. 1p 82842 166-82842 166

9501090219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Mail"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030310 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82658 001-82658 008

88 DOCKETED ITEMS

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210860 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82818 016-82818 024

9502240037 NRC Info Notice 95-018, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82848 018-82848 025

DOCKET 95-031 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9502140400 Rev 11 to EPR-2 & revised Corporate Plan Implementing Procedure (CPIP), including Rev 6 to CPIP-2.2, Rev 6 to CPIP-2.3, Rev 6 to CPIP-2.4 & Rev 11 to CPIP-4.1 W/950206 for
MENDERSOHN, IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/06 125pp 82742 139-82742 263

9502210234 Requests that add info be provided re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f)
KELLY,G B Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 1p 82789 360-82789 360

9502280249 Provides add info re most recent security plan change Encl withheld
FRANZ,J F IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/22 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 2pp 82904 319-82904 320

G. Adjudicatory correspondence

9502030186 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B Attention Not Assigned 82pp 82685 001-82685 063

H. General correspondence

9502180212 Comment on proposed rule 10CFR50 for shutdown & low-power operations for nuclear power reactors
YOUNG,K D IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/03 HOYLE,J C Office of the Secretary of the Commission 3pp 82737 263-82737 265

9502280466 Forwards biography & resume for B Fisher & current organizational charts for both IES Industries Inc & IES Utilities Inc
YOUNG,K D IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/16 KELLY,G 7pp 82831 007-82831 014

P. Operating license stage documents & correspondence

9502280114 Partial response to FOIA request for documents re 9ECY-92-043,dtd 9/20/97 Listing of records in App A already available in PDR Records in App B and A will be available in PDR
RISCH,C A Division of Freedom of Information & Publications Services (880206-946714) 94/05/17 RICHIO,J P Public Citizen's Critical Mass Energy Project 121pp 82582 009-82582 275

9502020284 Forwards updated list of NOEDs as transmitted on 940111
GREENMANUE G Region 3 (Post 820201) 94/01/28 BOYLE,M Division of Reactor Projects - MIV,V (Post 901216) 3pp 82582 226-82582 230

9502180205 Forwards Rev 13 to "Pump & Valve IST Program for DAEC" for third 10-yr testing interval which begins on 950201 IST program includes relief request PRI-07 submitted to NRC by 941216 re approval requested by 950415 prior to implementation
WILKINS,J E IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/01/30 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 3pp 82731 183-82731 019

9502100208 Rev 13 to "Pump & Valve IST Program for DAEC"
DOSSKOLD G, ANDERSON,R, WILSON,D L IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/01/26 199pp 82731 183-82731 019

9502060192 Ack receipt of 10CFR50.54(a) submittal dtd 941205 which incorporated changes in Quality Assurance Program description
RING,M A Region 3 (Post 820201) 95/02/01 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 1p 82801 219-82801 219

9502280205 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 6pp 82652 105-82652 199

9502080288 Informes that w/ request for extension of GL 89-10 MOV program to 120 days after completion of refueling outage 13 granted Notes review ongoing on 17 valves licensee plans to remove from program
KELLY,G B Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 3pp 82688 001-82688 003

9502080030 Ack receipt of 941230 ltr re motor-operated valve diagnostic testing (VOTES) Util recognized VOTES training deficiencies & have taken short-term corrective actions to ensure that experienced, qualified technicians available for testing
GRANT,G E Region 3 (Post 820201) 95/02/02 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 2pp 82845 266-82845 267

9502210172 Nobles NRC of changes to plant TS bases, deleting ref to outdated surveillance requirements for containment H & O analyzers
YOUNG,K D IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/13 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 3pp 82808 358-82808 380

9502220368 Provides description of changes to TS bases for shutdown cooling piping safety limit
YOUNG,K D IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/13 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 3pp 82826 225-82826 230

9502220369 Proposed tech specs re bases for shutdown cooling piping safety limit
IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/13 3pp 82826 228-82826 230

9502230193 Request for TS Change (RTS-275) to license DPR-49, deleting audit frequency requirements from TS Sections 6.6.2.8 & 6.5.3.1 Requirements being added to QA program description located in updated FSAR Section 17.2.18.2.2
FRANZ,J F IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/18 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 3pp 82838 360-82838 380

9502230187 Proposed TS Section 6.5.2.8 & 6.5.3.1, reflecting deletion of audit frequency requirements
IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/18 6pp 82838 355-82838 360

9502210234 Requests that add info be provided re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f)
KELLY,G B Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 1p 82789 360-82789 360

9502240019 Informes that DAEC had no safety valve or relief valve failures or challenges occur during CY 94 in accordance w/ requirements of App A to license DPR-49 & NUREG-0737
YOUNG,K D IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/16 RUSSELL,W T Document Control Branch (Document Control Desk) 1p 82813 054-82813 054

9502180349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERBELL,C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501280268 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERBELL,C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co of New York, Inc 8pp 82605 038-82605 046

9501280429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502080319 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82688 001-82688 008

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502180814 Forwards NBR rept on Main Rule review sent to plant during 941205-12
SHAFER,W D Region 3 (Post 820201) 95/02/10 DONNELLY,P M Consumers Power Co QUERIORE Commonwealth Edison Co WATZLE Northern States Power Co 2pp 82722 012-82722 028

9502280283 Forwards map rept 50-331/84-20 on 941130-950119 & notice of violation Violation involved failure to provide appropriate acceptance criteria in main procedure
LANKEBURY,R D Region 3 (Post 820201) 95/02/10 LUJL IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 2pp 82789 242-82789 259

9502220258 Notice of violation from map on 941130-950119 Violation noted procedures & instructions provided for 930628, main performed on reactor core isolation cooling steam supply valve MD-2400 did not contain acceptance criteria
Region 3 (Post 820201) 95/02/10 1p 82789 241-82789 241

9502220303 Insp rept 50-331/84-20 on 941130-950119 Violations noted Major areas noted plant operations, cold weather preparations, preparations for refueling, main, temporary instruction 2515/126 for on-line repair & plant support
LANKEBURY,R D Region 3 (Post 820201) 95/02/10 18pp 82789 242-82789 259

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210860 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82818 016-82818 024

9502248097 NRC Info Notice 95-019 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B K. 95/02/24 Consolidated Edison Co of New York, Inc. 8pp 82848 018 82848 026

R. Periodic operating reports & related correspondence

9502280378 "Annual Exposure Rept for 1994" W/950224 1tr
WILSON, O L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 94/12/31 2pp 82959 035-82959 036

9502230107 Monthly operating rept for Jan 1995 for Duane Arnold Energy Ctr W/ 950215 1tr
WYDOHWARD, R. WILSON, O L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/01/31 MARTIN, J B Region 3 (Post 820201) 8pp 82839 313-82839 316

S. Reportable occurrences, LERs & related correspondence

9502080208 LER 95-001-00 on 941230, thermoluminescent dosimeter was missing from offsite radiation monitoring station due to unknown reasons (investigated redesign of TLD station to minimize possibility of loss or theft W/950127 1tr
WILSON, O L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/01/27 8pp 82652 285-82652 290

9502080060 LER 95-001-00 on 950128 both standby DGs automatically started. Caused by sensed momentary under-voltage condition on both essential buses. Operators verified that essential buses being powered from normal source W/950217 1tr
KLOTZ, B. WILSON, O L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 95/02/17 MARTIN, J B Region 3 (Post 820201) 8pp 82949 141-82949 143

V. Operator Examinations

9502080079 Inform that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M A Region 3 (Post 820201) 95/01/25 LACROIX, D G. Consumers Power Co. SEIZERT, R D. Wisconsin Electric Power Co. WALKER, W P. Northern States Power Co. 8pp 82559 955-82559 357

9502100033 Discusses recent arrangement made for administration of licensing examinations at plant, scheduled for week of 950626. Transmits correspondence to facilitate preparation for exams & meeting of schedule W/o encl
RING, M A Region 3 (Post 820201) 86/02/03 LULL, R S. IES Utilities Inc., (formerly Iowa Electric Light & Power Co) 3pp 82880 186-82880 188

DOCKET 95-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9502080287 Forwards JA FitzPatrick & Indian Point 3 Nuclear Power Plants NFPA code compliance walkdown project summary & commitments
CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 95/01/31 Document Control Branch (Document Control Desk) 8pp 82662 351-82662 358

9502170008 Forwards request for add info re review of proposed upgraded emergency action levels for plant
CARPENTER, C E Project Directorate I-1 (PD1-1) (Post 941001) 95/02/09 CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 27pp 82768 916-82768 942

P. Operating license stage documents & correspondence

9502190111 Final response to FOIA request for info Forwards App A info, in part, already available to PDR App A info partially withheld (See FOIA Exemption 5-b)
POWELL, R A Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, L J. Affiliation Not Assigned 2pp 82736 189-82736 215

9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problem plants identified at June 1993 Region II SMM & performance of other plants
NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 191-82738 215

9502140144 Third partial response to FOIA request for documents Records in app C encl & will be available in PDR
POWELL, R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/08 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502140173 List of CAL numbers
NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502080123 Forwards amend 223 to license DPR-59 & safety evaluation Amend revises TS 4.11 d to change surveillance requirements for emergency svc water sys pumps
CONICELLA, N F Project Directorate I-1 (PD1-1) (Post 941001) 95/01/30 CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 3pp 82669 326-82669 341

9502080126 Amend 223 to license DPR-59 changing surveillance requirements for emergency svc water sys pumps
MARSH, L B Project Directorate I-1 (PD1-1) (Post 941001) 95/01/30 8pp 82669 329-82669 334

9502080128 Safety evaluation supporting amend 223 to license DPR-59
Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 8pp 82668 335-82668 341

9502080025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc. 8pp 82862 195-82862 199

9502080284 Forwards Reptd 11/Cycle 12 COLR
CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 95/02/02 Document Control Branch (Document Control Desk) 1p 82665 320-82665 328

9502080286 Rev 2 to "COLR Cycle 12"
Power Authority of the State of New York (New York Power Authority) 95/01/09 20pp 82665 203-82665 228

9502070347 Inform that for listed reasons we decided not to conduct metallurgical evaluation & add root cause analysis described in IIR 921214 request for relief from ASME Section XI
CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 95/02/02 Document Control Branch (Document Control Desk) 2pp 82667 325-82667 326

9502140248 Forwards safety evaluation accepting utl response to GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs" Inform that utl core shroud mod will serve as alternative to comprehensive core shroud exams
CARPENTER, C E Project Directorate I-1 (PD1-1) (Post 941001) 95/02/05 CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 3pp 82731 105-82731 117

9502140261 Safety evaluation accepting utl response to GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs"
Office of Nuclear Reactor Regulation (Post 941001) 95/02/05 10pp 82731 108-82731 117

9502140288 Inform that utl submitted MFR Associates affidavit did 941212, forwarding response for add info re plant core shroud repair design reprot & request for nondestructive info submitted to be withheld
CARPENTER, C E Project Directorate I-1 (PD1-1) (Post 941001) 95/02/09 COLEMAN, MFR Associates, Inc. 4pp 82754 006-82754 009

9502101081 Forwards safety evaluation accepting utl 941104 1tr, requesting relief from portions of ASME code, section XI, requirements to perform hydrostatic tests of ISI class 2 & 3 sys at plant
CARPENTER, C E Project Directorate I-1 (PD1-1) (Post 941001) 95/02/13 CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 3pp 82789 275-82789 284

9502101094 Safety evaluation approving requests for relief from portions of ASME code, section XI requirements to perform hydrostatic tests of ISI class 2 & 3 sys at plant
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 7pp 82789 276-82789 284

9502230168 Forwards proprietary Rept 51-1235147-00, "CERT Testing of Type XA-19 in Simulated BWR Environ" Rept withheld
CAHILL, W J. Power Authority of the State of New York (New York Power Authority) 95/02/16 Document Control Branch (Document Control Desk) 10pp 82840 341-82840 350

9502160849 Administrative Ltr 95-02 to all holders of OILs or OPLs re cost beneficial licensing actions
BUBB, O E V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C records withheld in part (ref FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5)
POWELL, R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 POELLER, Affiliation Not Assigned 6pp 82824 140-82824 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys."
NRC - No Detailed Affiliation Given 94/06/06 17pp 82824 168-82824 005

9504080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, G J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc. 11pp 82808 013-82808 023

9502010236 Responds to NRC 941222 re re violations noted in insp rept 95-333/94-30 Corrective actions Dept meetings conducted to review & reinforce mgt expectations re radiation work practices identified in NRC insp rept 95-333/94-30
SALMON, H P. Power Authority of the State of New York (New York Power Authority) 95/01/23 Oic of Enforcement (Post 870413) 7pp 82583 347-82583 353

9501230288 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, G J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc. 9pp 82605 035-82605 046

9501250423 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc. 7pp 82552 188-82552 154

9502080065 Ack receipt of 950123 1tr informing NRC of steps taken to correct violations noted in insp rept 95-333/94-30
JOYNER, J H Region 1 (Post 820201) 95/01/31 SALMON, H P. Power Authority of the State of New York (New York Power Authority) 2pp 82645 351-82645 359

9502080081 Responds to NRC 941222 re re violations noted in insp rept 95-333/94-30 on 941212-18 Corrective actions performance standards for good radiological work practices being reinforced & self identification of poor work ongoing
SALMON, H P. Power Authority of the State of New York (New York Power Authority) 95/01/23 Document Control Branch (Document Control Desk) 7pp 82645 353-82645 359

9502080013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K. 95/02/03 Consolidated Edison Co of New York, Inc. 8pp 82668 001-82668 006

90 DOCKETED ITEMS

950210006 Forwards insp rept 50-333/95-03 on 950123-27 & notice of violation JOYNER, J.H. Region 1 (Post 820201) 95/02/03 SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 3pp 82690 035-82690 041

950210010 Notice of violation from insp on 950123-27 Violation noted elevation of turbine bldg in svc since 950113 but had not been field inspected since being placed in svc
Region 1 (Post 820201) 95/02/03 1p 82690 035-82690 035

950210012 Insp rept 50-333/95-03 on 950123-27 Violations noted Major areas inspected radiological control of work in progress radiation work permit usage, reviews for maintaining worker exposure ALARA & worker practices
EURLA, J. ANDREWS, T. BORES, R. Region 1 (Post 820201) 95/02/03 6pp 82690 035-82690 041

950210026 Submits results of reactor vessel head weld inspections conducted during 1995 refusing outage Insp data shows no changes from 1982 Insp data.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 95/02/09 Document Control Branch (Document Control Desk) 5pp 82772 134-82772 136

950210028 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

950210027 Forwards insp rept 50-333/95-01 & 50-333/95-40 on 950109-13 No violations noted One unresolved item identified re need for add attention to procedural quality & adherence
MODES, M.C. Region 1 (Post 820201) 95/02/10 SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 3pp 82769 019-82769 043

950210026 Insp rept 50-333/95-01 & 50-333/95-40 on 950109-13 No violations noted One Unresolved Item identified Major areas insp core shroud repair activities, service shop & independent nondestructive examinations
BEARDSLEE, C.D. MODES, M.C. HARRIS, R.H. Region 1 (Post 820201) 95/02/10 22pp 82769 022-82769 043

950210101 Forwards safety evaluation accepting utl 941104 TK, requesting relief from portions of ASME code section XI requirements to perform hydrostatic tests of ISI class 2 & 3 s/s at plant
CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 941001) 95/02/13 CAHILL, W.J. Power Authority of the State of New York (New York Power Authority) 3pp 82769 273-82769 284

950210104 Safety evaluation approving requests for relief from portions of ASME code section XI requirements to perform hydrostatic tests of ISI class 2 & 3 s/s at plant
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 7pp 82769 278-82769 284

950210042 Responds to NRC Bulletin 95-01 issued to notify all radiography licensees of failures of licensees QA program for radioactive mail transport approved by NRC (utl does not perform radiography)
SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/13 Document Control Branch (Document Control Desk) 5pp 82614 023-82614 027

950210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 023-82618 036

950210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 010-82618 024

950210057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82645 018-82645 026

R. Periodic operating reports & related correspondence

950210100 Monthly operating rept for Jan 1995 for JA FitzPatrick Nuclear Plant W/ 950209 tr
FLAGG, R. SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/01/31 5pp 82744 236-82744 240

S. Reportable occurrences, LERs & related correspondence

950210064 LER 95-001-00 on 950106, pilot assemblies for six safety related valves were removed for testing & reinstallation. Initial left pilot unit was high for all pilot mechanisms & SRV pilot were replaced W/950204 tr
FOLEY, J. SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/04 5pp 82723 315-82723 319

950210084 Special rept on 950104, fire protection features incapable to accommodate certain activities during refusing outage Non-functional fire protection features will be restored prior to plant restart.
SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/06 Document Control Branch (Document Control Desk) 3pp 82734 265-82734 270

950210013 LER 95-003-00 on 950114, primary containment isolation sys group 2 isolation occurred Caused by abnormal electrical lineup & procedural deficiency Procedure controlling bus outage restoration will be revised W/950213 tr
STEIGERWALD, R. SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/13 6pp 82613 041-82613 046

950210080 LER 95-002-00 on 950113, determined that due to personnel error, portion of offgas sys exhaust line isolation logic circuit had not been tested entry 6 months Procedure corrected & circuits tested prior to startup W/950213 tr
SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/13 7pp 82614 324-82614 330

950210049 Special Rept on 950109, incapability of fire suppression features associated w/ listed areas noted Low carbon dioxide concentration deficiency will be corrected by changing discharge timer setpoint.
SALMON, J.P. Power Authority of the State of New York (New York Power Authority) 95/02/22 Document Control Branch (Document Control Desk) 4pp 82653 355-82653 356

DOCKET 58-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

950210026 Forwards data point library changes in accordance w/ requirements in NUREG-1394, Rev 1, Section 3.6 Changes currently in effect on Beaver Valley Plant computers which provide data to ERDS computer
THOMAS, G.S. Duquesne Light Co. 95/01/23 Document Control Branch (Document Control Desk) 4pp 82620 315-82620 315

950210021 Forwards ERDS Data Point Library (DPL) changes in accordance w/ NUREG-1394, Rev 1, Section 3.6 Three DPLs undergone change in Hi alarm setpoints
THOMAS, G.S. Duquesne Light Co. 95/01/30 Document Control Branch (Document Control Desk) 4pp 82668 356-82668 366

950210025 Revised Emergency Preparedness Plan/Implementing Procedures (EPP/IP) including Rev 7 to EPP/IP 2.6.3, Rev 7 to EPP/IP 2.6.4 & Rev 9 to EPP/IP 1.1 W/ 950131 tr
THOMAS, G.S. Duquesne Light Co. 95/01/31 152pp 82709 001-82709 152

950210027 Forwards draft for issue 4 of physical security plan Rev withheld (tr 100002 790/011)
THOMAS, G.S. Duquesne Light Co. 95/02/08 Document Control Branch (Document Control Desk) 1p 82626 262-82626 252

950210027 Requests quorum from 1000073.65, "Requirements for Physical Protection Against Radiological Sabotage," allowing implementation of proposed alternate head gateway bottleneck access control sys
THOMAS, G.S. Duquesne Light Co. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82667 342-82667 345

P. Operating license stage documents & correspondence

950210114 Partial response to FOIA request for documents re SECY-92-043, chd 920207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (802006-940714) 94/05/17 RICCO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275

950210024 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - I, II, V (Post 901216) 3pp 82592 226-82592 230

950210144 Third partial response to FOIA request for documents Records in app C and C will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (802006-940714) 94/07/06 O'NEAL, M. Attention Not Assigned 2pp 82729 161-82729 223

950210173 List of CAL numbers
NRC - No Detailed Attention Given 94/08/22 40pp 82729 184-82729 223

950210043 Inform that utl verified that issue re Westinghouse Alloy 600 thermally treated (TT) mechanical plugs does not impact BVPs Units 1 & 2 in response to W Dec 1994 notification. Repairs implemented at BVPs address concerns in IN 94-067
THOMAS, G.S. Duquesne Light Co. 95/01/24 Document Control Branch (Document Control Desk) 2pp 82620 313-82620 314

950210111 Forwards for NRC approval, proposed changes to BVPs Unit 1 & Unit 2 QA program description included in each respective unit QA Change would reduce commitments by adding exception to position on RIS 1.58
THOMAS, G.S. Duquesne Light Co. 95/01/25 Document Control Branch (Document Control Desk) 7pp 82616 353-82616 359

950210025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

950210026 Forwards amend 184 to license DPR-68 & safety evaluation. Amend revises TS 3/4.4.5 & 3/4.6.2 including associated Bases 3/4.4.5 & 3/4.4.6.2 to allow implementation of SG tube interim plugging criteria for tube support plate elevations
EDUCON, G.E. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/08 CROSS, J.E. Duquesne Light Co. 4pp 82706 216-82706 260

950210027 Amend 184 to license DPR-68, revising TS 3/4.4.5 & 3/4.6.2 including associated Bases 3/4.4.5 & 3/4.4.6.2 to allow implementation of SG tube interim plugging criteria for tube support plate elevations during cycle 11
BUTLER, W. Project Directorate I-3 (PD1-3) (Post 941001) 95/02/03 16pp 82706 222-82706 238

950210027 Safety evaluation supporting amend 184 to license DPR-68
Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 22pp 82706 239-82706 260

950210048 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial & compensating actions
MORC, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82643 001-82643 017

O. Inspection reports, IE Bulletins & correspondence

950210021 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, G.J. Division of Industrial & Medical Nuclear Safety (Post 970225) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 019-82605 023

850220424 Informs that unit verified that issue re Westinghouse Alloy 500 thermally treated (TT) mechanical plugs does not impact BVPs Units 1 & 2 in response to W Dec 1994 notification. Repairs implemented at 8VPS address concerns in IN 94-087 THOMAS G S Duquesne Light Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82620 313-82620 314

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERILLLO, J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 048

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502080026 Discusses 941208 correspondence informing NRC of schedule for resolution of remaining open electrical distribution sys functional insp items re insp repts 50-334/91-80 & 50-412/91-80 RULAND, W H Region 1 (Post 820201) 95/01/31 CROSS, J E Duquesne Light Co 2pp 82645 177-82645 182

9502080013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008

9502190223 Forwards insp repts 50-334/95-03 & 50-412/95-03 on 950109-12 No violations noted JOYNER, J H Region 1 (Post 820201) 95/02/03 CROSS, J E Duquesne Light Co 3pp 82707 226-82707 242

9502190232 Insp repts 50-334/95-02 & 50-412/95-02 on 950109-12 No violations noted Major areas inspected major changes in organization, personnel & facilities NICK, J, ECKERT, J, BORES, R Region 1 (Post 820201) 95/01/27 13pp 82707 229-82707 242

9502190819 Forwards insp repts 50-334/95-02 & 50-412/95-02 on 950109-13 No violations noted MACDES, M C Region 1 (Post 820201) 95/02/06 CROSS, J E Duquesne Light Co 3pp 82722 002-82722 011

9502190813 Insp repts 50-334/95-02 & 50-412/95-02 on 950109-13 No violations noted Major areas inspected installation procedures for SG tube sleeves, procedure specification of laser welding of sleeves & field welding program PATRAIK, P MOSES, M C Region 1 (Post 820201) 95/02/06 7pp 82722 005-82722 011

9502190832 Forwards insp repts 50-334/94-27 & 50-412/94-28 on 941220-950123 Violations noted Violation involved failure of licensee to complete map of Unit 1 reactor head lift rigging refueling procedures LUNVALLE, J C Region 1 (Post 820201) 95/02/09 CROSS, J E Duquesne Light Co 3pp 82722 178-82722 194

9502190838 Notice of violation from map on 941220-950123 Violation noted on 940113, licensee removed Unit 1 reactor vessel head w/o completing head lift rigging critical weld map specified in QC Hold Point of Step 14 of Reactor Procedure "Region 1 (Post 820201) 95/02/09 1p 82722 181-82722 181

9502190848 Insp repts 50-334/94-27 & 50-412/94-28 on 941220-950123 Violations noted Major areas inspected plant operations, maint & surveillance, engineering & plant support LAZARUS, W J Region 1 (Post 820201) 95/02/09 13pp 82722 182-82722 194

9502190853 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82818 007-82818 042

9502200428 Discusses final assessment repts 50-334/94-81 & 50-412/94-81 on 941205-950106 Overall NRC team found that both units were being operated safely LAMMERS, W D Region 1 (Post 820201) 95/02/17 CROSS, J E Duquesne Light Co 5pp 82854 018-82854 259

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering, Inc" GRIMES, B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502270302 Forwards special repl that documents results of ISI of SG tubes performed during tenth refueling outage FREELAND, L R Duquesne Light Co 95/02/21 Document Control Branch (Document Control Desk) 4pp 82903 084-82903 204

9502270311 "Results of ISI of SG Tubes, Performed during Tenth Refueling Outage" Duquesne Light Co 95/02/21 117pp 82903 088-82903 204

9502280321 Forwards insp repts 50-334/95-04 & 50-412/95-04 on 950130-0203 No violations observed JOYNER, J H Region 1 (Post 820201) 95/02/21 CROSS, J E Duquesne Light Co 3pp 82953 077-82953 085

9502280325 Insp repts 50-334/95-04 & 50-412/95-04 on 950130-0203 No violations noted Major areas inspected radioactive liquid & gaseous effluent radiation monitoring sys, air cleaning sys & Offsite Dose Calculation Manual JAY, J C, ULLRICH, E Region 1 (Post 820201) 95/02/21 6pp 82953 080-82953 085

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Strategizing Device" GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82845 018-82845 025

R. Periodic operating reports & related correspondence

9502260316 Monthly operating repts for Jan 1995 for Beaver Valley Power Station Units 1 & 2 W/950208 R JONES, D T MOONAN, T P Duquesne Light Co 95/01/31 9pp 82772 090-82772 096

9502280114 Forwards fitness for duty programs 6 month repts for Jul-Dec 1994 THOMAS, G S Duquesne Light Co 95/02/20 Document Control Branch (Document Control Desk) 4pp 82979 190-82979 192

S. Reportable occurrences, LERs & related correspondence

9502240077 LER 95-001-00 on 950116 observed that containment ventilation flow exhausting through SLCRS indicating 7800 cfm Procedure change incorporated to increase frequency of monitoring flow during core alterations W/950215 R FREELAND, L R Duquesne Light Co 95/02/15 5pp 82814 219-82814 223

DOCKET 90-336 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502080035 Revised EPIPs including Rev 26 to HP-90, Rev 11 to HP-203, Rev 5 to HP-204, Rev 4 to HP-205, Rev 7 to HP-206, Rev 8 to HP-207 & Rev 5 to HP-208 W/950129 R SAGER, D A Florida Power & Light Co 95/01/26 18pp 82601 220-82601 357

9502090218 Forwards rev 41 to physical security plan for St Lucie Units 1 & 2, per 10CFR73.21 Rev withheld SAGER, D A Florida Power & Light Co 95/01/27 Document Control Branch (Document Control Desk) 1p 82630 354-82630 354

9502180307 Forwards rev 42 to physical security plan Plan withheld SAGER, D A Florida Power & Light Co 95/02/08 Document Control Branch (Document Control Desk) 1p 82770 331-82770 331

9502280257 Revised EPIPs including Rev 10 to Chemistry Procedure C-110 Rev 65 to EPIP 3100023E, Rev 24 to EPIP 3100024E, Rev 19 to EPIP 3100025E & Rev 23 to EPIP 3100033E W/950220 R SAGER, D A Florida Power & Light Co 95/02/20 120pp 82930 151-82930 270

G. Adjudicatory correspondence

9502090166 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied RUSSELL, W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, S Attention Not Assigned 52pp 82865 001-82865 053

P. Operating license stage documents & correspondence

9502080068 Informs NRC of actions that will be taken to address impact of recent St Lucie Unit 1 delay on mechanical plug corrosion w/regard to Haddam Neck Plant, OPEKA, J F Connecticut Yankee Atomic Power Co OPEKA, J F Northeast Utilities Service Co 95/01/23 Document Control Branch (Document Control Desk) 18pp 82705 118-82705 133

9502090122 Advises that unit has reviewed impact of cracking of W Alloy 500 mechanical plugs discovered in Nov 1994 at St Lucie Unit 1, on operation of Gamma NPP Items considered as part of review listed MCGREDY, R C Rochester Gas & Electric Corp 95/01/26 JOHNSON, L A Project Coordinator 13 (POT-3) (Post 941001) 4pp 82854 261-82854 264

9502090272 Forwards amend 132 to license DPR-67 & safety evaluation Amend revises TS 3/4 4 13 to incorporate LTOP requirements NORRIS, J A Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 GOLDBERG, W H Florida Power & Light Co 2pp 82577 064-82577 075

9502090278 Amend 132 to license DPR-67, revising TS 3/4 4 13 to incorporate LTOP requirements MATTHEWS, D Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 5pp 82577 067-82577 072

9502090279 Safety evaluation supporting amend 132 to license DPR-67 "Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 4pp 82577 073-82577 075

9502090321 Forwards corrected fir to amend 131 to license DPR-67 Page numbered 6-17 should have been 3/4 8-17 NORRIS, J A Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 GOLDBERG, W H Florida Power & Light Co 2pp 82577 265-82577 268

9502090337 Amend 131 to license DPR-67, revising TS in response to 941102 application "Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 1p 82577 268-82577 268

9502090325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 198

9502090126 Notices NRC that unit completed design bases verification of SR MOV on plant Unit 1 during Fall 1994, requesting outage SAGER, D A Florida Power & Light Co 95/02/02 Document Control Branch (Document Control Desk) 1p 82705 325-82705 326

92 DOCKETED ITEMS

9502140103 Confirms 950206 telecon re meeting scheduled for 950307 on self-assessment of plant performance Meeting to be open meeting & to be held in Atlanta, GA
VERRELLI, D.M. Region 2 (Post 820201) 95/02/07 GOLDBERG, J.H. Florida Power & Light Co. 2pp 82714 205-82714 207

9502150076 Forwards "Second 10-Yr ISI Interval IST Program for Pumps & Valves St Lucie Nuclear Power Plant Unit 1" rev 5
SAGER, D.A. Florida Power & Light Co. 95/02/06 Document Control Branch (Document Control Desk) 2pp 82747 089-82747 265

9502150077 Rev 5 to "Second 10-Yr ISI Interval IST Program for Pumps & Valves St Lucie Nuclear Power Plant Unit 1"
* Florida Power & Light Co. 95/01/06 185pp 82747 101-82747 265

9502140210 Forwards amends 132 & 72 to licenses DPR-67 & NPF-16, respectively & safety evaluation Amends implements GL 93-05 items 5.5, 6.1, 7.1 & 7.5
NORRIS, J.A. Division of Reactor Projects (M) (DRPE) Post 941001 95/02/06 GOLDBERG, J.H. Florida Power & Light Co. 3pp 82731 067-82731 093

9502140227 Amends 133 & 72 to licenses DPR-67 & NPF-16, respectively, implementing GL 93-05 items 5.5, 6.1, 7.1 & 7.5
MATTHEWS, D.B. Division of Reactor Projects (M) (DRPE) Post 941001 95/02/06 21pp 82731 070-82731 093

9502140230 Safety evaluation supporting amends 133 & 72 to licenses DPR-67 & NPF-16, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 3pp 82731 091-82731 093

9502150123 Forwards SE re resolution re unresolved safety issue A-46, Suppl 1 to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
NORRIS, J.A. CRUTEAU, R.P. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 GOLDBERG, J.H. Florida Power & Light Co. 4pp 82746 312-82746 327

9502150134 Safety evaluation accepting uil response to GL 87-02 for St Lucie Unit 1 & Turkey Point Units 3 & 4
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 12pp 82746 316-82746 327

9502200227 Forwards plant 1995 plant ref simulator certification rept
SAGER, D.A. Florida Power & Light Co. 95/02/15 Document Control Branch (Document Control Desk) 2pp 82668 274-82668 332

9502200238 "St Lucie Units 1 & 2 1995 Plant Ref Simulator Certification Rept"
* Florida Power & Light Co. 95/12/31 57pp 82668 276-82668 332

9502160349 Administrative Ltr 95-02 to all holders of OLCs or OPs re cost beneficial licensing actions
MORSE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/29 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, RE Bulletins & correspondence

9501060239 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Material"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501250260 NRC Info Notice 95-007, "Radiochemical Vent Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82606 008-82606 046

9502070089 Responds to verbal request during 941222 meeting between Westinghouse & NRC re SG tube mechanical plugs Actions stated in prior response to NRC Bulletin 95-001, "Failure of Westinghouse SG Tube Mechanical Plugs" completed
SAGER, D.A. Florida Power & Light Co. 95/01/30 Document Control Branch (Document Control Desk) 3pp 82697 353-82697 355

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 168-82652 194

9502140006 Ack receipt of 950119 ltr informing NRC of steps taken to correct violations noted in insp rept 90-385/94-24 & 90-385/94-24
VERRELLI, D.M. Region 2 (Post 820201) 95/02/02 GOLDBERG, J.H. Florida Power & Light Co. 2pp 82713 046-82713 046

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502050675 Forwards "Second 10-Yr ISI Interval IST Program for Pumps & Valves St Lucie Nuclear Power Plant Unit 1" rev 5
SAGER, D.A. Florida Power & Light Co. 95/02/06 Document Control Branch (Document Control Desk) 2pp 82747 099-82747 265

9502150877 Rev 5 to "Second 10-Yr ISI Interval IST Program for Pumps & Valves St Lucie Nuclear Power Plant Unit 1"
* Florida Power & Light Co. 95/01/06 185pp 82747 101-82747 265

9502100263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering B, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 006

9502270237 Forwards Rev 0 to "Second ISI Interval Second Insp Period Third Outage 1994 Summary Rept Submittal"
SAGER, D.A. Florida Power & Light Co. 95/02/21 Document Control Branch (Document Control Desk) 1p 82900 001-82900 004

9502270264 Rev 0 to "Second ISI Interval Second Insp Period Third Outage 1994 Summary Rept Submittal"
* Florida Power & Light Co. 95/02/03 731pp 82900 002-82900 004

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 018-82618 025

R. Periodic operating reports & related correspondence

9502220135 Monthly operating rept for Jan 1995 for St Lucie Units 1 & 2 W/950214
ROGERS, J., SAGER, D.A. Florida Power & Light Co. 95/01/31 9pp 82612 196-82612 204

9502230165 Forwards FPD program performance data for six month period ending 941231
BOYLE, M.W. H. Florida Power & Light Co. 95/02/16 Document Control Branch (Document Control Desk) 6pp 82903 351-82903 356

V. Operator Examinations

9502210187 Informs that Region II will host annual training managers conference in Atlanta, GA on 950206-08 re issues & policies affecting licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 GOLDBERG, J.H. Florida Power & Light Co. 2pp 82770 172-82770 173

DOCKET 50-335 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502030666 Advises that 941031 rev 20 to physical security plan consistent w/provisions of 10CFR50.54(g) & acceptable
JOYNER, J.H. Region 1 (Post 820201) 95/01/26 OPEKA, J.F. Northeast Nuclear Energy Co. 3pp 82652 311-82652 313

9502070870 Rev 15 to "Millstone Plant Emergency Plan"
* Northeast Nuclear Energy Co. 95/01/31 25pp 82665 327-82665 350

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, S. Affiliation Not Assigned 53pp 82686 001-82686 053

9502230974 Provides Director's Decision that responds to 10CFR2.206 petition filed on 930821 which addresses issues raised in petition & have denied request as set forth in said Director's Decision
GRAY, J.R. Dir. of Enforcement (Post 870413) 95/02/22 MARIEN, C.V. NEROCIO, M.W. Affiliation Not Assigned 4pp 82830 211-82830 244

9502240083 Director's Decision 95-04 re CV Mawen & MW Nencio 930821 request for immediate investigation & accelerated EA against licensee for alleged violations of employee protection provision of 10CFR50.7 informs that request denied
GRAY, J.R. Dir. of Enforcement (Post 870413) 95/02/22 3pp 82830 215-82830 217

9502240106 Notice of Issuance of Director's Decision under 10CFR2.206 OE issued decision re petitions filed on 930821 which requested that NRC initiate investigation & action against licensee for willful violation of employee per 10CFR50.7
GRAY, J.R. Dir. of Enforcement (Post 870413) 95/02/22 19pp 82830 216-82830 244

H. General correspondence

9502230388 Responds to ltr, dtd 941211 expressing concern about NRC responsiveness to previous technical concerns about plants & changes of harassment by uil informs NRC investigation ongoing & will inform on findings when completed
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/08 ROSS, A.J. Affiliation Not Assigned 4pp 82619 327-82619 330

9502230137 Comment on proposed rules 10CFR50.52 & 100 re reactor site design including seismic & earthquake engineering criteria Uil believes that acceptance criteria expressed in terms of TEDE would be consistent w/recent guidance
OPEKA, J.F. Northeast Utilities Service Co. 95/02/14 CHILK, S.J. Office of the Secretary of the Commission 8pp 82605 156-82605 161

P. Operating license stage documents & correspondence

9502230314 Partial response to FOIA request for documents re SECY-92-049, dtd 820207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/17 RIGGIO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275

9502230284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, E.B. Region 3 (Post 820201) 94/01/28 BOYLE, M.W. Division of Reactor Projects - M, IV, V (Post 901216) 2pp 82892 226-82892 230

9502020182 Provides uil response to NRC 941205 & 26 ltr raising issues re maintenance related activities at Millstone Units 1 & 2 Adm submittals will be made to address remaining concerns
OPEKA, J.F. Northeast Utilities Service Co. 95/01/26 MARTIN, T.T. Region 1 (Post 820201) 25pp 82618 313-82618 337

950200025 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502078016 Notices of forthcoming meeting w/ul to discuss seismic analysis for plant,subdivided by 940707 ltr concerning GA 87-02, "Seismic Qualification of Electric Equipment"
VIBSING,G S Project Directorate I-4 (PD1-4) (Post 941001) 95/02/03 Project Directorate I-4 (PD1-4) (Post 941001) 4pp 82644 216-82644 219

9502170228 Notification of significant licensee meeting RI 95-18 w/ul on 950221 to discuss specific hardware & process improvement intended to be completed prior to restarting Unit 2
NICHOLSON,L Region 1 (Post 820201) 95/02/03 Region 1 (Post 820201) 3pp 82789 008-82789 010

9502180168 Inform that NRC senior managers have observed w/concern frequent personnel errors & weaknesses in work planning & control at plant unit 2 that have precluded or contributed to significant plant events
TAYLOR,J M Ofc of the Executive Director for Operations 95/02/06 ELLIS,W B Northeast Nuclear Energy Co 5pp 82695 237-82695 241

9502180364 Forwards Rev 0 to "Milestone Nuclear Power Station Unit 2 COLR Cycle 13"
OPEKA,J F Northeast Nuclear Energy Co 95/02/08 Document Control Branch (Document Control Desk) 2pp 82779 001-82779 013

9502180365 "Milestone Unit 2 COLR Cycle 13," rev 0
Northeast Nuclear Energy Co 95/01/31 10pp 82779 003-82779 018

9502180363 Forwards handouts from 941208 meeting re improvements in handling of employee concerns
DURR,J P Region 1 (Post 820201) 95/02/09 OPEKA,J F Northeast Nuclear Energy Co 27pp 82740 301-82740 327

9502170184 Rev 17 to OAT-95-4062, "Northeast Unit 2A Program Topical Rept Change Request Form"
PALIUCAR Northeast Nuclear Energy Co 95/02/09 43pp 82780 269-82780 304

9502170217 Advise that CYAPCO & NNEC intends to implement formal industry position on severe accident mgt approved by Nuclear Energy Institute Nuclear Strategic Issues Advisory Committee on 941104
OPEKA,J F Northeast Nuclear Energy Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82802 352-82802 353

9502210169 Forwards amends 181,79,184 & 104 to licenses DPR-61,DPR-21, DPR-65 & NPF-48, respectively & SE Amends modify administrative controls section by replacing present Nuclear Renew Board for Haddam Neck plant
MCKEE,P F Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 OPEKA,J F Connecticut Yankee Atomic Power Co OPEKA,J F Northeast Nuclear Energy Co 5pp 82799 210-82799 274

9502210160 Amends 181,79,184 & 104 to licenses DPR-61,DPR-21,DPR-65 & NPF-48, respectively, revising administrative controls section of TS by replacing present Nuclear Renew Board for Haddam Neck plant
MCKEE,P F Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 57pp 82799 215-82799 271

9502210195 SE supporting amends 181,79,184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NPF-48, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 3pp 82789 272-82789 274

9502220146 Forwards amend 63 to license DPR-65 & safety evaluation Amend revises TS 3.4.3 & 3.4.9.3 to address issues specifically raised in GL 90-06
VIBSING,G S Project Directorate I-4 (PD1-4) (Post 941001) 95/02/15 OPEKA,J F Connecticut Yankee Atomic Power Co OPEKA,J F Northeast Nuclear Energy Co 3pp 82795 292-82795 333

9502220147 Amend 63 to license DPR-65, revising TS 3.4.3 & 3.4.9.3 to address issues specifically raised in GL 90-06
MCKEE,P F Project Directorate I-4 (PD1-4) (Post 941001) 95/02/15 33pp 82795 295-82795 327

9502220150 Safety evaluation accepting amend 63 to license DPR-65
Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 5pp 82795 328-82795 333

9502180348 Administrative Ltr 95-02 to all holders of OUs or OFs re cost beneficial licensing actions
MURPHY,V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82846 001-82846 017

Q. Inspection reports, IE Bulletins & correspondence

9501170217 Eight partial responses to FOIA request for documents Forwards app P documents Documents will be placed in PDR App Q documents partially withheld (rel FOIA exemption 6) App R documents withheld (rel FOIA exemption 6)
POWELL,R Division of Freedom of Information & Publications Services (950206-940714) 94/07/08 HUBBARD,V Winston & Strawn 12pp 82573 001-82573 036

9502210121 Partial responses to FOIA request for documents Records in App end & will be available in PDR App C records withheld in part (rel FOIA exemption 6) App D records completely withheld (rel FOIA exemption 6)
POWELL,R Division of Freedom of Information & Publications Services (950206-940714) 94/07/08 FIDELLER Affiliation Not Assigned 6pp 82824 140-82825 081

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
NRC - No Detailed Affiliation Given 94/06/06 17pp 82824 168-82825 006

950100019 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870725) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radioactive Vent Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870725) 95/01/27 Consolidated Edison Co. of New York, Inc 9pp 82605 008-82605 046

9502000305 Provides NRC info on Milestone Unit 2 operations shift team effectiveness enhancement progress as requested by NRC 940428 ltr, forwarding insp rept 50-336/93-11
OPEKA,J F Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Service Co 95/01/27 Document Control Branch (Document Control Desk) 4pp 82618 357-82618 360

9502000309 Provides response to violations noted in insp Repts 50-245/94-31 & 50-336/94-30 Corrective actions change written in AWO 142-89-13503 to document gauge line connection & returned to machine to be reconnected
DEBARBA,E A Northeast Nuclear Energy Co DEBARBA,E A Northeast Nuclear Energy Service Co 95/01/27 Document Control Branch (Document Control Desk) 20pp 82622 282-82622 301

9502070198 Forwards response to NRC 941215 ltr re violations noted in insp repts 50-345/94-201 & 50-336/94-201 on 940801-05 CAs, first quarter of 1993 NNECO design engineering assumed responsibility for all POCRs within organization
DEBARBA,E A Northeast Nuclear Energy Co DEBARBA,E A Northeast Nuclear Energy Service Co 95/01/20 Document Control Branch (Document Control Desk) 17pp 82693 336-82693 352

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 198-82652 194

9502000313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co. of New York, Inc 6pp 82668 001-82668 008

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 037-82618 042

9502170177 Inform NRC of ul intent to conduct SWS operational performance insp at plant Advise ul has scheduled self-assessment using SWSOP module at plant, Unit 2
OPEKA,J F Northeast Nuclear Energy Co OPEKA,J F Northeast Nuclear Energy Service Co 95/02/10 Document Control Branch (Document Control Desk) 2pp 82780 254-82780 255

9502160097 Inform that NRC Office of Investigation completed investigation of alleged falsification of ASNT certificates Found changes to be true No action taken due to Northeast Energy Co discovery & actions
GRAY,J R Ofc of Enforcement (Post 870413) 95/02/14 FAVALORO,A 3pp 82736 320-82736 322

9502200298 Forwards insp repts 50-245/95-03, 50-336/95-03, 50-423/95-03 on 940109-13, NOV & notice of deviation
RULAND,W H Region 1 (Post 820201) 95/02/15 OPEKA,J F Northeast Nuclear Energy Co 4pp 82799 286-82799 316

9502220322 Insp repts 50-245/95-03, 50-336/95-03 & 50-423/95-03 on 950109-13 Violations & deviations noted Major areas inspected design change & plant mod processes, technical & SE for permanent & temporary needs
DELLA GRECA,A RULAND,W H Region 1 (Post 820201) 95/02/15 15pp 82799 302-82799 315

9502240051 Discusses insp rept 50-336/94-34 on 941116 re uli identification of bays configuration that occasionally permitted flow from H analyzer ventilation sys w/potential of causing LOCA Enforcement discretion exercised as stated
MARTIN,T T Region 1 (Post 820201) 95/02/16 OPEKA,J F Northeast Nuclear Energy Co 6pp 82814 070-82814 074

9502270197 Ack receipt of 950127 ltr informing NRC of steps taken to correct violations noted in insp 50-245/94-31, 50-336/94-30 & 50-423/94-28
DURR,J P Region 1 (Post 820201) 95/02/17 OPEKA,J F Northeast Nuclear Energy Co 4pp 82831 295-82831 277

9502280024 Forwards insp repts 50-245/94-36, 50-336/94-33 & 50-423/94-32 on 941205-08 No violations noted
MEYER,G W Region 1 (Post 820201) 95/02/17 OPEKA,J F Northeast Nuclear Energy Co 3pp 82845 106-82846 122

9502280031 Insp repts 50-245/94-35, 50-336/94-33 & 50-423/94-32 on 941205-09 No violations noted Major areas inspected review of operability determinations associated w/degraded or nonconforming conditions at plant Units 1, 2 & 3
D'ANTONIO,J M, MEYER,G W Region 1 (Post 820201) 95/02/17 14pp 82846 109-82846 122

9502210051 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES,B K 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 035

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc 9pp 82818 015-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82848 018-82849 025

R. Periodic operating reports & related correspondence

9502220143 Monthly operating repts for Jan 1995 for Milestone Nuclear Power Station W/950213 re
NEWMAN,G J, MILLER,D B Northeast Nuclear Energy Co 95/01/31 17pp 82812 163-82812 179

94 DOCKETED ITEMS

9502150322 Forwards semiannual FPD performance data for Jan-Dec 1994 for Middletown Neck Plant & Milestone Nuclear Power Station Units 1,2 & 3. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 85/02/08 Document Control Branch (Document Control Desk) 19pp 82761 209-82761 257

S. Reportable occurrences, LERs & related correspondence

9502100233 LER 84-043-00 on 841200, charcoal samples from building filtration sys sent to an independent lab & found to provide unsatisfactory results re iodine removal. Cause unknown at time. No corrective action determined W/950125 by LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/01/25 App 82605 095-82605 099

9502140318 LER 84-026-01 on 840825, vital 120 volt AC sys degraded. Caused by inadequate design in coordination of H analyzer power supply. Change was implemented to install fuses. W/950205 by LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/02/06 App 82743 248-82743 251

9502170233 Part 21 repl re possible melt defect in stainless steel Swagelok tube fittings or adapters. ZAHURAN,E.C. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

9502140381 LER 94-017-01 on 940501, inadvertent ESAS activation occurred. Caused by deenergizing of engineered ESAS facility 2 activation cabinet. Revised operations procedure 2394. W/950209 by LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/02/09 App 82743 292-82743 295

9502220396 LER 95-001-00 on 950118, crane operated over spent fuel pool while enclosure bldg ventilation sys inoperative. Caused by inadequate or insufficient procedures TS 3.9.7.3.9.14 & 3.19.15 will be reviewed for clarification. W/950218 by LUTZ,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/02/15 App 82842 028-82842 029

9502270160 PNO-4.95-004 on 950128, licensee determined that contaminated pump recombination valves could experience locking during design of basic LOCA & fail in closed position. Unit 2 in cold shutdown condition & mod to valves are considered. KELLY,E., NICHOLSON,L. Region 1 (Post 820201) 95/02/17 2pp 82831 253-82831 254

V. Operator Examinations

9502010943 Forwards personal qualification statement of J.M. Bergen. Doct 55-60435. MILLER,D.B. Northeast Nuclear Energy Co. 95/01/25 MARTIN,T.T. Region 1 (Post 820201) 1p 82587 350-82587 350

9502270168 Inform of results of written exam & operating tests on 950110 & 0124-26. W/e stated ends. MEYER,G.W. Region 1 (Post 820201) 95/02/21 REIN,J.H. Northeast Nuclear Energy Co. 2pp 82831 251-82831 252

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502100320 Advises that 941227 rev 94 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201) 95/01/31 O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82720 218-82720 221

8802360397 Rev 17 to "North Anna Power Station Emergency Plan". Virginia Power (Virginia Electric & Power Co.) 95/02/02 214pp 82778 001-82778 214

G. Adjudicatory correspondence

9502030166 Response to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B. Attention Not Assigned 52pp 82685 001-82685 053

J. Insurance & indemnity information

9502240298 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Ltd. & Nuclear Electric Insurance Ltd. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 1p 82871 145-82871 165

9502240300 Forwards 16 endorsements of AN/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 19pp 82871 147-82871 165

P. Operating license stage documents & correspondence

9502010311 Notification of 950208 meeting w/ut in Rockville, MD to discuss status of two CBLA licensing activities. ENGLE,B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 MATTHEWS,D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82577 263-82577 265

9502020323 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 195-82552 195

9502100116 Requests that NRC exercise enforcement discretion re compliance w/TS 3.3.1.1, Table 3.3-1, "RTS Instrumentation" & 3.3.2.1 Table 3.3-3 "ESFAS Instrumentation". O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/06 Document Control Branch (Document Control Desk) 7pp 82720 188-82720 192

9502100185 Provides info re changes to ECCS evaluation models & application in existing licensing analyses. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/07 Document Control Branch (Document Control Desk) 3pp 82720 338-82720 345

9502140868 Advises that 950208 re-requesting that NRC exercise discretion not to enforce compliance w/actions required in TS 3.3.1.1, Table 3.3-1, "RTS Instrumentation" & 3.3.2.1 Table 3.3-3, "ESFAS Instrumentation". EBNETER,S.D. Region 2 (Post 820201) 95/02/07 O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82713 340-82713 352

9502240307 Inform that request for add info re individual plant exam will be submitted no later than 950428. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/21 Document Control Branch (Document Control Desk) 3pp 82887 358-82887 359

9502280897 Advises that no instances occurred where primary coolant exceeded 1.0 uCi/gm dose equivalent L-131 or 100/E-4er uCi/gm during 1994. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/22 Document Control Branch (Document Control Desk) 1p 82945 271-82945 271

9502190348 Administrative Ltr 95-02 to all holders of OUs or CPs re cost benefit licensing actions. MBRO,E.V. Cost Benefit Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502210121 Partial response to FOIA request for documents. Records in App and 8 will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5). POWELL,R.A. Division of Information & Publications Services (850808-940714) 94/07/06 FIDELLER Attention Not Assigned 6pp 82824 140-82824 031

9502210159 Partially deleted listing of "Enforcement Action Tracking Sys". NRC - No Detailed Attention Given 94/06/06 17pp 82824 158-82824 005

9501090238 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail". PAPERELLO,G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502060094 Confirms telcon between M.L. Bowling & L.W. Garner re mgt meeting scheduled for 950204 at Mineral, VA to discuss SALP of plant during period from 950404 to 941224. VERRELL,D.M. Region 2 (Post 820201) 95/01/19 O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82601 078-82601 080

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation". PAPERELLO,G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 6pp 82605 035-82605 046

9502140112 Forwards insp rept 50-338/84-31 & 50-338/84-31 on 941225-950121 Nonrated violations identified. VERRELL,D.M. Region 2 (Post 820201) 95/01/30 O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82714 244-82714 258

9502140114 Insp rept 50-338/84-31 & 50-338/84-31 on 941225-950121 Nonrated violations identified. Major areas inspected plant operations, maint & surveillance observations, plant status on-site engineering & SG replacement. MCWHORTER,R.D., TAYLOR,D.R., BEUSLE,G.A. Region 2 (Post 820201) 95/01/30 12pp 82714 247-82714 258

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design". GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 158-82652 194

9502140052 Forwards plant SALP rept 50-338/84-31 & 50-338/84-31. Evaluation concluded that performance superior in areas of plant operations, maint, engineering & plant support. EBNETER,S.D. Region 2 (Post 820201) 95/01/31 O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82713 305-82713 316

9502140081 SALP rept 50-338/84-31 & 50-338/84-31 for period of 950404-941224. Plant performance superior in areas of plant operations, maint, engineering & plant support. Region 2 (Post 820201) 95/01/31 App 82713 311-82713 316

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA". GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502100285 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA". GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc.". GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502200201 Submits annual statement verifying that each spallway gate has been operated at least once during twelve months preceding annual insp by FERC Regional Engineer. SALMUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.) 95/02/22 CRISP,W. Federal Energy Regulatory Commission App 82931 052-82931 055

9502280283 Submits 1994 SG annual JST repl for North Anna Power Station Units 1 & 2 Since North Anna Unit 2 SG tubes not examined in 1994, no results reported Next testing outage for Unit 2 scheduled to commence 950325
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/22 Document Control Branch (Document Control Desk) 6pp 82931 001-82931 006

9502218050 NRC Info Notice 95-011 Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82619 018-82619 024

9502240037 NRC Info Notice 95-013 Potential For Data Collection Equipment to Affect Protection System Performance
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 6pp 82648 018-82648 026

R. Periodic operating reports & related correspondence

9502170850 Monthly operating reports for Jan 1995 for North Anna Power Station Units 1 & 2 W/950209 for
STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/01/31 12pp 82779 169-82779 160

S. Reportable occurrences, LERs & related correspondence

9502070181 NRC's noncompliance notification on 950120, structural failure of fiberglass tank allowed water containing H-801-G to spill into chemical addition bldg sumps. Reasons for equipment failure & necessary C/A under investigation
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/01/20 PANDEY, J.R. Virginia Commonwealth of 2pp 82587 359-82587 360

9502080049 Discusses conditions affecting safety of project that documents problem encounter w/Spillway EDG at plant main dam & informs on 950103 Spillway EDG failed to auto-start during performance of monthly periodic test
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95/01/30 CRSP, R.W. Federal Energy Regulatory Commission 2pp 82524 230-82524 231

9502130289 Discusses series of problems at sewage treatment plant re exceedance in BOD
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/02/08 CHEN, W.H. Virginia Commonwealth of 4pp 82727 358-82727 361

9502230377 Summary of operating reactors events meeting 95-09 on 950205
CHAFFEE, A.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 13pp 82898 025-82898 040

9502280074 LER 95-002-00 on 950205, one train of SGPS on each unit declared inoperable & appropriate action for TS 3.3.2.1 entered. Caused by original HELB analysis not evaluating potential failure Design changes implemented W/950221 for
STALL, J.A. Virginia Power (Virginia Electric & Power Co.) 95/02/21 7pp 82946 146-82946 152

9502280424 LER 95-001-01 on 950127, ESF actuated due to automatic RT on low flow in RCS 'B' loop Emergency procedure 1-E-0, RT & SI was entered W/950229 for
STALL, J.A. Virginia Power (Virginia Electric & Power Co.) 95/02/23 6pp 82945 164-82945 168

V. Operator Examinations

9502210132 Informs that Region II will host annual training manager conference in Atlanta, GA on 950308-09
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp 82770 175-82770 177

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502100330 Advises that 941227 rev 34 to physical security plan consistent w/provisions of 10CFR50.54(g) & acceptable
COLLINS, D.M. Region 2 (Post 820201) 95/01/31 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82720 219-82720 221

9502160367 Rev 17 to "North Anna Power Station Emergency Plan"
Virginia Power (Virginia Electric & Power Co.) 95/02/02 214pp 82778 001-82778 214

G. Adjudicatory correspondence

9502300168 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 53pp 82685 001-82685 053

J. Insurance & indemnity information

9502240298 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Ltd. & Nuclear Electric Insurance Ltd. II
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Document Control Branch (Document Control Desk) 1p 82871 146-82871 165

9502240306 Forwards 16 endorsements of ANI/NAELU Nuclear Liability Insurance Policies for Sully & North Anna Power Stations
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 19pp 82871 147-82871 165

P. Operating license stage documents & correspondence

9502100311 Notification of 950206 meeting w/ubi in Rockville MD to discuss status of two CBLA licensing actions
ENGLE, B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82577 253-82577 255

9502280025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 6pp 82652 195-82652 199

9502100116 Requests that NRC exercise enforcement discretion re compliance w/TS 3.3.1.1 Table 3.3-1 'RTS Instrumentation' & 3.3.2.1 Table 3.3-3, 'ESFAS Instrumentation'
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/06 Document Control Branch (Document Control Desk) 7pp 82720 185-82720 182

9502130185 Provides info re changes to EDCS evaluation models & application in existing licensing analyses
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/07 Document Control Branch (Document Control Desk) 8pp 82720 338-82720 345

9502140068 Advises that 950206 requesting that NRC exercise discretion not to enforce compliance w/actions required in TS 3.3.1.1, Table 3.3-1, 'RTS Instrumentation' & 3.3.2.1, Table 3.3-3, 'ESFAS Instrumentation', acceptable
BENNETT, S.D. Region 2 (Post 820201) 95/02/07 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 6pp 82713 340-82713 352

9502240307 Informs that request for add info re individual plant exam will be submitted no later than 950428
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 95/02/21 Document Control Branch (Document Control Desk) 2pp 82867 358-82867 359

9502280057 Advises that no instances occurred where primary coolant exceeded 10 uCi/gm dose equivalent L-131 or 100 E-ber uCi/gm during 1994
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/22 Document Control Branch (Document Control Desk) 1p 82945 271-82945 271

9502180348 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost beneficial licensing actions
BIBB, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502280121 Partial response to FOIA request for documents Records in App 4nd & will be available in FOR App C records withheld in part (ref FOIA exemption B) App D records completely withheld (ref FOIA exemption E)
POWELL, R.A. Division of Freedom of Information & Publications Services (950205-840714) 94/07/06 FIDELLE, R. Affiliation Not Assigned 6pp 82824 140-82824 031

9502210199 Partially deleted listing of "Enforcement Action Tracking Sys."
NRC - No Detailed Affiliation Given 94/06/06 175pp 82824 158-82824 005

9501030218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 930723) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 038-82605 023

9502060014 Confirms action between EIT, Bostick & LW Gammer re mgt meeting scheduled for 950204 at Mineral, VA to discuss SALP of plant during period from 950404 to 941204
VERRELL, D.M. Region 2 (Post 820201) 95/01/19 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82801 076-82801 080

9501230286 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 930723) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502140112 Forwards insp repts 50-338/94-31 & 50-339/94-31 on 941225-950121 Nonced violations identified
VERRELL, D.M. Region 2 (Post 820201) 95/01/30 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 3pp 82714 244-82714 253

9502140114 Insp repts 50-338/94-31 & 50-339/94-31 on 941225-950121 Nonced violations identified Major areas inspected plant operations/mgmt & surveillance observations, plant status on-site engineering & QC replacement
MCMHORTER, D., TAYLOR, D.R., BELISLE, G.A. Region 2 (Post 820201) 95/01/30 72pp 82714 247-82714 258

9501250428 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 158-82652 154

9502140052 Forwards plant SALP repts 50-338/94-31 & 50-339/94-31 Evaluation concluded that performance superior in areas of plant operations, maint, engineering & plant support
BENNETT, S.D. Region 2 (Post 820201) 95/01/31 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 6pp 82713 305-82713 316

9502140061 SALP repts 50-338/94-31 & 50-339/94-31 for period of 930404-941224 Plant performance superior in areas of plant operations, maint, engineering & plant support
Region 2 (Post 820201) 95/01/31 6pp 82713 311-82713 316

9502230113 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 3pp 82685 001-82685 003

9502280283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

96 DOCKETED ITEMS

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502220021 Submits annual statement verifying that each spillway gate has been operated at least once during twelve months preceding annual test by FERC Regional Engineer
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95/02/22 CRISP, R.W. Federal Energy Regulatory Commission 4pp 82931 052-82931 055

9502220023 Submits 1994 SG annual ISI rept for North Anna Power Station Units 1 & 2 Since North Anna Unit 2 SG tubes not examined in 1994, no results reported Next retesting outage for Unit 2 scheduled to commence 950325
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/02/22 Document Control Branch (Document Control Desk) 8pp 82931 001-82931 006

95022210050 NRC Info Notice 95-011, "Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-012, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 016-82648 025

R. Periodic operating reports & related correspondence

9502170080 Monthly operating reports for Jan 1995 for North Anna Power Station Units 1 & 2
STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 95/01/31 12pp 82779 159-82779 180

S. Reportable occurrences, LERs & related correspondence

9502070101 NRC's noncompliance notification, on 950120, structural failure of fiberglass tank allowed water containing H-801-G to spill into chemical addition sump Reason(s) for equipment failure & necessary C/A under investigation
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/01/26 PANDEY, J.R. Virginia, Commonwealth of 2pp 82667 359-82667 360

9502060049 Discusses conditions affecting safety of project that documents problem encounter w/ Spillway EDG at plant main dam & informs on 950103 Spillway EDG failed to auto-start during performance of monthly periodic test
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.) 95/01/30 CRISP, R.W. Federal Energy Regulatory Commission 2pp 82624 220-82624 231

9502130268 Discusses status of problems at sewage treatment plant re exceedance in BOD
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 95/02/06 CHENNING, R.B. Virginia, Commonwealth of 4pp 82727 358-82727 361

9502230377 Summary of operating reactors events meeting 85-03 on 850208
CHAFFEE, A.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 13pp 82636 028-82636 040

V. Operator Examinations

9502210112 Informs that Region II will host annual training manager conference in Atlanta, GA on 950206-09
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.) 2pp 82776 179-82776 177

DOCKET 50-341 ENRHO FERRIS ATOMIC POWER PLANT, UNIT 2

F. Security, physical, emergency & fire protection plans

9502030103 Forwards resp rept 50-341/84-19 on 941216-950117 No violations noted Weakness re support provided to operators noted
PHILLIPS, M.P. Region 3 (Post 820201) 95/01/28 GIPSON, D.R. Detroit Edison Co. 4pp 82618 251-82618 259

9502030106 Resp rept 50-341/84-19 on 941216-950117 No violations noted One weakness noted Major areas inspected operational safety verification, ESP system, on-site event follow-up, security, maint activities & cold weather preparation
PHILLIPS, M.P. Region 3 (Post 820201) 95/01/25 15pp 82618 255-82618 269

9502070004 Rev 13 to EPRP EP-292, "Emergency Call Out - Backup Method"
SHELDON, D. Detroit Edison Co. 95/01/27 7pp 82666 349-82666 365

G. Adjudicatory correspondence

7906110343 Responds to 771119 ltr requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility Notice of violation issued Enforcement action request denied
CASE, E.G. Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER, R.G. Affiliation Not Assigned 8pp 82842 149-82842 166

7906110347 Believes RG Asperger request for suspension & eventual revocation of CP should be denied
THOMAS, E.B. LeSaut, Lamb, Leiby & MacRae 78/01/11 CASE, E.G. Office of Nuclear Reactor Regulation, Director 4pp 82842 155-82842 158

7906110357 Confirms telcon of 780106 at which time info re sale of portion of facility was requested At time of closing, no written waivers per Section 9.9 were executed by any party
MARQUARDT, P.A. Detroit Edison Co. 78/01/11 LIEBERMAN, J. Regional Operations & Enforcement Division 7pp 82842 169-82842 168

7906110353 Notices of violation resulting from sale of interest in facility
CASE, E.G. Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL, C.M. Detroit Edison Co. 1p 82842 168-82842 166

9502030168 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 5pp 82685 001-82685 053

H. General correspondence

9502240151 Requests that NRC deny authorization for restart of plant until independent technical review re structural integrity of turbine sys established & concurs w/ult decision to restart
KEEGAN, M.J. Affiliation Not Assigned 94/08/18 NRC - No Detailed Affiliation Given 8pp 82848 026-82848 031

9502010045 Forwards add info re statement that original bow in turbine had been responsible for plant 831225 turbine failure
COLBURN, T.G. Office of Nuclear Reactor Regulation (Post 941001) 95/01/24 KEEGAN, M.J. Affiliation Not Assigned 1p 82575 295-82575 288

O. Advisory Committee on Reactor Safeguards reports & correspondence

9502090227 Summary of 407th meeting of ACRS on 940310-12 in Bethesda, MD re ALWR policy issue - source term, ALWR review re final design approval, meeting w/ NRC Commissioners, multiple sys response program & turbine generator failure event at Fermi
ACRS - Advisory Committee on Reactor Safeguards 94/04/22 ACRS - Advisory Committee on Reactor Safeguards 33pp 82715 906-82715 936

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-048, dtd 820207 Listing of records in App A already available in PDR Records in App B end & will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RICHOLP, J. Public Citizen's Critical Mass Energy Project 121pp 82582 009-82582 275

9502020224 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, J.E. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - III, V, V (Post 901218) 3pp 82582 229-82582 230

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M. Affiliation Not Assigned 2pp 82521 279-82521 313

9502030251 "Enforcement action tracking sys, Licensee history rept (short list) sorted by licensee 850101-940609"
NRC - No Detailed Affiliation Given 94/06/05 3pp 82521 281-82521 318

9502060013 Ack receipt of 10CFR50.64(a) submittal dtd 941222, which incorporated changes in Quality Assurance Program description
RINGS, J.A. Region 3 (Post 820201) 95/02/01 GIPSON, D.R. Detroit Edison Co. 1p 82601 077-82601 077

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82653 195-82653 199

9502150023 Ack receipt of 941213 ltr in response to NRC ltr dtd 941014 re installation practices & potential problems w/anchor bolts at plant Finds licensee investigation to be sufficient & requests that licensee retain supporting documents
JACOBSON, J.M. Region 3 (Post 820201) 95/02/08 GIPSON, D.R. Detroit Edison Co. 1p 82722 067-82722 068

9502140428 Provides NRC 62M w/rev to methodology in performing IPRE for Fermi 2, per 62, 88-20, Suppl 4
GIPSON, D.R. Detroit Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82744 187-82744 190

9502180248 Administrative ltr 95-02 to all holders of OLS or OPs re cost beneficial licensing actions
MBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, RE Bulletins & correspondence

7906110343 Responds to 771119 ltr requesting NRC revoke CP & assess civil penalties against viol re illegal sale of interest in facility Notice of violation issued Enforcement action request denied
CASE, E.G. Office of Nuclear Reactor Regulation, Director 78/03/03 ASPERGER, R.G. Affiliation Not Assigned 8pp 82842 149-82842 166

7906110353 Notices of violation resulting from sale of interest in facility
CASE, E.G. Office of Nuclear Reactor Regulation, Director 78/03/03 HEIDEL, C.M. Detroit Edison Co. 1p 82842 168-82842 166

9502020219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERBELD, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82505 013-82505 023

9502030103 Forwards resp rept 50-341/84-19 on 941216-950117 No violations noted Weakness re support provided to operators noted
PHILLIPS, M.P. Region 3 (Post 820201) 95/01/28 GIPSON, D.R. Detroit Edison Co. 4pp 82618 251-82618 259

-9502030108 Insp rept 50-341/94-19 on 941216-950117 No violations noted. One weakness noted Major areas inspected operational safety verification ESF sys, onsite event followup security, maint activities & cold weather preparation
PHILLIPS M.F. Region 3 (Post 820201) 95/01/25 16pp 82616 255-82616 269

9501230060 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030071 Ack receipt of 941222 by re violations noted in insp rept 50-341/94-12
GARDNER R.N. Region 1 (Post 820201) 95/01/31 GEPSON D.R. Detroit Edison Co. 2pp 82617 319-82617 335

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 9pp 82688 001-82688 008

9502190283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 9pp 82618 037-82618 042

9502140201 Responds to NRC 950111 by re violations noted in insp rept 50-341/94-16
Corrective actions: clean-up & walkdown of torus & drywell performed to ensure all debris removed prior to plant startup & plant managers lessons learned meeting held
GEPSON D.R. Detroit Edison Co. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82744 243-82744 245

9502150014 Forwards NRR rept on Maint Rule review visit to plant during 941205-12
SHAFER W.D. Region 3 (Post 820201) 95/02/10 DONNELLY P.M. PALMISANO J. Consumers Power Co. SHELTON D.C. Cleveland Electric Illuminating Co. 2pp 82722 012-82722 028

9502160032 Forwards insp rept 50-341/95-02 on 950123-27 & notice of violation Violation of concern because certain requirements of ASME Boiler & Pressure Vessel Code, Section XI not adequately implemented into ISI program
GARDNER R.N. Region 3 (Post 820201) 95/02/10 GEPSON D.R. Detroit Edison Co. 2pp 82737 026-82737 038

-9502160040 Notice of violation from insp on 950123-27 Violation noted Test procedures 24.203.02 & 24.302.03 for core spray pump discharge check valves contained inadequate acceptance criteria to exercise open safety function
Region 3 (Post 820201) 95/02/10 1p 82737 026-82737 028

-9502190046 Insp rept 50-341/95-02 on 950123-27 Violations noted Major areas inspected licensee incorporation of QL 83-04 into shakedown testing program, licensee program on check valves & licensee self-assessment
DUNLOP A., COLACORNO J., GARDNER R.N. Region 3 (Post 820201) 95/02/10 10pp 82737 026-82737 038

9502190061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering II Inc."
GRIMES B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82648 018-82648 025

A. Periodic operating reports & related correspondence

9502220160 Monthly operating rept for Jan 1995 for Fenns 2 W/950215 W/
STONE B.J., MCKEON R. Detroit Edison Co. 95/01/31 4pp 82611 358-82611 361

S. Reportable occurrences, LEAs & related correspondence

9502170223 Part 21 rept re possible leak defect in stainless steel Swagelok tube fittings of adductors
ZAHURANEK E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82602 354-82602 360

V. Operator Examinations

9502030079 Informing that NRC plans to administer GFES of western operator licensing exam on 950405
RING M.A. Region 3 (Post 820201) 95/01/26 LACROUX G. Consumers Power Co. CHERNICKA J. Commonwealth Edison Co. LASPISA L.J. Public Service Electric & Gas Co. of New Jersey 3pp 82689 385-82689 387

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9502090078 Forwards insp rept 50-344/94-07 on 941212-21 No violations noted
COLLINS S.J. Region 4 (Post 820201) 95/02/03 QUENNOZ S.M. Portland General Electric Co. 4pp 82651 119-82651 126

-9502090088 Insp rept 50-344/94-07 on 941212-21 No violations noted Major areas inspected TNP large component removal project including radiation worker training, emergency preparedness exercises, packaging & transport of radioactive waste
THOMAS L.H. CANGL. Region 4 (Post 820201) 95/02/01 4pp 82651 123-82651 125

K. Utility Final Safety Analysis Report (FSAR) & amendments

9502140407 Rev 2 of Trojan Nuclear Plant defused SAR W/950209 W/
QUENNOZ S.M. Portland General Electric Co. 95/02/09 9pp 82744 191-82744 193

P. Operating license stage documents & correspondence

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502180142 Forwards add info re permanently defused TS
QUENNOZ S.M. Portland General Electric Co. 95/02/08 Document Control Branch (Document Control Desk) 13pp 82785 344-82785 356

9502160032 Forwards data sheets & graphical plots for ultrasonic testing of selected steam generator tubes performed in Dec 1992
QUENNOZ S.M. Portland General Electric Co. 95/02/13 Document Control Branch (Document Control Desk) 27pp 82776 258-82776 264

9502180049 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MBROJE V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Inspection reports, RI Bulletins & correspondence

9501080218 NRC Bulletin 95-001 "CA Program for Transportation of Radioactive Mail"
PAPERELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 028-82605 045

9502010088 Forwards insp rept 50-344/94-06 on 941115-18 & 941205-08 No violations noted Accepts rev 17 to plant QA program
COLLINS S.J. Region 4 (Post 820201) 95/01/27 QUENNOZ S.M. Portland General Electric Co. 5pp 82544 190-82544 205

-9502010073 Insp rept 50-344/94-06 on 941115-18 & 941205-08 No violations noted Major areas inspected QA large component removal project preparatory activities & review of selected aspects of project radiation protection program
CANGL. Region 4 (Post 820201) 95/01/20 21pp 82544 185-82544 205

9501280429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 9pp 82688 001-82688 008

9502190078 Forwards insp rept 50-344/94-07 on 941212-21 No violations noted
COLLINS S.J. Region 4 (Post 820201) 95/02/03 QUENNOZ S.M. Portland General Electric Co. 4pp 82651 119-82651 126

-9502090088 Insp rept 50-344/94-07 on 941212-21 No violations noted Major areas inspected TNP large component removal project including radiation worker training, emergency preparedness exercises, packaging & transport of radioactive waste
THOMAS L.H., CANGL. Region 4 (Post 820201) 95/02/01 4pp 82651 123-82651 125

9502108283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 9pp 82618 037-82618 042

9502220293 Forwards insp rept 50-344/95-01 on 950109-12 No violations noted
COLLINS S.J. Region 4 (Post 820201) 95/02/15 QUENNOZ S.M. Portland General Electric Co. 4pp 82789 151-82789 160

-9502220271 Insp rept 50-344/95-01 on 950109-12 No violations noted Major areas inspected large component removal project activities & review of radiowaste incident of 941222
CANGL. Region 4 (Post 820201) 95/02/02 4pp 82789 155-82789 160

9502190061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering II Inc."
GRIMES B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502130117 Monthly operating rept for Jan 1995 for Trojan Nuclear Plant W/950206 W/
MEGHELE M.H. QUENNOZ S.M. Portland General Electric Co. 95/01/31 5pp 82726 086-82726 102

98 DOCKETED ITEMS

DOCKET 50-348 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

G. Adjudicatory correspondence

9502200186 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Attention Not Assigned 52pp 82685 001-82685 053

H. General correspondence

9502210239 Responds to 950128 inquiry to Chairman I Saw requesting status of using Thermo-Lag 330 at plant. Clarifies that Thermo-Lag 330 will not initiate fire Mgd designed to serve as fire barrier to prevent cables from damage
NORRIS, L.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16
EDWARDS, R. Attention Not Assigned 5pp 82790 064-82790 070

9502210257 Discusses 941111 issue of Toledo newspaper carrying article entitled, "70 nuclear plants on fire watch." Expresses concerns that mail used to protect vital electrical cables, might entangle fire.
EDWARDS, R. Attention Not Assigned 65/01/28 THE CHAIRMAN, SELIN, I. Commissioners (Post 750119) 2pp 82790 068-82790 070

P. Operating license stage documents & correspondence

9502210111 Final response to FOIA request for info. Forwards App A info, in part, already available to PDR App A info partially withheld (See FOIA Exemption 5-G)
POWELL, J. Division of Freedom of Information & Publications Services (890205-940714) 94/06/15 ARMSTRONG, L.J. Attention Not Assigned 2pp 82738 188-82738 215

9502210121 Partially deleted summary of 940111-13 Region IV SMM re status of proBAM plants identified at June 1993 Region 3 BAA & performance of other plants
* NRC - No Detailed Attention Given 94/01/11 NRC - No Detailed Attention Given 2pp 82738 191-82738 215

9502200079 Application for amend to license NPP-3, providing new RCS pressure-temp limits curves applicable up to 21 EFPPs
STETZ, J.P. Center for Energy 95/01/30 Document Control Branch (Document Control Desk) 11pp 82688 244-82688 270

9502200082 Proposed tech specs, providing new RCS pressure-temp limit curves applicable up to 21 EFPPs
* Center for Energy 95/01/30 16pp 82688 255-82688 270

9502200088 Application for amend to license NPP-3 re TS 3/4.6.1.2, containment sys. containment leakage & associated Bases 3/4.6.1.2 primary containment & containment leakage
STETZ, J.P. Center for Energy 95/01/30 Document Control Branch (Document Control Desk) 10pp 82695 291-82695 304

9502200090 Proposed tech spec 3/4.6.1.2 re containment sys, containment leakage & associated Bases 3/4.6.1.2 primary containment & containment leakage
* Center for Energy 95/01/30 4pp 82695 301-82695 304

9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502210180 Informs that Toledo Edison Co. planning listed changes to Davis-Besse Nuclear Power Station Unit 1 organization & requests expedited NRC review & approval of two proposed QA program reductions, per 10CFR50.54(a)(3)
STETZ, J.P. Center for Energy 95/02/08 Document Control Branch (Document Control Desk) 27pp 82728 148-82728 174

9502200109 Provides written confirmation of util electronic transfer to NRC on 841227, for invoice number ATD180-95 for plant for \$768,250 for second quarter FY95 annual fee for period 850101-0331
STETZ, J.P. Center for Energy 95/02/08 Division of Accounting & Finance (Post 890205) 1p 82805 259-82805 258

9502210114 Forwards NRR rept on Mgmt Rule review visit to plant during 841208-12
SHAPIRO, W.D. Region 3 (Post 820201) 85/02/10 DONNELLY, P.M. Consumers Power Co. GIPSON, D.R. Detroit Edison Co. SCHROCK, C.A. Wisconsin Public Service Corp. 5pp 82722 012-82722 028

9502200075 Withdraws 820313, 0611 & 930217 license amend applications, revising TS re RCS venting requirements, deleting figures in TS 5.1 & revising safety failure detection sys & steam & FW rupture control sys instrumentation setpoints, respectively
STETZ, J.P. Center for Energy 95/02/10 Document Control Branch (Document Control Desk) 2pp 82639 340-82639 341

9502200137 Informs that util committed to implementing formal industry position on severe accident mgt approved by Nuclear Energy Inst Nuclear Strategic Issues Advisory Committee on 941104
STETZ, J.P. Center for Energy 95/02/22 Document Control Branch (Document Control Desk) 2pp 82929 390-82929 361

9502200348 Administrative Ltr 95-02 to all holders of OILs or OPLs re cost beneficial & licensing actions
MIBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 045

9502200011 Forwards msp rept 50-348/94-16 on 941128-1222 & notice of violation RING, M.A. Region 3 (Post 820201) 95/01/27 STETZ, J.P. Center for Energy Co. STETZ, J.P. Toledo Edison Co. 4pp 82601 044-82601 064

9502200018 Notice of violation from msp on 941128-1222 Violation noted written SE not provided to address potential unresolved safety question associated w/change to facility & licensee failed to verify adequacy of design
* Region 3 (Post 820201) 95/01/27 2pp 82601 048-82601 049

9502200020 Insp rept 50-348/94-16 on 941128-1222 Violations noted Major areas inspected implementation of plant design changes
YIN, J.T., TELL, A.T., SCHURM, D. Region 3 (Post 820201) 95/01/26 15pp 82601 050-82601 064

9501250029 NRC Info Notice 95-004, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 198-82652 194

9502200283 Discusses change in commitment related to Insp Rept 50-348/94-06
STETZ, J.P. Center for Energy 95/02/08 Document Control Branch (Document Control Desk) 2pp 82712 359-82712 360

9502200313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/08 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502200338 Forwards "Ninth Refueling Outage ISI Summary Rept"
STETZ, J.P. Center for Energy 95/02/08 Document Control Branch (Document Control Desk) 1p 82772 172-82772 316

9502200401 "Ninth Refueling Outage ISI Summary Rept"
* Center for Energy 95/01/26 142pp 82772 174-82772 316

9502200406 Informs that applicable test procedures for OCW pumps, as well as applicable interim testing program documents, changed to fully implement requested relief, subject to condition of NRC approval
STETZ, J.P. Center for Energy 95/02/09 Document Control Branch (Document Control Desk) 1p 82776 285-82776 285

9502200283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502200274 Forwards msp rept 50-348/94-17 on 941207-950121 No violations noted KROPP, W.J. Region 3 (Post 820201) 95/02/13 STETZ, J.P. Center for Energy Co. 2pp 82799 196-82799 201

9502200287 Insp rept 50-348/94-17 on 950213 No violations or deviations noted Major areas inspected plant operations surveillance, must onsite engineering plant support, previously identified ins findings & LER
LANE, S.B. Region 3 (Post 820201) 95/02/13 12pp 82799 190-82799 201

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 3pp 82618 016-82618 024

9502200037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502220178 Monthly operating rept for Jan 1995 for Davis-Besse Nuclear Power Station Unit 1 W/850214 ltr
WOLF, G., WOOD, J.K. Toledo Edison Co. 95/01/31 5pp 82812 050-82812 054

9502230070 Wastewater rept for Jan 1995 for Davis-Besse Nuclear Power Station Unit 1 W/850209 ltr
WOOD, J.K. Toledo Edison Co. 95/01/31 7pp

9502270098 Forwards semiannual FPD program performance data rept for period of Jul-Dec 1994
STETZ, J.P. Center for Energy 95/02/14 Document Control Branch (Document Control Desk) 4pp 82959 021-82959 024

V. Operator Examinations

9502220076 Informs that NRC plans to administer GPES of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. CHERNOCK, A.J. Commonwealth Edison Co. LASPISAL, J. Public Service Electric & Gas Co. of New Jersey 3pp 82559 355-82559 357

DOCKET 50-346 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502230135 Forwards msp rept 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Attention directed to excessive weakness re CR supervisor
CLINE, W.E. Region 2 (Post 820201) 95/01/30 MOREY, O.N. Southern Nuclear Operating Co. 2pp 82624 044-82624 060

9502000144 Insp repts 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Major areas inspected observation & evaluation of licensee annual emergency exercise conducted on 941214
SARTOR W M, BARR K P Region 2 (Post 820201) 95/01/30 14pp 82624 047-82624 060

9502188386 Revised EIPs, including Rev 2 to FNP-0-EIP-20, Rev 30 to FNP-0-EIP-60, Rev Rev 33 to FNP-0-EIP-80, Rev 2 to FNP-0-EIP-81, Rev 2 to FNP-0-EIP-93, Rev 40 to FNP-0-EIP-90 & FNP-0-EIP-27 D W/950207 IR
HUDSPETH J B Southern Nuclear Operating Co 95/02/07 348pp 82771 001-82771 048

9502270286 Forwards proposed vehicle control measures summary description & vehicle bond comparison results in accordance w/requirements of amendments to 10CFR73 final rule
MOREY D Southern Nuclear Operating Co 95/02/21 Document Control Branch (Document Control Desk) 7pp 82848 188-82848 194

N. General correspondence

9502990184 Comment on proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees Recommends that new definitions be applicable & consistent to licensees who hold other licenses as well as Part 50 license
MOREY D M Southern Nuclear Operating Co 95/02/01 MOYUG J C Office of the Secretary of the Commission 2pp 82651 158-82651 159

9502990223 Comment supporting NUREG comments on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors
MOREY D N Southern Nuclear Operating Co 95/02/09 Docketing & Services Branch 4pp 82848 235-82848 238

P. Operating license stage dockets & correspondence

9502990228 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 198

9502100242 Forwards package for renewal of FNP NPDES Permit AL0024619 W/two overview drawings
MOREY D N Southern Nuclear Operating Co 95/02/03 Document Control Branch (Document Control Desk) 102pp 82718 222-82718 322

9502168156 Provides status of plant Westinghouse Alloy 600 SG mechanical tube plug-ins requested by NRC in response to recent field experience w/Westinghouse Alloy 600 thermally treated mechanical plugs
MOREY D Southern Nuclear Operating Co 95/02/09 Document Control Branch (Document Control Desk) 2pp 82768 060-82768 061

9502168199 Forwards request for enforcement discretion, allowing for continued operation of plant for up to 10 days in Mode 1 w/one train in RTS automatic trip logic & ESFA manual isolation & automatic actuation logic inoperable.
MOREY D Southern Nuclear Operating Co 95/02/07 Document Control Branch (Document Control Desk) 11pp 82770 226-82770 306

9502168199 Discusses 950207 IR in which documented licensee oral request that NRC exercise discretion not to enforce compliance w/actions required in listed TS
EBNETER S D Region 2 (Post 820201) 95/02/06 MOREY D N Southern Nuclear Operating Co 5pp 82737 186-82737 202

9502158347 Forwards request for enforcement discretion from TS 3/4.3.1, Table 3-3-1 & TS 3/4.3.2, Table 3-3-2, allowing continued operation of plant for up to 10 days in Mode 1 for inoperability of either SPS train
MOREY D Southern Nuclear Operating Co 95/02/10 Document Control Branch (Document Control Desk) 12pp 82761 268-82761 276

9502178247 Application for amend to licenses NFF-2 & NFF-3 re permanent voltage-based repair criteria for outside diameter stress corrosion cracking at SG tube support plates for both units at plant
MOREY D Southern Nuclear Operating Co 95/02/14 Document Control Branch (Document Control Desk) 8pp 82905 203-82905 246

9502170249 Proposed tech specs re permanent voltage-based repair criteria for outside diameter stress corrosion cracking at SG tube support plates for both units at plant
Southern Nuclear Operating Co 95/02/14 26pp 82805 211-82805 246

9502270229 Expresses appreciation for oral volunteering in pilot program for electronic exchange of info w/NRC & informs that NRC immediate objective to examine candidate procedures & exchange technologies using Internet & modems
VARGAS A Division of Reactor Projects I/II (DRPE) Post 841001 95/02/16 HAIRSTON W G Southern Nuclear Operating Co 3pp 82852 219-82852 220

9502160348 Administrative Ltr 88-02 to all holders of OLs or CPs re cost beneficial licensing actions
BISPO E V Cost Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IR Bulletins & correspondence

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9502080383 Ltr contract Mod 1 to task order 56, providing incremental funding in amount listed. Engineering & Technical Support Insp Farley
WIGGINS E J Division of Contracts (Post 940714) FIN J-2082-6 95/01/25 ALBERS L PARAMETER, Inc 2pp 82883 307-82883 308

9501130260 NRC Info Notice 95-007, "Radiochemical Vial Breakage During Preparation"
PAPERELLO C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82805 038-82805 048

9502000138 Forwards insp repts 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Attention directed to licensee weaknesses re CR supervisor
CLINE W E Region 2 (Post 820201) 95/01/30 MOREY D N Southern Nuclear Operating Co 3pp 82624 044-82624 060

9502000144 Insp repts 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Major areas inspected observation & evaluation of licensee annual emergency exercise conducted on 941214
SARTOR W M, BARR K P Region 2 (Post 820201) 95/01/30 14pp 82624 047-82624 060

9501260425 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES B K Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502148028 Forwards insp repts 50-348/94-31 & 50-364/94-31 on 941212-950108 Non-cited violations noted
CHRISTENSEN J H Region 2 (Post 820201) 95/01/31 MOREY D N Southern Nuclear Operating Co 3pp 82713 190-82713 210

9502148030 Insp repts 50-348/94-31 & 50-364/94-31 on 941212-950108 Non-cited violations noted Major areas inspected operations, maint/surveillance, engineering/technical support & general plant support
ROSS T M MORGANUM J, SCOTT M A Region 2 (Post 820201) 95/01/31 18pp 82713 193-82713 210

9502038313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82658 001-82658 006

9502138007 Forwards SE accepting licensee response to NRC Bulletin 90-01 suppl 1 Loss of PWR in Transmitters Mfg by Rosemount
SIEGEL B L Protect Electronics M-1 (PC2-1) (Post 841001) 95/02/08 MOREY D N Southern Nuclear Operating Co 2pp 82725 001-82725 016

9502138012 Safety evaluation accepting licensee response to NRC Bulletin 90-01, suppl 1 "Loss of FWH in Transmitters Mfg by Rosemount"
Office of Nuclear Reactor Regulation (Post 841001) 95/02/08 2pp 82725 003-82725 005

9501130138 "Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01 Farley 1/2," dated Dec 1994
UDY J C Idaho National Engineering Laboratory FIN L-1695 INEL/94/0273 94/12/31 NRC - No Detailed Attribution Given 82725 006-82725 016

950210044 Forwards insp repts 50-348/95-02 & 50-364/95-02 on 950109-13 No violations of deviations noted
CLINE W E Region 2 (Post 820201) 95/02/08 MOREY D N Southern Nuclear Operating Co 3pp 82769 319-82769 336

9502100446 Insp repts 50-348/95-02 & 50-364/95-02 on 950109-13 No violations noted Major areas inspected plant water chemistry conformity measurements, PASS & pressurized differential level eyes
CARRION R P, DECKER T R Region 2 (Post 820201) 95/02/08 3pp 82769 322-82769 336

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

950210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

950210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82618 016-82618 024

9502040037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 026

R. Periodic operating reports & related correspondence

9502070240 "Tabulation of Personnel Radiation Exposure at JM Farley Nuclear Plant for 1994 Work & Job Function" W/950202 IR
MOREY D Southern Nuclear Operating Co 94/12/31 2pp 82695 254-82695 255

9502170258 Monthly operating repts for Jan 1994 for JM Farley Nuclear Plant Units 1 & 2 W/950210 IR
HILL R D MOREY D Southern Nuclear Operating Co 95/01/31 10pp 82780 130-82780 139

9502080264 Forwards FPD performance data for six-month reporting period Jul-Dec 1994, as required by 10CFR25.71(d)
MOREY D Southern Nuclear Operating Co 95/02/16 Document Control Branch (Document Control Desk) 5pp 82945 243-82945 247

S. Reportable occurrences, LERs & related correspondence

9502140136 LER 95-001-00 on 950113, reactor trip occurred due to loss of turbine DEMC overspeed protection Root cause analysis investigation was performed Mode performed to reduce vulnerability of OPC processor W/950206 IR
HILL R D MOREY D Southern Nuclear Operating Co 95/02/06 4pp 82743 205-82743 208

9501230260 NRC info Notice 95-007, "Radioactive Vial Breakage During Preparation
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27. Chromalised Edition Co. of New York, Inc. 800-826-0503-826-0504.

9501260429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Aging & Pipe Support Evaluation & Design"
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502250239 Forwards NRC report for 1994 entitled, "Report on Changes Imposed by NRC on Sys. Structures, Components, Organization, or Design of Operating Nuclear Power Plants." Report presented in accordance w/committee rules
THE CHAIRMAN, SEN. J. T. House of Rep., Appropriations. 8pp 82747 051-82747 058

9502090213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502130236 Ack receipt of 950120 letter informing NRC of steps taken to correct violations noted in wasp repts 50-352/94-38 & 50-353/94-28
JOYNER, J. H. Region 1 (Post 820201) 95/02/03 SMTD, D. M. PECO Energy Co., (formerly Philadelphia Electric Co.) 2pp 82707 254-82707 256

9502160283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 007-82618 042

9502180324 Responds to NRC 941213 letter re concerns noted in wasp repts 50-352/94-27 & 50-353/94-27 Programmatic controls for supervisory selection & training will be enhanced through development of new common nuclear group procedure
HELIWIG, D. R. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/10 Document Control Branch (Document Control Desk) 2pp 82770 356-82770 357

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering LLC"
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502280364 Ack receipt of 850210 letter detailing corrective & preventative actions in response to esp repl. Actions will be reviewed in future wasp
JOYNER, J. H. Region 1 (Post 820201) 95/02/21 SMTD, D. M. PECO Energy Co., (formerly Philadelphia Electric Co.) 2pp 82653 043-82653 045

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502170054 Monthly operating repts for Jan 1995 for Limerick Generating Station W/ 950213 letter
KELLEY, J. J., MUNTZ, J. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/31 12pp 82778 187-82778 208

S. Reportable occurrences, LERs & related correspondence

9502090273 LER 95-001-00 on 950105 unexpected malfunction of RPS/LPS static inverter sys control board resulted in PCRVCS & other engineered safety feature activations Sys control board was replaced W/ 950203 letter
KANTNER, J. L., BOYCE, R. W. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/03 7pp 82715 265-82715 271

9502240046 Discusses final rept 94-004 of tube of pump drive bracket which has been reported as potential safety hazard under requirements of 10CFR21. Results of investigation of rept detailed in final engineering rept
FRATTI, A. S. A. C. C. Industries, Inc. 95/02/15 Document Control Branch (Document Control Desk) 1p 82614 352-82614 357

9502240068 "Evaluation of Abnormal Wear at Limerick," did 950210
C. C. Industries, Inc. 95/02/10 8pp 82614 353-82614 357

V. Operator Examinations

9502090282 Provides formal notification per 10CFR50.74(a) of change in status of PEO license OP-11075 TA. Mayday has been permanently reassigned to duties which no longer require license
HELIWIG, D. R. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/02 Document Control Branch (Document Control Desk) 1p 82706 355-82706 355

9502210040 Confirms that individual license OP-10884 has expired in accordance w/ 10CFR55.55(a) informs certain criteria will need to be met to reapply for license including fitness for duty requirements
WAGGINS, J. T. Region 1 (Post 820201) 95/02/02 VALENTINE, B. R. Affiliation Not Assigned 1p 82788 305-82788 306

9502280118 Notices of change in limited SRC license issued to GF Ruppert, license SDP-10331 License no longer needed due to permanent reassignment of Ruppert
SMTD, D. M. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/17 Document Control Branch (Document Control Desk) 1p 82645 267-82645 267

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502270097 Notification of 950114 meeting w/ NRC in Rockville, MD to discuss Dec. 1994 request for add'l micro GL 92-06, "Thermal Lag 30-1 Fire Barriers"
GAMBERONI, J. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, J. P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82656 290-82656 296

G. Adjudicatory correspondence

9502030166 Responds to postcard dated Nov 14, 1984, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 5pp 82685 001-82685 053

J. Insurance & indemnity information

9502190277 Submits info re amount of onsite property insurance coverage on plants
HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/03 Document Control Branch (Document Control Desk) 2pp 82726 017-82726 018

P. Operating license stage documents & correspondence

9502140144 Third partial response to FOIA request for documents Records in app C and C will be available in PDF
POWELL, R. A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/06 O'MEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502280136 Final response to FOIA request for documents Records in App A will be available in PDF App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R. A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 8pp 82606 322-82606 339

9502210119 "Notices of Enforcement Discretion"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82606 327-82606 339

9502090070 Transmits response to RAI re planned implementation of Power Remote program at plant
HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 284-82590 286

9502090294 Forwards amend 47 to license NPF-85 & safety evaluation Amend removes controls for remote shutdown sys control valve & primary containment isolation valves from TS tables 3.3.7.4-1 & 3.6.3-1 respectively
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82658 293-82658 306

9502070298 Amend 47 to license NPF-85, removing controls for remote shutdown sys control valve & primary containment isolation TS tables 3.3.7.4-1 & 3.6.3-1
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 8pp 82658 298-82658 306

9502070306 Safety evaluation supporting amend 47 to license NPF-85
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 3pp 82658 304-82658 306

9502070330 Forwards amends 88 & 50 to licenses NPF-38 & NPF-85 & safety evaluation Amends revise TS 1.2 & TS bases 3/4.9.11 to remove average reactor coolant temperature requirement in operational condition for refueling
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82644 180-82644 184

9502070332 Amends 88 & 50 to licenses NPF-38 & NPF-85, respectively, revising TS table 1.2 & TS bases 3/4.9.11 to remove average reactor coolant temperature requirement in operational condition for refueling
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 10pp 82644 183-82644 192

9502070338 Safety evaluation supporting amends 88 & 50 to licenses NPF-38 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 2pp 82644 183-82644 194

9502080268 Forwards amend 48 to license NPF-85 & safety evaluation Amend revises TS to allow expanded power-to-flow operating domain supported by average power range monitor
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 4pp 82661 269-82661 345

9502080272 Amend 48 to license NPF-85, revising TS to allow expanded power-to-flow operating domain supported by average power range monitor
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 42pp 82661 283-82661 333

9502080273 Safety evaluation supporting amend 48 to license NPF-85
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 12pp 82661 334-82661 345

9502080370 Forwards amends 87 & 49 to licenses NPF-38 & NPF-85, respectively & SE Amends revise TS 3.1.5, "Standby Liquid Control Sys." to remove requirement for standby liquid control sys to be operable in operational condition 5
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 HUNGER, G. A. PECO Energy Co., (formerly Philadelphia Electric Co.) 3pp 82663 185-82663 200

9502080376 Amends 87 & 49 to licenses NPF-38 & NPF-85, respectively, revising TS 3.1.5, "Standby Liquid Control Sys." to remove requirement for standby liquid control sys to be operable in operational condition 5
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/27 10pp 82663 188-82663 197

9502080377 Safety evaluation supporting amends 87 & 49 to licenses NPF-38 & NPF-85, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 3pp 82663 188-82663 200

9502090153 Application for amends to licenses NPF-38 & NPF-85, eliminating TS active safety function designation of eight drywell chilled water sys valves
PECO Energy Co., (formerly Philadelphia Electric Co.) 95/01/27 Document Control Branch (Document Control Desk) 7pp 82706 327-82706 349

102 DOCKETED ITEMS

- 8502200166 Proposed tech specs eliminating TS active safety function designation of eight drywell cooled water sys valves
* PECO Energy Co. (formerly Philadelphia Electric Co.) 05/01/27 7pp 82706 334-82706 340
- 9502100251 Forwards EA & FONSI re 940114 application to increase MSIV leak rate & deletion of MSIV leakage control sys
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 05/02/01 HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 3pp 82711 040-82711 040
- 9502100255 Environ assessment & finding of no significant impact re issuance of exemption from requirements of 10CFR50 App J. Action would grant exemption from 10CFR50 & change TS for plant units 1 & 2
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 05/02/01 6pp 82711 043-82711 048
- 9502100262 Forwards SE which authorizes use of ASME Code Case N-416-1 for alternative on-site testing of welded repairs or replacement of Class 1 components in MSIV Control Sys piping
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 05/02/01 HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 3pp 82710 352-82710 353
- 9502100264 SE authorizing use proposed alternative to use Code Case N-416-1 for components described in RA-17, per 10CFR50 55a(a)
* Office of Nuclear Reactor Regulation (Post 941001) 05/02/01 4pp 82710 355-82710 358
- 9502200265 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 05/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199
- 9502100274 Request that NPDES permit PA0051808 be amended
MATTY, R. M. PECO Energy Co. (formerly Philadelphia Electric Co.) 05/02/02 GARG, S. Pennsylvania Commonwealth of 3pp 82734 358-82734 360
- 9502150279 Responds to proposed LGS Unit 1 & Unit 2 TS page 3/4 6-2 to clarify how proposed 100 acfh leakage criteria applied during MSIV leakage testing, consistent w/ TS Change Request 95-18-0 submitted by 940114, 0801, 1025, 1218 & 22 hrs
HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 05/02/02 Document Control Branch (Document Control Desk) 3pp 82770 308-82770 314
- 9502150222 Proposed tech specs page 3/4 6-2 re MSIV leakage control sys
* PECO Energy Co. (formerly Philadelphia Electric Co.) 05/02/07 3pp 82770 312-82770 314
- 9502200287 Environ assessment & finding of no significant impact re proposed amend to NPF-85 to increase thermal power level
RUSSELL, W. T. Project Directorate I-2 (PD1-2) Post 941001 05/02/07 15pp 82617 275-82617 280
- 9502200233 Forwards exemption from certain 10CFR50 Appendix J, "Primary Reactor Containment Leakage Testing" requirements
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 05/02/16 HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 3pp 82831 287-82831 307
- 9502200243 Exemption from 10CFR50 Appendix J, primary reactor containment leak age testing for water-cooled power reactor requirements
VARGAS, S. A. Division of Reactor Projects I/II (DRPE) Post 941001 08/02/16 PECO Energy Co. (formerly Philadelphia Electric Co.) 3pp 82831 308-82831 307
- 9502270373 Forwards amend 51 to license NPF-85 & SE Amend raises authorized maximum power level from 3,293 MWt to 3,458 MWt & approves TS changes to implement updated power operation
RINALDI, F. Project Directorate I-1 (PD1-1) (Post 941001) 05/02/16 HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 4pp 82652 088-82652 101
- 9502270378 Amend 51 to license NPF-85 raising authorized max power level from 3,293 MWt to new limit of 3,458 MWt & approving changes to TS to implement updated power operation
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 05/02/16 33pp 82652 090-82652 121
- 9502270387 SE supporting amend 51 to license NPF-85
* Office of Nuclear Reactor Regulation (Post 941001) 05/02/16 41pp 82652 122-82652 161
- 9502280142 Forwards amend 53 to license NPF-85 & safety evaluation. Amend permits increase in allowable leak rate for MSIVs & deletes MSIV leakage control sys
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 05/02/16 HUNGER, G. A. PECO Energy Co. (formerly Philadelphia Electric Co.) 4pp 82668 217-82668 253
- 9502280148 Amend 53 to license NPF-85 permitting increase in allowable leak rate for main steam isolation valves & deleting MSIV leakage control sys
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 05/02/16 10pp 82669 221-82669 230
- 9502280153 Safety evaluation supporting amend 53 to license NPF-85
* Office of Nuclear Reactor Regulation (Post 941001) 05/02/16 21pp 82668 231-82668 251
- 9502280158 Notice of issuance to amend 53 to license NPF-85
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001 05/02/16 2pp 82668 252-82668 253
- 9502270087 Notification of 950216 meeting w/ staff in Rockville, MD to discuss Dec 1994 request for add info re GL 92-06, "Thermo-Lag 330-T Fuel Burners"
GAMBERSON, M. K. Office of Nuclear Reactor Regulation (Post 941001) 05/02/22 ZIMMERMAN, R. P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82668 290-82668 295
- 9502280387 Application for amend to license NPF-85 & NPF-85 to revise TS SR 481123 & 481124 & 481125 & 481126 & 481127 & 481128 & 481129 & 481130 & 481131 & 481132 & 481133 & 481134 & 481135 & 481136 & 481137 & 481138 & 481139 & 481140 & 481141 & 481142 & 481143 & 481144 & 481145 & 481146 & 481147 & 481148 & 481149 & 481150 & 481151 & 481152 & 481153 & 481154 & 481155 & 481156 & 481157 & 481158 & 481159 & 481160 & 481161 & 481162 & 481163 & 481164 & 481165 & 481166 & 481167 & 481168 & 481169 & 481170 & 481171 & 481172 & 481173 & 481174 & 481175 & 481176 & 481177 & 481178 & 481179 & 481180 & 481181 & 481182 & 481183 & 481184 & 481185 & 481186 & 481187 & 481188 & 481189 & 481190 & 481191 & 481192 & 481193 & 481194 & 481195 & 481196 & 481197 & 481198 & 481199 & 481200 & 481201 & 481202 & 481203 & 481204 & 481205 & 481206 & 481207 & 481208 & 481209 & 481210 & 481211 & 481212 & 481213 & 481214 & 481215 & 481216 & 481217 & 481218 & 481219 & 481220 & 481221 & 481222 & 481223 & 481224 & 481225 & 481226 & 481227 & 481228 & 481229 & 481230 & 481231 & 481232 & 481233 & 481234 & 481235 & 481236 & 481237 & 481238 & 481239 & 481240 & 481241 & 481242 & 481243 & 481244 & 481245 & 481246 & 481247 & 481248 & 481249 & 481250 & 481251 & 481252 & 481253 & 481254 & 481255 & 481256 & 481257 & 481258 & 481259 & 481260 & 481261 & 481262 & 481263 & 481264 & 481265 & 481266 & 481267 & 481268 & 481269 & 481270 & 481271 & 481272 & 481273 & 481274 & 481275 & 481276 & 481277 & 481278 & 481279 & 481280 & 481281 & 481282 & 481283 & 481284 & 481285 & 481286 & 481287 & 481288 & 481289 & 481290 & 481291 & 481292 & 481293 & 481294 & 481295 & 481296 & 481297 & 481298 & 481299 & 481300 & 481301 & 481302 & 481303 & 481304 & 481305 & 481306 & 481307 & 481308 & 481309 & 481310 & 481311 & 481312 & 481313 & 481314 & 481315 & 481316 & 481317 & 481318 & 481319 & 481320 & 481321 & 481322 & 481323 & 481324 & 481325 & 481326 & 481327 & 481328 & 481329 & 481330 & 481331 & 481332 & 481333 & 481334 & 481335 & 481336 & 481337 & 481338 & 481339 & 481340 & 481341 & 481342 & 481343 & 481344 & 481345 & 481346 & 481347 & 481348 & 481349 & 481350 & 481351 & 481352 & 481353 & 481354 & 481355 & 481356 & 481357 & 481358 & 481359 & 481360 & 481361 & 481362 & 481363 & 481364 & 481365 & 481366 & 481367 & 481368 & 481369 & 481370 & 481371 & 481372 & 481373 & 481374 & 481375 & 481376 & 481377 & 481378 & 481379 & 481380 & 481381 & 481382 & 481383 & 481384 & 481385 & 481386 & 481387 & 481388 & 481389 & 481390 & 481391 & 481392 & 481393 & 481394 & 481395 & 481396 & 481397 & 481398 & 481399 & 481400 & 481401 & 481402 & 481403 & 481404 & 481405 & 481406 & 481407 & 481408 & 481409 & 481410 & 481411 & 481412 & 481413 & 481414 & 481415 & 481416 & 481417 & 481418 & 481419 & 481420 & 481421 & 481422 & 481423 & 481424 & 481425 & 481426 & 481427 & 481428 & 481429 & 481430 & 481431 & 481432 & 481433 & 481434 & 481435 & 481436 & 481437 & 481438 & 481439 & 481440 & 481441 & 481442 & 481443 & 481444 & 481445 & 481446 & 481447 & 481448 & 481449 & 481450 & 481451 & 481452 & 481453 & 481454 & 481455 & 481456 & 481457 & 481458 & 481459 & 481460 & 481461 & 481462 & 481463 & 481464 & 481465 & 481466 & 481467 & 481468 & 481469 & 481470 & 481471 & 481472 & 481473 & 481474 & 481475 & 481476 & 481477 & 481478 & 481479 & 481480 & 481481 & 481482 & 481483 & 481484 & 481485 & 481486 & 481487 & 481488 & 481489 & 481490 & 481491 & 481492 & 481493 & 481494 & 481495 & 481496 & 481497 & 481498 & 481499 & 481500 & 481501 & 481502 & 481503 & 481504 & 481505 & 481506 & 481507 & 481508 & 481509 & 481510 & 481511 & 481512 & 481513 & 481514 & 481515 & 481516 & 481517 & 481518 & 481519 & 481520 & 481521 & 481522 & 481523 & 481524 & 481525 & 481526 & 481527 & 481528 & 481529 & 481530 & 481531 & 481532 & 481533 & 481534 & 481535 & 481536 & 481537 & 481538 & 481539 & 481540 & 481541 & 481542 & 481543 & 481544 & 481545 & 481546 & 481547 & 481548 & 481549 & 481550 & 481551 & 481552 & 481553 & 481554 & 481555 & 481556 & 481557 & 481558 & 481559 & 481560 & 481561 & 481562 & 481563 & 481564 & 481565 & 481566 & 481567 & 481568 & 481569 & 481570 & 481571 & 481572 & 481573 & 481574 & 481575 & 481576 & 481577 & 481578 & 481579 & 481580 & 481581 & 481582 & 481583 & 481584 & 481585 & 481586 & 481587 & 481588 & 481589 & 481590 & 481591 & 481592 & 481593 & 481594 & 481595 & 481596 & 481597 & 481598 & 481599 & 481600 & 481601 & 481602 & 481603 & 481604 & 481605 & 481606 & 481607 & 481608 & 481609 & 481610 & 481611 & 481612 & 481613 & 481614 & 481615 & 481616 & 481617 & 481618 & 481619 & 481620 & 481621 & 481622 & 481623 & 481624 & 481625 & 481626 & 481627 & 481628 & 481629 & 481630 & 481631 & 481632 & 481633 & 481634 & 481635 & 481636 & 481637 & 481638 & 481639 & 481640 & 481641 & 481642 & 481643 & 481644 & 481645 & 481646 & 481647 & 481648 & 481649 & 481650 & 481651 & 481652 & 481653 & 481654 & 481655 & 481656 & 481657 & 481658 & 481659 & 481660 & 481661 & 481662 & 481663 & 481664 & 481665 & 481666 & 481667 & 481668 & 481669 & 481670 & 481671 & 481672 & 481673 & 481674 & 481675 & 481676 & 481677 & 481678 & 481679 & 481680 & 481681 & 481682 & 481683 & 481684 & 481685 & 481686 & 481687 & 481688 & 481689 & 481690 & 481691 & 481692 & 481693 & 481694 & 481695 & 481696 & 481697 & 481698 & 481699 & 481700 & 481701 & 481702 & 481703 & 481704 & 481705 & 481706 & 481707 & 481708 & 481709 & 481710 & 481711 & 481712 & 481713 & 481714 & 481715 & 481716 & 481717 & 481718 & 481719 & 481720 & 481721 & 481722 & 481723 & 481724 & 481725 & 481726 & 481727 & 481728 & 481729 & 481730 & 481731 & 481732 & 481733 & 481734 & 481735 & 481736 & 481737 & 481738 & 481739 & 481740 & 481741 & 481742 & 481743 & 481744 & 481745 & 481746 & 481747 & 481748 & 481749 & 481750 & 481751 & 481752 & 481753 & 481754 & 481755 & 481756 & 481757 & 481758 & 481759 & 481760 & 481761 & 481762 & 481763 & 481764 & 481765 & 481766 & 481767 & 481768 & 481769 & 481770 & 481771 & 481772 & 481773 & 481774 & 481775 & 481776 & 481777 & 481778 & 481779 & 481780 & 481781 & 481782 & 481783 & 481784 & 481785 & 481786 & 481787 & 481788 & 481789 & 481790 & 481791 & 481792 & 481793 & 481794 & 481795 & 481796 & 481797 & 481798 & 481799 & 481800 & 481801 & 481802 & 481803 & 481804 & 481805 & 481806 & 481807 & 481808 & 481809 & 481810 & 481811 & 481812 & 481813 & 481814 & 481815 & 481816 & 481817 & 481818 & 481819 & 481820 & 481821 & 481822 & 481823 & 481824 & 481825 & 481826 & 481827 & 481828 & 481829 & 481830 & 481831 & 481832 & 481833 & 481834 & 481835 & 481836 & 481837 & 481838 & 481839 & 481840 & 481841 & 481842 & 481843 & 481844 & 481845 & 481846 & 481847 & 481848 & 481849 & 481850 & 481851 & 481852 & 481853 & 481854 & 481855 & 481856 & 481857 & 481858 & 481859 & 481860 & 481861 & 481862 & 481863 & 481864 & 481865 & 481866 & 481867 & 481868 & 481869 & 481870 & 481871 & 481872 & 481873 & 481874 & 481875 & 481876 & 481877 & 481878 & 481879 & 481880 & 481881 & 481882 & 481883 & 481884 & 481885 & 481886 & 481887 & 481888 & 481889 & 481890 & 481891 & 481892 & 481893 & 481894 & 481895 & 481896 & 481897 & 481898 & 481899 & 481900 & 481901 & 481902 & 481903 & 481904 & 481905 & 481906 & 481907 & 481908 & 481909 & 481910 & 481911 & 481912 & 481913 & 481914 & 481915 & 481916 & 481917 & 481918 & 481919 & 481920 & 481921 & 481922 & 481923 & 481924 & 481925 & 481926 & 481927 & 481928 & 481929 & 481930 & 481931 & 481932 & 481933 & 481934 & 481935 & 481936 & 481937 & 481938 & 481939 & 481940 & 481941 & 481942 & 481943 & 481944 & 481945 & 481946 & 481947 & 481948 & 481949 & 481950 & 481951 & 481952 & 481953 & 481954 & 481955 & 481956 & 481957 & 481958 & 481959 & 481960 & 481961 & 481962 & 481963 & 481964 & 481965 & 481966 & 481967 & 481968 & 481969 & 481970 & 481971 & 481972 & 481973 & 481974 & 481975 & 481976 & 481977 & 481978 & 481979 & 481980 & 481981 & 481982 & 481983 & 481984 & 481985 & 481986 & 481987 & 481988 & 481989 & 481990 & 481991 & 481992 & 481993 & 481994 & 481995 & 481996 & 481997 & 481998 & 481999 & 482000 & 482001 & 482002 & 482003 & 482004 & 482005 & 482006 & 482007 & 482008 & 482009 & 482010 & 482011 & 482012 & 482013 & 482014 & 482015 & 482016 & 482017 & 482018 & 482019 & 482020 & 482021 & 482022 & 482023 & 482024 & 482025 & 482026 & 482027 & 482028 & 482029 & 482030 & 482031 & 482032 & 482033 & 482034 & 482035 & 482036 & 482037 & 482038 & 482039 & 482040 & 482041 & 482042 & 482043 & 482044 & 482045 & 482046 & 482047 & 482048 & 482049 & 482050 & 482051 & 482052 & 482053 & 482054 & 482055 & 482056 & 482057 & 482058 & 482059 & 482060 & 482061 & 482062 & 482063 & 482064 & 482065 & 482066 & 482067 & 482068 & 482069 & 482070 & 482071 & 482072 & 482073 & 482074 & 482075 & 482076 & 482077 & 482078 & 482079 & 482080 & 482081 & 482082 & 482083 & 482084 & 482085 & 482086 & 482087 & 482088 & 482089 & 482090 & 482091 & 482092 & 482093 & 482094 & 482095 & 482096 & 482097 & 482098 & 482099 & 482100 & 482101 & 482102 & 482103 & 482104 & 482105 & 482106 & 482107 & 482108 & 482109 & 482110 & 482111 & 482112 & 482113 & 482114 & 482115 & 482116 & 482117 & 482118 & 482119 & 482120

V. Operator Examinations

9502200202 Provides formal notification per 10CFR50.74(a) of change in status of FO license OP-11075 TA Marley has been permanently reassigned to duties which no longer require license
MELWING D.R. PECO Energy Co. (formerly Philadelphia Electric Co.) 05/02/02 Document Control Branch (Document Control Desk) 1p 82705 355-82705 355

9502210040 Confirms that individual license OP-10854 has expired in accordance w/ 10CFR55.55(a) informs certain criteria will need to be met to reapply for license including fitness for duty requirements
WIGGINS, J.T. Region 1 (Post 820201) 05/02/02 VALENTINE, B.R. Affiliation Not Assigned 1p 82788 305-82788 306

9502281116 Notices of change in limited SRO license issued to GF Ruppert, license SOP-10921 License no longer needed due to permanent reassignment of Ruppert
SMITH W.H. PECO Energy Co. (formerly Philadelphia Electric Co.) 05/02/17 Document Control Branch (Document Control Desk) 1p 82945 367-82945 267

DOCKET 95-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502170187 Revised EPIP, including Rev 47 to EPIP table of contents & Rev 30 to EPIP 1013 "Emergency Response Personnel Telephone List"
Public Service Electric & Gas Co. of New Jersey 05/01/18 23pp 82779 331-82779 353

9502150151 Revised "Hope Creek Generating Station Event Classification Guide"
CHAUSSE, B. Public Service Electric & Gas Co. of New Jersey 05/01/27 37pp 82749 318-82749 354

9502280349 Discusses plant emergency preparedness exercise conducted on 04/02/95 Lists major NRC objectives for exercise & major lessons learned from exercise
BROCKMANN, K.E. Incident Response Branch 05/02/03 ROGERS, K.C. Commissioners (Post 750119) TAYLOR, J. Ofc of the Executive Director for Operations 7FADANILA Office of Nuclear Reactor Regulation (Post 941001) 7pp 82885 232-82885 296

9502220153 Forwards summary description of proposed vehicle control measures required by 10CFR79.55(c)(8) Measures described in summary description will be implemented by 05/02/95 Revised security plan will be submitted by 05/02/95 Encl withheld
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 05/02/17 Document Control Branch (Document Control Desk) 2pp 82848 186-82848 137

9502280006 Forwards outlined bases for ybl position on scheduling of operational safety response evaluation Encl withheld
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 05/02/21 Document Control Branch (Document Control Desk) 2pp 82904 348-82904 350

K. General correspondence

9502000120 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for NPP Encourages NRC to reevaluate regulatory analyses in light of higher costs Concludes that add rules on shutdown & low power operations not necessary
LABRINA, B. Public Service Electric & Gas Co. of New Jersey 05/02/05 Docketing & Services Branch 8pp 82651 127-82651 135

P. Operating license stage documents & correspondence

9502140144 Third partial response to FOIA request for documents Records in app C encl & will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 04/07/06 O'NEAL, M. Affiliation Not Assigned 2pp 82728 181-82728 223

9502140173 List of CAL numbers
NRC - No Detailed Affiliation Given 04/06/22 40pp 82729 154-82729 223

9502280319 Forwards SE authorizing licensee 941118 re requesting approval to use alternatives to ASME Code Section XI per provisions of 10CFR50.55a(4)(3)
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 05/01/20 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82883 235-82883 242

9502280317 Safety evaluation authorizing licensee request for approval to use alternatives to ASME Code Section XI per provisions of 10CFR50.55a(4)(3)
Office of Nuclear Reactor Regulation (Post 941001) 05/01/20 5pp 82883 236-82883 242

9502280327 Offers no comments on PSE&G 941123 License Change Request 93-12, revising TS Section 4.9.2.1 "Electrical Power Sys." surveillance requirements & associated basis section 82/4.8.2
TOSCH, K. New Jersey, State of 05/01/23 Document Control Branch (Document Control Desk) 2pp 82862 359-82862 350

9502170255 Notification of significant licensee meeting 05-12 w/utl on 05/02/01 to discuss ongoing investigation activity re control room staffing requirements
WHITE, J.R. Region 1 (Post 820201) 05/02/01 Region 1 (Post 820201) 2pp 82788 049-82788 049

9502280335 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commonest telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 05/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82852 195-82852 199

9502140374 Discusses 950203 meeting w/NRC re inadequate CR staffing remediation plan
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 05/02/06 Document Control Branch (Document Control Desk) 2pp 82759 357-82759 356

9502140217 Inform of 05/02/22 meeting w/utl in Bethesda, MD re licensing actions schedules & priorities for plant
MORAN, D.H. Project Directorate I-2 (PD1-2) Post 941001 05/02/02 STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001 5pp 82740 246-82740 250

9502220123 Provides comments on licensee request proposing removal of tables containing instrument response times for ECCS RPS & isolation systems from TSs State feels that all footnotes should be incorporated elsewhere rather than be deleted
TOSCH, K.W. New Jersey, State of 05/02/15 Document Control Branch (Document Control Desk) 2pp 82812 229-82812 230

9502180343 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
MORJEV, V. Cost Beneficial Licensing Actions Staff (CSLA) (Post 941001) 05/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/19 Consolidated Edison Co. of New York, Inc. 11pp 82805 919-82805 023

9501280266 NRC Info Notice 95-007, "Radiopharm Unit Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 05/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 05/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 188-82852 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82888 001-82888 008

9502160283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 05/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502160062 Forwards insp rpt 50-354/94-27 on 04/12/05-05/01/95 No violations noted
WHITE, J.R. Region 1 (Post 820201) 05/02/10 ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 3pp 82722 275-82722 291

9502160064 Insp rpt 50-354/94-27 on 04/12/05-05/01/95 No violations noted Major areas inspected operations, maint & surveillance testing, engineering/technical support & plant support
WHITE, J.R. Region 1 (Post 820201) 05/02/10 14pp 82722 278-82722 261

9502210051 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES, B.K. 05/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 05/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502280137 Monthly operating rpt for Jan 1995 for Hope Creek Generating Station Unit 1 w/950215 in
LYONS, D.W. HOVEY, R.J. Public Service Electric & Gas Co. of New Jersey 05/01/31 10pp 82812 185-82812 195

9502280441 Forwards RFD performance data rpt for six month period ending 04/12/91
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey 05/02/17 Document Control Branch (Document Control Desk) 8pp 82803 953-82803 351

S. Reportable occurrences, LIRs & related correspondence

9502010349 Submits annual replr per requirements of TS 6.9.1.5 for yr of 1994 No add unplanned challenges occurred in 1994
HOVEY, R.J. Public Service Electric & Gas Co. of New Jersey 05/01/26 Document Control Branch (Document Control Desk) 1p 82591 323-82591 323

V. Operator Examinations

9502240020 Requests that listed candidates be administered PWR GFES of operator licensing exam scheduled for 05/04/05
ORTIZ, L.E. Public Service Electric & Gas Co. of New Jersey 05/02/16 NRC - No Detailed Affiliation Given 2pp 82819 065-82819 086

DOCKET 95-285 UNIV OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9502230315 Forwards listed procedures related to liquid effluent discharges to sanitary sewage & informs that licensee installing 0.45 um filter in discharge flowpath to sanitary sewage
HOLM, R.L. Illinois Univ of Urbana, IL 05/02/15 Document Control Branch (Document Control Desk) 1p 82848 297-82848 306

9502230317 "Retention Tank Discharge Procedure"
Illinois Univ of Urbana, IL 05/02/14 3pp 82848 298-82848 300

104 DOCKETED ITEMS

-9502200320 HP Procedure NPLHPP-33 "Analysis of Radioactivity in Water"
RALSTON, J.M., KACZOR, M.A., MOELM, R.L. Illinois, Univ. of Urbana, IL 95/02/13
4pp 82848 301-82848 304

-9502200322 HP Procedure NPLHPP-10, "Weekly Background Efficiency & MDC/MDA
Calculations for BC-4 Beta Counter, SAC-4 Alpha Scintillation Counter, RM14SA/HP-
260 & RM-14/HP-210T Beta Counters."
RALSTON, J.M., KACZOR, M.A., SHAFER, P.W. Illinois, Univ. of Urbana, IL 93/11/17
4pp 82848 305-82848 308

G. Inspection reports, IE Bulletins & correspondence

9502200061 Forwards insp repts 90-151/95-01 & 90-356/95-01 on 950118-20 No viola-
tions or deviations noted Weakness identified in liquid radwaste monitoring & analy-
sis program
MCCORMICK-BARGE Region 3 (Post 820201) 95/02/10 JONES, B.G. Illinois, Univ.
of Urbana, IL 2pp 82785 344-82785 350

-9502200063 Insp repts 90-151/95-01 & 90-356/95-01 on 950118-20 No violations
noted Major areas inspected radwaste controls, radwaste management, renewal of peri-
odic & special repts & transportation activities One weakness identified
WELSON, D. MCCORMICK-BARGE Region 3 (Post 820201) 95/02/10 5pp
82785 346-82785 350

DOCKET 90-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502000031 Forwards latest issue of Emergency Response Telephone Directory for in-
teraction into Nuclear Emergency Response Team notebooks
MARSH, W.C. Southern California Edison Co. 95/01/23 Region 4 (Post 820201) 1p
82624 232-82624 256

-9502000034 "SONGS Emergency Response Telephone Directory"
Southern California Edison Co. 95/08/31 23pp 82624 233-82624 258

9502210036 Revised EIPs, including Rev 2 to S01-VIII-30, Rev 2 to S022-VIII-30, Rev 2
to S0123-VIII-1, Temporary Change Notice 2-1 to Rev 2 to S0123-VIII-1, Rev 3 to
S0123-VIII-30, Rev 9 to S0123-VIII-60 & Rev 8 to S0123-VIII-60 1 W/950214
MARSH, W.C. Southern California Edison Co. 95/02/14 227pp 82608 001-82608 227

G. Adjudicatory correspondence

9502000044 Informs that NRC Staff in process of preparing response to concerns ex-
pressed in 940910 for re plant vulnerability to earthquakes & requirement for installa-
tion of barriers
QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31
DOUGHERTY, T. Attention Not Assigned 4pp 82605 313-82605 316

F. Operating license stage documents & correspondence

9502010103 Summary of 950105 meeting w/utl to discuss adoption & implementation
of improved STS
JADERT, T.R. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 15pp 82572 345-
82572 360

9502020036 Discusses 951117 meeting w/H Ray, utl senior vice president re potential
changes in State of CA electrical generating market. Final PUC plan not yet been es-
tablished
SCHMIDT, W.L. Commissioners (Post 750118) 95/01/20 NRC - No Detailed Attri-
bution Given 1p 82585 009-82585 009

9502010305 Forwards SE accepting licensee 940711 for responding to staff 940215 for
evaluating proposed calculational method for determining changes in transmitter
calibr
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27
RAY, H.B. Southern California Edison Co 3pp 82577 239-82577 242

-9502010307 Safety evaluation accepting licensee 940711 for responding to 940215 for
evaluating proposed calculational method for determining changes in transmitter
calibr
Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 2pp 82577 241-
82577 242

9502010306 Provides addl info requested by NRC in support of pressure-temp limits in
utl 940706 submittal of Suppl 1 to amend application 118 & suppl 2 to amend appli-
cation 102 for SONGS Unit 2 & 3 respectively
MARSH, W.C. Southern California Edison Co. 95/01/27 Document Control Branch
(Document Control Desk) 3pp 82587 160-82587 162

9502020063 Forwards suppl 1 to amend applications 141 & 125 to licenses NPF-10 &
NPF-15, respectively, consisting of proposed change 402, changing TS 3.9.8.1, "SDC &
Coolant Circulation - High Water Level" & TS 3.9.8.2, "SDC Low Water Level"
ROSENBLUM, R.M. Southern California Edison Co. 95/01/30 Document Control
Branch (Document Control Desk) 2pp 82615 253-82615 332

-9502020064 Suppl 1 to amend applications 141 & 125 to licenses NPF-10 & NPF-
15, respectively, consisting of proposed change 402, changing TS 3.9.8.1, "SDC &
Coolant Circulation - High Water Level" & TS 3.9.8.2, "SDC Low Water Level."
ROSENBLUM, R.M. Southern California Edison Co. 95/01/30 25pp 82615 254-
82615 278

-9502020099 Proposed tech specs 3.9.8.1, "SDC & Coolant Circulation - High Water
Level," 3.9.8.2, "SDC & Coolant Circulation - Low Water Level" & refueling outage
bases 2/4.9.8, "SDC & Coolant Circulation"
Southern California Edison Co. 95/01/30 54pp 82615 279-82615 332

9502020147 Forwards TS improvement program for utl & review into
MARSH, W.C. Southern California Edison Co. 95/01/30 Document Control Branch
(Document Control Desk) 2pp 82619 191-82619 287

-9502020155 Proposed tech specs re having both containment airlock doors open con-
currently w/fuel handling accident to support proposed LCO 3.9.3, containment penetra-
tions
Southern California Edison Co. 95/01/30 5pp 82619 193-82619 198

-9502020151 "Fuel Handling Accident Inside Containment CR & Offsite Doses"
NAKANO, R. REMICK, T. Southern California Edison Co. N-8072-003 94/03/14 89pp
82619 199-82619 287

9502000180 Forwards approval notice under 10CFR50.80 of proposed corporate re-
structuring of utl
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31
GILES, E.A. San Diego Gas & Electric Co 3pp 82626 241-82626 245

-9502000185 Notice of approval under 10CFR50.80 of proposed corporate restructuring
of utl
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 2pp
82626 244-82626 245

9502000205 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
dated Edison Co. of New York, Inc. 5pp 82652 195-82652 198

9502000099 Application for amendments to licenses NPF-10 & NPF-15 re changes to TS 3/
4.2, "ESFAS," to provide for installation of enhanced degraded voltage protection
sys
ROSENBLUM, R.M. Southern California Edison Co. 95/02/02 Document Control
Branch (Document Control Desk) 21pp 82624 113-82624 196

-9502000083 Proposed tech specs re changes to TS 3/4.2, "ESFAS," to provide for
installation of enhanced degraded voltage protection sys
Southern California Edison Co. 95/02/02 62pp 82624 196-82624 196

9502000097 Submits info re interim rpt on Westinghouse Alloy 600 TT mechanical plugs
installed at plant
MARSH, W.C. Southern California Edison Co. 95/02/02 Document Control Branch
(Document Control Desk) 4pp 82624 282-82624 285

9502150003 Provides requested rev to TS 3.9.8.1, 3.9.8.2 & bases re "Shutdown Cooling
& Coolant Circulation," per discussions w/NRC
MARSH, W.C. Southern California Edison Co. 95/02/13 Document Control Branch
(Document Control Desk) 2pp 82770 315-82770 330

-9502150005 Proposed tech specs 3.9.8.1, 3.9.8.2 & bases re shutdown cooling & cool-
ant circulation
Southern California Edison Co. 95/02/13 14pp 82770 317-82770 330

9502210023 Forwards amendments 115 & 104 to licenses NPF-10 & NPF-15 & safety
evaluation. Amends revise TS Table 3.3-1, "Reactor Protective Instrumentation," to
allow use of source range flux monitors in place of safety-related neutron monitors
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13
RAY, H.B. Southern California Edison Co 3pp 82601 285-82601 304

-9502210023 Amends 115 & 104 to licenses NPF-10 & NPF-15, respectively, revising
TS Table 3.3-1, "Reactor Protective Instrumentation," to allow use of source range
neutron flux monitors in place of safety-related neutron monitors
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 15pp
82601 288-82601 301

-9502210028 Safety evaluation supporting amends 115 & 104 to licenses NPF-10 &
NPF-15, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 3pp 82601 302-
82601 304

9502220136 Forwards amends 115 & 105 to licenses NPF-10 & NPF-15 & safety
evaluation. Amends revise TS 3.9.8.1, "Shutdown Cooling & Coolant Circulation High
Water Level," TS 3.9.8.2 & refueling operations bases 3/4.9.8
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15
RAY, H.B. Southern California Edison Co 4pp 82617 206-82617 235

-9502220136 Amends 115 & 105 to licenses NPF-10 & NPF-15, respectively, revising
TS 3.9.8.1, 3.9.8.2 & refueling operations bases 3/4.9.8
FIELDS, M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 20pp
82617 210-82617 229

-9502220151 Safety evaluation supporting amends 115 & 105 to licenses NPF-10 &
NPF-15, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 7pp 82617 230-
82617 235

9502150049 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial li-
censing actions
MIDDLEY, C. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Inspection reports, IE Bulletins & correspondence

9502130006 Ack receipt of 940911, 19 & 0026 ltr informing NRC of steps taken to cor-
rect violations noted in insp repts 90-361/94-24 & 90-362/94-12
PERKINS, K.E. Walnut Creek Field Off. R4 (Post 940404) 94/10/27 RAY, H.B. South-
ern California Edison Co 4pp 82707 043-82707 046

9501000219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/19 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502000053 Ack receipt of 950108 ltr informing NRC of steps taken to correct violations
noted in insp repts 90-361/94-24 & 90-362/94-24
PERKINS, K.E. Region 4 (Post 820201) 95/01/17 RAY, H.B. Southern California
Edison Co 4pp 82624 221-82624 224

9501230060 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501280429 NRC Info Notice 95-003, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation and Design"
GRIMES,B K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82552 188-82552 184

950200013 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K. 95/02/03 Consolidated Edison Co. of New York, Inc 6pp 82588 001-82588 006

9502150053 Forwards insp repts 50-361/94-22 & 50-362/94-22 on 940912-950111 No violations noted
GWYNH,T P. Region 4 (Post 820201) 95/02/06 RAY,H B. Southern California Edison Co 5pp 82722 292-82722 310

-9502150055 Insp repts 50-361/94-22 & 50-362/94-22 on 940912-16, 1031-1104 & 950111 No violations identified Major areas inspected threaded fastener procurement/receiving/handling, storage & use in safety-related applications
ANG,W P. Region 4 (Post 820201) 95/02/03 14pp 82722 297-82722 310

9502100203 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K. 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 037-82618 042

9502220037 Forwards insp repts 50-361/94-25 & 50-362/94-25 on 941106-1217 & notice of violation Violations involve personnel failure to adequately review sys status & ascertain impact of major activities on operations
BEACH,A B. Region 4 (Post 820201) 95/02/14 RAY,H B. Southern California Edison Co 6pp 82799 045-82799 079

-9502220047 Notice of violation from insp on 941106-1217 Violations noted failure to properly evaluate operational impact of removing relief valve & unprotected handling of radioactive material
* Region 4 (Post 820201) 95/02/14 2pp 82799 051-82799 052

-9502220047 Insp repts 50-361/94-25 & 50-362/94-25 on 941106-1217 Violations noted Major areas inspected on-site followup of events, operational safety verification maintenance & surveillance observations & quality assurance
WONG,H J. Region 4 (Post 820201) 95/02/09 27pp 82799 053-82799 079

9502210051 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc"
GRIMES,B K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K. 95/02/24 Consolidated Edison Co. of New York, Inc 2pp 82618 018-82618 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82645 018-82645 025

R. Periodic operating reports & related correspondence

9502010116 Forwards semiannual fitness for duty program performance data for period 940701-1231
MARSH,W C. Southern California Edison Co 95/01/24 Document Control Branch (Document Control Desk) 6pp 82590 302-82590 307

9502170056 Monthly operating repts for Jan 1995 for San Onofre Nuclear Generating Station Units 2 & 3 W/950214
KAPLAN,R L. MARSH,W C. Southern California Edison Co 95/01/31 13pp 82779 209-82779 221

S. Reportable occurrences, LERs & related correspondence

9502180324 LER 95-001-00 on 950116, two firewatch contractors were involved in physical altercation caused by firewatch union accounting/financial matter No firewatch problems were noted W/950207
KRIEGER,R W. Southern California Edison Co 95/02/07 2pp 82780 238-82780 237

V. Operator Examinations

9502060005 Inform of NRC intent to administer GFES of written operator licensing exam at this facility on 950405 Licensees should submit names of candidates for exam
GWYNH,T P. Region 4 (Post 820201) 95/02/06 RAY,H B. Southern California Edison Co 4pp 82661 052-82661 055

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502060031 Forwards latest issue of Emergency Response Telephone Directory for insertion into Nuclear Emergency Response Team notebooks
MARSH,W C. Southern California Edison Co 95/01/29 Region 4 (Post 820201) 1p 82624 232-82624 236

-9502060034 "SONGS Emergency Response Telephone Directory"
* Southern California Edison Co 95/03/31 23pp 82624 233-82624 255

9502210036 Revised EPI/Incidenting Rev 2 to 501-VII-30, Rev 2 to 5023-VII-30, Rev 2 to 50123-VII-1, Temporary Change Notice 2-1 to Rev 2 to 50123-VII-1, Rev 3 to 50123-VII-30, Rev 3 to 50123-VII-60 & Rev 5 to 50123-VII-60 1 W/950214
MARSH,W C. Southern California Edison Co 95/02/14 227pp 82608 001-82608 227

G. Adjudicatory correspondence

9502030044 Inform that NRC Staff in process of preparing response to concerns expressed in 940810 re re-plant vulnerability to earthquakes & requirement for installation of barriers
QUAY,T R. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 DOUGHERTY,T Affiliation Not Assigned 4pp 82606 313-82606 316

P. Operating license stage documents & correspondence

9502010103 Summary of 950105 meeting w/utl to discuss adoption & implementation of improved STS
TADERT,R Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 GRIMES,B K. Office of Nuclear Reactor Regulation (Post 941001) 15pp 82572 345-82572 360

9502020286 Discusses 951117 meeting w/H Ray, utl senior vice president re potential changes in State of CA electrical generating market, Final PUC plan not yet been established
SCHMIDT,W L. Commissioners (Post 750119) 95/01/20 NRC - No Detailed Affiliation Given 1p 82585 009-82585 009

9502010208 Forwards SE accepting licensee 940711 re responding to 940215 re evaluating proposed calculational method for determining changes in transmitter cable
FIELDS,M B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 RAY,H B. Southern California Edison Co 3pp 82577 238-82577 242

-9502010207 Safety evaluation accepting licensee 940711 re responding to 940215 re evaluating proposed calculational method for determining changes in transmitter cable
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 2pp 82577 241-82577 242

9502010306 Provides addl info requested by NRC in support of pressure lamp limits in utl 940706 submittal of Suppl 1 to amend application 118 & suppl 2 to amend application 102 for SONGS Unit 2 & 3 respectively
MARSH,W C. Southern California Edison Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82587 160-82587 162

9502020089 Forwards suppl 1 to amend applications 141 & 125 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change 402, changing TS 3.9.8.1, "SDC & Coolant Circulation - High Water Level" & TS 3.9.8.2, "SDC Low Water Level"
ROSENBLUM,R M. Southern California Edison Co 95/01/30 Document Control Branch (Document Control Desk) 2pp 82615 252-82615 332

-9502020084 Suppl 1 to amend applications 141 & 125 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change 402, changing TS 3.9.8.1, "SDC & Coolant Circulation - High Water Level" & TS 3.9.8.2, "SDC Low Water Level"
ROSENBLUM,R M. Southern California Edison Co 95/01/30 22pp 82615 254-82615 278

-9502020099 Proposed tech specs 3.9.8.1, "SDC & Coolant Circulation - High Water Level," 3.9.8.2, "SDC & Coolant Circulation - Low Water Level" & relating outage bases 3/4.9.8, "SDC & Coolant Circulation"
* Southern California Edison Co 95/01/30 54pp 82615 279-82615 332

9502020147 Forwards TS improvement program for utl & review info
MARSH,W C. Southern California Edison Co 95/01/30 Document Control Branch (Document Control Desk) 2pp 82619 191-82619 297

-9502020155 Proposed tech specs re having both containment airlock doors open concurrently w/utl handling accident, to support proposed LCD 3.9.3, containment penetrations
* Southern California Edison Co 95/01/30 6pp 82619 193-82619 198

-9502020161 "Fuel Handling Accident Mode Containment CR & Offsite Codes"
NAKANOR,J, RECKE,T. Southern California Edison Co 94-072-003 94/03/14 8pp 82619 189-82619 287

9502030066 Forwards SE re operability of battery jugs w/par-to-cover pinhole leak paths for plant Unit 3
FIELDS,M B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 RAY,H B. Southern California Edison Co 4pp 82606 346-82606 352

-9502030076 Safety evaluation accepting licensee justification of operability of five battery jugs in plant
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 3pp 82606 350-82606 352

9502060150 Forwards approval notice under 10CFR50.80 of proposed corporate restructuring of utl
FIELDS,M B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 GUNLES,E A. San Diego Gas & Electric Co 3pp 82626 241-82626 245

-9502060165 Notice of approval under 10CFR50.80 of proposed corporate restructuring of utl
FIELDS,M B. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 2pp 82626 244-82626 245

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 6pp 82552 195-82552 199

9502060089 Application for amendments to licenses NPF-10 & NPF-15 re changes to TS 3/4.3.2, "ESFAS," to provide for installation of enhanced degraded voltage protection sys
ROSENBLUM,R M. Southern California Edison Co 95/02/02 Document Control Branch (Document Control Desk) 21pp 82624 113-82624 196

-9502060093 Proposed tech specs re changes to TS 3/4.3.2, "ESFAS," to provide for installation of enhanced degraded voltage protection sys
* Southern California Edison Co 95/02/02 62pp 82624 135-82624 196

106 DOCKETED ITEMS

950208007 Submits info re intern rept on Westinghouse Alloy 600 TT mechanical plugs installed at plant.
MARSH,W.C. Southern California Edison Co. 95/02/02 Document Control Branch (Document Control Desk) 4pp 82624 282-82624 285

950218033 Provides requested rev to TS 3.9.8.1, 3.9.8.2 & bases re "Shutdown Cooling & Coolant Circulation," per discussions w/NRC
MARSH,W.C. Southern California Edison Co. 95/02/13 Document Control Branch (Document Control Desk) 2pp 82770 315-82770 330

9502150305 Proposed tech specs 3.9.8.1, 3.9.8.2 & bases re shutdown cooling & coolant circulation
Southern California Edison Co. 95/02/18 14pp 82770 317-82770 330

9502210213 Forwards amends 115 & 104 to licensee NPF-10 & NPF-15 & safety evaluation Amends revise TS Table 3.3-1, "Reactor Protective Instrumentation," to allow use of source range flux monitors in place of safety-related monitors
FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 RAY,H.B. Southern California Edison Co. 3pp 82801 285-82801 304

9502210231 Amends 115 & 104 to licensee NPF-10 & NPF-15, respectively, revising TS Table 3.3-1, "Reactor Protective Instrumentation," to allow use of source range neutron flux monitors in place of safety-related neutron monitors
FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 15pp 82801 286-82801 301

9502210238 Safety evaluation supporting amends 115 & 104 to licensee NPF-10 & NPF-15, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 3pp 82801 302-82801 304

9502220136 Forwards amends 115 & 105 to licensee NPF-10 & NPF-15 & safety evaluation Amends revise TS 3.9.8.1, "Shutdown Cooling & Coolant Circulation High Water Level," TS 3.9.8.2 & refueling operations Bases 3/4.9.8
FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 RAY,H.B. Southern California Edison Co. 4pp 82817 208-82817 235

9502220139 Amends 116 & 105 to licensee NPF-10 & NPF-15, respectively, revising TS 3.9.8.1, 3.9.8.2 & refueling operations Bases 3/4.9.8
FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 20pp 82817 210-82817 229

9502220161 Safety evaluation supporting amends 116 & 105 to licensee NPF-10 & NPF-15, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 7pp 82817 230-82817 235

9502180349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
MBROJEV Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9502130208 Ack receipt of 940811.19 & 0926 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-24 & 50-362/94-12
PERKINS,K.E. Walnut Creek Field Off. R4 (Post 940404) 94/10/27 RAY,H.B. Southern California Edison Co. 4pp 82707 043-82707 048

9501080213 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO,G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 022

9502080058 Ack receipt of 950103 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-24 & 50-362/94-24
PERKINS,K.E. Region 4 (Post 820201) 95/01/17 RAY,H.B. Southern California Edison Co. 4pp 82824 221-82824 224

9501230264 NRC Info Notice 95-007, "Radiopharm Yield Breakage During Preparation"
PAPERELLO,G.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 036-82605 046

9501250425 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 188-82852 184

9502030113 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82858 001-82858 008

9502150053 Forwards insp repts 50-361/94-22 & 50-362/94-22 on 940912-950111 No violations noted
GWYNN,T.P. Region 4 (Post 820201) 95/02/08 RAY,H.B. Southern California Edison Co. 5pp 82722 292-82722 310

9502180068 Insp repts 50-361/94-22 & 50-362/94-22 on 940812-16, 1031-1104 & 950111 No violations identified Major areas inspected stressed fastener procurement, receiving, handling, storage & use in safety-related applications
ANGW,P. Region 4 (Post 820201) 95/02/03 14pp 82722 297-82722 310

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502220237 Forwards insp repts 50-361/94-25 & 50-362/94-25 on 941106-1217 & notices of violation Violations involve personnel failure to adequately review sys status & ascertain impact of maint activities on operations
BEACH,A.B. Region 4 (Post 820201) 95/02/14 RAY,H.B. Southern California Edison Co. 6pp 82798 045-82798 079

9502220247 Notices of violation from insp on 941106-1217 Violations noted failure to properly evaluate operational impact of removing relief valve & unprotected handling of radioactive material
Region 4 (Post 820201) 95/02/14 2pp 82798 051-82798 052

9502220257 Insp repts 50-361/94-25 & 50-362/94-25 on 941106-1217 Violations noted Major areas inspected onsite followup of events, operational safety verification, maintenance & surveillance observations & quality assurance
WONG,H.J. Region 4 (Post 820201) 95/02/09 27pp 82798 053-82798 079

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

H. Periodic operating reports & related correspondence

9502181116 Forwards semiannual fitness for duty program performance data for period 940701-1231
MARSH,W.C. Southern California Edison Co. 95/01/24 Document Control Branch (Document Control Desk) 6pp 82560 302-82560 307

9502170056 Monthly operating repts for Jan 1995 for San Onofre Nuclear Generating Station Units 2 & 3 W/950214 ltr
KAPLAN,M.L., MARSH,W.C. Southern California Edison Co. 95/01/31 13pp 82779 209-82779 221

V. Operator Examinations

9502080009 Inform of NRC intent to administer GFES of written operator licensing exam at utility on 950405 Licensees should submit names of candidates for exam
GWYNN,T.P. Region 4 (Post 820201) 95/02/06 RAY,H.B. Southern California Edison Co. 4pp 82551 082-82551 055

DOCKET 94-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502030135 Forwards insp repts 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Attention directed to address weaknesses in CR supervisor
CLINE,W.E. Region 2 (Post 820201) 95/01/30 MOREY,D.N. Southern Nuclear Operating Co. 3pp 82624 044-82624 066

9502030144 Insp repts 50-348/94-25 & 50-364/94-25 on 941212-16 No violations noted Major areas inspected observation & evaluation of licensee annual emergency exercise conducted on 941214
SARTOR,W.M. Region 2 (Post 820201) 95/01/30 14pp 82624 047-82624 060

9502180086 Revised EIRs, including Rev 2 to FNP-0-EIP-2.0, Rev 30 to FNP-0-EIP-6.0, Rev 93 to FNP-0-EIP-8.0, Rev 2 to FNP-0-EIP-8.1, Rev 2 to FNP-0-EIP-8.3, Rev 40 to FNP-0-EIP-9.0 & FNP-0-EIP-27.0 W/950207 ltr
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/02/07 34pp 82771 001-82771 043

9502270266 Forwards proposed vehicle control measures summary description & vehicle bomb companion results in accordance w/requirements of amends to 10CFR73 final rule
MOREY,D. Southern Nuclear Operating Co. 95/02/21 Document Control Branch (Document Control Desk) 7pp 82848 188-82848 194

H. General correspondence

9502080184 Comment on proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees Recommends that new definitions be applicable & consistent to licensees who hold other licenses as well as Part 50 license
MOREY,D.N. Southern Nuclear Operating Co. 95/02/01 MOYLE,J.C. Office of the Secretary of the Commission 2pp 82551 158-82551 158

9502080223 Comment supporting NIMARC comments on proposed rule 10CFR50 re "shutdown & low-power operations for nuclear power reactors"
MOREY,D.N. Southern Nuclear Operating Co. 95/02/03 Docking & Services Branch 4pp 82848 235-82848 238

F. Operating license stage documents & correspondence

950210264 Inform that 940815 proposed revs to inservice testing retail requests re containment spray sys contained in IST program for Unit 2 of plant, acceptable
SIEGEL,B.L. Project Directorate 1-1 (PD2-1) (Post 941001) 95/01/24 MOREY,D.N. Southern Nuclear Operating Co. 3pp 82577 061-82577 063

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 8pp 82652 196-82652 199

9502100242 Forwards package for renewal of FNP NPDES Permit AL0024619 W/two overpage drawings
MOREY,D.N. Southern Nuclear Operating Co. 95/02/03 Document Control Branch (Document Control Desk) 102pp 82718 222-82718 322

9502160186 Provides status of plant Westinghouse Alloy 600 SG mechanical tube plugs as requested by NRC in response to recent field experience w/Westinghouse Alloy 600 thermally treated mechanical plugs
MOOREY,D Southern Nuclear Operating Co 95/02/09 Document Control Branch (Document Control Desk) 11pp 82770 060-82770 061

9502160189 Forwards request for enforcement discretion,allowing for continued operation of plant for up to 10 days in Mode 1 w/one train in RTS automatic trip logic & SSPAS manual initiation & automatic actuation logic inoperable
MOOREY,D Southern Nuclear Operating Co 95/02/07 Document Control Branch (Document Control Desk) 11pp 82770 298-82770 306

9502160188 Discusses 950207 ltr which documented licensee oral request that NRC exercise discretion not to enforce compliance w/actions required in listed TS
EBNETER,S D Region 2 (Post 820201) 95/02/08 MOOREY,D N Southern Nuclear Operating Co 9pp 82737 186-82737 202

9502160347 Forwards request for enforcement discretion from TS 3.4.3.1, Table 3.3-1 & TS 3.4.3.2,Table 3.3-3 allowing continued operation of plant for up to 10 days in Mode 1 for inoperability of either SSPS train
MOOREY,D Southern Nuclear Operating Co 95/02/10 Document Control Branch (Document Control Desk) 12pp 82761 225-82761 276

9502170247 Application for amend to license NPP-2 & NPP-5 re permanent voltage-based repair criteria for outside diameter stress corrosion cracking at SG tube support plates for both units at plant
MOOREY,D Southern Nuclear Operating Co 95/02/14 Document Control Branch (Document Control Desk) 8pp 82805 208-82805 246

-9502170249 Proposed tech specs re permanent voltage-based repair criteria for outside diameter stress corrosion cracking at SG tube support plates for both units at plant
Southern Nuclear Operating Co 95/02/14 26pp 82805 211-82805 246

9502270323 Expresses appreciation for util volunteering in pilot program for electronic exchange of info w/NRC & informs that NRC immediate objective to examine candidate procedures & exchange technologies using Internet & modems
VARSA S A Division of Reactor Projects I/N (DRPE) Post 841001 95/02/16 HAIRSTON,W G Southern Nuclear Operating Co 3pp 82852 218-82852 220

9502160349 Administrative Ltr 95-02 to all holders of OIs or OPs re cost beneficial licensing actions
MIRRO,E V Cost Beneficial Licensing Actions Staff (CELA) (Post 841001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 015-82605 023

9502060383 Ltr contract/Mod 1 to task order 56,providing incremental funding in amount listed to "Engineering & Technical Support Insp Farley"
WIGGINS,E J Division of Contracts (Post 840714) FIN J-2082-5 95/01/25 ALBERS,J PARAMETER, Inc 2pp 82683 307-82683 306

9501220260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82606 038-82606 046

9502020135 Forwards insp repts 50-348/94-25 & 50-364/94-25 on 841212-16 No violations noted Attention directed to complete weakness re CR supervisor
CLINE,W E Region 2 (Post 820201) 95/01/30 MOOREY,D N Southern Nuclear Operating Co 3pp 82624 044-82624 060

-9502030144 Insp repts 50-348/94-25 & 50-364/94-25 on 841212-16 No violations noted Major areas inspected observation & evaluation of licensee annual emergency exercise conducted on 841214
SARTON,W M, BARRK,P Region 2 (Post 820201) 95/01/30 14pp 82624 047-82624 060

9501258429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502140028 Forwards insp repts 50-348/94-31 & 50-364/94-31 on 841212-950106 Non-crit violation noted
CHRISTENSEN,J Region 2 (Post 820201) 95/01/31 MOOREY,D N Southern Nuclear Operating Co 3pp 82713 190-82713 210

-9502140030 Insp repts 50-348/94-31 & 50-364/94-31 on 841212-950106 Non-crit violation noted Major areas inspected operations, maint/surveillance,engineering/technical support & general plant support
ROSS,T M, MORGAN,M J, SCOTT,M A Region 2 (Post 820201) 95/01/31 18pp 82713 193-82713 210

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 006

9502130007 Forwards SE accepting licensee response to NRC Bulletin 90-01,suppl 1 "Loss of Fill-Oil in Transmitters Mfg by Rosemount"
SIEGEL,B L Project Directorate 8-1 (PD2-1) (Post 841001) 95/02/06 MOOREY,D N Southern Nuclear Operating Co 2pp 82725 001-82725 016

-9502130012 Safety evaluation accepting licensee response to NRC Bulletin 90-01,suppl 1 "Loss of Fill-Oil in Transmitters Mfg by Rosemount"
Office of Nuclear Reactor Regulation (Post 841001) 95/02/06 2pp 82725 003-82725 005

-9501310138 "Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01 Farley-1/2 dtd Dec 1994"
UDY,A C Idaho National Engineering Laboratory FIN L-1695 INEL-84/0273 94/12/31 NRC - No Deviated Affiliation Given 18pp 82725 006-82725 016

9502210044 Forwards insp repts 50-348/95-02 & 50-364/95-02 on 950109-13 No violations or deviations noted
CLINE,W E Region 2 (Post 820201) 95/02/09 MOOREY,D N Southern Nuclear Operating Co 3pp 82769 319-82769 336

-9502210046 Insp repts 50-348/95-02 & 50-364/95-02 on 950109-13 No violations noted Major areas inspected plant water chemistry,confirmatory measurements,PASS & pressurized deaerator sys
CARRION R P DECKER T R Region 2 (Post 820201) 95/02/08 9pp 82769 322-82769 336

9502160029 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502210041 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering & Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502240027 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502070340 "Tabulation of Personnel Radiation Exposure at JM Farley Nuclear Plant for 1994 Work & Job Function" W/850202 ltr
MOOREY,D Southern Nuclear Operating Co 94/12/31 2pp 82695 254-82695 255

9502170239 Monthly operating repts for Jan 1994 for JM Farley Nuclear Plant Units 1 & 2 W/950210 ltr
HILLER,D MOOREY,D Southern Nuclear Operating Co 95/01/31 10pp 82790 130-82790 139

9502260264 Forwards PFD performance data for six-month reporting period Jul-Dec 1994,as required by 10CFR26.71(d)
MOOREY,D Southern Nuclear Operating Co 95/02/16 Document Control Branch (Document Control Desk) 5pp 82945 243-82945 247

S. Reportable occurrences, LERs & related correspondence

9502230377 Summary of operating reactor events meeting 95-03 on 950208
CHAFFEE,A E Office of Nuclear Reactor Regulation (Post 841001) 95/02/13 GRIMES,B K Office of Nuclear Reactor Regulation (Post 841001) 13pp 82836 025-82836 040

V. Operator Examinations

9502210060 Notices of annual training managers conference on 950208 in Atlanta,GA to inform regional training & operations reg of issues & policies that affect licensing of reactor plant operators
PEEBLES,T A Region 2 (Post 820201) 95/01/24 MOOREY,D N Southern Nuclear Operating Co 2pp 82770 098-82770 099

DOCKET 50-365 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502140029 Confirms 950123 telcon re mgt meeting requested by NRC scheduled for 950301 to discuss recent HP & contractor control problems
OLENJAK,V Region 2 (Post 820201) 95/02/02 BECKHAM,J T Georgia Power Co 1p 82713 211-82713 214

9502140013 Forwards insp repts 50-321/94-31 & 50-368/94-31 on 841204-850107 & notice of violation
MERSCHOFF,E W Region 2 (Post 820201) 95/02/03 BECKHAM,J T Georgia Power Co 4pp 82713 052-82713 079

-9502140022 Insp repts 50-321/94-31 & 50-368/94-31 on 841204-850107 Violations noted Major areas inspected,plant operations, surveillance maint/units,security corrective actions for punctured SFP liner & on-line maint planning
HOLBROOK,S L Region 2 (Post 820201) 95/02/02 21pp 82713 059-82713 079

9502130183 Rev 10 to Emergency Implementing Procedure 73EP-EIP-075-05 "On-site Emergency Notifications" W/950207 ltr
BECKHAM,J T Georgia Power Co 95/02/07 22pp 82726 029-82726 050

G. Adjudicatory correspondence

9502280165 Responds to postcard dtd Nov 14,1994,requesting immediate shut down of all reactor units, Thermal-Lap Request denied
RUSSELL,W Y Office of Nuclear Reactor Regulation (Post 841001) 95/01/19 DEBOLT,B Affiliation Not Assigned 82pp 82685 001-82685 053

108 DOCKETED ITEMS

M. General correspondence

- 9502090140 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees
MCCOY,C.K. Georgia Power Co. 95/02/01 HOYLE,J.C. Office of the Secretary of the Commission 2pp 82651 154-82651 155
- 9502090231 Comment supporting NUMARC comment re proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors
MCCOY,C.K. Georgia Power Co. 95/02/03 Docketing & Services Branch 4pp 82646 252-82646 255
- 9502158298 Informes that DM Crowe is replacing BJ Bethay as licensing Svc Manager
CROWE,D.M. Georgia Power Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82772 105-82772 106

P. Operating license stage documents & correspondence

- 9502030030 Summary of 950103-06 meeting w/utl re licensee 940225 submittal to revise TS for plant to be consistent w/STS issued as NUREG-1433
JABBOUR,K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82605 393-82605 355
- 9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephones & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199
- 9502148023 Contains 950123 telcon re mgmt meeting requested by NRC scheduled for 950301 to discuss recent HP & contractor control problems
CHLENJAK,R.V. Region 2 (Post 820201) 95/02/02 BECKHAM,J.T. Georgia Power Co. 1p 82713 211-82713 214
- 9502150158 Notification of 950222 meeting w/GA Power Company & GE in Rockville,MD to discuss utl submittal,950113 re power uprate program for plant
JABBOUR,K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82747 024-82747 028
- 9502178118 Requests for addl info re revised scope of MCW program developed in response to GL-98-10, "Safety Related Motor-Operated Valve Testing & Surveillance" for plant units 1 & 2
JABBOUR,K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BECKHAM,J.T. Georgia Power Co. 6pp 82776 283-82776 294
- 9502178124 Notification of 950330 meeting w/utl in Rockville,MD to discuss status of current licensing activities & corp initiatives for plants
JABBOUR,K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82767 108-82767 112
- 9502168348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MISROJEV Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, RE Bulletins & correspondence

- 9501880219 NRC Bulletin 95-001, "GA Program for Transportation of Radioactive Mail"
PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 019-82605 023
- 9501208260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 5pp 82605 038-82605 048
- 9501258428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 189-82652 194
- 9502148071 Forwards insp repts 50-321/95-01 & 50-365/95-01 on 950109-13 & notice of violation
CLINE,W.E. Region 2 (Post 820201) 95/02/01 BECKHAM,J.T. Georgia Power Co. 3pp 82714 001-82714 020
- 9502140075 Notice of violation from insp on 950109-13 Violation noted licensee failed to label truck type containers of radioactive which had external radiation levels up to 20 mR/h
Region 2 (Post 820201) 95/02/01 2pp 82714 004-82714 005
- 9502140081 Insp repts 50-321/95-01 & 50-365/95-01 on 950109-13 Violations noted major areas inspected external exposure control,control of radioactive waste & contamination surveys & monitoring
LOO,W.T., FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201) 95/01/31 15pp 82714 008-82714 020
- 9502098318 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008
- 9502148018 Forwards insp repts 50-321/94-31 & 50-368/94-31 on 941204-950107 & notice of violation
MERSCHOFF,E.W. Region 2 (Post 820201) 95/02/03 BECKHAM,J.T. Georgia Power Co. 4pp 82713 052-82713 079
- 9502140082 Insp repts 50-321/94-31 & 50-368/94-31 on 941204-950107 Violations noted major areas inspected plant operations, surveillance maint,mode,security,corrective actions for punctured SFP liner & on-line maint planning
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201) 95/02/02 21pp 82713 058-82713 079

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 015-82618 024

9502240087 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

- 9502280095 Fitness for Duty Performance Data for six-month reporting period,Jul-Dec 1994 W/950224 tr
BECKHAM,J.T. Georgia Power Co. 94/12/31 5pp 82653 213-82653 217
- 9502280084 "1994 Annual Operating Period" W/950224 tr
BECKHAM,J.T. Georgia Power Co. 94/12/31 5pp 82653 256-82653 340
- 9502130123 Monthly operating repts for Jan 1995 for El Hach Nuclear Plant W/950207 tr
BEARD,R.M. BECKHAM,J.T. Georgia Power Co. 95/01/31 12pp 82728 051-82728 062
- V. Operator Examinations
- 9502210010 Notices att that Region 1 will hold annual Training Managers Conference in Atlanta,GA on 950208-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators
FEEBLES,T.A. Region 2 (Post 820201) 95/01/24 BECKHAM,J.T. Georgia Power Co. 2pp 82759 116-82759 119

DOCKET 50-368 ARKANSAS NUCLEAR ONE UNIT 2

F. Security, medical, emergency & fire protection plans

- 9502100357 Public version of PC-1 to Rev 28 to EPIP 1903 023, "Personnel Emergency"
* Entergy Operations, Inc. 94/11/28 5pp 82719 352-82719 357
- 9502070258 Forwards public version of rev 14 to operating procedure 1903 062, "Communications Sys Operating Procedure"
* Entergy Operations, Inc. 95/01/12 NRC - No Detailed Attachment Given 1p 82644 161-82644 179
- 9502070263 Public version of rev 14 to operating procedure 1903 062, "Communications Sys Operating Procedure"
* Entergy Operations, Inc. 95/01/19 17pp 82644 162-82644 179
- 9502090319 Rev 30 to Procedure/Work Plan 1903 060, "Emergency Supplies & Equipment"
* Entergy Operations, Inc. 95/01/28 82pp 82623 229-82623 310
- 9502160018 Forwards SALP repts 50-313/95-89 & 50-368/95-89 for period of 930711 through 950107 Functional areas of operations, maint & plant support rated as category 1,which indicates superior safety performance
CALLAN,L.J. Region 4 (Post 820201) 95/02/06 YELVERTON,M.W. Entergy Operations, Inc. 5pp 82722 072-82722 084
- 9502148032 SALP repts 50-313/95-89 & 50-368/95-89 for 930711-950107
* Region 4 (Post 820201) 95/02/06 7pp 82722 075-82722 084
- 9502220196 Rev 21 to Procedure/Work Plan 1903 030, "Evacuation"
* Entergy Operations, Inc. 95/02/09 28pp 82811 281-82811 308
- 9502280380 Rev 28 to EPIP OP-1903 023, "Personnel Emergency" W/950217 tr
* Entergy Operations, Inc. 95/02/17 14pp 82953 179-82953 192

G. Adjudicatory correspondence

- 9502070272 Responds to petition filed on 940705 in which requested that Chairman exercise authority
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 DUMS,D. Citizens' Utility Board 3pp 82657 273-82657 289
- 9502070274 Director's Decision DD-95-03,informing that NRC has determined that 10CFR72.48 can be used by all Part 72 licensees
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 10pp 82657 278-82657 285
- 9502070276 Notice of receipt of 940705 petition requesting that Chairman exercise authority to determine applicability of 10CFR72.48,whether Entergy in violation of NRC regulations & order AND to cease using 10CFR72.48 until applicability
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 95/01/31 3pp 82657 296-82657 298

J. Insurance & indemnity information

9502226236 Forwards Endorsement 24 to NELA Policy NS-507 & Endorsement 25 to MAELU Policy MS-128
MIMS.D.C. Energy Operations, Inc. 95/02/15 Document Control Branch (Document Control Desk) 4pp 82826 302-82826 305

P. Operating license stage documents & correspondence

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890208-940714) 94/07/07 BLANCHUP Affiliation Not Assigned 5pp 82806 327-82806 338

-9502210119 "Notice of Enforcement Decision"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

9502207019 Provide planned actions in response to latest field data re use of Westinghouse Alloy 600 SG mechanical plugs
MIMS.D.C. Energy Operations, Inc. 95/01/31 Document Control Branch (Document Control Desk) 5pp 82807 305-82807 310

9502206025 Suppl 1 to NRC Administrative Lit 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82852 198-82852 199

9502207160 Provides add info re Entergy topical rept "Verification of CECOR Coefficient Methodology for Application to PWRs of Entergy Sys." ENEAD-02-NP, Rev 0, as requested by CP Ref 941221
TITUS, F.W. Entergy Operations, Inc. 95/02/02 Document Control Branch (Document Control Desk) 13pp 82831 329-82831 335

9502210300 Submits response to GL 94-09, Voluntary Reporting of Add Occupational Radiation Exposure Data
MIMS.D.C. Energy Operations, Inc. 95/02/13 NRC - No Detailed Affiliation Given 2pp 82808 336-82808 337

9502206008 Forwards "ANO Unit 2 SG Circumferential Cracking Evaluation," including results of special SG tubing insp conducted during planned mid-cycle outage 2P95-1
MIMS.D.C. Energy Operations, Inc. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82848 206-82848 206

-9502203011 "ANO Unit 2 SG Circumferential Cracking Evaluation"
* Entergy Operations, Inc. 95/02/28 8pp 82848 206-82848 206

9502210247 Submits SG overfill protection concerns of GL 89-10
MIMS.D.C. Energy Operations, Inc. 95/02/21 Document Control Branch (Document Control Desk) 3pp 82883 267-82883 269

9502100348 Administrative Lit 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
MMSRO E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501060219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERBELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 019-82805 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERBELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 048

9501250438 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82852 198-82852 194

9502206015 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82858 001-82858 008

9502206184 Responds to NRC re violations noted in insp repts 50-313/94-09 & 50-368/94-09 on 941016-1128 Corrective action/issuance document change request related to correct errors in ANO-2 SAR Table 18 10-1
MIMS.D.C. Energy Operations, Inc. 95/02/03 Document Control Branch (Document Control Desk) 8pp 82718 177-82718 184

9502100893 Forwards insp repts 50-313/94-10 & 50-368/94-10 on 941127-950107 & notice of violation
BEACH, A.B. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 5pp 82890 290-82890 316

-9502100015 Notice of violation from insp on 941127-950107 Violation noted licensee had not established procedure for exercising containment during isolation valves 2CV-5847-1 2CV-5848-2, 2CV-5848-1 & 2CV-5850-2 in closed direction
* Region 4 (Post 820201) 95/02/06 3pp 82890 295-82890 297

-9502100891 Insp repts 50-313/94-10 & 50-368/94-10 on 941127-950107 Violations noted Major areas inspected operational safety verifications monthly plant observation bi-monthly surveillance, diesel engineering & plant support.
VANDENBURGH, C.A. Region 4 (Post 820201) 95/02/01 19pp 82890 294-82890 316

9502100019 Forwards SALP repts 50-313/95-09 & 50-368/95-09 for period of 930711 through 950107 Functional areas of operations, repair & plant support rated as category 1, which indicates superior safety performance
CALLAN, L.J. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 8pp 82722 072-82722 084

-9502100232 SALP repts 50-313/95-09 & 50-368/95-09 for 930711-950107
* Region 4 (Post 820201) 95/02/06 7pp 82722 078-82722 084

9502150071 Ack receipt of 950106 re informing NRC of steps taken to correct violations noted in insp repts 50-313/94-10 & 50-368/94-10
COLLINS, S.J. Region 4 (Post 820201) 95/02/07 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82723 020-82723 033

9502100285 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502170121 Requests relief from doubling testing frequency for HPSI pump 2P-89S due to vibrations within alert range
MIMS.D.C. Energy Operations, Inc. 95/02/10 Document Control Branch (Document Control Desk) 8pp 82778 274-82778 281

9502200329 Notification of 950302 licensee meeting to discuss results of NRC SALP repts 50-313/95-09 & 50-368/95-09
BEACH, A.B. Region 4 (Post 820201) 95/02/16 Region 4 (Post 820201) 8pp 82800 015-82800 020

9502200044 Ack receipt of 950203 re informing NRC of steps taken to correct violations noted in insp repts 50-313/94-09 & 50-368/94-09
BEACH, A.B. Region 4 (Post 820201) 95/02/18 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82814 033-82814 044

9502200208 Forwards "ANO Unit 2 SG Circumferential Cracking Evaluation," including results of special SG tubing insp conducted during planned mid-cycle outage 2P95-1
MIMS.D.C. Energy Operations, Inc. 95/02/17 Document Control Branch (Document Control Desk) 2pp 82848 206-82848 206

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502200407 Provides 1894 annual rept of SG tubing in-service insp
MIMS.D.C. Energy Operations, Inc. 95/02/23 Document Control Branch (Document Control Desk) 25pp 82830 326-82830 333

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp 82818 018-82818 024

9502200837 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp 82848 016-82848 023

R. Periodic operating reports & related correspondence

950220121 Monthly operating rept for Jan 1995 for ANO Unit 2 W/950215 re WHITT, M.S., MIMS.D.C. Energy Operations, Inc. 95/01/31 5pp 82812 231-82812 238

9502200267 Forwards ANO PFD program performance data for period Jul-Dec 1994
MIMS.D.C. Energy Operations, Inc. 95/02/15 Document Control Branch (Document Control Desk) 5pp 82805 347-82805 352

S. Reportable occurrences, LERs & related correspondence

9502270241 Summarizes 950210 balloon w/val re disposition of MED-040 on diesel turbine injection into steam CR & ball follow-up to RAI UFI asked to explain CFA re event. Final SE prepared & transmitted on 950214
GALLETTI, G. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 Office of Nuclear Reactor Regulation (Post 941001) 1p 82852 303-82852 303

V. Operator Examinations

9502060014 Informs of NRC intent to administer GFES of written operator licensing exam at W/F facility on 950405 UN should submit names of candidates for exam
SHYNN, T.P. Region 4 (Post 820201) 95/02/06 YELVERTON, J.W. Entergy Operations, Inc. 4pp 82651 068-82651 069

DOCKET 50-368 WILLIAM E. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502130169 Forwards public version of revised EPIPs, including index, pages 1 & 2, dtd 950117 & RP/O/A/5700/07, dtd 950112 W/950208 release memo
MCMEIKIN, T.C. Duke Power Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82716 315-82716 329

-9502130187 Public version of revised EPIPs, including index, pages 1 & 2, dtd 950117 & RP/O/A/5700/07, dtd 950112
DOLAN, B. Duke Power Co. 95/01/18 14pp 82716 317-82716 329

9502150184 Rev 95-1 to "DPC McGuire Nuclear Site Emergency Plan" W/ 950206 re MCMEIKIN, T.C. Duke Power Co. 95/02/02 62pp 82776 048-82776 111

9502200308 Forwards PDR version of revised EPIPs, including RP/O/A/5700/12 & Rev B to EP Group Manual Section 1.1 W/950217 re MCMEIKIN, T.C. Duke Power Co. 95/02/02 Document Control Branch (Document Control Desk) 3pp 82825 195-82825 305

-9502200331 PDR version of revised EPIPs, including RP/O/A/5700/12 & Rev B to EP Group Manual Section 1.1
DOLAN, B. Duke Power Co. 95/01/25 106pp 82825 198-82825 305

110 DOCKETED ITEMS

9502150332 Forwards public version of revised EPIPs, including EPIP index, Change 0 to RP/0/A/5700/Change 0 to RP/0/A/5700/05 & Change 0 to RP/0/B/1009/18 W/ NRC 950214 release memo
MCMEEKIN, T.C. Duke Power Co. 95/02/03 Document Control Branch (Document Control Desk) 6pp 82746 175-82746 228

9502150338 Public version of revised EPIPs, including EPIP index, Change 0 to RP/0/A/5700/Change 0 to RP/0/A/5700/05 & Change 0 to RP/0/B/1009/18
DOLAN, B. Duke Power Co. 95/02/01 4pp 82746 175-82746 228

9502240246 Revised "McGuire Nuclear Station Selected Licensee Commitments," list of effective pages
CRANE, K.L. Duke Power Co. 95/02/08 12pp 82871 232-82871 303

G. Adjudicatory correspondence

9502080166 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lap Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Attention: Not Assigned 5pp 82685 001-82685 053

J. Insurance & indemnity information

9502020429 Forwards latest info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums
TUCKERMAN, M.S. Duke Power Co. 95/01/19 Document Control Branch (Document Control Desk) 20pp 82864 001-82864 071

P. Operating license stage documents & correspondence

9502270414 Forwards proposed changes to TS 3.4.3.1 & 3.4.3.2 increasing surveillance test intervals & allowed outage times for RTS & ESFAS instrumentation
MCMEEKIN, T.C. Duke Power Co. 95/01/13 Document Control Branch (Document Control Desk) 5pp 82903 035-82903 083

9502270416 Proposed tech specs 3.4.3.1 & 3.4.3.2 increasing surveillance test intervals & allowed outage times for RTS & ESFAS instrumentation
* Duke Power Co. 95/01/13 44pp 82903 040-82903 093

9502101110 Responds to NRC request for voluntary reporting of add occupational radiation exposure data per GL 94-04
TUCKERMAN, M.S. Duke Power Co. 95/01/20 Document Control Branch (Document Control Desk) 3pp 82590 287-82590 266

9502010256 Advises that 941220 is in response to GL 94-10, subject to re plant proposed extension for scheduled completion date. NRC accepts 950719 proposed schedule
NERSESE, V. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25
MCMEEKIN, T.C. Duke Power Co. 3pp 82577 258-82577 258

9502030278 Ack receipt of 941215 ltr re staff procedure NDE 600, rev 4, "Ultrasonic Exam of Solder Metal Welds in Wrought Fabric & Austenitic Piping." Requests info pertinent to procedure, revised in accordance w/ app VIII in form of relet request
NERSESE, V. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27
MCMEEKIN, T.C. Duke Power Co. 4pp 82614 305-82614 308

9502140111 Summarizes 950113 meeting w/ unit in Atlanta, GA to discuss corrective measures being taken to eliminate adverse trend in mispositioned valves. List of attendees & copy of presentation handouts and
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/30 MCMEEKIN, T.C. Duke Power Co. 30pp 82714 214-82714 243

9502070326 Provides interim report on Westinghouse Alloy 600 SG mechanical plugs installed at DFC plants, as requested by NRC in response to recent field experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs
TUCKERMAN, M.S. Duke Power Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82687 311-82687 314

9502030925 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 189

9502100029 Notification of 950214-15 meetings w/ unit in Charlotte, NC & York, SC to discuss status of various licensees activities & safety initiatives at plant nuclear stations
MARTIN, E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02
BERKOW, J.H. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 018-82704 029

9502100269 Forwards request for add info needed to complete review of proposed T8 demands addressing 4 kV bus loss of voltage & degraded voltage conditions Tables 3.3.3.3-4.3.3-5 & 4.3-2
NERSESE, V. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03
MCMEEKIN, T.C. Duke Power Co. 5pp 82710 347-82710 351

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info
VARGAS, S. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/09
TUCKERMAN, M.S. Duke Power Co. 5pp 82776 299-82776 303

9502170018 Forwards SE authorizing licensee 940622 re proposing alternative (Code N-496-1) test to requirements of ASME code
BERKOW, J.H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13
TUCKERMAN, M.S. Duke Power Co. 4pp 82775 316-82775 324

9502170021 Safety evaluation authorizing proposed alternative (Code N-496-1) to ASME code
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 5pp 82775 320-82775 324

9502170128 Informs licensee that subject methodologies add scheduled for 950306-10 & provides list of info to be reviewed
WHELAN, L.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13
TUCKERMAN, M.S. Duke Power Co. 8pp 82767 113-82767 117

9502220381 Submits Relief Request 94-012 re scrubber insp intervals for NRC review & approval per GL 90-09 dtd 901211
FRIEDMAN, L.D.W. Duke Power Co. 95/02/13 Document Control Branch (Document Control Desk) 6pp 82826 233-82826 247

9502220383 Proposed Tech Specs 3.7.8 Table 4.7.2 re scrubber insp intervals per GL 90-09
* Duke Power Co. 95/02/13 7pp 82826 241-82826 247

9502270065 Authorizes use of ASME Code Case N-522 re request for relief 94-GO-002, dtd 940622, to satisfy periodic pressure test requirements for isolated portions of class 2 piping used only for containment integrity. Forwards SE
BERKOW, J.H. Project Director, B-1 (PD-1) (Post 941001) 95/02/17
TUCKERMAN, M.S. Duke Power Co. 4pp 82852 221-82852 228

9502270071 Safety evaluation supporting request for relief dtd 940622 to use ASME Code Case N-522 re use of 10CFR50 Appendix J, to satisfy periodic pressure test requirements for isolated portions of class 2 piping used for containment integrity
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 4pp 82852 225-82852 228

9502100349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MERSCHOFF, E.W. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502260486 Forwards proposed changes to TS 3.8.2.1 & 3.8.3.1 re 125 Vdc vial instrumentation & control power sys circuit breakers replacement in response to Electrical Distribution Sys Functional Insp conducted in Jul 1991, technical concern
MCMEEKIN, T.C. Duke Power Co. 95/02/23 Document Control Branch (Document Control Desk) 4pp 82917 330-82917 350

9502260411 Proposed tech specs 3.8.2.1 & 3.8.3.1 supporting 125 Vdc vial instrumentation & control power sys circuit breakers replacement
* Duke Power Co. 95/02/23 17pp 82917 334-82917 350

G. Inspection reports, NE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502010068 Responds to NRC 950103 ltr re violations noted in insp repts 50-369/94-28 & 50-370/94-28 Corrective actions taken conducted within radiation controlled areas to identify & label all appropriate radioactive containers & accessories
MCMEEKIN, T.C. Duke Power Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82587 333-82587 335

9502030061 Forwards insp repts 50-369/94-30 & 50-370/94-30 on 941130-1231 No violations noted
CRILEY, K.R. Region 2 (Post 820201) 95/01/24 MCMEEKIN, T.C. Duke Power Co. 3pp 82617 283-82617 289

9502030068 Insp repts 50-369/94-30 & 50-370/94-30 on 941130-1231 No violations noted. Major areas inspected plant operations, maintenance & engineering
MAXWELL, G.F. CRILEY, K.R. Region 2 (Post 820201) 95/01/24 14pp 82617 286-82617 289

9502070266 Informs that per interface w/ E. Leg of Region II etc. meeting to discuss improvements that will be made in McGuire learning program in response to deficiencies noted in Exam Repts 50-369/94-300 & 50-370/94-300 scheduled for 950302
MCMEEKIN, T.C. Duke Power Co. 95/01/28 Document Control Branch (Document Control Desk) 2pp 82661 338-82661 339

9501230260 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 045

9502101444 Responds to NRC 941220 ltr re violations noted in insp repts 50-369/94-25 & 50-370/94-25 Corrective actions operations & chemistry mgt have raised awareness re mispositioning events through group written communications
MCMEEKIN, T.C. Duke Power Co. 95/01/27 Document Control Branch (Document Control Desk) 11pp 82590 162-82590 172

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502100166 Responds to NRC 950106 ltr re violations noted in insp repts 50-369/94-25 & 50-370/94-25 Corrective actions maintenance execution support personnel immediately organized work request to perform exam on unit 1 reactor vessel interior
MAXWELL, G.F. Duke Power Co. 95/02/02 Document Control Branch (Document Control Desk) 6pp 82728 123-82728 128

9502140055 Ack receipt of 950123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-28 & 50-370/94-28
CLINE, W.E. Region 2 (Post 820201) 95/02/02 MCMEEKIN, T.C. Duke Power Co. 3pp 82713 320-82713 322

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502140043 Forwards insp repts 50-369/95-02 & 50-370/95-02 on 950116-20 No violations or deviations noted
CLINE, W.E. Region 2 (Post 820201) 95/02/09 MCMEEKIN, T.C. Duke Power Co. 3pp 82713 274-82713 283

9502140054 Insp repts 50-369/95-02 & 50-370/95-02 on 950116-20 No violations noted. Major areas inspected radioactive effluent monitoring instrumentation water chemistry & followup on previously identified issues
JONES, D.W., DECKER, T.R. Region 2 (Post 820201) 95/02/02 7pp 82713 277-82713 283

9502108263 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA."
GRIMES,B K 95/02/19 Consolidated Edison Co of New York, Inc 8pp 82818 037-82818 042

9502210065 Ack receipt of 950127 ltr informing NRC of steps taken to correct violations noted in insp rept 90-369/94-25 & 50-370/94-25
CRILENIAK,R V Region 2 (Post 820201) 95/02/19 MCMEEKIN,T C Duke Power Co 3pp 82770 075-82770 077

9502220381 Submits Relief Request 94-012 re scrubber insp intervals for NRC review & approval per GL 90-09 dtd 901211
FREEMAN,D W Duke Power Co 95/02/13 Document Control Branch (Document Control Desk) 6pp 82826 235-82826 247

9502222039 Proposed Tech Specs 3.7.8, Table 4.7-2 re scrubber insp intervals per GL 90-09
Duke Power Co 95/02/13 7pp 82826 241-82826 247

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502280406 Forwards proposed changes to TS 3.8.2.1 & 3.8.3.1 re 125 Vdc vital instrumentation & control power sys circuit breakers replacement in response to Electrical Distribution Sys Functional Insp conducted in Jul 1991, technical concern
MCMEEKIN,T C Duke Power Co 95/02/23 Document Control Branch (Document Control Desk) 4pp 82917 300-82917 350

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Filter-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 016-82848 025

R. Periodic operating reports & related correspondence

9502230385 Personnel monitoring rept for CY94 W/950208 ltr
MCMEEKIN,T C Duke Power Co 94/12/31 2pp 82848 354-82848 365

9502220439 Monthly operating rept for Jan 1995 for McGuire Nuclear Station W/ 950216 ltr
WILLIAMS,R A, WEBER,R L Duke Power Co 95/01/31 13pp 82840 282-82840 284

S. Reportable occurrences, LERs & related correspondence

9502070307 Special rept 95-01 on 950104, personnel on Unit 2 operating in solid condition during SA & vault of MC sys
MCMEEKIN,T C Duke Power Co 95/02/03 Document Control Branch (Document Control Desk) 5pp 82667 285-82667 293

V. Operator Examinations

9502210068 Notifies ltr of Region II annual Training Manager Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgmt of issues & policies that affect licensing of nuclear plant operators
PEEBLES,A Region 2 (Post 820201) 95/01/24 MCMEEKIN,T C Duke Power Co 2pp 82758 116-82758 117

9502070308 Informs that per interface w/E Lsa of Region II off, meeting to discuss improvements that will be made in McGuire training program, in response to deficiencies noted in Exam Repts 50-368/94-300 & 50-370/94-300 scheduled for 950302
MCMEEKIN,T C Duke Power Co 95/01/29 Document Control Branch (Document Control Desk) 2pp 82651 338-82651 339

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502130159 Forwards public version of revised EPIPs, including index, pages 1 & 2, dtd 950117 & RP/O/A/5700/07, dtd 950112 W/950308 release memo
MCMEEKIN,T C Duke Power Co 95/01/23 Document Control Branch (Document Control Desk) 3pp 82716 315-82716 329

9502132167 Public version of revised EPIPs, including index, pages 1 & 2, dtd 950117 & RP/O/A/5700/07, dtd 950112
DOLAN,B Duke Power Co 95/01/18 14pp 82716 317-82716 329

9502158184 Rev 95-1 to "DPC McGuire Nuclear Site Emergency Plan" W/ 950206 ltr
MCMEEKIN,T C Duke Power Co 95/02/02 6pp 82776 048-82776 111

9502280306 Forwards PDR version of revised EPIPs including RP/O/A/5700/12 & Rev 9 to EP Group Manual Section 1.1 W/950217 ltr
MCMEEKIN,T C Duke Power Co 95/02/02 Document Control Branch (Document Control Desk) 3pp 82825 186-82825 305

9502230321 PDR version of revised EPIPs, including RP/O/A/5700/12 & Rev 9 to EP Group Manual Section 1.1
DOLAN,B Duke Power Co 95/01/25 10pp 82825 196-82825 305

9502156332 Forwards public version of revised EPIPs, including EPIPs index, Change 0 to RP/O/A/5700/Change 0 to RP/O/A/5700/05 & Change 0 to HP/O/B/1009/16 W/ NRC 950216 release memo
MCMEEKIN,T C Duke Power Co 95/02/03 Document Control Branch (Document Control Desk) 3pp 82746 175-82746 228

9502150338 Public version of revised EPIPs, including EPIPs index, Change 0 to RP/O/A/5700/Change 0 to RP/O/A/5700/05 & Change 0 to HP/O/B/1009/16
DOLAN,B Duke Power Co 95/02/01 49pp 82746 175-82746 228

9502240246 Revised "McGuire Nuclear Station Selected Licensee Commitments," list of effective pages
CRANE,J L Duke Power Co 95/02/08 12pp 82871 292-82871 303

G. Adjudicatory correspondence

9502280246 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B Attention Not Assigned 52pp 82655 001-82655 053

J. Insurance & indemnity information

9502280429 Forwards listed info demonstrating that company maintains financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums
TUCKMAN,M S Duke Power Co 95/01/19 Document Control Branch (Document Control Desk) 20pp 82664 001-82664 071

P. Operating license stage documents & correspondence

9502270414 Forwards proposed changes to TS 3.4.3.1 & 3.4.3.2, increasing surveillance test intervals & allowed outage times for RTS & ESFAS instrumentation
MCMEEKIN,T C Duke Power Co 95/01/13 Document Control Branch (Document Control Desk) 5pp 82903 035-82903 063

9502279418 Proposed tech specs 3.4.3.1 & 3.4.3.2, increasing surveillance test intervals & allowed outage times for RTS & ESFAS instrumentation
Duke Power Co 95/01/13 4pp 82903 040-82903 063

9502010110 Responds to NRC request for voluntary reporting of add occupational radiation exposure data per GL 94-04
TUCKMAN,M S Duke Power Co 95/01/20 Document Control Branch (Document Control Desk) 3pp 82590 287-82590 289

9502010289 Admires that 941230 ltr in response to GL 89-10, suppl 5 re plant proposed extension for scheduled completion date NRC accepts 950719 proposed schedule
MERSEY,V Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 MCMEEKIN,T C Duke Power Co 3pp 82577 255-82577 258

9502030276 Ack receipt of 941215 ltr re staff procedure NDE 600, rev 4, "Ultrasonic Exam of Smaller Metal Welds in Wrought Ferritic & Austenitic Piping" Requests info pertinent to procedure, revised in accordance w/app VIII, in form of relief request
MERSEY,V Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 MCMEEKIN,T C Duke Power Co 4pp 82614 305-82614 308

9502140111 Summarizes 950113 meeting w/atl in Atlanta, GA to discuss corrective measures being taken to eliminate adverse trend in mispositioned valves List of attendees & copy of presentation handouts encl
MERSEY,V Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 MCMEEKIN,T C Duke Power Co 30pp 82714 214-82714 243

9502070325 Provides internal rept on Westinghouse Alloy 600 SG mechanical plugs installed at DPC plants, as requested by NRC in response to recent field experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs
TUCKMAN,M S Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 4pp 82867 311-82867 314

9502030825 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502100809 Notification of 950214-15 meetings w/atl in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear stations
MARTIN,R E Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 019-82704 023

9502108269 Forwards request for add info needed to complete review of proposed TS 3.4.3.1 & 3.4.3.2, increasing surveillance test intervals & allowed outage times for RTS & ESFAS instrumentation
MERSEY,V Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 MCMEEKIN,T C Duke Power Co 5pp 82716 347-82716 351

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info
VARGAS, S Division of Reactor Projects I/N (DRPE) (Post 941001) 95/02/09 TUCKMAN,M S Duke Power Co 5pp 82776 299-82776 303

9502170016 Forwards SE authorizing licensee 940622 ltr proposing alternative (Code N-486-1) test to requirements of ASME code
BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN,M S Duke Power Co 4pp 82775 316-82775 324

9502170021 Safety evaluation authorizing proposed alternative (Code N-486-1) to ASME code
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 5pp 82775 320-82775 324

9502170126 Informs licensee that subject methodologies audit scheduled for 950306-10 & provides list of info to be reviewed
WHELAN,L A Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN,M S Duke Power Co 5pp 82767 113-82767 117

9502220381 Submits Relief Request 94-012 re scrubber insp intervals for NRC review & approval per GL 90-09 dtd 901211
FREEMAN,D W Duke Power Co 95/02/13 Document Control Branch (Document Control Desk) 6pp 82826 235-82826 247

9502220393 Proposed Tech Specs 3.7.8 & Table 4.7-2 re scrubber insp intervals per GL 90-09
Duke Power Co 95/02/13 7pp 82826 241-82826 247

112 DOCKETED ITEMS

8502270065 Authorizes use of ASME Code Case N-522 re request for relief 94-GO-002, dtd 940622, to satisfy periodic pressure test requirements for isolated portions of class 2 piping used only for containment integrity. Forwards SE BERKOWITZ, N. Project Directorate 11-1 (PD-1) (Post 941001) 95/02/17 TUCKMAN, M. S. Duke Power Co. 4pp 82852 225-82852 228

8502270071 Safety evaluation supporting request for relief dtd 940622 to use ASME Code Case N-522 re use of 10CFR50 Appendix J, to satisfy periodic pressure test requirements for isolated portions of class 2 piping used for containment integrity. * Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 4pp 82852 225-82852 228

9502180049 Administrative Ltr 95-02 to all holders of OILs or CPs re post beneficial licensing actions. MAJOR, J. V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502280486 Forwards proposed changes to TS 3.8.2.1 & 3.8.3.1 re 125 Vdc vital instrumentation & control power sys circuit breakers replacement, in response to Electrical Distribution Sys Functional Insp conducted in Jul 1991, technical concern. MCMEIKIN, T. C. Duke Power Co. 95/02/23 Document Control Branch (Document Control Desk) 4pp 82917 330-82917 350

8502280411 Proposed tech specs 3.8.2.1 & 3.8.3.1 supporting 125 Vdc vital instrumentation & control power sys circuit breakers replacement. * Duke Power Co. 95/02/23 17pp 82917 330-82917 350

Q. Inspection reports, IE Bulletins & correspondence

9501030219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/19 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502010008 Responds to NRC 950103 ltr re violations noted in insp repts 50-368/94-26 & 50-370/94-26. Corrective actions taken conducted within radiation controlled area to identify & label all appropriate radioactive containers & accessories. MCMEIKIN, T. C. Duke Power Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82587 333-82587 325

9502030061 Forwards insp repts 50-368/94-30 & 50-370/94-30 on 941130-1231 ltr violations noted. ORLENIAK, R. V. Region 2 (Post 820201) 95/01/24 MCMEIKIN, T. C. Duke Power Co. 3pp 82617 283-82617 296

8502030068 Insp repts 50-368/94-30 & 50-370/94-30 on 941130-1231. No violations noted. Major areas inspected plant operations, maintenance & engineering. MAJOWSKI, G. F. ORLENIAK, R. V. Region 2 (Post 820201) 95/01/24 14pp 82617 289-82617 298

9502070208 Informs that per interface w/E L&A of Region II planning to discuss improvements that will be made in McGuire training program in response to deficiencies noted in Exam Repts 50-368/94-300 & 50-370/94-300 scheduled for 950302. MCMEIKIN, T. C. Duke Power Co. 95/01/26 Document Control Branch (Document Control Desk) 2pp 82681 338-82681 339

9501030260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation." PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502010144 Responds to NRC 941230 ltr re violations noted in insp repts 50-368/94-26 & 50-370/94-26. Corrective actions taken operations & chemistry mgmt have raised awareness re mispositioning events through group which communications. MCMEIKIN, T. C. Duke Power Co. 95/01/27 Document Control Branch (Document Control Desk) 11pp 82590 162-82590 172

9501250428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 168-82652 184

9502130166 Responds to NRC 950106 ltr re violations noted in insp repts 50-368/94-26 & 50-370/94-26. Corrective actions taken maintenance & operations support personnel immediately originated work request to perform exam on unit 1 reactor vessel interior. MAJOWSKI, G. F. Duke Power Co. 95/02/02 Document Control Branch (Document Control Desk) 3pp 82728 129-82728 128

9502140055 Ack receipt of 950123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-368/94-26 & 50-370/94-26. CLINE, W. E. Region 2 (Post 820201) 95/02/02 MCMEIKIN, T. C. Duke Power Co. 3pp 82713 320-82713 322

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502140043 Forwards insp repts 50-368/94-02 & 50-370/94-02 on 950118-20. No violations or deviations noted. CLINE, W. E. Region 2 (Post 820201) 95/02/03 MCMEIKIN, T. C. Duke Power Co. 3pp 82713 274-82713 283

8502140054 Insp repts 50-368/94-02 & 50-370/94-02 on 950118-20. No violations noted. Major areas inspected radioactive effluent monitoring instrumentation, water chemistry & followup on previously identified issues. JONES, D. W., DECKER, T. R. Region 2 (Post 820201) 95/02/02 7pp 82713 277-82713 283

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA." GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502210055 Ack receipt of 950127 ltr informing NRC of steps taken to correct violations noted in insp repts 50-368/94-26 & 50-370/94-26. ORLENIAK, R. V. Region 2 (Post 820201) 95/02/10 MCMEIKIN, T. C. Duke Power Co. 3pp 82770 075-82770 077

9502220381 Submits Relief Request 94 012 re snubber insp intervals for NRC review & approval, per GL 90-08 dtd 901211. FREEMAN, D. W. Duke Power Co. 95/02/13 Document Control Branch (Document Control Desk) 6pp 82826 235-82826 247

8502220383 Proposed Tech Specs 3.7.8, Table 4.7-2 re snubber insp intervals, per GL 90-08. * Duke Power Co. 95/02/13 7pp 82826 241-82826 247

9502220401 Forwards response to request for addl info to complete review of Second 10-Yr ISI program plan. MCMEIKIN, T. C. Duke Power Co. 95/02/14 Document Control Branch (Document Control Desk) 10pp 82822 339-82822 348

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering, Inc." GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502280406 Forwards proposed changes to TS 3.8.2.1 & 3.8.3.1 re 125 Vdc vital instrumentation & control power sys circuit breakers replacement, in response to Electrical Distribution Sys Functional Insp conducted in Jul 1991, technical concern. MCMEIKIN, T. C. Duke Power Co. 95/02/23 Document Control Branch (Document Control Desk) 4pp 82917 330-82917 350

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82846 018-82846 025

R. Periodic operating reports & related correspondence

9502230395 Personnel monitoring rept for CY94 W/950208 ltr. MCMEIKIN, T. C. Duke Power Co. 94/12/31 2pp 82848 354-82848 355

9502230036 Monthly operating repts for Jan 1995 for McGuire Nuclear Station W/ 950218 ltr. WILLIAMS, R. A. WEBER, R. L. Duke Power Co. 95/01/31 13pp 82846 232-82846 244

S. Reportable occurrences, LERs & related correspondence

9502070367 Special rept 95-01 on 950104 personnel on Unit 2 operating in solid condition during M&T vent of MC sys. MCMEIKIN, T. C. Duke Power Co. 95/02/03 Document Control Branch (Document Control Desk) 5pp 82687 289-82687 293

V. Operator Examinations

9502210008 Notifies use of Region II annual Training Manager Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators. PEEBLES, T. A. Region 2 (Post 820201) 95/01/24 MCMEIKIN, T. C. Duke Power Co. 2pp 82768 116-82768 117

9502070208 Informs that per interface w/E L&A of Region II planning to discuss improvements that will be made in McGuire training program in response to deficiencies noted in Exam Repts 50-368/94-300 & 50-370/94-300 scheduled for 950302. MCMEIKIN, T. C. Duke Power Co. 95/01/26 Document Control Branch (Document Control Desk) 2pp 82681 338-82681 339

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502070087 Revised EPPs, including rev 23 to L2P-1310-1 & index. OLSON, L. Commonwealth Edison Co. 95/01/25 18pp 82688 255-82688 272

9502070053 Forwards rev 51 to security plan Plan withheld. JOHNSON, M. Commonwealth Edison Co. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82639 318-82639 319

9502130180 Revised Page 5 to EPP index, deleting Procedure L2P-1330-25. * Commonwealth Edison Co. 95/02/01 3pp 82728 129-82728 131

9502130271 Advises that Rev 48 to security plan consistent w/ provisions of 10CFR50.54(a) & acceptable. CAMPANO, R. J. Region 3 (Post 820201) 95/02/03 JOHNSON, M. Commonwealth Edison Co. 3pp 82726 014-82726 016

9502140225 Responds to NRC 941228 ltr re LaSalle County Station SALP 12 repts 50-373/94-01 & 50-374/94-01. Actions taken to halt decline in performance in areas of security & emergency preparedness. CLERIO, R. E. Commonwealth Edison Co. 95/02/08 Document Control Branch (Document Control Desk) 6pp 82744 248-82744 253

9502220299 Forwards White Paper, "Aspects Governing Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Dismant Firemap Melt Cable Ampacity Densifying Factor Calculation," in response to GL 92-04. VONK, M. J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 801

8502220245 "Aspects Governing Factors for Thermo-Lag 330-1 TSI Fire Barriers." BLOCH, W. G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 085

9502280259 Forwards submittal re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs." End withheld.
BRONX, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Attention Given. 2pp. 82917 359-82917 359

G. Adjudicatory correspondence

9502030366 Responds to postcard dated Nov. 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Affiliation Not Assigned. 52pp. 82865 001-82865 053

H. General correspondence

9502030232 Submits followup to 940617 re re concerns raised by constituents on sub proposal to modify security plans for nuclear facilities NRC map of sub did not observe decline in security force performance.
TAYLOR, J.M. Ofc. of the Executive Director for Operations 95/01/27 MOSELEY, BRADN. Saratoga. 3pp. 82913 074-82913 076

F. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043.dtd 829207. Listing of records in App A already available in PDR Records in App B and will be available in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RUCIO, J.P. Public Citizen's Critical Mass Energy Project. 121pp. 82862 005-82862 275

9502020284 Forwards updated list of NRCs as transmitted on 940111.
GREENMAN, G. Region 3 (Post 820201) 94/01/28 SCYLER, M. Division of Reactor Projects - III, IV/V (Post 801216) 3pp. 82592 228-82592 230

9502030346 First partial response to FOIA request for documents Records in App A will be made available in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/18 O'NEILL, M. Affiliation Not Assigned. 2pp. 82821 279-82821 313

9502030251 "Enforcement action tracking sys./license history rept. (shown last) sorted by license 950101-940509."
* NRC - No Detailed Attention Given. 94/06/06 3pp. 82821 281-82821 313

9502010434 Provides add info in regards to inner diameter & outer diameter weld lengths inspected during LaSalle County Station Unit 1 south refueling outage, in response to GL 94-03, "K3000 of Core Shrouds in BWRs."
BENES, G.G. Commonwealth Edison Co. 95/01/25 Document Control Branch (Document Control Desk). 2pp. 82580 339-82580 340

9502020227 Informs of 950118-19 NRC SMM re performance of NPPs & submits summary of discussions re Dresden plant. Concludes sense of progress evident at plant but that much remains to be done re plant staff condition & work control sys.
TAYLOR, J.M. Ofc. of the Executive Director for Operations 95/02/01 O'CONNOR, J.J. Commonwealth Edison Co. 7pp. 82683 253-82683 259

9502020225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 3pp. 82552 195-82552 198

9502020267 Forwards SE accepting licensee 941206 re submitted assessment of plant specific applicability of GE topical rept NEDO-32205-Annex 1, "10CFR50, App G, Equivalent Margin Analysis for Low Upper Shell Energy in BWR/2."
CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR, D.L. Commonwealth Edison Co. 3pp. 82681 351-82681 355

9502020293 SE of topical rept NEDO-32205-Annex 1, "10CFR50, App G, Equivalent Margin Analysis for Low Upper Shell Energy in BWR/2 Through BWR/6 Vessels."
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp. 82681 354-82681 355

9502020239 Forwards White Paper, "Asymmetry Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-89, "Derating Factors for Cable Ampacity Derating Factor Calculation," in response to GL 92-08.
VONK, M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp. 82822 073-82822 301

9502020245 "Asymmetry Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers."
BLOETHE, W.G. Sargent & Lundy, Inc. 95/02/03 11pp. 82822 075-82822 085

950210189 Forwards safety evaluation for plant Units 1 & 2 re response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
RECKLEY, W.D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 FARRAR, D.L. Commonwealth Edison Co. 3pp. 82601 269-82601 264

950210228 Safety evaluation accepting licensee basis for justifying continued operation of plant Unit 2 & continued map of Unit 1 core shroud in accordance w/guidance provided from BWRVIP.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 13pp. 82601 272-82601 264

9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program responses to GL 89-16 W/o proprietary info.
VONK, M.J. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk). 3pp. 82858 001-82858 248

9502240176 Rev 2 to White Paper MOV-WP-101, "As-Lost Stem/Stem Nut Coefficient of Friction."
KORMS, Commonwealth Edison Co. MOV-WP-101 R02 95/01/12 51pp. 82858 006-82858 059

9502240108 Forwards corrected attachment 5 of 950216 re MOV as specified in GL 88-10.
VONK, M.J. Commonwealth Edison Co. 95/02/20 Document Control Branch (Document Control Desk). 3pp. 82815 241-82815 274

9502160249 Administrative Ltr 95-02 to all holders of OLE or GPE re cost beneficial licensing actions.
MORSE, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp. 82648 001-82648 017

Q. Inspection reports, EE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp. 82905 019-82905 023

9501230280 NRC Info Notice 95-007, "Radiopneum Vial Breakage During Preparation."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 3pp. 82605 038-82605 048

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design."
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp. 82552 158-82552 194

9502070162 Requests approval of relief request prior to 951123, when initial ISI for Unit 1 ends.
BENES, G.G. Commonwealth Edison Co. 95/02/01 Document Control Branch (Document Control Desk). 3pp. 82683 359-82683 361

9502160126 Forwards map repts 50-373/94-22 & 50-374/94-22 on 941127-950106 No violations noted.
CLAYTON, B. Region 3 (Post 820201) 95/02/02 QUERO, R. Commonwealth Edison Co. 3pp. 82687 017-82687 030

9502100131 Map repts 50-373/94-22 & 50-374/94-22 on 941127-950106 No violations or deviations noted. Major areas inspected: restraints of plant operations, insent, plant support & temporary instruction.
CLAYTON, B. Region 3 (Post 820201) 95/02/02 12pp. 82687 019-82687 030

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp. 82588 001-82588 008

9502100448 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention."
* Office of Public Affairs (Post 911117) 95/02/03 8pp. 82742 137-82742 138

9502140226 Responds to NRC 941226 re re LaSalle County Station SALF 12 repts 50-373/94-01 & 50-374/94-01 Actions taken to halt decline in performance in areas of security & emergency preparedness.
QUERO, R.E. Commonwealth Edison Co. 95/02/08 Document Control Branch (Document Control Desk). 5pp. 82744 245-82744 253

9502100263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp. 82616 037-82616 042

9502150614 Forwards NRR repl on Main Rule review visit to plant during 941205-12.
SHAFFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co. LINCOLN Wisconsin Electric Power Co. KRAFT. Commonwealth Edison Co. 2pp. 82722 012-82722 038

9502210189 Forwards safety evaluation for plant Units 1 & 2 re response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
RECKLEY, W.D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co. 3pp. 82601 269-82601 264

9502210228 Safety evaluation accepting licensee basis for justifying continued operation of plant Unit 2 & continued map of Unit 1 core shroud in accordance w/guidance provided from BWRVIP.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 13pp. 82601 272-82601 264

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp. 82810 025-82810 038

9502210088 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device."
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp. 82816 016-82816 024

9502240087 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance."
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp. 82846 018-82846 025

R. Periodic operating reports & related correspondence

9502280124 "Effluent & Waste Disposal Semi-Annual Rept for Jul-Dec 1994" W/ 950215 ltr.
RAY, D.J. Commonwealth Edison Co. 94/12/31 25pp. 82904 322-82904 347

9502140383 Monthly operating repts for Jan 1995 for LaSalle County Nuclear Power Station W/950210 ltr.
DIALKOWSKI, M.J., RAY, D.J. Commonwealth Edison Co. 95/01/31 17pp. 82744 087-82744 103

9502130293 Forwards license for duty program performance data for 6 month period ending 941231.
SAMPKIN, T.W. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk). 21pp. 82727 321-82727 341

114 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9502140119 LER 94-011-01 on 940708, Unit 1 scram occurred due to FW signal spike. Adjustment controlled by special test procedures & addressed use of manual control W/950118 W/ OTLWIS, J., RAY, D. J. Commonwealth Edison Co. 95/01/16 5pp 82743 192-82743 197

9502000318 Special report 950104, "O" DG tripped. Caused by procedure deficiency. Lube oil line vented & "O" DG successfully operated per LOS-DG-M1, "O" DG operability test & returned to svc. RAY, D. J. Commonwealth Edison Co. 95/01/26 Document Control Branch (Document Control Desk) 1p 82630 855-82630 355

9502000142 LER 95-001-00 on 950108, RHR instrument root valve was found closed. No specific cause could be determined. Functional test satisfactorily completed & switch restored to proper isolated condition W/950203 W/ ELLSWORTH, M., RAY, D. J. Commonwealth Edison Co. 95/02/03 App 82709 285-82709 288

9502160078 Special report 950126, units 1 & 2 license condition for implementation & maintenance of FP program was not met. Caused by programmatic deficiency in surveillance scheduling process. Reports to lighting & review of program. RAY, D. J. Commonwealth Edison Co. 95/02/08 Document Control Branch (Document Control Desk) 1p 82770 287-82770 287

V. Operator Examinations

9502020078 Inform that NRC plans to administer GFES of unit operator licensing exam on 950405. RHG, M. A. Region 3 (Post 820201) 95/01/25 LACROIX, D. G. Consumers Power Co. 3pp 82558 355-82558 357

DOCKET 90-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502070047 Revised EPIP, including rev 23 to LZF-1310-1 & index. OLSON, L. Commonwealth Edison Co. 95/01/25 18pp 82665 255-82665 272

9502070053 Forwards rev 51 to security plan. Plan withheld. JOHNSON, J. M. Commonwealth Edison Co. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82639 318-82639 319

9502130160 Revised Page 5 to EPIP index, deleting Procedure LZF-1330-25. Commonwealth Edison Co. 95/02/01 3pp 82728 129-82728 131

9502130271 Advises that Rev 48 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. CARLINO, R. J. Region 3 (Post 820201) 95/02/03 JOHNSON, J. Commonwealth Edison Co. 3pp 82728 014-82728 015

9502148235 Responds to NRC 941228 ltr re LaSalle County Station SALP 12 repts 90-373/94-01 & 90-374/94-01 Actions taken to halt decline in performance in areas of security & emergency preparedness. QUERRO, R. E. Commonwealth Edison Co. 95/02/08 Document Control Branch (Document Control Desk) 6pp 82744 248-82744 253

9502202238 Forwards White Paper, "Anticipatory Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mat Cable Ampacity Derating Factor Calculation," in response to GL 92-08. VONK, M. J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

9502202245 "Anticipatory Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers." BLOETHE, W. G. Sargent & Lundy, Inc. 95/02/08 11pp 82622 075-82622 085

9502202258 Forwards et al. Submittal re 10CFR Rulemaking, "Protection Against Misoperation Use of Vehicles at NPPs." Encl withheld. BRONKH, G. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Affiliation Given 2pp 82917 355-82917 360

G. Adjudicatory correspondence

9502030168 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, E. Affiliation Not Assigned 52pp 82585 001-82585 058

O. Advisory Committee on Reactor Safeguards reports & correspondence

9502000132 Summary of ACRS Subcommittee on Auxiliary & Secondary Sys on 940727 & 28 in Bethesda, MD re internal line analysis for LaSalle Nuclear Power Plant, Unit 2 & proposed resolution of Generic Issue 57, "Effects of Fire Protection Sys." CATTONI, A. CRSS - Advisory Committee on Reactor Safeguards 94/03/07 ACRS - Advisory Committee on Reactor Safeguards 20pp 82716 068-82716 088

P. Operating license stage documents & correspondence

9502080245 Encl partial response to FOIA request for documents. Records in App A will be made available in PDR. REED, C. A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/13 O'NEILL, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502030251 "Enforcement action tracking sys, licensee history repl (short list) sorted by licensee 950101-940509." NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 312

9501170134 Inform Commission of status of staff review & process for mods proposed by BWR/ROG for full implementation of EPG to enhance operator response re ATWS w/power oscillations. TAYLOR, J. M. Cdc of the Executive Director for Operations SECY-95-002 95/01/03 6pp 82583 079-82583 081

9502060064 Application for amend to license NFF-18, requesting emergency amend to TS 3.8.1, for one time extension of functional test for main steam line isolation valve - closure scram functional unit in RPS. BENES, G. G. Commonwealth Edison Co. 95/01/30 Document Control Branch (Document Control Desk) 11pp 82624 197-82624 216

9502060066 Proposed tech specs, proposing one time extension of functional test for main steam line isolation valve - closure scram functional unit in RPS. Commonwealth Edison Co. 95/01/30 8pp 82624 206-82624 215

9502080027 Inform of 950118-19 NRC SNM re performance of NPPGs & submits summary of discussions re Dresden plant. Concludes sense of progress evident at plant but that much remains to be done re plant mail condition & work control sys. TAYLOR, J. M. Cdc of the Executive Director for Operations 95/02/01 O'CONNOR, J. J. Commonwealth Edison Co. 7pp 82683 253-82683 259

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 195-82552 199

9502090016 Forwards public announcement to Morris Daily Herald, Streaker Times-Press & Ottawa Daily Times for publication re application dtd 950130 for amend to TS RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 FARRAR, D. L. Commonwealth Edison Co. 6pp 82683 247-82683 252

9502090040 Forwards advertising request & public notice for publication in Streaker Times-Press re Unit 2 request for amend to operating license. CAPRA, R. A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 6pp 82683 274-82683 275

9502090043 Forwards advertising order & public notice of amend to operating license for publication in Morris Daily Herald. CAPRA, R. A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 6pp 82683 280-82683 285

9502090045 Forwards advertising order & public notice of amend of plant operating license for publication in Ottawa Daily Times. CAPRA, R. A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 6pp 82683 286-82683 291

9502090287 Forwards SE accepting licensee 941206 ltr submitted assessment of plant specific applicability of GE topical rept NEDO-32205-Aux 1, "10CFR50, App G, Equivalent Margin Analyses for Low Upper Shell Energy in BWR/2." CAPRA, R. A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR, D. L. Commonwealth Edison Co. 3pp 82681 351-82681 355

9502090289 SE of topical rept NEDO-32205-Aux 1, "10CFR50, App G, Equivalent Margin Analyses for Low Upper Shell Energy in BWR/2 Through BWR/6 Vessels." Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82681 354-82681 355

9502180231 Inform that minor variations described in 941117 submittal re core shroud wsg plant acceptable. RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 FARRAR, D. L. Commonwealth Edison Co. 3pp 82711 072-82711 074

9502201084 Forwards amend 86 to license NFF-18 & safety evaluation. Amend adds footnote to TS Table 4.3.1.1-1 to allow one time extension of surveillance interval for MSIV closure reactor protection sys channel functional test. RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 FARRAR, D. L. Commonwealth Edison Co. 4pp 82789 285-82789 297

9502201086 Amend 86 to license NFF-18, adding footnote to TS Table 4.3.1.1-1 to allow one-time extension of surveillance interval for MSIV closure reactor protection sys channel functional test. RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 4pp 82789 288-82789 291

9502201090 Safety evaluation supporting amend 86 to license NFF-18. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 5pp 82789 292-82789 297

9502202238 Forwards White Paper "Anticipatory Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mat Cable Ampacity Derating Factor Calculation," in response to GL 92-08. VONK, M. J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

9502202245 "Anticipatory Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers." BLOETHE, W. G. Sargent & Lundy, Inc. 95/02/08 11pp 82622 075-82622 085

9502201089 Forwards safety evaluation for plant Units 1 & 2 re response to GL 94-09, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D. L. Commonwealth Edison Co. 3pp 82801 264-82801 264

9502201020 Safety evaluation accepting licensee basis for justifying continued operation of plant Unit 2 & continued wsg of Unit 1 core shroud in accordance w/guidance provided from BWRVIP. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 13pp 82801 272-82801 284

9502248170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance programs in response to GL 89-10 W/o proprietary info. VONK, M. J. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk) 8pp 82658 001-82658 248

9502240176 Rev 2 to White Paper MOV-WP-101 "As-Led Stem/Stem Nut Coefficient of Friction"
KORNS, Commonwealth Edison Co. MOV-WP-101 R02 98/01/12 51pp 82656 009-82658 058

9502240106 Forwards corrected attachment 5 of 950216 for re MOV as specified in GL 95-10
VONK, J. Commonwealth Edison Co. 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82915 274

9502240349 Administrative Ltr 95-02 to all holders of OLs or GP's re cost benefit in owning Edison
HARRIS, J. Cost Benefit Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9502240219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERBELL, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502240280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERBELL, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 008-82605 048

9502240429 NRC Info Notice 95-006, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502240126 Forwards insp repts 50-373/94-22 & 50-374/94-22 on 941127-950106 No violations noted
CLAYTON, B. Region 3 (Post 820201) 95/02/02 QUERRO, R. Commonwealth Edison Co. 2pp 82687 017-82687 030

9502240131 Insp repts 50-373/94-22 & 50-374/94-22 on 941127-950106 No violations or deviations noted Major areas inspected reviews of plant operations, plant support & temporary instruction
CLAYTON, B. Region 3 (Post 820201) 95/02/02 12pp 82687 019-82687 030

9502240318 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 006

9502240409 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 197-82742 138

9502240231 Informs that minor violations described in 941117 substantial re core shield insp plan acceptable
RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 FARRAR, D. L. Commonwealth Edison Co. 8pp 82711 072-82711 074

9502240235 Responds to NRC 941228 for re LaSalle County Station SALP 12 repts 50-373/94-01 & 50-374/94-01 Actions taken to halt decline in performance in areas of security & emergency preparedness
QUERRO, R. Commonwealth Edison Co. 95/02/06 Document Control Branch (Document Control Desk) 6pp 82744 249-82744 259

9502240283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-82818 042

9502240014 Forwards NRC repts on plant rule number sent to plant during 941205-12
SHAFER, W. D. Region 3 (Post 820201) 95/02/10 DONNELLY, P. M. Consumers Power Co. 10pp 82722 012-82722 028

9502240199 Forwards safety evaluation for plant Units 1 & 2 re response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs"
RECKLEY, W. D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D. L. Commonwealth Edison Co. 9pp 82801 269-82801 284

9502240228 Safety evaluation accepting licensee basis for justifying continued operation of plant Unit 2 & continued insp of Unit 1 core shield in accordance w/guidance provided from BWRVIP
Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 13pp 82801 272-82801 284

9502240861 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502240500 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 015-82818 024

9502240637 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502240124 Effluent & Waste Disposal Semi-Annual Rept for Jul-Dec 1994
RAY, D. J. Commonwealth Edison Co. 94/12/31 25pp 82904 322-82904 347

9502240283 Monthly operating repts for Jan 1995 for LaSalle County Nuclear Power Station W/950210
CHALKOWSKI, J. A. RAY, D. J. Commonwealth Edison Co. 95/01/31 17pp 82744 067-82744 103

9502240283 Forwards fitness for duty program performance data for 8 month period ending 941231
SHAFER, W. D. Commonwealth Edison Co. 95/02/08 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9502240231 LER 94-011-00 on 941220 HPCS sys declared inoperable Caused by design deficiency Merged motor, inspected breaker & insp tested & replaced control switch as precautionary measure W/ 950118
KOLLODSE, T. RAY, D. J. Commonwealth Edison Co. 95/01/18 5pp 82605 090-82605 094

9502240316 Special repts on 950104, "O" DG (ripp) Caused by procedure deficiency Lube oil insp vented & "O" DG successfully operated, pair LOS-DG-M1, "O" DG operability test & returned to svc
RAY, D. J. Commonwealth Edison Co. 95/01/26 Document Control Branch (Document Control Desk) 1p 82630 353-82630 355

9502240076 Special repts on 950126 Units 1 & 2 license condition for implementation & maintenance of FP program was not met. Caused by programmatic deficiency in surveillance scheduling process Repts to lighting & reverse of program
RAY, D. J. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 1p 82770 297-82770 297

9502240349 LER 95-001-00 on 950112 Unit 2 in operational condition 1 at 100% power, ECCS & reactor core isolation cooling low level isolation occurred resulting in RICC Caused by incorrect test vent valve being opened W/950210
BELOVEG, W. F. RAY, D. J. Commonwealth Edison Co. 95/02/10 8pp 82786 180-82786 185

9502240080 Special repts on 950124 min number of required operable detectors for Zone 2-25 had not been maintained Cause due to alarms taken out-of-svc while installation of Dammit line barriers Fire watch established
RAY, D. J. Commonwealth Edison Co. 95/02/17 Document Control Branch (Document Control Desk) 1p 82831 015-82831 015

V. Operator Examinations

9502240079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M. A. Region 3 (Post 820201) 95/01/25 LACROIX, D. G. Consumers Power Co. 3pp 82559 355-82559 357

DOCKET 95-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502240112 Informs that proposed schedule for Waterford 3 1995 annual emergency preparedness exercise
BURSKI, R. F. Emergency Operations, Inc. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82620 343-82620 344

9502240846 Forwards insp repts 50-382/95-11 on 950109-13 & notice of violation Violation of NRC concern because it indicates weakness in fire protection program to ensure that equipment located in fire brigade equipment lockers will function
GWYNNE, T. P. Region 4 (Post 820201) 95/02/16 BARKHURST, R. P. Emergency Operations, Inc. 5pp 82814 049-82814 054

9502240850 Notice of violation from insp on 950109-13 Violation noted on 950112 loss of fire portable emergency lights, stored in fire brigade equipment lockers 1, 2 & 4, failed to function when tested
Region 4 (Post 820201) 95/02/16 1p 82814 053-82814 063

9502240852 Insp repts 50-382/95-11 on 950109-13 Violations noted Major areas inspected implementation of licensee fire protection program & followup insp of previously identified items
ANG, W. P. Region 4 (Post 820201) 95/02/09 11pp 82814 054-82814 064

9502240310 Revised EPIPs, including Rev 17 to EP-001-001, Change 2 to Rev 17 to EP-001-001 & Rev 7 to EP-002-000 W/950221
BURSKI, R. F. Emergency Operations, Inc. 95/02/21 53pp 82870 288-82870 340

9502240855 Forwards schedule for submittal of internal fire evaluation repts Schedule not met
BURSKI, R. F. Emergency Operations, Inc. 95/02/24 Document Control Branch (Document Control Desk) 2pp 82853 155-82853 156

9502240428 "Waterford 3 SES Emergency Plan, Rev 20, Change 1" W/950224
BARKHURST, R. P. Emergency Operations, Inc. 95/02/24 17pp 82854 001-82854 017

G. Adjudicatory correspondence

9502240166 Responds to postcard dated Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82688 001-82688 053

P. Operating license stage documents & correspondence

9502240310 TS Change Request NPF-38-153 to license NPF-38 increasing max enrichment for spent fuel pool & containment temporary storage rack from 4.140 4.9 weight percent U-235 when fuel assemblies contain fixed poisons Supporting EA encl
BARKHURST, R. P. Emergency Operations, Inc. 95/01/27 Document Control Branch (Document Control Desk) 10pp 82587 183-82587 219

116 DOCKETED ITEMS

-9502010314 Proposed tech spec 5.3.1, increasing max enrichment for spent fuel pool & containment temporary storage rack from 4.1 to 4.9 weight percent U-235 when fuel assemblies contain fissile poisons
* Entergy Operations, Inc. 95/01/27 App 82587 173-82587 178

-9502010318 "Summary of Waterford 3 Orbital Safety Analysis for Fuel Enrichment Above 4.1 Wt% U-235 taking credit for Fissile Poisons"
GOBERT, G. Entergy Operations, Inc. NEAD-SR-94/075 R1 95/01/31 27pp
82587 177-82587 213

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 185-82552 189

9502070160 Provides addl info re Entergy topical rept, "Verification of CECOR Coefficient Methodology for Application to PWRs of Entergy Sys." ENEAD-02-NP, Rev. 0, as requested by CP Patel 941221 to
TITUS, P.W. Entergy Operations, Inc. 95/02/02 Document Control Branch (Document Control Desk) 13pp 82631 323-82631 335

9502130185 Requests for addl info re control room air conditioning sys TS change request for plant unit 3
PATEL, C.P. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 BARKHURST, R.P. Entergy Operations, Inc. 4pp 82728 250-82728 263

9502160349 Administrative Ltr 95-02 to all holders of OLRs or CPOs re cost beneficial licensing actions
MURPHY, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82948 001-82948 017

9502280365 Forwards schedule for submittal of internal fire evaluation rept Schedule not end
BURSKI, R.F. Entergy Operations, Inc. 95/02/24 Document Control Branch (Document Control Desk) 2pp 82853 155-82853 156

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 029

9501230260 NRC Info Notice 95-007, "Radiopharmaceutical Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 028-82605 048

9502020070 Forwards insp rept 50-382/95-02 on 950109-13 No violations noted
COLLINS, S.J. Region 4 (Post 820201) 95/01/27 BARKHURST, R.P. Entergy Operations, Inc. 5pp 82618 223-82618 242

-9502020075 Insp rept 50-382/95-02 on 950109-13 No violations noted Major areas inspected radiation protection program
MURRAY, B. Region 4 (Post 820201) 95/01/25 15pp 82618 228-82618 242

9501250429 NRC Info Notice 95-006, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation and Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502030428 Submits response to violations noted in Insp Rept 50-382/94-26 Corrective actions responsible engineer verbally counseled on importance of maintaining accuracy of info in SIS data base
BURSKI, R.F. Entergy Operations, Inc. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82620 316-82620 322

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 5pp 82668 001-82668 006

9502190383 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82818 037-82818 042

9502240024 Forwards insp rept 50-382/94-22 on 941225-850204 No violations noted
SEACHA, B. Region 4 (Post 820201) 95/02/15 BARKHURST, R.P. Entergy Operations, Inc. 5pp 82818 087-82818 110

-9502240036 Insp rept 50-382/94-22 on 941225-850204 No violations noted Major areas inspected plant status, plant operations, maint & surveillance observations, plant support activities, onsite engineering & followup on CA for violations
VANDENBURGH, C. Region 4 (Post 820201) 95/02/15 19pp 82818 082-82818 110

9502240048 Forwards insp rept 50-382/95-11 on 950109-13 & notice of violation Violation of NRC concern because it indicates weaknesses in fire protection program to ensure that equipment located in fire brigade equipment lockers will function
GWYNN, T.P. Region 4 (Post 820201) 95/02/16 BARKHURST, R.P. Entergy Operations, Inc. 5pp 82814 048-82814 064

-9502240050 Notice of violation from insp on 950109-13 Violation noted on 950112, five of nine portable emergency lights, stored in fire brigade equipment lockers 1, 2 & 4, failed to function when tested
* Region 4 (Post 820201) 95/02/16 1p 82814 053-82814 053

-9502240052 Insp rept 50-382/95-11 on 950109-13 Violations noted Major areas inspected implementation of licensee fire protection program & followup rept of previously identified items
ANG, W.P. Region 4 (Post 820201) 95/02/09 11pp 82814 054-82814 064

9502270060 Ack receipt of 841216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-28
COLLINS, S.J. Region 4 (Post 820201) 95/02/17 BARKHURST, R.P. Entergy Operations, Inc. 5pp 82831 185-82831 249

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 038

9502270020 Ack receipt of 950201 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/94-26 C/A to be reviewed in future insp
GWYNN, T.P. Region 4 (Post 820201) 95/02/21 BARKHURST, R.P. Entergy Operations, Inc. 4pp 82831 075-82831 062

9502290060 NRC Info Notice 95-011, "Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240027 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 5pp 82818 018-82818 026

R. Periodic operating reports & related correspondence

9502140378 Monthly operating rept for Jan 1995 for Waterford 3 SES w/ 890213 ltr
BECKER, T.S. BURSKE, R.F. Entergy Operations, Inc. 95/01/31 7pp 82744 200-82744 206

9502270335 Submits FPD performance data for six month period 940701-1231
GRIMES, B.K. Entergy Operations, Inc. 95/02/23 Document Control Branch (Document Control Desk) 5pp 82903 265-82903 269

V. Operator Examinations

9502280061 Inform licensee of scheduled GPES examination for personnel at plant Requests names of nominated employees by 950302 to allow administrative processing by 950405 scheduled test date
GWYNN, T.P. Region 4 (Post 820201) 95/02/06 BARKHURST, R.P. Entergy Operations, Inc. 4pp 82851 001-82851 004

9502130129 Submits individuals currently included in NRC operator license tracking sys that no longer require operator licenses at plant Unit 3 SES
BURSKI, R.F. Entergy Operations, Inc. 95/02/08 CALLAN, J. Region 4 (Post 820201) 2pp 82728 108-82728 108

9502160111 Forwards seven final applications for senior reactor operator licenses in accordance w/10CFR55.51 w/o end
BURSKI, R.F. Entergy Operations, Inc. 95/02/14 PELLET, J.L. Region 4 (Post 820201) 1p 82737 176-82737 178

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502030019 Responds to NRC request for info re util review & disposition of security assessment contents End provides details of review & evaluation End withheld
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/25 MARTIN, T.T. Region 1 (Post 820201) 2pp 82539 001-82539 002

9502010126 Notification of significant licensee meeting 95-09 w/utl on 950223 re enforcement conference to discuss findings of Oic of Investigation relative to inappropriate on part of member of security organization w/utl of security members
WHITE, J.R. Region 1 (Post 820201) 95/01/26 Region 1 (Post 820201) 2pp 82545 073-82545 074

9502010136 Notification of significant licensee meeting 95-08 w/utl on 950223 re enforcement conference to discuss findings of Oic of Investigation relative to inappropriate on part of member of security organization w/utl of security members
WHITE, J.R. Region 1 (Post 820201) 95/01/26 Region 1 (Post 820201) 2pp 82545 075-82545 076

9502080028 Notification of 950207 meeting w/utl in Bethesda, MD to discuss util plans for relocating emergency operations facility from site location in Germantown, PA
POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001) 95/02/08 RUSSELL, W. MIRAGLIA, F. TRADANA, A. NRC No Detailed Affiliation Given 5pp 82681 345-82681 350

9502170236 Notification of significant licensee meeting 95-13 w/utl on 950206 to introduce some new members of SSES security supervision to Region 1 Security Staff & to discuss pending changes to SSES Security plan
WHITE, J.R. Region 1 (Post 820201) 95/02/02 Region 1 (Post 820201) 2pp 82789 017-82789 018

9502200229 Forwards security training & qualification plan Plan withheld per 10CFR73.21
BYRAM, R.G. Pennsylvania Power & Light Co. 95/02/14 Document Control Branch (Document Control Desk) 2pp 82828 262-82828 263

9502220230 Forwards Change HH to plant physical security plan Plan withheld per 10CFR73.21
BYRAM, R.G. Pennsylvania Power & Light Co. 95/02/14 Document Control Branch (Document Control Desk) 2pp 82828 264-82828 265

9502270067 Notification of 950214 meeting w/utl in Rockville, MD to discuss Dec. 1994 request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers"
GAMBERONI, M.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R. Associate Director for Projects (ADPR) (Post 941001) 7pp 82666 290-82666 294

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

H. General correspondence

9502270182 Informs that end documents provided by D. Lochbaum to NRC re postulated loss of SFPC events at plant
SHEA, J. W. Project Directorate I-2 (PD1-2) Post 941001 95/02/21 Project Directorate I-2 (PD1-2) Post 941001 2pp 82852 171-82852 174

9502270176 Comments on NRC 770117 re re-analyzed refueling accident inside reactor containment bldg NRC statement supports author longstanding position that sys & components should not be relied upon to handle postulated design basis event.
LOCHBAUM, D. A. Affiliation Not Assigned 95/02/02 SHEA, J. W. NRC - No Detailed Affiliation Given 1p 82852 173-82852 173

9502270173 Comments on LER 90-298/94-35 re potential for loss of SGTS due to failure of non-safety related components & Susquehanna spent fuel pool cooling case
LOCHBAUM, D. A. Affiliation Not Assigned 95/02/10 SHEA, J. W. NRC - No Detailed Affiliation Given 1p 82852 174-82852 174

I. Advisory Committee on Reactor Safeguards reports & correspondence

9502220096 Responds to 941219 re commenting on staff draft safety evaluation re potential loss of spent-fuel-pool-cooling events at facility
TAYLOR, J. M. Ofc. of the Executive Director for Operations 95/02/15 KRESS, T. S. ACRS - Advisory Committee on Reactor Safeguards 3pp 82817 352-82817 359

9502220107 Discusses 941209-10 418th Advisory Committee on Reactor Safeguards meeting re NRC staff Draft Safety Evaluation Rpt on potential for loss of SFPC following LOCA at facility
KRESS, T. S. ACRS - Advisory Committee on Reactor Safeguards 94/12/19 THE CHAIRMAN, SELVINI Commissioners (Post 750119) 3pp 82817 357-82817 369

F. Operating license stage documents & correspondence

9502190444 Third partial response to FOIA request for documents Records in app C and will be available in PDF
POWELL, R. A. Division of Freedom of Information & Publications Services (850205-940714) 94/07/06 O'MEALIA, M. Affiliation Not Assigned 3pp 82729 181-82729 223

9502190173 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/05/22 40pp 82729 184-82729 223

9502210116 Final response to FOIA request for documents Records in App A will be available in PDF App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R. A. Division of Freedom of Information & Publications Services (850205-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82906 322-82906 339

9502210119 Notices of Enforcement Decision
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82906 327-82906 339

9502090282 Amends NPDES permit application submitted on 940715 for SSES to include revised outfall & operational support activities into a list of add water treatment chemicals which may be used at station
FIELDS, J. S. Pennsylvania Power & Light Co 94/10/17 CROWLEY, K. Pennsylvania Commission on 32pp 82706 327-82706 358

9502170227 Cancelled notification of significant licensee meeting 95-07 w/utl on 950209 to discuss 950325 outage plans for Unit 1, recent corporate restructuring of utilities of corrective action effectiveness improvement efforts & plans
WHITE, J. R. Region 1 (Post 820201) 95/01/13 Region 1 (Post 820201) 2pp 82759 009-82759 004

9502060050 Forwards amends 141 & 111 to licensees NPF-14 & NPF-22, respectively & SE Amends add isolation signals to Table 9.6.2-1 for containment isolation valves on sample lines for containment radiation monitoring & wetwell sample lines
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/01/31 BYRAM, R. G. Pennsylvania Power & Light Co 3pp 82881 228-82881 237

9502260053 Amend 141 & 111 to licensees NPF-14 & NPF-22, respectively Amends add TS isolation signals for containment isolation valves on sample lines for containment radiation monitoring & wetwell sample lines
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/01/31 10pp 82881 228-82881 237

9502260056 Safety evaluation supporting amends 141 & 111 to licensees NPF-14 & NPF-22, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 3pp 82881 238-82881 240

9502060051 Forwards Amends 180 & 134 to Licensees NPF-14 & NPF-22, respectively, changing TS 3/4.3.2 re secondary containment isolation radiation monitors
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/01 Document Control Branch (Document Control Desk) 2pp 82654 285-82654 317

9502060054 Proposed Amend 180 & 134 to Licensees NPF-14 & NPF-22, respectively, revising TS 3/4.3.2 re radiation monitor operability requirements
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/01 13pp 82654 287-82654 309

9502060055 Proposed TS 3/4.3.2 re radiation monitor operability requirements
* Pennsylvania Power & Light Co 95/02/01 8pp 82654 310-82654 317

9502060056 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, S. K. Ofc. of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 189-82652 189

9502060050 Forwards application for amends to plant Units 1 & 2 TSs to permit implementation of an increase in allowable exposure of Siemens 9X9-2 fuel from 40 GWD/MTU to 45 GWD/MTU
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/02 Document Control Branch (Document Control Desk) 2pp 82705 271-82705 281

9502060044 Application for amends to licensees NPF-14 & NPF-22 to revise TSs to permit implementation of an increase in allowable exposure times of Siemens 9X9-2 fuel
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/02 NRC - No Detailed Affiliation Given 7pp 82703 273-82703 279

9502060050 Proposed tech specs re implementation of increased allowable exposure of Siemens 9X9-2 fuel
* Pennsylvania Power & Light Co 95/02/02 2pp 82705 280-82705 281

9502060058 Documents overview of PP&L current plans for gathering data on hydraulic response of reactor recirculation sys in response to request from C. Poslusny, in rel to 940727 proposed amend for power uprate w/increased core flow
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/03 Document Control Branch (Document Control Desk) 2pp 82705 287-82705 289

9502140054 Informs that add info needed in order to complete review of utl 941121 submitted re removal of MSLL valve leakage control sys from plant info needed by 950214 RAI end
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/05 BYRAM, R. G. Pennsylvania Power & Light Co 12pp 82740 276-82740 287

9502170190 Forwards proposed amends 179 & 133 to licensees NPF-14 & NPF-22, respectively Amends revise TS to extend AOTs for maint & repair & surveillance test intervals between channel functional tests for tested groups of instruments
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/10 Document Control Branch (Document Control Desk) 3pp 82838 001-82838 181

9502170192 Proposed amends 179 & 133 to licensees NPF-14 & NPF-22, respectively revising TS to extend AOTs/STIs
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/10 46pp 82838 004-82838 049

9502170194 Proposed tech specs for AOT/STI extensions
* Pennsylvania Power & Light Co 95/02/10 122pp 82838 050-82838 181

9502170229 Ack receipt of ltr dtd 950120 informing NRC of decision to discontinue testing for substances beyond 10CFR28, Appendix A requirements
JOYNER, J. H. Region 1 (Post 820201) 95/02/10 BYRAM, R. G. Pennsylvania Power & Light Co 2pp 82768 006-82768 007

9502210215 Forwards amends 142 & 112 to licensees NPF-14 & NPF-22, respectively & SE Amends add test exception to allow reactor coolant temp up to 212 F during hydrostatic or inservice leak testing while in Operational Condition 4
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/13 BYRAM, R. G. Pennsylvania Power & Light Co 3pp 82790 001-82790 024

9502210232 Amends 142 & 112 to licensees NPF-14 & NPF-22, respectively adding test exception to allow reactor coolant temp up to 212 F during hydrostatic or inservice leak testing while in Operational Condition 4
STOLZ, J. F. Project Directorate I-2 (PD1-2) Post 941001 95/02/13 17pp 82780 004-82780 021

9502210244 Safety evaluation supporting amends 142 & 112 to licensees NPF-14 & NPF-22, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 3pp 82790 022-82790 024

9502210296 Forwards monthly operating logs for Jan 1995 for SSES Units 1 & 2 Rev 2 to "PP&L SSES OCOM" also end
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/15 Document Control Branch (Document Control Desk) 1p 82804 001-82804 169

9502210308 Rev 2 to "PP&L SSES OCOM"
SHANK, K. E. Pennsylvania Power & Light Co 95/01/20 160pp 82804 010-82804 169

9502200365 Notification of 950221 meeting w/PP&L in Rockville, MD to discuss results of utl & GE Nuclear analysis of cause & effect of vibration/noise event at plant during Jun 1994 restart
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/15 RUSSELL, W. M. RAGLIA, F. THADANILA NRC - No Detailed Affiliation Given 5pp 82795 347-82795 351

9502270185 Submits corrections to implementation dates for amends 141 & 111 to licensees NPF-14 & NPF-22, issued on 950131
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001 95/02/21 BYRAM, R. G. Pennsylvania Power & Light Co 3pp 82846 328-82846 330

9502270206 Forwards PSAR change delineating use of RHR fuel pool cooling mode of operation to mitigate loss of normal spent fuel pool cooling sys in response to seismic event per commitment made via 941228 ltr
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/21 Document Control Branch (Document Control Desk) 45pp 82856 287-82856 341

9502270273 Responds to NRC 950203 RAI re plant MSIV leakage control sys
BYRAM, R. G. Pennsylvania Power & Light Co 95/02/21 Document Control Branch (Document Control Desk) 34pp 82983 270-82983 303

9502270067 Notification of 950314 meeting w/utl in Rockville, MD to discuss Dec. 1994 request for add info re GL 92-08, "Thermal-Lag 320-1 Fire Barriers"
GAMBERCHINI, K. Ofc. of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R. P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82896 290-82896 296

9502180348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
IMBRO, E. V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501080318 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Mail"
PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82805 013-82805 023

9502090126 Notification of significant licensee meeting 95-09 w/utl on 950223 re enforcement conference to discuss findings of Ofc. of Investigation relative to improper use of part of member of security organization w/scan of security members
WHITE, J. R. Region 1 (Post 820201) 95/01/26 Region 1 (Post 820201) 2pp 82545 073-82545 074

118 DOCKETED ITEMS

9502010136 Notification of significant licensee meeting 95-08 w/utl on 950223 re enforcement conference to discuss findings of OIC of investigation relative to improper-
 es on part of member of security organization w/exam of security members
 WHITE,J.R. Region 1 (Post 820201) 95/01/25 Region 1 (Post 820201) 2pp
 82545 075-82545 076

9502030033 Ack receipt of 941128 Mr re violations noted in insp repts 50-367/94-21 &
 50-368/94-22
 JOYNER,J.H. Region 1 (Post 820201) 95/01/26 BYRAM,R.G. Pennsylvania Power &
 Light Co 2pp 82616 351-82616 354

9501230090 NRC info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
 PAPERDELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 670729) 95/
 01/27 Consolidated Edison Co. of New York, Inc 5pp 82605 038-82605 046

9501260428 NRC info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For
 Piping & Pipe Support Evaluation & Design"
 GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consol-
 idated Edison Co. of New York, Inc 7pp 82652 188-82652 184

9502100629 Informa that utl will not be able to respond to ref for until 950331
 BYRAM,R.G. Pennsylvania Power & Light Co 95/01/31 Document Control Branch
 (Document Control Desk) 1p 82720 214-82720 214

9502030012 NRC info Notice 95-010, "Potential for Loss of Automatic ESFA"
 GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 5pp 82668 001-
 82668 008

9502100326 Forwards response to NRC 941222 Mr re violations noted in insp repts 50-
 367/94-25-01 & 50-368/94-25-01 Corrective actions evaluation was performed on ex-
 ternal training identified above that was completed on 940625
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/03 Document Control Branch
 (Document Control Desk) 3pp 82720 215-82720 217

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic
 ESFA"
 GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 5pp 82618 037-
 82618 042

950210061 NRC info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
 by A&G Engineering, Inc."
 GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp
 82618 025-82618 036

9502100558 NRC info Notice 95-011, "Failure of Condensate Pump Because of En-
 vironment/Corrosion at Flow-Straightening Device"
 GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 5pp 82618 016-
 82618 024

9502240037 NRC info Notice 95-013, "Potential For Data Collection Equipment to
 Affect Protection System Performance"
 GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 5pp 82648 018-
 82648 025

R. Periodic operating reports & related correspondence

9502010133 "Susquehanna Steam Electric Station Discharge Monitoring Rept for Dec
 1994" W/950124 lt
 FIELDS,J.S. Pennsylvania Power & Light Co 94/12/31 CROWLEY,K. Pennsylvania
 Commonwealth of 11pp 82590 327-82590 338

9502110298 Forwards monthly operating repts for Jan 1995 for SSES Units 1 & 2 Rev 2
 to "PP&L SSES ODCM" also encl
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/15 Document Control Branch
 (Document Control Desk) 1p 82804 001-82804 168

9502210306 Monthly operating repts for Jan 1995 for Susquehanna SES
 BALL,R.S. Pennsylvania Power & Light Co 95/01/31 5pp 82804 002-82804 009

9502210308 Rev 2 to "PP&L SSES ODCM"
 SHANK,K.E. Pennsylvania Power & Light Co 95/01/20 160pp 82804 010-82804 168

DOCKET 50-368 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502020019 Responds to NRC request for info re utl review & disposition of security
 assessment concerns Encl provides details of review & evaluation Encl withheld
 BYRAM,R.G. Pennsylvania Power & Light Co 95/01/25 MARTIN,J.T. Region 1 (Post
 820201) 2pp 82636 001-82636 002

9502010128 Notification of significant licensee meeting 95-09 w/utl on 950223 re en-
 forcement conference to discuss findings of OIC of investigation relative to improper-
 es on part of member of security organization w/exam of security members
 WHITE,J.R. Region 1 (Post 820201) 95/01/25 Region 1 (Post 820201) 2pp
 82545 075-82545 074

9502010136 Notification of significant licensee meeting 95-08 w/utl on 950223 re en-
 forcement conference to discuss findings of OIC of investigation relative to improper-
 es on part of member of security organization w/exam of security members
 WHITE,J.R. Region 1 (Post 820201) 95/01/25 Region 1 (Post 820201) 2pp
 82545 075-82545 076

9502080281 Notification of 950207 meeting w/utl in Bethesda MD to discuss utl plans
 for relocating emergency operations facility from site location in Berwyn,PA to Wilkes-
 Barre, PA
 POBLUENY,C. Project Directorate I-2 (PD1-2) Post 941001 95/03/02 RUSSELL,W.
 MIRAGLIA,F. THADANIA, NRC - No Detailed Affiliation Given 5pp 82681 348-
 82681 350

9502170226 Notification of significant licensee meeting 95-13 w/utl on 950206 to intro-
 duce some new members of SSES security supervision to Region 1 Security Staff & to
 discuss pending changes to SSES Security plan
 WHITE,J.R. Region 1 (Post 820201) 95/02/02 Region 1 (Post 820201) 2pp
 82769 017-82769 018

9502130127 Requests emergency change to unit 2 TS re inoperable ex-core neutron
 flux monitor
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/07 Document Control Branch
 (Document Control Desk) 7pp 82734 156-82734 157

9502130128 Application for amend to license NPF-22 re revisions to SES TS
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/07 NRC - No Detailed Affiliation
 Given 1p 82734 163-82734 163

9502130134 Proposed tech specs 3.3.7.5-1 re accident monitoring instrumentation
 * Pennsylvania Power & Light Co 95/02/07 4pp 82734 164-82734 167

9502220229 Forwards security training & qualification plan Plan withheld per
 10CFR73.21
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/14 Document Control Branch
 (Document Control Desk) 2pp 82826 264-82826 265

9502220230 Forwards Change MH to plant physical security plan Plan withheld per
 10CFR73.21
 BYRAM,R.G. Pennsylvania Power & Light Co 95/02/14 Document Control Branch
 (Document Control Desk) 2pp 82826 264-82826 265

9502270007 Notification of 950314 meeting w/utl in Rockville MD to discuss Dec.1994
 request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers"
 GAMBERMAN,K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/22
 ZIMMERMAN,B.F. Associate Director for Projects (ADPR) (Post 941001) 7pp
 82666 290-82666 296

G. Adjudicatory correspondence

9502030168 Responds to postcard dtd Nov 14 1994 requesting immediate shut down of
 all reactions using Thermo-Lag Request denied
 RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
 DEBOLT,B. Affiliation Not Assigned 5pp 82685 001-82685 003

H. General correspondence

9502270162 Informa that encl documents provided by D. Lochbaum to NRC re postulat-
 ed loss of SFPC events at plant
 SHEA,J.V. Project Directorate I-2 (PD1-2) Post 941001 95/02/21 Project Director-
 ate I-2 (PD1-2) Post 941001 2pp 82852 171-82852 174

9502270178 Comments on LER 50-288/94-35 re potential for loss of SSTS due to
 failure of non-safety related components & Susquehanna spent fuel pool cooling case
 LOCHBAUM,D. Affiliation Not Assigned 95/02/10 SHEA,J. NRC - No Detailed Affil-
 iation Given 1p 82852 174-82852 174

I. Advisory Committee on Reactor Safeguards reports & correspondence

9502220086 Responds to 941219 ltr commenting on staff draft safety evaluation re po-
 tential loss of spent-fuel-pool-cooling events at facility
 TAYLOR,M. OIC of Ins Executive Director for Operations 95/02/19 KRESS,T.S.
 ACRS - Advisory Committee on Reactor Safeguards 5pp 82817 352-82817 359

9502220087 Discusses 941208-10 416th Advisory Committee on Reactor Safeguards
 meeting re NRC staff Draft Safety Evaluation Rept on potential for loss of SFPC fol-
 lowing LOCA at facility
 KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards 94/12/19 THE
 CHAIRMAN, SELINJ. Commissioners (Post 750119) 3pp 82817 357-82817 359

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-82-043,dtd
 820807 Listing of records in App A already available in PDR Records in App B encl &
 will be available in PDR
 REED,C.A. Division of Freedom of Information & Publications Services (890206-
 940714) 84/05/17 RUCKL,J.P. Public Citizen's Critical Mass Energy Project 121pp
 82582 008-82582 275

9502080348 Requests FR publication of notice of issuance of amend 100 to license
 NPF-22 Amend revised applicability requirement in Sections 3.0.4.4 0.4.3 3.7.5 Action
 60.x 3.7 5.2 4.2 Action c & 4.4.2 of TS to permit plant to operate w/monitor
 CLARK,R.J. Project Directorate I-2 94/01/31 NRC - No Detailed Affiliation Given
 3pp 82582 231-82582 275

9502080394 Forwards updated list of NOEDs as transmitted on 940111
 GREENMAN,E.G. Region 3 (Post 820201) 94/01/26 BOYLE,M. Division of Reactor
 Projects - (IJJ,V. (Post 901215) 3pp 82592 228-82592 230

9502140144 Third partial response to FOIA request for documents Records in app C
 encl & will be available in PDR
 POWELL,R.A. Division of Freedom of Information & Publications Services (890206-
 940714) 94/07/06 O'NEAL,M. Affiliation Not Assigned 2pp 82729 181-82729 223

9502140178 List of CAL numbers
 * NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502080282 Amends NPDES permit application submitted on 940715 for SSES to in-
 clude revised outfall & operational support activities info & list of effluents treatment
 chemicals which may be used at station
 FIELDS,J.S. Pennsylvania Power & Light Co 94/10/17 CROWLEY,K. Pennsylvania
 Commonwealth of 32pp 82708 327-82708 358

9502170227 Cancelled notification of significant licensee meeting 95-07 w/utl on
 950209 to discuss 950325 outage plans for Unit 1, recent corporate restructuring of
 utl status of corrective action effectiveness improvement efforts & plans
 WHITE,J.R. Region 1 (Post 820201) 95/01/13 Region 1 (Post 820201) 2pp
 82769 003-82769 004

950208050 Forwards amends 141 & 111 to licensees NPF-14 & NPF-22, respectively & SE Amends add isolation signals to Table 3-3-1 for containment isolation valves on sample lines for containment radiation monitoring & wetwell sample sys
POSLUSNY, C Project Directorate I-2 (PD1-2) Post 941001 95/01/31 BYRAM, R G Pennsylvania Power & Light Co 3pp 82681 225-82681 240

950208053 Amend 141 & 111 to licensees NPF-14 & NPF-22, respectively Amends add TS isolation signals for containment isolation valves on sample lines for containment radiation monitoring & wetwell sample lines
STOLZ, J F Project Directorate I-2 (PD1-2) Post 941001 95/01/31 10pp 82681 226-82681 237

950208055 Safety evaluation supporting amends 141 & 111 to licensees NPF-14 & NPF-22, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 3pp 82681 238-82681 240

9502080311 Forwards Amends 180 & 134 to Licensees NPF-14 & NPF-22, respectively, changing TS 3/4 3.2 re secondary containment isolation radiation monitors
BYRAM, R G Pennsylvania Power & Light Co 95/02/01 Document Control Branch (Document Control Desk) 2pp 82664 285-82664 317

9502080314 Proposed Amend 180 & 134 to Licensees NPF-14 & NPF-22, respectively, revising TS 3/4 3.2 re radiation monitor operability requirements
BYRAM, R G Pennsylvania Power & Light Co 95/02/01 13pp 82664 297-82664 309

9502080316 Proposed TS 3/4 3.2 re radiation monitor operability requirements
Pennsylvania Power & Light Co 95/02/01 8pp 82664 310-82664 317

9502080325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in communication telephone & FAX numbers at NRC headquarters
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 3pp 82662 195-82662 199

9502080340 Forwards application for amends to plant Units 1 & 2 TSs to permit implementation of an increase in allowable exposure of Siemens 803-2 fuel from 40 GWD/MTU to 45 GWD/MTU
BYRAM, R G Pennsylvania Power & Light Co 95/02/02 Document Control Branch (Document Control Desk) 2pp 82705 271-82705 281

9502080344 Application for amends to licensees NPF-14 & NPF-22 to revise TSs to permit implementation of an increase in allowable exposure times of Siemens 803-2 fuel
BYRAM, R G Pennsylvania Power & Light Co 95/02/02 NRC - No Detailed Affiliation Given 7pp 82705 273-82705 279

9502080358 Proposed tech spec re implementation of increased allowable exposure of Siemens 803-2 fuel
Pennsylvania Power & Light Co 95/02/02 2pp 82705 280-82705 281

9502148284 Informs that add info needed in order to complete review of unit 941121 submittal re removal of MSIV valve leakage control sys from plant info needed by 950214 RAI end
POSLUSNY, C Project Directorate I-2 (PD1-2) Post 941001 95/02/06 BYRAM, R G Pennsylvania Power & Light Co 12pp 82740 278-82740 287

9502138143 Requests enforcement discretion from SES unit 2 TS re post accident monitoring instrumentation
BYRAM, R G Pennsylvania Power & Light Co 95/02/06 Document Control Branch (Document Control Desk) 6pp 82734 168-82734 178

9502179190 Forwards proposed amends 179 & 133 to licensees NPF-14 & NPF-22, respectively Amends revise TS to extend AOTs for main & repair & surveillance test intervals between channel functional tests for tested groups of instruments
BYRAM, R G Pennsylvania Power & Light Co 95/02/10 Document Control Branch (Document Control Desk) 3pp 82636 001-82636 181

9502179192 Proposed amends 179 & 133 to licensees NPF-14 & NPF-22, respectively, revising TS to extend AOTs/STs
BYRAM, R G Pennsylvania Power & Light Co 95/02/10 46pp 82636 004-82636 049

9502179194 Proposed tech spec for AOT/ST extensions
Pennsylvania Power & Light Co 95/02/10 132pp 82636 050-82636 181

9502179229 Ack receipt of ltr dtd 950120, informing NRC of decision to discontinue testing for substances beyond 100CFR26, Appendix A requirements
JOYNER, J H Region 1 (Post 820201) 95/02/10 BYRAM, R G Pennsylvania Power & Light Co 2pp 82759 005-82759 007

950218215 Forwards amends 142 & 112 to licensees NPF-14 & NPF-22, respectively & SE Amends add test exception to allow reactor coolant temps up to 212 F during hydrostatic or intermix leak testing while in Operational Condition 4
POSLUSNY, C Project Directorate I-2 (PD1-2) Post 941001 95/02/13 BYRAM, R G Pennsylvania Power & Light Co 3pp 82790 001-82790 024

950218232 Amends 142 & 112 to licensees NPF-14 & NPF-22, respectively, adding test exception to allow reactor coolant temp up to 212 F during hydrostatic or intermix leak testing while in Operational Condition 4
STOLZ, J F Project Directorate I-2 (PD1-2) Post 941001 95/02/13 17pp 82790 004-82790 021

950218234 Safety evaluation supporting amends 142 & 112 to licensees NPF-14 & NPF-22, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 3pp 82790 022-82790 024

950218236 Forwards monthly operating repts for Jan 1995 for SSES Units 1 & 2 Rev 2 to P&L SSES ODOM also encl
BYRAM, R G Pennsylvania Power & Light Co 95/02/15 Document Control Branch (Document Control Desk) 1p 82804 001-82804 169

950218239 Rev 2 to "P&L SSES ODOM"
SHANK, K E Pennsylvania Power & Light Co 95/01/20 150pp 82804 010-82804 169

950220188 Notification of 950221 meeting w/PP&L in Rockville MD to discuss results of unit 1 GE Nuclear analysis of cause & effect of vibration/noise event at plant during Jun 1994 restart
POSLUSNY, C Project Directorate I-2 (PD1-2) Post 941001 95/02/15 RUSSELL, W MIRAGLIA, F THADANA, A NRC - No Detailed Affiliation Given 5pp 82795 347-82795 351

9502270185 Submits corrections to implementation dates for amends 141 & 111 to licensees NPF-14 & NPF-22, issued on 950131
POSLUSNY, C Project Directorate I-2 (PD1-2) Post 941001 95/02/21 BYRAM, R G Pennsylvania Power & Light Co 3pp 82648 328-82648 330

9502270258 Forwards FSAR change delineating use of RHR last pool cooling mode of operation to mitigate loss of normal spent fuel pool cooling sys in response to seismic event per commitment made via 841228 ltr
BYRAM, R G Pennsylvania Power & Light Co 95/02/21 Document Control Branch (Document Control Desk) 45pp 82666 297-82666 341

9502270273 Responds to NRC 950208 RAI re plant MSIV leakage control sys
BYRAM, R G Pennsylvania Power & Light Co 95/02/21 Document Control Branch (Document Control Desk) 34pp 82663 270-82663 303

9502270287 Notification of 950314 meeting w/utl in Rockville MD to discuss Dec 1994 request for add info re GL 32-08, "Thermo-Lag 330-1 Fire Burners"
GAMBERONI, M K Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R P Associate Director for Projects (ADPR) (Post 941001) 7pp 82666 290-82666 295

9502180349 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost beneficial licensing actions
IMBRO, E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501080215 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9502080128 Notification of significant licensee meeting 95-09 w/utl on 950223 re enforcement conference to discuss findings of Oic of investigation relative to inappropriate on part of member of security organization w/utl of security members
WHITE, J R Region 1 (Post 820201) 95/01/26 Region 1 (Post 820201) 2pp 82545 073-82545 074

9502080138 Notification of significant licensee meeting 95-06 w/utl on 950223 re enforcement conference to discuss findings of Oic of investigation relative to inappropriate on part of member of security organization w/utl of security members
WHITE, J R Region 1 (Post 820201) 95/01/26 Region 1 (Post 820201) 2pp 82545 075-82545 076

9502080633 Ack receipt of 941128 ltr re violations noted in insp repts 50-387/94-21 & 50-388/94-22
JOYNER, J H Region 1 (Post 820201) 95/01/26 BYRAM, R G Pennsylvania Power & Light Co 2pp 82618 351-82618 354

9501230268 NRC Info Notice 95-007, "Radiograph Vial Breakage During Preparation"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Press Support Evaluation & Design"
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 184

9502180329 Informs that utl will not be able to respond to ref ltr unit 950331
BYRAM, R G Pennsylvania Power & Light Co 95/01/31 Document Control Branch (Document Control Desk) 1p 82720 214-82720 214

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82686 001-82686 008

9502100336 Forwards response to NRC 941222 ltr re violations noted in insp repts 50-387/95-25-01 & 50-388/94-25-01 Corrective actions evaluation was performed on external wiring identified above that was completed on 940825
BYRAM, R G Pennsylvania Power & Light Co 95/02/03 Document Control Branch (Document Control Desk) 3pp 82720 215-82720 217

9502180317 Confirms that on 950208 NRC orally granted request to exercise discretionary enforcement from compliance w/TS re post accident monitoring instrumentation Notes amend to TS to be submitted within 2 days of utl discretion action
STOLZ, J F Project Directorate I-2 (PD1-2) Post 941001 95/02/06 BYRAM, R G Pennsylvania Power & Light Co 5pp 82754 186-82754 190

9502180283 Suppl 1 to NRC info notice 95-010, Potential for Loss of Automatic ESFA
GRIMES, B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042

9502180661 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering (Inc)"
GRIMES, B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502180658 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 026

120 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9502210133 Substation Steam Electric Station Discharge Monitoring Rept for Dec 1994 "W/950124 to
FELDS, J.S. Pennsylvania Power & Light Co. 94/12/31 CROWLEY, K. Pennsylvania
Commonwealth of 11pp 82590 327-82590 338

9502210296 Forwards monthly operating reports for Jan 1995 for SSES Units 1 & 2 Rev 2
to "PPL SSES ODCM" also encl
BYRAM, R.G. Pennsylvania Power & Light Co. 95/02/15 Document Control Branch
(Document Control Desk) 1p 82804 001-82804 159

-9502210305 Monthly operating reports for Jan 1995 for Susquehanna SES
BALL, S. Pennsylvania Power & Light Co. 95/01/31 8pp 82804 002-82804 008

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502210383 Revised EPIP, including Rev 26 to HP-80, Rev 11 to HP-203, Rev 5 to HP-
204, Rev 4 to HP-205, Rev 7 to HP-206, Rev 3 to HP-207 & Rev 6 to HP-208 W/
950126 to
SAGER, D.A. Florida Power & Light Co. 95/01/26 136pp 82801 229-82801 357

9502210384 Forwards rev 41 to physical security plan for St Lucie Units 1 & 2, per
10CFR73.21 Rev withheld
SAGER, D.A. Florida Power & Light Co. 95/01/27 Document Control Branch (Docu-
ment Control Desk) 1p 82800 354-82800 354

9502210397 Forwards rev 42 to physical security plan Plan withheld
SAGER, D.A. Florida Power & Light Co. 95/02/08 Document Control Branch (Docu-
ment Control Desk) 1p 82770 331-82770 331

9502210397 Revised EPIP, including Rev 10 to Chemistry Procedure C-110, Rev 63 to
EPIP 3100023E, Rev 24 to EPIP 3100024E, Rev 19 to EPIP 3100025E & Rev 23 to
EPIP 3100038E W/950220 to
SAGER, D.A. Florida Power & Light Co. 95/02/20 120pp 82830 151-82830 270

G. Adjudicatory correspondence

9502210166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of
all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Affiliation Not Assigned 52pp 82695 001-82695 053

M. Attirest correspondence

9502210286 Responds to 950108 to of JA Boulknicht responding to 941205 to
JABLON, R.A. Spiegel, G. 95/01/30 GODY, A.T. Office of Nuclear Reactor Regulation
(Post 941001) 4pp 82820 323-82820 326

9502210308 Responds to 950130 to from attorneys for Florida Municipal Power Agency
re petition to FERC to order utility to provide "network transmission svc" as specified in
EIPAs request
GODY, A.T. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08
GOLKIN, G.H.T. Florida Power & Light Co. 2pp 82813 008-82813 009

P. Operating license stage documents & correspondence

9502210025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
idated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502210185 Confirms 950206 telcon re meeting scheduled for 950207 on util self-as-
essment of plant performance meeting to be open meeting & to be held in
Atlanta, GA
VERRELL, D.M. Region 2 (Post 820201) 95/02/07 GOLDBERG, J.H. Florida Power &
Light Co. 3pp 82714 265-82714 207

9502210219 Forwards amends 133 & 72 to licensee DPR-67 & NPF-16, respectively &
safety evaluation Amends implements GL 83-05 items 5.6.6, 1.7.1 & 7.5
NORRIS, J.A. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/09
GOLDBERG, J.H. Florida Power & Light Co. 3pp 82731 067-82731 093

-9502210227 Amends 133 & 72 to licensee DPR-67 & NPF-16, respectively, implement-
ing GL 98-05 items 5.6.6, 1.7.1 & 7.5
MATTHEWS, D.B. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/09
21pp 82731 070-82731 090

-9502210338 Safety evaluation supporting amends 133 & 72 to licensee DPR-67 &
NPF-16, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 3pp 82731 091-
82731 093

9502210306 Forwards amend 71 to licensee NPF-16 & safety evaluation Amend will up-
grade TS 3/4 4.7.1.6 for main feedwater line isolation valves to be consistent w/
NUREG-1432, std TS for Combustion Engineering Plants
NORRIS, J.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09
GOLDBERG, J.H. Florida Power & Light Co. 3pp 80095 172-80095 185

-9502210308 Amend 71 to licensee NPF-21 upgrading TS 3/4 4.7.1.6 for main feedwater
line isolation valves to be consistent w/ NUREG-1432, std TS for Combustion Engi-
neering Plants
MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 7pp
82744 350-82744 356

-9502210312 Safety evaluation supporting amend 71 to licensee NPF-16
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 3pp 82744 357-
82744 360

9502210327 Forwards plant 1995 plant-ref simulator certification rept
SAGER, D.A. Florida Power & Light Co. 95/02/15 Document Control Branch (Docu-
ment Control Desk) 2pp 82859 274-82859 332

-9502210339 "St Lucie Units 1 & 2 1995 Plant Ref Simulator Certification Rept"
* Florida Power & Light Co. 95/12/31 57pp 82859 275-82859 332

9502210048 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial li-
censing actions
MIRROE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, NE Bulletins & correspondence

9502210019 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mat"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9502210060 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/
01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 008-82605 048

9502210049 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consol-
idated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502210006 Ack receipt of 950113 to regarding NRC of steps taken to correct violations
noted in insp rept 50-335/94-24 & 50-389/94-24
VERRELL, D.M. Region 2 (Post 820201) 95/02/02 GOLDBERG, J.H. Florida Power &
Light Co. 3pp 82713 046-82713 048

9502210313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-
82688 008

9502210323 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-
82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82618 025-82618 028

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-
82618 024

9502210037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-
82648 025

R. Periodic operating reports & related correspondence

9502210125 Monthly operating reports for Jan 1995 for St Lucie Units 1 & 2 W/950214
to
ROGERS, J., SAGER, D.A. Florida Power & Light Co. 95/01/31 8pp 82812 196-
82812 204

9502210185 Forwards FPD program performance data for six month period ending
941231
BOHLKE, W.H. Florida Power & Light Co. 95/02/16 Document Control Branch (Docu-
ment Control Desk) 6pp 82803 351-82803 356

V. Operator Examinations

9502210107 Informs that Region II will host annual training managers conference in
Atlanta, GA on 950208-09 re issues & policies affecting licensing of reactor plant op-
erators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 GOLDBERG, J.H. Florida Power &
Light Co. 2pp 82770 172-82770 175

DOCKET 50-389 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9502210007 Ltr concluding/defining mod 8 to task order 8, "Watts Bar Open
Items, CORs & Employee Concerns"
WIGGINS, J. Division of Contracts (Post 940714) 94/12/30 LOFF, R.A. PARAMET-
TER, Inc. 4pp 82714 357-82714 357

-9502210009 Submits mod 9 to task order 8, "Review of Watts Bar Open
Items, CORs, Employee Concerns & MC 2512 Reconstitution" Mod reduces level of
effort for resolution of open items
ALBERS, L. PARAMETER Inc. NRC-03-83-028 94/12/12 COOPER, C.A. Division of
Contracts (Post 940714) 1p 82714 357-82714 357

9502210012 Discusses 950111 technical meeting w/ util re corrective actions for mail
items in "on hold for RIP" status as part of replacement items project corrective
action program List of attendees & handouts encl
JAUDON, J.P. Region 2 (Post 820201) 95/01/27 KIRK, S.L. Tennessee Valley
Authority 11pp 82801 085-82801 078

9502070108 Responds to request from T. Reed of NRC re recent field experience w/ Westinghouse Alloy 600 typically treated (TT) mechanical tube plugs TVA verified that issue does not impact SNR Units 1 & 2 or Watts Bar Unit 1
WHITAKER, E.W. Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 2pp 82684 942-82684 343

9502070125 Summarizes 950112 mtg meeting w/utl in Atlanta, GA to discuss plant status & associated ongoing activities List of individuals attending meeting & handout supplied by utl encl
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01
KINGSLEY, O.D. Tennessee Valley Authority 57pp 82707 290-82707 346

9502080025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502140046 Forwards allegation summary for follow-up & initiation of review of matter to be completed within 45 days Encl withheld
MERSCHOFF, E.W. Region 2 (Post 820201) 95/02/02
KINGSLEY, O.D. Tennessee Valley Authority 3pp 82713 288-82713 290

9502160063 Notifies that power ascension tests & power escalation tests being made available in accordance w/FSAR Chapter 14 Paragraph 14.2.11 & RG 1.68 Rev 2 App B for NRC review List of procedures provided to NRC on 950123 encl
MUNN, D.E. Tennessee Valley Authority 95/02/03 Document Control Branch (Document Control Desk) 3pp 82776 248-82776 250

9502170185 Forwards response to NRC RAI dtd 941011 re FSAR Chapter 3 as revised by Amend 79 including TVA response to Question 4 re seismic analysis of coupled inferior concrete structure & nuclear supply sys model Encl withheld
MUNN, D.E. Tennessee Valley Authority 95/02/03 Document Control Branch (Document Control Desk) 100pp 82779 027-82779 128

9502180285 Discusses rev 6 of RFP CAP submitted on 950120 Finds that change consistent w/req rpt 50-380/94-201 & acceptable
TAMPS, S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/06
KINGSLEY, O.D. Tennessee Valley Authority 2pp 82706 261-82706 282

9502180089 Provides scenario objectives for post accident sampling sys demonstration test to be performed during plant hot functional test Amend to TVA 940620 response to criteria of NUREG-0737 Item II B 3 encl
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 8pp 82776 935-82776 342

9502170114 Reviews TVA 950531 response re Item 4 of GL 88-17, "Expedient Actions" for WBNP
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 2pp 82779 272-82779 273

9502170126 Notifies that power ascension tests & power escalation tests being made available in accordance w/FSAR Chapter 14, Paragraph 14.2.11 & RG 1.68 Rev 2 App B for NRC review List of procedures provided to NRC on 950130 encl
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779 283-82779 285

9502180225 Notification of 950223 meeting w/utl in Rockville, MD to discuss plant licensing & insp issues that warrant senior mgmt attention
TAMPS, S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09
HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82747 060-82747 062

9502180423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111 to fully address issues raised in NRC 941108 re implementation schedule for return of Nuclear Experience Review group records as QA records at TVA facilities
WHITAKER, E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 184-82744 186

9502170082 Summary of 941104 meeting w/utl to discuss status needed actions, priorities & schedules of various licensing issues, including unresolved outstanding issues w/utl of attendees, VNSP rpt & comments on Bulletin 88-08 actions
TAMPS, S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 6pp 82778 304-82778 306

9502170152 Provides NRC w/ TVA request position for use of Dow Corning RTV 3140 as repair method for Kaplan insulation damage
MUNN, D.E. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 2pp 82779 314-82779 315

9502180318 Requests add into re Watts Bar BR
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/02/14
KINGSLEY, O.D. Tennessee Valley Authority 4pp 82754 191-82754 194

9502280169 Provides notification that power ascension tests & power escalation tests being made available for NRC review w/utl of procedures encl
MUNN, D.E. Tennessee Valley Authority 95/02/15 Document Control Branch (Document Control Desk) 3pp 82625 352-82625 354

9502280175 Provides suppl info re EMI/RFI survey rpt for plant Eagle-21 process protection sys submitted to NRC on 940612
MUNN, D.E. Tennessee Valley Authority 95/02/16 Document Control Branch (Document Control Desk) 4pp 82831 034-82831 037

9502270407 Provides response to NRC concerns from review of FSAR Chapter 11, re: waste mgmt sys & 10CFR50 App 1 releases FSAR will be amended to include draft changes in Amend 89
MUNN, D.E. Tennessee Valley Authority 95/02/17 Document Control Branch (Document Control Desk) 6pp 82993 270-82993 377

9502180348 Administrative Ltr 95-02 to all holders of OAs or CPs re cost beneficial licensing actions
MERC, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

9502280091 Discusses NRC effort to prepare plant for licensing & startup & to ensure that USGS/SLM TMI issues & MPAs have been addressed Forwards voluminous draft rpt on status of safety issues at plant
HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23
KINGSLEY, O.D. Tennessee Valley Authority 4pp 82868 001-82868 199

9502280103 Draft Status of Safety Issues at Watts Bar Unit No 1 Nuclear Power Plant
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 55pp 82868 005-82868 189

9502170223 Technical Evaluation Rpt TMI Action - NUREG-0737 (U.D.1) Relief & Safety Valve Testing Watts Bar Nuclear Plant, Units 1 & 2 Dockets 50-380 & 50-381
FINEMAN, C.P. Idaho National Engineering Laboratory P.O. Box 16354 INEL 94/02/77 95/02/28 NRC - No Detailed Affiliation Given 35pp 82776 011-82776 045

D. NRC Draft/Final Environmental Statements, supplies & correspondence

9502270084 Comment opposing proposed rule re utl construction of Watts Bar NPP
WOO, J. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 025-82831 025

9502270021 Comment opposing proposed rule re licensing of Watts Bar NPP
MCARDLE, K. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 083-82831 085

9502270032 Comment opposing issuance of license to operate plant for reasons including project 16 yrs behind schedule, plant rated highest probability for meltdown & safety concerns
* Affiliation Not Assigned 94/11/22 NRC - No Detailed Affiliation Given 1p 82831 123-82831 123

9502270034 Comment opposing proposed rule re licensing of Watts Bar NPP
HAAS, M. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 129-82831 128

9502270038 Comment opposing proposed rule re licensing of Watts Bar NPP
BERGER, P. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 131-82831 131

9502270050 Comment opposing draft FES re issuance of OI
MOURDEQUIN, M. Affiliation Not Assigned 94/11/22 NRC - No Detailed Affiliation Given 1p 82831 172-82831 172

9502270052 Comment opposing proposed rule re opening of Watts Bar NPP
MARIA, A. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 053-82831 053

9502270040 Comment opposing issuance of license to operate plant due to safety concerns expressed by employees & utl
VESPOLEVA, A. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 134-82831 134

9502270010 Comment opposing proposed rule re licensing of Watts Bar NPP
* Affiliation Not Assigned 94/11/24 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 050-82831 050

9502030010 Comment opposing draft suppl to Watts Bar environ impact statement
EWALD, L. Affiliation Not Assigned 95/01/15 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82676 047-82676 048

9502010002 Summary of 950110 public meeting re draft suppl (NUREG-0498 suppl 1) to final environmental statement re operation of plant Unit 1 & 2
FLANDERS, S.C. Office of Nuclear Reactor Regulation (Post 941001) 95/01/23 Office of Nuclear Reactor Regulation (Post 941001) 15pp 82577 070-82577 057

9502180013 Comments on proposed rule re draft rpt of Final Environ Statement concerning operation of plant units 1 & 2
MUELLER, H.J. Environmental Protection Agency 95/01/27 NRC - No Detailed Affiliation Given 3pp 82736 304-82736 308

9502180019 Requests that activity for construction of plant be suspended
JAYA, S. Affiliation Not Assigned 95/01/28 NRC - No Detailed Affiliation Given 2pp 82736 307-82736 308

9502270008 Comment opposing draft FES (issuance of OI)
* Affiliation Not Assigned 95/02/08 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 028-82831 029

9502270048 Comment opposing issuance of license to operate plant due to safety concerns expressed by public
HARRIS, M. Affiliation Not Assigned 95/02/08 Division of Freedom of Information & Publications Services (Post 940714) 1p 82831 142-82831 142

9502180253 Forwards RAI re utl comments on draft suppl to plant FES NUREG-0498, Suppl 1 concerning SAMDA analyses in Section 7 as listed
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (DLRP) (Post 941001) 95/02/09
KINGSLEY, O.D. Tennessee Valley Authority 4pp 82754 002-82754 005

9502270068 Comment opposing issuance of license to operate plant due to concerns expressed re cost, plant safety & meltdown probability
SMALL, J. Affiliation Not Assigned 95/02/22 NRC - No Detailed Affiliation Given 1p 82831 178-82831 178

9502270064 Comments on draft FES re issuance of OI
ZWEIG, M. Affiliation Not Assigned 95/02/27 NRC - No Detailed Affiliation Given 1p 82831 175-82831 175

E. NRC Safety Evaluation Report (SER), supplies & correspondence

9502270220 Discusses review of TMI item U.B.2, "Plant Shutdown" Advises that 950311, 0612, 9400524 & 0604 hrs considered reviewed & no more action will be taken by NRC Section 12.7 f of SER (NUREG-0847) concluded that info acceptable
TAMPS, S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
KINGSLEY, O.D. Tennessee Valley Authority 2pp 82852 293-82852 294

122 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

950206045 Forwards PNL review submittal of revised repl on ETE within Plume Exposure Pathway Emergency Planning Zone for plant dtd 940303
BARKLEY, E. B. Barksdale Memorial Institute Pacific Northwest Laboratory 95/01/25
COHEN, J. K. Office of Nuclear Reactor Regulation (Post 941001) 1p 82669 187-82669 188

-950206085 Advises that repl consistent w/guidance & adequately addresses concerns expressed in author 930908 review of Mar 1993 repl
URBANIK, T. Affiliation Not Assigned 94/12/04 FOX, E. Office of Nuclear Reactor Regulation (Post 941001) 1p 82669 188-82669 188

9502148427 Forwards response to fire protection program open issues discussed at TVA/NRC 941214 meeting & response to post-fire safe shutdown open issues List of commitments also encl
NUNN, D. E. Tennessee Valley Authority 95/01/27 Document Control Branch (Document Control Desk) 25pp 82744 038-82744 062

9502148822 Forwards insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 & notice of deviation
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 4pp 82714 171-82714 198

-9502140187 Notice of deviation from insp on 950109-20 Deviation noted commitments not met in that about 75% of approx 60 valves in fire protection yard loop installed in uld fire protection safety related piping sys
* Region 2 (Post 820201) 95/01/31 2pp 82714 175-82714 176

-9502140136 Insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 Deviations noted Major areas inspected areas of fire protection corrective action program repl review
MILLER, W. H., JULIAN, C. A. Region 2 (Post 820201) 95/01/31 22pp 82714 177-82714 198

9502160015 Forwards insp repts 50-390/95-04 & 50-391/95-04 on 950109-13 No violations identified
JAUDON, J. P. Region 2 (Post 820201) 95/02/07 KINGSLEY, O. D. Tennessee Valley Authority 4pp 82736 327-82736 332

-9502160020 Partially withheld insp repl 50-390/95-04 on 950109-13 (ref 10CFR73.21) No violations noted Major areas inspected physical security requirements for power reactors, physical security plan & implementing procedures
TILLMAN, J. JULIAN, C. Region 2 (Post 820201) 95/02/07 2pp 82736 331-82736 332

G. Advisory correspondence

950200166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermal Log Request denied
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

H. General correspondence

9502170135 Requests to be added to distribution list to receive NRC licensing & related info re Watts Bar
ZILBERT, B. Greenpeace USA 95/02/10 TAM, P. S. Office of Nuclear Reactor Regulation (Post 941001) 1p 82767 118-82767 118

9502230288 Informs that Greenpeace has been added to avc list per 950210 request
TAM, P. S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 ZILBERT, B. Greenpeace USA 2pp 82812 888-82812 959

I. Inspection reports, IS Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERBELL, O. C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9502010352 Notifies staff of change in methodology for implementing part of corrective action stated in Nov response re Insp Repts 50-390/94-58 & 50-391/94-59
NUNN, D. E. Tennessee Valley Authority 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 268-82587 269

9502030154 Expresses appreciation for 950106 response to NOV issued on 941208
JAUDON, J. P. Region 2 (Post 820201) 95/01/26 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82622 275-82622 278

9502060021 Confirms 950120 telecon between B. Schepel and J. P. Jaudon re enforcement conference scheduled for 950209 to discuss apparent violation of Code of Federal Regulations, 10CFR50.7, Employee Protection
JAUDON, J. P. Region 2 (Post 820201) 95/01/28 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82601 115-82601 117

9502230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERBELL, O. C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc 6pp 82605 038-82605 046

9502030125 Ack receipt of 950104 for informing NRC of steps taken to correct violations & deviations noted in insp repts 50-390/94-73 & 50-391/94-73
JAUDON, J. P. Region 2 (Post 820201) 95/01/27 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82620 350-82620 352

9502030203 Ack receipt of 950106 for informing NRC of steps taken to correct violations noted in insp repts 50-390/94-72 & 50-391/94-72
JAUDON, J. P. Region 2 (Post 820201) 95/01/27 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82622 352-82622 354

9502140044 Ack receipt of 950106 for informing NRC of steps taken to correct violations noted in insp repts 50-390/94-82 & 50-391/94-82 70-2910/94-01 & 70-2928/94-01
JAUDON, J. P. Region 2 (Post 820201) 95/01/30 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82713 284-82713 296

9501260429 NRC Info Notice 95-009 Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 194

9502140012 Forwards insp repts 50-390/94-84 & 50-391/94-84 on 941204-090107 No violations noted
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 4pp 82714 080-82714 132

-9502140018 Insp repts 50-390/94-84 & 50-391/94-84 on 941207-950107 No violations noted Major areas inspected preoperational test evaluation, plant operations & check valve program
VAN DOORNP, K., TAYLOR, P. A., JULIAN, C. Region 2 (Post 820201) 95/01/31 3pp 82714 094-82714 132

9502140080 Ack receipt of 950117 for informing NRC of steps taken to correct violations noted in insp repts 50-390/94-84 & 50-391/94-84
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82713 300-82713 302

9502140087 Ack receipt of 950120 for informing NRC of steps taken to correct violations noted in insp repts 50-390/94-78 & 50-391/94-78
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82713 337-82713 339

9502140092 Forwards insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 & notice of deviation
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 4pp 82714 171-82714 198

-9502140187 Notice of deviation from insp on 950109-20 Deviation noted commitments not met in that about 75% of approx 60 valves in fire protection yard loop installed in uld fire protection safety related piping sys
* Region 2 (Post 820201) 95/01/31 2pp 82714 175-82714 176

-9502140136 Insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 Deviations noted Major areas inspected areas of fire protection corrective action program repl review
MILLER, W. H., JULIAN, C. A. Region 2 (Post 820201) 95/01/31 22pp 82714 177-82714 198

9502140136 Ack receipt of 950119 for informing NRC of steps taken to correct violations noted in insp repts 50-390/94-75 & 50-391/94-75 Implementation of CA to be examined in future insp
JAUDON, J. P. Region 2 (Post 820201) 95/01/31 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82714 285-82714 287

9502160329 Notifies NRC that uld has rescheduled date for WBP940374 closure to 950317
NUNN, D. E. Tennessee Valley Authority 95/01/31 Document Control Branch (Document Control Desk) 2pp 82744 211-82744 212

9502160394 Reviews date for completion of corrective actions stated in uld 940613 response to NOV from insp repts 50-390/94-39 & 50-391/94-39
NUNN, D. E. Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 2pp 82744 209-82744 210

9502140425 Provides clarification of scope of Vander info CAP & response to add NRC questions in Insp Repts 50-390/93-27 & 50-391/93-27 & subsequent 950909 re
NUNN, D. E. Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 7pp 82744 177-82744 183

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc 3pp 82658 001-82658 008

9502160382 Responds to results of NRC Insp Rept 50-390/94-201 of replacement items program CAP at 75 percent completion milestone
NUNN, D. E. Tennessee Valley Authority 50/02/03 Document Control Branch (Document Control Desk) 24pp 82772 317-82772 340

9502160285 Discusses rev 6 of RIP CAP submitted on 820120 Finds that change consistent w/insp repl 50-390/94-201 & acceptable
TAM, P. S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 KINGSLEY, O. D. Tennessee Valley Authority 2pp 82708 261-82708 262

9502160015 Forwards insp repts 50-390/95-04 & 50-391/95-04 on 950109-13 No violations identified
JAUDON, J. P. Region 2 (Post 820201) 95/02/07 KINGSLEY, O. D. Tennessee Valley Authority 4pp 82736 327-82736 332

-9502160020 Partially withheld insp repl 50-390/95-04 on 950109-13 (ref 10CFR73.21) No violations noted Major areas inspected physical security requirements for power reactors, physical security plan & implementing procedures
TILLMAN, J. JULIAN, C. Region 2 (Post 820201) 95/02/07 2pp 82736 331-82736 332

9502160228 Notification of 950223 meeting w/ulb in Rockville, MD to discuss plant licensing & insp issues that warrant senior mgmt attention
TAM, P. S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 JAUDON, J. P. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82747 060-82747 062

9502160039 Forwards insp repts 50-390/94-87 & 50-391/94-87 on 941219-22 & 950111 No violations or deviations noted
JAUDON, J. P. Region 2 (Post 820201) 95/02/08 KINGSLEY, O. D. Tennessee Valley Authority 3pp 82737 083-82737 072

-9502160044 Insp repts 50-390/94-87 & 50-391/94-87 on 941219-22 & 950111 No violations or deviations noted Major areas inspected review of thermal expansion test data & civil engineering design issues
LEHMAN, J. J., FREDRICKSON, P. Region 2 (Post 820201) 95/02/08 7pp 82737 066-82737 072

9502170190 Responds to NRC 950110 Ltr re violations noted in insp rept 50-390/94-202 Corrective actions operators personnel initiated on normal log sheets to document plant configuration
MUNN, D.E. Tennessee Valley Authority 95/02/09 Document Control Branch (Document Control Desk) 3pp 82778 258-82778 260

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 3pp 82818 007-82818 042

9502170082 Summary of 941104 meeting w/utl to discuss status/needed actions, priorities & schedules of various licensing issues including unresolved outstanding issues w/utl of attendees. WSP rept & comments on Bulletin 95-08 actions. TAM, P.S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82776 304-82776 306

950218052 Discusses 950209 enforcement conference at Region II ofc w/utl re apparent violation of 10CFR50.7 at plant.
JAUDON, J.P. Region 2 (Post 820201) 95/02/10 KINGSLEY, O.D. Tennessee Valley Authority 16pp 82769 941-82769 358

9502170146 Responds to NRC 950113 Ltr re notice of deviation noted in insp rept 50-390/94-68 & 50-391/94-66 C/A conduct assessment of implementation of source loading requirements contained in SSP-2.03 & SSP-2.04
MUNN, D.E. Tennessee Valley Authority 95/02/13 Document Control Branch (Document Control Desk) 3pp 82778 307-82778 313

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering B, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82813 025-82813 038

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 3pp 82818 016-82818 024

9502240097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 3pp 82818 018-82818 025

6 Reportable occurrences, LERs & related correspondence

9502020143 Delinquency wpt re failure to perform potential reportability reviews for out-of-scope insp records. Add'l time required to screen/evaluate 124 potential records. Action will be completed by 950331
MUNN, D.E. Tennessee Valley Authority 95/01/24 Document Control Branch (Document Control Desk) 3pp 82616 297-82616 299

9502140323 Provides changes to previous commitments involving CDR 930/94-12
MUNN, D.E. Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 3pp 82744 213-82744 215

9502170143 Notices of change in methodology for implementing C/As contained in delinquency rept 50-390/97-14 & 50-391/84-14
MUNN, D.E. Tennessee Valley Authority 95/02/13 Document Control Branch (Document Control Desk) 2pp 82778 305-82778 306

V. Operator Examinations

9502210005 Notifies utl of Region II annual Training Managers Conference, in Atlanta, GA, on 950208-09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators.
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 KINGSLEY, O.D. Tennessee Valley Authority 2pp 82769 060-82769 094

DOCKET 88-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9502060071 Ltr contract/definitizing mod 9 to task order 8, "Watts Bar Open Items, CDRS & Employee Concerns."
WIGGINS, E.J. Division of Contracts (Post 940714) 94/12/30 LOFF, R.A. PARAMETER, Inc App 82714 353-82714 357

9502060086 Submits mod 9 to task order 8 "Review of Watts Bar Open Items, CDRS, Employee Concerns & MC 2512 Reconstruction" Mod reduces level of effort for resolution of open items.
ALBERS, L. PARAMETER, Inc NRC-09-03-026 94/12/12 COOPER, C.A. Division of Contracts (Post 940714) 1p 82714 357-82714 357

9502060072 Discusses 950111 technical meeting w/utl re corrective actions for mail items in "on hold for RFP" status as part of replacement items project corrective action program. List of attendees & handouts end.
JAUDON, J.P. Region 2 (Post 820201) 95/01/27 KINGSLEY, O.D. Tennessee Valley Authority 11pp 82601 065-82601 076

9502020325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 3pp 82652 195-82652 199

9502140846 Forwards allegation summary for follow-up & extension of review of matter to be completed within 45 days. End withfield.
MERSCHOFF, E.W. Region 2 (Post 820201) 95/02/02 KINGSLEY, O.D. Tennessee Valley Authority 3pp 82713 268-82713 290

9502160363 Notices that power ascension tests & power escalation tests being made available in accordance w/FSAR Chapter 14, Paragraph 14.2.11 & RG 1.68, Rev 2 App B for NRC review. List of procedures provided to NRC on 950123 and
MUNN, D.E. Tennessee Valley Authority 95/02/03 Document Control Branch (Document Control Desk) 3pp 82776 248-82776 250

9502170185 Forwards response to NRC RAI did 941011 re FSAR Chapter 3 as revised by Amend 79, including TVA response to Question 4 re seismic analysis of coupled interior concrete structure & nuclear supply sys model. End withfield.
MUNN, D.E. Tennessee Valley Authority 95/02/03 Document Control Branch (Document Control Desk) 100pp 82778 027-82778 128

9502180369 Provides scenario objectives for post accident sampling sys demonstration test to be performed during plant hot functional test. Amend to TVA 940920 response to criteria of NUREG-0737, Item II B 3 and
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 3pp 82776 335-82776 342

9502170116 Revises TVA 890531 response re item 4 of GL 85-17, "Expedient Actions" for WBNP
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 2pp 82779 272-82779 273

9502170123 Notices that power ascension tests & power escalation tests being made available in accordance w/FSAR Chapter 14, Paragraph 14.2.11 & RG 1.68, Rev 2 App B for NRC review. List of procedures provided to NRC on 950130 and
MUNN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779 282-82779 285

9502150226 Notification of 950223 meeting w/utl in Rockville, MD to discuss plant licensing & insp issues that warrant senior mgmt attention.
TAM, P.S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HEDDON, F.J. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82747 060-82747 062

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to fully address issues raised in NRC 941108 Ltr re implementation schedule for retention of Nuclear Experience Review group records as CA records at TVA facilities.
WHITAKER, E.W. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 3pp 82744 164-82744 165

9502170092 Summary of 941104 meeting w/utl to discuss status/needed actions, priorities & schedules of various licensing issues including unresolved outstanding issues w/utl of attendees. WSP rept & comments on Bulletin 95-08 actions. TAM, P.S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82776 304-82776 308

9502170152 Provides NRC w/TVA revised position for use of Dow Corning RTV 3140 as repair method for Kapton insulation damage.
MUNN, D.E. Tennessee Valley Authority 95/02/10 Document Control Branch (Document Control Desk) 2pp 82779 314-82779 315

9502180218 Requests add'l info re Watts Bar ER
NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/02/14 KINGSLEY, O.D. Tennessee Valley Authority 4pp 82754 191-82754 194

9502280368 Provides notification that power ascension tests & power escalation tests being made available for NRC review w/utl of procedures and
MUNN, D.E. Tennessee Valley Authority 95/02/16 Document Control Branch (Document Control Desk) 3pp 82825 352-82825 354

9502280178 Provides suppl info re EMR/RFI survey rept for plant Eagle-21 process protection sys submitted to NRC on 940812.
MUNN, D.E. Tennessee Valley Authority 95/02/16 Document Control Branch (Document Control Desk) 4pp 82831 034-82831 037

9502270407 Provides response to NRC concerns from review of FSAR Chapter 11, re: waste mgmt sys & 10CFR50 App 1 releases. FSAR will be amended to include draft changes in Amend 85.
MUNN, D.E. Tennessee Valley Authority 95/02/17 Document Control Branch (Document Control Desk) 68pp 82903 276-82903 337

9502160346 Administrative Ltr 95-02 to all holders of OCs or CPs re cost beneficial licensing actions.
MERSCHOFF, E.W. Coal Branch/Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502170223 "Technical Evaluation Rept. TMI Action - NUREG-0737 (H D 1) Rept. & Safety Valve Testing Watts Bar Nuclear Plant Units 1 & 2 Dockets 50-390 & 50-391."
FINKELMAN, C.P. Idaho National Engineering Laboratory PNL-1354 INEL-94/0277 95/02/28 NRC - No Detailed Affiliation Given 35pp 82776 011-82776 045

D. NRC Draft/Final Environmental Statements, suppl & correspondence

9502270064 Comment opposing proposed rule re utl construction of Watts Bar NPP
WOOD, J. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 025-82831 025

9502270021 Comment opposing proposed rule re licensing of Watts Bar NPP
MCARDLE, K. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 2p 82831 063-82831 065

9502270083 Comment opposing issuance of license to operate plant for reasons including project 16 yrs behind schedule, plant rated highest probability for rework & safety concerns.
Affiliation Not Assigned 94/11/22 NRC - No Detailed Affiliation Given 1p 82831 123-82831 123

9502270034 Comment opposing proposed rule re licensing of Watts Bar NPP
HAAS, M. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 126-82831 126

9502270038 Comment opposing proposed rule re licensing of Watts Bar NPP
BERGENFELD, A. Affiliation Not Assigned 94/11/22 NEWBERRY, S. NRC - No Detailed Affiliation Given 1p 82831 131-82831 131

9502270068 Comment opposing draft FES re issuance of OC
HOURDEQUIN, M. Affiliation Not Assigned 94/11/22 NRC - No Detailed Affiliation Given 1p 82831 172-82831 172

124 DOCKETED ITEMS

9502270012 Comment opposing proposed rule re opening of Watts Bar NPP
MARRA, Affiliation Not Assigned 94/11/23 NEWBERRY, S NRC - No Detailed Affiliation Given 1p 82831 053-82831 053

9502270048 Comment opposing issuance of license to operate plant due to safety concerns expressed by employees & union
VESPOLE, V Affiliation Not Assigned 94/11/23 NEWBERRY, S NRC - No Detailed Affiliation Given 1p 82831 134-82831 134

9502270018 Comment opposing proposed rule re licensing of Watts Bar NPP
* Affiliation Not Assigned 94/11/24 NEWBERRY, S NRC - No Detailed Affiliation Given 1p 82831 050-82831 050

9502270018 Comment opposing draft suppl to Watts Bar environ impact statement
EWALD, Affiliation Not Assigned 95/01/15 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82576 047-82576 048

950216302 Summary of 950110 public meeting re draft suppl (NUREG-0498, suppl 1) to final environmental statement re operation of plant Units 1 & 2
PLANDERS, S C Office of Nuclear Reactor Regulation (Post 941001) 95/01/23 Office of Nuclear Reactor Regulation (Post 941001) 18pp 82577 076-82577 237

9502160013 Comments on proposed rule re draft rept of Final Environ Statement concerning operation of plant Units 1 & 2
MUELLER, H J Environmental Protection Agency 95/01/27 NRC - No Detailed Affiliation Given 3pp 82736 304-82736 308

9502160013 Requests that activity for continuation of plant be suspended
JATAS, Affiliation Not Assigned 95/01/29 NRC - No Detailed Affiliation Given 2pp 82736 307-82736 308

9502270005 Comment opposing draft FES issuance of OL
* Affiliation Not Assigned 95/02/08 NEWBEY, S NRC - No Detailed Affiliation Given 1p 82831 029-82831 029

9502270005 Comment opposing issuance of license to operate plant due to safety concerns expressed by public
HARRIS, M Affiliation Not Assigned 95/02/08 Division of Freedom of Information & Publications Services (Post 940714) 1p 82831 142-82831 142

9502160013 Forwards RAI re utl comments on draft suppl to plant FES, NUREG-0498, Suppl 1 concerning SAMOA analyses in Section 7 as listed
NEWBERRY, S F License Renewal & Environmental Review Project Directorate (PDR) (Post 941001) 95/02/09 KINGSLEY, O D Tennessee Valley Authority 4pp 8254 002-8254 005

9502270009 Comment opposing issuance of license to operate plant due to concerns expressed re const costs, plant safety & meltdown probability
SMALL, Affiliation Not Assigned 95/02/22 NRC - No Detailed Affiliation Given 1p 82831 176-82831 176

9502270004 Comments on draft FES re issuance of OL
ZWEIG, M Affiliation Not Assigned 95/02/27 NRC - No Detailed Affiliation Given 1p 82831 175-82831 175

E. NRC Safety Evaluation Report (SER), suppl & correspondence

9502270020 Discusses review of TMI item B B 2, "Plant Shielding." Advises that 820311/0812/040524 & 0604 met, considered reviewed & no more action will be taken by NRC Section 12.7.1 of SER (NUREG-0847) concluded that info acceptable
TAMM, P S Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 KINGSLEY, O D Tennessee Valley Authority 3pp 82852 293-82852 294

F. Security, medical, emergency & fire protection plans

9502260045 Forwards PNL review submittal of revised rept on ETE within Plume Exposure Pathway Emergency Planning Zone for plant dtd 940303
HICKEY, E E Battelle Memorial Institute, Pacific Northwest Laboratory 95/01/23 CORNELIUS, C Office of Nuclear Reactor Regulation (Post 941001) 1p 82689 187-82689 188

9502260055 Advises that rept consistent w/guidance & adequately addresses concerns expressed in author 950908 review of Mar 1993 rept
URBAN, K T Affiliation Not Assigned 94/12/04 FOX, E Office of Nuclear Reactor Regulation (Post 941001) 1p 82688 188-82688 188

9502140427 Forwards response to fire protection program open issues discussed at TVA/NRC 941214 meeting & response to post-fire safe shutdown open issues List of comments also encl
MUNN, D E Tennessee Valley Authority 95/01/27 Document Control Branch (Document Control Desk) 25pp 82744 038-82744 082

9502140092 Forwards insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 & notice of deviation
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 4pp 82714 171-82714 198

9502140107 Notice of deviation from insp on 950109-20 Deviation noted comments not met in that, about 75% of approx 60 valves in fire protection yard loop installed in util fire protection safety related O piping sys
* Region 2 (Post 820201) 95/01/31 2pp 82714 175-82714 176

9502140116 Insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 Deviations noted Major areas inspected areas of fire protection corrective action program rept review
MILLER, W H Region 2 (Post 820201) 95/01/31 22pp 82714 177-82714 198

9502140015 Forwards insp repts 50-390/95-04 & 50-391/95-04 on 950109-13 No violations identified
JAUDON, J P Region 2 (Post 820201) 95/02/07 KINGSLEY, O D Tennessee Valley Authority 4pp 82736 327-82736 332

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, S Affiliation Not Assigned 5pp 82685 001-82685 053

H. General correspondence

9502170125 Requests to be added to distribution list to receive NRC licensing & related info re Watts Bar
ZILBERT, B Greenpeace USA 95/02/10 TAMM, P Office of Nuclear Reactor Regulation (Post 941001) 1p 82767 118-82767 118

9502220288 Informs that Greenpeace has been added to svc list, per 950210 request
TAMM, P S Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 ZILBERT, B Greenpeace USA 2pp 82812 358-82812 358

I. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9502030252 Notices start of change in methodology for implementing part of corrective action stated in Nov response re insp repts 50-390/94-59 & 50-391/94-59
MUNN, D E Tennessee Valley Authority 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 268-82587 269

9502030154 Expresses appreciation for 950106 response to NOV issued on 941209
JAUDON, J P Region 2 (Post 820201) 95/01/25 KINGSLEY, O D Tennessee Valley Authority 3pp 82622 276-82622 278

9502030001 Confirms 950120 telcon between S Schaefer & J P Jaudon re enforcement conference scheduled for 950209 to discuss apparent violation of Code of Federal Regulations 10CFR50.7, Employee Protection
JAUDON, J P Region 2 (Post 820201) 95/01/26 KINGSLEY, O D Tennessee Valley Authority 3pp 82601 115-82601 117

9501230250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82605 036-82605 046

9502030125 Ack receipt of 950104 re informing NRC of steps taken to correct violations & deviations noted in insp repts 50-390/94-73 & 50-391/94-73
JAUDON, J P Region 2 (Post 820201) 95/01/27 KINGSLEY, O D Tennessee Valley Authority 3pp 82620 350-82620 352

9502030203 Ack receipt of 950106 re informing NRC of steps taken to correct violations noted in insp repts 50-390/94-72 & 50-391/94-72
JAUDON, J P Region 2 (Post 820201) 95/01/27 KINGSLEY, O D Tennessee Valley Authority 3pp 82622 352-82622 354

9502140044 Ack receipt of 950106 re informing NRC of steps taken to correct violations noted in insp repts 50-390/94-52 & 50-391/94-52 on 941204-950107 No violations noted
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 4pp 82714 090-82714 132

9501230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 183-82652 194

9502140012 Forwards insp repts 50-390/94-64 & 50-391/94-64 on 941204-950107 No violations noted
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 4pp 82714 090-82714 132

9502140018 Insp repts 50-390/94-84 & 50-391/94-84 on 941207-950107 No violations noted Major areas inspected preoperational test evaluation, plant operations & check valve program
VAN DOORN, P K, TAYLOR, P A, JULIAN, C Region 2 (Post 820201) 95/01/31 38pp 82714 094-82714 132

9502140058 Ack receipt of 950117 re informing NRC of steps taken to correct violations noted in insp repts 50-390/94-64 & 50-391/94-64
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 3pp 82713 300-82713 302

9502140067 Ack receipt of 950120 re informing NRC of steps taken to correct violations noted in insp repts 50-390/94-78 & 50-391/94-78
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 3pp 82713 337-82713 339

9502140092 Forwards insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 & notice of deviation
JAUDON, J P Region 2 (Post 820201) 95/01/31 KINGSLEY, O D Tennessee Valley Authority 4pp 82714 171-82714 198

9502140107 Notice of deviation from insp on 950109-20 Deviation noted comments not met in that, about 75% of approx 60 valves in fire protection yard loop installed in util fire protection safety related O piping sys
* Region 2 (Post 820201) 95/01/31 2pp 82714 175-82714 176

9502140116 Insp repts 50-390/95-03 & 50-391/95-03 on 950109-20 Deviations noted Major areas inspected areas of fire protection corrective action program rept review
MILLER, W H, JULIAN, C A Region 2 (Post 820201) 95/01/31 22pp 82714 177-82714 198

9502140126 Ack receipt of 950119 re informing NRC of steps taken to correct violations noted in insp repts 50-390/94-75 & 50-391/94-75 Implementation of CA to be examined in future insp
JAUDON J P Region 2 (Post 820201) 95/01/31 KINGSLEY O D Tennessee Valley Authority 3pp 82714 285-82714 287

9502140329 Nathan NRC that unit has rescheduled date for WBER940374 closure to 950317
NUNN D E Tennessee Valley Authority 95/01/31 Document Control Branch (Document Control Desk) 2pp 82744 211-82744 212

9502140334 Rescues date for completion of corrective actions stated in uil 940613 re-sponse to NOV from insp repts 50-390/94-36 & 50-391/94-36
NUNN D E Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 2pp 82744 209-82744 210

9502140426 Provides clarification of scope of Vendor Info CAP & response to add NRC questions in Insp Repts 50-390/94-27 & 50-391/94-27 & subsequent 930908 re
NUNN D E Tennessee Valley Authority 95/02/01 Document Control Branch (Document Control Desk) 7pp 82744 177-82744 183

9502030313 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 006

9502180015 Forwards insp repts 50-390/95-04 & 50-391/95-04 on 950109-13 No violations identified
JAUDON J P Region 2 (Post 820201) 95/02/07 KINGSLEY O D Tennessee Valley Authority 4pp 82735 327-82735 332

9502150228 Notification of 950223 meeting w/ul in Rockville, MD to discuss plant & concerning & insp issues that warrant sponsor mgmt attention
TAMPA S Office of Nuclear Reactor Regulation (Post 941001) 95/02/09
HEBDON J F Office of Nuclear Reactor Regulation (Post 941001) 3pp 82747 060-82747 062

9502180039 Forwards insp repts 50-390/94-87 & 50-391/94-87 on 941219-22 & 950111 No violations or deviations noted
JAUDON J P Region 2 (Post 820201) 95/02/08 KINGSLEY O D Tennessee Valley Authority 3pp 82737 063-82737 072

9502180044 Insp repts 50-390/94-87 & 50-391/94-87 on 941219-22 & 950111 No violations or deviations noted
LENAHAN J J FREDERICKSON P Region 2 (Post 820201) 95/02/09 7pp 82737 066-82737 072

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES B K 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 007-82618 042

9502170092 Summary of 941004 meeting w/ul to discuss status-needed actions, priorities & schedules of various licensing issues, including unresolved outstanding issues w/let of attendees, WESP repts & comments on Bulletin 88-08 actions
TAMPA S Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 8pp 82776 304-82776 309

9502110052 Discusses 950208 enforcement conference at Region II off w/ul re apparent violation of 10CFR50.7 at plant
JAUDON J P Region 2 (Post 820201) 95/02/10 KINGSLEY O D Tennessee Valley Authority 18pp 82779 341-82779 313

9502170146 Responds to NRC 950113 re re notice of deviation noted in insp repts 50-390/94-66 & 50-391/94-66 C/A conduct assessment of implementation of source noising requirements contained in SSP-2.03 & SSP-2.04
NUNN D E Tennessee Valley Authority 95/02/13 Document Control Branch (Document Control Desk) 8pp 82779 307-82779 313

9502180081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&S Engineering, Inc."
GRIMES B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502180080 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

3. Reportable occurrences, LERs & related correspondence

9502020143 Deficiency repts re failure to perform potential reportability reviews for out-of-scope insp records Add time required to screen/evaluate 124 potential records
Action will be completed by 950331
NUNN D E Tennessee Valley Authority 95/01/24 Document Control Branch (Document Control Desk) 3pp 82615 297-82615 299

9502140323 Provides changes to previous commitments involving QDR 390/94-12
NUNN D E Tennessee Valley Authority 95/01/30 Document Control Branch (Document Control Desk) 3pp 82744 213-82744 215

9502170143 Notice of change in methodology for implementing C/As contained in deficiency repts 50-390/87-14 & 50-391/84-14
NUNN D E Tennessee Valley Authority 95/02/13 Document Control Branch (Document Control Desk) 2pp 82779 305-82779 306

V. Operator Examinations

9502180005 Notices uil of Region II annual Training Managers Conference, in Atlanta GA on 950208 09 to inform regional training & operations mgmt of issues & policies that affect licensing of reactor plant operators
FEEBLEST A Region 2 (Post 820201) 95/01/24 KINGSLEY O D Tennessee Valley Authority 2pp 82758 083-82758 084

DOCKET 90-385 VIRGIN C. SUMMER NUCLEAR STATION, UNIT 1

G. Advisory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT B Affiliation Not Assigned 52pp 82685 001-82685 053

K. Utility Final Safety Analysis Report (FSAR) & amendments

9502030302 Amend 94-10 to FSAR for VC Summer Nuclear Station W/950119 re
TAYLOR G J South Carolina Electric & Gas Co 94/12/31 96pp 82712 001-82712 095

P. Operating license stage documents & correspondence

9502030334 Submits add info in support of position on containment penetration over-current protection issue Licensee maintains that no safety significance associated w/ issue
TAYLOR G J South Carolina Electric & Gas Co 95/01/30 Document Control Branch (Document Control Desk) 15pp 82618 327-82618 341

9502030338 Suppl to TS Change TSP 940004 to License NPF-12, relocating seismic monitoring instrumentation
TAYLOR G J South Carolina Electric & Gas Co 95/01/30 Document Control Branch (Document Control Desk) 1p 82618 323-82618 326

9502030340 Proposed tech specs re relocation of seismic monitoring instrumentation
South Carolina Electric & Gas Co 95/01/30 3pp 82618 324-82618 326

9502020825 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 8pp 82652 194-82652 189

9502180038 Confirms 950207 telcon between RMI Fortukas of uil & FS Control of NRC, concerning mgmt meeting requested by licensee scheduled for 950223 to discuss VC Summer facility "On-Line Maint" program
CHRISTENSEN H Region 2 (Post 820201) 95/02/09 TAYLOR G J South Carolina Electric & Gas Co 2pp 82737 011-82737 012

9502210241 Forwards amend 122 to license NPF-12 & safety evaluation Amend moves seismic monitoring instrumentation LOOs, SRs & associated tables & bases from TS to FSAR
DEMBEKS Project Directorate II-1 (PD2-1) (Post 941001) 95/02/15 TAYLOR G J South Carolina Electric & Gas Co 3pp 82790 071-82790 083

9502210249 Amend 122 to license NPF-12, moving seismic monitoring instrumentation LOOs, SRs & associated tables & bases from TS to FSAR
BATEMAN W M Project Directorate II-1 (PD2-1) (Post 941001) 95/02/15 4pp 82790 074-82790 079

9502210251 Safety evaluation supporting amend 122 to license NPF-12
Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 4pp 82790 060-82790 063

9502200367 Requests discontinuation of seismic monitoring network around plant on basis that min requirements of OL condition 2 C (24) have been satisfied
TAYLOR G J South Carolina Electric & Gas Co 95/02/21 DEMBEKS Document Control Branch (Document Control Desk) 5pp 82653 071-82653 075

9502200417 Application for amend to license NPF-12, incorporating revs to 10CFR20
TAYLOR G J South Carolina Electric & Gas Co 95/02/21 Document Control Branch (Document Control Desk) 2pp 82930 271-82930 324

9502200418 Proposed tech specs incorporating revs to 10CFR20
South Carolina Electric & Gas Co 95/02/21 52pp 82930 273-82930 324

9502200467 Informs that corrective action & schedules committed to in response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Clusters Control Assemblies, 10CFR50.54(b), per 930805 & 930802 are acceptable
DEMBEKS Project Directorate II-1 (PD2-1) (Post 941001) 95/02/22 TAYLOR G J South Carolina Electric & Gas Co 2pp 82845 357-82845 358

9502180248 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
IMPRO, E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/25 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, RI Bulletins & correspondence

9501060219 NRC Bulletin 95-001, "CA Program for Transportation of Radioactive Material"
PAPERIELLO C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/19 Consolidated Edison Co of New York, Inc 11pp 82605 015-82605 023

9501200260 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO C J Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 008-82605 048

126 DOCKETED ITEMS

9502030130 Forwards insp rept 50-395/94-28 on 941113-1231 & notice of violation CHRISTENSEN, M. Region 2 (Post 820201) 95/01/27 TAYLOR, G. J. South Carolina Electric & Gas Co 3pp 82622 321-82622 348

9502030136 Notice of violation from insp on 941113-1231 Violation noted on 940910, pressurizer cooldown rate exceeded TS 3.4.9.2(b) limit of 200 F in any one h period
Region 2 (Post 820201) 95/01/27 2pp 82622 324-82622 325

9502030142 Insp rept 50-395/94-28 on 941113-1231 Violation noted Major areas inspected operations, maint & surveillance, engineering & technical support & plant support
HAAUG, R. C., FARNHOLTZ, T. R., RAPP, C. W. Region 2 (Post 820201) 95/01/28 2pp 82622 326-82622 348

9501250429 NRC Info Notice 95-010 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 194

9502030133 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/09 Consolidated Edison Co. of New York, Inc 8pp 82688 001-82688 008

9502160083 Confirms 950207 action between RM Fowlkes & FS Controls re mgt meeting requested by NRC, scheduled for 950324 to discuss SALP of facility during period 950228-950128
CHRISTENSEN, M. Region 2 (Post 820201) 95/02/08 TAYLOR, G. J. South Carolina Electric & Gas Co 3pp 82737 172-82737 174

9502160095 Forwards response to violations noted in Insp Rept 50-395/94-27 Corrective actions 5TP-248 052 changed to reflect correct hydrostatic test value & proper spring calcs, required pinning prior to performance of test
TAYLOR, G. J. South Carolina Electric & Gas Co 95/02/09 Document Control Branch (Document Control Desk) 3pp 82802 935-82802 937

9502106283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 037-82618 042

9502190346 Discusses 950223 response to NRC Bulletin 95-01, Suppl 1, "Loss of Fill Oil in Transformers Manufactured by Rosemount" for plant
DEMBEKS, S. Project Directorate II-1 (PD2-1) (Post 941001) 95/02/19 TAYLOR, G. J. South Carolina Electric & Gas Co 2pp 82754 248-82754 249

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering Inc"
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82618 025-82618 035

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82618 015-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502210263 Monthly operating report for Jan 1995 for VC Summer Nuclear Station Unit 1 W/950215 to
HALLWANGER, J., TAYLOR, G. J. South Carolina Electric & Gas Co 95/01/31 3pp 82805 342-82805 346

9502290222 Forwards Technical Rept 94-3, "Seismic Activity Near VC Summer Nuclear Station for Period Jul-Sept 1994"
QUINTON, M. D. South Carolina Electric & Gas Co 95/02/15 Document Control Branch (Document Control Desk) 1p 83009 335-83009 353

9502230229 Technical Rept 94-3 "Seismic Activity Near VC Summer Station for Period Jul-Sept 1994"
TALWAN, P., COBB, J. S. South Carolina Univ. of Columbia, SC 94-3 85/08/30 15pp 83009 337-83009 353

9502280187 Forwards FFD for period from 940701-1231
LAVIGNE, D. A. South Carolina Electric & Gas Co 95/02/22 Document Control Branch (Document Control Desk) 7pp 82959 049-82959 055

S. Reportable occurrences, LERs & related correspondence

9502010386 Provides response to NRC request for addl info pertaining to Westinghouse Alloy 600 SG mechanical plugs
TAYLOR, G. J. South Carolina Electric & Gas Co 95/01/25 DEMBEKS, S. Document Control Branch (Document Control Desk) 1p 82581 324-82581 324

9502170233 Part 21 rept re possible melt defect in stainless steel Swagelok tube fittings or adaptors
ZAHURANEK, E. J. Crawford Fitting Co 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 359

9502230282 Inform Part 21 Rept (SSN 940002) re failure of 27N degraded voltage relay mfg by Ayas Brown Bowen
TAYLOR, G. J. South Carolina Electric & Gas Co 95/02/15 Document Control Branch (Document Control Desk) 1p 82657 348-82657 348

V. Operator Examinations

9502210072 Notices of annual training manager conference to be held in Atlanta, GA on 950208-09 Meeting designed to inform regional training & operators rept of issues & policies that affect licensing of reactor plant operators
PEEBLES, T. A. Region 2 (Post 820201) 95/01/24 TAYLOR, G. J. South Carolina Electric & Gas Co 2pp 82770 128-82770 127

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502020248 Confirms discussions at meeting held on 941115 at NRR headquarters re rev to procedures for control room fire
PARRISH, J. V. Washington Public Power Supply System 95/01/25 Document Control Branch (Document Control Desk) 14pp 82615 337-82615 350

9502020022 Forwards insp rept 50-397/95-02 on 950109-11 One non-cited violation noted
COLLINS, S. J. Region 4 (Post 820201) 95/02/03 PARRISH, J. V. Washington Public Power Supply System 4pp 82651 112-82651 118

9502020037 Partially deleted insp rept 50-397/95-02 on 950109-11 (ref 100FR73 21) One non-cited violation noted Major areas inspected mgt effectiveness, mgt support, protected area barrier & assessment aids & security plans
MURRAY, B. Region 4 (Post 820201) 95/01/31 4pp 82651 116-82651 118

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Therma-Lag Request denied
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 501-82685 053

H. Operating license stage documents & correspondence

9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDF App E records withheld in entirety (ref Exemption 5)
POMERLEAU, R. Division of Freedom of Information & Publications Services (850206-950714) 94/06/09 RICHARD, J. F. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 098

9502160196 Requests FR publication of notice of consideration of issuance of amend to license NRE-21 & proposed NSAC determination & opportunity for hearing on 950401 request to revise footnote to TS 3.7.5
CLIFFORD, J. W. Project Directorate V 95/04/09 NRC - No Detailed Affiliation Given 5pp 82739 049-82739 198

9502150281 Responds to 950611 memo re requested NRR interpretation of footnote in WPP-2 TS that deals w/secondary containment established
ADENSAUM, E. G. Assistant Director for Region IV/V Reactors (Post 901218) 93/10/06 PERKINS, K. E. Region 6 (820201 - 940403) 3pp 82739 252-82739 347

9408040169 Forwards SE accepting amend to plant TSs Amend would temporarily suspend surveillance test requirement to perform instrument channel response time testing for certain protective containment isolation functions
BARRITT, J. V. Containment Systems & Severe Accident Branch 93/10/06 QUAY, T. Project Directorate IV-1 3pp 82738 248-82738 251

9502010195 Forwards "Cycle 10 COLR" Inform that committee has reviewed & approved Rev 1 to COLR 94-10
PARRISH, J. V. Washington Public Power Supply System 95/01/25 Document Control Branch (Document Control Desk) 1p 82590 235-82590 277

9502010280 Rev 1, "Cycle 10 COLR"
Washington Public Power Supply System COLR 94-10 R01 94/12/31 41pp 82590 236-82590 277

9502020248 Confirms discussions at meeting held on 941115 at NRR headquarters re rev to procedures for control room fire
PARRISH, J. V. Washington Public Power Supply System 95/01/25 Document Control Branch (Document Control Desk) 14pp 82615 337-82615 350

9502020042 Discusses clarifications of NRC approval of proposed changes to OQA program description
PARRISH, J. V. Washington Public Power Supply System 95/01/26 Document Control Branch (Document Control Desk) 2pp 82619 359-82619 359

9502020026 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502130294 Inform that licensee discontinuing pole drop testing & justification for continued operation re emergency DG-2 shunted turns justification for continued operation
PARRISH, J. V. Washington Public Power Supply System 95/02/07 Document Control Branch (Document Control Desk) 2pp 82732 358-82732 359

9502210154 Provides suppl info to utl request for amend to TS for jet pump operability informs that change would modify surveillance acceptance criteria from 10% to 20% for individual jet pump diffuser-to-lower plenum differential pressure
PARRISH, J. V. Washington Public Power Supply System 95/02/10 Document Control Branch (Document Control Desk) 5pp 82605 517-82605 530

9502210155 Proposed tech spec modeling surveillance acceptance criteria from 10% to 20% for individual jet pump diffuser-to-lower plenum differential pressure minimums of individual jet pump from established patterns
Washington Public Power Supply System 95/02/10 8pp 82605 523-82605 530

9502100371 Notification of 950223 meeting w/utl in Richland, WA to discuss draft SEM for power update
CLIFFORD, J. M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 QUAY, T. R. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82754 257-82754 258

9502140348 Administrative Ltr 95-02 to all holders of OLRs & CPs re cost beneficial licensing actions
MORQUE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82648 001-82648 017

C. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001 "QA Programs for Transportation of Radioactive Mail"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 029

9502090276 Ack receipt of 950118 re informing NRC of steps taken to correct violations
noted in insp rept 50-397/94-29
PERKINS, K.E. Region 4 (Post 820201) 95/01/17 PARRISH, J.V. Washington Public
Power Supply System 3pp 82622 355-82622 357

9501230286 NRC Info Notice 95-007, "Radiopharmaceutical Breakage During Preparation"
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 048

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consoli-
dated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502080226 Informing that NRC review of Amend 1 to first 10-year interval ISI program
plan completed. No deviations from regulatory requirements found. Relief request 82-2-
001 denied SE and
CLIFFORD, J.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01
PARRISH, J.V. Washington Public Power Supply System 4pp 82691 280-82691 288

9502080232 Safety evaluation supporting amend 1 to first 10-year interval ISI program
plan, amend 1 & associated requests for relief
" Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 5pp 82681 264-
82681 288

9502100026 Ack receipt of 950118 re informing NRC of steps taken to correct violations
noted in insp rept 50-397/94-29
PERKINS, K.E. Walnut Creek Field Ofc. #4 (Post 840404) 95/02/02 PARRISH, J.V.
Washington Public Power Supply System 3pp 82680 141-82680 143

9502020313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-
82688 008

9502090022 Forwards insp rept 50-397/95-02 on 950109-11. One non-cited violation
noted
COLLINS, S.J. Region 4 (Post 820201) 95/02/03 PARRISH, J.V. Washington Public
Power Supply System 4pp 82651 112-82651 113

9502090027 Partially deleted insp rept 50-397/95-02 on 950109-11 (rel
10CFR73.21) One non-cited violation noted. Major areas inspected mgt
effectiveness mgt support, protected area barrier & assessment aids & security plans.
MURRAY, B. Region 4 (Post 820201) 95/01/31 4pp 82651 116-82651 118

9502150024 Forwards insp rept 50-397/95-01 on 950109-12. No violations noted.
COLLINS, S.J. Region 4 (Post 820201) 95/02/08 PARRISH, J.V. Washington Public
Power Supply System 4pp 82722 068-82722 115

9502150027 Insp rept 50-397/95-01 on 950109-12. No violations noted. Major areas
inspected: liquid & gaseous radioactive waste mgt programs including quality
assurance, radioactive liquid & gaseous effluent sys & traps of radioactive effluents.
MURRAY, B. Region 4 (Post 820201) 95/02/01 21pp 82722 053-82722 115

9503170006 Summary of 950131 mgt meeting in Arlington TX concerning configuration
mgt team rep conducted in 1994. List of attendees and
BEACH, A.B. Region 4 (Post 820201) 95/02/09 PARRISH, J.V. Washington Public
Power Supply System 5pp 82743 051-82743 052

9502170009 Forwards copy of presentation slides used to discuss supply sys presen-
tation slides concerning configuration mgt insp (94-201)
PARRISH, J.V. Washington Public Power Supply System 95/01/31 GALLAN, L.J.
Region 4 (Post 820201) 37pp 82743 058-82743 082

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-
82618 042

9502200448 Discusses rel tr, dtd 941201, advising NRC of planned extension of first 10-
year IST & ISI Second 10-year IST implemented on 950113 & second 10-year ISI im-
plemented on 950210
PARRISH, J.V. Washington Public Power Supply System 95/02/15 Document Control
Branch (Document Control Desk) 1p 82667 355-82667 358

9502210661 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by A&G Engineering RMC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82618 025-82618 098

9502210958 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 018-
82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 016-
82648 025

F. Periodic operating reports & related correspondence

9502140288 Monthly operating rept for Jan 1995 for WNP 2 W/950207 re
EMERSON, G. SCHWARZ, C.J. Washington Public Power Supply System 95/01/31
4pp 82744 150-82744 153

950220242 Forwards fitness for duty semiannual performance data rept for Jan-Dec
1994
PARRISH, J.V. Washington Public Power Supply System 95/02/16 Document Control
Branch (Document Control Desk) 18pp 82622 309-82622 325

3. Reportable occurrences, LERs & related correspondence

9502150115 LER 95-001-00 on 950113 failed to satisfy single failure criteria for contain-
ment isolation function due to electrical separation plate in control panel missing. Re-
placed missing barrier W/950207 re
HUGO, B.R. PARRISH, J.V. Washington Public Power Supply System 95/02/07 4pp
82743 296-82743 299

9502240448 LER 95-003-00 on 940817, CR indication lost for PASS inboard CV valve &
cycling for restoration enable & showed continuous closed indication. Caused by an-
clear TS requirement TS bases will be revised W/950215 re
PEDRO, J.M. PARRISH, J.V. Washington Public Power Supply System 95/02/15 6pp
82686 131-82686 136

V. Operator Examinations

9502090010 Informing that NRC plans to administer GFES of written operator licensing
exam at facility on 950405. Requests that list names of candidates for exam be
submitted by 950302
GWYNNE, T.P. Region 4 (Post 820201) 95/02/08 PARRISH, J.V. Washington Public
Power Supply System 4pp 82651 058-82651 059

DOCKET 50-406 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502080074 Informing that unit scheduled emergency preparedness exercise for SHNPP
for 950418. Exercise scope & objectives and
ROBINSON, W.R. Carolina Power & Light Co. 95/01/31 Document Control Branch
(Document Control Desk) 3pp 82711 353-82711 355

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of
all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Attention Not Assigned 62pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502090246 First partial response to FOIA request for documents Records in App A will
be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (890206-
840714) 94/06/13 O'NEALL, M. Attention Not Assigned 2pp 82621 279-82621 313

9502080251 "Enforcement action tracking sys. License history rept (short list) sorted
by licensee 950101-940509"
" NRC - No Detailed Assignment Given 94/08/06 33pp 82621 281-82621 313

9502270283 Corrected page 66979 for exemption issued to unpublished in FR dtd
941228
" Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 Carolina Power & Light
Co. 1p 82652 074-82652 074

9502270269 Forwards correction of exemption dtd 941228
BATEMAN, W.H. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19
OFFER, W.G. Carolina Power & Light Co. 4pp 82652 068-82652 074

9502270278 FR notice of correction re exemption for Carolina Power & Light Co.
plants. On page 66979, column 2, paragraph 1 is corrected
WUNDER, G.F. Project Directorate II-1 (PD2-1) (Post 941001) 95/01/19 1p
82652 073-82652 073

9502070115 Forwards Rev 2 to "Harris Unit 1, Cycle 6 COLR"
ROBINSON, W.R. Carolina Power & Light Co. 95/01/31 Document Control Branch
(Document Control Desk) 1p 82686 303-82686 315

9502070115 Rev 2 to "Harris Unit 1, Cycle 6 COLR"
" Carolina Power & Light Co. 95/01/09 12pp 82686 304-82686 315

9502020825 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consoli-
dated Edison Co. of New York, Inc. 5pp 82652 193-82652 199

9502140024 Confirms 950130 telecon between R. Regan & W. Chis re 950215 meeting
w/ut in Atlanta, GA to discuss uti personnel dosimetry program
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/02 HABERMEYER, H.W. Carolina
Power & Light Co. 4pp 82713 156-82713 159

9502140038 Confirms 950131 telecon between author & Regan re rescheduling of mgt
meeting previously planned for 950207. Meeting currently scheduled for 950425 to
discuss uti performance evaluation section
CHRISTENSEN, H. Region 2 (Post 820201) 95/02/03 HABERMEYER, H.W. Carolina
Power & Light Co. 4pp 82713 234-82713 237

9502140310 Informing that second installment of \$3,068,000 of annual licensing fee was
electronically transferred to Dept of Treasury & NRC on 950202
ROGAI, R.E. Carolina Power & Light Co. 95/02/06 Document Control Branch (Docu-
ment Control Desk) 1p 82772 036-82772 036

9502160351 Application for amend to license NFF-83, revising TSs re relocation of shut-
down margin vs boron concentration
ROBINSON, W.R. Carolina Power & Light Co. 95/02/06 Document Control Branch
(Document Control Desk) 11pp 82776 218-82776 247

9502160361 Proposed tech specs 3.1.1.2 re relocating shutdown margin vs boron con-
centration curve to COLR
" Carolina Power & Light Co. 95/02/06 20pp 82776 228-82776 247

128 DOCKETED ITEMS

9502240151 Forwards request for enforcement discretion from TS 3.3.1, Table 3.3-1 RTS Instrumentation, & 3.3.2, Table 3.3-3, ESFAS Instrumentation, permitting continued operation w/ SSPS inoperable for longer than allowed by TS 3.3.2. ROBINSON, W.R. Carolina Power & Light Co. 95/02/07 Document Control Branch (Document Control Desk) 10pp 82788 062-82788 071

9502140135 Confirms meeting arrangement between W. Campbell & staff re meeting on engineering issues scheduled for 950215. CHRISTENSEN, C. Region 2 (Post 820201) 95/02/08 HABERMEYER, H.W. Carolina Power & Light Co. 9pp 82714 324-82714 326

9502210871 Ack. In, dtd 950207 that documented oral request that NRC exercise discretion not to enforce compliance w/ TS 3.3.1 & 3.3.2 informs NRC will grant oral request from 950207-0217 or until mod completed on SSPS. EBMETER, S.D. Region 2 (Post 820201) 95/02/08 ROBINSON, W.R. Carolina Power & Light Co. 9pp 82770 108-82770 123

9502240860 Submits info re forthcoming shipment of irradiated nuclear reactor fuel to New H.M.C. by rail in accordance w/ 10CFR73.37. CONWAY, J.P. Carolina Power & Light Co. 95/02/13 STROUD, T.C. North Carolina, State of 9pp 82814 136-82814 136

9502270862 Informants that corrective actions & schedules committed to in response to GL 93-04, Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies, 10CFR50.54(a), per 930804, 930920, 940819 & 950112 are acceptable. LEMB, P. Region 2 (Post 820201) 95/02/22 ROBINSON, W.R. Carolina Power & Light Co. 2pp 82845 356-82845 390

9502190348 Administrative Ltr 95-02 to all holders of DLs or CPs re cost beneficial licensing actions. MBRO, E.V. Coal Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

O. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 019-82605 022

9502030189 Forwards insp rept 50-400/84-24 on 841204-850107 No violations noted. CHRISTENSEN, H. Region 2 (Post 820201) 95/01/25 ROBINSON, W.R. Carolina Power & Light Co. 9pp 82624 027-82624 043

9502030181 Insp rept 50-400/84-24 on 841204-850107 No violations noted. Major areas inspected plant operations, onsite followup of events, effectiveness of licensee control in identifying, resolving & preventing problems. ELROD, S., ROBERTS, D., CHRISTENSEN, H. Region 2 (Post 820201) 95/01/24 12pp 82624 030-82624 043

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation." PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9502060804 Discusses insp rept 50-400/84-23 on 841113-1203 & forwards notice of violation. EBMETER, S.D. Region 2 (Post 820201) 95/01/27 ROBINSON, W.R. Carolina Power & Light Co. 3pp 82601 027-82601 031

9502060805 Notice of violation from insp on 841113-1203 Violation noted while operating in Mode 1, shift staffing requirements not met. No licensed ROs in Main Control Room. Region 2 (Post 820201) 95/01/27 2pp 82601 030-82601 031

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

95020708113 Responds to request for status on installed Westinghouse Alloy 600 thermally treated mechanical plugs per NRC Bulletin 85-001. ROBINSON, W.R. Carolina Power & Light Co. 95/01/31 Document Control Branch (Document Control Desk) 1p 82688 301-82688 301

9502140026 Ack receipt of 950119 suppl. re informing NRC of steps taken to correct violations noted in insp rept 50-400/84-21 C/A to be examined in future insp. CHRISTENSEN, H. Region 2 (Post 820201) 95/02/01 ROBINSON, W.R. Carolina Power & Light Co. 2pp 82713 151-82713 152

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502100283 Suppl. 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502210313 Forwards Vols 1 & 2 of "Special Rept - SG Tube ISI Results RFO #5." Rept provides results of SG tube ISI performed in Apr. 1994. ROBINSON, W.R. Carolina Power & Light Co. 95/02/16 Document Control Branch (Document Control Desk) 1p 82628 001-82628 210

9502210318 Vols 1 & 2 of "Special Rept - SG Tube ISI Results RFO #5." Carolina Power & Light Co. 95/02/16 837pp 82628 002-82628 210

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502240837 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502220207 Monthly operating rept for Jan. 1995 for Shearon Harris Nuclear Power Plant W/860214. ROBERTS, S. ROBINSON, W.R. Carolina Power & Light Co. 95/01/31 3pp 82611 271-82611 273

S. Reportable occurrences, LERs & related correspondence

9502230390 LER 95-001-00 on 950119, determined that deficiency existed in operability verification test for thermal over-ride bypass circuitry due to procedural inadequacies. Review performed of applicable surveillance test procedures W/950216. VERRILLI, M., DONAHUE, J.W. Carolina Power & Light Co. 95/02/16 4pp 82685 011-82685 014

V. Operator Examinations

9502210058 Notices of annual training managers conference on 950208 in Atlanta, GA to inform regional training & operations mgt of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 ROBINSON, W.R. Carolina Power & Light Co. 2pp 82770 078-82770 079

DOCKET 58-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9502070075 Forwards physical security plan & Addendum I & II to plan. Encls withheld. Daryland Power Cooperative 95/01/31 NRC - No Outdated Attachment Green 1p 82639 312-82639 312

9502200822 Ack receipt of 930131 Ltr which transmitted changes to Physical Security Plan for LaCrosse BWR submitted under provisions of 10CFR50.54(p). Changes have been determined to be acceptable. CREED, J.R. Region 3 (Post 820201) 95/02/22 CHRISTIAN, R. Daryland Power Co. 2pp 82846 104-82846 105

O. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation." PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502040181 Forwards safety insp 50-409/84-04 on 841205-09 & 950111 No violations or deviations noted. MCCORMICK-BARGE Region 3 (Post 820201) 95/01/31 BERG, W.L. Daryland Power Cooperative 2pp 82646 142-82646 151

9502080186 Safety insp 50-409/84-04 on 841205-09 & 950111 No violations or deviations noted. Major areas inspected SAPSTOR phase of decommissioning plan, organization, compliance w/TS & radiation protection. REIDINGER, T., MCCORMICK-BARGE, NELSON, D. Region 3 (Post 820201) 95/01/31 8pp 82646 144-82646 151

9502080183 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502100283 Suppl. 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 027-82618 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82618 016-82618 024

9502240837 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

950228119 Annual Rept for 1994 - Rept of Changes, Tests & Experiments" W/ 950206 Rr GREEN, W.R. BERG, W.L. Cayland Power Cooperative 94/12/31 11pp. 82812.239-82812.249

W. Decommissioning Stage Documents & Correspondence

950203045 First partial response to FOIA request for documents Records in App A will be made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/06/13. O'NEAL, J.M. Affiliation Not Assigned. 3pp. 82821.279-82821.313

-950203051 "Enforcement action tracking sys. Licensee history rept (short list) sorted by licensee 850101-940609" * NRC - No Detailed Affiliation Given. 94/06/06. 3pp. 82821.281-82821.313.

950202025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp. 82852.195-82852.199.

950216034 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/02/23. Consolidated Edison Co. of New York, Inc. 17pp. 82848.001-82848.017

DOCKET 80-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502070122 Forwards Rev 0 to Emergency Plan Main Procedure (EPMP) EPMP-EPP-09, "Emergency Response Organization Expectations & Responsibilities" & Rev 31 to "Site Emergency Plan." MCCORMACK, M.J. Niagara Mohawk Power Corp. 95/01/27 Document Control Branch (Document Control Desk). 1p. 82897.299-82897.348.

-9502070124 Rev 0 to Emergency Plan Main Procedure (EPMP) EPMP-EPP-09, "Emergency Response Organization Expectations & Responsibilities." WARE, C.T. Niagara Mohawk Power Corp. 94/12/14 7pp. 82897.300-82897.306.

-9502070127 Rev 31 to "Site Emergency Plan" ABBOTT, R.B., DAHLBERG, K.A. Niagara Mohawk Power Corp. 94/12/20. 40pp. 82897.307-82897.348.

950228040 Rev 4 to EPMP-EPP-08, "Off-Site Data Assessment & Protective Action Recommendation." W/950217 Rr ABBOTT, R.B., DAHLBERG, K.A., MCCORMACK, M.J. Niagara Mohawk Power Corp. 95/02/17 35pp. 82904.154-82904.188.

G. Adjudicatory correspondence

9502030186 Responds to postcard dated Nov. 14, 1994 requesting immediate shut down of all reactors using Thermo-Lay Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19 DEBOLT, B. Affiliation Not Assigned. 52pp. 82885.001-82885.053

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-92-043, old 920207 Using of records in App A already available in PDR. Records in App B and C will be available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/17. RHOOD, J.P. Public Citizen's Critical Mass Energy Project. 121pp. 82592.009-82592.130.

-950202084 Forwards updated list of NOEDs as transmitted on 940111 GREEN, M.A. Region 3 (Post 820201). 94/01/28. BOYLE, M. Division of Reactor Projects - M.I.V. (Post 901215). 3pp. 82582.228-82582.230

9502160144 Third partial response to FOIA request for documents. Records in app C and will be available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/07/06. O'NEAL, J.M. Affiliation Not Assigned. 2pp. 82729.181-82729.223.

-9502140173 List of CAL numbers * NRC - No Detailed Affiliation Given. 94/06/22. 40pp. 82729.184-82729.223.

9502060094 Forwards amend 62 to license NPF-89 & safety evaluation. Amend revises TS 4.5.1.a.2.e to reduce leak rate test pressure for ADS. BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82826.331-82826.341.

-9502060096 Amend 62 to license NPF-89, revising TS 4.5.1.a.2.e to reduce leak rate test pressure for ADS nitrogen reducing tanks 383 pag to 365 pag. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/31. 4pp. 82826.335-82826.338.

-9502060187 Safety evaluation supporting amend 62 to license NPF-89. * Office of Nuclear Reactor Regulation (Post 941001). 95/01/31 3pp. 82826.339-82826.341

950202025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp. 82852.195-82852.199.

9502060092 Forwards SER which finds no response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs," acceptable. BRINKMAN, D.S. Office of Nuclear Reactor Regulation (Post 941001). 95/02/02. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82825.321-82825.330.

-9502060288 SE accepting uti response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR" * Office of Nuclear Reactor Regulation (Post 941001). 95/02/02 5pp. 82825.325-82825.330

9502100119 Requests svc of WJ Vetter on 950425 as presenter during Incident Investigation Team Training Course to provide informative presentation re industry participation during incident investigation in past training courses. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/02/03. KINDLEY, W.R. Institute of Nuclear Power Operations. 1p. 82711.154-82711.154

9502160298 Forwards amend 62 to license NPF-89 & SE. Amend revises license condition 2 c (4) "Turbine Sys Maintenance Program" & deletes TS 3/4.3.8, "Turbine Over-speed Protection Sys." BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/02/14. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82826.339-82826.356

-9502160381 Amend 63 to license NPF-89, revising license condition 2 c (4), "Turbine Sys Maint Program" & deleting TS 3/4.3.8, "Turbine Over-speed Protection Sys." MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/02/14. 10pp. 82826.343-82826.351

-9502160393 Safety evaluation supporting amend 63 to license NPF-89. * Office of Nuclear Reactor Regulation (Post 941001). 95/02/14 5pp. 82826.352-82826.356

9502160324 Discusses uti request dtd 941021 to amend TS re AC power sources. Forwards SE granting approval for proposed TS changes which would allow EDG testing during power operation. BRINKMAN, D.S. Office of Nuclear Reactor Regulation (Post 941001). 95/02/14. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 1p. 82754.227-82754.230

-9502160328 SER accepting proposed TS changes to TS section 4.8, "AC Sources." For Nine Mile Point, Unit 2. Changes will permit 24 h functional testing of EDGs during power operation. * Office of Nuclear Reactor Regulation (Post 941001). 95/02/02. 3pp. 82754.228-82754.230

9502160343 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/02/23. Consolidated Edison Co. of New York, Inc. 17pp. 82848.001-82848.017.

9502280101 Forwards request for add info re proposed amend to allow plant to operate at updated power of 3,467 Mwt thermal. BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/02/24. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82856.250-82856.253

Q. Inspection reports, EIS, Safety & correspondence

9502160121 Partial response to FOIA request for documents. Records in App end C and will be available in PDR. App C records withheld in part (94 FOIA exemption 5) App D records completely withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/07/08. FIDELLER, Affiliation Not Assigned. 6pp. 82824.140-82824.151.

-9502160188 Partially deleted listing of "Enforcement Action Tracking Sys." * NRC - No Detailed Affiliation Given. 94/06/06. 175pp. 82824.166-82824.003.

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/13. Consolidated Edison Co. of New York, Inc. 11pp. 82808.613-82808.623

9501230260 NRC Info Notice 95-007, "Radionuclide Vial Breakage During Preparation." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/27. Consolidated Edison Co. of New York, Inc. 9pp. 82808.038-82808.046

9501280429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/31. Consolidated Edison Co. of New York, Inc. 7pp. 82852.188-82852.194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03. Consolidated Edison Co. of New York, Inc. 9pp. 82858.001-82858.008.

9502160445 Forwards insp rpts 90-220/94-26 & 90-410/94-31 on 941219-23. No violations noted. Weakness re long duration of three Unit 2 outstanding temporary mods suggests that administrative implementation not completely effective. RULAND, W.H. Region 1 (Post 820201). 95/02/07. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82722.260-82722.274.

-9502160448 Insp rpts 90-220/94-26 & 90-410/94-31 on 941219-23. No violations noted. Major areas inspected, mgt oversight of engineering activities, interfaces/communications, technical staffing & review of plant design modifications. CHEUNG, L., BEARDSLEE, C., RULAND, W. Region 1 (Post 820201). 95/02/07. 12pp. 82722.263-82722.274

9502100263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/10. Consolidated Edison Co. of New York, Inc. 6pp. 82818.037-82818.042

950210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC." GRIMES, B.K. 95/02/21. Consolidated Edison Co. of New York, Inc. 12pp. 82818.025-82818.036.

9502200650 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B.K. 95/02/24. Consolidated Edison Co. of New York, Inc. 9pp. 82818.016-82818.024

130 DOCKETED ITEMS

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502230018 Monthly operating report for Jan 1995 for Nine Mile Point Unit 2 W/BS0210
CARDONCO,G J, DAHLBERG,K A Niagara Mohawk Power Corp 95/01/31 5pp 82840 057-82840 271

S. Reportable occurrences, LERs & related correspondence

9502240112 LER 95-001-00 on BS0112.SRY fail pipe temp was declared impossible caused by failure to print & index control card temp recorder Replaced recorder print & index card W/BS0213
CONWAY,J T, STORZ,L F Niagara Mohawk Power Corp 95/02/13 8pp 82815 305-82815 310

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502200225 Revised Emergency Preparedness Plan/Implementing Procedures (EPP/ IP) including Rev 7 to EPP/IP 2 & 3, Rev 7 to EPP/IP 2 & 4 & Rev 8 to EPP/IP 1 & W/BS0431
THOMAS,G S Duquesne Light Co 95/01/21 16pp 82709 001-82709 152

9502220227 Forwards draft rev to issue 4 of physical security plan Rev withheld (ref 10CFR2.790(d)(1))
THOMAS,G S Duquesne Light Co 95/02/06 Document Control Branch (Document Control Desk) 1p 82626 252-82626 252

9502230278 Requests exemption from 10CFR73.55, "Requirements for Physical Protection Against Radiological Sabotage," allowing implementation of proposed alternate hand geometry biometric access control sys
THOMAS,G S Duquesne Light Co 95/02/06 Document Control Branch (Document Control Desk) 4pp 82667 342-82667 345

G. Adjudicatory correspondence

9502090166 Responds to postcard dtd Nov 14,1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 841001) 95/01/19 DEBOLT,B Affiliation Not Assigned 5pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502030114 Responds to FOIA request for documents re SECY-82-043,dtd 920207 Listing of records in App A already available in PDR Records in App B encl & will be available in PDR
REED,C A Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RICHIO,J P Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275

9502020284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN,E G Region 3 (Post 820201) 94/01/28 BOYLEM Division of Reactor Projects - INJ/V (Post 801216) 3pp 82692 228-82692 230

9502140144 Third partial response to FOIA request for documents Records in App C encl & will be available in PDR
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'NEALIA,M Affiliation Not Assigned 2pp 82729 181-82729 223

9502140172 List of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502190116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption B)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH,P Affiliation Not Assigned 5pp 82698 322-82698 338

9502210119 "Notices of Enforcement Discretion"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82606 227-82606 239

9502020420 Informs NRC of completion of requirements associated w/ 941230 NOED re required channel functional testing on Channel 3 overtemp Delta-T & overpower Delta-T for period from 941230 to 950118
THOMAS,G S Duquesne Light Co 95/01/24 Document Control Branch (Document Control Desk) 1p 82620 312-82620 312

9502020424 Informs that ubl verified that issue re Westinghouse Alloy 600 thermally treated (TT) mechanical plugs does not impact BYPS Units 1 & 2 in response to W Dec 1994 notification Requests implemented at BYPS address concerns in W 94-087
THOMAS,G S Duquesne Light Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82620 313-82620 314

9502020441 Forwards for NRC approval proposed changes to BYPS Unit 1 & Unit 2 CA program description included in each respective unit SAR Change would reduce conservatism by adding exception to position on BQ 1.58
THOMAS,G S Duquesne Light Co 95/01/25 Document Control Branch (Document Control Desk) 7pp 82615 953-82615 309

9502020426 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co of New York Inc 5pp 82652 195-82652 199

9502150287 Requests approval to update IST program to requirements of ASME/ANSI Std CMA-1986 Part 10 for leak-rate testing for groups of valves
THOMAS,G S Duquesne Light Co 95/02/07 Document Control Branch (Document Control Desk) 2pp 82768 263-82768 260

9502160374 Provides authorization to initiate proposed alternative for IST of two trains of parallel valves that isolate DWS from recirculation spray sys Forwards SE detailing authorized request on IST
BUTLER,W R Protect Directorate 1-3 (PD1-3) (Post 941001) 95/02/13 CROSS,J E Duquesne Light Co 4pp 82754 263-82754 293

9502160383 SER accepting ubl IST program requests for relief & proposed alternative for IST of two trains of parallel valves that isolate DWS from recirculation spray sys * Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 7pp 82754 267-82754 293

9502160448 Administrative Ltr 95-02 to all holders of OLRs or OPRs re cost beneficial & changing actions
IMBRI,E V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York Inc 11pp 82605 013-82605 023

9502020424 Informs that ubl verified that issue re Westinghouse Alloy 600 thermally treated (TT) mechanical plugs does not impact BYPS Units 1 & 2 in response to W Dec 1994 notification Requests implemented at BYPS address concerns in W 94-087
THOMAS,G S Duquesne Light Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82620 313-82620 314

9501020260 NRC Info Notice 95-007, "Radcoham Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York Inc 8pp 82605 006-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York Inc 7pp 82652 188-82652 194

9502090036 Discusses 941209 correspondence informing NRC of schedule for resolution of remaining open electrical distribution sys functional test items re insp repts 50-334/91-40 & 50-412/91-80
RULAND,W H Region 1 (Post 820201) 95/01/31 CROSS,J E Duquesne Light Co 2pp 82646 177-82646 182

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York Inc 8pp 82688 001-82688 008

9502190223 Forwards insp repts 50-334/95-03 & 50-412/95-03 on 950109-12 No violations noted
JOYNER,J H Region 1 (Post 820201) 95/02/03 CROSS,J E Duquesne Light Co 3pp 82707 226-82707 242

9502130232 Insp repts 50-334/95-03 & 50-412/95-03 on 950109-12 No violations noted Major areas inspected major changes in organization personnel & facilities
HECK,J, ECKERT,L BOPE,S A Region 1 (Post 820201) 95/01/27 13pp 82707 228-82707 242

9502150818 Forwards insp repts 50-334/95-02 & 50-412/95-02 on 950109-13 No violations noted
MODES,M C Region 1 (Post 820201) 95/02/06 CROSS,J E Duquesne Light Co 3pp 82722 002-82722 011

9502150913 Insp repts 50-334/95-02 & 50-412/95-02 on 950109-13 No violations noted Major areas inspected installation procedure for SG tube sleeves,procedent specification of laser welding of sleeves & field welding program
PATNAIK,P, MODES,M C Region 1 (Post 820201) 95/02/06 7pp 82722 005-82722 011

9502160032 Forwards insp repts 50-334/94-27 & 50-412/94-28 on 941220-950123 Violations noted Violation involved failure of licensee to complete insp of Unit 1 reactor head lift support refueling procedures
LIVKLE,J C Region 1 (Post 820201) 95/02/09 CROSS,J E Duquesne Light Co 3pp 82722 178-82722 184

9502150848 Insp repts 50-334/94-27 & 50-412/94-28 on 941220-950123 Violations noted Major areas inspected plant operations, maint & surveillance,engineering & plant support
LAZARUS,W J Region 1 (Post 820201) 95/02/09 13pp 82722 182-82722 194

9502100233 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York Inc 6pp 82818 037-82818 042

9502200428 Discusses final assessment repts 50-334/94-31 & 50-412/94-31 on 941205-950106 Overal NRC team found that both units were being operated safely
LANUNGI,W D Region 1 (Post 820201) 95/02/17 CROSS,J E Duquesne Light Co 5pp 82854 018-82854 255

9502180811 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York Inc 12pp 82818 025-82818 038

9502200421 Forwards insp repts 50-334/95-04 & 50-412/95-04 on 950130-0209 No violations observed
JOYNER,J H Region 1 (Post 820201) 95/02/21 CROSS,J E Duquesne Light Co 3pp 82853 077-82853 085

9502280328 Insp repts 50-334/95-04 & 50-412/95-04 on 950130-0203 No violations noted Major areas inspected radioactive liquid & gaseous effluent radiation monitoring system clearing sys & Offsite Dose Calculation Manual
JAMES, C. VULFCH, E. Region 1 (Post 820201) 95/02/21 5pp 82853 060-82853 065

950228050 NRC Info Notice 95-011 "Failure of Condensate Pump Because of Erosion/Corrosion at Flow-Straightening Device"
JAMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

950228057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
JAMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502280115 Monthly operating repts for Jan 1995 for Seawater Valley Power Station Units 1 & 2 W/950208 tr
JONES, D. Y. MOCHAN, T. P. Duquesne Light Co. 95/01/31 9pp 82772 090-82772 095

9502280114 Forwards fitness for duty program 6 month rpt for Jul-Dec 1994
THOMAS, G. S. Duquesne Light Co. 95/02/20 Document Control Branch (Document Control Desk) 4pp 82878 180-82878 192

S. Reportable occurrences, LERs & related correspondence

9502178161 LER 95-001-00 on 950115, TS 3.0.3 entered due to isolation of CR habitability air bottle subsystem. Caution tags placed on power cables for R4-R4M-219A & R4-R4M-219B to warn technicians of instrument interactions. W/950214 tr
FREELAND, L. R. Duquesne Light Co. 95/02/14 5pp 82808 112-82808 116

V. Operator Examinations

9502280118 Advances of change in status of licensed operator J.V. Vassallo J.V. Vassallo no longer employed by unit
THOMAS, G. S. Duquesne Light Co. 95/02/20 Document Control Branch (Document Control Desk) 1p 82845 265-82845 266

DOCKET 50-413 CATARBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502180348 Forwards public version of revised EPIPs including EPIP index. Change 0 to RP/D/A/5000/06A, Change 0 to RP/D/A/5000/06B & Change 0 to RP/D/A/5000/06C W/950214 tr
REHN, D. L. Duke Power Co. 95/02/01 Document Control Branch (Document Control Desk) 3pp 82746 047-82746 118

9502180357 Public version of revised EPIPs including EPIP index. Change 0 to RP/D/A/5000/06A, Change 0 to RP/D/A/5000/06B & Change 0 to RP/D/A/5000/06C
PATRICK, M. E. Duke Power Co. 95/01/19 6pp 82746 050-82746 118

9502210032 Forwards insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations noted
CLINE, W. E. Region 2 (Post 820201) 95/02/13 REHN, D. L. Duke Power Co. 4pp 82769 270-82769 283

9502210005 Insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations noted Major areas inspected facilities, equipment, instrumentation & supplies, training independent & internal audits & reviews & effectiveness of licensee controls
KREML, L. BARR, K. P. Region 2 (Post 820201) 95/02/09 10pp 82769 274-82769 283

9502280358 Requests that NRC revise data transmission frequency parameter associated w/ plant ERCS plant attribute. Money to 60 seconds
REHN, D. L. Duke Power Co. 95/02/18 Document Control Branch (Document Control Desk) 2pp 82859 047-82859 048

J. Insurance & indemnity information

9502280429 Forwards listed info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums.
TUCKMAN, M. S. Duke Power Co. 95/01/19 Document Control Branch (Document Control Desk) 20pp 82864 001-82864 071

P. Operating licensee stage documents & correspondence

9502280346 First partial response to FOIA request for documents. Records in App A will be made available in PDR
REED, C. A. Division of Freedom of Information & Publications Services (950209-940714) 94/06/13 OMEALIA, M. Affiliation Not Assigned 3pp 82821 279-82821 313

9502030251 "Enforcement action tracking sys. Licensee history rpt (short list) sorted by licensee 850101-840509"
* NRC - No Detailed Affiliation Given 94/06/06 23pp 82621 281-82621 313

9502010110 Responds to NRC request for voluntary reporting of all occupational radiation exposure data per GL 94-04
TUCKMAN, M. S. Duke Power Co. 95/01/20 Document Control Branch (Document Control Desk) 3pp 82580 287-82580 289

9502010142 Requests closure of Catawba's GL 89-10 Group 1 & low margin Group 2 valves for both stage 1 & 2 verifications. Request does not include remaining GL 89-10 Group 2 valves
REHN, D. L. Duke Power Co. 95/01/23 Document Control Branch (Document Control Desk) 5pp 82590 140-82590 144

9502150132 Forwards proposed TS rev to modify SR 4.4.5.2e re rotating pancake coil insp & SR 4.4.5.4a 13 re non-current methodology per 950119 telcon w/ NRC
REHN, D. L. Duke Power Co. 95/01/27 Document Control Branch (Document Control Desk) 5pp 82768 348-82768 356

9502150166 Proposed tech specs amend suppl modify SR 4.4.5.2e re rotating pancake coil & 4.4.5.4a 13 reference to non-current methodology
* Duke Power Co. 95/01/27 2pp 82768 354-82768 355

9502070187 Forwards revised ltr from York County stating willingness to serve CNE - coating lower yard, project W3# 4510001 along w/ revised flow test data
ESTRIDGE, J. Duke Power Co. 95/01/31 STANCLER, R. South Carolina State of 3pp 82885 323-82885 324

9502070326 Provides interim rpt on Westinghouse Alloy 800 SG mechanical plugs installed at DPC plants, as requested by NRC in response to recent field experience w/ Westinghouse Alloy 800 thermally treated mechanical plugs
TUCKMAN, M. S. Duke Power Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82567 311-82567 314

9502130074 Forwards notice of consideration of amend for plant unit 1 requesting changes to TS 3.6.1.2 to defer next scheduled containment integrated leak rate test at plant unit 1 for one outage from end of cycle 8 refueling outage
MARTIN, R. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 REHN, D. L. Duke Power Co. 3pp 82716 305-82716 314

9502130078 Notice of consideration of issuance of amend to license NPF-35 & proposed NSHC determination & opportunity for hearing. Amend changes TS 3.6.1.2 to defer next scheduled containment integrated leak rate test.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 7pp 82716 308-82716 314

9502020825 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
JAMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 195-82552 199

9502180089 Notification of 950214-15 meetings w/ unit in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear stations
MARTIN, R. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BERKOW, H. N. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 019-82704 023

9502130289 Forwards notice of consideration of issuance of amend to license NPF-35 & proposed NSHC determination & opportunity for hearing. Amend requesting renewal for unit 1 cycle 9 operation of steam generator tube map bottom probe
MARTIN, R. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 REHN, D. L. Duke Power Co. 4pp 82729 287-82729 300

9502130298 Notice of consideration of issuance of amend to license NPF-35 & proposed NSHC determination & opportunity for hearing. Amend requesting renewal for unit 1 cycle 9 operation of steam generator tube map bottom probe
MARTIN, R. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 10pp 82729 291-82729 300

9502280285 Informs that as result of recent telcons between DPC & NRC, w/ committing to listed items relative to 941129 TS amend request re renewal of SG tube maps plugging criteria for Catawba Unit 1 Cycle 8
REHN, D. L. Duke Power Co. 95/02/08 Document Control Branch (Document Control Desk) 3pp 82869 333-82869 335

9502180213 Provides suppl info identified in 950207 telcon re DPC 941018 request for exemption from requirements of 10CFR50, App J III C 1 (a) that third GILRT be performed during SG refueling outage & request for change to TS to defer GILRT
TUCKMAN, M. S. Duke Power Co. 95/02/07 Document Control Branch (Document Control Desk) 3pp 82768 356-82768 358

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info
VARGAS, S. Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/08 TUCKMAN, M. S. Duke Power Co. 5pp 82776 299-82776 303

9502170128 Informs licensee that subject methodologies audit scheduled for 850308-10 & provides list of info to be reviewed
WIENSLA, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN, M. S. Duke Power Co. 5pp 82767 113-82767 117

9502218255 Forwards Rev 6 to CNEI-0400-24, "Catawba Unit 1 Cycle 9 COLR" per TS 6.9.1.9
CANADY, X. S. Duke Power Co. 95/02/15 Document Control Branch (Document Control Desk) 1p 82807 057-82807 278

9502218251 Rev 6 to "Catawba Unit 1 Cycle 9 COLR"
HUGER, J. N., DALEY, D., CLARK, R. H. Duke Power Co. CNEI-0400-24 R06 95/02/15 221pp 82807 068-82807 278

9502280382 Requests approval to use listed add treatment chemicals. Informs that request needed by 950324 in order to meet schedule
CARTER, J. S. Duke Power Co. 95/02/15 ELEANOR, T. M. South Carolina State of 4pp 82804 169-82804 238

9502270177 Forwards SE authorizing licensee 941220 request for relief from ASME boiler & pressure vessel code. Section XI requirement to perform VT-3 visual exam
BERKOW, H. N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 REHN, D. L. Duke Power Co. 3pp 82848 321-82848 327

9502278189 Safety evaluation authorizing licensee 941220 request for relief from section XI requirement to perform VT-3 visual exam
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 4pp 82848 324-82848 327

9502280211 Forwards W topical rpt WCAP-14277, "SLB Leak Rate & Tube Burst Probability Analysis Methods for ODSOC at TSP Intersections"
REHN, D. L. Duke Power Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82923 258-82923 267

132 DOCKETED ITEMS

9502270104 Forwards amends 128 & 122 to licenses NPF-35 & NPF-52 respectively & SE Amends revise TS table 2-1 & 2-2
MARTIN R.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17
REHNOLD, Duke Power Co 3pp 82846 277-82846 303

-9502270182 Amends 128 & 122 to licenses NPF-35 & NPF-52, respectively, revising TS table 2-1 & TS 4-25
BERKOW H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 4pp 82846 280-82846 288

-9502270117 Safety evaluation supporting amends 128 & 122 to licenses NPF-35 & NPF-52, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 15pp 82846 289-82846 303

9502270244 Inform of approval of uM proposed alternative Code Case N-522 to ASME Code providing relief for ISI Program as set in Request for Relief 94-GO-002 Approval authorizes use of hydrostatic testing as set in sub-proposal SER and
BERKOW H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17
TUCKMAN, M.S. Duke Power Co 4pp 82868 001-82868 008

-9502270250 Safety evaluation supporting request for relief from requirements of ASME Code Case N-522 re ISI Program hydrostatic testing
Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 4pp 82868 005-82868 006

9502180349 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
IMBRO E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501890219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13
Consolidated Edison Co of New York, Inc 11pp 82806 013-82806 023

9502260272 Ack receipt of 950109 re informing NRC of steps taken to correct violations noted in insp repts 50-413/94-27 & 50-414/94-27
MERSCHOFF, E.W. Region 2 (Post 820201) 95/01/20
REHNOLD, Duke Power Co 3pp 82622 279-82622 281

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27
Consolidated Edison Co of New York, Inc 4pp 82606 038-82606 048

9502080902 Forwards evaluation & SE re NRC Bulletin 90-01, supplement 1, "Loss of Fill-oil in Transformers Manufactured by Rosemount" of data sent in 940222 0523 & 1130
MARTIN R.E. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27
TUCKMAN, M.S. Duke Power Co 3pp 82669 259-82669 273

-9502080906 Safety evaluation concluding that uM complied w/NRC Bulletin 90-01, supplement 1 & completed required actions.
Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 13pp 82669 256-82669 273

9502150133 Forwards proposed TS rev to modify SR 4.4.5.2e re rotating pancake coil insp & SR 4.4.5.4a 13 re non-quantit methodology per 950119 telcon w/NRC
REHNOLD, Duke Power Co 95/01/27 Document Control Branch (Document Control Desk) 5pp 82768 349-82768 356

-9502150166 Proposed tech specs amend suppl modify SR 4.4.5.2e re rotating pancake coil & 4.4.5.4a 13 reference to non-quantit methodology
Duke Power Co 95/01/27 2pp 82768 354-82768 355

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31
Consolidated Edison Co of New York, Inc 7pp 82652 186-82652 194

9502140002 Forwards insp repts 50-413/94-31 & 50-414/94-31 on 941204-950107 No violations identified
CRLENJAK, R.V. Region 2 (Post 820201) 95/02/01
REHNOLD, Duke Power Co 3pp 82713 008-82713 028

-9502140005 Insp repts 50-413/94-31 & 50-414/94-31 on 941204-950107 No violations noted Major areas inspected plant operations, maint, engineering, plant support & evaluation of on-line maint.
FREUDENBERGER, CRLENJAK, R.V. Region 2 (Post 820201) 95/02/01 20pp 82713 009-82713 028

9502150191 Responds to NRC ltr re violations noted in insp repts 50-413/94-17 & 50-414/94-17 Corrective actions revised procedures & sys calculations
REHNOLD, Duke Power Co 95/02/02 Document Control Branch (Document Control Desk) 11pp 82770 275-82770 285

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82648 001-82648 008

9502150213 Provides suppl info identified in 950207 telcon re OPC 941018 request for exemption from requirements of 19CFR50, App J III D 1 (a) that third CILRT be performed during ISI refueling outage & request for change to TS to defer CILRT
TUCKMAN, M.S. Duke Power Co 95/02/07 Document Control Branch (Document Control Desk) 3pp 82768 358-82768 358

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 097-82818 042

9502180292 Authorizes relief from code hydrostatic pressure test requirement for in-service insp 10-year testing SE authorizing relief request and
BERKOW H.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13
TUCKMAN, M.S. Duke Power Co 4pp 82754 099-82754 101

-9502180293 Safety evaluation supporting relief from code requirement for 10 year in-service hydrostatic test
Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 5pp 82754 097-82754 101

9502210032 Forwards insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations or deviations noted
CLINE, W.E. Region 2 (Post 820201) 95/02/13
REHNOLD, Duke Power Co 4pp 82769 270-82769 283

-9502210035 Insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations noted Major areas inspected facilities, equipment, instrumentation & supplies training independent & internal audits & reviews & effectiveness of licensee controls
KREHJILL, BARR, K.P. Region 2 (Post 820201) 95/02/09 10pp 82769 274-82769 283

9502210051 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 018-82818 036

9502210058 NRC Info Notice 95-011 Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 4pp 82818 018-82818 024

9502240037 NRC Info Notice 95-013 Potential For Data Collection Equipment to Affect Protection System Performance
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 4pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502230033 Monthly operating repts for Jan 1995 for Catawba Nuclear Station W/ 560215 W/
WILLIAMS, R.A. WEBER, R.L. Duke Power Co 95/01/31 13pp 82840 245-82840 257

S. Reportable occurrences, LERs & related correspondence

9502230388 NPDES noncompliance notification on 950209, visible oil sheen noticed in intake cove directly below & around intake structure caused by bursted fire protection pipe Two oil booms used in area
HARRIS, T. Duke Power Co 95/02/15 SPINGERS, South Carolina State of 2pp 82848 358-82848 357

V. Operator Examinations

9502210104 Inform that Region II will host annual Training Managers Conference in Atlanta on 950208-08 Conference designed to inform regional training & operators mgmt of issues & policies that affect licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/24
REHNOLD, Duke Power Co 2pp 82770 167-82770 168

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502150346 Forwards public version of revised EPF's including EPF index, Change 0 to RP/0/A/5000/06A, Change 0 to RP/0/A/5000/06B & Change 0 to RP/0/A/5000/06C W/ 950214 W/
REHNOLD, Duke Power Co 95/02/01 Document Control Branch (Document Control Desk) 3pp 82746 047-82746 118

-9502150357 Public version of revised EPF's including EPF index, Change 0 to RP/0/A/5000/06A, Change 0 to RP/0/A/5000/06B & Change 0 to RP/0/A/5000/06C
PATRICK, M.E. Duke Power Co 95/01/19 68pp 82746 050-82746 118

9502210032 Forwards insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations or deviations noted
CLINE, W.E. Region 2 (Post 820201) 95/02/13
REHNOLD, Duke Power Co 4pp 82769 270-82769 283

-9502210035 Insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations noted Major areas inspected facilities, equipment, instrumentation & supplies training independent & internal audits & reviews & effectiveness of licensee controls
KREHJILL, Region 2 (Post 820201) 95/02/09 10pp 82769 274-82769 283

9502200358 Requests that NRC revise data transmission frequency parameter associated w/ plant ERDS plant attribute library to 60 seconds
REHNOLD, Duke Power Co 95/02/16 Document Control Branch (Document Control Desk) 2pp 82658 047-82658 048

J. Insurance & indemnity information

9502280429 Forwards listed info demonstrating that company maintain financial protection for each licensed operating nuclear reactor as evidence of guarantee of payment of deferred premiums
TUCKMAN, M.S. Duke Power Co 95/01/19 Document Control Branch (Document Control Desk) 20pp 82684 001-82684 071

P. Operating license stage documents & correspondence

9502030348 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/08/13 O'MEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

-9502036251 Enforcement action tracking sys licensee history rept (short list) sorted by licensee 850101-940509
* NRC - No Detailed Action Given 84/06/06 33pp 82621 281-82621 313

9502010170 Responds to NRC request for voluntary reporting of addl occupational radiation exposure data per GL 94-04
TUCKMAN,M S Duke Power Co 95/01/20 Document Control Branch (Document Control Desk) 3pp 82590 287-82590 289

9502010142 Requests closure of Catawba's GL 89-10 Group 1 & low margin Group 2 valves for both stage 1 & 2 verifications Request does not include remaining GL 89-10 Group 2 valves
REHN,D L Duke Power Co 95/01/23 Document Control Branch (Document Control Desk) 6pp 82590 140-82590 144

9502070197 Forwards revised tr from York County stating willingness to serve CNS - cooling tower yard, project WS# 4610001 along w/ needed flow test data
ESTRIDGE,J Duke Power Co 95/01/31 STANCLIR South Carolina, State of 3pp 82685 323-82685 324

9502070326 Provides interim rept on Westinghouse Alloy 600 SG mechanical plugs installed at DPC plants as requested by NRC in response to recent held experience w/ Westinghouse Alloy 600 thermally treated mechanical plugs
TUCKMAN,M S Duke Power Co 95/01/31 Document Control Branch (Document Control Desk) 4pp 82587 311-82587 314

9502020225 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 186-82652 189

9502180099 Notification of 950214-15 meetings w/utl in Charlotte, NC & York, SC to discuss status of various licensing activities & safety initiatives at plant nuclear stations
MARTIN,R E Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 5pp 82704 019-82704 023

9502180213 Provides suppl info identified in 950207 telcon re DPC 941018 request for exemption from requirements of 10CFR50, App J III D 1 (g) that third CLRT be performed during ISI refueling outage & request for change to TS to defer CLRT
TUCKMAN,M S Duke Power Co 95/02/07 Document Control Branch (Document Control Desk) 3pp 82788 358-82788 358

9502170041 Expresses appreciation for volunteering in pilot program for exchange of electronic info
VARGAS, D Division of Reactor Projects I/II (DRPE) (Post 941001) 95/02/09 TUCKMAN,M S Duke Power Co 6pp 82776 298-82776 303

9502170128 Informs licensee that subject methodologies audit scheduled for 950308-10 & provides list of info to be reviewed
WENSLA, A Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN,M S Duke Power Co 5pp 82767 113-82767 117

9502180392 Requests approval to use listed addl treatment chemicals. Informs that request needed by 950324 in order to meet schedule
CARTER,J S Duke Power Co 95/02/15 ELEAZER,T M South Carolina, State of 4pp 82604 135-82604 238

9502270104 Forwards amends 128 & 122 to licensees NPF-35 & NPF-52 respectively & SE Amends revise TS table 2-2-1 & 4-2-5
MARTIN,R E Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 REHN,D L Duke Power Co 3pp 82846 277-82846 303

-9502270112 Amends 128 & 122 to licensees NPF-35 & NPF-52 respectively, revising TS table 2-2-1 & TS 4-2-5
BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 9pp 82846 280-82846 288

-9502270117 Safety evaluation supporting amends 128 & 122 to licensees NPF-35 & NPF-52 respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 15pp 82846 288-82846 303

9502270244 Informs of approval of utl proposed alternative Code Case N-622 to ASME Code providing relief for ISI Programs as ref in Request for Relief 94-GO-002 Approval authorizes use of hydrostatic testing as ref in sub proposal SER end
BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 TUCKMAN,M S Duke Power Co 4pp 82856 001-82856 008

-9502270250 Safety evaluation supporting request for relief from requirements of ASME Code Case N-622 re ISI Programs hydrostatic testing
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 4pp 82856 005-82856 006

9502180349 Administrative Ltr 95-02 to all holders of OILs or CPs re cost beneficial licensing actions
RIBRO,E V Coal Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, NE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 970728) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82606 013-82606 023

9502030272 Ack receipt of 950103 for informing NRC of steps taken to correct violations noted in insp repts 50-413/94-27 & 50-414/94-27
MERSCHOFF,E W Region 2 (Post 820201) 95/01/20 REHN,D L Duke Power Co 3pp 82822 276-82822 281

9501230268 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 970728) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9502080002 Forwards evaluation & SE re NRC Bulletin 90-01, supplement 1 "Loss of Full-Load in Transmitters Manufactured by Rosenmount" of data sent in 940222, 8523 & 1130
MARTIN,R E Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 TUCKMAN,M S Duke Power Co 3pp 82589 253-82589 273

-9502080006 Safety evaluation concluding that utl complied w/NRC Bulletin 90-01, supplement 1 & completed required actions
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 13pp 82589 258-82589 273

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82662 188-82662 184

9502140802 Forwards insp repts 50-413/94-31 & 50-414/94-31 on 941204-950107 No violations identified
GRLENJAK,R V Region 2 (Post 820201) 95/02/01 REHN,D L Duke Power Co 3pp 82713 006-82713 028

-9502140805 Insp repts 50-413/94-31 & 50-414/94-31 on 941204-950107 No violations noted Major areas inspected plant operations, maint, engineering, plant support & evaluation of on-line maint
FREUDENBERGER, GRLENJAK,R V Region 2 (Post 820201) 95/02/01 20pp 82713 009-82713 028

9502150191 Responds to NRC ltr re violations noted in insp repts 50-413/94-17 & 50-414/94-17 Corrective actions reviewed procedures & sys calculations
REHN,D L Duke Power Co 95/02/02 Document Control Branch (Document Control Desk) 11pp 82770 275-82770 285

9502020313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 006

9502180213 Provides suppl info identified in 950207 telcon re DPC 941018 request for exemption from requirements of 10CFR50, App J III D 1 (g) that third CLRT be performed during ISI refueling outage & request for change to TS to defer CLRT
TUCKMAN,M S Duke Power Co 95/02/07 Document Control Branch (Document Control Desk) 3pp 82788 358-82788 358

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502160282 Authorizes relief from code hydrostatic pressure test requirement for in-service insp 10-year testing SE authorizing relief request and
BERKOW,H N Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 TUCKMAN,M S Duke Power Co 4pp 82754 093-82754 101

-9502160293 Safety evaluation supporting relief from code requirement for 10-year in-service hydrostatic test
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 5pp 82754 097-82754 101

9502180352 Forwards insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations or deviations noted
CLINE,W E Region 2 (Post 820201) 95/02/13 REHN,D L Duke Power Co 4pp 82788 270-82788 283

-9502180355 Insp repts 50-413/95-02 & 50-414/95-02 on 950123-27 No violations noted Major areas inspected facilities, equipment, instrumentation & supplies, training, independent & internal audits & reviews & effectiveness of licensee controls
KREHL,J L, BARR,K P Region 2 (Post 820201) 95/02/09 10pp 82789 274-82789 283

9502100841 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82918 025-82918 036

9502100850 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82816 019-82816 024

9502240837 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502230033 Monthly operating repts for Jan 1995 for Catawba Nuclear Station w/ 950215 tr
WILLIAMS,R A, WEBER,R L Duke Power Co 95/01/31 13pp 82840 245-82840 257

S. Reportable occurrences, LERs & related correspondence

9502230386 NPDES noncompliance notification on 950209 visible oil sheen noticed in intake cove directly below & around intake structure Caused by bursted fire protection pipe Two oil booms used in area
HARRIS,T Duke Power Co 95/02/15 SPIGNERS South Carolina, State of 2pp 82848 356-82848 357

134 DOCKETED ITEMS

V. Operator Examinations

9502210104 Informs that Region II will host annual Training Managers Conference in Atlanta on 950206-09 Conference designed to inform regional training & operations staff of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 REHNF D.L. Duke Power Co 2pp 82770 167-82770 168

DOCKET 50-016 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502178257 Forwards Rev 28 to physical security plan per 10CFR50.54(p) Rev with-held. HUTCHINSON, C.R. Emergency Operations, Inc. 95/02/10 Document Control Branch (Document Control Desk) 3pp 82820 355-82820 357

9502240643 Forwards GGNs fitness for duty program performance 6 month report in accordance w/ 10CFR26 for reporting period 940701-1231. HUTCHINSON, C.R. Emergency Operations, Inc. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82814 028-82814 032

9502278092 Ack receipt of 941207 rev 25 to physical security plan re exemption to use hand geometry biometric access control equipment considered policy issues Rev acceptable. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82852 286-82852 288

9502278097 Notification of 950314 meeting w/ staff in Rockville, MD to discuss Dec. 1994 request for add'l info re GL 92-06, "Thermal-Lag 330-1 Fire Barriers". GAMBERONI, M.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R.P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82858 290-82858 295

G. Adjudicatory correspondence

950208188 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82885 001-82885 053

P. Operating license stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App J records being partially withheld per FOIA exemptions 3 & 5. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

9502130287 Partially deleted SECY informing Commission of Appeal Board decision. TRIBALTO, S.L. Office of the General Counsel (Post 960701) SECY-89-003 83/01/04 13pp 82717 339-82717 344

9502210118 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 339

9502218119 "Notices of Enforcement Discretion."
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 338

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters. GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 3pp 82652 186-82652 189

9502140321 Forwards Environ Assessment & FONSI related to 931015 application for amend. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82740 286-82740 286

9502148325 Environ assessment & finding of no significant impact re issuance of amend to license NPF-29. HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 6pp 82740 291-82740 298

9502160857 Application for amend to license NPF-29 consisting of mod to proposed amend to CL (PCOL-88/13), requesting to perform drywell bypass leakage rate surveillance on performance based interval. MEISNER, M.J. Emergency Operations, Inc. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82788 143-82788 201

9502160963 Proposed tech spec supporting performance of drywell bypass leakage rate surveillance on performance based interval.
* Emergency Operations, Inc. 95/02/10 55pp 82788 147-82788 201

9502240057 Submits rev to proposed amend to GGNs license NPF-29 submitted via ref 1, add'l info concerning proposed changes submitted via ref 2 & add'l to proposed change submitted via ref 3. HUTCHINSON, C.R. Emergency Operations, Inc. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82814 112-82814 123

9502240186 Application for amend to license NPF-29 consisting of changes to TS requirements 4.1.4.1 & 4.6.1.4.2. HUTCHINSON, C.R. Emergency Operations, Inc. 95/02/14 NRC - No Detailed Affiliation Given 1p 82814 115-82814 115

9502240194 Proposed TS consisting of changes to SR 4.4.1.4.1 & 4.6.1.4.2.
* Emergency Operations, Inc. 95/02/14 8pp 82814 116-82814 123

9502270077 Forwards amend 117 to license NPF-29 & safety evaluation Amend deletes requirements of LOO 3.3.3.9 & Surveillance Requirement 4.3.3.9 both requirements previously relocated out of TS. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82852 226-82852 245

9502270084 Amend 117 to license NPF-29, deleting previously relocated TS requirements LOO 3.3.3.9 & Surveillance Requirement 4.3.3.9 re loose-part detection instrumentation. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 6pp 82852 232-82852 239

9502270090 Safety evaluation supporting amend 117 to license NPF-29.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 6pp 82852 240-82852 245

9502270107 Forwards amend 118 to license NPF-29 & safety evaluation Amend deletes certain accident monitoring instruments from TS table 3.3.7.5-1, "Accident Monitoring Instrumentation" & corresponding surveillance requirements. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82852 246-82852 282

9502270115 Amend 118 to license NPF-29, deleting certain accident monitoring instruments from TS table 3.3.7.5-1, "Accident Monitoring Instrumentation" & corresponding surveillance requirements. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 6pp 82852 248-82852 256

9502270127 Safety evaluation supporting amend 118 to license NPF-29.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 6pp 82852 257-82852 282

9502270126 Forwards amend 115 to license NPF-29 & safety evaluation Amend revises requirement for control rod testing to increase "notch testing" surveillance interval for partially withdrawn control rods. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82846 304-82846 313

9502270133 Amend 115 to license NPF-29, revises requirement for control rod testing to increase "notch testing" surveillance interval for partially withdrawn control rods from once per 7 days to once per 31 days. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 4pp 82846 307-82846 310

9502270139 Safety evaluation supporting amend 115 to license NPF-29.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 3pp 82846 311-82846 313

9502270346 Forwards amend 116 to license NPF-29 & safety evaluation Amend revises TS requirements for hydrogen ignition sys & removes several tables related to HES in accordance w/guidance contained in GL 91-08. O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 HUTCHINSON, C.R. Emergency Operations, Inc. 3pp 82852 340-82852 353

9502270358 Amend 116 to license NPF-29, removing several tables related to HES in accordance w/guidance contained in GL 91-08, "Removal of Component Lists From TS". O'CONNOR, P.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 7pp 82852 343-82852 349

9502270364 Safety evaluation supporting amend 116 to license NPF-29.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 4pp 82852 350-82852 355

9502270867 Notification of 950314 meeting w/ staff in Rockville, MD to discuss Dec. 1994 request for add'l info re GL 92-08, "Thermal-Lag 330-1 Fire Barriers". GAMBERONI, M.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 ZIMMERMAN, R.P. Associate Director for Projects (ADPR) (Post 941001) 7pp 82896 290-82896 296

9502108349 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions. (LUBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

G. Inspection reports, IE Bulletins & correspondence

9501080218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail". PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/19 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 029

9501230258 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation". PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 048

9502080096 Responds to NRC Bulletin 94-128 re re violations noted in insp report 50-418/94-18. Corrective actions Training Dept will change existing procedural guidance by providing specific guidelines on Job Performance Measures should be controlled. HUTCHINSON, C.R. Emergency Operations, Inc. 95/01/30 Document Control Branch (Document Control Desk) 6pp 82624 288-82624 291

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design". GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502080193 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA". GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 008

9502100203 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA". GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502160973 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail". Completed form from Attachment 1 to bulletin and HUTCHINSON, C.R. Emergency Operations, Inc. 95/02/16 Document Control Branch (Document Control Desk) 5pp 82778 348-82778 351

950229073 Forwards General Physics Corporation Cygnus Energy Svcs Engineering Div Rept EOI-471. SVS Operational Performance Insp (SW/SOP) for GUNS. GUNS found to have implemented 5 actions of GL 88-13. HUTCHINSON, C.R. Energy Operations, Inc. 95/02/15 Document Control Branch (Document Control Desk) 3pp 82840 285-82840 333

-950229078 SVS Operational Performance Insp (SW/SOP) for GUNS. " CYGNA Energy Services EOI-471 95/02/06 40pp 82840 285-82840 333

950229081 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering II Inc." GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

950229090 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 015-82818 024

950229093 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

950229183 Monthly operating rept for Jan 1995 for Grand Gulf Nuclear Station W/ 950215 re LMS D. HUTCHINSON, C.R. Energy Operations, Inc. 95/01/31 8pp 82912 006-82912 011

S. Reportable occurrences, LERs & related correspondence

950209014 LER 95-001-00 on 950108, discovered that 25% grace period for 1&C quarterly surveillance 06-IC-1C51-C-0001 Attachment IV missed by four days TS 4.0.3 initiated & surveillance successfully performed W/950203 re OWENS, J. HUTCHINSON, C.R. Energy Operations, Inc. 95/02/03 6pp 82709 302-82709 307

950229028 LER 94-009-01 on 950118 deficiency resulting from failure to verify APRM flow based calculated thermal power-high time constant for 8 channels on 18 month frequency discovered. Inadequacies being corrected during rev to SPs W/950217 re OWENS, J. HUTCHINSON, C.R. Energy Operations, Inc. 95/02/17 5pp 82886 248-82886 252

V. Operator Examinations

950229081 Notice of annual training managers conference on 850206-03 in Atlanta GA to inform of regional training & operations management of issues & policies that affect licensing of reactor plant operators. PEEBLES, T.A. Region 2 (Post 820201) 95/01/24 HUTCHINSON, C.R. Energy Operations, Inc. 2pp 82789 218-82789 219

950209086 Response to NRC 941128 re re violations noted in insp rept 94-415/84-16 Corrective actions Training Dept will change existing procedural guidance by providing specific guidelines on Job Performance Measures should be controlled. HUTCHINSON, C.R. Energy Operations, Inc. 95/01/30 Document Control Branch (Document Control Desk) 5pp 82824 286-82824 291

950210018 Provides updated info re licensed operators JK McDonald & T McIntyre HUTCHINSON, C.R. Energy Operations, Inc. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 295-82720 296

DOCKET 95-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

950213017 Twenty-second partial response to FOIA request for documents Forwards App B records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GLENSIDE, V. Affiliation Not Assigned 4pp 82717 167-82717 014

-950213027 Partially deleted SECY informing Commission of Appeal Board decision. TRUBATCH, S.L. Office of the General Counsel (Post 850701) SECY-83-003 83/01/04 12pp 82717 333-82717 344

950221016 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 339

-950221019 "Notice of Enforcement Discretion" NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

DOCKET 95-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

950209088 Advises that 941031 rev 20 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. JOYNER, J.H. Region 1 (Post 820201) 95/01/28 OPEKA, J.F. Northeast Nuclear Energy Co 3pp 82652 311-82652 313

950207070 Rev 15 to Millstone Plant Emergency Plan " Northeast Nuclear Energy Co 95/01/31 25pp 82655 327-82655 350

G. Adjudicatory correspondence

9502240874 Provides Director's Decision that responds to 10CFR2.206 petition filed on 930821 which addresses issues raised in petition & have denied request as set forth in said Director's Decision. GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 MARIEN, C.V. NERICCO, M.W. Affiliation Not Assigned 4pp 82830 211-82830 244

-9502240882 Directors Decision 95-04 re CV Mason & MW Nericco 830821 request for immediate investigation & reconsidered EA against licensee for alleged violations of employee protection provision of 10CFR50.7 informs that request denied. GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 9pp 82830 215-82830 217

-9502240895 Notice of issuance of Director's Decision under 10CFR2.206 OE issued decision re petitions filed on 930821 which requested that NRC initiate investigation & action against licensee for willful violation of employee per 10CFR50.7. GRAY, J.R. Office of Enforcement (Post 870413) 95/02/22 18pp 82830 218-82830 244

H. General correspondence

950229038 Responds to its 941211 expressing concern about NRC responsiveness to previous technical comments about plants & charges of harassment by w/ informs NRC investigation ongoing & will inform on findings when completed. MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/08 ROGERS, A.J. Affiliation Not Assigned 4pp 82819 327-82819 330

950229037 Comment on proposed rules 10CFR50.52 & 100 re reactor site criteria including seismic & earthquake engineering criteria. It believes that acceptance criteria expressed in terms of TEDE would be consistent w/recent guidance. OPEKA, J.F. Northeast Nuclear Energy Co 95/02/14 CHILKS, J. Office of the Secretary of the Commission 6pp 82805 156-82805 161

P. Operating license stage documents & correspondence

9501170217 Eight partial response to FOIA request for documents Forwards app P documents Documents will be placed in PDR App Q documents partially withheld (ref FOIA exemption 5) App R documents withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 93/12/08 HUBBARD, V. Winston & Strawn 12pp 82573 001-82573 036

9502290114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/17 ROCCO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 008-82592 275

-9502290350 Requests FR publication of notice of consideration of issuance of amend to License NPF-49 & proposed NSIC determination & opportunity for hearing on 331104 request re increase required supplementary leak collection. ROONEY, V.L. Project Directorate I-4 (PD1-4) NRC - No Detailed Affiliation Given 2pp 82592 219-82592 227

-9502290284 Forwards updated list of NOEDs as transmitted on 940111. GREENMAN, E.G. Region 3 (Post 820201) 95/01/28 BOYLE, M. Division of Reactor Projects - NJ, V. (Post 801216) 3pp 82542 226-82542 230

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 339

-9502210118 "Notice of Enforcement Discretion" NRC - No Detailed Affiliation Given 94/06/22 13pp 82806 327-82806 339

950209085 Application for amend to license NPF-49 adding new Section 3/4 5.5, which provides limiting condition for operation & deleting Section 3/4 6.2.3 & Basis 3/4 6.2.3 re spray additive sys. OPEKA, J.F. Northeast Nuclear Energy Co 95/01/23 Document Control Branch (Document Control Desk) 12pp 82800 302-82800 353

-9502090867 Proposed tech spec adding new Section 3/4 5.5 which provides limiting condition for operation & deleting Section 3/4 6.2.3 & Basis 3/4 6.2.3 re spray additive sys. " Northeast Nuclear Energy Co 95/01/23 40pp 82800 314-82800 353

9502090232 Application for amend to license NPF-49 re TS Section 3.2.3.1 a & Table 2.2-1, decreasing acceptance criterion for measured RCS flow rate for four-loop operation. OPEKA, J.F. Northeast Nuclear Energy Co 95/01/24 Document Control Branch (Document Control Desk) 4pp 82591 223-82591 251

-9502090234 Proposed tech spec re TS Section 3.2.3.1 a & Table 2.2-1 decreasing acceptance criterion for measured RCS flow rate for four-loop operation. " Northeast Nuclear Energy Co 95/01/24 23pp 82591 229-82591 251

9502090620 Forwards corrected pages to Amend 94 to License NPF-49 incorporating changes made by Amends 79 & 96. ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/27 OPEKA, J.F. Connecticut Yankee Atomic Power Co 2pp 82605 307-82605 312

-9502090628 Forwards corrected pages to Amend 100 to License NPF-49 incorporating changes made by Amends 79 & 96. ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/27 OPEKA, J.F. Connecticut Yankee Atomic Power Co OPEKA, J.F. Northeast Nuclear Energy Co 2pp 82605 309-82605 310

-9502090634 Corrected pages 3/4 3-12 & 3/4 7-5 to Amend 100 to License NPF-49 " Project Directorate I-4 (PD1-4) (Post 941001) 95/01/27 2pp 82605 311-82605 312

136 DOCKETED ITEMS

950206007 Forwards amend 102 to license NPF-49 & safety evaluation. Amend revises TS to incorporate different setpoint & transient methodology for determining max allowable power range neutron flux setpoint.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/31 OPEKA,J.F. Connecticut Yankee Atomic Power Co App 82626 278-82626 291

950206010 Amend 102 to license NPF-49, revising TS to incorporate different setpoint & transient methodology for determining max allowable power range neutron flux setpoint.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/01/31 7pp 82626 282-82626 288

950206015 Safety evaluation supporting amend 102 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 App 82626 289-82626 291

950206025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

950207033 Provides correction to TAC M88594 for ltr of 941004 from VL Rooney to JF Opeka Should be TAC M80492.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/02 Project Directorate I-4 (PD1-4) (Post 941001) 2pp 82644 195-82644 196

9502100234 Forwards EA & FONSI re 940818 application for amend/unrevise 950110 Amend would revise TS 3.5.2.a by granting one-time extension of allowable RHR pump outage time.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/03 OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co App 82711 055-82711 071

9502100235 Envrn assessment & finding of no significant impact re issuance of amend to license NPF-49 to allow one-time extension of allowable RHR pump outage time TS 3.5.2.a by granting one-time extension of allowable RHR pump outage time.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/03 3pp 82711 059-82711 071

9502140285 Forwards amend 103 to license NPF-49 & safety evaluation. Amend revises TS 3.5.2.a to allow one-time extension of allowable RHR pump outage time for purpose of mechanical seal replacement & related mods.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/09 OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co App 82756 126-82756 138

9502140299 Amend 103 to license NPF-49, revising TS 3.5.2.a to allow one-time extension of allowable RHR pump outage time for mechanical seal replacement & related mods.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/09 4pp 82756 130-82756 133

9502150051 Safety evaluation supporting amend 103 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 App 82756 134-82756 137

9502160307 Notice of issuance of amend 103 to license NPF-49, revising TS 3.5.2.a to allow one-time extension of allowable RHR pump outage time for purpose of mechanical seal replacement & related mods.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/09 2pp 82756 138-82756 139

9502160303 Forwards handouts from 941208 meeting re improvements in handling of employee concerns.
DURR, J.P. Region 1 (Post 820201) 95/02/09 OPEKA,J.F. Northeast Nuclear Energy Co 27pp 82740 301-82740 327

9502170211 Advises that all plans to implement Westinghouse Dynamic Rod Worth Mechanism Technique at plant Unit 3 during startup on upcoming refueling outage.
OPEKA,J.F. Northeast Utilities OPEKA,J.F. Northeast Utilities Service Co 95/02/10 Document Control Branch (Document Control Desk) 1p 82902 351-82902 351

9502170217 Advises that CYAPCO & NNEC intends to implement formal industry position on severe accident mgmt approved by Nuclear Energy Institute Nuclear Strategic Issues Advisory Committee on 941104.
OPEKA,J.F. Northeast Utilities 95/02/10 Document Control Branch (Document Control Desk) 2pp 82802 352-82802 353

9502200219 Clarifies 940930 application for amend to license NPF-49, revising definition of core alterations, deleting SR for source range neutron monitors & revising action statements of LOCs 3.9.2.3 & 3.9.2.4 per recent action w/NRC.
OPEKA,J.F. Northeast Nuclear Energy Co OPEKA,J.F. Northeast Utilities Service Co 95/02/13 Document Control Branch (Document Control Desk) 2pp 82839 307-82839 312

9502230225 Proposed tech spec, revising definition of core alterations, deleting SR for source range neutron monitors & revising action statements of LOCs 3.9.2.3 & 3.9.2.4.
* Northeast Nuclear Energy Co 95/02/13 4pp 82839 309-82839 312

9502240049 Forwards amends 181,79,184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NPF-49, respectively & SE Amends modify administrative controls section by replacing present Nuclear Review Board for Haddam Neck plant.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 OPEKA,J.F. Connecticut Yankee Atomic Power Co 5pp 82789 210-82789 274

9502240180 Amends 181,79,184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NPF-49, respectively, revising administrative controls section of TS by replacing present Nuclear Review Board for Haddam Neck plant.
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 57pp 82789 216-82789 271

9502240195 SE supporting amends 181,79,184 & 104 to licenses DPR-61, DPR-21, DPR-65 & NPF-49, respectively.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 3pp 82789 272-82789 274

9502240187 Advises that all corrective actions & schedule committed to in response to GL 83-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies (RCCF) 5417" acceptable.
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 OPEKA,J.F. Connecticut Yankee Atomic Power Co OPEKA,J.F. Northeast Nuclear Energy Co App 82789 301-82789 304

9502270186 Forwards amend 105 to license NPF-49 & safety evaluation. Amend will result in mod to applicability, SR & bases sections of TS 3.4.9.12, "Fuel Build Exhaust Filter Sys".
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22 OPEKA,J.F. Connecticut Yankee Atomic Power Co App 82852 263-82852 275

9502270188 Amend 105 to license NPF-49. Change will result in mod to applicability, SR & bases sections of TS 3.4.9.12, "Fuel Building Exhaust Filter Sys".
* Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22 5pp 82852 267-82852 271

9502270201 Safety evaluation supporting amend 105 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 4pp 82852 272-82852 275

9502160348 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions.
IMBAC E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9501290260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc App 82605 038-82605 046

9502030389 Provides response to violations noted in Insp Repts 50-245/94-91 & 50-335/94-30. Corrective actions change written in AWO M2-95-12503 to document change in connection & returned to mechanic to reconnect line.
DEBARBA, E.A. Northeast Nuclear Energy Co DEBARBA, E.A. Northeast Utilities Service Co 95/01/27 Document Control Branch (Document Control Desk) 20pp 82622 252-82622 301

9502060113 Ack 941014 correspondence in response to ltr 940811 re water in leakage into ESG sumps from containment foundation at plant Assessment of all plans for resolution of matter noted & will be reviewed in future msp.
MOORE, M.C. Region 1 (Post 820201) 95/01/27 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82546 051-82546 058

9501250428 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design".
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82552 188-82552 194

9502130066 Submits ltr of recommendation 950105 enforcement conference re circumstances associated w/submittal of inaccurate info to NRC inspectors during training msp at Millstone 3 facility in Apr 1993.
MARTIN, T.T. Region 1 (Post 820201) 95/02/02 SQUITS, R.G. Affiliation Not Assigned App 82728 082-82728 084

9502130073 Advises that on 950105, NRC conducted enforcement conference w/former supervisor of operator training at Millstone 3 in King of Prussia, PA to discuss circumstances associated w/ individual submittal of inaccurate info to NRC inspectors.
MARTIN, T.T. Region 1 (Post 820201) 95/02/02 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82720 338-82720 337

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/08 Consolidated Edison Co. of New York, Inc App 82668 001-82668 006

9502130183 Ack receipt of 941107 ltr informing NRC of steps taken to correct violations noted in msp rpt 50-423/83-87.
RULAND, W.H. Region 1 (Post 820201) 95/02/03 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82707 011-82707 015

9502130185 Ack receipt of 940930 ltr informing NRC of steps taken to correct violations noted in msp repts 50-245/94-23 & 50-423/94-18.
DURR, J.P. Region 1 (Post 820201) 95/02/07 OPEKA,J.F. Northeast Nuclear Energy Co App 82707 024-82707 039

9502030283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc App 82818 037-82818 042

9502200299 Forwards msp repts 50-245/95-03, 50-338/95-03, 50-423/95-03 on 940108-13, NCV & notice of diversion.
RULAND, W.H. Region 1 (Post 820201) 95/02/15 OPEKA,J.F. Northeast Nuclear Energy Co App 82799 296-82799 316

9502220307 Notice of violation from msp on 950108-13. Violations noted plant did not incorporate acceptance limits contained in applicable design documents.
* Region 1 (Post 820201) 95/02/15 1p 82799 300-82799 300

9502220306 Notice of violation from msp on 950108-13. Diversion noted control on-out for automatic initiated transfer failed to include signal from synchrotron check relay.
* Region 1 (Post 820201) 95/02/15 1p 82799 301-82799 301

9502220322 Insp repts 50-245/95-03, 50-338/95-03 & 50-423/95-03 on 950108-13. Violations & deviations noted major areas inspected design change & plant mod process, technical & SE for permanent & temporary mods.
DELLA, G.R.E.A., RULAND, W.H. Region 1 (Post 820201) 95/02/15 15pp 82799 302-82799 316

9502270197 Ask receipt of 856127 in informing NRC of steps taken to correct violations noted in insps 50-245/94-31 50-336/94-30 & 50-423/94-28
DURR J.P. Region 1 (Post 820201) 95/02/17 OPEKA,J.F. Northeast Nuclear Energy Co 4pp 82831 256-82831 277

9502280024 Forwards insp repts 50-245/94-36,50-336/94-33 & 50-423/94-32 on 941205-09 No violations noted
MEYER,G.W. Region 1 (Post 820201) 95/02/17 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82846 106-82846 122

9502280031 Insp repts 50-245/94-36,50-336/94-33 & 50-423/94-32 on 941205-09 No violations noted Major areas inspected review of operability determinations associated w/degraded or nonconforming conditions at plant Units 1,2 & 3
D'ANTONIO,J.M., MEYER,G.W. Region 1 (Post 820201) 95/02/17 14pp 82846 109-82846 122

9502280061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering (Inc.)"
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 035

9502280060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straitening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502280037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502280143 Monthly operating repts for Jan 1995 for Millstone Nuclear Power Station W/950213 tr
NEWBURN,G., MILLER,D.B. Northeast Nuclear Energy Co 95/01/31 17pp 82812 163-82812 178

9502158322 Forwards semiannual PFD performance data for Jul-Dec 1994 for Haddam Neck Plant & Millstone Nuclear Power Station Units 1,2 & 3
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/02/08 Document Control Branch (Document Control Desk) 18pp 82781 239-82781 257

S. Reportable occurrences, LERs & related correspondence

9502018206 LER 94-015-00 on 941229,CR day shift did not have STA for 35 min Caused by personnel error Immediate efforts made to determine if other qualified STA individuals on site could fill position W/950126 tr
MCQUINN,R.L., MILLER,D.B. Northeast Nuclear Energy Co 95/01/28 4pp 82805 107-82805 110

9502170239 Part 21 rept re possible melt defect in stainless steel Swagelok tube fittings or adapters
ZAHURANECE,E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 380

V. Operator Examinations

9502130073 Advises that on 950105,NRC conducted enforcement conference w/former supervisor of operator training at Millstone 3 in King of Prussia,PA to discuss circumstances associated w/ individual's submittal of inaccurate info to NRC inspectors
MARTIN,T.T. Region 1 (Post 820201) 95/02/02 OPEKA,J.F. Northeast Nuclear Energy Co 3pp 82720 335-82720 337

DOCKET 50-424 ALVIN W. HOGTUE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

950210214 Submits safeguards event log for fourth quarter of 1994 Log reviewed & determined not to contain safeguards info & therefore may be placed in PDR
MCCOY,C.K. Georgia Power Co. 95/01/24 Document Control Branch (Document Control Desk) 3pp 82600 354-82600 360

950210287 Revised EPIPs,including Rev 5 to 91801-C,Rev 14 to 91801-C & Rev 4 to 91308-C W/940124 tr
BEASLEY,J.B. Georgia Power Co. 95/01/24 21pp 82584 293-82584 315

9502280016 Advises that on rev 21 to emergency plan consistent w/ planning aids of 10CFR50 47(b) & requirements of 10CFR50, App E & acceptable
CLINE,W.E. Region 2 (Post 820201) 95/01/24 MCCOY,C.K. Georgia Power Co. 3pp 82601 087-82601 089

9502220962 Submits PFD performance data for six-month reporting period of Jul-Dec 1994
MCCOY,C.K. Georgia Power Co. 95/02/10 Document Control Branch (Document Control Desk) 3pp 82812 085-82812 089

9502230446 Forwards request for exemption from 10CFR73.55(d)(5) for individual not employed by licensee,allowing use of hand geometry biometric access control sys to control unsecured access into protected areas of plant
MCCOY,C.K. Georgia Power Co. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82854 295-82854 290

9502280257 Forwards info describing plant compliance method to meet emergency uncompressing requirements for protection against vehicles used recklessly at NPPs End with field
MCCOY,C.K. Georgia Power Co. 95/02/23 Document Control Branch (Document Control Desk) 3pp 82917 351-82917 356

G. Adjudicatory correspondence

9502090966 Response to postcard dtd Nov 14,1994,requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B. Affiliation Not Assigned 52pp 82695 001-82695 053

9502020031 Provides minutes of Overview Committee meetings between March 1988-Jan 1991 to Board W/Certificate of Sec
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge #195 16284 95/01/23 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 3pp 82558 102-82558 104

9502080041 Forwards Georgia Power Board of Directors Nuclear Operations Overview Committee meeting minutes for period Mar 1988-Jan 1991,per 940125 request,Related correspondence W/o encl
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16310 95/02/01 BARTH,C. Office of the General Counsel (Post 950701) KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) 1p 82861 266-82861 296

9502180086 Forwards ltrs which have been sent to NRC in connection w/ NRC 940509 NOV
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16321 95/02/03 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 3pp 82735 308-82735 316

9502160080 Forwards errata sheet for 940609 deposition of W. Jobe Related correspondence
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16320 95/02/03 BARTH,C. Office of the General Counsel (Post 950701) KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) 1p 82735 340-82735 340

9502160106 Forwards meeting minutes of Nuclear Operations Overview Committee of Georgia Power Board of Directors for period 1991-1994 informs that minutes have been redacted to delete confidential NRC evaluation ratings
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16344 95/02/09 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 54pp 82736 195-82736 188

9502160096 GA Power Company proposed findings of fact & conclusions of law w/re spect to intervenor's alleged license transfer allegation " W/Certificate of Sec
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16355 95/02/13 18pp 82735 001-82735 168

9502240180 NRC Staff amended response to intervenor's first request for admissions of fact " Board granted intervenor motion to compel discovery w/repect to request for admissions. W/Certificate of Sec Related correspondence
HULL,J.T., TAMM,D.M. Office of the General Counsel (Post 950701) #195 16359 95/02/14 Affiliation Not Assigned 6pp 82817 049-82817 033

9502240186 NRC Staff response to Board question re CR rept " QA methods used by CR acceptable
YOUNG,M.A. Office of the General Counsel (Post 950701) #195 16358 95/02/14 Atomic Safety & Licensing Board Panel 3pp 82817 168-82817 206

9502240193 Affidavit " Affidavit of L.L. Robinson re licensee amend to transfer Southern Nuclear W/Certificate of Sec
ROBINSON,L.L. Office of the General Counsel (Post 950701) ROBINSON,L.L. Ofc of Investigations (Post 820201) 94/12/30 5pp 82817 201-82817 205

9502240148 Forwards Staff Joint Affidavit signed by P. Shuman Related correspondence
HULL,J.T. Office of the General Counsel (Post 950701) #195 16370 95/02/15 BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel 1p 82817 037-82817 039

9502240184 Joint Affidavit " Affidavit of D.B. Matthews,D.S. Hood,D.M. Tamm & P.H. Shuman re responses to A. McGowan's 940517 request for admissions
MATTHEWS,D.B., HOOD,D.S. Office of Nuclear Reactor Regulation (Post 941001) TAMM,D.M. Region 2 (Post 820201) #195 16370 95/02/15 2pp 82817 038-82817 039

9502240137 Forwards modified NOV & ltrs to Boicold Greene,Mayors, McCoy,Fredrick & Horton re reporting diesel starts following site area emergency at plant on 900329
BARTH,C.A. Office of the General Counsel (Post 950701) #195 16380 95/02/22 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 26pp 82817 001-82817 025

9502240141 Forwards microdats re 950214 response to request for admissions of fact W/o encl and Related Correspondence
HULL,J.T. Office of the General Counsel (Post 950701) #195 16381 95/02/22 KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockman & Ashmore) 1p 82817 036-82817 036

H. General correspondence

9502090940 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees
MCCOY,C.K. Georgia Power Co. 95/02/01 HOYLE,J.C. Office of the Secretary of the Commission 3pp 82651 154-82651 156

9502280221 Comment supporting NUREG comment re proposed rule 10CFR50 re "Shutdown & low-power operations for nuclear power reactors"
MCCOY,C.K. Georgia Power Co. 95/02/03 Docketing & Services Branch 4pp 82646 252-82646 255

138 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9502010150 Submits recommendations made by old re Westinghouse alloy 800 thermal treated SG mechanical tube plugs
MCCOY,C.K. Georgia Power Co. 95/01/25 Document Control Branch (Document Control Desk) 2pp 82590 186-82590 187

9502030288 Forwards corrected pages IX & X to Amends 82 & 81 to Licensee NPF-88 & NPF-81 respectively Corrections due to administrative oversight re plant T5
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 MCCOY,C.K. Georgia Power Co. 9pp 82605 956-82605 380

-9502030212 Corrected pages IX & X to Amends 82 & 81 to Licensee NPF-88 & NPF-81 respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 2pp 82598 958-82598 360

9502070282 Forwards notice of consideration of issuance of amends to facility license & proposed NSHC determination & opportunity for hearing
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 MCCOY,C.K. Georgia Power Co. 3pp 82644 084-82644 103

-9502070290 Notice of consideration of issuance of amends to Licensee NPF-88 & NPF-81 & proposed NSHC determination & opportunity for hearing Amends would revise TS 5.4.1.2 to provide more accurate description of PRB
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 7pp 82644 087-82644 105

9502170105 Responds to Demand for Info re G Bookhold personal performance failures in April-Aug 1994
BOCHOLD,G Southern Nuclear Operating Co. 95/02/01 LIEBERMAN,J. Ofc of Enforcement (Post 870413) 4pp 82779 281-82779 264

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 6pp 82662 185-82662 199

9502150135 Submits RAI re proposed amend to plant T5 for accident monitoring instrumentation RAI re action statement for possible containment isolation valve incorporation & apparent conflict w/NUREG-1137
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 MCCOY,C.K. Georgia Power Co. 3pp 82747 063-82747 085

9502150011 Discusses 940728 re responding to Demand for Info re TV Greene,GR Frederick H Majors & MW Horton issued to license on 940508
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 FREDERICK,G.R. Georgia Power Co. 3pp 82736 323-82736 325

9502160021 Ack receipt of 940808 re Demand for Info issued to usl concerning Southern Nuclear Operating Co contribution to usl issue to provide NRC w/info on plant DCS NRC maintains that stated violations occurred as described
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 MAJORS,H Southern Nuclear Operating Co. 3pp 82736 950-82736 352

9502160027 Discusses 940728 re responding to Demand for Info re TV Greene,GR Frederick H Majors & MW Horton issued to license on 940508
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 HORTON,MW Southern Nuclear Operating Co. 2pp 82736 959-82736 960

9502150114 Discusses 940805 & 950201 re responding to Demand for Info re G Bookhold issued to license on 940509
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 BOCHOLD,G Southern Nuclear Operating Co. 3pp 82737 179-82737 181

9502170124 Notification of 950330 meeting w/utl in Rockville,MD to discuss status of current licensing activities & coop initiatives for plants
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BERKOW,H.M. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82767 106-82767 112

9502160049 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
MERO,E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82645 001-82645 017

Q. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870226) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870226) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 048

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 194

9502140035 Forwards insp repts 50-424/95-01 & 50-425/95-01 on 950105 No violations noted
CLINE,W.E. Region 2 (Post 820201) 95/01/31 MCCOY,C.K. Georgia Power Co. 3pp 82713 227-82713 233

-9502140035 Insp repts 50-424/95-01 & 50-425/95-01 on 950105 No violations noted Major areas inspected circumstances surrounding shipments of temporary storage tanks
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201) 95/01/30 4pp 82713 230-82713 233

9502170137 Responds to NRC 940509 re re NOV & proposed imposition of civil penalty on license NPF-88
MCCOY,C.K. Georgia Power Co. 95/02/01 LIEBERMAN,J. Document Control Branch (Document Control Desk) 4pp 82779 301-82779 304

9502030213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 6pp 82688 001-82688 006

9502160065 Forwards Nrs which have been sent to NRC in connection w/ NRC 940509 NOV
LAMBERSKI,J. TroutmanSanders (formerly Troutman Sanders, Lockerman & Ashmore) #185 16321 95/02/03 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 9pp 82735 308-82735 316

9502150148 Informal evaluation of first ten-year interval insp program plan rev 6 & associated requests for retest completed Forwards SE adopting contractor conclusions & recommendations presented in TER Relet request 48 granted
BERKOW,H.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 MCCOY,C.K. Georgia Power Co. 3pp 82747 001-82747 010

-9502150160 SER approving first ten year interval interval insp program plan rev 6 & associated requests for retest for GA Power Company, et al for Vogtle NPS, units 1&2 TER attached
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 7pp 82747 004-82747 010

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042

9502150031 Forwards NOV & Proposed Imposition of Civil Penalties issued to utl per NRC 940509 re re alleged false statement concerning DG reliability resulting in CI investigation of plant completed on 931217
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 MCCOY,C.K. Georgia Power Co. 4pp 82737 013-82737 025

-9502160042 Notice of violation & proposed imposition of civil penalty in amount of \$200,000 noncompliance noted alleged false info provided re DG reliability resulting in CI investigation of plant completed on 931217
* Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 9pp 82737 017-82737 025

9502150038 Discusses 940605 re in response to demand for info re K McCoy contributions to GPC repeated failures to provide NRC w/info regarding plant DCS Forwards modified NOV & proposed imposition of civil penalties w/o stated and
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg./Regional Operations & Research (Post 890205) 95/02/13 MCCOY,C.K. Attention Not Assigned 2pp 82737 061-82737 062

9502160257 Ack receipt of 940808 response to 940509 demand for info re TV Greene,GR Frederick H Majors & MW Horton NRC maintains that four of five violations & associated performance failures occurred as stated in NOV & demand for info
MILHOAN,J.L. Assistant for Operations (Post 890205) 95/02/13 GREENE,T.V. Southern Nuclear Operating Co. 3pp 82737 295-82737 297

9502130008 Forwards insp repts 50-424/94-30 & 50-425/94-30 on 941218-950121 & notice of violation
CRUENAK,R.V. Region 2 (Post 820201) 95/02/13 MCCOY,C.K. Georgia Power Co. 4pp 82759 095-82759 113

-9502130008 Notice of violation from insp on 941218-950121 Violation noted licensee performed inadequate 10CFR50.59 SE used to change leakage testing requirements for ten auxiliary component CW containment isolation valves
* Region 2 (Post 820201) 95/02/13 2pp 82759 099-82759 100

-9502130012 Insp repts 50-424/94-30 & 50-425/94-30 on 941218-950121 Violations noted Major areas inspected plant operations, surveillance, equipment, testing, engineering, plant support & follow-up on previous insp findings
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201) 95/02/13 13pp 82759 101-82759 113

9502170018 "NRC Staff Proposes to Modify Enforcement Action Against Georgia Power Co."
* Office of Public Affairs (Post 911117) 95/02/14 1p 82618 010-82618 010

9502140061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502140137 Forwards modified NOV & ltr to Bookhold, Greene, Majors, McCoy, Frederick & Horton re reporting diesel starts following site area emergency at plant on 900320
BARTHUG,A. Office of the General Counsel (Post 860701) #196 16380 95/02/22 BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel 25pp 82617 001-82617 026

9502160050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502140087 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82648 018-82648 028

R. Periodic operating reports & related correspondence

8502150375 Monthly operating reports for Jan 1995 for Vogtle Electric Generating Plant Units 1 & 2 W/350209 in
MCCOY, C.K. Georgia Power Co 95/01/31 12pp 82770 263-82770 274

S. Reportable occurrences, IERs & related correspondence

9502178233 Part 21 report re possible small defect in stainless steel Sumplok tube fittings or adaptors.
ZAHURANECE, J. Oxfordshire Plant Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

T. Hearing transcripts on non-emergency matters

9502070089 Forwards hearing excerpts of prior deposition & hearing testimony for admission into hearing on legal license transfer allegation & minutes of Nuclear Operations Overview Committee meetings W/Certificate of Sec
LEWIS, D.R. Georgia Power Co LEWIS, D.R. Shaw Pittman Potts & Trowbridge #195 16269 95/01/25 BLOCH, P.B., CARPENTER, J.H. MURPHY, T.D. Atomic Safety & Licensing Board Panel 1 008pp 82811 001-82811 311

V. Operator Examinations

9502210108 Notices that Region II will hold annual Training Managers Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgt of issues & policies that affect licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 828201) 95/01/24 MCCOY, C.K. Georgia Power Co 2pp 82770 174-82770 175

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502100214 Submits safeguards event log for fourth quarter of 1994 Log reviewed & determined not to contain safeguards info & therefore may be placed in FDR.
MCCOY, C.K. Georgia Power Co 95/01/24 Document Control Branch (Document Control Desk) 6pp 82600 354-82600 360

9502060557 Revised EPIPs, including Rev 5 to 91601-C, Rev 14 to 91601-C & Rev 4 to 91308-C W/940124 in
BEASLEY, J.B. Georgia Power Co 95/01/24 21pp 82584 253-82584 315

9502080018 Advises that sub rev 21 to emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E & acceptable
CLINE, W.E. Region 2 (Post 828201) 95/01/24 MCCOY, C.K. Georgia Power Co 3pp 82601 067-82601 068

9502200182 Submits FPD performance data for six-month reporting period of Jul-Dec 1994.
MCCOY, C.K. Georgia Power Co 95/02/10 Document Control Branch (Document Control Desk) 5pp 82812 085-82812 088

9502230945 Forwards request for exemption from 10CFR73.55(a)(5) for individual not employed by licensee, allowing use of hand geometry biometrics access control sys to control unescorted access into protected areas of plant.
MCCOY, C.K. Georgia Power Co 95/02/14 Document Control Branch (Document Control Desk) 5pp 82854 285-82854 290

9502200267 Forwards info describing plant compliance method to amend encompassing requirements for protection against vehicles used inadvertently at NPPs Encl with-held.
MCCOY, C.K. Georgia Power Co 95/02/23 Document Control Branch (Document Control Desk) 4pp 82917 351-82917 358

G. Adjudicatory correspondence

9502030165 Responds to postcard dtd Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DESOLT, B. Affidavit Not Assigned 52pp 82885 001-82885 093

9502080031 Provides minutes of Overview Committee meetings between March 1988-Jan 1991 to Board W/Certificate of Sec
LEWIS, D.R. Shaw Pittman Potts & Trowbridge #195 16264 95/01/23 BLOCH, P.B., CARPENTER, J.H. MURPHY, T.D. Atomic Safety & Licensing Board Panel 3pp 82568 102-82568 104

9502090041 Forwards Georgia Power Board of Directors Nuclear Operations Overview Committee meeting minutes for period Mar 1988-Jan 1991 per 940126 request Related correspondence W/O and
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16310 95/02/01 BARTH, C. Office of the General Counsel (Post 860701) KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) 1p 82651 296-82651 296

9502160085 Forwards ltrs which have been sent to NRC in connection w/ NRC 940508 NOV
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16321 95/02/03 BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel 3pp 82735 308-82735 316

9502160080 Forwards entire sheet for 940908 deposition of W. Jobs Related correspondence
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16320 95/02/03 BARTH, C. Office of the General Counsel (Post 860701) KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) 1p 82735 340-82735 340

9502100105 Forwards meeting minutes of Nuclear Operations Overview Committee of Georgia Power Board of Directors for period 1991-1994 informs that minutes have been redacted to delete confidential NRC evaluation ratings
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16344 95/02/09 BLOCH, P.B., CARPENTER, J.H. MURPHY, T.D. Atomic Safety & Licensing Board Panel 5pp 82738 135-82738 168

9502160035 GA Power Company proposed findings of fact & conclusions of law w/re-spect to Intervenor legal license transfer allegation * W/Certificate of Sec
LAMBERSKI, J. Georgia Power Co LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) #195 16355 95/02/13 188pp 82735 001-82735 188

9502240180 NRC Staff amended response to Intervenor first request for admissions of fact * Board granted Intervenor motion to compel discovery w/respect to request for admissions W/Certificate of Sec Related correspondence
HULL, J.T. TAMAL, D.M. Office of the General Counsel (Post 860701) #195 16358 95/02/14 Affidavit Not Assigned 64pp 82817 040-82817 103

9502240185 NRC Staff response to Board question re Of rept * GA methods used by Of acceptable
YOUNG, M.A. Office of the General Counsel (Post 860701) #195 16358 95/02/14 Atomic Safety & Licensing Board Panel 3pp 82817 188-82817 205

-9502240193 Affidavit * Affidavit of L.L. Robinson re license amend to transfer Southern Nuclear W/Certificate of Sec
ROBINSON, L.L. Office of the General Counsel (Post 860701) ROBINSON, L.L. Ofc of Investigations (Post 860201) 94/12/30 5pp 82817 201-82817 206

9502240149 Forwards Staff Joint Affidavit signed by P. Stanner Related correspondence
HULL, J.T. Office of the General Counsel (Post 860701) #195 16370 95/02/15 BLOCH, P.B., MURPHY, T.D., CARPENTER, J.H. Atomic Safety & Licensing Board Panel 1 82817 037-82817 039

-9502240164 Joint Affidavit * Affidavit of D.B. Matthews, D.S. Hood, D.M. Tama & P.H. Stoner re responses to A. McLaughlin 940617 request for admissions.
MATTHEWS, D.B., HOOD, D.S. Office of Nuclear Reactor Regulation (Post 941001) TAMAL, D.M. Region 2 (Post 828201) #195 16370 95/02/15 2pp 82817 038-82817 039

9502240137 Forwards modified NOV & ltrs to Backhold, Greene, Mayors, McCoy, Frederick & Horton re reporting diesel starts following site area emergency at plant on 950320
BARTH, C.A. Office of the General Counsel (Post 860701) #195 16380 95/02/22 BLOCH, P.B., CARPENTER, J.H. MURPHY, T.D. Atomic Safety & Licensing Board Panel 25pp 82817 001-82817 025

9502240141 Forwards microdisk re 950214 response to request for admissions of fact W/O and Related Correspondence
HULL, J.T. Office of the General Counsel (Post 860701) #195 16381 95/02/22 KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates) LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockman & Ashmore) 1p 82817 036-82817 038

H. General correspondence

8502090148 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees
MCCOY, C.K. Georgia Power Co 95/02/01 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82851 154-82851 155

9502080231 Comment supporting NUREG comment re proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors
MCCOY, C.K. Georgia Power Co 95/02/03 Docketing & Services Branch 4pp 82645 262-82645 265

I. Operating license stage documents & correspondence

9502010150 Submits recommendations made by ubi re Westinghouse alloy 500 thermal treated 95 mechanical tube plugs
MCCOY, C.K. Georgia Power Co 95/01/26 Document Control Branch (Document Control Desk) 2pp 82590 188-82590 187

9502030208 Forwards corrected pages IX & X to Amendments 83 & 61 to Licensee NPF-68 & NPF-81, respectively Corrections due to administrative oversight re plant TS
WHEELER, L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 MCCOY, C.K. Georgia Power Co 3pp 82605 356-82605 360

-9502030212 Corrected pages IX & X to Amendments 83 & 61 to Licensee NPF-68 & NPF-81, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 2pp 82605 356-82605 360

9502070232 Forwards notice of consideration of issuance of amendments to facility license & proposed NSIC determination & opportunity for hearing
WHEELER, L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 MCCOY, C.K. Georgia Power Co 3pp 82844 094-82844 103

-9502070238 Notice of consideration of issuance of amendments to licensees NPF-68 & NPF-81 & proposed NSIC determination & opportunity for hearing Amendments would revise TS 5.4.1.2 to provide more accurate description of PRB
WHEELER, L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/01 7pp 82644 087-82644 103

9502170105 Responds to Demand for Info re G. Backhold personal performance failures in April-Aug 1990
BOCKHOLD, G. Southern Nuclear Operating Co 95/02/01 LIEBERMAN, J. Ofc of Enforcement (Post 870413) 4pp 82778 261-82778 264

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRINES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82632 195-82632 199

140 DOCKETED ITEMS

9502150136 Submits RAI re proposed amend to plant TS for accident monitoring instrumentation RAI re action statement for possible containment isolation valve inoperation & apparent conflict w/NUREG-1137
WHEELER, L.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 MCCOY, C.K. Georgia Power Co App 82747 063-82747 065

9502160011 Discusses 940728 ltr responding to Demand for info re TV Greene, G.R. Frederick, H. Majors & MW Horton, issued to licensee on 940509
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 FREDERICK, G.R. Georgia Power Co App 82736 323-82736 325

9502160021 Ack receipt of 940805 ltr re Demand for info issued to ubl concerning Southern Nuclear Operating Co contribution to oil failure to provide NRC w/info on plant DGs NRC maintains that stated violations occurred as described
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 MAJORS, H. Southern Nuclear Operating Co App 82736 350-82736 352

9502160027 Discusses 940729 ltr responding to Demand for info re TV Greene, G.R. Frederick, H. Majors & MW Horton, issued to licensee on 940509
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 HORTON, M.W. Southern Nuclear Operating Co App 82736 358-82736 360

9502160014 Discusses 940805 & 950201 ltrs responding to Demand for info re G. Bookhold, issued to licensee on 940509
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 BOOKHOLD, G. Southern Nuclear Operating Co App 82737 179-82737 181

9502170124 Notification of 950330 meeting w/ubl in Rockville, MD to discuss status of current licensing activities & compliance for plants
JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 BERKOW, H.M. Office of Nuclear Reactor Regulation (Post 941001) App 82767 109-82767 112

9502160346 Administrative Ltr 95-02 to all holders of OIs or CPs re cost beneficial licensing actions
BIBB, J.E. V. Cost Beneficial Licensing Action Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82848 001-82848 017

D. Inspection reports, NE Bulletins & correspondence

9501040289 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9501230250 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc App 82605 038-82605 046

9501260429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 198-82652 194

9502140035 Forwards map repts 90-424/95-01 & 90-425/95-01 on 950105 No violations noted
OLINE, W.E. Region 2 (Post 820201) 95/01/31 MCCOY, C.K. Georgia Power Co App 82713 227-82713 233

9502140039 Insp repts 90-424/95-01 & 90-425/95-01 on 950105 No violations noted Major areas inspected circumstances surrounding shipments of temporary storage tanks
CARBON, R.P., DECKER, T.R. Region 2 (Post 820201) 95/01/30 App 82713 230-82713 233

9502090213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc App 82688 001-82688 003

9502160065 Forwards ltr which have been sent to NRC in connection w/ NRC 940509 NOV
LAMBERSKI, J. Trouman Sanders (formerly Trouman, Sanders, Lockman & Ashmore) #195 16321 95/02/03 BLOCH, P.B. Atomic Safety & Licensing Board Panel 9pp 82735 308-82735 318

9502160146 Informal evaluation of first ten-year interval insp program plan rev 6 & associated requests for relief completed Forwards SE adopting contractor conclusions & recommendations presented in TER Relief request 49 granted
BERKOW, H.M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 MCCOY, C.K. Georgia Power Co App 82747 001-82747 010

9502150188 GER approving first ten year interval inspection insp program plan rev 6 & associated requests for relief for GA Power Company, et al for Vogtle NPGS, units 1&2 TER attached
Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 7pp 82747 004-82747 010

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc App 82618 037-82618 042

9502160031 Forwards NOV & Proposed imposition of Civil Penalties issued to ubl per NRC 940509 ltr re alleged NRC statement concerning DG reliability resulting in OI investigation of plant completed on 931217
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 MCCOY, C.K. Georgia Power Co App 82737 013-82737 025

9502180042 Notice of violation & proposed imposition of civil penalty in amount of \$200,000 Noncompliance noted alleged false info provided re DG reliability resulting in OI investigation of plant completed on 931217
Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 App 82737 017-82737 025

9502160038 Discusses 940805 ltr in response to demand for info re K. McCoy contributions to GPC repeated failures to provide NRC w/info regarding plant DGs Forwards modified NOV & proposed imposition of civil penalties w/d stated end
MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205) 95/02/13 MCCOY, K. Attention Not Assigned App 82737 081-82737 082

9502180257 Ack receipt of 940809 response to 940509 demand for info re TV Greene, G.R. Frederick, H. Majors & MW Horton NRC maintains that four of five violations & associated performance failures occurred as stated in NOV & demand for info
MILHOAN, J.L. Assistant for Operations (Post 890205) 95/02/13 GREENE, T.V. Southern Nuclear Operating Co App 82737 285-82737 297

9502210006 Forwards map repts 90-424/94-30 & 90-425/94-30 on 941218-950121 & notice of violation
ORLENIAK, R.V. Region 2 (Post 820201) 95/02/13 MCCOY, C.K. Georgia Power Co App 82768 085-82768 113

9502210012 Insp repts 90-424/94-30 & 90-425/94-30 on 941218-950121 Violations noted Major areas inspected plant operations, surveillance, maint, on-site engineering, plant support & follow-up on previous insp findings
BONSER, B.R., HOPKINS, P.C., WIDMANN, M.T. Region 2 (Post 820201) 95/02/13 13pp 82768 104-82768 113

9502170018 "NRC Staff Proposes to Modify Enforcement Action Against Georgia Power Co"
Office of Public Affairs (Post 911117) 95/02/14 1p 82818 010-82818 010

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502240197 Forwards modified NOV & ltr to Bookhold, Greene, Majors, McCoy, Frederick & Horton re reporting detail status following site area emergency at plant on 900820
BARTH, C.A. Office of the General Counsel (Post 850701) #195 16360 95/02/22 BLOCH, P.B. Atomic Safety & Licensing Board Panel 25pp 82617 001-82617 025

9502200050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc App 82818 016-82818 024

9502240057 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc App 82848 019-82848 025

R. Periodic operating reports & related correspondence

9502180076 Monthly operating repts for Jan 1995 for Vogtle Electric Generating Plant Units 1 & 2 w/950209 ltr
HOOPER, G.L., MCCOY, C.K. Georgia Power Co 95/01/31 12pp 82770 263-82770 274

S. Reportable occurrences, LERs & related correspondence

9502170233 Part 21 rept re possible small defect in stainless steel Swagelok tube fittings or adapters
ZAHURANEJC, J. Crawford Fitting Co 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

9502240282 LER 95-001-00 on 950123, noticed surveillances not performed on waste gas sys analyzers due to cognitive personnel error Function added to computer program to prompt personnel to add data into when found to be missing w/950214 ltr
SHEIBANI, M., MCCOY, C.K. Georgia Power Co 95/02/14 App 82866 243-82866 247

T. Hearing transcripts on non-arbitrable matters

9502070026 Forwards meeting excerpts of prior deposition & hearing testimony for admission into hearing on illegal license transfer allegation & minutes of Nuclear Operations Overview Committee meetings w/Certificate of Svc
LEWIS, D.R. Georgia Power Co LEWIS, D.R. Shaw, Potts & Trowbridge #195 16269 95/01/25 BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel 1,038pp 82611 001-82611 311

V. Operator Examinations

9502210108 Notices that Region II will hold annual Training Managers Conference in Atlanta, GA on 950208-09 to inform regional training & operations mgt of issues & policies that affect licensing of reactor plant operators
PEEBLES, T.A. Region 2 (Post 820201) 95/01/29 MCCOY, C.K. Georgia Power Co 2pp 82770 174-82770 175

DOCKET 90-433 UNIV. OF CALIFORNIA AT SANTA BARBARA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9502200114 Partial response to FOIA request for documents re SECY-92-043 dtd 920207 Listing of records in App A already available in PDR Records in App B end & will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-840714) 34/03/17 BLOCH, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 008-82592 275

142 DOCKETED ITEMS

V. Operator Examinations

9502210006 Notices of Region II annual Training Managers Conference in Atlanta GA on 9/20/89 to inform regional training & operations mgr of issues & policies that affect licensing of reactor plant operators
PEEBLES, T A Region 2 (Post 820201) 95/01/24 KINGSLEY, O D Tennessee Valley Authority 2pp 82759 093-82759 094

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502060177 Inform of rev of commitment made in response to violation noted in insp rept 50-440/83-23 re periodic testing of emergency facility HVAC sys
SHELTON, D C Centenor Energy 95/01/31 Document Control Branch (Document Control Desk) 2pp 82637 217-82637 218

9502070038 Rev 20 to EFP JPC-App B "Personnel Access List" W/850131
SHELTON, D C Centenor Energy 95/01/31 13pp 82636 261-82636 273

G. Adjudicatory correspondence

9502030165 Responds to postcard dated Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request Demand
RUSSELL, W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/18 DEBOLT, B Affiliation Not Assigned 52pp 82585 001-82585 053

P. Operating license stage documents & correspondence

9502030266 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C A Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M Affiliation Not Assigned 2pp 82621 278-82621 313

9502030261 "Enforcement action tracking sys Licensee history rept (short list) sorted by licensee 850101-940509
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

9502030265 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 186-82652 199

9502130227 Discusses reassessment results of ILRT conducted mid-cycle 4 maintenance outage
SHELTON, D C Centenor Energy 95/02/03 Document Control Branch (Document Control Desk) 2pp 82734 111-82734 112

9502130344 Forwards color transparencies from Aerial Remote Sensing programs conducted at Perry Nuclear Power Plant received since Apr 1992 for info
SHELTON, D C Centenor Energy 95/02/06 Document Control Branch (Document Control Desk) 1p 82720 203-82720 203

9502130151 Forwards copies of three OH EPA approvals for use of cooling water sys addresses at Perry Nuclear Power Plant received since Apr 1992 for info
SHELTON, D C Centenor Energy 95/02/06 Document Control Branch (Document Control Desk) 10pp 82726 072-82726 081

9502130001 Forwards corrections to amend 87 & 88 to license NPF-58. End TS page 3/4 3-23 inadvertently omitted from amend 87 & table 4.7-4.1 of amend 88 corrected of type
HOPKINS, J B Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 SHELTON, D C Centenor Energy 3pp 82729 224-82729 229

9502130002 TS page 3/4 3-23 of amend 87 to license NPF-58
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 1p 82729 227-82729 227

9502130018 Corrected Table 4.7-4.1 of amend 88 to license NPF-58
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 1p 82729 228-82729 228

9502140208 Inform that ubi 941031 request to use ASME Code Case N-1416-1, "Alternative Pressure Test Requirements for Welded Repairs or Installation of Replacement Items by Welding, Class 1, 2, & 3, Section XI, Div 1" at plant approved SE and
NORRHOULL, J Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 SHELTON, D C Centenor Service Co 3pp 82740 230-82740 236

9502140205 Safety evaluation supporting ubi request to use ASME Code Case N-1416-1 re alternative pressure test requirements for welded repairs or installation of replacement items by welding
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 4pp 82740 233-82740 236

9502140211 Forwards SE accepting licensee 940624 ltr responding to GL 94-03, "Intergranular Stress Corrosion Cracking for Core Shrouds in SGRs," for plant.
HOPKINS, J B Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 SHELTON, D C Centenor Service Co 3pp 82740 237-82740 245

9502140219 Safety evaluation accepting licensee response to GL 94-03
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 6pp 82740 240-82740 245

9502200066 Forwards Temporary Change Number (TCN) TCN-1 to Rev 2 to PDS-FOOD1 "CDLR for PNP Unit 1 Cycle 5 (Reload 4)," incorporating plant operating limit for single loop operation approved for PNP by NRC in License Amend 91
SHELTON, D C Centenor Energy 95/02/14 Document Control Branch (Document Control Desk) 1p 82637 336-82637 360

9502200268 Temporary Change Number (TCN) TCN-1 to Rev 2 to "CDLR for PNP Unit 1 Cycle 5 (Reload 4)," incorporating TS Amend 61, single loop operation, limiting MAPLUGR factors to 0.80
RIMICKEL, J M, BONNIER, N L, KYARTO, D P Centenor Energy PDS-FOOD1 R02 95/01/23 24pp 82637 337-82637 390

9502160049 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial & carrying actions
MERO, E Y Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82948 001-82948 017

Q. Inspection reports, NRC Bulletin & correspondence

9501090219 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C J Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9502060025 Ack receipt of 850125 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/84-14
GREGGER, L R Region 3 (Post 820201) 95/01/30 SHELTON, D C Centenor Service Co 2pp 82601 128-82601 130

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502060177 Inform of rev of commitment made in response to violation noted in insp rept 50-440/83-23 re periodic testing of emergency facility HVAC sys
SHELTON, D C Centenor Energy 95/01/31 Document Control Branch (Document Control Desk) 2pp 82637 217-82637 218

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K 95/02/03 Consolidated Edison Co of New York, Inc 3pp 82686 001-82686 008

9502220286 Forwards insp rept 50-440/84-15 on 941124-950107 Non-used violations noted
GREGGER, L R Region 3 (Post 820201) 95/02/03 SHELTON, D C Centenor Service Co 3pp 82799 161-82799 164

9502220268 Insp rept 50-440/84-15 on 941124-950107 Non-used violations noted Major areas inspected operations, maint & surveillance engineering, plant support, safety assessment & quality verification
GREGGER, L R Region 3 (Post 820201) 95/02/03 21pp 82798 164-82798 184

9502100223 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 037-82818 042

9502050014 Forwards NRC repl on Mgmt Rule review visit to plant during 941205-12
SHAFFER, W D Region 3 (Post 820201) 95/02/10 DONNELLY, P M Consumers Power Co 2pp 82722 012-82722 028

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEC Engineering, Inc."
GRIMES, B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 025-82818 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502150104 "State of OH Water Withdrawal Facility Registration Annual Rept for 1994" W/950203 ltr
SHELTON, D C Centenor Energy 94/12/31 MOPRIS Ohio, State of 3pp 82781 348-82781 348

9502230025 Monthly operating rept for Jan 1995 for Perry NPP W/950215 ltr
NEUMAN, G M, SHELTON, D C Centenor Energy 95/01/31 4pp 82840 258-82840 261

9502230006 "NPDES Monthly Rept Forms for Month of Jan 1995" W/950213 ltr
GRIMES, J J, SHELTON, D C Centenor Energy 95/01/31 5pp 82871 232-82871 236

S. Reportable occurrences, LERs & related correspondence

9502200227 NPDES noncompliance notification discharge of total residual chlorine from outfall 3300016004, discharge tunnel on 950210 Caused by mispositioned switch Anticipated time exceedance expected to continue
SHELTON, D C Centenor Energy 95/02/13 HALL, B Ohio, State of 2pp 82811 048-82811 050

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9502030266 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C A Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, M Affiliation Not Assigned 2pp 82621 278-82621 313

9502020284 Forwards updated list of NRCs as transmitted on 940111
GREENMAN E.G. Region 3 (Post 820201) 94/01/26 BOYLEM Division of Reactor
Projects - INUV.V (Post 901216) 3pp 82592 228-82592 230

9502270109 Informs that licensee corrective actions & schedules committed to in re-
sponse to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control
Assemblies," acceptable
DE AGAZIA A.W. Project Directorals I-4 (PD1-4) (Post 941001) 95/02/22
FEKINGBAUM T.C. North Atlantic Energy Service Corp (NAESCC) 4pp 82546 250-
82546 253

DOCKET 57H-90-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9502020028 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
dated Edison Co. of New York, Inc. 5pp 82552 195-82552 199

9502260349 Administrative Ltr 95-02 to all holders of OILs or CPs re post beneficial li-
censing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 045

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consol-
dated Edison Co. of New York, Inc. 7pp 82552 188-82552 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82588 001-
82588 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-
82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-
82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-
82848 025

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9502060019 Summaries 950124 mgt meeting w/ and in Atlanta, GA re plant const status
& on-going activities associated w/ Integrated Resource Plan List of attendees & hand-
out info mail supplied by ubi and
JAUDON, J.P. Region 2 (Post 820201) 95/01/26 KINGSLEY, O.D. Tennessee Valley
Authority 10pp 82601 105-82601 114

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
dated Edison Co. of New York, Inc. 5pp 82552 195-82552 199

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to
fully address issues raised in NRC 941108 for re implementation schedule for retention
of Nuclear Experience Review group records as CA records at TVA facilities
WHITAKER, E.W. Tennessee Valley Authority 95/02/10 Document Control Branch
(Document Control Desk) 3pp 82744 184-82744 186

9502180349 Administrative Ltr 95-02 to all holders of OILs or CPs re cost beneficial li-
censing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 045

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consol-
dated Edison Co. of New York, Inc. 7pp 82552 188-82552 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82588 001-
82588 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-
82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-
82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-
82848 025

V. Operator Examinations

9502210005 Notices of Region II annual Training Managers Conference in
Atlanta, GA on 950205-09 to inform regional training & operations mgt of issues & pol-
icies that affect licensing of reactor plant operators
PEERLES, T.A. Region 2 (Post 820201) 95/01/24 KINGSLEY, O.D. Tennessee Valley
Authority 2pp 82759 089-82759 094

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9502060019 Summaries 950124 mgt meeting w/ and in Atlanta, GA re plant const status
& on-going activities associated w/ Integrated Resource Plan List of attendees & hand-
out info mail supplied by ubi and
JAUDON, J.P. Region 2 (Post 820201) 95/01/26 KINGSLEY, O.D. Tennessee Valley
Authority 10pp 82601 105-82601 114

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in
commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consol-
dated Edison Co. of New York, Inc. 5pp 82552 195-82552 199

9502140423 Forwards follow-up to TVA/NRC Region II technical meeting on 950111, to
fully address issues raised in NRC 941108 for re implementation schedule for retention
of Nuclear Experience Review group records as CA records at TVA facilities
WHITAKER, E.W. Tennessee Valley Authority 95/02/10 Document Control Branch
(Document Control Desk) 3pp 82744 184-82744 186

9502180349 Administrative Ltr 95-02 to all holders of OILs or CPs re cost beneficial li-
censing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501200260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 045

9501250429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For
Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consol-
dated Edison Co. of New York, Inc. 7pp 82552 188-82552 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/09 Consolidated Edison Co. of New York, Inc. 8pp 82588 001-
82588 006

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic
ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82818 037-
82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied
by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp
82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Ero-
sion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-
82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to
Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-
82848 025

--9502030251 Enforcement action tracking sys licensee history rept (short list) sorted by licensee 850101-940503
* NRC - No Detailed Affiliation Given 84/06/06 33pp 82521 261-82521 313

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502160346 Administrative Ltr 95-02 to all holders of OLs or OPs re cost beneficial licensing actions
IMBRO,E V Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/22 Consolidated Edison Co of New York, Inc 17pp 82646 001-82646 017

F. Security, medical, emergency & fire protection plans

9502070088 Rev 20 to EPIP JPC-App B "Personnel/Access List" W/950131 ltr
SHELTON,D C Centenor Energy 95/01/31 13pp 82685 261-82685 273

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail
PAPERDELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501240269 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation
PAPERDELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 046

9501250439 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9502030313 NRC Info Notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 5pp 82686 001-82686 008

9502180563 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82616 037-82616 042

9502210861 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering, Inc."
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82618 016-82618 034

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82648 019-82648 025

R. Periodic operating reports & related correspondence

9502150194 "State of OH Water Withdrawal Facility Registration Annual Rept for 1994" W/950203 ltr
SHELTON,D C Centenor Energy 94/12/31 MORRIS Ohio, State of 3pp 82761 346-82761 346

9502240006 "NPOES Monthly Rept Forms for Month of Jan 1995" W/950213 ltr
GRIMES,B K SHELTON,D C Centenor Energy 95/01/31 8pp 82671 252-82671 258

S. Reportable occurrences, IERs & related correspondence

9502210227 NPOES noncompliance notification discharge of total residual chlorine from outfall 31800018004, discharge tunnel on 950210 Caused by mispositioned switch Anticipated time exceedance expected to continue
SHELTON,D C Centenor Energy 95/02/13 HALLB Ohio, State of 2pp 82611 049-82611 050

DOCKET 95-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502170074 Forwards response to request for add info re biometrics access control sys End withheld
FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 95/02/19 Document Control Branch (Document Control Desk) 2pp 82620 351-82620 352

9502170077 Forwards Rev 18 to physical security plan & rev 6 to safeguards contingency plan
FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 95/02/19 Document Control Branch (Document Control Desk) 2pp 82648 184-82648 185

M. General correspondence

9502090122 Responds to 941005 ltr to M Callahan soliciting any suggestions that NRC might have re sources of funding for local communities or public interest groups
TAYLOR,J M Ofc of the Executive Director for Operations 94/12/20 KERRY,J F Senate 3pp 82590 309-82590 315

--9502090123 Forwards ltr from CA Robeson, Chairman of Board of Selectman of Town of West Newbury, MA
KERRY,J F Senate 95/10/05 CALLAHAN,M Office of Congressional Affairs (Post 911171) 3pp 82580 312-82580 315

J. Insurance & indemnity information

9502150241 Forwards Endorsement 58 to NEIA Policy NF-0296, Endorsement 51 to MAELU Policy NF-0127, Endorsement 16 to NEIA Policy NW 0188, Endorsement 59 to NEIA Policy NF-0296 & Endorsement 16 to MAELU Policy NW-0097
FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 95/01/27 RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 10pp 82776 112-82776 121

K. Utility Final Safety Analysis Report (FSAR) & amends

9502030433 Forwards 100FR50-59 annual rept & Rev 3 to Seabrook Station
FSAR Rept covers period from 930316-941025 UFSAR incorporates approved & implemented design changes & UFSAR changes identified through 841025
DRAWBRIDGE,B L North Atlantic Energy Service Corp (NAESCO) 95/01/31 Document Control Branch (Document Control Desk) 60pp 82691 001-82691 273

--9502030435 Rev 3 to Seabrook Station updated FSAR
* North Atlantic Energy Service Corp (NAESCO) 95/01/31 940pp 82691 001-82691 273

P. Operating license stage documents & correspondence

9502020114 Partial response to FOIA request for documents re SECY-82-043 dtd 920207 Listing of records in App A already available in PDR Records in App B and C will be available in PDR
FEED,C A Division of Freedom of Information & Publications Services (950208-940714) 94/05/17 FEED,C A Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275

--8308220043 Requests FR publication of notice of consideration of amend to license NFF-86 & proposed NSHC determination & opportunity for hearing on 930626 request to revise TS 4.3.2.1 & Table 4.3.2 re functional unit 8 b
DE AGAZIO,A W Project Directorate 1-4 93/09/14 NRC - No Detailed Affiliation Given 2pp 82592 191-82592 198

--9310010068 Requests FR publication of notice of issuance of amend 25 to license NFF-86 Amend revises TS 4.3.2.1 Table 4.3.2 Functional Unit 8 b by deleting requirement to perform CHANNEL CHECK at least once per 12 h & adding TADOT
DE AGAZIO,A W Project Directorate 1-4 93/09/28 NRC - No Detailed Affiliation Given 3pp 82592 198-82592 218

9502130147 Twenty-second partial response to FOIA request for documents Forwards App I records being made available in PDR & App J records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL,R A Division of Freedom of Information & Publications Services (950206-940714) 94/06/20 GILINSKY,V Affiliation Not Assigned 4pp 82717 157-82717 014

--9502130282 Partially deleted SECY re review of ALAB-731 (in matter of Public Svc Co of New Hampshire)
MALSON,M B Office of the General Counsel (Post 960701) SECY-83-280 83/07/12 18pp 82717 356-82717 013

9502140144 Third partial response to FOIA request for documents Records in app C and E will be available in PDR
POWELL,R A Division of Freedom of Information & Publications Services (950206-940714) 94/07/06 O'MEALIA,M Affiliation Not Assigned 2pp 82729 181-82729 223

--9502140173 Ltr of CAL numbers
* NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502090219 Forwards amend 34 to license NFF-86 & safety evaluation Amend revises TS to specify composition of BORC, to implement station qualified reviewer program & to revise time nuclear safety audit review committee must issue rept & minutes
DE AGAZIO,A W Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/25 FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 4pp 82626 294-82626 380

--9502090221 Amend 34 to license NFF-86, revising App A to specify composition of BORC, implement station qualified reviewer program & to revise time which nuclear safety audit review committee must issue rept & minutes
MCKEE,P F Project Directorate 1-4 (PD1-4) (Post 941001) 95/01/26 50pp 82626 303-82626 352

--9502090223 Safety evaluation supporting amend 34 to license NFF-86
* Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 6pp 82626 353-82626 358

--9502090227 Notice of partial denial of amend to facility operating license NFF-86 & opportunity for hearing
MCKEE,P F Project Directorate 1-4 (PD1-4) (Post 941001) 96/01/26 2pp 82626 359-82626 360

9502090339 Responds to NRC RAI re initial qualification of containment weldcheck range rept for exterior flange on containment penetration HVAC-2 in ref to LAR 93-05 dtd 930607
FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 95/01/30 Document Control Branch (Document Control Desk) 3pp 82665 101-82665 109

9502030425 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502140190 Provides info requested for reporting of add occupational radiation exposure data on erol diskette W/o diskette
FEIGENBAUM,T C North Atlantic Energy Service Corp (NAESCO) 95/02/08 NRC - No Detailed Affiliation Given 2pp 82744 241-82744 242

144 DOCKETED ITEMS

9502220156 Forwards amend 35 to license NFF-86 & SE Amend modifies TS renaming Independent Safety Engineering Group to Independent Technical Reviews & replaces requirement re 5 person group
DE AGAZIO, A.W. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 3pp 82795 334-82795 343

-9502220158 Amend 35 to license NFF-86, modifying TS to rename TS 5.2.3 from Independent Safety Engineering Group to Independent Technical Reviews & replacing requirements for five person Independent Safety Engineering Group
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/14 5pp 82795 337-82795 341

-9502220167 Safety evaluation supporting amend 35 to license NFF-86
" Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 2pp 82795 342-82795 343

9502220302 Requests one time scheduler exemption from 10CFR50, App J to defer next scheduled Type A test from fourth refueling outage to begin on 951104 to 6th refueling outage to begin in Sept 1997 Supporting info incl
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 95/02/17 Document Control Branch (Document Control Desk) 168pp 82826 001-82826 168

9502220124 Forwards correction to amend 34 to license NFF-86 Correction is for insertion of replacement page B 3/4 2-4
DE AGAZIO, A.W. Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 4pp 82852 162-82852 170

-9502220131 Corrected page to amend 34 to license NFF-86, inserting replacement page B 3/4 2-4
" Project Directorate I-4 (PD1-4) (Post 941001) 95/02/22 5pp 82852 168-82852 170

9502160049 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q Inspection reports, EE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 046

9502060335 Provides info requested during 941222 meeting w/WDG re SG tube mechanical plugs. The reviewed responses to NRC Bulletin 89-001 & supplies & determined that conclusions still valid & no immediate or short term actions required
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 95/01/20 Document Control Branch (Document Control Desk) 2pp 82685 087-82685 098

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 189-82652 184

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502160041 Ack receipt of 941208 & 950113 ltrs informing NRC of steps taken to correct violations noted in insp rept 50-443/94-30 & in response to 941205 enforcement conference C/A to be examined in future insp
DURR, J.P. Region 1 (Post 820201) 95/02/09 FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 5pp 82722 234-82722 248

9502100263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82818 037-82818 042

9502210028 Forwards insp rept 50-443/94-30 on 941104-950107. No violations noted. Observations noted re lack of night oversight had no adverse safety consequence
DURR, J.P. Region 1 (Post 820201) 95/02/10 FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 5pp 82769 249-82769 259

-9502210029 Insp rept 50-443/94-30 on 941107-950107. No violations noted. Major areas inspected: plant operations, maintenance, plant support & safety assessment/quality verification
ROGGE, J. Region 1 (Post 820201) 95/02/07 16pp 82769 254-82769 269

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82848 025-82848 036

9502210080 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502210097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502010135 Forwards "North Atlantic Energy Svc Corp Semi-Annual FPD Rept Jul-Dec 1994"
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 95/01/25 Document Control Branch (Document Control Desk) 2pp 82591 252-82591 281

-9502210140 "North Atlantic Energy Svc Corp Semi-Annual FPD Rept for 940701-1231"
" North Atlantic Energy Service Corp. (NAESCO) 94/12/31 28pp 82591 254-82591 281

9502220189 Monthly operating rept for Jan 1995 for Seabrook Station Unit 1 W/950210
NARDONE, P.E., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO) 95/01/31 5pp 82811 353-82811 357

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDF & App JJ records being partially withheld (re FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

-9502130282 Partially deleted SECY re review of ALAB-791 (in matter of Public Svc Co of New Hampshire)
MALSCHE, J.C. Office of the General Counsel (Post 860701) SECY-82-280 83/07/12 18pp 82717 956-82718 019

9502140144 Third partial response to FOIA request for documents. Records in app C and II will be available in PDF
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/07/06 O'NEALIA, M. Affiliation Not Assigned 2pp 82729 181-82729 223

-9502140173 List of CAL numbers
" NRC - No Detailed Affiliation Given 94/06/22 40pp 82729 184-82729 223

9502020025 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199

9502160049 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, EE Bulletin & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

9501230280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 046

9501260429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 189-82652 184

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502160041 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82818 037-82818 042

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82848 025-82848 036

9502210090 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 016-82818 024

9502210097 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502070148 Forwards request for exemption from portions of 10CFR73.55 re use of hand geometry biometrics access control sys. End withheld
TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 95/01/16 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82771 357-82771 358

9502020217 Forwards Rev 10 to "CPSES Unit 1 & 2 Fire Protection Rept"
WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric) 95/01/27 Document Control Branch (Document Control Desk) 4pp 82620 285-82620 310

-9502020221 Rev 10 to "CPSES Unit 1 & 2 Fire Protection Rept"
" Texas Utilities Electric Co. (TU Electric) 95/02/01 20pp 82620 281-82620 310

9502070676 Forwards Rev 20 to CPSES emergency plan, deleting unnecessary detailed & did into re emergency medical eval/medical support & adding administrative controls related to emergency plan & EPIPs to Section 14
TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/02/02 Document Control Branch (Document Control Desk) 11pp 82666 085-82666 131

-9502070081 Rev 20 to CPSES emergency plan
* Texas Utilities Electric Co (TU Electric) 95/01/03 38pp 82666 096-82666 131

G. Adjudicatory correspondence

8802030166 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attention Not Assigned 52pp 82685 001-82685 053

I. Financial information

9502060139 Submits cash flow statement for twelve months ended 941130, to demonstrate ability to pay deferred premiums under secondary financial program
MARSHALL, J.S. Texas Utilities Electric Co (TU Electric) 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82685 248-82685 248

K. Utility Final Safety Analysis Report (FSAR) & amendments

9502170062 Amend 93 to FSAR for Comanche Peak Steam Electric Station W/950201
TERRY, C.L. Texas Utilities Electric Co (TU Electric) 95/02/01 1,130pp 82796 001-82796 038

P. Operating license stage documents & correspondence

9502199147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/20 GILINSKY, V. Attention Not Assigned 4pp 82717 157-82717 014

-9502199275 Partially deleted SECY, informing Commission of Licensing Board order PLAMHE, H.E. Office of the General Counsel (Post 960701) SECY-83-113 83/03/24 11pp 82717 345-82717 355

9502060103 Discusses implementation of rod control sys changes in response to GL 95-04 "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies"
TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/01/31 Document Control Branch (Document Control Desk) 2pp 82637 205-82637 206

9502020425 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 185-82652 185

9502170444 Summarizes 950203 mgt meeting to discuss unit plans for fourth refueling outage for Unit 1, accomplishments during 1994 & goals for 1995 Attendance list & license presentation end
BEACH, J.B. Region 4 (Post 820201) 95/02/08 TERRY, C.L. Texas Utilities Electric Co (TU Electric) 33pp 82743 160-82743 182

9502160408 Informing that first 10-year IST program requests for relief, did 840301 has been reviewed Forwards SE granting requests for relief B-7 & C-8 but denying B-4 due to inadequate justification
BECKNER, W.D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 TERRY, C.L. Texas Utilities Electric Co 8pp 82754 294-82754 303

-9502160403 SER accepting first ten year IST request for relief C-8 & B-7 from section XI of ASME Code & repeating request for relief B-4
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 7pp 82754 287-82754 303

9502230057 Forwards Rev 5 to "CPSES Unit 1 & 2 IST Plan for Pumps & Valves First Interval"
TERRY, C.L. Texas Utilities Electric Co (TU Electric) 95/02/15 Document Control Branch (Document Control Desk) 8pp 82640 174-82640 217

-9502230060 Rev 5 to "CPSES Unit 1 & 2 IST Plan for Pumps & Valves First Interval"
MAYS, R.B. BARBER, J.L. Texas Utilities Electric Co (TU Electric) 95/02/15 38pp 82640 180-82640 217

9502160149 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
IMBRO, J.V. Cost Beneficial Licensing Actions Staff (CSLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 85/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501200200 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 3pp 82605 038-82605 048

9502020080 Forwards insp rept 50-445/94-24 & 50-446/94-24 on 941113-1231 No violations noted
BEACH, J.B. Region 4 (Post 820201) 95/01/27 TERRY, C.L. Texas Utilities Electric Co (TU Electric) 5pp 82616 243-82616 268

-9502020085 Insp repts 50-445/94-24 & 50-446/94-24 on 941113-1231 No violations noted Major areas inspected onsite followup of events, plant operations, maint & surveillance observations, on-site engineering & plant support
CHAMBERLAIN, D. Region 4 (Post 820201) 95/01/25 21pp 82616 248-82616 258

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 185-82652 194

9502090021 Ack receipt of 950123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/94-23 & 50-446/94-23
BEACH, J.B. Region 4 (Post 820201) 95/02/02 TERRY, C.L. Texas Utilities Electric Co (TU Electric) 4pp 82651 088-82651 111

9502090343 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008

9502100084 Forwards insp repts 50-445/95-01 & 50-446/95-01 on 950108-13 No violations noted
GWYNNE, T.P. Region 4 (Post 820201) 95/02/03 TERRY, C.L. Texas Utilities Electric Co (TU Electric) 6pp 82690 006-82690 031

-9502100089 Insp repts 50-445/95-01 & 50-446/95-01 on 950108-13 No violations noted Major areas inspected licensee calibration of nuclear instruments & determination of control rod integral reactivity worth
POWERS, D.A. Region 4 (Post 820201) 95/02/02 21pp 82690 011-82690 031

9502100263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502070252 CPSES Annual 10CFR50.69 Rept 1994 W/950201 for
TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 94/12/31 84pp 82666 001-82666 084

9502230157 Monthly operating repts for Jan 1995 for Comanche Peak Steam Electric Station W/950215 ltr
BIRDA, E. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/01/31 8pp 82612 142-82612 150

9502230240 Forwards CPSES FPD program performance data for period of Jul-Dec 1994
TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/02/15 Document Control Branch (Document Control Desk) 4pp 82667 328-82667 331

V. Operator Examinations

9502080015 Inform of NRC plans to administer GFES of written operator licensing exam at facility on 950405 Requests that authorized representatives from facility submit ltr listing names of candidates for exam
GWYNNE, T.P. Region 4 (Post 820201) 95/02/06 TERRY, C.L. Texas Utilities Electric Co (TU Electric) 4pp 82651 070-82651 073

DOCKET 50-448 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502070148 Forwards request for exemption from portions of 10CFR73.55 re use of hard geometry bromine access control sys Encl withheld
TERRY, C.L. Texas Utilities Electric Co (TU Electric) 95/01/16 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82771 357-82771 358

9502020217 Forwards Rev 10 to "CPSES Units 1 & 2 Fire Protection Rept."
WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/01/27 Document Control Branch (Document Control Desk) 8pp 82620 286-82620 310

-9502020221 Rev 10 to "CPSES Units 1 & 2 Fire Protection Rept."
* Texas Utilities Electric Co (TU Electric) 95/02/01 20pp 82620 281-82620 310

9502070076 Forwards Rev 20 to CPSES emergency plan, deleting unnecessary detailed & did into re emergency medical eval/medical support & adding administrative controls related to emergency plan & EPIPs to Section 14
TERRY, C.L. WOODLAND, D.R. Texas Utilities Electric Co (TU Electric) 95/02/02 Document Control Branch (Document Control Desk) 11pp 82666 085-82666 131

-9502070081 Rev 20 to CPSES emergency plan
* Texas Utilities Electric Co (TU Electric) 95/01/03 38pp 82666 096-82666 131

G. Adjudicatory correspondence

8802030166 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attention Not Assigned 52pp 82685 001-82685 053

146 DOCKETED ITEMS

I. Financial information

9502060139 Submits cash flow statement for twelve months ended 8/1/90, to demonstrate ability to pay deferred premiums under secondary financial program
MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric) 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82686 248-82686 249

K. Utility Final Safety Analysis Report (FSAR) & amendments

9502170082 Amend 93 to FSAR for Comanche Peak Steam Electric Station W/950201
TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 95/02/01 1,130pp 82739 001-82739 036

P. Operating license stage documents & correspondence

9502188147 Twenty-second partial response to FOIA request for documents. Forwards App II records being made available in PDF & App II records being partially withheld (re FOIA exemptions 3 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/06/20 GILINSKY, V. Affiliation Not Assigned 4pp 82717 157-82716 014

9502188278 Partially deleted SECY, informing Commission of Licensing Board order
PLANE, J.E. Office of the General Counsel (Post 850701) SECY-83-113 83/03/24 11pp 82717 345-82717 385

9502050103 Discusses implementation of rod control sys changes in response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies"
TERRY, C.L. WOODLAND, R. Texas Utilities Electric Co. (TU Electric) 95/01/31 Document Control Branch (Document Control Desk) 2pp 82637 205-82637 206

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 185-82652 189

9502230067 Forwards Rev 5 to "CPSES Unit 1 & 2 IST Plan for Pumps & Valves First Interval"
TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 95/02/15 Document Control Branch (Document Control Desk) 4pp 82640 174-82640 217

9502230060 Rev 5 to "CPSES Unit 1 & 2 IST Plan for Pumps & Valves First Interval"
MAYERS, R.B. BARKER, J.L. Texas Utilities Electric Co. (TU Electric) 95/02/15 3pp 82640 180-82640 217

9502180349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial in carrying actions
IMERO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 038-82605 048

9502030060 Forwards insp rept 50-445/94-24 & 50-446/94-24 on 941113-1231 No violations noted
BEACH, J.B. Region 4 (Post 820201) 95/01/27 TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 5pp 82616 248-82616 268

9502030065 Insp rept 50-445/94-24 & 50-446/94-24 on 941113-1231 No violations noted. Major areas inspected onsite: followup of events, plant operations, maintenance & surveillance observations, on-site engineering & plant support
CHAMBERLAIN, D. Region 4 (Post 820201) 95/01/26 21pp 82616 248-82616 268

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502090823 Ack receipt of 950123 for informing NRC of steps taken to correct violations noted in insp rept 50-445/94-23 & 50-446/94-23
BEACH, J.B. Region 4 (Post 820201) 95/02/02 TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 4pp 82651 098-82651 111

9502030113 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502100084 Forwards insp rept 50-445/95-01 & 50-446/95-01 on 950103-13 No violations noted
GAYNANT, P. Region 4 (Post 820201) 95/02/03 TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 5pp 82690 006-82690 031

9502100088 Insp rept 50-445/95-01 & 50-446/95-01 on 950103-13 No violations noted. Major areas inspected: licensee calibration of nuclear instruments & determination of control rod integral reactivity worth
POWERS, D.A. Region 4 (Post 820201) 95/02/02 21pp 82690 011-82690 031

9502100260 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502210230 Forwards TSI Summary Rept First Interval, First Period, First Outage CPSES Unit 2
TERRY, C.L. WOODLAND, R. Texas Utilities Electric Co. (TU Electric) 95/02/17 Document Control Branch (Document Control Desk) 2pp 82623 001-82624 132

9502210033 TSI Summary Rept First Interval, First Period, First Outage CPSES Unit 2
BONIS, J.O. MAYERS, R.B. Texas Utilities Electric Co. (TU Electric) 95/01/17 4pp 82623 003-82624 132

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502070252 CPSES Annual 10CFR50.59 Rept 1994 W/950201
TERRY, C.L. WOODLAND, R. Texas Utilities Electric Co. (TU Electric) 94/12/31 8pp 82658 001-82658 084

9502230187 Monthly operating rept for Jan 1995 for Comanche Peak Steam Electric Station W/950215
SPOIS, E. WOODLAND, R. Texas Utilities Electric Co. (TU Electric) 95/01/31 8pp 82612 142-82612 150

9502230240 Forwards CPSES FPD program performance data for period of Jul-Dec 1994
TERRY, C.L. WOODLAND, R. Texas Utilities Electric Co. (TU Electric) 95/02/15 Document Control Branch (Document Control Desk) 4pp 82667 328-82667 331

V. Operator Examinations

9502080815 Inform of NRC plans to administer CPSES of written operator working exam at facility on 950405 Requests that authorized representative from facility submit list of names of candidates for exam
GARNETT, P. Region 4 (Post 820201) 95/02/06 TERRY, C.L. Texas Utilities Electric Co. (TU Electric) 4pp 82651 070-82651 073

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502220239 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 330-T TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damart Firewrap Mail Cable Amperity Derating Factor Calculation" in response to GL 92-08
VORAK, M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 073-82622 301

9502220245 "Amperity Derating Factors for Thermo-Lag 330-T TSI Fire Barriers"
BLOETH, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82622 075-82622 085

9502220265 "Damart Firewrap Mail Cable Amperity Derating Factor Calculation"
GESOR, R. PERCHIAZZI, B. RYBAK, B. Commonwealth Edison Co. G-63 R02 95/01/23 215pp 82622 096-82622 301

9502200260 Forwards insubmittal re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" End withheld
BRONK, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Affiliation Given 2pp 82617 359-82617 390

G. Adjudicatory correspondence

9502030166 Responds to postcard dated Nov 14, 1994 requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82688 001-82688 053

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (890205-940714) 94/06/13 O'NEILL, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502030251 "Enforcement action tracking sys/Licensee history rept (short list) sorted by licensee 850101-940509"
NRC - No Detailed Affiliation Given 84/08/08 33pp 82621 281-82621 313

9502010340 Notification of 950131 meeting w/CECO in Rockville, MD to discuss Test-7 of WCAP-14222 as it applies to limited tube support displacement in plant 50s Meeting cancelled
LYNCH, M.D. Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 RUSSELL, W. MURAGLIA, F. THADAR, A. NRC - No Detailed Affiliation Given 3pp 82577 286-82577 288

9502010259 Responds to Insult 930404.0916 & 950111 in response to GL 93-04 Inform of plan to implement current order during & current order surveillance test during plant refueling outages
SHIRAKO, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 FARRAR, D.L. Commonwealth Edison Co. 3pp 82595 001-82595 003

- 9502030206 Forwards proprietary preliminary technical repl. Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Model D4 SGs for NRC review, per 950126 telcon Subj repl withheld
SACCOMANDO, D.M. Commonwealth Edison Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82623 001-82623 006
- 9502030206 Forwards proprietary preliminary repl. Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Model D4 SGs. Repl withheld
LIPARULO, N.J. Westinghouse Electric Corp. 95/01/27 Office of Nuclear Reactor Regulation (Post 941001) 1p 82623 004-82623 004
- 9502030290 "Probability of Detection by Bobbin Insp."
* Affiliation Not Assigned 6424/RP-3580 95/01/25 53pp 82623 005-82623 008
- 9502030343 Forwards "Byron Unit 1 EOC 8 Interim Plugging Criteria Repl." & nonproprietary repl WCAP-14277, "SLB Leak Rate & Tube Burst Probability Analysis Methods for OOSOC at TSP Intersections," per TS 5.9.2
SCHWARTZ, G.K. Commonwealth Edison Co. 95/01/30 MARTIN, J.B. Region 3 (Post 826201) 2pp 82618 001-82618 192
- 9502030348 "Byron Unit 1 EOC 8 Interim Plugging Criteria Repl."
PITTELLI, T.A., KEATING, R.F., WEPFER, R.M. Westinghouse Electric Corp. 95/01/19 113pp 82618 003-82618 115
- 9502030388 Nonproprietary "SLB Leak Rate & Tube Burst Probability Analysis Methods for OOSOC at TSP Intersections"
* Westinghouse Electric Corp. WCAP-14277 95/01/26 78pp 82618 116-82618 192
- 9502060090 Submits update on status of Alloy 600 TT SG mechanical tube plug replacement. All Alloy 600 TT mechanical SG tube plugs replaced for facilities
SIMPSON, T.W. Commonwealth Edison Co. 95/01/31 Office of Nuclear Reactor Regulation (Post 941001) 1p 82637 204-82637 204
- 9502060025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 185-82652 189
- 9502070156 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 requesting approval of amend to permit use of alternate tube repair criteria, F for SG at facilities
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82639 258-82639 311
- 9502070158 Proposed tech specs requesting approval of amend to permit use of alternate tube repair criteria, F for SG at facilities
* Commonwealth Edison Co. 95/02/02 35pp 82639 277-82639 311
- 9502080156 Forwards copy of complete version of App C to attach to W/ 941213 for transmitting response to RAI related to review of VIFRE computer code
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82706 281-82706 287
- 9502100079 Forwards amendments 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & SE. Amends revise administrative control in Section 5 of TS Rev include changes to submittal frequency of radiological effluent release repl
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 FARRAR, D.L. Commonwealth Edison Co. 5pp 82704 098-82704 084
- 9502100087 Amends 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 respectively, revising administrative controls in Section 5 of TS Rev include changes to submittal frequency of radiological effluent release repl
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 38pp 82704 043-82704 081
- 9502100094 Safety evaluation supporting amendments 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82704 082-82704 084
- 9502130021 Forwards SE re applicability of fracture mechanics methodology for evaluation of flaws found in heat exchanger nozzle to shell welds & inclusion of fillet weld in evaluation
ASSA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR, D.L. Commonwealth Edison Co. 4pp 82716 269-82716 275
- 9502130037 Safety evaluation re evaluation of indications in nozzle to shell welds of RHHR sys heat exchangers. Use of fillet weld must be limited to evaluation of indications in RHHR heat exchanger nozzle to shell welds at plants
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 6pp 82716 279-82716 275
- 9502160162 Forwards "Probability of Detection by Bobbin Insp" & WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections." WCAP-14273 withheld
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82767 200-82767 272
- 9502160285 Requests that WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Bradwood 1 & Byron 1 Model D4 SGs," be withheld per 10CFR2.790
LIPARULO, N.J. Westinghouse Electric Corp. 95/02/08 RUSSELL, W.T. Document Control Branch (Document Control Desk) 5pp 82767 202-82767 210
- 9502160296 "Probability of Detection by Bobbin Insp."
* Electric Power Research Institute 95/02/08 50pp 82767 211-82767 272
- 9502190063 Notification of 950223 meeting w/atl in Rockville, MD to discuss various features of WCAP-14273 (proprietary) as it applies to limited tube support plate displacements in plant Unit 1 SG
LYNCH, D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82724 352-82724 356
- 9502170256 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77, increasing interim plugging criteria value for plants SG
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/13 Document Control Branch (Document Control Desk) 30pp 82821 001-82821 072
- 9502170259 Proposed tech specs increasing interim plugging criteria value for plants SG
* Commonwealth Edison Co. 95/02/13 45pp 82821 031-82821 075
- 9502170283 "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Bradwood-1 & Byron-1 Model D4 ST for Feb 1995"
* Westinghouse Electric Corp. WCAP-14274 95/02/13 361pp 82821 076-82821 072
- 9502201016 Forwards non-proprietary Rev 2 to WCAP-14047 & proprietary Rev 2 to WCAP-14046, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria." Proprietary Rev 2 to WCAP-14046 withheld (ref 10CFR2.790)
PONTIUS, H.D. Commonwealth Edison Co. 95/02/15 Document Control Branch (Document Control Desk) 2pp 82839 001-82839 067
- 9502210110 Requests for proprietary Rev 2 to WCAP-14046, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria," be withheld (ref 10CFR2.790)
LIPARULO, N.J. Westinghouse Electric Corp. 95/02/08 RUSSELL, W.T. Document Control Branch (Document Control Desk) 9pp 82839 003-82839 071
- 9502210114 Non-proprietary Rev 2 to WCAP-14047, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria"
* Westinghouse Electric Corp. WCAP-14047 R02 95/02/13 58pp 82839 012-82839 067
- 9502210259 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re "Positive Moderator Temp Coefficient"
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/15 Document Control Branch (Document Control Desk) 10pp 82807 303-82807 348
- 9502210303 Proposed tech specs re "Positive Moderator Temp Coefficient"
* Commonwealth Edison Co. 95/02/16 38pp 82807 313-82807 348
- 9502220229 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 390-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damaged Firewrap Mail Cable Amperity Derating Factor Calculation," in response to GL 92-06
VONK, M.J. Commonwealth Edison Co. 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301
- 9502220245 "Amperity Derating Factors for Thermo-Lag 390-1 TSI Fire Barriers"
BLUETHE, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 085
- 9502220255 "Damaged Firewrap Mail Cable Amperity Derating Factor Calculation"
GESKOR, R. Commonwealth Edison Co. G-63 R02 95/01/23 215pp 82822 088-82822 301
- 9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 85-10 W/10. Proprietary info
VONK, M.J. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 246
- 9502240176 Rev 2 to White Paper MOV-WP-101, "As-Left Stem/Stem Nut Coefficient of Friction"
KORN, S. Commonwealth Edison Co. MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 094
- 9502240227 Approves inservice testing program relief request for valves & forwards SE
CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 FARRAR, D.L. Commonwealth Edison Co. 3pp 82831 288-82831 298
- 9502240231 Safety evaluation supporting approval of inservice testing program request for relief
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 6pp 82831 291-82831 296
- 9502240188 Forwards corrected attachment 5 of 950216 for re MOV as specified in GL 85-10
VONK, M.J. Commonwealth Edison Co. 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82815 274
- 9502280271 Forwards errata sheets for proprietary WCAP-14273 & nonproprietary WCAP-14274, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Bradwood-1 & Byron-1 Model D4 SGs."
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82829 351-82829 359
- 9502270322 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re RTD bypass elimination mod to remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/21 Document Control Branch (Document Control Desk) 14pp 82903 205-82903 264
- 9502270327 Proposed tech specs re RTD bypass elimination mod that will remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping
* Commonwealth Edison Co. 95/02/21 46pp 82903 219-82903 264
- 9502270380 Forwards request for add instructional info re use of alternate steam generator tube repair criteria (F)
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR, D.L. Commonwealth Edison Co. 5pp 82848 331-82848 335
- 9502190348 Administrative Ltr 95-02 to all holders of OILs or OPLs re cost beneficial licensing actions
MBROE, V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017
- Q. Inspection reports, IE Bulletins & correspondence
- 9501900219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

148 DOCKETED ITEMS

8502810354 Forwards results of last ASME Section XI ISI of Byron Unit 1 RHR HX nozzle to vessel welds as requested in 950116 telecon. Inspec conducted during Byron Unit 1 Cycle 5 Refuel Outage which began 9/9/95 & concluded 9/30/95
PONTIUS, H.D. Commonwealth Edison Co. 95/01/20 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82587 290-82587 327

9502040356 Byron Unit 1 Refuel Outage B1R05 RHR HX Nozzles Ultrasonic Indication Summary
HAGEMANN, G. Commonwealth Edison Co. 95/01/20 11pp 82587 292-82587 327

9501289269 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 670729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82585 038-82585 046

9501289429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82582 188-82582 134

9502038313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82588 001-82588 008

9502130188 Forwards response to violations noted in Insp Repts 50-454/94-25 & 50-455/94-25. Corrective actions station manager will remain personnel of intent of over-time deviation procedure during Feb 1995 outage meetings.
BRAESSER, K.L. Commonwealth Edison Co. 95/02/06 Document Control Branch (Document Control Desk) 3pp 82728 136-82728 138

9502160192 Forwards "Probability of Detection by Bobbin Insp" & WCAP14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections." WCAP14273 withheld
SACCOMANDU, D.M. Commonwealth Edison Co. 95/02/07 Document Control Branch (Document Control Desk) 2pp 82767 200-82767 272

9502160296 "Probability of Detection by Bobbin Insp"
* Electric Power Research Institute 95/02/06 50pp 82767 211-82767 272

9502160283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502160014 Forwards NRC report on Main Rule review visit to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 DOHERTEY, P.M. Consumers Power Co. SCHNELL, D.F. Union Electric Co. OOK, J. Illinois Power Co. 3pp 82722 012-82722 028

9502160358 Comments re: staff for superior SALP & SMM evaluations
TAYLOR, J.M. Off. of the Executive Director for Operations 95/02/10 O'CONNOR, J.J. Commonwealth Edison Co. 4pp 82756 180-82756 182

9502200350 Forwards response to NRC 950126 re its violations noted in insp repts 50-454/94-25 & 50-455/94-25. Corrective actions: physical barrier was placed to prevent entry from leaving MCR
BRAESSER, K.L. Commonwealth Edison Co. 95/02/16 Document Control Branch (Document Control Desk) 6pp 82931 095-82931 071

9502200086 Informants that during wk of 950109-13, NRC team visited plant to review implementation of Main Rule. List members of team & team objectives.
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co. 21pp 82802 001-82802 021

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering LLC"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 038

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82818 018-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R Periodic operating reports & related correspondence

9502280280 Monthly operating repts for Jan 1995 for Byron Nuclear Power Station W/ 950209 R
COLGLAZIER, R. SCHWARTZ, B.K. Commonwealth Edison Co. 95/01/31 14pp 82897 264-82897 297

9502130253 Forwards fitness for duty program performance data for 6 month period ending 941231
SMITH, T.W. Commonwealth Edison Co. 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S Reportable occurrences, LERs & related correspondence

950210331 LER 94-003-01 on 940214, AF isolation valve was exposed to potentially harsh environment due to flood seal removal. Verified that AF tunnel FSO plates in place on both ends & required that FSO plates remain in place W/950110 R
ZECH, L.L. SCHWARTZ, B.K. Commonwealth Edison Co. 95/01/12 8pp 82805 204-82805 211

V Operator Examinations

9502020079 Informing that NRC plans to administer GFE9 of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co. 3pp 82559 365-82559 367

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502120239 Forwards White Paper, "Amperity Derating Factors for Thermo-Lag 330-T TSI Fire Barriers & Rev 2 of Calculation G-63, "Dermat Firewrap Mail Cable Amperity Derating Factor Calculation" in response to GI 92-08
VONCK, M.J. Commonwealth Edison Co. 95/02/16 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Amperity Derating Factors for Thermo-Lag 330-T TSI Fire Barriers"
BLOETHE, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 085

9502220255 "Dermat Firewrap Mail Cable Amperity Derating Factor Calculation"
GESIOR, R. Commonwealth Edison Co. G-63 R02 95/01/23 215pp 82822 055-82822 301

9502280259 Forwards and submit 10 CFR Rulemaking, Protection Against Malicious Use of Vehicles at NPPs. Encl withheld
BRONS, J.C. Commonwealth Edison Co. 95/02/20 NRC - No Detailed Affiliation Given 2pp 82917 359-82917 360

G. Adjudicatory correspondence

9502030188 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502030246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, C.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/13 O'NEILL, J.M. Affiliation Not Assigned 2pp 82621 278-82621 313

9502030251 "Enforcement action tracking sys. Licensee history repts (shon list) sorted by licensee 950101-940509"
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 218

9502010340 Notification of 950131 meeting w/CECO in Rockville MD to discuss features of WCAP14222 as it applies to limited tube support displacement in plant SGs Meeting cancelled
LYNDHOLM, Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 RUSSELL, W., MIRAGLIA, F., THADANLA, NRC - No Detailed Affiliation Given 3pp 82577 295-82577 286

9502100259 Responds to ltr, dtd 930804, 0916 & 950111 in response to GI 93-04 in terms of plan to implement current order driving & current order surveillance test during plant refueling outages
SHIRAZI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 FARRAR, D.L. Commonwealth Edison Co. 3pp 82565 001-82565 003

9502060080 Submits update on status of Alloy 500 TT SG mechanical tube plug replacement Alloy 500 TT mechanical SG tube plugs replaced for facilities
SMITH, T.W. Commonwealth Edison Co. 95/01/31 Office of Nuclear Reactor Regulation (Post 941001) 1p 82637 204-82637 204

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82552 185-82552 189

9502070156 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77, requesting approval of amend to permit use of alternate tube repair criteria, F, for SG M facilities.
SACCOMANDU, D.M. Commonwealth Edison Co. 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 9pp 82639 268-82639 311

9502070158 Proposed tech spec requesting approval of amend to permit use of alternate tube repair criteria, F, for SG at facilities
* Commonwealth Edison Co. 95/02/02 35pp 82639 277-82639 311

9502080196 Forwards copy of complete version of App C to attach to us 941213 re transmitting response to RAI related to review of VIPRE computer code
SACCOMANDU, D.M. Commonwealth Edison Co. 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82705 281-82705 287

9502100079 Forwards amends 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & SE Amends revise administrative control in Section 6 of TS Rev include changes to submit frequency of radiological effluent release repts
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 FARRAR, D.L. Commonwealth Edison Co. 3pp 82704 039-82704 084

9502100087 Amends 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, revising administrative controls in Section 6 of TS Rev include changes to submit frequency of radiological effluent release repts
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 35pp 82704 043-82704 081

9502100084 Safety evaluation supporting amends 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82704 082-82704 084

9502130021 Forwards SE re applicability of fracture mechanics methodology for evaluation of flaws found in heat exchanger nozzle to shell welds & inclusion of fillet weld in evaluation
ASSAR, R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 FARRAR, D.L. Commonwealth Edison Co. 4pp 82716 269-82716 278

9502130837 Safety evaluation re evaluation of indications in nozzle to shell welds of RHR sys heat exchangers. Use of inlet weld must be limited to evaluation of indications in RHR heat exchanger nozzle to shell welds at plants.
Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 6pp 82716 273-82716 278

9502170256 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77, increasing interim plugging criteria value for plants SG.
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/13 Document Control Branch (Document Control Desk) 30pp 82821 001-82822 072

9502170258 Proposed tech specs increasing interim plugging criteria value for plants SG.
Commonwealth Edison Co 95/02/13 45pp 82821 031-82821 075

9502210289 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re "Positive Moderator Temp Coefficient".
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 10pp 82907 303-82907 248

9502218303 Proposed tech specs re "Positive Moderator Temp Coefficient".
Commonwealth Edison Co 95/02/15 35pp 82907 313-82907 348

9502220239 Forwards White Paper "Amperage Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damant Firewrap Matt Cable Ampacity Derating Factor Calculation," in response to GL 92-06.
YONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Amperage Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers".
BLOETH, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 065

9502220255 "Damant Firewrap Matt Cable Ampacity Derating Factor Calculation".
GESOR, R. Commonwealth Edison Co G-63 R02 95/01/23 215pp 82822 086-82822 301

9502240176 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 89-10 w/o proprietary info.
YONK, M.J. Commonwealth Edison Co 95/02/16 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 248

9502240176 Rev 2 to White Paper MOV-WP-101, "As-Left Stem/Stem Nut Coefficient of Friction".
KORN, S. Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 059

9502240227 Approves inservice testing program relief request for valves & forwards SE.
CAPPA, R.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 FARRAR, D.L. Commonwealth Edison Co 8pp 82831 288-82831 295

9502240231 Safety evaluation supporting approval of inservice testing program request for relief.
Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 6pp 82831 291-82831 296

9502240186 Forwards corrected attachment 5 of 950216 to re MOV as specified in GL 89-10.
YONK, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 33pp 82815 241-82815 274

9502270222 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re RTD bypass elimination mod to remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping.
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/21 Document Control Branch (Document Control Desk) 14pp 82903 205-82903 284

9502270227 Proposed tech specs re RTD bypass elimination mod that will remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping.
Commonwealth Edison Co 95/02/21 48pp 82903 219-82903 284

9502270280 Forwards request for add instructional info re use of alternate steam generator tube repair criteria (F').
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 FARRAR, D.L. Commonwealth Edison Co 5pp 82846 331-82846 335

9502280349 Administrative Ltr 95-02 to all holders of OLs or CPs re post beneficial licensing actions.
MARBRE, V. Post Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9501800219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 025

9501200260 NRC Info Notice 95-007, "Radioactive Vial Breakage During Preparation".
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 8pp 82805 038-82805 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design".
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82852 188-82852 194

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82858 001-82858 008

9501301066 Forwards response to violations noted in Insp Repts 50-454/94-28 & 50-455/94-25 Corrective actions station manager will remind personnel of intent of over-tensioning procedure during Feb 1995 outage meetings.
GRAESSER, K.L. Commonwealth Edison Co 95/02/05 Document Control Branch (Document Control Desk) 3pp 82728 136-82728 138

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA".
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82818 087-82818 042

9502160034 Forwards NRC rpt on Muni Rule review visit to plant during 941205-12.
SHAFFER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, P.M. Consumers Power Co SCHNELL, D.F. Union Electric Co OOK, J. Illinois Power Co 2pp 82722 012-82722 028

9502160358 Commands mgt & staff for superior SALP & SMD evaluations.
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/10 O'CONNOR, J.J. Commonwealth Edison Co 4pp 82758 180-82758 182

9502180350 Forwards response to NRC 950125 re re violations noted in insp repts 50-454/94-28 & 50-455/94-25 Corrective actions physical banner was placed to prevent dry SPD from leaving MCR.
GRAESSER, K.L. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 6pp 82831 065-82831 071

9502220058 Informs that during wk of 950108-13, NRC team visited plant to render implementation of Muni Rule Lists members of team & team objectives.
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 FARRAR, D.L. Commonwealth Edison Co 21pp 82802 001-82802 021

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc".
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82818 028-82818 036

9502210058 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device".
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance".
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82843 018-82843 025

R. Periodic operating reports & related correspondence

9502200206 Monthly operating repts for Jan 1995 for Byron Nuclear Power Station w/ 950209 re.
COLGLAZIER, R. SCHWARTZ, G.K. Commonwealth Edison Co 95/01/31 14pp 82887 284-82887 297

9502130293 Forwards fitness for duty program performance data for 6 month period ending 941231.
SIMPKIN, T.W. Commonwealth Edison Co 95/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9503070366 RO on 941223, unvald failure experienced on 2A DG during normal start of engine to support transformer maint activities Speed module which substitutes various control & support features as function of engine speed replaced.
SCHWARTZ, G.K. Commonwealth Edison Co 95/01/18 MARTIN, J. Region 3 (Post 820201) 2pp 82867 353-82867 354

9503100288 LER 93-006-01 on 931123, reactor trip/turbine trip occurred due to solid state protection sys universal logic card intermittent failure Further testing of removed cards A218, A516 & A517 completed w/no definitive results w/950207 re.
HILDEBRAND, R. SCHWARTZ, G.K. Commonwealth Edison Co 95/02/08 6pp 82786 211-82786 218

V. Operator Examinations

9503020071 Informs that NPC plans to administer GFES of written operator licensing exam on 950405.
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, G. Consumers Power Co 3pp 82559 355-82559 357

DOCKET 5TH-60-456 BRAINWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502000010 Advises that 940509 rev 32 to plant security plan consistent w/provisions of 10CFR50.54(b) & acceptable Forwards safeguards info of type specified in 10CFR73.21 w/10 end.
CREED, J.R. Region 3 (Post 820201) 95/02/01 JOHNSON, I.M. Commonwealth Edison Co 2pp 82845 035-82845 036

9502220238 Forwards White Paper, "Amperage Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damant Firewrap Matt Cable Ampacity Derating Factor Calculation," in response to GL 92-06.
YONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Amperage Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers".
BLOETH, W.G. Sargent & Lundy, Inc. 95/02/03 11pp 82822 075-82822 065

9502220255 "Damant Firewrap Matt Cable Ampacity Derating Factor Calculation".
GESOR, R. PERCHIAZZI, B. RYBAK, B. Commonwealth Edison Co G-63 R02 95/01/23 215pp 82822 086-82822 301

9502280259 Forwards unsubmitted re 10CFR Rulemaking, "Protection Against Malevolent Use of Vehicles at NPPs." End w/hold.
BROWN, J.C. Commonwealth Edison Co 95/02/20 NRC - No Detailed Affiliation Given 2pp 82917 359-82917 360

150 DOCKETED ITEMS

G. Adjudicatory correspondence

950200106 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Attention Not Assigned 5pp 82685 001-82685 053

H. Operating license stage documents & correspondence

950200114 Partial response to FOIA request for documents re SECY-82-043 dtd 8/20/87 Listing of records in App A already available in PDR Records in App B encl & will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RUCCIO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82592 009-82592 275

950200284 Forwards updated list of NOEDs as transmitted on 940111
GREENMAN, E.G. Region 3 (Post 820201) 94/01/28 BOYLE, M. Division of Reactor Projects - III, IV, V (Post 901216) 3pp 82582 228-82582 230

9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDR App E records withheld in entirety (ref Exemption 5)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/05/09 RUCCIO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 096

951220000 Requests FR publication of notice of issuance of amend 43 to license NPF-72 & final determination of NSHC & opportunity for hearing on 931112 request re changing existing TS by adding footnote 4.4.5.0 to address SG requirements
ASSA, R.R. Project Directorate III-2, 93/12/16 NRC - No Detailed Attention Given 2pp 82738 346-82739 349

950200048 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/13 O'MEALIA, M. Attention Not Assigned 2pp 82621 279-82621 313

950200051 Enforcement action tracking sys, licensee history repl (short list) sorted by licensee 850104-840509
NRC - No Detailed Attention Given 94/08/08 3pp 82621 261-82621 313

950200058 Responds to ltr, dtd 930804, 0916 & 950111 in response to GI 92-9411-10, re plan to implement current order timing & current order surveillance test during plant refueling outages
SHIRAKI, V. Office of Nuclear Reactor Regulation (Post 841001) 85/01/27 FARRAR, D.L. Commonwealth Edison Co 3pp 82585 001-82585 003

950200286 Forwards proprietary preliminary technical repl, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Model D4 SGs" for NRC reviewer 950128 before Sub repl withheld
SACCOMANDI, D.M. Commonwealth Edison Co 95/01/28 Document Control Branch (Document Control Desk) 3pp 82622 001-82622 058

950200080 Submits update on status of Alloy 600 TT SG mechanical tube plug replacement All Alloy 600 TT mechanical SG tube plugs replaced for lack of
SAMPSON, T.W. Commonwealth Edison Co 95/01/31 Office of Nuclear Reactor Regulation (Post 941001) 1p 82637 204-82637 204

950200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82682 195-82682 199

950200155 Application for amendments to licenses NPF-37, NPF-65, NPF-72 & NPF-77, requesting approval of amend to permit use of alternate tube repair criteria, F, for SG at facilities
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82639 268-82639 311

950200158 Proposed tech specs, requesting approval of amend to permit use of alternate tube repair criteria, F, for SG at facilities
Commonwealth Edison Co 95/02/02 3pp 82639 277-82639 311

950200096 Forwards copy of complete version of App C to attach to uol 941219 ltr, transmitting response to RAI related to review of NIPRE computer code
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82705 261-82705 267

9502180073 Forwards amend 69, 69, 59 & 59 to licenses NPF-37, NPF-65, NPF-72 & NPF-77 & SE Amend revise administrative control in Section 6 of TS Rev include changes to submittal frequency of radiological effluent release repl
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 FARRAR, D.L. Commonwealth Edison Co 5pp 82704 039-82704 084

9502180087 Amend 69, 69, 59 & 59 to licenses NPF-37, NPF-65, NPF-72 & NPF-77, respectively, revising administrative controls in Section 6 of TS Rev include changes to submittal frequency of radiological effluent release repl
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82704 043-82704 081

9502180094 Safety evaluation supporting amend 69, 69, 59 & 59 to licenses NPF-37, NPF-65, NPF-72 & NPF-77
Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82704 062-82704 084

9502180021 Forwards SE re applicability of fracture mechanics methodology for evaluation of flaws found in heat exchanger nozzle to shell welds & inspection of weld at evaluation
ASSA, R.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 FARRAR, D.L. Commonwealth Edison Co 4pp 82716 268-82716 278

9502180037 Safety evaluation re evaluation of indications in nozzle to shell welds of RHR air heat exchangers Use of fillet weld must be limited to evaluation of indications in RHR heat exchanger nozzle to shell welds at plants
Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 6pp 82716 273-82716 278

9502180162 Forwards "Probability of Detection by Bobbin Insp" & WCAP14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections" WCAP14273 withheld
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/07 Document Control Branch (Document Control Desk) 2pp 82767 200-82767 272

9502180285 Requests that WCAP14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Bradwood 1 & Byron 1 Model D4 SGs," be withheld per 10CFR2.790
LIPARULO, N.J. Westinghouse Electric Corp 95/02/03 RUSSELL, W.T. Document Control Branch (Document Control Desk) 9pp 82767 202-82767 210

9502180286 "Probability of Detection by Bobbin Insp"
Electric Power Research Institute 95/02/08 5pp 82767 211-82767 272

9502180683 Notification of 950223 meeting w/rl in Rockville, MD to discuss various features of WCAP-14273 (proprietary) as it applies to limited tube support plate displacements in plant, unit 1 SG
LYNCH, D. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 CAPRAR, A. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82724 352-82724 356

9502170184 Inform that to evaluate probability of multiple SG tube ruptures for multi-cycle inspuat intends to use methodology described in WCAP-14277 "SLB Leak Rate & Tube Burst Probability Analysis Methods for OSGOC"
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82779 358-82779 357

9502170286 Application for amend to licenses NPF-37, NPF-65, NPF-72 & NPF-77, requesting interim plugging criteria value for plants SG
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/13 Document Control Branch (Document Control Desk) 3pp 82821 001-82822 072

9502170259 Proposed tech spec increasing interim plugging criteria value for plants SG
Commonwealth Edison Co 95/02/13 45pp 82821 031-82821 075

9502170283 "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Bradwood-1 & Byron-1 Model D4 SG for Feb 1995"
Westinghouse Electric Corp WCAP-14274 95/02/13 361pp 82821 076-82822 072

9502170186 Forwards non-proprietary Rev 2 to WCAP-14047 & proprietary Rev 2 to WCAP-14046, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria," Proprietary Rev 2 to WCAP-14046 withheld (ref 10CFR2.790)
PONTIQUIS, J.D. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 2pp 82839 001-82839 067

9502200198 Requests for proprietary Rev 2 to WCAP-14046, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria," be withheld (ref 10CFR2.790)
LIPARULO, N.J. Westinghouse Electric Corp 95/02/08 RUSSELL, W.T. Document Control Branch (Document Control Desk) 3pp 82839 003-82839 011

9502200114 Non-proprietary Rev 2 to WCAP-14047, "Bradwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria"
Westinghouse Electric Corp WCAP-14047 R02 95/02/13 56pp 82839 012-82839 067

9502210289 Application for amend to licenses NPF-37, NPF-65, NPF-72 & NPF-77 re "Positive Moderator Temp Coefficient"
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 10pp 82807 313-82807 346

9502210303 Proposed tech spec re "Positive Moderator Temp Coefficient"
Commonwealth Edison Co 95/02/15 3pp 82807 313-82807 346

9502200239 Forwards White Paper, "Ampercy Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Damart Firewrap Mast Cable Ampercy Derating Factor Calculation," in response to GI 92-08
YONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Ampercy Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLDETNE, W.G., HADDAD, S.Z. Sergeant & Lundy Inc 95/02/03 11pp 82822 075-82822 095

9502220258 "Damart Firewrap Mast Cable Ampercy Derating Factor Calculation"
GESIOR, R., PERCHIAZZI, B., RYBAK, B. Commonwealth Edison Co G-63 R02 95/01/23 215pp 82822 086-82822 301

9502240176 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GI 89-10 W/o proprietary info
YONK, M.J. Commonwealth Edison Co 95/02/16 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 246

9502240178 Rev 2 to White Paper MOV-WP-101, "As-Left Steam/Stern Nat Coefficient of Friction"
KORH, S., KELLY, J.F. Commonwealth Edison Co MOV-WP-101 R02 95/01/12 51pp 82858 009-82858 059

9502240108 Forwards corrected attachment 5 of 950216 ltr re MOV as specified in GI 89-10
YONK, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 3pp 82815 241-82815 274

9502280271 Forwards errata sheets for proprietary WCAP-14273 & nonproprietary WCAP-14274, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Bradwood-1 & Byron-1 Model D4 SGs"
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82929 351-82929 355

9502270322 Application for amend to licenses NPF-37, NPF-65, NPF-72 & NPF-77 re RTD bypass elimination module remove bypass piping & valves & be replaced w/ test response RTDs mounted in thermowells welded in RCS loop piping
SACCOMANDI, D.M. Commonwealth Edison Co 95/02/21 Document Control Branch (Document Control Desk) 14pp 82903 205-82903 264

-9502279327 Proposed tech specs re RTD bypass elimination mod that will remove bypass piping & valves & be replaced w/ fast response RTDs reported in thermowells welded in RCS loop piping
* Commonwealth Edison Co 95/02/21 4pp 82903 219-82903 284

9502279121 Forwards correction to amends 58 to Licenses NPF-72 & NPF-77 re SFP elevation specified in revised T6 section 5.6.2 specified as 423 ft 2 inches rather than correct value of 423 ft 0 inches
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR, D.L. Commonwealth Edison Co 3pp 82852 289-82852 292

-8502270194 Corrected TS pp 5-5 to amends 58 to Licenses NPF-72 & NPF-77
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 1p 82852 292-82852 292

9502270200 Forwards request for addl instructional info re use of alternate steam generator tube repair criteria (P)
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR, D.L. Commonwealth Edison Co 3pp 82846 331-82846 235

8502160549 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23
Consolidated Edison Co. of New York, Inc 17pp 82846 001-82846 017

Q. Inspection reports, IE Bulletins & correspondence

9501098219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mat"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13
Consolidated Edison Co. of New York, Inc 11pp 82605 013-82605 023

9502010845 Transmits results of last ASME Section XI ISI of plant Unit 1 RHR nozzle to vessel welds, per 850120 request
PONTIOUS, H.D. Commonwealth Edison Co 95/01/23 Office of Nuclear Reactor Regulation (Post 941001) 5pp 82587 351-82587 355

9501230289 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27
Consolidated Edison Co. of New York, Inc 8pp 82505 038-82505 045

9502080331 Forwards response to NRC 941229 ltr re violations noted in insp repts 50-456/94-26 & 50-457/94-26 Corrective actions error was confirmed & step was performed correctly
KAUF, K.L. Commonwealth Edison Co 95/01/30 Document Control Branch (Document Control Desk) 4pp 82705 318-82705 322

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31
Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 184

9502000313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82688 001-82688 008

9502080886 Ack receipt of 950907 response to NRC Bulletin 93-02, "Debris Plugging of Emergency Core Cooling Suction Strainers"
ASSA, R.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03
FARRAR, D.L. Commonwealth Edison Co 3pp 82689 288-82689 290

9502150102 Closes concerns raised by concerned individual insp results show no significant safety issues identified Allegations considered closed
CANIANO, R.J. Region 3 (Post 820201) 95/02/07 FUNK, E. Region 3 (Post 820601) 3pp 82725 074-82725 076

9502160162 Forwards "Probability of Detection by Bobbin Insp" & WCAP14273, "Technical Support for Alternate Flugging Criteria W/Tube Expansion at Tube Support Plate Intersections" WCAP14273 withheld
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/07 Document Control Branch (Document Control Desk) 3pp 82767 208-82767 272

-8502160286 "Probability of Detection by Bobbin Insp"
* Electric Power Research Institute 95/02/06 50pp 82767 211-82767 272

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82818 037-82818 042

9502150814 Forwards NRC rpt on Manti Rule review visit to plant during 941205-12
SHAPER, W.D. Region 3 (Post 820201) 95/02/10 DONNELLY, J.M. Consumers Power Co KAUF, K.L. GRAESSER, K. Commonwealth Edison Co 2pp 82722 012-82722 028

9502170164 Informs that to evaluate probability of multiple SG tube ruptures for mid-cycle insp, will intends to use methodology described in WCAP-14277, "SLB Leak Rate & Tube Burst Probability Analysis Methods for DDOCC"
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82778 956-82778 357

8502180111 Ack receipt of 950130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-26 & 50-457/94-26
GREENMAN, E. Region 3 (Post 820201) 95/02/13 KAUF, K. Commonwealth Edison Co 1p 82769 120-82769 120

9502280881 Forwards insp repts 50-456/95-02 & 50-457/95-02 on 950117-0201 No violations noted
MCCORMACK-BARGE, Region 3 (Post 820201) 95/02/15 KAUF, K. Commonwealth Edison Co 2pp 82846 188-82846 188

-9502280883 Insp repts 50-456/95-02 & 50-457/95-02 on 950117-0201 No violations noted Major areas inspected licensee radiation protection program during normal operations including changes in organization
PAUL, R.A. MCCORMACK-BARGE Region 3 (Post 820201) 95/02/15 7pp 82846 182-82846 188

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82818 016-82818 024

8502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502130283 Forwards fitness for duty program performance data for 6 month period ending 941231
SHAFER, W.D. Commonwealth Edison Co 95/02/08 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9502030266 Submit repts of findings re failure of renew criteria during Unit 2 Cycle 5 rod swap testing
KOFRON, K.L. Commonwealth Edison Co 95/01/28 Office of Nuclear Reactor Regulation (Post 941001) 4pp 82622 358-82622 361

9502140231 LER 95-001-00 on 950118, senior licensed operator was not present in MCR due to personnel error Both individuals have been spoken to w/respect to non-compliance w/TS training requirements W/850207 ltr
LAU, P. KOFRON, K.L. Commonwealth Edison Co 95/02/01 5pp 82743 241-82743 245

8502170084 Rev to part 21 re master power connecting rod ring by Cooper-Bessemer insp confirmed that ring plating present on one side of balls Upon reinspection to determine validity of 1989 Manti Review Board evaluation, final repts will be issued
SCHNEIDER, J.R. Cooper Energy Services 95/02/07 Document Control Branch (Document Control Desk) 3pp 82778 222-82778 224

V. Operator Examinations

9502030679 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING, M.A. Region 3 (Post 820201) 95/01/25 LACROIX, D.G. Consumers Power Co 3pp 82659 955-82659 367

DOCKET STN-50-487 BRAUNWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502080518 Advises that 940309 rev 32 to plant security plan consistent w/provisions of 10CFR50.54(a) & acceptable Forwards safeguards info of type specified in 10CFR73.21 W/O encl
CREED, J.R. Region 3 (Post 820201) 95/02/01 JOHNSON, J.M. Commonwealth Edison Co 2pp 82645 035-82645 036

9502220229 Forwards White Paper, "Aspecty Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Dammit Firewrap Mat Cable Ampacity Derating Factor Calculation," in response to GL 92-08
YORK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

-8502220245 "Aspecty Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
BLONTH, W.G. Sargent & Lundy, Inc 95/02/05 11pp 82822 075-82822 085

-8502220256 "Dammit Firewrap Mat Cable Ampacity Derating Factor Calculation"
GESIOR, R. Commonwealth Edison Co G-63 R02, 95/01/23 215pp 82822 086-82822 301

9502280269 Forwards submittal re 10CFR Rulemaking, "Protection Against Malicious Use of Vehicles at NPPs" Encl withheld
BRONK, J.C. Commonwealth Edison Co 95/02/20 NRC - No Detailed Affiliation Given 2pp 82917 359-82917 360

G. Adjudicatory correspondence

9502030166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19
DEBOLT, B. Affiliation Not Assigned 52pp 82685 001-82685 053

P. Operating license stage documents & correspondence

9502320246 First partial response to FOIA request for documents Records in App A will be made available in PDF
REED, G.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/13 O'MEALIA, M. Affiliation Not Assigned 3pp 82621 279-82621 313

-8502030251 "Enforcement action tracking sys. Licensee history repts (short ltr) sorted by licensee 850101-940309"
* NRC - No Detailed Affiliation Given 94/06/06 33pp 82621 281-82621 313

152 DOCKETED ITEMS

9502010258 Responds to ltr, dtd 9/30/94 9516 & 950111 in response to GI 89-04 in forms of plan to implement current order timing & current order surveillance test during plant refueling outages
SHIRAI, C.Y. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27
FARRAR, D.L. Commonwealth Edison Co 3pp 82585 001-82585 003

9502060090 Submits update on status of Alloy 600 TT SG mechanical tube plug replacement at Alloy 600 TT mechanical SG tube plugs replaced for facilities
SHAPIRON, T.W. Commonwealth Edison Co 95/01/31 Office of Nuclear Reactor Regulation (Post 941001) 1p 82637 204-82637 204

9502020026 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82632 185-82632 188

9502070188 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 requesting approval of amend to permit use of alternate tube repair criteria, "F" for SG at facilities
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82639 255-82639 311

9502070158 Proposed tech spec requesting approval of amend to permit use of alternate tube repair criteria, "F" for SG at facilities
* Commonwealth Edison Co 95/02/02 35pp 82639 277-82639 311

9502090196 Forwards copy of complete version of App C to attach to uel 941213 re transmitting response to RAI related to review of VPRE computer code
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/02 Office of Nuclear Reactor Regulation (Post 941001) 1p 82706 261-82706 267

9502100079 Forwards amendments 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & SE. Amendments revise administrative control in Section 5 of TS Rev include changes to substantial frequency of radiological effluent release report
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02
FARRAR, D.L. Commonwealth Edison Co 3pp 82704 009-82704 064

9502100087 Amends 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 respectively, revising administrative controls in Section 5 of TS Rev include changes to substantial frequency of radiological effluent release report
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 39pp 82704 043-82704 081

9502100094 Safety evaluation supporting amendments 69, 69.59 & 59 to licenses NPF-37, NPF-66, NPF-72 & NPF-77
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82704 082-82704 084

9502130021 Forwards SE re applicability of fracture mechanics methodology for evaluation of flaws found in heat exchanger nozzle to shell welds & inclusion of Miel weld in evaluation
ASSA, R.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03
FARRAR, D.L. Commonwealth Edison Co 4pp 82716 269-82716 278

9502130037 Safety evaluation re evaluation of indications in nozzle to shell welds of RHR heat exchanger. Use of shell weld must be limited to evaluation of indications in RHR heat exchanger nozzle to shell welds at plants.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 6pp 82716 273-82716 278

9502140009 Forwards Broadwood Unit 2 reactor containment bldg Type A ILRT final report, conducted from 941027-1106. Report describes second Unit 2 Type A containment leakage rate test performed using Broadwood Technical Surveillance 25WVS 5.1.2.2-1
KOPRONIK, L. Commonwealth Edison Co 95/02/09 Document Control Branch (Document Control Desk) 1p 82811 051-82811 110

9502160217 "Reactor Containment Bldg ILRT Broadwood Nuclear Power Generating Station Unit 2, 941027-1109"
* Commonwealth Edison Co 95/02/09 59pp 82811 052-82811 110

9502170256 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77, increasing minimum plugging criteria value for plants 5G
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/13 Document Control Branch (Document Control Desk) 30pp 82821 001-82822 072

9502170259 Proposed tech spec, increasing interim plugging criteria value for plants 5G
* Commonwealth Edison Co 95/02/13 45pp 82821 031-82821 075

9502180289 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re "Positive Moderator Temp Coefficient"
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 10pp 82807 303-82807 348

9502180283 Proposed tech spec re "Positive Moderator Temp Coefficient"
* Commonwealth Edison Co 95/02/15 35pp 82807 313-82807 348

9502220038 Forwards White Paper, "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers" & Rev 2 of Calculation G-63, "Dammit Firewrap Mail Cable Ampercity Derating Factor Calculation," in response to GL 92-08
VONK, M.J. Commonwealth Edison Co 95/02/15 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82822 073-82822 301

9502220245 "Ampercity Derating Factors for Thermo-Lag 330-1 TSI Fire Barriers"
ELIOTHE, W.G. Sargent & Lundy, Inc 95/02/09 11pp 82822 075-82822 085

9502220256 "Dammit Firewrap Mail Cable Ampercity Derating Factor Calculation"
GESIOR, R. Commonwealth Edison Co G-63 R02 95/01/23 215pp 82822 066-82822 301

9502240170 Forwards nonproprietary & proprietary technical info re MOV testing & surveillance program in response to GL 89-10 w/re proprietary info
VONK, M.J. Commonwealth Edison Co 95/02/15 Document Control Branch (Document Control Desk) 8pp 82858 001-82858 248

9502240176 Rev 2 to White Paper MOV-WP-101, "As-Laid Stem/Stem Nut Coefficient of Friction"
KORAN, S. Commonwealth Edison Co MOV-WP-101 R02 95/01/12 61pp 82858 009-82858 059

9502240108 Forwards corrected attachment 5 of 950216 ltr re MOV as specified in GL 89-10
VONK, M.J. Commonwealth Edison Co 95/02/20 Document Control Branch (Document Control Desk) 39pp 82815 241-82815 274

9502270322 Application for amendments to licenses NPF-37, NPF-66, NPF-72 & NPF-77 re RTD bypass elimination mod to remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping
SACCOMANDO, D.M. Commonwealth Edison Co 95/02/21 Document Control Branch (Document Control Desk) 14pp 82903 205-82903 264

9502270327 Proposed tech specs re RTD bypass elimination mod that will remove bypass piping & valves & be replaced w/fast response RTDs mounted in thermowells welded in RCS loop piping
* Commonwealth Edison Co 95/02/21 46pp 82903 219-82903 264

9502270121 Forwards correction to amendments 58 to Licenses NPF-72 & NPF-77 re SFP elevation specified in revised TS section 5.6.2 specified as 423 ft 2 inches rather than correct value of 423 ft 0 inches
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR, D.L. Commonwealth Edison Co 3pp 82952 399-82952 292

9502270134 Corrected TS pp 5-5 to amendments 58 to Licenses NPF-72 & NPF-77
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 1p 82852 292-82852 292

9502270200 Forwards request for add instructional info re use of alternate steam generator tube repair criteria (F)
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22
FARRAR, D.L. Commonwealth Edison Co 3pp 82846 331-82846 335

9502160049 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (DBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

Q. Inspection reports, E Bulletins & correspondence

9502080282 Provides 1994 Unit 2 RHR heat exchanger inservice insp results
SACCOMANDO, D.M. Commonwealth Edison Co 94/11/08 Office of Nuclear Reactor Regulation (Post 941001) 5pp 82712 238-82712 241

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Material"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 941001) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9502020029 Ack receipt of 950120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-457/94-27 on 941222
JACOBSON, J.M. Region 3 (Post 820201) 95/01/26 KAUP, K. Commonwealth Edison Co 2pp 82558 345-82558 350

9501230280 NRC Info Notice 95-007, "Radiopharmaceutical Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 941001) 95/01/27 Consolidated Edison Co of New York, Inc 8pp 82605 028-82605 046

9502080331 Forwards response to NRC 941229 ltr re violations noted in insp repts 50-456/94-26 & 50-457/94-26 Corrective actions error was confirmed & step was performed correctly
KAUP, K.L. Commonwealth Edison Co 95/01/30 Document Control Branch (Document Control Desk) 4pp 82706 319-82706 322

9501260429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82552 188-82552 184

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 3pp 82688 001-82688 008

9502080088 Ack receipt of 950607 response to NRC Bulletin 93-02, "Debris Plugging of Emergency Core Cooling Suction Strainers"
ASSA, R.R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08
FARRAR, D.L. Commonwealth Edison Co 3pp 82662 289-82662 290

9502150102 Closes concerns raised by concerned individual (insp results show no significant safety issues identified. Allegations considered closed)
CARANOR, J. Region 3 (Post 820201) 95/02/07 FUNK, D.E. Region 3 (Post 820201) 3pp 82723 074-82723 076

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 3pp 82818 037-82818 042

9502160014 Forwards NRC rept on Main Rule review visit to plant during 941205-12
SHAFER, W.D. Region 3 (Post 820201) 95/02/10 CORNELLY, P.M. Computers Power Co KAUP, K. GRAESSER, K. Commonwealth Edison Co 2pp 82722 012-82722 028

9502210011 Ack receipt of 950130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-26 & 50-457/94-26
GREENMAN, G. Region 3 (Post 820201) 95/02/13 KAUP, K. Commonwealth Edison Co 1p 82769 120-82769 120

9502280081 Forwards insp repts 50-456/95-02 & 50-457/95-02 on 950117-0201 No violations noted
SACCOMANDO, D.M. Region 3 (Post 820201) 95/02/15 KAUP, K. Commonwealth Edison Co 2pp 82946 190-82946 198

9502280083 Insp repts 50-456/95-02 & 50-457/95-02 on 950117-0201 No violations noted. Major areas inspected licensee radiation protection program during normal operations including changes in organization
PAUL, R.A. MCCORMICK-BARGE Region 3 (Post 820201) 95/02/15 7pp 82945 162-82945 168

9502210061 NRC Info Notice 95-012 Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc.
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 030

9502210059 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502210037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 018-82848 026

R. Periodic operating reports & related correspondence

9502100293 Forwards times for duty program performance data for 6 month period ending 9/1/21
SHAFER, T. W. Commonwealth Edison Co. 85/02/09 Document Control Branch (Document Control Desk) 21pp 82727 321-82727 341

S. Reportable occurrences, LERs & related correspondence

9502000258 Submits rept of findings re failure of review criteria during Unit 2 Cycle 5 rod swap testing
KOPRON, K. L. Commonwealth Edison Co. 95/01/26 Office of Nuclear Reactor Regulation (Post 841001) 4pp 82622 358-82622 361

9502170864 Rev to part 21 rept re master power connecting rod mtg by Cooper-Bessemer Inc confirmed that upon placing present on one side of balls, upon reinspection to determine validity of 1989 Mtg Review Board evaluation, final rept will be issued
SCHNEIDER, J. R. Cooper Energy Services 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779 222-82779 224

V. Operator Examinations

9502000679 Informs that NRC plans to administer GFES of written operator licensing exam on 8/24/95
RINGUM, A. Region 3 (Post 826201) 95/01/25 LAOROK, D. G. Consumers Power Co. 3pp 82658 355-82658 357

DOCKET 90-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502001043 LAR 95-01 to license NPF-47, requesting deviation from 10CFR50, App. R Section III G.3 w/ respect to requirement for fixed fire suppression sys in line area C-17 in order to credit remote shutdown sys for shutdown in event of fire
MVGAAH, J. R. Entergy Operations, Inc. 95/01/20 Document Control Branch (Document Control Desk) 17pp 82590 145-82590 161

9502000017 Forwards inspt rept 50-458/95-07 on 950105-13 Violation noted but not cited Violation of concern because fire revised emergency implementing procedures not submitted to NRC as required
COLLINS, S. J. Region 4 (Post 826201) 95/02/03 MOGAHA, J. R. Entergy Operations, Inc. 5pp 82651 078-82651 097

9502000019 Inspt rept 50-458/95-07 on 950105-13 Violation noted but not cited Major areas inspected operational status of emergency preparedness program including changes to EPP, emergency facilities, equipment, supplies, training & internal devices
MURRAY, B. Region 4 (Post 826201) 95/01/26 16pp 82651 083-82651 087

9502220231 Responds to violation & deviation noted in inspt Rept 50-458/94-17 on 841031-1110 Corrective action: ventilation sys ductwork & rolls of plastic relocated to appropriate locations & rev to FR Program Procedure RFP-0030 completed
FISCAROL, J. J. Entergy Operations, Inc. 95/02/18 Document Control Branch (Document Control Desk) 11pp 82822 350-82822 360

G. Advisory correspondence

9502000166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 841001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 5pp 82665 001-82665 059

9502000035 Forwards TP Gwynn ltr dtd 950117 re NRC inspt rept 50-458/94-17 Related documentation and
ZOBEL, M. L. Office of the General Counsel (Post 860701) #195 16296 95/02/01
COTTER, B. P., LAMP, S., COLLIER, F. Atomic Safety & Licensing Board Panel 68pp 82651 179-82651 246

9502000119 Forwards Cayun Electric Power Cooperative, Inc. "Answer to NRC Staff Response in Support of GSU Motion for Summary Disposition" & exhibits which includes WordPerfect 5.1 dtd 950123 W/o dskette
RUDEBUSCH, T. L. Cayun Electric Power Cooperative, Inc. RUDEBUSCH, T. L. Duncan, Weinberg Miller & Rembrock, P. C. (formerly Duncan, Weinberg & Miller) #195 16314 95/02/06 COTTER, B. P., LAMP, S., COLLIER, F. Atomic Safety & Licensing Board Panel 1p 82652 142-82652 161

9502000112 Cayun Electric Power Cooperative, Inc. answer in opposition to NRC Staff response in support of GSU motion for summary disposition. Requests that ASLP find staff response inadequate w/ Certificate of Svc
REMBROCK, J. D. Cayun Electric Power Cooperative, Inc. REMBROCK, J. D. Duncan, Weinberg Miller & Rembrock, P. C. (formerly Duncan, Weinberg & Miller) 95/02/06 Atomic Safety & Licensing Board Panel 11pp 82652 143-82652 161

P. Operating license stage documents & correspondence

9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDR App E records withheld in entirety (rel Exemption 5)
POWELL, R. Division of Information & Information Services (890206-940714) 94/06/09 RICCIO, J. P. Public Citizen's Critical Mass Energy Project 11pp 82736 216-82740 098

9502130325 Requests FR publication of notice of consideration of issuance of amend to license NPF-47 & proposed NSMC determination & opportunity for hearing on 951206 request re granting one-time extensions for certain TS surveillances
SCHAEFF, R. G. Project Directorate IV-2 94/01/26 NRC - No Detailed Affiliation Given 2pp 82740 001-82740 002

9502000060 Requests FR publication of notice of issuance of amend 72 to license NPF-47 Amend revises Unit 1 TS to permit extending certain surveillance intervals so testing can be performed during refueling outage scheduled to start 8/30/95
SCHAEFF, R. G. Project Directorate IV-2 94/02/16 NRC - No Detailed Affiliation Given 3pp 82740 007-82740 003

9502140242 Forwards notice of consideration of issuance of amend to proposed NSMC determination & opportunity for hearing re 951206 application for amend requesting rev to TS re sys testing & instrumentation calibr
SCHAEFF, R. G. Project Directorate IV-2 94/01/21 MOGAHA, J. R. Entergy Operations, Inc. 1p 82739 350-82739 359

9502140244 Notice of consideration of issuance of amend to license NPF-47 & proposed NSMC determination & opportunity for hearing Amend would grant one-time extension for certain TS surveillances
SCHAEFF, R. G. Project Directorate IV-2 94/01/12 10pp 82736 351-82736 360

9502101143 LAR 95-01 to license NPF-47, requesting deviation from 10CFR50, App. R Section III G.3 w/ respect to requirement for fixed fire suppression sys in line area C-17 in order to credit remote shutdown sys for shutdown in event of fire
MVGAAH, J. R. Entergy Operations, Inc. 95/01/20 Document Control Branch (Document Control Desk) 17pp 82590 145-82590 161

9502000136 Confirms that util complies w/ requirements of approved generic topical rept TDHEDG-001-A & requests that NRC approve LAR 93-03 re removal of TDI DG in dense conditions as soon as practical
FISCAROL, J. J. Entergy Operations, Inc. 95/01/31 Document Control Branch (Document Control Desk) 3pp 82624 103-82624 105

9502000026 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 196

9502000290 Discusses 940624 util response to GL 94-03, Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs. Informs review completed of response & forwards SE indicating plant core shroud should operate safely until next refueling
WIGGANTON, D. L. Office of Nuclear Reactor Regulation (Post 841001) 95/02/03 MOGAHA, J. R. Entergy Operations, Inc. 4pp 82695 190-82695 199

9502000391 SER accepting util position that plant core shroud not likely to contain cracks that will compromise structural integrity & continued operation to next refueling outage granted
* NRC - No Detailed Affiliation Given 95/02/03 3pp 82695 194-82695 199

9502100055 Responds to util request to use ASME Code cases N-416-1 & N-498-1 as alternatives to required hydrostatic pressure tests at plant Forwards SE approving util request, provided add surface exams carried out on class 3 components
BECKNER, W. D. Office of Nuclear Reactor Regulation (Post 841001) 95/02/03 MOGAHA, J. R. Entergy Operations, Inc. 3pp 82711 156-82711 197

9502100063 SER approving use of ASME Code cases N-416-1 & N-498-1 as alternatives to required hydrostatic pressure test of plant components
* Office of Nuclear Reactor Regulation (Post 841001) 95/02/03 7pp 82711 151-82711 197

9502100046 Forwards proposed clarifications to LAR 91-11 re removal of component lists addressing NRC concern of further identifying scope of TS line dem per GLs 91-01 & 91-08
FISCAROL, J. J. Entergy Operations, Inc. 95/02/08 Document Control Branch (Document Control Desk) 3pp 82794 250-82794 262

9502130248 Proposed tech specs page re secondary containment automatic isolation dampers
* Entergy Operations, Inc. 95/02/08 1p 82734 262-82734 262

9502150286 Forwards Woodward-Clyde Consultants "Evaluation of Proposed Wildlife Mgt Lake." final rept Util will not construct lake ref in TAC 84-83577 based on review of rept & considers same closed
FISCAROL, J. J. Entergy Operations, Inc. 95/02/08 Document Control Branch (Document Control Desk) 3pp 82772 117-82772 133

9502140291 "Evaluation of Proposed Wildlife Mgt Lake." final rept
* Woodward-Clyde Consultants, Inc. 95/01/06 12pp 82772 122-82772 133

9502160349 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions
MURPHY, E. V. Coal Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

G. Inspection reports, NE Bulletins & correspondence

9501000019 NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82806 013-82806 023

9501230290 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82806 038-82806 049

154 DOCKETED ITEMS

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Permit & Post-Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82552 188-82652 194

9502090653 Forwards TP Gwynn re dtd 950117 re NRC insp rept 50-458/94-17 Related documentation and
ZOBEL,M L Office of the General Counsel (Post 880701) #195 18298 95/02/01
COTTER,B P LAM P S COLLIER Atomic Safety & Licensing Board Panel 88pp 82551 179-82651 246

9502300313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82688 001-82688 008

9502090017 Forwards wbp rept 50-458/95-07 on 950109-13 Violation noted but not cited Violation of concern because five revised emergency implementing procedures not submitted to NRC as required
COLLINS,B J Region 4 (Post 820201) 95/02/03 MCGRAW-HILL Energy Operations, Inc 5pp 82651 076-82651 097

9502090019 Insp rept 50-458/96-07 on 950109-13 Violation noted but not cited Major areas inspected operational status of emergency preparedness program including changes to EPP, emergency facilities, equipment, supplies, training & internal reviews
MURRAY,B Region 4 (Post 820201) 95/01/28 18pp 82651 063-82651 097

9502100493 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/10 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

9502230263 Updates status of ubl response to NRC Bulletin 80-001, Suppl 1, "Loss of Full-On in Transmitter Mfg by Rosemount"
FISCARD,J J Energy Operations, Inc 95/02/15 Document Control Branch (Document Control Desk) 4pp 82667 338-82667 341

9502220231 Responds to violation & deviation noted in Insp Rept 50-458/94-17 on 941031-1110 Corrective actions ventilation sys ductwork & rolls of plastic relocated to appropriate locations & rev to FP Program Procedure FPP 0086 completed
FISCARD,J J Energy Operations, Inc 95/02/16 Document Control Branch (Document Control Desk) 11pp 82622 350-82622 360

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering R, Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 029-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 6pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

A. Periodic operating reports & related correspondence

9502220136 Monthly operating rept for Jan 1995 for River Bend Station W/950209 re
GLUECK,D R, FISCARD,J J Energy Operations, Inc 95/01/31 6pp 82612 180-82612 185

9502280437 Forwards revised "Actuation Events" data sheet to 1993 annual operating rept/collecting that valves 1B21 RVF041C & 1B21 RVF041G actuated in spring mode (Type Code C) rather than in automatic mode (Type Code A)
FISCARD,J J Energy Operations, Inc 95/02/22 Document Control Branch (Document Control Desk) 2pp 82630 355-82630 357

9502280440 Revised "Actuation Events" data sheet to 1993 annual operating rept
Energy Operations, Inc 95/12/31 1p 82630 357-82630 357

9502280289 Forwards FPD program performance data semi annual rept for period 940701-1231
FISCARD,J J Energy Operations, Inc 95/02/23 Document Control Branch (Document Control Desk) 4pp 82658 043-82658 046

B. Reportable occurrences, LERs & related correspondence

9502240235 Special rept on 950118, Div II EDG experienced third failure when diesel room standby ventilation fan breaker failed during monthly Div II EDG operability test GE type AKR-90 breaker returned to vendor for detailed evaluation
FISCARD,J J Energy Operations, Inc 95/02/14 Document Control Branch (Document Control Desk) 3pp 82659 396-82659 398

V. Operator Examinations

9502090007 Discusses NRC plans to administer GFES of written operator licensing exam at facility on 950405
GWYNNE,T P Region 4 (Post 820201) 95/02/06 MCGRAW-HILL Energy Operations, Inc 4pp 82651 017-82651 020

DOCKET 58-461 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9503030425 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 199

9502140108 Advises of termination of ubl projects 1 & 3
COUNSELL,W G Washington Public Power Supply System 95/02/03 TAYLOR,J M Ofc of the Executive Director for Operations 3pp 82794 309-82794 310

9502180348 Administrative Ltr 95-02 to all holders of OLRs or CPs re cost beneficial licensing actions
MEROJE,V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

G. Adjudicatory correspondence

9502240176 Submits WPPSS quarterly status rept re delayed WNP-1 project
REYNOLDS,N S Winston & Strawn #195 16372 95/02/15 BLOCH,P B, BRIGHT,G O, SCHWICK,R Atomic Safety & Licensing Board Panel 5pp 82617 184-82617 189

DOCKET 58-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502090028 Forwards FEMA "Exercise Rept Clinton Nuclear Power Station Joint Radiological Emergency Preparedness Exercise," 940504 No deficiencies noted Two areas requiring corrective action identified
MCCORMACK,BARGE Region 3 (Post 820201) 95/01/20 COOK,J Illinois Power Co 2pp 82645 052-82645 163

9502150170 Advance Change Notice 10/5 to Rev 3 to "Clinton Power Station Emergency Plan"
YAROSZ,W L, MERGEN,P N Illinois Power Co 95/01/23 22pp 82766 301-82766 322

9502150167 Revised EPPs, including EPPs status rept/Advanced Change Notice (ACN) 7/1 to Rev 5 to AP-02, Attachment 6, ACN 7/1 to Rev 5 to AP-05, ACN 2/1 to Rev 9 to AP-02, Attachment 4, ACN 2/1 to Rev 1 to EC-01, Form 1 & ACN 10/4 to Rev 9 to AP-02
YAROSZ,W L, WILLIAMSON,C S Illinois Power Co 95/01/25 23pp 82768 323-82768 345

9502280006 Forwards summary description of proposed vehicle control measures & results of vehicle bomb compression Encl withheld
PHARES,R F Illinois Power Co 95/02/16 Document Control Branch (Document Control Desk) 2pp 82904 317-82904 318

9502280012 Forwards rev 16 of plant physical security plan Encl withheld
PHARES,R F Illinois Power Co 95/02/17 Document Control Branch (Document Control Desk) 1p 82904 351-82904 351

9502280030 Forwards details of matters re activities at up for review & followup Requests that results of review & disposition be provided within 30 days of date of ltr & that response contains no personal privacy/safeguards info W/o encl
CANIANO,R J Region 3 (Post 820201) 95/02/21 COOK,J Illinois Power Co 2pp 82646 135-82646 136

G. Adjudicatory correspondence

9502090168 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B Attention Not Assigned 5pp 82665 001-82665 053

H. General correspondence

9503060038 Comment supporting NUMARC comments on proposed rule 10CFR50 re plant shutdown & low power operations Requests add period for public comment be made available
PHARES,R F Illinois Power Co 95/02/01 Docking & Services Branch 1p 82601 138-82601 138

P. Operating license stage documents & correspondence

9502070146 Suppl 1 to 941228 response to concern in NRC 941130 re re individual sleeping in Radiology Operations Center & provides add info about ul investigation of incident as requested by RJ Canano of NRC on 950105
COOK,J G Illinois Power Co 95/01/20 MARTIN,J B Region 3 (Post 820201) 5pp 82696 289-82696 292

9502010224 Application for amend to license NPF-82, eliminating selected response time testing requirements
COOK,J G Illinois Power Co 95/01/27 Document Control Branch (Document Control Desk) 9pp 82591 291-82591 317

9502010226 Proposed tech specs, eliminating selected response time testing requirements
Illinois Power Co 95/01/27 18pp 82591 300-82591 317

9502090087 Forwards "Notice of Consideration of Issuance of Amend to Facility Operating License Proposed NSHC determination & opportunity for Hearing" re license 950127 application for amend to TS to implement BWR04 TR NEDO-32291
PICKETT,D V Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 PHARES,R F Illinois Power Co 3pp 82614 273-82614 285

9502090194 Notice of consideration of issuance of amend to license NPF-82 & proposed NSHC determination & opportunity for hearing Amend allows adoption of BWR04 TR NEDO-32291, re selected response time testing requirements deletion
PICKETT,D V Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 10pp 82614 276-82614 285

9502090282 Responds to NRC 941226 RAI on potential concern re requirements for operable SCDS activation instrumentation during plant shutdown conditions per review of ul request to implement improved TS
PHARES,R F Illinois Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82705 259-82705 300

950200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 195-82652 198

950218005 Ack receipt of NRC radiation concern at plant individual apparently sleeping in ROC investigation & actions taken sufficient
CANIANO,J. Region 3 (Post 820201) 95/02/02 COOK,J.G. Illinois Power Co 2pp 82723 067-82723 072

950218007 Responds to concern in NRC Ltr 95-1130 re apparently sleeping individual in ROC Facts inconclusive, operator not assigned to watchstation at time & denies sleeping. Individual counseled re gassing perception of sleeping
MARTIN,J.B. Illinois Power Co 84/12/28 COOK,J.G. Region 3 (Post 820201) 2pp 82723 069-82723 072

950218040 Expresses understanding that NRC will continue review & evaluation of oil request for permanent change to drywell bypass leakage test frequency, requested by 82612 & 1014 ltrs
PHARES,R.F. Illinois Power Co 95/02/06 Document Control Branch (Document Control Desk) 2pp 82759 354-82759 386

950218038 Updates info re risks of flammable & toxic hazards associated w/radiated transportation past CPS
PHARES,R.F. Illinois Power Co 95/02/08 Information Technology Services Branch 2pp 82744 207-82744 208

950218042 Application for amend to license NPF-62, changing TS 3.3.2.1, "Control Rod Block Instrumentation" to revise two GFRs & associated notes for rod withdrawal limiter mode of rod pattern control sys
COOK,J.G. Illinois Power Co 95/02/10 Document Control Branch (Document Control Desk) 5pp 82772 189-82772 157

950218047 Proposed TS 3.3.2.1, "Control Rod Block Instrumentation"
Illinois Power Co 95/02/10 11pp 82772 147-82772 157

950217003 Forwards SE which informs that util has provided necessary info to complete review of GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs"
PICKETT,D.V. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 PHARES,R.F. Illinois Power Co 3pp 82766 343-82766 351

950217007 SE determining that licensee mail-based JCO, acceptable
Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 6pp 82766 346-82766 351

950217017 Application for amend to license NPF-62, changing TS 3.3.2.1, 3.3.5 & 3.3.8 to revise operability requirements for Div 3 DG & Div 3 & 4 batteries, battery chargers & inverters to apply only when HRCs required to be operable
COOK,J.G. Illinois Power Co 95/02/14 Document Control Branch (Document Control Desk) 10pp 82808 336-82808 355

950218185 Proposed tech spec 3.3.2, "AC Sources-Shutdown," 3.3.5, "DC Sources-Shutdown," & 3.3.8, "Inverters-Shutdown"
Illinois Power Co 95/02/14 5pp 82808 351-82808 355

950220184 Forwards FR notice re issuance of amend for plant & requests publication no later than 950217 informs TS changes needed & that delays would delay plant startup & increase costs
NORRHOLOM,L.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 GARARD,M. Office of the Federal Register 1p 82801 311-82801 321

950220067 Notice of consideration of issuance of amend to facility OL & proposed NSHC determination & opportunity for hearing Amend modifies TSs 3.3.2, "AC Sources-Shutdown," 3.3.5, "DC Sources-Shutdown," & 3.3.8, "Inverters-Shutdown"
PICKETT,D.V. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 5pp 82801 312-82801 321

9502270271 Forwards changes to plant QA program consisting of revise plant commitment to Reg Guide 1.33, Rev 2 "QA Program Requirements (Operations)" & revise plant commitment to Reg Guide 1.14, Rev 1 "Auditing of QA Programs for Nuclear"
PHARES,R.F. Illinois Power Co 95/02/17 Document Control Branch (Document Control Desk) 5pp 82856 342-82856 346

9502270237 Forwards "Notice for Consideration of Issuance of Amend to License & Proposed NSHC Determination & Opportunity for Hearing" re util 950214 application to revise TS operability requirements for Div 3 DG & Div 3 & 4 batteries
PICKETT,D.V. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 PHARES,R.F. Illinois Power Co 2pp 82852 183-82852 189

950218048 Administrative Ltr 95-02 to all holders of OAs or CPs re cost beneficial licensing actions
MURPHY,V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82848 001-82848 017

9502270186 Forwards SE which authorizes use of Code Case N-498-1 & N-416-1, per 10CFR50.55a(3)(ii) & 940806 & 950119 ltrs
NORRHOLOM,L.J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 PHARES,R.F. Illinois Power Co 2pp 82846 236-82846 249

9502270113 SER authorizing util use of Code Cases N-498-1 & N-416-1, per 10CFR50.55a(3)(ii) & 940806 & 950119 ltrs
Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 5pp 82846 241-82846 249

G. Inspection reports, IE Bulletins & correspondence

9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 022

9502030083 Forwards rep rept 50-461/94-21 on 941206-950117 One non-cited violation noted
CLAYTON,B. Region 3 (Post 820201) 95/01/25 COOK,J.G. Illinois Power Co 2pp 82618 199-82618 204

9502030087 Insp rept 50-461/94-21 on 941206-950117 One non-cited violation noted Major areas inspected operators' manual engineering & plant support
CLAYTON,B. Region 3 (Post 820201) 95/01/25 10pp 82618 195-82618 204

9501230260 NRC Info Notice 95-007 Radiopharm Vial Breakage During Preparation
PAPERELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 5pp 82605 038-82605 046

9502060124 Notices of intent to perform engineering & technical support map of plant during wk of 950227-31, through 950410-14
SHAFFER,W.D. Region 3 (Post 820201) 95/01/30 COOK,J.G. IES Unibus Inc (formerly Iowa Electric Light & Power Co) 1p 82601 152-82601 152

9501250429 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 198-82652 194

9502030213 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/03 Consolidated Edison Co of New York, Inc 5pp 82688 001-82688 008

9502180283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B.K. 95/02/10 Consolidated Edison Co of New York, Inc 5pp 82618 037-82618 042

9502150014 Forwards NRR rept on March Rule review visit to plant during 941205-12
SHAFFER,W.D. Region 3 (Post 820201) 95/02/10 DONNELLY,P.M. Consumers Power Co FITZPATRICK,E.E. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) STETZ,J.P. Centenor Energy 5pp 82722 012-82722 028

9502210061 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by ASG Engineering M, Inc."
GRIMES,B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210058 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82618 016-82618 024

9502200037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82648 015-82648 025

R. Periodic operating reports & related correspondence

9502170136 Annual operating rept for period of Jan-Dec 1994, including data associated w/personnel man-years by work & job function W/950213 ltr
PHARES,R.F. Illinois Power Co 94/12/31 3pp 82779 298-82779 300

9502140167 Monthly operating rept for Jan 1995 for Clinton Power Station W/950209 ltr
HOLLON,M.C., PHARES,R.F. Illinois Power Co 95/01/31 5pp 82734 345-82734 353

9502090226 Forwards CPS semiannual FFD rept for period ending Dec 1994 in accordance w/10CFR26.71
PHARES,R.F. Illinois Power Co 95/02/01 Document Control Branch (Document Control Desk) 4pp 82716 215-82716 219

S. Reportable occurrences, LERs & related correspondence

9502130243 LER 95-001-00 on 950105, FW heater train operation during removal of FW heater from svc was not understood & resulted in decreased FW temp loss of heater level control & manual scram Plugged SB FW heater tubes W/950203 ltr
CHEARRT, COOK,J.G. Illinois Power Co 95/02/09 7pp 82737 332-82737 328

V. Operator Examinations

9502030079 Informs that NRC plans to administer GPES of written operator licensing exam on 950405
FINGEM,A. Region 3 (Post 820201) 95/01/25 LACROIX,D.G. Consumers Power Co 3pp 82669 358-82669 367

DOCKET 90-463 FULTON GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

9502130147 Twenty-second partial response to FOIA request for documents Forwards App & records being made available in PCR & App JJ records being partially withheld (ref FOIA exemptions 3 & 5)
POWELL,R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/20 GILINSKY,V. Arlington Nat Assigned 4pp 82717 157-82717 014

9502130231 Partially deleted SECY, informing Commission of Appeal Board decision for which portions for review have not been filed
FITZGERALD,J.A. Office of the General Counsel (Post 960701) SECY-92-018 82/01/18 20pp 82717 251-82717 270

DOCKET 90-464 FULTON GENERATING STATION, UNIT 2

156 DOCKETED ITEMS

A. Application/construction stage documents & correspondence

- 9502130147 Twenty-second partial response to FOIA request for documents. Forwards App II records being made available in PDR & App JJ records being partially withheld (rel FOIA exemption 3 & 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (850206-940714) 94/08/20 GILINSKY, V. Affiliation Not Assigned 4pp 82717 137-82718 014
- 9502130231 Partially deleted SECY informing Commission of Appeal Board decision for which petitions for review have not been filed.
RITZGERALD, J.A. Office of the General Counsel (Post 860701) SECY-82-018 82/01/18 20pp 82717 251-82717 270

DOCKET 50-471 PILGRIM NUCLEAR POWER STATION, UNIT 2

R. Periodic operating reports & related correspondence

- 9502240008 "NPDES Discharge Monitoring Rept for Month of Jan 1995" W/ 950215 W/
SULLIVAN, T.A. ROTHERT, W.C. Boston Edison Co 95/01/31 10pp 82871 237-82871 268

DOCKET 57N-60-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

- 9502060145 Forwards exemption from certain 10CFR73.55 requirements re photographic identification badges for personnel w/ unescorted access to protected areas. S&D sys being replaced w/ hand geometry biometric sys.
STONE, J.C. Office of Nuclear Reactor Regulation (Post 841001) 95/01/30 CARNES, N.S. Wolf Creek Nuclear Operating Corp 82825 353-82826 361
- 9502060152 Grants exemption of certain 10CFR73.55 requirements re photographic identification badges for personnel w/ unescorted access. Standard sys replaced w/ hand geometry biometric sys.
ROE, J.W. Office of Nuclear Reactor Regulation (Post 841001) 95/01/30 Wolf Creek Nuclear Operating Corp 82825 354-82825 361
- 9502070337 Responds to NRC 841230 ltr re weaknesses noted in insp rept 50-482/94-17 C/A operating crews will participate in simulator session using scenario that results in activation of radiological emergency response plan.
CARNES, N.S. Wolf Creek Nuclear Operating Corp 85/02/01 Document Control Branch (Document Control Desk) 3pp 82887 315-82887 319
- 95022100328 Provides status of corrective actions associated w/plant unique Thermo-Lag 330-1 fire barrier applications.
RHODES, F.T. Wolf Creek Nuclear Operating Corp 95/02/15 Document Control Branch (Document Control Desk) 2pp 82895 338-82895 339
- 9502270016 Forwards insp rept 50-482/95-02 on 950116-20 No violations noted.
COLLINS, S.J. Region 4 (Post 820201) 95/02/17 CARNES, N.S. Wolf Creek Nuclear Operating Corp 82831 081-82831 088
- 9502270018 Partially withheld insp rept 50-482/95-02 on 950116-20 (rel 10CFR73.21) No violations identified. Major areas inspected: physical security plans & implementing procedures, vital area barriers, mgmt effectiveness & alarm stations.
MURRAY, B. Region 4 (Post 820201) 95/02/22 2pp 82831 087-82831 088

G. Adjudicatory correspondence

- 9502060156 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactor using Thermo-Lag Reactor demand.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 841001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82865 001-82865 009

P. Operating license stage documents & correspondence

- 9502060295 Forwards ltr contract NRC-04-91-086, task order 44 entitled, "IPE Reviews, Internal Events, Front End Only," for plant.
COLINA, I.R. Science & Engineering Associates, Inc. NRC-04-91-086 94/12/29 SMITH, P. Division of Contracts (Post 840714) 1p 82884 309-82884 319
- 9502060329 Ltr contract, task order 44 delineating task order to "IPE Reviews-Internal Events, Front End Only."
MACE, M. Division of Contracts (Post 840714) NRC-04-91-086 94/12/19 COLINA, I. Science & Engineering Associates, Inc. 11pp 82884 310-82884 319
- 9502010152 Responds to NRC 841219 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies."
CARNES, N.S. Wolf Creek Nuclear Operating Corp 85/01/26 Document Control Branch (Document Control Desk) 3pp 82580 188-82580 190
- 9502010304 Provides status of Westinghouse Alloy 800 thermally treated mechanical plugs at plant.
CARNES, N.S. Wolf Creek Nuclear Operating Corp 95/01/27 Document Control Branch (Document Control Desk) 1p 82590 360-82590 360
- 9502090250 Provides notification of completion of activities associated w/design basis verification & testing of safety-related motor operated valve per GL 89-10.
CARNES, N.S. Wolf Creek Nuclear Operating Corp 95/01/30 Document Control Branch (Document Control Desk) 23pp 82524 001-82524 026
- 9502090265 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC Headquarters.
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 199
- 9502100050 Informs that NRC review of unit Operational QA Program, although reduced in requirements, consistent w/Reg Guide 1.20 endorsing ANSI/ASME NQA-1-1983 & therefore, acceptable substitution for requirements of ANSI N45 2.9-1974.
GWYNNE, T.P. Region 4 (Post 820201) 95/02/03 CARNES, N.S. Wolf Creek Nuclear Operating Corp 82880 244-82880 251

- 9502130045 Forwards SE re insp 840725 request for approval to use alternative rules of ASME section XI Code Case N-438-1 for 10-yr hydrostatic testing. Alternative authorized until such time as case published in future rev of reg guide 1.147.
QUAY, T.R. Office of Nuclear Reactor Regulation (Post 841001) 95/02/03 CARNES, N.S. Wolf Creek Nuclear Operating Corp 82716 297-82716 304

- 9502130053 Safety evaluation approving request for relief of alternative hydrostatic testing contained in licensee 940511 proposal.
Office of Nuclear Reactor Regulation (Post 841001) 95/02/03 4pp 82716 301-82716 304

- 9502170001 Discusses 950202 meeting in Region IV office re accomplishments of several relieving outage discussion of on-line main planning & scheduling & changes to main process & organization at station.
BEACH, A.B. Region 4 (Post 820201) 95/02/08 CARNES, N.S. Wolf Creek Nuclear Operating Corp 23pp 82743 001-82743 040

- 9502210027 Informs that request to reduce mgd level responsible for main & approval of changes to Updated Safety Analysis Rept Table 3.2-1, approved.
GWYNNE, T.P. Region 4 (Post 820201) 95/02/14 CARNES, N.S. Wolf Creek Nuclear Operating Corp 4pp 82768 248-82768 248

- 9502270270 Informs review of response to GL re rod control sys failure & withdrawal of rod control cluster assemblies completed. Informs that C/A submitted for surveillance testing found acceptable.
STONE, J.C. Office of Nuclear Reactor Regulation (Post 841001) 95/02/17 CARNES, N.S. Wolf Creek Nuclear Operating Corp 82852 310-82852 312

- 9502160349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions.
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82849 001-82849 017

Q. Inspection reports, IE Bulletins & correspondence

- 9501090219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/19 Consolidated Edison Co. of New York, Inc. 11pp 82865 019-82865 029
- 9502140279 EN-95-005 on 950125, notice of proposed imposition of civil penalty in amount of \$25,000 issued to licensee Action based on violations noted as result of followup of event involving inadvertent draining of approx 9,200 gallons from RCS.
BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870419) 95/01/20 1p 82775 218-82775 218
- 9502100098 Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted during insp rept 50-482/94-12.
BEACH, A.B. Region 4 (Post 820201) 95/01/24 CARNES, N.S. Wolf Creek Nuclear Operating Corp 4pp 82544 284-82544 296
- 9502140285 EN-95-005, informing Commission that licensee discovered & informed staff of modeling error in analysis that led to conclusion that safety sys could have been degraded. Event had potential to cause loss of ECCS equipment.
BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870419) 95/01/24 1p 82775 219-82775 219
- 9502010029 Forwards notice of violation & proposed imposition of civil penalty in amount of \$25,000 for violations noted in insp rept 50-482/94-18 Enforcement conference conducted on 941216 to discuss violations surrounding 941217 event.
CALLAN, L.J. Region 4 (Post 820201) 95/01/25 CARNES, N.S. Wolf Creek Nuclear Operating Corp 6pp 82544 120-82544 129
- 9502010046 Notice of violation & proposed imposition of civil penalty in amount of \$25,000. Violation noted operators started up residual heat removal train B, causing rapid drain-down of pressurizer & partial depressurization of RCS on 941217 event.
CALLAN, L.J. Region 4 (Post 820201) 95/01/25 2pp 82544 126-82544 126
- 9502200260 NRC Info Notice 95-007, "Radiation Vial Breakage During Preparation."
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82805 038-82805 048
- 9501280429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design."
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 198-82652 194
- 9502070337 Responds to NRC 841230 ltr re weaknesses noted in insp rept 50-482/94-17 C/A operating crews will participate in simulator session using scenario that results in activation of radiological emergency response plan.
CARNES, N.S. Wolf Creek Nuclear Operating Corp 85/02/01 Document Control Branch (Document Control Desk) 3pp 82687 315-82687 319
- 9502030315 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008
- 9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042
- 9502160050 Ack receipt of 941230 ltr informing NRC of steps taken to combat one violation noted in insp rept 50-482/94-13. Concludes that response to violation 482/9413-02 inadequate & requests revised C/A within 30 days.
MONTGOMERY, J.M. Region 4 (Post 820201) 95/02/10 CARNES, N.S. Wolf Creek Nuclear Operating Corp 8pp 82737 077-82737 082
- 9502160057 Forwards insp rept 50-482/94-19 on 941218-950128 & notes of violation.
BEACH, A.B. Region 4 (Post 820201) 95/02/13 CARNES, N.S. Wolf Creek Nuclear Operating Corp 8pp 82737 111-82737 120
- 9502160070 Notice of violation from insp on 941218-950128 violation noted on 950118, bottom tension cable on two 10-ft sections of protected area barrier fence at essential svc water sys intake structure failed to hold bottom portion of fence.
Region 4 (Post 820201) 95/02/13 1p 82737 116-82737 116

9502160076 Insp rept 50-482/94-19 on 941128-950128 Violations noted Major areas inspected plant status operational safety verification maint & surveillance observations onsite engineering & plant support
CHAMBERLAIN D Region 4 (Post 820201) 85/02/09 22pp 82737 117-82737 138

9502200065 Ack receipt of 950108 re informing NRC of steps taken to correct violations noted in insp rept 50-482/94-11
GWYNETH P Region 4 (Post 820201) 95/02/13 GARNES,N S Wolf Creek Nuclear Operating Corp 5pp 82675 332-82675 343

9502270016 Forwards insp rept 50-482/95-02 on 950116-20 No violations noted
COLLINS S J Region 4 (Post 820201) 95/02/17 GARNES,N S Wolf Creek Nuclear Operating Corp 5pp 82631 061-82631 068

9502270018 Partially withheld insp rept 50-482/95-02 on 950116-20 (ref 10CFR72.21) No violations identified Major areas inspected physical security plans & implementing procedures,vital area barriers,man effectiveness & alarm stations
MURRAY S Region 4 (Post 820201) 85/02/02 2pp 82831 067-82831 068

9502210081 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering & Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502010161 Forwards semiannual timesheet for duty program performance data rept for WCCAS in accordance w/10CFR25.71(d) for six month period Jul-Dec 1994
MAYNARD O L Wolf Creek Nuclear Operating Corp 95/01/25 Document Control Branch (Document Control Desk) 4pp 82680 134-82680 167

9502200288 Monthly operating rept for Jan 1995 for Wolf Creek Generating Station W/ 950214 to
MAYNARD O L Wolf Creek Nuclear Operating Corp 95/01/31 7pp 82611 283-82611 288

V. Operator Examinations

9502090004 Discusses NRC plans to administer GFES of written operator licensing exam at facility on 950405
GWYNETH P Region 4 (Post 820201) 95/02/06 GARNES,N S Wolf Creek Nuclear Operating Corp 4pp 82651 008-82651 012

DOCKET 50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9502150069 Ack receipt of 950120 re in response to NRC re did 941206 transmitting Notice of Violation associated w/insp Rept 50-483/94-12 Summarizes results of fire protection insp
GRANT,G E Region 3 (Post 820201) 95/02/08 SCHNELLD F Union Electric Co 3pp 82722 331-82722 342

9502280001 Forwards insp rept 50-483/95-03 on 950123-27 No violations noted
MCCORMICK-BARGE Region 3 (Post 820201) 95/02/17 SCHNELLD F Union Electric Co 2pp 82646 001-82646 009

9502280002 Insp rept 50-483/95-03 on 950123-27 No violations noted Major areas inspected operational status of plant EP program
FOSTER,L J, JICKLING,R, MCCORMICK-BARGE Region 3 (Post 820201) 95/02/17 7pp 82646 003-82646 009

9502280402 Rev 0 to EPP EIP-22-00200 "Callout/Augmentation of Emergency Organization"
CRAWFORD,S J Union Electric Co 95/02/17 13pp 82652 219-82652 231

G. Adjudicatory correspondence

9502090166 Responds to prelicat did Nov 14,1994,requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B Affiliation Not Assigned 52pp 82685 001-82685 083

P. Operating license stage documents & correspondence

9502191116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Extension 5)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCHI,P Affiliation Not Assigned 5pp 82808 322-82808 339

9502210119 Notices of Enforcement Discretion
NRC - No Detailed Affiliation Given 94/06/22 13pp 82808 327-82808 339

9502070071 Forwards add plant specific info in support of 941209 request for 10CFR50.12 exemption to 10CFR50 App J & application for amend to license NFF-30 to defer next scheduled CURT from Refuel 7 to Refuel 8
SCHNELLD F Union Electric Co 95/01/27 Document Control Branch (Document Control Desk) 26pp 82686 175-82686 210

9502030060 Authorizes interim use of Code Case N-498-1 in lieu of performing code-required hydrostatic pressure tests for class 1,2 & 3 system Code Case published in rev of Regulatory Guide 1.147 SE end
MCCORMICK-BARGE Region 3 (Post 820201) 95/01/30 SCHNELLD F Union Electric Co 3pp 82614 309-82614 317

9502203008 Safety evaluation supporting request to use Code Case N-498-1 as interim alternative to required hydrostatic pressure test
Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 6pp 82614 312-82614 317

9502070285 Provides status on Wreckinghouse Alley 600 SG mechanical plugs
SCHNELLD F Union Electric Co 95/02/01 Document Control Branch (Document Control Desk) 3pp 82681 368-82681 360

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82652 193-82652 198

9502160148 Responds to GL 94-04 re voluntary reporting of adult occupational exposure data
SCHNELLD F Union Electric Co 95/02/07 NRC - No Detailed Affiliation Given 2pp 82734 943-82734 344

9502150069 Ack receipt of 950120 in response to NRC re did 941206 transmitting Notice of Violation associated w/insp Rept 50-483/94-12 Summarizes results of fire protection insp
GRANT,G E Region 3 (Post 820201) 95/02/08 SCHNELLD F Union Electric Co 3pp 82722 331-82722 342

9502270032 Informa of intent to implement formal industry position on severe accident mgmt approved by Nuclear Energy Inst Strategic Issues Advisory Committee on 941104
SCHNELLD F Union Electric Co 95/02/17 Document Control Branch (Document Control Desk) 3pp 82914 232-82914 234

9502190348 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
MERCER V Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co of New York, Inc 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501080219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501230090 NRC Info Notice 95-007 "Radiopharm Vial Breakage During Preparation"
PAPERIELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 5pp 82605 038-82605 046

9502060017 Forwards insp rept 80-483/94-14 on 941113-950114 No violations noted
FARMER,M J Region 3 (Post 820201) 95/01/30 SCHNELLD F Union Electric Co 2pp 82601 090-82601 104

9502060022 Insp rept 50-483/94-14 on 941113-950114 No violations noted Major areas inspected maint/surveillance on-site engineering,plant support,on-line maint & plant operations
FARMER,M J Region 3 (Post 820201) 95/01/30 13pp 82601 092-82601 104

9501250429 NRC Info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82662 188-82662 194

9502100206 Ack receipt of ltr 950610 response to NRC bulletin 95-02, "Debris Plugging of Emergency Core Cooling Suction Strainers" Unit actions considered complete
WHARTON,L R Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 SCHNELLD F Union Electric Co 2pp 82711 087-82711 088

9502030013 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/03 Consolidated Edison Co of New York, Inc 6pp 82685 001-82685 008

9502100283 Suppl 1 to NRC info notice 95-010 "Potential for Loss of Automatic ESFA"
GRIMES,B K 95/02/16 Consolidated Edison Co of New York, Inc 6pp 82618 037-82618 042

9502150014 Forwards NRR rept on Maint Rule review w/it to plant during 941205-12
SHAFFER,W D Region 3 (Post 820201) 95/02/10 DONNELLY,P M Consumers Power Co FITZPATRICK,E E Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co) STETZ,J P Consumers Energy 2pp 82722 012-82722 028

9502280001 Forwards insp rept 80-483/95-03 on 950123-27 No violations noted
MCCORMICK-BARGE Region 3 (Post 820201) 95/02/17 SCHNELLD F Union Electric Co 2pp 82646 001-82646 009

9502280002 Insp rept 50-483/95-03 on 950123-27 No violations noted Major areas inspected operational status of plant EP program
FOSTER,L J, JICKLING,R, MCCORMICK-BARGE Region 3 (Post 820201) 95/02/17 7pp 82646 003-82646 009

9502210051 NRC Info Notice 95-012 "Potentially Nonconforming Fasteners Supplied by AEG Engineering & Inc"
GRIMES,B K 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 5pp 82618 016-82618 024

158 DOCKETED ITEMS

9502240037 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRMES,B K 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502230010 Monthly operating rpt for Jan 1995 for Callaway Unit 1 W/ 950210 Lr
MCINVALE,J B BLOSSER,J D Union Electric Co 95/01/31 6pp 82841 348-82841 353

9502220184 Forwards FPD program performance data for six month period Jul-Dec 1994
PEEVR,J R Union Electric Co 95/02/13 Office of Nuclear Reactor Regulation (Post 941001) 5pp 82812 001-82812 005

S. Reportable occurrences, LERs & related correspondence

9502130215 LER 94-006-01 on 930802 turbine electrical mtr sys failed portion of surveillance due to electrical trip solenoid valve CHFY0004A failing to actuate Caused by human performance error Event will be reviewed W/950204 Lr
BONO,H D, BLOSSER,J D Union Electric Co 95/02/04 6pp 82737 312-82737 317

V. Operator Examinations

9502200079 Informs that NRC plans to administer GFES of written operator licensing exam on 950405
RING,M A Region 3 (Post 820201) 95/01/25 LACROIX,D G Consumers Power Co 3pp 82559 353-82559 357

DOCKET 57N-50-406 CALLAWAY PLANT, UNIT 2

P. Operating license stage documents & correspondence

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption B)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH,P Affiliation Not Assigned 5pp 82806 322-82806 339

-9502210119 "Notices of Enforcement Disposition"
* NRC - No Detailed Affiliation Given 94/06/22 13pp 82808 327-82808 339

DOCKET 57N-50-494 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

95022010141 Partial response to FOIA request for records App A records available in PDR App B records withheld in entirety (rel FOIA Exemption B)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/06/02 LAWRENCE,J W Shaw, Pittman, Potts & Trowbridge 5pp 82658 003-82658 228

-95022010173 Requests that listed info be forwarded to WH in connection w/diagnostic evaluation to be conducted by listed NRC personnel at plant during 950329-0408 & 0429-30 Requests that listed individuals be granted unescorted access
SPESSARD,R L Division of Operational Assessment (Post 870413) 93/03/19 CUBLEY,L S Region 4 (Post 820201) 2pp 82658 094-82658 095

95022010154 Responds to violations noted in insp rpts 50-486/89-39 & 50-499/89-39 Corrective actions include detectors will no longer be utilized Card readers for exit-ing protected area now located inside security badge cubicle facilities
GROTH,J F Houston Lighting & Power Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 108-82587 109

95022020043 Forwards Rev 24 of South Texas Project physical security plan End withheld
GROTH,J F Houston Lighting & Power Co 95/01/25 Document Control Branch (Document Control Desk) 2pp 82630 350-82630 351

9502100188 EPIP OPGP05-ZV-0011, Rev 0, "Emergency Communications," replacing EPIP OERP02-ZV-AD11, Rev 0 W/950202 Lr
MARTIN,L E Houston Lighting & Power Co 95/02/02 37pp 82720 079-82720 115

9502130239 Revised EPIP including Rev 0 to OPGP05-ZV-0011, "Emergency Communications," & Rev 1 to OERP01-ZV-EP23, "INPO/Industry Liaison," EPIP OERP02-ZV-AD11, Rev 0 deleted & superseded by OPGP05-ZV-0011, Rev 0 W/950202 Lr
MARTIN,L E Houston Lighting & Power Co 95/02/02 37pp 82734 118-82734 155

9502210066 Revised EPIP including Rev 0 to OERP01-ZV-OP02, "Media Info Center Activation/Operation & Deactivation," & Rev 2 to OPGP05-ZV-0006, "Safety Sys Activation, Testing & Documentation," W/950214 Lr
MARTIN,L E Houston Lighting & Power Co 95/02/14 36pp 82603 237-82603 272

G. Adjudicatory correspondence

9502200166 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Reactor demand
RUSSELL,W T Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT,B Affiliation Not Assigned 5pp 82695 001-82695 053

9502160089 Informs that time provided by NRC regulations to review DO-94-12 has expired & decision becoming final on 950117 Forwards correspondence indicating NRC declined review of DO-94-12 w/Comments of Svc Served on 950209
HOYLE,J C Office of the Secretary of the Commission #195 16395 95/02/09 SAVORITO,T J Saporito, T J 12pp 82735 341-82735 362

P. Operating license stage documents & correspondence

9502130111 Final response to FOIA request for info Forwards App A info in part, already available to PDR App A info partially withheld (See FOIA Exemption 5-6)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARNSTRONG,L J Affiliation Not Assigned 2pp 82738 188-82738 215

-9502130121 Partially deleted summary of 940111-13 Region IV SMM re status of problem plants identified at June 1993 Region II SMM & performance of other plants
* NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 2pp 82738 181-82738 215

9502270085 Third partial response to FOIA request for documents Records in App G withheld & will be available in PDR App H records withheld in part (rel FOIA exemptions 5 & 7)
POWELL,R A Division of Freedom of Information & Publications Services (890206-940714) 94/06/16 LAWRENCE,J W Shaw, Pittman, Potts & Trowbridge 4pp 82643 055-82643 065

-9502270123 Partially deleted package re fact sheet for discrimination cases
* Office of Enforcement (Post 870413) 94/01/15 4pp 82643 059-82643 065

9502070156 Informs that WH discovered minor error in eye description for obtaining confirmation on sample
CLONINGER,T H Houston Lighting & Power Co 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 191-82590 193

9502200048 Notification of 950207 meeting w/WH in Rockville, MD to discuss licensee revised position on station blackout
ALEXION,T W Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 BECHMER,W D Office of Nuclear Reactor Regulation (Post 941001) 4pp 82585 004-82585 006

9502060140 Forwards Change QA-024 to "Operations QA Plan" Change will be incorporated in Operations QA Plan in next terminal update
COTTE,W T Houston Lighting & Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82624 098-82624 102

-9502060143 Change QA-024 to "Operations QA Plan"
* Houston Lighting & Power Co 95/01/31 2pp 82624 094-82624 102

9502100182 Provides updated info re JR Newman address on distribution lists for transmittals re plant
MARTIN,L E Houston Lighting & Power Co 95/01/31 Document Control Branch (Document Control Desk) 2pp 82720 293-82720 294

9502060382 Discusses 950118-19 SMM re problems noted in past at STP & informs project has demonstrated enough improvement to be removed from problem plant category Submits summary of NRC discussion noting improvements at STP
TAYLOR,J M Office of the Executive Director for Operations 95/02/01 JORDAN,D D Houston Lighting & Power Co 5pp 82683 221-82683 226

9502200055 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRMES,B K Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co of New York, Inc 5pp 82552 195-82552 199

9502140283 Forwards amends 68 & 57 to licenses NPF-76 & NPF-80, respectively & safety evaluation Amend change App A TS by eliminating unnecessary testing of SDG in accordance w/ recommendations of GL 93-05
ALEXION,T W Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 COTTE,W T Houston Lighting & Power Co 3pp 82744 304-82744 346

-9502140289 Amends 68 & 57 to licenses NPF-76 & NPF-80, respectively, changing App A TS by eliminating unnecessary testing of SDG in accordance w/ recommendations of GL 93-05
ALEXION,T W Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 32pp 82744 307-82744 338

-9502140290 Safety evaluation supporting amends 68 & 57 to licenses NPF-76 & NPF-80, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 8pp 82744 339-82744 346

9502070207 Forwards "Final Rept Survey of Mgt Practices Affecting Organizational Responsiveness for South TX Project Electric Generating Station"
ALEXION,T W NRC - No Detailed Affiliation Given 95/02/03 Document Control Branch (Document Control Desk) 1p 82667 001-82667 272

-9502070211 "Final Rept Survey of Mgt Practices Affecting Organizational Responsiveness for South TX Project Electric Generating Station"
* Houston Lighting & Power Co 94/05/27 270pp 82667 003-82667 272

9502100023 Forwards "South TX Project SPDS SAR"
CLONINGER,T H Houston Lighting & Power Co 95/02/06 Document Control Branch (Document Control Desk) 3pp 82732 061-82732 322

-9502100025 "South TX Project SPDS SAR"
* Houston Lighting & Power Co 94/06/30 259pp 82732 064-82732 322

9502140282 Informs that corrective actions & schedules licensee committed to in 950118 in response to GL 93-04, acceptable
ALEXION,T W Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 COTTE,W T Houston Lighting & Power Co 3pp 82740 273-82740 275

9502140183 Summary of 950109 meeting re WH 1995 Business Plan & related issues including performance overview & risk evaluation
ALEXION,T W Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 Office of Nuclear Reactor Regulation (Post 941001) 53pp 82740 103-82740 229

-9502140188 "South Texas Project 1995-1999 Business Plan"
* Houston Lighting & Power Co 96/12/31 68pp 82740 186-82740 229

9502210200 Forwards amends 69 & 58 to licenses NPF-76 & NPF-80, respectively & SE Amends permit both containment personnel unlock doors to be open while moving fuel during refueling operations
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/09
COTTLE, W.T. Houston Lighting & Power Co 3pp 82789 317-82789 339

9502210207 Amends 69 & 58 to licenses NPF-76 & NPF-80, respectively permitting both containment personnel unlock doors to be open while moving fuel during refueling operations
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/09 11pp
82789 320-82789 330

9502210216 Safety evaluation supporting amends 69 & 58 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 941001) 05/02/09 8pp 82789 331-82789 339

9502210280 Forwards amends 70 & 59 to licenses NPF-76 & NPF-80, respectively & safety evaluation Amends permit substitution of extended range neutron flux monitor for one of source range neutron flux monitors during refueling operations
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/13
COTTLE, W.T. Houston Lighting & Power Co 3pp 82856 150-82856 163

9502210287 Amends 70 & 58 to licenses NPF-76 & NPF-80, respectively, permitting substitution of extended range neutron flux monitor for one of source range neutron flux monitors during refueling operations
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/13 8pp
82856 153-82856 161

9502210374 Safety evaluation supporting amends 70 & 59 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 941001) 05/02/13 2pp 82856 162-82856 163

9502210396 Forwards amends 71 & 60 to licenses NPF-76 & NPF-80 & safety evaluation Amends change number of SDG required to be operable during Mode 5 w/ greater than or equal to 23 feet of water above reactor vessel flange
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/14
COTTLE, W.T. Houston Lighting & Power Co 4pp 82826 306-82826 335

9502210399 Amends 71 & 60 to licenses NPF-76 & NPF-80, respectively, changing number of SDG required to be operable during Mode 5 w/ greater than or equal to 23 feet of water above reactor vessel flange from two to one
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 941001) 05/02/14 18pp
82826 310-82826 329

9502210390 Safety evaluation supporting amends 71 & 60 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 941001) 05/02/14 9pp 82826 330-82826 336

9502210153 Application for amends to licenses NPF-76 & NPF-80, amending TS 3.6.2.3, Containment Cooling Sys" to change value of cooling water flow rate to fan coolers verified by GFI 1.5.2.9 a 2
CLONINGER, T.H. Houston Lighting & Power Co 05/02/15 Document Control Branch (Document Control Desk) 11pp 82806 302-82806 316

9502210157 Proposed TS 3.6.2.3, Containment Cooling Sys," changing cooling water flow rate requirement to each reactor containment fan cooler from greater than or equal to 500 gpm to greater than or equal to 1,800 gpm
Houston Lighting & Power Co 05/02/15 4pp 82806 313-82806 316

9502210161 Application for amends to licenses NPF-76 & NPF-80, relocating TS 3.3.3.7 & 3.6.4.1 to Technical Requirements Manual
CLONINGER, T.H. Houston Lighting & Power Co 05/02/15 Document Control Branch (Document Control Desk) 15pp 82811 111-82811 140

9502210162 Proposed tech spec 3.3.3.7, "Chemical Detection Sys" & 3.6.4.1, "Electrical Equipment Protective Devices- Containment Penetration Conductor Overcurrent Protective Devices" & associated bases
Houston Lighting & Power Co 05/02/15 15pp 82811 126-82811 140

9502170224 Informs that NRC formed team to review allegations at plant & team findings will be published at NUREG-1517 in near future Requests that end list of documents be placed in PDR
KOKAJKOLE, Office of Nuclear Reactor Regulation (Post 941001) 05/02/16 Document Control Branch (Document Control Desk) 4pp 82787 001-82788 206

9502210135 Rev 5 to OPMF04-JC-0002, "Polar Crane Insp."
Houston Lighting & Power Co 02/09/21 39pp 82787 005-82787 040

9502210253 Rev 21 to OPGF03-ZA-0002, "Work Process Program"
Houston Lighting & Power Co 02/04/20 2pp 82787 041-82787 043

9502210175 Rev 6 to OPMF04-JC-0002, "Polar Crane Insp."
Houston Lighting & Power Co 04/11/07 23pp 82787 044-82787 056

9502210178 Rev 5 to OPGF03-ZM-0001, "Control of Configuration Changes"
Houston Lighting & Power Co 04/02/14 6pp 82787 067-82787 072

9502210182 Rev 4 to OPGF03-ZM-0001, "Control of Configuration Changes"
Houston Lighting & Power Co 02/03/15 12pp 82787 073-82787 084

9502210183 Rev 5 to ISEG-01, "Independent Safety Engineering Group Organization & Responsibilities"
Houston Lighting & Power Co 03/06/20 6pp 82787 085-82787 092

9502210196 Rev 0 to OPGF03-ZA-0113, "Work Direction"
Houston Lighting & Power Co 03/02/27 40pp 82787 093-82787 102

9502210235 Rev 7 to OPMF01-ZA-0001 "Plant Operations Dept Administrative Guidelines"
Houston Lighting & Power Co 04/05/24 63pp 82787 133-82787 195

9502210243 Rev 1 to SL748TS101B, "Specification for Alternative Valve Packing & Live Load Design"
Houston Lighting & Power Co 06/07/20 77pp 82787 196-82787 272

9502210289 Rev 6 to OPMF02-ZG-0003 Insp & Maint for Cranes Hoists Monitors Sys & Lifting Devices
Houston Lighting & Power Co 02/06/24 30pp 82787 273-82787 302

9502210278 Rev 1 to ISEG-08, Independent Safety Engineering Group Assessments & Investigations
MOBURNETT, J.A. Houston Lighting & Power Co 06/04/17 45pp 82787 303-82787 347

9502210284 Rev 7 to OPMF02-ZG-0011, "Alternative Valve Packing & Live Load Valve Packing"
GRIFFIN, Houston Lighting & Power Co 04/06/29 26pp 82787 348-82788 013

9502210294 Rev 9 to OPMF04-ZG-0003 "General Valve Repacking"
SHARPE, J. Houston Lighting & Power Co 02/04/02 41pp 82788 014-82788 054

9502210308 Rev 2 to OPMF02-AF-0001 "Auxiliary Feedwater"
Houston Lighting & Power Co 04/03/08 150pp 82788 053-82788 186

9502210311 Rev 5 to OPGF03-ZX-0002, "Corrective Action Program"
MIAS, L. Houston Lighting & Power Co 04/06/24 38pp 82788 197-82788 234

9502210317 Rev 6 to OPGF03-ZX-0002, "Condition Reporting Process"
COVELL, M.A. Houston Lighting & Power Co 04/10/17 35pp 82788 235-82788 269

9502210320 Rev 8 to OPGF03-ZA-0080, "Work Process Program"
Houston Lighting & Power Co 04/01/25 7pp 82788 270-82788 276

9502210344 Rev 10 to OPGF03-ZA-0080 "Work Process Program"
REYNOLDS, L. Houston Lighting & Power Co 04/10/17 54pp 82788 277-82788 330

9502210364 Final rpt, Assessment of MOV Program" for period 04/01/06-20
Houston Lighting & Power Co 04/03/30 51pp 82788 331-82788 019

9502210365 Rev 2 to OPMF07-ZE-0007, "MOV Tracking & Trending Program"
PACV, M. Houston Lighting & Power Co 04/06/01 17pp 82789 020-82789 036

9502210369 Rev 0 to, "Equipment History Program"
Houston Lighting & Power Co 03/10/15 3pp 82789 037-82789 045

9502210375 Rev 2 to OPMF01-ZA-0040, "Plant Work Practices & Requirements"
Houston Lighting & Power Co 03/02/27 190pp 82789 046-82789 174

9502210377 Rev 2 to OPGF04-ZE-0310, "Plant Mode"
WHITE, D.P. Houston Lighting & Power Co 04/10/17 32pp 82789 175-82789 206

9502210382 Ack receipt of 941213 incorporating changes in QA program manual
GWINN, T.P. Region 4 (Post 820201) 05/02/16 COTTLE, W.T. Houston Lighting & Power Co 3pp 82799 145-82799 180

9502210373 Submits attached revised chapters of unit QA plan in accordance w/ 10CFR50.54
COTTLE, W.T. Houston Lighting & Power Co 04/12/13 Docketing & Services Branch 3pp 82799 149-82799 150

9502160346 Administrative Ltr 85-02 to all holders of OIs or CPs re cost beneficial licensing actions
BEMER, J.E. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 05/02/23 Consolidated Edison Co. of New York Inc. 17pp 82848 001-82848 017

Q. Inspection reports, IE Bulletins & correspondence

9502070129 FOIA request for records prepared by or supplied to NRC &/or consultants or contractors, as part of diagnostic evaluation team report at plant including records re decision to conduct DET map & activities conducted in preparation for DET map
LAWRENCE, J.W. Shaw, Flannan, Potts & Trowbridge 04/03/31 GRIFFIN, D.H. Division of Freedom of Information & Publications Services (880206-940714) 2pp 82668 001-82668 002

9502070141 Partial response to FOIA request for records App A records available in PDR App B records not available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 04/09/02 LAWRENCE, J.W. Shaw, Flannan, Potts & Trowbridge 5pp 82668 003-82668 228

9502210329 Informs of plans to conduct Diagnostic evaluation of plant Assessment planned for 03/02/29-04/08 & 04/26-30 period
TAYLOR, J.M. Ofc of the Executive Director for Operations 03/02/12 HALL, D.P. Houston Lighting & Power Co 4pp 82888 008-82888 012

9502210328 Requests diagnostic evaluation of plant Evaluation should be conducted for testing at June 1993 senior mgr meeting
TAYLOR, J.M. Ofc of the Executive Director for Operations 03/02/12 JORDAN, L. Ofc for Analysis & Evaluation of Operational Data, Director 1p 82668 008-82668 008

9502210175 Discusses contractor support for diagnostic evaluation at plants Statement of work for task order including work schedules activities & products and Two team members should be provided by contractors Request info and RUBIN, S.D. Diagnostic Evaluation & Incident Investigation Branch NRC-26-02-287 03/02/19 SCOTT, M.L. Contract Administration Branch 1 (Post 900603) 13pp 82668 013-82668 025

9502210228 Requests that task order request 001 under NRC contract NRC-26-03-250 be revised to provide for latest changes, including revised meetings & travel schedule & scope
EPESARD, R.L. Division of Operational Assessment (Post 870413) 05/03/18 MATTHEW, J. Division of Contracts & Property Management (880206-940714) 6pp 82668 008-82668 033

9502170258 Forwards diagnostic evaluation team report for info & action per NRC Manual Chapter 050 W/O end
JORDAN, L. Ofc for Analysis & Evaluation of Operational Data Director 03/06/10 TAYLOR, J.M. Ofc of the Executive Director for Operations 8pp 82668 122-82668 123

160 DOCKETED ITEMS

- 9306290098 Forwards proposed staff actions resulting from licensee evaluation for renewal & concurrence Comments re staff actions requested by 930625 JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/06/16 MURLEY, T. E. Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN, J. L. Region 4 (Post 820201) 5pp 82668 124-82668 128
- 9306290178 Forwards copy of Diagnostic Evaluation Team report for plants. Report documents team findings & conclusions & includes discussions of licensee strengths & weaknesses W/o end TAYLOR, J. M. Ofc of the Executive Director for Operations 93/06/16 PATE, Z. T. Institute of Nuclear Power Operations 1p 82668 129-82668 129
- 9306290217 Identifies & assigns responsibility for generic & plant-specific staff actions resulting from diagnostic evaluation at plant Rept end TAYLOR, J. M. Ofc of the Executive Director for Operations 93/06/08 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN, J. L. Region 4 (Post 820201) JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 5pp 82668 131-82668 136
- 9311290196 Advises that HLP responses dated 930628 & 931015 to South Texas Project Diagnostic Evaluation Team (DET) rpt have been reviewed Responses found to be comprehensive & responsive to concerns of team JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/11/12 MILHOAN, J. L. Region 4 (Post 820201) 1p 82668 171-82668 171
- 9306290154 Forwards diagnostic evaluation plan for plant including schedule of principal activities, team composition & membership, overall goals & objectives & methodology for evaluation responses to 930612 memo JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/03/08 TAYLOR, J. M. Ofc of the Executive Director for Operations 11pp 82668 026-82668 036
- 9306290157 Forwards draft "Review of Operating Experience for South Texas 1 & 2," for 1991-1992 POORE, W. P. Oak Ridge National Laboratory 93/03/05 BAILEY, H. Trends & Patterns Analysis Branch 1p 82668 037-82668 037
- 9306290163 Draft "Review of Operating Experience for South Texas 1 & 2," 1991-1992 Related info end * Oak Ridge National Laboratory FIN A-8135 ORNL/NQAC-276 DRAFT 93/03/31 Office for Analysis & Evaluation of Operational Data, Director 50pp 82668 038-82668 087
- 9306290283 Forwards revised agenda for second diagnostic evaluation planning & attendance meeting Related info end MEHL, B. NRC - No Detailed Affiliation Given 93/03/22 NICHOLSON, L. Region 1 (Post 820201) ROGERS, W. Region 2 (Post 820201) CALDWELL, C. Region 5 (Post 820201) 22pp 82668 088-82668 117
- 9306290217 Requests that task order request 901 under contract NRC-25-93-230 be reviewed to provide for listed changes Rev to task order request & revised task cost estimate end SPASSARD, R. L. Division of Operational Assessment (Post 870413) 93/05/03 MATTHEW, J. Contract Administration Branch 2 (Post 900603) 4pp 82668 118-82668 121
- 9306290165 Expresses appreciation for visit to site, reiterating diagnostic evaluation report & NRC willingness to ensure that all levels of utility have full opportunity to understand NRC concerns JORDAN, L. Office of Nuclear Reactor Regulation, Director 93/06/13 TAYLOR, J. M. Ofc of the Executive Director for Operations 2pp 82668 137-82668 138
- 9306290176 Forwards "Cross Reference of NRC Diagnostic Evaluation Team Report on STP to STP Business Plan & HLP Operational Readiness Plan," for review & comments PULLANKS, Office for Analysis & Evaluation of Operational Data, Director 93/06/10 NRC - No Detailed Affiliation Given 32pp 82668 139-82668 170
- 9306290188 Responds to 931102 memo, providing status of actions assigned to NRC to resolve findings from DET review of plant Requests that all NRC open items be included in repl TAYLOR, J. M. Ofc of the Executive Director for Operations 93/12/01 MURLEY, T. E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 82668 172-82668 172
- 9306290190 Forwards input to 1993 AEOC annual report on STP staff actions, for review & use PULLANKS, NRC - No Detailed Affiliation Given 94/02/08 MADISON, A. NRC - No Detailed Affiliation Given 56pp 82668 173-82668 228
- 9302170182 Fourth partial response to FOIA request for documents Forwards documents listed in app 1 App J documents completely withheld (rel FOIA exemptions 5 & 7) POWELL, R. A. Division of Freedom of Information & Publications Services (880206-940714) 94/07/12 LAWRENCE, J. W. Shaw, Pittman, Potts & Trowbridge 4pp 82772 001-82772 030
- 9302170207 Discusses DOL case number 96-ers-036 re complaint filed by RJ Goldstein against Elbasco Constructors Notes that 5th circuit court overturned previous ruling favorable to RJ Goldstein & NRC to take no EA in case LIEBERMAN, J. Ofc of Enforcement (Post 870413) 93/05/04 COTTLE, W. T. Houston Lighting & Power Co 5pp 82772 083-82772 090
- 9301090218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023
- 9302010063 Forwards insp repts 50-498/94-35 & 50-499/94-35 on 941106-1217 & 340V BEACH, A. B. Region 4 (Post 820201) 95/01/24 COTTLE, W. T. Houston Lighting & Power Co 5pp 82544 300-82544 331
- 9302010068 Notice of violation from insp on 941106-1217 Violation noted: plant procedure 1PSP06-N2-0006 failed to specify use of last current within required tolerance of trip setting for adjustable MCOBs * Region 4 (Post 820201) 95/01/24 2pp 82544 306-82544 307
- 9302010088 Insp repts 50-498/94-35 & 50-499/94-35 on 941106-1217 Violations noted: Major areas inspected plant status, broke followup of events & operational safety verification JOHNSON, W. D. Region 4 (Post 820201) 95/01/19 21pp 82544 308-82544 331
- 9302010154 Responds to violations noted in insp repts 50-498/94-35 & 50-499/94-35 Corrective actions since detectors will no longer be untagged Card readers for existing protected area now located inside security badge outside facilities GROTH, J. F. Houston Lighting & Power Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 108-82587 103
- 9302000029 Ltr contract Mod 1 to task order 58, providing incremental funding in issued amount, to "Engineering & Technical Support Insp-South Texas" WIGGINS, E. J. Division of Contracts (Post 840714) FIN J-2082-5 95/01/25 ALBERS, L. PARAMETER, Inc 2pp 82685 331-82685 332
- 9301230288 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation" PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 038-82605 048
- 9301230428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design" GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82582 168-82582 194
- 9302000128 Forwards add info in response to NRC Bulletin 95-001 Suppl 1, "Loss of Fill-Oil in Transformers Mfg by Rosemount," per NRC 941115 telcon request CLONINGER, T. H. Houston Lighting & Power Co 95/01/31 Document Control Branch (Document Control Desk) 4pp 82624 267-82624 260
- 9302000303 Informs of activities that will be expected by NRC re follow-up actions resulting from review of allegations at plant ALEXIOW, W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/01 COTTLE, W. T. Houston Lighting & Power Co 4pp 82663 227-82663 230
- 9302000318 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B. K. 95/02/03 Consolidated Edison Co of New York, Inc 9pp 82688 001-82688 008
- 9302130049 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention" * Office of Public Affairs (Post 911117) 95/02/03 8pp 82742 137-82742 138
- 9302150088 Forwards insp repts 50-498/94-36 & 50-499/94-36 on 941218-950119 & notices of violation GWYNNE, T. P. Region 4 (Post 820201) 95/02/06 COTTLE, W. T. Houston Lighting & Power Co 5pp 82722 203-82722 230
- 9302150042 Notice of violation from insp on 941219-950119 Violations noted: untagged individualized local leak rate test coordinator completed MOV test summary sheet * Region 4 (Post 820201) 95/02/06 2pp 82722 208-82722 209
- 9302150046 Insp repts 50-498/94-36 & 50-499/94-36 on 941219-950119 Violations noted: Major areas inspected previous insp findings & licensee event repts POWERS, D. A. Region 4 (Post 820201) 95/02/06 21pp 82722 210-82722 230
- 9302130208 Ack receipt of 940714 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/94-18 & 50-499/94-18 COLLINS, S. J. Region 4 (Post 820201) 95/02/07 COTTLE, W. T. Houston Lighting & Power Co 5pp 82707 202-82707 210
- 9302130191 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/94-33 & 50-499/94-33 Notes that condition reprimed addressing concerns w/rev 5 of procedure OPO04-FW-0001 initiated on 950104 BEACH, A. B. Region 4 (Post 820201) 95/02/08 COTTLE, W. T. Houston Lighting & Power Co 5pp 82707 001-82707 010
- 9302150016 Forwards insp repts 50-498/94-37 & 50-499/94-37 on 941218-950128 Noncritical violations identified: Major areas inspected plant status, on-site followup of events, operational safety verification & repair & surveillance observations JOHNSON, W. D. Region 4 (Post 820201) 95/02/07 20pp 82722 034-82722 053
- 9302180263 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA" GRIMES, B. K. 95/02/10 Consolidated Edison Co of New York, Inc 9pp 82618 037-82618 042
- 9302220254 Informs that investigation case 4-83-037R re concern that contract employee was subject of discrimination for engaging in protected activity, closed BEACH, A. B. Region 4 (Post 820201) 95/02/15 COTTLE, W. T. Houston Lighting & Power Co 4pp 82788 082-82788 085
- 930218061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering (Inc)" GRIMES, B. K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82618 025-82618 036
- 9302200060 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Grooving/Corrosion at Flow-Straightening Device" GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 9pp 82618 018-82618 024
- 9302240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance" GRIMES, B. K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82648 018-82648 026

R. Periodic operating reports & related correspondence

9502210281 Monthly operating reports for Jan 1995 for South Texas Project Units 1 & 2 W/950214 1r
HILL, R.L., MYERS, L.W. MASSE, R.E. Houston Lighting & Power Co. 95/01/31 14pp
82808 225-82806 242

S. Reportable occurrences, LERs & related correspondence

9502220127 Forwards rev 1 to voluntary LER 92-018 re pressurizer safety valve (PSV) & MSSV setpoints outside required tolerance Rev incorporates into re MSSV & PSV setpoints found out of tolerance during past outages
CLONINGER, T.H. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82818 072-82818 084

-9502220131 LER 92-018-01 on 921021, pressurizer safety valve (PSV) & MSSV setpoints found outside required tolerance due to industry known problem re setpoint drift Test procedure to test PSV setpoint on saturated steam modified
PARKSON, J. Houston Lighting & Power Co. 95/02/14 10pp 82818 075-82818 084

9502220132 Forwards LER 94-005, rev 2, re inadvertent test-mode starts of standby DCS
MASSE, R.E. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82842 051-82842 090

-9502220201 Forwards errata sheet for abstract page of LER 94-008 W/o stated end
MARTIN, L.E. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 2pp 82842 083-82842 090

9502220083 LER 94-017-00 on 941011, gaseous effluent monitor setpoints had not been calculated in accordance w/offset dose calculation methodology Caused by failure to revise related change documents Monitors verified operable W/950217 1r
PARKSON, J. MYERS, L.W. Houston Lighting & Power Co. 95/02/17 6pp 82945 153-82945 159

V. Operator Examinations

9502090002 Notice of NRC plan to administer GFES of written operator licensing exam Requests for listing names of candidates for exam by 950302
GWYNANT, P. Region 4 (Post 820201) 95/02/06 COTTLE, W.T. Houston Lighting & Power Co. App 82651 005-82651 006

DOCKET 97N-50-489 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9502070441 Partial response to FOIA request for records App A records available in PDR App B records end 3 available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 3pp 82658 003-82658 228

-9502070173 Requests that listed info be forwarded to all in connection w/diagnostic evaluation to be conducted by listed NRC personnel at plant during 950329-0409 & 0425-30 Requests that listed individuals be granted unescorted access
SPESSARD, R.L. Division of Operational Assessment (Post 870413) 93/03/19 OUBLEY, L.S. Region 4 (Post 820201) 2pp 82668 064-82668 095

9502010182 Informs that hardware & software changes that affect transmitted data points identified in ERDS Data Point Library for Unit 2 installed on 941228 Provides replacement page to 920305, submitted that reflects changes made
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 228-82590 232

9502010154 Responds to violations noted in insp reports 90-496/89-38 & 90-498/89-39 Corrective actions, which directions will no longer be utilized Card readers for exit-protected area now located inside security badge cubicle facilities
GROTH, J.F. Houston Lighting & Power Co. 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 108-82587 108

9502020083 Forwards Rev 24 of South Texas Project physical security plan Encl withheld
GROTH, J.F. Houston Lighting & Power Co. 95/01/25 Document Control Branch (Document Control Desk) 2pp 82630 350-82630 351

9502180198 EPIP OPGP05-ZV-0011, rev 0, "Emergency Communications," replacing EPIP OEP02-ZV-AD11 rev 0 W/950202 1r
MARTIN, L.E. Houston Lighting & Power Co. 95/02/02 37pp 82720 075-82720 115

9502180239 Revised EIPs, including Rev 0 to OPGP05-ZV-0011 "Emergency Communications" & Rev 1 to OEP01-ZV-EP23 "NPO/Industry Union" EIP OEP02-ZV-AD11, Rev 0 deleted & superseded by OPGP05-ZV-0011, Rev 0 W/950202 1r
MARTIN, L.E. Houston Lighting & Power Co. 95/02/02 37pp 82734 119-82734 155

9502210166 Revised EIPs, including Rev 0 to OEP01-ZV-OF02, "Media Info Center Activation, Operation & Deactivation" & Rev 2 to OPGP05-ZV-0008, "Siren Sys Activation, Testing & Documentation" W/950214 1r
MARTIN, L.E. Houston Lighting & Power Co. 95/02/14 36pp 82803 237-82803 272

G. Adjudicatory correspondence

9502090166 Responds to postcard dtd Nov 14 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82885 001-82885 053

9502160089 Informs that time provided by NRC regulations to review DO-94-13 has expired & decision became final on 950117 Forwards correspondence indicating NRC declined review of DO-94-13 W/Certificate of Sec. Served on 950209
HOYLE, J.C. Office of the Secretary of the Commission #185 16333 95/02/09 SAPIROFF, T.J. Sapiroff, T.J. 12pp 82735 341-82735 352

P. Operating license stage documents & correspondence

9502190111 Final response to FOIA request for info Forwards App A info in part already available to PDR App A info partially withheld (See FOIA Exemption 5-6)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG, L.J. Affiliation Not Assigned 2pp 82738 188-82738 215

-9502190121 Partially deleted summary of 940111-13 Region IV SARA re status of problem plants identified at June 1993 Region II SARA & performance of other plants
NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 181-82738 215

9502070885 Third partial response to FOIA request for documents Records in App G and 3 will be available in PDR App H records withheld in part (rel FOIA exemptions 5 & 7)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/16 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 4pp 82643 055-82643 065

-9502071123 Partially deleted package re fact sheet for declassification cases
* Office of Enforcement (Post 870413) 94/01/15 App 82643 059-82643 065

9502010156 Informs that upl discovered minor error in sys description for obtaining containment air sample
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/23 Document Control Branch (Document Control Desk) 3pp 82590 191-82590 193

9502020048 Notification of 950207 meeting w/upl in Rockville MD to discuss licensee revised position on station blackout
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 BUCKNER, W.D. Office of Nuclear Reactor Regulation (Post 941001) 4pp 82585 004-82585 008

9502080140 Forwards Change QA-024 to "Operations QA Plan" Change will be incorporated in Operations QA Plan in next biennial update
COTTLE, W.T. Houston Lighting & Power Co. 95/01/31 Document Control Branch (Document Control Desk) 2pp 82624 092-82624 102

-9502080143 Change QA-024 to "Operations QA Plan"
* Houston Lighting & Power Co. 95/01/31 9pp 82624 094-82624 102

9502000132 Provides updated info re JR Newman address on distribution lists for transmitters re plant
MARTIN, L.E. Houston Lighting & Power Co. 95/01/21 Document Control Branch (Document Control Desk) 2pp 82720 293-82720 294

9502060324 Requests that NRC review & accept WCAP-13380, "Westinghouse Dynamic Rod Worth Measurement Technique" by 950701, so that technique can be used to measure rod worths during start-up following scheduled Unit 2 refueling outage in fall 1995
CLONINGER, T.H. Houston Lighting & Power Co. 95/02/01 Document Control Branch (Document Control Desk) 2pp 82684 359-82684 360

9502080022 Discusses 950118-19 SARA re problems noted in past at STP & informs project has demonstrated enough improvement to be removed from problem plant category Submits summary of NRC disposition noting improvements at STP
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/01 JORDAN, D.D. Houston Lighting & Power Co. 3pp 82683 221-82683 226

9502020025 Supply 1 to NRC Administrative LR 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRUBBS, K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 3pp 82652 188-82652 188

9502140283 Forwards amends 68 & 57 to licenses NPF-76 & NPF-80 respectively & safety evaluation Amends change App A TS by eliminating unnecessary testing of SDG in accordance w/ recommendations of GL 93-05
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 COTTLE, W.T. Houston Lighting & Power Co. 3pp 82744 304-82744 346

-9502140288 Amends 68 & 57 to licenses NPF-76 & NPF-80, respectively, changing App A TS by eliminating unnecessary testing of SDG in accordance w/ recommendations of GL 93-05
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 32pp 82744 307-82744 308

-9502140290 Safety evaluation supporting amends 68 & 57 to licenses NPF-76 & NPF-80, respectively
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 3pp 82744 339-82744 348

9502070207 Forwards "Final Rept Survey of Mgt Practices Affecting Organizational Response" for South TX Project Electric Generating Station
ALEXION, T.W. NRC - No Detailed Affiliation Given 95/02/08 Document Control Branch (Document Control Desk) 1p 82687 001-82687 272

-9502070211 "Final Rept Survey of Mgt Practices Affecting Organizational Response" for South TX Project Electric Generating Station
* Houston Lighting & Power Co. 94/06/27 270pp 82687 008-82687 272

9502190023 Forwards "South TX Project SPDS SAR"
CLONINGER, T.H. Houston Lighting & Power Co. 95/02/06 Document Control Branch (Document Control Desk) 3pp 82732 051-82732 322

-9502190025 South TX Project SPDS SAR
* Houston Lighting & Power Co. 94/06/30 258pp 82732 064-82732 322

9502160293 Informs that corrective actions & schedules licensee committed to in 950118 in responding to GL 93-04, acceptable
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 COTTLE, W.T. Houston Lighting & Power Co. 3pp 82740 273-82740 275

162 DOCKETED ITEMS

- 9502140153 Summary of 850103 meeting re: 1995 Business Plan & related issues including performance overview & risk evaluation
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/08 Office of Nuclear Reactor Regulation (Post 841001) 53pp 82740 103-82740 229
- 9502140158 "South Texas Project 1995-1999 Business Plan"
Houston Lighting & Power Co 95/12/31 69pp 82740 156-82740 229
- 950218200 Forwards amends 69 & 58 to licenses NPF-76 & NPF-80, respectively & SE Amends permit both containment personnel airlock doors to be open while moving fuel during refueling operations
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 COTTLE, W.T. Houston Lighting & Power Co 3pp 82789 317-82789 339
- 9502140207 Amends 69 & 58 to licenses NPF-76 & NPF-80, respectively, permitting both containment personnel airlock doors to be open while moving fuel during refueling operations
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 11pp 82789 320-82789 330
- 9502140218 Safety evaluation supporting amends 69 & 58 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/02/09 8pp 82789 331-82789 339
- 9502170360 Forwards amends 70 & 59 to licenses NPF-76 & NPF-80, respectively & safety evaluation Amends permit substitution of extended range neutron flux monitor for one of source range neutron flux monitors during refueling operations
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/13 COTTLE, W.T. Houston Lighting & Power Co 3pp 82856 150-82856 163
- 9502170367 Amends 70 & 59 to licenses NPF-76 & NPF-80, respectively, permitting substitution of extended range neutron flux monitor for one of source range neutron flux monitors during refueling operations
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/13 3pp 82856 153-82856 161
- 9502170374 Safety evaluation supporting amends 70 & 58 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/02/13 2pp 82856 162-82856 163
- 9502180329 Forwards amends 71 & 60 to licenses NPF-76 & NPF-80 & safety evaluation Amends change number of SDG required to be operable during Mode 6 w/ greater than or equal to 23 feet of water above reactor vessel flange
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/14 COTTLE, W.T. Houston Lighting & Power Co 4pp 82826 308-82826 336
- 9502180329 Amends 71 & 60 to licenses NPF-76 & NPF-80, respectively, changing number of SDG required to be operable during Mode 6 w/ greater than or equal to 23 feet of water above reactor vessel flange from two to one
ALEXON, T.W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/14 15pp 82826 310-82826 328
- 9502180350 Safety evaluation supporting amends 71 & 60 to licenses NPF-76 & NPF-80, respectively
Office of Nuclear Reactor Regulation (Post 841001) 95/02/14 9pp 82826 330-82826 338
- 9502180153 Application for amends to licenses NPF-76 & NPF-80, amending TS 3.6.2.3, "Containment Cooling Sys." to change value of cooling water flow rate to fan coolers verified by SR 4.6.2.3.2
CLONINGER, T.H. Houston Lighting & Power Co 95/02/15 Document Control Branch (Document Control Desk) 11pp 82805 302-82805 316
- 9502180157 Proposed TS 3.6.2.3, "Containment Cooling Sys." changing cooling water flow rate requirement to each reactor containment fan cooler from greater than or equal to 550 gpm to greater than or equal to 1,800 gpm
Houston Lighting & Power Co 95/02/15 4pp 82805 313-82805 316
- 9502180161 Application for amends to licenses NPF-76 & NPF-80, relocating TS 3.3.3.7 & 3.6.4.1 to Technical Requirements Manual
CLONINGER, T.H. Houston Lighting & Power Co 95/02/15 Document Control Branch (Document Control Desk) 15pp 82811 111-82811 140
- 9502180162 Proposed tech spec 3.3.3.7, "Chemical Detection Sys." & 3.6.4.1, "Electrical Equipment Protective Devices- Containment Penetration Conductor Overcurrent Protective Devices" & associated basins
Houston Lighting & Power Co 95/02/15 15pp 82811 128-82811 140
- 9502170224 Informs that NRC formed team to review allegations at plant & team findings will be published as NUREG-1517 in near future Requests that end list of documents be placed in PDR
KOKAJOU, L.E. Office of Nuclear Reactor Regulation (Post 841001) 95/02/16 Document Control Branch (Document Control Desk) 4pp 82787 001-82787 206
- 9502181126 Rev 5 to OPMF04-JC-0002, "Polar Crane Insp."
Houston Lighting & Power Co 92/09/21 35pp 82787 005-82787 040
- 9502181175 Rev 6 to OPMF04-JC-0002, "Polar Crane Insp."
Houston Lighting & Power Co 94/11/07 23pp 82787 044-82787 068
- 9502181178 Rev 5 to OPGP03-ZM-0021, "Control of Configuration Changes"
Houston Lighting & Power Co 92/03/14 6pp 82787 067-82787 072
- 9502181182 Rev 4 to OPGP03-ZM-0021, "Control of Configuration Changes"
Houston Lighting & Power Co 92/03/15 12pp 82787 073-82787 084
- 9502181183 Rev 5 to ISEG-01, "Independent Safety Engineering Group Organization & Responsibilities"
Houston Lighting & Power Co 93/05/28 8pp 82787 085-82787 092
- 9502181190 Rev 0 to OPGP03-ZA-0113, "Work Direction"
Houston Lighting & Power Co 93/02/27 40pp 82787 093-82787 132
- 9502181235 Rev 7 to OPGP01-ZA-0001, "Plant Operations Dept Administrative Guidelines"
Houston Lighting & Power Co 94/05/24 63pp 82787 133-82787 196
- 9502210243 Rev 1 to SL749TS1018, "Specification for Alternative Valve Packing & Live Load Design"
Houston Lighting & Power Co 90/07/20 77pp 82787 195-82787 272
- 9502210248 Rev 8 to OPMF02-ZG-0003, "Insp & Maint for Cranes, Hoists, Monorail Sys & Lifting Devices"
Houston Lighting & Power Co 92/08/24 30pp 82787 273-82787 302
- 9502210276 Rev 1 to ISEG-06, "Independent Safety Engineering Group Assessments & Investigations"
MCBURNETT, J.A. Houston Lighting & Power Co 90/04/17 45pp 82787 303-82787 347
- 9502210284 Rev 7 to OPMF02-ZG-0011 "Alternative Valve Packing & Live Load Valve Packing"
GRIFFIN, L. Houston Lighting & Power Co 94/08/28 26pp 82787 348-82787 013
- 9502210284 Rev 9 to OPMF04-ZG-0003, "General Valve Repacking"
SHARPE, J. Houston Lighting & Power Co 92/04/02 41pp 82788 014-82788 054
- 9502210308 Rev 2 to OPGP02-AF-0001, "Auxiliary Feedwater"
Houston Lighting & Power Co 94/03/08 150pp 82788 055-82788 186
- 9502210311 Rev 5 to OPGP03-ZX-0002, "Corrective Action Program"
MAAS, L. Houston Lighting & Power Co 94/08/24 38pp 82788 197-82788 234
- 9502210317 Rev 6 to OPGP03-ZX-0002, "Condition Reporting Process"
CONVELL, A. Houston Lighting & Power Co 94/10/17 35pp 82788 235-82788 269
- 9502210328 Rev 8 to OPGP03-ZA-0050, "Work Process Program"
Houston Lighting & Power Co 94/10/25 7pp 82788 270-82788 276
- 9502210344 Rev 10 to OPGP03-ZA-0050, "Work Process Program"
REYNOLDS, L. Houston Lighting & Power Co 94/10/17 54pp 82788 277-82788 330
- 9502210344 Final rpt, "Assessment of MOV Program" for period 94/08/25
Houston Lighting & Power Co 94/03/30 51pp 82788 331-82788 019
- 9502210365 Rev 2 to OPGP07-ZE-0007, "MOV Tracking & Trending Program"
PACV, M. Houston Lighting & Power Co 94/08/01 17pp 82788 020-82788 036
- 9502210368 Rev 0 to, "Equipment History Program"
Houston Lighting & Power Co 93/10/15 9pp 82788 027-82788 045
- 9502210375 Rev 2 to OPMF01-ZA-0040, "Plant Work Practices & Requirements"
Houston Lighting & Power Co 93/02/27 130pp 82789 046-82789 174
- 9502210377 Rev 2 to OPGP04-ZE-0310, "Plant Modes"
WHATE, D.P. Houston Lighting & Power Co 94/10/17 32pp 82788 175-82788 208
- 9502210382 Ask receipt of 841213 ltr, incorporating changes in QA program manual GWYNN, T.P. Region 4 (Post 820201) 95/02/16 COTTLE, W.T. Houston Lighting & Power Co 3pp 82789 145-82789 150
- 9502210373 Submits attached revised chapters of util QA plan in accordance w/ 10CFR50.54
COTTLE, W.T. Houston Lighting & Power Co 94/12/13 Docketing & Services Branch 3pp 82789 145-82789 150
- 9502180349 Administrative Ltr 95-02 to all holders of OLS or CPs re cost benefit to covering actions
IMBROJE, V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 841001) 95/02/23 Constellation Edison Co of New York, Inc 17pp 82848 001-82848 017
- Q. Inspection reports, IE Bulletins & correspondence
- 9502070129 FOIA request for records prepared by or supplied to NRC &/or consultants or contractors as part of diagnostic evaluation team map at plant, including records re design to conduct DET Insp & activities conducted in preparation for DET Insp
LAWRENCE, J.W. Shaw, Palmer Potts & Treadbridge 94/03/31 GRIMSLEY, D.H. Division of Records of Information & Publications Services (880206-940714) 2pp 82668 001-82668 002
- 9502180141 Partial responses to FOIA request for records App A records available in PDR App B records not available in PDR
POWELL, R.A. Division of Records of Information & Publications Services (880206-940714) 94/05/02 LAWRENCE, J.W. Shaw, Palmer Potts & Treadbridge 5pp 82668 003-82668 220
- 9502210329 Informs of plans to conduct Diagnostic evaluation of plant Assessment planned for 93/02/29-04/05 & 04/26-30 period
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/02/12 HALL, D.P. Houston Lighting & Power Co 4pp 82668 004-82668 012
- 9502210339 Requests diagnostic evaluation of plant Evaluation should be conducted for briefing at June 1993 senior mgmt meeting
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/02/12 JORDAN, E.L. Ofc for Analysis & Evaluation of Operational Data, Director 1p 82668 008-82668 009
- 9502210175 Discusses contractor support for diagnostic evaluation at plant Statement of work for task order, including work schedules, activities & products and two team members should be provided by contractors Related info and RUBIN, S.D. Diagnostic Evaluation & Incident Investigation Branch NRC-26-82-267 93/02/18 SODT, M.L. Contract Administration Branch 1 (Post 900603) 13pp 82668 013-82668 025
- 9502210298 Requests that task order request 001 under NRC contract NRC-06-92-230 be revised to provide for listed changes, including revised meetings & travel schedule & scope
SPESSARD, R.L. Division of Operational Assessment (Post 870413) 92/03/18 MATTIA, M. Division of Contracts & Property Management (880206-940714) 5pp 82668 089-82668 093

- 9306170254 Forwards diagnostic evaluation team rept for info & action per NRC Manual Chapter 0800 W/o end
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/05/10 TAYLOR, J.M. Ofc of the Executive Director for Operations 2pp 82668 122-82668 123
- 9306210090 Forwards proposed staff actions resulting from facilities evaluation for review & concurrence Comments re staff actions requested by 930625
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/05/18 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN, J.L. Region 4 (Post 820201) 5pp 82668 124-82668 128
- 9306240178 Forwards copy of Diagnostic Evaluation Team rept for plants. Rept documents team findings & conclusions & includes discussions of licensee strengths & weaknesses W/o end
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/05/18 PATE, Z.T. Institute of Nuclear Power Operations 1p 82668 129-82668 129
- 9306260217 Identifies & assigns responsibility for generic & plant-specific staff actions resulting from diagnostic evaluation at plant Rept end
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/05/03 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN, J.L. Region 4 (Post 820201) JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 9pp 82668 131-82668 136
- 9311180138 Advises that HLP responses dated 930826 & 931015 in South Texas Project Diagnostic Evaluation Team (DET) rept have been reviewed Responses found to be comprehensive & responsive to concerns of team
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/11/12 MILHOAN, J.L. Region 4 (Post 820201) 1p 82668 171-82668 171
- 9302070154 Forwards diagnostic evaluation plan for plant, including schedule of principal activities, team composition & members, overall goals & objectives & methodology for evaluation in response to 930212 memo
JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 93/03/03 TAYLOR, J.M. Ofc of the Executive Director for Operations 11pp 82668 026-82668 038
- 9302070157 Forwards draft "Review of Operating Experience for South Texas 1 & 2, for 1991-1992"
POORE, W.P. Oak Ridge National Laboratory 93/03/06 BAILEY, H. Trends & Patterns Analysis Branch 1p 82668 037-82668 037
- 9302070163 Draft "Review of Operating Experience for South Texas 1 & 2," 1991-1992 Related info end
Oak Ridge National Laboratory FIN A-9195 ORNL/NOAC-275 DRAFT 93/03/31 Office for Analysis & Evaluation of Operational Data, Director 50pp 82668 036-82668 087
- 9302070203 Forwards revised agenda for second diagnostic evaluation planning & interface meeting Related info end
NEHL, B. NRC - No Detailed Affiliation Given 93/03/22 NICHOLSON, L. Region 1 (Post 820201) ROGERS, W. Region 2 (Post 820201) CALDWELL, C. Region 5 (Post 820201 - 940403) 22pp 82668 046-82668 117
- 9302070217 Requests that task order request 001 under contract NRC-86-83-260 be revised, to provide for listed changes Rev to task order request & revised task cost estimate end
SPRESSARD, R.L. Division of Operational Assessment (Post 870412) 93/05/03 MATTLA, M.J. Contract Administration Branch 2 (Post 900809) 4pp 82668 118-82668 121
- 9302080166 Expresses appreciation for visit to site, reflecting diagnostic evaluation rept & NRC willingness to ensure that all levels of staff have full opportunity to understand NRC concerns
JORDAN, L. Houston Lighting & Power Co 93/08/13 TAYLOR, J.M. Ofc of the Executive Director for Operations 2pp 82668 137-82668 138
- 9302080178 Forwards "Cross Reference of NRC Diagnostic Evaluation Team Rept on STP to STP Business Plan & HLP Operational Readiness Plan," for review & comments
PULLAR, S. Office for Analysis & Evaluation of Operational Data, Director 93/09/10 NRC - No Detailed Affiliation Given 82pp 82668 139-82668 170
- 9302090186 Responds to 931102 memo, providing status of actions assigned to NRC to resolve findings from DET Review of Plant Requests that all NRC open items be included in rept
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/12/01 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 82668 172-82668 172
- 9302090180 Forwards info to 1993 AEOD annual rept on STP staff actions, for review & use
PULLAR, S. NRC - No Detailed Affiliation Given 94/02/08 MADISON, A. NRC - No Detailed Affiliation Given 56pp 82668 173-82668 220
- 9302170189 Fourth partial response to FOIA request for documents Forwards documents listed in app I App J documents completely withheld (ref FOIA exemptions 5 & 7)
POMELL, R.A. Division of Freedom of Information & Publications Services (930205-940714) 94/07/12 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 4pp 82772 001-82772 000
- 9302170207 Discusses DOI case number 96-ers-006 re complaint filed by RJ Goldstein against Electric Contractors Notes that 5th circuit court overturned previous ruling favorable to RJ Goldstein & NRC to take no EA in case
LIEBERMAN, J. Ofc of Enforcement (Post 870413) 93/05/04 COTTLE, W.T. Houston Lighting & Power Co 8pp 82772 023-82772 030
- 9301090219 NRC Bulletin 95-011, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/10 Consolidated Edison Co of New York, Inc 11pp 82805 013-82805 023
- 9302100063 Forwards resp rept 50-498/94-35 & 50-499/94-35 on 941106-1217 & NOV
BEACH, A.B. Region 4 (Post 820201) 95/01/24 COTTLE, W.T. Houston Lighting & Power Co 8pp 82544 300-82544 331
- 9302100068 Resp rept 50-498/94-35 & 50-499/94-35 on 941106-1217 Violations noted Major areas inspected plant status, onsite followup of events & operational safety verification
JOHNSON, W.D. Region 4 (Post 820201) 95/01/19 24pp 82544 300-82544 331
- 9302100154 Responses to violations noted in resp rept 50-498/94-35 & 50-499/94-35 Corrective actions article detectors will no longer be utilized Card readers for exiting protected area now located inside security badge outside facilities
GROTH, J.F. Houston Lighting & Power Co 95/01/24 Document Control Branch (Document Control Desk) 2pp 82587 105-82587 109
- 9302090020 Lic contract Mod 1 to task order 58, providing incremental funding in listed amount to "Engineering & Technical Support Insp-South Texas"
WIGGINS, J. Division of Contracts (Post 840714) FIN J-2062-5 95/01/25 ALBERS, L. PARAMETER, Inc 2pp 82695 331-82695 332
- 9301230090 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 006-82605 046
- 9301250425 NRC Info Notice 95-009, "Use of inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 841001) 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 184
- 9302080126 Forwards addl info in response to NRC Bulletin 90-001, Suppl 1, "Loss of Flow in Transmitters Mfg by Rosemount," per NRC 941115 telcon request
CLONINGER, T.H. Houston Lighting & Power Co 95/01/31 Document Control Branch (Document Control Desk) 4pp 82624 257-82624 260
- 9302080303 Informs of activities that will be inspected by NRC re follow-up actions resulting from review of allegations at plant
ALEXANDER, W. Office of Nuclear Reactor Regulation (Post 841001) 95/02/01 COTTLE, W.T. Houston Lighting & Power Co 4pp 82683 227-82683 230
- 9302090313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82688 001-82688 008
- 9302130049 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
Office of Public Affairs (Post 811117) 95/02/03 8pp 82742 137-82742 138
- 9302180036 Forwards resp rept 50-498/94-35 & 50-499/94-35 on 941219-950119 & notice of violation
GWYNNE, T.P. Region 4 (Post 820201) 95/02/06 COTTLE, W.T. Houston Lighting & Power Co 5pp 82722 203-82722 230
- 9302150042 Notice of violation from resp on 941219-950119 Violations noted unqualified individual not local leak rate test coordinator, completed MOV test summary sheet
Region 4 (Post 820201) 95/02/06 2pp 82722 208-82722 209
- 9302150046 Resp rept 50-498/94-35 & 50-499/94-35 on 941219-950119 Violations noted Major areas inspected previous resp findings & homepage event rept
POWERS, D.A. Region 4 (Post 820201) 95/02/06 21pp 82722 210-82722 230
- 9302130046 Ack receipt of 940714 re informing NRC of steps taken to correct violations noted in resp rept 50-498/94-18 & 50-499/94-18
COLLINS, S.J. Region 4 (Post 820201) 95/02/07 COTTLE, W.T. Houston Lighting & Power Co 5pp 82707 202-82707 210
- 9302130191 Ack receipt of 850106 re informing NRC of steps taken to correct violations noted in resp rept 50-498/94-33 & 50-499/94-33 Notes that condition rept addressing concerns w/r 3 of procedure GPOPD-4-FW-001 entered on 950104
BEACH, A.B. Region 4 (Post 820201) 95/02/06 COTTLE, W.T. Houston Lighting & Power Co 3pp 82707 001-82707 010
- 9302150019 Forwards resp rept 50-498/94-37 & 50-499/94-37 on 941218-950119 Nonrated violations identified
BEACH, A.B. Region 4 (Post 820201) 95/02/06 COTTLE, W.T. Houston Lighting & Power Co 5pp 82722 029-82722 063
- 9302150020 Resp rept 50-498/94-37 & 50-499/94-37 on 941218-950119 Nonrated violations identified Major areas inspected plant status, onsite followup of events, operational safety verification & maint & surveillance observations
JOHNSON, W.D. Region 4 (Post 820201) 95/02/07 20pp 82722 034-82722 063
- 9302100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co of New York, Inc 8pp 82618 037-82618 042
- 9302280054 Informs that investigation case 4-93-037R re concern that contract employee was subject of discrimination for engaging in protected activity, closed
BEACH, A.B. Region 4 (Post 820201) 95/02/18 COTTLE, W.T. Houston Lighting & Power Co 4pp 82799 082-82799 085
- 9302210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co of New York, Inc 12pp 82816 025-82816 036
- 9302210068 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82818 016-82818 024
- 9302240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co of New York, Inc 8pp 82848 018-82848 025

164 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9502210291 Monthly operating reports for Jan 1995 for South Texas Project Units 1 & 2 W/950214 W
HILL, R. L. / NIVERS, J. W. MASSE, R. E. Houston Lighting & Power Co. 95/01/31 14pp
82608 226-82608 242

S. Reportable occurrences, LERs & related correspondence

9502220140 Forwards rev 1 to voluntary LER 93-011 re pressurizer safety valve (PSV) & MSSV setpoints outside required tolerance. Rev incorporates info re MSSV & PSV setpoints found out of tolerance during past outages.
OLONINGER, T. H. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82818 085-82818 096

-9502220153 LER 93-011-01 on 930401, pressure safety valve (PSV) & MSSV setpoints found outside required tolerance due to industry known problem re setpoint drift. Test procedure to test PSV lift setpoint on saturated steam modified.
PINSON, J. Houston Lighting & Power Co. 95/02/14 9pp 82818 088-82818 096

9502230132 Forwards LER 94-005, rev 2 re inadvertent test-mode state of standby DG.
MASSE, R. E. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 3pp 82842 081-82842 090

-9502230198 LER 94-005-02 on 940807, standby DG 22 received an unexpected test-mode start signal. Caused by voltage spike generated by an emergency fuel oil solenoid demagnetizing noise suppression device installed.
PINSON, J. Houston Lighting & Power Co. 95/02/14 29pp 82842 054-82842 082

-9502230201 Forwards errata sheet for abstract page of LER 94-008 W/ro stated errata.
MARTIN, L. E. Houston Lighting & Power Co. 95/02/14 Document Control Branch (Document Control Desk) 2pp 82842 083-82842 090

V. Operator Examinations

9502260002 Notice of NRC plan to administer GFES of written operator licensing exam. Requests listing names of candidates for exam by 950302.
GUYMONT, P. Region 4 (Post 820201) 95/02/06 COTTLE, W. T. Houston Lighting & Power Co. 4pp 82851 006-82851 008

DOCKET STN-90-808 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9502200025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82952 195-82952 199

9502140100 Advice of termination of unit projects 1 & 3.
COUNSEL, W. G. Washington Public Power Supply System 95/02/03 TAYLOR, J. M. Dir. of the Executive Director for Operations 3pp 82734 308-82734 310

9502160048 Administrative Ltr 95-02 to all holders of OLRs or CPOs re cost beneficial & ongoing actions.
IMBRO, E. V. Cost Beneficial Licensing Actions Staff (CBLAS) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

C. Inspection reports, IE Bulletins & correspondence

9501990218 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail."
PAPERRELL, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501230258 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation."
PAPERRELL, C. J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/01/27 Consolidated Edison Co. of New York, Inc. 8pp 82605 008-82605 046

9501250428 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design."
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 188-82652 184

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82848 001-82848 008

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA."
GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82818 037-82818 042

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by ASG Engineering II, Inc."
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device."
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance."
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

DOCKET STN-90-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9502280393 Forwards public version of revised EIPs, including Rev 18 to EIP-04, Rev 14 to EIP-11, Rev 14 to EIP-13, Rev 6 to EIP-14, Rev 8 to EIP-15, Rev 7 to EIP-18, Rev 8 to EIP-26 & Rev 7 to EIP-31.
KRAHN, K. A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 1p 83095 001-83095 011

-9502280398 Revised EIPs, including Rev 18 to EIP-04, Rev 14 to EIP-11, Rev 14 to EIP-13, Rev 6 to EIP-14, Rev 8 to EIP-15, Rev 7 to EIP-18, Rev 8 to EIP-26 & Rev 7 to EIP-31.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 26pp 82987 002-82987 267

9502180026 Requests retraction of security training & qualification plan, Rev 10.
SIMPSON, B. C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/31 Document Control Branch (Document Control Desk) 1p 82770 336-82770 336

9502080196 Advice that review of on-site exercise objectives meet emergency plan goals & requirements.
COLLINS, S. J. Region 4 (Post 820201) 95/02/01 STEWART, W. L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82601 148-82601 151

9502240088 Submits proposed plan to address Reg Guide 5.68, "Protection Against Malicious Use of Vehicles at Nuclear Power Plants." End withheld (ref 10CFR2.760).
STEWART, W. L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/18 Document Control Branch (Document Control Desk) 2pp 82856 325-82856 336

9502240186 Forwards original & Amend 37 to security plan. End withheld (ref 10CFR2.31).
SIMPSON, B. C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/15 Document Control Branch (Document Control Desk) 7pp 82956 337-82956 344

G. Adjudicatory correspondence

9502030186 Responds to postcard dated Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied.
RUBBELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Affiliation Not Assigned 52pp 82695 001-82695 050

H. General correspondence

9502080047 Comment supporting NUMARC position on proposed rules 10CFR20.30, 40, 50, 61, 70 & 72 re radiological criteria for decommissioning of lands & structures.
STEWART, W. L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/20 Docking & Services Branch 5pp 82601 143-82601 147

9502060197 Responds to 941026 tr to Senator McCain re use of Thermo-Lag & requests that Senator use influence to ensure plant shut-down until fire retardant re-placed.
WILLIAMS, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 BIRNIE, P. G. E. Stockholders Alliance Against Nuclear Power 5pp 82639 320-82639 325

9502270042 Comment supporting draft RG DG-8014 [proposed rev 3 to RG 8.13, "Instruction Concerning Prenatal Radiation Exposure"].
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/02 Office of Administration, Director (Post 940714) 3pp 82831 137-82831 139

I. Financial information

9502060204 "Arizona Power Authority 35th Annual Report."
LEWIS, J. M. Arizona Power Authority 94/12/31 34pp 82731 146-82731 182

J. Insurance & indemnity information

9502470068 Forwards Endorsement 85 to NELA Policy NF-0266, Endorsement 67 to MAELU Policy NF-0116, Endorsement 15 to NELA Policy NF-0160, Endorsement 15 to MAELU Policy NF-0085 & Endorsement 24 to NELA Policy NF-0085.
KRAHN, K. A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 13pp 82658 314-82658 326

P. Operating license stage documents & correspondence

9502140184 Partial response to FOIA request for documents. Records in App C & D will be available in PDR App E records withheld in entirety (ref Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (950206-940714) 94/06/08 RICCO, J. P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82738 088

-9502080104 Requests FPL publication of notice of issuance of amendments 71, 57 & 44 to licenses NPF-41, NPF-51 & NPF-74 & final determination of NSIC & opportunity for hearing emergency circumstances. Amendments add footnote to TS SR 4.7.9.
TRAMMELL, C. M. Project Decree V. 93/06/21 NRC - No Detailed Affiliation Given 8pp 82739 199-82739 216

9502030246 First partial response to FOIA request for documents. Records in App A will be made available in PDR.
REECE, C. A. Division of Freedom of Information & Publications Services (950206-940714) 94/06/18 O'MEALLA, M. Affiliation Not Assigned 2pp 82621 278-82621 313

9502230302 Fourth panel response to FOIA request for info Forwards App G documents being made available to PDR
POWELL, R. Director of Freedom of Information & Publications Services (Post 940714) 94/07/18 COLAPINTO, D. National Whistleblower Center 2pp 82825 082-82825 041

-9502230316 Forwards all response to NRC 950422 request for info re issues raised to Employee Concerns Program by employee expressing concern of possibility of not being selected by upcoming plant outage
STEVENS, R. J. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 92/08/08. MAFIN, L. J. Region 5 (950201 - 940403) 6pp 82625 034-82625 041

9502060239 Notification of 950209 meeting w/ul in Rockville, MD to discuss root cause of battery performance problems, subsequent testing & plans for battery cell replacement.
HOLLAND, B. E. 95/02/01 QUAY, T. R. 3pp 82683 302-82683 304

9502060225 Suppl 1 to NRC Administrative Ltr 85-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 198

9502140124 Requests use of alternatives to 1980 Edition through Winter of 1981 Addenda of ASME Section XI Boiler & Pressure Vessel Code
STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/03 Document Control Branch (Document Control Desk) 10pp 82744 083-82744 072

9502150086 Forwards amends 88.75 & 59 to licensees NPF-41, NPF-51 & NPF-74 & SE Amends relocate Table 3-3-2 & Table 3-3-5 of TS 3/4 3.1 & 3/4 3.2, respectively, to plant UFSAR
TRAN, L. M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 4pp 82747 265-82747 320

-9502150084 Amends 88.75 & 59 to licensees NPF-41, NPF-51 & NPF-74, respectively, relocate Table 3-3-2 & Table 3-3-5 of TS 3/4 3.1 & 3/4 3.2, respectively, to plant UFSAR
TRAN, L. M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 45pp 82747 270-82747 314

-9502150088 Safety evaluation supporting amends 88.75 & 59 to licensees NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 5pp 82747 215-82747 320

9502160372 Forwards amends 89.76 & 60 to licensees NPF-41, NPF-51 & NPF-74, respectively & SE Amends revise refueling machine overload cutoff limit from less than or equal to 1,550 lbs to 1,800
TRAN, L. M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 3pp 82754 260-82754 282

-9502160378 Amends 89.76 & 60 to licensees NPF-41, NPF-51 & NPF-74, respectively, revise refueling machine overload cutoff limit from less than or equal to 1,550 lbs to 1,800
TRAN, L. M. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 16pp 82754 263-82754 279

-9502160386 Safety evaluation supporting amends 89.76 & 60 to licensees NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 3pp 82754 280-82754 282

9502160345 Summary of 950125-26 meeting w/ul re plant licensing issues. Gled disturbance info & root cause analysis repl end
HOLLAND, B. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 QUAY, T. R. Office of Nuclear Reactor Regulation (Post 941001) 12pp 82745 001-82745 023

-9502160352 Equipment Root Cause Failure Analysis Rept, Unit 2 SG Tube Rupture
Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 93/03/14 200pp 82745 013-82745 023

9502220164 Forwards amends 90.77 & 61 to licensees NPF-41, NPF-51 & NPF-74 & safety evaluation Amends will increase allowable out-of-service time for CQULS from 1 h to 4 h
HOLLAND, B. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 3pp 82817 236-82817 275

-9502220173 Amends 90.77 & 61 to licensees NPF-41, NPF-51 & NPF-74, respectively, increasing allowable out-of-service time for core operating limit from 1 h to 4 h
HOLLAND, B. E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 33pp 82817 239-82817 271

-9502220175 Safety evaluation supporting amends 90.70 & 61 to licensees NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 96/02/14 4pp 82817 272-82817 275

9502160349 Administrative Ltr 95-02 to all holders of OLS or OPs re cost beneficial licensing actions
IMBRO, E. V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/03 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

Q. Inspection reports, III Bulletin & correspondence

9501090219 NRC Bulletin 95-001, "CIA Program for Transportation of Radioactive Material"
PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501090260 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C. J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 045

9501250429 NRC Info Notice 95-009, Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design
GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 198-82652 194

9502070172 Discusses 950126 mtg meeting re SALP issued to plant on 950112 List of meeting attendees & SALP incl
BEACH, A. B. Region 4 (Post 820201) 95/01/31 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 4pp 82631 335-82631 348

-9502070176 SALP repts for Palo Verde Nuclear Generating Station
Region 4 (Post 820201) 95/01/26 8pp 82631 341-82631 346

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 006

9502220324 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-31, 50-529/94-31 & 50-530/94-31
PERKINS, K. E. Walnut Creek Field Ofc. B4 (Post 940404) 95/02/08 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 3pp 82600 001-82600 003

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B. K. 95/02/10 Consolidated Edison Co. of New York, Inc. 8pp 82618 037-82618 042

9502150341 Responds to NRC 950111 ltr re violations noted in insp repts 50-528/94-35, 50-529/94-35 & 50-530/94-34 Corrective actions CRDR was initiated on 941123, to identify weakness of not generating required problem identification documentation
STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/10 Document Control Branch (Document Control Desk) 6pp 82751 258-82751 254

9502220321 Responds to NRC 950120 ltr re violations noted in insp repts 50-528/94-35, 50-529/94-35, 50-530/94-35-01 & 50-530/94-35-01 on 941121. 21 Corrective actions performance of CRS was reviewed by Unit 3 operations dept leader & director of operations
STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/17 Document Control Branch (Document Control Desk) 7pp 82883 280-82883 268

9502230461 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&E Engineering II, Inc."
GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024

9502240857 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025

R. Periodic operating reports & related correspondence

9502170061 Monthly operating repts for Jan 1995 for Palo Verde Nuclear Generating Station W/950210 R
ECKLUND, B. S., LEVINE, J. M. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/01/31 16pp 82779 181-82779 196

S. Reportable occurrences, LERs & related correspondence

9502160186 Forwards suppl 1 to LER 93-011 per 10CFR50.73, reporting that addl undervoltage scenario had been identified that could result in possible double sequencing of SR equipment
LEVINE, J. M. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/08 Document Control Branch (Document Control Desk) 1p 82786 186-82786 201

-9502160195 LER 93-011-01 on 930114, potential SR equipment problems identified due to degraded gnd voltage Voltage Regulation Improvement Project has been initiated
GRABO, J. A. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/08 15pp 82786 167-82786 201

9502190155 LER 94-016-00 on 930409, misalignment of limitogue torque switch contact ltr prevented vehicle operation of MOVs. Evaluation of all flex wedge gate valves & 35 type MOVs was performed W/950207 R
GRABO, J. A., LEVINE, J. M. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 95/02/07 8pp 82786 242-82786 250

9502170223 Part 21 repts re possible root defect in stainless steel Sargelick tube fittings or adapters.
ZAHURANEK, E. J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

V. Operator examinations

9502080182 Discusses NRC plans to administer GFES written operator exam at facility on 950405 Authorized representatives from facility must submit list of names of candidates for exam by 950302
RICHARDS, T. P. Region 4 (Post 820201) 95/02/06 STEWART, W. L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 4pp 82681 187-82681 170

166 DOCKETED ITEMS

8502100077 Notification of revised 950209 mgt meeting w/ul in Arlington, TX to discuss unit 3 valve misalignment during drawdown & recent operator initial licensing examination issues.
SEACHIA, B. Region 4 (Post 820201) 95/02/05 Region 4 (Post 820201) 4pp 82680 144-82690 147

DOCKET STN-88-829 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9502280383 Forwards public version of revised EPIPs, including Rev 18 to EPIP-04, Rev 14 to EPIP-11, Rev 14 to EPIP-13, Rev 5 to EPIP-14, Rev 8 to EPIP-15, Rev 7 to EPIP-16, Rev 8 to EPIP-25 & Rev 7 to EPIP-31.
KRAHN, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 1p 83065 001-83065 011

-9502280388 Revised EPIPs, including Rev 18 to EPIP-04, Rev 14 to EPIP-11, Rev 14 to EPIP-13, Rev 5 to EPIP-14, Rev 8 to EPIP-15, Rev 7 to EPIP-16, Rev 8 to EPIP-25 & Rev 7 to EPIP-31.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 26pp 82667 002-82667 267

9502150328 Requests retraction of security training & qualification plan, Rev 10.
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/31 Document Control Branch (Document Control Desk) 1p 82770 335-82770 335

9502080106 Advises that review of on-site exercise objectives meet emergency plan goals & requirements.
COLLINS, S.J. Region 4 (Post 820201) 95/02/01 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82601 148-82601 151

9502240098 Submits proposed plan to address Reg Guide 5.68, "Protection Against Malicious Use of Vehicles at Nuclear Power Plants." End withheld (ref 10CFR2.790).
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/15 Document Control Branch (Document Control Desk) 2pp 82858 335-82858 335

9502240106 Forwards original & Amend 97 to security plan. End withheld (ref 10CFR2.721).
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/15 Document Control Branch (Document Control Desk) 7pp 82858 337-82858 344

9502210163 Responds to NRC 950117 re violations noted in insp rpt 50-529/94-34. Corrective actions security patrol instructed to report open Salt River Project switchyard gates if encountered during shift patrols.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/16 Document Control Branch (Document Control Desk) 4pp 82803 343-82803 350

G. Adjudicatory correspondence

9502030158 Responds to postcard dated Nov 14, 1984, requesting immediate shut down of all reactors using Therma-Lag. Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attention Not Assigned 52pp 82685 001-82685 053

H. General correspondence

9502080047 Comment supporting NUMARC position on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/20 Document Control Branch (Document Control Desk) 5pp 82601 148-82601 147

9502080197 Responds to 941028 re use of Therma-Lag & requests that Senator use influence to ensure plant shut-down until fire retardant replaced.
WILLIAMS, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power 5pp 82639 325-82639 325

9502270042 Comment supporting draft RG DG-6014 (proposed rev 9 to RG 6.13, "Instruction Concerning Prenatal Radiation Exposure").
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/02 Office of Administration, Director (Post 940714) 3pp 82631 137-82631 139

I. Financial information

9502090204 "Arizona Power Authority 36th Annual Rept."
LEWIS, J.M. Arizona Power Authority. 94/12/31 34pp 82731 148-82731 192

J. Insurance & indemnity information

9502070068 Forwards Endorsement 85 to NELA Policy NF-0288, Endorsement 87 to NELA Policy NF-0115, Endorsement 15 to NELA Policy NF-0160, Endorsement 15 to NELA Policy NF-0098 & Endorsement 24 to NELA Policy NF-0088.
KRAHN, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 13pp 82665 314-82665 326

P. Operating license stage documents & correspondence

9502140184 Partial response to FOIA request for documents. Records in App C & D will be available in PDR App E records withheld in entirety (ref Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 098

-9307060104 Requests FR publication of notice of issuance of amends 71, 57 & 44 to licenses NPF-41, NPF-51 & NPF-74 & final determination of NSHC & opportunity for hearing emergency circumstances. Amends add footnote to TS-SR 4.7.9.
TRAMMELL, C.M. Project Directorate V 93/06/21 NRC - No Detailed Attention Given 8pp 82739 199-82739 216

9502030246 First partial response to FOIA request for documents. Records in App A will be made available in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, J.M. Attention Not Assigned 2pp 82621 279-82621 313

-9502030251 "Enforcement action tracking sys. Licensee history rpt (short list) sorted by license 950101-940599."
* NRC - No Detailed Attention Given 94/06/08 33pp 82621 281-82621 313

9502210116 Final response to FOIA request for documents. Records in App A will be available in PDR App B records withheld in entirety (ref FOIA Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Attention Not Assigned 5pp 82605 322-82605 339

-9502210119 "Notices of Enforcement Decision."
* NRC - No Detailed Attention Given 94/06/22 13pp 82606 327-82606 339

9502230302 Fourth partial response to FOIA request for info. Forwards App G documents being made available to PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 COLARIN, D. National Whistleblower Center 2pp 82625 032-82625 041

-9502230318 Forwards tel response to NRC 920422 request for info re issues raised to Employee Concerns Program by employee expressing concern of possibility of not being selected by upcoming plant outage.
STEVENSON, J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 92/06/05 MARTIN, J.B. Region 5 (820201) 94/04/03 6pp 82625 034-82625 041

9502080328 Forwards add info requested during 950112 telecon w/L. Tran of NRC re proposed amend to TS Section 3.4.4.2, changing pressure code safety valve lift setting from 2,500 psia to 2,475 psia.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/27 Document Control Branch (Document Control Desk) 6pp 82665 257-82665 262

9502080239 Notification of 950209 meeting w/ul in Rockville, MD to discuss root cause of battery performance problems, subsequent testing & plans for battery cell replacement.
HOLIAN, B.E. 95/02/01 QUAY, T.R. 2pp 82683 302-82683 304

9502020025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters.
GRANES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 5pp 82652 195-82652 198

9502140434 Requests use of alternatives to 1980 Edition through Winter of 1981 Addenda of ASME Section XI Boiler & Pressure Vessel Code.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/03 Document Control Branch (Document Control Desk) 10pp 82744 063-82744 072

9502150883 Forwards amends 88, 75 & 59 to licenses NPF-41, NPF-51 & NPF-74 & SE Amends relocate Table 3-3-2 & Table 3-3-5 of TS 3.4.3.1 & 3.4.3.2 respectively to plant UFSAR.
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82747 285-82747 320

-9502150884 Amends 88, 75 & 59 to licenses NPF-41, NPF-51 & NPF-74, respectively relocate Table 3-3-2 & Table 3-3-5 of TS 3.4.3.1 & 3.4.3.2 respectively to plant UFSAR.
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 45pp 82747 270-82747 314

-9502150888 Safety evaluation supporting amends 88, 75 & 59 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 5pp 82747 315-82747 320

9502180373 Forwards amends 88, 75 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE Amends revise refueling machine overload cutoff limit from less than or equal to 1,550 lbs to 1,600.
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 82754 280-82754 282

-9502180379 Amends 88, 75 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively revising refueling machine overload cutoff limit from less than or equal to 1,550 lbs to 1,600.
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 16pp 82754 283-82754 279

-9502180386 Safety evaluation supporting amends 88, 75 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 3pp 82754 280-82754 282

9502150345 Summary of 950125-26 meeting w/ul re plant licensing issues. End dis. bursing info & root cause analysis rpt end.
HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001) 12pp 82745 001-82745 023

-9502150382 "Equipment Root Cause Failure Analysis Rept, Unit 2 SG Tube Rupture."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 93/03/14 20pp 82745 013-82745 023

9502220184 Forwards amends 90.77 & 61 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation Amends will increase allowable out-of-service time for COLLs from 1 h to 4 h.
HOLIAN, E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 82617 206-82617 275

-9502220173 Amends 90.77 & 61 to licenses NPF-41, NPF-51 & NPF-74, respectively, increasing allowable out-of-service time for core operating limit from 1 h to 4 h.
HOLIAN, E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 3pp 82617 206-82617 271

-9502220178 Safety evaluation supporting amends 90.70 & 61 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 4pp 82617 272-82617 275

9502160348 Administrative Ltr 95-02 to all holders of OLs or CPs re cost beneficial licensing actions.
IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82648 001-82648 017

Q. Inspection reports, IE Bulletins & correspondence

9501890219 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82605 013-82605 023

9501290280 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. 9pp 82605 038-82605 046

9501280429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82652 168-82652 194

9502070172 Discusses 950126 reg meeting re SALP issued to plant on 950112 List of meeting attendees & SALP end.
BEACH, A.B. Region 4 (Post 820201) 95/01/31 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82631 336-82631 346

-9502070176 SALP repts for Palo Verde Nuclear Generating Station
* Region 4 (Post 820201) 95/01/26 8pp 82631 341-82631 348

9502090313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc. 8pp 82688 001-82688 008

9502220324 Ack receipt of 950105 re informing NRC of steps taken to correct violations noted in insp repts 50-528/94-31, 50-529/94-31 & 50-530/94-31.
PERKINS, K.E. Walnut Creek Field Off. P4 (Post 940404) 95/02/08 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 3pp 82600 001-82600 003

9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc. 5pp 82619 037-82619 042

9502150311 Responds to NRC 950111 re re violations noted in insp repts 50-528/94-31, 50-529/94-31 & 50-530/94-31. Corrective actions CRDF was initiated on 941123 to identify weakness of not generating required problem identification documentation.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/10 Document Control Branch (Document Control Desk) 5pp 82761 258-82761 264

9502190183 Responds to NRC 950117 re re violations noted in insp repts 50-528/94-31, 50-529/94-31 & 50-530/94-31. Corrective actions CRDF was initiated on 941123 to identify weakness of not generating required problem identification documentation.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/16 Document Control Branch (Document Control Desk) 5pp 82803 343-82803 350

9502270231 Responds to NRC 950120 re re violations noted in insp repts 50-528/94-31, 50-529/94-31 & 50-530/94-31 on 941212-21 Corrective actions performance of CRS was reviewed by Unit 3 operators dept leader & director of operations.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/17 Document Control Branch (Document Control Desk) 7pp 82855 260-82855 266

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II, Inc."
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82618 025-82618 036

9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82618 016-82618 024

9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82648 018-82648 025

R. Periodic operating reports & related correspondence

9502170861 Monthly operating repts for Jan 1995 for Palo Verde Nuclear Generating Station W/950210 re
ECKLUND, B.S., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/31 16pp 82779 181-82779 196

S. Reportable occurrences, LERs & related correspondence

9502020181 Advises that due to need for addl off-site vendor testing to determine root cause of component failure supply to LER 94-005-00 will not be submitted until testing completed on 950731.
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 85/01/25 Document Control Branch (Document Control Desk) 2pp 82615 351-82615 352

9502160181 LER 94-006-00 on 940929, use of uncalibrated boronometer caused TS 9R to be passed On 940929, procedure 30DP-9MP08, "Preventive Maint Processes & Activities," had been revised to address type of condition W/950207 re
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/07 7pp 82788 251-82788 257

9502160178 LER 94-004-01 on 941006, class 1E battery found in degraded condition Caused by step decline in capacity caused by loss of positive active mass TS LCO 3 & 2 action was initiated to prevent positive reactivity additions W/950207 re
GRABO, B.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/07 13pp 82788 255-82788 270

9502170223 Part 21 re possible mail defect in stainless steel Swagelok tube fittings or adapters.
ZAHURANECE, L.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

V. Operator Examinations

9502090192 Discusses NRC plans to administer GFES written operator exam at facility on 950405. Authorized representatives from facility must submit list of names of candidates for exam by 950302.
BEACH, A.B. Region 4 (Post 820201) 95/02/06 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82651 167-82651 170

9502100027 Notification of revised 950209 reg meeting w/ut in Arlington, TX to discuss unit 3 valve misalignment during shutdown & recent operator initial licensing examination issues.
BEACH, A.B. Region 4 (Post 820201) 95/02/08 Region 4 (Post 820201) 4pp 82680 144-82680 147

DOCKET STN-50-630 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9502280383 Forwards public version of revised EPIPs, including Rev 18 to EPIP-04, Rev 14 to EPIP-11, Rev 14 to EPIP-13, Rev 6 to EPIP-14, Rev 8 to EPIP-15, Rev 7 to EPIP-16, Rev 8 to EPIP-25 & Rev 7 to EPIP-31.
KRAMLIK, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 1p 83085 001-83085 011

-9502280388 Revised EPIPs, including Rev 18 to EPIP-04, Rev 14 to EPIP-11, Rev 14 to EPIP-13, Rev 8 to EPIP-14, Rev 6 to EPIP-15, Rev 7 to EPIP-16, Rev 8 to EPIP-25 & Rev 7 to EPIP-31.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/30 256pp 82967 002-82967 287

9502180328 Requests retention of security training & qualification plan, Rev 10.
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/31 Document Control Branch (Document Control Desk) 1p 82770 936-82770 936

9502080189 Advises that review of on-site exercise objectives meet emergency plan goals & requirements.
COLLINS, B.J. Region 4 (Post 820201) 95/02/01 STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 4pp 82601 148-82601 151

9502240098 Submits proposed plan to address Reg Guide 5.88, "Protection Against Malicious Use of Vehicles at Nuclear Power Plants." Encl withheld (ref 10CFR2790).
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/15 Document Control Branch (Document Control Desk) 2pp 82856 335-82856 336

9502240106 Forwards original & Amend 37 to security plan Encl withheld (ref 10CFR2790).
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/02/15 Document Control Branch (Document Control Desk) 7pp 82856 337-82856 344

G. Adjudicatory correspondence

9502290166 Responds to postcard dtd Nov 14, 1994, requesting immediate shut down of all reactors using Thermo-Lag Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/19 DEBOLT, B. Attention Not Assigned 52pp 82885 001-82885 063

H. General correspondence

9502080047 Comment supporting NIMARC position on proposed rules 10CFR20.30, 40, 50.51, 70 & 72 re radiological criteria for decommissioning of lands & structures.
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/20 Docketing & Services Branch 5pp 82601 143-82601 147

168 DOCKETED ITEMS

9502060197 Responds to 941026 ltr to Senator McCain re use of Thermo-Lag & requests that Senator use influence to ensure plant shut-down until fire retardant replaced
WILLIAMS, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 819ME.P G.E. Stockholders Alliance Against Nuclear Power 5pp 82639 320-82639 325

9502270042 Comment supporting draft RG DG-9014 (proposed rev 3 to RG B.13. "Instruction Concerning Prenatal Radiation Exposure")
Arizona Public Service Co (formerly Arizona Nuclear Power Project) 95/02/02 Office of Administration, Director (Post 940714) 3pp 82631 137-82631 138

I. Financial information

9502090284 "Arizona Power Authority 35th Annual Rept"
LEWIS, J.M. Arizona Power Authority 94/12/31 34pp 82731 146-82731 182

J. Insurance & indemnity information

9502070088 Forwards Endorsement 85 to NELA Policy NF-0066 Endorsement 67 to MAELU Policy NF-0116 Endorsement 15 to NELA Policy NF-0160 Endorsement 15 to MAELU Policy NF-0085 & Endorsement 24 to NELA Policy N-0088
KRAMER, K.A. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 95/01/30 Document Control Branch (Document Control Desk) 13pp 82655 314-82655 326

P. Operating license stage documents & correspondence

9502140164 Partial response to FOIA request for documents Records in App C & D will be available in PDR App B records withheld in entirety (rel Exemption 5)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 RIDGEO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82740 096

9502190104 Requests FR publication of notice of issuance of amendments 71, 57 & 44 to license NPF-41, NPF-51 & NPF-74 & final determination of NSHC & opportunity for hearing emergency circumstances. Amendments add footnote to TS SR 4.7 B
TRAN, L.N. Project Directorate V 93/06/21 NRC - No Detailed Affiliation Given 3pp 82739 198-82739 216

9502090245 First partial response to FOIA request for documents Records in App A will be made available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 OMEALIA, M. Affiliation Not Assigned 2pp 82621 279-82621 313

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82906 322-82906 338

9502210119 "Notices of Enforcement Decision"
NRC - No Detailed Affiliation Given 94/08/22 13pp 82806 327-82806 339

9502290302 Fourth partial response to FOIA request for info Forwards App G documents being made available to PDR
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 COLLAPINTO, D. National Whistleblower Center 2pp 82825 032-82825 041

9502290310 Forwards info response to NRC 950422 request for info re status classed to Employee Comments Program by employee expressing concern of possibility of not being selected by upcoming plant outage
STEVENS, R.J. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 92/06/06 MARTIN, J.B. Region 5 (820201 - 840403) 4pp 82826 034-82826 041

9502060239 Notification of 950209 meeting w/utl in Rockville, MD to discuss root cause of battery performance problems, subsequent testing & plans for battery cell replacement
HOLIAN, B.E. 95/02/01 QUAY, T.R. 3pp 82683 302-82683 304

9502290325 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc 5pp 82652 195-82652 199

9502140434 Requests use of alternatives to 1980 Edition through Winter of 1991 Addenda of ASME Section XI Boiler & Pressure Vessel Code
STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 95/02/03 Document Control Branch (Document Control Desk) 10pp 82744 063-82744 072

9502150080 Forwards amendments 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74 & SE Amendments relocate Table 3-3-2 & Table 3-3-5 of TS 3/4-3.1 & 3/4-3.2, respectively, to plant UFSAR
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 4pp 82747 260-82747 260

9502150084 Amendments 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively, relocate Table 3-3-2 & Table 3-3-5 of TS 3/4-3.1 & 3/4-3.2, respectively, to plant UFSAR
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 45pp 82747 270-82747 314

9502150088 Safety evaluation supporting amendments 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 5pp 82747 315-82747 320

9502160372 Forwards amendments 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE Amendments revise refueling machine overload cutoff limit from less than or equal to 1,556 lbs to 1,600
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 3pp 82754 260-82754 282

9502160378 Amends 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively, revising refueling machine overload cutoff from less than or equal to 1,556 lbs to 1,600
TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 16pp 82754 283-82754 279

9502160388 Safety evaluation supporting amendments 88, 76 & 60 to licenses NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 3pp 82754 280-82754 282

9502160346 Summary of 950125-28 meeting w/utl re plant licensing issues. Grid disturbance info & root cause analysis rept encl
HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001) 12pp 82748 001-82748 023

9502160352 "Equipment Root Cause Failure Analysis Rept, Unit 2 SG Tube Rupture"
Arizona Public Service Co (formerly Arizona Nuclear Power Project) 93/03/14 200pp 82745 019-82745 023

950220164 Forwards amendments 90, 77 & 61 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation. Amends will increase allowable out-of-service time for COLLIS from 1 h to 4 h
HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 3pp 82917 238-82917 275

950220173 Amends 90, 77 & 61 to licenses NPF-41, NPF-51 & NPF-74, respectively, increasing allowable out-of-service time for core operating limit from 1 h to 4 h
HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 33pp 82917 239-82917 271

950220175 Safety evaluation supporting amendments 90, 77 & 61 to licenses NPF-41, NPF-51 & NPF-74, respectively
Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 4pp 82917 272-82917 275

9502160348 Administrative Ltr 95-02 to all holders of OUs or CPs re cost beneficial licensing actions
BROOK, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/23 Consolidated Edison Co. of New York, Inc 17pp 82646 001-82646 017

Q. Inspection reports, IE Bulletins & correspondence

9501090215 NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/13 Consolidated Edison Co. of New York, Inc 11pp 82606 013-82606 023

9501230290 NRC Info Notice 95-007, "Radiopharm Vial Breakage During Preparation"
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 970729) 95/01/27 Consolidated Edison Co. of New York, Inc 9pp 82605 036-82605 046

9501280429 NRC Info Notice 95-008, "Use of Inappropriate Guidelines & Criteria For Pump & Pipe Support Evaluation & Design"
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 Consolidated Edison Co. of New York, Inc 7pp 82652 188-82652 194

9502070172 Discusses 950128 night meeting re SALP issued to plant on 950112 List of meeting attendees & SALP encl
BEACH, A.B. Region 4 (Post 820201) 95/01/31 STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 4pp 82631 341-82631 346

9502070175 SALP rept for Palo Verde Nuclear Generating Station
Region 4 (Post 820201) 95/01/26 4pp 82631 341-82631 346

9502090312 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/03 Consolidated Edison Co. of New York, Inc 8pp 82618 003-82618 008

9502200324 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp rept 50-528/94-31, 50-529/94-31 & 50-530/94-31
PERKINS, K.E. Walnut Creek Field Ofc, R4 (Post 940404) 95/02/06 STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 3pp 82900 001-82900 003

9502160283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA"
GRIMES, B.K. 95/02/10 Consolidated Edison Co. of New York, Inc 6pp 82618 007-82618 042

9502160341 Responds to NRC 950111 ltr re violations noted in insp rept 50-528/94-31, 50-529/94-31 & 50-530/94-31 Corrective actions CRDR was initiated on 941122, to identify weakness of not generating required problem identification documentation
STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 95/02/10 Document Control Branch (Document Control Desk) 6pp 82761 258-82761 264

9502270391 Responds to NRC 950120 ltr re violations noted in insp rept 50-528/94-31, 50-529/94-31 & 50-530/94-31
Corrective actions performance of CRS was reviewed by Unit 3 operations dept leader & director of operations
STEWART, W.L. Arizona Public Service Co (formerly Arizona Nuclear Power Project) 95/02/17 Document Control Branch (Document Control Desk) 7pp 82883 260-82883 266

9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fees/fees Supplied by AEG Engineering II, Inc"
GRIMES, B.K. 95/02/21 Consolidated Edison Co. of New York, Inc 12pp 82618 025-82618 036

950220080 NRC Info Notice 95-011 "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82819 016-82819 024

950220082 NRC Info Notice 95-013 "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES,B.K. 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82848 013-82848 025

R. Periodic operating reports & related correspondence

950220061 Monthly operating reports for Jan 1995 for Palo Verde Nuclear Generating Station W/950210
ECKELUND,B.S., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 95/01/31 16pp 82779 161-82779 195

S. Reportable occurrences, LERs & related correspondence

950220023 Part 21 rept re possible melt defect in stainless steel Srapetok tube fittings or adapters
ZAHRAANEC,E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 954-82802 950

V. Operator Examinations

950220104 Notification of licensee meeting w/utl on 950201 to discuss Unit 3 valve misalignment during shutdown & recent operator initial licensing exam issues
BEACH,A.B. Region 4 (Post 820201) 95/01/24 Region 4 (Post 820201) 4pp 82544 025-82544 026

950220105 Notification of canceled licensee meeting w/utl on 950201 to discuss plant valve misalignment during shutdown & recent operator initial licensing exam issues
BEACH,A.B. Region 4 (Post 820201) 95/01/27 Region 4 (Post 820201) 4pp 82544 025-82544 118

950220027 Notification of revised 950209 mgmt meeting w/utl in Arlington,TX to discuss unit 3 valve misalignment during shutdown & recent operator initial licensing exam issues
BEACH,A.B. Region 4 (Post 820201) 95/02/06 Region 4 (Post 820201) 4pp 82690 144-82690 147

DOCKET 95-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

950220025 Suppl 1 to NRC Administrative Ltr 95-01 to all NRC licensees re change in commercial telephone & FAX numbers at NRC headquarters
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Consolidated Edison Co. of New York, Inc. 9pp 82652 195-82652 199

950220034 Administrative Ltr 95-02 to all holders of OLS or CPs re cost beneficial licensing actions
MORFIE,V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) 95/02/29 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017

DOCKET 95-540 EPRI NUCLEAR PLANT, UNIT 1

C. Adjudicatory correspondence

950220016 Provides update to status of WNP-3 project
REYNOLDS,N.S. Winston & Strawn (195 1837) 95/02/15 MARGULIEV,M., FOSTER,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel 9pp 82817 120-82817 125

DOCKET 95-501 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

950220077 Final response to FOIA request for documents/Records in app C and & available in PDR
POWELL,R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/05/26 NAKAGAKI,T. Attribution Not Assigned 2pp 82643 006-82643 051

950220036 Forwards status rept of advanced light water reactor reviews that cover 950431-0731
TAYLOR,J.M. Dir. of the Executive Director for Operations 93/06/26 THE CHAIRMAN, SELIN,J., ROGERS Commissioners (Post 750118) 26pp 82643 009-82643 051

950220029 Discusses 950123 meeting w/Chairman & S. Speaker to express concerns over slow process for development of design certification rulemaking for ABWR
HOGAN,R. Incident Response Branch 95/01/23 Incident Response Branch 1p 82614 318-82614 316

950220033 Provides info for closure of ABWR FSER Confirmatory Item F1 2-2-2 previously addressed in 941222 closure to
FOX,J.M. General Electric Co. 95/01/26 BORCHARDT,R.W. Standardization Project Directorate (PCST) (Post 941001) 2pp 82616 278-82616 279

950220017 Requests Commission approval for publication of encl FRN for proposed design certification rules for ABWR & Sys 80+ std designs
TAYLOR,J.M. Dir. of the Executive Director for Operations SECY-95-023 95/02/01 253pp 82656 075-82656 328

950220038 Discusses review of design control document re ABWR intends to issue suppl to FSER in near future to document changes made during preparation of design control document
TAYLOR,J.M. Dir. of the Executive Director for Operations 95/02/06 THE CHAIRMAN, SELIN,J., ROGERS,K.C. Commissioners (Post 750118) 2pp 82706 279-82706 280

950220028 Summary of ACRS Subcommittee on ABWRs 931215 meeting in Bethesda,MD to continue reviewing NRC staff final SER for GE ABWR design & related matters
MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards 94/01/21 ACRS - Advisory Committee on Reactor Safeguards 15pp 82710 005-82710 019

9502200242 Summary of 406th ACRS Subcommittee meeting on 940210-11 in Bethesda,MD to discuss & take appropriate action on items listed in attached agenda
ACRS - Advisory Committee on Reactor Safeguards 94/03/10 ACRS - Advisory Committee on Reactor Safeguards 29pp 82715 231-82715 259

9502200223 Summary of ACRS Subcommittee on ABWRs 940125-26 meeting in Bethesda,MD re remaining chapters of NRC staff final SER for GE ABWR design
MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards 94/03/31 ACRS - Advisory Committee on Reactor Safeguards 16pp 82716 334-82716 351

9502200297 Summary of 407th meeting of ACRS on 940310-12 in Bethesda,MD re ABWR policy issue - source term/ABWR review re final design approval/meeting w/ NRC Commissioners,multiple sys response program & turbine generator failure event at Fermi
ACRS - Advisory Committee on Reactor Safeguards 94/04/22 ACRS - Advisory Committee on Reactor Safeguards 33pp 82715 905-82715 936

9502200180 Summary of ACRS Subcommittee on Computers in NPPs Operations & Ad Hoc Design Acceptance Criteria 931102 meeting in Bethesda,MD to hear from NRC staff & GE on ABWR I&C design
LEWIS,H.W., CARROLL,J.C. ACRS - Advisory Committee on Reactor Safeguards 94/03/02 ACRS - Advisory Committee on Reactor Safeguards 21pp 82709 315-82709 335

DOCKET 95-502 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.

950220077 Final response to FOIA request for documents/Records in app C and & available in PDR
POWELL,R.A. Division of Freedom of Information & Publications Services (950206-940714) 94/05/26 NAKAGAKI,T. Attribution Not Assigned 2pp 82643 006-82643 051

950220038 Forwards status rept of advanced light water reactor reviews that cover 950431-0731
TAYLOR,J.M. Dir. of the Executive Director for Operations 93/06/26 THE CHAIRMAN, SELIN,J., ROGERS Commissioners (Post 750118) 26pp 82643 009-82643 051

950220033 Forwards comments on sys 80+ design control document provided in ABB-CE 941218 submittal
BORCHARDT,R.W. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) 20pp 82591 095-82591 187

9502200170 Requests Commission approval for publication of encl FRN for proposed design certification rules for ABWR & Sys 80+ std designs
TAYLOR,J.M. Dir. of the Executive Director for Operations SECY-95-023 95/02/01 253pp 82656 075-82656 328

9502200109 Informs that Commission received staff request for approval to publish FRNs for two proposed design certification rules
WILSON,J.N. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/02/03 RUSSELL,W., MIRAGLIA,F., THADANI,A. Office of Nuclear Reactor Regulation (Post 941001) 1p 82659 291-82659 291

9502200108 Forwards proprietary "Sys 80+ Parameter List for Safety Analyses" Encl withheld
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) BRINKMAN,C.B. ASEA Brown Boveri, Inc. 95/02/10 Document Control Branch (Document Control Desk) 9pp 82779 021-82779 026

9502200280 Forwards mark-up pages identifying revs incorporated into "Sys 80+ Design Control Document." Revs provided in response to comments provided by NRC 950127 re: & as result of changes identified by ABB-CE & discussed w/NRC
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) BRINKMAN,C.B. ASEA Brown Boveri, Inc. 95/02/16 Document Control Branch (Document Control Desk) 1p 82803 001-82803 236

9502200245 Revis to "Sys 80+ Design Control Document"
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) 95/02/26 253pp 82603 002-82603 236

9502200272 Forwards Revised "Sys 80+ Design Control Document."
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) BRINKMAN,C.B. ASEA Brown Boveri, Inc. 95/02/22 Document Control Branch (Document Control Desk) 2pp 82907 001-82907 239

9502200278 Revised "Sys 80+ Design Control Document"
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) ASEA Brown Boveri, Inc. 95/02/22 1,693pp 82907 003-82907 239

9502200286 Summary of 408th meeting of ACRS on 940407-08 in Bethesda,MD re ABB-CE Sys 80+ std plant design,proposed final rule on protection against malevolent use of vehicles on NPPs & recirculation pump shutoff
ACRS - Advisory Committee on Reactor Safeguards 94/05/11 ACRS - Advisory Committee on Reactor Safeguards 28pp 82710 112-82710 139

9502200174 Summary of ACRS Subcommittee on ABB-CE Std Plant Design 931206 meeting in Bethesda,MD re Sys 80+ evolutionary reactor plant design
CARROLL,J.C. ACRS - Advisory Committee on Reactor Safeguards 94/02/20 ACRS - Advisory Committee on Reactor Safeguards 16pp 82715 113-82715 147

9502200177 Forwards responses to questions raised by ACRS ABB-CE Std Plant Design Subcommittee at meeting on 931206 re Sys 80+
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) BRINKMAN,C.B. ASEA Brown Boveri, Inc. 94/01/31 COLE,D. ACRS - Advisory Committee on Reactor Safeguards 19pp 82715 129-82715 147

170 DOCKETED ITEMS

9502090126 Summary of ACRS Subcommittee on ABB-CE Std Plant Designs 940209 meeting in Bethesda, MD re Sys 80+ evolutionary reactor plant design CARROLL, J.C. ACRS - Advisory Committee on Reactor Safeguards 94/03/10 ACRS - Advisory Committee on Reactor Safeguards 18pp 82723 078-82723 200

9502090184 Forwards responses to questions raised by ACRS ABB-CE Std Plant Design Subcommittee at 940209 meeting re Sys 80+ BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (Formerly Combustion Engineering, Inc.) BRINKMAN, C.B. ASEA Brown Boveri, Inc. 94/03/01 COED ACRS - Advisory Committee on Reactor Safeguards 68pp 82723 093-82723 148

9502090293 Summary of ACRS Subcommittee on ABB-CE Std Plant Designs 940306 & 09 meeting in Bethesda, MD re Sys 80+ evolutionary reactor plant design CARROLL, J.C. ACRS - Advisory Committee on Reactor Safeguards 94/04/20 ACRS - Advisory Committee on Reactor Safeguards 22pp 82726 160-82726 258

9502090295 Forwards responses to questions raised by ACRS ABB-CE Std Plant Design Subcommittee at 940306-09 meeting on Sys 80+ BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (Formerly Combustion Engineering, Inc.) 94/04/04 COED ACRS - Advisory Committee on Reactor Safeguards 77pp 82726 182-82726 258

9502090398 Summary of 408th meeting of ACRS on 940407-09 in Bethesda, MD re ABB-CE Sys 80+ std plant design, proposed final rule on protection against inadvertent use of vehicles on NPPs & recirculation pump streamer clogging * ACRS - Advisory Committee on Reactor Safeguards 94/05/11 ACRS - Advisory Committee on Reactor Safeguards 28pp 82710 112-82710 138

9502090429 Summary of 409th meeting of ACRS on 940505-07 in Bethesda, MD re ABB-CE Sys 80+ std plant design, draft policy statement on use of PRA, improvement of rulemaking process, first-of-a-kind engineering & PRA on shutdown & low-power operations * ACRS - Advisory Committee on Reactor Safeguards 94/05/05 ACRS - Advisory Committee on Reactor Safeguards 33pp 82710 272-82710 304

DOCKET 92-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9502070077 Final response to FOIA request for documents Records in app C and 1 available in PDR POWELL, R.A. Division of Freedom of Information & Publications Services (880206-940714) 94/05/26 NAKAGAKI, T. Affiliation Not Assigned 2pp 82643 005-82643 051

9502070088 Forwards status report of advanced light water reactor reviews that cover 830431-0731 TAYLOR, J.M. Office of the Executive Director for Operations 83/05/26 THE CHAIRMAN Commissioners (Post 750119) 29pp 82643 009-82643 051

9502070100 Forwards comments & questions to be used as agenda for meeting on AP600 Discusses licensee request for portions of info submitted in June 1992 application for design certification to be exempt from mandatory public disclosure KENYON, T.J. Standardization Project Directorate (POST) (Post 941001) 94/12/06 LIPARULO, N.J. Westinghouse Electric Corp 14pp 82681 279-82681 292

9502070168 Forwards addendum 3 to WCAP-12243, rev 3 entitled 'Addendum 3 to Steam Generator Tube Plug Integrity Summary Rept.' LIPARULO, N.J. Westinghouse Electric Corp 95/01/25 SHERON, B. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82587 113-82587 153

9502070167 'Addendum 3 to Steam Generator Tube Plug Integrity Summary Rept.' Jan 1995 * Westinghouse Electric Corp WCAP-12243 R03 ADD03 93/01/24 40pp 82587 115-82587 153

9502070058 Notification of 950206-09 revised meeting w/Westinghouse in Monroeville, PA to discuss seismic margins analysis & HCLPF values for AP600 design & quick calculation of HCLPF values SHERBARGER, K.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 95/01/25 BORCHARDT, R.W. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 2pp 82624 347-82624 348

9502070120 Summarizes 941017-18 pre-ops meeting that discussed QAP implementation for Westinghouse side phase 6 test for AP600 design Meeting identified certain programmatic weaknesses w/and BORCHARDT, R.W. Standardization Project Directorate (POST) (Post 941001) 95/01/26 LIPARULO, N.J. Westinghouse Electric Corp 5pp 82575 280-82575 284

9502070177 Cancelled notification of 950210 meeting w/Westinghouse in Rockville, MD to discuss source term related open issues for AP600 design Agenda and HASSELBERG, F.W. Standardization Project Directorate (POST) (Post 941001) 95/01/28 BORCHARDT, R.W. Standardization Project Directorate (POST) (Post 941001) 5pp 82704 034-82704 038

9502070182 Notification of 950228-0302 meeting w/Westinghouse in San Francisco, CA to discuss issues pertaining to soil structure interaction for AP600 Meeting agenda and SHERBARGER, K.M. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 BORCHARDT, R.W. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82625 318-82625 320

9502070065 Forwards Rev 2 of 'AP600 Probabilistic Risk Assessment,' rept w/line proprietary figures Proprietary figures withheld LIPARULO, N.J. Westinghouse Electric Corp 95/01/31 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 4pp 82683 001-82683 262

9502070068 Requests that proprietary figures of Rev 2 of 'AP600 Probabilistic Risk Assessment,' rept be withheld from public disclosure per 10CFR2.790 LIPARULO, N.J. Westinghouse Electric Corp 95/01/31 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 7pp 82683 005-82683 011

9502070072 Rev 2 of Vols 1 & 2 of 'AP600 Probabilistic Assessment' HAAG, C.L. MCINTYRE, B.A. Westinghouse Electric Corp GWGL022 R02 95/01/31 170pp 82683 012-82683 252

9502070070 Forwards non-proprietary WCAP-14271 & proprietary WCAP 14270 AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Rept Rept WCAP-14270 withheld (ref 10CFR2.790) LIPARULO, N.J. Westinghouse Electric Corp 95/01/31 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 4pp 82725 036-82725 158

9502070074 Requests that proprietary WCAP-14270, AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Rept be withheld (ref 10CFR2.790) LIPARULO, N.J. Westinghouse Electric Corp 95/01/31 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 7pp 82725 040-82725 047

9502070077 Non-proprietary WCAP-14271, AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Rept * LIPARULO, N.J. Westinghouse Electric Corp WCAP-14271 95/01/30 476pp 82725 048-82725 159

9502100197 Forwards Rev 1 to WCAP-13963 Scaling Logic for Core Makeup Tank Test LIPARULO, N.J. Westinghouse Electric Corp 95/01/31 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 2pp 82727 012-82727 189

9502100284 Rev 1 to WCAP-13963 Scaling Logic for Core Makeup Tank Test HOCHREITER, L. NOVENDSTERNE, Westinghouse Electric Corp WCAP-13963 R01 95/01/31 176pp 82727 014-82727 189

9502090052 Notification of 950209 meeting w/Westinghouse in Monroeville, PA to discuss status of design certification review activities of AP600 design Preliminary meeting agenda & directions to Westinghouse Energy Center and HASSELBERG, F.W. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 95/02/01 BORCHARDT, R.W. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 4pp 82624 343-82624 348

9502090332 Forwards staff preliminary list of key licensing issues on AP600 design per 941214 re CRITCHFIELD, D.M. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/02/02 LIPARULO, N.J. Westinghouse Electric Corp 14pp 82683 260-82683 278

9502100008 Advises that w/ AP600 long term cooling test facility drawings, piping & instrumentation diagrams will be withheld (ref 10CFR2.790), per 950112 request BORCHARDT, R.W. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 95/02/06 LIPARULO, N.J. Westinghouse Electric Corp 3pp 82711 198-82711 200

9502150100 Forwards responses to NRC RAIs on AP600 from ltr of 940618 & 0902 Revs of responses previously submitted also provided LIPARULO, N.J. Westinghouse Electric Corp 95/02/07 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 22pp 82781 292-82781 313

9502170222 Forwards proprietary document re NRC best estimate of W LOCA WCAP 12945-P, vol 1-5 Document reflects concerns re status of resolution of issues in conventional NPPs & AP600 experimental reactor End withheld ORR, F. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 YOUNG, M. Westinghouse Electric Corp 3pp 82775 298-82775 298

9502180343 Forwards description of forcing functions generated from postulation of mainsteam line break & MSIV closure transient & PS+CAEPIPE time history structural analysis results Ends withheld LIPARULO, N.J. Westinghouse Electric Corp 95/02/09 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 4pp 82803 332-82803 342

9502210044 Requests that AP600 MS line PS+CAEPIPE time history analysis results be withheld from public disclosure per 10CFR2.790 LIPARULO, N.J. Westinghouse Electric Corp 95/02/09 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 7pp 82803 336-82803 342

9502210323 Forwards proprietary responses to NRC questions on WOODGRA/ TRAC computer code in support of 950215-16 meeting w/ACRS Thermal Hydraulic Phenomena Subcommittee Ends withheld (ref 10CFR2.790) LIPARULO, N.J. Westinghouse Electric Corp 95/02/10 ORR, F.R. Document Control Branch (Document Control Desk) 5pp 82839 223-82839 227

9502170029 Forwards technical rept, 'Human Factors Engineering Insights for Advanced Reactors Based Upon Operating Experience' KENYON, T.J. Standardization Project Directorate (POST) (Post 941001) 95/02/13 LIPARULO, N.J. Westinghouse Electric Corp 2pp 82767 001-82767 039

9502170043 'Human Factors Engineering Insights for Advanced Reactors Based Upon Operating Experience' HIGGINS, J.C. Brookhaven National Laboratory E2090-T4-3-1/PS 95/01/31 NRC - No Detailed Affiliation Given 37pp 82767 003-82767 039

9502170111 Notification of 950228 meeting w/Westinghouse in Rockville, MD to discuss initial test program for AP600 design SHERBARGER, K.M. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 95/02/10 BORCHARDT, R.W. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001) 3pp 82798 357-82798 359

9502180334 Forwards proposed audit plan re new Westinghouse Delta 75 SGs used in AP600 design BORCHARDT, R.W. Standardization Project Directorate (POST) (Post 941001) 95/02/14 LIPARULO, N.J. Westinghouse Electric Corp 5pp 82754 243-82754 247

9502270210 Forwards preliminary 'Basis for Use of Forced Convection Heat Transfer Correlations in AP600 PCS Natural Circulation Driven Air Cooling Path' in response to action item from 941115 meeting between NRC & Westinghouse LIPARULO, N.J. Westinghouse Electric Corp 95/02/16 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 1p 82857 273-82857 292

9502270213 Preliminary 'Basis for Use of Forced Convection Heat Transfer Correlations in AP600 PCS Natural Circulation Driven Air Cooling Path' SPENCER, D.R. Westinghouse Electric Corp 95/01/31 13pp 82867 290-82867 292

9502270003 Notification of 950222-23 meetings w/Westinghouse in Rockville, MD to discuss plant sys design for AP600 including fire protection/habitability sys, fluid sys & main condenser
KENYON, T.J. Standardization Project Directorate (PDST) (Post 941001) 95/02/22
RUSSELL, W. MIRAGLIA, F. THADANJA, NRC - No Detailed Attribution Given 3pp
82652 184-82652 196

9502270003 Notification of 950222-23 meetings w/Westinghouse in Rockville, MD to discuss plant sys design for AP600 including fire protection/habitability sys, fluid sys & main condenser
KENYON, T.J. Standardization Project Directorate (PDST) (Post 941001) 95/02/22
RUSSELL, W. MIRAGLIA, F. THADANJA, NRC - No Detailed Attribution Given 3pp
82652 184-82652 196

9502180226 Responds to JE Leathemmen request to change svc list
NEGUS, P.T. General Electric Co 94/02/06 WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 1p 82744 247-82744 247

9502200022 Requests that JE Quinn title be corrected to read, "Projects Manager, LMR & SBWR Programs" in docket 52-003 & 52-004 svc list
NEGUS, P.T. General Electric Co 94/02/15 WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 1p 82613 058-82613 058

9502200023 Summary of 940315-16 Committee meeting w/Westinghouse in Monroeville, PA to continue review of test programs being conducted by Westinghouse in support of AP600 passive plant design certification review
* ACRS - Advisory Committee on Reactor Safeguards 94/04/13 ACRS - Advisory Committee on Reactor Safeguards 3pp 82715 210-82715 217

9502270148 Forwards response to NRC 950112 ltr re nonconformance noted in insp report 9500404/94-01 Corrective action list of suppliers of calor svcs for Oregon State Univ, TCR was reviewed to assure all calor svcs provided
LEPARIL, CUN J. Westinghouse Electric Corp 95/02/15 BORCHARDT, R.W. Document Control Branch (Document Control Desk) 4pp 82666 347-82666 350

9502270439 Transcript of 950203 briefing in Rockville, MD re advanced reactor technical issues Pt 1-61 Presentation documentation and
* Commissioners (Post 750119) 95/02/03 8pp 82656 164-82656 248

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9502070077 Final response to FOIA request for documents Records in app C encl & available in PDF
DOWELL, R.A. Division of Freedom of Information & Publications Services (890206-340714) 94/05/26 NAKAGAKI, T. Attribution Not Assigned 2pp 82643 906-82643 051

9502100150 Forwards status rpt of advanced light water reactor reviews that cover 600431-9731
TAYLOR, J.M. Ofc of the Executive Director for Operations 93/06/26 THE CHAIRMAN, Commissioners (Post 750119) 22pp 82643 006-82643 051

9502080059 Discusses schedule for informing Commission of NRC Staff evaluation of SBWR testing program & forwards background mail prior to 950203 NRC brief on technical issues
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/01/30 THE CHAIRMAN, SELIN, I. ROGERS, K.C. Commissioners (Post 750119) 20pp 82605 317-82605 336

9502100124 Summary of 950108-11 meeting w/utl in Rockville, MD re staff comments identified in draft SER dtd 941129 on SBWR test & analysis program description
WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 95/02/06
Standardization Project Directorate (PDST) (Post 941001) 18pp 82704 001-82704 018

9502190309 Transmits info presented at 950109 meeting between NRC & GE re NRC SER on test & analysis program for SBWR info presented at 950109 meeting withheld (not 10CR2 790)
QUINN, J.E. General Electric Co 95/02/06 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 4pp 82720 227-82720 227

9502100309 Transmits info presented at 950109 meeting between NRC & GE re NRC SER on test & analysis program for SBWR info presented at 950109 meeting withheld (not 10CR2 790)
QUINN, J.E. General Electric Co 95/02/06 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 4pp 82737 342-82737 345

9502200387 Forwards description of NRC/ACRS issue closure process re GE SBWR testing & analysis program document & list of add'l work from NRC 12/84 - 1/95
QUINN, J.E. General Electric Co 95/02/14 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 7pp 82640 334-82640 340

9502200388 Forwards PANTHERS Test Spec 23A5587, Rev 3 Document specifies requirements for tests of full-scale prototypes of isolation condenser & passive core-stand cooling condenser designed for use in SBWR
QUINN, J.E. General Electric Co 95/02/15 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 1p 82612 060-82612 141

9502220186 Rev 3 of Test Spec 23A5587, Isolation Condenser & Passive Core-stand Cooling Condenser Test Requirements
FORTIN, A. General Electric Co 95/01/09 51pp 82612 091-82612 141

9502220170 Forwards PANDA Test Spec 23A5587, Rev 1 Document specifies requirements for tests re post-LOCA DHR from containment of SBWR to be performed in PANDA test facility
QUINN, J.E. General Electric Co 95/02/15 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 1p 82612 055-82612 078

9502220174 Rev 1 of Test Spec 23A5587, "PANDA Test Spec"
FORTIN, A. General Electric Co 95/01/26 23pp 82612 056-82612 078

9502220317 Forwards GIRAFFE Test Spec 23A5677, Rev 0 Document specifies requirements for tests re post-accident DHR from containment of SBWR to be performed in GIRAFFE test facility
QUINN, J.E. General Electric Co 95/02/15 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 1p 82626 167-82626 222

9502220320 Rev 0 to Test Spec 23A5677 GIRAFFE Test Spec
FORTIN, A. HERZOG, M. AHMANN, R. General Electric Co 95/01/27 26pp 82626 168-82626 222

9502210185 Notification of 950308-09 meeting in San Jose, CA to discuss GIRAFFE test matrix & instrumentation, test data transfer & TRACG containment model for SBWR design
MINN, S.Q. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16
BORCHARDT, R.W. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82601 266-82601 268

9502230256 Forwards Rev 0 to PRCQA-01 "PANDA Project Control Plan & QA Procedures"
QUINN, J.E. General Electric Co 95/02/16 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 1p 82640 079-82640 173

9502230260 Rev 0 to PRCQA-01 "PANDA Project Control Plan & QA Procedures"
SINGH, T. General Electric Co 95/02/01 94pp 82640 080-82640 173

9502230274 Forwards "SBWR Drywell to Wetwell Vacuum Breaker Valve White Paper," in response to item 42 in Attachment 2 to GE 950214 ltr, presenting add'l info re exemption of SBWR vacuum breakers from single failure criteria
QUINN, J.E. General Electric Co 95/02/16 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 2pp 82638 276-82638 288

9502230277 "SBWR Drywell to Wetwell Vacuum Breaker Valve White Paper"
THOMPSON, J.L. SAHRAKAR, B. DELVILUS General Electric Co 95/01/16 11pp 82638 278-82638 288

9502230232 Responds to 950119 ltr re review of GE test & analysis program description for SBWR design & informs that ACRS concurs w/Staff position identified in draft SER dtd 941125
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/17 KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 1p 82636 061-82636 061

9502230284 Forwards Rev 1 of Drawing 24.02.31, "Vent Tank Air Sys 6" Discharging Line" in response to NRC RAL on SBWR PANTHERS- FCC test facility W/one over-size drawing
QUINN, J.E. General Electric Co 95/02/17 BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 4pp 83036 201-83036 204

9502140226 Responds to JE Leathemmen request to change svc list
NEGUS, P.T. General Electric Co 94/02/06 WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 1p 82613 058-82613 058

9502240023 Requests that JE Quinn title be corrected to read "Projects Manager, LMR & SBWR Programs" in docket 52-003 & 52-004 svc list
NEGUS, P.T. General Electric Co 94/02/15 WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 1p 82613 058-82613 058

9502240187 Summary of 417th meeting of ACRS on 950112-13 re GE test & analysis program for SBWR
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 95/01/19
TAYLOR, J.M. Ofc of the Executive Director for Operations 3pp 82684 251-82684 253

9502200064 Forwards responses to questions from 950112 417th ACRS meeting re capability of isolation condenser to withstand loadings resulting from tube rupture & issue of mitigation of consequences of break in RWCU line
QUINN, J.E. General Electric Co 95/02/10 BOEHMERT, P.A. ACRS - Advisory Committee on Reactor Safeguards 2pp 82638 305-82638 308

9502280180 Forwards Sections 4 & 5 of repl NUREG/CR-2574, "BWR PWRs: Reflood Program, Task 4 - Model Development, TRAC-BWR Component Models," in response to item 9 of Attachment 2 to GE 950214 ltr re closure of items related to GE SBWR TAPD
QUINN, J.E. General Electric Co 95/02/15 BOEHMERT, P.A. ACRS - Advisory Committee on Reactor Safeguards 1p 82612 012-82612 049

9502200199 Informs that NRC staff will postpone Feb 1995 team insp of GIRAFFE test program in Toshiba Nuclear Engineering Lab in Japan
BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001) 95/02/17 QUINN, J.E. General Electric Co 3pp 82617 340-82617 342

9502270439 Transcript of 950203 briefing in Rockville, MD re advanced reactor technical issues Pt 1-61 Presentation documentation and
* Commissioners (Post 750119) 95/02/03 8pp 82656 164-82656 248

DOCKET 52-008 CANDU 3U AECL TECHNOLOGIES, INC.

9502090033 Ltr contract, mod 1 to task order 4, extending period of performance to, "Review of Issue-Related Issues for Reactor Internals & Horizontal Pressure Tube Design for CANDU 3 Reactor Design"
WAGGINS, E.J. Division of Contracts (Post 940714) 94/11/23 COULINA, Science & Engineering Associates, Inc 2pp 82685 227-82685 228

9412198052 Forwards Nuclear Safety Research Review Committee rept addressing results of initial review of CANDU 3 confirmatory research program on 941107-08 More detailed understanding of CANDU 3 design & closer contact w/AECs needed
TAYLOR, J.M. Ofc of the Executive Director for Operations 94/12/08 THE CHAIRMAN, SELIN, I. ROGERS, K.C. Commissioners (Post 750119) 1p 82682 357-82682 360

9412180022 Discusses 941107-08 meeting of Nuclear Safety Research Committee in Rockville, MD re review of current plans for confirmatory research in support of certification review of CANDU 3 NPP design
KINTNER, E. Nuclear Safety Research Review Committee 94/12/06 BECK, JORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 3pp 82682 358-82682 360

9502240002 Discusses schedule for submitting updated SAR & other info to support final design approval & design certification re: 941215 & 1221 ltr Schedule for submittal of missing portions of CANDU 3U will be prepared by 950209
FLETCHER, M.H. AECL Technologies 95/01/19 Document Control Branch (Document Control Desk) 2pp 82613 082-82613 083

172 DOCKETED ITEMS

9502140328 Submits preliminary conclusions re RES plans for performing confirmatory research in support of certification review of CANDU 3 NPP design in response to E.K. 950125.17
BECKJORD E.S. Office of Nuclear Regulatory Research (Post 941217) 95/01/25
KINTNER E. Affiliation Not Assigned 4pp 82754 010-82754 018

9502080187 Responds to NRC request for info re CANDU 3U application for final design approval & certification
FLETCHER M.H. AECL Technologies 85/02/02 Document Control Branch (Document Control Desk) 5pp 82705 256-82705 280

9502270296 Forwards for info stat response to Nuclear Safety Research Review Committee re: 941205 re plans for confirmatory research in support of certification review on reactor design
TAYLOR J.M. Ofc of the Executive Director for Operations 95/02/10 THE CHAIRMAN SEUN L. ROGERS K.C. Commissioners (Post 750119) 1p 82852 335-82852 338

DOCKET DOCKET UNKNOWN

9502010115 FOIA request for documents re license SNM-0058 at docket 7000055
ENGLERT J.P. Kirkpatrick & Lockhart 94/03/28 Division of Freedom of Information & Publications Services (890205-940714) 2pp 82626 001-82626 002

9502010130 Final response to FOIA request for documents Records in App A and E will be available in FOR
REED C.A. Division of Freedom of Information & Publications Services (890205-940714) 94/05/18 ENGLERT J.P. Kirkpatrick & Lockhart 3pp 82626 003-82626 082

9502010155 Application for amend to license SAM-0059 requesting to receive possession & transfer U & dodes
BEARDSLEE K.R. General Electric Co 56/08/27 2pp 82626 008-82626 009

9502010175 Forwards SAM license SNM-0058
JOHNSON L. Atomic Energy Commission (Pre 750119) 56/11/20 BEARDSLEE K.R. General Electric Co 1p 82626 013-82626 013

9502010190 License SNM-0059 for GE authorizing use of UO2 containing U enriched in U-235 isotope
JOHNSON L. Atomic Energy Commission (Pre 750119) 56/11/20 1p 82626 014-82626 014

9502010198 Forwards amend 1 to license SAM-0059 dtd 561121
JOHNSON L. Atomic Energy Commission (Pre 750119) 56/11/23 BEARDSLEE K.R. General Electric Co 1p 82626 015-82626 015

9502010284 Amend 1 to license SNM-0059 for GE authorizing use of UO2 containing U enriched up to 3% in U-235 isotope
JOHNSON L. Atomic Energy Commission (Pre 750119) 56/11/21 1p 82626 016-82626 016

9502010213 Informs that on 561120, GE was issued SNM license authorizing licensee to receive U oxide containing U-235 for conversion into pellets for other licensee
PITMAN F.K. Atomic Energy Commission (Pre 750119) 56/12/06 HEUSTISA E. Michigan, State of 1p 82626 017-82626 017

9502020041 Requests submittal of detailed info re procedures to avoid accidental criticality during shipment of SNM to other licensee & Commission
JOHNSON L. Atomic Energy Commission (Pre 750119) 57/03/23 BEARDSLEE K.R. General Electric Co 1p 82626 020-82626 020

9502020049 Informs that listed individuals engaged in activities covered by license SAM-0059 per 560918 application
General Electric Co 57/06/07 Atomic Energy Commission (Pre 750119) 2pp 82626 023-82626 024

9502020055 Discusses 570417 from EA Turner which provides procedure to avoid accidental criticality on incoming & outgoing shipments under license SNM-0059
JOHNSON L. Atomic Energy Commission (Pre 750119) 57/07/05 BEARDSLEE K.R. General Electric Co 1p 82626 025-82626 025

9502020059 Submits listed info on procedures to avoid accidental criticality on incoming & outgoing shipments under license SNM-0059
BEARDSLEE K.R. General Electric Co 57/07/23 Atomic Energy Commission (Pre 750119) 2pp 82626 026-82626 027

9502020068 Informs that amend being made to incorporate into license, 570728 procedures to avoid accidental criticality in transfer of SNM
DELANEY J.C. FLEURY E.R. Atomic Energy Commission (Pre 750119) 57/09/12 Atomic Energy Commission (Pre 750119) 1p 82626 028-82626 029

9502020190 Forwards amend to license SNM-0059
FLEURY E.R. Atomic Energy Commission (Pre 750119) 57/09/16 BEARDSLEE K.R. General Electric Co 1p 82626 030-82626 030

9502020200 Amend to license SNM-0059
FLEURY E.R. Atomic Energy Commission (Pre 750119) 57/09/16 1p 82626 031-82626 031

9502020207 Informs that Metallurgical Products Dept discontinued activity in converting U oxide powder into solid shapes, per 560918 application
BEARDSLEE K.R. General Electric Co 58/05/13 Atomic Energy Commission (Pre 750119) 1p 82626 033-82626 033

9502020219 Informs that license terminated per 560313 request
JOHNSON L. Atomic Energy Commission (Pre 750119) 58/03/19 BEARDSLEE K.R. General Electric Co 1p 82626 034-82626 034

9502020223 Forwards insp rept 70-0055/82-01 on 820608-16 No violations noted
CROW W.T. Uranium Fuel Licensing Branch 82/07/16 General Electric Co 1p 82626 035-82626 035

9502020227 Insp rept 70-0055/82-01 on 820608-16 No violations noted Major areas inspected status of expired license SNM-0059 & to survey physical facilities used during time license in effect
DESMANN M.J., SCHUMACHER M.C. Region 3 (Post 820201) 82/05/29 4pp 82626 036-82626 038

9502020230 Discusses 940301 telcon re insp findings at two former Brook & Perkins facilities
WIEDENMAN D.G. NRC No Detailed Affiliation Given 94/03/07 BROOKS PERKINS General Electric Co 1p 82626 050-82626 057

9502020224 Forwards insp rept 70-0105/94-01 on 941122 No violations noted Adverses that further investigation, including surveys need to be performed in Bldg 8 & in former settling pond adjacent to bldg to demonstrate facility meets NRC criteria
COLLINS D.M. Region 2 (Post 820201) 95/01/24 ADAMS P. Affiliation Not Assigned 2pp 82601 121-82601 128

9502020226 Insp rept 70-0105/94-01 on 941122 No violations noted Major areas inspected observation of radiological survey of former int chemical & nuclear corporation facilities
ROBERTS M.C. KINNEMAN J.D. Region 1 (Post 820201) 95/01/24 8pp 82601 123-82601 128

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0007 ION PHARMACEUTICALS, INC., IRVINE, CA

9502010059 Discusses insp rept 70-0007/94-01 on 941122 No violations noted
KINNEMAN J.D. Region 1 (Post 820201) 95/02/13 KRUEGER D.J. ION Biomedical Inc (formerly KOR, Inc.) 3pp 82770 099-82770 097

9502010066 Forwards insp rept 70-0007/94-01 on 941122 No violations noted
KINNEMAN J.D. Region 1 (Post 820201) 95/02/13 ALBERTS W.W. ION Pharmaceuticals, Inc. (ION-C&R Development) 2pp 82770 099-82770 094

9502010068 Insp rept 70-0007/94-01 on 941122 No violations noted Major areas inspected observation of radiological survey of former int chemical & nuclear corporation facilities
ROBERTS M.C. KINNEMAN J.D. Region 1 (Post 820201) 95/02/09 8pp 82770 095-82770 097

DOCKET 70-0008 BATTELLE COLUMBUS DIV (BATTELLE MEMORIAL INSTITUTE)

9502020077 Informs that since BML not radiography licensee BML believes no action required w/ regard to NRC Bulletin 95-001 for listed reasons
JENSEN C. Battelle Memorial Institute Columbus Laboratories 95/02/17 Document Control Branch (Document Control Desk) 1p 82822 327-82822 334

DOCKET 70-0028 WESTINGHOUSE ELECTRIC CO

9502180080 Forwards insp repts 80-3558/94-01 & 70-0028/94-01 on 941213 No violations noted
KINNEMAN J.D. Region 1 (Post 820201) 95/02/08 NARDI A.J. Westinghouse Electric Corp 3pp 82722 343-82722 351

9502180084 Insp repts 80-3558/94-01 & 70-0028/94-01 on 941213 No violations noted Major areas inspected organization staffing & training of workers
ROBERTS M.C. KINNEMAN J.D. Region 1 (Post 820201) 95/02/08 5pp 82722 346-82722 351

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNDSBURG, VA

9502030151 Informs of delay in revised facility change control process, as described in 941122 reply to NRC & per 941220 extension of completion date with B50102 to 0201 New target date of 950401 established for completion of implementation
OLSEN A.F. Babcock & Wilcox Co 95/01/27 Region 2 (Post 820201) 1p 82616 356-82616 358

9502030236 Discusses restructuring to improve effectiveness of Project Mgt throughout McDermott int business lines
STEWART J. Babcock & Wilcox Co 95/02/01 EBNETER S.D. Region 2 (Post 820201) 1p 82770 387-82770 387

9502140017 Forwards insp rept 70-0027/94-26 on 941203-950106 No violations or deviations noted
COLLINS D.M. Region 2 (Post 820201) 95/02/02 CONNER J.A. Babcock & Wilcox Co 2pp 82713 143-82713 149

9502140021 Insp rept 70-0027/94-26 on 941203-950106 No violations noted Major areas inspected observation of work activities in areas of facility operations & maintenance protection, nuclear criticality safety, security & safeguards
ELLIOTT M.P., MCALPINE J. Region 2 (Post 820201) 95/02/02 6pp 82713 145-82713 149

9502180148 Provides FPD program rept for period 940701-1231
DAVIS W.H. Babcock & Wilcox Co 95/02/06 PIERSON R. Licensing Branch 2pp 82768 072-82768 079

9502140178 Requests extension of 30 day reply dates specified in re: until 950228 to permit licensee to provide all of requested add info in one submittal
OLSEN A.F. Babcock & Wilcox Co 95/02/08 FLACK E.D. Licensing Branch 1p 82744 222-82744 222

9502230223 Forwards 950106 memo from C Enneigh to R Person identifying issues as result of review of Augmented Insp Team Rept 70-0027/94-15 Issues will be dispositioned as listed
PIERSON R.C. Licensing Branch 95/02/14 BURNETT R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207) 1p 82826 281-82826 282

9501130127 Lists issues identified from review of Augmented Insp Team Rept 70-0027/94-18 re incident at facility
EMEIGH C.W. Division of Fuel Cycle Safety & Safeguards (Post 930207) 95/01/08 PIERSON R.C. Licensing Branch 1p 82826 282-82826 282

9502210202 Forwards partially withheld insp rept 70-0027/95-01 on 950115-20 No violations noted
THWG P. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/02/15
CONNOR J.A. Babcock & Wilcox Co 3pp 82811 046-82811 048

9502210212 Partially withheld insp rept 70-0027/95-01 on 950115-20 No violations noted Major areas inspected (air monitoring, accounting & internal control & licensee action concerning two previously identified IPI & three violations)
LIGHT, C.S., ROTH, J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/15 1p 82811 048-82811 048

9502220238 Forwards insp rept 70-0027/95-01 on 950106-0203 No violations noted
COLLINS D.M. Region 2 (Post 820201) 95/02/15 CONNER, J.A. Babcock & Wilcox Co 2pp 82800 034-82800 043

9502220344 Insp rept 70-0027/95-01 on 950106-0203 No violations noted Major areas inspected conducted through review of selected records interviews w/personnel & direct observation of work activities in areas of facility operations & maintenance
ELLIOTT, J.P., TROUP, G.L., MCALPINE, E.J. Region 2 (Post 820201) 95/02/15 10pp 82800 034-82800 043

9502220225 Forwards RAI re 941128 application responding to 10CFR173.46(b)(4),(1.0) through (1.2), requiring changes to physical protection & guard training qualification plans
FLACK, E. Licensing Branch 95/02/15 NOEL, J.L. Babcock & Wilcox Co 5pp 82826 285-82826 289

DOCKET 70-0836 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9502050084 Provides schedule for completion of integrated safety assessments for remainder of plant
MICHELSEN, M.A. ASEA Brown Boveri, Inc. 95/01/28 PIERSON, R.C. Licensing Branch 3pp 82712 355-82712 358

9502180287 Submits rept of evaluation to determine source of contamination to Bunal Site Well #4
SHARKEY, R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) SHARKEY, R.W. ASEA Brown Boveri, Inc. 95/01/27 PIERSON, R.C. Licensing Branch 3pp 82720 239-82720 241

9502080215 Application for amend to license SNM-33, reflecting revised organization as result of recent organizational realignment at facility
MICHELSEN, M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) MICHELSEN, M.A. ASEA Brown Boveri, Inc. 95/01/28 PIERSON, R.C. Licensing Branch 32pp 82703 329-82703 357

9502180322 Informs that add info needed before final action can be taken on request for approval of decommissioning plan
SCONGS, S. Licensing Branch 95/02/08 SHARKEY, R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) 1p 82720 218-82720 218

DOCKET 70-0121 INTERIOR, DEPT. OF, DENVER, CO

9502010819 Discusses insp rept 70-0121/95-01 on 950106 No violations or deviations noted
HOWELL, L.L. Region 4 (Post 820201) 95/01/24 SCHER, F. Interior, Dept. of, Geological Survey 3pp 82544 035-82544 037

DOCKET 70-0136 BABCOCK & WILCOX CO., APOLLO, PA

9502080313 "Community at Crossroads Apollo Area Apollo Area Economic Development Council Planning Charter for 94/02/31"
* Affiliation Not Assigned 94/10/31 95pp 82885 001-82885 008

9502090105 Advises NRC of potential safety concern re effects of initial conditions used for large break LOCA analyses for ECCS evaluation of B&W operating plants & to right condition of nonconservative data handling
TAYLOR, J.W. Babcock & Wilcox Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82817 245-82817 253

9502100290 Continues arrangements re 950202 meeting in Rockville, MD to discuss format & content of B&W Apollo Final Decommissioning Rept that will be submitted in June 1995
HARDIN, K.J. Licensing Branch 95/02/07 HAERTJENS, B.L. Babcock & Wilcox Co 1p 82720 297-82720 297

9502100302 Submits notification of 950314 meeting w/B&W in Rockville, MD re format & content of licensee final decommissioning rept which will show conclusively that site meets unrestricted release criteria
* Licensing Branch 95/02/07 Licensing Branch 1p 82720 229-82720 229

9502280071 Forwards results of NRC TLD direct radiation monitoring around B&W Pennsylvania operations facility
STRUCKMEYER, R. Region 1 (Post 820201) 95/02/15 CEPICKA, J.J. Babcock & Wilcox Co 4pp 82848 152-82848 155

DOCKET 70-0139 D.E. MAKEPEACE CO., ATTLEBORO, MA

9502280182 Forwards "Radiological Health & Safety Plan (RHSP) for Bldg Interior Decontamination" "RHSP for Radiological Exterior Characterization Survey" & "Radiological Characterization Survey of Interior" at Plainville site
CHABOT, D.P. Engelhard Corp. 94/08/09 TURTLER, NRC - No Detailed Affiliation Given 3pp 82944 001-82944 024

9502280184 Releases based documents for public disclosure
CHABOT, D.P. Engelhard Corp. 95/02/22 TURTLER, NRC - No Detailed Affiliation Given 1p 82944 004-82944 004

9502280182 Draft Rev 0 to "Radiological Health & Safety Plan for Bldg Interior Decontamination at Engelhard Corp Site at Plainville, MA"
* Ebasco Services, Inc. 94/08/31 12pp 82944 005-82944 134

9502280301 Draft Rev 0 to "Radiological Health & Safety Plan for Radiological Exterior Characterization Survey at Engelhard Corp at Plainville, MA"
* Ebasco Services, Inc. 94/08/31 12pp 82944 135-82944 284

9502280302 "Radiological Characterization Survey of Interior of Plainville, MA Plant of Engelhard Corp.
BERLIN, R.E., DUGGAN, W.P. MERTIN, J. Affiliation Not Assigned 94/08/31 12pp 82944 285-82944 024

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9502230318 First partial response to FOIA request for documents App A documents already available in PDR App B documents sent & will be placed in PDR Apps C & D documents withheld (ref FOIA exemptions 1,4 & 5)
POWELL, R. Division of Freedom of Information & Publications Services (980205-840714) 94/08/08 WILLIAMS, O.G. JRA Associates, 3pp 82825 043-82825 088

9502230371 Requests comments on end IR to NFS-Erwin re 920827 site visit & press release on Russian HEU
TAYLOR, J.M. Ofc of the Executive Director for Operations 92/09/01 THE CHAIRMAN SELINI, J. CURTISS, J.R. Commissioners (Post 750119) 4pp 82825 061-82825 064

9502230376 Discusses completion of SECY 92-302 for NFS-Erwin Document discussion process & critically issues that would be involved at NFS-Erwin
THE CHAIRMAN SELINI, J. Commissioners (Post 750119) 92/09/01 ROGERS, K.C. CURTISS, J.R., READON, F.J. Commissioners (Post 750119) 4pp 82825 065-82825 068

9502010165 Provides corrected page 38 to 950120 submittal requesting approval of changes to pp 10,29,37,38 & 44 of Chapter 4
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/01/27 PIERSON, R.C. Licensing Branch 3pp 82887 110-82887 112

9502060313 Informs that US supported recommendation made by IAEA Board of Governors to provide early design to Agency to afford opportunity for more efficient & effective safeguards
SHERR, T.S. Regulatory & International Safeguards Branch 95/01/31 MAXIN, A.M. Nuclear Fuel Services, Inc. 2pp 82827 349-82827 349

9502100212 Informs of review of application & identified that add info needs to be provided before final action can be taken on request to allow storage of aqueous UNH solutions w/ enrichment no greater than 20% U-235
ROCHEL, Licensing Branch 95/02/07 MAXIN, A.M. Nuclear Fuel Services, Inc. 2pp 82732 042-82732 043

9502100213 Forwards amend 22 to license SNM-124 for Nuclear Fuel Serv. Inc. amending license conditions S-1 & deleting license conditions S-47 & S-48
PIERSON, R.C. Licensing Branch 95/02/07 MAXIN, A.M. Nuclear Fuel Services, Inc. 1p 82732 020-82732 041

9502100216 Amend 22 to license SNM-124 for Nuclear Fuel Serv. Inc. amending Condition S-1 & deleting Conditions S-47 & S-48
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207) 95/02/07 15pp 82732 021-82732 038

9502100217 Safety evaluation authorizing issuance of amend 22 to license SNM-124
* Office of Nuclear Reactor Regulation Director (Post 870411) 95/02/07 3pp 82732 039-82732 041

9502180262 Submits plans for remediating areas of Pond 4 outside of Bldg 410, including evaluations of estimated worker & public radiation exposures & potential groundwater impact Summary rept, "Impact of Airborne Radioactive Effluent" and
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/02/08 PIERSON, R.C. Licensing Branch 5pp 82780 305-82780 336

9502180265 "Summary Rept Impact of Airborne Radioactive Effluent From Pond 4 Remediation Project"
* Nuclear Fuel Services, Inc. 94/11/10 10pp 82780 310-82780 319

9502180268 "Summary Rept Review of Erwin Sampling Results in Vicinity of Ponds 1,2 & 3 Decommissioning W/Source Term Comparisons & Impact Estimations for Pond 4 Area"
* Nuclear Fuel Services, Inc. 94/05/26 14pp 82780 320-82780 338

9502280086 Provides requested add info re use of 27-group chlorine cross-sections when analyzing columns made of PVC
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/02/17 PIERSON, R.C. Licensing Branch 4pp 82815 001-82815 004

DOCKET 70-0162 PURDUE UNIV., WEST LAFAYETTE, IN

9502100057 Forwards insp rept 50-182/94-01 & 70-0152/94-01 on 841121-23 & 950109 No violations noted
BARGER, J.W. Region 3 (Post 820201) 95/02/01 RANSOM, V. Purdue Univ. West Lafayette, IN 2pp 82880 282-82880 288

9502180084 Insp rept 50-182/94-01 & 70-0152/94-01 on 841121-23 & 950109 No violations noted Major areas inspected organization logs/records/review & audits, surveillance & emergency planning
REIDINGER, T., NELSON, D., BARGER, J.W. Region 3 (Post 820201) 95/02/01 5pp 82880 284-82880 288

9502220007 Forwards insp rept 50-182/95-01 & 70-0152/95-01 on 950118 No violations noted
CREED, J.R. Region 3 (Post 820201) 95/02/08 RANSOM, V. Purdue Univ. West Lafayette, IN 2pp 82784 355-82784 360

9502280010 Partially deleted insp rept 50-182/95-01 & 70-0152/95-01 on 950118 (ref 10CFR2.790) No violations noted Major areas inspected review of approved security plan for reactor fast breeder blanket facility & nuclear fuel storage areas
BELENGER, J.L. CREED, J.R. Region 3 (Post 820201) 95/02/08 4pp 82784 357-82784 360

174 DOCKETED ITEMS

DOCKET 70-0384 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

950206003 Comment re B&W/ARCO land disposal site at Parks Township requiring full scale cleanup including excavation & shipment to waste disposal site for reanalysis. HUTCHINSON, H. Affiliation Not Assigned 94/12/29 NRC - No Detailed Affiliation Given 1p 82576 043-82576 043

950206027 Forwards Rev F to "Parks SLDA - Environ Rept Roadmap" ROSENTHAL, P.R. Babcock & Wilcox Co. 95/01/20 ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 2pp 82665 238-82665 258

-950206032 Rev F to "Parks SLDA - Environ Rept Roadmap" Atlantic Richfield Co. (ARCO) 95/01/20 18pp 82665 238-82665 258

950206034 Petition for review * Informs that intervenors have met threshold of IV Smith broad area of concern & ask that careful & fair consideration be afforded W/ Certificate of Svc. AMEND, P.J. Citizens Action for Safe Environment BOLOGNA, J.P. Kuku Valley Coalition to Save Our Children #185 15255 95/01/23 Commissioners (Post 750118) 7pp 82559 103-82559 115

950206004 Comments on decommissioning of Parks Township, PA Shallow Land Disposal Area. Recommends that shallow land disposal area be dug up & contents be shipped to waste disposal facility. TROZZI, V. Affiliation Not Assigned 85/01/24 Division of Freedom of Information & Publications Services (Post 840714) 1p 82576 044-82576 044

950206005 Notification of significant licensee meeting w/Babcock & Wilcox on 950210 for B&W & ARCO presentation of process for estimating contents of disposal trenches at Shallow Land Disposal Area in Parks Township. ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/25 GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 2pp 82666 248-82666 247

950206020 Transcript of 950126 public scoping meeting in Leechburg, PA re Parks Township shallow land disposal area EIS Pp 1-64. CAMERON, F.X. WEBER, M.F. NRC - No Detailed Affiliation Given 95/01/28 66pp 82697 122-82697 187

950206027 Provides comments expressing community concern re EIS for Parks Township re ARCO proposed action to seal contaminated waste. BOLOGNA, J.P. Kuku Valley Coalition to Save Our Children AMEND, P.J. Citizens Action for Safe Environment 95/01/25 NRC - No Detailed Affiliation Given 14pp 82705 301-82705 314

950206048 Informs that attorneys for Babcock & Wilcox now affiliated w/law firm of Morgan, Lewis & Bockius. Location of where service on counsel for Babcock & Wilcox should be directed. W/Certificate of Svc. Related correspondence. BAUSER, M.A. Morgan, Lewis & Bockius #185 16280 95/01/27 AMEND, P.J. Citizens Action for Safe Environment BOLOGNA, J.P. Kuku Valley Coalition to Save Our Children 3pp 82559 147-82559 149

950206047 Notification of 950314 meeting w/B&W in Rockville, MD to resolve outstanding issues on plant organization, financial assurances, possession limits, new 10CFR20 requirements & proposed license conditions related to renewal. LAMASTRA, J. Licensing Branch 95/02/01 Licensing Branch 1p 82768 355-82768 355

950206017 Confirms arrangements made between Sparlate & M. Lamstra on 950130 meeting to be held in Rockville, MD to discuss outstanding issues re renewal of license SHM-414. LAMASTRA, J. Licensing Branch 95/02/01 HART, JENSEN, B.L. Babcock & Wilcox Co. 1p 82688 239-82688 239

950206012 Notices of 950314 meeting w/B&W in Rockville, MD to resolve outstanding issues on plant organization, financial assurances, possession limits, new Part 20 requirements & proposed license conditions related to renewal. Licensing Branch 95/02/01 Licensing Branch 1p 82765 258-82765 258

950217012 Forwards listed documents re shallow land disposal area in Parks Township W/C end. ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/03 ENSMINGER, T. Oak Ridge National Laboratory 1p 82779 262-82779 262

950216002 Licensee answer opposing intervenor petition for review * B&W submits answer in opposition to intervenor petition for review per 10CFR2 735(b)(3) W/Certificate of Svc. AXELRAD, M. Babcock & Wilcox Co. AXELRAD, M. Morgan, Lewis & Bockius #185 16327 95/02/07 Commissioners (Post 750118) 10pp 82736 001-82736 010

950216012 NRC Staff answer to intervenor Petition for review * NRC Staff submits answer in opposition to intervenor Petition for review of presiding officer 950103 initial decision re license renewal W/Certificate of Svc. BACHMANN, R.G. Office of the General Counsel (Post 860701) #185 16325 95/02/07 Commissioners (Post 750118) 13pp 82736 206-82736 218

950222045 Forwards listed documents, including Parks SLDA Environ Rept Roadmap, Rev F, dtd 950120 & NRC notice of intent to prepare EIS dtd 841229 W/C end. ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/07 ENSMINGER, T. Oak Ridge National Laboratory 1p 82901 307-82901 307

9502180102 Forwards "White Paper on Tranche Sampling" & waste characterization pertaining to SLDA. ROSENTHAL, P.R. Babcock & Wilcox Co. 95/02/09 ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 1p 82768 106-82768 126

-9502180108 "White Paper on Tranche Sampling" Babcock & Wilcox Co. 95/02/09 19pp 82768 107-82768 125

9502270035 Comments on decommissioning of Shallow Land disposal site in Township, Pa. MEYERHOUSE, P. Affiliation Not Assigned 85/02/11 NRC - No Detailed Affiliation Given 3pp 82891 127-82891 129

950222039 Declines to participate as cooperating agency in preparation of EIS for decommissioning of B&W Shallow Land Disposal Area near Leechburg, PA in response to NRC 941223 invitation. BORGSTROM, C.M. Energy, Dept of 95/02/14 KNAPP, R. Division of Waste Management (NMSS 940403) 1p 82883 152-82883 152

9502280071 Forwards results of NRC TLD direct radiation monitoring around B&W Pennsylvania operations facility. STRUCKMEYER, R. Region 1 (Post 820201) 95/02/15 CEPICKA, J.J. Babcock & Wilcox Co. 4pp 82848 152-82848 155

DOCKET 70-0687 CINCHEM, INC., TUXEDO, NY

950202024 Responds to 841208 ltr & informs that staff has concluded delay in completion of decommissioning of facility justifiable & meets conditions described in Condition H of license amend 8 of license. GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/18 MCGOVERN, J.J. Cinchem, Inc. 2pp 82619 304-82619 310

-950202029 Amend 7 to license SHM-439 for Cinchem, Inc., extending Condition H GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/18 5pp 82619 306-82619 310

9502180118 Forwards rept on survey results re hold-up & SK tank areas on site. MCGOVERN, J.J. Cinchem, Inc. 95/01/28 DRAGOURT, R. Region 1 (Post 820201) 1p 82755 001-82755 357

-9502180114 "Cinchem Final Status Survey Plan & Rept" Cinchem, Inc. 95/01/26 356pp 82755 002-82755 357

9502130228 Forwards shop repts 50-054/95-01 & 70-0887/95-01 on 950110-13 No violations or regulatory requirements noted. JOYNER, J.H. Region 1 (Post 820201) 95/02/03 MCGOVERN, J.J. Cinchem, Inc. 3pp 82707 246-82707 253

-9502130228 Insp repts 50-054/95-01 & 70-0887/95-01 on 950110-13 No violations noted. Major areas inspected status of previously identified 4 element term radiation surveys, waste disposal control & oversight of work & radiation program. DRAGOURT, R. ULRIE, R. Region 1 (Post 820201) 95/02/03 5pp 82707 249-82707 253

DOCKET 70-0712 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

9502020138 FOIA request for documents & mails re Kerr-McGee facility at Cushing, OK. MARBLE, J.D. Hucksby, Fleming, Friley, Chaffin & Derrah 94/02/14 Division of Freedom of Information & Publications Services (890205-940714) 1p 82627 001-82627 001

9502030148 Partial response to FOIA request for documents. Forwards app A & B records, available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/05/06 MARBLE, J.D. Hucksby, Fleming, Friley, Chaffin & Derrah 7pp 82621 002-82621 277

-9502030162 Informs that item 14 of NMSS 910211 Delegation of Authority, delegates authority to grant Kerr-McGee Corp. exemptions from physical protection requirements of 10CFR72 & capability accident requirements of 10CFR70 24. GARGART, R.L. Division of Low-Level Waste Management & Decommissioning 970413-940402 95/04/06 AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230) 44pp 82621 003-82621 277

9502130154 Second partial response to FOIA request for records. App C records available in PDR. App D records not available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890205-940714) 94/06/20 MARBLE, J.D. Hucksby, Fleming, Friley, Chaffin & Derrah 4pp 82717 001-82717 139

-9502130163 Responds to 830219 ltr, requesting meeting to discuss decommissioning activities involving Fentless site & Kerr-McGee sites in Cimarron & Cushing. Agree w/ licensee that close cooperation needed for timely remediation. BERNERD, P.M. Office of Nuclear Material Safety & Safeguards 94/06/20 EATON, P.P. Oklahoma, State of 3pp 82717 006-82717 082

9502101030 Third partial response to FOIA request for documents. Forwards App E record available in PDR w/so overhead drawings. Division of Freedom of Information & Publications Services (890205-940714) 84/07/12 Hucksby, Fleming, Friley, Chaffin & Derrah 3pp 82630 245-82630 249

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9502130257 Informs that concern was identified re currentness of General Atomics Radiological Contingency Plan as concerns to providing method for assessing potential radiological consequences of chemical accident. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 94/10/14 COLLINS, S.J. Region 4 (Post 820201) 3pp 82727 918-82727 920

9502220382 Forwards proprietary SHM physical inventory summary repts reflecting plant activity for period ending 950116. Proprietary repts withheld. WISHAM, C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/01/10 PIERSON, R.C. Licensing Branch 1p 82822 349-82822 349

9502070138 Submits repts re radiological contingency plan, dtd Jan 1995. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/01/30 BERNERD, P.M. Office of Nuclear Material Safety & Safeguards 6pp 82655 306-82655 311

9502080095 Forwards comments based on review of 940331 submittal of info re internal equipment for decommissioning. GASKIN, C.E. Licensing Branch 95/02/08 ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 10pp 82712 212-82712 221

9502100223 Forwards Amend 28 to license SNM-696 for General Atomics, revising license condition S-23 & SER
PIERSON,R.C. Licensing Branch 95/02/07 ASHUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 3pp 82720 158-82720 172

9502100226 Amend 28 to license SNM-696 for General Atomics, revising license condition S-23
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207) 85/02/07 10pp 82720 158-82720 158

9502100232 Safety evaluation, authorizing issuance of amend 28 to license SNM-696
Office of Nuclear Reactor Regulation, Director (Post 870411) 95/02/07 4pp 82720 158-82720 172

9502200218 Notification of 950227-0302 meeting w/General Atomics, Inc. in La Jolla, CA to discuss licensing issues
NRC - No Detailed Affiliation Given 95/02/18 NRC - No Detailed Affiliation Given 1p 82683 152-82683 152

9502200285 Response to GL 95-01, "NRC Staff Technical Position on Fire Protection for Fuel Cycle Facilities." Licensee inspected at least yearly by local fire dept to evaluate fire safety at each of units on site
ASHUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/02/24 Document Control Branch (Document Control Desk) 2pp 82653 193-82653 194

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9502100556 Response to violations noted in Insp Rept 70-0754/94-02 Corrective actions 1740 obtained portable air sampling equipment to monitor hot cell leaks
STIMMELL,G.L. General Electric Co. 95/01/26 Document Control Branch (Document Control Desk) 2pp 82587 328-82587 329

9502100562 Ack receipt of 950126 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0754/94-02
WEINSTEIN,W.S. Walnut Creek Field Off. RA (Post 940404) 95/02/03 STIMMELL,G.L. General Electric Co. 2pp 82690 001-82690 004

DOCKET 70-0636 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9502090524 Forwards "Ground Water Monitoring Plan UNC Site,Charlestown, Pa."
GREGG,R.J. United Nuclear Corp. (subs. of UNC, Inc.) 94/12/19 PARROTT,J. NRC - No Detailed Affiliation Given 4pp 82757 257-82757 356

9502090528 "Ground Water Monitoring Plan UNC Site,Charlestown,Pa."
United Nuclear Corp. (subs. of UNC, Inc.) 93/04/16 11pp 82757 261-82757 366

DOCKET 70-8625 CIMARRON CORP., OKLAHOMA CITY, OK

9502100259 Forwards FR notices re two recent rulemaking actions concerning (impaired) in decommissioning nuclear waste facilities & proposed criteria for decommissioning nuclear facilities IV/a ends
GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (HMSS 940403) 95/02/01 STAUTER,J.C. Kern-McGee Corp. 2pp 82720 245-82720 246

9502100271 Forwards NRC comments on Cimarron Corp. "Rept on South U Yard Remediation at Cimarron Facility," dtd Nov 1994
GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (HMSS 940403) 95/02/01 STAUTER,J.C. Kern-McGee Corp. 2pp 82720 242-82720 244

9502200449 Notification of 950215 meeting w/licensees in Rockville,MD.
FAUVER,D.N. Low-Level Waste & Decommissioning Projects Branch (HMSS 940403) 95/02/09 Low-Level Waste & Decommissioning Projects Branch (HMSS 940403) 1p 82698 368-82698 359

9502200511 informs that NRC renewed Cimarron Corp. 941115 rept "Soil Stockpiles Remediation/Remedial for Attachment 4 to Kern-McGee, 940821 Lr," & workable per NUREG/CR-5849
FAUVER,D.N. Low-Level Waste & Decommissioning Projects Branch (HMSS 940403) 95/02/15 STAUTER,J.C. Kern-McGee Corp. 3pp 82945 227-82945 228

9502200601 Forwards Insp Rept 70-0825/95-01 on 950130-0201 No violations identified
COLLINS,D.M. Region 4 (Post 820201) 95/02/21 STAUTER,J.C. Kern-McGee Corp. 4pp 82691 001-82691 019

9502200602 Insp Rept 70-0825/95-01 on 950130-0201 No violations noted Major areas inspected facility status & radioactive waste mgmt program
CAIN,C.L. Region 4 (Post 820201) 95/02/15 15pp 82691 006-82691 019

DOCKET 70-1007 GENERAL ELECTRIC CO., SAN JOSE, CA

9502200884 Findings of fact, conclusions of law, certificate of order & interim order Orders set to work w/Commission staff to develop info to support prognosis for continued operation of existing unit 2 SG
DOHR,L.L. Affiliation Not Assigned 95/02/09 36pp 82615 049-82615 067

DOCKET 70-1958 FLORIDA, UNIV. OF, GAINESVILLE, FL

9502100804 Submits notification of 940214 meeting w/Univ of Florida at Gainesville, FL re license renewal status
Licensing Branch 95/02/08 Licensing Branch 1p 82720 228-82720 228

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9502070166 Forwards Rev 1 to "Radiological Contingency & Emergency Plan" Attachment 1 contains changes to "Revs By Page" section & proposed word changes for Chapter 8 of current SNM-1037 license
KLAPPROTH,J.F. General Electric Co. 95/02/01 FLACK,E.D. Licensing Branch 7pp 82683 293-82683 308

9502070169 Rev 1 to "Radiological Contingency & Emergency Plan"
General Electric Co. 95/02/01 7pp 82693 285-82693 306

9502100858 Ack receipt of 950202 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-1113/94-12
COLLINS,D.M. Region 2 (Post 820201) 95/02/08 KOPP,C.P. General Electric Co. 2pp 82737 105-82737 106

9502100219 Forwards proprietary FHEMCP changes descriptions Changes do not decrease effectiveness of current MCSA program Plan withheld (ref 100FR2 790(d))
KLAPPROTH,J.F. General Electric Co. 95/02/09 PIERSON,R.C. Licensing Branch 2pp 82761 111-82761 112

9502200023 Provides replacement page (i) to 9502010 submittal, "Rev to Radiological Contingency & Emergency Plan," which contains corrections to dates, page number & placement of asterisks
FOLECK,R.H. General Electric Co. 95/02/14 FLACK,E.D. Office of Nuclear Material Safety & Safeguards 2pp 82613 084-82613 086

9502200038 Email to Rev 1 to, "Radiological Contingency & Emergency Plan," which contains corrections to dates, page number & placement of asterisks
General Electric Co. 95/02/01 1p 82613 085-82613 086

9502200048 Request extension until 950315 to prepare response to GL 95-01, "NRC Staff Technical Position on Fire Protection for Fuel Cycle Facilities"
KLAPPROTH,J.F. General Electric Co. 95/02/15 PIERSON,R.C. Licensing Branch 1p 82683 153-82683 153

DOCKET 70-1161 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9502200055 Forwards info re license renewal application per request
REITLER,E.K. Westinghouse Electric Corp. 95/02/20 KEEGAN,E. Licensing Branch 150pp 82687 001-82687 240

9502200094 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jan-June 1994"
REITLER,E.K. HEATH,J.W. GOODWIN,W.L. Westinghouse Electric Corp. 94/06/30 121pp 82687 206-82687 326

9502200098 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jul-Dec 1993"
REITLER,E.K. BARTSCH,K.R. GOODWIN,W.L. Westinghouse Electric Corp. 93/12/31 80pp 82687 327-82687 051

9502200104 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jan-June 1993"
REITLER,E.K. BARTSCH,K.R. GOODWIN,W.L. Westinghouse Electric Corp. 93/06/30 87pp 82686 052-82686 136

9502200110 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jul-Dec 1992"
REITLER,E.K. BARTSCH,K.R. GOODWIN,W.L. Westinghouse Electric Corp. 92/12/31 73pp 82686 137-82686 208

9502200115 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jan-June 1992"
SHANNON,H.T. REITLER,E.K. GOODWIN,W.L. Westinghouse Electric Corp. 92/06/30 73pp 82686 210-82686 283

9502200121 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jul-Dec 1991"
LINES,R.D. REITLER,E.K. GOODWIN,W.L. Westinghouse Electric Corp. 91/12/31 75pp 82686 204-82686 913

9502200127 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jan-June 1991"
LINES,R.D. REITLER,E.K. GOODWIN,W.L. Westinghouse Electric Corp. 91/06/30 74pp 82689 014-82689 098

9502200138 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jul-Dec 1990"
KENT,N.A. LINES,R.D. REITLER,E.K. Westinghouse Electric Corp. 90/12/31 75pp 82689 089-82689 154

9502200134 "Westinghouse Electric Corp Commercial Nuclear Fuel Div Columbia Plant ALARA Rept Jan-June 1990"
REITLER,E.K. GOODWIN,W.L. KOGAR,H. Westinghouse Electric Corp. 90/06/30 76pp 82689 165-82689 240

9502030689 Forwards Insp Rept 70-1151/94-08 on 941219-22 & NOV
COLLINS,D.M. Region 2 (Post 820201) 95/01/23 FICHA,J. Westinghouse Electric Corp. 2pp 82618 205-82618 239

9502030695 Notice of violation from Insp on 941218-22 Violation noted three used vacuum cleaner bags stored next to each other in ventilation hood & four fifty-five gallon drums containing archive entered fuel pellet samples stored closer together
Region 2 (Post 820201) 95/01/23 3pp 82618 207-82618 208

9502030702 Insp Rept 70-1151/94-08 on 941219-22 Violations noted Major areas inspected, onsite review of nuclear criticality safety program, including postings & criticality signs, procedures, observation of operations & floor storage
BASSETT,C.H. TESTA,E.D. MCALPINE,E.J. Region 2 (Post 820201) 95/01/23 24pp 82618 210-82618 233

9502200058 Informs that Westinghouse currently authorized to dispose of C&F at land-fill or use as fueling agent in steel mill
PIERSON,R.C. Licensing Branch 95/01/30 WILLIAMS,R. Westinghouse Electric Corp. 3pp 82620 179-82620 181

9502020076 Discusses status of "Rept of Soil & Groundwater Sampling Outside Solvent Extraction Area"
EMERSON,C.W. Licensing Branch 95/01/30 WILLIAMS,R. Westinghouse Electric Corp. 3pp 82620 182-82620 184

176 DOCKETED ITEMS

9502020880 Forwards add info re license renewal for Criticality Safety Chapter
KEEGAN, E. Licensing Branch 95/01/30 WILLIAMS, R. A. Westinghouse Electric Corp
2pp 82620 185-82620 186

9502180618 Submits rept of 950203 meeting w/ut re increase of licensee authorized
enrichment to greater than 5% 235 U List of attendees and
KEEGAN, E. M. Licensing Branch 95/02/08 PIERSON, R. C. Licensing Branch 2pp
82690 060-82690 061

9502180238 Forwards draft rept of 950201 meeting w/Westinghouse re approach taken
in writing criticality safety chapter of license renewal application
KEEGAN, E. M. Licensing Branch 95/02/08 PIERSON, R. C. Licensing Branch 2pp
82720 270-82720 280

9502180128 Declassifies insp rept 70-1151/95-01 on 850109-18 & forwards notice of vio-
lation
STOHRL, P. Region 2 (Post 820201) 85/02/08 FICLI, A. Westinghouse Electric Corp
3pp 82737 217-82737 240

9502180137 Notice of violation from insp on 850109-13 Violation noted licensee failed
to have current copy of certificate of compliance & failed to label correctly package
containing 4 percent enriched unrefined dioxide pellets
* Region 2 (Post 820201) 95/02/08 3pp 82737 220-82737 222

9502180148 Insp rept 70-1151/95-01 on 850109-13 Violations noted Major areas
inspected health physics activities, radioactive material transportation activities & review of
previously identified inspector following items & violations
GLOERSEN, W. B., PHARR, E. B., MCALPINE, E. J. Region 2 (Post 820201) 95/02/02
18pp 82737 223-82737 240

9502284183 Submits working draft of Chapter 12.0, "Safety Requirements," for W. re-
newal application
WILLIAMS, B. Westinghouse Electric Corp 95/02/23 KEEGAN, E. NRC - No Detailed
Affiliation Given 7pp 82931 035-82931 044

9502288207 Forwards response to NRC 950123 & re violations noted in insp rept 70-
1151/94-08 on 941219-22 Corrective actions licensee operations personnel immedi-
ately corrected spacing problems thus returning area to full compliance
FICLI, A. Westinghouse Electric Corp 95/02/23 Document Control Branch (Docu-
ment Control Desk) 8pp 82931 058-82931 065

9502280111 Advises that Westinghouse plans to implement guidance of BTP on fire
protection for fuel cycle facilities
FICLI, A. Westinghouse Electric Corp 95/02/24 Document Control Branch (Docu-
ment Control Desk) 3pp 82946 258-82946 270

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9502270047 Submits advance notification of import shipment, per requirements from im-
plementation of convention on physical protection of nuclear material & NRC final rule of
870326
CANDREY, D. Edlow International Co 94/11/29 BENNINGTON, G. NRC - No Detailed
Affiliation Given 1p 82831 143-82831 143

9502270118 Submits advance notification of shipment of U hexafluoride, fissile, gross
weight 14,407 kg, net weight 8,445 kg to Japan
CANDREY, D. Edlow International Co 94/11/29 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82831 250-82831 250

9502270039 Submits update to 941202 advance notification of import shipment, per re-
quirements from implementation of convention on physical protection of nuclear material &
NRC final rule of 870326
CUMMILLER, J. N. Edlow International Co 94/12/05 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82831 132-82831 133

9502270843 Submits advance notification of import shipment, per requirements from im-
plementation of convention on physical protection & NRC final rule of 870326
CUMMILLER, J. N. Edlow International Co 94/12/02 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82831 133-82831 133

9502270825 Submits advance notification of import shipment, per requirements from im-
plementation of convention on physical protection of nuclear material & NRC final rule of
870326
CANDREY, D. Edlow International Co 94/12/21 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82831 066-82831 065

9502280428 Submits notification of shipment U hexafluoride, fissile 40.163 kg to
Columbia, SC
* Edlow International Co 95/01/24 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82853 349-82853 349

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9502138253 Summarizes status & actions taken or implementing following event of
940918 re spill of approx 360 kg of U oxide powder into surrounding flood/moderation
control zone
FEMREITE, B. N. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 94/10/07 CALLAN, L. J. Region 4 (Post 820201) 5pp
82728 018-82728 024

9502018020 Notifications of licensee meeting w/ut on 950215 to discuss Siemens per-
formance improvement initiatives, status of licensee criticality safety analysis update
program & status of waste mgmt program
COLLINS, S. J. Region 4 (Post 820201) 95/01/25 Region 4 (Post 820201) 2pp
82544 038-82544 040

9502018112 Informs of completion of review of revised OPR & financial instruments &
identification of number of deficiencies Requests add info within 30 days of date of
tr
ADAMS, M. T. Licensing Branch 95/01/25 MAAS, L. J. Siemens Power Corp (formerly
Siemens Nuclear Power Corp., Advanced Nuclear Fuel 4pp 82860 290-82860 292

9502010223 Forwards documents found to author from Siemens Power Corp, in re-
sponse to comments in 941121 fr
ADAMS, M. T. Licensing Branch FIN-46031 95/01/26 SHAW, P. Science Applications
International Corp (formerly Science Applications, Inc.) 2pp 82590 348-
82590 358

9502080318 Forwards page changes for Rev 27 to safeguards plan EMF-12 "Nuclear
Materials Safeguards Procedures Description for Fuel Fabrication Plants" Page changes
correct retention period for completed seal log books End withheld
NOSES, D. L. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/01/31 PIERSON, R. C. Licensing Branch 1p 82771 259-82771 259

9502030324 Ack receipt of licensee 950110 re requesting attention to order & demand
for info related to sewer disposal of insoluble radioactive waste at Richland facility
BERNERO, R. M. Office of Nuclear Material Safety & Safeguards 95/02/01
FEMREITE, B. N. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 1p 82685 353-82685 357

9502280328 Requests NRC attention to 940623 order & demand for info & compro-
mised position licensee taken as result of order Detailed account of licensee interac-
tions w/NRC relative to issue end
FEMREITE, B. N. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/01/10 TAYLOR, J. M. Ofc of the Executive Director for Oper-
ations 4pp 82685 354-82685 357

9502280331 Forwards document EMF-1779(P), "Siemens Power Corp - Nuclear Div
Technical Design Basis for Restart of SWUR" from which statements re proprietary
content removed
EDGAR, J. B. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/02/09 WENSLAWSKI, F. A. Region 4 (Post 820201) 1p 82904 239-
82904 240

9502280346 Informs that document EMF-1779(P), "Siemens Power Corp (SPC) - Nuclear
Div Technical Design Basis for Restart of SWUR" need not be treated as con-
taining info proprietary to SPC, per CA Hooker 950206 telecon w/LJ Maas
EDGAR, J. B. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/02/07 WENSLAWSKI, F. A. Region 4 (Post 820201) 1p 82904 240-
82904 240

9502280349 Forwards document EMF-1779(P), "Siemens Power Corp - Nuclear Div
Technical Design Basis for Restart of SWUR"
MAAS, L. J. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/01/16 WENSLAWSKI, F. A. Region 4 (Post 820201) 2pp 82904 241-
82904 242

9502280394 "Siemens Power Corp - Nuclear Div Technical Design Basis for Restart of
SWUR"
KOGELIN, W. A. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel EMF-1779(P) 95/01/16 7pp 82904 243-82904 316

9502280456 Informs that Siemens Power Corp modifying radioactive waste U recovery
process located in Engineering Lab Operations Bldg. Forwards revised Part II license
pages 10-38 through 10-40B, Figure 10-38 26 & pages 15-15 through 15-17 for license
EDGAR, J. B. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced
Nuclear Fuel 95/02/13 PIERSON, R. C. Division of Industrial & Medical Nuclear
Safety (Post 820729) 2pp 82814 088-82814 111

DOCKET 70-1386 GENERAL ELECTRIC CO., SAN JOSE, CA

9502280204 "GE Mems Operation Annual Emissions Rept." documenting estimate of
quantities of principal radionuclides released to air in 1994
DENIO, L. L. General Electric Co 95/02/10 MARTIN, J. Region 3 (Post 820201) 3pp
82931 056-82931 059

DOCKET 70-1359 IRT CORP., SAN DIEGO, CA

9502280298 Forwards completed Form 314, "Certificate of Disposition of Waste" for L-
course SHAA-1405 Release data package submitted 941115 contains transfer papers
CROSSBIE, K. L. Affiliation Not Assigned 95/02/01 EMEIGH, C. Licensing Branch 2pp
82548 347-82548 349

DOCKET 70-1403 NEWARK BETH ISRAEL MEDICAL CENTER, NEWARK, NJ

9502080237 Second partial response to FOIA request for documents Documents in
app D already in PDR Forwards App E documents Documents will be placed in PDR
REED, C. A. Division of Freedom of Information & Publications Services (880206-
940714) 94/06/13 COLKITT, M. L. Oncology Services Corp. Harrisburg & State Col
lege, PA 6pp 82700 056-82700 061

9502128241 Discusses safety map repts 30-20802/91-02 & 70-1403/91-02 on 911218
& notice of violation
JOHANSEN, J. M. Region 1 (Post 820201) 92/01/08 MSKA, W. Newark Beth Israel
Medical Center, Newark, NJ 2pp 82700 067-82700 069

9502128042 Notice of violation from insp on 911218 violations noted no record made
of surveys performed immediately after last temporary implant source had been re-
moved from patient during 1991
* Region 1 (Post 820201) 91/12/28 1p 82700 068-82700 068

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9502270020 Submits advance notification for import of low strategic significance materi-
al from France, 7 model 308 cylinders w/ overpacks containing RQ Uranium Hexa-
fluoride & Fissile
MCCLAUGHLIN, J. Transnuclear, Inc 94/09/08 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 2pp 82831 119-82831 120

9502270014 Submits advance notification of import of low strategic significance material
from France, 7 model 308 cylinders w/ overpacks containing RQ Uranium Hexafluoride
& Fissile
MCCLAUGHLIN, J. Transnuclear, Inc 94/10/04 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 3pp 82831 064-82831 066

9502270008 Informs that shipment has been postponed New shipment date unknown at
present time
MCCLAUGHLIN, J. Transnuclear, Inc 94/10/18 BENNINGTON, G. Office of Nuclear
Material Safety & Safeguards 1p 82831 045-82831 046

8502270005 Submits advance notification for import shipment of nuclear mail from countries not party to Convention on Physical Protection of Nuclear Mail
MCLAUGHLIN J Transnuclear, Inc 94/11/28 BENNINGTON, G Office of Nuclear Material Safety & Safeguards 3pp 82831 928-82831 028

8502270055 Submits advance notification of import shipment of low strategic significance material requirements from implementation of convention on physical protection of nuclear mail
MCLAUGHLIN J Transnuclear, Inc 94/11/28 BENNINGTON, G Office of Nuclear Material Safety & Safeguards 3pp 82831 168-82831 170

8502280433 Submits notification of shipment of special nuclear material of 90,370 kgs to Secaucus, NJ
MCLAUGHLIN J Transnuclear, Inc 95/01/03 BENNINGTON, G Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82853 350-82853 351

DOCKET 70-2174 SOUTHEAST MISSOURI HOSP., CAPE GIRARDEAU, MO

8502020125 Final third response to FOIA request for documents Forwarded App F & G info as listed being made available in PDF
POWELL, R Division of Freedom of Information & Publications Services (890205-040714) 94/06/16 COLKITT, M L Assignment Not Assigned 7pp 82625 002-82625 317

8502020051 Discusses msp rept of licenses 24-00128-03 & SNM-1585 & forwards notice of violation
SHEAR, G L Region 3 (Post 820201) 92/08/09 MEYER, R Southeast Missouri Hosp Cape Girardeau, MO 2pp 82625 064-82625 066

8502020070 Notice of violation from msp on 920211-12 Violations noted since 900918 licensee implanted brachytherapy sources & did not satisfy dose rates in restricted & unrestricted areas contiguous to room of implanted patient
SHEAR, G L Region 3 (Post 820201) 92/08/09 App 82625 066-82625 066

DOCKET 70-2919 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

8502140044 Ack receipt of 950106 re informing NRC of steps taken to correct violations noted in msp repts 50-390/94-82, 50-391/94-82, 70-2910/94-01 & 70-2928/94-01
JAUDON, J P Region 2 (Post 820201) 95/01/30 KINGSLEY, O D Tennessee Valley Authority 3pp 82713 284-82713 286

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9502140044 Ack receipt of 950106 re informing NRC of steps taken to correct violations noted in msp repts 50-390/94-82, 50-391/94-82, 70-2910/94-01 & 70-2928/94-01
JAUDON, J P Region 2 (Post 820201) 95/01/30 KINGSLEY, O D Tennessee Valley Authority 3pp 82713 284-82713 286

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9502160051 Applicant response in opposition to "CANT Petition for Independent Review of Adequacy of Basis for NRC Safety & Environ Findings" Requests that intervenor petition be denied W/Certificate of Svc
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16329 95/02/06 Atomic Safety & Licensing Board Panel 10pp 82735 200-82735 307

9502020049 Forwards responses to comments & payments of permit fee of \$1,876.93 received on 941027
GIVEN, J D Louisiana, State of 95/01/24 ARNOLD, H Louisiana Energy Services 12pp 82704 349-82704 360

9502020011 Inform that Citizens Against Nuclear Trash has requested production of documents considered by Louisiana Energy Svc to obtain confidential info Inform that and protective order & affidavit of non-disclosure acceptable
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16373 95/01/26 MOORE, T S, SHONK, J F, COLE, R F Atomic Safety & Licensing Board Panel 13pp 82559 020-82559 032

9502020037 NRC Staff motion for extension of time to respond to Licensing Board 950119 order * Moves that Board extend date for staff memorandum to be in Board hands & other parties until 950800 W/Certificate of Svc
HOLLER, E Office of the General Counsel (Post 950701) #195 16271 95/01/26 Atomic Safety & Licensing Board Panel 4pp 82559 116-82559 119

9502020036 Applicant response to intervenor request for production in "94/12/22 interrogatories & request for production filed by Citizens Against Nuclear Trash & directed to Louisiana Energy Svc" W/Certificate of Svc Related correspondence
DRAPER, R L Louisiana Energy Services DRAPER, R L Winston & Strawn #195 16275 95/01/26 Citizens Against Nuclear Trash 27pp 82559 120-82559 148

9502020189 Motion by Citizens Against Nuclear Trash (CANT) to re-set briefing schedule set forth in Board 950119 order * Requests that deadline be re-set so that each party memorandum shall be in Board hands by 950800 W/Certificate of Svc
WALKER, N M Citizens Against Nuclear Trash WALKER, N M Sierra Club Legal Defense Fund, Inc #195 16282 95/01/26 Atomic Safety & Licensing Board Panel 4pp 82559 305-82559 308

9502020005 Order (granting motions for extension of time) * W/ Certificate of Svc Served on 950127
MOORE, T S Atomic Safety & Licensing Board Panel #195 16272 95/01/27 3pp 82559 001-82559 003

9502020017 Memorandum & order (Protective order governing non-disclosure of LES documents) * Protective order governs disclosure & use of listed proprietary documents W/ Certificate of Svc Served on 950130
MOORE, T S, COLE, R F, SHONK, J F Atomic Safety & Licensing Board Panel #195 16274 95/01/27 11pp 82559 087-82559 087

9502020122 Citizens Against Nuclear Trash (CANT) motion to compel * CANT unable to determine extent to which licensee account of site selection process supported by contemporaneous documentation W/Certificate of Svc
CURRAN, D Citizens Against Nuclear Trash CURRAN, D Harmon Curran Gallagher & Speltz (formerly Harmon Curran & Toussley) #195 16292 95/01/30 Atomic Safety & Licensing Board Panel 13pp 82559 309-82559 321

9502020131 Order * Applicant should file response to Citizens Against Nuclear Trash 950130 motion by 950206 NRC should file response by 950206 W/Certificate of Svc Served on 950201
MOORE, T S Atomic Safety & Licensing Board Panel #195 16284 95/01/31 Office of the General Counsel (Post 950701) 4pp 82651 357-82651 360

9502020036 LA Energy Services response in opposition to Citizens Against Nuclear Trash petition for waiver of 10CFR81.55(a)(3) & 10CFR81.55(a)(6) & for classification of depleted U tails as greater than class C radioactive waste
DRAPER, R L Louisiana Energy Services DRAPER, R L Winston & Strawn #195 16300 95/02/01 Atomic Safety & Licensing Board Panel 24pp 82651 247-82651 273

9502020048 Affidavit of J M Donelson re answering assertions made by Citizens Against Nuclear Trash petition, did 950117, calling for waiver of 10CFR81.55(a)(3) & 10CFR81.55(a)(6) & classification of depleted U W/Certificate of Svc
DONELSON, J M Louisiana Energy Services DONELSON, J M Duke Power Co 95/02/01 3pp 82651 271-82651 278

9502020053 Response of LA Energy Services in support of NRC Staff motion for summary disposition of intervenor contention W * W/Certificate of Svc
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16300 95/02/01 Atomic Safety & Licensing Board Panel 15pp 82651 308-82651 320

9502020037 Forwards original affidavit of J M Donelson as attachment to vtd response in opposition to Citizens Against Nuclear Trash petition for waiver of 10CFR81.55(a)(3) & (a)(6) & for classification of depleted U tails
DRAPER, R L Louisiana Energy Services DRAPER, R L Winston & Strawn #195 16315 95/02/02 Docketing & Services Branch 1p 82651 279-82651 285

9502020045 Affidavit of J M Donelson re significant differences between depleted U & transuranic waste in order to demonstrate inappropriateness of equating depleted U w/ Greater Than Class C transuranic waste
DONELSON, J M Duke Power Co #195 16315 95/02/01 6pp 82651 280-82651 285

9502020072 NRC Staff memorandum in response to Licensing Board Order dtd 950119 * Submits responses to Board Order to provide NRC position on source mail moved waste at DOE facility in Farmington, OH Affidavit of R M Bernero end
HOLLER, E Office of the General Counsel (Post 950701) #195 16317 95/02/03 Atomic Safety & Licensing Board Panel 12pp 82651 334-82651 352

9502020082 Affidavit of R M Bernero providing NRC position on source mail moved waste question W/Certificate of Svc
BERNERO, R M Office of Nuclear Material Safety & Safeguards #195 16317 95/02/03 7pp 82651 346-82651 352

9502020087 Memorandum by Citizens Against Nuclear Trash in support of Citizens Against Nuclear Trash contentions asserting that RCRA applies to depleted U Hexafluoride tails at Calhoun Enrichment Co * W/Certificate of Svc
WALKER, N M Citizens Against Nuclear Trash WALKER, N M Sierra Club Legal Defense Fund, Inc #195 16316 95/02/03 19pp 82652 035-82652 053

9502020089 Memorandum of applicant LES in response to Board Order re EPA ALJ 1991 interlocutory ruling on mixed waste * Submits Louisiana Energy Svc's views on EPA position on source mail moved waste issue in Westinghouse case
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16318 95/02/03 Atomic Safety & Licensing Board Panel 68pp 82652 074-82652 141

9502020188 Applicant response in opposition to intervenor motion to compel answers to intervenor 941222 interrogatories & request for production * Unl responds to intervenor Motion to compel dtd 950130 & moves to deny W/Certificate of Svc
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16328 95/02/06 Atomic Safety & Licensing Board Panel 19pp 82735 107-82735 125

9502020119 NRC Staff response in opposition to Citizens Against Nuclear Trash Petition for waiver of 10CFR81.55(a)(3) & 10CFR81.55(a)(6) & for classification of depleted U tails as greater than Class C radioactive waste
HOLLER, E Office of the General Counsel (Post 950701) #195 16324 95/02/06 Atomic Safety & Licensing Board Panel 10pp 82735 219-82735 244

9502020190 Affidavit * Affidavit of Y H Faraz re Citizens Against Nuclear Trash Petition for Waiver of 10CFR81.55(a)(3) & 81.55(a)(6) & for classification of depleted U tails as greater than Class C radioactive waste W/Certificate of Svc
FARAZ, Y H Office of Nuclear Material Safety & Safeguards 95/02/06 16pp 82735 229-82735 244

9502020086 Order * Intervenor shall file reply to Applicant response indicating which interrogatory responses it considers incomplete W/Certificate of Svc Served on 950207
MOORE, T S Atomic Safety & Licensing Board Panel #195 16316 95/02/07 4pp 82735 087-82735 100

9502020070 Reply memorandum by Citizens Against Nuclear Trash in support of Citizens Against Nuclear Trash contentions asserting that RCRA applies to depleted UF6 tails at Calhoun Enrichment Co * W/Certificate of Svc
WALKER, N M Citizens Against Nuclear Trash WALKER, N M Sierra Club Legal Defense Fund, Inc #195 16332 95/02/06 Atomic Safety & Licensing Board Panel 12pp 82735 328-82735 339

9502020180 Reply of applicant LES to memorandum by Citizens Against Nuclear Trash in response to Board order re EPA ALJ 1991 interlocutory ruling on mixed waste * W/ Certificate of Svc
MCGARRY, J M Louisiana Energy Services MCGARRY, J M Winston & Strawn #195 16339 95/02/06 Atomic Safety & Licensing Board Panel 18pp 82735 270-82735 287

178 DOCKETED ITEMS

9502160077 NRC staff response in opposition to CANT petition for independent review of adequacy of basis for NRC safety & environ findings. * Requests that CANT petition be denied W/Certificate of Svc
HOLLER, E. BACHMANN, R. G. Office of the General Counsel (Post 860701) #195 16338 95/02/09 Atomic Safety & Licensing Board Panel 11pp 82735-317-82735-327

9502160099 Citizens Against Nuclear Trash (CANT) reply to applicant opposition to CANT motion to compel. * Applicant should be required to answer interrogatories 5.9.10 & 11 W/Certificate of Svc
CURRAN, D. Citizens Against Nuclear Trash CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) #195 16339 95/02/09 Atomic Safety & Licensing Board Panel 8pp 82736-101-82736-106

9502160108 Citizens Against Nuclear Trash motion for leave to reply to Louisiana Energy Svcs opposition to Citizens Against Nuclear Trash waiver petition. * Requests that Board consider affidavit of A. Makhlani in reply to affidavit of Donelson
CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) #195 16353 95/02/10 Atomic Safety & Licensing Board Panel 3pp 82738-186-82738-204

9502160116 Citizens Against Nuclear Trash reply to Louisiana Energy Svcs opposition to Citizens Against Nuclear Trash waiver petition. *
CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) 95/02/10 Atomic Safety & Licensing Board Panel 7pp 82739-192-82739-198

9502160125 Affidavit of A. Makhlani in reply to affidavit of JIM Donelson. * W/Certificate of Svc
MAKHLANI, A. Citizens Against Nuclear Trash MAKHLANI, A. Affidavit Not Assigned 95/02/10 6pp 82736-186-82736-204

9502160263 Memorandum & order (ruling on intervenor 950130 motion to compel). * Grants intervenor motion to compel w/ respect to interrogatories 8.10 & 11 W/Certificate of Svc Served on 950213
MOORE, T. S. COLE, R. F. SHONF, J. Atomic Safety & Licensing Board Panel #195 16345 95/02/10 Citizens Against Nuclear Trash 8pp 82736-290-82736-297

9502160295 Memorandum & order. * Informs that ruling on intervenor proffered contentions involving mixed waste-source mail issue will not be disturbed W/Certificate of Svc Served on 950214
MOORE, T. S. COLE, R. F. SHONF, J. Atomic Safety & Licensing Board Panel #195 16354 95/02/13 Office of the General Counsel (Post 860701) 4pp 82736-296-82736-301

9502240162 CANT unopposed motion for extension of time in which to reply to NRC Staff motion for summary disposition. * Seeks one-day extension of time in which to respond to summary disposition of contention W/Certificate of Svc
CURRAN, D. Citizens Against Nuclear Trash CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) #195 16369 95/02/13 Office of the General Counsel (Post 860701) 3pp 82817-104-82817-106

9502240123 Forwards corrected page 8 to Staff 950206 response & corrected pages for YH Faraz 950206 affidavit Affidavit of YH Faraz did 950213 also and
HOLLER, E. Office of the General Counsel (Post 860701) #195 16362 95/02/14 MOORE, T. S. SHONF, J. COLE, R. F. Atomic Safety & Licensing Board Panel 2pp 82816-338-82816-346

9502240132 Corrected page 8 to NRC Staff response in opposition to CANT petition for waiver of 10CFR61.55(a)(3) & 10CFR61.55(a)(6) & for classification of depleted U tails as greater than class C radioactive, did 950206
* Office of the General Counsel (Post 860701) 95/02/14 Atomic Safety & Licensing Board Panel 1p 82816-340-82816-340

9502240147 Affidavit. * Requests correction to pages 5 & 6 of 950206 affidavit as stated
FARAZ, Y. H. Office of the General Counsel (Post 860701) FARAZ, Y. H. Division of Fuel Cycle Safety & Safeguards (Post 820207) 95/02/14 3pp 82816-341-82816-343

9502240155 Corrected pages 5, 6 & 7 to YH Faraz affidavit did 950206
FARAZ, Y. H. Office of the General Counsel (Post 860701) FARAZ, Y. H. Office of Nuclear Material Safety & Safeguards 95/02/14 3pp 82816-344-82816-346

9502240152 Citizens Against Nuclear Trash opposition to NRC Staff motion for summary disposition of contention W. * Concludes NRC motion should be denied because of mail issues of fact in dispute W/Certificate of Svc
CURRAN, D. Citizens Against Nuclear Trash CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) #195 16367 95/02/14 Atomic Safety & Licensing Board Panel 23pp 82816-208-82816-274

9502240168 Affidavit of A. Makhlani re LA Energy Svc proposal for disposition of depleted U tails & license application for Chabonne Enrichment Co
MAKHLANI, A. Citizens Against Nuclear Trash MAKHLANI, A. Institute for Energy & Environmental Research, Heidelberg, Germany 95/02/08 18pp 82816-233-82816-248

9502240174 Citizens Against Nuclear Trash petition for waiver of 10CFR61.55 (a) (3) & 10CFR61.55 (a) (6) & for classification of depleted U tails as greater than class C radioactive. * W/Certificate of Svc
CURRAN, D. Citizens Against Nuclear Trash CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) 95/01/17 Atomic Safety & Licensing Board Panel 27pp 82816-249-82816-274

9502240124 Citizens Against Nuclear Trash motion for leave to reply to NRC staff opposition to Citizens Against Nuclear Trash waiver petition. * W/Certificate of Svc Served on 950216
* Citizens Against Nuclear Trash #195 16365 95/02/15 Atomic Safety & Licensing Board Panel 3pp 82816-347-82816-349

9502240139 Parties 950215 joint progress repl. * Responds to 820407 memorandum & order to submit monthly progress repl for meeting prehearing schedule W/Certificate of Svc
CRAPER, R. L. Louisiana Energy Services CRAPER, R. L. Winston & Strawn #195 16368 95/02/15 10pp 82817-028-82817-035

9502240167 CANT motion for leave to reply to NRC Staff opposition to CANT waiver petition. * Requests leave to reply to certain erroneous arguments & potentially misleading statements made in NRC Staff opposition, did 950206 W/Certificate of Svc
CURRAN, D. Citizens Against Nuclear Trash CURRAN, D. Harmon, Curran, Gallagher & Speilberg (formerly Harmon, Curran & Touseley) #195 16364 95/02/15 Office of the General Counsel (Post 860701) 3pp 82817-117-82817-119

9502240171 Applicant Suppl response to intervenor 941222 Interrogatories & request for production filed by Citizens Against Nuclear Trash & directed to Louisiana Energy Svcs. L.P. * W/Certificate of Svc Related correspondence
MCGARRY, J. M. Louisiana Energy Services MCGARRY, J. M. Winston & Strawn #195 16374 95/02/17 Citizens Against Nuclear Trash 56pp 82817-126-82817-183

DOCKET 70-2073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9502138154 Second partial response to FOIA request for records App C records available in FOR App D records and available in PCR
POWELL, R. A. Division of Freedom of Information & Publications Services (880206-940714) 94/06/20 MARBLE, J. D. Huckaby, Fleming, Frisley, Chaffin & Densha 4pp 82717-001-82717-129

9502138155 Forwards FR notice of environ assessment finding of no significant impact & notice of opportunity for hearing on 911017, 920925, 1218, 930114 & 0223 applications for license to possess U & thorium at Cushing Site
AUSTIN, J. H. Decommissioning & Regulatory Issues Branch (Post 901230) 93/03/23 MEYER, D. L. Division of Freedom of Information & Publications Services (890206-940714) 1p 82717-084-82717-083

9502138156 FR notice of environ assessment finding of no significant impact & notice of opportunity for hearing on 911017, 920925, 1218, 930114 & 0223 applications for license to possess U & thorium at Cushing Site
AUSTIN, J. H. Decommissioning & Regulatory Issues Branch (Post 901230) 93/03/23 10pp 82717-065-82717-093

9502138157 Responds to 930219 letter requesting meeting to discuss decommissioning activities involving Farpoint site & Kerr-McGee sites in Cameron & Cushing Agrees w/ licensee that close cooperation needed for timely remediation
BERNHEIM, M. Office of Nuclear Material Safety & Safeguards 94/06/20 EATON, P. P. Oklahoma, State of 3pp 82717-006-82717-082

9502138170 Forwards revised application for license informs that original license application submitted on 911017 W/o end
LUX, J. Kerr-McGee Corp 92/09/25 HOLLEY, W. Region 4 (Post 820201) 1p 82717-083-82717-083

9502138183 Forwards latest Cushing monthly progress repl for Nov 1993, in response to 931215 letter Related info and
OSTMEYER, J. G. Kerr-McGee Corp 93/12/13 EVANS, J. R. Region 4 (Post 820201) 21pp 82717-119-82717-139

9502138192 Informs of recent rulemaking action that could significantly affect NRC framework for decommissioning licensed nuclear facilities
GLENN, J. E. Low-Level Waste & Decommissioning Projects Branch (MASS 940403) 95/02/01 LUX, J. Kerr-McGee Corp 2pp 82720-212-82720-213

DOCKET 70-3682 ARMY, DEPT. OF, REDSTONE ARSENAL, AL

9502160881 Forwards insp repl 70-3682/84-01 on 941205 & 941220 Violations noted being considered for EA involving air transport of Pu sources & failure to provide info on shipping papers
STOHR, J. P. Region 2 (Post 820201) 95/02/08 DUBOIS, R. K. Army, Dept of 3pp 82737-083-82737-102

9502160886 Insp repl 70-3682/94-01 on 941205-20 & 950119 Violations noted being considered for EA Major linked unlicensed activities under NRC license NIA-1998 conducted in response to shipment by air transport of Pu-239
KUMPER, J. A. GARCIA, E. HOSEY, C. M. Region 2 (Post 820201) 95/02/08 7pp 82737-086-82737-102

DOCKET 70-7081 U.S. ENRICHMENT CORP., (ADUCAN GASEOUS DIFFUSION PLANT)

9502010189 Notice of US Enrichment Corp Gaseous Diffusion Plants Establishment of Local FOR
KAMMERER, C. C. Office of State Programs (Post 911117) 95/01/25 2pp 82590-233-82590-234

DOCKET 70-7082 U.S. ENRICHMENT CORP., (PORTSMOUTH GASEOUS DIFFUSION PLANT)

9502010189 Notice of US Enrichment Corp Gaseous Diffusion Plants Establishment of Local FOR
KAMMERER, C. C. Office of State Programs (Post 911117) 95/01/25 2pp 82590-233-82590-234

9502240113 Forwards fr & observation repl 70-7002/94-02 on 941008-1220
SHEAR, G. L. Region 3 (Post 820201) 95/02/17 JACKSON, D. Energy, Dept of 2pp 82846-184-82846-217

9502240139 Discusses safety & safeguard observation repl 70-7002/94-02 on 941008-1220 Differences identified between current mail control & accountability practices & applicable NRC regulations
SHEAR, G. L. Region 3 (Post 820201) 95/02/17 WOOLLEY, R. L. United States Enrichment Corp (USEC) 2pp 82846-186-82846-187

9502240148 Insp repl 70-7002/94-02 on 941008-1220 No violations noted Major areas inspected plant operations, maintenance material control & accountability, physical protection, training & chemical safety
SHEAR, G. L. Region 3 (Post 820201) 95/02/17 30pp 82848-188-82848-217

DOCKET DOCKET UNKNOWN

9502020200 Requests review & recommendation for revalidation of UK Certificate of Competent Authority BG/2842/B(U)-85, Issue 1 for model 2842A package to allow import/export shipments W/two overloads and
WENDELL, A. Transportation, Dept. of 95/01/26 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 81pp 82664 072-82664 151

9502100187 Application for COC 0603 QA manual and Fee paid
MCKAY, D. Affiliation Not Assigned 95/01/27 BAEHR, R. Source Containment & Devices Branch (Post 811213) 3pp 82720 116-82720 155

9502100180 QA manual
PEDERSON, B. PEDERSON, S. Affiliation Not Assigned 95/02/15 34pp 82720 122-82720 166

9502100178 Forwards Rev 4 of "Manual of QA for Sierra Nuclear Corp & Affiliates" for NRC review & approval Fee paid
DIXON, G. N. Sierra Nuclear, Inc. 95/02/09 JANKOVICH, J. NRC - No Detailed Affiliation Given 1p 82718 323-82718 358

9502100182 Rev 4 of "Manual of QA for Sierra Nuclear Corp & Affiliates"
DIXON, G. N., MASSEY, J. V. Sierra Nuclear, Inc. 95/01/31 30pp 82718 324-82718 358

9502000180 Discusses amend request to COC 6202, Rev 17 for Model B fresh fuel shipping package
LEE, H. W. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/07 WHITE, B. W. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82706 954-82706 954

9502100184 Requests registration as user of models 950,850 & 680 QA program and for review Fee paid
MCCANN, F. L. Affiliation Not Assigned 95/02/07 JANKOVICH, J. Office of Nuclear Material Safety & Safeguards 1p 82776 322-82776 925

9502100185 "QA Program 10CFR71"
MCCANN, F. L. Affiliation Not Assigned 95/02/07 3pp 82776 323-82776 925

9502100187 Summary of 950108 meeting w/HOLTEC Int'l, Inc. in Rockville, MD re Model H-STAR 100 spent fuel storage/transport package. Sketch of package and OSGOOD, M. L. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/08 CHAPPELL, C. R. Division of Industrial & Medical Nuclear Safety (Post 870729) 3pp 82805 332-82805 334

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0001 ANEPCO, INC.

9502150138 Informs of several areas requiring clarification
JANKOVICH, J. P. Source Containment & Devices Branch (Post 811213) 95/02/08 MURPHY, J. D. Anepco, Inc. 1p 82770 286-82770 286

DOCKET 71-0011 ARROW TANK & ENGINEERING CO.

9502220076 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HANSON, L. Arrow Tank & Engineering Co. 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 207-82811 210

DOCKET 71-0018 NUCLEAR ASSURANCE CORP.

9502270436 Forwards revised "QA Manual," dtd 950215 Fee paid
PAINELL, G. L. Nuclear Assurance Corp. 95/02/17 JANKOVICH, J. P. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82902 138-82902 033

9502270448 Revised "QA Manual"
PAINELL, G. L., DAVIS, E. M. Nuclear Assurance Corp. 95/02/17 259pp 82902 139-82902 033

DOCKET 71-0028 EASTERN TESTING & INSPECTION

9502220061 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BALDALL, J. Eastern Testing & Inspection, Inc. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82811 196-82811 198

9502220241 Requests renewal of QA program per NRC 841212 ltr Check for listed amount and W/o stated and
BALDALL, J. Eastern Testing & Inspection, Inc. 95/01/31 Document Control Branch (Document Control Desk) 1p 82883 151-82883 151

DOCKET 71-0036 GRINNELL CORP.

9502200066 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
GOLDSWORTHY, M. Grinnell Corp. (formerly ITT Grinnell Corp.) 95/01/30 Document Control Branch (Document Control Desk) 4pp 82718 202-82718 205

DOCKET 71-0044 UNITED AIRLINES, INC.

9502210126 Advises that licensee should request renewal of QA program 30 days before expiration date & application fee of \$280 required by 10CFR170.31 should be included
JANKOVICH, J. P. Source Containment & Devices Branch (Post 811213) 95/02/18 WILLS, L. United Airlines, Inc. 1p 82805 268-82805 266

DOCKET 71-0051 HARRISON STEEL CASTINGS CO.

9502090855 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HOLLANDER, W. D. Harrison Steel Castings Co. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82718 180-82718 193

DOCKET 71-0086 NLR INSPECTION SERVICE

9502270190 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WILLIAMSON, B. H. R. Inspection Service 95/02/13 Document Control Branch (Document Control Desk) 4pp 82890 124-82890 127

DOCKET 71-0075 NORFOLK SHIPBUILDING & DRYDOCK CORP.

9502080081 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
CHERRY, C. A. Norfolk Shipbuilding & Drydock Corp. 95/02/02. Document Control Branch (Document Control Desk) 4pp 82718 184-82718 197

DOCKET 71-0098 NEWPORT NEWS SHIPBUILDING & DRY DOCK CO

9502010205 Advises that QA program approval for radioactive mail package 0098 expires on 950131 Renewal must be requested within 30 days of expiration if renewal not desired, NRC should be notified
JANKOVICH, J. P. Source Containment & Devices Branch (Post 811213) 94/11/29 SMITH, D. C. Newport News Shipbuilding & Dry Dock Co. 1p 82580 358-82580 358

9502170028 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SNYDER, C. E. Newport News Shipbuilding & Dry Dock Co. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82778 132-82778 135

DOCKET 71-0100 VENEGAS INDUSTRIAL TESTING LABORATORIES, INC.

9502130069 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
VENEGAS, M. Venegas Industrial Testing Laboratories, Inc. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82728 144-82728 147

DOCKET 71-0110 BUCKEYE STEEL CASTINGS

9502080074 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SETZ, D. Buckeye Steel Castings (subs. of Buckeye International) 95/02/02 Document Control Branch (Document Control Desk) 4pp 82718 210-82718 213

DOCKET 71-0113 HOOPER CORP.

9502070102 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
FRAZIER, D. L. Hooper Corp. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82686 284-82686 287

DOCKET 71-0114 COLBY-THIELMEIER TESTING CO.

9502200254 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
THIELMEIER, C. Colby-Thielmeier Testing Co. Inc. 95/01/13 Document Control Branch (Document Control Desk) 4pp 82899 001-82899 004

9502210115 Advises that licensee should request renewal of QA program 30 days before expiration date
JANKOVICH, J. P. Source Containment & Devices Branch (Post 811213) 95/02/18 THIELMEIER, L. F. Colby-Thielmeier Testing Co. Inc. 1p 82905 258-82905 258

DOCKET 71-0119 INGERSOLL-RAND CO.

9502100192 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PARSONS, E. J. Ingersoll-Rand Co. 95/02/06 Document Control Branch (Document Control Desk) 4pp 82732 048-82732 051

DOCKET 71-0123 MERRON TESTING LABORATORIES, INC.

9502080311 Responds to 941117 request & informs annual fee waived for mails licenses & holders of certificates/registrations & approvals that filed for termination of licenses or approvals or filed for prosecution prior to 951001
TAYLOR, J. M. Dir. of the Executive Director for Operations 95/02/03 MERRON, J. L. Merron Testing Laboratories, Inc. 1p 82705 318-82705 318

DOCKET 71-0139 TULSA GAMMA RAY, INC.

9502220009 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
Tulsa Gamma Ray, Inc. 95/02/22 Document Control Branch (Document Control Desk) 4pp 82811 148-82811 151

180 DOCKETED ITEMS

DOCKET 71-0146 GLOBE X-RAY SERVICES, INC.

9502140268 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SWANSON, K.R. Globe X-Ray Services, Inc. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82734 279-82734 282

DOCKET 71-0153 ANCHOR-DARTING VALVE CO.

9502140168 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
LARSON, G.D. Anchor/Darting Valve Co. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82732 044-82732 047

DOCKET 71-0158 X-RAY TESTING OF MICHIGAN

9502150055 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
REDHAGE, L. X-Ray, Inc. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82770 263-82770 266

DOCKET 71-0171 GLITSON FIELD SERVICES/NDE, INC.

9502170199 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MAGNUS, A.C. Glitson Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/02/13 NRC - No Detailed Affiliation Given) 3pp 82780 062-82780 064

DOCKET 71-0172 EMPIRE STEEL CASTINGS, INC.

9502090955 Responds to NRC Bulletin 95-001 "QA Program for Transportation of Radioactive Mail"
GALIMER, G.R. Empire Steel Castings, Inc. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82695 354-82695 357

DOCKET 71-0181 CENTURY INSPECTION, INC.

9502220046 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MCCORMACK, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 179-82811 182

9502200254 Requests registration as user of models 8717-S, 850, 860, 880A, 650AE, 850GE, 850EC, C-1, 715, BPEC, 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, C-10, Century S & SA & Century Universal S & SA
MCCORMACK, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 Source Containment & Devices Branch (Post 911213) 2pp 82646 248-82646 250

DOCKET 71-0186 HIGH STEEL STRUCTURES, INC.

9502090090 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
LONG, J.D. High Steel Structures, Inc. 95/02/02 Document Control Branch (Document Control Desk) 4pp 82706 265-82706 268

DOCKET 71-0201 DURALLOY BLAW-KNOX, INC.

9502260256 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
DOYLE, M.E. Blaw Knox Corp. (formerly Duralloy Blaw-Knox, Inc.) 95/02/20 Document Control Branch (Document Control Desk) 4pp 82989 241-82989 244

DOCKET 71-0206 PRYOR FOUNDRY, INC.

9502220045 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PRUITT, D.W. Pryor Foundry, Inc. 95/02/07 Document Control Branch (Document Control Desk) 4pp 82811 158-82811 159

DOCKET 71-0216 CONAM INSPECTION, INC.

9502090079 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SLACK, R.J. Conam Inspection 95/01/30 Document Control Branch (Document Control Desk) 4pp 82695 346-82695 349

DOCKET 71-0220 GENERAL DYNAMICS CORP.

9502140131 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BALESTRACCO, G. General Dynamics Corp. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82728 323-82728 327

DOCKET 71-0227 TENNESSEE VALLEY AUTHORITY

9502140104 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WHITER, W. Tennessee Valley Authority 95/02/09 Document Control Branch (Document Control Desk) 5pp 82726 302-82726 306

DOCKET 71-0228 CAPITAL X-RAY SERVICE

9502090100 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
JOHNSON, G.W. Capital X-Ray Service 95/02/03 Document Control Branch (Document Control Desk) 4pp 82693 034-82693 037

DOCKET 71-0234 X-RAY, INC.

9502220066 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
CONNELL, G. X-Ray, Inc. 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 191-82811 194

DOCKET 71-0236 AMERICAN AIRLINES, INC.

9502140274 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
NETHERCUTT, B.W. American Airlines Inc. 95/02/09 Document Control Branch (Document Control Desk) 3pp 82772 037-82772 039

DOCKET 71-0238 AGRICULTURE, DEPT. OF

9502090138 Forwards USDA QA program, supplying addl info for USDA application for NRC-approved transportation QA program in rel to USDA 950112 for JENSEN, J.T. Agriculture, Dept. of, Research Center 95/02/01 MATULAT Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82705 134-82705 149

95022200148 "QA Program for Radioactive Mail Packages Program Manual," Rev 1
Agriculture, Dept. of, Research Center 95/05/31 15pp 82705 135-82705 149

9502140318 Forwards QA program approval for radioactive mail package 0238, Rev 4
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/09 JENSEN, J.T. Agriculture, Dept. of 1p 82772 034-82772 035

9502140324 QA program approval for radioactive mail package 0238, Rev 4
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/09 1p 82772 035-82772 035

DOCKET 71-0253 TWIN PORTS TESTING, INC.

9502220018 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
RUSSELL, J. Twin Ports Testing, Inc. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82811 159-82811 162

DOCKET 71-0262 WISCONSIN INDUSTRIAL TESTING, INC.

9502140101 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WALLANDER, T.L. Wisconsin Industrial Testing, Inc. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82728 299-82728 301

DOCKET 71-0263 YUBA HEAT TRANSFER CORP.

9502270152 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
FEDERLINE, J.G. Yuba Heat Transfer Corp. 95/02/13 Document Control Branch (Document Control Desk) 4pp 82990 125-82990 131

DOCKET 71-0268 LEHIGH TESTING LABORATORIES, INC.

9502140074 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
DEAVERS, D.E. Lehigh Testing Laboratories, Inc. 95/02/06 Document Control Branch (Document Control Desk) 4pp 82728 285-82728 289

DOCKET 71-0291 CTL ENGINEERING, INC.

9502170216 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
CROWLEY, J.L. CTL Engineering, Inc. (formerly Columbus Testing Laboratory, Inc.) 95/02/13 Document Control Branch (Document Control Desk) 4pp 82780 095-82780 098

DOCKET 71-0309 ALASKA INDUSTRIAL X-RAY

9502090183 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MILLAR, P.A. Alaska Industrial X-Ray, Inc. (AIX) 95/02/01 Document Control Branch (Document Control Desk) 4pp 82706 289-82706 296

9502220111 Advises that licensee should request renewal of QA program at least 30 days before expiration date
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/16 MILLAR, P.A. Alaska Industrial X-Ray, Inc. (AIX) 1p 82805 257-82805 257

DOCKET 71-0319 GENERAL TESTING & INSPECTION CO.

9502090344 Forwards QA program approval for radioactive mail package 0918, Rev 4
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/01 KRUEGER, E. General Testing & Inspection Co. 1p 82685 361-82685 362

9502030046 QA program approval for radioactive mail package 0319, Rev 4
JANKOVICH J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
02/01 1p 82685 352-82685 352

DOCKET 71-0325 CONSUMERS POWER CO.

9502140143 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
TUAZONE S. Consumers Power Co. 95/02/06 Document Control Branch (Document
Control Desk) 4pp 82728 338-82728 341

DOCKET 71-0334 ALLIED INSPECTION SERVICES, INC.

9502140158 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
GRASHAW T.D. Allied Inspection Services, Inc. 95/02/06 Document Control Branch
(Document Control Desk) 4pp 82728 358-82728 361

DOCKET 71-0352 MILES STEEL TANK CO.

9502210144 Advises that licensee should request renewal of QA program 30 days
before expiration date & application fee of \$280, required by 10CFR170.31, should be
included
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
WOOD J.C. Miles Steel Tank 1p 82805 281-82805 281

DOCKET 71-0364 ADVANCED MEDICAL SYSTEMS, INC.

9502010173 Application for renewal of QA program approval for radioactive mail pack-
age 0354
CESARUO Advanced Medical Testing Systems St. Louis, MO 95/01/28
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 1p 82580 198-
82580 198

9502140331 Forwards QA program approval for radioactive mail package 0354, Rev 8
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 95/02/09
CESARUO Advanced Medical Systems, Inc. 1p 82772 032-82772 033

9502140337 QA program approval for radioactive mail package 0354, Rev 8
JANKOVICH J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/
02/09 1p 82772 033-82772 033

DOCKET 71-0362 WISCONSIN PUBLIC SERVICE CORP.

9502210116 Advises that licensee should request renewal of QA program 30 days
before expiration date
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
MARCH J.M. Wisconsin Public Service Corp. 1p 82805 259-82805 259

DOCKET 71-0363 BRIGGS ASSOCIATES, INC.

9502210143 Advises that licensee should request renewal of QA program 30 days
before expiration date & application fee of \$280, required by 10CFR170.31, should be
included
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
LOCKE T.A. 1p 82805 335-82805 335

DOCKET 71-0368 BRANCH RADIOGRAPHIC LABORATORIES, INC.

9502170032 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
BRANCH J.P. Branch Radiographic Laboratories, Inc. 95/02/12 Document Control
Branch (Document Control Desk) 4pp 82779 136-82779 139

9502200004 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
BRANCH J.P. Branch Radiographic Laboratories, Inc. 95/02/12 Document Control
Branch (Document Control Desk) 4pp 82851 352-82851 355

DOCKET 71-0392 BAKER TESTING SERVICES, INC.

9502090094 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
PALMER D.M. Baker Testing Services, Inc. 95/01/30 Document Control Branch
(Document Control Desk) 4pp 82685 338-82685 341

DOCKET 71-0383 VOITH HYDRO, INC.

9502200035 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
GUTACKER H.C. Voith, Inc. 95/02/13 Document Control Branch (Document Control
Desk) 4pp 82811 167-82811 170

DOCKET 71-0404 CTL, INC.

9502140059 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
WATSON S.N. CTL, Inc. (Formerly Alaska Welding Center) 95/02/06 Document Con-
trol Branch (Document Control Desk) 4pp 82728 270-82728 273

DOCKET 71-0407 APV REFINERY PRODUCTS CORP.

9502140141 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
WARDEN L.J. APV Refinery Products Corp. 95/02/08 Document Control Branch
(Document Control Desk) 4pp 82728 334-82728 337

DOCKET 71-0408 MISSOURI STEEL CASTINGS CO.

9502070096 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
GUTHRIE D. Cay Metal Co. dba Missouri Precision Castings (Formerly Missouri Preci-
sion Cast) 95/02/01 Document Control Branch (Document Control Desk) 4pp
82684 350-82684 353

DOCKET 71-0422 OKLAHOMA STEEL CASTINGS CO.

9502170176 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
CRUCE C. APG Industries, Inc. 95/01/13 Document Control Branch (Document
Control Desk) 4pp 82780 250-82780 253

DOCKET 71-0423 HAH X-RAY SERVICES, INC.

9502030032 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
HEAD K.Y. HAH X-Ray Services, Inc. 95/02/01 Document Control Branch (Document
Control Desk) 4pp 82685 333-82685 337

DOCKET 71-0438 GENERAL MOTORS CORP.

9502140156 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
FRETZ O.P. General Motors Corp. 95/02/09 Document Control Branch (Document
Control Desk) 4pp 82728 354-82728 357

DOCKET 71-0461 ATLANTIC RESEARCH CORP.

9502080113 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
GROVE M.W. Atlantic Research Corp. 95/02/01 Document Control Branch (Docu-
ment Control Desk) 4pp 82683 338-82683 341

DOCKET 71-0476 MIDWEST INSPECTION SERVICES, INC.

9502140129 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
EZZELL R. Midwest Inspection Services, Inc. 95/02/06 Document Control Branch
(Document Control Desk) 4pp 82728 319-82728 322

DOCKET 71-0487 ARMY, DEPT. OF

9502200113 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
LADD T.A. Army, Dept. of, White Sands Missile Range 95/02/09 Document Control
Branch (Document Control Desk) 3pp 82811 152-82811 154

DOCKET 71-0502 PENN INSPECTION CO.

9502140035 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
MIXON E. Penn Inspection Co. 95/02/10 Document Control Branch (Document Con-
trol Desk) 4pp 82728 294-82728 297

DOCKET 71-0505 MET-CHEM ENGINEERING LABORATORIES, INC.

9502140113 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
JOHNSTON D.R. Met-Chem Engineering Laboratories of Utah, Inc. 95/02/06 Document
Control Branch (Document Control Desk) 4pp 82728 311-82728 314

DOCKET 71-0514 NORTH AMERICAN INSPECTION

9502090146 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Ra-
dioactive Mail"
SAJIMWAY D.B. North American Inspection, Inc. 95/01/26 Document Control Branch
(Document Control Desk) 4pp 82683 354-82683 356

DOCKET 71-0525 PHILADELPHIA ELECTRIC CO.

9502210140 Advises that licensee should request renewal of QA program 30 days
before expiration date & application fee of \$280, required by 10CFR170.31, should be
included
JANKOVICH J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
BECK G.J. PECCO Energy Co. (Formerly Philadelphia Electric Co.) 1p 82805 274-
82805 274

182 DOCKETED ITEMS

DOCKET 71-0529 THERAPY SERVICES

9502218138 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail" 30 days before expiration date & application fee of \$280, required by 10CFR170.31 should be included
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
FOGLE, J.L. Therapy Services, Inc. 1p 82805 271-82805 271

DOCKET 71-0538 WALASHAK ENTERPRISES, INC.

95022448160 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
YOSHIKAWA, J.A. Walashak Enterprises, Inc. 95/02/07 Document Control Branch (Document Control Desk) 4pp 82728 350-82728 353

DOCKET 71-0542 MATTINGLY TESTING SERVICES, INC.

95022448118 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MATTINGLY, M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Test) 95/02/08 Document Control Branch (Document Control Desk) 4pp 82728 315-82728 318

DOCKET 71-0555 ALLEGHENY LABORATORIES

95022098106 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HOFFMAN, L. Allegheny Laboratories 95/02/02 Document Control Branch (Document Control Desk) 4pp 82708 287-82708 300

DOCKET 71-0558 CRAMER & LINDSEY ENGINEERS, INC.

95022070030 Responds to listed questions re NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
ORLOSKY, D.M. Cramer & Lindsey Engineers, Inc. 95/01/30 Document Control Branch (Document Control Desk) 3pp 82665 253-82665 255

DOCKET 71-0559 NON DESTRUCTIVE TESTING CORP.

95021500663 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
LAW, S.A.C. Non Destructive Testing Corp. 95/02/09 Document Control Branch (Document Control Desk) 4pp 82765 937-82765 360

DOCKET 71-0563 EDWARDS PIPELINE TESTING, INC.

95020900664 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
LAKE, L.L. Edwards Pipeline Testing, Inc. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82718 158-82718 201

DOCKET 71-0568 MCS INSPECTION, INC.

95022200833 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BAINFELD, J.L. MCS Inspection, Inc. (formerly Magnallux Corp.) 95/02/10 Document Control Branch (Document Control Desk) 4pp 82811 215-82811 218

DOCKET 71-0592 BRAUN ENGINEERING TESTING, INC.

95022200811 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BORNSACK, F. Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.) 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 211-82811 214

DOCKET 71-0595 AKRON INDUSTRIAL SERVICES, INC.

95021400665 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MOORE, L.A. Akron Industrial Services, Inc. 95/02/07 Document Control Branch (Document Control Desk) 4pp 82728 279-82728 281

DOCKET 71-0603 JAN X-RAY SERVICES, INC.

95020801068 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82706 301-82706 304

95022002288 Requests registration as user of models 6717-B-500 SU, 520 650, 650, 680, 715, 771, 770, SPEC C-1 & SPEC 2.1
NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82845 269-82845 259

DOCKET 71-0611 INDUSTRIAL NDT CO.

95020901327 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
DOYLE, R.H. Industrial NDT Co. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82683 346-82683 348

DOCKET 71-0627 CONSOLIDATED NDE, INC.

95020900275 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BALLARD, B.R. Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp East) 95/01/30 Document Control Branch (Document Control Desk) 4pp 82695 350-82695 353

DOCKET 71-0629 SCIENTIFIC TECHNICAL, INC.

95022200611 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
DENNIS, B.L. Scientific Technical, Inc. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82811 187-82811 190

DOCKET 71-0630 PROGRESS SERVICES, INC.

95020900083 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BECKER, M.A. Progress Services, Inc. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82706 281-82706 284

DOCKET 71-0635 H & G INSPECTION CO., INC.

95021401489 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
KONIECZNY, C. H & G Inspection Co., Inc. 95/02/07 Document Control Branch (Document Control Desk) 4pp 82728 346-82728 349

DOCKET 71-0637 WESTERN STRESS, INC.

95022200227 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SPEESE, J.G. Western Stress, Inc. 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 163-82811 166

DOCKET 71-0638 WOS TESTING CO., INC.

95020900684 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WOS, G.F. Wos Testing Co., Inc. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82683 326-82683 329

DOCKET 71-0640 PSI ENERGY, INC.

95020900086 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
DAVIS, G.T. PSI Energy, Inc. a/k/a Public Service Co. of Indiana & Public Service Indiana 95/02/03 Document Control Branch (Document Control Desk) 4pp 82695 356-82695 361

DOCKET 71-0662 SAM-SON INSPECTION & TECHNICAL SERVICES, INC.

9502120243 Requests registration as user of Amersham Model 650, Amersham Model 771, Amersham Model 678, Amersham Model 880, Amersham 650, Amersham 320 & Amersham 655
HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

95022200606 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/15 Document Control Branch (Document Control Desk) 3pp 82811 145-82811 147

DOCKET 71-0668 COMO TECH, INC.

95021401488 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HERSCHER, E. COMO Tech Inspection Service (formerly COMO Tech, Inc.) 95/02/04 Document Control Branch (Document Control Desk) 4pp 82728 342-82728 345

DOCKET 71-0672 LUCAS PETUN, INC.

95020901462 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
PLUMSTEAD, R.F. Lucas Petun, Inc. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82683 350-82683 353

DOCKET 71-0678 TESTMASTER INSPECTION CO.

95020900980 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
CARP, W.S. Testmaster Inspection Co. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82695 342-82695 345

DOCKET 71-0683 TESTING TECHNOLOGIES, INC.

95020900723 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
KOLBENSTETTER, Testing Technologies, Inc. 95/02/03 Document Control Branch (Document Control Desk) 4pp 82718 206-82718 209

DOCKET 71-0885 SIERRA TESTING, INC.

950208098 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SPENCER, L. Sierra Testing, Inc. 95/02/02 Document Control Branch (Document Control Desk) 4pp 82583 330-82583 333

DOCKET 71-0890 INDESERV, INC.

9502270184 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
KEASEY, J.P. INDESERV, Inc. 95/02/20 Document Control Branch (Document Control Desk) 4pp 82930 120-82930 123

DOCKET 71-0691 TEI ANALYTICAL SERVICES, INC.

9502090085 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WEISS, G.E. TEI Analytical Services, Inc. (formerly Trans-Eastern Inspection, Inc.) 95/01/30 Document Control Branch (Document Control Desk) 4pp 82683 322-82683 325

DOCKET 71-0693 CENTERION SERVICE CO.

9502080127 Application for renewal of QA program approval for radioactive mail package 0693 Lists corrections needed to be made to Form 311 Fee paid
Centerion Energy 95/01/24 BERNARD, R.M. Office of Nuclear Material Safety & Safeguards 2pp 82712 225-82712 227

9502170219 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
EVING, J. Centerion Service Co. 95/02/10 Document Control Branch (Document Control Desk) 4pp 83780 059-82780 072

9502170059 Forwards QA program for radioactive mail package 0693 Rev 1
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/14 STANDISH, L.J. Centerion Service Co. 1p 82902 342-82902 343

9502170061 QA program approval for radioactive mail package 0693 Rev 1
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/14 1p 82902 343-82902 343

DOCKET 71-0894 PIE, INC. (PIPELINE INSPECTION & ENGINEERING)

9502130114 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WILKINS, T.L. Mid-American Inspection Services, Inc. 95/02/02 Document Control Branch (Document Control Desk) 4pp 82728 140-82728 143

9502240022 Requests renewal of QA program for license 21-28080-01 Check for renewal amount and w/o stated end
WILKINS, T.L. Mid-American Inspection Services, Inc. 95/02/15 NRC - No Detailed Affiliation Given 1p 82869 356-82869 356

9502210134 Advises that licensee should request renewal of QA program 30 days before expiration date & application fee of \$250, required by 10CFR170.31, should be included
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/16 WILKINS, T.L. Mid-American Inspection Services, Inc. 1p 82805 270-82805 270

DOCKET 71-0896 GEORGIA POWER CO.

9502220063 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
NICHOLS, M.C. Georgia Power Co. 95/02/10 Document Control Branch (Document Control Desk) 4pp 82811 199-82811 202

DOCKET 71-0897 NAVY, DEPT. OF

9502140134 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MALINOSKI, W. Navy, Dept. of 95/02/07 Document Control Branch (Document Control Desk) 4pp 82728 330-82728 333

DOCKET 71-0706 S.K. McBRIDE, INC.

9502170023 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
GRAY, C.A. S.K. McBride, Inc. 95/02/01 Document Control Branch (Document Control Desk) 4pp 82602 338-82602 341

DOCKET 71-0707 CARONDELET FOUNDRY CO.

9502220047 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SPEES, R.M. Carondelet Foundry Co. 95/02/11 Document Control Branch (Document Control Desk) 4pp 82811 183-82811 186

DOCKET 71-0718 ARCTIC SLOPE INSPECTION SERVICES, INC.

9502090081 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SCHAEFER, J. Arctic Slope Inspection Services, Inc. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82705 557-82705 560

DOCKET 71-0724 VALLEY INSPECTION SERVICE, INC.

9502280228 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
KRATZER, R.W. Valley Inspection Service, Inc. 95/02/21 Document Control Branch (Document Control Desk) 4pp 82989 245-82989 248

DOCKET 71-0725 CAMSPEC TESTING, INC.

9502090125 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MCCOOL, S.J. Camspec Testing, Inc. 95/01/31 Document Control Branch (Document Control Desk) 4pp 82683 342-82683 345

DOCKET 71-0730 TESTING ENGINEERS, INC.

9502210160 Informs that due to slow down in cost reductions in defense spending & management licensees was forced to file for bankruptcy protection on 8/30/93
SHYDER, G.R. Testing Engineers, Inc. 95/01/23 WISED, License Fee & Debt Collection Branch (Post 910627) 1p 82889 026-82889 026

9502240281 Notifies that as requested in 950120 its QA program approval 0730 terminated Authority to use CDCs 8717, 8022, 9039, 9156 & 9157 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 SHYDER, G.R. Testing Engineers, Inc. 1p 82683 321-82683 321

DOCKET 71-0736 MAGNA CHEK, INC.

9502220038 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
JONES, L.E. Magna Chek, Inc. 95/02/14 Document Control Branch (Document Control Desk) 4pp 82811 171-82811 174

DOCKET 71-0739 NATIONWIDE TESTING SERVICES, INC.

9502220040 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
SIMOND, Nationwide Testing Services, Inc. 95/02/13 Document Control Branch (Document Control Desk) 4pp 82811 175-82811 178

DOCKET 71-0764 DIAMOND H TESTING CO.

9502140082 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
HANGES, P.J. Diamond H Testing Co. 95/02/06 Document Control Branch (Document Control Desk) 4pp 82728 274-82728 277

DOCKET 71-0769 GREAT LAKES TESTING, INC.

9502170121 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
BUCHER, J.W. Great Lakes Testing, Inc. 95/01/18 Document Control Branch (Document Control Desk) 4pp 82780 211-82780 214

DOCKET 71-0770 RUST REMEDIAL SERVICES

9502090162 Requests to be retroactively placed in 10 B (2) category for 1994
WOOD, S. 95/01/13 BERNARD, R.M. Office of Nuclear Material Safety & Safeguards 1p 82637 188-82637 201

9502060164 Forwards transmittal that requests appeal for payment of FY94 annual mail fee for period 941001 to 940930
CHRISTIAN, J.A. 94/06/31 DANDOS, D. Licensing Branch 2pp 82637 181-82637 185

9502090167 Informs that name of company has been changed to RUST Federal Svcs since submitting application for NRC license
CHRISTIAN, J.A. 95/12/03 COLLINS, D. Region 2 (Post 820201) 1p 82637 188-82637 201

DOCKET 71-0771 LONGVIEW INSPECTION - GULF COAST GROUP, INC.

9502140088 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
GRAY, L.A. Longview Inspection, Inc. 95/02/07 Document Control Branch (Document Control Desk) 4pp 82728 290-82728 290

DOCKET 71-0777 VALLEY INDUSTRIAL X-RAY & INSPECTION SVCS

9502220068 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WILLIAMS, L. Valley Industrial X-Ray 95/02/06 Document Control Branch (Document Control Desk) 4pp 82811 209-82811 206

DOCKET 71-0781 PROFESSIONAL QUALITY TESTING CO. NEW KINGSTON

9502170112 Forwards organizational chart for Professional Quality Testing Co
CHARAL, J. Affiliation Not Assigned 95/02/14 O'CONNOR, S. NRC - No Detailed Affiliation Given 2pp 82779 140-82779 141

184 DOCKETED ITEMS

9502240289 Forwards QA program approval for radioactive mail package 0781, Rev 0 & provides notification as user of COC 9083, per request
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/22
CHABAL, J.C. Professional Quality Testing Co 2pp 82883 318-82883 320

-9502240290 QA program approval for radioactive mail package 0781, Rev 0
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/22 1p 82883 320-82883 320

DOCKET 71-0782 INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES

9502140078 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
WROBETZ, J.B. Affiliation Not Assigned 95/02/09 Document Control Branch (Document Control Desk) 4pp 82734 286-82734 286

DOCKET 71-0798 OKLAHOMA STATE UNIVERSITY

9502210129 Advises that licensee should request renewal of QA program 30 days before expiration date & application fee of \$2,802 required by 10CFR170.31 should be included
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/16
Oklahoma State Univ., Stillwater, OK 1p 82805 267-82805 267

DOCKET 71-0792 NDE SERVICES, INC.

9502140069 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
ARCHBOLD, K. NDE Services, Inc. 95/02/08 Document Control Branch (Document Control Desk) 4pp 82729 292-82729 295

9502240021 Requests registration as user of IR-50 source changer & IR-100 exposure device
ARCHBOLD, K. NDE Services, Inc. 95/02/08 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82967 355-82967 356

DOCKET 71-0809 MONDRI LEASING, INC.

9502280077 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail"
MCGATH, J. Affiliation Not Assigned 95/02/21 Document Control Branch (Document Control Desk) 2pp 83001 338-83001 351

DOCKET 71-4996 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9502218128 Submits summary of 950119 meeting w/GE & Transnuclear, Inc. in Rockville, MD re design of new fresh fuel package
BAILEY, M.G. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/13
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82805 260-82805 260

DOCKET 71-5382 MODEL: NALICK RADIATOR, AGRICULTURE, DEPT. OF

9502170653 Forwards rev 4 to Certificate of Compliance 5382 for Nalick radiator pack-
BPS
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/14
SHARP, D.R. Agriculture, Dept. of 1p 82802 344-82802 347

-9502170655 Certificate of compliance 5382, rev 4, for Nalick radiator
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/14 3pp 82802 345-82802 347

DOCKET 71-5957 MODEL: BM-1, CANTONEN, INC.

9502021386 Responds to RAI on application to amend COC 5957 for BM-1 packaging to include Omega West Reactor spent fuel as authorized contents
WANGLER, M.E. Energy, Dept. of 95/01/23 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 20pp 82657 329-82657 348

DOCKET 71-5879 MODEL: 5879, ALPHA-OMEGA SERVICES, INC.

9502248143 Requests renewal of Certificate of Compliance 5879 Expires on 950930
HEGGER, B. Alpha-Omega Services, Inc. 95/01/30 HAUGHNEY, C.J. Transportation Branch (Post 830207) 1p 82671 251-82671 251

DOCKET 71-5984 MODEL: 5984, J.L. SHEPHERD & ASSOCIATES

9502070227 Informs that COC 5984 for Model 5984 expires on 950331. Advises licensee to submit application for renewal of certificate at least 30 days prior to expiration date to ensure continued use of package
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03
SHEPHERD, J.L. J.L. Shepherd & Associates 1p 82697 346-82697 348

9502160394 Application for renewal of certificate of compliance 5984 for model 5984 for two up period
SHEPHERD, J.L. J.L. Shepherd & Associates 95/02/08 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82776 328-82776 328

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO

9502180247 Forwards results of evaluation of impact of preliminary safety concern relative to 123 group oxide cross section set on Model B&W 810 & 811 amend analysis and 941123 & on analysis of current license
KNAFF, K.S. B&W Fuel Co 95/02/08 HAUGHNEY, C.J. Transportation Branch (Post 830207) 10pp 82768 098-82768 047

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP

9502280228 Requests registration as user of models 6717-B 600 SU, 520, 650, 660, 680, 715, 771, 770, SPEC C-1 & SPEC 2-T
NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 258-82945 259

9502180189 Requests registration as user of model 6717-B overpack
WALLANDER, T. Wisconsin Industrial Testing Inc. 95/02/07 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 352-82772 352

9502180294 Requests to be registered as user of Amersham Corp Model 6717-B overpack under COC 6717
WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82778 356-82778 356

9502280254 Requests registration as user of models 6717-B, 650, 680, 680A, 650AE, 660B, 660BE, 660E, C-1, 715, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, C-10, Century S & SA & Century Universal S & SA
MCCORRLE, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

9502280210 Notification of registration as user of certificates of compliance 6717, 9006, 9032, 9033, 9035, 9036, 9107 & 9156, in response to 950207 request
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17
WALLANDER, T. Wisconsin Industrial Testing, Inc. 1p 82811 262-82811 262

9502280291 Notices that as requested in 950120 for QA program approval 0730 terminated, Authority to use COCs 6717, 9032, 9033, 9156 & 9157 also terminated
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/22
SHYDER, G.R. Testing Engineers Inc. 1p 82683 321-82683 321

DOCKET 71-9806 MODEL: AI 508 SU, AMERSHAM CORP.

9502280228 Requests registration as user of models 6717-B, 500 SU, 520, 650, 660, 680, 715, 771, 770, SPEC C-1 & SPEC 2-T
NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 258-82945 259

9502188158 Requests registration as user of model AI 500 SU source changer
WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/07 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 171-82772 171

9502190245 Requests to be registered as user of Amersham Corp Model AI 500 SU Source Changer under COC 9006
WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/08 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 211-82776 211

9502280210 Notification of registration as user of certificates of compliance 6717, 9006, 9032, 9033, 9035, 9036, 9107 & 9156, in response to 950207 request
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17
WALLANDER, T. Wisconsin Industrial Testing, Inc. 1p 82811 262-82811 262

DOCKET 71-9067 MODEL: AI 520, AMERSHAM CORP.

9502280228 Requests registration as user of models 6717-B, 500 SU, 520, 650, 660, 680, 715, 771, 770, SPEC C-1 & SPEC 2-T
NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 258-82945 259

DOCKET 71-9010 MODEL: NLP-1/2, NUCLEAR ASSURANCE CORP.

9502020380 Informs that NAC Companies are being merged into consolidated company under new name NAC Int'l
DAVIS, E.M. Nuclear Assurance Corp. 95/01/23 CHAPPELL, C.R. NRC - No Detailed Affiliation Given 1p 82652 360-82652 360

DOCKET 71-9823 MODEL: NLP-10/24, NUCLEAR ASSURANCE CORP.

9502020380 Informs that NAC Companies are being merged into consolidated company under new name NAC Int'l
DAVIS, E.M. Nuclear Assurance Corp. 95/01/23 CHAPPELL, C.R. NRC - No Detailed Affiliation Given 1p 82652 360-82652 360

DOCKET 71-9027 MODEL: 741 & 741E, AMERSHAM CORP.

9502168228 Requests termination of request in 950201 re re listed docket. Another request for amend to docket w/add info will be sent
ROUGHAN, C. Amersham Corp. 95/02/02 CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 1p 82772 359-82772 359

9502190399 Forwards certificate of compliance 9027, rev 9, for models 741, 741E, 741A, 741AE, 741B & 741BE shipping packages
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03
ROUGHAN, C. Amersham Corp. 1p 82720 208-82720 211

-9502190340 Certificate of compliance 9027, rev 9, for models 741, 741E, 741A, 741AE, 741B & 741BE
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 3pp 82720 208-82720 211

9502160227 Application for amend to COCs 9027, 9085 & 9025 for models 741, 680 & 678 series Type B (U) packages. Error discovered on disintegrating assembly drawing 85790 sheet 2 of 2, rev D & drawing 86025 sheet 2 of 3 corrected
ROUGHAN, C. Amersham Corp. 95/02/03 CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 6pp 82768 048-82768 053

9502220203 Requests registration as user of model 741 SHURWAY, D.B. North American Inspection, Inc. 95/02/13 MACDONALD, G.E. Office of Nuclear Material Safety & Safeguards 1p 82967 327-82967 327

9502220204 Notification of registration as user of certificate of compliance 9027, in response to 950213 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 SHURWAY, D.B. North American Inspection, Inc. 1p 82811 274-82811 274

9502220444 Informs that NRC terminated review of application did 950201 for amend of Certificate of Compliance 9027 for Models 741, 741E, 741A, 741AE, 741B & 741BE shipping packages CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/23 ROUGHAN, C. Amersham Corp. 1p 82896 356-82896 356

DOCKET 71-8028 MODEL: 684 & 684E, AMERSHAM CORP.

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of COC numbers 9028, 9032, 9033, 9035, 9039, 9107, 9148 & 9187 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCO, G. General Dynamics Corp. 1p 82897 349-82897 349

DOCKET 71-8029 MODEL: 676 & 676E, AMERSHAM CORP.

9502130242 Requests registration as user of Amersham Model 650, Amersham Model 771, Amersham Model 676, Amersham Model 680, Amersham 650, Amersham 920 & Amersham 865 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502160238 Requests termination of request in 950201 for re listed dockets. Another request for amend to dockets w/ addl info will be sent ROUGHAN, C. Amersham Corp. 95/02/02 CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 1p 82772 359-82772 359

9502160227 Application for amend to COCs 9027, 9035 & 9029 for models 741, 680 & 676 gamma Type B (U) packages Error discovered on descriptive assembly drawing 85790 sheet 2 of 2 rev 0 & drawing 85025 sheet 2 of 3 corrected ROUGHAN, C. Amersham Corp. 95/02/08 CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 6pp 82768 348-82768 353

9502160342 Forwards certificate of compliance 9028, rev 11, for models 676, 676E, 676A, 676AE, 676B & 676BE CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/06 ROUGHAN, C. Amersham Corp. 1p 82720 304-82720 307

9502160343 Certificate of compliance 9028, rev 11, for models 676, 676E, 676A, 676AE, 676B & 676BE CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/06 3pp 82720 206-82720 207

9502160391 Informs that vendor will be providing addl info requested for model 676 package by 850317 Vendor in process of changing descriptive assembly drawings to CAD sys ROUGHAN, C. Amersham Corp. 95/02/19 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82776 329-82776 329

9502220200 Notification of registration as user of certificates of compliance 9028, 9032, 9033, 9035, 9107, 9143 & 9187, in response to 950202 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 1p 82811 280-82811 280

9502220446 Informs that NRC terminated review of application did 950201 for amend of Certificate of Compliance 9029 for Model 678, 676E, 676A, 676AE, 676B & 676BE shipping packages CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/23 ROUGHAN, C. Amersham Corp. 1p 82896 357-82896 357

DOCKET 71-8032 MODEL: 660, AMERSHAM CORP.

9502130242 Requests registration as user of Amersham Model 650, Amersham Model 771, Amersham Model 676, Amersham Model 680, Amersham 650, Amersham 920 & Amersham 865 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of COC numbers 9028, 9032, 9033, 9035, 9039, 9107, 9148 & 9187 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCO, G. General Dynamics Corp. 1p 82897 349-82897 349

9502220220 Requests registration as user of models 6717-B, 500 SU, 520, 650, 680, 680, 715, 771, 770, SPEC C-1 & SPEC 2-T NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502160144 Requests registration as user of model 650 source changer WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/07 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 353-82772 353

9502160404 Requests registration as user of models 650, 550 & 650-QA program end for review Fee paid MCCANN, F.L. Attention Not Assigned 95/02/07 JANKOVICH, J. Office of Nuclear Material Safety & Safeguards 1p 82776 322-82776 325

9502160240 Requests to be registered as user of Amersham Corp Model 650 Source Changer under COC 9032 WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82772 360-82772 360

9502220254 Requests registration as user of models 6717-B, 550, 650, 650A, 650AE, 650B, 650BE, 650E, C-1 715, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, C-10, Century 9 & SA & Century Universal 5 & SA MCCORRICK, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

9502220200 Notification of registration as user of certificates of compliance 9028, 9032, 9033, 9035, 9107, 9143 & 9187, in response to 950202 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 1p 82811 280-82811 280

9502220210 Notification of registration as user of certificates of compliance 6717, 9006, 9032, 9033, 9035, 9036, 9107 & 9156, in response to 950207 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER, T. Wisconsin Industrial Testing, Inc. 1p 82811 282-82811 282

9502240291 Notices that as requested in 950120 IIR/QA program approval 0790 terminated Authority to use COCs 6717, 9032, 9033, 9186 & 9187 also terminated JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 SNYDER, G.R. Testing Engineers, Inc. 1p 82883 321-82883 321

DOCKET 71-8033 MODEL: 650, 650A, 650AE, 650B, 650BE, 650E, AMERSHAM

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of COC numbers 9028, 9032, 9033, 9035, 9039, 9107, 9148 & 9187 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCO, G. General Dynamics Corp. 1p 82897 349-82897 349

9502220226 Requests registration as user of models 6717-B 500 SU, 520, 650, 650, 680, 715, 771, 770, SPEC C-1 & SPEC 2-T NEWLAND, J.A. Jan X-Ray Services, Inc. 95/02/06 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502220179 Requests registration as user of models 650, 650E, 650A, 650AE, 650B or 650BE exposure device WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/07 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 353-82772 358

9502160404 Requests registration as user of models 650, 650 & 650-QA program end for review Fee paid MCCANN, F.L. Attention Not Assigned 95/02/07 JANKOVICH, J. Office of Nuclear Material Safety & Safeguards 1p 82776 322-82776 325

9502160297 Requests to be registered as user of Amersham Corp Model 650, 650A, 650E, 650AE or 650BE Gamma Ray Projector, under COC 9083 WALLANDER, T. Wisconsin Industrial Testing, Inc. 95/02/08 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 355-82776 355

9502220124 Informs that licensee has been registered as user of COC 9033 per 10CFR173.471 CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/10 DUNN, C. 1p 82805 351-82805 351

9502220103 Notification of registration as user of certificate of compliance 9033, in response to 941215 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/10 HALLIDAY, M.H. Nondestructive Inspection Service 1p 82805 269-82805 269

9502220254 Requests registration as user of models 6717-B, 550, 650, 650A, 650AE, 650B, 650BE, 650E, C-1 715, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, C-10, Century 9 & SA & Century Universal 5 & SA MCCORRICK, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

9502240291 Requests registration as user of model 650 mly by Amersham 3KORHOD, P.M. Bnggs Associates, Inc. (formerly Bnggs Engineering & Testing Co., Inc.) 95/02/16 BAER, R.L. Source Containment & Devices Branch (Post 911213) 1p 82887 354-82887 354

9502220200 Notification of registration as user of certificates of compliance 9028, 9032, 9033, 9035, 9107, 9143 & 9187, in response to 950202 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 1p 82811 280-82811 280

9502220210 Notification of registration as user of certificates of compliance 6717, 9006, 9032, 9033, 9035, 9036, 9107 & 9156, in response to 950207 request CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER, T. Wisconsin Industrial Testing, Inc. 1p 82811 282-82811 282

9502240291 Forwards QA program approval for radioactive mail package 0781, Rev 0 & provides notification as user of COC 9033, per request JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 CHAPAL, J.C. Professional Quality Testing Co. 2pp 82883 318-82883 320

DOCKET 71-8035 MODEL: 680 & 684E, AMERSHAM CORP.

9502130242 Requests registration as user of Amersham Model 650, Amersham Model 771, Amersham Model 676, Amersham Model 680, Amersham 650, Amersham 920 & Amersham 865 HOPKINS, D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER, R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502160238 Requests termination of request in 950201 for re listed dockets. Another request for amend to dockets w/ addl info will be sent ROUGHAN, C. Amersham Corp. 95/02/02 CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards 1p 82772 359-82772 359

186 DOCKETED ITEMS

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of CEC numbers 9028,9032,9033,9035, 9039,9107,9148 & 9187 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCI,G General Dynamics Corp 1p 82687 349-82687 349

9502168227 Application for amend to CECs 9027,9035 & 9029 for models 741,680 & 678 series Type B (U) packages Error determined on descriptive assembly drawing 85790 sheet 2 of 2 rev 0 & drawing 86025 sheet 2 of 3 corrected ROUGHAN,C Amersham Corp 95/02/03 CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards 6pp 82768 048-82768 053

9502180437 Foreword certificate of compliance 9035,rev 10 for models 680,680E,880A,680AE,680B & 680BE CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/06 ROUGHAN,C Amersham Corp 1p 82720 257-82720 250

9502180438 Certificate of compliance 9035,rev 10,for models 680,680E, 680A,680AE,680B & 680BE CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/06 3pp 82720 258-82720 300

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,680,680,715,771,770,SPEC C-1 & SPEC 2-T NEWLAND,J.A. Jan X-Ray Services, Inc 95/02/06 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502188171 Requests registration as user of models 680,680E,880A,680AE, 680B or 680BE gamma ray projector WALLANDER,T Wisconsin Industrial Testing, Inc 95/02/07 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 355-82772 355

9502188380 Requests to be registered as user of Amersham Corp Model 680,680A,680E,680B, or 680BE Gamma Ray Projector,under CEC 9035 WALLANDER,T.L. Wisconsin Industrial Testing, Inc 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 354-82776 354

9502188396 Requests registration as user of models 680 & 680E WHITAKER,E.W. Tennessee Valley Authority 95/02/08 Office of Nuclear Material Safety & Safeguards 2pp 82776 325-82776 327

9502220200 Notification of registration as user of certificates of compliance 9028,9032,9033,9035,9107,9143 & 9187 in response to 950207 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc 1p 82811 280-82811 280

9502220210 Notification of registration as user of certificates of compliance 6717,9006,9032,9033,9035,9036,9107 & 9158, in response to 950207 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER,T Wisconsin Industrial Testing, Inc 1p 82811 282-82811 282

9502220447 Informs that NRC terminated review of application did 950201 for amend of Certificate of Compliance 9035 for models 680, 680E,880A,680AE,680B & 680BE shipping packages CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/23 ROUGHAN,C Amersham Corp 1p 82903 034-82903 034

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,680,680,715,771,770,SPEC C-1 & SPEC 2-T NEWLAND,J.A. Jan X-Ray Services, Inc 95/02/06 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502168174 Requests registration as user of model C-1 source changer WALLANDER,T Wisconsin Industrial Testing, Inc 95/02/07 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 357-82772 357

9502176080 Requests to be registered as user of Source Production & Equipment Co Model C-1 source changer,under CEC 9036 WALLANDER,T.L. Wisconsin Industrial Testing, Inc 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 225-82776 225

9502280254 Requests registration as user of models 6717-B,500,680,680A, 680AE,680B,680BE,680E,C-1,715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA MCCORKLE,D.H. Century Inspection, Inc (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

9502280828 Requests registration as user of model 680 mfg by Amersham SKORHOOP,M Briggs Associates, Inc (formerly Briggs Engineering & Testing Co., Inc) 95/02/16 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82867 354-82867 354

9502220210 Notification of registration as user of certificates of compliance 6717,9006,9032,9033,9035,9036,9107 & 9158, in response to 950207 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER,T Wisconsin Industrial Testing, Inc 1p 82811 282-82811 282

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of CEC numbers 9028,9032,9033,9035, 9039,9107,9148 & 9187 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCI,G General Dynamics Corp 1p 82687 349-82687 349

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,680,680,715,771,770,SPEC C-1 & SPEC 2-T NEWLAND,J.A. Jan X-Ray Services, Inc 95/02/06 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502280254 Requests registration as user of models 6717-B,500,680,680A, 680AE,680B,680BE,680E,C-1,715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA MCCORKLE,D.H. Century Inspection, Inc (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

9502240297 Notices that as requested in 950120 to CIA program approval 0730 terminated Authority to use CECs 6717,9032,9036,9156 & 9157 also terminated JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 SNYDER,G.R. Testing Engineers, Inc 1p 82867 321-82867 321

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,680,680,715,771,770,SPEC C-1 & SPEC 2-T NEWLAND,J.A. Jan X-Ray Services, Inc 95/02/06 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502280254 Requests registration as user of models 6717-B,500,680,680A, 680AE,680B,680BE,680E,C-1,715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA MCCORKLE,D.H. Century Inspection, Inc (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

DOCKET 71-9187 MODEL: 771, AMERSHAM CORP.

9502130242 Requests registration as user of Amersham Model 650,Amersham Model 771,Amersham Model 678,Amersham Model 680,Amersham 920 & Amersham 865 HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc 95/02/02 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of CEC numbers 9028,9032,9033,9035, 9039,9107,9148 & 9187 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCI,G General Dynamics Corp 1p 82687 349-82687 349

9502180284 Requests registration as user of models 770 & 771 BEITZ,D.I. Buckeye Steel Castings (Subs. of Buckeye International) 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82779 014-82779 014

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,680,680,715,771,770,SPEC C-1 & SPEC 2-T NEWLAND,J.A. Jan X-Ray Services, Inc 95/02/06 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82945 259-82945 259

9502168188 Requests registration as user of model 771 shipping container WALLANDER,T Wisconsin Industrial Testing, Inc 95/02/07 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 354-82772 354

9502168302 Requests to be registered as user of Amersham Corp Model 771 shipping container,under CEC 9107 WALLANDER,T.L. Wisconsin Industrial Testing, Inc 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 353-82776 353

9502220200 Notification of registration as user of certificates of compliance 9028,9032,9033,9035,9107,9143 & 9187, in response to 950207 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc 1p 82811 280-82811 280

9502220208 Notification of registration as user of certificates of compliance 9107 & 9148, in response to 950206 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 BEITZ,D.I. Buckeye Steel Castings (Subs. of Buckeye International) 1p 82811 270-82811 270

9502220210 Notification of registration as user of certificates of compliance 6717,9006,9032,9033,9035,9036,9107 & 9158, in response to 950207 request CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER,T Wisconsin Industrial Testing, Inc 1p 82811 282-82811 282

DOCKET 71-9128 MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.

9502280254 Requests registration as user of models 6717-B,500,680,680A, 680AE,680B,680BE,680E,C-1,715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA MCCORKLE,D.H. Century Inspection, Inc (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

DOCKET 71-9127 MODEL: 180, 180A, 280 & 200A, AMERSHAM CORP.

9502280254 Requests registration as user of models 6717-B,500,680,680A, 680AE,680B,680BE,680E,C-1,715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA MCCORKLE,D.H. Century Inspection, Inc (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

DOCKET 71-9139 MODEL: C-10, AMERSHAM CORP.

9502280254 Requests registration as user of models 6717-B,650,660,660A, 680AE,680B,680BE,680EC,1-715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA
MCCORKLE,D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

DOCKET 71-9135 MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,

9502280254 Requests registration as user of models 6717-B,650,660,660A, 680AE,680B,680BE,680EC,1-715,SPEC 2-T,20,20A,50,50A,100, 100A,200,200A,C-10,Century S & SA & Century Universal S & SA
MCCORKLE,D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp West) 95/02/15 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82945 248-82945 250

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9502138242 Requests registration as user of Amersham Model 650,Amersham Model 771,Amersham Model 676,Amersham Model 680,Amersham 920 & Amersham 985
HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502220250 Notification of registration as user of certificates of compliance 9029,9032,9033,9035,9107,9143 & 9187 in response to 950202 request
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc. 1p 82811 280-82811 290

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of CDC numbers 9028,9032,9033,9035, 9036,9107,9148 & 9187
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCI,G. General Dynamics Corp 1p 82697 349-82697 349

9502180384 Requests registration as user of models 770 & 771
SEITZ,D.I. Buckeye Steel Castings (subs of Buckeye International) 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82779 014-82779 014

9502280228 Requests registration as user of models 6717-B,500 SU,520, 650,660,680,715,771,770,SPEC C-1 & SPEC 2-T
NEWLAND,J.A. Jan X-Ray Services, Inc. 95/02/05 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82845 258-82845 258

9502220208 Notification of registration as user of certificates of compliance 9107 & 9148 in response to 950208 request
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 SEITZ,D.I. Buckeye Steel Castings (subs of Buckeye International) 1p 82811 270-82811 270

DOCKET 71-9155 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9502180173 Requests registration as user of model IR-50 shipping container
WALLANDER,T. Wisconsin Industrial Testing, Inc. 95/02/01 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82772 358-82772 358

9502180304 Requests to be registered as user of Industrial Nuclear Co Model IR-50 Source Changer under CDC 9158
WALLANDER,T.L. Wisconsin Industrial Testing, Inc. 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82776 352-82776 352

9502240231 Requests registration as user of IR-50 source changer & IR-100 exposure device
ARCHBOLD,K. NDE Services, Inc. 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82867 355-82867 355

9502220210 Notification of registration as user of certificates of compliance 6717,9008,9032,9033,9035,9036,9107 & 9158 in response to 950207 request
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 WALLANDER,T. Wisconsin Industrial Testing, Inc. 1p 82811 262-82811 262

9502240291 Notices that as requested in 950120 in QA program approval 0730 terminated Authority to use COCs 6717,9032,9033,9158 & 9157 also terminated
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 SNYDER,G.R. Testing Engineers, Inc. 1p 82883 321-82883 321

DOCKET 71-9167 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9502240231 Requests registration as user of IR-50 source changer & IR-100 exposure device
ARCHBOLD,K. NDE Services, Inc. 95/02/08 BAER,R.L. Source Containment & Devices Branch (Post 911213) 1p 82867 355-82867 355

9502240291 Notices that as requested in 950120 in QA program approval 0730 terminated Authority to use COCs 6717,9032,9033,9158 & 9157 also terminated
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213) 95/02/22 SNYDER,G.R. Testing Engineers, Inc. 1p 82883 321-82883 321

DOCKET 71-9167 MODEL: 3296B, 3227B & 3215, AMERSHAM CORP.

9502280215 Part 21 repair defect discovered in Type B packaging in Model 3273 KEG on 941215 Defective cash taken out of svc at time of initial discovery of liquid in cavity Amersham Corp notified re defect in cash
ACHARYA,S. Energy, Dept of 95/02/16 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82845 290-82845 281

DOCKET 71-9168 MODEL: CNB 8-120S, CHEM-NUCLEAR SYSTEMS, INC.

9502080072 Informs application of renewal for CDC number 9168 for model number CNB 8-120S needs to be submitted at least 30 days prior to expiration date of 950331
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 KINTNER,S. Chem-Nuclear Systems, Inc. 1p 82845 360-82845 360

DOCKET 71-9183 MODEL: NAC-1, NUCLEAR ASSURANCE CORP.

9502020080 Informs that NAC Companies are being merged into consolidated company under new name NAC Int
DAVIS,E.M. Nuclear Assurance Corp. 95/01/23 CHAPPELL,C.R. NRC - No Detailed Attention Given 1p 82652 360-82652 360

DOCKET 71-9187 MODEL: 945, AMERSHAM CORP.

9502138242 Requests registration as user of Amersham Model 650,Amersham Model 771,Amersham Model 676,Amersham Model 680,Amersham 920 & Amersham 985
HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc. 95/02/02 BAER,R.L. Source Containment & Devices Branch (Post 911213) 2pp 82727 314-82727 315

9502070248 Responds to 941216 in which licensee requested to be re-registered as user of CDC numbers 9028,9032,9033,9035, 9036,9107,9148 & 9187
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/03 BALESTRACCI,G. General Dynamics Corp 1p 82697 349-82697 349

9502220200 Notification of registration as user of certificates of compliance 9029,9032,9033,9035,9107,9143 & 9187 in response to 950202 request
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/17 HOPKINS,D.M. SAM-SON Inspection & Technical Services, Inc. 1p 82811 280-82811 280

DOCKET 71-9198 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9503080384 Summary of 950118 meeting w/Vectra in Rockville,MD re Type S for Model UX-30 package
OSGOOD,J.L. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/07 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82718 214-82718 214

DOCKET 71-9222 MODEL: 84-215, SCIENTIFIC ECOLOGY GROUP, INC.

9502180305 Requests evaluation & response re modification to Certificate 9222 re SEG 14-215 shipping cask
MCCARTER,J.F. Attention Not Assigned 95/02/03 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82776 350-82776 351

DOCKET 71-9225 MODEL: NAC-LITT, NUCLEAR ASSURANCE CORP.

9503080384 Informs that NAC Companies are being merged into consolidated company under new name NAC Int
DAVIS,E.M. Nuclear Assurance Corp. 95/01/23 CHAPPELL,C.R. NRC - No Detailed Attention Given 1p 82652 360-82652 360

DOCKET 71-9235 MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.

9502020080 Informs that NAC Companies are being merged into consolidated company under new name NAC Int
DAVIS,E.M. Nuclear Assurance Corp. 95/01/23 CHAPPELL,C.R. NRC - No Detailed Attention Given 1p 82652 360-82652 360

DOCKET 71-9243 MODEL: 934, AMERSHAM CORP.

9502241139 Forwards RAUn connection w/NRC review of 940913 application requesting approval of Model 934 shipping package
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/08 PODOLAK,L. Amersham Corp. 2pp 82805 272-82805 273

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9502160389 Informs that per request in NRC 950112 re Siemens Power Corp expects to provide addl info required by end of Feb
EDGAR,J.B. Siemens Nuclear Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel 95/02/08 CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82776 330-82776 330

DOCKET 71-9252 MODEL: 51032-Z, B&W FUEL CO.

9502180200 Forwards results of evaluation of impact of preliminary safety concern relative to 123 group cable cross section set on Model 51032 Mk B10 & B11 amend analysis,dtd 941205 & on analysis for current license
KNAPP,K.S. B&W Fuel Co. 95/02/06 HAUGHNEY,C.J. Transportation Branch (Post 900207) 2pp 82776 352-82776 360

DOCKET 71-9257 NORDION INTERNATIONAL INC.

9502220841 Confirms that label shown on Nordion Engineering Drawing F125401-013 has been accepted for use on Titan
KRZANAK,M.S. Nordion International, Inc. 94/12/20 RICH,T. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82782 053-82782 085

188 DOCKETED ITEMS

DOCKET 71-9259 MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL

9502080087 Application for COC 9259, authorizing use of TNP SGs as radioactive mail transportation packages SAR demonstrating that design packages satisfies package approval side in 10CFR71, Subpart E and
QUENNOZ, S.M. Portland General Electric Co. 95/01/23. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82698 001-82697 057

-9502080080 "SAR for SG Packages"
Portland General Electric Co. 95/01/23. 41pp. 82698 003-82697 057

DOCKET 71-9260 MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC

9502080101 Application for COC 9260, authorizing use of TNP pressurizer as radioactive mail transportation package SAR demonstrating that design packages satisfies package approval side in 10CFR71, Subpart E and
QUENNOZ, S.M. Portland General Electric Co. 95/01/23. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82698 001-82698 051

-9502080104 "SAR for Pressurizer Package"
Portland General Electric Co. 95/01/23. 35pp. 82698 003-82698 051

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308

9502280294 "GE Morris Operation Annual Emissions Rept." documenting estimates of quantities of principal radionuclides released to environment in 1994
DEWID, L.L. General Electric Co. 95/02/10. MARTIN, J. Region 3 (Post 820201). 3pp. 82803 056-82801 068

DOCKET 72-0004 WISCONSIN ELECTRIC POWER CO., 50-268 & 50-281

9502280064 Findings of fact, conclusions of law, certificate, order & interim order Orders will to work w/Commission staff to develop info to support proposals for continued operation of existing unit 2 SG
DORRILL, Affiliation Not Assigned. 85/02/09. 36pp. 82815 060-82815 097

9502270070 Admises of intent to apply previously approved 10CFR50 App B, QA program to const & operation of ISFSI at plant
KRESER, G.M. Wisconsin Electric Power Co. 95/02/14. Office of Nuclear Material Safety & Safeguards. 1p. 82959 030-82959 030

9502280313 Forwards Wisconsin Electric dry storage project summary, WEPCO Nuclear Power Business Unit combined dry storage event schedule, MGS fabrication schedule & VCC inner fabrication schedule
BALJMAN, M. Wisconsin Electric Power Co. 95/02/23. STURZ, F. NRC - No Detailed Affiliation Given. 8pp. 82903 345-82903 352

DOCKET 72-0007 CONSUMERS POWER CO., 50-255

9502280189 Inform that NRC in process of responding to public re dry cask storage at plant Forwards RAI re dry cask storage in order to respond adequately to public inquiry Requests response within 90 days
KENNEDY, J. Office of Nuclear Reactor Regulation (Post 841001). 95/02/14. HAAS, K.M. Consumers Power Co. 3pp. 82795 352-82795 354

DOCKET 72-0008 BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318

9502280094 "Calvert Cliffs Nuclear Power Plant Effluent & Waste Disposal Semi-Annual Rept Suppl info." W/950217 to
CRAIG, P.T. Baltimore Gas & Electric Co. 94/12/31. 20pp. 82614 331-82614 350

9502150377 Forwards Rev 1 to "CCNPP EALS Technical Basis Document" EAL changes effected by Rev 1 of technical basis document will be incorporated in Rev 1B, Change 3 of ERPIP 3.0
DENTON, R.E. Baltimore Gas & Electric Co. 95/02/09. Document Control Branch (Document Control Desk). 4pp. 82770 238-82770 262

DOCKET 72-0089 PUBLIC SERVICE CO. OF COLORADO, 50-267

9502230214 Transmits request for full exemption from onsite property damage insurance requirements of 10CFR50.54(w) for FSV
RISHER, M.J. Public Service Co. of Colorado. 95/02/15. Document Control Branch (Document Control Desk). 12pp. 82854 281-82854 302

DOCKET 72-0010 NORTHERN STATES POWER CO., 50-282 & 50-386

9502230349 Discusses Insp Rept 72-0010/94-212 on 950125 Insp Rept summarizes findings re implementation of QA program at vendor, PK Engineering Co, Inc
PAPERFIELD, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/02/01. ANTONY, D. Northern States Power Co. 3pp. 82630 359-82630 361

9502140286 Forwards Rev 1 to Prarie Island (ISFSI) security safeguards contingency & guard force training & qualification plans. Ends withheld per 10CFR73.21
ANDERSON, R.O. Northern States Power Co. 95/02/10. Document Control Branch (Document Control Desk). 1p. 82772 031-82772 031

9502220225 Notification of 950217 meeting w/utl in Rockville, MD to discuss QA & issues re Dec 1994 Insp of records related to TN-40 cask
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/02/15. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82828 283-82828 284

9502280432 Responds to NRC 950125 ltr re violation noted in Insp Rept 72-0010/94-212 Corrective actions time for Batch 7 estimated based on preceding & subsequent batch times & recorded on data sheet & aluminum channel numbers added
WATZ, E.L. Northern States Power Co. 95/02/23. Document Control Branch (Document Control Desk). 19pp. 82931 087-82931 093

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9412220138 Forwards "SER of VECTRA Technologies, Inc. SAR for Standardized NUHOMS Horizontal Modular Storage Sys." dtd Dec 1994 & unsigned COC 1004 for Standardized NUHOMS-24P & NUHOMS-525 to be included as part of RM 10CFR72
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/16. JULIAN, E.L. Docketing & Services Branch. 1p. 82152 001-82152 215

-9412220281 "SER of VECTRA Technologies, Inc. aka Pacific Nuclear Fuels Svcs, Inc. SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel"
Office of Nuclear Material Safety & Safeguards. 94/12/31. 21pp. 82152 002-82152 215

9502170091 Forwards corrected fourth page to Certificate of Compliance 1004 dtd 950118
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/02/13. AXLINE, J.W. Affiliation Not Assigned. 4pp. 82779 290-82779 299

DOCKET 72-1807 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9502020354 Summarizes 841215 telephone conference w/Sierra Nuclear Corp discussing issues re current rulemaking to amend VSC-24 cask COC & issues contained in licensee 940831 submittal
LEU, K.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/28. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 82662 353-82662 355

9502190073 Requests addl info re request to amend VSC-24 cask certificate of compliance & issues brought up in Sierra Nuclear Corp 940831 submittal
STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/30. MASSEY, J.V. Sierra Nuclear, Inc. 2pp. 82680 357-82680 358

9502070272 Responds to petition filed on 840705 in which requested that Chairman exercise authority
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 95/01/31. DUMS, D. Citizens' Utility Board. 3pp. 82667 279-82667 288

-9502070274 Director's Decision 00-85-03, informing that NRC has determined that 10CFR72.48 can be used by all Part 72 licensees
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 95/01/31. 10pp. 82687 276-82687 285

-9502070276 Notice of receipt of 940705 petition requesting that Chairman exercise authority to determine applicability of 10CFR72.48, whether Emergency in violation of NRC regulations & order ANO to cease using 10CFR72.48 until applicability
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 95/01/31. 3pp. 82687 288-82687 288

9502100078 Provides fabrication dates of CM58-04 through -10 re CPC SF dry storage project
MOECKEL, K. Sierra Nuclear, Inc. 95/02/02. LEU, K.C. NRC - No Detailed Affiliation Given. 2pp. 82732 052-82732 053

9502210176 Provides listed info to register initial use on 950203 of Pacific Sierra Nuclear Ventilated Storage Cask (VSC) Model VSC-24
HAAS, K.M. Consumers Power Co. 95/02/10. Document Control Branch (Document Control Desk). 1p. 82811 045-82811 045

9502270079 Admises of intent to apply previously approved 10CFR50 App B, QA program to const & operation of ISFSI at plant
KRESER, G.M. Wisconsin Electric Power Co. 95/02/14. Office of Nuclear Material Safety & Safeguards. 1p. 82959 030-82959 030

9502280313 Forwards Wisconsin Electric dry storage project summary, WEPCO Nuclear Power Business Unit combined dry storage event schedule, MGS fabrication schedule & VCC inner fabrication schedule
BALJMAN, M. Wisconsin Electric Power Co. 95/02/23. STURZ, F. NRC - No Detailed Affiliation Given. 8pp. 82903 345-82903 352

190 NONDOCKETED ITEMS

- 950209193 Summary of ACRS Planning & Procedures Subcommittee 931206 meeting re ACRS fellowship program, ACRS elections, RISK meeting, thermal reactor safety meeting, ACRS staff budget & NRC items of interest & future activities. WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards 94/04/08 ACRS - Advisory Committee on Reactor Safeguards 4pp 82710 001-82710 004
- 950209204 Summary of ACRS Subcommittee on ABWRs 931215 meeting in Bethesda, MD to continue reviewing NRC staff final SER for GE ABWR design & related matters. MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards 94/01/21 ACRS - Advisory Committee on Reactor Safeguards 15pp 82710 005-82710 018
- 950209214 Summary of ACRS Subcommittee on Materials & Metallurgy 931216 meeting in Bethesda, MD re SG operating experience & SG rulemaking activities. SEALER, ACRS - Advisory Committee on Reactor Safeguards 94/03/10 ACRS - Advisory Committee on Reactor Safeguards 20pp 82710 020-82710 039
- 950209217 Summary of ACRS Thermal Hydraulic Subcommittee 940104-05 meeting in Bethesda, MD re NRC RELAPS/MODS thermal hydraulic computer code. CATTONI, ACRS - Advisory Committee on Reactor Safeguards 94/02/10 ACRS - Advisory Committee on Reactor Safeguards 5pp 82715 154-82715 208
- 950209218 Summary of ACRS Planning & Procedures Subcommittee 940105 meeting re Consumer Power's request to present briefing to ACRS, ACRS fellowship program, budget for new members, emoluments clause & digital I&C. WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards 94/01/06 ACRS - Advisory Committee on Reactor Safeguards 5pp 82710 040-82710 044
- 950209221 Summary of 406th ACRS meeting on 940105-07 in Bethesda, MD re proposed final rule to revise emergency planning regulations & proposed resolution of Generic Issue 87-5.1, "Reassessment of SGTR Radiological Consequences." * ACRS - Advisory Committee on Reactor Safeguards 94/03/08 ACRS - Advisory Committee on Reactor Safeguards 31pp 82710 045-82710 075
- 950209223 Summary of ACRS Subcommittee on ABWRs 940125-26 meeting in Bethesda, MD re remaining chapters of NRC staff final SER for GE ABWR design. MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards 94/03/31 ACRS - Advisory Committee on Reactor Safeguards 18pp 82718 334-82718 351
- 950209228 Advises that ACRS closed portions of listed meetings since last rept on 940418. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/07/27 BATES, A.L. ACRS - Advisory Committee on Reactor Safeguards 2pp 82710 076-82710 077
- 950209231 Advises that ACRS closed portions of listed meeting since last rept on 940727. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/10/14 BATES, A.L. ACRS - Advisory Committee on Reactor Safeguards 2pp 82715 337-82715 338
- 950209232 Advises that ACRS closed portion of listed meeting since last rept on 941014. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 95/01/17 BATES, A.L. ACRS - Advisory Committee on Reactor Safeguards 1p 82705 956-82705 358
- 950209233 Forwards summary of actions, agreements, assignments & requests made during 408th ACRS meeting on 940407-08. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/05/02 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 4pp 82710 078-82710 081
- 950209236 Summary of 940315-16 Committee meeting w/Westinghouse in Monroeville, PA to continue review of test programs being conducted by Westinghouse in support of AP600 passive plant design certification review. * ACRS - Advisory Committee on Reactor Safeguards 94/04/13 ACRS - Advisory Committee on Reactor Safeguards 8pp 82715 210-82715 217
- 950209238 Summary of 940408 Subcommittee meeting re ACRS planning & procedures. * ACRS - Advisory Committee on Reactor Safeguards 94/04/08 ACRS - Advisory Committee on Reactor Safeguards 13pp 82715 218-82715 230
- 950209242 Summary of 408th ACRS Subcommittee meeting on 940210-11 in Bethesda, MD to discuss & take appropriate action on items listed in attached agenda. * ACRS - Advisory Committee on Reactor Safeguards 94/03/10 ACRS - Advisory Committee on Reactor Safeguards 29pp 82715 231-82715 259
- 950209243 Forwards summary of actions, agreements, assignments & requests made during 408th ACRS meeting on 940505-07. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/05/31 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 5pp 82710 082-82710 088
- 950209244 Forwards summary of actions, agreements, assignments & requests made during 410th ACRS meeting on 940609-10. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/06/22 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 4pp 82710 087-82710 090
- 950209245 Forwards summary of actions, agreements, assignments & requests made during 411th ACRS meeting on 940707-08. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/08/02 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 4pp 82710 091-82710 094
- 950209247 Forwards summary of actions, agreements, assignments & requests made during 412th ACRS meeting on 940804-05. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/08/29 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 5pp 82710 095-82710 099
- 950209249 Advises that ACRS closed portions of listed meetings since last rept on 940224. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards LARKINS, J.T. Advisory Committee on Nuclear Waste 94/04/18 HOYLE, J.C. ACRS - Advisory Committee on Reactor Safeguards 1p 82715 260-82715 260
- 950209250 Forwards summary of actions, agreements, assignments & requests made during 407th ACRS meeting on 940310-12. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/04/13 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 6pp 82710 100-82710 105
- 950209252 Forwards summary of actions, agreements, assignments & requests made during 408th ACRS meeting on 940210-11. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards 94/03/08 TAYLOR, J.M. Dir. of the Executive Director for Operations. BLAHA, J.L. NRC - No Detailed Affiliation Given 6pp 82710 106-82710 111
- 950209253 Summary of ACRS Planning & Procedures Subcommittee 940504 meeting in Bethesda, MD re status of Lewis resignation, meeting w/Ruckelshaus Subcommittee assignments & mod of ACRS/ACNW conference room in TWPN bldg. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 94/05/06 ACRS - Advisory Committee on Reactor Safeguards 4pp 82715 261-82715 264
- 950209256 Summary of 408th meeting of ACRS on 940407-08 in Bethesda, MD re ABW-CE Sys 80+ std plant design, proposed final rule on protection against maloperation of vehicles on NPPs & recirculation pump stammer clogging. * ACRS - Advisory Committee on Reactor Safeguards 94/05/11 ACRS - Advisory Committee on Reactor Safeguards 28pp 82710 112-82710 139
- 950209258 Summary of ACRS Subcommittee on Auxiliary & Secondary Sys 940608 meeting in Bethesda, MD re resolution of Thermal-Lag issues. CATTONI, ACRS - Advisory Committee on Reactor Safeguards 94/07/05 ACRS - Advisory Committee on Reactor Safeguards 21pp 82710 140-82710 160
- 950209259 Summary of 408th meeting of ACRS on 940505-07 in Bethesda, MD re ABW-CE Sys 80+ std plant design, draft policy statement on use of PRA, improvement of alternating process, test-of-a-kind engineering & PP on shutdown & low-power operations. * ACRS - Advisory Committee on Reactor Safeguards 94/08/08 ACRS - Advisory Committee on Reactor Safeguards 83pp 82715 272-82715 304
- 950209262 Trip rept of 940612-17 visit to Ottawa, Ontario, Canada to attend 4th int symposium on late safety science. CATTONI, ACRS - Advisory Committee on Reactor Safeguards 94/07/27 ACRS - Advisory Committee on Reactor Safeguards 49pp 82729 075-82729 124
- 950209263 Summary of ACRS Subcommittee on ABW-CE Std Plant Design 940308 & 09 meeting in Bethesda, MD re Sys 80+ evolutionary reactor plant design. CARROLL, J.C. ACRS - Advisory Committee on Reactor Safeguards 94/04/20 ACRS - Advisory Committee on Reactor Safeguards 22pp 82726 160-82726 258
- 950209266 Forwards responses to questions raised by ACRS ABW-CE Std Plant Design Subcommittee at 940308-09 meeting on Sys 80+. BRINKMAN, J.C. B. ABW Contribution Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) LD-94-023 94/04/04 COE, D. ACRS - Advisory Committee on Reactor Safeguards 77pp 82726 162-82726 258
- 950209267 Summary of 407th meeting of ACRS on 940310-12 in Bethesda, MD re ALWR policy issues - source term, ABWR review re final design approval meeting w/ NRC Commissioners, multiple sys response program & turbine generator failure event at Fermi. * ACRS - Advisory Committee on Reactor Safeguards 94/04/22 ACRS - Advisory Committee on Reactor Safeguards 33pp 82715 305-82715 336
- 950209268 Forwards rept ACRS provided to NRC during past yr on selected NRC research programs & related activities directed toward understanding of conservatism used in NRC licensing process, per Section 29 of AEA of 1954. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 95/01/24 GINGRICH, N. House of Rep. Speaker of the House GORE, A. Senate, President of the Senate 4pp 82729 125-82729 178
- 950209269 Summary of ACRS Planning & Procedures Subcommittee 940209 meeting re new members, ACRS fellowship program, FTE usage by members, use of consultants, members travel to meetings, move to Two White Flint North bldg & personnel assignments. WILKINS, J.E. ACRS - Advisory Committee on Reactor Safeguards 95/02/13 ACRS - Advisory Committee on Reactor Safeguards 5pp 82723 307-82723 313
- 950209270 Transcript of 950209 418th ACRS meeting in Rockville, MD Pt 1-35. * ACRS - Advisory Committee on Reactor Safeguards 95/02/09 351pp 82743 001-82743 113
- 950209283 Transcript of ACRS 950210 meeting in Rockville, MD Pt 352-410 Supporting documentation and. * ACRS - Advisory Committee on Reactor Safeguards 95/02/10 69pp 82776 131-82776 210
- 950222006 Responds to 941219 ltr commenting on staff draft safety evaluation re potential loss-of-spread-heat-cooling events at Isotley. TAYLOR, J.M. Dir. of the Executive Director for Operations 95/02/15 KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 5pp 82817 352-82817 359
- 9502220107 Discusses 941208-10 416th Advisory Committee on Reactor Safeguards meeting re NRC staff Draft Safety Evaluation Rept on potential for loss of SFPC following LOCA at facility. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards 94/12/16 THE CHAIRMAN, SELIN, Commissioners (Post 730113) 3pp 82817 357-82817 359
- 9502220405 Transcript of ACRS 950215 meeting re Thermal Hydraulic Phenomena Subcommittee Open Session in Rockville, MD Pt 1-31 Certificate and. * ACRS - Advisory Committee on Reactor Safeguards 95/02/15 33pp 82838 211-82838 243
- 9502220406 Transcript of ACRS 950216 meeting re Thermal Hydraulic Phenomena Subcommittee Open Session in Rockville, MD Pt 323-542 Certificate and. * ACRS - Advisory Committee on Reactor Safeguards 95/02/16 24pp 82838 185-82838 210

ADVOC NRC ADVISORY COMMITTEE

- 9412190062 Forwards Nuclear Safety Research Review Committee report addressing results of initial review of CANDU 3 confirmatory research program on 941107-08. More detailed understanding of CANDU 3 design & closer contact w/AECB needed. TAYLOR, J.M. Dir. of the Executive Director for Operations 94/12/08 THE CHAIRMAN, SELIN, ROGERS, K. Commissioners (Post 750119) 1p 82582 355-82582 360
- 9412160202 Discusses 941107-08 meeting of Nuclear Safety Research Committee in Rockville, MD re review of current plans for confirmatory research in support of certification review of CANDU 3 NPP design. KINTNER, E. Nuclear Safety Research Review Committee 94/12/05 BECKJORD, S. Office of Nuclear Regulatory Research (850720-941217) 3pp 82582 355-82582 360
- 9502090249 Advises that ACRS closed portions of listed meetings since last report on 940224. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. LARKINS, J.T. Advisory Committee on Nuclear Waste 84/04/18 MOYUE, J.C. ACRS - Advisory Committee on Reactor Safeguards 1p 82715 250-82715 250
- 9502130072 Forwards its report from ACNW on private ownership of low-level waste sites. Office of Public Affairs (Post 911117) 95/02/07 1p 82723 320-82723 323
- 9502130081 Advises that ACNW concluded that no fundamental research exists why private ownership of low-level waste disposal sites should be prohibited. STENDLER, J. Advisory Committee on Nuclear Waste 95/02/06 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 3pp 82723 321-82723 323
- 9502130093 "NRC ACNW to meet 950221-22" Office of Public Affairs (Post 911117) 95/02/08 2pp 82723 326-82723 327
- 9502200085 Forwards GSA Form T-820-H & T-821-H for each federal advisory committee of NRC & agency summary sheet. Mail submitted for inclusion in Annual Report of President for FY-1994. GATES, A.L. Office of the Secretary of the Commission 94/11/02 Office of the Secretary of the Commission 37pp 82520 045-82520 082
- 9502240252 Transcript of ACNW 71st meeting on 950221 in Rockville, MD. Pp 1-225. Advisory Committee on Nuclear Waste 95/02/21 225pp 82588 001-82588 256
- 9502240255 Transcript of ACNW 71st meeting on 950222 in Rockville, MD. Pp 227-403. Advisory Committee on Nuclear Waste 95/02/22 220pp 82589 006-82589 225

COMMISSION NRC COMMISSIONERS

- 9405040196 Forwards response to Commission on fuel coolant interaction studies. TAYLOR, J.M. Dir. of the Executive Director for Operations 94/04/14 THE CHAIRMAN, SELIN, ROGERS, K.C. Commissioners (Post 750119) 5pp 82669 189-82669 194
- 9412120000 Requests that Commission delay vote on SECY-84-277 re withdrawal of advanced notice of proposed rulemaking. TAYLOR, J.M. Dir. of the Executive Director for Operations 94/12/01 THE CHAIRMAN, SELIN, ROGERS, K.C. Commissioners (Post 750119) 1p 82669 185-82669 185
- 9412210049 Discusses 941201 memo requesting that Commission delay vote on SECY-94-277 re withdrawal of advance notice of proposed rulemaking, "Acceptance of Products Purchased for Use in Nuclear Power Plant Structures, Systems & Components." TAYLOR, J.M. Dir. of the Executive Director for Operations 94/12/15 THE CHAIRMAN, SELIN, ROGERS, K.C. Commissioners (Post 750119) 1p 82669 196-82669 196
- 9502200074 Fourth partial response to FOIA request for documents: Records in App F will be available in PDR App G records withheld in entirety (ref FOIA Exemption 5) Division of Freedom of Information & Publications Services (850206-940714) 94/05/18 O'TOOLE, P.E. Parsons, Cole (formerly Parsons, Cole, Stone, Olsen & Williams) 6pp 82592 333-82592 343
- 9502020088 Submits views on Solicitor recommendation on remanded issues in annual fee rules. DE PLANQUE, E.G. Commissioners (Post 750119) 80/08/15 CHILKS, J. Office of the Secretary of the Commission 2pp 82592 340-82592 340
- 9502020091 Affirmation vote approving SECY-92-107, "Limited Changes to 10CFR170 & 171 License & Annual Fees," w/comments. DE PLANQUE, E.G. Commissioners (Post 750119) 82/04/02 CHILKS, J. Office of the Secretary of the Commission 1p 82592 341-82592 341
- 9502020093 Notation vote approving SECY-91-404, "Limited Changes to 10CFR170 & 171 License & Annual Fees," w/comments. DE PLANQUE, E.G. Commissioners (Post 750119) 91/12/24 CHILKS, J. Office of the Secretary of the Commission 1p 82592 342-82592 343
- 9502020095 Discusses 951117 meeting w/H Ray, senior vice president re potential changes in State of CA electrical generating market. Final PLG plan not yet established. SCHMIDT, W.L. Commissioners (Post 750119) 95/01/20 NRC - No Detailed Action Given 1p 82595 009-82595 009
- 9502020300 Forwards response to 950120 request for answers re Title III & related provisions of HR 9 Job Creation & Wage Enhancement Act of 1995. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/01/27 BROWN, G.E. House of Rep 125pp 82606 001-82606 019
- 9502020343 Responds to 941222 letter re remark made at 941219 Commission meeting w/DOE concerning DOE program approach for determining site suitability of HLW. Clarifies that remark not intended to change NRC regulations for Yucca mountain. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/01/24 TRECHSEL, J. Nevada Nuclear Waste Task Force, Inc 1p 82607 020-82607 022
- 9502020357 Discusses DOE plan to submit license application to authorize const of low range temp storage site at Yucca mountain, NV w/subsequent high temp capability. New strategy at Yucca mountain compromises promises made to public. TRECHSEL, J. Nevada Nuclear Waste Task Force, Inc 94/12/22 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 2pp 82607 021-82607 022

- 9502020386 Forwards answers to questions posed re Title III & related provisions of HR 9 proposed Job Creation & Wage Enhancement Act of 1995 in response to 950124 request NRC concurs w/overall objectives of Title III of proposed law. THE CHAIRMAN, SELIN, Commissioners (Post 750119) CCS 95/01/31 DEKSELL, J.D. House of Rep, Energy & Commerce 35pp 82585 041-82585 078
- 9502020373 Requests that NRC answer questions posed re impact of provisions of Title III of HR 9 Job Creation & Wage Enhancement Act of 1995 on NRC mission & responsibilities. DINGELL, J.D. House of Rep, Energy & Commerce 95/01/24 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 3pp 82585 075-82585 078
- 9502020406 Expresses appreciation for licensee perspective on current performance of plant informs that NRC found plant to have lowest overall nuclear production costs including fuel between 1989 & 1993. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/01/25 CARRNS, N.S. Wolf Creek Nuclear Operating Corp 1p 82585 040-82585 040
- 9502020418 Discusses improvement in operation & performance at plant. CARRNS, N.S. Wolf Creek Nuclear Operating Corp 95/01/03 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 6pp 82585 040-82585 040
- 9502020429 Discusses 950123 meeting w/Chairman & S. Speaker to express concerns over slow progress for development of design certification rulemaking for AGR. MOGAN, Incident Response Branch 95/01/23 Incident Response Branch 1p 82614 318-82614 318
- 9502020448 Recommends that Commission EDO Dir. & ACNW consider rev of NRC behavior in terms of concepts presented in review Error in medicine and MARCUS, G.S. California Univ. of Los Angeles, CA 85/01/11 THE CHAIRMAN, SELIN, DE PLANQUE, Commissioners (Post 750119) 10pp 82682 335-82682 344
- 9502020434 SECY-85-024 Weekly info report for wk ending 950127. BLAHA, J.L. Assistant for Operations (Post 890205) 95/02/03 22pp 82708 001-82708 022
- 9502130228 Responds to fr, 950104 re potential unnecessary regulations based on inadequate research w/o NORM effects. Informs best course of action to talk to EPA, where statutory has re NORM. Suggests CROPD also be contacted directly. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 SCHAFERLE, A. Mission Not Assigned 1p 82716 330-82716 333
- 9502130291 Requests States of AK, NY & SC participate in NRC State Liaison Officer Program developed to improve Federal-State cooperation on regulatory health & safety issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 KNOWLES, T. Alaska, State of PATAK, New York State of BEASLEY, D. South Carolina, State of 18pp 82725 017-82725 035
- 9502140042 Solicits State of ME continued participation in NRC State Liaison Officer program. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 KING, A.S. Maine, State of 3pp 82713 271-82713 273
- 9502140063 Requests Tennessee continued participation in NRC State Liaison Officer Program. NRC will continue to work w/AT Mobley unless NRC notified of new state liaison officer. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 SUNDQVIST, D. Tennessee, State of 2pp 82713 323-82713 325
- 9502140069 Solicits continued participation in NRC State Liaison Officer program. Individual selected can be someone from staff who can communicate effectively w/other state agencies on nuclear issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 GRAVES, S. Kansas, State of 2pp 82713 328-82713 328
- 9502140063 Solicits continued participation in NRC State Liaison Officer program. Individual selected can be someone from staff who can communicate effectively w/other state agencies on nuclear issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 JOHNSON, G. New Mexico, State of 3pp 82713 329-82713 331
- 9502140072 Requests State of OK participate in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 KEATING, F. Oklahoma, State of 3pp 82713 356-82713 358
- 9502140076 Requests State of MD participate in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 GLENDENING, P. Maryland, State of 3pp 82714 021-82714 023
- 9502140083 Requests appointment of single person to act as liaison to NRC to improve Federal/State cooperation. Solicits State of Connecticut continued participation in NRC State Liaison Officer program. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 ROWLAND, J. Connecticut, State of 3pp 82714 159-82714 161
- 9502140087 Requests appointment of single person to act as liaison to NRC to improve Federal/state cooperation. Solicits state of Wyoming continued participation in NRC State Liaison Officer program. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 GERINGER, J. Wyoming, State of 3pp 82714 165-82714 167
- 9502140096 Requests State of ID participate in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 BATT, P. Idaho, State of 3pp 82714 199-82714 201
- 9502140098 Requests State of NY continued participation in NRC State Liaison Officer Program developed to improve Federal-State cooperation. THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 PATAK, G. New York, State of 3pp 82714 202-82714 204

192 NONDOCKETED ITEMS

- 9502140108 Requests State of RI continued participation in NRC State Liaison Officer Program developed to improve federal-state cooperation re issues of regulatory health & safety matters
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 ALMOND, L Rhode Island, State of 3pp 82714 211-82714 210
- 9502140108 Requests Alabama participation in NRC State Liaison Officer program
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 JAMES, F Alabama, State of 3pp 82714 211-82714 213
- 9502140118 Discusses 950126 meeting w/Abdoo, Grogg, Link & Charnoff of uti re current agreement w/state PUC allowing uti to purchase 12 dry spent fuel casks
SCHMIDT, W.L. Commissioners (Post 750119) 95/01/30 Commissioners (Post 750119) 1p 82754 001-82754 001
- 9502140124 Informants that for quarter beginning on 941001 & extending through 941231 NRC neither released nor denied to public any documents containing safeguards info
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 GORE, A Senate GINGRICH, J House of Rep., Speaker of the House 2pp 82729 354-82729 355
- 9502140127 Solicits SD continued participation in NRC State Liaison Officer program NRC will continue to work w/ SD unless NRC notified of new state liaison officer
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 JANKLOW, W South Dakota, State of 3pp 82714 268-82714 290
- 9502140138 Requests Hawaii continued participation in NRC State Liaison Officer program NRC will continue to work w/B Anderson unless NRC notified of new state liaison officer
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 CAYETANO, B Hawaii, State of 3pp 82714 327-82714 329
- 9502140142 Requests PA continued participation in NRC State Liaison Officer Program NRC will continue to work w/ W Dorris
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 GORE, A Senate GINGRICH, J House of Rep., Speaker of the House 2pp 82729 354-82729 355
- 9502140151 Requests state to appoint single person to act as liaison to NRC to improve Federal/State cooperation Solicits continued participation in NRC State Liaison Officer program for Oregon
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 KITZABER, J Oregon, State of 3pp 82714 333-82714 335
- 9502140151 Requests state to appoint single person to act as liaison to NRC to improve Federal/State cooperation Solicits continued participation in NRC State Liaison Officer program for South Carolina
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 BEASLEY, D South Carolina, State of 3pp 82714 335-82714 338
- 9502140154 Responds to 950113 ltr requesting that Commission renew Director's Decision 94-13 re uti & initiate hearing in order to provide opportunity to address perceived errors in NRC proposed enforcement action
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 JUMP, W.J., BALCOM, R.L. Affiliation Not Assigned 4pp 82746 028-82746 037
- 9502140160 Ack receipt of 950103 ltr, enclosing correspondence from R Balcom & W Jump concerning NRC 941028 "Demands for Info" & related Notice of Violation & Proposed Imposition of Civil Penalty issued to uti
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/01/20 DELAY, T House of Rep 1p 82746 032-82746 032
- 9502140166 Forwards correspondence that raise serious questions concerning fairness to actions taken against individuals by NRC
DELAY, T House of Rep 95/01/03 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 3pp 82746 032-82746 035
- 9502140176 Requests prompt action to initiate hearing & take appropriate steps to assure that Director's Decision 94-13 corrected
JUMP, W.J., BALCOM, R.L. Affiliation Not Assigned 00-94-13 95/01/13 THE CHAIRMAN, SELIN, DE PLANQUE, E.G. Commissioners (Post 750119) 2pp 82746 036-82746 037
- 9502140184 Partial response to FOIA request for documents Records in App C & D w/ be available in FOR App E records withheld in entirety (ref Exemption 5)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 RIDGOLF, P Public Citizen's Critical Mass Energy Project 11pp 82736 216-82740 058
- 9502140191 Notation vote approving SECY-94-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions" w/comments
ROGERS, K.C. Commissioners (Post 750119) 92/02/24 CHILKS, J Office of the Secretary of the Commission 2pp 82736 234-82736 251
- 9502140194 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions." w/comments
CURTIS, J.R., REMICK, J.J. Commissioners (Post 750119) 92/02/27 CHILKS, J Office of the Secretary of the Commission 1p 82736 252-82736 252
- 9502140202 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions." w/comments
DE PLANQUE, E.G. Commissioners (Post 750119) 92/03/02 CHILKS, J Office of the Secretary of the Commission 1p 82736 250-82736 260
- 9502140204 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions." w/comments
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 92/03/06 CHILKS, J Office of the Secretary of the Commission 1p 82736 261-82736 267
- 9502140212 Notation vote approving SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions." w/comments
REMICK, J.J. Commissioners (Post 750119) 92/06/09 CHILKS, J Office of the Secretary of the Commission 4pp 82738 327-82738 018
- 9502140216 Notation vote approving SECY-92-346, "Add Mods to Change to General Statement of Policy & Procedure for NRC Enforcement Actions." w/o comments
REMICK, J.J. Commissioners (Post 750119) 92/10/19 CHILKS, J Office of the Secretary of the Commission 1p 82739 019-82739 044
- 9502140273 Responds to 950206 request for NRC assessment of end HR 450, Regulatory Transition Act of 1995. Forwards answers to specific questions posed
ROGERS, K.C. Commissioners (Post 750119) 95/02/10 DINGELL, J House of Rep 9pp 82740 255-82740 272
- 9502140282 Requests NRC assistance in analyzing legislation & identifying specific problems that may arise if HR 450 bill enacted in current form
DINGELL, J.D. House of Rep 95/02/06 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 9pp 82740 254-82740 272
- 9502140483 Discusses plans to visit ROK on 950412-15
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/03 CHUNG, K Korea, Republic of (South Korea) 1p 82740 101-82740 102
- 9502140406 Informants that author re-assumed responsibilities of Minister of Science & Technology as of 941223
CHUNG, K.M. Korea, Republic of (South Korea) 94/12/30 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 1p 82740 102-82740 102
- 9502150108 Second partial response to FOIA request re documents Records in App B and C & will be available in FOR App C records completely withheld (ref FOIA exemption 5)
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/21 SCHWARZBAUGH, D Natural Resources Defense Council 7pp 82781 001-82781 296
- 9502150110 Notation vote approving SECY-91-259, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia"
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 91/08/20 CHILKS, J Office of the Secretary of the Commission 3pp 82781 010-82781 012
- 9502150110 Notation vote approving w/comment SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic"
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 92/05/06 CHILKS, J Office of the Secretary of the Commission 2pp 82781 013-82781 024
- 9502150248 Trp. rept of B30824-1018 sent to Eastern Europe & Former Soviet Union re search of nuclear safety
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 99/10/16 NRC - No Detailed Affiliation Given 26pp 82781 107-82781 132
- 9502150260 Notation vote approving SECY-91-259, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia"
ROGERS, K.C. Commissioners (Post 750119) 91/08/23 CHILKS, J Office of the Secretary of the Commission 1p 82781 139-82781 139
- 9502150261 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)"
ROGERS, K.C. Commissioners (Post 750119) 92/05/07 CHILKS, J Office of the Secretary of the Commission 1p 82781 140-82781 140
- 9502150282 Notation vote approving SECY-91-259, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia"
REMICK, J.J. Commissioners (Post 750119) 91/08/27 CHILKS, J Office of the Secretary of the Commission 1p 82781 143-82781 143
- 9502150286 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)"
REMICK, J.J. Commissioners (Post 750119) 92/05/04 CHILKS, J Office of the Secretary of the Commission 1p 82781 144-82781 148
- 9502150306 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)"
DE PLANQUE, E.G. Commissioners (Post 750119) 92/05/11 CHILKS, J Office of the Secretary of the Commission 1p 82781 149-82781 151
- 9502150316 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)"
CURTIS, J.R. Commissioners (Post 750119) 92/05/07 CHILKS, J Office of the Secretary of the Commission 1p 82781 152-82781 152
- 9502150327 Notation vote approving SECY-91-259, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia"
CURTIS, J.R. Commissioners (Post 750119) 91/08/23 CHILKS, J Office of the Secretary of the Commission 1p 82781 153-82781 160
- 9502170078 Notation vote approving SECY-91-203, "Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCOM-1049)"
CURTIS, J.R. Commissioners (Post 750119) 91/07/25 CHILKS, J Office of the Secretary of the Commission 1p 82781 163-82781 158
- 9502170086 Notation vote approving SECY-91-203, "Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCOM-1049)"
REMICK, J.J. Commissioners (Post 750119) 91/07/22 CHILKS, J Office of the Secretary of the Commission 1p 82781 163-82781 163
- 9502190203 SECY-95-015 Weekly info rept for wk ending 950126
BLAHAU, J Assistant for Operations (Post 880206) 95/01/25 22pp 82747 029-82747 030
- 9502190239 Forwards NRC repl for 1994 entitled, "Rept on Changes Imposed by NRC on Sys, Structures, Components Procedures, Organization or Design of Operating Nuclear Power Plants." Rept presented in accordance w/comments rules
THE CHAIRMAN, SELIN, Commissioners (Post 750119) 95/02/02 MYERS, J.T. House of Rep., Appropriations App 82747 051-82747 058

9502200268 Forwards report giving results of NRC licensee fee policy reviewer energy policy act of 1992 informs NRC has tried to lessen impact of licensee fees for small businesses & small gov't jurisdictions & gives examples
THE CHAIRMAN, SELINJ Commissioners (Post 750119) DCS 95/01/31 THOMAS,C Senate 2pp 82746 255-82746 311

95022156301 Forwards Annual Affirmative Employment Program Accomplishment Report for FY94 Report reflects NRC accomplishment in providing equal opportunities for minority & women employees
THE CHAIRMAN, SELINJ Commissioners (Post 750119) 95/02/03 CASELLAS,G F Equal Employment Opportunity Commission 2pp 82746 229-82746 254

9502220350 Ack receipt of 950201 letter from CJ Papenello indicating that NRC will continue to enforce quality mgmt rule requirement that licensed medical practitioners specify dose in written prescription
MARCUS,C S California Univ of Los Angeles, CA 95/02/13 THE CHAIRMAN, SELINJ Commissioners (Post 750119) 6pp 82817 345-82817 351

95022000131 Refers to 950110 letter disagreement w/NRC regulatory requirement applicable to therapy or high dose iodine only licensed medical practitioners must specify actual dose to be administered to patient, consented to spec range dose
PAPERELLO,C J Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/01 MARCUS,C S California Univ of Los Angeles, CA 1p 82817 351-82817 331

9502230015 SECY-95-031 Weekly info report for wk ending 950203
BLAMA,J L Assistant for Operations (Post 890205) 95/02/08 10pp 82817 291-82817 309

9502230063 Notation vote approving SECY-94-303 "Draft Policy Statement Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation," w/comments
THE CHAIRMAN, SELINJ Commissioners (Post 750119) 95/01/06 HOYLE,J C Office of the Secretary of the Commission 2pp 82819 356-82819 357

9502230066 Notation vote approving SECY-94-291 "Pilot Program for NRC Recognition of Good Performance by NRC," w/comments
DE PLANQUE,E G Commissioners (Post 750119) 95/01/24 HOYLE,J C Office of the Secretary of the Commission 5pp 82819 331-82819 336

9502230068 Notation vote response sheet approving w/comments, SECY 94-303 draft policy statement "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation"
DE PLANQUE,E G Commissioners (Post 750119) 95/01/11 HOYLE,J C Office of the Secretary of the Commission 8pp 82827 169-82827 196

9502230073 Notation vote response sheet approving w/comments, SECY 94-403 draft policy statement "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation"
ROGERS,K C Commissioners (Post 750119) 95/01/05 HOYLE,J C Office of the Secretary of the Commission 2pp 82827 167-82827 188

9502230077 Notation vote response sheet approving w/comments, SECY 94-201 "Pilot Program for NRC Recognition of Good Performance by NRC"
ROGERS,K C Commissioners (Post 750119) 95/01/17 HOYLE,J C Office of the Secretary of the Commission 1p 82827 166-82827 195

9502230099 First partial response to FOIA request for documents App A documents already available in PDR App B documents end & will be placed in PDR Apps C & D documents withheld (w/ FOIA exemptions 1,4 & 5)
POWELL,R Division of Freedom of Information & Publications Services (890205-940714) 94/08/09 WILLIAMS,O G JRA Associates 8pp 82825 049-82825 059

9502230349 Notation vote approving SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons
THE CHAIRMAN, SELINJ Commissioners (Post 750119) 92/07/20 CHILKS,J J Office of the Secretary of the Commission 1p 82825 057-82825 057

9502230388 Notation vote approving SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons
ROGERS,K C Commissioners (Post 750119) 92/07/22 CHILKS,J J Office of the Secretary of the Commission 1p 82825 058-82825 058

9502230366 Notation vote SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons
CURTISS,J R Commissioners (Post 750119) 92/08/06 CHILKS,J J Office of the Secretary of the Commission 2pp 82825 059-82825 060

9502230378 Discusses completion of SECY 92-302 for NFS Ewan Document discusses processes & anomaly issues that would be involved at NFS Ewan
THE CHAIRMAN, SELINJ Commissioners (Post 750119) COMUS-92-018 92/08/01 ROGERS,K C, CURTISS,J R, REMICK,F J Commissioners (Post 750119) 4pp 82825 068-82825 068

9502230374 Forwards draft final rule that amends size side established by NRC to ensure compliance w/Regulatory Flexibility Act for review & approval
ROGERS,K C Commissioners (Post 750119) 95/02/14 LADER,P Small Business Administration 14pp 82820 091-82820 108

9502248208 Forwards NRC "Report to Congress on Abnormal Occurrences, July-September 1994," which addresses five abnormal occurrences at NRC-licensed facilities
ROGERS,K C Commissioners (Post 750119) 95/02/15 GDRE,A J Senate GINGRICH,N House of Rep 36pp 82842 183-82842 218

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9502207185 Final response to FOIA request for info App A documents available in PDR App B documents end & will be in PDR
POWELL,R Division of Freedom of Information & Publications Services (890205-940714) 94/08/16 BAYLEY,B Affiliation Not Assigned 3pp 82831 139-82831 225

9502207185 Mod 1, providing incremental funding, changing project officer & deleting is-uing delivery orders
* Ann Riley & Associates SCOTT,J L Division of Contracts & Property Management (890205-940714) FIN B-61833 92/12/22 100pp 82831 142-82831 225

9502200362 Mod 8, accepting licensee engineering change proposal 94004 did 941108, to "Replace Electronic Infrastructure Software Hardware & Personal Computer Support (Refresh PCs)"
CLARY,J R Small Business Administration MATTIAM,J Affiliation Not Assigned MATTIAM,J Division of Contracts (Post 940714) FIN L-1783-5 94/12/07 7pp 82883 313-82883 319

9502200365 Mod 2, increasing ceiling amount & extending period of performance to Hydrogen Combustion Research
FREISSE,J California Institute of Technology, Pasadena, CA MACE,M H Division of Contracts (Post 940714) FIN W-6142 94/12/16 2pp 82883 320-82883 321

9502200374 Ltr contract, mod 1 to task order 3D extending expiration date from 950125 to 950630 at no addl cost to Govt, to "Hearing Support for License Renewal at Babcock & Wilcox Township, PA Facility"
MACE,M Division of Contracts (Post 940714) NRC-02-90-009 94/12/22 GREENS Science Applications International Corp (formerly Science Applications, Inc) 1p 82883 306-82883 306

9502200390 Mod 5, extending period of performance, to "Grant Program - Expert Sys to Enhance Software Reliability"
KUEHLER,W K Texas Univ of Austin, TX MACE,M NRC - No Detailed Affiliation Given NRC-G-04-81-064 94/12/12 2pp 82881 960-82881 960

9502200393 Ltr contract, mod 1 to task order 56, providing incremental funding in amount listed, to "Engineering & Technical Support Insp Facility"
WIGGINS,E J Division of Contracts (Post 940714) FIN J-2062-5 NRC-03-93-026 95/01/25 ALBERS,L PARAMETER, Inc 2pp 82883 307-82883 308

9502200395 Mod 13, incorporating contractors revised indirect billing rates to Health Physics Technical Assistance
BLAKE,J H Small Business Administration MACE,M H Division of Contracts (Post 940714) NRC-04-81-047 94/12/15 4pp 82881 213-82881 215

9502200398 Mod 1, adding clause 52-243-2, to "Emergency Response Data Sys Software Maint."
* NUS Corp MATTIAM,J Division of Contracts (Post 940714) NRC-25-95-261 95/01/25 3pp 82881 215-82881 217

9502200399 Mod 6, extending term of suby contract for addl one yr to Telephone Switching Sys - Region II, Glen Elyn, IL
COLLINS,E J General Technology, Inc MATTIAM,J Division of Contracts (Post 940714) NRC-30-93-258 95/01/12 3pp 82881 218-82881 219

9502200402 Ltr contract, mod 1 to task order 58, providing incremental funding in listed amount, to "Engineering & Technical Support Insp-South Texas"
WIGGINS,E J Division of Contracts (Post 940714) FIN J-2062-5 NRC-03-93-026 95/01/25 ALBERS,L PARAMETER, Inc 2pp 82883 331-82883 332

9502200403 Ltr contract, defuncting task order 23, to "Shut Down Risk Support"
WIGGINS,E J Division of Contracts (Post 940714) FIN E-2095-5 NRC-03-93-031 94/12/19 HERLEANG, SCIENTECH, Inc 2pp 82885 329-82885 330

9502200405 Ltr contract, mod 2 extending expiration date from 950130 to 950630 for task order 23, "Nuclear Criticality Safety & Fire Protection Review for Licensing Renewal for Seabrook Power Corp."
MACE,M Division of Contracts (Post 940714) NRC-02-90-008 94/12/22 GREENS Science Applications International Corp (formerly Science Applications, Inc) 1p 82884 308-82884 308

9502200405 Mod 5, extending period of performance, to "Technical Assistance in Support of NRR Programs & Activities Pertaining to Sys Technology"
HERLEANG, B SCIENTECH, Inc WIGGINS,E J Division of Contracts (Post 940714) NRC-03-93-031 94/12/20 3pp 82885 231-82885 233

9502200408 Ltr contract, mod 2 to task order 23, extending expiration date from 941231 to 950630 at no addl cost, to "Technical Assistance in Review of SAUD Application for License to Operate SFSS"
MACE,M Division of Contracts (Post 940714) NRC-02-90-009 94/12/22 GREENS Science Applications International Corp (formerly Science Applications, Inc) 2pp 82885 336-82885 338

9502200409 Ltr contract, mod 1 to task order 5, extending period of performance to "Technical Assistance in Support of NRR Programs & Activities Pertaining to Standardized & Advanced Reactor Design Applications," to "Controlled Licenses"
WIGGINS,E J Division of Contracts (Post 940714) NRC-03-93-032 94/11/23 COLINA, Science & Engineering Associates, Inc 2pp 82885 229-82885 230

9502200431 Mod 8, adding two new line items to Schedule 1A & amending SCMA to "Telephone Switching Sys-NRC Operations Cr."
* GTI Corp MATTIAM,J Division of Contracts (Post 940714) FIN E-1037 NRC-03-93-199 95/01/05 2pp 82885 336-82885 337

9502200433 Ltr contract, mod 1, to task order 4, extending period of performance to "Review of Multi-Related Issues for Reactor Internals & Horizontal Pressure Tube Design for CANDU 3 Reactor Design"
WIGGINS,E J Division of Contracts (Post 940714) NRC-03-93-032 94/11/23 COLINA, Science & Engineering Associates, Inc 2pp 82886 227-82886 228

9502200442 Ltr contract, mod 6, extending period of performance & providing addl funding to emergency agreement, to "Financial Review & Assessment"
WIGGINS,E J Division of Contracts (Post 940714) NRC-05-92-201 94/10/31 GOLDBERG,T Labor Dept of 8pp 82714 391-82714 382

9502200443 Mod 9, providing funding in listed amount, to "Nuclear Document Sys Processing & User Support Sys"
SHRIVASTAVA,S Anetek, Inc MATTIAM,J Division of Contracts (Post 940714) FIN D-1874 NRC-93-93-201 94/12/21 8pp 82884 274-82884 281

9502200444 Mod 5, incorporating contract line item 1015 under paragraph B.5, to "Telephone Switching Sys-Region II, Arlington, TX"
COLLINS,E J GTI Corp MATTIAM,J Division of Contracts (Post 940714) NRC-32-93-277 95/01/05 4pp 82885 333-82885 335

194 NONDOCKETED ITEMS

950299046 Mod 4, extending period of performance "Integration of Research Technol-
ogy Basis for Software Regulatory Positions"
BEYARD, M. MITRE Corp. MACE/MH Division of Contracts (Post 940714) FIN L-
2510 95/01/13 3pp 82685 223-82685 225

950299047 Ltr contract, mod 1 to task order 55, providing incremental funding in listed
amount, to "Svc Water Sys Operational Performance Insp."
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-026 FIN J-2062-5 95/
01/23 ALBERS, L. PARAMETER, Inc. 2pp 82684 327-82684 328

950299048 Ltr contract, mod 8 to task order 2, extending period of performance to
950223 at no change to task order cost & fee ceilings, to "Perform Finan-
cial Assurance Reviews of Nonstandard Submittals"
MACE/MH Division of Contracts (Post 940714) NRC-02-91-001 94/12/12
SORRELLS, J. ICF, Inc. 3pp 82714 353-82714 354

950299057 Ltr contract NRC-02-90-008, mod 6, task order 15, extending expiration date
at no add cost, to "Technical Assistance in Review of Chemical Safety for Several
Fuel Cycle Facilities"
MACE/MH Division of Contracts (Post 940714) NRC-02-90-008 94/12/22 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 1p
82695 215-82695 215

950299059 Ltr contract, task order 2, confirming verbal authorization provided by R
Webster on 941122 to "Develop & Implement CSC Enhancements for Cal
Tracking, Request Tracking, Inventory Mgt & Remote Access"
MATTIA, M.J. Division of Contracts (Post 940714) NRC-33-93-194 FIN E-1010 95/
01/11 GASSON, D. Global Management Systems, Inc. 2pp 82685 213-82685 214

950299062 Ltr contract, defining task order 55, to "Svc Water Sys Operational Per-
formance Insp."
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-026 FIN J-2062-5 94/
12/29 LOFF, R.A. PARAMETER, Inc. 7pp 82684 301-82684 307

950299063 Ltr contract NRC-02-90-009, mod 9, task order 10, extending expiration date
at no add cost, to "Technical Assistance in Safety & Environ Review of Louisiana
Energy Sys. Caltrans Engineering Center, Inc."
MACE/MH Division of Contracts (Post 940714) NRC-02-90-009 94/12/22 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 1p
82685 212-82685 212

950299067 Ltr contract, mod 1 to task order 2, modifying statement of work to decrease
task order ceiling by listed amount, to "Preparing Technical Specifications for Plant-
Specific Conversion to Improved STS"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-034 95/01/10
BAUER, T.G. TG Bauer Associates, Inc. 3pp 82684 320-82684 322

950299071 Ltr contract, defining mod 9 to task order 8, "Watts Bar Open
Items, CORIS & Employee Concerns"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-026 94/12/30
LOFF, R.A. PARAMETER, Inc. 4pp 82714 355-82714 357

950299096 Submit mod 9 to task order 8, "Review of Watts Bar Open
Items, CORIS, Employee Concerns & NRC 2512 Reconstitution." Mod reduces level of
effort for resolution of open items.
ALBERS, L. PARAMETER, Inc. NRC-03-93-026 94/12/12 COOPER, G.A. Division of
Contracts (Post 940714) 1p 82714 357-82714 357

950299075 Mod 13, changing statement of work, to "Sys Integration for NRC Office of
Personnel"
Small Business Administration * MATTIA, M.J. Division of Contracts (Post 940714)
94/12/22 2pp 82685 188-82685 189

950299079 Ltr contract, task order 40, defining task order, to "Training & Qualification
Effectiveness Insp." for plant Units 1, 2 & 3
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-036 FIN J-2013-5 94/
12/29 COLLINS, J. Science & Engineering Associates, Inc. 2pp 82684 323-82684 324

950299090 Ltr contract, mod 1 to task order 9, extending period of performance from
950223 to 950223 at no change to task order cost & fee ceilings, to "Perform Finan-
cial Assurance Review of U Recovery Facilities"
MACE/MH Division of Contracts (Post 940714) NRC-02-91-001 94/12/12
SORRELLS, J. ICF, Inc. 2pp 82685 210-82685 211

950299091 Ltr contract, task order 4, defining task order, to "Acquisition of Technical
Assistance to Support Regional Operator Licensing Activities"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-94-035 FIN J-2259-5 94/
12/20 VOGEL, A.M. Sonalysts, Inc. 2pp 82684 325-82684 326

950299106 Mod 7, incorporating within scope change into Section C, statement of work &
increasing contract cost-plus-fixed-fee fee, to "Guidance & Models for Reuse/Recy-
cle Mod"
RODEHAUT, J. Science Applications International Corp. (formerly Science Applica-
tions, Inc.) MACE/MH Division of Contracts (Post 940714) 95/01/06 2pp
82684 295-82684 296

950299107 Mod 4, changing last date contractor will be required to deliver svcs under
any existing active task order to no more than six months after contract expiration
date, to "Technical Assistance in Cost Estimating & Financial Assurance."
BAILEY, P.E. ICF, Inc. MACE/MH Division of Contracts (Post 940714) 94/12/20 2pp
82685 208-82685 209

950299114 Ltr contract, Mod 3 to task order 26, extending expiration date, to "Environ
Assessment for License Renewal for Susquehanna Power Corp."
MACE/MH Division of Contracts (Post 940714) NRC-02-90-009 95/01/05 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 1p
82695 206-82695 207

950299115 Mod 6, incorporating within scope change order to modify Section
B, supplies or svcs & prices/costs to increase number of CLIN 1043 by 15 units from
16 to 31 units, to "Telephone Switching Sys." for Region IV, Arlington, TX
COLLINS, E.J. GTI Corp. WIGGINS, E.J. Division of Contracts (Post 940714) 95/01/
05 2pp 82684 297-82684 298

950299116 Ltr contract, mod 2 to task order 2, providing for downward adjustment of
task order ceiling amount to reflect completion of task order, to "Establish Local Area
Network Environ in Regions IV & V"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-91-219 FIN L-1782-1 94/
10/03 WELLS, D.W. I-4NET, Inc. 2pp 82684 289-82684 300

950299138 Ltr contract, defining task order 51 "Restart Assessment Team Insp -
Indian Point 3"
WIGGINS, E.J. Division of Contracts (Post 940714) NRC-03-93-026 94/12/29
LOFF, R.A. PARAMETER, Inc. 7pp 82716 248-82716 253

950299144 Ltr contract, Mod 3 to task order 28, extending expiration date to 950630, to
"Environ Assessment for License Renewal of Cabot Corp in Boyertown, PA."
MACE/MH Division of Contracts (Post 940714) NRC-02-90-006 94/12/22 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 1p
82685 205-82685 205

950299154 Ltr Contract, Mod 5 to task order 19, extending expiration date to 950630, to
"Technical Assistance for Concrete Aspects of Dry Spent Fuel Storage Cask Site
Review Plan"
MACE/MH Division of Contracts (Post 940714) NRC-02-90-009 94/12/22 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 1p
82695 204-82695 204

950299158 Ltr contract, mod 5 to task order 5, extending period of performance from
950223 to 950223 at no change to task order cost & fee ceilings, to "Review of Exis-
ting Financial Assurance Guidance"
MACE/MH Division of Contracts (Post 940714) NRC-02-91-001 94/12/12
SORRELLS, J. ICF, Inc. 2pp 82685 202-82685 203

950299175 Mod 1, changing project officer for contract & effecting administrative
change to add wording to SF25, to "Incorporating Organizational Performance into
PRA"
JBF Associates, Inc. MACE/MH Division of Contracts (Post 940714) NRC-04-94-
060 95/01/19 2pp 82685 345-82685 346

950299186 Mod 5, correcting accounting & appropriation data in Mod 4 dtd 941221, to
"Operation & Maint of Radiation Exposure Insp Reporting Sys Database"
Science Applications International Corp. (formerly Science Applications, Inc.)
MACE/MH Division of Contracts (Post 940714) NRC-04-94-053 95/01/19 4pp
82685 342-82685 344

950299196 Ltr contract, Mod 2 to task order 31, extending expiration date from 941221
to 951231 at no add cost, to "Radiological Impacts from Vehicle Bomb Attack on Dry
Cask Stored Spent Nuclear Fuel"
MACE/MH Division of Contracts (Post 940714) NRC-02-90-008 94/12/21 GREEN, S.
Science Applications International Corp. (formerly Science Applications, Inc.) 2pp
82685 341-82685 341

950299248 Mod 14, reassigning remittance address as listed, to "Sys Integration for
NRC Office of Personnel"
Small Business Administration JONES, M. Affiliation Not Assigned MATTIA, M.J. Divi-
sion of Contracts (Post 940714) NRC-33-93-196 95/01/17 2pp 82685 339-
82685 340

950299283 Forwards ltr contract NRC-04-91-066, task order 44 entitled, "IPE
Reviews, Internal Events, Front End Only," for plant.
COLLINS, J. Science & Engineering Associates, Inc. NRC-04-91-066 94/12/29
SMITH, P. Division of Contracts (Post 940714) 1p 82684 309-82684 319

950299069 Ltr contract, task order 44, defining task order, to "IPE Reviews-Internal
Events, Front End Only"
MACE/MH Division of Contracts (Post 940714) NRC-04-91-066 FIN B-5787 94/12/
19 COLLINS, J. Science & Engineering Associates, Inc. 11pp 82684 310-82684 319

950299029 Ltr contract, mod 3 to task order 1, providing add courses, to "Root Cause/
Incident Investigation & Human Performance Investigation Process Course"
MATTIA, M.J. Division of Contracts (Post 940714) NRC-36-94-268 94/12/20
CONGER, S. Conger & Esch, Inc. 4pp 82737 355-82737 356

950299030 Contract "Bldg Alterations - One White Flint North," awarded to MCM In-
terprises
WIGGINS, E.J. Division of Contracts (Post 940714) 95/01/18 107pp 82685 034-
82685 187

950299168 Ltr contract, mod 1 to task order 34, changing due date on deliverable, to
"IPE Reviews, Internal Events - Human Reliability Analysis Only"
MACE/MH Division of Contracts (Post 940714) NRC-04-91-088 95/01/03 HAAS, P.M.
Concord Associates, Inc. 2pp 82740 098-82740 100

950299268 Ltr contract, mod 2, task order 2, extending task order ceiling
amount, providing incremental funding, extending period of performance to 950819 to
"Technical Assistance For Development of Review Guidelines"
MACE/MH Division of Contracts (Post 940714) FIN L-1834 NRC-04-91-071 94/12/
20 COLLINS, J. Science & Engineering Associates, Inc. 3pp 82716 254-82716 256

950299276 Ltr contract, defining task order 41, "Individual Plant Extern (IPE) Reviews
- Internal Events - Human Factors Only - Salem 1 & 2"
MACE/MH Division of Contracts (Post 940714) FIN L-1994 NRC-04-91-089 94/12/22
HAAS, P.M. Concord Associates, Inc. 11pp 82716 257-82716 257

950299297 Mod 4, revising contract expiration date to 941202, in order to allow Tech-
nical & NRC opportunity to negotiate mutually agreed upon revised delivery
schedule, to "Purchase & Installation of Audiovisual Equipment in TWPK"
MOORE, W.E. Affiliation Not Assigned WIGGINS, E.J. Division of Contracts (Post
940714) 94/11/21 2pp 82710 345-82710 346

950299151 Final response to FOIA request for info Forwards App A info, released &
withheld in part (Ref FOIA Exemption 4)
POWELL, R. Division of Freedom of Information & Publications Services (950205
940714) 94/07/01 CAMPBELL, C. Microform, Inc. 2pp 82793 002 82793 048

950299172 Partially deleted contract "Commercial Facilities Mgt Svcs" awarded to
TECCOM, Inc.
Affiliation Not Assigned WIGGINS, E.J. Division of Freedom of Information & Publi-
cations Services (950205-940714) NRC-10-94-141 94/03/07 400pp 82796 008-
82796 103

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9501170956 Partial 22nd response to FOIA request for info Forwards App FF documents partially withheld & App GG info completely withheld (rel FOIA Exemptions 5 & 7)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/04/11 GILINSKY, V. Affiliation Not Assigned App 82557 001-82558 016

9501170217 Eight partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR App Q documents partially withheld (rel FOIA exemption 6) App R documents withheld (rel FOIA exemption 6)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 93/12/08 HUBBARD, V. Winston & Strawn 12pp 82573 001-82573 036

9501170254 Partially deleted re re allegation concerning two reactor trips at unit 1 Related info and
KELLY, G. Region 1 (Post 820201) 91/08/05 Affiliation Not Assigned 22pp 82573 318-82574 009

9502010115 FOIA request for documents re license SNM-0059 at docket 7000055
ENGLERT, J.P. Kirkpatrick & Lockhart 94/03/28 Division of Freedom of Information & Publications Services (890206-940714) App 82626 001-82626 002

9502010138 Final response to FOIA request for documents. Records in App A and C will be available in PDR
REED, D.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/18 ENGLERT, J.P. Kirkpatrick & Lockhart App 82626 003-82626 062

9502010141 Forwards application for special license in accordance w/ Title 10, Chapter 1, Part 70 of Code of Federal Regulations
JACKSON, N.P. General Electric Co 56/09/20 JOHNSON, L.E. Atomic Energy Commission (Pre 750119) App 82626 007-82626 007

9502010188 Application for amend to license SNM-0059 requesting to receive, possess, use & transfer U & tritium
BEARDSLEE, K.R. General Electric Co 56/09/27 App 82626 008-82626 009

9502010190 Forwards GE 560918 application for SNM license
JOHNSON, L. Atomic Energy Commission (Pre 750119) 56/09/28 BECK, C.K. Atomic Energy Commission (Pre 750119) 1p 82626 010-82626 010

9502010199 Discusses conclusions & findings from analyses of 560918 application
EDWARDS, C.T. JOHNSON, L. Atomic Energy Commission (Pre 750119) 56/11/19 Atomic Energy Commission (Pre 750119) 2pp 82626 011-82626 012

9502010175 Forwards SNM license SNM-0059
JOHNSON, L. PRICE, H.L. Atomic Energy Commission (Pre 750119) 56/11/20 BEARDSLEE, K.R. General Electric Co 1p 82626 013-82626 013

9502010190 License SNM-0059 for GE, authorizing use of UO2 containing U enriched in U-235 isotope
JOHNSON, L. Atomic Energy Commission (Pre 750119) 56/11/20 1p 82626 014-82626 014

9502010188 Forwards amend 1 to license SNM-0059 did 561121
JOHNSON, L. Atomic Energy Commission (Pre 750119) 56/11/23 BEARDSLEE, K.R. General Electric Co 1p 82626 015-82626 015

9502010204 Amend 1 to license SNM-0059 for GE, authorizing use of UO2 containing U enriched up to 3% in U-235 isotope
JOHNSON, L. Atomic Energy Commission (Pre 750119) 56/11/21 1p 82626 016-82626 016

9502010213 Informs that on 561120, GE was issued SNM license authorizing licensee to receive U dioxide containing U-235 for conversion into pellets for other licensees
PITMAN, F.K. Atomic Energy Commission (Pre 750119) 56/12/05 MEUSTIS, A.E. Michigan State of 1p 82626 017-82626 017

9502010216 Discusses 560927 re requesting that info in App A of SNM 560918 license application be withheld from public insp
PRICE, H.L. Atomic Energy Commission (Pre 750119) 57/03/08 BEARDSLEE, K.R. General Electric Co 1p 82626 018-82626 018

9502010221 Informs that licensee 560927 re requesting that info in App A to GE 560918 SNM license application be withheld from public disclosure, granted
PRICE, H.L. Atomic Energy Commission (Pre 750119) 57/03/08 Atomic Energy Commission (Pre 750119) 1p 82626 019-82626 019

9502020041 Requests submittal of detailed info re procedures to avoid accidental criticality during shipment of SNM to other licensees & Commission
JOHNSON, L. Atomic Energy Commission (Pre 750119) 57/03/23 BEARDSLEE, K.R. General Electric Co 1p 82626 020-82626 020

9502020048 Discusses 570322 re re procedures to avoid accidental criticality of incoming or outgoing shipments of SNM
JOHNSON, L. Atomic Energy Commission (Pre 750119) 57/04/17 Atomic Energy Commission (Pre 750119) 2pp 82626 021-82626 022

9502020049 Informs that listed individuals engaged in activities covered by license SNM-0059, per 560918 application
General Electric Co 57/06/07 Atomic Energy Commission (Pre 750119) App 82626 023-82626 024

9502020055 Discusses 570417 re from EA Turner which provides procedure to avoid accidental criticality on incoming & outgoing shipments under license SNM-0059
JOHNSON, L. Atomic Energy Commission (Pre 750119) 57/07/05 BEARDSLEE, K.R. General Electric Co 1p 82626 025-82626 025

9502020058 Submits listed info on procedures to avoid accidental criticality on incoming & outgoing shipments under license SNM-0059
BEARDSLEE, K.R. General Electric Co 57/07/23 Atomic Energy Commission (Pre 750119) App 82626 026-82626 027

9502020082 Informs that Beardslee will furnish procedures being used to avoid accidental criticality during shipment of mail, per 570705 re
O'NEIL, J.H. General Electric Co 57/07/29 JOHNSON, L. Atomic Energy Commission (Pre 750119) 1p 82626 028-82626 028

9502030148 Informs that amend being made to incorporate into license, 570723 procedures to avoid accidental conditions of criticality in transfer of SNM
DELANEY, J.C. FLEURY, E.R. Atomic Energy Commission (Pre 750119) 57/06/12 Atomic Energy Commission (Pre 750119) 1p 82626 029-82626 029

9502030193 Forwards amend to license SNM-0059
FLEURY, E.R. Atomic Energy Commission (Pre 750119) 57/09/16 BEARDSLEE, K.R. General Electric Co 1p 82626 030-82626 030

9502030280 Amend to license SNM-0059
FLEURY, E.R. Atomic Energy Commission (Pre 750119) 57/09/16 1p 82626 031-82626 031

9502030284 Discusses 570729 re & 570912 telcon w/ JC Delaney re necessity of amending SNM license each time change in personnel engaged in activities covered by license
JOHNSON, L. Atomic Energy Commission (Pre 750119) 57/09/16 O'NEIL, J.H. General Electric Co 1p 82626 032-82626 032

9502030287 Informs that Metallurgical Products Dept discontinued activity in converting U dioxide powder into solid shapes, per 560918 application
BEARDSLEE, K.R. General Electric Co 58/03/13 Atomic Energy Commission (Pre 750119) 1p 82626 033-82626 033

9502030299 Informs that license terminated, per 560913 request
JOHNSON, L. Atomic Energy Commission (Pre 750119) 58/03/19 BEARDSLEE, K.R. General Electric Co 1p 82626 034-82626 034

9502030223 Forwards insp rept 70-0055/92-01 on 820608-16 No violations noted
CROW, W.T. Uranium Fuel Licensing Branch 82/07/16 General Electric Co 1p 82626 035-82626 035

9502030227 Insp rept 70-0055/82-01 on 820608-16 No violations noted. Major areas inspected status of expired license SNM-0059 & to survey physical facilities used during time license in effect
CESTMAN, M.J. SCHUMACHER, M.C. Region 3 (Post 820201) 82/06/29 App 82626 036-82626 036

9502030238 Discusses 540301 telcon re insp findings at two former Brook & Perkins facilities.
WIDEMAN, D.G. NRC - No Detailed Affiliation Given 94/03/07 BROOKS, PERKINS General Electric Co 1p 82626 050-82626 067

9502030294 Forwards application of GE for SNM license, in accordance w/ 10CFR70
O'NEIL, J.H. General Electric Co 56/09/18 Atomic Energy Commission (Pre 750119) 14pp 82626 088-82626 081

9502030296 Discusses 560926 memo for mail from GE for application for SNM
BECK, C.K. Atomic Energy Commission (Pre 750119) 56/11/15 JOHNSON, L. Atomic Energy Commission (Pre 750119) 1p 82626 082-82626 082

9502030296 "Guidelines for Decontamination of Facilities & Equipment Prior to Release for Unrestricted Use or Termination of Licenses for Byproduct Source or SNM"
Division of Fuel Cycle & Material Safety (Pre 870413) 90/06/30 10pp 82626 040-82626 040

9502010188 Third partial response to FOIA request for records App E records and & available in PDR App F records partially withheld (rel FOIA exemption 5)
Division of Freedom of Information & Publications Services (890206-940714) 94/05/19 MATCHELL, W. Armstrong, Gordon, Mitchell & Demers App 82591 001-82591 050

9502010167 Requests withholding of incl rept of S Aron, considered confidential info only to attorney work product privilege doctrine
GARDNER, M.B. Ulmer & Berne 83/09/27 SHEAR, G. Region 3 (Post 820201) 1p 82591 007-82591 007

9502010172 Affidavit of MS Gardner re radiological evaluation rept by Rad Safety Consultants Inc
GARDNER, M.B. Ulmer & Berne 83/09/27 App 82591 008-82591 010

9502010178 Requests withdrawal of application for withholding from public disclosure rept of S Aron, per 931013 telcon
GARDNER, M.B. Ulmer & Berne 93/10/14 SHEAR, G. Region 3 (Post 820201) 1p 82591 011-82591 011

9502010185 Partially deleted re did 930917 from SJ Aron to RE Owen of Ohio Dept of Health, indicating that U-238 concentration of radioactivity equal to 1,283 pCi/g has been found
DEGULIS, G. Ulmer & Berne 83/09/17 MORELUS, C. Region 3 (Post 820201) 2pp 82591 012-82591 013

9502010208 Partially deleted "Radiological Evaluation Rept."
Affiliation Not Assigned 84/05/19 36pp 82591 014-82591 050

9502010181 FOIA request for documents re winning proposal for SOL, RS-SEC-93-116
MARTIN, L. 93/06/09 WIGGINS, E. Division of Contracts & Property Management (890206-940714) 1p 82592 314-82592 314

9502010186 Final response to FOIA request for documents App A and C info completely withheld (rel FOIA exemptions 4 & 5)
HARRIS, C.A. Division of Freedom of Information & Publications Services (890206-940714) 93/07/19 MARTIN, L. App 82592 315-82592 317

9502010282 FOIA request for documents re Commission Paper on proposed enforcement against Boston Edison Co
FLEMING, J.A. Affiliation Not Assigned EA-89-077 94/05/22 GRAY, J. Div of Enforcement (Post 870413) 1p 82592 276-82592 276

9502010290 First partial response to FOIA request for documents. Forwards App A & B documents. Documents partially withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/16 FLEMING, J.P. Affiliation Not Assigned App 82592 277-82592 302

196 NONDOCKETED ITEMS

- 9502018218 Adverses that Commission has not objected to issuance of proposed notice & to BECO
MOYLE, J.C. Office of the Secretary of the Commission 94/04/25 TAYLOR, J.M. Dir. of the Executive Director for Operations 1p 82592 261-82592 281
- 9502018222 SECY-94-239 Partially withheld SECY advising Commission of intent to issue NOV
TAYLOR, J.M. Dir. of the Executive Director for Operations EA-83-077 94/04/04 22pp 82592 288-82592 302
- 9502018284 FOIA request for documents re findings from NRC 1993 investigation into Emerson Electric failure of fluid measuring devices in nuclear power plants
FINN, K. 94/03/02 GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714) 1p 82592 303-82592 303
- 9502018284 Final response to FOIA request for documents Forwards documents listed in App A & C Documents also available in PDR App C info partially withheld (rel FOIA exemptions 6 & 7(c)) App D documents withheld (rel exemptions 5 & 7a)
* Division of Freedom of Information & Publications Services (890206-940714) 94/03/28 FINN, K. 6pp 82592 304-82592 313
- 9502018274 Requests action to inform all users of Rosemount 1150 series pressure transmitters & series 510 & 710 DU Trip Devices of significant safety problems that may result in violations of TS
BLANCH, P.M. EA-94-048 94/03/28 TAYLOR, J. Dir. of the Executive Director for Operations 4pp 82592 310-82592 313
- 9502018345 FOIA request for info re documents, NRC, NCRs & correspondence concerning applicability of 10CFR35, Subpart G to high dose rate treatments
COLKITT, M.L. Affiliation Not Assigned 94/04/25 BROWN, N. Division of Freedom of Information & Publications Services (890206-940714) 1p 82592 001-82592 001
- 9502018351 FOIA request for documents re SECY-92-043, "Exercise of Discretion not to Enforce Compliance w/ License Conditions," dtd 920207
RICCO, J.P. Public Citizen's Critical Mass Energy Project 94/04/07 GRIMSLEY, D.M. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82592 007-82592 008
- 9502020074 Fourth partial response to FOIA request for documents Records in App F will be available in PDR App G records withheld in entirety (rel FOIA Exemption 5)
* Division of Freedom of Information & Publications Services (890206-940714) 94/05/19 OTOOLE, P. Perkins, Cove (formerly Perkins, Cove, Stone, Olsen & Williams) 6pp 82592 333-82592 343
- 9502020086 Submits views on Solicitor's recommendation on remanded issues in annual fee rules
DE PLANQUE, E.G. Commissioners (Post 750119) 93/06/15 CHILKS, J. Office of the Secretary of the Commission 2pp 82592 340-82592 340
- 9502020091 Affirmation vote approving SECY-92-107, "Limited Changes to 10CFR 170 & 171 License & Annual Fees," w/ comments
DE PLANQUE, E.G. Commissioners (Post 750119) 92/04/02 CHILKS, J. Office of the Secretary of the Commission 1p 82592 341-82592 341
- 9502020095 Notation vote approving SECY-91-004, "Limited Changes to 10CFR 170 & 171 License & Annual Fees," w/ comments
DE PLANQUE, E.G. Commissioners (Post 750119) 91/12/24 CHILKS, J. Office of the Secretary of the Commission 1p 82592 342-82592 340
- 9502020114 Partial response to FOIA request for documents re SECY-92-043, dtd 920207 Listing of records in App A already available in PDR Records in App B incl & will be available in PDR
FIED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/17 RICCO, J.P. Public Citizen's Critical Mass Energy Project 121pp 82592 009-82592 275
- 9502020287 Requests FR publication of notice of consideration of issuance of amendments to license DPR-33, DPR-52 & DPR-68 & proposed NSHC determination & opportunity for hearing on 921223 request re mod of requirements for LPCI sys.
HEBDO, F.J. Project Directorate I-4 (formerly TVA Project Directorate) (Post 800603) TAG M85255 93/03/18 NRC - No Detailed Affiliation Given App 82592 131-82592 134
- 9502020285 Requests FR publication of notice of issuance of amendments 200, 290 & 197 to license DPR-38, DPR-47 & DPR-55 Amendments provide an interim acceptance criteria for control rod drop time on Calvert Unit 1
WIENS, L.A. Project Directorate I-3 TAG M86316 93/05/18 NRC - No Detailed Affiliation Given 2pp 82592 166-82592 177
- 9502020443 Requests FR publication of notice of consideration of amend to license NPF-56 & proposed NSHC determination & opportunity for hearing on 930626 request to revise TS 4.3.2.1 & Table 4.3.2 re functional unit 8 b
DE AGAZIO, A.W. Project Directorate I-4 TAG M87307 93/06/14 NRC - No Detailed Affiliation Given 2pp 82592 191-82592 198
- 9310010060 Requests FR publication of notice of issuance of amend 25 to license NPF-66 Amend revises TS 4.3.2.1, Table 4.3.2, Functional Unit 8 b by deleting requirement to perform CHANNEL CHECK at least once per 12 h & adding TADOT
DE AGAZIO, A.W. Project Directorate I-4 TAG M87307 93/06/28 NRC - No Detailed Affiliation Given 3pp 82592 199-82592 218
- 9312010360 Requests FR publication of notice of consideration of issuance of amend to license NPF-49 & proposed NSHC determination & opportunity for hearing on 931104 request re increase required supplementary leak collection
RONNEY, V.L. Project Directorate I-4 TAG M87216 93/11/16 NRC - No Detailed Affiliation Given 3pp 82592 219-82592 227
- 9402000348 Requests FR publication of notice of issuance of amend 100 to license NPF-22 Amend revised applicability requirement in Sections 3.0.4.0, 4.3.2.7.5 Action 8.0.4.3.2.4.2 Action c & 4.4.2 of TS to permit plant to operate w/ reactor
CLARK, R.J. Project Directorate I-2 TAG M89654 94/01/31 NRC - No Detailed Affiliation Given 3pp 82592 231-82592 275
- 9502020120 Informs that OE has issued EGM 93-004 re when notice of enforcement discretion may be used involving reactor TS or license condition problems. Forwards App A & index of EGM-93-004 for incorporation into manuals
DEFAVETTE, R.W. Region 3 (Post 820201) EGM-93-004 93/04/01 Region 3 (Post 820201) 1p 82592 135-82592 135
- 9502020153 Forwards EGM & index re issuance of notice of enforcement discretion & section of FR that noted change in enforcement policy Notes most important change to be that enforcement actions to be taken for root causes
LIEBERMAN, J. Region 3 (Post 820201) EGM-93-004 93/03/29 MARTIN, T.T. Region 1 (Post 820201) EBNETER, S.D. Region 2 (Post 820201) DAVIS, A.B. Region 3 (Post 820201) 24pp 82592 136-82592 160
- 9502020173 Requests ink & pen changes be made to procedure RP 0661 "Release of Draft NRC Repts & Other Documents" & RP 0663 "NRC Review of License, Vendor or Applicant Draft Documents" Notes RP 0400F superseded by EGM 93-004
LITTLE, J. Region 3 (Post 820201) EGM-93-004 93/04/30 Region 3 (Post 820201) 1p 82592 161-82592 161
- 9502020182 Informs EGM 93-004, "Notices of Enforcement Discretion" to supersede procedure 0400F, "Control & Approval of Temporary Waivers of Compliance" Requests procedure 0400F be rescinded
DEFAVETTE, R.W. Region 3 (Post 820201) EGM-93-004 93/04/01 PAPPAS, M. Region 3 (Post 820201) 1p 82592 162-82592 165
- 9502020228 Responds to Mr. dtd 930709 requesting NRC to exercise discretion not to enforce compliance w/ TS 3.1.2.4 & 3.5.2 re test of west CCP within allowable outage time Grants request, & will not exercise enforcement discretion
MARTIN, J.P. Region 3 (Post 820201) MOED-93-001 93/07/13 FITZPATRICK, E. Indiana Michigan Power Co 3pp 82592 178-82592 180
- 9502020294 NRC Insp manual, Part 990 10CFR Guidance "10CFR App C, Enforcement Discretion"
* NRC - No Detailed Affiliation Given 93/04/31 6pp 82592 181-82592 190
- 9502020294 Forwards updated list of NCRs as transmitted on 940111
GREENMAN, E. Region 3 (Post 820201) NCR-93-006 94/01/28 BOYLE, M. Division of Reactor Projects - IN, V. (Post 901216) 3pp 82592 228-82592 230
- 9502020295 Final third response to FOIA request for documents Forwards App F & G info as listed being made available in PDR
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/18 COLKITT, J.L. Affiliation Not Assigned 7pp 82592 002-82592 017
- 9502020305 Discusses safety insp of License 94-03749-07 & 34-03749-10 on 950621 & forwards notice of violation
MCLEOD, J.N. Region 3 (Post 820201) 94/06/04 SKUBIC, S. MetroHealth Medical Center, Cleveland, OH (formerly Cleveland Metropolitan Gener 1p 82625 053-82625 053
- 9502020306 Notice of violation from insp on 950621 Violations noted Violation Model 230 used to conduct surveys, not calibr since 950504 & checks for external contamination of radioactive packages not conducted
WIEDEMAN, D.G. Region 3 (Post 820201) 94/06/03 2pp 82625 054-82625 055
- 9502020324 Responds to violations noted in insp of License 34-03749-10 on 950621 Corrective actions noted all packages received inspected for external contamination & nuclear medicine technicians will be given additional training
WIESE, E.J. MetroHealth Medical Center, Cleveland, OH (formerly Cleveland Metropolitan Gener 94/06/15 MCLEOD, J.N. Region 3 (Post 820201) 7pp 82625 056-82625 063
- 9502020381 Discusses safety insp of License 34-15184-01 on 911210 & forwards notice of violation
SCHULTZ, W.H. Region 3 (Post 820201) 92/01/02 KUMAR, V.K. Flower Memorial Hosp., Sylva, OH 1p 82625 136-82625 138
- 9502020381 Notice of violation from insp on 911210 Violations noted failure to use 192 seeds encased in nylon ribbon per mfg instructions & failure to include 21 k-192 seeds in physical inventory
SCHULTZ, W.H. Region 3 (Post 820201) 92/01/02 2pp 82625 137-82625 138
- 9502020391 Ack receipt of 920130 re informing NRC of steps taken to correct violations noted in insp of license 34-15184-01
SCHULTZ, W.H. Region 3 (Post 820201) 92/02/19 PRIASANNA KUMAR Flower Memorial Hosp., Sylva, OH 1p 82625 141-82625 141
- 9502020396 Responds to NRC 920102 re re violations noted in insp of license 34-15184-01 on 911210 Corrective actions licensee in process of submitting amend application to request authorization be given to use 192 seeds in nylon ribbons
KUMAR, V.K. Flower Memorial Hosp., Sylva, OH 92/01/30 SCHULTZ, W.H. Region 3 (Post 820201) 2pp 82625 138-82625 140
- 9502020396 Forwards insp rept 30-13959/92-01 on 920213-14 Eleven apparent violations identified & being considered for escalated enforcement action
NORRIS, C.E. Region 3 (Post 820201) EA-92-036 92/03/06 BONNEY, R. Research Medical Center, Kansas City, MO 2pp 82625 142-82625 153
- 9502020395 Insp rept 30-13959/92-01 on 920213-14 Violations noted Major areas inspected training, restraining & instruction to workers, licenses & equipment, materials, area surveys, radioactive therapy, radioactive effluents & waste disposal
MATSON, E.R. Region 3 (Post 820201) EA-92-036 92/03/06 10pp 82625 144-82625 150
- 9502020401 Discusses insp rept of license 24-00128-03 & SNM-1585 & forwards notice of violation
SHEAR, L.G. Region 3 (Post 820201) 92/03/06 MEYER, R. Southeast Missouri Hosp Cape Girardeau, MO 2pp 82625 064-82625 066
- 9502020407 Notice of violation from insp on 920211-12 Violations noted since 900915, licensee implanted brachytherapy sources & did not survey dose rates in re selected & unselected waste compared to report of implanted patients
SHEAR, L.G. Region 3 (Post 820201) 92/03/06 3pp 82625 068-82625 068
- 9502020406 Discusses safety insp 30-13959/92-02 on 920213 & 14 & forwards notice of violation
NORRIS, C.E. Region 3 (Post 820201) EA-92-036 92/03/20 BONNEY, R. Research Medical Center, Kansas City, MO 2pp 82625 154-82625 163

-9202248256 Notice of violation from insp on 920213 & 14 Violation noted licensee allowed creation of radiation levels in unrestricted areas consisting of corridor & in Room 743
NORELIUS, C E Region 3 (Post 820201) EA-82-036 92/03/20 5pp 82625 156-82625 160

-9202248251 Enforcement Conference Rept 30-13859/92-02 on 920312 a insp on 920213 & 14 Violations noted major areas discussed violations, areas of concern identified during insp & corrective actions taken by licensee
MATSON, J R Region 3 (Post 820201) EA-82-036 92/03/18 3pp 82625 151-82625 163

-9202248111 Ack receipt of 920331 & 920430 ltr informing NRC of steps taken to correct violations noted in NRC 920309 for transmitting NCV
SHEAR, G L Region 3 (Post 820201) 92/05/14 MEYER, R Southeast Missouri Hosp., Cape Girardeau, MO 1p 82625 079-82625 084

-9202248116 Provides followup to initial response did 920331 re insp of licensee 24-00128-03 Corrective actions all brachytherapy implant room surveys will be recorded on new summary sheet
MEYER, R W Southeast Missouri Hosp., Cape Girardeau, MO 92/04/30 SHEAR, G L Region 3 (Post 820201) 4pp 82625 073-82625 078

-9202248118 Responds to NRC 920309 for re violations noted in insp of licensee 24-00128-03 on 920211-12 Corrective actions all brachytherapy implant room surveys will be recorded on new summary sheet
MEYER, R W Southeast Missouri Hosp., Cape Girardeau, MO 92/04/31 SHEAR, G L Region 3 (Post 820201) 4pp 82625 069-82625 072

-9202248125 Ack receipt of 920417 ltr informing NRC of steps taken to correct violations noted in insp of licensee 24-18825-01
NORELIUS, C E Region 3 (Post 820201) 92/05/12 BONNEY, R Research Medical Center, Kansas City, MO 1p 82625 174-82625 184

-9202248127 Responds to NRC 920320 for re violations noted in insp of licensee 24-18825-01 Corrective actions nuclear medicine physical & radiation safety officer duties reduced
BONNEY, R Research Medical Center, Kansas City, MO 92/04/17 NORELIUS, C E Region 3 (Post 820201) 10pp 82625 164-82625 173

-9202248044 Discusses safety insp of License 24-18827-01 on 920221-22 & forwards notice of violation
SHEAR, G L Region 3 (Post 820201) 92/06/06 SHUTER, M Heartland Hosp East, St Joseph, MO, formerly St Joseph Hosp., St Joseph 1p 82625 128-82625 129

-9202248046 Notice of violation from insp on 920221-22 Violation noted, dose calibrator for weekly test performed in Apr 1991 did not cover range of use & on 920509, 23 & 30 radioactive waste sign not posted on patient rooms receiving implant therapy
SHEAR, G L Region 3 (Post 820201) 92/06/06 2pp 82625 127-82625 128

-9210020141 Discusses insp conducted on 920810 & forwards NCV Violation re repeat item Description of why proposed corrective action expected to be more successful requested
SHEAR, G L Region 3 (Post 820201) 92/08/22 KOZUMPLUK, J St Lukes Hosp., Saginaw, MI 2pp 82625 085-82625 088

-9210020160 Notice of violation from insp on 920910 Violation noted licensee did not test sealed source for leakage between 910218 & 920625
SHEAR, G L Region 3 (Post 820201) 92/09/23 2pp 82625 087-82625 088

-9210020179 Ack receipt of 920626 & 0909 ltr informing NRC of steps taken to correct violations noted in insp rpt on 920906 Adverse that after review of new info in 920908 for re violation one violation still considered valid
SHEAR, G L Region 3 (Post 820201) 92/09/24 SHUTER, M Heartland Hosp West, St Joseph, MO, formerly Methodist Medical Center, St Jo 1p 82625 105-82625 105

-9210020259 Responds to NRC telephone request from G Harbeck for add info re licensee replied did 920426 to notice of violations Corrective actions audit of nuclear facility to be performed on quarterly basis to insure compliance w/ regulations
SHUTER, M Heartland Hosp East, St Joseph, MO, formerly St Joseph Hosp., St Joseph 92/09/08 SHEAR, G L Region 3 (Post 820201) 4pp 82625 131-82625 134

-9210020261 Responds to NRC for re violations noted in insp rpt Corrective actions audit of nuclear medicine facility will be performed on quarterly basis to insure compliance w/ regulations
SHUTER, M Heartland Hosp East, St Joseph, MO, formerly St Joseph Hosp., St Joseph 92/09/08 SHEAR, G L Region 3 (Post 820201) 2pp 82625 129-82625 130

-9210020264 Ack receipt of 921005 ltr informing NRC of steps taken to correct violations noted during insp of licensee 21-01492-02
SHEAR, G L Region 3 (Post 820201) 92/10/21 KOZUMPLUK, J St Lukes Hosp., Saginaw, MI 1p 82625 091-82625 123

-9210020269 Responds to NRC 920322 for re violations noted during insp of licensee 21-01492-02 Corrective actions "reminder prompt" inserted in nuclear medicine info rpt ps to alert when test needs to be performed
TALBOT, J E St Lukes Hosp., Saginaw, MI 92/10/05 Region 3 (Post 820201) 2pp 82625 089-82625 090

-9401260093 Responds to 930528 memo re low-dose-rate brachytherapy incident at St Josephs Hospital in Flint, MI
GLENN, J E Medical, Academic & Commercial Use Safety Branch 90/12/22 CANNANO, R J Region 3 (Post 820201) 2pp 82625 224-82625 228

-9401260094 Forwards quality mgmt program which will be implemented on or before 920127 in accordance w/10CFR25.32
READ, H W St Joseph Hosp., Flint, MI 92/01/13 Region 3 (Post 820201) 4pp 82625 195-82625 202

-9401260097 Submits written rpt on occurrence that was initiated on 930422 to NRC Operations Div & briefly discussed w/G Shear at Region III
PRASAD, C V St Joseph Hosp., Flint, MI 93/05/04 GATYONE, R G Region 3 (Post 820201) 3pp 82625 215-82625 223

-9401260180 Discusses 930420 incident & requests interpretation by Office of General Counsel as to whether incident should be considered misadministration
GLENN, J E Medical, Academic & Commercial Use Safety Branch 93/08/27 TREBY, S A Assistant General Counsel for Rulemaking & Fuel Cycle 2pp 82625 229-82625 230

-9482240283 Responds to memo requesting OGC interpretation of regulations re incident at St Joseph Hosp, Flint, MI OGC requests copy of rpt to NRC medical consultant M Ghem, which is mentioned in memo from Region III on 930528
TREBY, S A Assistant General Counsel for Rulemaking & Fuel Cycle 93/10/18 GLENN, J E Medical, Academic & Commercial Use Safety Branch 3pp 82625 231-82625 246

-9502020658 Responds to NRC 930903 for re violations noted during insp of Licensee 22-00187-48 on 930621-22 Corrective actions staff to be briefed on violations noted, training to be given on curator & checker responsibilities
STAIGER, J W Minnesota, Univ. of, Minneapolis, MN 93/10/19 CANNANO, R J Region 3 (Post 820201) 2pp 82625 030-82625 052

-9502020652 PNC-III-93-22A on 930421 brachytherapy tandem source assembly removed from patient before completion of radiation therapy Region III 930426 insp revealed that patient removed source, patient received 933 Rad dose & consultant contacted
SHEAR, G L CANNANO, R J Region 3 (Post 820201) 93/04/30 12pp 82625 209-82625 214

-9502020675 Submits Corrective Action Plan designed to assure that staff nurses working w/brachytherapy patients receive yearly training form RSO
DELLINGER, K St Joseph Hosp., Flint, MI 93/04/30 NRC - No Detailed Affiliation Given 3pp 82625 247-82625 257

-9502020619 Discusses unresolved issue re licensee Quality Mgt Program concerning lack of written procedures for complying w/10CFR25.32
WEBER, M F Region 3 (Post 820201) 94/01/27 Region 3 (Post 820201) 1p 82625 258-82625 271

-9502020622 "Brachytherapy Quality Mgt Policies & Procedures"
St Joseph Hosp., Flint, MI 93/01/27 22pp 82625 272-82625 312

-9502020625 Forwards for documenting safety insp on 930425-0504 conducted to review circumstances surrounding 930421 brachytherapy incident at licensee facility
GROBE, J A Region 3 (Post 820201) 94/01/12 READ, H W St Joseph Hosp., Flint, MI 4pp 82625 319-82625 317

9502020125 FOIA request for document re rpt did 930616 entitled, "Turkey Point Nuclear Power Plant Employee Allegations of Harassment & Discrimination"
O'MEALIA, M Affiliation Not Assigned 94/05/09 GRIMSLEY, D H Division of Freedom of Information & Publications Services (930206-940714) 1p 82592 344-82592 344

9502020144 Final response to FOIA request for documents No agency records subject to request have been located
POWELL, L A Division of Freedom of Information & Publications Services (930206-940714) 94/06/18 O'MEALIA, M Affiliation Not Assigned 1p 82592 345-82592 345

9502020160 First partial response to FOIA request for documents Records in App A available in PDR App B being made available in PDR App C records completely withheld (ref FOIA exemption 5)
POWELL, L A Division of Freedom of Information & Publications Services (930206-940714) 94/06/07 COLETT, M L Oncology Services Corp., Hamburg & State College PA 5pp 82592 318-82592 328

9502020257 FOIA request for documents re testing of all govt VISA credit card holders within NRC
WORLEY, S Affiliation Not Assigned 94/05/09 NRC - No Detailed Affiliation Given 1p 82614 161-82614 161

9502020227 Final response to FOIA request for documents Forwards App A records being made available in PDR
POWELL, L A Division of Freedom of Information & Publications Services (930206-940714) 94/05/26 WORLEY, S 2pp 82614 162-82614 164

-9502020248 Provides list of VISA cards issued to four regions
NRC - No Detailed Affiliation Given 94/05/26 1p 82614 164-82614 164

9502020229 Final response to FOIA request for documents Records in App A and B will be available in PDR Records withheld in part (ref FOIA exemption 5) App B records denied
Division of Freedom of Information & Publications Services (930206-940714) 94/05/26 LARL, R G Newman & Holtzinger 3pp 82592 346-82592 354

-9502020242 Partially delayed memo discussing SECY-92-324, "Final Rulemaking Re Clarification of Statutory Authority for Purposes of Criminal Enforcement"
JENSEN, N NRC - No Detailed Affiliation Given 92/06/24 DE PLANQUE, E G Commissioners (Post 750118) 5pp 82592 350-82592 354

9502020419 Final response to FOIA request for documents Forwards record in app H available in PDR
POWELL, L A Division of Freedom of Information & Publications Services (930206-940714) 94/06/03 O'TOOLE, J E Perkins, Cowe (formerly Perkins, Cowe, Stone, Olsen & Wilkins) 2pp 82591 051-82591 084

-9501300101 SECY-92-129 Discusses fee recoverable activities not attributed to individual NRC licensees or classes of licensees
TAYLOR, J M Ofc of the Executive Director for Operations 92/04/13 11pp 82591 054-82591 084

9502020136 FOIA request for documents & memos re Ram-McGee facility at Cushing, OK
MARBLE, J D Huckleby, Fleming, Frisley, Chaffin & Darrah 94/02/14 Division of Freedom of Information & Publications Services (930206-940714) 1p 82621 001-82621 001

9502020146 Partial response to FOIA request for documents Forwards app A & B records available in PDR
POWELL, L A Division of Freedom of Information & Publications Services (930206-940714) 94/05/06 MARBLE, J D Huckleby, Fleming, Frisley, Chaffin & Darrah 7pp 92621 002-82621 077

198 NONDOCKETED ITEMS

- 5582030162 Informs that item 14 of NMSS 910211 Delegation of Authority, delegates authority to grant Kerr-McGee Corp exemptions from physical protection requirements of 10CFR73 & critically accident requirements of 10CFR70.24. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402) 93/04/05 AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 801230) 4pp 82621 009-82621 277
- 9502030215 FOIA request for documents re copy of Alliant Techsystems, Inc./Femurtec, Inc. current NRC license & all licensee commitment &/or "tear-down" condition documents re listed facility address. DRYSDALE, D.B. Affiliation Not Assigned 94/04/28 POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 1p 82631 001-82631 001
- 9502030228 Final response to FOIA request for documents. Forwards App A records available in PDR. End App B records being partially withheld (rel FOIA Exemption B). Division of Freedom of Information & Publications Services (890206-940714) 94/05/02 DRYSDALE, D.B. Affiliation Not Assigned 4pp 82631 002-82631 127
- 8408180859 Provides addl info re application for source mail license, in response to 940531 request. Related info end. GUADAGNO, V. Femurtec, Inc. 02376 84/06/28 Region 1 (Post 820201) 21pp 82631 011-82631 031
- 8408180885 Amend 18 to License 37-09135-01 for Applied Health Physics, Inc. changing license in entirety. HUCKEY, J.W. Division of Fuel Cycle & Material Safety (Pre 870413) 83/09/26 4pp 82631 032-82631 035
- 8408180888 Amend 6 to License 37-14600-01 for Applied Health Physics, Inc. changing license in entirety. HUCKEY, J.W. Division of Fuel Cycle & Material Safety (Pre 870413) 83/09/26 8pp 82631 036-82631 041
- 8408180888 Application for source mail license, authorizing use of depleted U alloy in minor peaking projects. Related info & fee end. GUADAGNO, V. Femurtec, Inc. 02376 84/04/25 23pp 82631 072-82631 127
- 5882030253 Advises that effective on or before 940511, Femurtec, Inc. will become fee owner of real property associated w/ license SUB-1443. NORTH, S.U. Affiliation Not Assigned 93/12/21 PERKINS, J. NRC - No Detailed Affiliation Given 2pp 82631 008-82631 010
- 9502030265 Application for renewal of license SUB-1443 authorizing use of listed licensed mail including depleted U alloy. REDA, E.R. Femurtec, Inc. 88/06/14 20pp 82631 042-82631 071
- 9502030241 FOIA request for documents re LERs, confirmatory action ltr, NOV's, civil penalties & enforcement orders per unit year for nuclear power plants from 1985-1993. O'MEALIA, J.M. Affiliation Not Assigned 94/05/09 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 1p 82621 278-82621 278
- 9502030244 First partial response to FOIA request for documents. Records in App A will be made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 O'MEALIA, J.M. Affiliation Not Assigned 2pp 82621 278-82621 313
- 9502030251 "Enforcement action tracking sys., Licensee history rept. (short list) sorted by license 850101-940509". NRC - No Detailed Affiliation Given EA-85-087 94/06/08 33pp 82621 281-82621 313
- 9502030258 FOIA request for info re activities at Wayne General Hosp in Wayne, NJ including NRC investigators & rept. BECKETT, D.B. Affiliation Not Assigned 94/04/28 Division of Freedom of Information & Publications Services (890206-940714) 2pp 82716 067-82716 068
- 9502030262 Partial first response to FOIA request for info. Forwards App A documents being made available in PDR. App B info partially withheld (rel FOIA Exemption B). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13 BECKETT, D.B. Affiliation Not Assigned 6pp 82716 069-82716 247
- 9012180648 Discusses Insp Rept 30-14870/BG-01 on 901116 & forwards notice of violation. SHANBAKY, M.M. Region 1 (Post 820201) 90/12/11 MULLEN, T. Wayne General Hosp., Wayne, NJ 2pp 82716 221-82716 225
- 9012180658 Notice of violation from Insp on 901116. Region 1 (Post 820201) 90/12/11 2pp 82716 222-82716 225
- 9102279144 Ask receipt of 910106 re informing NRC of steps taken to correct violations noted in Insp Rept 30-14870/90-01. SHANBAKY, M.M. Region 1 (Post 820201) 91/02/11 MULLEN, T. Wayne General Hosp., Wayne, NJ 1p 82716 226-82716 240
- 9102279150 Responds to NRC 901211 re violations noted in Insp Rept 30-14870/90-01. Corrective actions all implant procedures will be in accordance w/ 10CFR35.415 & facility will comply w/ 10CFR35.416 & 10CFR35.50. MULLEN, T. Wayne General Hosp., Wayne, NJ 91/01/08 SHANBAKY, M.M. Region 1 (Post 820201) 3pp 82716 227-82716 240
- 9502030271 Forwards Amend 12 to License 29-18334-01 & info re requirements for mail & medical licenses w/o end. GRESICK, S. Wayne General Hosp., Wayne, NJ 91/04/30 DOHENY, J. Wayne General Hosp., Wayne, NJ 2pp 82716 074-82716 075
- 9502030277 Informs that licensee not in possession of Co-137 100 mCi source as indicated in previous license where amend previously requested authorization to use Co source mail. LEONE, A.F. Wayne General Hosp., Wayne, NJ 91/03/01 GRESICK, J. Region 1 (Post 820201) 1p 82716 078-82716 078
- 9602030279 Responds to NRC inquiry re preparation area in proposed nuclear medicine scanning room & informs that area to be used to store prepared doses for injection. LEONE, A.F. Wayne General Hosp., Wayne, NJ 91/01/17 SHILLINGHAM, C. Region 1 (Post 820201) 1p 82716 077-82716 077
- 8502030285 Informs of intent to amend License 29-18334-01 to cover relocation of nuclear medicine scanning room to larger area & to include addl room. DOHENY, J. Wayne General Hosp., Wayne, NJ 90/08/10 Region 1 (Post 820201) 4pp 82716 078-82716 147
- 9502030286 Forwards Amend 11 to License 29-18334-01 w/o end. JOHANSEN, J.M. Region 1 (Post 820201) 112911 90/08/26 DOHENY, J. Wayne General Hosp., Wayne, NJ 2pp 82716 148-82716 148
- 9502030281 Application for amend to License 29-18334-01 authorizing inclusion of addl "hot lab" to licensee facility. DOHENY, J. Wayne General Hosp., Wayne, NJ 90/07/03 Region 1 (Post 820201) 2pp 82716 150-82716 151
- 9502030271 Forwards Amend 9 to License 29-18334-01 & informs that licensed mail activities must be conducted per revised 10CFR35 regulations. TRIPP, L.M. Region 1 (Post 820201) 110269 89/12/27 LEONE, A.F. Wayne General Hosp., Wayne, NJ 2pp 82716 152-82716 153
- 9502030273 Responds to NRC 890918 ltr & informs that licensee will comply w/all requirements of license as enumerated in ltr & as listed. DOHENY, J., LEONE, A., SINCLAIR, J.P. Wayne General Hosp., Wayne, NJ 110269 89/10/16 TRIPP, L.M. Region 1 (Post 820201) 2pp 82716 154-82716 155
- 9502030277 Informs that addl info needed as listed to complete review of license application to renew License 29-18334-01. TRIPP, L.M. Region 1 (Post 820201) 110269 89/09/16 LEONE, A.F. Wayne General Hosp., Wayne, NJ 3pp 82716 158-82716 158
- 9502030278 Requests amend to License 29-18334-01 to include physician J. Wang. Physician statement end. LEONE, A. Wayne General Hosp., Wayne, NJ 110269 89/09/12 FOSTER, D. Region 1 (Post 820201) 4pp 82716 159-82716 162
- 9502030281 Ask receipt of licensee application for renewal of License 29-18334-01 & informs that license will not expire until final action taken by Region 1. FOSTER, D. Region 1 (Post 820201) 110269 89/09/02 LEONE, A.F. Wayne General Hosp., Wayne, NJ 1p 82716 163-82716 163
- 9502030285 Application for amend, renewing License 29-18334-01. LEONE, A.F. Wayne General Hosp., Wayne, NJ 89/01/26 Region 1 (Post 820201) 4pp 82716 164-82716 167
- 9502100180 Informs of refund of license BB0128 application renewal fee due to overpayment. JACKSON, G. License Fee Management Branch (890205-890825) 110269 89/02/23 LEONE, A.F. Wayne General Hosp., Wayne, NJ 2pp 82716 168-82716 169
- 9502100188 Partially deleted ltr forwarding Amend 14 to License 29-18334-01. Amend includes SA Berkowitz as authorized user for radionuclides identified in 10CFR300 & 400 w/o end. BEARDSLEY, M.R. Region 1 (Post 820201) 118404 93/09/07 DOHENY, J. Wayne General Hosp., Wayne, NJ 3pp 82716 170-82716 172
- 9502100203 Application for amend to License 29-18334-01, authorizing SA Berkowitz as authorized user for radionuclides identified in 10CFR300 & 400. LEONE, A.F. Wayne General Hosp., Wayne, NJ 93/07/22 Region 1 (Post 820201) 7pp 82716 173-82716 179
- 8602100258 Forwards Amend 13 to License 29-18334-01 w/o end. MAHND, G. Region 1 (Post 820201) 117421 82/09/11 DOHENY, J. Wayne General Hosp., Wayne, NJ 2pp 82716 180-82716 181
- 9502100274 Application for amend to License 29-18334-01, authorizing Items 1-5 as listed. DOHENY, J. Wayne General Hosp., Wayne, NJ 93/02/26 MAHND, G. Region 1 (Post 820201) 1p 82716 182-82716 182
- 9502100280 Application for amend to License 29-18334-01, authorizing removal of BK. Verlander, addition of RH. Shetty as authorized user of radionuclide groups as listed. DOHENY, J., LEONE, A., SINCLAIR, J.P. Wayne General Hosp., Wayne, NJ 92/11/19 Region 1 (Post 820201) 5pp 82716 183-82716 187
- 9502100289 Record of telecon w/AF Leone on 900219 re license 921119 request to amend License 29-18334-01 to authorize assistant RSO. MAHND, G. NRC - No Detailed Affiliation Given 117521 93/02/18 24pp 82716 188-82716 211
- 9502100299 Responds to 821115 ltr re request to amend License 29-18334-01 & informs that request subj to amend fee as specified in Category 7C as ref in end 820723 PRN License application currently being processed by Region 1. KIMBERLEY, S. License Fee & Debt Collection Branch (Post 890827) 93/01/13 Wayne General Hosp., Wayne, NJ 1p 82716 212-82716 212
- 9502100311 Partially deleted ltr forwarding Amend 10 to License 29-18334-01. TRIPP, L.M. Region 1 (Post 820201) 112090 90/08/26 LEONE, A.F. Wayne General Hosp., Wayne, NJ 2pp 82716 213-82716 214
- 9502100323 Application for amend to License 29-18334-01, authorizing inclusion of S. Brown & S. Lee as approved users for Group V & VI byproduct mds & for Sr-90 for treatment of eye disease. DOHENY, J. Wayne General Hosp., Wayne, NJ 112030 90/01/16 Region 1 (Post 820201) 8pp 82716 215-82716 220
- 9502100356 "NRC Quality Mgt Program". LEONE, A., MULLEN, T., BROWN, S. Wayne General Hosp., Wayne, NJ 92/07/30 7pp 82716 241-82716 247
- 9502060033 FOIA request for records issued to Franklin Inst & Franklin Research Co. located in Philadelphia, PA. KEATING, J. Affiliation Not Assigned 94/04/29 POWELL, R. Freedom of Information & Local Public Document Rooms Branch 1p 82626 083-82626 083
- 9502060042 Final response to FOIA request for records. App A records end & available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/07 KEATING, J. Affiliation Not Assigned 2pp 82626 084-82626 129

- 8905190285 Mail/Byproduct License 37-00637-10 for Franklin Inst Research Labs is amended per 800102 Re Amend 7 changes Condition 15 re possession & use of licensed mags
JONES,J.A. Materials Licensing Branch 86/04/18 1p 82626 112-82626 112
- 8904228984 Mail/Byproduct License 37-00637-10 for Franklin Institute Research Labs is amended per 870119 Re Amend 08 adds 40 lbs depleted U shielding mat for storage
JONES,J.A. Materials Licensing Branch 81/03/16 1p 82626 113-82626 113
- 8612030549 Amend 1,terminating License 37-00637-11 for Franklin Research Ctr
PICCOONE,J.M. Region 1 (Post 820201) 86/11/19 2pp 82626 120-82626 120
- 8612030748 Amend 12,terminating License 37-00637-10 for Franklin Inst/ Franklin Research Ctr
PICCOONE,J.M. Region 1 (Post 820201) 86/11/18 4pp 82626 121-82626 124
- 8502880060 Amend 10 to license 37-00637-06 for Franklin Inst,terminating license in entirety
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119) 87/07/20 3pp 82626 088-82626 088
- 8502880064 Amend 11 to license 37-00637-06 for Franklin Inst,revsing condition 12 to read as listed
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119) 72/02/02 1p 82626 089-82626 089
- 8502880067 Amend 12 to license 37-00637-06 for Franklin Inst,revsing condition 12 & changing expiration date in item 4 to 770731
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119) 72/07/10 1p 82626 090-82626 090
- 8502880069 Amend 13 to license 37-00637-06 for Franklin Inst, terminating license * NRC - No Detailed Affiliation Given 75/05/28 3pp 82626 091-82626 093
- 8502880092 License 37-00637-07 for Franklin Inst,authorizing use of 4,000 Ci Co-60 in AEC/ Gamma-beam 150C irradiator for irradiation of mags
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119) 87/12/06 4pp 82626 094-82626 097
- 8502880067 Amend 1 to license 37-00637-07 for Franklin Inst,deleting condition 15 & revsing subitem BA to read as listed
CURRINGHAM,R.E. Atomic Energy Commission (Pre 750119) 86/08/19 1p 82626 098-82626 098
- 8502880073 Amend 2 to license 37-00637-07 for Franklin Inst,revsing condition 12 to read as listed
HENDRICK,G.W. Atomic Energy Commission (Pre 750119) 72/02/06 1p 82626 099-82626 099
- 8502880075 Amend 3 to license 37-00637-07 for Franklin Inst,changing expiration date to 771230 & revsing condition 12 to read as listed
DAVIS,F.C. Atomic Energy Commission (Pre 750119) 72/11/29 1p 82626 100-82626 100
- 8502880078 Amend 4 to license 37-00637-07 for Franklin Inst,terminating license
COLLINS,D.M. NRC - No Detailed Affiliation Given 75/06/05 2pp 82626 101-82626 102
- 8502880081 License 37-00637-08 for Franklin Inst,authorizing use of 3,500 Ci Co-60
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119) 70/02/11 1p 82626 103-82626 103
- 8502880104 License 37-00637-09 for Franklin Inst,authorizing use of 3,500 Ci Co-60 for storage only
COLLINS,D.M. NRC - No Detailed Affiliation Given 75/06/10 2pp 82626 104-82626 105
- 8502880110 Amend 1 to license 37-00637-09 for Franklin Inst,changing expiration date to 760830
COLLINS,D.M. Radiotopes Licensing Branch (Pre 750501) 75/12/31 1p 82626 106-82626 106
- 8502880126 Amend 5 to license 37-00637-10 for Franklin Inst,amending license in entirety
GUINN,P.R. Radiotopes Licensing Branch (Pre 750501) 78/08/13 4pp 82626 107-82626 110
- 8502880129 Amend 6 to license 37-00637-10 for Franklin Inst,revsing condition 18 to read as listed
GUINN,P.R. Radiotopes Licensing Branch (Pre 750501) 78/10/04 1p 82626 111-82626 111
- 8502880138 Corrected amend 8 to license 37-00637-10 for Franklin Inst, revsing items 6-9 to read as listed
GUINN,P.R. Materials Licensing Branch 81/03/03 1p 82626 114-82626 114
- 8502880146 Amend 9 to license 37-00637-10 for Franklin Inst,revsing items 6-9 to read as listed
GUINN,P.R. Materials Licensing Branch 81/06/08 1p 82626 115-82626 115
- 8502880151 Amend 10 to license 37-00637-10 for Franklin Inst,amending license in entirety
JERMAN,P.C. Division of Fuel Cycle & Material Safety (Pre 870413) 82/10/12 4pp 82626 116-82626 119
- 8502880156 Amend 11 to license 37-00637-10 for Franklin Inst,amending items 6-8 & condition 18
JERMAN,P.C. Region 1 (Post 820201) 83/03/28 1p 82626 120-82626 120
- 8502880174 License 37-00637-11 for Franklin Inst,authorizing use of 100 Ci In-192 in automation industries model 520 exposure devices for industrial radiography & in automation industries model 520-SU source changers for storage
GUINN,P.R. Materials Licensing Branch 81/07/27 3pp 82626 125-82626 127
- 9502070068 FOIA request for documents re allegations raised in J Rex Inst & any investigation conducted by Region 4 since Oct 1993
GARDE,B.P. Affiliation Not Assigned 94/04/29 REED,G.A. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82643 001-82643 002

- 9502070062 Partial response to FOIA request for documents re J Rex Inst & any NRC Region 4 investigation conducted since Oct 1993 Records in App A completely withheld (re FOIA exemption 7a)
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 84/06/02 GARDE,B. Affiliation Not Assigned 2pp 82643 003-82643 006
- 9502070066 FOIA request for documents re APR that corresponds to DPA 106A-90-0425(E) on NRC satellite sites in Bethesda,MD
HEINEMAN,L.M. Federal Sources, Inc 84/05/04 POOL,M.J. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82631 128-82631 129
- 9502070078 Final response to FOIA request for documents Forwards App A info to be available in PDF
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/26 HEINEMAN,L.M. Federal Sources, Inc 2pp 82631 130-82631 135
- 8502870091 Forwards Agency Procurement Request which amends existing Delegation of Procurement Authority
THOMPSON,H.L. Dep Exec Dir for Nuc Mags Safety, Safeguards & Operations Support (Post 890206) 94/04/12 General Services Administration 5pp 82631 132-82631 138
- 9502070077 Final response to FOIA request for documents Records in App C and E available in PDF
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/26 MAKAGAKI,T. Affiliation Not Assigned 2pp 82643 008-82643 051
- 8502870090 Forwards status rept of advanced light water reactor reviews that cover 900431-0731
TAYLOR,J.M. Cdc of the Executive Director for Operations 88/08/26 THE CHAIRMAN, SENIOR, ROGERS Commissioners (Post 750119) 2pp 82643 009-82643 051
- 9502070085 Third partial response to FOIA request for documents Records in App G and I will be available in PDF App N records withheld in part (re FOIA exemptions 3 & 7)
POWELL, Division of Freedom of Information & Publications Services (890206-940714) 94/06/16 LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge App 82643 055-82643 065
- 8502870123 Partially deleted package re fact sheet for decommission cases
* Cdc of Enforcement (Post 870413) 94/01/15 App 82643 059-82643 065
- 9502070109 FOIA request for documents re Co-60 found at Easterly Wastewater Plant,Cleveland,OH
STENSL Advanced Medical Systems, Inc 94/03/15 CLAYTON,K. Region 3 (Post 820201) 1p 82657 365-82657 365
- 9502070107 First partial response to FOIA request for documents Records in App A being made available in PDF
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/26 STENSL Advanced Medical Systems, Inc 2pp 82657 366-82657 380
- 8502870133 Package consisting of investigation status records
* Region 3 (Post 820201) 93/07/07 3pp 82657 359-82657 360
- 9502070129 FOIA request for records prepared by or supplied to NRC &/or consultants or contractors as part of diagnostic evaluation team rept at plant,including records re decision to conduct DET rept & activities conducted in preparation for DET rept
LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge 94/03/31 GRIMLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82668 001-82668 002
- 9502070141 Partial response to FOIA request for records App A records available in PDF App B records and I available in PDF
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/02 LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge 5pp 82668 003-82668 228
- 9302220329 Inform of plans to conduct Diagnostic evaluation of plant Assessment planned for 930829-0409 & 0426-30 period
TAYLOR,J.M. Cdc of the Executive Director for Operations 93/02/12 HALLOP Houston Lighting & Power Co 4pp 82668 009-82668 012
- 8302220338 Requests diagnostic evaluation of plant Evaluation should be conducted for briefing at June 1993 senior mgmt meeting
TAYLOR,J.M. Cdc of the Executive Director for Operations 93/02/12 JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 1p 82668 008-82668 008
- 8302220378 Discusses contractor support for diagnostic evaluation at plants Statement of work for task order,including work schedules,activities & products and Two team members should be provided by contractors Related info and RUBIN,S.D. Diagnostic Evaluation & Incident Investigation Branch NRC 26-92-267 93/02/19 SCOTT,M.L. Contract Administration Branch 1 (Post 900623) 13pp 82668 013-82668 025
- 9302220394 Requests that task order request 001 under NRC contract NRC-25-63-290 be revised to provide for listed changes, including revised meetings & travel schedule & 2009
SPRESSARD,R.L. Division of Operational Assessment (Post 870413) NRC 25-63-290 83/03/18 MATTHEW, Division of Contracts & Property Management (890206-940714) 8pp 82668 038-82668 063
- 8306170258 Forwards diagnostic evaluation team rept for info & action per NRC Manual Chapter 0520 W/o end
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 93/06/10 TAYLOR,J.M. Cdc of the Executive Director for Operations 2pp 82668 122-82668 123
- 8306170090 Forwards proposed staff actions resulting from facilities evaluation for review & concurrence Comments re staff actions requested by 930625
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 83/06/18 MAULEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN,J.L. Region 4 (Post 820201) 5pp 82668 124-82668 128

200 NONDOCKETED ITEMS

- 9306240178 Forwards copy of Diagnostic Evaluation Team rpt for planes. Rpt documents team findings & conclusions & includes discussions of licensee strengths & weaknesses w/o encl
TAYLOR,J.M. Oic of the Executive Director for Operations 93/06/13 PATZET Inst-
tute of Nuclear Power Operations 1p 82668 128-82668 128
- 9306200217 Identifies & assigns responsibility for generic & plant-specific staff actions
resulting from diagnostic evaluation at plant Rpt encl
TAYLOR,J.M. Oic of the Executive Director for Operations 93/06/03 MURLEY,T
Office of Nuclear Reactor Regulation, Director (Post 870411) MILHOAN,J.L. Region 4
(Post 820201) JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Di-
rector 6pp 82668 131-82668 136
- 931100135 Advises that HLP responses dated 930828 & 931015 to South Texas
Project Diagnostic Evaluation Team (DET) rpt have been reviewed Responses found
to be comprehensive & responsive to concerns of team
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 93/11/
12 MILHOAN,J.L. Region 4 (Post 820201) 1p 82668 171-82668 171
- 9302070154 Forwards diagnostic evaluation plan for plant,including schedule of prin-
cipal activities,team composition & members,overall goals & objectives & methodology
for evaluation,in response to 930212 memo
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 93/03/
09 TAYLOR,J.M. Oic of the Executive Director for Operations 11pp 82668 026-
82668 036
- 9302070157 Forwards draft "Review of Operating Experience for South Texas 1 & 2,"
for 1891-1892
POORE,W.P. Oak Ridge National Laboratory 93/03/05 BAILEY,H. Trends & Patterns
Analysis Branch 1p 82668 037-82668 037
- 9302070163 OFNL/NOAC-278 DRAFT Draft "Review of Operating Experience for
South Texas 1 & 2. 1891-1992" Requested info encl
* Oak Ridge National Laboratory File A-8135 93/03/31 Office for Analysis & Evalua-
tion of Operational Data, Director 50pp 82668 038-82668 037
- 9306070173 Requests that listed info be forwarded to us in connection w/diagnostic
evaluation to be conducted by listed NRC personnel at plant during 930328-0409 &
0428-30 Requests that listed individuals be granted unescorted access
SPESSARD,R.L. Division of Operational Assessment (Post 870413) 93/03/18
OUSLEY,L.S. Region 4 (Post 820201) 2pp 82668 094-82668 095
- 9302070283 Forwards revised agenda for second diagnostic evaluation planning &
interface meeting Related info encl
HEHL,B. NRC - No Detailed Affiliation Given 93/03/22 NICHOLSON,L. Region 1
(Post 820201) ROGERS,W. Region 2 (Post 820201) CALDWELL,C. Region 5
(Post 820201 - 940403) 22pp 82668 096-82668 117
- 9302070217 Requests that task order request DOI under contract NRC-26-83-280 be
revised,so provide for listed changes Rev to task order request & revised task order
estimate encl
SPESSARD,R.L. Division of Operational Assessment (Post 870413) 93/05/03
MATTIA,M.J. Contract Administration Branch 2 (Post 900609) 4pp 82668 118-
82668 121
- 9302060148 Informs that oic returning request for procurement action AEO-83-290,dtd
930601,per 930621 conversation between H Bailey & C Cooper
MATTIA,M.J. Contract Administration Branch 2 (Post 900609) NRC-26-83-290 93/
06/30 SPESSARD,R.L. Division of Operational Assessment (Post 870413) 1p
82668 130-82668 130
- 9302060185 Expresses appreciation for visit to site,returning diagnostic evaluation
rpt & NRC willingness to insure that all levels of staff have full opportunity to un-
derstand NRC concerns
JORDAN,D.D. Houston Lighting & Power Co 93/06/13 TAYLOR,J.M. Oic of the Ex-
ecutive Director for Operations 2pp 82668 137-82668 138
- 9302060176 Forwards "Costs Reference of NRC Diagnostic Evaluation Team Rpt on
STP to STP Business Plan & HLP Operational Readiness Plan," for review & com-
ments
PULLANIS. Office for Analysis & Evaluation of Operational Data, Director 93/09/10
NRC - No Detailed Affiliation Given 32pp 82668 139-82668 170
- 9302060185 Responds to 931102 memo,providing status of actions assigned to NRR
to resolve findings from DET review of plant Requests that all NRR open items be
included in rpt
TAYLOR,J.M. Oic of the Executive Director for Operations 93/12/01 MURLEY,T.E.
Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 82668 172-
82668 172
- 9302060180 Forwards input to 1993 AEOO annual rpt on STP staff actions,for review
& use
PULLANIS. NRC - No Detailed Affiliation Given 94/02/08 MADISONIA. NRC - No
Detailed Affiliation Given 56pp 82668 173-82668 226
- 9302070143 FOIA request for documents re names & work addresses of all employees
in Washington State
FINE,C. Affiliation Not Assigned 94/04/18 Division of Freedom of Information & Pub-
lications Services (890206-940714) 1p 82694 052-82694 052
- 9302070182 Final response to FOIA request for documents App A provides info respon-
sive to request
* Division of Freedom of Information & Publications Services (890206-940714) 84/
06/05 FINE,C. Affiliation Not Assigned 2pp 82694 053-82694 054
- 9302070184 FOIA request for info re court reporting svc contracts/ solicitations
BAYLEY Affiliation Not Assigned 94/06/01 NRC - No Detailed Affiliation Given 2pp
82694 137-82694 139
- 9302070185 Final response to FOIA request for info App A documents available in
PDR App B documents encl & will be in PDR
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-
940714) 94/06/18 BAYLEY,B. Affiliation Not Assigned 3pp 82694 139-82694 225
- 9302070195 Mod 1,providing incremental funding,changing project officer & deleting w-
bung delivery orders
* Ann Riley & Associates SCOTT,M.L. Division of Contracts & Property Management
(890206-940714) FIN B-81893 92/12/22 100pp 82694 142-82694 225
- 9302070209 FOIA request for documents re all correspondence submitted by NRC &
other govt agencies,US & foreign, on Temelin NPPS project in Czech republic
SCHWARZBACH,D. Natural Resources Defense Council 94/04/04 POOL,M.J. NRC -
No Detailed Affiliation Given 2pp 82694 001-82694 002
- 9302070270 First partial response to FOIA request for documents Forwards app A
documents Documents will be available in PDR
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-
940714) 94/06/31 SCHWARZBACH,D. Natural Resources Defense Council 4pp
82694 003-82694 166
- 9308020288 Requests assistance in making NRR technical staff available for project
mgt of proposed contract w/INEL re support to Czech Republic State Oic of Nuclear
Safety in performing NRC-like safety review preparation of SER
STORBER,C.R. Office of International Programs (Post 911117) 93/04/15
TAYLOR,J.M. Oic of the Executive Director for Operations 1p 82694 164-82694 164
- 9302070280 "Operational Safety of Nuclear Installations,Czech & Slovak Federal Re-
public Pre-Chart Mission"
* International Atomic Energy Agency 90/07/31 63pp 82694 007-82694 069
- 9302070282 "Final Rpt/Renew Mission of Implementation of QA Programme for Ac-
tivities Related to Siting & Design Against External Hazards for Temelin NPP See"
HACKER,P. RALLAM. SERVA. International Atomic Energy Agency 91/12/20
13pp 82694 070-82694 082
- 9302070306 "Operational Safety of Nuclear Installations,Czechoslovakia Pre-Chart
Mission Follow-Up Visit Temelin Nuclear Power Plant Const Site" Unrelated docu-
mentation encl
* International Atomic Energy Agency 92/07/31 63pp 82694 083-82694 136
- 9302070327 Responds to note re NRC assistance to Czech AEC in performance of
safety review of W supply I&C & fuel for Temelin plant in Czech republic Informs
assistance would require add'l funding & be limited in scope
DEWORTH,H. Office of International Programs (Post 911117) 92/10/09
STRAITFORD,D. State, Dept. of 2pp 82694 137-82694 139
- 9302070344 Discusses possible activities that INEL can perform to support Czech
Atomic Energy Commission efforts re safety analysis associated w/core change in Te-
melin NPPS Other press include PSAR requirements & design basis analysis
MODRO,S.M. EG&G Idaho, Inc. MODRO,S.M. Idaho National Engineering Laboratory
92/10/09 SCHECTER,H.B. Office of International Programs (Post 911117) 3pp
82694 139-82694 148
- 9302070382 Provides clarification of NRC & INEL respective roles in support of
Czech regulatory authorities in licensing of Temelin plant Informs INEL to provide
project mgt & logistics support for licensing reviews w/unrelated encl
MODRO,S.M. EG&G Idaho, Inc. MODRO,S.M. Idaho National Engineering Laboratory
93/05/13 SCHECTER,H.B. NRC - No Detailed Affiliation Given 4pp 82694 148-
82694 156
- 9302080179 Discusses proposal for method to transfer PRA code technology to coun-
tries in eastern Europe & former Soviet Union Informs that INEL IRRAS code could be
used for PRA project to complete w/Swedish sys in Europe
BICKEL,J.H. EG&G Idaho, Inc. BICKEL,J.H. Idaho National Engineering Laboratory
93/05/19 SCHECTER,H.B. Office of International Programs (Post 911117) 3pp
82694 161-82694 163
- 9302080286 Responds to (rptd 930614 re request for NRC assistance in safety re-
view of W supply I&C & fuel reloads to be incorporated into Temelin NPPS Informs
NRC & US staff to work together on assistance for program
THE CHAIRMAN, WAGNER,K. Commissioners (Post 750119) 92/10/28 WAGNER,K.
Czech & Slovak Federal Republic (CSFR) (Formerly Czechoslovakia) 1p 82694 165-
82694 166
- 9302080357 FOIA request for documents re communication w/State of LA &
CERPO Inc that may involve Institute for Nuclear Medical Education,Inc
ROSECH Affiliation Not Assigned 94/03/16 MARTIN,R.D. Region 4 (Post 820201)
2pp 82694 229-82694 230
- 9302080381 Final response to FOIA request for documents Forwards App A documents
which will be available in PDR
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-
940714) 94/05/26 ROSECH Affiliation Not Assigned 2pp 82694 231-82694 244
- 9302080384 Expresses appreciation for updated communication to Radiation Protec-
tion Div re "Protocol for Glass Audits & Insp" received on 9-03-93
ROSECH Affiliation Not Assigned 94/03/11 ROSECH Affiliation Not Assigned 12pp
82694 232-82694 244
- 9302080128 FOIA request for NRC long range dose assessment performed in 1982 of
Wynman Gordon Co radioactive disposal site in Grafton,MA
MONAHAN,J. Affiliation Not Assigned 94/04/26 POWELL,R. Division of Freedom of
Information & Publications Services (890206-940714) 1p 82694 172-82694 172
- 9302090334 Final response to FOIA request for documents App A records encl & avail-
able in PDR
* Division of Freedom of Information & Publications Services (890206-940714) 84/
05/19 MONAHAN,J. Affiliation Not Assigned 2pp 82694 173-82694 315
- 9302090157 "Wynman-Gordon Dose Assessment"
PARROTT,J. Affiliation Not Assigned 93/02/22 141pp 82694 175-82694 315
- 9302090187 Final response to FOIA request for records App I records encl
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-
940714) 94/06/14 MITCHELL,W. Armstrong, Gordon Mitchell & Camery 2pp
82694 167-82694 170
- 9308038288 Record of telcon w/D Ryan on 930730 re status of Bldg 65
activities,Final survey rpts for Bldg 66 & roof & drains received & copy forwarded to
ORISE ORISE will provide review schedule on 930803
JOHNSON,T.C. NRC - No Detailed Affiliation Given 93/07/30 1p 82694 171-
82694 171

9502090234 FOIA request for documents re NRC NOV 8 correspondence sent to & concerns re applicability of 10CFR35 part G to high dose rate treatments. COLIOTT, M.L. Oncology Services Corp., Harrisburg & State College, PA 94/04/25 BROWN, N. NRC - No Detailed Affiliation Given 1p 82700 055-82700 351

9502090237 Second partial response to FOIA request for documents. Documents in app D already in PDR Forwards App E documents. Documents will be placed in PDR REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/13. COLIOTT, M.L. Oncology Services Corp., Harrisburg & State College, PA 8pp 82700 056-82700 061

9502130228 Discusses safety insp rept 30-10942/91-01 on 911120 & forwards notice of violation. SHANBAKY, M.M. Region 1 (Post 820201) 92/01/02 STIVELY, E. Wilkes-Barre General Hosp. Wilkes-Barre, PA 2pp 82700 062-82700 066

9502130227 Notice of violation from insp on 911120 Violations noted no review was performed by RSO & RSC for personnel dose of 500 mrem during second quarter 1989 which exceeded investigational level 1. * Region 1 (Post 820201) 92/01/02 3pp 82700 064-82700 066

9502130241 Discusses safety insp repts 30-20602/91-02 & 70-1403/91-02 on 911218 & notice of violation. JOHANSEN, J.M. Region 1 (Post 820201) 92/01/03 MISKA, W. Newark Beth Israel Medical Center Newark, NJ 2pp 82700 067-82700 068

9502130242 Notice of violation from insp on 911218 Violations noted no record made of surveys performed immediately after last temporary implant source had been re moved from patient during 1991. * Region 1 (Post 820201) 70-1403/91-02 91/12/26 1p 82700 069-82700 069

9502250154 Discusses safety insp 30-01247/92-01 on 920108 & forwards notice of violation. SHANBAKY, M.M. Region 1 (Post 820201) 92/02/12 CANNON, C.M. Bridgeport Hosp. Bridgeport, CT 2pp 82700 076-82700 079

9502250157 Notice of violation from insp on 920108 Violations noted immediately after implementing Co-137 sources did not make radiation survey of patient & area of use & licensee did not survey dose rates in contiguous restricted areas. * Region 1 (Post 820201) 92/02/12 2pp 82700 078-82700 079

9502250240 Ack receipt of 920128 re informing NRC of steps taken to correct violations noted in insp rept 30-20602/91-02. JOHANSEN, J.M. Region 1 (Post 820201) 92/02/14 MISKA, W. Newark Beth Israel Medical Center Newark, NJ 1p 82700 080-82700 080

9502250266 Responds to NRC 920102 re re violations noted in insp rept 30-20602/91-02. Corrective actions surveys after temporary implant removal will be recorded on form A-92 & records as required in 10CFR35 406 will be recorded on form B-2. MISKA, W. Newark Beth Israel Medical Center, Newark, NJ 92/01/28 JOHANSEN, J.M. Region 1 (Post 820201) 3pp 82700 070-82700 072

9502510019 Ack receipt of 920110 re informing NRC of steps taken to correct violations noted in insp rept 30-10942/92-01. SHANBAKY, M.M. Region 1 (Post 820201) 92/05/04 STIVELY, E. Wilkes-Barre General Hosp. Wilkes-Barre, PA 1p 82700 092-82700 092

9502510021 Responds to NRC 920102 re re violations noted in insp rept 30-10942/92-01. Corrective actions RSO will review all badge readings & rept on review at quarterly radiation safety committee meeting. STIVELY, E. Wilkes-Barre General Hosp. Wilkes-Barre, PA 92/01/10 Region 1 (Post 820201) 3pp 82700 073-82700 075

9502710028 Discusses insp 30-03026/92-01 on 920618-17 & forwards notice of violation. SHANBAKY, M.M. Region 1 (Post 820201) 92/07/06 GARVEY, T.K. Fox Chase Cancer Center, Philadelphia, PA 3pp 82700 095-82700 096

9502710028 Notice of violation from insp on 920618-17 Violations noted thyroid burden of each individual who helped prepare or administer dosage of I-131 greater than 30 mCi not measured within 3 days after administering dosage. * Region 1 (Post 820201) 92/07/06 1p 82700 097-82700 099

9502710182 Ack receipt of 920302 re informing NRC of steps taken to correct violations noted in insp rept 30-01247/92-01. SHANBAKY, M.M. Region 1 (Post 820201) 92/07/02 CANNON, C.M. Bridgeport Hosp., Bridgeport, CT 1p 82700 094-82700 094

9502710185 Responds to violations noted in insp rept 30-01247/92-01 on 920108. Corrective actions survey of 180kcp shipments in accordance w/ 10CFR20 205 (b)(1)(iv) are being made & documented. CANNON, C.M. Bridgeport Hosp., Bridgeport, CT 92/03/02 Region 1 (Post 820201) 12pp 82700 061-82700 091

9502904073 Safety insp on 920610-11 of licenses 37-09965-02 & 37-09965-01 insp findings records of evaluations of implant sources for implant performed on 920428 not maintained as required by 10CFR35 406. * Region 1 (Post 820201) 92/06/10 1p 82700 093-82700 093

9502910061 Forwards insp repts 30-01315/92-02, 30-00124/92-02 & 30-14907/92-01 on 920706-10 & NOV item A in NOV identified during previous insp & corrective actions ineffective since violation reoccurred. SHANBAKY, M.M. Region 1 (Post 820201) 92/08/02 GRIFFITH, J.F. Georgetown Univ. Medical Center, Washington, DC 3pp 82700 100-82700 124

9502910068 Notice of violation from insp on 920706-10 Violation noted licensee mail located in unsecured & unattended research lab, not secured against unauthorized removal & not under constant surveillance & immediate control of licensee. * Region 1 (Post 820201) 30-00124/92-02 92/08/02 3pp 82700 103-82700 105

9502910072 Insp repts 30-01315/92-02, 30-00124/92-02 & 30-14907/92-01 on 920706-10 violations noted Major areas inspected actions on previous violations organization & scope of program, audits, & training & qualification of person nel. CZERNINSKY, J. COURTEMANCHE, S. HALL-DARDENT Region 1 (Post 820201) 30-00124/92-02 92/09/02 12pp 82700 106-82700 124

9502900115 Discusses 821002 notification of possible misadministration to patient undergoing brachytherapy procedure & possible overexposure to worker licensee corrective actions listed, including discontinuance of all brachytherapy procedures. COOPER, R.W. Region 1 (Post 820201) CAL-1-92-13 92/10/07 SEBASTIAN, St. Clare's Riverside Medical Center, Danville, NJ 3pp 82700 125-82700 132

9502180003 Discusses insp rept 30-12161/92-01 on 921001 & forwards notice of violation. SHANBAKY, M.M. Region 1 (Post 820201) 92/10/28 GUNDERSON, R. Frick Community Health Center, Mt. Pleasant, PA (formerly Henry Clay Frick Comm 2pp 82700 133-82700 136

9502090005 Notice of violation from insp on 921001 Violation noted individuals whose duties may have or did require working in vicinity of licensed mail informed about radiation hazards & appropriate precautions. * Region 1 (Post 820201) 92/10/28 2pp 82700 135-82700 136

9502090029 Submits info requested during telcon of 940215 info re safety training of personnel on Nucletron HDR unit & containing & logging in of sources used for brachytherapy. ROSEN, J.C. Pittsburgh Univ. of Pittsburgh, PA 94/02/18 HENDERSON, P. Region 3 (Post 820201) 1p 82700 126-82700 125

9502090279 Informs per agreement of plan to install keypunch lock sys w/automatic closure at entrance to hot lab room in hosp to correct violation noted in insp on 940916-17 Forwards picture showing installation Unrelated document also encl. BFAIMAVAR, S.M. Baystate Medical Center, Springfield, MA 93/10/01 LCOHL, S. Region 1 (Post 820201) 3pp 82700 137-82700 351

9502090238 FOIA request for documents re Whittaker Corp., Greenville, Maine. Site, Greenville, PA, license SMA-1018. O'DOURKE, T.J. CIGNA Loss Control Services, Inc. 94/04/04 NRC - No Detailed Affiliation Given 1p 82688 044-82688 044

9502090240 Final response to FOIA request for documents No records subj to request located. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/25 CIGNA Loss Control Services, Inc. 1p 82688 045-82688 045

9502090251 Fourth partial response to FOIA request for documents Forwards App G & H documents which will be available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/24 MITCHELL, W. Armstrong, Gordon, Mitchell & Darnall 3pp 82618 186-82618 256

9502090270 GAO/RCED-90-156 "Nuclear Regulation/Cleanup Delays Continue at Two Radiologic Sites in Ohio." General Accounting Office 99/06/30 28pp 82618 191-82618 218

9510010021 Record of telcon w/B Koh/Koh & Associates on 930927 to obtain info on recent publicly re 1200 pCi/gm sample taken outside Bert Avenue fence line by Ulmer & Byrne consultant & status of remediation plan preparation. * NRC - No Detailed Affiliation Given 93/09/27 1p 82618 251-82618 251

9510020284 Record of telcon w/B Koh of Koh & Assoc on 931019 re accelerating preparation of missing sections from remediation plan Final survey plan scheduled for 931101 & SAR & dose assessment scheduled for 931115. * NRC - No Detailed Affiliation Given 93/10/22 1p 82618 252-82618 252

9501120254 Record of telcon w/Avelon on 951028 discussing chemical explosion in McGowan-Robert bldg 20, adjacent to Chemtron Harvard Ave site. * Region 3 (Post 820201) 93/12/08 1p 82618 253-82618 253

9503180185 Record of telcon w/M McGowan, K. Lambert & L. Fryer on 940314, re settlement of legal suit with Chemtron. * NRC - No Detailed Affiliation Given 94/03/14 1p 82618 254-82618 256

9502090256 Forwards survey plan for soil properties in vicinity of Harvard Ave site, as requested in 930623 re KOHL, B. Chemtron Corp. 93/07/29 NORELIUS, C.E. Region 3 (Post 820201) 1p 82618 219-82618 220

9502090263 Submits comments on radiological survey plan for residential, public & commercial properties in vicinity of Harvard Ave site. 950620 telcon. NORELIUS, C.E. Region 3 (Post 820201) 94/05/24 GREEVES, J.T. Low-Level Waste & Decommissioning Projects Branch (NWSS 940403) 2pp 82618 221-82618 249

9502090267 Expresses appreciation for cooperation & assistance provided during radiological surveys of residences & businesses in vicinity of Chemtron facility. DAVIS, A.B. Region 3 (Post 820201) 93/08/26 EDWARDS, K. Newburgh Heights, OH 1p 82618 250-82618 250

9502090257 FOIA request for documents re unplanned exposure during TSP mod project at plant on 900705. SCHULTZ, C. Affiliation Not Assigned. SCHULTZ, C. Carolina Power & Light Co. 94/04/12 Region 2 (Post 820201) 2pp 82700 051-82700 062

9502090268 Third partial response to FOIA request for documents Records in App F already available in PDR App G records being made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/14 MCCOY, J.P. Public Citizen's Council Mass Energy Project 5pp 82688 012-82688 043

9502090274 Provides written documentation of licensee request re enforcement discretion Forwards required info to support request. BAFTON, J.J. General Public Utilities Corp. - GPU Service Corp. 94/01/21 MARTIN, T. Region 1 (Post 820201) 4pp 82688 019-82688 025

9502090289 Forwards Regional Instruction 13101 re exercise of enforcement discretion General approach for exercising enforcement discretion remains the same, however several changes have been made in terminology & process. MARTIN, T. Region 1 (Post 820201) 94/02/15 Region 1 (Post 820201) 11pp 82688 026-82688 036

202 NONDOCKETED ITEMS

- 9502090284 Forwards request, background info & justification re request for enforcement description. Provides all necessary info requested during 840214 telcon. MEGREY, J.C. Rochester Gas & Electric Corp 94/02/15 MARTIN, T.T. Region 1 (Post 820201) Bpp 82688 037-82688 043
- 9502090289 First partial response to FOIA request for documents. Records listed in app A available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/26 SCHULTZ, C. Affiliation Not Assigned SCHULTZ, C. Cardinal Power & Light Co 2pp 82700 053-82700 054
- 9502100075 Second partial response to FOIA request for records. App B records encl & available in PDR. App C records partially withheld (rel FOIA exemption 5 & 7). REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/08/14 STEIN, S.J. Advanced Medical Systems, Inc App 82711 201-82711 325
- 9502100085 Forwards special safety map repts 9599003/93-10 & 95-10055/93-02 on 830418 Violation involving failure to complete physical inventory per license requirements, identified & being considered for enforcement action. NORRIS, J.E. Region 3 (Post 820201) 93/08/02 STEIN, S. Advanced Medical Systems, Inc App 82711 249-82711 251
- 9502100090 Insp repts 9599003/93-10 on 930624-28 Violations noted. Major areas inspected: measurement of radiation, collection of smear, soil, sediment & water samples. SRENIANSKI, D., GLINSKI, R.L., GROBE, J.A. Region 3 (Post 820201) 93/07/29 2pp 82711 279-82711 306
- 9502100093 Insp repts 95-10055/93-02 on 930419 & 0524-28 Violations noted. Major areas inspected: physical inventory & pre-inventory hot cell decontamination process & effluent repts & control program. SRENIANSKI, D., GLINSKI, R.L., GROBE, J.A. Region 3 (Post 820201) 93/07/29 2pp 82711 252-82711 278
- 9502100098 Informs that Northeast Ohio regional Sewer District has discovered radioactive Co-60 contamination at Eastern Wastewater Treatment plant. Notices of plans to conduct more comprehensive survey of identified area & other locations. ODEALE, J. Northeast Ohio Regional Sewer District 94/09/04 SHEAR, G.L. Region 3 (Post 820201) 7pp 82711 301-82711 307
- 9502100098 "Radiological Survey Rept." DEAN, J.W. B. Koh & Associates, Inc. DEAN, J.W. Affiliation Not Assigned 94/01/19 12pp 82711 308-82711 320
- 9502100098 Partially deleted package consisting of chronology of events re Northeast Ohio Regional Sewer District Eastern plant. Northeast Ohio Regional Sewer District 94/06/14 3pp 82711 321-82711 325
- 9502100128 FOIA request for info re IH Blatt & EH Blatt (including listed aliases). CRAIGLOW, A.B.C. Inc /ABC News 84/03/14 Office of Administration (890206-940714) 3pp 82688 116-82688 118
- 9502100127 Final response to FOIA request for info. Forwards App A records. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/27 CRAIGLOW, A.B.C. Inc /ABC News 2pp 82688 119-82688 157
- 9502100131 Forwards change of address. BLATZ, H., BLATZ, E. Affiliation Not Assigned 87/04/28 Atomic Energy Commission (Pre 750119) 1p 82688 121-82688 167
- 9502100133 Fourth partial response to FOIA request for documents. Forwards App H documents which will be available in PDR. Division of Freedom of Information & Publications Services (890206-940714) 94/06/28 RECCO, J.P. Public Citizen's Critical Mass Energy Project 2pp 82688 158-82688 172
- 9502100138 Draft memo forwarding draft NRC Insp Manual Part 9900 & draft supporting info re technical guidance on exercise of enforcement discretion. GIDDY, A.T. Program Management, Policy Development & Analysis Staff (Post 870411) 94/06/28 KANE, W.F. Region 1 (Post 820201) MILMOUN, J.H. Region 2 (Post 820201) PAPERELLO, C.J. Region 3 (Post 820201) 11pp 82688 160-82688 172
- 9502100157 Second partial response to FOIA request for documents. App C documents available in PDR. App D & E withheld in entirety (rel FOIA exemption 5). Division of Freedom of Information & Publications Services (890206-940714) 94/06/22 FLEMING, J.A. Affiliation Not Assigned 3pp 82688 173-82688 178
- 9502100214 FOIA request for documents re medical testing of prisoners at Holmesburg prison in Philadelphia, PA from 1959-1973 w/and. HORNBLUM, A.M. Affiliation Not Assigned 94/03/29 Office of Administration (890206-940714) App 82738 001-82738 004
- 9502100224 Final response to FOIA request for documents. Forwards records in app A. Records in app B withheld in part (rel FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/22 HORNBLUM, A.M. Affiliation Not Assigned 8pp 82738 005-82738 105
- 9502100275 Forwards amend 2 to license 37-09714-01 per telcon. Informs that for addl consideration re investigation of use of Hydrogen analysis addl info should be submitted on potential mutagenic effects on cells w/long life span. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 68/05/06 KLIGMAN, A.M. Affiliation Not Assigned 1p 82738 011-82738 011
- 9502100286 Amend 2 to license 37-09714-01 for Holmesburg County Prison, Dept of Medicine. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 68/05/06 1p 82738 012-82738 012
- 9502100300 Confirms that planned date of exp of license 37-09714-01 to be 680522 in accordance per telcon on 680607. NORTH, H.S. Atomic Energy Commission (Pre 750119) 68/05/07 KLIGMAN, A.M. Hosp of Univ of Pennsylvania, Philadelphia, PA 1p 82738 013-82738 013
- 9502100306 Amend 3 to license 37-09714-01 for Holmesburg County Prison, Dept of Medicine. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 68/05/20 1p 82738 014-82738 014
- 9502100316 Provides evaluation of license 37-09714-01 which authorizes use of certain biologically active compounds to study skin & skin function. Informs testing takes place at Holmesburg County Prison in PA & considers testing non-hazardous. NORTH, H.S. Atomic Energy Commission (Pre 750119) 68/05/06 Atomic Energy Commission (Pre 750119) 1p 82738 015-82738 015
- 9502100334 Safety exp on 680522 of license 37-09714-01 Insp findings: no item of non-compliance found w/and. NORTH, H.S. Atomic Energy Commission (Pre 750119) Affiliation Not Assigned 68/05/22 7pp 82738 016-82738 024
- 9502100348 Confirms that license 37-09714-01 has expired & no renewal application has been filed. Transmits form AEC-314a to be completed if no mail in possession & license to be abandoned. Informs repts needed if mail still present w/o encl. KLIGMAN, A.M. Atomic Energy Commission, Directorate of Licensing (720101-750118) 73/05/31 Affiliation Not Assigned 2pp 82738 025-82738 026
- 9502100352 Transmits form AEC-313, application for mail byproduct license w/o encl. KLIGMAN, A.M. Hosp of Univ of Pennsylvania, Philadelphia, PA 63/08/22 Atomic Energy Commission (Pre 750119) 1p 82738 027-82738 028
- 9502100358 Application for license authorizing use of C-14, S-35 & other byproduct mail for physiological & pharmacological studies on absorption of matts through skin by different methods. KLIGMAN, A.M. Affiliation Not Assigned 63/08/23 13pp 82738 029-82738 040
- 9502100359 Advises that application for mail byproduct license, dtd 630826, will be considered abandoned if RAI originally issued 631010 not received within 30 days of its date. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119) 63/12/04 KLIGMAN, A.M. Affiliation Not Assigned 2pp 82738 041-82738 041
- 9502100380 Ack receipt of application for byproduct mail license from B. Calesnick proposing use of radioactive matts on prisoners. Requests statement from prison official agreeing to have radioactive matt at site & use of matt on prisoners. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 63/10/13 KLIGMAN, A.M. Affiliation Not Assigned 1p 82738 042-82738 042
- 9502100388 Certificate of disposition of matts no byproduct matts have been procured &/or possessed by licensee under license number 37-09714-01. Unrelated correspondence encl. Affiliation Not Assigned 73/07/16 Bpp 82738 043-82738 050
- 9502100390 Responds to 631204 re re 630826 application for license & 631010 request for info. Forwards HE Tucker 631025 to JE Bowyer containing requested info. KLIGMAN, A.M. Hosp of Univ of Pennsylvania, Philadelphia, PA 63/12/11 CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119) 1p 82738 051-82738 051
- 9502100395 Responds to request for statement from official of Philadelphia prison sys authorizing medical tests being performed w/ radioactive matts at Holmesburg county prison. Informs Philadelphia prison sys agrees to tests. TUCKER, H.E. Affiliation Not Assigned 63/10/25 BOWYER, J.E. Atomic Energy Commission (Pre 750119) 1p 82738 052-82738 052
- 9502100407 License 37-09714-01 for Holmesburg County Prison Dept of Medicine, authorizing physiological & pharmacological studies on absorption of matts through skin by topical application, intradermal injection & iontophoresis. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 64/01/02 2pp 82738 053-82738 054
- 9502100408 Confirms telcon of 641019 that byproduct mail license 37-09714-01 issued to Holmesburg County Prison on 940102. Requests notification if no desire to be user of authorized license. Unrelated info encl. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 64/10/21 CALESNICK, B. Hahnemann Univ Hosp, Philadelphia, PA (formerly Hahnemann Medical Coll & Hosp) 2pp 82738 055-82738 056
- 9502100409 Ack fr, dtd 641021 transmitting license 37-09714-01. Requests name be removed as authorized user from license since Holmesburg Prison has not contacted since license issued. CALESNICK, B. Hahnemann Univ Hosp, Philadelphia, PA (formerly Hahnemann Medical Coll & Hosp) 64/10/23 BOWYER, J.E. Atomic Energy Commission (Pre 750119) 1p 82738 057-82738 057
- 9502100479 Discusses license 37-09714-01 & notes condition 12 gives B. Calesnick supervision of license. Informs B. Calesnick has requested name be withdrawn from license. Transmits amend 1 to license transferring supervision to AM Klighman w/o encl. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 64/12/02 KLIGMAN, A.M. Affiliation Not Assigned 1p 82738 058-82738 058
- 9502100482 Informs that changes in personnel & direction of studies under license 37-09714-01 have been of such magnitude that completely revised application for license will be submitted. KLIGMAN, A.M. Hosp of Univ of Pennsylvania, Philadelphia, PA 65/07/27 Atomic Energy Commission (Pre 750119) 1p 82738 059-82738 059
- 9502100503 Discusses amend request to license 37-09714-01 & notes use of byproduct matts to study absorption through skin must be supported by research protocol as explained on pp 45 & 46 of AEC guide for licensing programs. Unrelated info encl. BOWYER, J.E. Atomic Energy Commission (Pre 750119) 65/09/03 KLIGMAN, A.M. Affiliation Not Assigned 2pp 82738 060-82738 061
- 9502100508 Discusses application for byproduct mail license, dtd 680727 & RAI, dtd 680903. Informs unless RAI received within 30 days from date of present application for mail byproduct will be considered abandoned. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119) 65/10/25 KLIGMAN, A.M. Affiliation Not Assigned 1p 82738 062-82738 062
- 9502100519 Forwards info requested for application to amend mail byproduct license 37-09714-01. Regrets loss of time in completing application process. KLIGMAN, A.M. Hosp of Univ of Pennsylvania, Philadelphia, PA 65/11/01 CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119) 1p 82738 063-82738 063

-9502130125 Application for amend to license 37-08714-01 authorizing AM Klugman to be principal user in performing medical tests & research at Holmesburg county prison w/radioactive mat.
KUGMAN,AM Affiliation Not Assigned 65/07/27 6pp 82738 064-82738 069

-9502130133 Application for amend to license 37-08714-01 authorizing AM Klugman to be principal user to perform medical tests for research using radioactive mat.
KUGMAN,AM Affiliation Not Assigned 65/11/02 6pp 82738 070-82738 075

-9502130139 Discusses application to use C-14,S-35 & H-3 to study their human absorption qualities Submits RAJ re required creation of research protocol for each radio-pharm byproduct mail used & completion of associated info.
BOWYER,JE Atomic Energy Commission (Pre 750119) 66/01/11 KUGMAN,AM Affiliation Not Assigned 1p 82738 076-82738 076

-9502130145 Discusses application for byproduct mail license,dtd 651102 & NRC RAJ,dtd 660111 informs that unless RAJ received within 30 days from date of its application will have been considered abandoned.
CUNNINGHAM,RE Atomic Energy Commission (Pre 750119) 66/02/28 KUGMAN,AM Affiliation Not Assigned 1p 82738 077-82738 077

-9502130150 Informs renewal application for expired license 37-09714-01 will be forwarded to NRC once dosimetric calculations completed. Notes calculations should be completed within 10 days.
KUGMAN,AM Hosp of Univ of Pennsylvania Philadelphia, PA 66/03/01 CUNNINGHAM,AM Atomic Energy Commission (Pre 750119) 1p 82738 078-82738 078

-9502130153 Forwards info to complete application for renewal of license number 37-08714-01.
KUGMAN,AM Hosp of Univ of Pennsylvania Philadelphia, PA 66/03/11 BOWYER,JE Atomic Energy Commission (Pre 750119) 8pp 82738 079-82738 088

-9502130158 Transmits application for byproduct mail license 37-09714-01 to be used at Holmesburg Prison in Philadelphia,PA.
KUGMAN,AM Hosp of Univ of Pennsylvania Philadelphia, PA 66/05/08 BOWYER,JE Atomic Energy Commission (Pre 750119) 1p 82738 087-82738 087

-9502130174 Application for amend to license 37-09714-01,authorizing use of radio-pharm mats to study their absorption through skin by topical application or intradermal injection.
KUGMAN,AM Affiliation Not Assigned 68/04/26 7pp 82738 088-82738 094

-9502130176 Partially deleted fr advising that author affiliation w/ isotope program at Holmesburg prison ended in Sep 1963. Requests name be deleted from license if necessary. Unrelated documentation and
* Affiliation Not Assigned 64/10/29 Atomic Energy Commission (Pre 750119) 12pp 82738 085-82738 106

9502130245 FOIA request for documents re NRC SECY 83-65, "Proposed Enforcement Action re Harassment,Intimidation & Discrimination Against P. Blach & Unlawful Processing of Substantial Safety Hazard Evaluation (EA-82-212)".
WILLIAMS,OG JRA Associates CGW-94-045 64/04/14 GRIMSLEY,DH Division of Freedom of Information & Publications Services (890206-940714) 1p 82711 326-82711 326

9502130283 First partial response to FOIA request for documents. Forwards app A records available in PDR App B records being withheld in entirety (ref FOIA Exemption 5).
* Division of Freedom of Information & Publications Services (890206-940714) 94/06/28 WILLIAMS,OG JRA Associates App 82711 327-82711 343

9502130282 FOIA request for documents re assistance w/cleanup costs at sub's property.
ELLMANN,W.M Affiliation Not Assigned 94/05/19 WIEDERMAN, Region 3 (Post 820201) 1p 82738 150-82738 150

9502130287 FOIA request for info re application for SML for Energy Fuels Nuclear,Inc.
DARKE,J Affiliation Not Assigned 94/05/04 Division of Freedom of Information & Publications Services (890206-940714) 2pp 82738 170-82738 171

9502130289 Final response to FOIA request for documents. Records in App A being made available in PDR.
* Division of Freedom of Information & Publications Services (890206-940714) 94/06/24 ELLMANN,W.M Affiliation Not Assigned 2pp 82738 151-82738 169

-9502130311 Ack receipt of 940509 fr re property located in Detroit, MI. Informs of not being responsible for any costs w/respect to cleanup & related cost & injuries of such property.
SKETLY,T.O 94/05/19 ELLMANN,W.M 2pp 82738 153-82738 166

9502130382 Final response to FOIA request for info. Forwards App A documents already available to PDR w/o end.
POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 94/06/24 DARKE,J Affiliation Not Assigned 2pp 82738 172-82738 173

9502130388 FOIA request for documents re insp repts from cobalt 60 machine.
OSTRANDER,S Affiliation Not Assigned 94/06/14 NRC - No Detailed Affiliation Given 1p 82729 174-82729 174

9502130442 Final third response to FOIA request for info. Forwards App D info being made available in PDR.
PUGH Division of Freedom of Information & Publications Services (890206-940714) 94/06/27 STEINUS,J Advanced Medical Systems, Inc. 2pp 82718 015-82718 024

-9502130557 Requests assistance in interviewing Advanced Medical Sys,Inc personnel & reviewing past discharge records in attempt to identify source of Co-60 contamination.
MARTIN,J.B Region 3 (Post 820201) 83/06/17 PAWLICK,OG Ofc of Investigations (Post 880201) 2pp 82718 018-82718 019

-9502130665 "Ficker Corp & Advanced Medical Sys,Inc ON/Nuclear Waste Safety Branch Joint Insp Plan.
NOREUS,C, PAWLICK, Region 3 (Post 820201) 83/07/22 5pp 82718 020-82718 024

9502130661 Final response to FOIA request for documents. No agency records subject to request have been located.
POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 94/06/24 OSTRANDER,S Affiliation Not Assigned 1p 82729 175-82729 175

9502130666 Appeals denial of FOIA request for documents re small number of NRC Form 741s.
HOUCK,K France 94/06/04 Ofc of the Executive Director for Operations 2pp 82717 140-82717 141

9502130675 FOIA request for documents re enforcement action by Commission against suppliers to holders of applicants for Commission license.
FIDELLER Affiliation Not Assigned 94/05/11 POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 2pp 82729 176-82729 177

9502130677 Responds to appeal of denial of documents re NRC Form 741s. No records subj to request located.
THOMPSON,H, Dep Exec Dir for Nuc Waste Safety,Safeguards & Operations Support (Post 890205) 94/06/20 HOUCK,K France 2pp 82717 142-82717 144

9502130680 First partial response to FOIA request for documents. Records in App A available in PDR.
POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 94/06/21 FIDELLER Affiliation Not Assigned 2pp 82729 178-82729 180

9502130680 FOIA request for info re minutes of 940111-13 NRC SNM.
ARMSTRONG,L.J Affiliation Not Assigned 94/02/24 GRIMSLEY,D Division of Freedom of Information & Publications Services (890206-940714) 1p 82738 187-82738 187

9502130611 Final response to FOIA request for info. Forwards App A info, partially available to PDR App A info partially withheld (See FOIA Exemption 5-6).
POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 94/06/15 ARMSTRONG,L.J Affiliation Not Assigned 2pp 82738 188-82738 215

-9502130621 Partially deleted summary of 940111-13 Region IV SNM re status of problem plants identified at June 1993 Region II SNM & performance of other plants.
* NRC - No Detailed Affiliation Given 94/01/11 NRC - No Detailed Affiliation Given 24pp 82738 191-82738 215

9502130647 Twenty-second partial response to FOIA request for documents. Forwards App II records being made available in PDR & App JJ records being partially withheld (ref FOIA Exemptions 3 & 5).
POWELL,R Division of Freedom of Information & Publications Services (890206-940714) 94/06/29 GRINSKY,V Affiliation Not Assigned 4pp 82717 157-82718 014

-8110300232 SECY-A-80-173 Partially deleted SECY re plant physical security proceeding, motions to move hearing site.
BICKWILL, Office of the General Counsel (Post 860701) 80/11/05 31pp 82717 221-82717 250

-8203200088 SECY-82-103 Recommends that Commission issue draft order requesting that Self-Powered Lighting Limited & NRC provide all info relevant to renewal of Part 30 byproducts mail license. Partially deleted.
FITZGERALD,J.A Office of the General Counsel (Post 860701) 82/03/10 24pp 82717 221-82717 254

-8307200111 SECY-83-281 Requests Commission approval of proposed fr to Natl Security Council re planned implementation of NSDD-84 due to implications to NRC regulations.
DROCK,W.J Ofc of the Executive Director for Operations 83/07/18 18pp 82717 184-82717 182

-9502130611 SECY-83-073 Recommends reappointment of MW Carbon to ACRS for add 4-yr term beginning 830401.
FRALY,R.F ACRS - Advisory Committee on Reactor Safeguards 83/02/18 2pp 82717 152-82717 163

-9502130619 SECY-A-80-047 Partially withheld SECY informing Commission of Appeal Board decision.
FITZGERALD,J.A Office of the General Counsel (Post 860701) 80/04/01 8pp 82717 153-82717 191

-8802130203 SECY-A-80-086 Partially deleted SECY providing Commissioners w/summaries of comments received in response to informal proceeding initiated by issuance of Commission May 30 order.
BICKWILL, Office of the General Counsel (Post 860701) 80/07/11 29pp 82717 182-82717 220

-9502130283 SECY-82-018 Partially deleted SECY informing Commission of Appeal Board decision for which petitions for review have not been filed.
FITZGERALD,J.A Office of the General Counsel (Post 860701) ALAB-857 82/01/18 20pp 82717 221-82717 270

-9502130283 SECY-82-412 Partially deleted SECY informing Commission of Appeal Board decision.
FRUBATON,S.L Office of the General Counsel (Post 860701) ALAB-662 82/10/12 38pp 82717 295-82717 332

-8802130287 SECY-83-003 Partially deleted SECY informing Commission of Appeal Board decision.
FRUBATON,S.L Office of the General Counsel (Post 860701) ALAB-704 83/01/04 12pp 82717 333-82717 344

-9502130275 SECY-83-113 Partially deleted SECY informing Commission of Licensing Board order.
PLAINHE, Office of the General Counsel (Post 860701) 83/03/24 11pp 82717 345-82717 355

-9502130282 SECY-83-281 Partially deleted SECY re review of ALAB-731 (in matter of Public Serv Co of New Hampshire).
MALSCHMIG, Office of the General Counsel (Post 860701) ALAB-731 83/07/12 18pp 82717 356-82718 013

204 NONDOCKETED ITEMS

- 9502130286 SECY-83-322 Partially deleted SECY re review of closed Commission meeting transcript
RITZGERALD, J.A. Office of the General Counsel (Post 850701) 83/05/05 1p 82718 014-82718 014
- 9502130154 Second partial response to FOIA request for records App C records available in PDR App D records and available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 MARBLE, J.D. Huckaby, Fleming, Fratey, Chaffin & Orrin 6pp 82717 001-82717 139
- 9502130251 Forwards FR notice of environ assessment finding of no significant impact & notice of opportunity for hearing on 911017 920925, 1218, 930114 & 0223 applications for license to possess U & thorium at Cushing Site
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901200) 93/03/23 MEYER, D.L. Division of Freedom of Information & Publications Services (890206-940714) 1p 82717 084-82717 083
- 9502130253 FR notice of environ assessment finding of no significant impact & notice of opportunity for hearing on 911017 920925, 1218, 930114 & 0223 applications for license to possess U & thorium at Cushing Site
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901200) 93/03/23 70pp 82717 085-82717 093
- 9502130163 Responds to 930219 re requesting meeting to discuss decommissioning activities involving Farwell site & Kern-McGee sales in Cimarron & Cushing Agrees w/ licensee that close cooperation needed for timely remediation
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 94/06/20 EATON, P.P. Oklahoma, State of 3pp 82717 086-82717 082
- 9502130170 Forwards revised application for license informs that original license application submitted on 911017 W/O and
LUX, J. Kern-McGee Corp 82/08/25 HOLLEY, W. Region 4 (Post 820201) 1p 82717 089-82717 088
- 9502130177 Requests that K Morgan be designated as interim radiation safety officer Related info and
STAUTER, J.C. Kern-McGee Corp 93/03/13 FISHER, W.L. Region 4 (Post 820201) 5pp 82717 094-82717 118
- 9502130183 Forwards latest Cushing monthly progress rpt for Nov 1993, in response to 931215 telcon Related info and
OSTMEYER, J.G. Kern-McGee Corp 93/12/13 EVANS, R. Region 4 (Post 820201) 21pp 82717 119-82717 139
- 9502130185 Second partial response to FOIA request for documents Records in App B being made available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/21 O'MEALIA, J.M. Affiliation Not Assigned 2pp 82738 143-82738 149
- 9502130322 Listing of LER per unit year
* NRC - No Detailed Affiliation Given 94/06/09 4pp 82738 146-82738 149
- 9502130158 FOIA request for info re reciprocity requests received by Region III for Trappan Nuclear Scanning Svc, Inc & Galsch
WINFIELD, C. Tru-Tec, Inc 94/06/13 Region 3 (Post 820201) 1p 82738 185-82738 185
- 9502130162 Final response to FOIA request for info No documents found
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/30 WINFIELD, C. Tru-Tec, Inc 1p 82738 186-82738 186
- 9502130178 Partial second response to FOIA request for info Forwards App B info App C documents entirely withheld (rel FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/01 SCHULTZ, C. Affiliation Not Assigned 4pp 82738 174-82738 184
- 9502130181 Informs that NRC concurs w/proposed regional enforcement recommendations and re plans
PARTLOW, J.C. Associate Director for Projects (Post 870411) EA-95-130 95/06/21 LIEBERMAN, J. Off of Enforcement (Post 870413) 4pp 82738 181-82738 184
- 9502130240 Third partial response to FOIA request for documents Forwards records in app F Records in App G & H completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/19 FLEMING, J.G. Affiliation Not Assigned 5pp 82717 148-82717 156
- 9502130248 Discusses Of rept 1-91-011 re plant & uel failure to provide complete info re emergency planning issues to NRC Requests OGC analyze rept to determine if enough evidence exists to take EA & renews of telcon scheduled for 930503
LIEBERMAN, J. Off of Enforcement (Post 870413) EA-93-077 93/04/13 MARTIN, T.Y. Region 1 (Post 820201) MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) GOLDBERG, J.R. Deputy Assistant General Counsel for Enforcement 2pp 82717 154-82717 155
- 9502130254 Forwards SRM on SECY-94-056 SRM will be issued to staff on 940419 SRM & SECY paper will not be released to public due to enforcement related info
MOYLE, J.C. Office of the Secretary of the Commission 94/04/15 THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119) 1p 82717 159-82717 156
- 9502130244 Partial third response to FOIA request for documents Forwards App D info available in PDR App E documents partially withheld & Apps F-G info withheld entirely (see FOIA Exemption 4-5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/13 SCHWARTZBAUM, D. Natural Resources Defense Council 6pp 82738 107-82738 142
- 9502130262 Informs of 920622-30 meeting proposed between NRC, CSFR & Hungary to discuss primary circuit & pressure vessel integrity & reconstruction of VVER 440/230 reactors issues
DENTON, H.R. Office of International Programs (Post 911117) 92/05/05 TAYLOR, J.M. Off of the Executive Director for Operations 2pp 82738 115-82738 116
- 9502130265 Forwards final testimony to be presented by Chairman at 820616 hearing before Senate Committee on Energy & Natural Resources
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) 92/08/15 THE CHAIRMAN, ROGERS, K.C., CURTISS, J.R. Commissioners (Post 750119) 13pp 82738 117-82738 127
- 9502130278 Discusses 940223 US House of Representatives Committee on Banking, Finance, Trade & Monetary Policy hearing re US Export-Import Bank & export of environ beneficial goods & svcs
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) 94/02/24 THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119) 13pp 82738 125-82738 141
- 9502130287 Partially deleted memo informing of 920406 meeting w/ J. Stiller, Czech reactor, State Off of Nuclear Safety & M. Hefner, director of Administration re safety of Temelin NPP
SMITH, D.L. NRC - No Detailed Affiliation Given 93/04/02 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 1p 82738 142-82738 142
- 9502130274 FOIA request for documents re U mine located in Ojeda Natl forest in Ojeda County, NM drilled in 1957 by Rags Metals Corp of America
WARD, J.B. El Paso Natural Gas 94/06/22 POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82717 145-82717 146
- 9502130286 Final response to FOIA request for documents No records subj to request located
* Division of Freedom of Information & Publications Services (890206-940714) 94/07/13 WARD, J.B. El Paso Natural Gas 1p 82717 147-82717 147
- 9502140144 Third partial response to FOIA request for documents Records in app C and C will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/06 O'MEALIA, J.M. Affiliation Not Assigned 2pp 82729 181-82729 223
- 9502140173 List of CAL numbers
* NRC - No Detailed Affiliation Given CAL-RI-94-01 94/06/22 40pp 82729 184-82729 223
- 9502140184 Partial response to FOIA request for documents Records in App C & D will be available in PDR App E records withheld in entirety (rel Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 RICCIO, J.P. Public Citizen's Critical Mass Energy Project 11pp 82738 216-82738 058
- 9304160196 Requests FR publication of notice of consideration of issuance of amend to license NPP-21 & proposed NSHC determination & opportunity for hearing on 930401 request to revise footnote to TS 3.7.3
CLIFFORD, J.W. Project Directorate V TAC M85106 93/04/09 NRC - No Detailed Affiliation Given 5pp 82739 049-82739 198
- 9307060104 Requests FR publication of notice of issuance of amendments 71, 67 & 44 to license NPP-51 & NPP-74 & final determination of NSHC & opportunity for hearing emergency circumstances Amend adds footnote to TS SR 4.7.9
TRANMELL, C.M. Project Directorate V TAC M85439 93/06/21 NRC - No Detailed Affiliation Given 3pp 82739 199-82739 216
- 931030241 Responds to 930511 memo re requested NRR interpretation of footnote in WNP-2 TS that dealt w/secondary containment established
ADENSALE, G. Assistant Director for Region IV/V Reactors (Post 901218) TAC M85752 93/10/06 PERKINS, K.E. Region 5 (820201 - 940403) 3pp 82739 252-82739 347
- 9312230220 Requests FR publication of notice of issuance of amend 43 to license NPP-72 & final determination of NSHC & opportunity for hearing on 931112 request re changing existing TS by adding footnote 4.4.5.0 to address SG requirements
ASSA, R.R. Project Directorate IV-2 TAC M86199 93/12/16 NRC - No Detailed Affiliation Given 2pp 82739 348-82739 348
- 9401310325 Requests FR publication of notice of consideration of issuance of amend to license NPP-47 & proposed NSHC determination & opportunity for hearing on 931208 request re granting one-time extensions for certain TS surveillances
SCHAEFER, G. Project Directorate IV-2 TAC M86345 94/01/25 NRC - No Detailed Affiliation Given 2pp 82740 001-82740 002
- 9403030248 Discusses requests for enforcement discretion & other events due to severe gnd/weather conditions
CALVO, J. Region 1 (Post 820201) 94/01/26 VARGA, S.A. Division of Reactor Projects - I/II (Post 870411) 5pp 82740 003-82740 006
- 9403030260 Requests FR publication of notice of issuance of amend 72 to license NPP-47 Amend revises Unit 1 TS to permit extending certain surveillance intervals so testing can be performed during refueling outage scheduled to start 940415
SCHAEFER, G. Project Directorate IV-2 TAC M86345 94/02/18 NRC - No Detailed Affiliation Given 3pp 82740 007-82740 003
- 9404040168 Forwards SE accepting amend to plant TSs Amend would temporarily suspend surveillance test requirement to perform instrument channel response time testing for certain protective containment isolation functions
BARRETT, R.J. Containment Systems & Severe Accident Branch TAC M87893 94/10/06 QUAY, T. Project Directorate IV-1 3pp 82739 249-82739 251
- 9502140191 Notation vote approving SECY-94-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions"
ROGERS, K.C. Commissioners (Post 750119) 92/02/24 CHILKS, J. Office of the Secretary of the Commission 2pp 82738 235-82738 251
- 9502140194 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions," w/comments
CURTISS, J.R., REIMCK, J.J. Commissioners (Post 750119) 92/02/27 CHILKS, J. Office of the Secretary of the Commission 1p 82738 232-82738 252
- 9502140198 Submits status of SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/License Conditions"
CHILKS, J. Office of the Secretary of the Commission 92/02/28 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 1p 82738 253-82738 259

- 9502140802 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/ License Conditions," w/ comments
DE PLANQUE, G. Commissioners (Post 750119) 92/03/02 CHILKS, J. Office of the Secretary of the Commission 1p 82738 290-82738 250
- 9502140284 Notation vote approving SECY-92-043, "Exercise of Discretion Not to Enforce Compliance w/ License Conditions," w/ comments
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 92/03/06 CHILKS, J. Office of the Secretary of the Commission 1p 82738 261-82738 257
- 9502140288 Ack 920421 ltr which requested Temporary Waiver of Compliance from TS 3.0.3, "LCO"
EBENETTER, S. D. Region 2 (Post 820201) 92/04/22 WATSON, R. A. Carolina Power & Light Co 4pp 82738 268-82738 326
- 9502140283 Notation vote approving SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions," w/ comments
REMICK, J. J. Commissioners (Post 750119) 92/06/03 CHILKS, J. Office of the Secretary of the Commission 4pp 82738 327-82738 018
- 9502140286 Notation vote approving SECY-92-345, "Add Mods to Change to General Statement of Policy & Procedure for NRC Enforcement Actions," w/ comments
REMICK, J. J. Commissioners (Post 750119) 92/10/19 CHILKS, J. Office of the Secretary of the Commission 1p 82738 019-82738 044
- 9502140229 Discusses 930217 letter to Enforcement Policy in FR, which addressed more fully circumstances under which Agency can exercise discretion not to take EA in situations where violation of TS or license involved
HALL, R. NRC - No Detailed Affiliation Given 93/03/25 NRC - No Detailed Affiliation Given 1p 82739 046-82739 048
- 9502140293 Forwards advance copy of NRC Insp Manual Part 9900, "Enforcement Discretion," forwarded for assistance
PARTLOW, J. G. Associate Director for Projects (Post 870411) 93/07/30 Division of Reactor Projects - I/II (Post 870411) 9pp 82739 217-82739 248
- 9502140242 Forwards notice of consideration of issuance of amend to proposed NSHC determination & opportunity for hearing re 931208 application for amendment requesting revs to TS re sys testing & instrumentation calibr
SCHAAF, R. G. Project Directorate IV-2 TAG 885364 94/01/21 MOGAHA, J. R. Entergy Operations, Inc 1p 82739 350-82739 350
- 9502140244 Notice of consideration of issuance of amend to license NPP-47 & proposed NSHC determination & opportunity for hearing Amend would grant one-time extension for certain TS surveillances
SCHAAF, R. G. Project Directorate IV-2 94/01/13 10pp 82739 351-82739 380
- 9502140279 "Sequential Listing of SECY Papers," unreleased SECY papers - 890101 to present
* NRC - No Detailed Affiliation Given 94/04/20 84pp 82740 034-82740 088
- 9502150106 Second partial response to FOIA request re documents Records in App 6 and 8 will be available in PDF App 6 records completely withheld (ref FOIA exemption 5)
POWELL, R. A. Division of Freedom of Information & Publications Services (890208-940714) 94/08/21 SCHWARZBACH, D. National Resources Defense Council 7pp 82781 001-82781 226
- 9502150154 Responds to request for assistance to Czech Republic for Temelin safety review & SER preparation
TAYLOR, J. M. Dir of the Executive Director for Operations 93/06/17 STORBER, C. R. Office of International Programs (Post 911117) 2pp 82781 236-82781 241
- 9502150155 Forwards preliminary listing of appropriate refs to guide contractors in developing training program re Temelin reactor reviews
MIRAGLIA, F. J. Office of Nuclear Reactor Regulation, Director (Post 870411) 93/07/14 STORBER, C. R. Office of International Programs (Post 911117) 2pp 82781 254-82781 256
- 9502150110 Notation vote approving SECY-91-256, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia."
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 91/08/20 CHILKS, J. Office of the Secretary of the Commission 3pp 82781 010-82781 012
- 9502150140 Notation vote approving w/ comment SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic."
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 92/05/06 CHILKS, J. Office of the Secretary of the Commission 2pp 82781 013-82781 024
- 9502150143 Informs that final arrangements have been made for meeting W/Ambassador Turk & Austrian Delegation on 940218
SCHUETZ, G. P. Affiliation Not Assigned 94/02/17 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 11pp 82781 025-82781 035
- 9502150179 "Aide Memoire of Govt of Austria re Temelin Nuclear Power Plant 840222."
JANKOWITZ, S. U.S. Embassy 94/02/22 3pp 82781 038-82781 039
- 9502150179 "Technical Memorandum re Temelin Nuclear Power Plant"
HEINDLER, M. U.S. Embassy 94/02/22 23pp 82781 039-82781 061
- 9502150188 Informs about present nuclear safety regulation sys & organization in Czech republic
STULER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia) 93/03/10 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 2pp 82781 062-82781 068
- 9502150194 Expresses appreciation for reception during visit to NRC
WAGNER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia) 92/01/15 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 1p 82781 069-82781 070
- 9502150205 Discusses 910926-1012 meetings to review & make recommendations on how Czechs could improve their Accident Mgt capabilities
BROCKMAN, J. NRC - No Detailed Affiliation Given 92/01/15 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 1p 82781 071-82781 071
- 9502150209 Forwards rept of visit to Czechoslovakia to discuss emergency preparedness & potential use of US remote monitoring sys
SCHWARTZ, S. A. NRC - No Detailed Affiliation Given 91/12/27 THE CHAIRMAN, SELIN, J. ROGERS, K. C. Commissioners (Post 750119) 35pp 82781 072-82781 108
- 9502150248 The rept of 930924-1016 visit to Eastern Europe & Former Soviet Union re search of nuclear safety
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 93/10/16 NRC - No Detailed Affiliation Given 26pp 82781 107-82781 132
- 9502150253 Expresses gratitude w/ latest NSC dish on Temelin
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 93/09/16 FUGRTH, L. President of U.S. & Executive Offices 5pp 82781 133-82781 138
- 9502150260 Notation vote approving SECY-91-258, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia."
ROGERS, K. C. Commissioners (Post 750119) 91/08/23 CHILKS, J. Office of the Secretary of the Commission 1p 82781 138-82781 138
- 9502150267 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)."
ROGERS, K. C. Commissioners (Post 750119) 92/05/07 CHILKS, J. Office of the Secretary of the Commission 1p 82781 140-82781 140
- 9502150271 Request response to ltr to K Wagner, responding to request for assistance re safety review of Westinghouse digital instrumentation & control & fuel reloads for Temelin
CHILKS, J. Office of the Secretary of the Commission 92/10/22 ROGERS, K. C. CURTISS, J. R. Commissioners (Post 750119) 1p 82781 141-82781 141
- 9502150278 Requests comment to response to M Handler special delegation of govt of Austria to USA re Temelin nuclear power plant
CHILKS, J. Office of the Secretary of the Commission 94/03/11 THE CHAIRMAN, SELIN, J. ROGERS, K. C. Commissioners (Post 750119) 1p 82781 142-82781 142
- 9502150282 Notation vote approving SECY-91-258, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia."
REMICK, J. J. Commissioners (Post 750119) 91/08/27 CHILKS, J. Office of the Secretary of the Commission 1p 82781 143-82781 143
- 9502150288 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)."
REMICK, J. J. Commissioners (Post 750119) 92/05/04 CHILKS, J. Office of the Secretary of the Commission 1p 82781 144-82781 148
- 9502150306 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)."
DE PLANQUE, G. Commissioners (Post 750119) 92/05/11 CHILKS, J. Office of the Secretary of the Commission 1p 82781 149-82781 151
- 9502150329 Notation vote approving SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)."
CURTISS, J. R. Commissioners (Post 750119) 92/08/07 CHILKS, J. Office of the Secretary of the Commission 1p 82781 152-82781 152
- 9502150382 Notation vote approving SECY-91-258, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia."
CURTISS, J. R. Commissioners (Post 750119) 91/08/23 CHILKS, J. Office of the Secretary of the Commission 1p 82781 153-82781 153
- 9502170063 Staff requirements memo re SECY-91-258, "DOE Part 810 Request to Provide Control Room Simulator for Temelin Nuclear Reactor in Czechoslovakia."
CHILKS, J. Office of the Secretary of the Commission 91/06/28 SHEA, J. R. International Programs (870413-911115) 1p 82781 154-82781 154
- 9502170064 Staff requirements memo re SECY-92-155, "DOE Part 810 Request to Provide Assistance to Temelin Nuclear Power Station in Czech & Slovak Federal Republic (CSFR)."
CHILKS, J. Office of the Secretary of the Commission 92/05/12 DENTON, H. R. Office of Governmental & Public Affairs (870413-911115) 1p 82781 155-82781 155
- 9502170070 Notation vote approving SECY-91-203, "Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCO-1043)."
CURTISS, J. R. Commissioners (Post 750119) 91/07/25 CHILKS, J. Office of the Secretary of the Commission 1p 82781 156-82781 158
- 9502170079 Informs that rev of "Temelin" ltr reflects discussion of space w/ Vice President re suggested changes
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 93/12/09 O'LEARY, H. R. Energy, Dept. of 1p 82781 159-82781 159
- 9502170083 Requests response to request for assistance concerning safety reviews of Westinghouse digital instrumentation & control & fuel reloads for Temelin by listed date
CHILKS, J. Office of the Secretary of the Commission 92/10/18 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 2pp 82781 160-82781 162
- 9502170085 Notation vote approving SECY-91-203, "Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCO-1043)."
REMICK, J. J. Commissioners (Post 750119) 91/07/22 CHILKS, J. Office of the Secretary of the Commission 1p 82781 163-82781 163
- 9502170102 "Temelin Licensing"
DOSELP, K. Westinghouse Electric Corp 93/03/31 25pp 82781 164-82781 188
- 9502170104 "Synopsis of Safety Assessment Rept."
* Westinghouse Electric Corp 93/03/31 46pp 82781 189-82781 237

206 NONDOCKETED ITEMS

- 8502170125 Discusses assistance that NRC can provide Czech & Slovak republics in performing safety analyses focused on providing answers to questions raised in safety & regulatory reviews
CULLINGFORD, M.C. Office of Nuclear Reactor Regulation, Director (Post 870411) 82/10/08 BLAHA, J.L. Assistant for Operations (Post 890205) 3pp 82781 242-82781 253
- 8502170133 Informs that NRR plans to meet w/INEL staff on 8/30/86 to review technical approach in providing training & guidance to Czech technical staff for Temelin reactor sys review
CULLINGFORD, M.C. Office of Nuclear Reactor Regulation, Director (Post 870411) 83/07/27 SCHECHTER, H.B. Office of International Programs (Post 811117) 2pp 82781 256-82781 257
- 8502170141 Discusses results of NRR technical meeting w/INEL on 8/30/86 re Temelin reactor sys review
CULLINGFORD, M.C. Office of Nuclear Reactor Regulation, Director (Post 870411) 83/10/04 SCHECHTER, H.B. Office of International Programs (Post 811117) 1p 82781 256-82781 256
- 8502170144 Forwards ltr of J. Rattenbeck expressing serious concerns of people & Govt of Statute upgrading of Temelin
TIERK, U.S. Embassies 94/03/23 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 7pp 82781 259-82781 291
- 8502170166 Expresses appreciation for opportunity afforded Delegation to meet w/ Selin on 9/30/85
HEINDLER, M. U.S. Embassies 94/03/08 THE CHAIRMAN, SELIN, Commissioners (Post 750119) 4pp 82781 292-82781 294
- 8502170170 Ack receipt of 80672 ltr requesting confirmation of issues related to technical workshop for Czech/INEL review of Temelin Safety Analysis
CULLINGFORD, M.C. Office of Nuclear Reactor Regulation, Director (Post 870411) 94/06/21 BICKEL, J.H. Idaho National Engineering Laboratory 2pp 82781 295-82781 296
- 8502180368 FOIA request for documents re location of all recordkeepers & memo documenting licensing export of radium from Society General Minerals, Belgian County US 525FLA, G.H. 83/05/04 DIGGINS, D. Energy, Dept of 2pp 82771 352-82771 353
- 8502180388 Final response to FOIA request for documents Reports subject to request have not been located
Division of Freedom of Information & Publications Services (890205-840714) 84/06/27 SZERLACH, H. 1p 82771 354-82771 354
- 8502170052 FOIA request for documents & listed items for contract currently being performed relating to SOL/R3-ADM-84-141/ Commercial Facilities Mgt Svcs
VALLS, S. 94/03/25 WIGGINS, E.J. Division of Contracts & Property Management (890205-840714) 1p 82780 337-82780 337
- 8502170067 Partial response to FOIA request for documents App A documents available in PDR & App B documents being made available in PDR
Division of Freedom of Information & Publications Services (890205-840714) 94/07/07 App 82780 339-82780 342
- 8502180099 Bid/Proposal Log for Solicitation RS-ADM-84-141/Commercial Facilities Mgt Svcs
MOLEARENT, T. Division of Contracts & Property Management (890205-840714) 93/09/30 1p 82780 342-82780 342
- 8502170138 Third partial response to FOIA request for records App E records not & available in PDR App F records partially withheld (ref FOIA exemption 5) & App G records withheld (ref FOIA exemption 5)
REED, C.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/11 FIDELLER Affiliation Not Assigned 6pp 82767 154-82767 165
- 8502170150 Requests that addresses substitute and proposed legislative package for 103rd Congress informs that package accompanying NRC 930201 correspondence re proposed legislative package for 103rd Congress inaccurate
RATHBUND, K. Office of Congressional Affairs (Post 811117) 93/03/03 GORE, A. Senate, President of the Senate FOLEY, T.S. House of Rep., Speaker of the House 2pp 82767 161-82767 162
- 8502170158 Partially deleted legislative proposals for 103rd Congress
LIEBERMAN, J. Office of Enforcement (Post 870413) 92/11/24 BLAHA, J. Assistant for Operations (Post 890205) 3pp 82767 163-82767 165
- 8502170138 FOIA request for info re solicitation ADM-84-141
CAMPBELL, C. Microfilm, Inc. 94/02/10 REED, C.A. Division of Freedom of Information & Publications Services (890205-840714) 1p 82793 001-82793 001
- 8502170146 FOIA request for documents re issuance of IN 94-021, "Regulatory Requirements When No Operations Being Performed," dtd 940318
WILLIAMS, O.G. JRA Associates, OGN-94-047 94/04/14 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890205-840714) 1p 82767 166-82767 166
- 8502170151 Final response to FOIA request for info Forwards App A info, released & withheld in part (ref FOIA Exemption 4)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/01 CAMPBELL, C. Microfilm, Inc. 3pp 82793 002-82793 048
- 8502170172 Partially deleted contract "Commercial Facilities Mgt Svcs" awarded to TECOM, Inc.
Affiliation Not Assigned WIGGINS, E.J. Division of Freedom of Information & Publications Services (890205-840714) NRC-10-94-141 94/03/07 400pp 82793 005-82793 109
- 8502170175 "GSA California Equipment Preventive Maint Guide"
General Services Administration 83/05/22 41pp 82794 104-82794 152
- 8502170284 "Emergency Protection Plan, One White Flint North, Rockville
MD, Emergency Evacuation, Civil Disorder, Civil Defense" W/821230 ltr
NORRY, P.G. Office of Administration (890205-840714) JACKSON, L. Montgomery County, MD 82/10/31 200pp 82794 153-82794 048
- 8502180342 Forwards copy of revised emergency protection plan for One White Flint North bldg reformatted to allow easier use as ref document
NORRY, P.G. Office of Administration (890205-840714) 92/12/30 NRC - No Detailed Affiliation Given 2pp 82794 153-82794 154
- 8502170153 Final response to FOIA request for documents Records in App A and C being placed in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/06 WILLIAMS, O.G. JRA Associates 2pp 82767 167-82767 195
- 8502170187 Forwards index ltr re allegation program reviews, allegation panel minutes & DFRS allegation ltr
VIANO, D.S. NRC - No Detailed Affiliation Given 92/09/30 NRC - No Detailed Affiliation Given 27pp 82767 168-82767 195
- 8502170185 Second partial response to FOIA request for documents Confirms telcon w/C Peoples agreeing to obtain from PDR redacted copy of 921124 rept of Northeast Unit
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/12 WILLIAMS, O.G. JRA Associates 1p 82780 352-82780 353
- 8502170193 Fourth partial response to FOIA request for documents Forwards documents listed in app I App J documents completely withheld (ref FOIA exemptions 5 & 7)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/12 LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge 4pp 82772 001-82772 030
- 8502170197 Discusses 830407 judgement by US Secretary of Labor awarding decision suit filed by R. Goldstein against Elbasco Constructors Notes questionable actions taken by Elbasco Constructors since decision to obstruct relief to Goldstein
CONDO, R.E. Government Accountability Project 92/10/28 LIEBERMAN, J. NRC - No Detailed Affiliation Given 2pp 82772 006-82772 009
- 8502170203 Responds to ltr dtd 921025 re US Secretary of Labor awarding decision suit in favor of R. Goldstein on 8/20/87 Informs that 5th circuit court recently ruled in favor of defendant, Elbasco Constructors No EA for Elbasco
LIEBERMAN, J. Office of Enforcement (Post 870413) 83/05/04 CONDO, R.E. Government Accountability Project 13pp 82772 010-82772 022
- 8502170207 Discusses OCL case number 88-arg-008 re complaint filed by RJ Goldstein against Elbasco Constructors Notes that 5th circuit court overturned previous ruling favorable to RJ Goldstein & NRC to take no EA in case
LIEBERMAN, J. Office of Enforcement (Post 870413) EA-92-103 93/05/04 COTTLE, W.T. Houston Lighting & Power Co 8pp 82772 023-82772 030
- 8502170273 Approbs denial of FOIA request for documents re activities & remediation of Washington Research Center at set in FOIA 93-493
BOGUTZ, M.L. Affiliation Not Assigned 84/05/13 Dir. of the Executive Director for Operations 1p 82780 343-82780 343
- 8502170274 Responds to appeal of denial of documents Upon review of appeal denial of info upheld per Exemption 6 of FOIA 93-498 Lists App C info released in part THOMPSON, H.L. Dep. Exec. Dir. for Nuclear Safety, Safeguards & Operations Support (Post 890205) 94/07/06 BOGUTZ, M.L. Affiliation Not Assigned 2pp 82780 344-82780 351
- 8502180335 FOIA request for documents re inquiries concerning privately operated MRS in New Mexico, from OIC of Nuclear Mgt Safety & Safeguards
HUGHES, J. Native Americans for a Clean Environment 94/05/16 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890205-840714) 3pp 82806 121-82806 129
- 8502180051 First partial response to FOIA request for documents Forwards app A records already available in PDR, app B records being made available in PDR & app C records being withheld in part (ref FOIA Exemption 8)
POWELL, R.A. Division of Freedom of Information & Publications Services (890205-840714) 94/07/11 HUGHES, J. Native Americans for a Clean Environment 6pp 82806 124-82806 303
- 8502180170 Discusses point of contact & mailing address re Mesquero Apache MRS issue
MCCONAGHY, W.J. Pacific Nuclear Fuel Services, Inc. 81/12/10 BERNER, R. NRC - No Detailed Affiliation Given 1p 82806 130-82806 130
- 8502220104 Forwards info on 820313 two-stage Phase 2 feasibility grant application filed w/DOE by Mesquero Apache Tribes, which will provide more detailed info to base decision whether Tribe will make application to serve as host of MRS facility
PESCO, F. Mesquero Apache Tribes 92/03/13 VIRGILIO, R.C. NRC - No Detailed Affiliation Given 17pp 82806 131-82806 298
- 8502220128 Partially deleted ltr expressing concern about proposed MRS nuclear facilities to be constructed on Indian Reservations. Requests any available info on subject matter re Mesquero Apache Indian Reservation in New Mexico
SILVERCLOUD, M. Affiliation Not Assigned 92/09/26 TRAPP, NRC - No Detailed Affiliation Given 3pp 82806 300-82806 300
- 8502220126 Partially deleted ltr forwarding info that provides background on development & licensing of MRS & issues of waste confinement, transportation of SF & dry cask storage
VIRGILIO, R.C. Office of State Programs (Post 811117) 92/10/22 SILVERCLOUD, M. Affiliation Not Assigned 3pp 82806 301-82806 303
- 8502180066 Approbs 940415 denial of FOIA request for SECY-92-043, "Exercise of Discretion not to Enforce Compliance w/License Conditions"
RICKIO, J.P. Public Citizen's Critical Mass Energy Project 84/05/11 HOYLE, J. Office of the Secretary of the Commission 1p 82796 278-82796 281
- 8502180081 Fourth partial response to FOIA request for documents Records in App H being made available in PDR App I records withheld in part (ref FOIA Exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 840714) 94/07/10 FIDELLER Affiliation Not Assigned 4pp 82806 304-82806 316
- 8502180086 Partially deleted documents re D. Barkovitz questions of 931013 concerning NRC legislative proposals
Division of Freedom of Information & Publications Services (890205-840714) 93/10/18 8pp 82806 310-82806 316

9502210088 FOIA request for documents re encl 940422 memo concerning TAR from RC Pearson to F Combs of NMSS
HUGHES, L. Native Americans for a Clean Environment 84/06/15 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82795 049-82795 051

9502210081 Responds to 940511 appeal of denial of request for SECY-92-043 Grants appeal in part & denies appeal in part Portions of SECY-92-043 encl & reviewing portions withheld (rel FOIA exemption 5)
MOYLE, J.C. Office of the Secretary of the Commission 84/07/01 RIOCIO, J.P. Public Citizen's Critical Mass Energy Project 3pp 82786 282-82786 289

-9502210246 SECY-92-043 Partially deleted SECY-92-043, informing Commission of legal reader associated w/still current practice of waiving in certain situations & compliance w/contract conditions, including LCO in TS
PARLER, W.C. Office of the General Counsel (Post 890701) 82/02/07 9pp 82788 285-82788 289

9502210095 Final response to FOIA request for documents Requested record enclosed in App D
OLU, W.E. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 HUGHES, L. Native Americans for a Clean Environment 3pp 82806 317-82806 321

-9502220124 Package consisting of answers to questions from Chairman did 940911
* Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 1p 82808 321-82808 321

9502210181 Final response to FOIA request for documents App A records withheld in entirety (rel FOIA exemption 5)
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 84/06/28 HUGHES, L. Native Americans for a Clean Environment 3pp 82795 052-82795 054

9502210116 Final response to FOIA request for documents Records in App A will be available in PDR App B records withheld in entirety (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/07/07 BLANCH, P. Affiliation Not Assigned 5pp 82806 322-82806 329

-9502210179 "Notice of Enforcement Decision"
* NRC - No Detailed Affiliation Given 84/06/22 13pp 82806 327-82806 339

9502210121 Partial response to FOIA request for documents Records in App encl & will be available in PDR App C records withheld in part (rel FOIA exemption 5) App D records completely withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) EA-71-001 94/07/06 FIDELLER, Affiliation Not Assigned 6pp 82824 140-82824 031

-9502210126 Responds to ir, did 920506 that responded to CE Rose ir, did 940430 re info on termination of employment of E. Mohr by Construction Product Research, Inc. informs response inadequate & NRC jurisdiction under 10CFR50.7 valid w/encls
LIEBERMAN, J. C. of Enforcement (Post 870413) 83/06/06 MCBRIDE, L. Lebon, Lamb, Ledy & MacRae 15pp 82824 148-82824 153

-9502210136 Partially deleted memo re request for legal analysis on Part 21 investigation
FITZGERALD, J.F. Office of the General Counsel (Post 890701) 83/09/13 HAYES, B.B. Office of Investigations (Pre 890201) 4pp 82824 154-82824 157

-9502210159 Partially deleted listing of "Enforcement Action Tracking Sys"
* NRC - No Detailed Affiliation Given EA-71-001 94/06/06 175pp 82824 160-82824 005

-9502210265 Partially deleted memo re Tube Liner Corp alleged sale of unlicensed nuclear products
FITZGERALD, J.A. Office of the General Counsel (Post 890701) 83/12/05 HAYES, B.B. Office of Investigations (Pre 890201) 23pp 82825 006-82825 028

-9502210224 Partially deleted memo re legislative proposals
CONNERS, S. Office of the General Counsel (Post 890701) 93/05/14 NRC - No Detailed Affiliation Given 3pp 82825 029-82825 031

9502210122 FOIA request for documents re SECY 92-043, operability determination conducted by NRC/NRC generic operability determination & operability determination for level instruments
BLANCH, P.M. Affiliation Not Assigned, GL-91-18 94/04/12 RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp 82806 340-82806 348

9502210139 Third partial response to FOIA request for documents: Forwards App E record available in PDR w/six oversize drawings.
* Division of Freedom of Information & Publications Services (890206-940714) 94/07/12 Huckleby, Fleming, Freely, Carlin & Darrall 3pp 82830 245-82830 249

9502210146 FOIA request for info re NRC Staff document "Strategies & Options for Encouraging States & Compacts to Develop New Low-Level Radioactive Disposal Facilities"
AURELIO, M.J. Cortlandt, NY COMSECY-83-021 94/05/19 Division of Freedom of Information & Publications Services (890206-940714) 1p 82781 257-82781 257

9502210148 Final response to FOIA request for info Forwards App A info being made available to PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 Cortlandt, NY 2pp 82781 258-82781 362

-8306140229 Forwards predecisional documents, "Strategies & Options for Encouraging States & Compacts to Develop New Low-Level Radioactive Disposal Facilities" & "Factors Impacting Development of New Disposal Facilities," par 920823 SRM
TAYLOR, J.M. C. of the Executive Director for Operations, 83/04/23 THE CHAIRMAN, SELINU, J. ROGERS Commissioners (Post 750119) 65pp 71998 285-71998 358

9502210173 FOIA request for documents re trailer accident that occurred on 940414 on 120 in Balch Springs, Dallas County, TX
PERKINS, T.S. Affiliation Not Assigned 94/06/13 NRC - No Detailed Affiliation Given 1p 82785 055-82785 055

9502210179 Final response to FOIA request for documents No agency records subj to request have been located
* Division of Freedom of Information & Publications Services (Post 940714) 94/07/15 Affiliation Not Assigned 1p 82785 056-82785 056

9502220145 FOIA request for documents re APR of listed case number
HEINEMAN, L.M. Federal Sources, Inc 94/07/06 POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82806 351-82806 352

9502220152 Final response to FOIA request for documents Records in App A being made available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/19 HEINEMAN, L.M. Federal Sources, Inc 2pp 82806 353-82806 355

-9502220178 Requests modification of OPA re reduction of authorized cost ceiling to allow for possible contract end
CRANFORD, G.F. Office of Information Resources Management (Post 890206) 94/06/09 General Services Administration 1p 82808 355-82808 355

9502220171 First partial response to FOIA request for info Forwards App I documents available in PDR & App J info being placed into PDR App K documentation totally withheld (rel FOIA exemption 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 RIOCIO, J. Public Citizen's Critical Mass Energy Project 5pp 82807 010-82807 058

-9502220179 Informs that S. Vega draft w/OGC comments reviewed re enforcement decision/waiver of compliance & requests meeting to plan how project can be resolved
LIEBERMAN, J. NRC - No Detailed Affiliation Given 89/07/27 PARTLOW, J. NRC - No Detailed Affiliation Given 1p 82807 025-82807 025

-9502220187 Submits approval for info collection re rules of practice for domestic & certain proceedings, 10CFR2 concerning nuclear reactors, licensing & enforcement decision
MACRAE, J.B. Office of Management & Budget 93/02/23 SHELTON, B.J. NRC - No Detailed Affiliation Given 2pp 82807 027-82807 028

-9502220190 Forwards FRN modifying enforcement policy to describe more fully circumstances for exercising enforcement discretion by NRC
LIEBERMAN, J. C. of Enforcement (Post 870413) 93/03/04 MEYER, D.L. Rules & Directives Review Branch (Post 920923) 14pp 82807 029-82807 056

9502220162 FOIA request for documents re NRC memo from R. Starostski to R. Bernero re 851212 re channel functional tests
WILLIAMS, O.G. JRA Associates 84/06/03 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 1p 82806 357-82806 357

9502220213 Final response to FOIA request for documents No agency records subj to request have been located
* Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 WILLIAMS, O.G. JRA Associates 1p 82808 358-82808 358

9502220224 FOIA request for info re NRC policies & regulations, 10CFR8. Subject A concerning actions from "Environ Qualification 10CFR89.49 TAP"
WILLIAMS, O.G. JRA Associates 94/05/16 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 1p 82833 185-82833 185

9502220248 Fourth final response to FOIA request for documents App D being made available to PDR
* Division of Freedom of Information & Publications Services (Post 940714) 94/07/19 O'NEAL, M. Affiliation Not Assigned 17pp 82807 001-82807 018

-9502230041 Package consisting of Confirmatory Action Ltr per unit per yr
* Division of Freedom of Information & Publications Services (Post 940714) CAL 94/07/19 15pp 82807 008-82807 018

9502230018 Final response to FOIA request for documents Forwards App A info being made available to PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 WILLIAMS, O. JRA Associates 2pp 82833 187-82833 003

-9502230037 Informs that results of preliminary risk analysis performed to quantify risk impact of "old" ED requirements indicate that risk plain specific & may be significant Rept end
THADAN, I.C. Office of Nuclear Reactor Regulation (Post 941001) 93/03/18 MURLEY, T.E. Office of Nuclear Reactor Regulation (Post 941001) 1p 82833 189-82833 189

-9502230028 "Risk Impact of Environ Qualification Requirements for Electrical Equipment at Operating NPPs"
SALTON, J.T. Office of Nuclear Reactor Regulation, Director (Post 870411) 90/03/00 25pp 82833 190-82833 214

-9502230032 SCIE-NRC-223-83 "Environ Qualification Operating Events Review"
* SCIENTECH, Inc 93/11/26 88pp 82833 215-82833 278

-9502230034 SCIE-NRC-223-83 "Environ Qualification Operating Events Review"
DAVID, M.J., MCALISTER, H.A., QUINN, F.M. SCIENTECH, Inc 94/04/19 86pp 82833 279-82833 003

9502230028 FOIA request for listed info re NRC-92-203
MURPHY, J.D. Affiliation Not Assigned NRC-92-203 83/06/05 PUGH, N. NRC - No Detailed Affiliation Given 1p 82818 102-82818 102

9502230028 First partial response to FOIA request Forwards App A documents which will be available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/25 MURPHY, J.D. Affiliation Not Assigned 2pp 82818 103-82818 105

9502230032 Fourth partial response to FOIA request for info Forwards App G documents being made available to PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/18 COLAPINTO, D. National Weather Service Center 2pp 82825 032-82825 041

208 NONDOCKETED ITEMS

- 9502230318 Forwards url response to NRC 8204-22 request for info re issues raised to Employee Concerns Program by employee expressing concern of possibility of not being selected by upcoming plant outage
STEVENS,R.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 92/06/05 MARTIN,J.B. Region 5 (820201 - 940403) App 82825 034-82825 041
- 9502230309 FOIA request for documents re disposition of Pu or HEU from dismantled nuclear weapons,including comments re SECY-92-244 & SECY-92-054
WILLIAMS,O.G. JRA Associates. OGW-94-010 94/01/19 GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714) 1p 82825 042-82825 042
- 9502230319 First partial response to FOIA request for documents App A documents already available in PDR App B documents encl & will be placed in PDR Apps C & D documents withheld (rel FOIA exemptions 1,4 & 5)
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714) 94/06/09 WILLIAMS,O.G. JRA Associates App 82825 043-82825 059
- 9502230325 Discusses review of SECY-92-084, "Disposition of Weapons Grade Nuclear Material from Decommissioned Nuclear Weapons"
ROGERS,K.C. NRC - No Detailed Affiliation Given. COMKR-92-001 92/02/27 THE CHAIRMAN, SELIN,I. CURTISS,J.R. Commissioners (Post 750119) 2pp 82825 051-82825 052
- 9502230335 Requests comment on Mr. to Secretary of Energy, J. Watkins re disposition of reclaimed weapons grade nuclear warhead stockpiles of both US & Russia
CHILK,S.J. Office of the Secretary of the Commission 92/03/17 ROGERS,K.C. CURTISS,J.R. REMICK,F.J. Commissioners (Post 750119) 2pp 82825 053-82825 054
- 9502230343 Inform of proposal re Shua-Judon Paper on use of material from dismantled weapons
SHERITT,S. NRC - No Detailed Affiliation Given 92/05/11 BURNETT,R.F. TENEYCKE,D. SMITH,C.N. NRC - No Detailed Affiliation Given 1p 82825 055-82825 056
- 9502230347 Recommends approval of update on disposition of weapons grade nuclear material from decommissioned nuclear weapons
LEE,D. NRC - No Detailed Affiliation Given 92/07/16 THE CHAIRMAN, SELIN,I. Commissioners (Post 750119) 1p 82825 058-82825 058
- 9502230349 Notation vote approving SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119) 92/07/20 CHILK,S.J. Office of the Secretary of the Commission 1p 82825 057-82825 057
- 9502230355 Notation vote approving SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons W/comments
ROGERS,K.C. Commissioners (Post 750119) 92/07/22 CHILK,S.J. Office of the Secretary of the Commission 1p 82825 059-82825 059
- 9502230365 Notation vote SECY-92-244 re update on disposition of weapons grade nuclear material from decommissioned nuclear weapons W/comments
CURTISS,J.R. Commissioners (Post 750119) 92/06/08 CHILK,S.J. Office of the Secretary of the Commission 2pp 82825 059-82825 060
- 9502230371 Requests comments on encl Mr. to NRC-Environ re 820627 site visit & press release on Russian HEU
TAYLOR,J.M. Of the Executive Director for Operations 92/09/01 THE CHAIRMAN, SELIN,I. CURTISS,J.R. Commissioners (Post 750119) App 82825 061-82825 064
- 9502230379 Discusses completion of SECY 92-302 for NRC-Environ Document discusses processes & critically issues that would be involved at NRC-Environ
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119) COMB-92-018 92/09/01 ROGERS,K.C. CURTISS,J.R. REMICK,F.J. Commissioners (Post 750119) App 92825 065-82825 068
- 9502230379 Forwards trip report of visit to Moscow on 830521-0906 W/o encl
MILSTEIN,R. Licensing Branch 92/06/24 EMERGH,O.W. Licensing Branch 1p 82825 069-82825 068
- 9502230382 Fourth response to FOIA request for info Forwards App H documents which will be in PDR
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/20 SCHWARZBACH,D. Natural Resources Defense Council 2pp 82812 250-82812 347
- 9502230389 Inform of 910908 meeting w/W. Doub from MD PUC re planned visit to Czech & Slovak Federal Republic
SHEA,J.R. Office of International Programs (Post 911117) 91/09/03 THE CHAIRMAN, SELIN,I. Commissioners (Post 750119) 1p 82812 254-82812 254
- 9502230390 Forwards details on depth & scope of State of IL Dept of Nuclear Safety 910925-1012 visit to Czech & Slovak Federal Republic re emergency planning & radiological monitoring
SCHWARTZ,S.A. Office of Governmental & Public Affairs (870413-911118) 91/09/13 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 1p 82812 255-82812 255
- 9502230391 Forwards plans for State of IL Dept of Nuclear Safety visit to Czechoslovakia
CRITCHER,T.W. Minors, State of 91/06/06 SCHWARTZ,S. NRC - No Detailed Affiliation Given 11pp 82812 256-82812 266
- 9502230396 Forwards announcement of Czech contract award to obtain independent evaluation of plant design for comparison to US & European codes
DENTON,H.R. Office of International Programs (Post 911117) 91/11/25 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 5pp 82812 267-82812 275
- 9502230395 Inform of K. Wagner, of Czech AEC, 920925 visit & towards background info
DENTON,H.R. Office of International Programs (Post 911117) 92/03/24 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 6pp 82812 272-82812 277
- 9502230394 Forwards memo of second US NRC-Czech/Slovak Federal Republic-Hungary trilateral meeting in Prague & Budapest at end of June 1992
DENTON,H.R. Office of International Programs (Post 911117) 92/07/20 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 1p 82812 278-82812 307
- 9502230396 Inform of visit of J. Stulter from Czech Republic State Ofc for Nuclear Safety during visit of 920405 re guidance on organizational & staffing priorities Supporting & background info encl
DENTON,H.R. Office of International Programs (Post 911117) 93/04/02 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 3pp 82812 308-82812 310
- 9502230397 Inform of J. Stulter from Czech State Ofc of Nuclear Safety, 920405 visit
BLUMHALL, Assistant for Operations (Post 920206) 92/03/29 MARAGLIA,F. Office of Nuclear Reactor Regulation, Director (Post 870411) ARLOTTO,G. Office of Nuclear Material Safety & Safeguards SPEIS,T. Office of Nuclear Regulatory Research (850720-941217) App 82812 311-82812 316
- 9502230398 Forwards add mail from Czech regulators, providing details on functions & responsibilities of Czech regulatory organization
SCHOECHTER,H.B. Office of International Programs (Post 911117) 93/09/31 NRC - No Detailed Affiliation Given 22pp 82812 317-82812 341
- 9502230399 Forwards proposed response to Mr. from Member, special Austrian delegate on Terrorism
STOBER,C.R. Office of International Programs (Post 911117) 94/03/10 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 2pp 82812 342-82812 343
- 9502230394 Forwards press release re NPP Koko
GREGORIC,M. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia) 91/07/29 MAHY,M. Office of International Programs (Post 911117) 4pp 82812 344-82812 347
- 9502230396 FOIA request for documents re responses of Agreement States to questions asked by NRC staff in preparation for 931108 briefing on site decommissioning plan Also requests state responses to NRC questions for 940323 workshop on SDMPs
SHEFFNER,B.E. Affiliation Not Assigned 94/05/10 GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82836 124-82836 125
- 9502230399 First partial response to FOIA request for documents Records in app A encl & will be available in PDR
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/20 SHEFFNER,B. Affiliation Not Assigned 3pp 82836 126-82836 158
- 9502230421 Personal notes, encl 940204-0225 of D. Orlando on questions asked of different Agreement State officials re site decommissioning plan & Agreement State workshop App A of section 340, decommissioning guidelines encl
* NRC - No Detailed Affiliation Given 94/02/25 2pp 82836 129-82836 156
- 9502230424 FOIA request for all correspondence, memos, ltr & any other record of communication between NRC & O. Fandrich &/or B. Boser from Nov 1992 to present
BUNTING,G.F. Affiliation Not Assigned 94/06/27 NRC - No Detailed Affiliation Given 1p 82841 318-82841 318
- 9502230428 Final response to FOIA request for documents Records in App A & B will be available in PDR App C records will be withheld in part (rel Exemption 6)
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714) 94/07/20 BUNTING,G.F. Affiliation Not Assigned 5pp 82841 319-82841 338
- 9408030009 Responds to 940405 re requesting assistance in addressing concerns expressed in ltr by DL Johnson re seismic safety of San Onofre Nuclear Generating Station & Diablo Canyon Power Plant
TAYLOR,J.M. Of the Executive Director for Operations 94/05/25 FEINSTEIN,D. Senate App 82841 327-82841 330
- 9502230451 Responds to 931110 ltr to OK Ralston which raises concerns that NRC study to redesign Region V in Arlington, TX, will result in reduction in level of protection for public health & safety
TAYLOR,J.M. Of the Executive Director for Operations 93/12/22 FEINSTEIN,D. Senate App 82841 331-82841 334
- 9502230457 Partially deleted ltr discussing NRC study to close region V site in Walnut Creek Commission has reportedly not received further Congressional inquiries
MEADOWS,T.R. Region 4 (Post 820201) 93/07/02 FEINSTEIN,D. Senate 2pp 82841 335-82841 336
- 9502230462 Partially deleted ltr forwarding TR Meadows ltr expressing concerns re NRC study to close region V site in Walnut Creek
FEINSTEIN,D. Senate 93/11/10 RATHBUN,D.K. Office of Congressional Affairs (Post 911117) 3pp 82841 337-82841 338
- 9502230464 FOIA request for documents re working proposal for contract 33-90-178-000 awarded to CECEC, Inc.
FUMAL,J. Affiliation Not Assigned 93/10/13 GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714) 1p 82841 001-82841 001
- 9502230460 Fifth partial response to FOIA request for documents Records in app J encl & will be available in PDR One record in app J withheld in part (outside scope of request)
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714) 94/07/20 POWELL,R. Affiliation Not Assigned 2pp 82836 932-82836 123
- 9502230461 Discusses US Senate committee meetings on markup of bill S 1160, NRC legislative proposals, S 1162 re NRC FY 94/95 authorization bill & S 1165 re judicial review of NRC EA's Inform of status of bills W/encls
RATHBUN,D.K. Office of Congressional Affairs (Post 911117) 93/10/25 THE CHAIRMAN, SELIN,I. ROGERS,K.C. Commissioners (Post 750119) 26pp 82836 096-82836 121

-9502240268 Partially deleted memo re final testimony for proposal to amend Energy Reorganization Act that would require NRC be notified of defects at NRC regulated activities instead of only individual officers of affected business involved
RATHBUN, D.K. Office of Congressional Affairs (Post 911117) 93/05/25 THE CHAIRMAN, BELIN, J. ROGERS, K.C. Commissioners (Post 750119) 2pp 82836 122-82836 123

9502240269 Final response to FOIA request for documents Records in App A and C will be available in PDR App A withheld in part (per FOIA exemptions 4 & 5)
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/26 FUMAL, J. Affiliation Not Assigned 3pp 82841 002-82841 317

-9502240267 "CEXEC, Inc. Proposal to Provide Agency Upgrade of Technology for Off Sys Phase I & II Svc."
* CEXEC, Inc. 80/06/21 Division of Contracts & Property Management (890206-940714) 120pp 82841 005-82841 134

-9502240275 Submits CEXEC Team final response to RFP RS-1984-90-178, "Provide Agency Upgrade of Technology for Off Sys Phase I & Phase II Svc."
MOSS, J.W. CEXEC, Inc. 90/06/22 COLLINS, D.J. NRC - No Detailed Affiliation Given 2pp 82841 035-82841 135

-9502240276 "CEXEC, Inc. Proposal to Provide Agency Upgrade of Technology for Off Sys Phase I & II Svc. Response to Discussion Questions"
* CEXEC, Inc. 90/06/22 Division of Contracts (Post 940714) 30pp 82841 137-82841 166

-9502240280 "CEXEC, Inc. Proposal to Provide Agency Upgrade of Technology for Off Sys Phase I & II Svc, Vol. II Best & Final Cost Proposal"
* CEXEC, Inc. 80/06/22 Division of Contracts & Property Management (890206-940714) 150pp 82841 167-82841 317

9502240257 FOIA request for issued info re Enbridge license SMC-1559, including ALARA program & trust agreement
BLUMENFELD, C.R. Boggs & Gates 94/08/24 Uranium Recovery Branch (Post 901230) 2pp 82831 345-82831 346

9502240259 Final response to FOIA request for info Disposition of each item of request on App A Records w/ accession numbers are available in PDR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/26 BLUMENFELD, C.R. Boggs & Gates 3pp 82831 347-82831 348

9502240256 Third final response to FOIA request for info Forwards App D document which will be available in PDR App E document withheld
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/26 BECKETT, D.B. Affiliation Not Assigned App 82831 358-82831 344

-9502240265 Enforcement panel briefing form re resp in Apr 1993 of Wayne General Hosp in Wayne, NJ Violations noted
* NRC - No Detailed Affiliation Given 93/04/26 1p 82831 344-82831 344

9502270065 First partial response to FOIA request for documents NRC has no records sub to items 2-6 of request info may be obtained by contacting SB Jackson of FEMA NRC continuing search for records sub to item 1 of request
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/08/04 Affiliation Not Assigned 1p 82848 180-82848 182

9502270062 FOIA request for info re all licenses authorizing possession & distribution of irradiated germinations
ROWLAND, B. Teledyne Brown Engineering Co. 94/05/31 Division of Freedom of Information & Publications Services (890206-940714) 1p 82854 307-82854 307

9502270067 Final response to FOIA request for info Forwards App A documents
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/25 ROWLAND, B. Teledyne Brown Engineering Co. 13pp 82854 308-82854 360

-9502000068 Issues License 12-23580-01E for TEST-ER, Inc. authorizing distribution of color sources containing Cr-51, I-125 or I-129, per 851231 application license expires 910331 Fee paid
* HICKLEY, J.W. Division of Fuel Cycle & Material Safety (Pre 970413) 019469 95/03/14 TEST-ER, Inc. 1p 82854 336-82854 336

-8608100819 Amend 1 to License 12-21482-02E for TM Analytic, Inc. extending license in entirety
HICKLEY, J.W. Materials Licensing Branch 86/07/18 1p 82854 332-82854 332

-8707200403 Amend 1 to License 12-23580-01E for TEST-ER, Inc. authorizing distribution of color sources
HICKLEY, J.W. Materials Licensing Branch 87/08/17 1p 82854 336-82854 336

-8901000148 License 24-00513-36E for Curators of Univ of Missouri, authorizing use of irradiated processed toad
* Medical, Academic & Commercial Use Safety Branch 89/12/08 2pp 82854 348-82854 353

-8106100138 Mails licensing package for license 25-00055-10E for Teledyne Isotopes Control 021061
* Medical, Academic & Commercial Use Safety Branch 021061 91/03/21 2pp 82854 354-82854 355

-9107090160 Mails licensing package for Amend 3 to License 12-21482-02E for TM Analytic Control 021151
* CARRICO, J.B. Medical, Academic & Commercial Use Safety Branch 021151 91/09/10 1p 82854 334-82854 334

-9187090178 Mails licensing package for Amend 1 to License 25-00055-10E for Teledyne Isotopes Control 021151
* Medical, Academic & Commercial Use Safety Branch 021151 91/05/22 2pp 82854 356-82854 357

-9203270180 Mails licensing package for amend 1 to license 04-23787-01E for Gemo-logical Inst of America, Inc Control 021377
* LAMASTRA, M.A. Medical, Academic & Commercial Use Safety Branch 021377 92/07/12 2pp 82854 328-82854 331

-9206100300 Mails licensing package for license 19-23803-01E for Isord Ltd
* Medical, Academic & Commercial Use Safety Branch 92/02/13 2pp 82854 342-82854 343

-9207310285 Mails licensing package for corrected license 19-23803-01 for Isord Ltd
* LAMASTRA, M.A. Medical, Academic & Commercial Use Safety Branch 92/08/18 2pp 82854 344-82854 347

-9502270420 Corrected Amend 1 to License 12-21482-02E for TM Analytic, Inc. authorizing distribution of Ba-133 contained in liquid scintillation counting sys.
* CARRICO, J.B. Medical, Academic & Commercial Use Safety Branch 89/03/07 1p 82854 333-82854 333

-9502280089 Amend 1 to License 24-00513-36E for Curators of Univ of Missouri
* Medical, Academic & Commercial Use Safety Branch 89/11/09 2pp 82854 359-82854 360

-9502280212 Mails licensing package to license 04-18497-04E for IRT Corp
* Medical, Academic & Commercial Use Safety Branch 90/10/28 2pp 82854 321-82854 328

-9502280231 Mails licensing package for corrected amend 2 to license 12-23580-01E for TEST-ER, Inc.
* CARRICO, J.B. Medical, Academic & Commercial Use Safety Branch 89/06/17 1p 82854 337-82854 341

-9502280254 Mails licensing package for license 37-24841-03E to Hams Semiconductor
* LAMASTRA, M.A. Medical, Academic & Commercial Use Safety Branch 92/01/22 1p 82854 358-82854 358

9502270482 FOIA request for documents re final technical report did 940603 for task 7 of NRC Job Code project, "Review of Improper Transfer/Disposal Scenarios for Generally Licensed Devices Study"
* NIX, T.M. Affiliation Not Assigned FIN L-2536 94/07/20 BAGGETT, S.L. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82848 032-82848 032

9502270440 Final response to FOIA request for documents Forwards documents listed in App A
* GRIMBLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714) 94/08/01 NIX, T. Affiliation Not Assigned 2pp 82848 033-82848 178

-9502270417 "Technical Lib Rep Task 7: Final Review of 1987 Rept by Oak Ridge Assoc Universities, 'Improper Transfer/Disposal Scenarios for Generally Licensed Devices'"
* STROM, D.J. HILL, R.L., DRUKEL, C.W., J.S. Battelle Memorial Institute, Pacific Northwest Laboratory FIN L-2536 94/08/03 NRC - No Detailed Affiliation Given 200pp 82848 035-82848 179

9502240084 Partial second response to FOIA request for documents re agency records subject to request App C documents will be available in PDR
* Division of Freedom of Information & Publications Services (890206-940714) 94/07/18 BECKETT, D.B. Affiliation Not Assigned 2pp 82857 269-82857 278

-9502290067 "Procedure for Receipt, Handling & Disposal of Radioactive Mail"
* LEONE, A.F. Wayne General Hosp., Wayne, NJ 93/04/27 App 82867 273-82867 278

GEN TEC IS GENERIC TECHNICAL ISSUES

9502090150 Application for amend to license DPR-23, amending 920616 TS change request to conform w/addl provision of guidance provided by GL 90-06 re resolution of GL 70 & 94
* KRICH, R.M. Carolina Power & Light Co. RNP/94-1825 85/02/03 Document Control Branch (Document Control Desk) 10pp 82705 189-82705 213

-9502090153 Proposed tech specs, conforming w/addl provision of guidance provided by GL 90-06 re surveillance testing of block valves associated w/presurized PORVs
* Carolina Power & Light Co. GL 90-06 85/02/03 10pp 82705 190-82705 213

9502090207 NUREG-1435 904 STATUS OF SAFETY ISSUES AT LICENSED POWER PLANTS
* TM Action Plan Requirements, Unresolved Safety Issues, Generic Safety Issues, Other Multiple Action Issues.
* Office of Nuclear Reactor Regulation (Post 941001) 94/12/31 157pp 82686 001-82686 155

9502090132 Summary of ACRS Subcommittee on Auxiliary & Secondary Sys on 940727 & 28 in Bethesda, MD re internal fire analysis for LaSalle Nuclear Power Plant, Unit 2 & proposed resolution of Generic Issue 57, "Effects of Fire Protection Sys"
* CATTON, J. ACRS - Advisory Committee on Reactor Safeguards 94/03/07 ACRS - Advisory Committee on Reactor Safeguards 20pp 82715 088-82715 088

9502090221 Summary of 405th ACRS meeting on 940108-07 in Bethesda MD re proposed final rule to revise emergency planning regulations & proposed resolution of Generic Issue 67 5.1, "Reassessment of SGTR Radiological Consequences"
* ACRS - Advisory Committee on Reactor Safeguards 94/03/03 ACRS - Advisory Committee on Reactor Safeguards 81pp 82710 045-82710 075

9502100123 Forwards SE re resolution re unresolved safety issue A-46, Suppl 1 to GL 87-02 for St Lucie, Unit 1 & Turkey Point, Units 3 & 4
* MORRIS, J. Office of Nuclear Reactor Regulation (Post 941001) TAC M89904 85/02/09 GOLDBERG, J.H. Florida Power & Light Co. 4pp 82746 312-82746 327

-9502100134 Safety evaluation accepting utl response to GL 87-02 for St Lucie, Unit 1 & Turkey Point, Units 3 & 4
* Office of Nuclear Reactor Regulation (Post 941001) GL 87-02 95/02/09 12pp 82746 316-82746 327

9502220134 Provides listing of TAC issues ready to be closed
* PATTERSON, T.L. Omaha Public Power Dist. LIC-95-0021 95/02/10 Document Control Branch (Document Control Desk) 2pp 82826 275-82826 276

FILE INSPECTION AND ENFORCEMENT

9501090219 NRC Bulletin 95-001, CA Program for Transportation of Radioactive Mail
* PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co. of New York, Inc. 11pp 82805 013-82805 023

210 NONDOCKETED ITEMS

- 9501230268 NRC Info Notice 95-007, "Radioisotope Vial Breakage During Preparation. PAPERWELL, G. J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co. of New York, Inc. App 82605 039-82605 046
- 9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 841001) GL-91-18 95/01/31 Consolidated Edison Co. of New York, Inc. App 82652 188-82652 194
- 9502020125 Final third response to FOIA request for documents Forwards App F & G info as listed being made available in PDF. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714) 84/06/16 COLKITT, M. L. Affiliation Not Assigned 7pp 82625 002-82625 317
- 9502020202 PNO-III-95-22A on 830421 brachytherapy tandem source assembly removed from patient before completion of radiation therapy Region III 950426 (nsp revealed that patient removed source, patient received 339 Rad dose & consultant contacted) SHEAR, G. CANNAN, R. Region 3 (Post 820201) 93/04/30 12pp 82625 203-82625 214
- 9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B. K. 95/02/03 Consolidated Edison Co. of New York, Inc. App 82688 001-82688 008
- 9502030388 PNO-IV-95-003 on 950201 plant experienced reactor recirculation pump run-back to main flow from 77 percent power. Caused by plant personnel error Resident inspectors dispatched State of NY notified. DOERFLINGER, L. NORRIS, B. Region 1 (Post 820201) 95/02/01 2pp 82645 274-82645 275
- 9502030413 PNO-III-95-03A on 950125 overexposure to member of public took place during radiography operations at oil refinery in Blue Island, IL. Caused by inadequate surveillance of area. IDHS ordered radiographer to cease work, surrender license. LYNCH, J. L. CANNAN, R. Region 3 (Post 820201) 95/01/26 1p 82646 084-82646 084
- 9502100145 EN-94-107A on 941012 notice of proposed imposition of civil penalty in amount of \$8,250 issued to licensee. Licensee responded to notice & denied two violations & portion of third violation. Civil penalty reduced by \$1,250. DELMEDICO, J. GRAY, J. OIC of Enforcement (Post 870413) EA-94-167 95/02/08 1p 82690 359-82690 359
- 9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B. K. NEIN-95-010 95/02/10 Consolidated Edison Co. of New York, Inc. App 82616 037-82616 042
- 9502130201 PNO-III-95-006 on 950203 release of approx 200 g of U hexafluoride within licensee facility lasting 90 to 120 s occurred during preparations for filling cylinder in licensee feed metal bldg. No injuries noted. SHELL, W. G. SHEAR, G. L. Region 3 (Post 820201) 95/02/03 1p 82707 047-82707 047
- 9502130289 PNO-III-95-005 on 950202 two used syringes were stolen from parked radiopharmacy courier truck. Appears to be minimal safety concern re radioactivity, but may be a bio-hazard. Police, State of Missouri & Region 3 notified. JONES, J. CANNAN, R. Region 3 (Post 820201) 95/02/02 1p 82707 211-82707 211
- 9502140085 PNO-III-95-006 on 950208 State of AL advised Region II that Tracer moisture density gauge, model 3401-V, containing B mCi Cs-64 mCi AmBe source, apparently stolen from State of AL DOT workshop near Albertville. Law enforcement notified. THOUANOWSKI, R. Region 2 (Post 820201) 95/02/08 1p 82714 164-82714 164
- 9502140278 EN-95-005 on 950125 notice of proposed imposition of civil penalty in amount of \$25,000 issued to licensee. Action based on violations noted as result of followup of event involving inadvertent draining of approx 8,200 gallons from RCS. BEALL, J. LIEBERMAN, J. OIC of Enforcement (Post 870413) EA-94-251 95/01/20 1p 82775 218-82775 218
- 9502140288 EN-95-005A, informing Commission that licensee discovered & informed staff of modeling error in analysis that led to conclusion that safety sys could have been degraded. Event had potential to cause loss of ECCS equipment. BEALL, J. LIEBERMAN, J. OIC of Enforcement (Post 870413) EA-94-251 95/01/24 1p 82775 219-82775 219
- 9502140287 EN-95-006 on 950131 notice of proposed exercise of enforcement discretion issued to licensee. Action based on licensee identification of condition that could have prevented RHTR sys from performing safety function. BEALL, J. LIEBERMAN, J. OIC of Enforcement (Post 870413) EA-94-258 95/01/26 1p 82775 220-82775 220
- 9502140292 EN-95-006 on 950213 notice of proposed imposition of civil penalty in amount of \$9,000 issued to licensee. Action based on Severity III violation involving company failure to maintain proper security of moisture density gauge. SANTIAGO, P. GRAY, J. OIC of Enforcement (Post 870413) EA-94-259 95/02/08 1p 82775 221-82775 221
- 9502140295 EN-95-009 on 950209 notice of proposed imposition of civil penalty in amount of \$7,500 & order modifying license (effective immediately) issued to licensee. Action based on Severity III problem involving listed violations. MAMISHIN, L. GRAY, J. OIC of Enforcement (Post 870413) EA-94-264 95/02/09 2pp 82749 246-82749 247
- 9502140304 EN-94-118A on 950213 notice of rescission of civil penalty in amount of \$3,000 & notice of termination of license because licensee transferred byproduct mail to authorized recipient within 30 days stated in 941118 notice. MAMISHIN, L. SANTIAGO, P. OIC of Enforcement (Post 870413) EA-94-198 95/02/06 1p 82775 222-82775 222
- 9502140316 EN-95-007 on 950206 notice of enforcement discretion issued to licensee. Action based on licensee insubordination of regulatory requirements pertaining to work in areas of exclusive federal jurisdiction within Agreement State. SANTIAGO, P. GRAY, J. OIC of Enforcement (Post 870413) EA-94-268 95/02/01 1p 82775 223-82775 223
- 9502140335 EN-95-004 on 950126 notice of enforcement discretion & notice of violation issued to licensee because Agreement State licensee did not understand regulatory requirements re work in areas of exclusive federal jurisdiction. SANTIAGO, P. GRAY, J. OIC of Enforcement (Post 870413) EA-95-011 95/01/19 1p 82775 224-82775 224
- 9502150022 PNO-IV-95-004 on 950209 theft occurred at NV licensee facility in Reno, NV. Numerous items including three moisture density gauges had been stolen. Press release issued by Reno Police Dept on 950209. DODD, R. J. Region 4 (Post 820201) 95/02/10 1p 82722 088-82722 088
- 9502160017 PNO-IV-95-003A on 950208 radiography camera containing 93 Ci Ir-192 source lost. Camera fell off back of truck. Company representatives contacted members of public to see if camera had been seen. Camera located trail ending. HACKNEY, C. Region 4 (Post 820201) 95/02/13 1p 82739 335-82739 335
- 9502160052 PNO-IV-95-005 on 950210 licensee unable to demonstrate operability of three relief valves in ADS & as result, placed facility in cold shutdown. All valves replaced. State of NE notified. HARRELL, P. H. KOPRIVAJA, A. Region 4 (Post 820201) 95/02/13 2pp 82737 103-82737 104
- 9502170231 PNO-III-95-006 on 950208 local television station received anonymous telephone communication re bomb being planted in Florida Power & Light Corporate OIC at listed time. Time passed w/o incident. MOGENSEN, D. R. Region 2 (Post 820201) 95/02/09 1p 82769 013-82769 013
- 9502210021 PNO-III-95-007 on 950213 plant experienced inadvertent discharge of carbon dioxide in vital area. Area evacuated & air sample taken. Resident inspector responded to event & State of NC notified. CHRISTENSEN, J. H. Region 2 (Post 820201) 95/02/13 1p 82769 224-82769 224
- 9502210050 NRC Info Notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B. K. IEB-97-001 95/02/24 Consolidated Edison Co. of New York, Inc. App 82818 016-82818 024
- 9502210061 NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by AKG Engineering, Inc." GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036
- 9502220002 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." CHRISTENSEN, D. Affiliation Not Assigned (IEB-95-001) 95/02/15 Document Control Branch (Document Control Desk) App 82848 343-82848 346
- 9502220006 Forwards list of generic communications under development by NRC staff for info. List includes bulletins, GLIN & administrative fms reported to NRC through 950131. CHAFFEE, E. IEB-93-002 95/02/13 LAFRETTE, R. P. Institute of Nuclear Power Operations 10pp 82838 001-82838 010
- 9502230037 Notice of opportunity for public comment on proposed generic communication: 5 to GL 95-20, "TPE of External Events for Severe Accident Vulnerabilities." GRIMES, B. K. GL-95-20 95/01/20 16pp 82820 001-82820 016
- 9502240037 NRC Info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance." GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. App 82848 018-82848 025
- 9502270037 PNO-IV-95-008 on 950216 plant experienced loss of three vials of C-14 which contained total of 10 Ci as barium carbonate. Licensee & Kansas inspectors performed surveys of waste containers. Vials not yet found. HACKNEY, C. HOWELL, L. Region 4 (Post 820201) 95/02/22 1p 82831 130-82831 130
- 9502270140 PNO-IV-95-004 on 950126 licensee determined that containment pump recirculation valves could experience locking during design of bases. LOCA & fail in closed position. Unit 2 in cold shutdown condition & mod to valves are considered. KELLY, G. MACHOLSON, L. Region 1 (Post 820201) GL-95-19 95/02/17 2pp 82831 259-82831 254
- 9502280006 PNO-III-95-003B on 950207 IL Nuclear Safety Dept issued Preliminary Order & Notice of Opportunity for Hearing to licensee, due to 950111 overexposure event. Licensee ordered to submit corrective actions & pay \$22,000 civil penalty. LYNCH, J. L. GROBE, J. A. Region 3 (Post 820201) 95/02/15 1p 82848 010-82848 010
- 9502280041 PNO-III-95-007 on 950216 plant shutdown for repair of strainer to control spray eye flow. Caused by eye being clogged. Repair on eye started. Plant to be shut down four days. State of MI notified. PHILLIPS, M. F. Region 3 (Post 820201) 95/02/17 1p 82846 137-82846 137
- 9502280316 EN-95-014 on 950223 notice of violation & proposed imposition of civil penalty in amount of \$500 issued to licensee. Action based on licensee failure to obtain specific NRC license prior to conducting licensed activities. CALLAN, J. L. SANBORN, G. Region 4 (Post 820201) EA-95-007 95/02/17 1p 82863 076-82863 076

NRC PUBLIC DOCUMENT ROOM MISCELLANEOUS

- 9502030382 "Proceedings, NRC Regulatory Info Conference" recorded from 940503-04 conference in Washington, DC. NRC - No Dissolved Affiliation Given 94/05/03 544pp 82682 001-82682 184
- 9502230382 Forwards paper, "Considerations for Performance-Based Quality Program Meeting Provisions of NQA-1," discussing ideas re implementation of more effective QA. REEDY, R. F. Reedy Associates, Inc. RAM-95-016 95/02/10 CAMPBELL, L. NRC - No Detailed Affiliation Given 1p 82838 011-82838 027

-9502240247 "Consideration for Performance-Based Quality Program Meeting Provisions of 10CA-1 Rev 1
* Ready Associates, Inc 94/11/09 16pp 82636 012-82636 027

9502270204 Returns recently received ltr to E. Michaelievski at Beach Industries re NRC GL 95-01 Michaelievski no longer employed by Beach Industries Firm not involved w/ fuel cycle facilities
HILL, R.A. Affiliation Not Assigned GL-95-01 95/02/21 Document Control Branch (Document Control Desk) 1p 82658 338-82658 344

9502270366 Forwards "Radioactive Metals in Recycled Metals," to be published in Apr 1995 issue of Health Physics Encl contains references to NRC records & states that documents available for insp & copying for fee in NRC PDR
LUBENAU, J.O. Commissioners (Post 750119) 95/02/06 NRC - No Detailed Affiliation Given 1p 82658 001-82658 124

-9502270381 "Radioactive Metals in Recycled Metals," dtd 950128
LUBENAU, J.O. NRC - No Detailed Affiliation Given YUSKO, J.G. Pennsylvania, Commonwealth of 95/01/28 33pp 82658 002-82658 034

-9502270389 Discusses 940804 telcon re info on doses received by residents of apartments that had been constructed in Taipei, Taiwan using rebar that had been contaminated w/Co
LUBENAU, J.O. NRC - No Detailed Affiliation Given 94/08/04 NRC - No Detailed Affiliation Given 1p 82658 035-82658 036

-9502270398 PNO-94-0324 updates status of contaminated scrap metal located in Ashland, KY scrap metal brokers facility KY preparing "storage only" license until disposal of Co-137 cylinder can be arranged
WOODRUFF, R.L. Region 2 (Post 820501) 94/07/11, 1p, 82659 037-82659 090

-9502280035 Summary of 940722 meeting w/representatives from Lockheed Environmental Sys & Technology Co re process for decontamination of steel-making furnace dust contaminated by Co-137
LUBENAU, J.O. Commissioners (Post 750119) 94/08/04 Commissioners (Post 750119) 2pp 82659 061-82659 062

-9502280042 Requests meeting w/NRC re problem of steel mills which inadvertently melt radioactive sources thereby causing mixed waste
DOMENECH, J. Lockheed Aeronautics Corp 94/08/19 DE PLANCQUE, E.G. Commissioners (Post 750119) 43pp 82658 063-82658 173

-9502280055 The rept of 940615 visit to Florida Steel Corp, Baldwin, FL mill to provide opportunity to become better acquainted w/ problems of radioactive mill in recycled metal scrap & decontamination & disposal of radwastes
LUBENAU, J.O. Commissioners (Post 750119) 94/07/14 Commissioners (Post 750119) 60pp 82658 174-82658 234

-9502280072 Informs that J.M. Taylor putting proposed rule on hold until completion of review of agency programs, priorities & FTE reduction candidates per 900813 GRM
TAYLOR, J.M. Dir. of the Executive Director for Operations 93/12/29 THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119) 23pp 82658 235-82658 271

-9502280083 PNO-SUIT-89-001 State, Local & Indian Tribe Programs notified that CS-137 source had been inadvertently melted by steel mill in LA Region IV prepared to assist if requested
LUBENAU, J.O. CAIN, J.C. NRC - No Detailed Affiliation Given 93/11/16 7pp 82658 272-82658 281

-9502280085 Discusses 930625 ltr re case of radioactivity in steel scrap occurred in Northern Italy
* European Nuclear Energy Assoc 93/10/14 SCHUYLER-HAYES Office of International Programs (Post 911117) 5pp 82658 282-82658 329

-9112890167 Confirms certain actions to be taken re unauthorized import & distribution of Co-60 contaminated steel fencing products from India
GUNNINGHAM, L.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 91/08/21 MARFIS, B. California, State of 9pp 82658 330-82658 335

-9502280182 Forwards procedure which can help identify trees that steel making mill became contaminated. Procedure based upon US steel making practices, but contains alternative procedures in case practices of mills in India differed
LUBENAU, J.O. State Programs (950112-911116) 91/05/28 HAUBER, R. International Programs (870412-911116) 5pp 82658 336-82658 023

-9502280125 CASNE-IT-001 "Co-60 Contamination Accident, Mexico 1984"
* Mexico, Govt. of 94/12/30 110pp 82660 024-82660 134

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9501120243 Responds to 94130-1212 ltr to Chairman Selin re use of dose ranges when preparing waste directives
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 94/12/23 MARCUS, C.S. California, Univ. of Los Angeles, CA 9pp 82659 179-82659 184

-9502280299 Informs of NRC decision that dose ranges forbidden on written directives
MARCUS, C.S. California, Univ. of Los Angeles, CA 94/11/30 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 3pp 82659 182-82659 194

9502280308 Comment supporting proposed rules 10CFR 20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures
SMITH, L.R. E1 du Pont de Nemours & Co., Inc 95FR43200 00096 95/01/17 Dock- ing & Services Branch 5pp 82544 001-82544 005

9502280340 Supplemental application for amend to license DFR-19 & DFR-25, proposing to include test frequency of two yrs to IST TS surveillance table (3.0 D 2), per NUREG-1433 & draft NUREG-1482
PIET, P.L. Commonwealth Edison Co 95/01/27 Document Control Branch (Document Control Desk) 3pp 82540 322-82540 345

9502280412 Other notice of public meeting to receive comments on NUREG-1508 "Draft Environ Impact Statement to Construct & Operate Crowport U Solution Mining Project, Crowport, NM"
HOLMICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940408) 95/01/30 6pp 82657 349-82657 354

9502280425 Forwards data point library changes, in accordance w/ requirements in NUREG-1394 Rev 1, Section 3.6 Changes currently in effect on Beaver Valley Plant computers which provide data to ERDS computer
THOMAS, G.S. Duquesne Light Co 95/01/23 Document Control Branch (Document Control Desk) 4pp 82620 315-82620 318

9502280530 Summary of 950100-06 meeting w/ ltr re license 940225 submitted to revise TS for plant to be consistent w/ STS issued as NUREG-1433
JABBOUR, K.M. Office of Nuclear Reactor Regulation (Post 941001) TAC 067310 95/01/30 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82605 353-82605 355

9502280531 Informs that US Army Corps of Engineers determined that proposed NPP burner designs & methodology acceptable for use in const of license vehicle burner sys w/ exception. Designs submitted w/ NUREG 950103 ltr re NUREG/CR-6190
CUNNINGHAM, L.J. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 MOORE, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp 82605 281-82605 287

9502280535 Confirms arrangements made during 950112 telcon w/ H. Williams for administration of licensing exams 50-324/94-300 & 50-325/94-300 at plant Exams scheduled for 950425-26
PEEBLES, T.A. Region 2 (Post 820201) 95/01/25 ANDERSON, R.A. Carolina Power & Light Co 8pp 82601 081-82601 085

9502280584 Comment re draft NUREG/CR-6174 "Revised Analyses of Decommissioning for Red BWR Power Station." Believes that availability of acceptable dry transfer sys to remove SF not applicable to storage containers in use today
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co) 95FR45299 00007 95/01/30 Division of Freedom of Information & Publications Services (Post 940714) 4pp 82601 213-82601 218

-9502280594 Informs of concurrence w/ NUREG on technical comments re draft NUREG/CR-6584 & NUREG/CR-6054 concerning decommissioning costs for red BWR Believes in importance of resolving technical issues to build methodology confidence
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co) 95FR45299 00007 94/02/15 MEYER, D.L. Division of Freedom of Information & Publications Services (950205-940714) 2pp 82601 217-82601 218

9502280798 Submits change in commitments to perform post-accident containment H concentration analysis & jump pit analysis of NUREG-0737, Item 18.3
MAAS, K.M. Consumers Power Co 95/02/02 Document Control Branch (Document Control Desk) 4pp 82661 344-82661 347

9502280821 Forwards ERDS Data Point Library (DPL) changes, in accordance w/ NUREG-1394 Rev 1, Section 3.6 Three DPLs undergone change in H alarm setpoints
THOMAS, G.S. Duquesne Light Co 95/01/30 Document Control Branch (Document Control Desk) 4pp 82660 258-82660 259

9502280834 NUREG/BR-0117 N94-4 NMSS LICENSEE NEWSLETTER Number 94-4
* Office of Nuclear Material Safety & Safeguards 95/01/31 12pp 82660 346-82660 358

9502280847 NUREG/CR-0145 WORKSHOP ON DEVELOPING SAFE SOFTWARE Held at Lawrence Livermore National Laboratory, San Diego, CA, July 28-29, 1994
LAWRENCE, J.D. Lawrence Livermore National Laboratory FIN L-1887 94/11/30 Office of Nuclear Reactor Regulation (Post 941001) 30pp 82644 318-82644 348

9502280854 NUREG/CR-6134 UNCERTAINTY AND SENSITIVITY ANALYSIS OF CHRONIC EXPOSURE RESULTS WITH THE MACCS REACTOR ACCIDENT CONSEQUENCE MODEL
HILTON, J.C. Arizona State Univ., Tempe, AZ JOHNSON, J.D., ROLLSTON, J.A. GRAM, Inc. FIN L-2294 SAND93-2970 95/01/31 Division of Systems Technology (Post 941217) 30pp 82644 222-82644 217

9502280862 NUREG/CR-6138 UNCERTAINTY AND SENSITIVITY ANALYSIS OF EARLY EXPOSURE RESULTS WITH THE MACCS REACTOR ACCIDENT CONSEQUENCE MODEL
HILTON, J.C. Arizona State Univ., Tempe, AZ JOHNSON, J.D. GRAM, Inc. MCKAY, M.D. Los Alamos National Laboratory FIN L-2294 SAND93-2971 95/01/31 Division of Systems Technology (Post 941217) 147pp 82660 063-82660 206

9502280868 NUREG/CR-6136 UNCERTAINTY AND SENSITIVITY ANALYSIS OF FOOD PATHWAY RESULTS WITH THE MACCS REACTOR ACCIDENT CONSEQUENCE MODEL
HILTON, J.C. Arizona State Univ., Tempe, AZ JOHNSON, J.D., ROLLSTON, J.A. GRAM, Inc. FIN L-2294 SAND93-2972 95/01/31 Division of Systems Technology (Post 941217) 94pp 82660 210-82660 303

9502280896 NUREG/CR-6214 PRODUCTION AND TESTING OF THE VITAMIN-B6 FINE GROUP AND THE BUGLE-63 BROAD-GROUP NEUTRON/PHOTON CROSS-SECTION LIBRARIES DERIVED FROM ENDF-6 V1 NUCLEAR DATA
INGERSOLL, D.T., WHITE, J.E., WRIGHT, R.Q. Oak Ridge National Laboratory FIN 8-0415 ORNL-6795 95/01/31 Division of Engineering Technology (Post 941217) 172pp 82660 146-82660 315

9502280912 NUREG-0904 V16 N03 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL) Compilation For Third Quarter 1994, July-September
* Division of Freedom of Information & Publications Services (Post 940714) 94/12/31 62pp 82660 001-82660 062

9502280936 NUREG-1516 OFFICE MANAGEMENT OF RADIOACTIVE MATERIAL SAFETY PROGRAMS AT MEDICAL FACILITIES Draft Report For Comment
CAMPER, L.W., SCHLUTER, J., HENDERSON, P. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/31 178pp 82663 152-82663 329

9502280997 NUREG-1435 304 STATUS OF SAFETY ISSUES AT LICENSED POWER PLANTS TAC Action Plan Requirements, Unresolved Safety Issues, Generic Safety Issues, Other Multiple Action Issues
* Office of Nuclear Reactor Regulation (Post 941001) 94/12/31 157pp 82666 001-82666 156

9502280922 NUREG-0540 V16 N11 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE November 1-30, 1994
* Division of Freedom of Information & Publications Services (Post 940714) 95/01/31 307pp 82662 001-82662 307

212 NONDOCKETED ITEMS

- 9502080242 NUREG-0713 V15 OCCUPATIONAL RADIATION EXPOSURE AT COMMERCIAL NUCLEAR POWER REACTORS AND OTHER FACILITIES, 1993 Twenty-Sixth Annual Report
RADOATZ, C.T. Division of Regulatory Applications (Post 941217) HAGEMMEYER, D. Science Applications International Corp. (formerly Science Applications, Inc.) FIN W-6088 95/01/31 307pp 82661 001-82661 307
- 9502080245 Responds to NRC 941130 RAI re use of neutron flux instrumentation for monitoring post-accident severe accident conditions w/ respect to Reg Guide 1.97
MECREDY, R.C. Rochester Gas & Electric Corp. TAC M60036 95/02/03
JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001) 8pp 82705 282-82705 289
- 9502080281 NUREG/CR-6258 CONSTRAINT EFFECTS ON FRACTURE INITIATION LOADS IN HSSST WIDE-PLATE TESTS
DOODS, R.H. Argonne, Univ. of Illinois, IL. DOODS, R.H. Oak Ridge National Laboratory FIN B-0118 ULLUENBERG, A. 94/12/31 Office of Nuclear Regulatory Research (Post 941217) 42pp 82860 304-82860 345
- 9502080199 Forwards SE re request for relief from NUREG-0619, "BWR Feedwater Nozzle and CR Return Drain Line Nozzle Cracking," for plant
DOEMAN, D. Project Directorate I-3 (PD1-3) (Post 941001) TAC M68003 95/02/06 REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp 82704 024-82704 003
- 9502080219 Safety evaluation supporting request for relief from NUREG-0619, "BWR Feedwater Nozzle and CR Return Drain Line Nozzle Cracking," for plant
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/06 7pp 82704 027-82704 003
- 9502080341 Submits request for copy of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM." PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 MUGHEE, J. Marsh Associates 1p 82720 201-82720 201
- 9502080346 Submits request for copies of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM." PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 GODDARD, L. Colorado, State of 1p 82720 200-82720 200
- 9502080354 Submits request for copies of NUREG-1508, "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM." PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/31 WIDEN, J. Affiliation Not Assigned 1p 82720 194-82720 194
- 9502080253 Forwards RAI re comments on draft supp to plant FES, NUREG-0458, Supp 1 concerning SAI/DA analyses in Section 7 as titled NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDUR) (Post 941001) TAC M77222 95/02/09 KINGSLEY, O.D. Tennessee Valley Authority 4pp 82754 002-82754 005
- 9502080306 Forwards amend 71 to license NPF-16 & safety evaluation. Amend will upgrade TS 3/4 4.7.1.6 for main feedwater line isolation valves to be consistent w/ NUREG-1432, std TS Combustion Engineering Plants
MORRIS, J.A. Office of Nuclear Reactor Regulation (Post 941001) TAC M60027 95/02/09 GOLDBERG, J.H. Florida Power & Light Co. 2pp 82744 356-82744 356
- 9502080308 Amend 71 to license NPF-71, upgrading TS 3/4 4.7.1.6 for main feedwater line isolation valves to be consistent w/ NUREG-1432, std TS for Combustion Engineering Plants
MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 7pp 82744 356-82744 356
- 9502080312 Safety evaluation supporting amend 71 to license NPF-16
* Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 4pp 82744 357-82744 360
- 9502080426 Informs that periodic review of high priority GSI to be conducted to determine whether GSI would meet initial screening criteria, and as listed in NUREG-0705 for designation as USH Recommendation to be reviewed by 950415
SHAO, L. Division of Engineering Technology (Post 941217) 95/01/20 SERPAN, C.2 Generic Safety Issues Branch (Post 941217) 2pp 82740 328-82740 328
- 9502080123 Forwards SE re resolution re unresolved safety issue A-46, Supp 1 to GL 87-02 for St Lucie, Unit 1 & Turkey Point, Units 3 & 4
MORRIS, J. Office of Nuclear Reactor Regulation (Post 941001) TAC M68304 95/02/09 GOLDBERG, J.H. Florida Power & Light Co. 4pp 82746 312-82746 327
- 9502080134 Safety evaluation accepting ubi response to GL 87-02 for St Lucie, Unit 1 & Turkey Point, Units 3 & 4
* Office of Nuclear Reactor Regulation (Post 941001) GL 87-02 95/02/09 12pp 82746 316-82746 327
- 9502080135 Submits RAI re proposed amend to plant TS for accident monitoring instrumentation RAI re action statement for possible containment isolation valve inoperation & apparent conflict w/ NUREG-1137
WHEELER, L.L. Office of Nuclear Reactor Regulation (Post 941001) TAC M69164 95/02/09 MCCOY, C.K. Georgia Power Co. 3pp 82747 063-82747 065
- 9502080283 NUREG/CR-6291 V01 NUCLEAR PLANT ANALYZER Installation Manual
SNIDER, D.M., WAGNER, K.L., GRUSH, W.H. Idaho National Engineering Laboratory FIN L-1586 INEL-94/0123 95/01/31 Division of Systems Technology (Post 941217) 28pp 82730 001-82730 029
- 9502080287 NUREG/CR-6291 V02 NUCLEAR PLANT ANALYZER Analyzer Reference Manual
SNIDER, D.M., WAGNER, K.L., GRUSH, W.H. Idaho National Engineering Laboratory FIN L-1586 INEL-94/0123 95/01/31 Division of Systems Technology (Post 941217) 71pp 82730 009-82730 100
- 9502080289 NUREG/CR-6291 V03 NUCLEAR PLANT ANALYZER Computer Visual System Reference Manual
SNIDER, D.M., WAGNER, K.L., GRUSH, W.H. Idaho National Engineering Laboratory FIN L-1586 INEL-94/0123 95/01/31 Division of Systems Technology (Post 941217) 126pp 82730 101-82730 229
- 9502080308 NUREG/CR-6291 V04 NUCLEAR PLANT ANALYZER Programmer's Manual
SNIDER, D.M., WAGNER, K.L., GRUSH, W.H. Idaho National Engineering Laboratory FIN L-1586 INEL-94/0123 95/01/31 Division of Systems Technology (Post 941217) 202pp 82730 229-82730 068
- 9502080228 Comment supporting w/add reservations, draft NUREG/CR-6224, "Parametric Study of Potential for BWR ECCS Strainer Blockage Due to LOCA Generated Debris," dated Aug 1994
HYVARINEN, J. Affiliation Not Assigned HYVARINEN, J. Finnish Centre for Radiation & Nuclear Safety (Finland) 58FR48650 00006 95/02/09 NRC - No Detailed Affiliation Given 8pp 82756 189-82756 178
- 9502080128 NUREG/BR-0195 ERR Errata to Change Notice Number 1 to "NRC Enforcement Manual," replacing Pages 27-30
* Division of Freedom of Information & Publications Services (Post 940714) 95/01/31 6pp 82743 305-82743 310
- 9502080268 Provides scenario objectives for post accident sampling and demonstration test to be performed during plant hot functional test Amend to TVA 940920 response to criteria of NUREG-0737, Item II B.3 and
MUNN, D.E. Tennessee Valley Authority TAC M60253 95/02/07 Document Control Branch (Document Control Desk) 4pp 82776 335-82776 342
- 9502080367 Discusses action re NUREG-1508, "Draft Environmental Impact Statement to Construct & Operate Crowpoint U Solution Mining Project, Crowpoint, NM." BOULANGER, A.R. Affiliation Not Assigned 95/02/14 Office of Nuclear Material Safety & Safeguards 2pp 82776 320-82776 321
- 9502080228 INEL-94/0277 "Technical Evaluation Rept TMI Action - NUREG-0737 (ID 1) Relief & Safety Valve Testing Works Bar Nuclear Plant, Units 1 & 2, Dockets 50-380 & 50-391
FRIEMAN, C.P. Idaho National Engineering Laboratory FIN L-1354 TAC M79992 95/02/28 NRC - No Detailed Affiliation Given 35pp 82776 011-82776 045
- 9502080228 Informs that NRC formed team to review allegations at plant & team findings will be published as NUREG-1517 in near future Requests that end list of documents be placed in PDR
KOKAJKOLE, E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 Document Control Branch (Document Control Desk) 4pp 82776 001-82776 206
- 9502080314 Informs Commission of status of progress of plant conversions to improved standards TS
TAYLOR, J.M. Dir. of the Executive Director for Operations 95/02/10 THE CHAIRMAN, SELIN, J., ROGERS, K. Commissioners (Post 750119) 1pp 82817 393-82817 393
- 9502080180 Forwards Sections 4 & 5 of rept NUREG/CR-2574, "BWR Reactor Reflood Program, Task 4.7 - Model Development, TRAC-BWR Component Models," in response to item 9 of Attachment 2 to GE 950214 for re closure of items related to GE SBWR TAPD
QUINN, J.E. General Electric Co. MFN 022-95 95/02/15 BOEHMERT, P.A. ACRS - Advisory Committee on Reactor Safeguards 1p 82812 012-82812 049
- 9502080234 Proposed Change 186 to License DPR-06, removing audit of emergency & security plans & implementing procedures from list of responsibilities of company Nuclear Audit & Review Group & by PDRC, per GL 80-07 & NUREG-1432
FRIZZLE, G.D. Maine Yankee Atomic Power Co. MFN-85-14 95/02/14 Document Control Branch (Document Control Desk) 4pp 82826 282-82826 301
- 9502080299 Requests that end document be made available through PDR & Central Files Document contains extensive parametric analyses of strainer blockage model described in draft for comment copy of NUREG/CR-6224, "Parametric Study" MARSHALL, M. NRC - No Detailed Affiliation Given 95/02/21 NRC - No Detailed Affiliation Given 1p 82820 111-82820 248
- 9502080300 SEA-94-554-04-A 6 "Blockage 2.0 Parametric Analyses," dated 950131
SHAFFER, C.J. RAO, D.V. Science & Engineering Associates, Inc. NRC-04-91-071 95/01/31 Office of Nuclear Regulatory Research (Post 941217) 137pp 82820 112-82820 248
- 9502080390 Summary of CRGR meeting 264 on 941011 re proposed Supp 2 to NUREG-0824/FEMA-REP-1, Plan 1 to provide guidance for development, review & approval of radiological EP info & plans submitted w/ early site applications per 10CFR62
JORDAN, E.L. Committee to Review Generic Requirements 95/01/19 TAYLOR, J.M. Dir. of the Executive Director for Operations 28pp 82836 041-82836 066
- 9502080119 Informs that DAEC had no safety valve or relief valve failures or challenges occur during CY 94 in accordance w/ requirements of App A to license DPR-49 & NUREG-0737
YOUNG, K.D. (ES Utilities Inc., formerly Iowa Electric Light & Power Co.) NG-95-0406 95/02/16 RUSSELL, W.T. Document Control Branch (Document Control Desk) 1p 82813 054-82813 054
- 9502080857 Submits rev to proposed amend to GGNS license NPF-29 submitted via ref 1, add info concerning proposed changes submitted via ref 2 & addition to proposed change submitted via ref 3
HUTCHINSON, C.R. Entergy Operations, Inc. PODL-93/11 95/02/14 Document Control Branch (Document Control Desk) 3pp 82814 112-82814 123
- 9502080061 Forwards plant specific fracture mechanics assessment as attachment to 941214 to NRC info contained in end rept believed to be true & reliable
SCHRAEGE, J.L. Commonwealth Edison Co. 95/02/17 Document Control Branch (Document Control Desk) 3pp 82814 139-82814 194
- 9502080200 Forwards NRC "Rept to Congress on Abnormal Occurrences, July-September 1994," which addresses five abnormal occurrences at NRC-licensed facilities
ROGERS, K.C. Commissioners (Post 750119) 95/02/15 GORE, J. Senate ROGERSON, H. House of Rep. 36pp 82842 189-82842 218
- 9502080223 Forwards initial exam rept 50-002/OL-95-01 for wk of 950109, facility comments & NRC resolution of comments & exam & answer key Exam conducted in accordance w/ NUREG-1478 w/o end
RICHAUD, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 FLEMING, R.F. Michigan, Univ. of Ann Arbor, MI 1p 82836 066-82836 066

9502270220 Discusses review of TMI item 11B2, "Plant Shielding." Advises that 950211, 950212, 9400524 & 9504 ltr considered reviewed & no more action will be taken by NRC Section 12.7.1 of SER (NUREG-0647) concluded that info acceptable. TAM.P.S. Office of Nuclear Reactor Regulation (Post 941001) TAC M90038 95/02/22 KINGSLEY, O.D. Tennessee Valley Authority 2pp 82852 239-82852 294

9502270225 Comments on Draft NUREG/CR-6270, "Estimating Spent Water Reactor Decommissioning Costs." Recommends that NRC review public comments provided for PWR study & incorporate comments into PWR & BWR cost evaluation estimates. SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95/02/08 95/02/10 MEYER, D.L. Division of Freedom of Information & Publications Services (Post 840714) 2pp 82831 281-82831 282

9502270370 Responds to verbal request for clarification of NRC guidance in Chapter 9 of NUREG/CR-5849 re interpretation of final status survey results. HOGGER, C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/08 CRAIG, K.A. Nuclear Energy Services, Inc. CRAIG, K.A. Industrial Electric Service Co 2pp 82803 338-82803 339

9502280311 Informs that NRC reviewed Cameron Corp 841115 rept "Soil Stockpiles Reevaluation/Resubmit for Attachment 4 to Kerr-McGee, 940621 Lr," & acceptable per NUREG/CR-5849. FAUER, D.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/15 STAUTER, J.C. Kerr-McGee Corp 2pp 82845 227-82845 228

9502280415 Staff requirements memo re SECY-94-304 draft rept on NRC responsiveness to public Submits & enforces for action staff to undertake prior to issuing rept for comment. Draft NUREG/BR-0199 and HOYLE, J.C. Docketing & Services Branch M950202 95/02/24 TAYLOR, J.M. Ofc of the Executive Director for Operations 8pp 82889 258-82889 265

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

940070186 Request for OMB review & supporting statement re 10CFR95 medical use of byproduct material. Estimated respondent burden is 21,120 h. CRANFORD, G.E. Office of Information Resources Management (Post 890205) AD69-2 029 94/06/29 117pp 81240 048-81240 182

9501890210 NRC Bulletin 95-001, "CAA Program for Transportation of Radioactive Mail." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/13 Consolidated Edison Co of New York, Inc 11pp 82605 013-82605 023

9501200136 Forwards corrected pages for inclusion to recent rev of SRP for use of sealed sources in portable gauging devices used by NRC Regional o/c as review of this category of license applications. FEDERLINE, W.V. Medical, Academic & Commercial Use Safety Branch 95/01/09 3pp 82614 115-82614 117

9501200200 NRC Info Notice 95-001, "Radiopharm Vial Breakage During Preparation." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/27 Consolidated Edison Co of New York, Inc 9pp 82605 008-82605 046

9501250429 NRC Info Notice 95-009, "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001) EB-79-14 95/01/31 Consolidated Edison Co of New York, Inc 7pp 82652 188-82652 194

9501300267 Confirms NRC staff participation in 950214-16 EPA Technical Workshop on waste solution pilot plant compliance issues. KNAUF, M.R. Division of Waste Management (NMSS 940403) 95/01/13 WEINSTOCK, L.G. Environmental Protection Agency 4pp 82605 212-82605 215

9502010149 Forwards JIM Taylor 941116 memo providing status rept of agency action on team recommendations re reassessment of protecting alleges against retaliation (ref SECY-94-089). RATHBUND, K. Office of Congressional Affairs (Post 911117) CCS 94/12/05 LIEBERMAN, J. Senate, Environment & Public Works 1p 82590 178-82590 185

9502020367 Forwards NRC Affirmative Action Program Plan for hiring, placement & advancement of individuals w/disabilities. Plan update & rept for period of 941001-950830. MILLER, V.L. Ofc of Small & Disadvantaged Business Utilization & Civil Rights 95/01/13 WALKER, R. Equal Employment Opportunity Commission 13pp 82585 015-82585 029

9502030301 Requests that effective w/update cycle of media background papers. ERDS be removed from list of briefing papers. JORDAN, L. Office for Analysis & Evaluation of Operational Data, Director 95/01/30 MILLER, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 880206) 2pp 82522 216-82522 217

9502030313 NRC Info Notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B.K. 95/02/03 Consolidated Edison Co of New York, Inc 8pp 82588 001-82588 008

9502030320 Expresses appreciation for opportunity to comment on final draft FRERP. Informs that retaining original version but providing clarification in statement of consideration would adequately address issues raised by commenters. CONGEL, F.J. Incident Response Branch 95/01/31 WILCOX, D.G. Federal Emergency Management Agency 1p 82514 303-82514 303

9502040161 Responds to 950124 telefax requesting info re licensing process for selling smoke detectors containing radioactive material. BAGGETT, S.L. Source Containment & Devices Branch (Post 911213) 95/02/02 GUNDERMAN, F. Affiliation Not Assigned 2pp 82886 252-82886 253

9502040217 Forwards info on how to obtain NRC documentation through PDR re SERs concerning safety effects of media to design & operation of LWRS. LONG, W.O. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 JH-ANLZ China, Peoples Republic of 2pp 82626 297-82626 298

9502180448 Forwards rept received under provisions of 10CFR71.95 re possible reduced effectiveness of radioactive mail container during transport. CHAPPELLE, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/25 O'STEEN, J.K. Transportation, Dept. of 1p 82688 009-82688 011

9502070044 Constitutes initial & preliminary notification of transportation problem. SHEPHERD, M.F. Affiliation Not Assigned 95/01/19 CHAPPELLE, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82688 010-82688 011

9502070056 Discusses concern that NRC had not adequately responded to recipient specific questions. Forwards responses to comments raised in ltr of 940520-0701. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 94/11/21 BLANCH, P.M. Affiliation Not Assigned 10pp 82644 197-82644 206

9502070064 Responds to 941003 ltr to B. Mikulski re concerns expressed about use of Thermo-Lag fire barriers at NPPs. Informs that NRC monitoring & reviewing resolution of listed issues in accordance w/Commission-approved action plan. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 HOOKS, P.E. Affiliation Not Assigned 5pp 82644 207-82644 215

9502070067 Requests NRC consideration of and correspondence from PE Hooks re concerns expressed about use of Thermo-Lag fire barriers at NPPs. MIKULSKI, A. Senate 94/12/12 RATHBUND, K. Office of Congressional Affairs (Post 911117) 4pp 82644 212-82644 215

9502070120 Responds to 841212 memo to Commission & to certain NRC staff re Southern CA Physicians Insurance Exchange. PAPERIELLO, C. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/05 MARCUS, C. California, Univ. of, Los Angeles, CA 2pp 82686 317-82686 327

9502070125 Forwards Southern CA Physicians Insurance Exchange rate schedule for 1994. MARCUS, C. California, Univ. of, Los Angeles, CA 94/12/12 THE CHAIRMAN, SENATE, DE PLANQUE, E. Commissioners (Post 750119) 8pp 82583 319-82583 327

9502070198 Responds to ltr to Chairman, Sen. 841130 & 1212 re use of dose ranges preparing written directives. PAPERIELLO, C. Division of Industrial & Medical Nuclear Safety (Post 870729) 94/12/23 California, Univ. of, Los Angeles, CA 3pp 82686 341-82686 348

9502070201 Forwards document contains seriously intellectually flawed mail & wish to direct attention to Item 3, "Use of Range of Doses." MARCUS, C. California, Univ. of, Los Angeles, CA 94/12/12 THE CHAIRMAN, SENATE, Commissioners (Post 750119) 2pp 82686 344-82686 348

9502070204 Requests authorization to allow enforce units to possess TS-100 test source for w/ADMA-300A under general license of 10CFR40.22, w/o regard to other permitted quantities of source material on same installation or by same unit. DONNELLY, J.J. Air Force, Dept. of 95/01/13 MCLEAN, L. Region 4 (Post 820201) 6pp 82693 353-82693 358

9502070278 Responds to 941207 ltr requesting SAUP rept on regular basis. GODY, A.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 MILLER, T.A. Donaldson, Lufkin & Jerrold 2pp 82950 307-82950 308

9502080028 Forwards FEMA "Exercise Rept Civicon Nuclear Power Station Joint Radiological Emergency Preparedness Exercise," 940504. No deficiencies noted. Two areas requiring corrective action identified. MCCORMACK-BARGE, Region 3 (Post 820201) 95/01/20 COOK, J. Illinois Power Co 2pp 82645 052-82645 163

9502080039 Presents schedule & methodology for conducting briefing portion of 1995 outreach program. Forwards schedule for State Outreach plans for 1995. CONGEL, F.J. Incident Response Branch 95/02/07 MEHL, C.W. Region 1 (Post 820201) STORCH, J.P. Region 2 (Post 820201) AGELSON, W.L. Region 3 (Post 820201) 4pp 82681 221-82681 224

9502090040 Expresses appreciation for opportunity to review draft Incident Annex for Mass. Integration transferred to NRC on 950113. CONGEL, F.J. Office for Analysis & Evaluation of Operational Data, Director 95/02/07 BOOKER, INGR, L.B. Federal Emergency Management Agency 1p 82595 225-82595 226

9502090082 Request for OMB review & supporting statement re 10CFR95.73, forms 365 & 365A & B re LER. Estimated respondent burden is 75,000 h. CRANFORD, G.E. Office of Information Resources Management (Post 890208) OMB 3150-0104 95/02/06 14pp 82684 282-82684 294

9502090211 Forwards nonproprietary version of documentation describing NRC Staff preliminary findings & issues transmitted to Washington on 950123 re pressure & flow oscillations in Oregon State Univ. APEX tests. Add test data and withheld. HASSELBERG, F.W. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 MCINIKSHIT, J. Office of Information Resources Management (Post 940205) 21pp 82685 054-82685 074

9502100280 Summary of operating reactors events meeting 95-01 on 950118. CHAFFEE, A.E. OREM-95-001 95/01/31 GRIMES, B.K. 25pp 82711 163-82711 187

9502100099 Expresses appreciation for attending 941110-950112 Parks Township Shallow Land Disposal Area info meeting re decommissioning & remediation issues. Summaries of Nov & Jan meetings, et al. GREEVE, J.T. Office of Nuclear Material Safety & Safeguards 95/01/26 Affiliation Not Assigned 9pp 82706 085-82706 071

9502100098 Requests endorsement of Draft 12 of RWMC collective opinion as provided at 950120 meeting. Draft 12 preserves basic structure of earlier draft, yet less redundant & more focused. KOTRA, J.P. Performance Assessment & Hydrology Branch (NMSS 940403) 95/01/30 BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 19pp 82706 072-82706 090

9502100101 Forwards Commission biweekly notice of applications & amendments to operating licenses involving NRC, published in FR on 950104 w/o and RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/26 FAIRCLOTH, L. Senate 2pp 82706 083-82706 084

9502180884 Responds to 941107 ltr requesting info on Thermo-Lag fire barriers on behalf of PE Hooks. NRC monitoring & reviewing resolution of Thermo-Lag issues per Commission-approved action plan. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS 95/01/31 BARTLETT, R.G. House of Rep 5pp 82711 089-82711 084

214 NONDOCKETED ITEMS

- 9502100172 Requests explanation of fire retardant policies which specifically relate to Thermo-Lag 930 at nuclear power plants & safety measures enforced by NRC. BARTLETT, J. G. House of Rep. 94/11/07. RATHBUND, D. Office of Congressional Affairs (Post 911117) 1p 82711 094-82711 094
- 9502100218 Forwards copy of Commission biweekly notice of applications & amend to OLR/working NSHC published in FR on 941221 W/o and RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 FAIRCLOTH, L. Senate SCHAEFER, D. House of Rep. 3pp 82711 084-82711 086
- 9502100232 Informs that Public Law 97-415, enacted on 8/10/84, amended Section 189 of AEA of 1954 to authorize NRC to issue & make effective any amendment to license that involves NSHC & forwards Commissions Biweekly Notice of Applications & Amendments RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 FAIRCLOTH, L. Senate SCHAEFER, D. House of Rep. Energy & Commerce 2pp 82708 218-82708 217
- 9502100283 Suppl 1 to NRC info notice 95-010, "Potential for Loss of Automatic ESFA." GRIMES, B. K. IEN-95-010 95/02/10 Consolidated Edison Co. of New York, Inc. 6pp 82618 037-82618 042
- 9502100328 Responds to 950117 memo re NRC Cfr review & concurrence on suggested state regulations for control of radiation implementing revised part 20 RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 BANGART, R. L. Office of State Programs (Post 911117) App 82708 272-82708 278
- 9502150122 Request for OMB review & supporting statement re 10CFR50, "Domestic Licensing of production & Utilization Facilities" Estimated respondent burden is 10,025 h. CRANFORD, G. F. Office of Information Resources Management (Post 890205) OMB 3150-0011 95/02/13 5pp 82746 119-82746 174
- 9502150342 Address that 950109 draft plan for NRC control instrumentation & human factors regulatory research program has been reviewed & acceptable. ODNELF, J. Incident Response Branch 95/02/14. HOOGESE, M. W. Office of Nuclear Regulatory Research (Post 941217) 2pp 82746 350-82746 351
- 9502160286 Forwards rept of OIG on results of NRC 2 205 petition process Informs that deputy executive director of NRC, regional operations & research agreed w/rept conclusions & provided action plan for implementing recommendations. BARCHI, T. J. Office of the Inspector General (Post 890417) 2 2pp 95/01/23 TAYLOR, J. M. Office of the Executive Director for Operations 2pp 82754 102-82754 124
- 9502160306 OIG/94A-26 "Review of NRC 2 205 Petition Process, Audit Rept." Office of the Inspector General (Post 890417) 2 2pp 95/01/23 2pp 82754 103-82754 124
- 9502160308 Summary of operating reactors events briefing 95-02 conducted on 950201 to inform senior managers from field office of selected events that occurred since last briefing on 950119 List of attendees and CHAFFEE, A. E. OREM-95-002 95/02/07 GRIMES, B. K. 3pp 82758 140-82758 159
- 9502160348 Administrative Ltr 85-02 to all holders of OLs or CPs re cost beneficial licensing actions. HAWTHORNE, J. R. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001) AL-95-02 95/02/23 Consolidated Edison Co. of New York, Inc. 17pp 82848 001-82848 017
- 9502160358 NRC info notice 95-011, "Failure of Condensate Piping Because of Erosion/Corrosion at Flow-Straightening Device." GRIMES, B. K. IEN-95-001 95/02/24 Consolidated Edison Co. of New York, Inc. 9pp 82818 016-82818 024
- 9502160361 NRC info notice 95-012, "Potentially Nonconforming Fasteners Supplied by AEG Engineering, Inc." GRIMES, B. K. 95/02/21 Consolidated Edison Co. of New York, Inc. 12pp 82818 025-82818 036
- 9502160366 Forwards 941202 PRA implementation plan workshop notebook, in response to request to T. Hill, dtd 941212 W/o and HSIA, A. H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 Scientific Information Services, Inc. 1p 82790 084-82790 084
- 9502160366 Request for OMB review & supporting statement re 10CFR70, "Domestic Licensing of Special Nuclear Material" & DG-3008 Estimated respondent burden is 82,885 h. CRANFORD, G. F. Office of Information Resources Management (Post 890205) OMB 3150-0008 95/02/15 3pp 82806 001-82806 039
- 9502160406 Forwards for info, copy of Commission Biweekly Notice of Applications & Amend to operating licenses involving NSHC, published in FR on 950201 W/o and RUSSELL, W. T. Office of Nuclear Reactor Regulation (Post 941001) 95/02/10 FAIRCLOTH, L. Senate, Environment & Public Works. SCHAEFER, D. House of Rep. 2pp 82852 001-82852 002
- 9502160368 Forwards per request, portions of DOE & cold regions research & engineering lab documents re accepted methodology for extrapolating climatic data. Delt containing modified Berggren equation code not and GILLEN, M. Division of Waste Management (NMSS 940403) 95/01/31 HASSINGER, B. Canine Environmental Services, Inc. 28pp 82820 017-82820 044
- 9502160369 Requests copy of PCSTAB program & documentation, for use. POM, D. S. Division of Waste Management (NMSS 940403) 95/02/07 1p 82820 045-82820 045
- 9502160364 Informs NRC has completed initial review of ASME std QME-1-1994 & forwards partial list of comments on std. Advises NRC has not endorsed QME-1-1994 because of technical issues not supported by NRC, but may support revision of std. WESSMAN, R. H. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 BARNES, R. W. American Society of Mechanical Engineers 3pp 82819 357-82819 361
- 9502160377 Summary of operating reactors events meeting 95-03 on 950208 CHAFFEE, A. E. Office of Nuclear Reactor Regulation (Post 941001) OREM-95-003 95/02/18 GRIMES, B. K. Office of Nuclear Reactor Regulation (Post 941001) 13pp 82836 028-82836 040
- 9502160383 Informs that NRC has no current requirement for in-service surveillance on Boral in SFP storage racks per telcon. KOPPL, J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 SINGH, K. P. Holtec International 1p 82825 357-82825 357
- 9502160386 Summary of CRGR meeting 264 on 941011 re proposed Suppl 2 to NUREG-0654/FEMA-REP-1, Rev 1 to provide guidance for development, review & approval of radiological EP info & plans submitted w/early sale applications per 10CFR52. JORDAN, E. L. Committee to Review Generic Requirements 95/01/19 TAYLOR, J. M. Office of the Executive Director for Operations 25pp 82836 041-82836 066
- 9502160403 Notification of 950906 & 07 ASME Research Risk-Based 1ST Task Force meeting in San Antonio, TX to discuss development of risk-based methodology for determining IST requirements including techniques for risk-ranking components. VOHL, M. 95/03/15 BUTCHER, E. 1p 82838 005-82838 005
- 9502160407 NRC info notice 95-013, "Potential For Data Collection Equipment to Affect Protection Systems Performance." GRIMES, B. K. 95/02/24 Consolidated Edison Co. of New York, Inc. 8pp 82848 018-82848 025
- 9502160419 Forwards internet mail from P. Branch to I. S. Enquiries that electronic communication placed in PDR. ZWOLINSKI, J. Division of Reactor Projects I/H (CRPE) (Post 941001) 95/02/21 Public Document Branch 5pp 82838 061-82838 065
- 9502160430 Informs of 950307 meeting of LIS Trends 1995 Conference in Clearwater, FL re current status of NRC CBLA program. LEEDS, E. J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 HAWTHORNE, J. R. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82836 089-82836 090
- 9502160495 Informs of 950308 meeting w/Winston & Strawn in Rockville, MD re scope of future submittal to NRC involving incremental power upgrade. WETZELBA, A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/22 HARRISON, J. N. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82846 275-82846 276
- 9502160495 Forwards 950130 IIR from Modeling & Computer Svcs to A. Taborda transmitting rept MEA-2541, "Compendium of Irradiation-Anneal Data for RPV Steels & Welds from MEA & NRL Experiments." to be put into NUDOS & PDR. TABORDA, A. Office of Nuclear Regulatory Research (Post 941217) 95/02/06 Document Control Branch (Document Control Desk) 2pp 82866 009-82866 289
- 9502160495 Forwards rept MEA-2541, "Compendium of Irradiation-Anneal Data for RPV Steels & Welds from MEA & NRL Experiments." Requests that rept & its be transmitted to PDR. EASON, E. D. Allocation Not Assigned 95/01/30 TABORDA, A. Office of Nuclear Regulatory Research (Post 941217) 1p 82866 011-82866 011
- 9502160495 "Compendium of Irradiation-Anneal Data for RPV Steels & Welds from MEA & NRL Experiments." HAWTHORNE, J. R. Allocation Not Assigned MEA-2541 94/09/22 5pp 82866 012-82866 013
- 9502160495 "Irradiation & Irradiation-Anneal-Reirradiation Studies of RPV Steels & Welds in Support of BR-3 Reactor." HAWTHORNE, J. R., HIGER, A. L. Allocation Not Assigned MEA-2218 93/11/30 5pp 82866 020-82866 088
- 9502160495 "Notch Ductility Properties of S4-1A Reactor Pressure Vessel Following In-Pile Annealing Operation." POTOPOV, S. L., HAWTHORNE, J. R., SERPANC, Z. Navy, Dept. of, Naval Research Lab 68/05/21 10pp 82866 069-82866 125
- 9502160495 "Irradiation Effects in Structural Metals." quarterly progress rept of 83051-0731 STEELE, L. E., HAWTHORNE, J. R., WATSON, H. E. Navy, Dept. of, Naval Research Lab NRL REPT 1448 63/08/15 18pp 82866 126-82866 148
- 9502160495 "Yanket Reactor Pressure-Vessel Surveillance Notch Ductility Performance of Vessel Steel & Max Svc Fluence Determined from Exposure During Core II, III & VI." SERPANC, Z., HAWTHORNE, J. R. Navy, Dept. of, Naval Research Lab NRL REPT 6616 67/08/23 7pp 82866 149-82866 156
- 9502160495 "Irradiation Effects on Reactor Structural Metals." quarterly progress rept of 85101-670131 HAWTHORNE, J. R., SERPANC, Z., WATSON, H. E. Navy, Dept. of, Naval Research Lab NRL REPT 1753 67/02/15 3pp 82866 157-82866 161
- 9502160495 "Irradiation Effects on Reactor Structural Metals." of 640801-1031 STEELE, L. E., HAWTHORNE, J. R., SERPANC, Z. Navy, Dept. of, Naval Research Lab NRL REPT 1572 64/11/15 3pp 82866 162-82866 164
- 9502160495 "Irradiation Effects on Reactor Structural Metals." of 641104-650131 STEELE, L. E., HAWTHORNE, J. R., WATSON, H. E. Navy, Dept. of, Naval Research Lab NRL REPT 1593 65/02/15 11pp 82866 163-82866 175
- 9502160495 "Demonstration of Improved Radiation Embrittlement Resistance of A533-B Steel Through Control of Selected Residual Elements." HAWTHORNE, J. R., Navy, Dept. of, Naval Research Lab NRL REPT 7121 70/05/29 2pp 82866 175-82866 212
- 9502160495 "Exploratory Investigations of Low Charpy-V Upper Shelf Energy Steels w/Irradiation." HAWTHORNE, J. R. Navy, Dept. of, Naval Research Lab NRL REPT 8171 77/12/30 10pp 82866 213-82866 222
- 9502160495 "Evaluation of Commercial Production A533-B Steel Plates & Weld Deposits w/Extra Low Copper Content for Radiation Resistance." HAWTHORNE, J. R., KOZOL, J. J., BYRNE, S. T. Navy, Dept. of, Naval Research Lab NRL REPT 8136 77/10/21 3pp 82866 223-82866 280

-9502200220 "Irradiation Effects on Reactor Structural Metals," quarterly progress report of 720601-1031
STEELE, L.E. Navy, Dept. of, Naval Research Lab NRL REPT 2531 72/11/15 9pp 82556 291-82556 288

9502200082 Notification of 950309 meeting w/industry in Rockville, MD to discuss NRCO severe accident training materials of 8/95 approach to training for severe accidents, BWROG severe accident mgmt overview & audits/wrps of accident mgmt FALLAR, L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/23 82556 143-82556 149

PR PROPOSED RULE

9502010003 Comment supporting proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures
SMITH, L.R. E.I. du Pont de Nemours & Co., Inc. 59FR43200 00065 95/01/17 Docketing & Services Branch 3pp 82544 001-82544 005

9502010005 Comment supporting proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures
SANDERSON, R.E. Environmental Protection Agency 59FR43200 00084 95/01/20 Rules & Directives Review Branch (Post 920323) 2pp 82544-014-82544 015

9502010009 Comment opposing proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 59FR43200 00085 95/01/25 Docketing & Services Branch 3pp 82544 016-82544 020

9502010064 Comment opposing proposed rule 10CFR50 re shutdown & low power operations for NPPs. No valid regulatory analysis exists to support proposed new rule. HAMPTON, J.W. Baskcock & Wilcox Operating Plants Owners Group 59FR52707 00035 95/01/19 CHRLK, S.J. Office of the Secretary of the Commission 19pp 82544 206-82544 225

9502010076 Comments on proposed rule 10CFR50 re shutdown & low power operations for NPPs. Expresses concern w/lack of regulatory analysis supporting proposed requirements & economic impact.
RASH, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 59FR52707 00034 95/01/24 HOYLE, J.C. Office of the Secretary of the Commission 3pp 82544 275-82544 283

9502010091 Comment supporting NUMARC comments filed on proposed rule 10CFR2 re rev to general statement of policy & procedure for EA to address issues on decommissioning.
DENTON, R.E. Baltimore Gas & Electric Co. 59FR80697 00006 95/01/26 Docketing & Services Branch 2pp 82544-355-82544 355

9502010092 Proposed rule 10CFR11 & 25, "NRC Licensee Renewal & Reinvestigation Program" - Rule would amend regulations to eliminate five yr expiration date for licensed "U" & "L" access authorizations.
TAYLOR, J.M. Ofc. of the Executive Director for Operations 94/11/15 12pp 82545 001-82545 012

9502010094 Comment on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Proposed NRC regulation requires separate performance of decommissioning tasks inappropriate.
BOHRKE, W.H. Florida Power & Light Co. 59FR43200 00087 95/01/20 HOYLE, J.C. Office of the Secretary of the Commission 6pp 82545 087-82545 042

9502010107 Comment supporting proposed rule re PRA implementation plan. Recommends that NRC staff that interacts directly w/units be trained in PRA aspects as soon as possible to assure acceptance of PRA not hindered.
MUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.) 59FR63369 00002 95/01/20 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82545 052-82545 053

9502010111 Comment supporting proposed rule 10CFR50 re proposed reactor pressure vessel integrity regulatory rules.
LIPARULO, N.J. Westinghouse Electric Corp. 59FR50513 00009 95/01/13 Document Control Branch (Document Control Desk) 1p 82545 054-82545 054

9502010117 Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. Unit believes existing industry sponsored guidance adequate to ensure continued protection of public health & safety.
VINCENT, R.A. Consumers Power Co. 59FR52707 00033 95/01/20 Docketing & Services Branch 4pp 82545 055-82545 058

9502010139 Forwards final rule 10CFR72, "List of Approved Spent Fuel Storage Casks Address."
RATHBUND, K. Office of Congressional Affairs (Post 911117) CCS 94/12/20 LIEBERMAN, J.I. Senate, Environment & Public Works 3pp 82590 044-82590 139

9502020087 Responds to 941220 in which commented on NRC proposed rulemaking on "Shutdown & Low-Power Operations of Nuclear Power Plants."
HOYLE, J.C. Office of the Secretary of the Commission 59FR52707 95/01/31 ABDOL, R. Wisconsin Electric Power Co. 1p 82558 358-82558 358

9502020104 Comment on proposed rule 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Unit believes that public dose limit should be 25 mrem/yr for residual radioactivity.
MARSH, W.C. Southern California Edison Co. 59FR43200 00088 95/01/30 Docketing & Services Branch 2pp 82559 359-82559 360

9502020106 Comment re change of proficiency testing std for Natl Voluntary Lab Accreditation Program for long-term Radiation Dosimetry. Supports practice of independent third party evaluation & recognition of dosimetry lab performance.
SCHMIDT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 59FR61906 00002 95/01/31 HOYLE, J.C. Office of the Secretary of the Commission 7pp 82560 001-82560 007

9502020113 Requests extension of comment period on proposed policy statement on use of PRA methods by 90 days.
RCEJ, 59FR63389 95/01/26 Docketing & Services Branch 2pp 82560 006-82560 009

9502020123 Comment on proposed rule 10CFR50 re shutdown & low-power operations for NP reactors. Informs that unit of belief that NRC already has appropriate regulatory authority over shutdown & low-power operations as provided in Main Rule.
ABDOOL, R. Wisconsin Electric Power Co. 59FR52707 94/12/20 THE CHAIRMAN, SELIN, J. Commissioners (Post 750113) 3pp 82560 010-82560 012

9502020142 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. Endorses NRC comments submitted to NRC.
LIPARULO, N.J. Westinghouse Electric Corp. 59FR53372 00015 95/01/25 HOYLE, J.C. Office of the Secretary of the Commission 4pp 82560 013-82560 015

9502020187 Forwards regulatory history package for proposed rule "Termination or Transfer of Licensed Activities: Recordkeeping Requirements" for processing.
THOMAS, M.L. Radiation Protection & Health Effects Branch (Post 941217) AF17-1 001 95/02/02 LANHAM, D.H. Office of Information Resources Management (Post 950205) 4pp 82567 023-82567 329

-9407200284 Responds to 940630 memo re record retention rulemaking. Proposed action, "Records shall be retained so long as: under any new or amended license," does not clearly identify to who requirement applies.
CUNNINGHAM, L.J. Radiation Protection Branch AF17-1 006 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82567 038-82567 039

-9407200297 Submits letter wording to replace proposed record retention rulemaking.
AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (94/95 940403) AF17-1 001 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 2pp 82607 037-82607 038

-9407200374 Provides comments in response to request of 940729 re draft records retention rulemaking.
AUSTIN, J.H. Low-Level Waste & Uranium Recovery Projects Branch AF17-1 013 94/08/16 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 4pp 82607 057-82607 060

-9409050023 Informs that of concurrence on parts 30,40,70 & 72, termination or transfer of licensed activities, recordkeeping requirements reviewed & concurs w/8080 comments.
BANGART, R.L. Office of State Programs (Post 911117) AF17-1 022 94/09/01 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 269-82607 270

-9410120031 Informs of deficiency in NRC recordkeeping requirements during preparations for Congressional hearing. Deficiency is when licensed activities terminated by one licensee & picked up by another, transfer of records were not required.
COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 004 94/06/30 AUSTIN, J.A. Division of Waste Management (NMSS 940403) COMBS, F.C. Operations Branch CUNNINGHAM, L.J. Radiation Protection Branch 3pp 82607 031-82607 033

-9410120039 Requests of concurrence on Parts 30,40,70 & 72 of 10CFR re termination of transfer of licensed activities concerning recordkeeping requirements.
BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 019 94/08/17 BERNERO, J.M. Office of Nuclear Material Safety & Safeguards MALSCHE, R.G. Deputy General Counsel for Licensing & Regulation (Post 890423) BANGART, R.L. Office of State Programs (Post 911117) 3pp 82607 225-82607 227

-9410150185 Informs NRC currently revising record retention requirements of 10CFR20.30,40,70 & 72 to ensure long-term availability of certain of licensee records. Such records considered important when license terminated or new licensee assumed.
THOMPSON, H.L. Dep. Exec. Dir. for Nuc. Mgmt. Safety, Safeguards & Operations Support (Post 890205) AF17-1 026 94/10/09 MARTIN, T.T. Region 1 (Post 820201) 1p 82507 268-82507 328

-9501280219 Forwards proposed rule 10CFR20.30,40,51,70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for 59FR43200.
BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 028 94/12/08 TAYLOR, J.M. Ofc. of the Executive Director for Operations 1p 82507 328-82507 329

-9502020179 Requests review of current regulations regarding record retention.
THOMPSON, H.L. Dep. Exec. Dir. for Nuc. Mgmt. Safety, Safeguards & Operations Support (Post 890205) AF17-1 002 94/06/22 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82507 028-82507 029

-9502020188 Discusses development of policy re records retention.
PARLER, W.C. Office of the General Counsel (Post 950701) AF17-1 003 94/06/22 CYR, K., MALSCHE, R.M. NRC - No Detailed Affiliation Given 1p 82507 030-82507 030

-9502020187 Discusses draft rulemaking language on record retention.
MIZUNO, G.S. Office of the General Counsel (Post 860701) AF17-1 005 94/07/22 THOMAS, M.L. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 034-82607 035

-9502020213 Discusses wording of proposed rule re record retention.
COMBS, F.C. Operations Branch AF17-1 006 94/07/07 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 036-82607 036

-9502020225 Requests review & concurrence re record retention rulemaking.
COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 008 94/07/29 KNAPP, M.R., PAPERBLO, C.J., CONGEL, F.J. NRC - No Detailed Affiliation Given 2pp 82507 040-82507 041

-9502020233 Discusses proposed rulemaking on records retention.
MIZUNO, G.S. Office of the General Counsel (Post 860701) AF17-1 010 94/08/01 COOL, D. NRC - No Detailed Affiliation Given 2pp 82607 042-82607 043

-9502020237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements."
SHELTON, B.J. Information & Records Management Branch (Post 890627) AF17-1 011 94/08/04 LESAR, M. Rules & Directives Review Branch (Post 920323) 1p 82607 044-82607 044

216 NONDOCKETED ITEMS

- 9502020241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements" LESAR, M.T. Rules & Directives Review Branch (Post 920323) AF17-1 012 94/08/05 THOMAS, M. Office of Nuclear Regulatory Research (860720-941217) 12pp 82607 045-82607 056
- 9502020247 Records Management Guideline 92-01 "Plan for Decommissioning Records" Transcript of stated Senate committee re radioactive contamination and SHELTON, B.J. NRC - No Detailed Affiliation Given AF17-1 014 92/03/16 NRC - No Detailed Affiliation Given 72pp 82607 081-82607 132
- 9502020252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 017 94/08/19 SHELTON, B.J. Information & Records Management Branch (Post 890827) 11pp 82607 213-82607 229
- 9502020264 Provides corrections to proposed rule 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements PARDOVER, H. NRC - No Detailed Affiliation Given AF17-1 018 94/11/22 THOMAS, M. NRC - No Detailed Affiliation Given 1p 82607 224-82607 224
- 9502020283 Considers w/draft regulation re termination or transfer of licensed activities recordkeeping requirements LIEBERMAN, J. Ofc of Enforcement (Post 870413) AF17-1 020 94/08/23 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 228-82607 228
- 9502020289 Considers, subject of comments provided, on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements" MEYER, D.L. Rules & Directives Review Branch (Post 920323) AF17-1 021 94/08/29 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 40pp 82607 228-82607 266
- 9502020297 Suggests wording for proposed addition to 30.51 MIZUNO, G.S. NRC - No Detailed Affiliation Given AF17-1 023 94/09/06 THOMAS, M. NRC - No Detailed Affiliation Given 1p 82607 271-82607 271
- 9502020289 Considers, subject to comments, w/rulemaking "Termination or Transfer of Licensed Activities Recordkeeping Requirements" BERNERO, R.M. Office of Nuclear Material Safety & Safeguards AF17-1 024 94/08/07 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 272-82607 287
- 9502020332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 015 94/12/16 WIGGINTON, S.N. Rules & Directives Review Branch (Post 920323) 70pp 82607 133-82607 212
- 9407210284 Responds to 940630 memo re record retention rulemaking. Proposed insertion, "Records shall be retained so long as under any new or amended license" does not clearly identify to who requirement applies CUNNINGHAM, L.J. Radiation Protection Branch AF17-1 008 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 039-82607 039
- 9407280247 Submits listed wording to replace proposed record retention rulemaking AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (86SS 940403) AF17-1 007 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 2pp 82607 037-82607 038
- 9408090374 Provides comments in response to request of 940729 re draft records retention rulemaking AUSTIN, J.H. Low-Level Waste & Uranium Recovery Projects Branch AF17-1 013 94/08/10 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 4pp 82607 057-82607 060
- 9409060023 Informs that of concurrence on parts 30,40,70 & 72, termination or transfer of licensed activities recordkeeping requirements, reviewed & concurs w/related comments BANGART, R.L. Office of State Programs (Post 911117) AF17-1 022 94/09/01 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 289-82607 270
- 9419120001 Informs of deficiency in NRC recordkeeping requirements during preparations for Congressional hearing deficiency re when licensed activities terminated by one licensee & picked up by another, transfer of records were not required COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 004 94/08/30 AUSTIN, J.A. Division of Waste Management (86SS 940403) COMBS, F.C. Operations Branch CUNNINGHAM, L.J. Radiation Protection Branch 3pp 82607 031-82607 033
- 9410120319 Requests of concurrence on Parts 30,40,70 & 72 of 10CFR re termination or transfer of licensed activities recordkeeping requirements BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 019 94/08/17 BERNERO, R.M. Office of Nuclear Material Safety & Safeguards MALSCH, M.G. Deputy General Counsel for Licensing & Regulation (Post 930423) BANGART, R.L. Office of State Programs (Post 911117) 3pp 82607 225-82607 227
- 9410390185 Informs NRC currently revising record retention requirements of 10CFR20.30,40,70 & 72, to ensure long-term availability of certain of licensee records. Such records considered important when license terminated or new licensee named THOMPSON, M.L. Dep. Exec. Dir. for Nuc. Mats. Safety, Safeguards & Operations Support (Post 890205) AF17-1 026 94/10/03 MARTIN, T.T. Region 1 (Post 820301) 1p 82607 288-82607 328
- 9501260318 Forwards proposed rule 10CFR20.30,40,61,70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for signature W/o encl BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 028 94/12/08 TAYLOR, J.M. Ofc of the Executive Director for Operations 1p 82607 326-82607 328
- 9502020179 Requests review of current regulations regarding record retention THOMPSON, M.L. Dep. Exec. Dir. for Nuc. Mats. Safety, Safeguards & Operations Support (Post 890205) AF17-1 002 94/08/22 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 029-82607 029
- 9502020188 Discusses development of policy re records retention FARLER, W.C. Office of the General Counsel (Post 860701) AF17-1 003 94/06/22 CYR, K., MALSCH, M. NRC - No Detailed Affiliation Given 1p 82607 030-82607 030
- 9502020187 Discusses draft rulemaking language on record retention MIZUNO, G.S. Office of the General Counsel (Post 860701) AF17-1 005 94/07/22 THOMAS, M.L. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 034-82607 035
- 9502020213 Discusses wording of proposed rule re record retention COMBS, F.C. Operations Branch AF17-1 006 94/07/07 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 036-82607 036
- 9502020225 Requests review & concurrence re record retention rulemaking COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 008 94/07/29 KNAPP, M.R., PAPERIELLO, C.J., CONGEL, J. NRC - No Detailed Affiliation Given 2pp 82607 040-82607 041
- 9502020233 Discusses proposed rulemaking on records retention MIZUNO, G.S. Office of the General Counsel (Post 860701) AF17-1 010 94/08/01 COOL, D.A. NRC - No Detailed Affiliation Given 2pp 82607 042-82607 043
- 9502020237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements" SHELTON, B.J. Information & Records Management Branch (Post 890827) AF17-1 011 94/08/04 LESAR, M. Rules & Directives Review Branch (Post 920323) 1p 82607 044-82607 044
- 9502020241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements" LESAR, M.T. Rules & Directives Review Branch (Post 920323) AF17-1 012 94/08/05 THOMAS, M. Office of Nuclear Regulatory Research (860720-941217) 12pp 82607 045-82607 056
- 9502020247 Records Management Guideline 92-01 "Plan for Decommissioning Records" Transcript of stated Senate committee re radioactive contamination and SHELTON, B.J. NRC - No Detailed Affiliation Given AF17-1 014 92/03/16 NRC - No Detailed Affiliation Given 72pp 82607 081-82607 132
- 9502020252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 017 94/08/19 SHELTON, B.J. Information & Records Management Branch (Post 890827) 11pp 82607 213-82607 229
- 9502020264 Provides corrections to proposed rule 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements PARDOVER, H. NRC - No Detailed Affiliation Given AF17-1 018 94/11/22 THOMAS, M. NRC - No Detailed Affiliation Given 1p 82607 224-82607 224
- 9502020283 Considers w/draft regulation re termination or transfer of licensed activities recordkeeping requirements LIEBERMAN, J. Ofc of Enforcement (Post 870413) AF17-1 020 94/08/23 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 228-82607 228
- 9502020289 Considers, subject of comments provided, on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements" MEYER, D.L. Rules & Directives Review Branch (Post 920323) AF17-1 021 94/08/29 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 40pp 82607 228-82607 266
- 9502020297 Suggests wording for proposed addition to 30.51 MIZUNO, G.S. NRC - No Detailed Affiliation Given AF17-1 023 94/09/06 THOMAS, M. NRC - No Detailed Affiliation Given 1p 82607 271-82607 271
- 9502020289 Considers, subject to comments, w/rulemaking "Termination or Transfer of Licensed Activities Recordkeeping Requirements" BERNERO, R.M. Office of Nuclear Material Safety & Safeguards AF17-1 024 94/08/07 BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 272-82607 287
- 9502020332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 015 94/12/16 WIGGINTON, S.N. Rules & Directives Review Branch (Post 920323) 70pp 82607 133-82607 212
- 9407210284 Responds to 940630 memo re record retention rulemaking. Proposed insertion, "Records shall be retained so long as under any new or amended license" does not clearly identify to who requirement applies CUNNINGHAM, L.J. Radiation Protection Branch AF17-1 008 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 039-82607 039
- 9407280247 Submits listed wording to replace proposed record retention rulemaking AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (86SS 940403) AF17-1 007 94/07/12 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 2pp 82607 037-82607 038
- 9408090374 Provides comments in response to request of 940729 re draft records retention rulemaking AUSTIN, J.H. Low-Level Waste & Uranium Recovery Projects Branch AF17-1 013 94/08/10 COOL, D.A. Radiation Protection & Health Effects Branch (870413-941217) 4pp 82607 057-82607 060

-8409060023 Informs that c/o concurrence on parts 30.40.70 & 72 termination or transfer of licensed activities recordkeeping requirements reviewed & concurs w/listed comments
BANGART R.L. Office of State Programs (Post 911117) AF17-1 022 94/09/01
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp
82607 268-82607 270

-8410120301 Informs of deficiency in NRC recordkeeping requirements during preparations for Congressional hearing Deficiency re when licensed activities terminated by one licensee & picked up by another; transfer of records were not required
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 004 94/06/30
AUSTIN.J.A. Division of Waste Management (RMSS 940403)
COMBES.F.C. Operations Branch CUNNINGHAM.L.J. Radiation Protection Branch
3pp 82607 031-82607 033

-8410120319 Requests c/o concurrence on Parts 30.40.70 & 72 of 10CFR re termination or transfer of licensed activities recordkeeping requirements
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 019 94/08/17
BERNERO.R.M. Office of Nuclear Material Safety & Safeguards
MALSCH.M. Deputy General Counsel for Licensing & Regulation (Post 850423)
BANGART.R.L. Office of State Programs (Post 911117) 3pp 82607 225-82607 227

-8410120185 Informs NRC currently revising record retention requirements of 10CFR20.30.40.70 & 72 to ensure long-term availability of certain of licensee records. Such records considered important when license terminated or new licensee named
THOMPSON.H.L. Dep. Exec. Dir. for Nuc. Matls. Safety, Safeguards & Operations Support (Post 860205) AF17-1 026 94/10/03
MARTIN.T.T. Region 1 (Post 820201) 1p
82607 268-82607 328

-8410120210 Forwards proposed rule 10CFR20.30.40.61.70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for signature W/P and
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) AF17-1 028 94/12/08
TAYLOR.J.M. Dir. of the Executive Director for Operations 1p
82607 329-82607 329

-8410120179 Requests review of current regulations regarding record retention
THOMPSON.H.L. Dep. Exec. Dir. for Nuc. Matls. Safety, Safeguards & Operations Support (Post 860205) AF17-1 002 94/06/22
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 1p
82607 029-82607 029

-8410120169 Discusses development of policy re records retention
PARLER.W.C. Office of the General Counsel (Post 860701) AF17-1 009 94/06/22
CYR.K. MALSCH.M. NRC - No Detailed Affiliation Given 1p
82607 030-82607 030

-8410120187 Discusses draft rulemaking language on record retention
MEZUNO.G.S. Office of the General Counsel (Post 860701) AF17-1 005 94/07/22
THOMAS.M.L. Office of Nuclear Regulatory Research (860720-941217) 2pp
82607 034-82607 035

-8410120213 Discusses wording of proposed rule re record retention
COMBES.F.C. Operations Branch (870413-941217) 1p
82607 036-82607 036

-8410120225 Requests review & concurrence re record retention rulemaking
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 009 94/07/25
KNAPP.M.R. PAPERELLO.C.J. CONGEL.F.J. NRC - No Detailed Affiliation Given 2pp
82607 040-82607 041

-8410120233 Discusses proposed rulemaking on records retention
MEZUNO.G.S. Office of the General Counsel (Post 860701) AF17-1 010 94/06/01
COOL.D. NRC - No Detailed Affiliation Given 2pp
82607 042-82607 043

-8410120237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements"
SHELTON.B.J. Information & Records Management Branch (Post 890827) AF17-1 011 94/08/04
LESAR.M. Rules & Directives Review Branch (Post 920323) 1p
82607 044-82607 044

-8410120241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
LESAR.M. Rules & Directives Review Branch (Post 920323) AF17-1 012 94/08/05
THOMAS.M. Office of Nuclear Regulatory Research (860720-941217) 12pp
82607 045-82607 056

-8410120247 Records Management Guideline 92-01 "Plan for Decommissioning Records" - Transcript of stated Senate committee re radioactive contamination and
SHELTON.B.J. NRC - No Detailed Affiliation Given AF17-1 014 92/03/16 NRC - No Detailed Affiliation Given 72pp
82607 061-82607 132

-8410120252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 017 94/08/19
SHELTON.B.J. Information & Records Management Branch (Post 890827) 11pp
82607 213-82607 223

-8410120254 Provides corrections to proposed rule 10CFR20.30.40.61.70 & 72, termination or transfer of licensed activities recordkeeping requirements
PARCOVER.H. NRC - No Detailed Affiliation Given AF17-1 018 94/11/22
THOMAS.M. NRC - No Detailed Affiliation Given 1p
82607 224-82607 224

-8410120258 Comments w/draft regulation re termination or transfer of licensed activities recordkeeping requirements
LEBERMAN.J. Dir. of Enforcement (Post 870413) AF17-1 020 94/06/25
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 1p
82607 226-82607 228

-8410120269 Concurs, subject to comments provided, on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
MEYER.D.L. Rules & Directives Review Branch (Post 920323) AF17-1 021 94/08/29
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 40pp
82607 229-82607 268

-8410120287 Suggests working for proposed addition to 50.51
MEZUNO.G.S. NRC - No Detailed Affiliation Given AF17-1 023 94/09/08
THOMAS.M. NRC - No Detailed Affiliation Given 1p
82607 271-82607 271

-8410120299 Concurs subject to comments w/rulemaking Termination or Transfer of Licensed Activities Recordkeeping Requirements
BERNERO.R.M. Office of Nuclear Material Safety & Safeguards AF17-1 024 94/09/07
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp
82607 272-82607 287

-8410120332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20.30.40.61.70 & 72 termination or transfer of licensed activities recordkeeping requirements
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) AF17-1 015 94/12/16
WIGGINTON.S.N. Rules & Directives Review Branch (Post 920323) 70pp
82607 133-82607 212

-8410120384 Responds to 940630 memo re record retention rulemaking Proposed insertion "Records shall be retained so long as under any new or amended license," does not clearly identify to who requirement applies
CUNNINGHAM.L.J. Radiation Protection Branch 59FR66814 94/07/12
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p
82607 039-82607 039

-8410120347 Submits listed wording to replace proposed record retention rulemaking
AUSTIN.J.H. Low-Level Waste & Decommissioning Projects Branch (RMSS 940403) 59FR66814 94/07/12
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 2pp
82607 037-82607 038

-8410120374 Provides comments in response to request of 940729 re draft records retention rulemaking
AUSTIN.J.H. Low-Level Waste & Uranium Recovery Projects Branch 59FR66814 94/07/10
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 4pp
82607 057-82607 060

-8410120023 Informs that c/o concurrence on parts 30.40.70 & 72 termination or transfer of licensed activities recordkeeping requirements reviewed & concurs w/listed comments
BANGART R.L. Office of State Programs (Post 911117) 59FR66814 94/09/01
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp
82607 269-82607 270

-8410120081 Informs of deficiency in NRC recordkeeping requirements during preparations for Congressional hearing Deficiency re when licensed activities terminated by one licensee & picked up by another; transfer of records were not required
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/06/30
AUSTIN.J.A. Division of Waste Management (RMSS 940403) 3pp
82607 031-82607 033

-8410120319 Requests c/o concurrence on Parts 30.40.70 & 72 of 10CFR re termination or transfer of licensed activities recordkeeping requirements
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 59FR66814 94/08/17
BERNERO.R.M. Office of Nuclear Material Safety & Safeguards 3pp
82607 225-82607 227

-8410120185 Informs NRC currently revising record retention requirements of 10CFR20.30.40.70 & 72 to ensure long-term availability of certain of licensee records. Such records considered important when license terminated or new licensee named
THOMPSON.H.L. Dep. Exec. Dir. for Nuc. Matls. Safety, Safeguards & Operations Support (Post 860205) 59FR66814 94/10/03
MARTIN.T.T. Region 1 (Post 820201) 1p
82607 288-82607 328

-8410120310 Forwards proposed rule 10CFR20.30.40.61.70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for signature W/P and
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 59FR66814 94/12/08
TAYLOR.J.M. Dir. of the Executive Director for Operations 1p
82607 329-82607 329

-8410120179 Requests review of current regulations regarding record retention
THOMPSON.H.L. Dep. Exec. Dir. for Nuc. Matls. Safety, Safeguards & Operations Support (Post 860205) 59FR66814 94/06/22
BECKJORD.E.S. Office of Nuclear Regulatory Research (860720-941217) 1p
82607 029-82607 029

-8410120169 Discusses development of policy re records retention
PARLER.W.C. Office of the General Counsel (Post 860701) 59FR66814 94/06/22
CYR.K. NRC - No Detailed Affiliation Given 1p
82607 030-82607 030

-8410120187 Discusses draft rulemaking language on record retention
MEZUNO.G.S. Office of the General Counsel (Post 860701) 59FR66814 94/07/22
THOMAS.M.L. Office of Nuclear Regulatory Research (860720-941217) 2pp
82607 034-82607 035

-8410120213 Discusses wording of proposed rule re record retention
COMBES.F.C. Operations Branch 59FR66814 94/07/07
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 1p
82607 036-82607 036

-8410120225 Requests review & concurrence re record retention rulemaking
COOL.D.A. Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/07/29
KNAPP.M.R. CALVO.J.A. SHELTON.B.J. NRC - No Detailed Affiliation Given 2pp
82607 040-82607 041

-8410120233 Discusses proposed rulemaking on records retention
MEZUNO.G.S. Office of the General Counsel (Post 860701) 59FR66814 94/06/01
COOL.D. NRC - No Detailed Affiliation Given 2pp
82607 042-82607 043

-8410120237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements"
SHELTON.B.J. Information & Records Management Branch (Post 890827) 59FR66814 94/08/04
LESAR.M. Rules & Directives Review Branch (Post 920323) 1p
82607 044-82607 044

-8410120241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
LESAR.M. Rules & Directives Review Branch (Post 920323) 59FR66814 94/08/05
THOMAS.M. Office of Nuclear Regulatory Research (860720-941217) 12pp
82607 045-82607 056

218 NONDOCKETED ITEMS

- 9502020247 Records Management Guideline 92-01 "Plan for Decommissioning Records" Transcript of stated Senate committee re radioactive contamination and SHELTON,B.J. NRC - No Detailed Affiliation Given 59FR66814 92/03/15 NRC - No Detailed Affiliation Given 72pp 82607 061-82607 132
 -9502020252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/08/19 SHELTON,B.J. Information & Records Management Branch (Post 890627) 11pp 82607 213-82607 223
 -9502020254 Provides corrections to proposed rule 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements
 PARCOVER,H. NRC - No Detailed Affiliation Given 59FR66814 94/11/22 THOMAS,M. NRC - No Detailed Affiliation Given 1p 82607 224-82607 224
 -9502020263 Considers w/draft regulation re termination or transfer of licensed activities recordkeeping requirements
 LIBERMAN,J. Ofc of Enforcement (Post 870413) 59FR66814 94/08/23 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 229-82607 226
 -9502020268 Considers subject of comments provided on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
 MEYER,D.L. Rules & Directives Review Branch (Post 920323) 59FR66814 94/08/29 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 40pp 82607 229-82607 268
 -9502020267 Suggests wording for proposed addition to 30.51
 MIZUNO,G.S. NRC - No Detailed Affiliation Given 59FR66814 94/09/06 THOMAS,M. NRC - No Detailed Affiliation Given 1p 82607 271-82607 271
 -9502020299 Considers subject to comments w/rulemaking "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
 BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 59FR66814 94/09/07 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 272-82607 287
 -9502020332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/12/16 WIGGINTON,S.N. Rules & Directives Review Branch (Post 920323) 70pp 82607 133-82607 212
 -9407218284 Responds to 940630 memo re record retention rulemaking. Proposed revision, "Records shall be retained so long as under any new or amended license," does not clearly identify to who requirement applies
 CUNNINGHAM,L.J. Radiation Protection Branch 59FR66814 94/07/12 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 039-82607 039
 -9407288247 Submits listed wording to replace proposed record retention rulemaking
 AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 59FR66814 94/07/12 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 2pp 82607 037-82607 038
 -9408290374 Provides comments in response to request of 940729 re draft records retention rulemaking
 AUSTIN,J.H. Low-Level Waste & Uranium Recovery Projects Branch 59FR66814 94/08/10 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 4pp 82607 057-82607 060
 -9409060023 Informs that o/c concurrence on parts 30,40,70 & 72, termination or transfer of licensed activities recordkeeping requirements reviewed & concurs w/listed comments
 BANGART,R.L. Office of State Programs (Post 911117) 59FR66814 94/09/01 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 269-82607 270
 -9410129301 Informs of deficiency in NRC recordkeeping requirements during preparations for Congressional hearing Deficiency re when licensed activities terminated by one licensee & picked up by another, transfer of records were not required
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/06/30 AUSTIN,J.A. Division of Waste Management (NMSS 940403) 3pp 82607 031-82607 033
 -9410120319 Requests o/c concurrence on Parts 30,40,70 & 72 of 10CFR re termination or transfer of licensed activities recordkeeping requirements
 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 59FR66814 94/08/17 BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 3pp 82607 225-82607 227
 -9410198185 Informs NRC currently reviewing record retention requirements of 10CFR20.30,40,70 & 72 to ensure long-term availability of certain of licensed records. Such records considered important when license terminated or new license named
 THOMPSON,H.L. Dep Exec Dir for Nuc. Matls. Safety, Safeguards & Operations Support (Post 890205) 59FR66814 94/10/03 MARTIN,T.T. Region 1 (Post 820301) 1p 82607 268-82607 328
 -9501268310 Forwards proposed rule 10CFR20.30,40,61,70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for signature w/o end
 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 59FR66814 94/12/08 TAYLOR,J.M. Ofc of the Executive Director for Operations 1p 82607 329-82607 329
 -9502020179 Requests review of current regulations regarding record retention
 THOMPSON,H.L. Dep Exec Dir for Nuc. Matls. Safety, Safeguards & Operations Support (Post 890205) 59FR66814 94/06/22 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 068-82607 029
 -9502020186 Discusses development of policy re records retention
 CYRIL W.C. Office of the General Counsel (Post 880701) 59FR66814 94/06/22 CYRIL W.C. No Detailed Affiliation Given 1p 82607 090-82607 030
 -9502020187 Discusses draft rulemaking language on record retention
 MIZUNO,G.S. Office of the General Counsel (Post 880701) 59FR66814 94/07/22 THOMAS,M. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 034-82607 035
 -9502020213 Discusses wording of proposed rule re record retention
 COMBS,F.C. Operations Branch 59FR66814 94/07/07 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 006-82607 006
 -9502020225 Requests review & concurrence re record retention rulemaking
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/07/28 KNAPP,M.R. CALVO,J.A. SHELTON,B.J. NRC - No Detailed Affiliation Given 2pp 82607 040-82607 041
 -9502020239 Discusses proposed rulemaking on records retention
 MIZUNO,G.S. Office of the General Counsel (Post 880701) 59FR66814 94/08/01 COOLDA NRC - No Detailed Affiliation Given 2pp 82607 042-82607 043
 -9502020237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements"
 SHELTON,B.J. Information & Records Management Branch (Post 890627) 59FR66814 94/08/04 LESAR,M. Rules & Directives Review Branch (Post 920323) 1p 82607 044-82607 044
 -9502020241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
 LESAR,M.T. Rules & Directives Review Branch (Post 920323) 59FR66814 94/08/05 THOMAS,M. Office of Nuclear Regulatory Research (860720-941217) 12pp 82607 045-82607 056
 -9502020247 Records Management Guideline 92-01 "Plan for Decommissioning Records" Transcript of stated Senate committee re radioactive contamination and SHELTON,B.J. NRC - No Detailed Affiliation Given 59FR66814 92/03/15 NRC - No Detailed Affiliation Given 72pp 82607 061-82607 132
 -9502020252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/09/19 SHELTON,B.J. Information & Records Management Branch (Post 890627) 11pp 82607 213-82607 223
 -9502020254 Provides corrections to proposed rule 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements
 PARCOVER,H. NRC - No Detailed Affiliation Given 59FR66814 94/11/22 THOMAS,M. NRC - No Detailed Affiliation Given 1p 82607 224-82607 224
 -9502020283 Considers w/draft regulation re termination or transfer of licensed activities recordkeeping requirements
 LIBERMAN,J. Ofc of Enforcement (Post 870413) 59FR66814 94/08/23 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 1p 82607 229-82607 226
 -9502020289 Considers subject of comments provided on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
 MEYER,D.L. Rules & Directives Review Branch (Post 920323) 59FR66814 94/08/29 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 40pp 82607 229-82607 268
 -9502020287 Suggests wording for proposed addition to 30.51
 MIZUNO,G.S. NRC - No Detailed Affiliation Given 59FR66814 94/09/06 THOMAS,M. NRC - No Detailed Affiliation Given 1p 82607 271-82607 271
 -9502020299 Considers subject to comments w/rulemaking "Termination or Transfer of Licensed Activities Recordkeeping Requirements"
 BERNERO,R.M. Office of Nuclear Material Safety & Safeguards 59FR66814 94/09/07 BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217) 2pp 82607 272-82607 287
 -9502020332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20.30,40,61,70, & 72, termination or transfer of licensed activities recordkeeping requirements
 COOLDA Radiation Protection & Health Effects Branch (870413-941217) 59FR66814 94/12/16 WIGGINTON,S.N. Rules & Directives Review Branch (Post 920323) 70pp 82607 133-82607 212
 -9407218284 Responds to 940630 memo re record retention rulemaking. Proposed revision,

- 9410120319 Requests concurrence on Parts 30,40,70 & 72 of 10CFR re termination of transfer of licensed activities concerning recordkeeping requirements. BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 59FR68814 94/08/17 BERNIERO, J.M. Office of Nuclear Material Safety & Safeguards 5pp 82607 225-82607 227
- 9410180185 Informs NRC currently reviewing record retention requirements of 10CFR20,30,40,70 & 72 to ensure long-term availability of certain of licensee records. Such records considered important when license terminated or new licensee named. THOMPSON, H.L. Dep. Exec. Dir. for Nuc. Mat'l Safety, Safeguards & Operations Support (Post 890205) 59FR68814 94/10/03 MARTIN, T.T. Region 1 (Post 826201) 1p 82607 248-82607 328
- 941203010 Forwards proposed rule 10CFR20,30,40,61,70 & 72 re termination or transfer of licensed activities recordkeeping requirements & attachments for signature w/o and. BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 59FR68814 94/12/06 TAYLOR, J.M. Ofc. of the Executive Director for Operations 1p 82607 329-82607 329
- 9412030179 Requests review of current regulations regarding record retention. THOMPSON, H.L. Dep. Exec. Dir. for Nuc. Mat'l Safety, Safeguards & Operations Support (Post 890205) 59FR68814 94/08/22 BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 1p 82607 028-82607 029
- 9412030185 Discusses development of policy re records retention. PARLIER, W.C. Office of the General Counsel (Post 860701) 59FR68814 94/08/22 CYR, K. NRC - No Detailed Affiliation Given 1p 82607 030-82607 030
- 9412030197 Discusses draft rulemaking language on record retention. MIZUNO, G.S. Office of the General Counsel (Post 860701) 59FR68814 94/07/22 THOMAS, M.L. Office of Nuclear Regulatory Research (880720-941217) 2pp 82607 034-82607 035
- 9412030213 Discusses wording of proposed rule re record retention. COMBS, F.C. Operations Branch 59FR68814 94/07/07 COOLA, A. Radiation Protection & Health Effects Branch (870413-941217) 1p 82607 036-82607 036
- 9412030225 Requests review & concurrence re record retention rulemaking. COOLA, A. Radiation Protection & Health Effects Branch (870413-941217) 59FR68814 94/07/29 KNAPP, M.R., FREEST, S.A. NRC - No Detailed Affiliation Given 2pp 82607 040-82607 041
- 9412030233 Discusses proposed rulemaking on records retention. MIZUNO, G.S. Office of the General Counsel (Post 860701) 59FR68814 94/08/01 COOLA, A. NRC - No Detailed Affiliation Given 2pp 82607 042-82607 043
- 9412030237 Responds to request for comment & concurrence on proposed rule entitled "Recordkeeping Requirements". SHELTON, B.J. Information & Records Management Branch (Post 890827) 59FR68814 94/08/04 LESAR, J.M. Rules & Directives Review Branch (Post 920323) 1p 82607 044-82607 044
- 9412030241 Forwards marked-up review of proposed rule "Termination or Transfer of Licensed Activities Recordkeeping Requirements". LESAR, J.M. Rules & Directives Review Branch (Post 920323) 59FR68814 94/08/05 THOMAS, M.L. Office of Nuclear Regulatory Research (880720-941217) 12pp 82607 045-82607 056
- 9412030247 Records Management Guideline 92-01 "Plan for Decommissioning Records" Transcript of stated Senate committee re radioactive contamination and SHELTON, B.J. NRC - No Detailed Affiliation Given 59FR68814 92/03/18 NRC - No Detailed Affiliation Given 72pp 82607 061-82607 132
- 9412030252 Forwards OMB Clearance package for proposed rulemaking re record retention requirements. COOLA, A. Radiation Protection & Health Effects Branch (870413-941217) 59FR68814 94/08/19 SHELTON, B.J. Information & Records Management Branch (Post 890827) 11pp 82607 213-82607 223
- 9412030254 Provides corrections to proposed rule 10CFR20,30,40,61,70 & 72 termination or transfer of licensed activities recordkeeping requirements. PARCOVER, H. NRC - No Detailed Affiliation Given 59FR68814 94/11/22 THOMAS, M.L. NRC - No Detailed Affiliation Given 1p 82607 224-82607 224
- 9412030263 Contains w/draft regulation re termination or transfer of licensed activities recordkeeping requirements. LIEBERMAN, J. Ofc. of Enforcement (Post 870413) 59FR68814 94/08/23 BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 1p 82607 225-82607 226
- 9412030269 Concurs, subject to comments provided, on proposed rule entitled "Termination or Transfer of Licensed Activities Recordkeeping Requirements". MEYER, D.L. Rules & Directives Review Branch (Post 920323) 59FR68814 94/08/29 BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 40pp 82607 229-82607 266
- 9412030287 Suggests wording for proposed addition to 30.51. MIZUNO, G.S. NRC - No Detailed Affiliation Given 59FR68814 94/09/06 THOMAS, M.L. NRC - No Detailed Affiliation Given 1p 82607 271-82607 271
- 9412030299 Concurs, subject to comments, w/rulemaking "Termination or Transfer of Licensed Activities Recordkeeping Requirements". BERNIERO, J.M. Office of Nuclear Material Safety & Safeguards 59FR68814 94/09/07 BECKJORD, E.S. Office of Nuclear Regulatory Research (880720-941217) 2pp 82607 272-82607 287
- 9412030332 Requests implementation of commission action re proposed rulemaking revision to 10CFR20,30,40,61,70 & 72 termination or transfer of licensed activities recordkeeping requirements. COOLA, A. Radiation Protection & Health Effects Branch (870413-941217) 59FR68814 94/12/16 WINGFINTON, S.N. Rules & Directives Review Branch (Post 820323) 70pp 82607 133-82607 212

- 9502080008 Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Recommends prof facilitation of Site Specific Advisory Boards. HATT, S.L. Ohio Citizens for Responsible Energy 59FR63200 00090 95/01/30 NRC - No Detailed Affiliation Given 4pp 82601 032-82601 035
- 9502080007 Comment opposing proposed rule 10CFR20 & 35 re "Patient Discharge Rule". MARCUS, C.S. California, Univ. of, Los Angeles, CA 59FR30724 95/01/24 THE CHAIRMAN, SELIN, I. Commissioners (Post 750119) 2pp 82601 035-82601 037
- 9502080032 Comment supporting NUMARC comments on proposed rule 10CFR50 re plant shutdown & low power operations. Requests add period for public comment be made available. PHARES, R.F. Minn. Power Co. 59FR52707 00006 95/02/01 Docketing & Services Branch 1p 82601 138-82601 138
- 9502080037 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear reactors. FORMICOLA, J.C. General Public Utilities Corp. - GPU Service Corp. 59FR52707 00037 95/02/01 Docketing & Services Branch 4pp 82601 139-82601 142
- 9502080047 Comment supporting NUMARC position on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. STEWART, W.L. Arizona Public Service Co. (Formerly Arizona Nuclear Power Project) 59FR63200 00089 95/01/20 Docketing & Services Branch 5pp 82601 143-82601 147
- 9502080175 Inquires about reason for puzzling delay concerning "Patient Discharge Rule". MARCUS, C.S. California, Univ. of, Los Angeles, CA 95/01/24 THE CHAIRMAN, SELIN, I. Commissioners (Post 750119) 2pp 82608 356-82608 360
- 9502080204 Forwards questionnaire concerning brachytherapy & radiopharmaceutical therapy. MARCUS, C.S. California, Univ. of, Los Angeles, CA 94/12/07 THE CHAIRMAN, SELIN, I. Commissioners (Post 750118) 10pp 82602 322-82602 331
- 9502080184 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. ROGAN, R.E. Carolina Power & Light Co. 59FR53372 00016 95/01/31 Document Control Branch (Document Control Desk) 1p 82646 156-82646 156
- 9502080192 Comment opposing proposed rule 10CFR20 re "Frequency of Medical Examinations for Use of Respirator Protection Equipment". BARTON, T.P. Affiliation Not Assigned 59FR47565 00014 95/01/23 MOYLE, J.C. Office of the Secretary of the Commission 1p 82646 157-82646 157
- 9502080197 Proposed rules 10CFR50.52 & 100, "Reactor Site Criteria, Including Seismic & Earthquake Engineering Criteria for NPPs & Proposed Detail of Paction from Fire Environ., Inc." Rule would extend comment period. MOYLE, J.C. Office of the Secretary of the Commission 59FR52256 95/02/03 2pp 82646 163-82646 164
- 9502080282 Comment on proposed rules 10CFR20,30,40,50,61,70 & 72 re radiological criteria for decommissioning of lands & structures. KELLY, L.C. Florida Power Corp. 59FR63200 00091 95/01/30 Docketing & Services Branch 6pp 82646 201-82646 206
- 9502080205 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations at NPP. Advises that letter & form of proposed rule flawed & proposed actions re shutdown & low-power operations should be reconsidered. SCHULTZ, S.P. Yankee Atomic Electric Co. 59FR52707 00046 95/02/03 Docketing & Services Branch 6pp 82646 208-82646 214
- 9502080208 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. GUNN, R.S.E. Consolidated Edison Co. of New York, Inc. 59FR52707 00044 95/02/01 Docketing & Services Branch 5pp 82646 215-82646 219
- 9502080218 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations at NPP. Informs that proposed rule would provide marginal safety enhancements, but impose significant economic burden. TUCKMAN, M.S. Duke Power Co. 59FR52707 00041 95/01/30 Docketing & Services Branch 6pp 82646 225-82646 231
- 9502080223 Comment supporting NUMARC comments on proposed rule 10CFR50 re "shutdown & low-power operations for nuclear power reactors". MOREY, D.N. Southern Nuclear Operating Co. 59FR52707 00038 95/02/03 Docketing & Services Branch 4pp 82646 235-82646 238
- 9502080224 Comments opposing proposed rule re use of probabilistic risk assessment methods in nuclear regulatory activities. Suggests that Commission clarify statements that probabilistic risk assessment best used in support of deterministic analyses. MINNERA, A. Energy, Dept. of 59FR63389 00004 95/02/07 Docketing & Services Branch 3pp 82646 239-82646 246
- 9502080228 Comment on NVLAP proficiency testing program. Unification of categories IIA & IIB listed in ANSI N13.11-1983 as proposed in PR release preferred w/o special stipulation re selection of x-ray beam qualities. YODER, R.C. Affiliation Not Assigned 59FR61906 00003 95/01/31 Docketing & Services Branch 2pp 82646 249-82646 250
- 9502080231 Comment supporting NUMARC comment re proposed rule 10CFR50 re "shutdown & low-power operations for nuclear power reactors". MOODY, C.K. Georgia Power Co. 59FR52707 00039 95/02/03 Docketing & Services Branch 4pp 82646 252-82646 255
- 9502080232 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations at NPP. Use of belief that imposition of excessive equipment operability restrictions contained in rule will cause outage neg. flexibility to be lost. HEBERT, J.R. Yankee Atomic Electric Co. 59FR52707 00042 95/01/31 CHALK, S.J. Office of the Secretary of the Commission 6pp 82646 258-82646 263

220 NONDOCKETED ITEMS

- 9502080236 Comments on NRC proposed policy statement, "Use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities." GARRICK, B.J. PLS, Inc. (formerly Pickard, Lowe & Gamet, Inc.) 59FR53389 00003 95/02/04 Docketing & Services Branch 5pp 82546 284-82545 268
- 9502080243 Comments on potential mode of NRC radiation therapy regulations re brachytherapy. Believes that questionnaire too simplistic as each patient should be evaluated & treated on individual basis. GILLIN, M.T. Wisconsin Univ. of Milwaukee, WI 59FR55068 00007 95/01/25 Division of Freedom of Information & Publications Services (Post 840714) 19pp 82545 271-82545 269
- 9502080247 Final rule 10CFR52, "Combined Licenses, Conforming Amend. Post Promulgation Comment" amending regulations to conform to provisions of the XXVIII to public law NRC addressing one comment received. HOYLE, J.C. Office of the Secretary of the Commission 59FR50975 95/01/19 4pp 82545 290-82545 293
- 9502080248 Comment on proposed rule 10CFR50 re shutdown & low-power operations at NPP. Recommends that NRC revise proposed rule to require site specific risk based evaluations. MARSH, W.C. Southern California Edison Co. 59FR52707 00043 95/02/05 Docketing & Services Branch 4pp 82548 294-82545 297
- 9502080251 Proposed rules 10CFR20 & 35, "Medical Administration of Radiation & Radioactive Waste." HOYLE, J.C. Office of the Secretary of the Commission 59FR4572 95/01/19 21pp 82545 298-82545 316
- 9502080120 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for NPP. Encourages NRC to reevaluate regulatory analyses in light of higher costs. Concludes that additional rules on shutdown & low power operations not necessary. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 59FR52707 00046 95/02/06 Docketing & Services Branch 9pp 82551 127-82551 135
- 9502080121 Comment supporting proposed rule re proposed policy statement on use of probabilistic risk assessment methods in nuclear regulatory activities. GOODMAN, L.S. Detroit Edison Co. 59FR53389 00007 95/02/07 Docketing & Services Branch 4pp 82551 135-82551 139
- 9502080124 Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. Rule will extend relieving outages by 7 to 9 days & increase operations & maintenance expenses because of containment related restrictions. WADLEY, M.D. Northern States Power Co. 59FR52707 00045 95/02/03 Docketing & Services Branch 9pp 82551 140-82551 142
- 9502080127 Comment supporting proposed rule re use of probabilistic risk assessment methods in nuclear regulatory activities. Suggests that NRC provide specific policy guidance on how this vast store of info may be used to regulatory purposes. REYNOLDS, N.S., STRONGER, D.F., MACGREGOR, J.A. Winston & Strawn 59FR53389 00008 95/02/07 Docketing & Services Branch 4pp 82551 143-82551 146
- 9502080133 Comment supporting proposed rule 10CFR20 & 35 re medical administration of radiation & radioactive waste. CLOSE, D. Mallinckrodt, Inc. 59FR4872 00001 95/02/02 Office of the Secretary of the Commission 2pp 82551 147-82551 148
- 9502080135 Comment opposing proposed policy statement, "Use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities." MATT, S.L. Ohio Citizens for Responsible Energy 59FR53389 00005 95/02/07 NRC - No Detailed Affiliation Given 5pp 82551 149-82551 153
- 9502080140 Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. MOCOY, C.K. Georgia Power Co. 59FR53372 00016 95/02/01 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82551 154-82551 155
- 9502080154 Comment on proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. Recommends that new definitions be applicable & consistent to licensees who hold other licenses as well as Part 50 license. MOFFEY, D.M. Southern Nuclear Operating Co. 59FR53372 00017 95/02/01 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82551 158-82551 158
- 9502080155 Comment on change of proficiency testing associated w/Meit Voluntary Lab Accreditation Program for ionizing radiation dosimetry. Specific criteria need to be provided to determine under what conditions algorithm mod need retest. BONEKE, W.H. Florida Power & Light Co. 59FR51906 00004 95/01/31 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82551 160-82551 161
- 9502100238 Comment opposing proposed rule 10CFR50 re shutdown & low power operations for nuclear power reactors. BOULETTE, E.T. Boston Edison Co. 59FR52707 00048 95/02/03 Document Control Branch (Document Control Desk) 2pp 82706 305-82706 306
- 9502100241 Comment supporting proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. ROGAN, R.E. Carolina Power & Light Co. 59FR52707 00047 95/02/02 Document Control Branch (Document Control Desk) 1p 82706 307-82706 307
- 9502100246 Withdrawal of NRC policy statements re 10CFR50 & 73 Policy statements have been superseded by subsequent rulemaking actions. TAYLOR, J.M. Ofc of the Executive Director for Operations 59FR57834 95/01/05 7pp 82706 308-82706 314
- 9502100247 Comment re proposed policy statement on use of PSA methods in nuclear regulatory activities. Believes that NRC proposed statement supportive of use of PSA technology & other new approaches to regulation as well as better focus resources. TIFTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt. & Resources Council) 59FR53389 00008 95/02/01 HOYLE, J.C. Office of the Secretary of the Commission 4pp 82706 315-82706 315
- 9502100282 Notice of withdrawal of number of policy statements. Action does not change reporting requirements or reduce public health & safety. Effective upon FR publication. TAYLOR, J.M. Ofc of the Executive Director for Operations 59FR57821 95/01/06 7pp 82706 319-82706 325
- 9502190054 Comment re use of PRA methods in nuclear activities. Lbl supports stated objectives of policy statement & endorses Nuclear Util. Backfitting & Reform Group comments. FARRISH, J.V. Washington Public Power Supply System 59FR53389 00009 95/02/08 Docketing & Services Branch 2pp 82700 035-82700 036
- 9502190118 Comment supporting proposed rule 10CFR50.52 & 100 re reactor siting criteria for NPP to incorporate most recent advancement in earthquake engineering. THORNTON, S.E. American Society of Civil Engineers 59FR52255 00002 95/02/14 Office of the Secretary of the Commission 5pp 82700 042-82700 050
- 9502190087 Forwards index & documents for Regulatory History AE27-2 re Final Rule 10CFR72 on notification of events at ISFSI & monitored retrievable storage installations. Non-publicly available documents and TANIGUCHI, N.S. Regulation Development Branch (Post 941217) AE27-2 001 85/02/09 LANHAM, D.H. Document Control Branch (Document Control Desk) 2pp 82757 121-82757 153
- 9502190107 Requests that completed index for notice of final rule AE27-2 re notification of events re radiation safety at ISFSI & monitored retrievable storage installation be forwarded to by 950214. GOLDENUS, Division of Freedom of Information & Publications Services (Post 940714) AE27-2 002 94/12/15 TANIGUCHI, N.S. Office of Nuclear Regulatory Research (880720-941217) 2pp 82757 123-82757 153
- 9502190273 Forwards index & documents for Regulatory History AD69-2 re final rule 10CFR30.32 & 35 on medical use of byproduct mail. Non-publicly available documents and TSE, A.M. Regulation Development Branch (Post 941217) AD69-2 001 95/02/06 LANHAM, D.H. Document Control Branch (Document Control Desk) 4pp 82750 001-82750 102
- 9404210116 Responds to ltr dtd 940107 re request to include certification by American Osteopathic Board of Radiology in specific areas of 10CFR35. Add info needed to continue review. GLENN, J.E. Medical, Academic & Commercial Use Safety Branch AD69-2 007 94/03/21 SMITH, P.A. Affiliation Not Assigned 1p 82750 037-82750 037
- 8502190285 Forwards JP Porter comment on proposed rule, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use," to be docketed. BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 004 93/08/20 JULIAN, E. Docketing & Services Branch 1p 82750 010-82750 036
- 9502190300 Forwards ltr from C. Marcus re "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use" 941130 response from A. Tse to be docketed FR & draft regulatory analyses and BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 008 94/11/30 JULIAN, E. Docketing & Services Branch 4pp 82750 038-82750 102
- 9404210116 Responds to ltr dtd 940107 re request to include certification by American Osteopathic Board of Radiology in specific areas of 10CFR35. Add info needed to continue review. GLENN, J.E. Medical, Academic & Commercial Use Safety Branch AD69-2 007 94/03/21 SMITH, P.A. Affiliation Not Assigned 1p 82750 037-82750 037
- 9502190285 Forwards JP Porter comment on proposed rule, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use," to be docketed. BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 004 93/08/20 JULIAN, E. Docketing & Services Branch 1p 82750 010-82750 036
- 9502190300 Forwards ltr from C. Marcus re "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use" 941130 response from A. Tse to be docketed FR & draft regulatory analyses and BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 008 94/11/30 JULIAN, E. Docketing & Services Branch 4pp 82750 038-82750 102
- 9404210116 Responds to ltr dtd 940107 re request to include certification by American Osteopathic Board of Radiology in specific areas of 10CFR35. Add info needed to continue review. GLENN, J.E. Medical, Academic & Commercial Use Safety Branch AD69-2 007 94/03/21 SMITH, P.A. Affiliation Not Assigned 1p 82750 037-82750 037
- 8502190285 Forwards JP Porter comment on proposed rule, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use," to be docketed. BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 004 93/08/20 JULIAN, E. Docketing & Services Branch 1p 82750 010-82750 036
- 9502190300 Forwards ltr from C. Marcus re "Preparation, Transfer for Commercial Distribution & Use of Byproduct Mail for Medical Use" 941130 response from A. Tse to be docketed FR & draft regulatory analyses and BAHADUR, S. Regulation Development Branch (870413-941217) AD69-2 008 94/11/30 JULIAN, E. Docketing & Services Branch 4pp 82750 038-82750 102
- 9502190005 Comment on proposed rule 10CFR21. Uni agrees w/most of comments expressed in NEI 550109 ltr w/major exceptions. Section of proposed rulemaking titled "Basis for Commission Decision" requires clarification in listed areas. KELLEY, L.C. Florida Power Corp. 59FR53372 00018 95/02/07 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82736 302-82736 303
- 9502190018 Comment opposing proposed rules 10CFR20.30, 40.50, 51.70 & 72 re radiological criteria for decommissioning of lands & structures. RATLIFF, R.A. Texas, State of 59FR43200 00092 95/02/07 Docketing & Services Branch 2pp 82736 333-82736 334
- 9502190022 Comment supporting proposed rule 10CFR50, "Fracture Toughness Requirements for Light Water Reactor Pressure Vessels." MATT, S.L. Ohio Citizens for Responsible Energy 59FR50513 95/02/11 Docketing & Services Branch 1p 82736 353-82736 353
- 9502190025 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for Nuclear Power Reactors. MARSH, W.C. Southern California Edison Co. 59FR52707 95/02/07 Docketing & Services Branch 5pp 82737 001-82737 005

9502160037 Comment supporting proposed policy statement re use of probabilistic risk assessment methods in nuclear regulatory activities NRC policy statement should ask use by licensees of forthcoming NEI PSA applications guide
ROGAN, R.E. Carolina Power & Light Co. 59FR63389 00010 95/02/07 Docketing & Services Branch 1p 82737 080-82737 080

9502160048 Comment on policy statement on proposed use of probabilistic risk assessment methods in nuclear regulatory activities
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.) 59FR63389 00011 95/02/08 Docketing & Services Branch 2pp 82737 074-82737 075

9502160049 Comment on proposed rules 10CFR50.52 & 100 re reactor siting criteria including seismic & earthquake engineering criteria for nuclear power plants Requests that address be changed as listed
MUNTZKGL, M. Morgan, Lewis & Bockius 59FR52255 05/02/08 CHILK, S.J. Office of the Secretary of the Commission 1p 82737 076-82737 076

9502160062 Comment opposing proposed rules 10CFR50.52 & 100 re reactor site criteria including seismic & earthquake engineering criteria for nuclear power plants & proposed denial of petition from Free Environ, Inc. et al
HATT, S.L. Ohio Citizens for Responsible Energy 59FR52255 00003 95/02/11 NRC - No Detailed Affiliation Given 4pp 82737 107-82737 110

9502160212 Comment on proposed rule 10CFR50 for shutdown & low-power operations for nuclear power reactors
YOUNG, K. IES Unites, Inc. (formerly Iowa Electric Light & Power Co.) 59FR52707 00049 95/02/03 HOYLE, J.C. Office of the Secretary of the Commission 2pp 82737 283-82737 288

9502160222 Comment on proposed rule re "Genetic Dose Assessment for Disposal of Incinerator Ash in Landfill"
HATT, S.L. Affiliation Not Assigned 59FR54438 00001 95/02/07 Docketing & Services Branch 1p 82737 281-82737 281

9502160011 Comment opposing proposed rules 10CFR50.52 & 100 re reactor site criteria including seismic & earthquake engineering criteria
SLAGAS, G.C. G.C. Slag Associates 59FR52255 00004 95/02/13 Docketing & Services Branch 5pp 82769 053-82769 058

9502160018 Comment supporting proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures
OWEN, R.E. Ohio, State of 59FR43200 00093 95/02/03 Docketing & Services Branch 1p 82769 128-82769 128

9502160022 Comment on proposed policy statement on "Use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities." Util believes that implementation of proposed policy statement would improve regulatory process.
* Contactor Service Co. 59FR63389 00012 95/02/07 Docketing & Services Branch 2pp 82769 225-82769 225

9502160025 Comment on proposed policy statement re use of probabilistic risk assessment methods in nuclear regulatory activities "I believe high quality PRA should be required & kept current."
ORTOGGER, T.W. Illinois, State of 59FR63389 00013 95/02/10 Docketing & Services Branch 4pp 82769 237-82769 240

9502160039 Comments on proposed rule 10CFR50.52 & 100 re reactor site criteria. Believes that to properly review rule that would impact all future plant siting, draft reg guides should be also publicly available
LIPARULO, M.J. Westinghouse Electric Corp. 59FR52255 00005 95/02/13 Document Control Branch (Document Control Desk) 1p 82769 284-82769 284

9502160028 Informs NRC has sent proposed policy statement on use of PRA methods in nuclear regulatory activities to OIC of FR for publication. Notes NRC wishes to expand use of PRA applications in nuclear regulatory matters w/and
RATHBUN, D.K. Office of Congressional Affairs (Post 91117) 95/02/09 SCHAEFER, B. House of Rep., Energy & Commerce 4pp 82617 310-82617 313

9502160037 Comment on proposed rules 10CFR50.52 & 100 re reactor site criteria including seismic & earthquake engineering criteria. Util believes that acceptance criteria expressed in terms of TEDE would be consistent w/ recent guidance
OPEKA, J.F. Northeast Utilities Service Co. OPEKA, J.F. Northeast Nuclear Energy Co. 59FR52255 00006 95/02/14 CHILK, S.J. Office of the Secretary of the Commission 6pp 82905 156-82905 161

9502160061 Comment on proposed policy statement re use of PRA methods in nuclear regulatory activities. Recommends that NRC move forward but NRC should lose out of limitations of PDR
TOSCH, W. New Jersey, State of 59FR63389 00014 95/02/15 Docketing & Services Branch 3pp 82905 001-82905 003

9502160078 Comment on proposed policy statement re use of PRA methods in nuclear regulatory activities. Concludes w/NEI comments & encourages NRC to consider identified issues
NEWTON, R.A. Westinghouse Operating Plants Owners Group 59FR63389 00015 95/02/15 HOYLE, J.C. Office of the Secretary of the Commission 1p 82905 018-82905 018

9502160181 "Frequency of Medical Exams for Use of Respiratory Protection Equipment," providing periodic medical exams at either 12-month intervals at frequency determined by physician
TAYLOR, J.M. OIC of the Executive Director for Operations 95/02/01 15pp 82905 030-82905 044

9502160221 Comment opposing proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures
WILLIAMS, M.J. Affiliation Not Assigned 59FR43200 00094 95/02/01 Docketing & Services Branch 6pp 82905 053-82905 070

9502160222 Forwards proposed policy statement on Commission use of PRA methods in nuclear regulatory activities for FR publication
RATHBUN, D.K. Office of Congressional Affairs (Post 91117) 95/02/09 FAIRCLOTH, L. Senate, Environment & Public Works SCHAEFER, D. House of Rep. 5pp 82925 352-82925 355

9502160225 Comment on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures. Endorses NEI comments submitted to NRC on behalf of member utilities
BOULETTE, E.T. Boston Edison Co. 59FR43200 00095 95/02/01 MALARD, J.C. Office of Nuclear Regulatory Research (Post 941217) 3pp 82905 075-82905 077

9502160113 Comment re radiopharm therapy regulations. Issue of what constitutes sig. nificant error cannot be based on percent, since clinically given percent of error may not be significant
MORALES, J.O. Hosp. Pavia, Santitas, PR. 59FR55068 05/02/14 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82813 042-82813 047

9502160003 Comments on proposed rule 10CFR35 re potential mode of NRC therapy regulations
MOON, S.D., REED, S.A. St. Elizabeth Hosp., Appleton, WI. 59FR55068 95/02/02 Division of Freedom of Information & Publications Services (Post 940714) 5pp 82831 020-82831 024

9502160008 Comments on proposed rule 10CFR35 re potential mode for NRC therapy regulations. Concludes w/Parbank comments
MOORE, M.M. Affiliation Not Assigned 59FR55068 95/02/14 Division of Freedom of Information & Publications Services (Post 940714) 3pp 82831 047-82831 049

9502160018 Comments on proposed rule 10CFR35 re potential mode for NRC therapy regulations
GOODWIN, J.H. Affiliation Not Assigned 59FR55068 95/02/14 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82831 073-82831 074

9502160053 Comments on potential mode of NRC therapy regulations
PEREZ, C.A. Mallinckrodt Institute of Radiology at Washington University Medical Center, St. 59FR55068 95/02/09 Division of Freedom of Information & Publications Services (Post 940714) 13pp 82831 153-82831 165

9502160054 Comments on adequacy of std. & procedures for brachytherapy & radiopharm therapy. Lists brachytherapy errors & possible sources of error including computer, implanted sources & dosimetry sources.
* International Organization for Standardization (Standards) 59FR55068 94/11/09 NRC - No Detailed Affiliation Given 1p 82831 195-82831 197

9502160019 Comment on procedures for brachytherapy & radiopharmaceutical therapy
KIRBY, T.H. New Mexico, Univ. of Albuquerque, NM. KIRBY, T.H. Affiliation Not Assigned 59FR55068 95/02/27 NRC - No Detailed Affiliation Given 2pp 82831 278-82831 280

PRESS RELEASES

9502130048 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention"
* Office of Public Affairs (Post 91117) 95/02/03 6pp 82742 137-82742 138

9502130072 Forwards Rr regt from ACNW on private ownership of low-level waste sites
* Office of Public Affairs (Post 91117) 95/02/07 1p 82723 320-82723 323

-9502130061 Advises that ACNW concluded that no fundamental reasons exist why private ownership of low-level waste disposal sites should be prohibited
STEINDLER, M.J. Advisory Committee on Nuclear Waste 95/02/06 THE CHAIRMAN, SEJUN, I. Commissioners (Post 750119) 3pp 82723 321-82723 323

9502130085 "NRC Issues Draft Policy Statement on Protection of Employees From Radiation"
* Office of Public Affairs (Post 91117) 95/02/08 2pp 82723 324-82723 325

9502130093 "NRC ACNW to Meet 950221-22"
* Office of Public Affairs (Post 91117) 95/02/09 2pp 82723 326-82723 327

9502130106 "NRC, US Bureau of Land Mgt. & US Bureau of Indian Affairs to Hold Public Meetings on U. Mining Project in NM"
* Office of Public Affairs (Post 91117) 95/02/08 2pp 82723 328-82723 329

9502170018 "NRC Staff Proposes to Modify Enforcement Action Against Georgia Power Co."
* Office of Public Affairs (Post 91117) 95/02/14 1p 82818 010-82818 010

9502170020 "Merr Corp Official to Succeed Backford as Director of Research at NRC"
* Office of Public Affairs (Post 91117) 95/02/10 2pp 82806 040-82806 041

9502170034 "NRC Staff Approves Decommissioning Plan for Yankee Nuclear Power Station"
* Office of Public Affairs (Post 91117) 95-95-001 95/02/14 1p 82818 011-82818 011

PRM PETITION FOR RULEMAKING

9502100804 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
POLLARD, B. Affiliation Not Assigned 59FR61831 00045 95/01/05 Docketing & Services Branch 1p 82544 006-82544 006

9502100818 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea Breath Test
SIMONS, K. Affiliation Not Assigned 59FR61831 00035 95/01/20 Docketing & Services Branch 1p 82544 021-82544 021

9502100812 Comment supporting petition for rulemaking PRM-35-12 re making 14 C Urea Breath Test more accessible to patients
BURTON, D. House of Rep. 59FR61831 00042 95/01/06 THE CHAIRMAN, SEJUN, I. Commissioners (Post 750119) 2pp 82544 022-82544 023

9502100813 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea Breath Test
NESSBUTT, K.A. Affiliation Not Assigned 59FR61831 00036 95/01/20 Docketing & Services Branch 1p 82544 024-82544 024

222 NONDOCKETED ITEMS

- 9502010017 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test distribution under general license &/or exempt status
MILLER, J.C. Affiliation Not Assigned 59FR61831 00046 95/01/26 Docketing & Services Branch 1p 82544 034-82544 034
- 9502010028 Comment supporting petition for rulemaking re making urea breath test more accessible to patients
* Affiliation Not Assigned 59FR61831 00037 95/01/20 Docketing & Services Branch 1p 82544 119-82544 119
- 9502010031 Comment supporting petition for rulemaking PRM-35-12 re regulations to allow for general licensing &/or exemption of distribution of urea capsules by licensed pharmaceutical manufacturers for *in vivo* diagnostic testing
BAKER, B.W. Amersham Holdings, Inc. 59FR61831 00047 95/01/25 Office of the Secretary of the Commission 2pp 82544 128-82544 130
- 9502010037 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being more accessible to patients
CHIEY, W.D. Michigan, Univ. of Hosp., Ann Arbor, MI 59FR61831 00038 95/01/18 Docketing & Services Branch 1p 82544 134-82544 134
- 9502010042 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being more accessible to patients
BELLIVEAU, R.R. Affiliation Not Assigned 59FR61831 00040 95/01/23 Docketing & Services Branch 1p 82544 140-82544 140
- 9502010044 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being more accessible to patients
DUNAWAY, A.L. Affiliation Not Assigned 59FR61831 00038 95/01/05 Docketing & Services Branch 1p 82544 141-82544 141
- 9502010047 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients under approval of petition, thus making C urea breath test more accessible to patients throughout country
THOMPSON, B.S. Affiliation Not Assigned 59FR61831 00043 95/01/05 Docketing & Services Branch 1p 82544 142-82544 142
- 9502010053 Comment supporting petition for rulemaking PRM-12 re distributing 14C-Urea breath test under general license &/or exempt status
PAINTER, F. DELAIDOCK, T. Affiliation Not Assigned 59FR61831 00053 95/01/31 Docketing & Services Branch 1p 82544 178-82544 178
- 9502010058 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients: informs that test poses no measurable risk to community
MCKILLICAND, MCKILLICAND, E.G. Affiliation Not Assigned 59FR61831 00044 95/01/26 Docketing & Services Branch 1p 82544 178-82544 178
- 9502010067 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C-Urea breath test under general license &/or exempt status
NOBLETTE, M.R. Affiliation Not Assigned 59FR61831 00052 95/01/26 Docketing & Services Branch 2pp 82544 232-82544 233
- 9502010082 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C-Urea breath test under general license &/or exempt status
LEVINE, R.A. Affiliation Not Assigned 59FR61831 00051 95/01/17 Docketing & Services Branch 1p 82544 239-82544 239
- 9502010088 Comment supporting petition for rulemaking PRM-35-12 re distribution of Carbon 14 urea breath test under general license or exempt status: use of test as proposed would allow inexpensive & effective diagnosis of H. Pylori infection
KIRKSEY, J.P. Affiliation Not Assigned 59FR61831 00041 95/01/23 Docketing & Services Branch 1p 82545 051-82545 051
- 9502010127 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea breath test being distributed under general license &/or exempt status
CARSON, M. Affiliation Not Assigned 59FR61831 00048 95/01/27 Docketing & Services Branch 1p 82545 072-82545 072
- 9502010153 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
LEVY, E.G. Affiliation Not Assigned 59FR61831 00049 95/01/24 Docketing & Services Branch 1p 82545 077-82545 077
- 9502010198 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
HOFFMAN, D. Affiliation Not Assigned 59FR61831 00050 95/01/30 Docketing & Services Branch 1p 82545 079-82545 079
- 9502000195 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
CATER, K. Affiliation Not Assigned 59FR61831 00057 95/02/06 Docketing & Services Branch 1p 82646 162-82646 162
- 9502000200 Comment supporting petition for rulemaking PRM-35-12 re making C14 Breath test more accessible to public
* Affiliation Not Assigned 59FR61831 00089 95/02/06 Docketing & Services Branch 1p 82646 165-82646 165
- 9502000202 Comment supporting petition for rulemaking PRM-35-12 re use of Tr-Med Specialties re use of 14C Urea Breath Test as diagnostic tool: Test will be inexpensive, yet accurate if distributed under general license
SOPRELL, J. Affiliation Not Assigned 59FR61831 00051 95/02/06 Docketing & Services Branch 1p 82646 199-82646 199
- 9502000204 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
NEUGEBAUER, R. Affiliation Not Assigned 59FR61831 00058 95/02/06 Docketing & Services Branch 1p 82646 200-82646 200
- 9502000208 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
CATER, A.L. Affiliation Not Assigned 59FR61831 00058 95/02/06 Docketing & Services Branch 1p 82646 220-82646 220
- 9502000212 Comment supporting petition for rulemaking PRM-35-12 re making C14 Breath Test more accessible to public
CONCHOLA, D. Affiliation Not Assigned 59FR61831 00070 95/02/07 Docketing & Services Branch 1p 82646 221-82646 221
- 9502000214 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test as diagnostic tool: Test would be inexpensive, yet accurate if distributed under general license
* Affiliation Not Assigned 59FR61831 00062 95/02/06 Docketing & Services Branch 1p 82646 224-82646 224
- 9502000217 Address that Commission has considered & approved final amendments to 10CFR30.32 & 36
TSE, A.N. Regulation Development Branch (870413-841217) 54FR38228 94/12/12 MCCARTHEY, W.H. American College of Nuclear Physicians CONWAY, J.J. Society of Nuclear Medicine 1p 82646 225-82646 225
- 9502000219 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea breath test being distributed under general license &/or exempt status
NEUGEBAUER, R. Affiliation Not Assigned 59FR61831 00060 95/02/06 Docketing & Services Branch 1p 82646 232-82646 232
- 9502000220 Comment supporting Tr-Med Specialties petition for rulemaking PRM-35-12 re C14-urea breath test
CATER, L. Affiliation Not Assigned 59FR61831 00056 95/02/06 Docketing & Services Branch 1p 82646 233-82646 233
- 9502000221 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test as diagnostic tool: Test would be inexpensive, yet accurate if distributed under general license
DECKER, R.D. Affiliation Not Assigned 59FR61831 00063 95/02/06 Docketing & Services Branch 1p 82646 234-82646 234
- 9502000227 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test as diagnostic tool: Test would be inexpensive, yet accurate if distributed under general license
DURNING, J.M. Affiliation Not Assigned 59FR61831 00064 95/02/06 Docketing & Services Branch 1p 82646 247-82646 247
- 9502000229 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea Breath Test being distributed under general license &/or exempt status
NGUYEN, X. Affiliation Not Assigned 59FR61831 00071 95/02/07 Docketing & Services Branch 1p 82646 251-82646 251
- 9502000233 Comment supporting Tr-Med Specialties, Inc. petition for rulemaking PRM-35-12 re C14-urea breath test
ANTIGNANO, L.V. Genesis Memorial Hosp., Flint, MI 59FR61831 00054 95/02/06 Docketing & Services Branch 2pp 82646 256-82646 257
- 9502000234 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
SHANE, W.R. Affiliation Not Assigned 59FR61831 00066 95/02/06 Docketing & Services Branch 1p 82646 318-82646 318
- 9502000238 Comment supporting Tr-Med Specialties, Inc. petition for rulemaking PRM-35-12 re C14-urea breath test
DECROSS, A.J. Genesis Memorial Hosp., Flint, MI 59FR61831 00055 95/02/06 Docketing & Services Branch 2pp 82646 256-82646 270
- 9502000241 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
DURNING, J.M. Affiliation Not Assigned 59FR61831 00067 95/02/06 Docketing & Services Branch 1p 82646 320-82646 320
- 9502000246 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
HENSLEY, J.M. Affiliation Not Assigned 59FR61831 00068 95/02/06 Docketing & Services Branch 1p 82646 321-82646 321
- 9502000250 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
FARNSWORTH, S. Affiliation Not Assigned 59FR61831 00065 95/02/06 Docketing & Services Branch 1p 82646 322-82646 322
- 9502000150 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test: Test safe, simple diagnostic tool & inexpensive if distributed under general license
DELMAN, C. Affiliation Not Assigned 59FR61831 00073 95/02/07 Docketing & Services Branch 1p 82651 156-82651 156
- 9502000163 Comment supporting petition for rulemaking PRM-35-12 re making 14C-Urea breath test more accessible to patients
DURNING, J.M. Affiliation Not Assigned 59FR61831 00074 95/02/07 Docketing & Services Branch 1p 82651 157-82651 157
- 9502000172 Comment supporting petition for rulemaking PRM-35-12 re C14-urea breath test
NEUGEBAUER, R. Affiliation Not Assigned 59FR61831 00072 95/02/07 Docketing & Services Branch 1p 82651 162-82651 162
- 9502130005 Comment supporting petition for rulemaking PRM-35-12 re use of C14-Urea breath test by physicians under exempt status
MOLFF, J.D. Affiliation Not Assigned 59FR61831 00075 95/02/10 Docketing & Services Branch 1p 82700 031-82700 031
- 9502130007 Comment supporting petition for rulemaking PRM-35-12 re 14C urea breath test being distributed under general license &/or exempt status
KELLY, R.S. Affiliation Not Assigned 59FR61831 00080 95/02/10 Docketing & Services Branch 1p 82700 032-82700 032
- 9502130008 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test
CARR, J.C. Affiliation Not Assigned 59FR61831 00075 95/02/10 Docketing & Services Branch 1p 82700 033-82700 033
- 9502130009 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
MOBUS, M.E. Affiliation Not Assigned 59FR61831 00078 95/02/10 Docketing & Services Branch 1p 82700 034-82700 034

9502130095 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea Breath Test
PLANKEY M.W. Affiliation Not Assigned 59FR61831 00082 95/02/03 Docketing & Services Branch 1p 82700 087-82700 038

9502130096 Comment opposing proposed rule PRM-35-12, re restrict use of Tr-Med Specialists Inc C14-urea test devices to NRC licensed sites only
KNOTHA T. Affiliation Not Assigned 59FR61831 00079 95/02/10 Docketing & Services Branch 1p 82700 099-82700 038

9502130097 Comment supporting petition for rulemaking PRM-35-12 re use of C-14 urea test in diagnosis of Helicobacter Pylori. Encourages acceptance of petition for rulemaking & allow test to be distributed under general license.
MCCLANAHAN B.M. Affiliation Not Assigned 59FR61831 00077 95/02/10 Docketing & Services Branch 1p 82700 040-82700 040

9502130102 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
HASCHEL R.W. Affiliation Not Assigned 59FR61831 00081 95/02/10 Docketing & Services Branch 1p 82700 041-82700 041

9502130094 Comment opposing petition for rulemaking PRM-150-3, requesting that NRC require Agreement States to notify NRC of all proposed & completed regulatory actions & that NRC publish such notices of Agreement States rulemaking.
RATCLIFFE R.A. Trends, State of 59FR60706 00017 95/02/07 Docketing & Services Branch 1p 82737 059-82737 059

9502130172 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients
KNAPP G.W. Affiliation Not Assigned 59FR61831 00138 95/02/13 Docketing & Services Branch 1p 82737 258-82737 258

9502130173 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
ALLEN S. Affiliation Not Assigned 59FR61831 00114 95/02/13 Docketing & Services Branch 1p 82737 257-82737 257

9502130177 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea breath test under general license &/or exempt status
ERICKSEN J.K. Affiliation Not Assigned 59FR61831 00153 95/02/14 Docketing & Services Branch 1p 82737 241-82737 241

9502130181 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
DELK D. Affiliation Not Assigned 59FR61831 00116 95/02/13 Docketing & Services Branch 1p 82737 258-82737 258

9502130182 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test
SCHELLUNG Affiliation Not Assigned 59FR61831 00120 95/02/13 Docketing & Services Branch 1p 82737 242-82737 242

9502130183 Comment supporting petition for rulemaking PRM 35-12 re making C-14 urea breath test more accessible to patients
CZYSCON J. Affiliation Not Assigned 59FR61831 00129 95/02/13 Docketing & Services Branch 1p 82737 243-82737 243

9502130184 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Advises that C-14 urea breath test should be distributed under general license &/or exempt status.
RONCY G.J. Affiliation Not Assigned 59FR61831 00145 95/02/13 Docketing & Services Branch 1p 82737 244-82737 244

9502130185 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
KELLY J.E. Affiliation Not Assigned 59FR61831 00139 95/02/13 Docketing & Services Branch 1p 82737 259-82737 259

9502130187 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea breath test under general license &/or exempt status
STURM R.E. Affiliation Not Assigned 59FR61831 00154 95/02/14 Docketing & Services Branch 1p 82737 245-82737 245

9502130188 Comment supporting petition for rulemaking PRM 35-12 re making C-14 urea breath test more accessible to patients
SMITH W.M. Affiliation Not Assigned 59FR61831 00121 95/02/13 Docketing & Services Branch 1p 82737 246-82737 246

9502130189 Comment supporting petition for rulemaking PRM 35-12 re 14C Urea Breath Test.
ALLEN B. Affiliation Not Assigned 59FR61831 00113 95/02/13 Docketing & Services Branch 1p 82737 247-82737 247

9502130191 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
AYENS G. Affiliation Not Assigned 59FR61831 00140 95/02/13 Docketing & Services Branch 1p 82737 260-82737 260

9502130192 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FITTS J.L. Affiliation Not Assigned 59FR61831 00130 95/02/13 Docketing & Services Branch 1p 82737 248-82737 248

9502130193 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Advises that since test is safe, current regulations would waste resources by restricting usage of such safe test.
LIPP D. Affiliation Not Assigned 59FR61831 00148 95/02/13 Docketing & Services Branch 1p 82737 249-82737 249

9502130194 Comment supporting petition for rulemaking PRM-35-12 re use of 14-C Urea Breath Test in diagnosis. Test should be distributed under general license or exempt status, as test is safe, inexpensive & accurate.
SCHELLUNG Affiliation Not Assigned 59FR61831 00115 95/02/13 Docketing & Services Branch 1p 82737 250-82737 250

9502130196 Comment supporting petition for rulemaking PRM 35-12 re 14C Urea Breath Test.
BARRY T.J. Affiliation Not Assigned 59FR61831 00095 95/02/13 Docketing & Services Branch 1p 82737 251-82737 251

9502130198 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
BONCZKOWSKI J. Affiliation Not Assigned 59FR61831 00141 95/02/13 Docketing & Services Branch 1p 82737 261-82737 261

9502130199 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
STEDENFELD G. Affiliation Not Assigned 59FR61831 00131 95/02/13 Docketing & Services Branch 1p 82737 252-82737 252

9502130202 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
SYBENK Affiliation Not Assigned 59FR61831 00147 95/02/13 Docketing & Services Branch 1p 82737 253-82737 253

9502130203 Comment supporting petition for rulemaking PRM 35-12 re 14C Urea Breath Test
COOPER D. Affiliation Not Assigned 59FR61831 00097 95/02/13 Docketing & Services Branch 1p 82737 254-82737 254

9502130205 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
MEADOW A.J. Affiliation Not Assigned 59FR61831 00142 95/02/13 Docketing & Services Branch 1p 82737 262-82737 262

9502130206 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea breath test under general license or exempt status
CONROY J.D. Affiliation Not Assigned 59FR61831 00155 95/02/14 Docketing & Services Branch 1p 82737 255-82737 255

9502130207 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
ERICKSON M.G. Affiliation Not Assigned 59FR61831 00122 95/02/13 Docketing & Services Branch 1p 82737 265-82737 265

9502130208 Comment supporting petition for rulemaking PRM-35-12 re use of C14 Urea Breath Test in diagnosis of Helicobacter Pylori infection. Test should be distributed under general license or exempt status, as test is accurate, safe & simple to use.
PARKER R.G. Affiliation Not Assigned 59FR61831 00085 95/02/13 Docketing & Services Branch 1p 82737 203-82737 203

9502130209 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
SCHRUBIS L.A. Affiliation Not Assigned 59FR61831 00143 95/02/13 Docketing & Services Branch 1p 82737 311-82737 311

9502130210 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
STEDENFELD J.W. Affiliation Not Assigned 59FR61831 00132 95/02/13 Docketing & Services Branch 1p 82737 267-82737 267

9502130211 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. States why C-14 urea breath test should be distributed under general license &/or exempt status.
BAKTER D. Affiliation Not Assigned 59FR61831 00148 95/02/13 Docketing & Services Branch 1p 82737 268-82737 268

9502130214 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea breath test under general license &/or exempt status
FLETCHER W.A. Affiliation Not Assigned 59FR61831 00156 95/02/14 Docketing & Services Branch 1p 82737 269-82737 269

9502130215 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
RONEY D.L. Affiliation Not Assigned 59FR61831 00144 95/02/13 Docketing & Services Branch 1p 82737 279-82737 279

9502130216 Comment supporting petition for rulemaking PRM-35-12 re use of C14 Urea Breath Test in diagnosis of Helicobacter Pylori infection. Test should be distributed under general license, as test is accurate, safe & easy to use.
WALKER E. Affiliation Not Assigned 59FR61831 00083 95/02/13 Docketing & Services Branch 1p 82737 204-82737 204

9502130217 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FLEGARY E. Affiliation Not Assigned 59FR61831 00133 95/02/13 Docketing & Services Branch 1p 82737 270-82737 270

9502130218 Comment supporting petition for rulemaking PRM 35-12 re 14C Urea Breath Test
MCMAHAN C.D. Affiliation Not Assigned 59FR61831 00098 95/02/13 Docketing & Services Branch 1p 82737 271-82737 271

9502130220 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
STAFFORD L.A. Affiliation Not Assigned 59FR61831 00123 95/02/13 Docketing & Services Branch 1p 82737 272-82737 272

9502130221 Comment supporting proposed rulemaking PRM-35-12 re making urea breath test more accessible to patients
GORDON M.I. Affiliation Not Assigned 59FR61831 00137 95/02/13 Docketing & Services Branch 1p 82737 280-82737 280

9502130222 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license.
MCALLISTER R.A. Affiliation Not Assigned 59FR61831 00149 95/02/08 Docketing & Services Branch 1p 82737 273-82737 273

9502130223 Comment supporting petition for rulemaking PRM-35-12 for distribution of 14C Urea breath test under general license &/or exempt status
OGLESBY K.M. Affiliation Not Assigned 59FR61831 00157 95/02/14 Docketing & Services Branch 1p 82737 274-82737 274

224 NONDOCKETED ITEMS

- 5502160224 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
BLANCK A. Affiliation Not Assigned. 59FR61831 00134 95/02/13 Docketing & Services Branch 1p 82737 275-82737 275
- 5502160225 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license or exempt status as test safe, accurate & easy to use.
SELLS V. Affiliation Not Assigned. 59FR61831 00090 95/02/13 Docketing & Services Branch 1p 82737 205-82737 205
- 5502160226 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license.
ROOSP. Affiliation Not Assigned. 59FR61831 00150 95/02/09 Docketing & Services Branch 1p 82737 276-82737 276
- 5502160228 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license.
CANTRELL L.B. Affiliation Not Assigned. 59FR61831 00124 95/02/13 Docketing & Services Branch 1p 82737 292-82737 292
- 5502160230 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea Breath Test under general license &/or exempt status.
FRYDUB. Affiliation Not Assigned. 59FR61831 00158 95/02/14 Docketing & Services Branch 1p 82737 277-82737 277
- 5502160231 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
KAPDOOS E.L. Affiliation Not Assigned. 59FR61831 00135 95/02/13 Docketing & Services Branch 1p 82737 278-82737 278
- 5502160233 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license or exempt status due to test safety, accuracy & ease of use.
WALKER S. Affiliation Not Assigned. 59FR61831 00081 95/02/13 Docketing & Services Branch 1p 82737 206-82737 206
- 5502160234 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license.
MCFRANK L. Affiliation Not Assigned. 59FR61831 00151 95/02/14 Docketing & Services Branch 1p 82737 280-82737 280
- 5502160235 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
REPP E.M. Affiliation Not Assigned. 59FR61831 00136 95/02/13 Docketing & Services Branch 1p 82737 287-82737 287
- 5502160237 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
RALEIGH M.R. Affiliation Not Assigned. 59FR61831 00125 95/02/13 Docketing & Services Branch 1p 82737 293-82737 293
- 5502160239 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
SPERBER M. Affiliation Not Assigned. 59FR61831 00126 95/02/13 Docketing & Services Branch 1p 82737 288-82737 288
- 5502160241 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license due to test safety, accuracy & simplicity.
GEORGEFF R.P. Affiliation Not Assigned. 59FR61831 00092 95/02/13 Docketing & Services Branch 1p 82737 207-82737 207
- 5502160242 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
KELLY B.J. Affiliation Not Assigned. 59FR61831 00152 95/02/14 Docketing & Services Branch 1p 82737 289-82737 289
- 5502160243 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
THALMAN M. Affiliation Not Assigned. 59FR61831 00127 95/02/13 Docketing & Services Branch 1p 82737 294-82737 294
- 5502160244 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea Breath Test under general license &/or exempt status.
WHITEWOOD H. Affiliation Not Assigned. 59FR61831 00159 95/02/14 Docketing & Services Branch 1p 82737 290-82737 290
- 5502160245 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
CARTER C. Affiliation Not Assigned. 59FR61831 00112 95/02/13 Docketing & Services Branch 1p 82737 208-82737 208
- 5502160249 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
NORDBY J. Affiliation Not Assigned. 59FR61831 00128 95/02/13 Docketing & Services Branch 1p 82737 285-82737 285
- 5502160250 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
DECKER S. Affiliation Not Assigned. 59FR61831 00104 95/02/13 Docketing & Services Branch 1p 82737 209-82737 209
- 5502160251 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
GOUNDER D.T. Affiliation Not Assigned. 59FR61831 00086 95/02/13 Docketing & Services Branch 1p 82737 291-82737 291
- 5502160252 Comment supporting petition for rulemaking PRM-35-12 re distributing 14C Urea Breath Test under general license &/or exempt status.
RATHGUN R.R. Affiliation Not Assigned. 59FR61831 00160 95/02/09 Docketing & Services Branch 1p 82737 292-82737 292
- 5502160253 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license.
SHEFFIELD C. Affiliation Not Assigned. 59FR61831 00118 95/02/13 Docketing & Services Branch 1p 82737 293-82737 293
- 5502160254 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license due to test safety & effectiveness.
PHILLIPS A.C. Affiliation Not Assigned. 59FR61831 00083 95/02/13 Docketing & Services Branch 1p 82737 210-82737 210
- 5502160255 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients.
GREENE G. Affiliation Not Assigned. 59FR61831 00119 95/02/13 Docketing & Services Branch 1p 82737 294-82737 294
- 5502160256 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
IMMOSETE R.F. Affiliation Not Assigned. 59FR61831 00105 95/02/13 Docketing & Services Branch 1p 82737 211-82737 211
- 5502160258 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license due to test safety & accuracy.
WILLIAMS B.R. Affiliation Not Assigned. 59FR61831 00084 95/02/13 Docketing & Services Branch 1p 82737 212-82737 212
- 5502160259 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
BENNETT W. Affiliation Not Assigned. 59FR61831 00106 95/02/13 Docketing & Services Branch 1p 82737 213-82737 213
- 5502160260 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
LUNBECK G.A. Affiliation Not Assigned. 59FR61831 00100 95/02/13 Docketing & Services Branch 1p 82737 298-82737 298
- 5502160261 Comment supporting petition for rulemaking PRM-35-12 re 14C urea breath test.
PASKELLS L. Affiliation Not Assigned. 59FR61831 00089 95/02/01 Docketing & Services Branch 1p 82737 305-82737 305
- 5502160263 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
UPRANKIN C.E. Affiliation Not Assigned. 59FR61831 00107 95/02/13 Docketing & Services Branch 1p 82737 214-82737 214
- 5502160264 Comment supporting petition for rulemaking PRM-35-12 re use of 14C Urea Breath Test in diagnosis of H. Pylori infection. Test should be distributed under general license due to test safety & effectiveness.
CLARK T.S. Affiliation Not Assigned. 59FR61831 00085 95/02/13 Docketing & Services Branch 1p 82737 215-82737 215
- 5502160266 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
ENNIS T.D. Affiliation Not Assigned. 59FR61831 00108 95/02/13 Docketing & Services Branch 1p 82737 216-82737 216
- 5502160267 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
SALCITZ D.R. Affiliation Not Assigned. 59FR61831 00101 95/02/13 Docketing & Services Branch 1p 82737 296-82737 296
- 5502160270 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
FACH J.A. Affiliation Not Assigned. 59FR61831 00109 95/02/13 Docketing & Services Branch 1p 82737 300-82737 300
- 5502160271 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
KOMETER G.D. Affiliation Not Assigned. 59FR61831 00084 95/02/13 Docketing & Services Branch 1p 82737 306-82737 306
- 5502160272 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
DELK R.L. Affiliation Not Assigned. 59FR61831 00110 95/02/13 Docketing & Services Branch 1p 82737 301-82737 301
- 5502160273 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being distributed under general license &/or exempt status.
KOERLING H. Affiliation Not Assigned. 59FR61831 00111 95/02/13 Docketing & Services Branch 1p 82737 302-82737 302
- 5502160274 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
PICCOLI R.G. Affiliation Not Assigned. 59FR61831 00085 95/02/06 Docketing & Services Branch 1p 82737 307-82737 307
- 5502160276 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
FACH J.P.S. Affiliation Not Assigned. 59FR61831 00103 95/02/13 Docketing & Services Branch 1p 82737 303-82737 303
- 5502160278 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
WALKER S. Affiliation Not Assigned. 59FR61831 00102 95/02/13 Docketing & Services Branch 1p 82737 304-82737 304
- 5502160280 Comment supporting petition for rulemaking PRM-35-12 re 14C Urea Breath Test.
STEAPINS C.F. Affiliation Not Assigned. 59FR61831 00088 95/02/13 Docketing & Services Branch 1p 82737 308-82737 308
- 5502160282 Comment supporting petition for rulemaking PRM-35-12 re making 14C Urea breath test more accessible.
KNOTH M.A. Affiliation Not Assigned. 59FR61831 00087 95/02/13 Docketing & Services Branch 1p 82737 309-82737 309
- 5502160284 Comment supporting petition for rulemaking PRM-35-12 re 14C urea breath test.
BEARD G.C. Affiliation Not Assigned. 59FR61831 00117 95/02/13 Docketing & Services Branch 1p 82737 310-82737 310

9502230061 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
NODONALD J.A. Affiliation Not Assigned 59FR61831 00225 95/02/21 Docketing & Services Branch 1p 82805 116-82805 116

9502230064 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MARSHALL A.J. Affiliation Not Assigned 59FR61831 00175 95/02/15 Docketing & Services Branch 1p 82805 117-82805 118

9502230067 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
ORALLO R.H. Affiliation Not Assigned 59FR61831 00226 95/02/21 Docketing & Services Branch 1p 82805 119-82805 119

9502230068 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
CALLAWAY L.A. Affiliation Not Assigned 59FR61831 00215 95/02/21 Docketing & Services Branch 1p 82805 120-82805 120

9502230091 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FORSEBERG R.A. Affiliation Not Assigned 59FR61831 00273 95/02/21 Docketing & Services Branch 1p 82805 184-82805 184

9502230092 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MANZO C.R. Affiliation Not Assigned 59FR61831 00227 95/02/21 Docketing & Services Branch 1p 82805 121-82805 121

9502230093 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
VERGARA G.G. Affiliation Not Assigned 59FR61831 00228 95/02/21 Docketing & Services Branch 1p 82805 122-82805 122

9502230094 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MOORE C. Affiliation Not Assigned 59FR61831 00275 95/02/22 Docketing & Services Branch 1p 82805 123-82805 123

9502230097 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
GERVETT J.N. Affiliation Not Assigned 59FR61831 00229 95/02/21 Docketing & Services Branch 1p 82805 124-82805 124

9502230098 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
PHILLIP C. Affiliation Not Assigned 59FR61831 00216 95/02/21 Docketing & Services Branch 1p 82805 125-82805 125

9502230102 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Advises that current regulations would waste valuable resources by restricting usage of such sale test.
RHEAR W. Affiliation Not Assigned 59FR61831 00205 95/02/17 Docketing & Services Branch 1p 82805 126-82805 126

9502230103 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HUGHES J.A. Affiliation Not Assigned 59FR61831 00276 95/02/22 Docketing & Services Branch 1p 82805 127-82805 127

9502230104 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HOGAN J.P. Affiliation Not Assigned 59FR61831 00277 95/02/22 Docketing & Services Branch 1p 82805 128-82805 128

9502230105 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
WAHNS A. Affiliation Not Assigned 59FR61831 00270 95/02/21 Docketing & Services Branch 1p 82805 129-82805 129

9502230106 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
LUPPO G. Affiliation Not Assigned 59FR61831 00278 95/02/22 Docketing & Services Branch 1p 82805 130-82805 130

9502230108 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
KLOTTER S.K. Affiliation Not Assigned 59FR61831 00271 95/02/21 Docketing & Services Branch 1p 82805 131-82805 131

9502230109 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
PATTON P. Affiliation Not Assigned 59FR61831 00217 95/02/21 Docketing & Services Branch 1p 82805 132-82805 132

9502230111 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MURPHY T. Affiliation Not Assigned 59FR61831 00230 95/02/21 Docketing & Services Branch 1p 82805 133-82805 133

9502230112 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Inform of need for test to be distributed under general license &/or exempt status
STRECHLE B. Affiliation Not Assigned 59FR61831 00206 95/02/17 Docketing & Services Branch 1p 82805 134-82805 134

9502230113 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HIPSLEY N.W. Affiliation Not Assigned 59FR61831 00279 95/02/22 Docketing & Services Branch 1p 82805 135-82805 135

9502230114 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FORSEBERG P.A. Affiliation Not Assigned 59FR61831 00272 95/02/21 Docketing & Services Branch 1p 82805 136-82805 136

9502230115 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MARSHALL B.J. Affiliation Not Assigned 59FR61831 00176 95/02/15 Docketing & Services Branch 1p 82805 137-82805 137

9502230116 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HEINE C.C. Affiliation Not Assigned 59FR61831 00280 95/02/21 Docketing & Services Branch 1p 82805 138-82805 138

9502230117 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
* Affiliation Not Assigned 59FR61831 00231 95/02/21 Docketing & Services Branch 1p 82805 139-82805 139

9502230118 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
PONDER J. Affiliation Not Assigned 59FR61831 00274 95/02/21 Docketing & Services Branch 1p 82805 140-82805 140

9502230119 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MARSHALL L. Affiliation Not Assigned 59FR61831 00177 95/02/15 Docketing & Services Branch 1p 82805 141-82805 141

9502230120 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients. Encourages NRC to accept petition for rulemaking & allow test to be distributed under general license
BOWDEN J.A. Affiliation Not Assigned 59FR61831 00207 95/02/17 Docketing & Services Branch 1p 82805 142-82805 142

9502230122 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
MYERS J.C. Affiliation Not Assigned 59FR61831 00218 95/02/21 Docketing & Services Branch 1p 82805 143-82805 143

9502230123 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HEINE F. Affiliation Not Assigned 59FR61831 00232 95/02/21 Docketing & Services Branch 1p 82805 144-82805 144

9502230124 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
LEE A.E. Affiliation Not Assigned 59FR61831 00185 95/02/16 Docketing & Services Branch 1p 82805 145-82805 145

9502230125 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FRY S. Affiliation Not Assigned 59FR61831 00178 95/02/16 Docketing & Services Branch 1p 82805 146-82805 146

9502230126 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
FRY B.A. Affiliation Not Assigned 59FR61831 00208 95/02/21 Docketing & Services Branch 1p 82805 147-82805 147

9502230127 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
PATTERSON C. Affiliation Not Assigned 59FR61831 00165 95/02/15 Docketing & Services Branch 1p 82805 148-82805 148

9502230129 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
PETERSON G. Affiliation Not Assigned 59FR61831 00233 95/02/21 Docketing & Services Branch 1p 82805 149-82805 149

9502230130 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
JOHNSON E. Affiliation Not Assigned 59FR61831 00219 95/02/21 Docketing & Services Branch 1p 82805 150-82805 150

9502230131 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
REINHOLD E.M. Affiliation Not Assigned 59FR61831 00209 95/02/21 Docketing & Services Branch 1p 82805 151-82805 151

9502230133 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
SHEDIVY R. Affiliation Not Assigned 59FR61831 00179 95/02/16 Docketing & Services Branch 1p 82805 152-82805 152

9502230134 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
EHRHART W.T. Affiliation Not Assigned 59FR61831 00186 95/02/16 Docketing & Services Branch 1p 82805 153-82805 153

9502230138 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
WEAVERS S. Affiliation Not Assigned 59FR61831 00186 95/02/16 Docketing & Services Branch 1p 82805 154-82805 154

9502230136 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
CATALANO G.S. Affiliation Not Assigned 59FR61831 00264 95/02/21 Docketing & Services Branch 1p 82805 155-82805 155

9502230138 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
CARTER T.E. Affiliation Not Assigned 59FR61831 00210 95/02/21 Docketing & Services Branch 1p 82805 156-82805 156

9502230139 Comment supporting petition for rulemaking PRM-35-12 re making C-14 urea breath test more accessible to patients
HAAS J. Affiliation Not Assigned 59FR61831 00234 95/02/21 Docketing & Services Branch 1p 82805 163-82805 163

9502230189 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
NORSEY, P. Affiliation Not Assigned 59FR61831 00193 95/02/16 Docketing & Services Branch 1p 82805 029-82805 028

9502230190 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
PROCH, K.S. Affiliation Not Assigned 59FR61831 00194 95/02/16 Docketing & Services Branch 1p 82805 029-82805 029

9502230192 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
WILLIAMS, R.I. Affiliation Not Assigned 59FR61831 00173 95/02/16 Docketing & Services Branch 1p 82805 045-82805 045

9502230194 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
NOALB Affiliation Not Assigned 59FR61831 00182 95/02/16 Docketing & Services Branch 1p 82805 046-82805 046

9502230195 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
BUGGS, A. Affiliation Not Assigned 59FR61831 00261 95/02/21 Docketing & Services Branch 1p 82805 047-82805 047

9502230198 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
HEFFERNAN, J.N. Affiliation Not Assigned 59FR61831 00248 95/02/21 Docketing & Services Branch 1p 82805 048-82805 048

9502230189 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
HICKS, A. Affiliation Not Assigned 59FR61831 00198 95/02/16 Docketing & Services Branch 1p 82805 049-82805 049

9502230202 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
SHARP, B. Affiliation Not Assigned 59FR61831 00249 95/02/21 Docketing & Services Branch 1p 82805 050-82805 050

9502230204 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
COMBS, M.J. In Med. Inc. 59FR61831 00174 95/02/14 Docketing & Services Branch 2pp 82805 051-82805 052

9502230205 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients. Advises that appropriate use of test may be major part in reducing stomach cancer.
BARRET, B. Affiliation Not Assigned 59FR61831 00212 95/02/21 Docketing & Services Branch 1p 82805 053-82805 053

9502230206 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FORD, D. Affiliation Not Assigned 59FR61831 00183 95/02/16 Docketing & Services Branch 1p 82805 054-82805 054

9502230209 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
BOGOTIS, P. Affiliation Not Assigned 59FR61831 00213 95/02/21 Docketing & Services Branch 1p 82805 055-82805 055

9502230210 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
HARDUS, K. Affiliation Not Assigned 59FR61831 00282 95/02/21 Docketing & Services Branch 1p 82805 056-82805 056

9502230212 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
ELHERD, G. Affiliation Not Assigned 59FR61831 00199 95/02/16 Docketing & Services Branch 1p 82805 057-82805 057

9502230213 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
BURWESSE-TOFFRES Affiliation Not Assigned 59FR61831 00164 95/02/16 Docketing & Services Branch 1p 82805 058-82805 058

9502230215 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
SCOTT, L. Affiliation Not Assigned 59FR61831 00214 95/02/21 Docketing & Services Branch 1p 82805 059-82805 059

9502230218 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
JOHNSON, L.M. Affiliation Not Assigned 59FR61831 00263 95/02/21 Docketing & Services Branch 1p 82805 060-82805 060

9502230217 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FORD, J.D. Affiliation Not Assigned 59FR61831 00291 95/02/21 Docketing & Services Branch 1p 82805 061-82805 061

9502230218 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
BLONSCOT, C.J. Affiliation Not Assigned 59FR61831 00200 95/02/16 Docketing & Services Branch 1p 82805 062-82805 062

9502230223 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
OLIVER, K. Affiliation Not Assigned 59FR61831 00201 95/02/16 Docketing & Services Branch 1p 82805 071-82805 071

9502230226 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FORD, V. Affiliation Not Assigned 59FR61831 00252 95/02/21 Docketing & Services Branch 1p 82805 072-82805 072

9502230231 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
POUND, J.K. Affiliation Not Assigned 59FR61831 00259 95/02/21 Docketing & Services Branch 1p 82805 073-82805 073

9502230234 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
SWARTZ, P.A. Affiliation Not Assigned 59FR61831 00254 95/02/21 Docketing & Services Branch 1p 82805 074-82805 074

9502230237 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
TEEL, K. Affiliation Not Assigned 59FR61831 00202 95/02/16 Docketing & Services Branch 1p 82805 075-82805 075

9502230238 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
KOPESCHKE, J. Affiliation Not Assigned 59FR61831 00256 95/02/21 Docketing & Services Branch 1p 82805 079-82805 079

9502230241 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
PALERMO, S. Affiliation Not Assigned 59FR61831 00255 95/02/21 Docketing & Services Branch 1p 82805 080-82805 080

9502230242 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FRY, W.A. Affiliation Not Assigned 59FR61831 00161 95/02/16 Docketing & Services Branch 1p 82805 081-82805 081

9502230244 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
WALKER, S.J. Affiliation Not Assigned 59FR61831 00182 95/02/16 Docketing & Services Branch 1p 82805 082-82805 082

9502230247 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FASOR, R. Affiliation Not Assigned 59FR61831 00163 95/02/16 Docketing & Services Branch 1p 82805 083-82805 083

9502230248 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
LUTON, A. Affiliation Not Assigned 59FR61831 00203 95/02/16 Docketing & Services Branch 1p 82805 084-82805 084

9502230249 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
RAY, L.M. Affiliation Not Assigned 59FR61831 00257 95/02/21 Docketing & Services Branch 1p 82805 085-82805 085

9502230250 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
WELINGTON, B. Affiliation Not Assigned 59FR61831 00184 95/02/16 Docketing & Services Branch 1p 82805 086-82805 086

9502230251 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
FAYE, P.A. Affiliation Not Assigned 59FR61831 00258 95/02/21 Docketing & Services Branch 1p 82805 087-82805 087

9502230253 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
JOHNSON, G. Affiliation Not Assigned 59FR61831 00204 95/02/16 Docketing & Services Branch 1p 82805 088-82805 088

9502230254 Comment supporting petition for rulemaking PRM-95-12 re making C-14 urea breath test more accessible to patients
YORK, W. Affiliation Not Assigned 59FR61831 00259 95/02/21 Docketing & Services Branch 1p 82805 089-82805 089

9502230300 Forwards petition for rulemaking PRM-95-61 requesting that NRC amend 10CFR50.48 to add app 6 to 10CFR50 providing for alternative to current regulation in app 6 governing fire protection at nuclear power plants
RASH, W.M. Nuclear Energy Institute (formerly Nuclear Mgmt. & Resources Council) 95/02/02 MOYUE, J.C. Office of the Secretary of the Commission 3pp 82825 157-82825 194

PROJ PROJECTS - PRODOCKET LICENSING

9412220138 Forwards "SER of VECTRA Technologies, Inc. SAR for Standardized NUHOMS Horizontal Modular Storage Sys. " dtd Dec 1994 & unassigned ROC 100d for Standardized NUHOMS-2AP & NUHOMS-32B to be included as part of RM 10CFR72 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 59FR26496 94/12/16 JULIAN, E.L. Docketing & Services Branch 1p 82152 001-82152 215

-9412220261 "SER of VECTRA Technologies, Inc. SAR for Standardized NUHOMS Horizontal Modular Storage Sys for bracketed Nuclear Fuel"
* Office of Nuclear Material Safety & Safeguards 94/12/31 21pp 82152 002-82152 215

9402260354 Summarizes 941215 telephone conference w/Serms Nuclear Corp discussing issues re current rulemaking to amend VSC-24 cask COC & issues contained in license 940531 submittal
LEW, K.C. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/26 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 3pp 82652 353-82652 355

9502260046 Notification of 950207 meeting w/EPR in Rockville, MD to discuss SF transfer sys to be used at ISFSs that lack normal fuel handling equipment.
RADDAZ, M.G. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/01/30 HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82686 240-82686 240

9502260118 Forwards RAI to support NRC review of West Valley Demonstration Project "SAR for Ventilation Operations & HLW Interim Storage." WVNS-SAR-003 Rev 2 Draft D, dtd 941230
COMFORT, G.C. Licensing Branch 95/02/02 ROWLAND, T.J. Energy Dept. of app 82712 222-82712 225

228 NONDOCKETED ITEMS

9502080267 Forwards responses to NRC comments to Rev 3 to "Topical SAR for NAC Storage Transport Cask for Use at ISFSI" TJEERSLAND, G.T. Nuclear Assurance Corp GTT/95/041/EDS 95/01/31 STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82712 096-82712 211

9502080269 Rev 3 to Topical SAR for NAC Storage Transport Cask for Use at ISFSI " Nuclear Assurance Corp 95/01/31 114pp 82712 088-82712 211

9502080346 Transmits "Waste Qualification Rept West Valley Demonstration Project Stabilized THOREX Wash Cement-Waste Draft B," & "Process Control Plan for Cement Solidification of Decontaminated Thorax Wash Liquid," rev 0 ROWLAND, T.J. Energy, Dept. of 85/01/27 COMFORT, G.C. NRC - No Detailed Affiliation Given 3pp 82702 238-82702 344

9502080347 WVNS-TR-70-025 "WVNS-TR-70-025 Waste Form Qualification Rept WVDP Stabilized Thorax Wash Cement-Waste" DALTON, W.J. Energy, Dept. of 95/01/31 58pp 82702 242-82702 289

9502080356 Rev 0 to "Process Control Plan for Cement Solidification of Decontaminated Thorax Wash Liquid Using Portland Type Y Cement" LEWANDOWSKI, R. RUSSNER, J.J. MEISS, D.C. West Valley Nuclear Services Co., Inc. 95/01/20 45pp 82702 300-82702 344

9502080383 Forwards info for verification facility NRC readiness notebook. End A provides instructions for incorporating info into notebook. End B provides current schedule for planned release of info for incorporation into notebook ROWLAND, T.J. Energy, Dept. of 85/02/02 COMFORT, G.C. NRC - No Detailed Affiliation Given 75pp 82724 001-82724 351

9502080387 WVNS-SD-63FP R00 Rev 0 to WVNS-SD-63FP "Sys Description Fire Detection & Suppression (R3FP)" DEHASE, R. COTTELL, E. ATCHISON, P.E. West Valley Nuclear Services Co., Inc. 94/12/07 33pp 82724 154-82724 187

9502080389 WVNS-SD-63M R01 Rev 1 to WVNS-SD-63M "Sys Description Verification Load-in Facility Sys 63M" DONOVAN, L.E. COTTELL, E. CEMSTER, D.L. West Valley Nuclear Services Co., Inc. 94/12/07 30pp 82724 185-82724 217

9502080372 WVNS-SD-63PW R00 Rev 0 to WVNS-SD-63PW "Sys Description Verification Facility Potable Water Sys 63PW" BAUERMEISTER, K. RICKETT, S.D. COTTELL, E. West Valley Nuclear Services Co., Inc. 94/12/07 17pp 82724 216-82724 233

9502080378 WVNS-SD-200A&B R00 Rev 0 to WVNS-SD-200A&B "Sys Description Instrumentation & Control Hardware & Software (Sys 200 A & 200 B)" MEHTA, S.C. ETTEL, W. GERVACIO, M.C. West Valley Nuclear Services Co., Inc. 94/12/08 119pp 82724 234-82724 351

9502080374 Provides fabrication dates of CMSB-04 through -10 re CPC 9F dry storage cask MOECKEL, K. Sierra Nuclear, Inc. 95/02/02 LEU, K.C. NRC - No Detailed Affiliation Given 2pp 82732 062-82732 053

9502080152 Forwards topical report DOE/NE/44139-64, "West Valley Demonstration Project Verification Process: Equipment Functional & Checkout Testing of Sys (FACTS)," in response to NRC 950130 request to support NRC review of WVNS-SAR-003 COMFORT, G.C. Licensing Branch 95/02/03 Licensing Branch 1p 82719 001-82719 152

9502080161 DOE/NE/44139-64 "West Valley Demonstration Project Verification Process: Equipment Functional & Checkout Testing of Sys (FACTS)" CARLDE, PAUL J. FORAN, J.M. West Valley Nuclear Services Co., Inc. 90/09/30 15pp 82719 002-82719 152

9502080171 Forwards question faxed to Nuclear Assurance Corp on 950120 W/o 950125 response SCHNEIDER, J.F. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/08 Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82720 173-82720 174

9502080175 Forwards six corrected two-sided pages to NAC ind response document submitted w/850131 to NRC. Pages incorporate minor editorial corrections which were needed during finalization of response document last wk. TJEERSLAND, G.T. Nuclear Assurance Corp GTT/95/051/EDS 95/02/07 STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729) 13pp 82728 246-82728 258

9502080346 Discusses meeting between DOE & NRC on 840929 re proprietary classification of Vol 2 of MGTGR PRA HERZEG, J.W. Energy, Dept. of 95/02/07 Document Control Branch (Document Control Desk) 1p 82770 336-82770 338

9502080377 Forwards request for add info on TR-32 dry storage cask topical safety analysis report STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729) 95/02/15 MASON, M. Transnuclear, Inc. 7pp 82785 318-82785 324

9502080189 Forwards controlled document TR/IRTS-2, "Control of Cement Solidification Sys Recipe for Decontaminated Thorax Sludge Solution" & TR/IRTS-7 "Sampling & Analysis Requirements for Tanks SD-155 & SD-3" DOWNING, K.A. West Valley Nuclear Services Co., Inc. 95/02/08 COMFORT, K.A. NRC - No Detailed Affiliation Given 3pp 82815 275-82815 304

9502080156 Rev 7 to procedure TR/IRTS-2, "Control of Cement Solidification Sys Recipe for Decontaminated Thorax Sludge Wash Solution" STAFFES, D.R. ROBERTS, C.J. HUMPHREY, R.A. West Valley Nuclear Services Co., Inc. 95/02/09 13pp 82815 278-82815 281

9502080130 Rev 9 to procedure TR/IRTS-7, "Sampling & Analysis Requirements for Tanks SD-155 & SD-3" STAFFES, D.R. ROBERTS, C.J. HUMPHREY, R.A. West Valley Nuclear Services Co., Inc. 95/02/09 12pp 82815 292-82815 304

9502080877 Forwards documents requested in GC Condon B40329 re re waste solidification sys element DESCAMP, V.A. West Valley Nuclear Services Co., Inc. WD 95/0120 95/02/08 ROWLAND, T.J. Energy, Dept. of 2pp 82840 001-82840 343

9502080899 "Soil-Structure Interaction Analysis Verification Facility & Tank Farm Area" engineering study Affiliation Not Assigned 95/01/31 313pp 82840 003-82840 315

9502080108 "Rept Integrity Review of In-cell Process Tanks Verification Facility West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. GORMAN, M.R. Dames & Moore 94/09/29 123pp 82840 316-82841 074

9502080128 "Rept Integrity Review of In-cell Canister Storage Rack Verification Facility West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. Dames & Moore 94/09/21 43pp 82841 075-82841 117

9502080141 "Rept Containment Barrier Integrity Review HLW Transfer Piping West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. Dames & Moore 94/09/20 150pp 82841 118-82841 267

9502080144 "Rept HLWTS Containment Barrier Integrity Review West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. Dames & Moore 94/01/29 265pp 82841 268-82842 168

9502080149 "Rept Integrity Review of Canister Storage Rack HLW Interim Storage Facility West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. Dames & Moore 94/09/27 151pp 82842 169-82842 319

9502080154 "Rept Containment Barrier Integrity Review of HVAC Sys Verification Facility West Valley Demonstration Project for West Valley Nuclear Svcs Co Inc" GATES, W.E. Dames & Moore 94/01/26 347pp 82842 320-82843 343

9502080873 Forwards comments as result of completion of review of Engelhard Corp demonstration plan for pavement & soils areas surrounding bldg G-1 Although overall generally acceptable, listed deficiencies need to be addressed SHEAR, G.L. Region 3 (Post 820201) 95/02/21 KOPAS, A.G. Engelhard Corp App 82846 158-82846 158

9502080313 Forwards Wisconsin Electric dry storage project summary. WEPSCO Nuclear Power Business Unit completed dry storage event schedule. MSB fabrication schedule & VCG liner fabrication schedule BAUMANN, M. Wisconsin Electric Power Co. 95/02/23 STURZ, F. NRC - No Detailed Affiliation Given 3pp 82903 345-82903 352

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9502010239 Forwards error notices received from former software suppliers in response w/10CFR21 Listed customers not notified due to unknown current addresses Error notices sent to former customers ORRIS, S. Boeing Computer Services Co. (div. of Boeing Co.) 95/01/23 Document Control Branch (Document Control Desk) App 82583 354-82583 357

9502020119 Provides add info re rpt on potential Part 21 defect reported on 841114 re Model 6808E SN 124 ROUGHAN, C. Amersham Corp 95/01/26 Document Control Branch (Document Control Desk) 2pp 82616 276-82616 277

9502020168 Part 21 rpt re vendor using incorrect acceptance criteria on qualification test rpt & acceptance criteria used not met by CVTs Vendor continues to seek resolution of matter Florida Power Corp. GAMI-95-003 95/01/27 NRC - No Detailed Affiliation Given 2pp 82616 303-82616 304

9502020175 Part 21 rpt re possibilities of some nonconforming codes may have been used in safety related spare parts provided for SAN/DAN/TAN & 2100C KELLY, C. Westronics, Inc. of Tulsa due to Tracer Westronics. 95/01/30 Document Control Branch (Document Control Desk) 2pp 82619 311-82619 312

9502070168 Part 21 rpt re furnished commercial grade/non-safety related studs, nuts & washers for use on safety-related Crystal River Bldg yr post-tension surveillance program SWANSON, D.T. VSL Corp 95/01/30 PETTIS, R. NRC - No Detailed Affiliation Given 3pp 82681 352-82681 354

9502080123 Forwards Part 21 tracking sys & monthly update of Quality Assurance & Maint Branch for month of Jan 1995 BLACK, S.C. 95/02/01 ZIMMERMAN, R.P. THADANI, A.C. Office of Nuclear Reactor Regulation (Post 841001) SPIESSARD, R.L. Division of Operational Assessment (Post 870415) 6pp 82707 347-82707 352

9502080359 Requests written confirmation of questions raised in vendor 950131 telecon request for interpretations of 10CFR21 CSTER, A.S. Affiliation Not Assigned 95/02/01 Document Control Branch (Document Control Desk) 1p 82720 180-82720 193

9502170084 Rev to part 21 rpt re master power connecting rod mfg by Cooper-Bessemer Inc confirmed that rod plating present on one side of bolts Upon reinspection to determine validity of 1989 Mail Review Board evaluation final rpt will be issued SCHNEIDER, J.F. Cooper Energy Services 95/02/07 Document Control Branch (Document Control Desk) 3pp 82778 222-82778 224

9502170023 Part 21 rpt re possible mail defect in stainless steel Swagelok tube fittings & adapters ZAHURANEK, E.J. Crawford Fitting Co. 95/02/07 Document Control Branch (Document Control Desk) 7pp 82802 354-82802 360

9502210142 Final part 21 rpt re potential defect of Models 288A & 288B Differential Pressure Indicating Switches Testing confirmed that products may demonstrate switch contact chatter Engineering rpt will be available to interested customers PERRY, C.L. ITT Barton 95/02/15 Office of Nuclear Material Safety & Safeguards App 82805 275-82805 280

950220006 Summary of 950131 meeting w/Dow Corning Corp in Rockville MD re issues concerning products mfg by Dow Corning used for construction of fire barrier penetration seals List of attendees and
ACORACKEN C.E. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09
MOLANLAN G.M. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82638 067-82638 073

950220022 Interim Part 21 Rept (SSH 940002) re failure of 27N degraded voltage relay mfg by Asahi Brown Boveri
TAYLOR G.J. South Carolina Electric & Gas Co. AC-95-0040 95/02/15 Document Control Branch (Document Control Desk) 1p 82667 948-82667 348

950220006 Discusses final rept 94-004 of tube oil pump drive bracket which has been reported as potential safety hazard under requirements of 10CFR21 Results of investigation of rept detailed in end engineering rept
FRATTIANNES A. Coltec Industries, Inc. 95/02/15 Document Control Branch (Document Control Desk) 1p 82614 362-82614 357

950220156 Forwards ANSYS Class 3 Error Repts 95-01 95-02 & 95-03 received from former software suppliers Listed former customers not notified because of unknown current addresses. Error notices sent other former customers
ORR R.S. Boeing Computer Services Co. (w/ Boeing Co.) 95/02/14 Document Control Branch (Document Control Desk) 6pp 82841 354-82841 359

950220218 Part 21 rept re defect discovered in Type B packaging in Model 3273 KEG on 941215 Defective cask taken out of svc at time of initial discovery of liquid in cavity Amerisham Corp notified re defect in cask
ACHARYAS S. Energy, Dept of 95/02/16 CHAPPELL C.R. Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82945 260-82945 261

QA398 QUALITY ASSURANCE INSPECTIONS

950220089 Responds to notice of nonconformance identified during 99901076/94-01 insp Performed comprehensive material package review of all old fastener stock & evaluated procurement review checklist
MATHOCD K.Z. Cardinal Industrial Products Corp 95/01/30 CUALINA, G.G. 58pp 82620 099-82620 157

950220289 Forwards insp rept 99901229/94-01 on 941128-1202 No violations noted Products custom fabricated in accordance w/ processes & specs established by customer & all aspects of production process documented
GALLO, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 RESEN A. Telephony Wash Chang Albany (formerly Wash Chang Corp) 2pp 82576 002-82576 017

950220289 Insp rept 99901229/94-01 on 941128-1202 No violations or nonconformance noted Major areas inspected technical documentation, procedures & representative records of QA program
MATHOCD K.Z. CUALINA, G.G., GALLO, R.M. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 14pp 82576 004-82576 017

950220038 Forwards invoices & test repts to verify that test procedures conformed to test requirements
WYLAND Industrial Testing Laboratories, Inc. 95/02/11 FELDMAN, R. Thermal Sciences, Inc. 26pp 82624 294-82624 319

950220064 Requests NRC state any & all fines &/or related interest re civil penalty imposed on 821129 in return licensee will discontinue to own &/or operate under NRC provisions throughout US for period of three years
LIEBERT, S.P. Capital Materials Testing, Inc. (KMT) 95/01/23 LIEBERMAN, J. Div of Enforcement (Post 870413) 1p 82637 202-82637 202

950220076 Responds to 941220 ltr re vendor request for backfit analysis & interpretation of term "dimensional conformance"
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30 JOHNSON, S.P. Attention Not Assigned. 6pp 82616 338-82616 346

950220012 Responds to violations noted in insp rept 9501279/94-01 Corrective actions internal operating procedure in question, 620-004 (now Quality Procedure 206 003) now includes requirement to evaluate deviations & failures per 10CFR21
POSNER, D. Gamma-Metals, Inc. 95/02/03 Document Control Branch (Document Control Desk) 3pp 82698 354-82698 361

9502200125 Quality Procedure 2 06 003 "Reporting of Safety Defects to NRC"
Gamma-Metals, Inc. 95/02/02 6pp 82686 357-82686 361

9502140351 Notification of meeting w/Rosemount Aerospace on 950316 in Rockville MD to discuss issues re transmitter models 1151, 1152, 1153A, B & D & 1154 Agenda and WERNHIL, J.S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/08
BOEDER, A. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82729 358-82729 358

9502150093 Forwards insp rept 99900802/95-02 on 950125-28 No violations noted
GALLO, R.M. 95/02/05 HYTENS, Wyle Laboratories 2pp 82721 300-82721 359

9502150005 Insp rept 99900902/95-02 on 950125-28 No violations noted Major areas inspected licensee failed to incorporate new trap limits & other new requirements that were specified in revision of 10CFR21
NAIDU, K.R., CUALINA, G.G., GALLO, R.M. 95/02/08 6pp 82721 332-82721 339

9502228182 Transmits attached error notice(s) received from Boeing former software suppliers
ORR R.S. Boeing Co. G-1181-RSC-95-0 95/02/13 Document Control Branch (Document Control Desk) 4pp 82626 277-82626 280

9502220199 Informs that NRC staff will postpone Feb 1995 team insp of GIRAFFE test program at Toshiba Nuclear Engineering Lab in Japan
BOCHARDT, R.W. Standardization Project Directorate (POST) (Post 941001) 95/02/17 QUINN, J.E. General Electric Co 3pp 82817 340-82817 342

9502220328 Ack receipt of 941214 ltr in response to concerns outlined in NRC 941115 ltr re NCV identified in insp rept 99900271/93-01
PESSEARD, R.L. EA-94-049 95/02/15 DURSLEY, M. Rosemount, Inc. 6pp 82800 010-82800 015

9502240196 Forwards ANSYS Class 3 Error Repts 95-01, 95-02 & 95-03 received from former software suppliers Listed former customers not notified because of unknown current addresses. Error notices sent other former customers
ORR R.S. Boeing Computer Services Co. (w/ Boeing Co.) 95/02/14 Document Control Branch (Document Control Desk) 6pp 82841 354-82841 359

9502270146 Forwards response to NRC 950112 ltr re nonconformance noted in insp rept 99900404/94-01 Corrective actions list of suppliers of calor syms for Oregon State Univ LTCI was reviewed to assure all calor syms provided
UPARULO, N.J. Westinghouse Electric Corp NFD-NRC-95-4408 95/02/15 BOCHARDT, R.W. Document Control Branch (Document Control Desk) 4pp 82866 947-82866 350

9502270244 Responds to nonconformance noted in insp rept 99900764/94-01 Corrective actions Paragraph 3.2 of Lab Procedure 1300 26, "Procedure for Retesting & Resampling of Lots," Rev 2 will be revised
BOWLES, K.C. Sandvik Special Metals Corp 95/02/22 Document Control Branch (Document Control Desk) 2pp 82925 214-82925 215

9502270255 Offers listed comments for record re insp rept 99900764/94-01
BOWLES, K.C. Sandvik Special Metals Corp 95/02/22 Document Control Branch (Document Control Desk) 2pp 82914 235-82914 236

REG CERT REGISTRY CERTIFICATE

950220267 Requests that licensee submit info as outlined in Region 1 submittal re custom product evaluation on J.L. Shepherd model 26-88 thickness gauge to be performed by NRC
BAGGETT, S.L. Source Containment & Devices Branch (Post 911213) 95/01/31 CIVIC, T.J. Bethlehem Steel Corp 1p 82578 001-82578 001

950220293 Forwards info from Sealed Source Safety Section per request W/o and BAGGETT, S.L. Source Containment & Devices Branch (Post 911213) 95/01/31 BOFFISY, M. Army, Dept of 1p 82578 042-82578 042

9502200181 Forwards info requested from Sealed Source Safety Section W/o and BURGESS, M.L. Source Containment & Devices Branch (Post 911213) 95/02/02 BASINGER, D. Heum Richmond, Inc. 1p 82696 254-82696 254

9502220841 Confirms that label shown on Nordion Engineering Drawing F125401-013 has been accepted for use on Titan
KRZANIAK, M.S. Nordion International, Inc. NR-220-D-109-S 94/12/20 RICH, T. Division of Industrial & Medical Nuclear Safety (Post 870729) 1p 82782 053-82782 063

9502220832 Forwards info requested from Sealed Source Safety Section W/o and KIMBLE, T. Source Containment & Devices Branch (Post 911213) 95/02/17 KUMAR, M. Attention Not Assigned 1p 82784 299-82784 299

REGSD REGULATORY GUIDES

9501250429 NRC info Notice 95-009 "Use of Inappropriate Guidelines & Criteria For Piping & Pipe Support Evaluation & Design"
GRINES, B.K. Office of Nuclear Reactor Regulation (Post 941001) 15B-79 14 95/01/31 Consolidated Edison Co. of New York, Inc. 7pp 82632 188-82632 184

9502202145 Forwards for NRC approval Proposed changes to BVPIS Unit 1 & Unit 2 QA program description included in sketch respective unit SAR Change would reduce commitments by adding exception to position on RG 1.58
THOMAS, G.S. Duquesne Light Co. 95/01/25 Document Control Branch (Document Control Desk) 7pp 82615 353-82615 359

950220007 Comments on draft reg guide DG-0005, "Applications for Licenses of Broad Scope" Recommends that App F, page F-1, of proposed document should be eliminated in entirety
CHU, R.Y. Dept. of Veterans Affairs Medical Center, Oklahoma City, OK (formerly Veterans Affairs) 50FR55141 00005 95/01/18 Division of Freedom of Information & Publications Services (Post 940714) 2pp 82576 045-82576 046

9502200043 Comments opposing draft reg guide DG-0005, "Applications for Licenses of Broad Scope"
MARCLUS, C.S. California, Univ. of, Los Angeles, CA 50FR55141 00007 95/01/19 Commissioners (Post 780118) 4pp 82576 042-82576 052

9502200023 Comments on NRC draft reg guide DG-0005 re application for licenses of broad scope Urges that NRC reconsider recommendations for simplification & incorporation in reg guide
SMITH, L.R. Et du Pont de Nemours & Co., Inc. 50FR55141 00006 95/01/18 Division of Freedom of Information & Publications Services (Post 940714) 6pp 82576 107-82576 115

9502200066 Authorizes interim use of Code Case N-496-1 in lieu of performing code-required hydrostatic pressure tests for class 1, 2 & 3 structural Code Case published in rev of Regulatory Guide 1.147 6E and
NORRIS, J.W. Office of Nuclear Reactor Regulation (Post 941001) TAG M90167 94/01/30 SCHNELL, O.F. Union Electric Co 3pp 82614 306-82614 317

9502200142 Transmits State Program info re draft Reg Guide 10.8, Rev 3 "Guidance for Preparation of Applications for Medical Use Programs," for review & comment
LOHANS, P.H. Office of State Programs (Post 911117) SP-95-006 95/01/27 General 56pp 82601 155-82601 210

9502200337 Provides confirmation that licensing activities listed in end completed on or before end of 1994 outage
KEATEN, R.W. General Public Utilities Corp - GPU Service Corp. C321-85-2048 95/02/01 Document Control Branch (Document Control Desk) 2pp 82665 099-82665 100

9502200213 Comments on Draft Regulatory Guide DG-0012, proposed rev 1 to RG 8.29 Add guidance needed on period of retaining
STEINMEYER, R. Radiation Safety Associates, Inc. 50FR3280 00001 95/02/01 Office of Administration Director (Post 940714) 2pp 82646 222-82646 223

230 NONDOCKETED ITEMS

950208245 Responds to NRC 941130 RAI re use of neutron flux instrumentation for monitoring post-accident severe accident conditions w/ respect to Reg Guide 1.97
MEGREDY, J.R. Rochester Gas & Electric Corp. TAC M90006 95/02/03
JOHNSON, A.R. Project Directorate 1-3 (PD1-3) (Post 941001) 5pp 82705282-82705289

950210050 Informs that NRC review of Util Operational QA Program, although reduced in requirements, consistent w/ Reg Guide 1.28 endorsing ANSI/ASME NQA-1-1983 & therefore, acceptable substitution for requirements of ANSI N45.2-8-1974
CHYWIN, T.P. Region 4 (Post 820201) 95/02/03 CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp 82590244-82590251

9502100113 Informs of thermal hydraulic calculations planned to support changes to reg guide 1.134 & notes existing data input deck for plant has not been updated since 1984
FORWARD, RAI to facilitate use of RELAP5/MOD5 program for calculations
MOCAFARI, B.L. Project Directorate 11-1 (PD2-1) (Post 941001) 95/02/07
HINDMANT, C.S. Carolina Power & Light Co. 4pp 82711155-82711158

9502100141 Comments that draft reg guide DG-0005, second proposed rev 2 to reg guide 10.5, re applications for licenses of broad scope, be discarded. Draft contains too many procedures & destroys creativity & innovation
MARCUS, C.S. California, Univ. of Los Angeles, CA. 95/01/19 Publications Branch (Post 820323) 3pp 82711148-82711153

9502100445 Forwards SE re util 940725 request for approval to use alternative rules of ASME section XI Code Case N-490-1 for 10-yr hydrostatic testing. Alternative authorized until such time as case published in future rev of reg guide 1.147
QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001) TAC M90061 95/02/03 CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp 82716287-82716304

9502100553 Safety evaluation approving request for relief of alternative hydrostatic testing contained in license 940511 proposal
Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 4pp 82716301-82716304

9502100028 Comment on Draft Reg Guide DG-8012, instruction re risks from occupational radiation exposure. Informs that w/ minor modification document should serve all those involved in training very well
MCHAUP, T. Wright State Univ., Dayton OH. 60FR3260 00002 95/02/03 Division of Freedom of Information & Publications Services (Post 940714) 3pp 82737008-82737010

9502100093 Forwards 881115 ltr from M.L. Ernst to J.P. Chene re GANE convention 9 Reg Guide 5.59, "Set Forment & Content for Licensee Physical Security Plan for Protection of SMO of Moderate or Low Strategic Significance," also encl
TURK, S.E. Office of the General Counsel (Post 860701) #195 16337 RBN 95/02/08 BECHHOEFER, C. Atomic Safety & Licensing Board Panel 8pp 82738011-82738096

9502100383 Notifies that power ascension tests & power escalation tests being made available in accordance w/ FAR Chapter 14, Paragraph 14.211 & RG 1.68, Rev 2 App B for NRC review. List of procedures provided to NRC on 950123 encl
NUMN, D.E. Tennessee Valley Authority 95/02/03 Document Control Branch (Document Control Desk) 3pp 82776248-82776250

9502100123 Notices that power ascension tests & power escalation tests being made available in accordance w/ FAR Chapter 14, Paragraph 14.211 & RG 1.68, Rev 2 App B for NRC review. List of procedures provided to NRC on 950130 encl
NUMN, D.E. Tennessee Valley Authority 95/02/07 Document Control Branch (Document Control Desk) 3pp 82779283-82779295

9502200037 NRC info Notice 95-013, "Potential For Data Collection Equipment to Affect Protection System Performance"
GRIMES, B.K. 95/02/04 Consolidated Edison Co. of New York, Inc. 8pp 82848018-82848025

9502200445 Reportable Occurrence 94-020/95-01 on 950205 voltage & specific gravity measurements of cell of emergency battery bank recorded at less than specified weekly SR in TS 4.3.5 C/A w/ monthly SR to monthly
NEWTON, T.H. LAURE, S. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95-020/95-01 95/02/17 Document Control Branch (Document Control Desk) 3pp 82814045-82814047

9502200098 Submits proposed plan to address Reg Guide 5.69, "Protection Against Malicious Use of Vehicles at Nuclear Power Plants." Encl w/ encl (rel 10CFR2790)
STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 102-02232-WLS/A 95/02/15 Document Control Branch (Document Control Desk) 2pp 82856335-82856336

9502200042 Comment supporting draft RG DG-8014 (proposed rev 3 to RG 6.13, "Instruction Concerning Personnel Radiation Exposure")
Arizona Public Service Co. (formerly Arizona Nuclear Power Project) 50FR54479 00001 95/02/02 Office of Administration, Director (Post 940714) 3pp 82831137-82831139

9502200271 Forwards changes to plant QA program consisting of revise plant commitment to Reg Guide 1.33, Rev 2 "QA Program Requirements (Operations)" & revise plant commitment to Reg Guide 1.144, Rev 1 "Auditing of QA Programs for Nuclear Power"
PHARES, R.F. Illinois Power Co. U-002396 95/02/17 Document Control Branch (Document Control Desk) 5pp 82965342-82965348

PREVIEW GRP NRC RESEARCH REVIEW GROUPS

8801100203 Informs that NEI Strategic Issues AG has approved position that each util follow to implement program for accident mgmt. Recommends that industry should develop guidelines which would best effectiveness of implementation of accident mgmt.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/08 RABIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 3pp 82614112-82614114

9502100076 Comments on proposed rule 10CFR80 re shutdown & low power operations for NPPs. Expresses concern w/ lack of regulatory analysis supporting proposed requirements & economic impact
RABIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 50FR52707 00034 95/01/24 HOYLE, J.C. Office of the Secretary of the Commission 3pp 82544276-82544283

9502020105 Comment re change of proficiency testing sd for Natl Voluntary Lab Accreditation Program for Ionizing Radiation Dosimetry. Supports practice of independent third party evaluation & recognition of dosimetry lab performance
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 50FR1906 00002 95/01/31 HOYLE, J.C. Office of the Secretary of the Commission 7pp 82560001-82560007

9502020126 Forwards EPRI draft rept TR-104788, "PWR Primary-to-Secondary Leak Guidelines," as addition to technical repts transmitted in 940831 ltr to WT Russell, as part of EPRI SG Degradation Specific mgmt initiative
MARIONA, Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95/01/30 Document Control Branch (Document Control Desk) 2pp 82620197-82620279

9502020127 Draft "PWR Primary-to-Secondary Leak Guidelines"
THOMAS, R. Electric Power Research Institute 94/11/28 8pp 82620199-82620279

9502020343 Responds to 941222 ltr re remark made at 941219 Commission meeting w/ DOE concerning DOE program approach for determining site suitability of HLRW. Comments that remark not intended to change NRC regulations for Yucca mountain
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 95/01/24 TRECHSEL, J. Nevada Nuclear Waste Task Force, Inc. 1p 82607020-82607022

9502020357 Discusses DOE plan to submit license application to authorize const of "low range" temp storage site at Yucca mountain, NV w/ subsequent high temp capability. New strategy at Yucca mountain compromises promises made to public
TRECHSEL, J. Nevada Nuclear Waste Task Force, Inc. 94/12/22 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 2pp 82607021-82607022

9502020386 Summary of 950118 meeting w/ NUMARC & nuclear industry re resolution of public comments on voltage-based repair criteria GL
REED, T.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/23 STROSNIDER, J. Office of Nuclear Reactor Regulation (Post 941001) 5pp 82605227-82605230

9502020311 Informs that US Army Corps of Engineers determined that proposed NPP barrier designs & methodology acceptable for use in const of licensee vehicle barrier sys w/ exception. Designs submitted w/ NUMARC 950103 ltr re NUREG/CR-6180
CHUNG, G.H. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 MOOREHEAD, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp 82605281-82605287

9502020315 Forwards conversation record documenting conversation between US Army Corps of Engineers & NUMARC on 941207 workshop re alternative vehicle barrier designs
NEBUDA, J. Army, Dept. of, Corps of Engineers 95/01/24 YOUNG, F. NRC - No Detailed Attribution Given 5pp 82605283-82605287

9502020029 Summary of 950117 meeting w/ Nuclear Energy Inst re safeguards areas of interest
SPEER, D.J. Office of Nuclear Reactor Regulation (Post 941001) 95/01/27 THADAN, J.C. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82624292-82624293

9502020038 Summary of 950124 meeting w/ Nuclear Energy Institute re status schedule & key issues related to ongoing SG related tasks
REED, T.A. Office of Nuclear Reactor Regulation (Post 941001) 95/01/25 STROSNIDER, J. Office of Nuclear Reactor Regulation (Post 941001) 7pp 82607350-82607355

9502100045 Provides NUMARC input re NRC draft environ justice implementation plan per request. Stresses that implementation should be undertaken in within NEPA & part 51 rules, apply to future major federal actions & establish clear guidance
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95/02/01 LOPEZ-MARTIN, J. Office of State Programs (Post 911117) 2pp 82600220-82600221

9502100100 Informs of recent appointments of EW Merschoff & MR Knapp as new regional members of ORGR
TAYLOR, J.M. Office of the Executive Director for Operations 95/01/31 THE CHAIRMAN, SELIN, J. ROGERS, J.C. Commissioners (Post 750119) 2pp 82708081-82708082

9502100106 Summary of 950124 public meeting w/ NUMARC in Rockville, MD re nuclear industry approach to emergency planning for ALWRs. List of attendees encl
WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001) 95/02/01 Standardization Project Directorate (PDST) (Post 941001) 21pp 82708085-82708116

9502100148 Forwards staff review re "Draft Pilot Project Guideline for Implementation of Graded Performance-Based Approach to Quality"
BLACK, S.C. Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 NGR Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 2pp 82711095-82711146

9502100247 Comment re proposed policy statement on use of PRA methods in nuclear regulatory activities. Believes that NRC proposed statement supportive of use of PSA technology & other new approaches to regulation to aid to better focus resources
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 50FR63369 00008 95/03/01 HOYLE, J.C. Office of the Secretary of the Commission 4pp 82706313-82706319

9502150162 Discusses NRC recommendation & approval that technical agreements reached between industry & NRC in review of industry rept on technical issues for license renewal would be incorporated in SRP per 10CFR54 instead of issuing SRP
RABIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 94/03/09 RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 82747022-82747023

9502150168 Forwards 840903 ltr from WH Rasm of NUMARC to WT Russell re technical agreements reached between industry & NRC in review of industry rept on technical issues for license renewal
NORTHORTH, J.C. Associate Director for Advanced Reactors & License Renewal (Post 910919) 94/03/21 HOOVER, D.J. NRC - No Detailed Attribution Given 1p 82747023-82747023

9502160009 Comment on NRC proposed generic communication, "Use of NUREG/EPRI reg. TR-102348, Guideline on Licensing Digital Upgrades," in Determining Availability of Performing Analog to Digital Replacements Under 10CFR50.59"
DENTON, R.E. Baltimore Gas & Electric Co. 59FR52559 00005 95/01/23 Rules & Directives Review Branch (Post 820023) 1p 82736 340-82738 340

9502160377 Forwards NEI draft rept, "Seismic String Decision Process," prepared in response to staff questions raised during 931130 meeting.
MODDEEN, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 94/05/25 84FR413 041217 1p 82754 017-82754 092

9502160281 Draft "Seismic String Decision Process"
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 94/06/24 75pp 82754 018-82754 092

9502160222 Summary of 950112 meeting w/NEI/EPRI & NEI re steam generator sleeve List of attendees encl.
HERMANN, R. Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 28pp 82754 198-82754 225

9502160337 Inform of CRGR meeting 259 in Rockville, MD on 950214 re scope of CRGR review activities in relation to SNM mats requirements & other topics as stated.
JORDAN, E.L. Committee to Review Generic Requirements 95/02/07 KNAPP, M.R. Office of Nuclear Material Safety & Safeguards (Post 941001) 28pp 82754 245-82755 247

9502220142 Responds to its dtd 941221, proposing future approach to performance based graded quality assurance & stresses importance of continued use of traditional programs in concert w/proposed sys.
MILKOWSKI, L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 21pp 82801 208-82801 310

9502220323 Responds to its dtd 950117 re concerns expressed about its dtd to NRCSS licenses on Thermo-Lag fire insulation performance issue informs public meeting to be held on 950314 in Rockville, MD re issues raised in its.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/02/17 22pp 82818 260-82818 361

9502220336 Summary of CRGR meeting 254 on 941011 re proposed Suppl 2 to NUREG-0654/FEMA-REP-1, Rev 1 to provide guidance for development, review & approval of radiological EP info & plans submitted w/early site applications per 10CFR82.
JORDAN, E.L. Committee to Review Generic Requirements 95/01/19 TAYLOR, J.M. Office of the Executive Director for Operations 25pp 82836 041-82836 066

9502220395 Forwards petition for rulemaking PNM-50-61 requesting that NRC amend 10CFR50.48 to add app 5 to 10CFR50 providing for alternative to current regulation in app 5 governing fire protection at nuclear power plants.
RASHIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95/02/02 HOYLE, J.C. Office of the Secretary of the Commission 36pp 82825 157-82825 184

9502240253 Summary of 950112 meeting w/NEI to discuss NEI written comments on proposed license renewal rule Materials presented encl.
JACKSON, C.P. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 95/02/14 License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001) 30pp 82831 308-82831 337

9502270015 Comment opposing BTP on site for characterization for decommissioning.
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95FR64716 95/02/13 HOYLE, J.C. Office of the Secretary of the Commission 4pp 82831 057-82831 060

9502270022 Comment supporting draft generic dose assessment for disposal of minor actinides in landfill.
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95FR64438 95/02/13 HOYLE, J.C. Office of the Secretary of the Commission 3pp 82831 085-82831 086

9502270081 Discusses 950216 ltr to NRC re performance of New Jersey style barrier for angles of incident greater than 25 degrees indeterminate because of uncertainties of anchorage capability & structural integrity of barrier.
CUNNINGHAM, M.J. 95/02/16 MODDEEN, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 1p 82852 217-82852 217

9502270225 Comment on Draft NUREG/CR-6270, "Estimating Boiling Water Reactor Decommissioning Costs." Recommends that NRC review public comments provided for PWR study & incorporate comments into PWR & BWR cost evaluation estimates.
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 95FR64437 95/02/16 MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714) 2pp 82831 281-82831 282

SECY POSITION PAPERS BEFORE THE COMMISSION

9411390066 SECY-94-261 Obtains Commission approval for publication of final rule.
TAYLOR, J.M. Office of the Executive Director for Operations 59FR61767 94/10/20 122pp 81778 181-81778 312

941209025 SECY-94-303 Requests Commission approval to publish for comment/draft policy statement re freedom of nuclear industry employees to raise safety & compliance concerns w/o fear of retaliation.
TAYLOR, J.M. Office of the Executive Director for Operations 94/12/19 21pp 82819 278-82819 298

9501170081 SECY-95-003 Provides Commission w/opportunity to review before signature/proposed MOU re Sequoyia Fuels Corp facility as revised to address comments by EPA region VI.
TAYLOR, J.M. Office of the Executive Director for Operations 95/01/04 28pp 82842 118-82842 145

9501170056 Partial 22nd response to FOIA request for info Forwards App FF documents partially withheld & App GG info completely withheld (rel FOIA Exemptions 5 & 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/04/17 GLINSKY, V. Affiliation Not Assigned 5pp 82557 001-82558 016

9501170134 SECY-95-002 Informs Commission of status of staff review & process for mode proposed by BWROG for use implementation of EP3 to enhance operator response re ATWS w/power oscillations.
TAYLOR, J.M. Office of the Executive Director for Operations 95/01/03 6pp 82585 079-82585 081

9502100210 First partial response to FOIA request for documents Forwards App A & B documents Documents partially withheld (rel FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/16 FLEMING, J.P. Affiliation Not Assigned 4pp 82592 277-82592 302

9502100222 SECY-94-239 Partially withheld SECY advising Commission of intent to issue NOV.
TAYLOR, J.M. Office of the Executive Director for Operations EA-93-077 94/04/04 22pp 82592 282-82592 302

9502090413 Final response to FOIA request for documents Forwards record in app H available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/03 O'DOLE, P.E. Parsons, Co. (formerly Parsons, Co., Stone, Olsen & Williams) 2pp 82591 051-82591 084

9504160101 SECY-92-129 Discusses fee recoverable activities not attributed to individual NRC licenses or classes of licenses.
TAYLOR, J.M. Office of the Executive Director for Operations 92/04/19 11pp 82591 054-82591 064

9502030307 SECY-95-011 Summarizes status of Mark I CPI program & gives 5 staff responses to 5 directives for action submitted by Commission on 950711.
TAYLOR, J.M. Office of the Executive Director for Operations 95/01/20 10pp 82819 244-82819 253

9502030316 SECY-95-013 Informs Commission of status of litigation.
CORDES, J.F. Solicitor (Post 860701) 95/01/20 2app 82819 254-82819 277

9502030325 SECY-95-009 Informs Commission of litigation rept 1995-1.
CORDES, J.F. Solicitor (Post 860701) 95/02/03 53pp 82819 302-82819 354

9502030370 SECY-95-023 Requests Commission approval for publication of and FRN for proposed design certification rules for ABWR & Sys 80+ std designs.
TAYLOR, J.M. Office of the Executive Director for Operations 95/02/01 253pp 82885 075-82885 326

9502100034 SECY-95-024 Weekly info rept for wk ending 950127.
BLAHA, J.L. Assistant for Operations (Post 890205) 95/02/03 22pp 82706 001-82706 022

9502130147 Twenty-second partial response to FOIA request for documents Forwards App II records being made available in PDR & App JJ records being partially withheld (rel FOIA exemptions 3 & 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714) 94/06/20 GLINSKY, V. Affiliation Not Assigned 4pp 82717 157-82718 014

9502130231 SECY-92-018 Partially deleted SECY informing Commission of Appeal Board decision for which petitions for review have not been filed.
FITZGERALD, J.A. Office of the General Counsel (Post 860701) ALAB-657 92/01/18 20pp 82717 251-82717 270

9502130288 SECY-92-103 Recommends that Commission issue draft order requesting that Self-Powered Lighting Limited & NRC provide all info relevant to renewal of Part 30 hydrocarbon mats license Partially deleted.
FITZGERALD, J.A. Office of the General Counsel (Post 860701) 92/03/10 24pp 82717 271-82717 294

9502130283 SECY-92-412 Partially deleted SECY informing Commission of Appeal Board decision.
TRUBATCH, S.L. Office of the General Counsel (Post 860701) ALAB-692 92/10/12 38pp 82717 295-82717 322

9502130267 SECY-93-003 Partially deleted SECY informing Commission of Appeal Board decision.
TRUBATCH, S.L. Office of the General Counsel (Post 860701) ALAB-704 93/01/04 12pp 82717 339-82717 344

9502130161 SECY-93-073 Recommends reappointment of MW Carbon to ACRS for add 4-yr term beginning 930401.
FRALY, J.F. ACRS - Advisory Committee on Reactor Safeguards 93/02/16 2pp 82717 162-82717 163

9502130275 SECY-93-113 Partially deleted SECY informing Commission of Licensing Board order.
PLAMHE, H.E. Office of the General Counsel (Post 860701) 93/03/24 11pp 82717 345-82717 355

9502130282 SECY-93-280 Partially deleted SECY re review of ALAB-731 (in matter of Public Serv Co of New Hampshire).
MALSCH, J.G. Office of the General Counsel (Post 860701) ALAB-731 93/07/12 18pp 82717 396-82718 013

9502130261 SECY-93-291 Requests Commission approval of proposed ltr to Natl Security Council re planned implementation of NSDD-84 due to implications to NRC regulations.
DICKS, W.J. Office of the Executive Director for Operations 93/07/18 19pp 82717 164-82717 182

9502130266 SECY-93-322 Partially deleted SECY re review of closed Commission meeting transcript.
FITZGERALD, J.A. Office of the General Counsel (Post 860701) 93/08/05 1p 82719 014-82719 014

232 NONDOCKETED ITEMS

-9502130178 SECY-A-80-047 Partially withheld SECY informing Commission of Appeal Board decision
FITZGERALD, J.A. Office of the General Counsel (Post 860701) 80/04/01 8pp
82717 183-82717 191

-9502130203 SECY-A-80-096 Partially deleted SECY providing Commissioners w/summaries of comments received in response to informal proceeding related by assistance of Commission May 30 order
BICKWIT, L. Office of the General Counsel (Post 860701) 80/07/11 25pp
82717 192-82717 220

-9502130232 SECY-A-80-173 Partially deleted SECY re plant physical security proceeding, motions to move hearing site
BICKWIT, L. Office of the General Counsel (Post 860701) 80/11/05 31pp 82717 221-82717 250

9502140014 SECY-95-023 Inform Commission that decommissioning process completed at plant located in Suffolk County, NY
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/03 6pp
82743 900-82743 304

9502150137 SECY-95-021 Inform Commission of progress made on research sponsored by NRC at Russian Research Ctr./Kurchatov Inst re severe accident research & radiation of US reactor pressure vessel samples
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/01/31 25pp
82683 001-82683 025

9502150150 SECY-95-014 Provides Commission w/background re staff intention to grant three yr waiver on restriction of use of NRC thermal hydraulic computer codes for commercial purposes to Russian Research Ctr./Kurchatov Inst
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/01/24 33pp
82682 321-82682 337

9502150155 SECY-95-008 Inform Commission of NRC Staff intention to send to DOE indicating no objection to proposed transfers of SF from Switzerland to UK & from Switzerland to France for reprocessing & storage
STOBER, C.R. Office of International Programs (Post 911117) 95/01/19 45pp
82618 257-82618 301

9502150283 SECY-95-015 Weekly info rept for wk ending 950203
BLAHA, J.L. Assistant for Operations (Post 860205) 95/01/26 22pp 82747 029-82747 050

9502150288 SECY-95-016 Inform Commission of status of LSS & activities of LSSA staff for six month period ending 941231
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/01/27 18pp
82642 167-82642 179

9502210051 Responds to 940511 appeal of denial of request for SECY-92-043 Grants appeal in part & denies appeal in part. Portions of SECY-92-043 end & remaining portions withheld (ref FOIA exemption 3)
HOYLE, J.C. Office of the Secretary of the Commission 94/07/01 9000, J.P. Public Citizen's Critical Mass Energy Project 3pp 82766 282-82766 289

-9502210246 SECY-92-043 Partially deleted SECY-92-043, Informing Commission of legal matter associated w/staff current practice of warning in certain situations & compliance w/license conditions, including LOO in TS
PARLER, W.C. Office of the General Counsel (Post 860701) 92/02/07 8pp
82786 285-82786 295

9502230018 SECY-95-031 Weekly info rept for wk ending 950203
BLAHA, J.L. Assistant for Operations (Post 860205) 95/02/06 16pp 82817 291-82817 308

9502230096 SECY-95-006 Gives Commissioners updates on NRC & industry activities in area of preventing damage & challenges to safety-related sys from failure of carbon steel components caused by erosion/corrosion in US nuclear plants
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/07 8pp
82827 176-82827 183

9502230296 SECY-94-291 Responds to 940620 Commission request that NRC Staff solicit industry & public comment on Pilot Program for NRC recognition of good performance by NPPs & SRM dtd 940214
TAYLOR, J.M. Ofc of the Executive Director for Operations 94/12/01 4pp
82623 348-82623 351

STATE PROG STATE PROGRAMS

9502010023 Transmits results of NRC review & evaluation of Kentucky radiation control program conducted on 940513 Summaries findings of all 30 program indicators as opposed to only discussing indicators where deficiencies noted
BANGART, R.L. Office of State Programs (Post 911117) 95/01/17 CHILDERS, M. Kentucky, Commonwealth of 33pp 82544 077-82544 109

9502010026 Forwards corrected page 17 of Sept 1984 Policy & Guidance Directive PG 2-07, entitled "Std Review Plan for Devices" Requests that page w/typographical error be removed & replaced w/corrected page 17 w/change highlighted
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-017 95/01/28 General App 82544 114-82544 118

9502010041 Transmits State Agreement Program Info SP-95-016 re Agreement State adoption of quality mgmt rule in 10CFR35 Requests response to and questions in order to advise Commission on status of Agreement State adoption of rule
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-016 95/01/28 General App 82544 135-82544 139

9502010052 Responds to 920921 petition requesting that NRC revoke or suspend Utah Agreement State status under Section 274 of AEA for failure to require Federal of State land ownership at LLRW disposal site Director's Decision & FRM end
BANGART, R.L. Office of State Programs (Post 911117) DD-95-01 85/01/26 THOMPSON, A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering Inc.) THOMPSON, A.J. Shaw, Pittman Potts & Trowbridge App 82544 144-82544 177

-9502010062 Notice of decision re 920921 petition requesting that NRC revoke or suspend State of UT Agreement State Program for failure to require Federal or State land ownership at LLRW disposal facility Petition denied
BANGART, R.L. Office of State Programs (Post 911117) 2208 95/01/26 6pp
82544 149-82544 152

-9502010085 Director's Decision DD-95-01 re petitioner request that NRC revoke or suspend State of UT Agreement State Program for failure to require State or Federal site ownership at LLRW disposal facility Petition denied
BANGART, R.L. Office of State Programs (Post 911117) DD-95-01 95/01/26 25pp
82544 153-82544 177

9502010066 Discusses reusing procedures for issuance of travel orders & tickets to improve efficiency, eliminate last minute assistance of travel orders & tickets & minimize difficulties encountered by travelers. End instructions to be followed
BANGART, R.L. Office of State Programs (Post 911117) SP-95-008 95/01/27 General App 82544 226-82544 231

9502010088 Forwards copy of SWRI draft rept on results & conclusions of exam of several Trosler Electronic Lab gauges received from Ohio DOT
BANGART, R.L. Office of State Programs (Post 911117) 95/01/28 BROWN, D.H. North Carolina, State of 3pp 82544 234-82544 274

-9502010100 Draft Technical Rept "Investigation of Failed Radioactive Stainless Steel Trosler Gauges," Dec 1994
HUDAK, S.J. Southwest Research Institute FIN D-2553-1 NRC-02-91-002 94/12/31 Medical Academic & Commercial Use Safety Branch 38pp 82544 237-82544 274

9502010087 Provides further responses to 941101 for requesting technical assistance on evaluation of gamma knife device failure. Forwards final rept from contractor, INEL & re expressing concern re electrical circuit identified during evaluation
LOHAUS, P.H. Office of State Programs (Post 911117) 95/01/27 HILL, T.E. Georgia, State of 1p 82544 332-82544 353

-9502010102 Forwards final version of Administration investigation 9501 rept "NRC/INEL Radiation Therapy Event Investigation Team, addressing medical & engineering aspects of event & generic engineering implications of this type of failure"
TORTORELLI, J.P. Idaho National Engineering Laboratory 95/01/13 HOLAHAN, P.K. NRC - No Detailed Attribution Given 1p 82544 333-82544 339

-9502010100 9501 Rept 9501 "NRC/INEL Radiation Therapy Event Investigation Team"
TORTORELLI, J.P. LARSON, D. SMITH, V. Idaho National Engineering Laboratory 95/01/13 20pp 82544 334-82544 353

9502010095 Responds to 940328 re licensing of depth moisture density probes. Discusses points raised about operation of devices, conditions 155 154 & 158 & notes copy of fr sent to official in state of NC w/end
LOHAUS, P.H. Office of State Programs (Post 911117) SP-94-154 94/11/21 GOWIN, A.V. Arizona, State of 8pp 82545 043-82545 050

9502010118 Responds to 941115 re re integrated Matrix Performance Evaluation Program Forwards SECY 94-088 request for seed money for State seeking 274b agreement
BANGART, R.L. Office of State Programs (Post 911117) 95/01/27 SINCLAIR, W.J. Utah, State of 4pp 82545 059-82545 070

9502010121 Discusses violations re Ming Form 241 Corrective actions filed Form 241 in June 1994 & Jan 1995
FOX, G.D. Nuclear Scanning 95/01/23 LIBERMAN, J. Ofc of Enforcement (Post 870413) 1p 82580 308-82580 308

9502010130 Final response to FOIA request for documents Records in App A end & will be available in PDR
REED, C.A. Division of Freedom of Information & Publications Services (890206-940714) 94/05/18 ENGLERT, J.P. Kirkpatrick & Lockhart 3pp 82626 003-82626 082

-9502010213 Informs that on 951120, GE was issued SHM license authorizing licensee to receive U-235 for conversion into pellets for other licensees
PITMAN, J.K. Atomic Energy Commission (Pre 750119) 95/12/08 HEUSTIS, A.E. Michigan, State of 1p 82525 017-82525 017

9502010133 "Susquehanna Steam Electric Station Discharge Monitoring Rept for Dec 1994" W/950124 fr
FIELDS, J. Pennsylvania Power & Light Co PLE-18408 94/12/31 CROWLEY, K. Pennsylvania, Commonwealth of 11pp 82590 327-82590 338

9502010124 Acts receipt of 941212 fr re surety review & replacement of fr of credit w/ surety bond
NIELSON, D.R. Utah State of 95/01/23 GREAVES, J. Division of Waste Management (NMSS 940403) 1p 82620 280-82620 280

9502020219 Responds to draft environmental impact statement solution mining proposal
REITZ, A.E. New Mexico, State of 94/01/03 NRC - No Detailed Attribution Given 16pp 82619 288-82619 300

9502020273 Forwards copy of event investigation rept on failure of gamma knife unit to terminate treatment & move patient out from treatment cavity
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-019 95/02/01 General App 82575 018-82575 038

9502020417 Forwards fr from Sheldahl Metallurgical Corp, dtd 950125, forwarded for info as participating agency in development of driver impact statement
NIELSON, A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/01/28 BRUGGER, H.E. Ohio, State of 2pp 82681 322-82681 324

9502030286 Submits basic data NRC will be allowing for videoconferencing capabilities at NRC
HOLDRICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) HLWR 95/01/28 LOUX, R. MEDER, J. NELSON, R. Nevada, State of 5pp 82682 008-82682 102

9502030297 Approves of extension for corrective action request YM-94-048 resulting from Yucca Mountain QA Div Audit YMP-94-06 US Geological Survey
SPENCER, E. Energy, Dept of HLWR 95/01/27 HAYES, J.R. Nevada, State of 1p 82642 336-82642 336

9502030294 Verifies corrective actions & closure of corrective action request YM-94-079 & Ym-94-081 resulting from Yucca Mountain QA Div Audit YMP-94-06 Of LANL
SPENCER, E. Energy, Dept of HLWR 95/01/27 CANEPA, J.A. California, State of 7pp 82682 076-82682 082

9502000093 Discusses insp rept 1500032/94-03 on 941213-14 & forwards notice of violation
EBNETER,S.D. Region 2 (Post 820201) EA-95-011 95/01/26 MILLER,D. Attention
Not Assigned App 82601 008-82601 026

9502000098 Notice of violation from insp on 941212-12 Violations noted employee
used Trolox nuclear gauge Model 3400 Series while not listed as authorized user on
State of NC license D82-0948-1
* Region 2 (Post 820201) 95/01/26 15pp 82601 012-82601 026

9502000142 Transmits State Programs info re draft Reg Guide 10 B, Rev 3 "Guidance for
Preparation of Applications for Medical Use Programs" for review & comment
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-008 95/01/27 Gener-
al 56pp 82601 155-82601 210

9502000297 Offers no comments on PSE&G 941123 License Change Request 95-
12,revise TS Section 4.2.1, "Electrical Power Sys," surveillance requirements &
associated bases section B3/4.8.2
TOSCH,K. New Jersey, State of LCR 93-12 95/01/23 Document Control Branch
(Document Control Desk) 2pp 82662 358-82662 350

9502000584 Expresses bitterness concerning DOE not responding to request for sup-
port & action on disposal site selection for Hanford UMPRA Site
SEEN,C. Colorado, State of 95/01/25 O'LEARY,M. Energy, Dept of 2pp
82663 359-82663 359

9502000901 NRC's noncompliance notification on 950120, structural failure of fiberglass
tank allowed water containing H-901-G to spill into chemical addition bldg
sumps Reason(s) for equipment failure & necessary C/A under investigation
MARSHALL,B. Virginia Power (Virginia Electric & Power Co) 95/01/26
PANDLEY,J. R. Virginia, Commonwealth of 2pp 82697 359-82697 360

9502000997 Forwards revised Jir from York County stating willingness to serve CNS -
cooling tower yard project WSP# 4810001 along w/ revised flow test data
ESTRIDGE,J. Duke Power Co 95/01/31 STANCLAR, South Carolina, State of 3pp
82698 323-82698 324

9502000998 Reates listed concerns re amend requests received from licensee to process
U contained in form of urethyl nitrate from Phosphate Chemicals in TX & U in
slurry form from ion exchange process from Dawn Mining in WA
SINGLAIR,W.J. Utah, State of 95/01/20 HOCOMACH,J. High-Level Waste & Uranium
Recovery Projects Branch (NMSS 940403) 3pp 82667 302-82667 304

9502000999 PNO-94-05-03A on 950125, overexposure to member of public took place
during radiography operations at oil refinery in Blue Island, IL Caused by inadequate
surveillance of area 1038 ordered radiographer to cease work, suspend license
LYNCH,J. CANLAND,R.J. Region 3 (Post 820201) 95/01/28 1p 82646 084-
82646 084

9502000999 Forwards California response to questions re Measurix Corp device label-
ing practices
LOHAIUS,P.H. Office of State Programs (Post 911117) 95/02/03 PAPERIELLO,C.J.
Division of Industrial & Medical Nuclear Safety (Post 870729) 2pp 82646 085-
82646 080

9502000999 Provides findings re Measurix Corporation case
WONG,G.C. California, State of 95/01/26 BOLLING,J. Office of State Programs
(Post 911117) 2pp 82646 089-82646 090

9502000999 NUREG-1516 DRAFT FC MANAGEMENT OF RADIOACTIVE MATERIAL
SAFETY PROGRAMS AT MEDICAL FACILITIES Draft Report For Comment
CAMPER,L.W., SCHULTZ,J., HENDERSON,P. Division of Industrial & Medical Nuclear
Safety (Post 870729) 95/01/31 17pp 82663 152-82663 329

9502000999 Responds to 940701 & 1006 ltr re licensing of low-level radioactive waste
storage facilities in South Carolina Discusses three specific points of background info
which should be considered
BANGART,R.L. Office of State Programs (Post 911117) 95/02/03 SHAW,R.L. South
Carolina, State of 2pp 82646 133-82646 141

9502000999 Informs that Song provide edit attention to project to allow get back on
reasonable completion schedule
ESKEW,D. Anne Arundel County, MD 95/01/30 JOHNSON,C. Maryland, State of
3pp 82705 268-82705 270

9502000999 Forwards responses to comments & payments of permit fee of \$1,678 93
received on 941027
GIVENS,J.D. Louisiana, State of WHP 4154 95/01/24 ARNOLD,H. Louisiana Energy
Services 12pp 82704 348-82704 360

9502000999 Forwards listed documents to assist M Pains in establishing work station
for removing data from EROS W/o end
JOLICOUR,J.P. Incident Response Branch 95/02/03 PARRIS,M. New Hampshire,
State of 1p 82663 305-82663 305

9502000999 Comments on proposed In-Situ Leachate U mining project, Church Rock &
Crownpoint,NM (Hydro Resources,Inc)
DIXON,M. New Mexico, State of 95/01/29 High-Level Waste & Uranium Recovery
Projects Branch (NMSS 940403) 3pp 82706 336-82706 332

9502000999 Transcript of 941116 LLW Performance Assessment Workshop in
Rockville,MD Pp 1-291
* NRC - No Detailed Attention Given NRC-25 94/11/16 500pp 82680 001-
82681 136

9502000999 Requests that Agreement States submit end annual event summary repts
for 1994 by 950301 Provides options for submission of 1994 incident & event info
BANGART,R.L. Office of State Programs (Post 911117) SP-95-014 95/02/03 Gener-
al 8pp 82651 060-82651 065

9502000999 Forwards "Geology Southwest Guernsey County,OH," by AG
Unklesbay,dtl June 1990
NELSON,NRC - No Detailed Attention Given 95/02/06 COPELAND,J. NRC - No De-
tailed Attention Given 1p 82723 201-82723 208

9502000999 "Geology of Southwest Guernsey County,OH."
UNKLESBAY,A.G. Ohio, State of 40/06/90 104pp 82723 203-82723 206

9502000999 Confirms discussions had yesterday & morning re Strontium-90 analyses of
water discharged through 001 Outfall at Cinchemm site
YOUNGBERG,B. New York, State of 95/02/01 TRUSKOWSKI,E. Cinchemm, Inc.
2pp 82718 220-82718 221

9502000999 Amends NRC's permit application submitted on 940715 for SSES to in-
clude revised outage & operational support activities info & list of add water treatment
chemicals which may be used at station
FIELDS,J.S. Pennsylvania Power & Light Co PLE-18066 94/10/17 CROWLEY,K.
Pennsylvania, Commonwealth of 32pp 82708 327-82708 368

9502000999 Submits comments on draft scoping document for remedial investigation &
feasibility study at Sheldahl Metallurgical Corp site
WENDEL,J.L. Environmental Protection Agency SHSRM-6J 95/01/27 BLAIR,B.
Ohio, State of 3pp 82716 358-82716 360

9502000999 Forwards NRC Bulletin 95-01, "Quality Assurance Requirements re Agree-
ment State Licensees Performing Transportation Activities in Non-Agreement States"
W/o end
MATULA,T. Division of Industrial & Medical Nuclear Safety (Post 870729) IEB-95-001
95/02/03 BURACKER,C. Region 1 (Post 820201) COLLINS,D. Region 2 (Post
820201) MEENAN,M. Region 3 (Post 820201) 1p 82690 045-82690 046

9502000999 Forwards 950127 ltr re licensed manufacturer of gauging devices for use
by person covered under general license in 10CFR315 or equivalent section of
Agreement State regulations
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-022 95/02/03 Gener-
al 3pp 82690 049-82690 050

9502000999 Transmits State Program info re sealed source & device registry certificates
provided for addition to catalogue
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-007 95/01/13 Gener-
al 30pp 82690 062-82690 081

9502000999 Transmits results of NRC review & evaluation of New Mexico radiation con-
trol program conducted by Region IV & concluded on 840812
BANGART,R.L. Office of State Programs (Post 911117) 95/02/07 ESPINOSA,J.M.
New Mexico, State of 3pp 82690 082-82690 124

9502000999 Extends invitation for participation in Organization of Agreement States
workshop on 950405-06 in Rockville,MD Topics to include status of program
improvements,open discussion of state,evaluation of matrix program etc
BANGART,R.L. Office of State Programs (Post 911117) 95/02/07 BERNARD,R.M.
Office of Nuclear Material Safety & Safeguards JORDAN,E.L. Office for Analysis &
Evaluation of Operational Data, Director BECKJORD,E.S. Office of Nuclear Regula-
tory Research (Post 841217) 3pp 82690 138-82690 140

9502000999 Forwards incident & event info,program info,training course info,technical
info & other info for attention NRC proposes to amend regulations re medical adminis-
tration of radiation or radioactive materials
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-018 95/02/03 Gener-
al 26pp 82690 164-82690 186

9502000999 Submits early notification of 950405-6 workshop in Rockville,MD re status
of NRC Agreement State Program improvements & open discussion of issues Active
participation requested by 950224
BANGART,R.L. Office of State Programs (Post 911117) SP-95-010 95/02/07 Gener-
al 8pp 82690 190-82690 195

9502000999 Forwards incident & event info,program mgt info,training course
info,technical info & other info for attention
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-020 95/02/03 Gener-
al 3pp 82690 270-82690 281

9502000999 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of
Sealed Source for model "G" Series Certificate LA-612-S-105-S
RUSSELL,W.M., SANFORD,J.W. Louisiana, State of LA-612-S-105-S 95/01/18 9pp
82690 273-82690 281

9502000999 Responds to 950104 re,expressing concerns of Interstate Oil & Gas Com-
pact Commission about unnecessary regulations & regulations based on inadequate
science for NORM
THE CHAIRMAN, SELINU Commissioners (Post 750119) 95/02/03 SCHAFER,E.
Oklahoma, State of 5pp 82687 001-82687 008

9502000999 Forwards resolution concerning NORM,which was approved at Annual
Meeting of Interstate Oil & Gas Compact Commission
SCHAFER,E. North Dakota, State of 95/01/04 THE CHAIRMAN, SELINU Com-
missioners (Post 750119) 3pp 82687 005-82687 008

9502000999 Ack receipt for comments on Chematron response re final site remediation
plan for Harvard Avenue & East Avenue sites
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS
940403) 95/02/03 BRADY,T.T. Ohio, State of 3pp 82720 291-82720 292

9502000999 Responds to 950119 ltr,forwarding comments on work plan for determining
characteristics of slag at Sheldahl Metallurgical Corp Cambridge,OH facility
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403)
95/02/01 OWEN,R.E. Ohio, State of 1p 82720 222-82720 228

9502000999 Responds to 950117 memo re NRC Ofc review & concurrence on suggest-
ed state regulations for control of radiation implementing revised part 20
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001) 95/01/30
BANGART,R.L. Office of State Programs (Post 911117) App 82706 272-82706 278

9502000999 Submits request for copies of NUREG-1508, "Draft Environ Impact State-
ment to Construct & Operate Crownpoint U Solution Mining Project,Crownpoint,NM"
PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403)
95/01/31 GOODMAN,L. Colorado, State of 1p 82720 200-82720 200

9502000999 Forwards incident & event info,program mgt info,training course info &
technical info for attention List of students from States selected to attend 1995
Medical Uses of Radioisotopes Course and
LOHAIUS,P.H. Office of State Programs (Post 911117) SP-95-021 95/02/07 Gener-
al 8pp 82700 001-82700 008

234 NONDOCKETED ITEMS

- 9502130151 Forwards copies of three OH EPA approvals for use of cooling water sys addressed at Perry Nuclear Power Plant received since Apr 1992 for info SHELTON, D.C. Center for Energy P.Y./NRC-1906 95/02/08 Document Control Branch (Document Control Desk) 10pp 82728 072-82728 061
- 9502130186 Requests svc of professional court reporter for Agreement States Managers Workshop to be held on 950405-08 in Rockville, MD LOHAUS, P.H. Office of State Programs (Post 911117) 95/02/09 DONOVAN, S. Atomic Safety & Licensing Board Panel 1p 82707 040-82707 042
- 9502130219 Forwards insp rept 15000004/B4-13 on 941212 Violation noted Violation involved failure to obtain NRC special license as required by 10CFR30.3 before using gauges on several occasions in 1994 in areas of Federal jurisdiction CALLAN, L.J. Region 4 (Post 820201) EA-94-266 95/02/08 ROPEL, L. 4pp 82707 215-82707 225
- 9502130222 Insp rept 15000004/B4-13 on 941212, 13, 15, 21 & 22 Violations noted Major areas inspected concerns re LRA, use of nuclear gauges containing by-product fuel in areas under exclusive Federal jurisdiction WENSLAWSKI, A. Region 4 (Post 820201) 95/01/13 7pp 82707 219-82707 225
- 9502130260 Discusses series of problems at sewage treatment plant re exceedance in BOD MARSHALL, M. Virginia Power (Virginia Electric & Power Co.) 95/02/08 CHEWNING, R.B. Virginia Commonwealth of App 82727 358-82727 361
- 9502130291 Requests States of AK, NY & SC participation in NRC State Liaison Officer Program developed to improve Federal-State cooperation on regulatory health & safety issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 KNOWLES, T. Alaska State of PATAKUG, New York, State of BEASLEY, D. South Carolina, State of 10pp 82725 017-82725 035
- 9502140042 Solicits State of ME continued participation in NRC State Liaison Officer program THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 KING, S. Maine State of App 82713 271-82713 273
- 9502140058 Requests Tennessee continued participation in NRC State Liaison Officer Program NRC will continue to work w/MI Mobley unless NRC notified of new state liaison officer THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 SUNDQUIST, D. Tennessee, State of App 82713 323-82713 325
- 9502140080 Solicits continued participation in NRC State Liaison Officer program Individual selected can be someone from staff who can communicate effectively w/other state agencies on nuclear issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 GRAVES, B. Kansas State of App 82713 326-82713 328
- 9502140093 Solicits continued participation in NRC State Liaison Officer program Individual selected can be someone from staff who can communicate effectively w/other state agencies on nuclear issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 JOHNSON, G. New Mexico, State of App 82713 329-82713 331
- 9502140072 Requests State of OK participation in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 KEATING, F. Oklahoma State of App 82713 356-82713 358
- 9502140076 Requests State of MO participation in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 GLENDENING, P. Maryland, State of App 82714 021-82714 023
- 9502140077 Forwards technical info on sealed source & device registry certificates for addition to catalogues LOHAUS, P.H. Office of State Programs (Post 911117) 5P-95-023 95/02/07 General App 82714 024-82714 070
- 9502140089 Amended Registry of Radioactive Sealed Sources & Devices Safety Evaluation of Device for model GAHAMA 101-P Certificate CA-583-D-104-G WESLEY, D. California State of CA-583-D-104-G 95/01/20 14pp 82714 027-82714 040
- 9502140094 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models Co & CE-5 Certificate CA-305-D-104-S WESLEY, D. California State of CA-305-D-104-S 95/01/12 10pp 82714 041-82714 043
- 9502140096 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model GC-710 Certificate NC-8019-D-801-G HADEN, J.R. North Carolina, State of NC-8019-D-801-G 95/01/26 NRC - No Detailed Affiliation Given 17pp 82714 054-82714 076
- 9502140083 Requests appointment of single person to act as liaison to NRC to improve Federal/State cooperation Solicits State of Connecticut continued participation in NRC State Liaison Officer program THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 ROWLAND, J. Connecticut, State of App 82714 159-82714 161
- 9502140087 Requests appointment of single person to act as liaison to NRC to improve Federal/state cooperation Solicits state of Wyoming continued participation in NRC State Liaison Officer program THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 GERINGER, J. Wyoming, State of App 82714 166-82714 167
- 9502140086 Requests State of ID participation in NRC State Liaison Officer program developed to improve Federal-State cooperation on regulatory health & safety issues THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 BATT, P. Idaho State of App 82714 189-82714 201
- 9502140090 Requests State of NY continued participation in NRC State Liaison Officer Program developed to improve Federal-state cooperation THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 PATAKUG, New York State of App 82714 252-82714 254
- 9502140105 Requests State of RI continued participation in NRC State Liaison Officer Program developed to improve Federal-state cooperation re issues of regulatory health & safety matters THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 ALMOND, L. Rhode Island, State of App 82714 208-82714 210
- 9502140106 Requests Alabama participation in NRC State Liaison Officer program THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 JAMES, F. Alabama State of App 82714 211-82714 213
- 9502140119 Confirms conversation between Jernett & R Woodruff re NRC review of RI Radiation Control Program for Agreement States Review scheduled for 950227-0003 EBNETER, S.D. Region 2 (Post 820201) 95/02/05 MAHAN, C.S. Florida, State of 1p 82714 280-82714 280
- 9502140127 Solicits SD continued participation in NRC State Liaison Officer program NRC will continue to work w/MI Pochop unless NRC notified of new state liaison officer THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 JANKLOW, W. South Dakota, State of App 82714 288-82714 290
- 9502140130 Requests Hawaii continued participation in NRC State Liaison Officer program NRC will continue to work w/B Anderson unless NRC notified of new state liaison officer THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 CAYETANO, B. Hawaii State of App 82714 327-82714 329
- 9502140142 Requests PA continued participation in NRC State Liaison Officer Program NRC will continue to work w/W Donahoe THE CHAIRMAN, Office of Nuclear Reactor Regulation Director (851125-870411) SELINI, Commissioners (Post 750119) 95/02/03 RIDGET, Pennsylvania Commonwealth of App 82714 330-82714 332
- 9502140143 Requests state to appoint single person to act as liaison to NRC to improve Federal/State cooperation Solicits continued participation in NRC State Liaison Officer program for Oregon THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 KITZINGER, J. Oregon State of App 82714 333-82714 335
- 9502140151 Requests state to appoint single person to act as liaison to NRC to improve Federal/State cooperation Solicits continued participation in NRC State Liaison Officer program for South Carolina THE CHAIRMAN, SELINI, Commissioners (Post 750119) 95/02/03 BEASLEY, D. South Carolina, State of App 82714 336-82714 338
- 9502140164 Forwards results of brief insp/audit by Arkansas Dept of Health Radiation Control JONES, G.G. Affiliation Not Assigned 95/02/07 HOWELL, L. NRC - No Detailed Affiliation Given 2pp 82734 280-82734 291
- 9502140174 Requests that NRCOS permit PACOS1926 be amended MATTY, R.M. PECO Energy Co., (formerly Philadelphia Electric Co.) 95/02/02 GARG, S. Pennsylvania, Commonwealth of App 82734 358-82734 360
- 9502140216 EN-65-007 on 950208, notice of enforcement discretion issued to licensee Action based on licensee misunderstanding of regulatory requirements pertaining to work in areas of exclusive federal jurisdiction within Agreement State SANTAMAGO, P. GRAY, J. Office of Enforcement (Post 670413) EA-94-266 95/02/01 1p 82775 229-82775 229
- 9502140236 EN-65-004 on 950125, notice of enforcement discretion & notice of violation issued to licensee because Agreement State licensee did not understand regulatory requirements re work in areas of exclusive federal jurisdiction SANTAMAGO, P. GRAY, J. Office of Enforcement (Post 670413) EA-95-011 95/01/19 1p 82775 224-82775 224
- 9502140392 Ack receipt of 950110 re continuing State of NV response on pre-nuclear pathways concern addressed in DOE 841114 to AUSTIN, L.H. Performance Assessment & Hydrology Branch (NRCSS 940403) HLWR 95/02/06 LOUX, R.R. Nevada State of App 82743 260-82743 261
- 9502150017 Advises that given other higher priority work in State Agreements Program area, Office of State Programs unable to review four draft and review plans LOHAUS, P.H. Office of State Programs (Post 911117) 95/02/19 BAGGETT, S. NRC - No Detailed Affiliation Given 2pp 82722 954-82722 035
- 9502150022 PNC-IV-95-004 on 950208, theft occurred at NV licensee facility in Reno, NV Numerous items including three moisture density gauges had been stolen Press release issued by Reno Police Dept on 950209 DOONAN, J. Region 4 (Post 820201) 95/02/10 1p 82722 086-82722 086
- 9502150026 Forwards CRCPD request for NRC personnel to speak during annual meeting scheduled for 950507-11 in San Antonio, TX BANGART, R.L. Office of State Programs (Post 911117) 95/02/13 BERNERO, R.M. Office of Nuclear Material Safety & Safeguards 1p 82722-122-82722 137
- 9502150048 Invites NRC to participate on program at CRCPD annual meeting on 950507-11 in San Antonio, TX Submits meeting material HARDIN, C.M. Conference of Radiation Control Program Directors, Inc 95/02/01 LOHAUS, P.H. Office of State Programs (Post 911117) 14pp 82722 123-82722 137
- 9502150104 'State of OH Water Withdrawal Facility Registration Annual Rept for 1994' W/950208 in SHELTON, D.C. Center for Energy 94/12/31 MORRIS Ohio, State of App 82761 946-82761 948
- 9502150234 Forwards 'Fourth Quarter 1994 Rept on Discharge Monitoring at Diablo Canyon Power Plant' & exists concerning replacement pages for third quarter NRCOS discharge monitoring repts for Diablo Canyon Power Plant FURUKOTO, W.H. Pacific Gas & Electric Co. DCL-95-14 95/01/20 BRAGGS, R.W. California, State of App 82768 202-82768 200
- 9502150313 Submits comments re Onkchem, Inc decommissioning proposed bedrock drilling MERGES, P.J. New York, State of 95/02/02 ORLANDO, D. NRC - No Detailed Affiliation Given 3pp 82770 358-82770 359

9502160816 Comment opposing proposed rules 10CFR20.30 40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures
RATLIFF, R.A. Texas, State of 58FR43200 00082 95/02/07 Docketing & Services Branch 2pp 82706 330-82738 334

9502160826 Informing that video tape of Organization of Agreement States briefing before NRC did 950201, now ready for loan from NRC regional State Agreement officers
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-026 95/02/13 General 2pp 82737 008-82737 007

9502160834 Comment opposing petition for rulemaking FRM-150-3, requesting that NRC require Agreement States to notify NRC of all proposed & completed regulatory actions & that NRC publish such notices of Agreement States rulemaking
RATLIFF, R.A. Texas, State of 58FR50706 00017 95/02/07 Docketing & Services Branch 1p 82737 058-82737 055

9502160835 Comments on U mining at Churchrock & Crownpoint, NM by Hydro Resources, Inc.
HARWOOD, F.H. New Mexico State of 95/02/10 High-Level Waste & Uranium Recovery Projects Branch (RMSS 940403) 4pp 82776 251-82776 254

9502170084 Ack receipt of 950116 re informing NRC of steps taken to correct violations noted in map re 15000042/94-07
HOWELL, L.L. Region 4 (Post 820201) 95/02/09 LOESER, M. X-Ray Equipment Co 2pp 82743 045-82743 050

9502170016 Discusses map re 15000042/94-07 on 940405 & 0718-28 & notice of violation violations involved unauthorized transfer of licensed mail & failure to survey labeled package containing licensed mail upon receipt
COLLINS, S.J. Region 4 (Post 820201) 95/02/09 WAINFIELD, C.B. Tru-Tec, Inc. 3pp 82743 098-82743 103

9502170017 Notice of violation from map on 940718-28 Violation noted authorized transfer of licensed mail failure to survey labeled package containing licensed mail upon receipt & failure to train shipping paper w/ immediate reach of driver
Region 4 (Post 820201) 95/02/09 2pp 82743 102-82743 109

9502170011 Forwards list of students from States selected to attend Mar 1895 two week Health Physics Technology course
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-026 95/02/09 General 4pp 82743 104-82743 108

9502170025 Forwards list w/info re U industry workshop scheduled for 950314-16 in Denver Co. Inform of logistical matters for attending meeting
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-026 95/02/14 General 4pp 82743 109-82743 116

9502170036 Notices of two-day workshop on 950314-15 w/members of U industry in Denver, CO. Workshop to discuss application of 10CFR20 to U mts. w/two separate agenda & registration forms
HOLCOMB, J.J. Division of Waste Management (RMSS 940403) 95/02/10 General 6pp 82743 111-82743 115

9502170038 Submits Agreement & Non-Agreement State Programs info re Orders prohibiting involvement in NRC licensed activities issued during May-Dec 1994
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-008 95/02/10 General 4pp 82743 117-82743 118

9502170047 Confirms listed commitments re Order suspending license of Oncology Src Corp as suppl response to 940311 fr
LEBERMAN, J. Ofc of Enforcement (Post 870413) LA-94-027 94/09/30 CUNNINGHAM, D.E. Affiliation Not Assigned 3pp 82743 121-82743 134

9502170166 Requests info re status of NRC verification review of DOE Mgt & Operating (M&O) Contractor implementation of M&O QA program on design activities for Explosive Storage Facilities
LOUX, R.R. Nevada, State of HLWR 95/02/10 KNAPP, M. Division of Waste Management (RMSS 940403) 2pp 82806 060-82806 061

9502170230 Forwards list of questions (drafts) & 8 part copy entitled "App A. Evaluation of Agreement State Radiation Control Program Part I. Program Guidelines & State Questionnaire Update & Part II. Program Statistics," for review & response
GORDON, C.Z. Region 1 (Post 830201) 95/02/07 SCHILLER, M. Maine, State of 2pp 82769 011-82769 012

9502170250 Forwards proposed rev to "US Ecology, Inc. Richland, WA Facility Site Manual (FSM)" Rev in response to comments from WA Dept of Health (WDOH) after WDOH review of initial FSM rev submitted on 940405
LEDoux, M.R. American Ecology Corp 95/01/25 HOGGER, NRC - No Detailed Affiliation Given 32pp 82795 163-82795 288

9502170016 Comment supporting proposed rules 10CFR20.30 40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures
OWEN, R.E. Ohio State of 58FR43200 00083 95/02/03 Docketing & Services Branch 1p 82769 128-82769 128

9502170023 Forwards outline of remarks from 950201 address to NRC Commissioners on Agreement State issues
RATLIFF, R.A. Organization of Agreement States 95/02/09 General 8pp 82769 227-82769 234

9502170256 Comment on proposed policy statement re use of probabilistic risk assessment methods in nuclear regulatory activities "IL believes high quality PRA should be required & kept current"
ORTOGGER, T.W. Illinois, State of 58FR53389 00013 95/02/10 Docketing & Services Branch 4pp 82769 237-82769 240

9502170841 Forwards annual statistical update for State of ME radioactive mulls licensing program
SCHILLER, J. Maine, State of 95/02/08 BANGART, R.L. Office of State Programs (Post 911117) 4pp 82769 307-82769 310

9502170227 NPDES noncompliance notification discharge of total residual chlorine from outfall 31800018004, discharge tunnel on 950210 Caused by misoperationed switch Anticipated time exceedance expected to continue
SHELTON, D.C. Contender Energy PT-CEI/DEPA-021 95/02/13 HALL, B. Ohio, State of 2pp 82811 048-82811 050

9502220002 Responds to 941107 fr requesting that NRC look into possibility of Utah entering into partial agreement for U mts & 11a(2) byproduct mail informs that NRC agreement w/Utah would be inconsistent w/prompts of Section 274
BANGART, R.L. Office of State Programs (Post 911117) 95/02/16 SINGLARI, W.J. Utah, State of 2pp 82785 351-82785 354

9502220012 Forwards copies of draft std review plans for applications for licenses for use of radioactive mulls in cancer radiation survey & monitoring instruments, for info & review
LOHAUS, P.H. Office of State Programs (Post 911117) SP-95-024 95/02/10 General 317pp 82785 001-82785 317

9502220028 Submits New Hampshire Bureau of Radiological Health's response to NRC SP-95-016 re quality mgt rules
TEFFT, D.E. New Hampshire, State of SP-95-016 95/02/10 LOHAUS, P.H. Office of State Programs (Post 911117) 25pp 82784 288-82784 292

9502220123 Provides comments on licensee request proposing removal of tables containing instrument response times for EOCs RFS & isolation systems from TSS-State tests that all facilities should be incorporated elsewhere rather than be deleted
TOSCH, K.W. New Jersey, State of 95/02/15 Document Control Branch (Document Control Desk) 2pp 82812 229-82812 230

9502220201 Forwards draft work plan "Remedial Investigation & Feasibility Study at Steelalloy Metallurgical Corp Site Cambridge, OH"
SHIELDS, W.J. PFI Services, Inc 95/02/16 STELLO, M.A. Ohio, State of 2pp 82809 001-82811 007

9502220205 Draft work plan "Remedial Investigation & Feasibility Study at Steelalloy Metallurgical Corp Site Cambridge, OH"
PFI Services, Inc 95/02/16 730pp 82809 003-82811 007

9502220232 Informing that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed 941223 License Change Request 94-23 re rev of surveillance requirements for areas within containment & has no comments
TOSCH, K.W. New Jersey, State of 95/02/09 Document Control Branch (Document Control Desk) 2pp 82826 290-82826 291

9502220327 Forwards OH EPA overview of Steelalloy Metallurgical Corp remedial investigation/feasibility study (RIFS) scoping document to be used as guidance in development of RIFS work plan
STELLO, M. Ohio, State of 95/02/10 EVES, C.S. Steelalloy Metallurgical Corp 8pp 82826 149-82826 156

9502220343 Ack receipt of 950206 fr informing NRC of steps taken to correct violations noted in map of license
GROBE, J.A. Region 3 (Post 820201) 95/02/14 MCCAIN, J. 1p 82800 048-82800 050

9502220349 Responds to NRC 950123 fr re violations noted in map of license Corrective actions licensee will begin working on dealings w/NRC more in advance of deadlines when practical
MCCAIN, J. 95/02/08 GROBE, J. Region 3 (Post 820201) 1p 82800 050-82800 050

9502220348 Ack receipt of 941102 fr informing NRC of steps taken to correct violations noted in map re 15000015/94-03
HOWELL, L.L. Region 3 (Post 820201) 95/02/16 PATTERSON, L.L. Affiliation Not Assigned 2pp 82800 051-82800 055

9502220353 Responds to NRC 941024 fr re violations noted in map re 15000015/94-03 on 940906 Corrective actions form 241 will be completed on first of each yr, all persons trained & authorized to perform licensed activities will do w/step test
PATTERSON, L.L. Affiliation Not Assigned 94/11/02 Document Control Branch (Document Control Desk) 2pp 82800 054-82800 055

9502220376 Discusses Region IV TAF did 940909 asking for determination of whether licensee authorized to receive byproduct mail per Section 11a(1) of AEA, can also receive mail as defined in Section 11a(2) Specific authorization needed to accept mail
KNAPP, M.F. Division of Waste Management (RMSS 940403) 95/02/07 BANGART, R.L. Office of State Programs (Post 911117) 2pp 82827 173-82827 175

9501150309 Responds to 940909 TAR to C.J. Papenella requesting determination of whether licensee authorized to receive byproduct mail as defined in 11a(1) of AEA of 1954, as amended can also receive byproduct mail defined in 11a(2)
KNAPP, M.F. Division of Waste Management (RMSS 940403) 84/12/19 COLLINS, S.J. Region 4 (Post 820201) 1p 82827 175-82827 175

9502220009 Ack receipt of 941228 fr re findings of NRC review of Texas radiation control program conducted in Mar 1994 Each issue raised in "Current Review Assessment & Recommendations" section of end 2 of fr addressed
PEARSON, D. Texas, State of 95/01/30 BANGART, R.L. Office of State Programs (Post 911117) 5pp 82803 103-82803 115

9502220062 Forwards responses to NRC assessments & recommendations for TX Dept of Health radiation control program
SMITH, D.R. Texas, State of 95/02/09 BANGART, R.L. Office of State Programs (Post 911117) 3pp 82840 229-82840 231

9502220001 Forwards draft FR Emergency Response Plan & 940621 memo from R Spessard Adams licensee of changes to NRC development & publish guidance for solid waste mgt community on responding to incidents involving radioactive mail
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870728) 95/02/02 JEROZAL, J. EARL Affiliation Not Assigned MARSHALL, C. New York Univ Medical Center, New York, NY 28pp 82826 308-82826 347

9502220332 Fourth response to FOIA request for info Forwards App H documents which will be in FOR
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714) 94/07/20 SCHWARZBACH, D. Natural Resources Defense Council 2pp 82812 250-82812 247

9502220340 Forwards details on depth & scope of State of IL, Dept of Nuclear Safety 910928-1012 visit to Czech & Slovak Federal Republic re emergency planning & radiological monitoring
SCHWARTZ, S.A. Office of Governmental & Public Affairs (870413-911118) 91/09/13 THE CHAIRMAN, SELINU, ROGERS, K. Commissioners (Post 750119) 1p 82812 255-82812 255

226 NONDOCKETED ITEMS

- 9502220041 Forwards plans for State of IL Dept of Nuclear Safety visit to Czechoslovakia.
ORTIGER, T. W. Illinois, State of 91/09/06 SCHWARTZ, S. NRC - No Detailed Affiliation Given 11pp 82812 254-82812 255
- 9502220086 NPDES noncompliance notification on 950209, visible of steam noticed in intake cove directly below & around intake structure caused by bursted fire protection pipe Two oil booms used in area
HARRIS, T. Duke Power Co 95/02/15 SPIGNER, S. South Carolina, State of 2pp 82848 358-82848 357
- 9502224006 "NPDES Monthly Rept Forms for Month of Jan 1995" W/ 950213 to
GRANM, J. J. SHELTON, D. C. Centenor Energy PY-CE/CEPA-021 95/01/31 5pp 82871 252-82871 256
- 9502224009 "NPDES Discharge Monitoring Rept for Month of Jan 1995" W/ 950215 to
SULLIVAN, T. A. ROTHER, W. C. Boston Edison Co BEOD 5 95 011 83/01/31 10pp 82871 257-82871 256
- 95022240841 Submits comments on draft BTP on site characterization for decommissioning of sites where nuclear materials used or generated Concludes individual licensees should be provided w/addl info on how much of BTP should apply to their sites
COLLINS, S. C. Illinois, State of SP-94-178 95/02/16 EJD, B. NRC - No Detailed Affiliation Given 2pp 82814 021-82814 022
- 95022240060 Submits info re forthcoming shipment of irradiated nuclear reactor fuel to New Mill NC by rail in accordance w/10CFR73.37
OWMAN, J. P. Carolina Power & Light Co 95/02/13 STROUD, T. C. North Carolina, State of 3pp 82814 136-82814 136
- 95022240069 Forwards technical info re sealed source & device registry certificates.
LOHAUS, P. H. Office of State Programs (Post 911117) SP-95-032 95/02/17 General 3pp 82814 213-82814 231
- 95022240075 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 4000 Certificate AR-101-D-101-G
DAIS, G. J. KELLY, W. R. Arkansas, State of AR-101-D-101-G 95/01/25 5pp 82814 221-82814 225
- 95022240076 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 21357 000-000 Certificate TX-186-D-114-S
Texas, State of TX-186-D-114-S 95/02/08 6pp 82814 226-82814 231
- 95022240071 Forwards results of annual radon-222 emission rate tests for 1994, per 40CFR61.234 Notes that for both cells tested, radon levels were below mandatory limit
ROBERTS, J. R. Energy Fuels Nuclear, Inc 95/01/19 ROBERTS, J. R. Utah, State of 1p 82814 232-82814 274
- 95022240095 Transmits Agreement State & Nonagreement State Program info re 950202 to address to multiple addressees concerning EPA designation by draft FRERP as LFA in all states where radioactive mail detected at Nonagreement State facility
LOHAUS, P. H. Office of State Programs (Post 911117) SP-95-027 95/02/17 General 3pp 82815 186-82815 237
- 95022240031 Forwards draft re: "Federal Radiological Emergency Response Plan for 931221"
SPESSARD, R. L. Division of Operational Assessment (Post 870413) 84/06/21 HEHL, C. W. Region 1 (Post 820201) 2pp 82815 227-82815 228
- 95022240129 Draft "Federal Radiological ER Plan"
Federal Emergency Management Agency 95/12/21 7pp 82815 229-82815 237
- 95022240161 Forwards preliminary draft of field sampling plan, QA project plan, health & safety plan & Section 5 of work plan for review
SHIELDS, W. J. Affiliation Not Assigned 95/02/09 STELLON, M. A. Ohio, State of 541pp 82811 253-82811 085
- 95022240208 FOIA request for documents re responses of Agreement States to questions asked by NRC staff in preparation for 931108 briefing on site decommissioning plan Also requests state responses to NRC questions for 940323 workshop on SDERPs
SHEFFNER, B. E. Affiliation Not Assigned 84/05/10 GRIMSLEY, D. H. Division of Freedom of Information & Publications Services (890206-940714) 2pp 82836 124-82836 125
- 95022240211 First partial response to FOIA request for documents Records in app A and B will be available in PDF
POWELL, R. A. Division of Freedom of Information & Publications Services (Post 940714) 84/07/20 SHEFFNER, B. Affiliation Not Assigned 3pp 82836 126-82836 156
- 95022240215 Personal notes dtd 940204-0225 of D Orlando on questions asked of different Agreement State officials re site decommissioning plan & Agreement State workshop App A of section 340, decommissioning guidelines and
NRC - No Detailed Affiliation Given 94/02/25 28pp 82836 129-82836 156
- 95022270017 Ack receipt of advanced notification of series of 10CFR73 shipments w/ Shipment ID R95-111894A & R95-111894B
BENNINGTON, G. NRC - No Detailed Affiliation Given 94/11/22 JOHNSON, D. G. Rhode Island, State of 4pp 82831 068-82831 072
- 95022270037 PNO-IV-85-008 on 950215, plant experienced loss of three walls of C-14 which contained total of 10 Ci as barium carbonate Licensees & Kansas inspectors performed surveys of waste containers Waste not yet found
HACKNEY, C. HOWELL, L. Region 4 (Post 820201) 95/02/22 1p 82831 130-82831 130
- 95022270059 Provides response to all Agreement States for re revised procedures for issuance of travel orders & tickets Providers should be made to handle meeting dispatch denials or attendance at courses could be affected
COLLINS, S. C. Illinois, State of SP-95-006 95/02/15 BANGART, R. L. Office of State Programs (Pre 870413) 1p 82831 171-82831 171
- 95022270061 Comments on generic dose measurement for disposal of incinerator ash in landfill Supports stated intended use of "assessment as technical basis for developing guidance that would be applied in authorizing disposal of ash"
COLLINS, S. C. Illinois, State of SP-95-0439 95/02/15 Office of the Secretary of the Commission 2pp 82831 173-82831 174
- 95022270125 Inform of receipt of NOV in ref to Dec 1994 excursion of total suspended solids limitations of VPDES permit for plant
MARSHALL, B. M. Virginia Power (Virginia Electric & Power Co) 95/02/17 Virginia Commonwealth of 3pp 82829 345-82829 347
- 95022270365 Forwards "Radioactive Metals in Recycled Metals" to be published in Apr 1995 issue of Health Physics End contains references to NRC records & states that documents available for insp & copying for fee in NRC PCR
LUBENAU, J. O. Commissioners (Post 750119) 95/02/08 NRC - No Detailed Affiliation Given 1p 82859 001-82859 134
- 95022270381 "Radioactive Metals in Recycled Metals," dtd 950128
LUBENAU, J. O. NRC - No Detailed Affiliation Given YUSKO, J. G. Pennsylvania, Commonwealth of 95/01/28 33pp 82859 002-82859 034
- 95022280068 PNO-SLTP-89-001 State, Local & Indian Tribe Programs notified that GS-137 source had been inadvertently melted by steel mill in LA Region IV prepared to assist if requested
LUBENAU, J. O. NRC - No Detailed Affiliation Given 89/11/16 7pp 82858 272-82858 281
- 9511280167 Confirms certain actions to be taken re unauthorized import & distribution of Co-60 contaminated steel fencing products from India
CUNNINGHAM, R. E. Division of Industrial & Medical Nuclear Safety (Post 870729) 91/06/21 MARRS, B. California, State of 8pp 82858 330-82858 335
- 95022270382 Forwards info on Atlas Moab U rail ship per request
GILLEN, D. M. High-Level Waste & Uranium Recovery Projects Branch (HMLSS 940403) 95/02/16 MORTON, L. B. Utah, State of 3pp 82903 340-82903 342
- 95022280007 Forwards insp rept 80-183/84-02 on 941207-09 & notice of violation
JOYNER, J. H. Region 1 (Post 820201) 95/02/21 TEHANT, T. Rhode Island, State of 1pp 82846 011-82846 016
- 95022280021 Forwards TI 2800/026, "Followup Insp of Formerly-Licensed Sites Identified as Potentially Contaminated"
LOHAUS, P. H. Office of International Programs (Post 911117) SP-95-034 95/02/24 General 21pp 82846 083-82846 103
- 95022280049 Transmits State Agreements Program sealed source & device registry certificate documentation
LOHAUS, P. H. Office of State Programs (Post 911117) MD-0497-D-104-S 95/02/24 General 3pp 82846 135-82846 149
- 95022280058 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of remote afterloading brachytherapy unit model Microselectron-HDR Certificate MD-0497-D-104-S
KASSINGER, S. W. Maryland, State of MD-0497-D-104-S 95/02/17 8pp 82846 141-82846 149
- 95022280061 Forwards printout of list which groups licensees by two areas for which zip codes provided per 950213 request W/o and
DEODOD, J. E. Operations Branch 95/02/16 WILLIAMSON, R. E. Missouri, State of 1p 82858 298-82858 299
- 95022280392 Requests approval to use listed addl treatment chemicals Inform that request needed by 950324 in order to meet schedule
CARTER, J. S. Duke Power Co 95/02/15 ELEAZER, T. M. South Carolina, State of 49pp 82904 169-82904 206
- 95022280463 Offers no objections to all proposed change 182, to include use of integral fuel burnable absorbers as method of controlling core excess reactivity
DOSTIE, P. J. Maine, State of 95/02/14 Document Control Branch (Document Control Desk) 1p 82959 036-82959 038
- 95022280456 Offers no objections to all proposed change 185, modifying SRs in TS Section 4.1 to reflect equipment replacement for emergency feedwater flowmeter per discussions w/licensee
DOSTIE, P. J. Maine, State of 95/02/14 Document Control Branch (Document Control Desk) 1p 82959 037-82959 037
- 95022280457 Comments on licensee proposed change 187, allowing sleeving of SG tubes at facility
DOSTIE, P. J. Maine, State of 95/02/17 Document Control Branch (Document Control Desk) 2pp 82931 100-82931 101

TOPREF VENDOR REPORTS AND RELATED CORRESPONDENCE

- 9501316236 Notification of 950215 meeting w/EPRI personnel in Rockville, MD for presentation & discussion on EPRI reactor-operated valve performance prediction program
CHAN, T. L. Office of Nuclear Reactor Regulation (Post 941001) 95/01/23 WESSMAN, R. H. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82622 140-82622 141
- 9502010114 Advises that EPRI will provide 3-1/2 day training course to NRC staff & contractors associated w/review of EPRI MOV Performance Prediction Methodology Location & times listed
HOSLER, J. Electric Power Research Institute 95/01/23 SHARON, B. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82587 353-82587 357
- 9502010158 Forwards addendum 3 to WCAP-12245, rev 3 entitled "Addendum 3 to Steam Generator Tube Plug Integrity Summary Report"
LIPARULO, D. Westinghouse Electric Corp NTD-MSRLA-SSL 95/01/25 SHERON, S. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82587 113-82587 153
- 9502010340 Notification of 950121 meeting w/DECO in Rockville, MD to discuss features of WCAP-14222 as it applies to limited tube support displacement in plant
936 Meeting cancelled
LYNCH, M. D. Office of Nuclear Reactor Regulation (Post 941001) 95/01/20 RUSSELL, W. MIRAGLIA, F. THADANLA, NRC - No Detailed Affiliation Given 3pp 82577 296-82577 298

9502030097 Forwards "Notice of Consideration of Issuance of Amend to Facility Operating License/Proposed NSIC determination & opportunity for hearing" re license 950127 application for amend to TS to implement BWR/OG TR NEDO-32291 PICKETT D V Office of Nuclear Reactor Regulation (Post 941001) TAC M91387 95/01/31 PHARES R F Illinois Power Co 3pp 82614 273-82614 285

-9502030114 Notice of consideration of issuance of amend to license NPP-52 & proposed NSIC determination & opportunity for hearing Amend allows adoption of BWR/OG TR NEDO-32291. re selected response time testing requirements deletion PICKETT D V Office of Nuclear Reactor Regulation (Post 941001) 95/01/31 10pp 82614 276-82614 285

9502030165 Forwards proprietary revised draft Licensing Topic/ Repl NEDO-32410P, "Nuclear Measurement Analysis & Control Power Range Neutron Monitor (NUMAC PRNM) Retrofit Plus Option II Stability Trip Function" draft rev D Repl withheld REIGEL D W General Electric Co MFN 009-95 95/01/31 JABBOUR K NRC - No Detailed Admission Given 5pp 82639 009-82639 008

9502030179 TS Change Request 201 to license DPR-72 increasing allowable normal fuel enrichment from 4.2 to 5.0 weight percent for reload fuel assemblies Proprietary BSW Fuel Co repl BAW-2209P and Proprietary repl BAW-2209P withheld per 10CFR2.790 BEARD P M Florida Power Corp 3P0195-05 95/01/28 Document Control Branch (Document Control Desk) 9pp 82639 009-82639 105

9502030343 Forwards "Byron Unit 1 EOC 6 Interim Plugging Criteria Repl" & nonproprietary repl WCAP-14277, "SLB Leak Rate & Tube Burst Probability Analysis Methods for ODSOC at TSP Interactions, per TS 6.9.2 SCHWARTZ G K Commonwealth Edison Co BYRON-95-043 95/01/30 MARTIN J B Region 3 (Post 820201) 2pp 82618 001-82618 192

-9502030350 WCAP-14277 Nonproprietary "SLB Leak Rate & Tube Burst Probability Analysis Methods for ODSOC at TSP Interactions" Westinghouse Electric Corp 59-95-01-007 95/01/26 75pp 82618 118-82618 192

9502030390 Notification of 841206 meeting w/licenses in Rockville MD to discuss best estimate LOCA evaluation model ORR R R Office of Nuclear Reactor Regulation (Post 941001) 94/11/21 JONES R C Office of Nuclear Reactor Regulation (Post 941001) 2pp 82627 357-82627 358

9502030418 Forwards proprietary NEDC-31829P, "GE11 Critical Power Test W/Red Bow to Contact Proprietary NEDC-31829P withheld (rel 10CFR2.790) KLAPPROTH J F General Electric Co JFK95-004 95/01/30 JONES R C Office of Nuclear Reactor Regulation (Post 941001) 4pp 82615 338-82615 337

9502030421 Forwards SOCs 12 & 22 flow evaluations for Prairie Island Units 1 & 2, respectively Nonproprietary & proprietary handbooks on flow evaluations for Prairie Island SOCs & pressurizers also and Proprietary handbook withheld ANDERSON R C Northern States Power Co 95/01/31 Document Control Branch (Document Control Desk) 43pp 82703 001-82703 276

-9502030424 WCAP-14166 Nonproprietary "Handbook on Flow Evaluation for Prairie Island Units 1 & 2 SOCs & Pressurizers" PRAGER D E, BAMFORD W H, HSU J K Westinghouse Electric Corp 95/01/31 231pp 82703 046-82703 276

9502030434 Requests that NRC review & accept WCAP-13350, "Westinghouse Dynamic Rod Worth Measurement Technique" by 950701 so that technique can be used to measure rod worths during start-up following scheduled Unit 2 refueling outage in fall 1995 CLONINGER T H Houston Lighting & Power Co ST-HL-AE-4383 95/02/01 Document Control Branch (Document Control Desk) 2pp 82664 359-82664 350

9502030480 Provides add info re Emergency topical repl, "Verification of CEDOR Coefficient Methodology for Application to PWRs of Emergency Sys." ENRAD-02-AP, Rev 0, as requested by CP Panel 941221 W TITUS F W Energy Operations, Inc CNR-95/00004 95/02/02 Document Control Branch (Document Control Desk) 13pp 82631 323-82631 335

9502030470 Forwards SE accepting licensee 941209 re submitting assessment of plant-specific applicability of GE topical repl NEDO-32205-A, Rev 1 to plant reactor vessels CAPRA R A Office of Nuclear Reactor Regulation (Post 941001) TAC M91399 95/02/03 FARRAR D L Commonwealth Edison Co 3pp 82659 263-82659 287

-9502030477 Safety evaluation accepting licensee assessment of plant-specific applicability of GE topical repl NEDO-32205-A, Rev 1 Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82689 288-82689 287

9502030485 Forwards "BWR/OG Accident Mgt Guidelines Overview Document" Rev 0 for informal review in response to request of A Thaddeus did 940527 PNEILL R A BWR Owners Group BWR/OG-95007 95/02/03 Document Control Branch (Document Control Desk) 1p 82705 001-82705 058

-9502030485 "BWR/OG Accident Mgt Guidelines Overview Document," Rev 0 BWR Owners Group 95/02/01 8pp 82705 002-82705 058

9502030487 Forwards nonproprietary WCAP-14238 & proprietary WCA-14237, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis - demonstrating compliance w/LBB methodology Proprietary repl withheld PICKETT D V Florida Power & Light Co L-65-024 95/02/02 Document Control Branch (Document Control Desk) 6pp 82687 031-82687 126

-9502030487 Requests that proprietary repl WCAP-14237, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants" be withheld per 10CFR2.790 LIPARULON J Westinghouse Electric Corp CAW-95-788 95/01/27 RUSSELL W T Document Control Branch (Document Control Desk) 4pp 82687 037-82687 045

-9502030488 WCAP-14236 Nonproprietary "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Turkey Point Units 3 & 4 Nuclear Power Plants" BUCHWICK D C, PETSCHKE J F, PRAGER D E Westinghouse Electric Corp 94/12/31 80pp 82687 046-82687 126

9502030470 Forwards non-proprietary WCAP-14271 & proprietary WCAP-14270 AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Repl Repl WCAP-14270 withheld (rel 10CFR2.790) LIPARULON J Westinghouse Electric Corp NTD-HRC-95-4391 95/01/31 BORCHARDT R W Document Control Branch (Document Control Desk) 4pp 82725 048-82725 138

-9502030474 Requests that proprietary WCAP-14270, 'AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Repl' be withheld (rel 10CFR2.790) LIPARULON J Westinghouse Electric Corp AW-95-777 95/01/31 BORCHARDT R W Document Control Branch (Document Control Desk) 7pp 82725 040-82725 047

-9502030477 WCAP-14271 Non-proprietary WCAP-14271, 'AP600 Low Pressure Integral Sys Test at OR State Univ Facility Scaling Repl' LIPARULON J, MOLCAJE J Westinghouse Electric Corp 95/01/30 475pp 82725 048-82725 138

9502030487 Forwards SE accepting licensee 941206 re submitted assessment of plant-specific applicability of GE topical repl NEDO-32205-A, Rev 1, "10CFR50 App G Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels" CAPRA R A Office of Nuclear Reactor Regulation (Post 941001) TAC M91387 95/02/03 FARRAR D L Commonwealth Edison Co 3pp 82681 351-82681 355

-9502030488 SE of topical repl NEDO-32205-A, Rev 1, "10CFR50 App G, Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels" Office of Nuclear Reactor Regulation (Post 941001) 95/02/03 2pp 82681 354-82681 355

9502030488 Summary of ACRS Subcommittee on ASB-CE Std Plant Design 840209 meeting in Bethesda MD re Sys 50+ evolutionary reactor plant design CARROLL J C ACRS - Advisory Committee on Reactor Safeguards 94/03/10 ACRS - Advisory Committee on Reactor Safeguards 16pp 82723 078-82723 200

-9402200448 Discusses staff evaluation of TR CENPD-161-R, "TORC CODE - Computer Code for Determining Thermal Margin of Reactor Core" Concludes that code acceptable for use in licensing calculations KHELK Light Water Reactors Branch 2 75/09/14 SCHERER A E ASB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc) 16pp 82723 149-82723 200

9502030482 Notification of 950222 meeting w/BWR/OG in New Orleans, LA to discuss integrated risk based regulations HSA, A H Office of Nuclear Reactor Regulation (Post 941001) 95/02/02 BUTCHER J J Office of Nuclear Reactor Regulation (Post 941001) 1p 82711 147-82711 147

9502030487 Forwards Rev 1 to WCAP-13963 Scaling Logic for Core Makeup Tank Test LIPARULON J Westinghouse Electric Corp NTD-HRC-95-4390 95/01/31 BORCHARDT R W Document Control Branch (Document Control Desk) 2pp 82727 012-82727 189

-9502030487 WCAP-13963 Repl Rev 1 to WCAP-13963, "Scaling Logic for Core Makeup Tank Test" MOCHREITER L, NOVENDSTERNE Westinghouse Electric Corp 95/01/31 175pp 82727 014-82727 189

9502130040 Forwards SE accepting licensee 950126 re staff review & approval of plant specific applicability of GE topical repl NEDO-32205-A, Rev 1 CAPRA R A Office of Nuclear Reactor Regulation (Post 941001) TAC 91101 95/02/08 FARRAR D L Commonwealth Edison Co 3pp 82729 229-82729 233

-9502130044 Safety evaluation supporting licensee submission for staff review & approval of plant specific applicability of GE topical repl NEDO-32205-A, Rev 1 Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 2pp 82729 232-82729 233

9502130063 Notification of 950223 meeting w/utl in Rockville MD to discuss various features of WCAP-14270 (proprietary) as it applies to limited tube support plate deployment in plant, until 1 SG LYNCH D Office of Nuclear Reactor Regulation (Post 941001) 95/02/08 CAPRA R A Office of Nuclear Reactor Regulation (Post 941001) 5pp 82724 352-82724 356

9502130060 Notification of 950222 meeting w/EPRI in Rockville MD to discuss results of EPRI program for developing improved eddy current procedures relative to circumferential crack sizing DEMBEK S Project Directorate II-1 (PD2-1) (Post 941001) 95/02/08 STROSNIDER J Office of Nuclear Reactor Regulation (Post 941001) 2pp 82746 358-82746 359

9502150009 Comment on NRC proposed generic communication, "Use of NUMARC/EPRI repl TR-102348, "Guidelines on Looping Digital Upgrades," in Determining Acceptability of Performing Analog to Digital Replacements Under 10CFR50.59" DENTON R E Baltimore Gas & Electric Co 56FR52558 00005 95/01/23 Rules & Directives Review Branch (Post 820323) 1p 82736 340-82736 340

9502150062 Forwards "Probability of Detection by Sublim Insp" & WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections" WCAP-14273 withheld SACCOMANDO D M Commonwealth Edison Co 95/02/07 Document Control Branch (Document Control Desk) 2pp 82767 200-82767 272

-9502150065 Requests that WCAP-14273 "Technical Support for Alternate Plugging Criteria W/Tube Expansion at Tube Support Plate Intersections for Bradwood 1 & Byron 1 Model D4 SGs," be withheld per 10CFR2.790 LIPARULON J Westinghouse Electric Corp CAW-95-778 95/02/08 RUSSELL W T Document Control Branch (Document Control Desk) 4pp 82767 202-82767 210

9502150032 Summary of 850112 meeting w/utl/EPRI & NEI re steam generator steaming test of attendees and HERMANN R Office of Nuclear Reactor Regulation (Post 941001) 95/02/07 SHERON B W Office of Nuclear Reactor Regulation (Post 941001) 2pp 82754 199-82754 226

238 NONDOCKETED ITEMS

- 9502170680 Forwards preliminary United States & non United States sleeping response Rev 10 to Steam Generator Progress Rept. also and informs that all sleeves associated w/three domestic sleeve-related "leaker" outage removed from svc
WELTY, C.S. Electric Power Research Institute 95/01/31 STROSNIDER, J.R. Office of Nuclear Reactor Regulation (Post 941001) 11pp 82766 001-82768 315
- 9502170695 Rev 10 to "Steam Generator Progress Rept."
DOW, B.L. Attention Not Assigned 94/11/30 301pp 82766 012-82768 315
- 9502170732 Informs NRC that GE now performing mislocated bundle analysis on plants where residual CPR response may establish operating limit MCPH GE requested that acceptance criteria for mislocated bundle accident be changed
KLAPPROTH, J.F. General Electric Co. JFK-95-006 95/02/10 JONES, R.C. 3pp 82779 205-82778 287
- 9502170764 Informs that to evaluate probability of multiple SG tube ruptures for mid-cycle insulator intends to use methodology described in WCAP-14277, "Sub Leak Rate & Tube Burst Probability Analysis Methods for ODSOC"
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/10 Office of Nuclear Reactor Regulation (Post 941001) 2pp 82778 358-82779 357
- 9502170822 Forwards proprietary document re NRC best estimate of W LOCA WCAP-12945-P, Vol. 1-5 Document reflects concrete re status of resolution of issues in con ventional NRGs & AP600 experimental reactor End withheld
ORR, P. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 YOUNG, M. Westinghouse Electric Corp 95/02/13 381pp 82778 289-82778 288
- 9502170858 Application for amendments to licenses NPP-37, NPP-85, NPP-72 & NPP-77, increasing steam plugging criteria values for plants 5G
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/13 Document Control Branch (Document Control Desk) 30pp 82821 001-82822 072
- 9502170853 WCAP-14274 "Technical Support for Alternate Plugging Criteria w/Tube Expansion at Tube Support Plate Intersections for Braidwood-1 & Byron-1 Model D4 ST for Feb 1995"
Westinghouse Electric Corp 95/02/13 381pp 82821 078-82822 072
- 9502210106 Forwards non-proprietary Rev 2 to WCAP-14047 & proprietary Rev 2 to WCAP-14046, "Braidwood Unit 1 Technical Support for Cycle 5 SG Intern Plugging Criteria" Proprietary Rev 2 to WCAP-14046 withheld (ref 10CFR2 790)
PONTIQUIS, H.D. Commonwealth Edison Co. 95/02/15 Document Control Branch (Document Control Desk) 2pp 82838 001-82839 057
- 9502210110 Requests for proprietary Rev 2 to WCAP-14046, "Braidwood Unit 1 Technical Support for Cycle 5 SG Intern Plugging Criteria" be withheld (ref 10CFR2 790)
LEPARULO, N.J. Westinghouse Electric Corp. CAW-95-783 95/02/09 RUSSELL, W.T. Document Control Branch (Document Control Desk) 9pp 82839 003-82839 011
- 9502210114 WCAP-14047 R02 Non-proprietary Rev 2 to WCAP-14047, "Braidwood Unit 1 Technical Support for Cycle 5 SG Intern Plugging Criteria"
Westinghouse Electric Corp. 95-95-02-007 95/02/13 56pp 82839 012-82839 067
- 9502210285 Reports findings from conference call w/HQOG re SSFS issue
BOGER, S.A. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82780 111-82780 113
- 9502220014 Informs Commission of status of progress of plant conversions to improved standard TS
TAYLOR, J.M. Ofc of the Executive Director for Operations 95/02/10 THE CHAIRMAN Commissioners (Post 750119) 7pp 82817 333-82817 339
- 9502220211 Requests attached repair plan info be reviewed & approved by 950421 in order to support contingency repair option for upcoming Unit 3 outage, w/four overviews drawings Drawings withheld
HUNGER, G.A. PECO Energy Co. (formerly Philadelphia Electric Co.) 95/02/14 Document Control Branch (Document Control Desk) 94pp 82871 001-82871 145
- 9502220217 GENE-771-58-0394 R02 "Design Rept for Installation of Stabilizers on Peach Bottom 2,3 Core Shroud"
LENZ, M.O., MCCLEAN, A. TSCHANZ, L.E. General Electric Co. DRF 913-01732 95/02/03 22pp 82871 095-82871 116
- 9502220219 GENE-771-58-0404 R02 "Shroud Mechanical Repair Program, Peach Bottom Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis"
MCCLEAN, A., LENZ, M.O., HERLEKAR, A.S. General Electric Co. DRF 913-01732 95/02/02 29pp 82871 117-82871 145
- 9502220363 Discusses 950126-27 detailed discussions held by SM Matthews & ED Kendrick of NRC w/licenses & personnel of Commercial Nuclear Fuel Div of Westinghouse re NRC plans to conduct insp of ESBU/CHFD fuel related activities
GALLO, R.M. 95/02/03 KOGA, R.H. Westinghouse Electric Corp 2pp 82800 125-82800 126
- 9502220383 Informs that NRC plans to hold public meeting during week of 950227 to discuss MOV computer model developed by EPRI NRC staff must understand computer model to review TR-100237 & prepare SR
SHERIDAN, W. Office of Nuclear Reactor Regulation (Post 941001) 95/02/15 MOSLER, J. Electric Power Research Institute 1p 82819 318-82819 314
- 9502220385 Notification of 950227 meeting w/EPRI in Palo Alto, CA to discuss presentation & discussion of EPRI motor-operator valve performance prediction program & EPRI computer model
CHAN, T.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/09 WESSMAN, R.H. Office of Nuclear Reactor Regulation (Post 941001) 3pp 82817 343-82817 344
- 9502230035 Summary of 950112 meeting w/EPRI re industry plans for improving eddy-current procedure for testing of circumferential cracking in steam generator tubes List of attendees & meeting handouts and
RUSH, J. Office of Nuclear Reactor Regulation (Post 941001) 95/02/13 STROSNIDER, J.R. Office of Nuclear Reactor Regulation (Post 941001) 18pp 82817 314-82817 352
- 9502230333 Expresses appreciation for info on status of boron-neutron capture therapy at BNL, provided in 950214 telecon, Requests copy of IND Phase 1 & 2 protocol for BNL multi-patient study, including info on reactor TS for conduct of study
ADAMS, A. 95/02/15 CHAMAKA, A.D. Brookhaven National Laboratory 2pp 82818 358-82818 359
- 9502230358 Notification of 950228 meeting w/GE in San Jose, CA to discuss plant key technical issues & design details for licensing activities re replacement of analog power range monitoring equipment w/GE NUMAC digital PR neutron monitor
JABBOUR, K.N. Office of Nuclear Reactor Regulation (Post 941001) 95/02/16 BERKOW, H.M. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82820 109-82820 110
- 9502240035 Forwards rept WCAP-13864, Rev 1-A (Non-Proprietary), "Rod Control Sys Evaluation Program," Westinghouse Technical Bulletin NSD-TS-94-05-R0 & NSD-TS-94-05-ADA-R0 "Rod Control - CRDM Timing Change" did 940506 & 1020, respectively
NEWTON, R.A. Westinghouse Operating Plants Owners Group GL-93-04 95/02/15 Document Control Branch (Document Control Desk) 2pp 83052 001-83052 261
- 9502240047 Addendum to Westinghouse Technical Bulletin 94-05-R0, did 940506, "Rod Control - CRDM Timing Change"
PYSNIK, J. Westinghouse Electric Corp. SAHASRABUDHE, A., HALL, J.M. Westinghouse Operating Plants Owners Group 94/10/20 1p 83052 003-83052 051
- 9503130305 WCAP-13864 R1-A Rev 1-A to WCAP-13864, "Rod Control Sys Evaluation Program"
BAKERT, CASSIDY, B., FREELAND, J. Westinghouse Electric Corp 94/11/10 200pp 83052 052-83052 261
- 9502240130 Forwards preliminary responses to 940421 & 0615 RAIs on WCAP-12945-P, "Westinghouse Code Qualification Document for Best Estimate Loss of Coolant Accident Analysis," Preliminary responses withheld per 10CFR2 790
LEPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4389 95/02/09 Document Control Branch (Document Control Desk) 2pp 82858 304-82858 310
- 9502240133 Requests that preliminary responses to RAIs re WCAP-12945-P be withheld per 10CFR2 790
LEPARULO, N.J. Westinghouse Electric Corp. AW-95-781 95/02/01 Document Control Branch (Document Control Desk) 9pp 82858 302-82858 310
- 9502240177 Provides generic JCO provided to Westinghouse customers re potential for loss of automatic ESFA NRC Info Notice 95-010 evaluated by util customer also
LEPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4402 95/02/03 THADAM, A.C. 4pp 82858 304-82858 307
- 9502240263 Summary of 950214 meeting w/EPRI to discuss current topics & status of open issues List of attendees & copy of presentation and
PERCHUR, L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/14 THADAM, A.C. Office of Nuclear Reactor Regulation (Post 941001) 84pp 82834 012-82834 083
- 9502270110 Notification of 950227 meeting w/EPRI in Palo Alto, CA to discuss MOV prediction program & EPRI computer model
CHAN, T.L. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 WESSMAN, R.H. Office of Nuclear Reactor Regulation (Post 941001) 2pp 82846 268-82846 267
- 9502270137 Informs of forthcoming EPRI risk-based insp workshop on 950221 in Charlotte, NC to discuss risk-based insp w/util mgt
GOSSELIN, S. Office of Nuclear Reactor Regulation (Post 941001) 95/02/21 BUTCHER, E.J. Office of Nuclear Reactor Regulation (Post 941001) 1p 82846 258-82846 268
- 9502280211 Forwards W topical rept WCAP-14277, "Sub Leak Rate & Tube Burst Probability Analysis Methods for ODSOC at TSP Intersections"
MEHRD, L. Duke Power Co. 95/02/16 Document Control Branch (Document Control Desk) 3pp 82828 258-82828 337
- 9502280271 Forwards errata sheets for proprietary WCAP-14273 & nonproprietary WCAP-14274, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Braidwood-1 & Byron-1 Model D4 SGs"
SACCOMANDO, D.M. Commonwealth Edison Co. 95/02/20 Office of Nuclear Reactor Regulation (Post 941001) 3pp 82828 351-82828 353
- 9502280371 Informs NRC about improper presentation of jet expansion model (jet expansion problem) in Bechtel TR 94-TOP-2, Rev 2, "Design for Pipe Break Effects," issued May 1974
YANG, D. Attention Not Assigned 95/02/17 GRIMES, B.K. 2pp 82859 032-82859 033

WASTE MGT NUCLEAR WASTE MANAGEMENT

- 9502101064 Approves 941222 corrective action extension request for Corrective Action Request YM-94-065 resulting from Yucca Mountain QA Dev Audit YMP-94-01
SPENCE, R.E. Energy, Dept. of HLWR 95/01/26 FOUST, L.D. TRW Environmental Safety Systems, Inc. 1p 82805 068-82805 068
- 9502101174 Advises of evaluation of amended response, verification of C/A & closure of Corrective Action Request YM-94-067 resulting from Yucca Mountain QA Dev Audit YMP-94-01 of Chalken Radiologic Mgt Sys Mgt & Operating Contractor
SPENCE, R.E. Energy, Dept. of HLWR 95/01/26 FOUST, L.D. TRW Environmental Safety Systems, Inc. 12pp 82805 068-82805 080
- 9502030183 Advises that effective 941001, all quality-affecting activities performed by Raytheon Sves Nevada have been transferred to other participating organizations Thus, Civilian Radiologic Mgt Div of CA will not perform overviews
KOUTSC, A. Energy, Dept. of HLWR 95/01/12 HOLONCH, J.J. High-Level Waste & Uranium Recovery Projects Branch (HMS-940403) 2pp 82805 100-82805 101
- 9502010193 Advises that team from ORR/M, Ofc of QA, will conduct QA audit during periods of 950207-10 & 21-24 to assess adequacy & implementation of CRWMS MSD QA program W/audit plan and
HORTON, D.G. Energy, Dept. of HLWR 95/01/25 ROBERTSON, R.L. TRW, Inc. 15pp 82977 001-82977 117
- 9502010201 "ORR/M, Ofc of QA, Audit Plan for Audit HQ-ARC-95-04 of CRWMS M&O"
HORMSEAN, M.L., HORTON, D.G. Energy, Dept. of 95/01/25 118pp 82977 009-82977 117

9502010203 Forwards record of Surveillance YMP-SR-95-016 conducted by Yucca Mountain QA Div at Technical & Mgt Support Svcs facilities in Las Vegas, NV & at field locations at Yucca Mountain site. 250104-11.
SPENCER, E. Energy, Dept. of HLWR. 95/01/26. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 82605-081-82605-085

9502010212 Trip report of 941206-06 visit to Buffalo, NY re review of safety analysis report for vitrification operations & high-level waste interim storage.
TSCHOPE, E. NABP, K., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/18. Center for Nuclear Waste Regulatory Analyses. 5pp. 82627-339-82627-344

9502010217 Trip report of 941205-06 visit to San Francisco, CA re annual American geophysical meeting.
MCKAGUE, H.L., HILL, B., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/24. Center for Nuclear Waste Regulatory Analyses. 4pp. 82591-325-82591-328

9502010227 Inform that staff has evaluated amended response to CAR YM-94-075 & has been determined to be satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/01/24. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 82605-111-82605-115

9502010288 Inform that staff has evaluated amended response to CAR YM-94-070 & that request will be approved.
SPENCER, E. Energy, Dept. of HLWR. 95/01/24. FOUST, L.D. TRW Environmental Safety Systems, Inc. 2pp. 82605-136-82605-137

9502010323 Inform of completion of response & extension request to CAR YM-94-076 & that extension request has been determined to be satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/01/25. FOUST, L.D. TRW Environmental Safety Systems, Inc. 15pp. 82605-143-82605-157

9502010337 Inform that staff has verified corrective action to CAR YM-94-075 & determined results to be satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/01/25. CANEPA, J.A. Los Alamos National Laboratory. 4pp. 82605-159-82605-203

9502010338 Ack receipt for thorough review of technical report, decommissioning of US U production facilities.
GEO, J. Energy, Dept. of 94/12/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82587-244-82587-249

9502010339 Inform that Atlas is in process of attempting to obtain portion of land near Lakeview, OR previously occupied by old U processing facility.
BLUBAUGH, R.E. Atlas Corp. 95/01/23. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82591-318-82591-318

9502010341 Forwards Project Interface Document 06-S-36 reducing required bentonite content in radon barrier wall from ten percent to four percent.
ARPS, S.J. Energy, Dept. of 95/01/23. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82587-258-82587-260

9502010343 Forwards Project Interface Document 06-S-37 to eliminate shield hammer test for radon from Con-Spy test.
ARPS, S.J. Energy, Dept. of 95/01/20. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82587-281-82587-284

9502020088 Advise that team from OCRM/OIC of QA will conduct QA audit during 941115-18 to assess effectiveness of OCRM/MBO QA program re MBO corrective action process, audit plan and
HORTON, D.G. Energy, Dept. of HLWR. 94/10/21. ROBERTSON, R.L. TRW, Inc. 2pp. 82622-010-82622-014

9502020078 "OCRM/OIC of QA Audit Plan for Audit HQ-95P-02 of OCRM/MBO (TRW).
COUTNER, W.R., HORTON, D.G. Energy, Dept. of 94/10/21. 3pp. 82622-012-82622-014

9502020234 Forwards "Yucca Mountain Site Characterization Project Technical Data Catalog (Quarterly Supply)." for Dec 1994.
BROCKMUS, S.J. Energy, Dept. of HLWR. 95/01/26. HOLONICH, J.J. NRC - No Detailed Affidavit Given. 4pp. 82618-001-82618-135

9502020245 "Yucca Mountain Site Characterization Project Technical Data Catalog (Quarterly Supply)."
Energy, Dept. of HLWR. 94/12/31. 151pp. 82618-005-82618-155

9502020256 Forwards evaluation of PID 06-S-37, "Bentonite Content of Radon Barrier Wall."
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 95/01/25. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82618-358-82618-358

9502020282 Notifies licensee of upcoming workshop w/members of U industry that will be held on 950314 & 15 in Denver, CO.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/20. FERDINAND, B. Cuhana Mining Co., VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). GRACE, M.P. Grace Mining Co. 5pp. 82652-331-82652-336

9502020272 Forwards 941206 letter from WY Mining Association re topics for planned workshop on OCRM/20-received subsequent to 941229 memo.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/20. COO, L.D. Radiation Protection & Health Effects Branch (Post 941217). ANDERSON, R. Technical Training Center. CAH, C. Region 4 (Post 820201). 1p. 82652-337-82652-339

9502020333 Notification of 950206 meeting w/DOE in Rockville, MD to discuss options for disposal of residual radioactive material from Hanford, CO Title I U mill tailings site.
GILLEN, D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/27. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82652-045-82652-045

9502020427 Provides technical direction for immediate Milestone (M) 57-02-723-456, "LT Rept on Status of Iterative Performance Assessment (IPA) Activities."
MCCARTIN, T. Division of Waste Management (NMSS 940403). HLWR. 95/01/31. BACA, R.G. Center for Nuclear Waste Regulatory Analyses. 3pp. 82622-007-82622-009

9502020430 Notification of 950206 meeting w/DOE & NRC in Washington, DC re DOE/NRC bi-monthly regt meeting.
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/25. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82622-043-82622-045

9502030187 Forwards corrected report on near-field flow analysis for review & approval. Original report transmitted to NRC on 941028 contained editorial & formatting problems.
BACA, R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-95-005. HLWR. 94/12/30. MCCARTIN, T. NRC - No Detailed Affidavit Given. 2pp. 82652-200-82652-272

9502030196 CNWRA 94-022 Corrected "Near-Field Liquid-Vapor Transport in Partially Saturated High-Level Nuclear Waste Repository." report.
LICHNER, P.C. Center for Nuclear Waste Regulatory Analyses. WALTON, J.C. Texas, Univ. of, El Paso, TX. NRC-02-95-005. HLWR. 94/10/31. Division of Waste Management (NMSS 940403). 72pp. 82652-202-82652-272

9502030206 Submits basic slide NRC will be utilizing for videoconferencing capabilities at NRC.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/26. LOU, R., MEDER, J., NELSON, R. Nevada, State of. 5pp. 82622-096-82622-102

9502030288 Submits request for refs cited in DOE forthcoming responses to NRC erosion topical report comments.
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/01/30. BROCKMUS, S.J. Energy, Dept. of 82622-103-82622-110

9502030342 Submits guidance for HLW regt teams, including organization & assignments, responsibilities, applicable policy plans & procedures, US DOE contacts & work priorities.
KNAAPP, M.R. Division of Waste Management (NMSS 940403). HLWR. 95/02/01. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). AUGUST, L.H. Performance Assessment & Hydrology Branch (NMSS 940403). 23pp. 82622-046-82622-058

9502030287 Approves of extension for corrective action request YM-94-048 resulting from Yucca Mountain QA Div Audit YMP-94-05 US Geological Survey.
SPENCER, E. Energy, Dept. of HLWR. 95/01/27. HAYES, J.R. Nevada, State of. 1p. 82642-336-82642-336

9502030268 Forwards "QA Audit Plan For Audit YMP-ARC-95-07 Of LNL, Livermore, CA. 950306-10."
HORTON, D.G. Energy, Dept. of HLWR. 95/01/26. CLARKE, W.L. Lawrence Livermore National Laboratory. 2pp. 82622-059-82622-075

9502030278 YMP-ARC-95-07 "QA Audit Plan For Audit YMP-ARC-95-07 Of LNL, Livermore, CA. 950306-10."
MASLAR, S.R., HORTON, D.G. Energy, Dept. of HLWR. 95/01/26. 5pp. 82622-071-82622-075

9502030294 Verifies corrective actions & closure of corrective action request YM-94-079 & YM-94-081 resulting from Yucca Mountain QA Div Audit YMP-94-08 Of LNL.
SPENCER, E. Energy, Dept. of HLWR. 95/01/27. CANEPA, J.A. California, State of. 7pp. 82622-076-82622-082

9502030301 Advises that performance-based audit YM-ARP-95-08, "Activities to Support Systematic Drilling Program for First & Second Boreholes" rescheduled from site of 950227-0308 to Jul of 1995.
HORTON, D.G. Energy, Dept. of HLWR. 95/01/27. SHEPARD, L.E. Sandia National Laboratories. 2pp. 82642-337-82642-340

9502030333 Advises that 950111 intended response to Corrective Action Request YM-94-093 resulting from Yucca Mountain QA Div Audit YMP-94-06 Of SNL unsatisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/01/27. SHEPARD, L.E. Sandia National Laboratories. 3pp. 82622-089-82622-097

9502030343 Determines that amended response to Corrective Action Request YM-94-082 resulting from Yucca Mountain QA Div Audit YMP-94-06 Of SNL satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/01/30. SHEPARD, L.E. Sandia National Laboratories. 6pp. 82642-341-82642-345

9502030186 Forwards evaluation of DOE responses to NRC draft completion report for inactive U mill tailings site at Tuba City, AZ.
GILLEN, D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/27. DORNER, C.A. Energy, Dept. of 10pp. 82637-207-82637-216

9502030331 Determines that amended response to Corrective Action Request YM-94-059 resulting from DOE/Headquarters QA Div Audit HQ-94-02 of Oshana Radwaste Mgt Sys Mgt & Operating Contractor satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/02/01. FOUST, L.D. TRW Environmental Safety Systems, Inc. 11pp. 82652-291-82652-301

9502030332 Determines that responses to Corrective Action Requests YM-95-016 & YM-95-019 resulting from Yucca Mountain QA Div Audit YMP-ARP-95-05 of SNL satisfactory.
SPENCER, E. Energy, Dept. of HLWR. 95/02/01. SHEPARD, L.E. Sandia National Laboratories. 5pp. 82652-302-82652-306

9502070888 Expresses bitterness concerning DOE not responding to request for support & action on disposal site selection for Hanford UNTRA Site.
BELL, M.J. Energy, Dept. of 95/01/25. O'LEARY, H. Energy, Dept. of 2pp. 82663-356-82663-359

9502070906 Transmits "NRC Observation Audit Rept 95-02 of US DOE OCRM/Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor" for period 941205-08 in Vienna, VA.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/31. MILLER, R.A. Energy, Dept. of 5pp. 82656-273-82656-283

9502070910 "NRC Observation Audit Rept 95-02 of US DOE OCRM/Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor."
MAGBITO, C. Division of Waste Management (NMSS 940403). BUCKLEY, J.T., SPRADL, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/31. 6pp. 82686-278-82686-283

240 NONDOCKETED ITEMS

- 9502070223 Trip rpt of 950103-06 visit to Yucca Mountain NV re field surveillance of north ramp construction of exploratory studies facility
PEARCE E Center for Nuclear Waste Regulatory Analyses 95/01/06 Center for Nuclear Waste Regulatory Analyses 31pp 82697 065-82697 095
- 9502070241 Procurement Actions
POWERS K W SPENCER E Energy Dept of HLWR 94/12/23 23pp 82694 200 82694 222
- 9502070277 Transcript of 941117 meeting in Rockville, MD re Low-Level Waste Performance Assessment Workshop
* NRC - No Detailed Affiliation Given 94/11/17 365pp 82649 093-82644 093
- 9502070334 Verifies Corrective Action of Corrective Action Request YM-94-071 resulting from Yucca Mountain QA Div Audit YMP-94-01 of Civilian Radioactive Waste Management & Operating Contractor
SPENCER E Energy Dept of HLWR 95/01/31 FOUST, L D TRW Environmental Safety Systems Inc 4pp 82694 234-82694 237
- 9502070363 Submits topics needing further clarification in support of review of ventilation operations & HLW interim storage
HARRIS K Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 95/02/01 COMFORT, G Office of Nuclear Material Safety & Safeguards 8pp 82697 065-82697 065
- 9502070384 Submits NRC regulations covering domestic licensing of source & byproduct mail contained in 10CFR40 of Title 10 Chapter 1 of Code of Federal Regulations in response to 941114 HLW/o and
GILLEN D M High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/27 HELLER, J A Attention Not Assigned 2pp 82697 957-82697 959
- 9502090380 Forwards "CNWRA Program Manager's Periodic Report on Activities of CNWRA" for fiscal reporting period 941224-950120, PMPR 95-04
STILWELL, B NRC - No Detailed Affiliation Given HLWR 95/02/06 GREEVES, J Division of Waste Management (NMSS 940403) AUSTIN, J BROOKS, D Performance Assessment & Hydrology Branch (NMSS 940403) 2pp 82729 001-82729 075
- 9502090383 Forwards "CNWRA Program Manager's Periodic Report on Activities of CNWRA" for fiscal reporting period 941224-950120, PMPR 95-04
PATRICK, W C Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 95/02/03 LINEMAN, J J Program Management, Policy Development & Analysis Staff (Post 870413) 1p 82729 003-82729 008
- 9502090384 PMPR 95-04 "CNWRA Program Manager's Periodic Report on Activities of CNWRA" Center for Nuclear Waste Regulatory Analyses HLWR 95/02/06 NRC - No Detailed Affiliation Given 64pp 82729 004-82729 075
- 9502090381 Transcript of 941115 LLW Performance Assessment Workshop in Rockville MD Pp 1-251
* NRC - No Detailed Affiliation Given NRC-25 94/11/15 500pp 82680 001-82681 136
- 9502090241 Advises of NRC staff conclusions re design changes to Falls City U mill tailings and NRC finds proposed changes acceptable & concurs w/alternates to disposal cell
GILLEN D M High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/02 CORMIER, C A Energy Dept of 7pp 82712 348-82712 335
- 9502100068 Notice of availability of final staff technical position on radioactive waste classification entitled "Technical Position on Concentration Averaging & Encapsulation"
GILLEN D M Division of Waste Management (NMSS 940403) 95/01/17 3pp 82706 023-82706 064
- 9502100076 "Technical Position on Concentration Averaging & Encapsulation, Rev in Part to Waste Classification Technical Position"
KNAPP M R Division of Waste Management (NMSS 940403) 85/01/17 40pp 82706 026-82706 064
- 9502100072 Requests that NRC concur w/proposed construction of flood levee & right-of-way areas. Three maps and
PAPE, H L Energy Dept of 95/02/02 HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 8pp 82732 064-82732 068
- 9502100218 Forwards "NRC Observation Audit Rept 94-12 of DOE OCRWM Audit YMP-94-10 of LLNL"
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) HLWR 95/01/27 MILLNER, R A Energy Dept of 3pp 82715 339-82715 351
- 9502100221 94-12 "NRC Observation Audit Rept 94-12 of DOE OCRWM Audit YMP-94-10 of LLNL"
BPRAD, J G, JOHNSON, R L High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) MARRIOTT, B Center for Nuclear Waste Regulatory Analyses HLWR 95/01/20 10pp 82715 342-82715 351
- 9502100228 Submits results of review of DOE Study Plan 93117412, "Technical Models & Synthesis," Rev 0
BELL, M J Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/06 BROOKS, D J Energy Dept of 3pp 82715 352-82715 354
- 9502130141 Informs that staff has evaluated amended response to CAR YM-94-046 & determined response satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 HAYES, L R Interior, Dept of Geological Survey 8pp 82723 336-82723 336
- 9502130146 Informs that staff has evaluated response to CAR YM-95-020 & determined to be satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 HAYES, L R Interior, Dept of Geological Survey 3pp 82723 340-82723 342
- 9502130182 Informs that staff has evaluated response to CAR YM-94-096 & determined to be unsatisfactory
SPENCER E Energy Dept of HLWR 95/02/06 SHEPARD, L E Sandia National Laboratories 8pp 82723 343-82723 351
- 9502130157 Informs that staff has evaluated amended response to CAR YM-94-072 & determined to be satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 FOUST, L D TRW Environmental Safety Systems Inc 6pp 82716 001-82716 068
- 9502130171 Informs that staff has evaluated amended response to CAR YM-94-052 & has been determined to be satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 FOUST, L D TRW Environmental Safety Systems, Inc 14pp 82720 346-82720 359
- 9502130228 Provides CAR YM-95-023 generated as result of YMOAD Audit YM-ARP-95-02 Requests that corrective action be identified to be taken & implemented to correct deficiency
SPENCER E Energy Dept of HLWR 95/02/06 FOUST, L D TRW Environmental Safety Systems, Inc 5pp 82737 337-82737 361
- 9502130252 Forwards draft letter from RM Barnero to DA Dryfus re alleged harassment & intimidation of DOE contractor employees working on HLW program at Yucca Mountain
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) HLWR 95/01/20 KOUTS, C A Energy Dept of 6pp 82737 329-82737 335
- 9502130263 Informs that staff has verified corrective action to CAR YM-94-082 & determined results to be satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 CANEPA, J A Lawrence Livermore National Laboratory 5pp 82737 337-82737 341
- 9502140067 Advises that response to Corrective Action Request (CAR) YM-95-021 determined to be unsatisfactory for reasons stated in end CAR
SPENCER E Energy Dept of HLWR 95/02/06 HAYES, L R Interior, Dept of Geological Survey 6pp 82743 219-82743 224
- 9502140280 Advises that 950116 request that C/A due date for Corrective Action Request YM-94-086 be extended to 950316 will be approved w/QORWMA new policy requiring concurrence of listed personnel
SPENCER E Energy Dept of HLWR 95/02/06 SHEPARD, L E Sandia National Laboratories 1p 82743 225-82743 225
- 9502140225 Forwards corrective action status report for month of Jan 1995
HORTON, D G Energy Dept of HLWR 95/02/06 Energy Dept of 15pp 82743 226-82743 240
- 9502140382 Ack receipt of 950110 letter containing State of NY response on pneumatic pathways concern addressed in DOE 941114 letter
AUSTIN, J H Performance Assessment & Hydrology Branch (NMSS 940403) HLWR 95/02/06 LOUX, R R Nevada, State of 2pp 82743 260-82743 261
- 9502140384 Forwards list of FY95 compliance determination methods (COM) for Rev 1 to License Application Review Plan Requests COMs be completed & have final NRC approval by 950631
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) HLWR 95/02/02 AUSTIN, J H Performance Assessment & Hydrology Branch (NMSS 940403) BELL, M J Engineering & Geosciences Branch (NMSS 940403) 7pp 82743 262-82743 266
- 9502140396 Forwards Rev 1 to DWM-2 "U Recovery Program Policy & Directive Sys" & U recovery program policy & guidance directive DWM 94-01, "Draft Final Staff Technical Position Alternate Concentration Limits for Title II U Mills"
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/07 JAGANNATH, B, JUSTUS, P NRC - No Detailed Affiliation Given CARMICHAEL, R Region 4 (Post 820201) 3pp 82742 334-82742 357
- 9502140481 Rev 1 to DWM-2 "U Recovery Program Policy & Guidance Directive Sys"
FIEGEL, M, GILLEN, D M High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/20 10pp 82742 337-82742 346
- 9502140412 U recovery program policy & guidance program policy & guidance directive DWM 94-01, "Draft Final Staff Technical Position Alternate Concentration Limits for Title II U Mills"
HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/01/20 11pp 82742 347-82742 367
- 9502140414 Forwards issue & discussion paper re state sale, retention or donation of property, per NRC concurrence w/certification of completion on number of UMTRA project sites
CORMIER, C A Energy Dept of 95/02/01 HOLONICH, J J High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 3pp 82758 258-82758 360
- 9502140451 Forwards Amended Response to Corrective Action Request YM-91-005 resulting from Yucca Mountain QA Div Audit 90-01
SPENCER E Energy Dept of HLWR 95/02/06 HORTON, D G Energy Dept of 4pp 82743 287-82743 291
- 9502150094 Determines that evaluation amended response, verification of corrective action & closure of CAR YM-94-071 satisfactory
SPENCER E Energy Dept of HLWR 95/02/06 FOUST, L D TRW Environmental Safety Systems, Inc 8pp 82756 202-82756 210
- 9502150285 Forwards second RAI questions to final status to be resolved in review of 3R-STAT topical report
HOGG, R C Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/01 VANCE, J N Vance & Associates 8pp 82776 122-82776 124
- 9502150320 Transmits summary from 941129-1201, technical exchange on groundwater & travel time
AUSTIN, J H Performance Assessment & Hydrology Branch (NMSS 940403) HLWR 95/02/07 MILLNER, R A Energy Dept of 14pp 82756 222-82756 235
- 9502150329 Advises that NRC plan to acquire final staff technical position on alternate concentration limits guidance in June 1995
KNAPP, M R Division of Waste Management (NMSS 940403) 95/02/04 GILLEN, D M 2pp 82776 125-82776 126

- 9502160614 Comment supporting info pertaining to draft branch technical position on site characterization
FARRAR D.L. Commonwealth Edison Co. 59FR64716 00001 05/02/01 Docketing & Services Branch 1p 82796 026-82796 226
- 9502160141 Forwards listed commitments DOE has identified in response to Commission concerns w/quality design control process
MILNER R.A. Energy, Dept. of HLWR 95/01/27 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 4pp 82788 236-82788 241
- 9502160148 Forwards FY95 schedule of Title I site maps by DOE long-term surveillance & plant program
VIRGONA, J.E. Energy, Dept. of 05/02/09 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 82776 357-82776 358
- 9502170083 Debates closure of URFO SECY-95-207 & American Mining Congress ltr on matter end
GILCHRIST, J.E. American Mining Congress 95/02/01 GREEVES, J.T. NRC - No Detailed Affiliation Given 2pp 82779 226-82779 254
- 9502170106 Discusses closure of URFO
GILCHRIST, J.E. American Mining Congress 95/10/14 THE CHAIRMAN, SELIN, J. Commissioners (Post 750118) 6pp 82779 231-82779 237
- 9502170107 Expresses thanks for meeting w/representatives of U industry on 930512 to discuss NRC proposed closure of URFO in Denver, CO. Sample chart giving approx times for completion of amendments & other closure matters end
GILCHRIST, J.E. American Mining Congress 93/05/20 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 10pp 82779 238-82779 248
- 9502170108 Requests meeting w/NRC to discuss costs & benefits of proposed closure of URFO in Denver, CO
GILCHRIST, J.E. American Mining Congress 93/04/14 THE CHAIRMAN, SELIN, J. Commissioners (Post 750119) 4pp 82779 249-82779 254
- 9502170106 Submits summary of 950110 meeting re final rule on timeliness in decommissioning of nuclear facilities
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 95/02/02 GILCHRIST, J.E. American Mining Congress 7pp 82779 265-82779 271
- 9502170116 Informs that OCRM DA audit YMA-ARP-95-03 of SNL support of Yucca Mountain site characterization project is considered complete & closed
HORTON, D.G. Energy, Dept. of HLWR 95/02/08 SHEPARD, J.E. Sandia National Laboratories 2pp 82806 042-82806 059
- 9502170117 YMA-ARP-95-09 "Audit Rept of SNL Las Vegas NV & Albuquerque, NM for 941114-30"
WEEKS, R.L. HORTON, D.G. Energy, Dept. of 95/02/07 18pp 82806 044-82806 058
- 9502170140 Requests info re status of NRC verification review of DOE Mgt & Operating (M&O) Contractor implementation of M&O DA program on design activities for Exploratory Studies Facilities
LOUX, R.R. Nevada, State of HLWR 95/02/10 KNAFF, M. Division of Waste Management (NMSS 940403) 2pp 82806 050-82806 061
- 9502170142 Forwards CHWRA 95-004, "Progress Toward Fractal Representation of Rock Joint Roughness"
CHOWDHURY, A.H. Center for Nuclear Waste Regulatory Analyses NRC-02-93-006 HLWR 95/01/31 JAGANNATH, B.N. Division of Waste Management (NMSS 940403) 1p 82806 062-82806 086
- 9502170149 CHWRA 95-004 "Progress Toward Fractal Representation of Rock Joint Roughness"
HSUNG, S.M., GHOSH, A., CHOWDHURY, A.H. Center for Nuclear Waste Regulatory Analyses NRC-02-93-006 HLWR 95/01/31 NRC - No Detailed Affiliation Given 33pp 82806 063-82806 096
- 9502170281 Trip rept of 950130-0203 visit to NRC on-site representatives etc in Las Vegas, NV to observe US DOE training activities at exploratory studies facility
INDURFAS, E. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/13 NATARAJAM, Engineering & Geosciences Branch (NMSS 940403) 4pp 82818 012-82818 015
- 9502210321 Informs that staff has evaluated amended response to CAR YMA-94-055 & has been determined to be satisfactory
SPENCER, E. Energy, Dept. of HLWR 95/02/10 FOUST, L.D. TRW Environmental Safety Systems, Inc. 83pp 82808 254-82808 335
- 9502210331 Informs that staff has verified corrective action to CAR YMA-94-053 & determined results to be satisfactory
SPENCER, E. Energy, Dept. of HLWR 95/02/15 FOUST, L.D. TRW Environmental Safety Systems, Inc. 13pp 82818 043-82818 065
- 9502220086 Forwards listed documents including Parks GLDA Environ Rept Roadmap, Rev F, dated 850120 & NRC notice of intent to prepare ES, dated 941229 w/o end
ASTWOOD, H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403) 95/02/07 ENGBRINGER, T. Oak Ridge National Laboratory 1p 82801 307-82801 307
- 9502220387 Concludes that SCA Comment 43 resolved based on review & evaluation of DOE 920723 responses to SCA Comments 42 & 49 & 930909 submittal of topical rept on extreme erosion NRC evaluation of SCA Comment 42 deferred
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/17 MILNER, R.A. Energy, Dept. of 5pp 82842 001-82842 006
- 9502230382 Forwards audit plan & schedule for DOE-HLW QA audit of DOE/ Savannah River Operations Ctr Defense Waste Processing Facility on 941128-1292
CONWAY, J.T. Energy, Dept. of HLWR 94/11/03 PEARSON, W. Energy, Dept. of 5pp 82868 001-82868 005
- 9502230400 Forwards CHWRA 95-001, "Uniform Approach to Surface Complexation Modeling of Radionuclide Sorption"
SAGAR, B. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 95/01/13 RANDALL, J. Office of Nuclear Regulatory Research (Post 941217) 1p 82813 077-82813 184
- 9502230401 CHWRA 95-001 "Uniform Approach to Surface Complexation Modeling of Radionuclide Sorption"
TURNER, D.R. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 95/01/31 Division of Regulatory Applications (Post 941217) 116pp 82813 078-82813 184
- 9502240041 Submits comments on draft ETP on site characterization for decommissioning of sites where nuclear waste used or generated. Concludes individual licensees should be provided w/addl info on how much of ETP should apply to their sites
COLLINS, S.C. Illinois, State of SP-94-178 95/02/16 EDS, NRC - No Detailed Affiliation Given 2pp 82814 021-82814 022
- 9502240115 Trip rept of 951007 visit to Washington, DC re technical meeting on DOE topical rept on extreme erosion & seismic hazard assessment methodology
MIRLAS, M.P., MCKAGUE, H.L., SAGAR, B. Center for Nuclear Waste Regulatory Analyses HLWR 95/02/01 Center for Nuclear Waste Regulatory Analyses 10pp 82818 041-82818 010
- 9502240122 Forwards FY95 OCRM QA audit schedule, Rev 2 for internal & external audits planned
HORTON, D.G. Energy, Dept. of HLWR 95/02/14 SPRAU, J.G. NRC - No Detailed Affiliation Given 5pp 82895 137-82895 142
- 9502240128 Forwards issuance of Surveillance Record YMP-SP-95-015 resulting from Yucca Mountain QA Div Surveillance of Civilian Radioactive Waste Mgt Sys Mgt & Operating Contractor
SPENCER, E. Energy, Dept. of HLWR 95/02/14 FOUST, L.D. TRW Environmental Safety Systems, Inc. SPRAU, J.G. NRC - No Detailed Affiliation Given 7pp 82896 143-82896 149
- 9502240134 Forwards issuance of Surveillance Record YMP-SP-95-002 resulting from Yucca Mountain QA Div Surveillance of Yucca Mountain Site Characterization Ctr
SPENCER, E. Energy, Dept. of HLWR 95/02/14 SPRAU, J.G. NRC - No Detailed Affiliation Given 5pp 82896 150-82896 155
- 9502240146 Comment re draft branch technical position on site characterization for decommissioning. Believes that NRC "broad brush approach" to address site characterization expects expectation re commercial reactor decommissioning
GRAHAM, J.M. Connecticut Yankee Atomic Power Co. 59FR64716 95/02/14 CHILKS, J. Office of the Secretary of the Commission 3pp 82815 316-82815 318
- 9502240186 Forwards Rev 1 to Yucca Mountain Study Plan 8.3.1.7.4.5, "Detachment Faults at Proximal to Yucca Mountain"
BROCKMUS, J. Energy, Dept. of HLWR 95/02/07 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403) 2pp 82913 195-82913 260
- 9502240199 Rev 1 to Yucca Mountain Study Plan 8.3.1.7.4.5, "Detachment Faults at Proximal to Yucca Mountain" Replaces original Rev 1 due to reproduction error
Energy, Dept. of HLWR 94/04/12 62pp 82813 197-82813 260
- 9502240204 Informs that staff verified corrective action to Corrective Action Request YMA-94-052 & determined results to be satisfactory
SPENCER, E. Energy, Dept. of HLWR 95/02/15 FOUST, L.D. TRW Environmental Safety Systems, Inc. 15pp 82896 222-82896 236
- 9502240205 Forwards "DOE OCRM Ofr of QA Audit Rept of LANL Los Alamos NM Audit YMA-ARP-95-06, 950109-13"
HORTON, D.G. Energy, Dept. of HLWR 95/02/15 CANEPA, J.A. Los Alamos National Laboratory 2pp 82918 011-82918 031
- 9502240207 YMA-ARP-95-08 "DOE OCRM Ofr of QA Audit Rept of LANL Los Alamos NM Audit YMA-ARP-95-06, 950109-13"
HOGGINS, T.J., HORTON, D.G. Energy, Dept. of HLWR 95/02/14 18pp 82918 014-82918 031
- 9502240249 Forwards CHWRA 94-028, "Environ Effects on Stress Corrosion Cracking of Type 316L Stainless Steel & Alloy 825 as High-Level Nuclear Waste Container Metals"
NARUP, K. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 94/11/02 RANDALL, J. NRC - No Detailed Affiliation Given 1p 83036 135-83036 200
- 9502240254 CHWRA 94-028 "Environ Effects on Stress Corrosion Cracking of Type 316L Stainless Steel & Alloy 825 as High-Level Nuclear Waste Container Metals"
CRAGNO, LINDA A., DUNN, D.S., SPRAGAR, J. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 94/10/31 Division of Regulatory Applications (870413-941217) 64pp 83006 136-83006 200
- 9502240255 Forwards Chapter 7, "Distinct Element Models for Coupled T44-M Processes, Theory & Implementation" of book entitled "DECOVALEX - Mathematical & Experimental Studies of Coupled Thermo-Hydro-Mechanical Processes in Fractured Media"
CHOWDHURY, A.H. Center for Nuclear Waste Regulatory Analyses NRC-02-93-005 HLWR 95/01/19 PHILIP, J. NRC - No Detailed Affiliation Given 56pp 82918 032-82918 037
- 9502240256 Informs that based on info DOE submitted & review of annotated outline for DOE TR, "Seismic Design Methodology for Geologic Repository at Yucca Mountain," NRC considers sub matter qualified as TR in response to 950128 ltr
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/14 MILNER, R.A. Energy, Dept. of 2pp 82886 237-82886 238
- 9502270015 Comment opposing ETP on site for characterization for decommissioning
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 59FR64498 95/02/13 HOYLE, J.C. Office of the Secretary of the Commission 4pp 82831 057-82831 060
- 9502270022 Comment supporting draft generic dose assessment for disposal of incinerator ash in landfill
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) 59FR64498 95/02/13 HOYLE, J.C. Office of the Secretary of the Commission 3pp 82831 065-82831 068

242 NONDOCKETED ITEMS

9502270024 Comments on generic dose assessment for disposal of incinerator ash in landfill
GROSS, P.J. Energy, Dept. of 59FR64438 95/02/10 Docketing & Services Branch
App 82531 091-82531 094

9502270026 Comments on generic dose assessment for disposal of incinerator ash in landfill
HATT, S.I. Attention Not Assigned 59FR64438 00001 95/02/07 NRC - No Detailed
Attention Given App 82531 103-82531 104

9502270081 Comments on generic dose assessment for disposal of incinerator ash in landfill Supports stated intended use of "assessment as technical basis for developing guidance that would be applied in authorizing disposal of ash"
COLLINS, S.C. Minors, State of 59FR64438 95/02/16 Office of the Secretary of the
Commission App 82531 173-82531 174

9502270211 Transmits Revs 1 & 2 of OCRWM QA requirements & description to
NRC W/o encl
HORTON, D.B. Energy, Dept. of HLWR 95/02/21 Energy, Dept. of App 82518 058-
82518 059

9502270272 Discusses DOE plans to submit listed topical reply w/regard to develop-
ment of multi-purpose canister (MPC)-based sys. Annotated outline of scope & con-
tent of MPC report for Part 50 considerations encl
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/15
WILLIAMS, J. Energy, Dept. of App 82518 090-82518 111

9502270286 Responds to 940829 re issue of NRC review of proposed DOE multi-
purpose canister w/respect to 10CFR90 considerations
BERNER, R.M. Office of Nuclear Material Safety & Safeguards HLWR 95/02/15
ROUSSON, S. Energy, Dept. of App 82518 112-82518 116

9502270307 Offers no objections to activities described in Rev 1 of Study Plan
8.3.1.7.4.1, "Historical & Current Seismicity" Requests copy of USGS-CMP-3.15 &
responses to listed questions
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/17
MILNER, R.A. Energy, Dept. of App 82518 119-82518 120

9502270315 Requests that NRC Document Control Desk (DCD) be added to distribution
of "Lesson Learned/Program Classification" & any similar documents & that copy of
documents issued to date be forwarded to DCD
HOLLOMAN, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS
940403) HLWR 95/02/18 MILNER, R.A. Energy, Dept. of App 82518 121-
82518 123

9502270342 Twp rept of 950121-27 visit to Winnipeg, Pniewa & Toronto Canada re
pre review of Canadian concept for disposal of spent nuclear fuel
FEDERLINE, M.V. Medical, Academic & Commercial Use Safety Branch, HLWR 95/
02/21 KNAPP, M.R. Division of Waste Management (NMSS 940403) App 82518 124-
82518 129

9502280390 Informs that specifics which NRC interested in related to export evaluation
contained within procedures being used to conduct export evaluation in
volcanism requested during 950209 App 7 meeting
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403) HLWR 95/02/14
BROCCIOUS, J. Energy, Dept. of App 82568 102-82568 103

EXPORT/IMPORT AND IMPORT LICENSES

9502010254 Forwards corrected copy as replacement for license XSNM-2845 to licens-
ee
Assistant Director for Export/Import & International Safeguards 95/01/30 United
States Enrichment Corp (USEC) App 82577 256-82577 258

9502010286 Corrected replacement copy of license XSNM-2845 for US Enrichment
Corp export 60 g U-235 contained in 306 g U enriched to 19.8 w/o max as UF₆
HAUBER, R.D. Office of International Programs (Post 911117) 95/01/24 App
82577 287-82577 288

9502020285 Application for license to export natural & enriched UF₆ to Japan
COLFORD, C. Mitsui & Co (USA), Inc MBK-T2-R15 95/01/23 App 82585 038-
82585 038

9502020291 Application for license to export natural & enriched UO₂ to Japan
COLFORD, C. Mitsui & Co (USA), Inc MBK-F1-R17 95/01/25 App 82585 010-
82585 010

9502020301 Application for license to export UF₆ to Euratom
MCLAUGHLIN, J. Transnuclear, Inc TNP-525 95/01/12 App 82585 011-82585 013

9502020334 Informs that US Embassy has exchanged w/Govt of Japan addl diplomatic
notes for cases 295 & 296
MONCALE, U.S. Embassy 95/01/31 WEANT, D. DELABARRE, R. State, Dept. of
App 82585 014-82585 014

9502020334 Application for license to export UO₂ to listed countries
FSK, R.H. Edlow International Co XU0621-3 95/01/23 App 82585 030-82585 035

9502020347 Forwards application for license to export UO₂ to listed countries
FSK, R.H. Edlow International Co 95/01/23 WRIGHT, B. Office of International Pro-
grams (Post 911117) App 82585 032-82585 032

9502020360 Amend 2 to license XSDU-8737 to export UO₂ to listed countries
HAUBER, R.D. Office of International Programs (Post 911117) 91/12/19 App
82585 033-82585 033

9502020372 Amend 1 to license XSDU-8737 to export 1,500,000 kg UO₂ to listed
countries
PETERSON, M.R. Office of International Programs (Post 911117) 89/07/17 App
82585 034-82585 034

9502020383 License for Edlow Intl to export 1,500,000 kg UO₂ to listed countries
MOORE, R.N. Office of International Programs (Post 911117) 86/08/12 App
82585 035-82585 035

9502020389 Application for license to export UF₆ to France, for fabrication & return to
US for use in US utility power stations
FSK, R.H. Edlow International Co BW-E-1 95/01/23 App 82585 036-82585 037

9502020399 Forwards application to export UF₆ to France, for fabrication & subse-
quent return to US
FSK, R.H. Edlow International Co 95/01/23 WRIGHT, B. Office of International Pro-
grams (Post 911117) App 82585 037-82585 037

9502036210 Application for license to export UF₆ for conversion & fabrication purposes
to Korea
FSK, R.H. Edlow International Co SAMDO-E-20 95/01/23 App 82614 265-
82614 269

9502036224 Forwards application for license XSNM-2850 to export UF₆ to Republic of
Korea for use as reload fuel in units 2 & 3 power stations
FSK, R.H. Edlow International Co 95/01/23 WRIGHT, B. Office of International Pro-
grams (Post 911117) App 82614 269-82614 269

9502036229 Provides breakdown of mail quantities destined for KEPCO Yonggwang
unit 3 & Ko-Pa unit 2, per 950131 request
MANNING, Edlow International Co 95/01/31 WRIGHT, B. Office of International Pro-
grams (Post 911117) App 82614 269-82614 269

9502070180 Forwards application for export license XSNM-2852 for low enriched U for
use in high power reactor at EURATOM Lt of assurance requested w/o encl
HAUBER, R.D. Office of International Programs (Post 911117) 95/02/03
DELABARRE, R. State, Dept. of App 82644 221-82644 220

9502070182 Forwards three applications for export licenses for UF₆ to South Korea, for
UF₆ to France & UO₂ to Canadian conversion & fabrication Lt of assurance
requested w/o encl
HAUBER, R.D. Office of International Programs (Post 911117) 95/02/03 DEBIK, T.
Energy, Dept. of App 82658 283-82658 286

9502070187 License for Edlow International Co as agent for Kyushu Electric Power
Co, Inc to export 3710 kg U-235 contained in 8,824 kg U enriched to 4.15 w/o max-
imum as UF₆ to Japan
HAUBER, R.D. Office of International Programs (Post 911117) KJK-94 95/02/03
App 82658 287-82658 288

9502070189 License for Manabon American Corp to export 21,646 kg U, containing
871 kg U-235, to Japan
HAUBER, R.D. Office of International Programs (Post 911117) JJ5787 95/02/03
App 82658 289-82658 290

9502070206 Forwards application for import license XSNM-2855 & XSNM-2856 for
low-enriched U for use as reload fuel in Japan Lt of assurance requested w/o encl
HAUBER, R.D. Office of International Programs (Post 911117) 95/02/03
DELABARRE, R. Energy, Dept. of App 82644 221-82644 221

9502080158 Forwards application for export license XSNM-2855 to export natural & low
enriched UF₆ for fuel fabrication & ultimate use as reload fuel to plant 1 & unit 1
power station in Japan Note reat of Canadian origin w/o encl
HAUBER, R.D. Office of International Programs (Post 911117) 95/02/03
DELABARRE, R. State, Dept. of App 82658 289-82658 289

9502080018 Recommends export license be issued in response to request of views of
Executive Branch, dtd 940907
STRATFORD, R.J. State, Dept. of 95/01/31 STOEGER, C.R. Office of International
Programs (Post 911117) App 82714 347-82714 350

9502080024 Forwards application from Imaging & Sensing Technology to export 1,000
micro detector components per yr for ten yr period for installation in YVER nuclear
power plants
STRATFORD, R.J. State, Dept. of 95/01/31 STOEGER, C.R. Office of International
Programs (Post 911117) App 82737 351-82737 354

9502140155 Requests GOU ltr of assurance for NRC authorization for Westinghouse
& Imaging & Sensing Technology Corp to export nuclear reactor components to
Ukraine
SMAROV, V. U.S. Embassy 95/01/31 STOEGER, C.R. Office of International Pro-
grams (Post 911117) DUFFY, G. State, Dept. of BERLS, R. Energy, Dept. of App
82737 352-82737 354

9502180066 Appeals denial of FOIA request for documents re small number of NRC
Form 741s
HOUCHEK, France 94/05/04 Ofc of the Executive Director for Operations App
82717 140-82717 141

9502180177 Application for license to export enriched UO₂ to Japan
COLFORD, C. Mitsui & Co (USA), Inc MBK-TK2-R15 (A) 95/02/01 App 82745 038-
82745 038

9502180181 Application for license to export 8.12 kg U, containing in 15.8 kg U-235, to
Colombia
HEART, T.A. Energy, Dept. of 95/01/31 App 82745 038-82745 039

9502180189 Application for license to export UF₆ to Germany
NOSS, D.L. Siemens Corp 95/02/03 App 82767 119-82767 120

9502180192 Requests issuance of export license to authorize shipment of UF₆ to Ger-
many
NOSS, D.L. Siemens Corp 95/02/01 HAUBER, R.D. Office of International Programs
(Post 911117) App 82767 120-82767 120

9502180199 Application for license to export enriched UF₆ to Japan
Mitsubishi International Corp HSA-5485-05 95/02/07 App 82746 042-82746 044

9502180206 Forwards application for license to export slightly enriched UF₆ to Japan
Mitsubishi International Corp 95/02/07 WRIGHT, B. Office of International
Programs (Post 911117) App 82746 043-82746 044

9502180214 Forwards application for export license XSNM-2857 for low-enriched U for
reloading fuel for Tokai Unit 2 to Japan w/o encl
HAUBER, R.D. Office of International Programs (Post 911117) 95/02/08
DELABARRE, R. State, Dept. of App 82746 045-82746 045

9502140286 License for Westinghouse Electric Corp to export specially designed & prepared equipment & components for nuclear reactors to Ukraine
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/10 1p
82748 046-82746 046

9502140306 Confirms telecon re return of approximately 300 zircaloy welded shroud tube assemblies that were previously exported from plant to Germany Parts need to be returned for rework
HOCKMAN,R.W. Carpenter Technology Corp 94/01/30 WRIGHT,B. Office of International Programs (Post 911117) 1p 83095 188-83095 207

9502140320 Extends appreciation for telephone call notifying that ability to export NRC controlled Zr tubes on licensee validated licenses & on NRC general license will not be affected Notices that customer needs samples of tubes
AERIN,B.L. Teledyne Wah Chang Albany (formerly Wah Chang Corp) 95/02/07 WRIGHT,B. Office of International Programs (Post 911117) 1p 82748 026-82748 025

9502140322 Extends appreciation for telephone call notifying that ability to export NRC controlled Zr tubes on licensee validated licenses & NRC general license will not be affected Notices that customer needs samples of tubes
AERIN,B.L. Teledyne Wah Chang Albany (formerly Wah Chang Corp) 95/02/07 WRIGHT,B. Office of International Programs (Post 911117) 1p 82748 026-82748 026

9502140333 Extends appreciation for telephone call notifying that ability to export NRC controlled Zr tubes on licensee validated licenses & NRC general license will not be affected Notices that customer needs samples of tubes
AERIN,B.L. Teledyne Wah Chang Albany (formerly Wah Chang Corp) 95/02/07 WRIGHT,B. Office of International Programs (Post 911117) 1p 82748 027-82748 027

9502150108 Second partial response to FOIA request re documents Records in App B end & will be available in PDR App C records completely withheld (not FOIA exemption 5)
POWELL,R.A. Division of Freedom of Information & Publications Services (880205-840714) 94/05/21 SCHWARZBAUGH,D. Natural Resources Defense Council 7pp
82781 001-82781 296

9502170070 Notation vote approving SECY-91-203, 'Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCOM-1048)'
CURTIS,J.R. Commissioners (Post 750119) 91/07/25 CHILK,S.J. Office of the Secretary of the Commission 1p 82781 158-82781 158

9502170085 Notation vote approving SECY-91-203, 'Proposed License to Export Plant Monitoring & Control Sys for Plant in Czechoslovakia (Westinghouse XCOM-1048)'
REHOCK,I.J. Commissioners (Post 750119) 91/07/22 CHILK,S.J. Office of the Secretary of the Commission 1p 82781 158-82781 158

9502170087 Forwards application for license to export 3 12 kgs U-235 in 15 g kgs U as target fuel elements for replacement core at JAEA research reactor in Tokyo Requests Executive Branch position as to whether request meets applicable criteria
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/14 DELABARRE,R. State, Dept of 1p 82775 326-82775 325

9502170088 Forwards application for license to export to Japan low enriched U as UF6 for conversion fabrication & fuel in Chn unit 4 Requests assistance in obtaining assurances from Govt of Japan
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/14 DELABARRE,R. State, Dept of 1p 82775 326-82775 326

9502170119 Forwards application for license to export low-enriched U as UF6 for conversion/fabrication & fuel in Unit 1 & 2 of the unit 1 power reactor in Germany Requests assistance in obtaining assurances from Govt of Germany
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/14 DEDEK,T. State, Dept of 1p 82775 327-82775 327

9502170134 Confirms that items listed in attachment to note 909 will be held subject to Agreement upon entry into territorial jurisdiction of Japan
BOSON,S.A. U.S. Embassy 95/01/27 Japan 11pp 82775 328-82775 329

9502170163 Agreement between International Atomic Energy Agency & Govt of Columbia & USA concerning transfer of enriched U for research reactor
International Atomic Energy Agency 94/12/31 14pp 82775 340-82775 340

9502170168 Forwards for info, requests which list all NRC export cases which were completed,decided or pending during month of Jan 1995
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/14 DELABARRE,R. State, Dept of 6pp 82775 310-82775 315

9502170205 Application to amend license including destinations of Peoples Republic of China,Brazil,Argentina,India,Singapore & Thailand & changing description of malle
BARNUM,J.C. MolyCorp, Inc 94/01/30 WRIGHT,B.L. Office of International Programs (Post 911117) 2pp 82790 101-82790 103

9502230327 Informs that licensee would like to add entry to export for portion of malle not in pending application for license XCOM-2854 per 950206 telcon
MANN,M. Edlow International Co 95/02/09 WRIGHT,B. Office of International Programs (Post 911117) 1p 82825 360-82825 360

9502230348 License for MolyCorp,Inc to export 200,000 kgs natural thorium/uranium contained as contaminants in rare earth compounds
HAUBER,R.D. Office of International Programs (Post 911117) 91/08/20 2pp 82825 307-82825 308

9502230123 Application for license to export U as UF6 to Namibia
FISK,R.H. Edlow International Co KUK-96 95/02/07 2pp 82836 074-82836 075

9502240293 Requests extension to export license XCOM-1047 from 951231 to 991231
MOORE,P.L. Westinghouse Electric Corp PLJ80639M 95/02/13 WRIGHT,B. Office of International Programs (Post 911117) 1p 82836 087-82836 087

9502240337 Forwards check for listed amount to cover cost of modifying export license XCOM-1027 Requests that quantity of shroud tube assemblies be increased from 1,000 to 1,300
HOCKMAN,R.W. Carpenter Technology Corp 94/01/12 WRIGHT,B. Office of International Programs (Post 911117) 1p 82836 088-82836 088

9502270011 Provides advance notification of import shipment re three cylinders of UF6 in sealed overpacks
HEHR,W. Braunkohl Transport USA Inc 1294-379 94/12/16 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 051-82831 052

9502270023 Provides advance notice of import shipment re one 20 ft cossin container containing 70 drums of radioactive malle w/low specific activity USA 11,055555 exempted,contaminated clothing,total gross weight of 8,600 kg
HEHR,W. Braunkohl Transport USA, Inc 94/11/18 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 068-82831 069

9502270031 Submits advance notification of export shipment of special nuclear malle of low strategic significance,per requirement of 10CFR73.73
HOLDEN,D.W. General Electric Co 94/12/18 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 121-82831 122

9502270033 Submits advance notice of export shipment of special nuclear malle of low strategic significance,per requirement of 10CFR73.73
HOLDEN,D.W. General Electric Co 94/11/30 BENNINGTON,G. NRC - No Detailed Attention Given 2pp 82831 124-82831 125

9502270041 Submits advance notice of export shipment of special nuclear malle of low strategic significance,per requirement of 10CFR73.73
HOLDEN,D.W. General Electric Co 94/11/28 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 135-82831 136

9502270044 Provides advance notification of shipment of 28,200 lb U Hexafluoride net weight 15,252 lb to Japan
CUMMILLER,J.N. Edlow International Co KUK-90 94/11/14 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 1p 82831 140-82831 140

9502270046 Submits advance notification of export shipment of special nuclear malle of low strategic significance,per requirements of 10CFR73.73
HOLDEN,D.W. General Electric Co 94/11/29 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 144-82831 145

9502270049 Submits advance notice of shipment of special nuclear malle of low strategic significance,per 10CFR73.73 requirement
HOLDEN,D.W. General Electric Co 95/01/05 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 147-82831 149

9502270050 Provides advance notification of shipment of 79,000 lb of Uranium hexafluoride net weight of 43,633 lb to Japan
CUMMILLER,J.N. Edlow International Co KUK-89 94/11/14 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 1p 82831 150-82831 150

9502270052 Informs of shipment of 54 empty UO2 drums from Germany to Siemens Nuclear Power Corp in Richland,WA Entry to US scheduled for 950105
HEHR,W. Braunkohl Transport USA Inc 1294-576 94/12/01 BENNINGTON,G. Office of Nuclear Material Safety & Safeguards 2pp 82831 151-82831 152

9502270073 Informs of upcoming shipment of 7,814 kg of UO2 in 427 MT 1X containers from Richland,WA to Japan Shipment scheduled to arrive in Japan on 950202
EDGAR,J.B. Siemens Corp 94/12/14 BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 970728) 2pp 82831 177-82831 178

9502270232 Requests Executive Branch position re 950130 application from MolyCorp,Inc request for amend to export license to include destinations of People's Republic of China,Brazil, Argentina,India & Thailand
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/22 DELABARRE,R. State, Dept of 1p 82852 302-82852 302

9502270248 Amend 1 to license XCOM-1047 for Westinghouse to export 11,500 mechanical plugs to Croatia & Ukraine Amend increases shipment by 6,500
HAUBER,R.D. Office of International Programs (Post 911117) PLJ40394M 95/02/22 1p 82852 215-82852 215

9502270308 Forwards request from applicant for amend to export license for consideration W/o amend
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/22 DEDEK,T. Energy, Dept of 1p 82852 336-82852 339

9502270329 Amend 1 to license for Thompson Saginaw Ball Screw Co,Inc to export 40 spare parts for loading & unloading fuel elements
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/22 1p 82852 216-82852 216

9502270422 Requests current status of export license application to export active fuel rod soaker equipment to Russia
KUSUMOTO,K. National Nuclear Corp 95/02/10 WRIGHT,B.L. Office of International Programs (Post 911117) 1p 82852 285-82852 285

9502270427 License for Marubeni America Corp to export 533 kg U-235 contained in 13,736 kg U to Japan
HAUBER,R.D. Office of International Programs (Post 911117) JJ5792 95/02/24 2pp 82852 284-82852 284

9502270443 Requests for assurances for cooperation OR for case 300-301
Japan 95/02/28 State, Dept of 1p 82852 354-82852 364

9502280066 Submits advance notification of import shipment of 54 empty UO2 drums & lashing malle from Bremerhaven,Germany to Port Elizabeth,NJ on 950126
HEHR,W. Braunkohl Transport USA, Inc 94/12/19 BENNINGTON,G. NRC - No Detailed Attention Given 2pp 82846 150-82846 151

9502280138 Transmits application for export license for export to Japan of low-enriched U for use as reload fuel in NPGS Informs assurances from gov't of Japan required W/o amend
HAUBER,R.D. Office of International Programs (Post 911117) 95/02/24 DELABARRE,R. State, Dept of 1p 82858 255-82858 255

9502280144 License for Mitsubishi Intl Corp to export 96,969 kg natural U as UF6 to Japan
HAUBER,R.D. Office of International Programs (Post 911117) HSA-7450-00 95/02/24 2pp 82856 256-82856 257

244 NONDOCKETED ITEMS

9502280258 Forwards copy of 840502 for recently received from applicant re export license application for License XCOM-1089.Ur of assurance requested. HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 85/02/24. DE LA BARRER, Stene, Dept. of. 1p. 82857:286-82857:288.

9502280357 Submits advance notification of export shipment of 40ft sea container w/28 drums of UO2 in pellet/solid form to Germany on 950312. HEHR, W. Braunkohle Transport USA, Inc. 95/01/23. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 82853:136-82853:139.

9502280396 Submits notice of cancellation of export shipment of 40ft of U dioxide to Germany. HEHR, W. Braunkohle Transport USA, Inc. 95/02/13. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 82853:218-82853:218.

9502280410 Submits advance notification of shipment of 3.720 U hexafluoride, 800g to Wilmington, NC. * Edlow International Co. GEIB-E-1. 95/01/05. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 82853:341-82853:341.

9502280415 Submits notification of shipment of U hexafluoride, 35.818 kg to Richmond, VA. * Edlow International Co. URENCO-E-16. 95/01/05. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 82853:348-82853:348.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT R B	9502070127*	50-220 F	ANDERSON R A	9502130206	50-324 P	BACHMANN R G	9502180112	70-364
ABBOTT R B	9502150201	50-220 S	ANDERSON R O	9502080211	50-262 P	BADALLI	9502220241	71-26
ABBOTT R B	9502230023	50-220 R	ANDERSON R O	9502080325	50-262 P	BAGGETT S L	9502220267	REG CERT
ABBOTT R B	9502280409	50-220 F	ANDERSON R O	9502070170	50-263 P	BAGGETT S L	9502220292	REG CERT
ABBOTT R	9502020123	50-266 H	ANDERSON R O	9502070237	50-263 R	BAGGETT S L	9502020181	ORG
ABELQUIST E W	9502080064	40-501	ANDERSON R O	9502130120	50-262 R	BAHADUR S	9502150285*	PR
ABELQUIST E W	9502280465*	40-501	ANDERSON R O	9502140526	50-262 F	BAHADUR S	9502150303*	PR
ACHARYA S	9502280218	71-3167	ANDERSON R O	9502140428	50-262 F	BAKER J	9502220180	PRM
ADAMS A	9502140371	50-20 P	ANDERSON R O	9502150334	50-262 F	BAILEY M G	9502210120	71-4598
ADAMS A	9502140385	50-237 P	ANDERSON R O	9502220092	50-263 R	BAILEY P E	9502090107	CONTRACT
ADAMS A	9502160353	50-166 F	ANDERSON R O	9502240045	50-282 P	BAILEY R	9502150550*	50-315 Q
ADAMS A	9502230333	TOPREP	ANDERSON R O	9502280090	50-282 S	BAKER B W	9502010031	PRM
ADAMS A	9502270442	50-146 P	ANDREY R J	9502070188	50-327 Q	BAKER J	9502220164	PRM
ADAMS A	9502280237	50-146 P	ANDREWS T	9502100012*	50-323 Q	BAKER K R	9502030157	40-6902
ADAMS J T	9502070111	50-116 V	ANG W P	9502160048*	50-361 Q	BAKER K R	9502030176*	40-6902
ADAMS M T	9502010112	70-1267	ANG W P	9502240042*	50-382 Q	BAKER T	9502130005*	TOPREP
ADAMS M T	9502010223	70-1267	ANGUS M J	9502240212	50-133 F	BALCOM R L	9502140176*	COMMISSION
ADENSALE G	9502150241*	50-387 P	ANTONIANO L V	9502080233	PRM	BALDALLI	9502220181	71-26
ADENSALE G	9502130092*	50-313 P	ARCHBOLD K	9502140069	71-782	BALESTRACCI G	9502140131	71-220
ADNEY R J	9502020120	50-327 Q	ARCHBOLD K	9502240031	71-782	BALL R S	9502210013*	50-387 R
ADNEY R J	9502020171	50-327 S	ARMSTRONG L J	9502130100	FOIA	BALLARD S R	9502090076	71-627
ADNEY R J	9502070147	50-327 Q	ARP S J	9502010941	WASTE MGT	BAMFORD W H	9502080214*	50-262 P
ADNEY R J	9502070153	50-328 S	ARP S J	9502010943	WASTE MGT	BANFIELD E L	9502220083	71-588
ADNEY R J	9502080190	50-328 S	ARREDONDO S	9502010157	40-8940	BANGART R L	9409060023*	PR
AERIN B L	9502140320	XPORTLIC	ASAMUSSEN K E	9502230035	70-734	BANGART R L	9502010023	STATE PRO G
AERIN B L	9502140322	XPORTLIC	ASAMUSSEN K E	9502070139	70-734	BANGART R L	9502010052	STATE PRO G
AERIN B L	9502140323	XPORTLIC	ASAMUSSEN K E	9502130257	70-734	BANGART R L	9502010062*	STATE PRO G
AERIN B L	9502220320*	52-4	ASAMUSSEN K E	9502140148	50-163 P	BANGART R L	9502010066	STATE PRO G
AERIN B L	9502230198*	50-302 Q	ASAMUSSEN K E	9502170130	50-89	BANGART R L	9502010068	STATE PRO G
AERIN B L	9502210263	50-254 P	ASAMUSSEN K E	9502230246	50-89 P	BANGART R L	9502010085*	STATE PRO G
AITKEN P C	9502170046	50-254 R	ASSA R R	9502230020*	50-456 P	BANGART R L	9502010118	STATE PRO G
ALBERS L	9502080096*	50-330 A	ASSA R R	9502080098	50-456 Q	BANGART R L	9502030142*	40-1478
ALBERT R J	9502280315*	50-213 Q	ASSA R R	9502130021	50-454 Q	BANGART R L	9502030187	STATE PRO G
ALEXION T W	9502020048	50-486 P	ASTWOOD H	9502080085	70-384	BANGART R L	9502090011	STATE PRO G
ALEXION T W	9502140207	50-486 P	ASTWOOD H	9502170122	70-384	BANGART R L	9502100018	STATE PRO G
ALEXION T W	9502080308	50-486 Q	ASTWOOD H	9502220065	70-384	BANGART R L	9502100022	STATE PRO G
ALEXION T W	9502140163	50-486 P	ATCHISON P E	9502080387*	PRQ	BANGART R L	9502100032	STATE PRO G
ALEXION T W	9502140283	50-486 P	AURELIO M J	9502210148	FOIA	BANGART R L	9502100036	STATE PRO G
ALEXION T W	9502140289	50-486 P	AUSTIN J	9502030063	40-7580	BANGART R L	9502220002	STATE PRO G
ALEXION T W	9502140293	50-486 P	AUSTIN J	9502140412*	WASTE MGT	BANNEN C	9502150153	50-272 F
ALEXION T W	9502210200	50-486 P	AUSTIN J	9502280235	40-8905	BARONI T J	9502150295	ORG
ALEXION T W	9502210207*	50-486 P	AUSTIN J H	9503310251*	70-3073	BARGER J W	9502100047	50-182 Q
ALEXION T W	9502230028	50-486 P	AUSTIN J H	9503310253*	70-3073	BARGER J W	9502100044*	50-182 Q
ALEXION T W	9502230038*	50-486 P	AUSTIN J H	9407280247*	PR	BARKER J L	9502230060*	50-445 P
ALEXION T W	9502270380	50-486 P	AUSTIN J H	9408280374*	PR	BARKER J L	9502230181	PRM
ALEXION T W	9502270387*	50-486 P	AUSTIN J H	9502140382	WASTE MGT	BARKHURST R P	9502010310	50-382 P
ALFORD A	9502020069	50-288 S	AUSTIN J H	9502150320*	WASTE MGT	BARKHURST R P	9502220425	50-382 F
ALFORD A	9502140370	50-288 S	ALSTINE W	9502010030*	50-280 S	BARNUM C	9502210286	XPORTLIC
ALLEN B	9502160189	PRM	AXELRAD M	9502150092	70-364	BAR K P	9502030144*	50-348 Q
ALLEN K	9502080136	NUREG	AXELRAD M	9502160092	70-364	BAR K P	9502210035*	50-413 Q
ALLEN S	9502180175	PRM	AXELRAD M	9502240182	40-3027	BARRET B	9502230205	PRM
AMEND P J	9502020034	70-364	AXELSON W L	9502080146	50-315 Q	BARRETT R J	9404040169*	50-397 P
AMEND P J	9502080267	70-364	AXELSON W L	9502100041	50-254 P	BARRY T J	9502180196	PRM
ANDERSON C J	9502220004	50-277 Q	AXELSON W L	9502150015	50-2 Q	BARTHA C A	9502240137	50-424 G
ANDERSON C J	9502220011*	50-277 Q	AYENS G	9502160181	PRM	BARTLETT R G	9502100172*	ORG
ANDERSON J W	9502080147	50-245 P	AYRES D J	9502160091	50-308 P	BARTON J J	9502080293	50-218 Q
ANDERSON J W	9502080149*	50-245 P	AYRES D J	9502160091	50-308 P	BARTON J J	9502070073	50-218 F
ANDERSON J W	9502270188	50-245 P	AYRES D J	9502160123	50-308 P	BARTON J J	9502090274*	50-218 F
ANDERSON M L	9502140170	50-305 R	AYRES D J	9502160123	50-308 P	BARTON J J	9502150091	50-218 F
ANDERSON R	9502100206*	50-331 P	BACA R J	9502030107	WASTE MGT	BARTON J J	9502150292	50-218 P
ANDERSON R A	9502100353	50-324 P	BACHMANN R G	9502180077	70-3070	BARTON J J	9502230011	50-219 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BRINKMAN, C B	9502160100	52-2	BYRAM, G	9502220229	50-387 F	CARROLL, C	9502080150	52-1
BRINKMAN, C B	9502210240	52-2	BYRAM, G	9502220230	50-387 F	CARROLL, C	9502080174	52-2
BRINKMAN, C B	9502210240	52-2	BYRAM, G	9502270258	50-387 F	CARROLL, C	9502080289	52-2
BRINKMAN, C B	9502280272	52-2	BYRAM, G	9502270273	50-387 P	CARBON, M	9502010127	PRM
BRINKMAN, C B	9502280272	52-2	BYRNE, T	9502270384	50-387 ORG	CARSWELL, P B	9502160143	40-8848
BRINKMAN, D S	9502010245	50-220 P	CAHILL, W J	9502060284	50-333 P	CARTER, C	9502160245	PRM
BRINKMAN, D S	9502030273	50-205 P	CAHILL, W J	9502060287	50-286 F	CARTER, J S	9502260362	50-413 P
BRINKMAN, D S	9502050092	50-410 P	CAHILL, W J	9502070347	50-333 F	CARTER, T E	9502230138	PRM
BRINKMAN, D S	9502060094	50-410 P	CAHILL, W J	9502150246	50-333 Q	CASE, E G	7806110339	50-329 G
BRINKMAN, D S	9502160298	50-410 P	CAHILL, W J	9502230421	50-286 P	CASE, E G	7806110343	50-328 G
BRINKMAN, D S	9502280049	50-320 P	CAHILL, W J	9502230438	50-333 P	CASSIDY, B	9503130305	TOPREP
BRINKMAN, D S	9502280101	50-410 P	CAHILL, W J	9502280255	50-286 P	CASTO, C	9502140047	50-259
BRINKMAN, R E	9502060050	FOIA	CAHILL, W J	9502280262	50-286 P	CASTO, C	9502210106	50-327 Q
BRINKMAN, R E	9502060054	FOIA	CALIN, C	9502280068	MISC	CASTO, C A	9502030124	50-261 Q
BRINKMAN, R E	9502060057	FOIA	CALIN, C	9502010073	50-344 Q	CASTO, C A	9502030172	50-259 Q
BROCCOLO, E A	9502030013	50-295 S	CALIN, C	9502030068	50-344 Q	CASTO, C A	9502030177	50-327 Q
BROCCOLO, E A	9502080342	50-304 S	CALIN, C	9502220271	50-344 Q	CASTO, C A	9502030182	50-302 Q
BROCCOLO, E A	9502170168	50-295 S	CALIN, C	9502270302	70-825 Q	CASTO, C A	9502140046	50-259 Q
BROCCOLO, E A	9502230010	50-295 R	CALIN, C	9502270313	40-8904 Q	CASTO, C A	9502210094	50-327 Q
BROCCOLO, K	9502150205	FOIA	CALDERONE, J	9502280419	50-213 S	CATALANO, G S	9502230136	PRM
BROCKMAN, K E	9502060349	50-354 F	CALDWELL, B	9502130089	FOIA	CATER, A L	9502080209	PRM
BROCKMAN, S J	9502020234	WASTE MGT	CALFA, J P	9502070384	50-283 S	CATER, K	9502080185	PRM
BROCKMAN, S J	9502040196	WASTE MGT	CALLAN, L J	9502010028	50-482 Q	CATER, L	9502060220	PRM
BROCKMAN, S J	9502060239	50-10 F	CALLAN, L J	9502010040	50-482 Q	CATRON, N	9502080237	50-327 F
BROCKMAN, S J	9502140412	WASTE MGT	CALLAN, L J	9502130219	STATE PRO-G	CATTON, J	9502090132	50-374 D
BROSTROM, R	9502170198	40-8968	CALLAN, L J	9502150019	50-313 Q	CATTON, J	9502090171	ACRS
BROTT, N K	9502150113	50-255 F	CALLAN, L J	9502150025	50-275 P	CATTON, J	9502090217	ACRS
BROTT, N K	9502150118	50-255 F	CALLAN, L J	9502150033	50-288 P	CATTON, J	9502090288	ACRS
BROTT, N K	9502150124	50-255 F	CALLAN, L J	9502220280	50-285 Q	CATTON, J	9502090282	ACRS
BROUGHTON, T G	9502030043	50-320 R	CALLAN, L J	9502270028	50-286 Q	CESAR, D	9502010173	71-354
BROUGHTON, T G	9502070130	50-289 Q	CALLAN, L J	9502280318	MSE	CHARAL, J	9502170112	71-781
BROUGHTON, T G	9502130173	50-289 Q	CALLAWAY, L A	9502280068	PRM	CHARLOT, D P	9502280162	70-138
BROUGHTON, T G	9502180408	50-289 F	CALVO, J	9502030340	50-272 P	CHARLOT, D P	9502280168	70-138
BROUGHTON, T G	9502170268	50-289 F	CAMERON, F X	9502060201	70-354 F	CHARFE, A E	9502100080	50-302 S
BROUGHTON, T G	9502230049	50-320 P	CAMPBELL, C	9502170139	FOIA	CHARFE, A E	9502160308	50-213 S
BROUGHTON, T G	9502270415	50-289 P	CAMPBELL, V	9502080136	NUREG	CHARFE, A E	9502230006	ISE
BROUGHTON, T G	9502280284	50-289 P	CAMPBELL, W	9502080138	NUREG	CHARFE, A E	9502230377	50-272 S
BROWN, J R	9502210237	50-269 F	CANADY, K S	9502060307	50-287 P	CHAMBERLAND	9502060068	50-445 S
BROWN, J R	9502100358	FOIA	CANADY, K S	9502070236	50-270 P	CHAMBERLAND	9502160078	50-482 Q
BROWN, J R	9502230167	PRM	CANADY, K S	9502070246	50-269 P	CHAN, T L	9502130238	TOPREP
BUEBICK, D L	9502140385	50-315 R	CANADY, K S	9502210255	50-413 P	CHAN, T L	9502220385	TOPREP
BUEBICK, D L	9502150082	50-316 R	CANDREY, D	9502270025	70-1252 Q	CHAN, T L	9502270110	TOPREP
BUEBICK, D L	9502150083	50-316 R	CANDREY, D	9502270047	70-1252 Q	CHAPPELL, C R	9502070040	ORG
BUCHANAN, C R	9502060063	FOIA	CANDREY, D	9502270118	70-1252 Q	CHAPPELL, C R	9502070237	71-9884
BUCHANAN, C R	9502060081	FOIA	CANAN, R	9502170033	FOIA	CHAPPELL, C R	9502070248	71-9028
BUCHER, C W	9502170171	71-789	CANAN, R	9502020202	FOIA	CHAPPELL, C R	9502080072	71-9168
BUCKLEY, J T	9502070104	WASTE MGT	CANAN, R	9502130209	ISE	CHAPPELL, C R	9502100339	71-9027
BUGGS, A	9502230195	PRM	CANAN, R	9502080006	50-254 F	CHAPPELL, C R	9502100340	71-9027
BUNTE, B	9502240187	50-237 P	CANAN, R	9502060018	50-255 V	CHAPPELL, C R	9502100342	71-9029
BUNTING, G F	9502240221	FOIA	CANAN, R	9502060131	ISE	CHAPPELL, C R	9502100343	71-9029
BURDICK, T	9502150050	50-315 Q	CANAN, R	9502130271	50-373 F	CHAPPELL, C R	9502100347	71-9035
BURGESS, B L	9502080020	50-346 Q	CANAN, R	9502180005	50-451 P	CHAPPELL, C R	9502100348	71-9035
BURGESS, M L	9502060181	REG. CERT	CANAN, R	9502150102	50-458 Q	CHAPPELL, C R	9502170063	71-5362
BURGESS, S D	9502160008	50-185 Q	CANAN, R	9502220056	50-255 F	CHAPPELL, C R	9502170065	71-5362
BURN, R R	9502240091	50-2 F	CANAN, R	9502250030	50-481 F	CHAPPELL, C R	9502210124	71-9038
BURNS, D	9502230219	PRM	CANNON, C M	9502210185	FOIA	CHAPPELL, C R	9502210133	71-9038
BURNS, D	9502020112	50-382 F	CANT, G	9502140292	ISE	CHAPPELL, C R	9502210139	71-9043
BURNS, D	9502020428	50-382 Q	CANTRELL, F S	9502030412	50-395 Q	CHAPPELL, C R	9502220200	71-9029
BURNS, D	9502130129	50-382 V	CANTRELL, F S	9502140030	50-348 Q	CHAPPELL, C R	9502220206	71-9027
BURNS, D	9502140379	50-382 R	CANTRELL, L B	9502160229	PRM	CHAPPELL, C R	9502220208	71-9107
BURNS, D	9502160111	50-382 V	CAPPUCIO, G	9502030032	50-271 P	CHAPPELL, C R	9502220210	71-9171
BURNS, D	9502240310	50-382 F	CAPRA, R A	9502060070	50-237 P	CHAPPELL, C R	9502270444	71-9027
BURNS, D	9502270035	50-382 R	CAPRA, R A	9502080037	50-373 P	CHAPPELL, C R	9502270446	71-9029
BURNS, D	9502280065	50-382 P	CAPRA, R A	9502080040	50-374 P	CHAPPELL, C R	9502270447	71-9035
BURNS, D	9503010012	PRM	CAPRA, R A	9502280043	50-374 P	CHARLIE, D	9502030117	40-8808
BUTCHER, R	9502030188	50-302 Q	CAPRA, R A	9502080045	50-374 P	CHARNLEY, J E	9502130132	50-220 P
BUTLER, W R	9502100287	50-334 P	CAPRA, R A	9502130040	50-284 P	CHARNLEY, J E	9502130148	50-220 P
BUTLER, W R	9502080141	50-309 P	CAPRA, R A	9502240227	50-454 P	CHASE, G	9502130172	40-8452
BUTLER, W R	9502100331	50-244 P	CARLO, E	9502100181	PROJ	CHASE, G	9502130172	40-8452
BUTLER, W R	9502160374	50-412 P	CARNS, N S	9502010152	50-482 P	CHAUBARD, M A	9502070024	50-286 F
BUTLER, W R	9502170075	50-309 P	CARNS, N S	9502010304	50-482 P	CHAUSSIE, B	9502150151	50-354 F
BUTLER, W R	9502210208	50-293 P	CARNS, N S	9502020410	COMMISSION	CHEAR, T	9502130243	50-461 S
BUTLER, W R	9502210223	50-309 P	CARNS, N S	9502030260	50-482 P	CHEERY, C A	9502080061	71-75
BUTLER, W R	9502280070	50-289 P	CARNS, N S	9502070337	50-482 Q	CHEUNG, L	9502150048	50-220 Q
BYRAM, G	9502030019	50-387 F	CAROCIO, C J	9502230018	50-410 R	CHEY, W D	9502010037	PRM
BYRAM, G	9502060311	50-387 P	CARPENTER, C E	9502140248	50-333 P	CHILKS, J	9502140196	FOIA
BYRAM, G	9502080314	50-387 P	CARPENTER, C E	9502140258	50-333 P	CHILKS, J	9502150271	FOIA
BYRAM, G	9502080240	50-387 P	CARPENTER, C E	9502170005	50-333 F	CHILKS, J	9502150278	FOIA
BYRAM, G	9502080244	50-387 P	CARPENTER, C E	9502210161	50-333 P	CHILKS, J	9502170053	FOIA
BYRAM, G	9502080258	50-387 P	CARR, J C	9502130038	PRM	CHILKS, J	9502170064	FOIA
BYRAM, G	9502100326	50-387 Q	CARR, W B	9502090060	71-879	CHILKS, J	9502170089	FOIA
BYRAM, G	9502100329	50-387 F	CARRICO, J B	9502090160	FOIA	CHILKS, J	9502230336	FOIA
BYRAM, G	9502130127	50-388 F	CARRICO, J B	9502270420	FOIA	CHISTENSEN, H O	9502140066	50-261 P
BYRAM, G	9502130135	50-388 F	CARRICO, J B	9502280031	FOIA	CHOWDHURY, A H	9502170142	WASTE MGT
BYRAM, G	9502130142	50-388 F	CARRION, P	9502140039	50-424 Q	CHOWDHURY, A H	9502170145	WASTE MGT
BYRAM, G	9502170150	50-387 P	CARRION, P	9502210045	50-348 Q	CHOWDHURY, A H	9502240256	WASTE MGT
BYRAM, G	9502170162	50-387 P	CARROLL, G	9502030086	50-160 G	CHRISTENSEN, C	9502140125	50-281 P
BYRAM, G	9502210298	50-387 R	CARROLL, J C	9502030136	52-2	CHRISTENSEN, H	9502030130	50-395 Q

248 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
CHRISTENSEN, H	9502030189	50-400	Q	COLLINS, E J	9502080044	CONTRACT	COX, C E	9502230159	PRM
CHRISTENSEN, H	9502030191	50-400	Q	COLLINS, E J	9502080116	CONTRACT	CRAGNOLINO, G A	9502240254	WASTE MGT
CHRISTENSEN, H	9502030195	50-324	P	COLLINS, S C	9502240041	WASTE MGT	CRAIG, P T	9502240094	50-317
CHRISTENSEN, H	9502140024	50-281	P	COLLINS, S C	9502270059	STATE PRO G	CRAIGLOW, A	9502100126	FOIA
CHRISTENSEN, H	9502140028	50-348	Q	COLLINS, S C	9502270061	WASTE MGT	CRANE, K L	9502240246	50-369
CHRISTENSEN, H	9502140070	50-324	P	COLLINS, S J	9502010020	70-1257	CRANFORD, G E	9410070186	ORG
CHRISTENSEN, H	9502140120	50-261	Q	COLLINS, S J	9502010022	50-288	CRANFORD, G F	9502090082	ORG
CHRISTENSEN, H	9502150030	50-395	P	COLLINS, S J	9502010059	50-344	CRANFORD, G F	9502150122	ORG
CHRISTENSEN, H	9502150083	50-395	Q	COLLINS, S J	9502020070	50-382	CRANFORD, G F	9502210316	ORG
CHRISTENSEN, H	9502210021	50-261	S	COLLINS, S J	9502060109	50-528	CRANFORD, G F	9502220178	FOIA
CHRISTENSEN, W	9502140028	50-400	Q	COLLINS, S J	9502090017	50-458	CRAWFORD, S J	9502260402	50-483
CHRISTIANO, A	9502130175	50-280	S	COLLINS, S J	9502090022	50-377	CREED, J R	9502090010	50-455
CHRISTIANO, A	9502140130	50-280	S	COLLINS, S J	9502090078	50-344	CREED, J R	9502090156	50-315
CHRISTIANO, A	9502280003	50-280	R	COLLINS, S J	9502130208	50-488	CREED, J R	9502130193	50-263
CHRISTIAN, J A	9502060164	71-770	Q	COLLINS, S J	9502150024	50-397	CREED, J R	9502210131	50-263
CHRISTIAN, J A	9502060167	71-775	Q	COLLINS, S J	9502150071	50-313	CREED, J R	9502220007	50-182
CHRISTIANSEN, D	9502230002	1&E		COLLINS, S J	9502170010	STATE PRO G	CREED, J R	9502220010	50-182
CHRISTOT, E F	9502140022	50-321	Q	COLLINS, S J	9502220263	50-344	CREED, J R	9502220022	50-409
CHUR, V	9502090007	REGG D		COLLINS, S J	9502220254	50-139	CRISTOFARO, F D	9502160144	50-293
CHUNG, K M	9502140067	COMMERSON		COLLINS, S J	9502270001	70-825	CRLENAK, R V	9502090061	50-369
CHURILLAM	9502090148	50-237	S	COLLINS, S J	8802270007	40-6904	CRLENAK, R V	9502090065	50-369
CHURKOWSKI, M J	9502140063	50-373	R	COLLINS, S J	9502270016	50-482	CRLENAK, R V	9502090112	50-289
CHORELLS, S	9502240086	50-321	P	COLLINS, S J	9502270029	50-312	CRLENAK, R V	9502090122	50-289
CLARK, O	9502080243	50-289	H	COLLINS, S J	9502270081	50-392	CRLENAK, R V	9502090002	50-289
CLARK, R	9502210028	50-419	P	COMBS, F C	9502020213	PR	CRLENAK, R V	9502140002	50-413
CLARK, J	9402080348	50-388	P	COMBS, M J	9502220024	PRM	CRLENAK, R V	9502140005	50-413
CLARK, T S	9502180264	PRM		COMFORT, G C	9502090119	PRM	CRLENAK, R V	9502140023	50-321
CLARK, K H	9502080306	50-260	P	COMFORT, G C	9502100152	PRM	CRLENAK, R V	9502140061	50-289
CLARK, J R	9502080362	CONTRACT		COMET, A	9502180104	50-160	CRLENAK, R V	9502210006	50-424
CLAYTON, B	9502030083	50-461	Q	CONCHOLA, D	9502090212	PRM	CRLENAK, R V	9502210028	50-289
CLAYTON, B	9502090087	50-461	Q	CONDIT, R E	9502170197	FOIA	CRLENAK, R V	9502210055	50-369
CLAYTON, B	9502100125	50-373	Q	CONGEL, J	9502030420	ORG	CROCKETT, W G	9502170205	50-375
CLAYTON, B	9502100131	50-373	Q	CONGEL, J	9502080350	ORG	CROWBARGER, D	9502150808	50-269
CLIFFORD, J M	9502150071	50-397	P	CONGEL, J	9502090040	ORG	CROSBIE, K L	9502230298	70-1359
CLIFFORD, J W	9502150196	50-397	P	CONGEL, J	9502150042	ORG	CROTEAU, R	9502140408	50-250
CLIFFORD, J W	9502080226	50-397	Q	CONCELLA, N F	9502060129	50-339	CROTEAU, P	9502150123	50-250
CLINE, W E	9502030135	50-348	Q	CONCELLA, N F	9502100238	50-286	CROUCH, D B	9502240010	40-8904
CLINE, W E	9502080016	50-424	F	CONCELLA, N F	9502220100	50-286	CROUCH, D B	9502240011	40-8904
CLINE, W E	9502140003	50-261	Q	CONNAUGHTON, K	9502220242	50-155	CROUCH, D B	9502240014	40-8904
CLINE, W E	9502140015	50-261	F	CONNELL, G	9502220056	71-234	CROW, W T	9502030223	70-*****
CLINE, W E	9502140033	50-302	F	CONNOLLY, J W	9502020432	50-271	CROW, M	9502210058	50-321
CLINE, W E	9502140035	50-424	Q	CONROY, J D	9502160206	PRM	CROWLEY, J L	9502170216	71-301
CLINE, W E	9502140036	50-280	Q	CONTE, R	9502030153	50-293	CRUCE, C	9502170176	71-422
CLINE, W E	9502140043	50-369	Q	CONTE, R J	9502030270	50-293	CRUCE, C H	9502020149	50-317
CLINE, W E	9502140053	50-324	F	CONTE, R J	9502210063	50-271	CRUCE, C H	9502090176	50-318
CLINE, W E	9502140055	50-369	Q	CONWAY, J T	9502230382	WASTE MGT	CRUCE, C H	9502170147	50-318
CLINE, W E	9502140071	50-321	Q	CONWAY, J T	9502240112	50-410	CRUCE, C H	9502170168	50-318
CLINE, W E	9502210018	50-324	P	COOK, J G	9502010224	50-461	CRUCE, C H	9502170270	50-317
CLINE, W E	9502210032	50-413	Q	COOK, J G	9502070146	50-461	CRUTCHFIELD, D	9502080295	50-213
CLINE, W E	9502210044	50-348	Q	COOK, J G	9502130243	50-461	CRUTCHFIELD, D M	9502080332	50-3
CLINE, W E	9502210045	50-327	F	COOK, J G	9502150242	50-461	CULLINGFORD, M C	9502170125	FOIA
CLONINGER, T H	9502010182	50-489	F	COOK, J G	9502210187	50-461	CULLINGFORD, M C	9502170133	FOIA
CLONINGER, T H	95020800126	50-489	Q	COOLD, A	9410120801	PR	CULLINGFORD, M C	9502170141	FOIA
CLONINGER, T H	95020800324	50-489	P	COOLD, A	9502080225	PR	CULLINGFORD, M C	9502170170	FOIA
CLONINGER, T H	9502100023	50-489	P	COOLD, A	9502080252	PR	CUMMILLER, J N	9502270039	70-1252
CLONINGER, T H	9502210153	50-489	P	COOLD, A	9502080332	PR	CUMMILLER, J N	9502270043	70-1252
CLONINGER, T H	9502210181	50-489	P	COOPER, D	9502160203	PRM	CUNNINGHAM, E	9502140061	50-373
CLONINGER, T H	9502220127	50-489	S	COOPER, G L	9502150302	50-240	CUNNINGHAM, E	9407210284	PR
CLONINGER, T H	9502220140	50-489	S	COOPER, R W	9410200115	FOIA	CUNNINGHAM, E	9502090311	REVIEW GR
CLONINGER, T H	9502010156	50-489	P	COOPER, R W	9502010124	50-296	CUNNINGHAM, E	9502270061	REVIEW GR
CLOSE, D	9502090133	PR		COOPER, R W	9502090150	50-296	CUNNINGHAM, E	9502090167	MSC
COBB, J S	9502230229	50-395	R	COOPER, R W	9502170241	50-286	CUNNINGHAM, E	9502090067	FOIA
COACCHIO, J	9502180048	50-341	Q	COOPER, R W	9502170248	50-286	CUNNINGHAM, E	9502100358	FOIA
COBURN, T G	9502010045	50-341	H	COOPER, R W	9502280414	50-272	CUNNINGHAM, E	9502130108	FOIA
COLE, R F	9502020017	70-3070		COOPER, T	9502030168	50-302	CUNNINGHAM, E	9502130145	FOIA
COLE, R F	9502150213	70-3070		COPEE, S	9502150145	50-286	CURTIS, L	9502230177	PRM
COLE, R F	9502150213	70-3070		CORDES, J F	9502090318	SECY	CURRAN, D	9502020047	40-8027
COLEMAN, D E	9502230023	50-220	R	CORDES, J F	9502090325	SECY	CURRAN, D	9502020047	40-8027
COLFORD, C	9502020285	XPORTUC		CORMIER, C A	9502140414	WASTE MGT	CURRAN, D	9502020047	40-8027
COLFORD, C	9502020291	XPORTUC		COSSON, G	9502220149	PRM	CURRAN, D	9502020051	40-8027
COLFORD, C	9502140177	XPORTUC		COTTLE, W T	9502080140	50-488	CURRAN, D	9502020051	40-8027
COLGLAZIER, R	9502280280	50-484	R	COTTLE, W T	9502220273	50-488	CURRAN, D	9502020051	40-8027
COLINA, R	9502090285	50-482	P	COTTELL, T E	9502080367	PRM	CURRAN, D	9502020122	70-3070
COURT, M A	9502010045	FOIA		COTTELL, T E	9502080369	PRM	CURRAN, D	9502030122	70-3070
COLKITT, M L	9502090234	FOIA		COTTELL, T E	9502080372	PRM	CURRAN, D	9502090054	40-8027
COLLINGS, S P	9502140125	40-8843		COULT, J D	9502140270	50-305	CURRAN, D	9502190099	70-3070
COLLINS, D M	9502030089	70-1151		COULNIS, W G	9502140100	50-480	CURRAN, D	9502190099	70-3070
COLLINS, D M	9502090024	70-*****		COURTEMACHE, S	9502140072	FOIA	CURRAN, D	9502190108	70-3070
COLLINS, D M	9502090078	FOIA		COUTIER, W R	9502020078	WASTE MGT	CURRAN, D	9502150115	40-8027
COLLINS, D M	9502090104	FOIA		COVELL, M A	9502210317	50-488	CURRAN, D	9502150115	40-8027
COLLINS, D M	9502090110	FOIA		COWAN, J	9502070302	50-324	CURRAN, D	9502150115	40-8027
COLLINS, D M	9502100320	50-338	F	COWAN, J	9502070310	50-325	CURRAN, D	9502150115	40-8027
COLLINS, D M	9502130140	50-280	Q	COWAN, J P	9502170169	50-325	CURRAN, D	9502150115	40-8027
COLLINS, D M	9502140017	70-27		COWAN, J P	9502210174	50-324	CURRAN, D	9502240152	70-3070
COLLINS, D M	9502210058	70-1119		COWAN, J P	9502240080	50-324	CURRAN, D	9502240152	70-3070
COLLINS, D M	9502220338	70-27		COWGILL, C J	9502030058	50-286	CURRAN, D	9502240152	70-3070
COLLINS, D M	9502220355	50-259	Q	COWGILL, C J	9502210034	50-247	CURRAN, D	9502240152	70-3070
COLLINS, E J	9502060389	CONTRACT		COWGILL, C J	9502220346	50-296	CURRAN, D	9502240157	70-3070

250 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
EURIA, J	9502100012*	50-333	FITZPATRICK, E	9502070181	50-316	GASKIN, C E	9502020045	40-8948
EVE, C S	9502030066*	40-7102	FITZPATRICK, E	9502130186	50-315	GASKIN, C E	9502060099	70-734
EWALD, L	9502070144	40-3948	FITZPATRICK, E	9502130273	50-316	GASKIN, C E	9502200180	PRM
EWING, J	9502030010	50-380	FITZPATRICK, E	9502150145	50-315	GATES, W E	9502270128*	PROJ
	9502170219	71-683	FITZPATRICK, E	9502270180	50-315	GATES, W E	9502270141*	PROJ
EZZELL, R	9502140129	71-478	FITZPATRICK, E	9502280018	50-315	GATES, W E	9502270144*	PROJ
FABOR, R	9502230247	PRM	FITZPATRICK, E	9502280274	50-315	GATES, W E	9502270149*	PROJ
FACH, A	9502160270	PRM	FLAGG, R	9502220226	70-27	GATES, W E	9502270154*	PROJ
FACH, P S	9502160276	PRM	FLANDERS, S C	9502140180	50-333	GATES, W G	9502170239	50-386
FAIRFAX, M B	9502290370	50-29		9502010302	50-380	GATES, W G	9502270106*	PROJ
FARAZ, V H	9502180130*	70-3070	FLEMING, J A	9502010202	50-293	GAUMER, G R	9502090085	71-172
FARAZ, V H	9502240147*	70-3070	FLETCHER, M H	9502060187	52-5	GAY, C A	9502170023	71-708
FARAZ, V H	9502240147*	70-3070	FLETCHER, M H	9502240032	52-5	GEEN, C	9502230182	PRM
FARAZ, V H	9502240155*	70-3070	FLETCHER, W A	9502150214	PRM	GEIN, J	9502010033	WASTE MGT
FARAZ, V H	9502240155*	70-3070	FLEURY, E R	9502030148*	70-*****	GEIGENBAUM, T C	9502010135	50-443
FARBER, M J	9502030034	50-305	FLEURY, E R	9502030183*	70-*****	GEORGE, R P	9502180241	PRM
FARBER, M J	9502030036*	50-305	FLEURY, E R	9502030200*	70-*****	GERVINO, M C	9502060375*	PROJ
FARBER, M J	9502030017	50-483	FLEURY, E R	9502180217	PRM	GERVINO, M C	9502230097	PRM
FARBER, M J	9502030022*	50-483	FLEURY, E R	9502140401*	WASTE MGT	GESCH, R	9502230285*	50-458
FARNHOLTZ, T R	9502030142*	50-395	FLOESS, K K	9502230156	PRM	GHOSH, A	9502170149*	WASTE MGT
FARNSWORTH, S	9502060300	PRM	FOLECK, R H	9502240063	70-1113	GIAMBUSSO, A	9502070284*	50-293
FARRAR, D L	9502180014	WASTE MGT	FOLEY, J	9502130064	50-333	GIBBONS, J F	9502280409*	40-229
FARRAR, D L	9502020092	40-8958	FORAN, J M	9502210224*	FOIA	GIBBONS, J F	9502130132*	50-220
FARRAR, W F	9502130148*	50-220	FORAN, J M	9502100181*	PROJ	GIBBONS, J F	9502060301	50-261
FAUVER, D N	9502020280	50-322	FORAN, J M	9502140081*	50-321	GIBBONS, J F	9502140068	50-261
FAUVER, D N	9502270148	70-825	FORD, D	9502230026	PRM	GIDEON, W R	9502150233	50-237
FAUVER, D N	9502280311	70-825	FORD, J D	9502230217	PRM	GIECK, T E	9502140157	40-299
FAYE, P A	9502230251	PRM	FORD, V	9502230326	PRM	GIECK, T E	9502280403	40-299
FEDERLINE, J G	9502270182	71-283	FORNICOLA, J C	9502030037	50-219	GILBERT, M P	9502090058	50-180
FEDERLINE, M V	9501200136	ORG	FORSBERG, P A	9502230114	PRM	GILCHRIST, J E	9502170107*	WASTE MGT
FEDERLINE, M V	9502270342	WASTE MGT	FORSBERG, R A	9502230089	PRM	GILCHRIST, J E	9502170107*	WASTE MGT
FEDERLINE, M V	9502060325	50-443	FORTIN, A	9502220166*	52-4	GILCHRIST, J E	9502170106*	WASTE MGT
FEDERLINE, M V	9502060325	50-443	FORTIN, A	9502220174*	52-4	GILLEN, D	9502060333	WASTE MGT
FEDERLINE, M V	9502140150	50-443	FORTIN, A	9502220202*	52-4	GILLEN, D	9502140401*	WASTE MGT
FEDERLINE, M V	9502150241	50-443	FOSTER, D J	9502030281*	FOIA	GILLEN, D	9502180275	40-854
FEDERLINE, M V	9502170074	50-443	FOSTER, J	9502280002*	50-483	GILLEN, D M	9502060335	40-343
FEDERLINE, M V	9502170077	50-443	FOSTER, W W	9502170235*	50-289	GILLEN, D M	9502060337	40-343
FEDERLINE, M V	9502220188	50-443	FOSTER, W W	9502210037	50-289	GILLEN, D M	9502060351	40-343
FEDERLINE, M V	9502220302	50-443	FOX, G D	9502010121	STATE PROJ	GILLEN, D M	9502060351	40-343
FEDERLINE, M V	9502270052*	FOIA	FOX, J M	9502020103	52-1	GILLEN, D M	9502060351	40-343
FEMRITE, B N	9502060326*	70-1257	FRANLEY, R F	9502130161*	FOIA	GILLEN, D M	9502060351	40-343
FEMRITE, B N	9502130223	70-1257	FRANZ, S G	9502230145*	50-288	GILLEN, D M	9502060351	40-343
FERNANDEZ, B	9502070114	40-804	FRANZ, J F	9502230139	50-331	GILLEN, D M	9502150261	40-896
FERNANDEZ, B	9502230026	40-804	FRATIANNE, S A	9502230026	50-352	GILLEN, D M	9502230038	ORG
FERNANDEZ, B	9502230038	40-894						
FICAJ, A	9502280111	70-1151	FRAZIER, D L	9502070102	71-113	GILLEN, D M	9502270082	40-343
FICAJ, A	9502280207	70-1151	FREDACKSON, P	9502180044*	50-380	GILLEN, D M	9502070153	50-326
FICAJ, A	9502130075	FOIA	FRIELAND, J	9502130025*	TOPREP	GILLEN, D M	9502060243	PR
FICAJ, A	9502060150	50-381	FRIELAND, L R	9502170161	50-412	GILLEN, D M	9502140021	50-341
FICAJ, A	9502010133	50-387	FRIELAND, L R	9502240077	50-334	GILLEN, D M	9502140420	50-341
FIELDS, M B	9502070305	50-361	FRIELAND, L R	9502270022	50-334	GILLEN, D M	9502210102*	50-427
FIELDS, M B	9502070306	50-362	FRIELAND, L R	9502220281	50-362	GILLEN, D M	9502080249	70-3070
FIELDS, M B	9502080185*	50-361	FRIELAND, L R	9502060385	CONTRACT	GILLEN, D M	9502160268	50-186
FIELDS, M B	9502210213	50-361	FRIELAND, L R	9502140005*	50-413	GILLEN, D M	9502020022	40-827
FIELDS, M B	9502210231*	50-361	FRIELAND, L R	9502220234	50-309	GILLEN, D M	9502090061	40-881
FIELDS, M B	9502220136	50-361	FRIELAND, L R	9502060326	50-286	GILLEN, D M	9502240186	40-8027
FIELDS, M B	9502220136*	50-361	FRIELAND, L R	9502180230	PRM	GILLEN, D M	9502180230*	FOIA
FIELDS, M B	9502080282	50-387	FRIELAND, L R	9502220128	PRM	GILLEN, D M	9502180100*	FOIA
FIELDS, M B	9502080174*	50-259	FRIELAND, L R	9502230125	PRM	GILLEN, D M	9502180116*	PR
FIELDS, M B	9502070143	FOIA	FRIELAND, L R	9502230242	PRM	GILLEN, D M	9502020224	70-687
FINEMAN, C P	9502170223	50-350	FRIELAND, L R	9502150234	50-275	GILLEN, D M	9502020230*	70-687
FINEMAN, C P	9502010254	FOIA	FRIELAND, L R	9502220106	50-275	GILLEN, D M	9502020306	40-8948
FISHER, M J	9502020302	50-287	FRIELAND, L R	9502080156	NURSEG	GILLEN, D M	9502020311*	40-8948
FISHER, M J	9502090378	50-287	FRIELAND, L R	9502230178	PRM	GILLEN, D M	9502020315*	40-8948
FISHER, M J	9502230214	50-287	FRIELAND, L R	9502060366*	PROJ	GILLEN, D M	9502020423	40-8948
FISCARO, J J	9502060135	50-458	GALLETTO, G	9502270241	50-368	GILLEN, D M	9502100068	WASTE MGT
FISCARO, J J	9502130246	50-458	GALLO, R M	9502020289	QA989	GILLEN, D M	9502100268	70-925
FISCARO, J J	9502130266	50-458	GALLO, R M	9502220281*	QA989	GILLEN, D M	9502100271	70-925
FISCARO, J J	9502220138	50-458	GALLO, R M	9502150003	QA989	GILLEN, D M	9502100332	70-3073
FISCARO, J J	9502220231	50-458	GALLO, R M	9502150005*	QA989	GILLEN, D M	9502150125	40-8027
FISCARO, J J	9502220283	50-458	GALLO, R M	9502220363	TOPREP	GILLEN, D M	9502150128*	40-8027
FISCARO, J J	9502240255	50-458	GAMBERONI, M	9502060137	50-255	GILLEN, D M	9502150130*	40-8027
FISCARO, J J	9502280359	50-458	GAMBERONI, M	9502090012	50-255	GILLEN, D M	9502170083	WASTE MGT
FISCARO, J J	9502280437	50-458	GAMBERONI, M	9502170055	50-255	GILLEN, D M	9502180033*	FOIA
FISCARO, J J	9502280334	XPORTLIC	GAMBERONI, M	9502220177	50-255	GILLEN, D M	9502180033*	FOIA
FISK, R H	9502020347*	XPORTLIC	GAMBERONI, M K	9502270057	50-302	GILLEN, D M	9502180143*	70-1151
FISK, R H	9502020349	XPORTLIC	GARCIA, A	9502020430	WASTE MGT	GILLEN, D M	9502220138	50-458
FISK, R H	9502020359*	XPORTLIC	GARCIA, A	9502180056*	70-3082	GILLEN, D M	9502180131*	50-382
FISK, R H	9502030210	XPORTLIC	GARDNER, B P	9502070058	FOIA	GILLEN, D M	9502070278	ORG
FISK, R H	9502030224*	XPORTLIC	GARDNER, M B	9502010167*	FOIA	GILLEN, D M	9502100139*	FOIA
FISK, R H	9502240123	XPORTLIC	GARDNER, M B	9502010172*	40-8724	GILLEN, D M	9502240008	50-388
FISK, R H	9502180182	PRM	GARDNER, M B	9502010178*	FOIA	GILLEN, D M	9502130281	50-250
FITZGERALD, J A	9502230089*	FOIA	GARDNER, M B	9502030071	50-341	GILLEN, D M	9502180107*	PR
FITZGERALD, J A	9502130179*	50-275	GARDNER, M B	9502180008*	50-341	GILLEN, D M	9502090068	71-36
FITZGERALD, J A	9502130231*	50-453	GARDNER, M B	9502180008*	50-341	GILLEN, D M	9502090121	PR
FITZGERALD, J A	9502130286*	50-289	GARDNER, M B	9502230186	PRM	GILLEN, D M	9502280127*	70-1151
FITZGERALD, J A	9502210205*	FOIA	GARDNER, M B	9502140152	50-249	GILLEN, D M	9502270019	PR
FITZGERALD, J A	9502270136*	FOIA	GARRICK, B J	9502080296	PR	GILLEN, D M	9502280094*	70-1151

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GODWIN, W. L.	9502280098*	70-1151	GUTACKER, H. C.	9502220035	71-889	HANNON, J. N.	9502270222	50-255 P
GODWIN, W. L.	9502280104*	70-1151	GUTHRIE, O.	9502070098	71-408	HANNON, J. N.	9502270228*	50-255 P
GODWIN, W. L.	9502280110*	70-1151	GUZMAN, J. G.	9502190008*	50-155 Q	HANNON, J. N.	9502270348*	50-315 P
GODWIN, W. L.	9502280115*	70-1151	GWYNNE, T. P.	9502090001	50-382 V	HANSEN, A. G.	9502090028	50-266 P
GODWIN, W. L.	9502280121*	70-1151	GWYNNE, T. P.	9502090002	50-498 V	HANSON, L.	9502220076	71-11
GODWIN, W. L.	9502280134*	70-1151	GWYNNE, T. P.	9502090004	50-482 V	HARDGROVE, T. W.	9502070200	40-2269
GORDON, C. Z.	9502170220	STATE PRO G	GWYNNE, T. P.	9502090005	50-275 V	HARDIN, C. M.	9502150049*	STATE PRO G
GORDON, M. I.	9502160221	PRM	GWYNNE, T. P.	9502090007	50-458 V	HARDIN, K. J.	9502100290	70-135
GORMAN, M. R.	9502270108*	PROJ	GWYNNE, T. P.	9502090009	50-381 V	HARDIN, S. K.	9502230210	PRM
GOSSELIN, S.	9502270137	TOPREP	GWYNNE, T. P.	9502090010	50-397 V	HARMON, P. E.	9502030122*	50-268 Q
GRABO, B. A.	9502160155	50-528 S	GWYNNE, T. P.	9502090014	50-313 V	HARMS, J. M.	9502270254	50-254 S
GRABO, B. A.	9502160161	50-529 S	GWYNNE, T. P.	9502090015	50-445 V	HARRELL, P. H.	9502160052	50-288 S
GRABO, B. A.	9502160178	50-529 S	GWYNNE, T. P.	9502090016	50-285 V	HARRELL, P. H.	9502220101*	50-296 Q
GRABO, B. A.	9502160195*	50-528 S	GWYNNE, T. P.	9502090178	50-298 V	HARRIS, C. A.	9502010188	FOIA
GRAESSER, K. L.	9502130196	50-454 Q	GWYNNE, T. P.	9502100004	50-445 Q	HARRIS, D. N.	9502010229	50-245 S
GRAESSER, K. L.	9502280250	50-454 Q	GWYNNE, T. P.	9502100060	50-482 Q	HARRIS, D. N.	9502220398	50-245 S
GRAHAM, B.	9502140203	40-8868	GWYNNE, T. P.	9502150006	50-498 Q	HARRIS, D. N.	9502230388	50-245 S
GRANT, G. E.	9502180030	50-331 P	GWYNNE, T. P.	9502150063	50-361 Q	HARRIS, M.	9502270048	50-380 D
GRANT, G. E.	9502180058	50-483 P	GWYNNE, T. P.	9502150079	50-275 Q	HARRIS, R. H.	9502170246*	50-333 Q
GRANT, G. E.	9502220323	50-295 P	GWYNNE, T. P.	9502210027	50-482 P	HARRIS, T.	9502230386	50-413 S
GRANT, J. M.	9502240148	WASTE MGT	GWYNNE, T. P.	9502220005	50-482 Q	HARRISON, F.	9502140162	50-324 R
GRASMAN, T. D.	9502140158	71-330	GWYNNE, T. P.	9502220262	50-496 P	HARRISON, L. M.	9502010100*	50-272 Q
GRAVES, C.	9502230145	PRM	GWYNNE, T. P.	9502220282	50-298 Q	HARWOOD, F. H.	9502160375	40-8868
GRAY, E. H.	9502170248*	50-333 Q	GWYNNE, T. P.	9502240046	50-382 Q	HASCHER, R. W.	9502130102	PRM
GRAY, J.	9502240108*	50-245 G	GWYNNE, T. P.	9502270020	50-382 Q	HASSELBERG, F. W.	9502060052	62-3
GRAY, J.	9502100148	30-15139	HAAG, C. L.	9502060072*	52-3	HASSELBERG, F. W.	9502090211	ORG
GRAY, J.	9502140298	ISE	HAAG, R. C.	9502030142*	50-395 Q	HASSELBERG, F. W.	9502100177	62-3
GRAY, J.	9502140316	ISE	HAAS, K. M.	9502010061	50-255 P	HATHOCK, D. Z.	9502020181	QAS99
GRAY, J.	9502140335	ISE	HAAS, K. M.	9502010346	50-255 P	HAUBER, R. D.	9502010386*	XPORTLUC
GRAY, J. R.	9502160007	50-336 Q	HAAS, K. M.	9502070066	50-255 P	HAUBER, R. D.	9502020360*	XPORTLUC
GRAY, J. R.	9502240074	50-245 G	HAAS, K. M.	9502070160	50-255 P	HAUBER, R. D.	9502070180	XPORTLUC
GRAY, J. R.	9502240082*	50-245 G	HAAS, K. M.	9502070193	50-255 P	HAUBER, R. D.	9502070182	XPORTLUC
GRAY, L. A.	9502140088	71-771	HAAS, K. M.	9502150388	50-255 P	HAUBER, R. D.	9502070187	XPORTLUC
GREEN, J.	9502090306*	50-260 P	HAAS, K. M.	9502150389*	50-255 P	HAUBER, R. D.	9502070188	XPORTLUC
GREEN, W. R.	9502220119	50-408 R	HAAS, K. M.	9502170162	50-255 Q	HAUBER, R. D.	9502070226	XPORTLUC
GREENE, G.	9502160255	PRM	HAAS, K. M.	9502210167	50-255 P	HAUBER, R. D.	9502080158	XPORTLUC
GREENE, N. M.	9502080066	NUREG	HAAS, K. M.	9502210171	50-255 F	HAUBER, R. D.	9502140214	XPORTLUC
GREENMAN, E. G.	9502201007	50-285 Q	HAAS, K. M.	9502210176	72-1007	HAUBER, R. D.	9502140280	XPORTLUC
GREENMAN, E. G.	9502202024*	50-245 P	HAAS, K. M.	9502230233	50-255 Q	HAUBER, R. D.	9502170087	XPORTLUC
GREENMAN, E. G.	9502080160	50-263 Q	HAAS, K. M.	9502230292	50-255 P	HAUBER, R. D.	9502170088	XPORTLUC
GREENMAN, E. G.	9502100014	50-282 P	HAAS, K. M.	9502240216	50-255 P	HAUBER, R. D.	9502170113	XPORTLUC
GREENMAN, E. G.	9502100134	50-10 Q	HAAS, M.	9502270034	50-390 Q	HAUBER, R. D.	9502170188	XPORTLUC
GREENMAN, E. G.	9502210011	50-456 Q	HAAS, M. J.	9502230126	PRM	HAUBER, R. D.	9502230348	XPORTLUC
GREENMAN, E. G.	9502220258	50-254 Q	HACKNEY, C.	9502070282	FOIA	HAUBER, R. D.	9502270232	XPORTLUC
GREENMAN, E. G.	9502100050	ORG	HACKNEY, C.	9502160017	ISE	HAUBER, R. D.	9502270238	XPORTLUC
GREGG, L. R.	9502060026	50-440 Q	HACKNEY, C.	9502270037	ISE	HAUBER, R. D.	9502270308	XPORTLUC
GREGG, L. R.	9502220266	50-440 Q	HADDAD, S. Z.	9502220245*	50-456 P	HAUBER, R. D.	9502270329	XPORTLUC
GREGG, L. R.	9502220268*	50-440 Q	HADDAD, A. W.	9502070150	50-280 P	HAUBER, R. D.	9502270427	XPORTLUC
GREGG, L. R.	9502260034*	50-289 Q	HADEN, J. R.	9502140068*	STATE PRO G	HAUBER, R. D.	9502280138	XPORTLUC
GREGG, J.	9502060224	70-820	HAGAN, J. J.	9502010148	50-272 Q	HAUBER, R. D.	9502280144	XPORTLUC
GREGOR, M.	9502230964*	FOIA	HAGAN, J. J.	9502070168	50-311 P	HAUBER, R. D.	9502280258	XPORTLUC
GRIFFIN, L.	9502030271*	30-14870	HAGAN, J. J.	9502140374	50-354 P	HAUGHNEY, C. J.	9412220138	72-1004
GRIMES, S. K.	9502210284*	50-498 P	HAGAN, J. J.	9502140433	50-272 P	HAUGHNEY, C. J.	9502170091	72-1004
GRIMES, S. K.	9502030026	50-3 P	HAGEN, M. G.	9502010356*	50-454 Q	HAYEL, W. A. T. A.	9502130144*	50-230 P
GRIMES, S. K.	9502030026	50-3 P	HAGENMEYER, D.	9502080242	NUREG	HAUTHORNE, J. R.	9502270253*	ORG
GRIMES, S. K.	9502030313	50-3 Q	HALL, J. M.	9502240047*	TOPREP	HAUTHORNE, J. R.	9502270275*	ORG
GRIMES, S. K.	9502100283	50-3 Q	HALL, J. R.	9502010284	50-296 P	HAUTHORNE, J. R.	9502270345*	ORG
GRIMES, S. K.	9502180343	50-180 Q	HALL, J. R.	9502100068	50-296 P	HAUTHORNE, J. R.	9502270353*	ORG
GRIMES, S. K.	9502210050	50-3 Q	HALL, J. R.	9502100220	50-296 P	HAUTHORNE, J. R.	9502270356*	ORG
GRIMES, S. K.	9502210081	50-3 Q	HALL, J. R.	9502100222*	50-296 P	HAUTHORNE, J. R.	9502270362*	ORG
GRIMES, S. K.	9502230037	ISE	HALL, J. R.	9502140237	50-298 P	HAUTHORNE, J. R.	9502270368*	ORG
GRIMES, S. K.	9502240037	50-3 Q	HALL, J. R.	9502140325*	50-416 P	HAUTHORNE, J. R.	9502270372*	ORG
GRIMES, S. K.	9502240068	50-440 R	HALL, J. R.	9502140325*	FOIA	HAUTHORNE, J. R.	9502270378*	ORG
GRIMSLEY, D. H.	9502210101	FOIA	HALL, G. D. R.	9502140072	FOIA	HAUTHORNE, J. R.	9502270380*	ORG
GRIMSLEY, D. H.	9502240240	FOIA	HALL, T. W. G.	9502210263	50-385 R	HAUTHORNE, J. R.	9502270384*	ORG
GRIMSLEY, D. H.	9502270410	FOIA	HAMMON, L.	9502140412*	WASTE MGT	HAYES, K. R.	9502220149	50-313 R
GROBE, J.	9502160033*	FOIA	HAMPTON, J. W.	9502010064	PR	HAYS, R.	9502100033*	FOIA
GROBE, J. A.	9502160039*	FOIA	HAMPTON, J. W.	9502010035	50-245 Q	HAZEN, G. A.	9502070121	40-3459
GROBE, J. A.	9502080425*	FOIA	HAMPTON, J. W.	9502010022*	50-248 P	HEAD, K. Y.	9502090032	71-423
GROBE, J. A.	9502220284	40-8792	HAMPTON, J. W.	9502010180	50-248 P	HEART, T. A.	9502140181	XPORTLUC
GROBE, J. A.	9502220343	STATE PRO G	HAMPTON, J. W.	9502100253	50-298 P	HEATH, J. W.	9502280084*	70-1151
GROBE, J. A.	9502280006	20-4837	HAMPTON, J. W.	9502100284	50-298 Q	HEBDON, F. J.	9502230207*	50-259 P
GROSS, P. J.	9502270024	WASTE MGT	HAMPTON, J. W.	9502100349	50-298 Q	HEBDON, F. J.	9502140415*	50-327 P
GROTH, J. F.	9502010154	50-498 Q	HAMPTON, J. W.	9502130109	50-289 P	HEBDON, F. J.	9502160316*	50-259 P
GROTH, J. F.	9502020003	50-488 P	HAMPTON, J. W.	9502130220	50-289 Q	HEBDON, F. J.	9502160327*	50-296 P
GRUVE, M. W.	9502080113	71-461	HAMPTON, J. W.	9502130241	50-289 P	HEBDON, F. J.	9502280091	50-390 A
GRUSH, W. H.	9502180283	NUREG	HAMPTON, J. W.	9502180282	50-289 Q	HEBERT, J. R.	9502080235	50-309 H
GRUSH, W. H.	9502180287	NUREG	HAMPTON, J. W.	9502180282	50-289 Q	HEBERT, J. R.	9502140364	50-308 S
GRUSH, W. H.	9502150297	NUREG	HAMPTON, J. W.	9502170232	50-289 P	HEBERT, J. R.	9502280292	50-308 S
GRUSH, W. H.	9502180309	NUREG	HAMPTON, J. W.	9502210164	50-289 P	HEBERT, B.	9502240143	71-5979
GUADAGNO, V.	9502180059*	FOIA	HAMPTON, J. W.	9502210211	50-289 Q	HEFFERNAN, J. N.	9502230198	PRM
GUADAGNO, V.	9502180084*	FOIA	HAMPTON, J. W.	9502210337	50-289 P	HEHL, B.	9502070203*	40-4840
GUARINER, R. B.	9502170298	50-317 R	HAMPTON, J. W.	9502230014	50-270 Q	HEHL, C. W.	9502210042	50-498 Q
GUNN, P. R.	9502080125*	FOIA	HAMPTON, J. W.	9502240211	50-288 Q	HEHL, W.	9502270011	XPORTLUC
GUNN, P. R.	9502060120*	FOIA	HAMPTON, J. W.	9502280117	50-288 Q	HEHL, W.	9502270023	XPORTLUC
GUNN, P. R.	9502060138*	FOIA	HAMPTON, J. W.	9502280123	50-288 Q	HEHR, W.	9502270052	XPORTLUC
GUNN, P. R.	9502060146*	FOIA	HAMPTON, J. W.	9502280132	50-288 Q	HEHR, W.	9502280068	XPORTLUC
GUNN, P. R.	9502060174*	FOIA	HANGES, P. J.	9502140062	71-764	HEHR, W.	9502280057	XPORTLUC

252 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HEHR W	9502280398	XPORTLUC	HIXON, E	9502140095	71-503	HORNBLUM, A M	9502100214	FOIA
HEIM M	9502080342	50-304	HOBBS	9502230194	PRM	HORSEMAN M L	9502010201	WASTE MGT
HEIMLER, M	9502150178	FOIA	HOCHREITER, L	9502100204	52-3	HORTON, D G	9502010193	WASTE MGT
HEIMLER, M	9502170188	FOIA	HOCKMAN, R W	9502140308	XPORTLUC	HORTON, D G	9502010201	WASTE MGT
HEINE, C C	9502230118	PRM	HOCKMAN, R W	9502240237	XPORTLUC	HORTON, D G	9502020088	WASTE MGT
HEINE, F	9502230123	PRM	HOFFMAN, D	9502010166	PRM	HORTON, D G	9502020078	WASTE MGT
HEINEMAN, L M	9502070065	FOIA	HOFFMAN, D L	9502090108	71-555	HORTON, D G	9502090269	WASTE MGT
HEINEMAN, L M	9502220145	FOIA	HOGAN, J P	9502230104	PRM	HORTON, D G	9502090275	WASTE MGT
HELTON, J C	9502080054	NUREG	HOGAN, J P	9502030299	52-1	HORTON, D G	9502090331	WASTE MGT
HELTON, J C	9502080082	NUREG	HOGG, R C	9502020363	40-9027	HORTON, D G	9502140225	WASTE MGT
HELTON, J C	9502080088	NUREG	HOGG, R C	9502100175	40-9027	HORTON, D G	9502170115	WASTE MGT
HELVIG, D R	9502090202	50-352	HOGG, R C	9502150293	WASTE MGT	HORTON, D G	9502170117	WASTE MGT
HELVIG, D R	9502150324	50-352	HOGG, R C	9502270370	40-9027	HORTON, D G	9502240122	WASTE MGT
HENDERSON, J W	9502060032	40-2384	HOLBROOK, L	9502140022	50-321	HORTON, D G	9502240205	WASTE MGT
HENDERSON, L	9502140400	50-351	HOLDEN, D W	9502270031	XPORTLUC	HORTON, D G	9502240207	WASTE MGT
HENDERSON, P	9502090136	NUREG	HOLDEN, D W	9502270033	XPORTLUC	HORTON, D G	9502270211	WASTE MGT
HENDRIX, G W	9502060073	FOIA	HOLDEN, D W	9502270041	XPORTLUC	HOSBY, C M	9502060028	70-****
HENRIED, K	9502130138	50-226	HOLDEN, D W	9502270048	XPORTLUC	HOSBY, C M	9502180068	70-3082
HENRY, L G	9502060012	50-57	HOLDEN, D W	9502270049	XPORTLUC	HOSLER, J	9502010118	TOPREP
HENSLEY, M	9502080246	PRM	HOLLAND, E	9502080239	50-528	HOSMER, A	9502030128	40-8888
HENSON, J L	9502060028	70-****	HOLLAND, E	9502150345	50-528	HOUCK, K	9502130088	FOIA
HEPLER, O M	9501100275	50-261	HOLLAND, E	9502220164	50-528	HOUDOUIN, M	9502100080	50-380
HEPLER, O M	9502080151	50-264	HOLLAND, E	9502220173	50-528	HOVEY, R J	9502010349	50-354
HERCZEG, J W	9502150346	PROJ	HOLLAND, P G	9502070261	50-249	HOVEY, R J	9502220187	50-354
HERICAN, G B	9502090026	CONTRACT	HOLLAND, P G	9502220132	50-10	HOWELL, L	9502270037	18E
HERLEKAR, S	9502220219	50-277	HOLLAND, W E	9502140032	50-327	HOWELL, L	9502010019	70-121
HERLEKAR, S	9502240073	50-321	HOLLAND, W E	9502210113	50-327	HOWELL, L	9502170004	STATE PROJ G
HERMANN, R	9502160332	REVIEW GR	HOLLANDER, W D	9502090055	71-51	HOWELL, L	9502220345	STATE PROJ G
HERNANDEZ, W	9502060178	50-289	HOLLER, E	9502020087	70-3070	HOYLE, J C	9411170149	10CFR
HERNANDEZ, W	9502060239	50-289	HOLLER, E	9502090072	70-3070	HOYLE, J C	9502010218	50-293
HERNANDEZ, W	9502080116	50-289	HOLLER, E	9502160077	70-3070	HOYLE, J C	9502020067	PR
HERNANDEZ, W	9502080160	50-289	HOLLER, E	9502160119	70-3070	HOYLE, J C	9502080197	PR
HERNANDEZ, W	9502270221	50-213	HOLLER, E	9502240121	70-3070	HOYLE, J C	9502080247	PR
HERNANDEZ, W	9502020111	50-298	HOLLON, M T	9502150378	50-327	HOYLE, J C	9502080261	PR
HERNANDEZ, W	9502020115	50-298	HOLLON, M C	9502140187	50-481	HOYLE, J C	9502090143	10CFR
HERNANDEZ, W	9502020165	50-298	HOLLY, J T	9502140270	50-306	HOYLE, J C	9502130254	FOIA
HERNANDEZ, W	9502090069	50-298	HOLM, R L	9502150238	50-151	HOYLE, J C	9502150343	10CFR
HERNANDEZ, W	9502140370	50-258	HOLM, R L	9502230315	50-151	HOYLE, J C	9502160089	50-488
HERNANDEZ, W	9502150235	50-258	HOLM, R L	9502230320	50-151	HOYLE, J C	9502160127	10CFR
HERNANDEZ, W	9502150340	50-258	HOLMES, S W	9502220381	40-9027	HOYLE, J C	9502210081	FOIA
HERNANDEZ, W	9502170038	50-298	HOLMES, S W	9502220395	40-9027	HOYLE, J C	9502220074	10CFR
HERNANDEZ, W	9502220320	52-4	HOLMICH, J	9502060258	40-8905	HOYLE, J C	9502220083	10CFR
HERNANDEZ, W	9502170268	50-289	HOLMICH, J	9502060277	40-8905	HOYLE, J C	9502220095	10CFR
HERNANDEZ, W	9502060006	PR	HOLMICH, J	9502140401	WASTE MGT	HOYLE, J C	9502230029	10CFR
HERNANDEZ, W	9502090135	PR	HOLMICH, J	9502020240	40-3453	HOYLE, J C	9502230338	10CFR
HERNANDEZ, W	9502160022	PR	HOLMICH, J	9502020282	WASTE MGT	HOYLE, J C	9502240125	50-275
HERNANDEZ, W	9502160062	PR	HOLMICH, J	9502020272	WASTE MGT	HOYLE, J C	9502280416	10CFR
HERNANDEZ, W	9502160232	PR	HOLMICH, J	9502020320	40-8907	HOYLE, J C	9502280421	10CFR
HERNANDEZ, W	9502270028	WASTE MGT	HOLMICH, J	9502020323	40-8903	HSIA, A H	9502100142	TOPREP
HERNANDEZ, W	9502090045	50-390	HOLMICH, J	9502020329	40-8903	HSIA, A H	9502210258	ORG
HOCKEY, J W	8408180085	FOIA	HOLMICH, J	9502020338	40-3453	HSIA, G	9502160290	50-296
HOCKEY, J W	8408180088	FOIA	HOLMICH, J	9502020398	40-8943	HSIA, G S M	9502170149	WASTE MGT
HOCKEY, J W	8604030080	FOIA	HOLMICH, J	9502020400	40-8543	HSIA, R	9502060214	50-282
HOCKEY, J W	8608140018	FOIA	HOLMICH, J	9502020412	40-8568	HUAK, S J	9502010109	STATE PROJ G
HOCKEY, J W	8707220403	FOIA	HOLMICH, J	9502030206	WASTE MGT	HUDECO, M R	9502100827	40-3453
HOCKEY, B J	9502070014	50-302	HOLMICH, J	9502070098	WASTE MGT	HUDSON, G	9502140236	50-263
HOCKMAN, J B	9502090294	50-315	HOLMICH, J	9502100216	WASTE MGT	HUDSPETH, J B	9502150385	50-348
HOCKMAN, J B	9502270337	50-315	HOLMICH, J	9502100230	40-8954	HUGER, N	9502210281	50-413
HICKS, A	9502230199	PRM	HOLMICH, J	9502100257	40-8954	HUGHES, J	9502230103	PRM
HERSCHE, R E	9502140148	71-869	HOLMICH, J	9502130262	WASTE MGT	HUGHES, L	9502210036	FOIA
HIGGINS, J C	9502170048	52-3	HOLMICH, J	9502140384	WASTE MGT	HUGHES, L	9502210088	FOIA
HIGGINS, J C	9502240207	WASTE MGT	HOLMICH, J	9502140386	WASTE MGT	HUGO, B R	9502150115	50-397
HILAND, P	9502220269	50-254	HOLMICH, J	9502170026	STATE PROJ G	HULL, J T	9502240141	50-424
HILAND, P L	9502100143	50-10	HOLMICH, J	9502170106	WASTE MGT	HULL, J T	9502240149	50-424
HILDEBRAND, R	9502150680	50-455	HOLMICH, J	9502270315	WASTE MGT	HULL, J T	9502240160	50-424
HILDEN, P R	9502140153	40-8857	HOLMICH, J	9502280187	40-3453	HUMPHREY, R A	9502240118	PROJ
HILL, B	9502010217	WASTE MGT	HOLMICH, J	9502100035	40-534	HUMPHREY, R A	9502240120	PROJ
HILL, J	9502180047	40-8968	HOLMICH, J	9502270445	40-8027	HUNGER, G A	9502010070	50-352
HILL, J	9502180047	40-8968	HOLMICH, J	9502240164	50-424	HUNGER, G A	9502010107	PR
HILL, L M	9502030303	50-288	HOLMICH, J	9502080182	71-770	HUNGER, G A	9502060308	50-277
HILL, L M	9502030320	50-288	HOPPER, G L	9502150376	50-424	HUNGER, G A	9502130277	50-277
HILL, L M	9502030330	50-288	HOPKINS, D M	9502130242	71-852	HUNGER, G A	9502140387	50-277
HILL, L M	9502220169	50-288	HOPKINS, D M	9502220006	71-852	HUNGER, G A	9502150219	50-277
HILL, L M	9502230080	50-288	HOPKINS, J B	9502130001	50-440	HUNGER, G A	9502170174	50-277
HILL, L M	9502240070	50-288	HOPKINS, J B	9502140211	50-440	HUNGER, G A	9502220211	50-277
HILL, L M	9502270151	50-288	HOPKINS, P C	9502210012	50-424	HUNGER, G A	9502230043	50-277
HILL, L M	9502130278	50-302	HOPPER, G T	9502140057	50-327	HUNGER, G A	9502240012	50-277
HILL, R A	9502270204	MISC	HORN, A J	9502020111	50-298	HUNGER, G A	9502280382	50-278
HILL, R A	9502140138	50-348	HORN, A J	9502020165	50-298	HUNGER, G A	9502280382	50-277
HILL, R A	9502170289	50-348	HORN, G R	9502020107	50-298	HUNGER, G A	9502280387	50-332
HILL, R D	9502280027	50-348	HORN, G R	9502080276	50-298	HUNSTAD, A	8502280108	50-282
HILL, R L	9502210281	50-496	HORN, G R	9502080161	50-298	HUNTER, J J	8502080384	40-7580
HILL, R L	9502270417	FOIA	HORN, G R	9502130284	50-298	HUNTER, T H	9502080096	NUREG
HILL, W J	9502070267	50-862	HORN, G R	9502160132	50-298	HUTCHINSON, C	9502170257	50-416
HILL, W J	9502240210	50-868	HORN, G R	9502160136	50-298	HUTCHINSON, C R	9502080096	50-416
HINANT, C S	9502060303	50-261	HORN, G R	9502210250	50-298	HUTCHINSON, C R	9502080314	50-416
HINANT, C S	9502230113	PRM	HORN, G R	9502230273	50-298	HUTCHINSON, C R	9502160189	50-416
HINANT, C S	9502270275	ORG	HORN, G R	9502240288	50-298	HUTCHINSON, C R	9502180073	50-416

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HUTCHINSON, C R	9502220183	50-416 R	JOHNSON, A R	9502270140	50-244 F	JOYNER, J H	9502280299	50-219 Q
HUTCHINSON, C R	9502230373	50-416 Q	JOHNSON, E	9502230130	PRM	JOYNER, J H	9502290004	50-352 Q
HUTCHINSON, C R	9502240043	50-416 F	JOHNSON, G W	9502230263	PRM	JOYNER, J H	9502290009	50-213 Q
HUTCHINSON, C R	9502240057	50-416 P	JOHNSON, J M	9502090100	71-228 F	JOYNER, J H	9502290021	50-334 Q
HUTCHINSON, C R	9502240188	50-416 P	JOHNSON, J M	9502070053	50-373 F	JULIAN, C	9502140018	50-390 Q
HUTCHINSON, C R	9502240285	50-416 S	JOHNSON, J M	8902170131	50-254 F	JULIAN, C	9502150020	50-380 Q
HUTCHINSON, H	9502030003	70-364	JOHNSON, J D	9502080064	NUREG	JULIAN, C A	9502140115	50-390 Q
HYVARINEN, J	9502160028	NUREG	JOHNSON, J D	9502080082	NUREG	JULIAN, E L	9502020007	40-8968
HYVARINEN, J	9502160028	NUREG	JOHNSON, J O	9502080088	NUREG	JUMP, W J	9502140175	COMMISSION
IGYARTO, D P	9502230258	50-440 P	JOHNSON, L	9502010180	FOIA	JUSTUS, P	9502280467	40-3453
IMBRO, E V	9502180348	50-3 P	JOHNSON, L	9502010169	FOIA	KACZORUM, A	9502280320	50-151 P
IMBRO, E V	9502180348	PRM	JOHNSON, L	9502010175	70-*****	KACZORUM, A	9502280322	50-151 P
INGERSOLL, T	9502080096	NUREG	JOHNSON, L	9502010180	70-*****	KALMAN, G	9502010250	50-313 P
JABBOUR, K N	9502030030	50-321 P	JOHNSON, L	9502010188	70-*****	KALMAN, G	9502010258	50-313 P
JABBOUR, K N	9502150159	50-321 P	JOHNSON, L	9502010204	70-*****	KALMAN, G	9502010257	50-313 P
JABBOUR, K N	9502170118	50-321 P	JOHNSON, L	9502020041	70-*****	KALMAN, G	9502130043	50-313 P
JABBOUR, K N	9502170124	50-321 P	JOHNSON, L	9502020055	70-*****	KALMAN, G	9502130048	50-313 P
JABBOUR, K N	9502230358	TOPREP	JOHNSON, L	9502030004	FOIA	KALMAN, G	9502130078	50-313 P
JABLON, A	9502020206	50-389 M	JOHNSON, L	9502030219	70-*****	KAMMERER, C C	9502010189	70-7001
JABLON, A P	9502240293	REVIEW GR P	JOHNSON, P	9502080081	40-8724	KANTNER, J L	9502050291	50-353 S
JACKSON, D E	9502150380	50-317 F	JOHNSON, R L	9502100021	WASTE MGT	KANTNER, J L	9502060235	50-353 S
JACKSON, G	9502100180	FOIA	JOHNSON, T C	9502030296	40-501	KANTNER, J L	9502090275	50-352 S
JACKSON, H	9502020132	40-8988	JOHNSON, T C	9502100230	40-8724	KAPLAN, R L	9502170056	50-352 S
JACKSON, L	9502170204	FOIA	JOHNSON, W D	9502010088	50-496 Q	KARAM, R A	9502130184	50-160 P
JACKSON, P	9502010141	FOIA	JOHNSON, W D	9502030078	50-285 Q	KARDS, E L	9502160231	PRM
JACOBSON, J M	9502020029	50-457 Q	JOHNSON, W D	9502150020	50-496 Q	KARIM, PAMAH, K	9502130144	50-220 P
JACOBSON, J M	9502150023	50-341 P	JOHNSON, W D	9502220013	50-285 Q	KASSINGER, S M	9502280068	STATE PRO G
JACOBSON, J M	9502160006	50-155 Q	JOHNSTON, R	9502140113	71-509	KAUF, K L	9502030331	50-458 Q
JACOBSON, J M	9502160008	50-155 Q	JOHNSTON, R	9502150066	50-155 R	KAZUKY, NAST	9502230085	50-213 S
JAEGER, R F	9502020376	40-8984	JOHNER, L M	9502230216	PRM	KEASEY, J P	9502270184	71-980
JAEGER, R F	9502130281	40-8984	JOLICOEUR, J R	9502080333	STATE PRO G	KEATEN, R W	9502060337	50-219 P
JANG, J C	9502280325	50-334 Q	JONES, B G	9502150338	50-151 R	KEATING, J	9502060333	FOIA
JANISSE, J D	9502140385	50-315 R	JONES, D T	9502150316	50-334 R	KEATING, R F	9502030348	50-454 P
JANISSE, J D	9502150092	50-316 R	JONES, D W	9502140054	50-369 Q	KEEGAN, E	9502020080	70-1151
JANKOVICH, J P	9502010205	71-39	JONES, J	9502080136	NUREG	KEEGAN, E M	9502100016	70-1151
JANKOVICH, J P	9502030044	71-319	JONES, J A	9502130209	I&E	KEEGAN, E M	9502100236	70-1151
JANKOVICH, J P	9502030048	71-319	JONES, J A	9502190285	FOIA	KEEGAN, E M	9502240151	50-341 H
JANKOVICH, J P	9502140319	71-238	JONES, J A	9502220394	FOIA	KEENE, J A	9502010197	50-323 Q
JANKOVICH, J P	9502140324	71-238	JONES, J D	9502090177	40-*****	KELLEY, L C	9502160008	PR
JANKOVICH, J P	9502140331	71-354	JONES, K R	9502150283	NUREG	KELLEY, S J	9502170054	50-352 R
JANKOVICH, J P	9502140337	71-354	JONES, K R	9502150287	NUREG	KELLY, B J	9502160242	PRM
JANKOVICH, J P	9502150136	71-1	JONES, K R	9502150309	NUREG	KELLY, C	9502020175	50-219 S
JANKOVICH, J P	9502170059	71-633	JONES, K R	9502220038	NUREG	KELLY, E	9502270160	50-336
JANKOVICH, J P	9502170061	71-633	JONES, L	9502220038	71-739	KELLY, E M	9502290026	50-289 Q
JANKOVICH, J P	9502210111	71-306	JONES, L	9502160138	40-6948	KELLY, E M	9502290034	50-289 Q
JANKOVICH, J P	9502210115	71-114	JONES, N	9502090248	CONTRACT	KELLY, G	9501170254	FOIA
JANKOVICH, J P	9502210118	71-362	JONES, O G	9502140164	STATE PRO G	KELLY, G B	9502060296	50-331 P
JANKOVICH, J P	9502210128	71-44	JORDAN, D O	9502080166	50-498 Q	KELLY, G B	9502210634	50-331 P
JANKOVICH, J P	9502210129	71-790	JORDAN, E L	9502170255	50-498 Q	KELLY, J E	9502160185	PRM
JANKOVICH, J P	9502210134	71-584	JORDAN, E L	9502210380	50-498 Q	KELLY, J F	9502240175	50-237 P
JANKOVICH, J P	9502210138	71-529	JORDAN, E L	9511180135	50-498 Q	KELLY, J F	9502240187	50-237 P
JANKOVICH, J P	9502210140	71-625	JORDAN, E L	9502030301	ORG	KELLY, J C	9502080203	PR
JANKOVICH, J P	9502210143	71-363	JORDAN, E L	9502070154	50-498 Q	KELLY, R S	9502130067	PRM
JANKOVICH, J P	9502210144	71-812	JORDAN, E L	9502070269	50-250 P	KELLY, W R	9502240075	STATE PRO G
JANKOVICH, J P	9502230288	71-781	JORDAN, E L	9502100119	50-220 P	KENNEDY, J	9502220189	50-285 Y
JANKOVICH, J P	9502240290	71-781	JORDAN, E L	9502160337	REVIEW GR P	KENT, J A	9502280130	70-1151
JANKOVICH, J P	9502240291	71-730	JORDAN, E L	9502230386	REVIEW GR P	KENYON, T J	9502090100	52-3
JANKOVICH, J P	9502150178	FOIA	JOYCE, T P	9502080172	50-237 S	KENYON, T J	9502170029	52-3
JATA, S	9502160018	50-330 Q	JOYCE, T P	9502090148	50-237 S	KENYON, T J	9502270003	52-3
JAUDON, J P	9502030125	50-390 Q	JOYCE, T P	9502140152	50-249 S	KERRY, J F	9502010132	50-443 H
JAUDON, J P	9502030154	50-390 Q	JOYCE, T P	9502150233	50-237 S	KERRY, J F	9502010132	50-28 H
JAUDON, J P	9502030203	50-390 Q	JOYCE, T P	9502150302	50-249 S	KILGOMAN, J M	9502130168	FOIA
JAUDON, J P	9502060012	50-390 A	JOYCE, T P	9502220144	50-237 S	KILMAN, D E	9502210276	50-302 P
JAUDON, J P	9502060019	50-438 A	JOYNER, J H	9502090033	50-387 Q	KIMBERLEY, S	9502100295	FOIA
JAUDON, J P	9502060021	50-380 Q	JOYNER, J H	9502090051	50-322 D	KIME, T	9502220032	REG CERT
JAUDON, J P	9502140012	50-380 Q	JOYNER, J H	9502090073	50-29 F	KING, E B	9502080170	50-244 Q
JAUDON, J P	9502140044	50-380 Q	JOYNER, J H	9502090079	50-97 F	KINNEAMAN, J D	9502090283	40-7102
JAUDON, J P	9502140050	50-380 Q	JOYNER, J H	9502230085	50-309 F	KINNEAMAN, J D	9502090201	40-8778
JAUDON, J P	9502140067	50-380 Q	JOYNER, J H	9502030086	50-244 F	KINNEAMAN, J D	9502090206	40-8778
JAUDON, J P	9502140082	50-380 Q	JOYNER, J H	9502030091	50-244 F	KINNEAMAN, J D	9502150086	40-*****
JAUDON, J P	9502140126	50-380 Q	JOYNER, J H	9502080009	50-57 Q	KINNEAMAN, J D	9502150084	40-*****
JAUDON, J P	9502160015	50-380 Q	JOYNER, J H	9502080023	50-219 Q	KINNEAMAN, J D	9502210059	70-7
JAUDON, J P	9502160039	50-380 Q	JOYNER, J H	9502080065	50-333 Q	KINNEAMAN, J D	9502210085	70-7
JAUDON, J P	9502210052	50-380 Q	JOYNER, J H	9502080083	50-244 Q	KINNEAMAN, J D	9502210089	70-7
JAYALIER, V	9502100356	FOIA	JOYNER, J H	9502080164	50-244 Q	KINNEAMAN, J D	9502220348	40-9027
JEFFREY, W J	9502170271	50-277 R	JOYNER, J H	9502100006	50-333 Q	KINNEAMAN, J D	9502220351	40-9027
JENSEN, C	9502220277	70-8 Q	JOYNER, J H	9502130223	50-334 Q	KINNEAMAN, J D	9502220352	40-9027
JENSEN, T	9502080138	71-238	JOYNER, J H	9502130226	50-54 Q	KINNEAMAN, J D	9502220355	40-9027
JERMAN, N	9502030242	FOIA	JOYNER, J H	9502130236	50-382 Q	KINTNER, E	9412160202	52-5
JERMAN, P C	9502060151	FOIA	JOYNER, J H	9502170228	50-387 Q	KIRBY, T H	9502270218	PR
JERMAN, P C	9502060156	FOIA	JOYNER, J H	9502170234	50-322 W	KIRBY, T H	9502270219	PR
JICKLING, R	9502280032	50-493 Q	JOYNER, J H	9502170258	50-77 W	KIRKSEY, J F	9502010088	PRM
JOHANSEN, J M	9502120241	70-1409	JOYNER, J H	9502210002	50-3 F	KIRSEY, D F	9502090013	50-275 Q
JOHANSEN, J M	9502250240	FOIA	JOYNER, J H	9502210003	50-3 F	KLAPPROTH, J F	9502090183	TOPREP
JOHANSEN, J M	9502090258	FOIA	JOYNER, J H	9502210014	50-317 F	KLAPPROTH, J F	9502070166	70-1113
JOHNSON, A R	9502100328	50-244 P	JOYNER, J H	9502280007	50-193 Q	KLAPPROTH, J F	9502160219	70-1113
JOHNSON, A R	9502210248	50-244 P	JOYNER, J H	9502290287	50-277 Q	KLAPPROTH, J F	9502270132	TOPREP
JOHNSON, A R	9502210287	50-244 P	JOYNER, J H	9502290298	50-289 Q	KLAPPROTH, J F	9502280308	70-1113

254 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KLASKY, M	9502100234	40-6940	KLUMAR, Y K	9502250096*	FOIA	LEUK, C	9502020034	72-1007
KLASKY, M	9502130056	40-6940	KLUMER, S	9502070956	50-322	LEVEE, E G	9502010153	PRM
KLINT, K	9502230082*	50-265	KUSUMOTOK	9502270422	XPORTUC	LEVIN, R	9502270033	40-7465
KLIESZEWSKI, J M	9502160143*	40-8948	LABARGED, E	9502140411	50-327	LEVINE, J M	9502020181	50-529 S
KLIGMAN, A M	9502100352*	FOIA	LABRUNA, S	9502020294	50-272	LEVINE, J M	9502160155	50-528 S
KLIGMAN, A M	9502100355*	FOIA	LABRUNA, S	9502070087	50-272	LEVINE, J M	9502160161	50-529 S
KLIGMAN, A M	9502130030*	FOIA	LABRUNA, S	9502060120	50-272	LEVINE, J M	9502160178	50-529 S
KLIGMAN, A M	9502130082*	FOIA	LABRUNA, S	9502150330	50-272	LEVINE, J M	9502150186	50-528 S
KLIGMAN, A M	9502130011*	FOIA	LADO, T A	9502220013	71-497	LEVINE, J M	9502170051	50-528 R
KLIGMAN, A M	9502130126*	FOIA	LAFRANZO, M	9502100936*	40-534	LEVINE, R A	9502010062	PRM
KLIGMAN, A M	9502130133*	FOIA	LAKE, L L	9502060064	71-853	LEWIS, W	9502140162	50-324 R
KLIGMAN, A M	9502130160*	FOIA	LAM, P	9502020170	50-180	LEWANDOWSKI, R	9502080068*	PRM
KLIGMAN, A M	9502130153*	FOIA	LAMASTRAM	9502030247	70-364	LEWIS, D R	9502030031	50-424 G
KLIGMAN, A M	9502130174*	FOIA	LAMASTRAM	9502030317	70-364	LEWIS, D R	9502070025	50-424 T
KLINE, J	9502020170	50-180	LAMASTRAM	9502030323	40-3992	LEWIS, D R	9502070025	50-424 T
KLOTTER, S K	9502250109	PRM	LAMASTRAM, A	950203270180*	FOIA	LEWIS, H W	9502090150	52-1
KLOTZ, B	9502260050	50-031	LAMASTRAM, A	95020710255*	FOIA	LEWIS, J W	9502090165	ACRS
KNAPP, G W	9502160172	PRM	LAMASTRAM, A	9502280255*	FOIA	LEWIS, J M	9502030204	50-528
KNAPP, K S	9502160200	71-6252	LAMBERSKI, J	9502030041	50-424	LIGHTNER, P C	9502030118*	WASTE MGT
KNAPP, K S	9502160247	71-6256	LAMBERSKI, J	9502160036	50-424	LIEBERMAN, J	9502020153*	FOIA
KNAPP, M R	9502120009*	STATE PRO G	LAMBERSKI, J	9502160038	50-424	LIEBERMAN, J	9502020289*	PR
KNAPP, M R	9502131087	ORG	LAMBERSKI, J	9502160065	50-424	LIEBERMAN, J	9502160218	50-293 Q
KNAPP, M R	9502030242	WASTE MGT	LAMBERSKI, J	9502160080	50-424	LIEBERMAN, J	9502140278	50-482 Q
KNAPP, M R	9502100078*	WASTE MGT	LAMBERSKI, J	9502160105	50-424	LIEBERMAN, J	9502140285	50-482 Q
KNAPP, M R	9502190228	WASTE MGT	LAMBERT, K	9502060066	40-6724	LIEBERMAN, J	9502140287	50-213 Q
KNAPP, M R	9502220076	STATE PRO G	LAMBERT, K J	9502080048*	40-8724	LIEBERMAN, J	9502170047*	STATE PRO G
KNEL, K	9502210046*	ACRS	LANE, V M	9502140026*	XPORTUC	LIEBERMAN, J	9502170158*	FOIA
KNOCH, A J	9502170260	50-259	LANSON, J	9502170173*	50-335	LIEBERMAN, J	9502170203*	FOIA
KNOCH, A J	9502170265	50-259	LANKS, BURY, R D	9502220287*	50-346	LIEBERMAN, J	9502170207*	50-498 Q
KNOCH, J E	9502220130	50-250	LANKS, BURY, R D	9502220289	50-331	LIEBERMAN, J	9502210128*	FOIA
KNOTH, T A	9502130086	PRM	LANKS, BURY, R D	9502220303*	50-331	LIEBERMAN, J	9502220179*	FOIA
KNOTH, T A	9502180282	PRM	LANKS, BURY, W D	9502220438	50-334	LIEBERMAN, J	9502220190*	FOIA
KOFERUNG, H	9502180273	PRM	LARKINS, J T	9502090229	ACRS	LIEBERT, S P	9502090064	QA989
KOFFRON, L	9502090258	50-458	LARKINS, J T	9502090231	ACRS	LIGHT, C S	9502210212	70-27
KOFFRON, L	9502140231	50-458	LARKINS, J T	9502090232	ACRS	LIKES, R D	9502260130*	70-1151
KOFFRON, L	9502210209	50-457	LARKINS, J T	9502090233	ACRS	LIKES, R D	9502260121*	70-1151
KOGAR, J H	9502260134*	70-1151	LARKINS, J T	9502090243	ACRS	LIKES, R D	9502260127*	70-1151
KOGLIN, W A	9502260034*	70-1257	LARKINS, J T	9502090244	ACRS	LIKROTH, D F	9502060170*	50-244
KOHL	9502090076	40-6724	LARKINS, J T	9502090245	ACRS	LIKROTH, D F	9502260293*	50-277
KOHL, B	9502090102	40-6724	LARKINS, J T	9502090247	ACRS	LIKROTH, D F	9502260315*	50-213
KOHL	9502090255*	FOIA	LARKINS, J T	9502090249	ACRS	LIN, S D	9502220182	50-416
KOKAJ, KOL E	9502170224	50-488	LARKINS, J T	9502090249	ACRS	LIPODUST, S A	9502010906	50-285 S
KOLBENSTETTER	9502090073	71-483	LARKINS, J T	9502090250	ACRS	LIPODUST, S A	9502030039*	50-287 S
KOLBENSTETTER	9502100231	50-374	LARKINS, J T	9502090252	ACRS	LINDT, E	9502030045*	50-287 S
KOMETTER, G D	9502160271	PRM	LARSON, C L	9502130218*	50-324	LINDT, E	9502030049*	50-287 S
KONIECZNY, C	9502140149	71-535	LARSON, D	9502010108*	STATE PRO G	LINK, B	9502010320	50-268
KONIECZNY, C	9502230039	PRM	LARSON, G D	9502100163	71-153	LINK, B	9502090115	50-266
KOPPL, I	9502030083	ORG	LAU, E S	9502210228	50-30	LINK, B	9502280004	50-266
KOPPIVA, R A	9502160052	50-258	LAU, E S	9502840045	50-28	LINVILLE, J C	9502010005	50-309
KORLIS	9502240176*	50-237	LAU, E S	9502280275	50-30	LINVILLE, J C	9502150032	50-334
KOTRA, J P	9502100066	ORG	LAU, P	9502140231	50-456	LINVILLE, J C	9502210047	50-271
KOUDALK, M B	9502150371	50-256	LAUDERMAN, M J	95022280485*	40-501	LIPARULO, N J	9502010168	52-3
KOUDALK, M B	9502260166*	50-256	LAUFER, R J	9502220074	50-286	LIPARULO, N J	9502010111	PR
KOUTS, C A	9502010183	WASTE MGT	LAUFER, R J	9502270086	50-305	LIPARULO, N J	9502020142	PR
KOZIOLO, J J	9502270084*	ORG	LAUFER, R J	9502270088*	50-305	LIPARULO, N J	9502030289*	50-454
KRAFT, E S	9502080114	50-254	LAVIGNE, D A	9502290167	50-385	LIPARULO, N J	9502060065	52-3
KRAINKA, K	9502070056	50-526	LAWRENCE, J D	9502080047	50-385	LIPARULO, N J	9502080068*	52-3
KRAINKA, K	9502280383	50-528	LAWRENCE, J W	9502070129	50-498	LIPARULO, N J	9502080161*	50-250
KRAMMER, R	9502280152	PRM	LAWSON, C	9502150068	71-458	LIPARULO, N J	9502080270	52-3
KRAUTZER, H W	9502280238	71-724	LAWYER, L L	9502140057*	50-327	LIPARULO, N J	9502080274*	52-3
KRAUSE, A	9502170040*	50-258	LAYTON, M	9502140168	40-8868	LIPARULO, N J	9502100197	52-3
KREHSE, J L	9502210035*	50-413	LAZARUS, W J	9502150040*	50-334	LIPARULO, N J	9502150100	52-3
KRESS, T S	9502080107	52-4	LE, H	9502270063	50-400	LIPARULO, N J	9502190285	50-454
KRESS, T S	9502080258	ACRS	LEDOUX, R	9502170250	27-48	LIPARULO, N J	9502210033	PR
KRESS, T S	9502100208	ACRS	LEE, A E	9502230124	PRM	LIPARULO, N J	9502210110*	50-454
KRESS, T S	9502220107*	50-387	LEEH, W	9502090189	71-*****	LIPARULO, N J	9502210323	52-3
KRICH, R M	9502060300	50-281	LEE, J D	9502230347*	FOIA	LIPARULO, N J	9502210343	52-3
KRICH, R M	9502070094	50-281	LEES, E J	9502240308	ORG	LIPARULO, N J	9502210344*	52-3
KRICH, R M	9502070250	50-281	LEENAHAN, J J	9502160044*	50-390	LIPARULO, N J	9502240130	TOPREP
KRICH, R M	9502070314	50-281	LENNART, H	9502240256	50-267	LIPARULO, N J	9502240133*	TOPREP
KRICH, R M	9502090150	50-281	LENZ, M O	9502220217*	50-277	LIPARULO, N J	9502240177	TOPREP
KRICH, R M	9502130184	50-281	LENZ, M O	9502220219	50-277	LIPARULO, N J	9502270146	52-3
KRICH, R M	9502140185	50-281	LEONE, A	9502080273*	FOIA	LIPARULO, N J	9502270210	52-3
KRICH, R M	9502210338	50-281	LEONE, A	9502090278*	FOIA	LIPP, D	9502150193	PRM
KRICH, R M	9502210346	50-261	LEONE, A	9502100656	FOIA	LISAK, S	9502230140	PRM
KRICH, R M	9502240172	50-261	LEONE, A F	9502090277*	50-14870	LISAK, T J	9502230183	PRM
KRICH, R M	9502280427	50-261	LEONE, A F	9502090279*	50-14870	LITTLE, J	9502020173*	FOIA
KRIEGER, R W	9502150374	50-261	LEONE, A F	9502090285*	FOIA	LOCHBAUM, D	9502270175*	50-387
KRIESER, G M	9502080160	50-266	LEONE, A F	9502100203*	FOIA	LOCHBAUM, D A	9502270170*	50-387
KRIESER, G M	9502140343	50-266	LEONE, A F	9502160280*	FOIA	LOHANS, P H	9502010026	STATE PRO G
KRIESER, G M	9502270070	50-266	LEONE, A F	9502280087*	FOIA	LOHANS, P H	9502010041	STATE PRO G
KRIESER, G M	9502280461	50-266	LESSER, M S	9502020241*	PR	LOHANS, P H	9502010087	STATE PRO G
KROPP, W J	9502210149	50-315	LESSER, M S	9502060010	50-286	LOHANS, P H	9502010095	STATE PRO G
KROPP, W J	9502210151*	50-315	LESSER, M S	9502140027	50-327	LOHANS, P H	9502080273	STATE PRO G
KROPP, W J	9502220274	50-346	LESSER, M S	9502140032*	50-327	LOHANS, P H	9502080134	STATE PRO G
KRUMLAND, K M	9502240286	50-298	LESSER, M S	9502140117	50-259	LOHANS, P H	9502080134	STATE PRO G
KRZANIAK, M S	9502220041*	71-6257	LESSER, M S	9502140123*	50-259	LOHANS, P H	9502100015	STATE PRO G
KUENTSLER, W K	9502030080	CONTRACT	LESSER, M S	9502210113*	50-327	LOHANS, P H	9502100017	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LOHAUS, P. H.	9502100030	STATE PRO G	MALSCHE, G.	9502130282*	50-443 P	MATTHEWS, K. F.	9502290029	50-315 P
LOHAUS, P. H.	9502100056	STATE PRO G	MAMSH, N.	9502140296	ISE	MATTIAM, J.	9502060148*	FOIA
LOHAUS, P. H.	9502130003	STATE PRO G	MAMSH, N.	9502140304	ISE	MATTIAM, J.	9502060962	CONTRACT
LOHAUS, P. H.	9502130198	STATE PRO G	MANN, T. F.	9502020062	40-8688	MATTIAM, J.	9502060962	CONTRACT
LOHAUS, P. H.	9502140077	STATE PRO G	MANN, D. G.	9502100256*	FOIA	MATTIAM, J.	9502060968	CONTRACT
LOHAUS, P. H.	9502150017	STATE PRO G	MANN, D. G.	9502100289*	FOIA	MATTIAM, J.	9502060989	CONTRACT
LOHAUS, P. H.	9502150026	STATE PRO G	MANN, M.	9502030229*	XPORTLIC	MATTIAM, J.	9502060931	CONTRACT
LOHAUS, P. H.	9502170011	STATE PRO G	MANN, M.	9502230327	XPORTLIC	MATTIAM, J.	9502060943	CONTRACT
LOHAUS, P. H.	9502170026	STATE PRO G	MANZ, S.	9502010338	40-3463	MATTIAM, J.	9502060944	CONTRACT
LOHAUS, P. H.	9502170038	STATE PRO G	MANZO, C. R.	9502230082	PRM	MATTIAM, J.	9502060959	CONTRACT
LOHAUS, P. H.	9502220012	STATE PRO G	MARBLE, J. D.	9502030188	40-1478	MATTIA, M. J.	9502060075	CONTRACT
LOHAUS, P. H.	9502240069	STATE PRO G	MARCH, M. L.	9502270267	50-305 R	MATTIA, M. J.	9502060248	CONTRACT
LOHAUS, P. H.	9502240095	STATE PRO G	MARCUS, C. S.	9502070125*	ORG	MATTIA, M. J.	9502060286	CONTRACT
LOHAUS, P. H.	9502290021	STATE PRO G	MARCUS, C. S.	9502030018	REGGD	MATTINGLY, M. M.	9502140118	71-542
LOHAUS, P. H.	9502290046	STATE PRO G	MARCUS, C. S.	9502060007	PR	MATTY, R. M.	9502140174	50-352 P
LONG, J. D.	9502090090	71-188	MARCUS, C. S.	9502060175	50-142 W	MATULA, T.	9502100013	STATE PRO G
LONG, R. L.	9502010078	50-289 F	MARCUS, C. S.	9502060208	PR	MAWSON, J.	9502260429	50-213 S
LONG, W. O.	9502060217	ORG	MARCUS, C. S.	9502060219	50-142 W	MAXFIELD, G. J.	9502060130	50-301 P
LOO, W. T.	9502140081*	50-321 Q	MARCUS, C. S.	9502060230*	NUREG	MAXFIELD, G. J.	9502130265	50-265 R
LOPPHORE, R. P.	9502060297	50-324 P	MARCUS, C. S.	9502060249	COMMISSION	MAXFIELD, G. J.	9502150371	50-265 R
LOPPHORE, R. P.	9502130135	50-324 P	MARCUS, C. S.	9502060275*	ORG	MAXFIELD, G. J.	9502220191	50-266 R
LOPPHORE, R. P.	9502210147	50-328 P	MARCUS, C. S.	9502100141	REGGD	MAXFIELD, G. J.	9502240096	50-301 Q
LOUX, R. R.	9502170140	WASTE MGT	MARCUS, C. S.	9502220050	COMMISSION	MAXIN, A. M.	9502010165	70-143
LUBENAU, J.	9502270389*	MISC	MARIGOLD, M. M.	9502230143	PRM	MAXIN, A. M.	9502130262	70-143
LUBENAU, J.	9502280096*	MISC	MARIONA	9502020126	REVIEW GR P	MAXIN, A. M.	9502240096	70-143
LUBENAU, J.	9502280065*	MISC	MARLEY, A. W.	9502290270	50-133 P	MAXWELL, G.	9502130166	50-369 Q
LUBENAU, J.	9502280068*	MISC	MARLOW, T. A.	9502210095*	50-244 F	MAXWELL, G. F.	9502230088*	50-369 Q
LUBENAU, J. D.	9502270386	MISC	MARLOW, T. A.	7106110257*	50-329 G	MAXWELL, G. L.	9502010161	50-482 R
LUBENAU, J. D.	9502270381*	MISC	MARRA	9502270012	50-330 D	MAXWELL, G. L.	9502220206	50-482 R
LUBENAU, J. D.	9502280102*	MISC	MARSH, L. B.	9502060039*	50-410 P	MAYS, J. C.	9502060133	40-9681
LUNEBCK, S. A.	9502160260	PRM	MARSH, L. B.	9502060126*	50-323 P	MAYS, R. B.	9502210333*	50-446 Q
LUPU, G.	9502230106	PRM	MARSH, L. B.	9502180301*	50-410 P	MAYS, R. B.	9502230060*	50-446 P
LUTHIGER, P.	9502060041	40-8906	MARSH, L. B.	9502270101*	50-286 P	MAZURA, J.	9502230179	PRM
LUTHIGER, P.	9502160402	40-8906	MARSH, W. C.	9502010116	50-208 R	MCALISTER, R. A.	9502230034*	FOIA
LUTZ, P. J.	9502010233	50-336 S	MARSH, W. C.	9502010306	50-381 P	MCALISTER, R. A.	9502150222	PRM
LUTZ, P. J.	9502140318	50-336 S	MARSH, W. C.	9502020104	PR	MCALPINE, E. J.	9502060162*	70-1151
LUTZ, P. J.	9502140381	50-336 S	MARSH, W. C.	9502020147	50-381 P	MCALPINE, E. J.	9502140021*	70-27
LUTZ, P. J.	9502220096	50-336 S	MARSH, W. C.	9502060031	50-206 F	MCALPINE, E. J.	9502150149*	70-1151
LUTZ, P. J.	9502190170*	70-3073	MARSH, W. C.	9502060097	50-361 P	MCALPINE, E. J.	9502220044*	70-27
LYNCH, D.	9502130083	50-454 P	MARSH, W. C.	9502150309	50-381 P	MCARDLE, K.	9502270021	50-390 D
LYNCH, J.	9502060131	ISE	MARSH, W. C.	9502160025	PR	MCBURNETT, M. A.	9502210276*	50-496 P
LYNCH, J. L.	9502290006	30-4837	MARSH, W. C.	9502170056	50-361 F	MCANIN, J.	9502220349*	STATE PRO G
LYNCH, M. D.	9502010340	50-454 P	MARSH, W. C.	9502210336	50-206 F	MCANIN, J.	9502290077	71-901
LYONS, D. W.	9502220137	50-354 R	MARSHALL, A. J.	9502230084	PRM	MCANIN, F. L.	9502190404	71-*****
MAAS, L. J.	9502290389*	70-1257	MARSHALL, B. J.	9502230116	PRM	MCANIN, F. L.	9502190405*	71-*****
MABRITO, B.	9502070104*	WASTE MGT	MARSHALL, B. M.	9502070101	50-338 S	MCCARTER, J. F.	9502160305	71-9222
MABRITO, B.	9502100221*	WASTE MGT	MARSHALL, B. M.	9502130260	50-338 S	MCCARTER, J. F.	9502020427	WASTE MGT
MACE, M.	9502240288	50-288 F	MARSHALL, B. M.	9502270125	50-280 Q	MCCARTER, J. F.	9502130087	PRM
MACE, M.	9502060374	CONTRACT	MARSHALL, J. S.	9502060139	50-445 I	MCCLENNAN, A.	9502220217*	50-277 P
MACE, M.	9502060380	CONTRACT	MARSHALL, L.	9502230119	PRM	MCCLENNAN, A.	9502220218*	50-277 P
MACE, M.	9502060026	CONTRACT	MARSHALL, M.	9502230289	NUREG	MCCORMACK, W. J.	9502210170*	FOIA
MACE, M.	9502060028	CONTRACT	MARSH, W. C.	9502060248	PR	MCCORD, L. S.	9502090125	71-725
MACE, M.	9502060038*	50-482 P	MARTIN, J. B.	9502020027	50-263 Q	MCCORD, L. S.	9502220045	71-181
MACE, M.	9502060057	CONTRACT	MARTIN, J. B.	9502130057*	FOIA	MCCORD, L. S.	9502280264	71-181
MACE, M.	9502060063	CONTRACT	MARTIN, J. B.	9502150097*	50-461 P	MCCORD, L. S.	9502070122	50-220 F
MACE, M.	9502090114	CONTRACT	MARTIN, J. P.	9502030228*	50-316 Q	MCCORMACK, M. J.	9502260400	50-220 F
MACE, M.	9502090144	CONTRACT	MARTIN, L.	9502010181	FOIA	MCCORMACK-BARGE	9502060020	50-461 Q
MACE, M.	9502090154	CONTRACT	MARTIN, L.	9502100192	50-486 P	MCCORMACK-BARGE	9502060181	50-409 Q
MACE, M.	9502090196	CONTRACT	MARTIN, L.	9502100198	50-498 F	MCCORMACK-BARGE	9502060186*	50-409 Q
MACE, M.	9502100169	CONTRACT	MARTIN, L.	9502130239	50-498 F	MCCORMACK-BARGE	9502220001	50-151 Q
MACE, M.	9502100276	50-272 P	MARTIN, L.	9502210186	50-498 F	MCCORMACK-BARGE	9502220003*	50-151 Q
MACE, M. H.	9502060365	CONTRACT	MARTIN, L.	9502230201*	50-499 S	MCCORMACK-BARGE	9502280001	50-483 Q
MACE, M. H.	9502060365	CONTRACT	MARTIN, R. E.	9502060002	50-413 Q	MCCORMACK-BARGE	9502280002*	50-483 Q
MACE, M. H.	9502060048	CONTRACT	MARTIN, R. E.	9502100039	50-269 P	MCCORMACK-BARGE	9502280013	50-254 Q
MACE, M. H.	9502060049	CONTRACT	MARTIN, R. E.	9502130074	50-413 P	MCCORMACK-BARGE	9502290081	50-456 Q
MACE, M. H.	9502060080	CONTRACT	MARTIN, R. E.	9502130268	50-413 P	MCCORMACK-BARGE	9502280093*	50-468 Q
MACE, M. H.	9502060105	CONTRACT	MARTIN, R. E.	9502130280	50-413 P	MCCOY, C. K.	9502010150	50-424 P
MACE, M. H.	9502060107	CONTRACT	MARTIN, R. E.	9502270104	50-413 P	MCCOY, C. K.	950210214	50-424 F
MACE, M. H.	9502060188	CONTRACT	MARTIN, T. T.	9502030257	50-255 P	MCCOY, C. K.	9502060231	50-321 H
MACE, M. H.	9502090175	CONTRACT	MARTIN, T. T.	9502060024	50-218 Q	MCCOY, C. K.	9502080140	50-386 H
MACE, M. H.	9502090186	CONTRACT	MARTIN, T. T.	9502090280*	FOIA	MCCOY, C. K.	9502150375	50-424 R
MACE, M. H.	9502100280	CONTRACT	MARTIN, T. T.	9502130060	50-423 Q	MCCOY, C. K.	9502170137	50-424 Q
MACE, M. H.	9502060068	NUREG	MARTIN, T. T.	9502130073	50-423 Q	MCCOY, C. K.	9502220162	50-424 F
MACE, M. H.	9502090127	PR	MARTIN, T. T.	9502240024	50-218 Q	MCCOY, C. K.	9502230048	50-424 F
MACE, M. H.	9502100118	50-290 S	MARTIN, T. T.	9502240051	50-338 Q	MCCOY, C. K.	9502240282	50-425 S
MACHON, R. D.	9502060325	50-259 V	MASLAR, S. R.	9502030275*	WASTE MGT	MCCOY, C. K.	9502290267	50-424 F
MACHON, R. D.	9502150287	50-259 S	MASSE, R. E.	9502210281	50-498 R	MCCOY, C. K.	9502290303	PT21
MACHON, R. D.	9502270233	50-259 P	MASSE, R. E.	9502230132	50-499 S	MCCOY, C. K.	9502170086	50-317 P
MACHON, R. D.	9502280412	50-296 P	MASSE, J. V.	9502100182*	71-*****	MCCOY, C. K.	9502290186	50-317 P
MACHON, R. D.	9502220167*	FOIA	MATTHEWS, B. M.	9502060261*	QJ999	MCCOY, C. K.	9502210081	PRM
MAGNO, A. C.	9502170199	71-171	MATIS, L. P.	9502070171*	50-263 P	MCDUFF, S.	9502170251	WASTE MGT
MAGHADEVAN, A.	9502130138*	50-220 P	MATSON, R.	9502160265*	FOIA	MCELROY, N. L.	9502101335*	FOIA
MAGHIANI, A.	9502160125*	70-3070	MATSON, R.	9502200261*	FOIA	MCGARRY, J. M.	9502020011	70-3070
MAGHIANI, A.	9502160125*	70-3070	MATTHEWS, D. B.	9502010276*	30-335 P	MCGARRY, J. M.	9502020011	70-3070
MAGHIANI, A.	9502240168*	70-3070	MATTHEWS, D. B.	9502290030	30-321 P	MCGARRY, J. M.	9502090050	70-3070
MAGHIANI, A.	9502240168*	70-3070	MATTHEWS, D. B.	9502140237*	50-335 P	MCGARRY, J. M.	9502090050	70-3070
MALARO, J. C.	9502100345*	FOIA	MATTHEWS, D. B.	9502140309*	50-389 G	MCGARRY, J. M.	9502090050	70-3070
MALINOSKI, J. W.	9502140134	71-697	MATTHEWS, D. B.	9502240164*	50-424 G	MCGARRY, J. M.	9502090050	70-3070

256 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCGARRY, J. M.	9502180061	70-3070	MERSCHOFF, E. W.	9502030272	50-413	MODRO, S. M.	9502070344*	FOIA
MCGARRY, J. M.	9502180061	70-3070	MERSCHOFF, E. W.	9502080008	50-250	MODRO, S. M.	9502070352*	FOIA
MCGARRY, J. M.	9502180103	70-3070	MERSCHOFF, E. W.	9502060051	50-269	MODRO, S. M.	9502070352*	FOIA
MCGARRY, J. M.	9502180103	70-3070	MERSCHOFF, E. W.	9502140001	50-327	MOECKEL, K.	9502100076	72-1007
MCGARRY, J. M.	9502180180	70-3070	MERSCHOFF, E. W.	9502140013	50-321	MOHAUPT, T.	9502180029	REGIO
MCGARRY, J. M.	9502180180	70-3070	MERSCHOFF, E. W.	9502140046	50-390	MOLHOAN, J. L.	9502160027	50-424
MCGARRY, J. M.	9502240171	70-3070	MERSCHOFF, E. W.	9502140111	50-369	MOLHOAN, J. L.	9502000128	FOIA
MCGARRY, J. M.	9502240171	70-3070	MERSCHOFF, E. W.	9502140140	50-261	MONDALE	9502020324	XPORTLIC
MCGOVERN, J. M.	9502240144	50-237	MERSCHOFF, E. W.	9502180024	50-302	MONTGOMERY, J. M.	9502080136	MUREG
MCGOVERN, J. J.	9502100110	70-487	MERSCHOFF, E. W.	9502210017	50-327	MONTGOMERY, J. M.	9502180066	50-482
MCGOWAN, J. P.	9502070010	50-325	MEYER, D. L.	9502020289*	PR	MOON, S. D.	9502270003	PR
MCGUINNESS, R. L.	9502010208	50-423	MEYER, G. W.	9502270150	50-396	MOORE, C.	9502230064	PRM
MCGUIRE, D.	9502130143*	50-240	MEYER, G. W.	9502280024	50-245	MOORE, J. C.	9502270096	40-299
MCGUIRE, D.	9502280370*	50-256	MEYER, G. W.	9502280031*	50-245	MOORE, K.	9502170046	50-254
MCGUIRE, D.	9502170231	ME	MEYER, R. W.	9502210118*	FOIA	MOORE, L. A.	9502140065	71-595
MONTYRE, B. A.	9502060072*	52-3	MEYER, R. W.	9502310119*	FOIA	MOORE, M. M.	9502270009	PR
MONTYRE, B. A.	9502130013	50-483	MEYER, W. A.	9502150388	50-188	MOORE, P. L.	9502240230	XPORTLIC
MCKAGUE, H. L.	9502010217	WASTE MGT	MHSA, J.	9502210311*	50-498	MOORE, R. N.	9502030153*	XPORTLIC
MCKAGUE, H. L.	9502240115	WASTE MGT	MICHAELS, T. S.	9502100108	50-63	MOORE, R. S.	9502020005	70-3070
MCKAY, D.	9502100187	71-****	MICHELSEN, M. A.	9502060215	70-96	MOORE, T. S.	9502020017	70-3070
MCKAY, M. D.	9502060062	MUREG	MICHELSEN, M. A.	9502080215	70-96	MOORE, T. S.	9502090111	70-3070
MCKEE, P. F.	9502010236*	50-213	MICHELSEN, M. A.	9502090084	70-96	MOORE, T. S.	9502180086	70-3070
MCKEE, P. F.	9502030037*	50-213	MICHELSON, C.	9502090228	52-1	MOORE, T. S.	9502180213	70-3070
MCKEE, P. F.	9502060130*	50-213	MICHELSON, C.	9502090223	52-1	MOORE, T. S.	9502180235	70-3070
MCKEE, P. F.	9502060185*	50-299	MISSI, G. P.	9502240070*	50-264	MOORE, W. E.	9502100887	CONTRACT
MCKEE, P. F.	9502060187*	50-213	MIKLAS, M. P.	9502240115	WASTE MGT	MORALES, E. M.	9502240282	40-8907
MCKEE, P. F.	9502060210*	50-423	MILAN, S. J. B. A.	9502070087*	ORG	MORALES, E. M.	9502240287*	40-8907
MCKEE, P. F.	9502060221*	50-443	MILANO, P. D.	9502080216	50-324	MORALES, E. M.	9502280010	40-8907
MCKEE, P. F.	9502060227*	50-443	MILANO, P. D.	9502130187	50-334	MORALES, E. M.	9502280014	40-8907
MCKEE, P. F.	9502100235*	50-423	MILBRADT, A. D.	9502090176	50-318	MORALES, J. O.	9502240117	PR
MCKEE, P. F.	9502100243*	50-213	MILBRADT, A. D.	9502170147	50-318	MORAND, H.	9502140217	50-472
MCKEE, P. F.	9502100248*	50-213	MILBRADT, A. D.	9502170155	50-318	MOREY, D.	9502070340	50-348
MCKEE, P. F.	9502140257*	50-213	MILHOAN, J. L.	9502180011	50-424	MOREY, D.	9502140136	50-348
MCKEE, P. F.	9502140259*	50-423	MILHOAN, J. L.	9502180021	50-424	MOREY, D.	9502150193	50-348
MCKEE, P. F.	9502170096*	50-413	MILHOAN, J. L.	9502180031	50-424	MOREY, D.	9502150347	50-348
MCKEE, P. F.	9502210169	50-213	MILHOAN, J. L.	9502180036	50-424	MOREY, D.	9502160156	50-348
MCKEE, P. F.	9502210180*	50-213	MILHOAN, J. L.	9502180114	50-424	MOREY, D.	9502170247	50-348
MCKEE, P. F.	9502210198	50-213	MILHOAN, J. L.	9502180257	50-424	MOREY, D.	9502170258	50-348
MCKEE, P. F.	9502210222*	50-213	MILHOAN, J. L.	9502220142	REVIEW GR P	MOREY, D.	9502270288	50-348
MCKEE, P. F.	9502220147*	50-336	MILHOAN, J. L.	9502090109	71-308	MOREY, D.	9502290027	50-348
MCKEE, P. F.	9502220153*	50-443	MILLER, D. B.	9502010043	50-336	MOREY, D.	9502280284	50-348
MCKEE, P. F.	9502230389	50-245	MILLER, D. B.	9502010608	50-423	MOREY, D. M.	9502080164	50-348
MCKEE, P. F.	9502270276*	50-219	MILLER, D. B.	9502010229	50-245	MOREY, D. N.	9502080223	50-348
MCKEON, R.	9502230190	50-341	MILLER, D. B.	9502010239	50-336	MOREY, D. N.	9502100242	50-348
MCKIBBIN, J. C.	9502180389	50-186	MILLER, D. B.	9502140318	50-336	MOREY, D. C.	9502201100	50-313
MCKILICAN, D.	9502010058	PRM	MILLER, D. B.	9502140381	50-336	MORGAN, M. J.	9502140080*	50-348
MCLAUGHLIN, J.	9502020301	XPORTLIC	MILLER, D. B.	9502220143	50-245	MORRIS, L. V.	9502180254	PRM
MCLAUGHLIN, J.	9502270005	70-1426	MILLER, D. B.	9502220396	50-336	MORRIS, L. V.	9502080308	40-8908
MCLAUGHLIN, J.	9502270008	70-1426	MILLER, D. B.	9502220398	50-245	MORRIS, L. V.	9502210277*	50-311
MCLAUGHLIN, J.	9502270014	70-1426	MILLER, D. B.	9502230388	50-245	MORRIS, L. V.	9502210290	50-272
MCLAUGHLIN, J.	9502270090	70-1426	MILLER, L. F.	9502100049	50-295	MOSS, J. W.	9502240275*	FOIA
MCLAUGHLIN, J.	9502270055	70-1426	MILLER, L. F.	9502100081*	50-295	MOTT, L. A.	9502140270*	50-306
MCLAUGHLIN, J.	9502280493	70-1426	MILLER, L. F.	9502270086	50-275	MOWREY, C. L.	9502200382	50-250
MCLAUGHLIN, J.	9502210099*	FOIA	MILLER, T. E.	9502010017	PRM	MOZAFAR, B. L.	9502270242	50-261
MCMEEKIN, T. C.	9502010008	50-359	MILLER, V. L.	9502020307	ORG	MOZAFAR, B. L.	9502030283	50-261
MCMEEKIN, T. C.	9502010144	50-359	MILLER, W. H.	9502140116*	50-390	MOZAFAR, B. L.	9502100113	50-261
MCMEEKIN, T. C.	9502070208	50-359	MILLNER, R. A.	9502080324	PR	MOZAFAR, B. L.	9502170008	50-261
MCMEEKIN, T. C.	9502070307	50-369	MILLNER, R. A.	9502160141	WASTE MGT	MUeller, H. J.	9502180013	50-390
MCMEEKIN, T. C.	9502130158	50-369	MILSTEIN, R.	9502230379*	FOIA	MUeller, J. H.	9502010327	50-258
MCMEEKIN, T. C.	9502150184	50-369	MIMS, D. C.	9502070089	50-313	MUeller, J. H.	9502010332	50-258
MCMEEKIN, T. C.	9502150332	50-369	MIMS, D. C.	9502070019	50-313	MUeller, J. H.	9502270229	50-258
MCMEEKIN, T. C.	9502220401	50-370	MIMS, D. C.	9502090184	50-313	MUeller, J. H.	9502280017	50-298
MCMEEKIN, T. C.	9502230306	50-369	MIMS, D. C.	9502170121	50-368	MULLINT	9102270150*	FOIA
MCMEEKIN, T. C.	9502230395	50-369	MIMS, D. C.	9502170154	50-313	MULLINT	9502100356*	FOIA
MCMEEKIN, T. C.	9502270414	50-369	MIMS, D. C.	9502210267	50-313	MUMPER, J. A.	9502160056*	70-3082
MCMEEKIN, T. C.	9502280408	50-369	MIMS, D. C.	9502210300	50-313	MUNRO, W.	9502070032	50-293
MCMILLAN, C. D.	9502160216	PRM	MIMS, D. C.	9502220121	50-368	MUNRO, W.	9502160278	50-293
MCMILLAN, C. D.	9502140114*	50-338	MIMS, D. C.	9502220149	50-313	MUNTZ, J. A.	9502170054	50-332
MEADOWS, A. J.	9502180205	PRM	MIMS, D. C.	9502220226	50-313	MUNTZ, J. A.	9502180048	PR
MEADOWS, T. R.	9502270057*	FOIA	MIMS, D. C.	9502230226	50-368	MURATONI, W.	9502230170	PRM
MEDREY, R. C.	9502010125	50-244	MIMS, D. C.	9502270247	50-368	MURDOCK, S.	9502210308	40-8622
MEDREY, R. C.	9502080122	50-244	MIMS, D. C.	9502280407	50-368	MURPHY, J. D.	9502230280	FOIA
MEDREY, R. C.	9502080245	50-244	MIRAGLIA, F. J.	9502130058*	FOIA	MURPHY, T.	9502230111	50-289
MEDREY, R. C.	9502080252	50-244	MISKA, W.	9502250236*	FOIA	MURRAY, B.	9502010027*	50-289
MEDREY, R. C.	9502080284*	50-244	MIZUNO, G. S.	9502020197*	PR	MURRAY, B.	9502020075*	50-382
MEDREY, R. C.	9502150372	50-244	MIZUNO, G. S.	9502020233*	PR	MURRAY, B.	9502090018*	50-458
MEDREY, R. C.	9502150373	50-244	MIZUNO, G. S.	9502030297*	PR	MURRAY, B.	9502090027*	50-397
MEDREY, R. C.	9502240048	50-244	MODER, J. E.	9502130008	PRM	MURRAY, B.	9502150027*	50-397
MEDREY, R. C.	9502240053	50-244	MODEEN, D. J.	9502180277	REVIEW GR P	MURRAY, B.	9502270018	50-482
MEDREY, R. C.	9502240309	50-244	MODES, M. C.	9502080079	50-244	MURRAY, B.	9502270036*	50-312
MEDFORD, M. O.	9502150337	50-259	MODES, M. C.	9502080113	50-423	MURRAY, B.	9502010143	50-458
MEESS, D. C.	9502080356*	PRM	MODES, M. C.	9502150010	50-334	MYERS, J. S.	9502230122	PRM
MEGEHEE, M. H.	9502130117	50-344	MODES, M. C.	9502150013	50-334	MYERS, L. W.	9502210281	50-498
MEHTA, S. C.	9502080375*	PRM	MODES, M. C.	9502170237	50-333	MYERS, L. W.	9502280083	50-498
MELISNER, M. J.	9502160057	50-416	MODES, M. C.	9502170246*	50-333	MYERS, S. J.	9502230106	PRM
MERISIN, P. N.	9502150170	50-451	MODES, M. C.	9502280348	50-247	NAGANO, D.	9502230173	PRM
MERISIN, P. J.	9502150313	50-54	MODES, M. C.	9502280354*	50-247	NAIDU, K. R.	9502150008*	QJ039
MERISIN, P. J.	9502280302*	70-139	MODRO, S. M.	9502070344*	FOIA	NAIDU, K. R.	9502010212	WASTE MGT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NAIR, P. K.	8502070363	WASTE MGT	NOSS, D. L.	9502140192*	XPORTUC	OPEKA, J. F.	9502170217	50-210 P
NAIR, P. K.	9502240249	WASTE MGT	NOVENSTERN, E.	9502100204*	52-3	OPEKA, J. F.	9502290137	RR
NAKANO, R.	9502030161*	50-361 P	NULK, K.	9501000033*	FOIA	OPEKA, J. F.	9502290137	RR
NARDONE, P. E.	9502220188	50-443 R	NUNN, D. E.	9502010352	50-380	OPEKA, J. F.	9502290219	50-423 P
NEBLUDA, D. T.	9502030315*	REVIEW GR P	NUNN, D. E.	9502020143	50-380 S	OPEKA, J. F.	9502290219	50-423 P
NEGUS, P. T.	8502140226	52-3	NUNN, D. E.	9502140323	50-380 S	OPEKA, J. F.	9502240004	50-213 P
NEGUS, P. T.	9502240023	52-3	NUNN, D. E.	9502140329	50-390 Q	OPEKA, J. F.	9502240004	50-213 P
NELSON	9502090219	40-8946	NUNN, D. E.	9502140334	50-390 Q	OPEKA, J. F.	9502280397	50-245 P
NELSON, D.	9502080186*	50-408 Q	NUNN, D. E.	9502140425	50-390 Q	OPEKA, J. F.	9502280397	50-245 P
NELSON, D.	9502100064*	50-182 Q	NUNN, D. E.	9502140427	50-380 Q	ORALLO, R. H.	9502290219	50-423 P
NELSON, D.	9502220003*	50-151 Q	NUNN, D. E.	9502180363	50-380 A	ORLANDO, D. A.	9502060157	40-341
NELSON, M. A.	9502170250	50-289	NUNN, D. E.	9502180369	50-380 A	ORLANDO, D. A.	9502060157	40-341
NELSON, M. A.	9502170255	50-289	NUNN, D. E.	9502180382	50-380 Q	ORLANDO, T.	9502220169	50-285 R
NELSON, M. A.	9502030296	40-8948	NUNN, D. E.	9502170115	50-390 A	ORLOSKY, D. M.	9502070030	71-558
NELSON, M. A.	9502060417	40-8948	NUNN, D. E.	9502170123	50-390 A	ORR, F.	9502170222	52-3
NELSON, M. A.	9502100314	40-8948	NUNN, D. E.	9502170143	50-390 S	ORR, F. R.	9502060100	TORREP
NELSON, M. A.	9502100318	40-8948	NUNN, D. E.	9502170146	50-390 Q	ORR, F. R.	9502060100	PT21
NELSON, M. A.	9502170448	40-8948	NUNN, D. E.	9502170152	50-390 A	ORR, F. S.	9502200192	QA599
NELSON, M. A.	9502280298	40-8948	NUNN, D. E.	9502170180	50-390 Q	ORR, F. S.	9502240156	QA599
NELSON, M. A.	9502280319	40-8948	NUNN, D. E.	9502170185	50-390 A	ORTIGER, T. W.	9502210025	PR
NERSES, V.	9502010288	50-369 P	NUNN, D. E.	9502270407	50-390 A	ORTIGER, T. W.	9502290341*	FOIA
NERSES, V.	9502030278	50-369 P	NUNN, D. E.	9502280163	50-390 A	ORTICELLE, A.	9502240018	50-272 V
NERSES, V.	9502100288	50-369 P	NUNN, D. E.	9502280175	50-390 A	ORTICELLE, A.	9502240020	50-254 V
NETSITT, K. A.	9502010013	PRM	O'CONNOR, P. W.	9502270077	50-416 P	OSGOOD, N. L.	9502090160	71-198
NETHERCUTT, B. W.	9502140274	71-236	O'CONNOR, P. W.	9502140321	50-416 P	OSGOOD, N. L.	9502090167	50-25 P
NEUGEBAUER, J.	9502080204	PRM	O'CONNOR, P. W.	9502270084*	50-416 P	OSGOOD, N. L.	9502210137	71 *****
NEUGEBAUER, J.	9502090172	PRM	O'CONNOR, P. W.	9502270082	50-416 P	OSTERHAUS, J. H.	9502100059	PT21
NEUGEBAUER, R.	9502080219	PRM	O'CONNOR, P. W.	9502270107	50-416 P	OSTMEYER, J. G.	9502130143*	70-3073
NEUMAN, G. M.	9502230023	50-440 R	O'CONNOR, P. W.	9502270116*	50-416 P	OSTRANDER, S.	9502130038	FOIA
NEWBERRY, S. F.	9502140253	50-390 D	O'CONNOR, P. W.	9502270128	50-416 P	OTLEWIS, J.	9502140150	50-373 S
NEWBERRY, S. F.	9502180314	50-390 A	O'CONNOR, P. W.	9502270133*	50-416 P	OWEN, E.	9502210056	PR
NEWBURY, G. H.	9502220143	50-245 R	O'CONNOR, P. W.	9502270346	50-416 P	OWENS, J.	9502060134	50-416 S
NEWHOUSE, P.	9502270038	70-364	O'CONNOR, P. W.	9502270359*	50-416 P	OWENS, J.	9502240025	50-416 S
NEWLAND, J. A.	9502090108	71-803	O'HANLON, J. P.	9502010246	50-280 P	PACY, M.	9502220045*	50-498 P
NEWLAND, J. A.	9502280226	71-803	O'HANLON, J. P.	9502010257	50-280 Q	PAINTER, F.	9502010053	PRM
NEWTON, A.	9502230176	PR	O'HANLON, J. P.	9502080262	50-280 F	PALEMO, S.	9502230241	PRM
NEWTON, A.	9502240035	TORREP	O'HANLON, J. P.	9502100116	50-338 P	PALLUCAR	9502170144	50-338 P
NEWTON, T. H.	9502210228	50-20 F	O'HANLON, J. P.	9502130070	50-280 P	PALLAR, L.	9502280282	ORG
NEWTON, T. H.	9502240045	50-20 S	O'HANLON, J. P.	9502130185	50-338 P	PALMER, D. J.	9502090054	71-392
NEWTON, T. H.	9502280275	50-20 P	O'HANLON, J. P.	9502180390	50-280 P	PALMISTO, T. J.	9502170189	50-255 F
NGUYEN, X.	9502080229	PRM	O'HANLON, J. P.	9502230024	50-280 K	PANNELL, G. L.	9502270436	71-18
NICHOLS, M. C.	9502220083	71-896	O'HANLON, J. P.	9502240244	50-280 P	PANNELL, G. L.	9502270440*	71-18
NICHOLS, M. C.	9502270028	50-336 P	O'HANLON, J. P.	9502240307	50-338 P	PAPE, J. M.	9502200072	WASTE MGT
NICHOLSON, L.	9502270160	50-336 S	O'HANLON, J. P.	9502280003	50-280 R	PAPERELLO, C. J.	9502030345	50-282 Q
NICHOLSON, L.	9502220325*	50-213 Q	O'KELLY, S.	9502020193	50-126 P	PAPERELLO, C. J.	9502070120	ORG
NICK, J.	9502130232*	50-334 Q	O'MEALIA, M.	9502020128	50-250 P	PAPERELLO, C. J.	9502070188	ORG
NICK, J.	9502280300*	50-288 Q	O'MEALIA, M.	9502030241*	FOIA	PAPERELLO, C. J.	9501090219	50-3
NIELSON, D. R.	9502090124	40-3453	O'NEIL, J. H.	9502080082*	FOIA	PAPERELLO, C. J.	9501120343	NUREG
NIMITZ, R.	9502170234	50-322 W	O'NEIL, J. H.	9502080234*	FOIA	PAPERELLO, C. J.	9501230260	50-3
NIMITZ, R. L.	9502030055*	50-322 Q	O'ROURKE, T. J.	9502080238	40-7455	PAPERELLO, C. J.	9502060131*	COMMISSION
NINH, S. G.	9502210185	52-4	OBLALOCK, T.	9502010053	PRM	PAPERELLO, C. J.	9502230301	STATE PRO G
NIX, T. M.	9502270440	FOIA	OCHOA, R.	9502230151	PRM	PAPERELLO, C. J.	9502020254*	PR
NOBLET, N. R.	9502010067	PRM	ODALE, J.	9502100089*	FOIA	PARK, J. R.	9502100341	40-898
NOGUE, J.	9502090112*	50-244 Q	OESTMANN, M. J.	9502090227*	70-*****	PARK, J. R.	9502100346	40-898
NOGUE, J. E.	9502130085	PRM	OGLESSBY, K. M.	9502180223	PRM	PARK, J. R.	9502100354	40-898
NOONAN, T. P.	9502180316	50-334 R	OLIV, W. E.	9502210096	FOIA	PARKER, A.	9502140010*	50-261 Q
NORBY, J.	9502230189	PRM	OLIVER, K.	9502230223	PRM	PARKER, G.	9502160208	PRM
NORDBY, P.	9502180249	PRM	OLIVER, L. J.	9502070032	50-283 R	PARKER, W. C.	9502020169*	PR
NORDIN, R. A.	9502090066	50-150 G	OLIVER, L. J.	9502180116	50-283 P	PARKER, W. C.	9502210246*	FOIA
NORELUS, C.	9502130065*	FOIA	OLIVER, L. J.	9502160276	50-283 R	PARRISH, J. V.	9502010195	50-397 P
NORELUS, C. E.	9502180340*	FOIA	OLSEN, A. F.	9502030151	70-27	PARRISH, J. V.	9502020245	50-397 P
NORELUS, C. E.	9502280248*	FOIA	OLSEN, A. F.	9502140179	70-27	PARRISH, J. V.	9502020342	50-397 P
NORELUS, C. E.	9502300284*	FOIA	OLSHAN, M.	9502210272	50-272 P	PARRISH, J. V.	9502130094	PR
NORELUS, C. E.	95025210125*	FOIA	OLSON, L.	9502070097	50-373 F	PARRISH, J. V.	9502130294	50-397 P
NORELUS, C. E.	9506100625*	FOIA	ONEARA, T. B.	9502150360*	50-317 F	PARRISH, J. V.	9502150115	50-397 S
NORELUS, C. E.	9502090263*	40-8724	OPEKA, J. F.	9502010232	50-423 P	PARRISH, J. V.	9502170009*	50-397 Q
NORRHOULL, J.	9502230060	50-483 P	OPEKA, J. F.	9502010235	50-423 P	PARRISH, J. V.	9502210154	50-397 P
NORRHOULL, J.	9502140200	50-440 P	OPEKA, J. F.	9502020182	50-245 P	PARRISH, J. V.	9502220242	50-397 R
NORRHOULL, J.	9502210239	50-346 H	OPEKA, J. F.	9502030305	50-336 Q	PARRISH, J. V.	9502240040	50-397 Q
NORRHOULL, J.	9502280079	50-305 P	OPEKA, J. F.	9502030305	50-336 Q	PARRISH, J. V.	9502240049	50-397 S
NORRHOULL, J.	9502220194	50-451 P	OPEKA, J. F.	9502030312	50-245 G	PARROTT, J.	9502090157*	FOIA
NORRHOULL, J.	9502270106	50-481 P	OPEKA, J. F.	9502030312	50-245 G	PARROTT, J.	9502100162	71-119
NORRHOULL, J.	9502100105	50-296 P	OPEKA, J. F.	9502070056	50-213 F	PARTLOW, J. G.	9502130161*	50-324 M
NORRIS, B.	9502080038	50-220 S	OPEKA, J. F.	9502070056	50-213 F	PARTLOW, J. G.	9502140236*	FOIA
NORRIS, J.	9502150123	50-250 P	OPEKA, J. F.	9502070135	50-213 P	PASKELL, S.	9502150261	PRM
NORRIS, J. A.	9502010272	50-335 P	OPEKA, J. F.	9502070138	50-213 P	PASTVA, J. M.	9502220025	50-311 S
NORRIS, J. A.	9502102321	50-335 P	OPEKA, J. F.	9502080080	50-213 P	PASTVA, J. M.	9502280405	50-311 S
NORRIS, J. A.	9502140218	50-335 P	OPEKA, J. F.	9502080080	50-213 P	PATEL, C. P.	9502130165	50-382 P
NORRIS, J. A.	9502140306	50-384 P	OPEKA, J. F.	9502150322	50-213 R	PATNAIK, P.	9502150013*	50-334 Q
NORRIS, J. A.	9502170204*	FOIA	OPEKA, J. F.	9502150322	50-213 R	PATNAIK, P.	9502280354*	50-247 Q
NORRIS, P. G.	9502210342*	FOIA	OPEKA, J. F.	9502150322	50-213 R	PATRICK, M. E.	9502150357*	50-413 F
NORTH, S. W.	9502150168*	REVIEW GR P	OPEKA, J. F.	9502150354	50-336 Q	PATRICK, M. E.	9502090263*	WASTE MGT
NORTH, H. S.	9502100000*	FOIA	OPEKA, J. F.	9502170177	50-245 Q	PATTERSON, C.	9502230127	PRM
NORTH, H. S.	9502100316*	FOIA	OPEKA, J. F.	9502170177	50-245 Q	PATTERSON, C.	9502100190	50-327 S
NORTH, H. S.	9502160334*	FOIA	OPEKA, J. F.	9502170181	50-245 Q	PATTERSON, L.	9502230053*	STATE PRO G
NORTH, S. U.	9502030283*	40-8852	OPEKA, J. F.	9502170181	50-245 P	PATTERSON, T. L.	9502010308	50-285 S
NOSS, D. L.	9502080318	70-1267	OPEKA, J. F.	9502170211	50-423 P	PATTERSON, T. L.	9502080342	50-285 P
NOSS, D. L.	9502140189	XPORTUC	OPEKA, J. F.	9502170211	50-423 P	PATTERSON, T. L.	9502080342	50-285 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
QUINN, S E	9502140252	50-247	QUINN, S E	9502290121	70-1151	ROGERS, K C	9502290325	FOIA
QUINN, S E	9502290282	50-247	QUINN, S E	9502290127	70-1151	ROGERS, K C	9502290355	FOIA
QUINTON, M D	9502290322	50-395	QUINTON, M D	9502290130	70-1151	ROGERS, K C	9502290374	COMMISSION
RADCLIFFE, W H	9502140166	50-75	RADCLIFFE, W H	9502290134	70-1151	ROGERS, K C	9502290400	COMMISSION
RADCLIFFE, W H	9502140221	50-108	RADCLIFFE, W H	9502020219	40-8964	ROGERS, S S	9502290407	50-400
RADATZ, G T	9502080242	NUREG	REMIK, J J	9502150282	FOIA	ROGGE, J	9502080889	50-218
RADATZ, M G	9502060445	PROJ	REMIK, J J	9502150288	FOIA	ROGGE, J	9502210029	50-443
RAFTERY, R P	9502130218	50-324	REMIK, J J	9502170056	FOIA	ROGGE, J F	9502080004	50-289
RAHAVAN, L	9502140232	50-362	REMIK, J J	9502140194	FOIA	ROLLSTIN, J A	9502080054	NUREG
RAINEY, G R	9502170271	50-277	REMIK, J J	9502140219	FOIA	ROLLSTIN, J A	9502080088	NUREG
RALIGH, M R	9502160237	PRM	REMIK, J J	9502140216	FOIA	ROM, D S	9502230036	ORG
RALL, A M	9502070292	FOIA	REMIK, T	9502020161	50-361	RONEY, G J	9502180184	PRM
RALSTON, J M	9502230320	50-151	RENN, F	9502230169	PRM	RONEY, D L	9502180215	PRM
RALSTON, J M	9502230322	50-151	RENN, F	9502180238	PRM	ROONEY, V L	9502010360	50-423
RANKIN, W H	9502140010	50-261	RENN, F	9502220044	50-498	ROONEY, V L	9502030020	50-423
RANKIN, W H	9502140048	50-280	REYNOLDS, L	9502060127	PR	ROONEY, V L	9502030026	50-423
RANKIN, W H	9502140061	50-321	REYNOLDS, L	9502240169	50-580	ROONEY, V L	9502060207	50-423
RAO, D V	9502230300	NUREG	REYNOLDS, L	9502240175	50-460	ROONEY, V L	9502070283	50-423
RAPP, C V	9502030142	50-395	REYNOLDS, L	9502230102	PRM	ROONEY, V L	9502100234	50-423
RASIN, W H	9502010076	PR	REYNOLDS, L	9502060172	50-237	ROONEY, V L	9502140295	50-423
RASIN, W H	9502150162	REVIEW GR P	RHOES, F T	9502210326	50-482	ROONEY, V L	9502140307	50-423
RATCLIFF, R A	9502230395	PRM	RHOES, F T	9502010251	FOIA	ROONEY, V L	9502210187	50-423
RATHBUND, K	9502160034	PRM	RHOES, F T	9502210080	FOIA	ROONEY, V L	9502270188	50-423
RATHBUND, K	9502130278	FOIA	RICHARDS, S A	9502060275	50-225	ROOS, P	9502160228	PRM
RATHBUND, K	9502010195	PR	RICHARDS, S A	9502030358	50-225	ROSE, C H	9502080357	FOIA
RATHBUND, K	9502010145	ORG	RICHARDS, S A	9502220278	50-2	ROSE, C H	9502080364	FOIA
RATHBUND, K	9502130286	FOIA	RICHARDS, S A	9502240223	50-2	ROSEN, J C	9502080270	FOIA
RATHBUND, K	9502170150	PR	RICHARDS, S A	9502270153	50-288	ROSENBLUM, R M	9502080098	50-361
RATHBUND, K	9502230029	FOIA	RICHARDS, T P	9502090192	50-288	ROSENBLUM, R M	9502080094	50-361
RATHBUND, K	9502230232	PR	RICKETTSON, D	9502090372	PROJ	ROSENBLUM, R M	9502080098	50-361
RATHBUND, K	9502240281	FOIA	RIGOT, W L	95022130256	50-264	ROSENTHAL, P R	9502060327	70-364
RATHBUND, K	9502240288	FOIA	RINALDI, F	9502070294	50-353	ROSENTHAL, P R	9502180102	70-364
RATHBUND, R	9502160252	PRM	RINALDI, F	9502070330	50-352	ROSS, T M	9502140020	50-348
RATLIFF, R A	9502160016	PR	RINALDI, F	9502060188	50-382	ROTH, J	9502220212	70-27
RATLIFF, R A	9502210023	STATE PROJ G	RINALDI, F	9502060289	50-353	ROTHERY, W C	9502240009	50-253
RAY, D J	9502010231	50-374	RINALDI, F	9502060370	50-352	ROUGHAN, C	9502020119	F721
RAY, D J	9502030618	50-373	RINALDI, F	9502100255	50-352	ROUGHAN, C	9502160227	71-9027
RAY, D J	9502060142	50-373	RINALDI, F	9502240233	50-352	ROUGHAN, C	9502160238	71-9027
RAY, D J	9502140110	50-373	RINALDI, F	9502270373	50-353	ROUGHAN, C	9502160291	71-9029
RAY, D J	9502140683	50-373	RINALDI, F	9502280142	50-353	ROUSE, R G	9502230017	50-270
RAY, D J	9502150076	50-373	RINALDI, F	9502280160	50-353	ROUSSIN, R W	9502080098	NUREG
RAY, D J	9502150849	50-374	RINALDI, F	9502280268	50-440	ROWLAND, T J	9502270382	50-275
RAY, D J	9502260060	50-374	RINALDI, F	9502280268	50-440	ROWLAND, T J	9502080346	PROJ
RAY, D J	9502280124	50-373	RINALDI, F	9502280268	50-440	ROWLAND, T J	9502080360	PROJ
RAY, J M	9502230249	PRM	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
READ, H W	9502128094	FOIA	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502060316	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502100231	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210166	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	9502240175	50-496
RECKLEY, W D	9502210189	50-374	RINALDI, F	9502280268	50-440	RUBIN, S D	95	

260 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RUSSELL, W T	9502270378*	50-353 P	SCHNELLD, F	9502070285	50-483 P	SERVAJ	9502070292*	FOIA
RYBAK, B	9502220255*	50-456 P	SCHNELLD, F	9502140183	50-483 P	SHAFFER, P W	9502230322*	50-151 P
RYLEY, M	9502220089	50-213 R	SCHNELLD, F	9502270282	50-483 P	SHAFFER, W D	9502050124	50-481 O
SACCOMANDO, D	9502070156	50-454 P	SCHNOLL, L	9502130187*	50-277 O	SHAFFER, W D	9502150014	50-155 O
SACCOMANDO, D	9502210299	50-454 P	SCHRAEDER, D	9502160348	40-8988	SHAFFER, W D	9502220359	50-215 P
SACCOMANDO, D M	9502030286	50-454 P	SCHRAEG, J L	9502240061	50-254 P	SHAFFER, C J	9502230300*	NUREG
SACCOMANDO, D M	9502080196	50-454 P	SCHRAEG, J L	9502270078	50-254 P	SHAFFER, K	9502130255	50-155 P
SACCOMANDO, D M	9502080282	50-457 O	SCHROCK, C A	9502140170	50-305 P	SHANBAKY, M M	9502180048*	FOIA
SACCOMANDO, D M	9502180162	50-454 P	SCHROCK, C A	9502140288	50-305 P	SHANBAKY, M M	9102270144*	FOIA
SACCOMANDO, D M	9502170164	50-456 P	SCHROCK, C A	9502220148	50-305 H	SHANBAKY, M M	9201130226*	FOIA
SACCOMANDO, D M	9502170256	50-454 P	SCHROCK, C A	9502230283	50-305 P	SHANBAKY, M M	9202250154*	FOIA
SACCOMANDO, D M	9502270022	50-454 P	SCHROCK, C A	9502240029	50-305 P	SHANBAKY, M M	9205150019*	FOIA
SACCOMANDO, D M	9502280271	50-454 P	SCHROCK, C A	9502150205	PRM	SHANBAKY, M M	9207210025*	FOIA
SAGAR, B	9502010212	WASTE MGT	SCHROCK, C A	9502050207*	50-346 O	SHANBAKY, M M	9207210182*	FOIA
SAGAR, B	9502010217	WASTE MGT	SCHROCK, C A	9502150149*	FOIA	SHANBAKY, M M	9505140061*	FOIA
SAGAR, B	9502220400	WASTE MGT	SCHULTZ, C	9502080257	50-324 S	SHANBAKY, M M	9505140072*	FOIA
SAGAR, B	9502240115	WASTE MGT	SCHULTZ, C	9502080257	50-324 S	SHANBAKY, M M	9211030000*	FOIA
SAGER, D A	9502010353	50-335 F	SCHULTZ, S P	9502080206	50-228 H	SHANE, W R	9502090234	PRM
SAGER, D A	9502090218	50-335 F	SCHULTZ, W H	9201100101*	FOIA	SHANK, J E	9502210309*	50-367 R
SAGER, D A	9502070093	50-335 O	SCHULTZ, W H	9201100106*	FOIA	SHANNON, H T	9502280115*	70-1151
SAGER, D A	9502080136	50-335 P	SCHULTZ, W H	9202250091*	FOIA	SHAO, L	9502140428	NUREG
SAGER, D A	9502150075	50-335 P	SCHUMACHER, M C	9502030227*	70-1111	SHARKEY, R W	9502100287	70-36
SAGER, D A	9502150307	50-335 F	SCHWARTZ, G K	9502010331	50-454 S	SHARKEY, R W	9502100287	70-36
SAGER, D A	9502220136	50-335 R	SCHWARTZ, G K	9502030343	50-454 S	SHARP, B	9502230202	PRM
SAGER, D A	9502230227	50-335 P	SCHWARTZ, G K	9502070396	50-455 S	SHARPE, J	9502210284*	50-486 P
SAGER, D A	9502270257	50-335 O	SCHWARTZ, G K	9502150280	50-455 S	SHEA, J R	9502230335*	FOIA
SAGER, D A	9502280297	50-335 F	SCHWARTZ, G K	9502280280	50-454 R	SHEA, J W	9502010318	50-277 P
SAHARASABUDHE, A	9502240047*	TOPREP	SCHWARTZ, S A	9502150209*	FOIA	SHEA, J W	9502030225	50-277 P
SALAS, P	9502010039	50-250 P	SCHWARTZ, S A	9502230340*	FOIA	SHEA, J W	9502030254	50-277 P
SALAS, P	9502020032	50-259 F	SCHWARTZ, C J	9502140388	50-367 R	SHEA, J W	9502060154	50-277 P
SALAS, P	9502090305	50-260 P	SCHWARZBACH, D	9502070206	FOIA	SHEA, J W	9502060171	50-277 P
SALAS, P	9502140179	50-259 R	SCOTT, L	9502230212	PRM	SHEA, J W	9502080003	50-277 P
SALAS, P	9502180048	50-260 Q	SCOTT, M A	9502140330*	50-348 O	SHEA, J W	9502180321	50-277 P
SALAS, P	9502230399	50-259 Q	SCOTT, M L	9502070185*	FOIA	SHEA, J W	9502210259	50-277 P
SALCITO, D R	9502180207	PRM	SEALE, R	9502080214	ACRS	SHEA, J W	9502270093	50-277 P
SALGADO, N	9502090195*	50-362 Q	SEGER, S L	9502230187	PRM	SHEA, J W	9502270162	50-387 H
SALSBURY, W C	9502220272	40-4492	SEITZ, D	9502090074	71-110	SHEA, J W	9502280247	50-277 P
SALMON, H P	9502010235	50-333 O	SEITZ, D	9502180384	71-9107	SHEAR, G L	9502020202*	FOIA
SALMON, H P	9502080091*	50-333 Q	SEKAYEC, G B	9502060312	40-8988	SHEAR, G L	9502020061*	70-2174
SALMON, H P	9502130064	50-333 S	SELIN, J	9502020406	COMMISSION	SHEAR, G L	9502020070*	70-2174
SALMON, H P	9502130084	50-333 S	SELIN, J	9502020306	COMMISSION	SHEAR, G L	9205210111*	FOIA
SALMON, H P	9502140180	50-333 S	SELIN, J	9502200843	COMMISSION	SHEAR, G L	9206130044*	FOIA
SALMON, H P	9502240073	50-333 S	SELIN, J	9502020386	COMMISSION	SHEAR, G L	9206130046*	FOIA
SALMON, H P	9502240042	50-333 S	SELIN, J	9502080189	10CFR	SHEAR, G L	9210020141*	FOIA
SALMON, H P	9502240090	50-333 S	SELIN, J	9502090207	10CFR	SHEAR, G L	9210020150*	FOIA
SALMON, H P	9502260439	50-333 S	SELIN, J	9502100071	STATE PRO G	SHEAR, G L	9210060179*	FOIA
SALTO, T	9502230028*	FOIA	SELIN, J	9502120385	COMMISSION	SHEAR, G L	9210080054*	FOIA
SANBORN, G	9502230318	ISE	SELIN, J	9502130291	COMMISSION	SHEAR, G L	9502200840	45-6724
SANDERSON, R E	9502010006	PR	SELIN, J	9502140042	COMMISSION	SHEAR, G L	9502100028	45-434
SANFORD, J W	9502100060*	STATE PRO G	SELIN, J	9502140068	COMMISSION	SHEAR, G L	9502130201	ISE
SANTIAGO, P	9502140292	ISE	SELIN, J	9502140080	COMMISSION	SHEAR, G L	9502150106	40-8948
SANTIAGO, P	9502140304	ISE	SELIN, J	9502140083	COMMISSION	SHEAR, G L	9502280009	40-7367
SANTIAGO, P	9502140316	ISE	SELIN, J	9502140072	COMMISSION	SHEAR, G L	9502280078	PROJ
SANTIAGO, P	9502140335	ISE	SELIN, J	9502140076	COMMISSION	SHEAR, G L	9502280113	70-7002
SARTOR, W M	9502030144*	50-348 O	SELIN, J	9502140083	COMMISSION	SHEAR, G L	9502280139*	70-7002
SATCHEL, M	9502230144	PRM	SELIN, J	9502140087	COMMISSION	SHEAR, G L	9502280148*	70-7002
SALUNDE, R F	9502060049	50-338 S	SELIN, J	9502140096	COMMISSION	SHEPARD, R	9502230133	PRM
SALUNDERS, R F	9502280201	50-338 O	SELIN, J	9502140099	COMMISSION	SHEPHERD, C	9502160253	PRM
SCARF, C R	9502140155	50-381 R	SELIN, J	9502140105	COMMISSION	SHEPHERD, G E	9502240206	FOIA
SCHAAF, R G	9502140225*	50-458 P	SELIN, J	9502140108	COMMISSION	SHEIBAN, J	9502240282	50-425 S
SCHAAF, R G	9502140242*	50-458 P	SELIN, J	9502140124	COMMISSION	SHELL, R H	9502080237	50-327 F
SCHAAF, R G	9502140244*	50-458 P	SELIN, J	9502140127	COMMISSION	SHELL, R H	9502100084	50-328 O
SCHAEFER, J	9502090081	71-718	SELIN, J	9502140138	COMMISSION	SHELL, R H	9502140342	50-327 P
SCHAEFER, J	9502100077*	STATE PRO G	SELIN, J	9502140142	COMMISSION	SHELL, R H	9502140353	50-327 P
SCHAEFF, R G	9503030030*	50-458 P	SELIN, J	9502140145	COMMISSION	SHELL, R H	9502150379	50-327 R
SCHAEFFER, H B	9502230380*	FOIA	SELIN, J	9502140151	COMMISSION	SHELL, R H	9502260410	50-327 S
SCHALL, R J	9502210041	STATE PRO G	SELIN, J	9502140154	COMMISSION	SHELTON, B J	9502200237*	PR
SCHALL, R J	9502210082	PRM	SELIN, J	9502140160*	COMMISSION	SHELTON, B J	9502200347*	PR
SCHALL, R J	9502180194	PRM	SELIN, J	9502140204*	FOIA	SHELTON, D	9502070004	50-341 F
SCHERMAN, S L	9502060071	40-8681	SELIN, J	9502140403	COMMISSION	SHELTON, D C	9502060177	50-440 O
SCHERMAN, S L	9502080074	45-8881	SELIN, J	9502150110*	FOIA	SHELTON, D C	9502070080	50-440 F
SCHERMAN, S L	9502240058	45-8881	SELIN, J	9502150140*	FOIA	SHELTON, D C	9502100344	50-440 P
SCHLUETER, J	9502080136	NUREG	SELIN, J	9502150239	50-10 Q	SHELTON, D C	9502130151	50-440 P
SCHMALE, N E	9502010184*	40-8778	SELIN, J	9502150248*	FOIA	SHELTON, D C	9502130227	50-440 P
SCHMALE, N E	9502010184*	40-8778	SELIN, J	9502150253*	FOIA	SHELTON, D C	9502150104	50-440 R
SCHMALE, N E	9502010186*	40-8778	SELIN, J	9502150288	COMMISSION	SHELTON, D C	9502210227	50-440 S
SCHMALE, N E	9502010186*	40-8778	SELIN, J	9502150301	COMMISSION	SHELTON, D C	9502230025	50-440 P
SCHMIDT, W L	9502020286	50-362 P	SELIN, J	9502170079*	FOIA	SHELTON, D C	9502230286	50-440 R
SCHMIDT, W L	9502140115	50-301 Y	SELIN, J	9502230063	COMMISSION	SHELTON, D C	9502240006	50-440 R
SCHMITT, J F	9502020105	PR	SELIN, J	9502230349*	FOIA	SHEMBARGER, M	9502080068	52-3
SCHMITT, J F	9502100045	REVIEW GR P	SELIN, J	9502230376*	70-143	SHEMBARGER, M	9502080182	52-3
SCHMITT, J F	9502270015	WASTE MGT	SELIN, J	9502160225	PRM	SHEMBARGER, M	9502170111	52-3
SCHMITT, J F	9502270022	WASTE MGT	SELIN, J	9502020116	50-258 S	SHERBERG, M F	9502070044*	ORG
SCHMITT, J F	9502270025	NUREG	SELIN, J	9502150340	50-258 S	SHERBERG, M F	9502160394	71-6964
SCHNEIDER, J F	9502100171	PROJ	SERPANC, Z	9502270384*	ORG	SHERIDAN, J	9502170181*	50-255 F
SCHNEIDER, J F	9502220225	50-282 Q	SERPANC, Z	9502270395*	ORG	SHERON, B W	9502220388	TOPREP
SCHNEIDER, J R	9502170084	50-295 S	SERPANC, Z	9502270382*	ORG	SHERP, T S	9502060313	70-143
SCHNELLD, F	9502070071	50-483 P	SERPANC, Z	9502270388*	ORG	SHERP, T S	9502230343*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SHIELDS, W J	9502220201	40-8948	SPENCER, E	9502030333	WASTE MGT	STEVENS, R J	9502230310*	50-528 P
SHIELDS, W J	9502220181	40-8948	SPENCER, E	9502030163	WASTE MGT	STEWART, J	9502150383	70-27
SHIRAKI, C Y	9502010259	50-295 P	SPENCER, E	9502030331	WASTE MGT	STEWART, W L	9502060047	PR
SHIRAKI, C Y	9502140395	50-295 P	SPENCER, E	9502060392	WASTE MGT	STEWART, W L	9502060328	50-529 P
SHIRAKI, C Y	9502140398*	50-295 P	SPENCER, E	9502070241	WASTE MGT	STEWART, W L	9502140424	50-528 P
SHIRAKI, C Y	9502160365	50-295 P	SPENCER, E	9502070334	WASTE MGT	STEWART, W L	9502150341	50-528 Q
SHIRALKAR, B	9502230277*	52-4	SPENCER, E	9502130141	WASTE MGT	STEWART, W L	9502210163	50-529 Q
SHIVER, A W	9502080054	NUREG	SPENCER, E	9502130148	WASTE MGT	STEWART, W L	9502240036	50-528 Q
SHIVER, A W	9502080062	NUREG	SPENCER, E	9502130152	WASTE MGT	STEWART, W L	9502270231	50-528 Q
SHIVER, A W	9502080088	NUREG	SPENCER, E	9502130157	WASTE MGT	STILTENPOLE, B	9502090280	WASTE MGT
SHMAROV, V	9502140155*	XPORTLIC	SPENCER, E	9502130171	WASTE MGT	STIMMELL, G L	9502010355	70-754
SHONK, F J	9502020017	70-3070	SPENCER, E	9502130229	WASTE MGT	STIMPCEVICH, J	9502220108	50-275 R
SHONK, F J	95021300213	70-3070	SPENCER, E	9502130253	WASTE MGT	STONER, J P	9502160051	70-3082
SHONK, F J	9502160235	70-3070	SPENCER, E	9502140207	WASTE MGT	STONER, J P	9502160128	70-1151
SHRIVASTAVA, S	9502090049	CONTRACT	SPENCER, E	9502140220	WASTE MGT	STONER, C R	9502030258*	FOIA
SHUMWAY, D B	9502090146	71-514	SPENCER, E	9502140431	WASTE MGT	STONER, C R	9502150185	SECY
SHUMWAY, D B	9502230203	71-9027	SPENCER, E	9502150084	WASTE MGT	STONER, C R	9502230382*	FOIA
SHUTER, M H	9210060259*	FOIA	SPENCER, E	9502210221	WASTE MGT	STOLZ, J F	9502070258*	50-350 P
SHUTER, M H	9210060261*	FOIA	SPENCER, E	9502210331	WASTE MGT	STOLZ, J F	9502070333*	50-352 P
SHYLOCK, M	9502090174*	50-258 Q	SPENCER, E	9502240128	WASTE MGT	STOLZ, J F	9502080211*	50-352 P
SHYLOCK, M B	9502090186*	50-302 Q	SPENCER, E	9502240134	WASTE MGT	STOLZ, J F	9502080272*	50-353 P
SIEGEL, B L	9502010268	50-364 P	SPENCER, E	9502240204	WASTE MGT	STOLZ, J F	9502080310	50-272 P
SIEGEL, B L	9502130077	50-348 Q	SPENCER, A L	9502090088	71-685	STOLZ, J F	9502080353*	50-367 P
SILVERBLOND, M	9502220120*	FOIA	SPENCER, D R	9502270213*	52-3	STOLZ, J F	9502080376*	50-352 P
SIMON, D	9502220040	71-758	SPENCER, M	9502180239	PRM	STOLZ, J F	9502100262	50-353 P
SIMONS, K	9502010010	PRM	SPESSARD, R L	9502240258*	50-488 Q	STOLZ, J F	9502130131	50-272 P
SIMPSON, T W	9502060090	50-454 P	SPESSARD, R L	9502060331*	STATE PROG	STOLZ, J F	9502160317	50-368 Q
SIMPSON, T W	9502070191	50-295 P	SPESSARD, R L	9502060029	REVIEW GR P	STOLZ, J F	9502210252*	50-367 P
SIMPSON, T W	9502130293	50-237 R	SPESSARD, R L	9502070173*	50-498 F	STOLZ, J F	9502220216	50-272 P
SIMPSON, T W	9502230036	50-304 Q	SPESSARD, R L	9502070217*	50-498 Q	STOLZ, J F	9502230146*	50-363 P
SIMPSON, C	9502150328	50-528 F	SPESSARD, R L	9502220328	QA989	STONE, B J	9502220180	50-341 R
SIMPSON, C	9502240106	50-528 F	SPRAUL, J G	9502070104*	WASTE MGT	STONE, J C	9502060145	50-482 P
SINCLAIR, P	9502060273*	FOIA	SPRAUL, J G	9502100221*	WASTE MGT	STONE, J C	9502270270	50-482 P
SINCLAIR, P	9502100280*	FOIA	SPRUNG, J L	9502080054	NUREG	STORZ, L F	9502240112	50-410 S
SINCLAIR, W J	9502070318	40-8681	SPRUNG, J L	9502080062	NUREG	STRATFORD, J J	9502090018	XPORTLIC
SINGH, T	9502230290*	52-4	SPRUNG, J L	9502080068	NUREG	STRATFORD, J J	9502090024	XPORTLIC
SINIS, E	9502220157	50-445 R	SRENIAWSKI, D	9308100033*	FOIA	STRECH, B	9502230112	PRM
SISK, D	9502150318	50-323 S	SRENIAWSKI, D S	9308100030*	FOIA	STRENGER, D F	9502090127	PR
SISK, D	9502220111*	50-275 S	SRIHAR, B N	9502240066*	50-321 P	STROM, J	9502270417*	FOIA
SIVELY, E	9502150021*	FOIA	SRIHAR, B N	9502240073*	50-321 P	STRUCKMEYER, R	9502230071	70-135
SKETLY, T O	9502150311*	FOIA	SRIHAR, B N	9502240254*	WASTE MGT	STULLER, J	9502150188*	FOIA
SKINNER, P	9502210012	50-424 Q	ST CLAIR, R R	9502060310*	50-287 P	STURM, E	9502160187	PRM
SKINNER, P H	9502140022*	50-321 Q	ST CLAIR, R R	9502070238*	50-270 P	STURZ, F C	9502100073	72-1007
SKINNER, P H	9502240164*	50-424 G	ST CLAIR, R R	9502070249*	50-268 P	STURZ, F C	9502220017	PRQJ
SKPPER, M	9502240067	50-324 F	STADLER, R	9502230148	PRM	SUCCON, N	9502200086	40-8968
SKORHOD, P M	9502240026	71-8033	STAFFES, D R	9502240116*	PRQJ	SULLIVAN, T A	9502240008	50-283 R
SLACK, J	9502080071	71-216	STAFFES, D R	9502240120*	PRQJ	SUMMERS, J C	9502150153	50-272 P
SLAGIS, G C	9502210001	PR	STAFFORD, A	9502160220	PRM	SUMMERS, J C	9502210271	50-311 P
SLATER, C O	9502080096	NUREG	STALGER, W	9502200159*	FOIA	SUMMERS, J C	9502210285	50-272 P
SLAWINSKI, W	9308100033*	FOIA	STALEY, P L	9502170151*	50-295 F	SUMMERS, J C	9502220025	50-311 S
SMALL, J	9502270068	50-390 D	STALL, J A	9502170050	50-338 R	SUMMERS, J C	9502230026	50-311 S
SMITH, B	9502020092	40-8868	STALL, J A	9502280074	50-338 S	SUMMERS, J C	9502290445	50-311 P
SMITH, L	9502130287*	FOIA	STALL, J A	9502280424	50-338 S	SWANSON, D T	9502070188	50-362 P
SMITH, D R	9502230082	STATE PRO G	STANG, J F	9502090072	50-237 P	SWANSON, K R	9502140269	71-146
SMITH, G C	9502280293*	60-277 Q	STANG, J F	9502270212	50-237 P	SWARTZ, P A	9502230234	PRM
SMITH, K G	9502030178*	40-8902	STANG, J F	9502270243	50-237 P	SYBENK	9502160202	PRM
SMITH, L R	9502010093	PR	STANG, J F	9502270261*	50-237 P	SYKES, K W	9502220132	50-10
SMITH, L R	9502030023	REGGD	STANG, J F	9502270340	50-237 P	SYLVIA, B R	9502080117	50-220 P
SMITH, T R	9502140179	50-258 R	STANG, J F	9502270324*	50-237 P	SYLVIA, B R	9502060119	50-220 P
SMITH, V	9502010108*	STATE PRO G	STAUFFER, L	9502020129	50-160 G	SYLVIA, B R	9502060315	50-220 P
SMITH, W H	9502220116	50-277 V	STAUTER, J C	9502130177*	FOIA	SYLVIA, B R	9502060317*	50-220 P
SMITH, W H	9502180188	PRM	STEARNS, C F	9502150280	PRM	SYLVIA, B R	9502070136	50-220 P
SNAPP, M R	9502100193	40-8027	STEDENFELD, G	9502160199	PRM	SZERLAG, M	9502160390	FOIA
SNELL, W G	9502080048*	40-8724	STEDENFELD, J W	9502160210	PRM	TABOADA, A	9502270209	ORG
SNELL, W G	9502130201	1&E	STEELE, L E	9502270353*	ORG	TABORS, F	9502070302	50-324 S
SNIDER, D M	9502150283	NUREG	STEELE, L E	9502270368*	ORG	TALBOT, J E	9210260068*	FOIA
SNIDER, D M	9502150287	NUREG	STEELE, L E	9502270372*	ORG	TALWANUP	9502230228*	50-386 R
SNIDER, D M	9502150297	NUREG	STEELE, L E	9502280220*	ORG	TAM, P S	9502100286	50-380 A
SNIDER, D M	9502150308	NUREG	STENGERWALD, R	9502240013	60-333 S	TAM, P S	9502180228	50-380 A
SNIDER, G E	9502170025	71-96	STENS, J	9502070103	FOIA	TAM, P S	9502170092	50-390 A
SNYDER, G R	9502210180	71-730	STENDLER, M J	9502130081*	PRESS	TAM, P S	9502220284	50-390 H
SOONG, S	9502100322	70-36	STENHARDT, C R	9502030288	50-305 P	TAM, P S	9502270220	50-390 H
SOPRELU, J	9502090232	50-249 Q	STENHARDT, C R	9502270252	50-305 H	TAMALD, M	9502240190	50-424 G
SPANGENBERG, F	9502070177	50-249 Q	STENMEYER, K P	9502060213	REGGD	TAMALD, M	9502240154*	50-424 G
SPARLING, D K	9502240061	40-8681	STELLO, M	9502220327	40-8648	TABOUS, S	9502150097	PR
SPEED, H P	9502230153	PRM	STEPHENSON, J D	9502070014	50-302 F	TAYLOR, G R	9502140114*	50-338 Q
SPEED, R M	9502230147	PRM	STEPHENSON, J F	9502070006	50-302 F	TAYLOR, G J	9502010358	50-365 S
SPEED, R M	9502230047	71-707	STETZ, J	9502060283	50-346 O	TAYLOR, G J	9502030392	50-385 K
SPENSE, J G	9502220027	71-637	STETZ, J P	9502070078	50-346 P	TAYLOR, G J	9502030334	50-395 P
SPENCE, R E	9502010184	WASTE MGT	STETZ, J P	9502070088	50-346 P	TAYLOR, G J	9502060336	50-395 P
SPENCE, R E	9502010174	WASTE MGT	STETZ, J P	9502130180	50-346 P	TAYLOR, G J	9502160395	50-395 Q
SPENCE, R E	9502010203	WASTE MGT	STETZ, J P	9502180398	50-346 Q	TAYLOR, G J	9502210263	50-395 S
SPENCE, R E	9502010227	WASTE MGT	STETZ, J P	9502190408	50-346 Q	TAYLOR, G J	9502230282	50-395 S
SPENCE, R E	9502010268	WASTE MGT	STETZ, J P	9502210109	50-346 P	TAYLOR, G J	9502290317	50-395 S
SPENCE, R E	9502010313	WASTE MGT	STETZ, J P	9502230075	50-346 P	TAYLOR, G J	9502290417	50-395 P
SPENCE, R E	9502010817	WASTE MGT	STETZ, J P	9502270184	50-346 R	TAYLOR, J H	9502030105	70-135
SPENCE, R E	9502030267	WASTE MGT	STETZ, J P	9502280137	50-346 P	TAYLOR, J M	9204160101*	FOIA
SPENCE, R E	9502030284	WASTE MGT	STEVENS, G L	9502130144*	50-220 P	TAYLOR, J M	9502220229*	50-498 Q

262 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TAYLOR J M	9302220339	50-498 Q	THE CHAIRMAN	9502140076	COMMISSION	TROTTER, E H	9502080006	50-309 P
TAYLOR J M	9306140020	FOIA	THE CHAIRMAN	9502140083	COMMISSION	TROTTER, E H	9502170072	50-309 P
TAYLOR J M	9306240178	50-498 Q	THE CHAIRMAN	9502140367	COMMISSION	TROTTER, E H	9502210216	50-309 P
TAYLOR J M	9308200217	50-498 Q	THE CHAIRMAN	9502140088	COMMISSION	TROTTER, E H	9502280068	50-309 P
TAYLOR J M	9308200284	FOIA	THE CHAIRMAN	9502140089	COMMISSION	TROUP, G L	9502220344	70-27
TAYLOR J M	9309100050	52-1	THE CHAIRMAN	9502140105	COMMISSION	TROZZI, V	9502080004	70-364
TAYLOR J M	9405040198	COMMISSION	THE CHAIRMAN	9502140106	COMMISSION	TRUBATCH, S L	9502130060	50-289 P
TAYLOR J M	9406030008	50-208 P	THE CHAIRMAN	9502140124	COMMISSION	TRUBATCH, S L	9502130067	50-418 P
TAYLOR J M	9411180086	SECY	THE CHAIRMAN	9502140127	COMMISSION	TUCHANTRE, L E	9502220217	50-277 P
TAYLOR J M	9412120100	COMMISSION	THE CHAIRMAN	9502140136	COMMISSION	TUCKER, E	9502210212	WASTE MGT
TAYLOR J M	9412190062	52-5	THE CHAIRMAN	9502140142	COMMISSION	TSE, A H	9502080217	PRM
TAYLOR J M	9412210049	COMMISSION	THE CHAIRMAN	9502140145	COMMISSION	TSE, A H	9502150273	PRM
TAYLOR J M	9412280044	50-29 H	THE CHAIRMAN	9502140151	COMMISSION	TUASON, E S	9502140143	71-325
TAYLOR J M	9412300025	SECY	THE CHAIRMAN	9502140154	COMMISSION	TUCKER, H E	9502130030	FOIA
TAYLOR J M	9501170001	40-8027	THE CHAIRMAN	9502140160	COMMISSION	TUCKMAN, M S	9502010110	50-269 P
TAYLOR J M	9501170134	50-374 P	THE CHAIRMAN	9502140204	FOIA	TUCKMAN, M S	9502020423	50-269 P
TAYLOR J M	9502010082	PR	THE CHAIRMAN	9502140403	COMMISSION	TUCKMAN, M S	9502070326	50-269 P
TAYLOR J M	9502010122	50-448 H	THE CHAIRMAN	9502150110	FOIA	TUCKMAN, M S	9502080218	PR
TAYLOR J M	9502010222	50-293 Q	THE CHAIRMAN	9502150140	FOIA	TUCKMAN, M S	9502150213	50-413 P
TAYLOR J M	9502030028	42-4	THE CHAIRMAN	9502150239	50-10 Q	TURK, H	9502170144	FOIA
TAYLOR J M	9502030032	50-373 H	THE CHAIRMAN	9502150248	FOIA	TUETKEN, R P	9502150136	50-295 P
TAYLOR J M	9502030037	SECY	THE CHAIRMAN	9502150253	FOIA	TUETKEN, R P	9502230375	50-295 Q
TAYLOR J M	9502030044	50-298 P	THE CHAIRMAN	9502150256	COMMISSION	TUPPER, R B	9502080277	52-3
TAYLOR J M	9502080043	50-259 P	THE CHAIRMAN	9502150301	COMMISSION	TURK, S E	9502020084	50-190 G
TAYLOR J M	9502080183	50-488 Q	THE CHAIRMAN	9502170079	FOIA	TURK, S E	9502160093	50-190 G
TAYLOR J M	9502080302	50-438 P	THE CHAIRMAN	9502230083	COMMISSION	TURNER, D R	9502230401	WASTE MGT
TAYLOR J M	9502080311	71-123 P	THE CHAIRMAN	9502230349	FOIA	TURNER, S E	9502301831	50-302 P
TAYLOR J M	9502080315	50-298 P	THE CHAIRMAN	9502230376	70-149	TURNER, S E	9502301851	50-302 P
TAYLOR J M	9502090327	50-10 W	THILMER, D	8802230264	71-114	TURNER, S E	9502100984	50-275 P
TAYLOR J M	9502090170	52-1	TROLL, S	8802230171	PRM	TURNER, S E	9502100985	50-275 P
TAYLOR J M	9502100100	REVIEW GR P	THOMAS, J O	9502020243	40-3453	TURNER, S E	9502100986	50-275 P
TAYLOR J M	9502100158	50-336 P	THOMAS, C R	9502170028	50-282 P	UDY, A C	9501310138	50-348 Q
TAYLOR J M	9502100164	ORG	THOMAS, E B	7306110247	50-329 G	ULICK, R B	9502100256	40-2384
TAYLOR J M	9502100228	50-272 P	THOMAS, G S	9502020141	50-334 G	ULLRICH, E	9502080277	50-193 Q
TAYLOR J M	9502100246	PR	THOMAS, G S	9502020420	50-412 P	ULLRICH, E	9502130228	50-54 Q
TAYLOR J M	9502100282	PR	THOMAS, G S	9502020424	50-334 P	ULLRICH, E	9502280316	50-193 Q
TAYLOR J M	9502100330	52-1	THOMAS, G S	9502020426	50-334 F	ULLRICH, E	9502280325	50-334 Q
TAYLOR J M	9502140014	50-322 W	THOMAS, G S	9502070221	50-334 F	UNLESSBAY, A G	9503090222	40-8946
TAYLOR J M	9502150137	SECY	THOMAS, G S	8802280225	50-334 F	URTON, R A	9502200248	PRM
TAYLOR J M	9502150150	SECY	THOMAS, G S	9502160207	50-412 P	URBAN, C E	9502160283	PRM
TAYLOR J M	9502150209	SECY	THOMAS, G S	9502200227	50-334 F	URBAN, C E	9502060055	50-390 F
TAYLOR J M	9502150310	50-275 Q	THOMAS, G S	9502230271	50-334 F	UTTA, S L	9502060087	40-9027
TAYLOR J M	9502190059	50-454 Q	THOMAS, G S	9502280114	50-334 R	UTTA, S L	9502190109	40-8027
TAYLOR J M	9502220014	MURK	THOMAS, G S	9502280118	50-412 V	UTTA, S L	9502190201	40-8027
TAYLOR J M	9502220096	50-387 Q	THOMAS, M L	9502020157	PR	UTTA, S L	9502240163	40-8027
TAYLOR J M	9502230090	SECY	THOMAS, R	9502020127	REVIEW GR P	VALENTINE, D A	9502240238	40-341
TAYLOR J M	9502230191	PR	THOMPSON, B B	9502010047	PRM	VALKS	9502170052	FOIA
TAYLOR J M	9502230296	SECY	THOMPSON, D	9502280070	50-259 Q	VAN DOORN, P K	9502140018	50-390 P
TAYLOR J M	9502230371	70-143	THOMPSON, L H	8410190185	PR	VAN GOETHES	9502230183	PRM
TAYLOR J M	9502240282	52-4	THOMPSON, L H	9502020179	PR	VANDENBURGH, C	9502240036	50-382 Q
TAYLOR J M	9502270051	FOIA	THOMPSON, L H	9502070081	FOIA	VANDENBURGH, C A	9502100091	50-313 Q
TAYLOR J M	9502270286	52-5	THOMPSON, L H	9502210077	FOIA	VANDENBURGH, C A	9502230150	PRM
TAYLOR J M	9502280472	MISC	THOMPSON, L H	9502170274	FOIA	VARGA, S	9502170041	50-259 P
TAYLOR, P A	9502140018	50-390 Q	THOMPSON, L H	9502230277	62-4	VARGA, S A	9502140059	50-317 P
TEEL, K	9502290237	PRM	THOMAS, L H	9502090048	50-344 Q	VARGA, S A	9502150161	50-325 P
TEFFT, D E	9502220026	STATE PRO G	THORNTON, S E	8802190118	PR	VARGA, S A	9502220272	50-272 P
TELL, A T	9502080020	50-346 Q	THOMAS, A	9502160020	50-390 Q	VARGA, S A	9502220243	50-352 P
TERRY, C D	9502130124	50-220 P	TIPS, S B	9502210202	70-27 S	VARGA, S A	9502270323	50-343
TERRY, C D	9502150229	50-220 P	TIPS, S B	9502150289	50-321 S	VELASQUEZ, J R	9502270058	40-8027
TERRY, C D	9502230387	50-220 P	TIPSON, T E	9502100247	PR	VENEGAS, J M	9502150099	71-100
TERRY, C D	9502240119	50-220 P	TITUS, F W	9502070180	50-368 P	VERGARA, G G	9502230083	PRM
TERRY, C D	9502080103	50-445 P	TIJDER, T R	9502010103	50-381 P	VERRELLI, M	9502030156	50-302 Q
TERRY, C D	9502070076	50-445 P	TIERLAND, G T	9506080257	PROJ	VERRELLI, M	9502030014	50-338 Q
TERRY, C D	9502070148	50-445 P	TIERLAND, G T	9502140175	PROJ	VERRELLI, M	9502060023	50-280 Q
TERRY, C D	9502070252	50-445 P	TOBIN, W	9502190143	50-280 Q	VERRELLI, M	9502140006	50-335 Q
TERRY, C L	9502170082	50-445 K	TOMKINS, J E	9502130112	50-275 F	VERRELLI, M	9502140000	50-302 Q
TERRY, C L	9502210330	50-445 Q	TOMKINS, J E	9502170205	50-275 F	VERRELLI, M	9502140103	50-335 Q
TERRY, C L	9502230087	50-445 Q	TORTORELLI, J P	9502010102	STATE PRO G	VERRELLI, M	9502140112	50-338 Q
TERRY, C L	9502230084	50-445 R	TORTORELLI, J P	9502010106	STATE PRO G	VERRELLI, M	9502140128	50-280 P
TESTA, E D	9502080192	70-1151	TOSCH, K	9502260297	50-354 P	VERRELLI, M	9502210067	50-302 P
THADAN, A C	9502230027	FOIA	TOSCH, K	9502230232	50-272 P	VERRELLI, M	9502230390	50-400 S
THAGGARD, M	9502240030	40-7580	TOSCH, K W	9502230123	50-354 P	VESPOLE, V A	9502270040	50-390 Q
THALMAN, M	95022100243	PRM	TOSCH, K W	9502230181	PR	VIANO, D J	9502170167	FOIA
THE CHAIRMAN	9502020308	COMMISSION	TRAMMELL, C M	9307090104	50-528 P	VICTOR, W R	9502150225	50-288 S
THE CHAIRMAN	9502020343	COMMISSION	TRAN, L N	9502150080	50-528 P	VINCENT, R A	9502010117	PR
THE CHAIRMAN	9502020366	COMMISSION	TRAN, L N	9502150084	50-528 P	VIRGILIO, R O	9502220126	FOIA
THE CHAIRMAN	9502020406	COMMISSION	TRAN, L N	9502140372	50-528 P	VIRGONIA, J E	9502160145	WASTE MGT
THE CHAIRMAN	9502080199	10CFR	TRAN, L N	9502160379	50-528 P	VISSING, G S	9502070316	50-336 P
THE CHAIRMAN	9502080285	FOIA	TREBY, S A	9502240283	FOIA	VISSING, G S	9502220144	50-336 P
THE CHAIRMAN	9502090207	10CFR	TREKHEL, J	9502210337	COMMISSION	VISVESWARAN, S	9502130213	50-324 P
THE CHAIRMAN	9502100071	STATE PRO G	TREMLAY, L A	9502230288	50-271 P	VOGELK	9502070014	50-302 F
THE CHAIRMAN	9502130286	COMMISSION	TRIMBLE, D C	9502150158	50-325 P	VONK, M J	9502220238	50-456 P
THE CHAIRMAN	9502130291	COMMISSION	TRIMBLE, W H	9502080283	50-324 P	VONK, M J	9502240108	50-237 P
THE CHAIRMAN	9502140042	COMMISSION	TRIPP, L M	9502080271	FOIA	VONK, M J	9502240170	50-237 P
THE CHAIRMAN	9502140058	COMMISSION	TRIPP, L M	9502080277	FOIA	WADLEY, M D	9502070192	50-282 P
THE CHAIRMAN	9502140060	COMMISSION	TRIPP, L M	9502100311	FOIA	WADLEY, M D	9502090124	PR
THE CHAIRMAN	9502140063	COMMISSION	TROJANOWSKI, R	9502140085	I&E	WADLEY, M D	9502160197	50-282 P
THE CHAIRMAN	9502140072	COMMISSION	TROTTER, E H	9502010276	50-308 P	WAGNER, K	9502080266	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WAGNER, K	9502150194*	FOIA	WERMIEL, J S	9502140351	QAS98	WILLIAMS, J F	9502180325	50-296 P
WAGNER, K L	9502150233	MUREG	WEST, L D	9502140123*	50-259 Q	WILLIAMS, L	9502220068	71-777 PR
WAGNER, K L	9502150237	MUREG	WESTLEY, D	9502140089*	STATE PRO G	WILLIAMS, M J	9502230221	FOIA
WAGNER, K L	9502150237	MUREG	WESLEY, D	9502140094*	STATE PRO G	WILLIAMS, O G	9502180245	FOIA
WAGNER, K L	9502150209	MUREG	WESSMAN, R H	9502230344	ORG	WILLIAMS, O G	9502170145	FOIA
WAGONER, V	9502170173*	50-325 O	WESTERMAN, T	9502220005*	50-288 Q	WILLIAMS, O G	9502220182	FOIA
WAIN, S A	9502230105	PRM	WEITZ, T V	9502160407	40-8024 P	WILLIAMS, O G	9502220224	FOIA
WALDEN, J	9502140386	50-244 R	WEITZEL, B A	9502010032	50-263 P	WILLIAMS, O G	9502230309	FOIA
WALKER, P J	9502130148*	50-220 P	WEITZEL, B A	9502170048	50-263 P	WILLIAMS, R A	9502220116	50-268 R
WALKER, E	9502160216	PRM	WEITZEL, B A	9502270135	ORG	WILLIAMS, R A	9502230023	50-413 R
WALKER, N M	9502020109	70-3070	WHARTON, L R	9502100209	50-483 Q	WILLIAMS, R A	9502230036	50-369 R
WALKER, N M	9502020109	70-3070	WHEELER, L	9502070282	50-424 P	WILLIAMS, R A	9502230152	PRM
WALKER, N M	9502090067	70-3070	WHEELER, L L	9502030208	50-424 P	WILLIAMS, W T	9502060197	50-528 H
WALKER, N M	9502090067	70-3070	WHEELER, L L	9502070250*	50-424 P	WILLIAMSON, B	9502270190	71-55
WALKER, N M	9502160078	70-3070	WHEELER, L L	9502150135	50-424 P	WILLIAMSON, C S	9502150157	50-461 F
WALKER, N M	9502160078	70-3070	WHITAKER, E W	9502070108	50-327 P	WILLIS, R B	9502060308	50-331 S
WALKER, S	9502160233	PRM	WHITAKER, E W	9502140423	50-259 P	WILLOUGHBY, P R	9502140364	50-308 S
WALKER, S	9502160278	PRM	WHITAKER, E W	9502150327	50-259 P	WILSON, D	9502010197*	50-323 O
WALKER, S J	9502230344	PRM	WHITAKER, E W	9502160336	71-9035	WILSON, D	9502230107	50-331 R
WALLANDER, T	9502160156	71-9006	WHITE, D	9502060204*	40-5778	WILSON, D L	9502100206*	50-331 P
WALLANDER, T	9502160180	71-6717	WHITE, D P	9502220077*	50-406 P	WILSON, D L	9502280050	50-331 S
WALLANDER, T	9502160184	71-6932	WHITE, E E	9502080056	MUREG	WILSON, D L	9502280378	50-331 P
WALLANDER, T	9502160186	71-9107	WHITE, E R	9502010128	50-387 Q	WILSON, J F	9502170103	50-219 R
WALLANDER, T	9502160171	71-9035	WHITE, E R	9502010138	50-387 Q	WILSON, J H	9502100106	REVIEW GR P
WALLANDER, T	9502160173	71-9156	WHITE, E R	9502030065	50-272 Q	WILSON, J H	9502100124	52-4
WALLANDER, T	9502160174	71-9038	WHITE, E R	9502150052	50-354 Q	WILSON, J N	9502080109	52-2
WALLANDER, T	9502160179	71-9033	WHITE, E R	9502150054*	50-354 Q	WILSON, M G	9502170191*	50-325 F
WALLANDER, T L	9502140101	71-262	WHITE, E R	9502150070	50-272 P	WILTON, B	9502170173*	50-325 Q
WALLANDER, T L	9502160240	71-9032	WHITE, E R	9502170228	50-272 P	WINFIELD, C	9502130158	FOIA
WALLANDER, T L	9502160245	71-9008	WHITE, E R	9502170227	50-367 P	WINTER, M C	9502160143*	40-8948
WALLANDER, T L	9502160294	71-6717	WHITE, J R	9502170238	50-367 F	WISEMANG, R	9502140047*	50-259 Q
WALLANDER, T L	9502160297	71-6933	WHITE, J R	9502170255	50-334 P	WISHAN, C L	9502220382	70-734
WALLANDER, T L	9502160300	71-6935	WHITE, J R	9502220364	50-272 Q	WODAY, J A	9502140386	50-244 R
WALLANDER, T L	9502160302	71-6717	WHITE, R W	9502140104	71-227	WOLLM, M	9502230403	ORG
WALLANDER, T L	9502160304	71-6717	WHITEWOOD, H	9502160244	PRM	WOLF, G	9502220178	50-346 R
WALLANDER, T L	9502170090	71-9036	WHITTM, S	9502220121	50-388 R	WONG, G C	9502080141*	STATE PRO G
WALLING, A	9502160304	50-271 R	WICKERS, D L	9502060199	50-244 F	WONG, H J	9502220257*	50-361 O
WALTON, J C	9502030118*	WASTE MGT	WIDAY, J A	9502060321	50-244 F	WOOD, J	9502270004	50-390 D
WANCZYK, R J	9502060082	50-271 S	WIDAY, J A	9502130279	50-244 F	WOOD, J K	9502220178	50-346 R
WANCZYK, R J	9502240279	50-271 S	WIDAY, J A	9502130285	50-244 F	WOOD, J K	9502230070	50-346 R
WANG, A	9502010324	50-213 P	WIDAY, J A	9502210062	50-244 F	WOODHEAD, C P	9502020071	50-237 G
WANG, A	9502100350	50-213 P	WIDMANN, M T	9502210012*	50-424 Q	WOODLAND, D R	9502020217	50-445 P
WANG, A B	9502010250	50-213 P	WIDEMANN, D G	9502110136*	FOIA	WOODLAND, D R	9502060103	50-445 P
WANG, A B	9502030052	50-213 P	WIDEMANN, D G	9502030230*	70-****	WOODLAND, D R	9502070076	50-445 R
WANG, A B	9502060120	50-213 P	WIDEMANN, D G	9502100035*	40-534	WOODLAND, D R	9502070252	50-445 R
WANG, A B	9502060171	50-213 P	WIENS, L A	9502210235*	50-289 P	WOODLAND, D R	9502210330	50-446 Q
WANG, A B	9502080290	50-213 P	WIENS, L A	9502010289	50-289 P	WOODLAND, D R	9502220157	50-445 R
WANG, A B	9502100240	50-213 P	WIENS, L A	9502030314	50-289 P	WOODLAND, D R	9502230240	50-445 R
WANG, A B	9502100244	50-213 P	WIENS, L A	9502170128	50-289 P	WOODRUFF, R L	9502270096*	MSC
WANG, A B	9502170062	50-213 P	WIESEN, J	9502050234*	FOIA	WOODWARD, J	9502230107	50-331 R
WANG, A B	9502210216	50-213 P	WIESNETH, M	9502170168	50-255 S	WOOSTER, K A	9502130258	50-153 F
WANG, A B	9502210233*	50-213 P	WIGGINS, E J	9502090042	CONTRACT	WOLLEY, S	9502060207	FOIA
WANG, A B	9502210237	50-213 P	WIGGINS, E J	9502090138	50-256 Q	WORMAN, G W	9502140147	40-8584
WANG, A B	9502270216	50-213 P	WIGGINS, E J	9502090383	50-348 Q	WORMAN, G W	9502140189	40-8584
WANG, A B	9502280396	71-5957	WIGGINS, E J	9502090320	50-458 Q	WORMAN, G W	9502140418	40-8584
WARD, J B	9502130274	FOIA	WIGGINS, E J	9502090323	CONTRACT	WROBETZ, B	9502140078	71-782
WARDEN, J J	9502140141	71-407 F	WIGGINS, E J	9502090028	CONTRACT	WROBETZ, B	9502090094	71-638
WARE, C Y	9502070124*	50-220 F	WIGGINS, E J	9502090030	CONTRACT	WRIGHT, C C	9502170254	27-48
WATSON, H E	9502270050*	ORG	WIGGINS, E J	9502090033	50-327 Q	WRIGHT, E G	9502230225	40-5738
WATSON, H E	9502270062*	ORG	WIGGINS, E J	9502090047	50-327 Q	WRIGHT, F N	9502140048*	50-280 Q
WATSON, H E	9502270372*	ORG	WIGGINS, E J	9502090062	50-327 Q	WRIGHT, F Q	9502060086	MUREG
WATSON, S N	9502140058	71-404	WIGGINS, E J	9502090067	CONTRACT	WU, R	9502130136*	50-220 P
WATZ, E L	9502230081	50-282 Q	WIGGINS, E J	9502090071	50-390 A	WUNDER, G P	9502270276*	50-261 P
WATZ, E L	9502280432	50-282 Q	WIGGINS, E J	9502090079	50-269 Q	WYLLIE, C	9502060038	QAS98
WEAVER, S	9502230135	PRM	WIGGINS, E J	9502090081	CONTRACT	WYLLIE, C	9502090141	ACRS
WEBB, M K	9502160354	50-133 P	WIGGINS, E J	9502080116	CONTRACT	WYMER, S L	9502150113	50-255 F
WEBER, G A	9502020108	50-316 S	WIGGINS, E J	9502090118	CONTRACT	WYMER, S L	9502150118	50-255 F
WEBER, M F	9502020419*	FOIA	WIGGINS, E J	9502090309	CONTRACT	WYMER, S L	9502150124	50-255 F
WEBER, M F	9502060201	70-364	WIGGINS, E J	9502100297	CONTRACT	YANG, D	9502280371	TOPREP
WEBER, M F	9502230316	40-9027	WIGGINS, E J	9502170172*	FOIA	YAROSZ, W L	9502150157	50-461 F
WEBER, M F	9502280462	40-801 R	WIGGINS, J T	9502130206	50-219 Q	YAROSZ, W L	9502160170	50-461 R
WEBER, R L	9502220116	50-263 R	WIGGINS, J T	9502210040	50-352 V	YIN, I T	9502060020*	50-346 O
WEBER, R L	9502230333	50-413 R	WILKINSON, D L	9502090296	50-458 P	YODER, R C	9502060226	PR
WEBER, R L	9502230336	50-369 R	WILCOX, J	9502240132	40-8027 S	YORK, W	9502230254	PRM
WEEKLY, T M	9502230378	40-8838	WILKIE, V	9502150225	50-269 S	YOSHIKAWA, R A	9502140150	71-538
WEEKS, R L	9502170117*	WASTE MGT	WILKINS, J E	9502090193	ACRS	YOUNG, K	9502160212	50-391 H
WEISS, G E	9502090089	71-691	WILKINS, J E	9502090218	ACRS	YOUNG, K D	9502210172	50-331 P
WEISS, S H	9502100115*	50-83 P	WILKINS, J E	9502100205	50-331 P	YOUNG, K D	9502220386	50-331 P
WEISS, S H	9502140376*	50-20 P	WILKINS, J E	9502130048	ACRS	YOUNG, K D	9502240019	50-331 P
WEISS, S H	9502140382*	50-20 P	WILKINS, T L	9502130114	71-684	YOUNG, K D	9502290486	50-331 H
WEISS, S H	9502280240*	50-145 P	WILKINS, T L	9502240062	71-684	YOUNG, M A	9502240168	50-424 G
WELLINGTON, B	9502230250	PRM	WILLIAMS, A L	9502100174	50-255 R	YOUNG, M A	9502090229	50-54 W
WELTY, C S	9502170060	TOPREP	WILLIAMS, B	9502280183	70-1151	YUSKO, J G	9502270081*	MSC
WENDEL, J L	9502090287	40-8948	WILLIAMS, F R	9502160258	PRM	ZAHUMAJEC, E J	9502170233	50-245 S
WENDEL, J L	9502090280	71-****	WILLIAMS, F J	9502090068	50-247 P	ZAMEK, J	9502140334*	50-275 H
WENSLAWSKI, F A	9502100002	70-754	WILLIAMS, F J	9502100291	50-247 Q	ZECH, L	9502010331	50-454 S
WENSLAWSKI, F A	9502130222*	STATE PRO G	WILLIAMS, F J	9502220110	50-247 P	ZIEGLER, R S	9502090302	40-8902
WEPPER, R M	9502030348*	50-454 P	WILLIAMS, J F	9502160313	50-259 P	ZIEGLER, R S	9502270199	40-8902

264 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ZIEGLER R S	9502270268	40-6902	ZILBERT S	9502170135	50-390 H	ZWIEG M	9502270064	50-390 D
ZIEGLER R S	9502270278	40-6902	ZOBLER M L	9502090095	50-458 G	ZWOLINSKI J	9502240219	ORG

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACBS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9502060215	70-35		9502060047	PR
	9502060177*	52-2		9502060329	50-528
	9502060188*	52-2		9502070068	50-528
	9502060295*	52-2		9502070069	50-528
				9502070068	50-528
	9502100287	70-35		9502140424	50-528
	9502160091	50-309	P	9502150329	50-528
	9502160100	52-2		9502150328	50-528
	9502160123	50-309	P	9502150329	50-528
	9502210240	52-2		9502150341	50-528
	9502210245*	52-2		9502150352*	50-528
	9502280272	52-2		9502160155	50-528
	9502280276*	52-2		9502160161	50-528
ABC, Inc. / ABC News	9502100125	FOIA		9502160178	50-528
AECI Technologies	9502060187	52-5		9502160185	50-528
	9502240032	52-5		9502160185*	50-528
AFG Industries, Inc.	9502170176	71-422		9502170061	50-528
ALPHA Q, Inc. (formerly RFB Industries, Inc.)	9502010157	40-8940		9502170061	50-528
APV Refinery Products Corp	9502140141	71-407		9502170051	50-528
				9502210163	50-528
ASEA Brown Boveri, Inc	9502060215	70-35		9502230310*	50-528
	9502060084	70-35		9502240068	50-528
	9502060177*	52-2		9502240068	50-528
	9502060188*	52-2		9502240068	50-528
	9502100287	70-35		9502240106	50-528
	9502160091	50-309	P	9502240106	50-528
	9502160109	52-2		9502240106	50-528
	9502160123	50-309	P	9502270042	50-528
	9502210240	52-2		9502270231	50-528
	9502280272	52-2		9502280383	50-528
	9502280276*	52-2		9502290383	50-528
Advanced Medical Systems, Inc	9502070103	FOIA		9502290383	50-528
	9502130085*	FOIA		9502290388*	50-528
Advanced Medical Testing Systems, St Louis, MO	9502010173	71-354		9502290388*	50-528
				9502290388*	50-528
Agriculture, Dept. of, Research Center	9502060136	71-238	Arizona State Univ., Tempe, AZ	9502060054	NUREG
	9502060140*	71-238		9502060052	NUREG
Air Force, Dept. of	9502070204	ORG		9502060088	NUREG
Airton Industrial Services, Inc	9502140065	71-595	Arkansas, State of	9502240075*	STATE PRO
Alaska Industrial X-Ray, Inc. (AIX)	9502090103	71-308	Army, Dept. of	9502220379	40-8938
Allegheny Laboratories	9502090106	71-555	Army, Dept. of, Corps of Engineers	9502090315*	REVIEW GR
Allied Inspection Services, Inc	9502140153	71-330	Army, Dept. of, White Sands Missile Rang	9502220012	71-487
Alpha-Omega Services, Inc	9502240143	71-3979	Arrow Tank & Engineering Co	9502250076	71-11
American Airlines, Inc.	9502140274	71-236	Atlantic Research Corp	9502090113	71-461
American Ecology Corp	9502170250	27-48	Atlantic Richfield Co. (ARCO)	9502060329*	70-364
	9502170254*	27-48		9502090342	40-8902
	9502170264	27-48		9502090344*	40-8902
American Mining Congress	9502170022	WASTE MGT		9502270199	40-8902
	9502170100*	WASTE MGT		9502270202*	40-8902
	9502170107*	WASTE MGT		9502270264	40-8902
	9502170108*	WASTE MGT		9502270278	40-8902
American Nuclear Corp	9502230272	40-4492		9502270282*	40-8902
	9502330275*	40-4492	At&T Corp	9502010335	WASTE MGT
	9502330278*	40-4492		9502010338	40-3453
American Society of Civil Engineers	9502130118	PR		9502010338	40-3453
Amersham Corp	9502020119	PT21		9502010350	40-3453
	9502160227	71-9027		9502170157	40-3453
	9502160238	71-9027		9502170160*	40-3453
	9502160331	71-9029	B&W Fuel Co	9502160230	71-9252
Amersham Holdings, Inc	9502010031	PRM		9502160247	71-6206
				9502160247	71-6206
Anchor/Darling Valve Co	9502100165	71-153	B Koh & Associates, Inc	9502080081	40-8724
Ann Riley & Associates	9502070195*	FOIA		9502100058*	FOIA
Annis Arundel County, MD	9502060230	40-341	BWR Owners Group	9502090115	TOPREP
Anslec, Inc	9502090043	CONTRACT		9502090120*	TOPREP
Arctic Slope Inspection Services, Inc	9502090061	71-718	Ballcock & Wilcox Co	9502090105	70-135
				9502090105	70-135
Arizona Power Authority	9502090204	50-528	I	9502030151	70-27
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9502020181	50-528	S	9502060327	70-364
				9502130278*	50-308

266 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9502140178	70-27		9502240278*	FOIA
	9502150326	70-27		9502240280*	FOIA
	9502160002	70-364		9502000238	40-7456
	9502160102	70-364		9502140148	71-689
	9502160108*	70-364			
Babcock & Wilcox Operating Plants Owners Group	9502160148	70-27	CGNA Loss Control Services, Inc.	9502140068	71-404
	9502010064	PR	COMO Tech Inspection Service (formerly COMO Tech, Inc.)	9502170218	71-301
	9502180308	80-269	CTI, Inc. (formerly Alaska Welding Center)	9502203378*	80-416
	9502180317*	80-269	CTI Engineering, Inc. (formerly Columbus Testing Laboratory, Inc.)	9502000110	50-458
Baker Testing Services, Inc.	9502090054	71-392	CTI Energy Services	9502000112*	50-458
Baltimore Gas & Electric Co.	9502010001	50-317		9502000385	CONTRACT
	9502010001	50-317	Cajon Electric Power Cooperative, Inc.	9502000141*	STATE PRO
	9502020149	50-317	California Institute of Technology, Pasadena, CA	9502140089*	STATE PRO
	9502030280	50-317	California, State of	9502140094*	STATE PRO
	9502030280	50-317		9502030018	REG-50
	9502030281*	50-317		9502000007	PR
	9502030281*	50-317		9502000175	50-142
	9502070110	50-317			
	9502070110	50-317			
	9502080255	50-317		9502060208	50-142
	9502080255	50-317		9502060219	50-142
	9502080178	50-318		9502060230*	14UREG
	9502150377	50-317		9502060249	COMMISSIO
	9502150380*	50-317		9502070125*	ORG
	9502150386	50-317			
	9502160008	50-317		9502070201*	ORG
	9502170147	50-318		9502100141	REG-50
	9502170156	50-318		9502200350	COMMISSIO
	9502170286	50-317		9502000125	71-725
				9502000064	QA299
	9502170270	50-317	CalSpec Testing, Inc.	9502000100	71-228
	9502170270	50-317	Capital Materials Testing, Inc. (CMTI)	9502000181	QA599
	9502220248	50-317		9502000287	50-324
	9502240026	50-317		9502000300	50-261
	9502240082	50-317		9502000303	50-261
	9502240082	50-317		9502060084*	50-261
	9502240084	50-317		9502070084	50-261
	9502240142*	50-317		9502070113	50-400
	9502250277	70-8		9502070116	50-400
Battelle Memorial Institute, Columbus Laboratories				9502070119*	50-400
Battelle Memorial Institute, Pacific Northwest Laboratory	9502160045	50-380		9502070050	50-261
	9502270417*	FOIA		9502070060	50-324
Baystate Medical Center, Springfield, MA	9502080278*	FOIA		95020700610	50-325
Bear Creek Uranium Co.	9502130172	40-6452		9502070314	50-261
				9502080074	50-400
Blaw-Knox Corp. (formerly Dursley Blaw-Knox, Inc.)	9502280256	71-201			
Boeing Co.	9502230182	QA999		9502080150	50-261
Boeing Computer Services Co. (div. of Boeing Co.)	9502010239	PT21		9502080153*	50-261
				9502080184	PR
				9502090257	50-324
				9502100241	PR
	9502240158	QA999			
	9502240257	40-6989		9502100383	80-324
	9502070032	50-293		9502100353	80-324
	9502070148	50-293		9502130135	80-324
	9502070364	50-293		9502130164	80-261
				9502130206	80-324
	9502080189	50-293			
	9502100238	50-293		9502130206	50-384
	9502140430	50-293		9502140162	80-324
	9502150055	50-299		9502140165	50-261
	9502150056	50-299		9502140310	50-261
				9502160037	PR
	9502160058*	50-299			
	9502160116	50-299		9502160151	50-400
	9502160134	50-293		9502160351	80-400
	9502160144*	50-293		9502160361*	80-400
	9502160278	50-293		9502170159	50-325
				9502170178*	50-325
	9502230051	80-293			
	9502230054*	80-293		9502210147	50-325
	9502230235	PR		9502210174	50-324
	9502240009	60-293		9502210313	50-400
	9502240184	60-293		9502210318*	50-400
				9502210338	50-261
Branch Radiographic Laboratories, Inc.	9502170022	71-386			
Braun Interlec Engineering, Inc. (formerly Braun Engineering Testing, Braunkorle Transport USA, Inc.)	9502230004	71-386		9502210348	50-261
	9502230081	71-692		9502220207	50-400
	9502270011	XPORTLIC		9502230390	50-400
				9502240060	50-324
				9502240060	50-324
	9502270023	XPORTLIC			
	9502270052	XPORTLIC		9502240067	50-324
	9502280066	XPORTLIC		9502240172	50-261
	9502280087	XPORTLIC		9502280427	50-261
	9502280086	XPORTLIC		9502280430*	50-261
				950228047	71-707
Bridgeport Hosp., Bridgeport, CT	9502210185*	FOIA	Carondelet Foundry Co.		
Briggs Associates, Inc. (formerly Briggs Engineering & Testing Co., Inc.)	9502240026	71-9093	Carpenter Technology Corp.	9502140308	XPORTLIC
Brookhaven National Laboratory	9502170049*	52-9	Center for Nuclear Waste Regulatory Analyses	9502040297	WASTE MGT
Buckeye Steel Castings (subs. of Buckeye International)	9502090074	71-110		9502010217	WASTE MGT
CEMEC, Inc.	9502160384	71-8107		9502030107	WASTE MGT
	9502240277*	FOIA		9502030115*	WASTE MGT
	9502240275*	FOIA		9502070228	WASTE MGT
				9502070363	WASTE MGT

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9502080283*	WASTE MGT		9502080286	50-456 S
	9502080284*	WASTE MGT		9502080286	50-454 S
	9502100221*	WASTE MGT		9502080318	50-373 S
	9502170142	WASTE MGT		9502080343	50-454 S
	9502170149*	WASTE MGT		9502080384	50-374 P
	9502230400	WASTE MGT		950208086*	50-374 P
	9502230401*	WASTE MGT		9502080890	50-454 P
	9502240115	WASTE MGT		9502080890	50-454 P
	9502240249	WASTE MGT		9502080890	50-454 P
	9502240254*	WASTE MGT		9502070053	50-373 F
	9502240255	WASTE MGT		9502070053	50-373 F
Centenor Energy	9502060177	50-440 Q		9502070097	50-373 F
	9502070079	50-346 Q		9502070152	50-373 Q
	9502070080	50-440 P		9502070156	50-454 P
	9502070080	50-440 P		9502070156	50-454 P
	9502070082*	50-346 P		9502070156	50-454 P
	9502070088	50-346 P		9502070156*	50-454 P
	9502070090*	50-346 P		9502070158*	50-454 P
	9502080127	71-893 Q		9502070158*	50-454 P
	9502090283	50-346 Q		9502070158*	50-454 P
	9502100344	50-440 P		9502070158*	50-454 P
	9502130151	50-440 P		9502070177	50-249 Q
	9502130160	50-348 P		9502070178*	50-249 P
	9502130227	50-440 P		9502070191	50-295 P
	9502150104	50-440 P		9502070281	50-249 P
	9502180398	50-348 Q		9502070366	50-456 S
	9502180401*	50-846 Q		9502080110	50-254 S
	9502180408	50-348 Q		9502080114	50-254 S
	9502210109	50-348 P		9502080114	50-254 S
	9502210227	50-440 S		9502080142	50-373 S
	9502230026	50-440 R		9502080172	50-237 S
	9502230076	50-346 P		9502080196	50-454 P
	9502230296	50-440 P		9502080196	50-454 P
	9502230298*	50-440 P		9502080196	50-454 P
	9502240006	50-440 R		9502080196	50-454 P
	9502240006	50-440 R		9502080282	50-457 Q
	9502270184	50-346 P		9502080331	50-456 Q
	9502280137	50-346 P		9502080342	50-304 S
Centenor Service Co	9502170219	71-893 P		9502080148	50-237 F
	9502210022	PR		9502130180	50-373 F
Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West)	9502220046	71-181		9502130186	50-454 Q
	9502280254	71-181		9502130293	50-237 R
Chemtron Corp	9502080076	40-8724		9502130293	50-237 R
	9502080102	40-8724		9502130293	50-237 R
	9502080255*	FOIA		9502130293	50-237 R
Cherokee Nation	9502020047	40-8027		9502130293	50-237 R
	9502020051*	40-8027		9502140110	50-373 S
	9502020064*	40-8027		9502140152	50-249 S
	9502160115	40-8027		9502140231	50-456 S
	9502240182	40-8027		9502140235	50-373 Q
Clutchers, Inc.	9502100110	70-887		9502140375	50-254 Q
	9502100114*	70-887		9502140383	50-373 Q
Citizens Action for Safe Environment	9502020034	70-964		9502140383	50-373 Q
	9502080387	70-964		9502140404	50-10 F
Citizens Against Nuclear Trash	9502020109	70-3070		9502140404	50-10 F
	9502020122	70-3070		9502140404	50-10 F
	9502080087	70-3070		9502150076	50-373 S
	9502160078	70-3070		9502150076	50-373 S
	9502160089	70-3070		9502150145	50-295 S
	9502160125*	70-3070		9502150145	50-295 S
	9502240124	70-3070		9502150156	50-295 S
	9502240152	70-3070		9502150233	50-237 S
	9502240182	70-3070		9502150280	50-455 S
	9502240187	70-3070		9502150302	50-249 S
	9502240188*	70-3070		9502150349	50-374 S
	9502240174*	70-3070		9502160014	WASTE MGT
City Metal Co. dba Missouri Precision Castings (formerly Missouri Precision Colby-Threewater Testing Co., Inc.)	9502070086	71-408		9502160162	50-454 P
	9502230264	71-114		9502170048	50-254 P
	9502230264	71-114		9502170048	50-254 P
Colorado, State of	9502070089	WASTE MGT		9502170131	50-254 P
Cotac Industries, Inc.	9502240086	50-382 S		9502170164	50-456 S
	9502240088*	50-382 S		9502170168	50-295 S
Commonwealth Edison Co	9502010046	50-456 Q		9502170258	50-454 P
	9502010134	50-373 P		9502170256	50-454 P
	9502010231	50-374 S		9502170256	50-454 P
	9502010240	50-237 P		9502170256	50-454 P
	9502010240	50-237 P		9502170259*	50-454 P
	9502010241*	50-237 P		9502170259*	50-454 P
	9502010241*	50-237 P		9502170259*	50-454 P
	9502010263	50-254 P		9502170259*	50-454 P
	9502010331	50-454 Q		9502210106	50-454 P
	9502010354	50-454 Q		9502210106	50-454 P
	9502010358*	50-454 Q		9502210209	50-457 P
	9502030013	50-296 S		9502210217*	50-457 P
	9502030013	50-296 S		9502210299	50-454 P
	9502030021*	50-296 S		9502210299	50-454 P
	9502030021*	50-296 S		9502210299	50-454 P
	9502030027*	50-296 S		9502210299	50-454 P

268 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		
	9502210303*	50-454	P	9502070356	50-247	P	
	9502210303*	50-454	P	9502070360	50-247	P	
	9502210303*	50-454	P	9502070361*	50-247	P	
	9502210303*	50-454	P	9502080208	PR		
	9502210341	50-296	F	9502130290	50-247	P	
	9502220192	50-10	R	9502130234*	50-247	P	
	9502220192	50-10	R	9502140239	50-247	P	
	9502220192	50-10	R	9502140243*	50-247	P	
	9502220144	50-237	S	9502140246	50-247	P	
	9502220239	50-456	P	9502140252	50-247	Q	
	9502220239	50-456	P	9502150138	50-3	F	
	9502220255*	50-456	P	9502150143*	50-3	F	
	9502220255*	50-456	P	9502080292	50-247	R	
	9502220375	50-236	Q	9502080076	71-627		
	9502230010	50-233	R				
	9502230096	50-304	Q	Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East)	9502010055	50-255	P
	9502230108*	50-304	Q	Consumers Power Co	9502010117	PR	
	9502240061	50-254	P	9502010346	50-255	P	
	9502240061	50-254	P	9502020102	50-180	P	
	9502240108	50-237	P	9502070066	50-250	P	
	9502240108	50-237	P	9502070180	50-255	P	
	9502240108	50-237	P	9502070193	50-255	P	
	9502240108	50-237	P	9502080323	50-155	Q	
	9502240108	50-237	P	9502080325*	50-155	Q	
	9502240108	50-237	P	9502100174	50-255	R	
	9502240108	50-237	P				
	9502240108	50-237	P	9502130255	50-155	F	
	9502240108	50-237	P	9502140143	71-325		
	9502240108	50-237	P	9502140212	50-255	H	
	9502240108	50-237	P	9502150113	50-255	F	
	9502240108	50-237	P	9502150118	50-255	F	
	9502240108	50-237	P				
	9502240170	50-237	P	9502150124	50-255	F	
	9502240170*	50-237	P	9502150366	50-155	P	
	9502240170*	50-237	P	9502150369	50-255	P	
	9502240170*	50-237	P	9502150389*	50-255	P	
	9502240187*	50-237	P	9502150390*	50-255	P	
	9502270078	50-264	F	9502170162	50-255	Q	
	9502270254	50-254	S	9502170189	50-255	F	
	9502270322	50-454	P	9502170191*	50-255	F	
	9502270322	50-454	P	9502210157	50-255	F	
	9502270322	50-454	P	9502210171	50-255	F	
	9502270322	50-454	P	9502210176	72-1007		
	9502270327*	50-454	P	9502220397	50-155	R	
	9502270327*	50-454	P	9502230239	50-255	Q	
	9502270327*	50-454	P	9502230292	50-255	P	
	9502270327*	50-454	P	9502230294*	50-255	P	
	9502280060	50-374	S	9502240218	50-255	P	
	9502280124	50-373	R	9502240220*	50-255	P	
	9502280258	50-10	F	9502170084	50-295	S	
	9502280259	50-10	F	9502210148	FOIA		
	9502280259	50-10	F	9502070030	71-558		
	9502280259	50-10	F	9502170233	50-245	S	
	9502280259	50-10	F	9502080085	48-8724		
	9502280259	50-10	F	9502150188*	FOIA		
	9502280259	50-10	F	9502150184*	FOIA		
	9502280259	50-10	F	9502230354*	FOIA		
	9502280259	50-10	F	9502070075	50-409	F	
	9502280259	50-10	F	9502230119	50-409	R	
	9502280259	50-10	F	9502270106*	PRQJ		
	9502280259	50-10	F	9502270128*	PRQJ		
	9502280271	50-454	P	9502270141*	PRQJ		
	9502280271	50-454	P	9502270144*	PRQJ		
	9502280290	50-454	R	9502270149*	PRQJ		
	9502280290	50-454	R	9502270154*	PRQJ		
	9502280296	50-10	R	9502070174	48-341		
	9502280350	50-454	Q	Defense, Dept. of, Defense Logistics			
	9502280350	50-454	Q	Agency			
Contin Inspection	9502090070	71-216	Q	Dept. of Veterans Affairs Medical Center	9502030007	REGGD	
Conference of Radiation Control Program	9502150049*	STATE PRO	G	Oklahoma City, OK (formerly Veterans A	7906110357*	50-329	G
Directors, Inc.				Detroit Edison Co	9502070024	50-341	F
Connecticut Yankee Atomic Power Co	9502070056	50-219	F	9502060121	PR		
	9502070232	50-219	F	9502140201	50-341	Q	
	9502080080	50-219	P	9502140420	50-341	R	
	9502140386	50-219	P	9502220150	50-341		
	9502150322	50-219	R	9502140652	71-754		
	9502230095	50-213	R	9502130256	50-264	P	
	9502230066	50-213	S	9502130258*	50-264	P	
	9502240004	50-213	P	9502010008	50-389	P	
	9502340146	WASTE MGT		9502010008	50-389	P	
	9502280419	50-213	S	9502010110	50-268	P	
	9502280428	50-213	S	9502010142	50-413	P	
Consolidated Edison Co. of New York, Inc.	9502010196	50-247	R	9502010144	50-389	P	
	9502010337*	50-3	F	9502010235	50-269	Q	
	9502010337*	50-3	F	9502010322*	50-269	P	
	9502020146	50-247	P	9502010322*	50-269	P	
	9502020154*	50-247	P	9502010328*	50-268	F	
	9502020190	50-3	F	9502020180	50-269	F	
	9502020195*	50-3	F	9502020180	50-269	F	
	9502020195*	50-3	F	9502020180	50-269	F	

270 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Energy Fuels Nuclear, Inc.	9502090071	40-8681		9502070283*	50-313 F
	9502090074	40-8681		9502070319	50-313 P
	9502090133	40-8681		9502070319	50-313 P
	9502160407	40-8681		9502080314	50-416 S
	9502240021	40-8681		9502090184	50-313 Q
Energy, Dept. of	9502240089	40-8681		9502100189	50-416 V
	9502240071	40-8681		9502100357	50-313 F
	9502010164	WASTE MGT		9502130129	50-392 V
	9502010174	WASTE MGT		9502130246	50-458 P
	9502010183	WASTE MGT		9502130248*	50-458 P
	9502010193	WASTE MGT		9502140979	50-382 R
	9502010201*	WASTE MGT		9502150286	50-458 P
	9502010203	WASTE MGT		9502160057	50-416 P
	9502010227	WASTE MGT		9502160063*	50-416 P
	9502010235	WASTE MGT		9502160073	50-416 Q
	9502010313	WASTE MGT		9502160111	50-392 V
	9502010317	WASTE MGT		9502170121	50-365 Q
	9502010323	WASTE MGT		9502170154	50-313 P
	9502010341	WASTE MGT		9502170156*	50-313 P
	9502010343	WASTE MGT		9502170257	50-416 F
	9502060069	WASTE MGT		9502210257	50-313 R
	9502060078*	WASTE MGT		9502210257	50-313 R
	9502060084	WASTE MGT		9502210300	50-313 P
	9502060085*	WASTE MGT		9502220121	50-366 R
	9502060086	71-8697		9502220136	50-458 R
	9502060087	WASTE MGT		9502220149	50-313 R
	9502060089	WASTE MGT		9502220183	50-416 R
	9502060075*	WASTE MGT		9502220186	50-313 F
	9502060084	WASTE MGT		9502220201	50-458 Q
	9502060031	WASTE MGT		9502220206	50-313 J
	9502060083	WASTE MGT		9502220206	50-313 J
	9502060183	WASTE MGT		9502220209	50-366 P
	9502060331	WASTE MGT		9502220211*	50-366 P
	9502060332	WASTE MGT		9502220253	50-458 Q
	9502070241	WASTE MGT		9502220373	50-416 Q
	9502070334	WASTE MGT		9502240043	50-416 F
	9502080224	PR		9502240057	50-416 P
	9502080346	PROJ		9502240186*	50-416 P
	9502080347*	PROJ		9502240194*	50-416 P
	9502080363	PROJ		9502240235	50-458 S
	9502100072	WASTE MGT		9502240285	50-416 S
	9502130141	WASTE MGT		9502240310	50-392 F
	9502130146	WASTE MGT		9502240317	50-366 R
	9502130152	WASTE MGT		9502240336	50-382 F
	9502130157	WASTE MGT		9502250382	50-313 F
	9502130171	WASTE MGT		9502260039	50-458 R
	9502130229	WASTE MGT		9502260065	50-392 F
	9502130253	WASTE MGT		9502260080	50-313 F
	9502140181	XPORTLC		9502260080	50-313 F
	9502140207	WASTE MGT		9502260407	50-366 Q
	9502140220	WASTE MGT		9502260426	50-392 F
	9502140225	WASTE MGT		9502260437	50-458 R
	9502140414	WASTE MGT		9502260440*	50-458 R
	9502140431	WASTE MGT		9502010006	PR
	9502150094	WASTE MGT		9502090287	40-8948
Engelhard Corp. Energy Operations, Inc.	9502160046	PROJ	Environmental Protection Agency	9502160013	50-385 D
	9502160141	WASTE MGT		9502260085*	MISC
	9502160146	WASTE MGT		9502100327*	40-3453
	9502170115	WASTE MGT		9502060084	40-7580
	9502170117*	WASTE MGT		9501100275*	50-251 F
	9502210221	WASTE MGT		9501100279*	50-251 F
	9502210331	WASTE MGT		9502060151*	50-254 F
	9502220339	70-364		9502060166*	50-254 F
	9502230382	WASTE MGT		9502240129*	STATE PROJ
	9502240122	WASTE MGT		9502070086	FOIA
	9502240128	WASTE MGT		9502220148	FOIA
	9502240134	WASTE MGT		8406160059*	FOIA
	9502240196	WASTE MGT		8406160084*	FOIA
	9502240199*	WASTE MGT		9502030285*	40-8852
	9502240204	WASTE MGT		9502160029	NUREG
	9502240205	WASTE MGT	European Nuclear Energy Assoc. Exxon Production Research Co. Fametek, Inc. Federal Emergency Management Agency	9502010006	50-385
	9502240207*	WASTE MGT		9502260085*	MISC
	9502270024	WASTE MGT		9502100327*	40-3453
	9502270021	WASTE MGT		9502060084	40-7580
	9502280018	71-9167		9501100275*	50-251 F
	9502280152	70-139		9501100279*	50-251 F
	9502280156*	70-139		9502060151*	50-254 F
	9502010143	50-458 P		9502060166*	50-254 F
	9502010310	50-382 P		9502240129*	STATE PROJ
	9502010314*	50-382 P		9502070086	FOIA
	9502010318*	50-382 P		9502220148	FOIA
	9502020112	50-382 F		8406160059*	FOIA
	9502020426	50-382 Q		8406160084*	FOIA
	9502030310	50-313 Q		9502030285*	40-8852
	9502060096	50-416 Q		9502160029	NUREG
	9502060135	50-458 P		9502010006	PR
	9502070088	50-313 V		9502010006	PR
	9502070160	50-366 P		9502010006	PR
	9502070258	50-313 F		9502010006	PR
			Federal Sources, Inc.	9502070108	50-250 P
				9502070108	50-250 P
				9502070341	50-251 P
				9502080139	50-250 P
				9502080157	50-250 P
				9502080157	50-250 P
				9502090136	50-335 P
				9502090165	PR
				9502130281	50-250 Q
				9502140357	50-250 V
				9502140357	50-250 V
				9502150075	50-335 P
				9502150077*	50-335 P
				9502150307	50-335 P
				9502150307	50-335 P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9502210127	50-251		9502230277*	52-4
	9502210132*	50-251		9502230387	52-4
	9502210165	50-250		9502240023	52-3
	9502220130	50-250		9502240033	70-1113
	9502220130	50-250		9502240039*	70-1113
	9502220135	50-235		9502240066*	50-321
	9502220392	50-250		9502240073*	50-321
	9502230227	50-335		9502270031	XPORTLIC
	9502230230*	50-335		9502270033	XPORTLIC
	9502270257	50-335		9502270041	XPORTLIC
	9502270264*	50-335		9502270048	XPORTLIC
	9502280037	50-250		9502270049	XPORTLIC
	9502280107	50-302		9502280204	70-1308
	9502280200	50-250		9502280294	52-4
	9502280297	50-335		9502140155	71-438
Florida Power Corp	9502020165	50-302	General Motors Corp	9502010078	50-289
	9502030179	50-302	General Public Utilities Corp - GPU	9502010236	50-289
	9502030180*	50-302	Service Corp	9502030043	50-320
	9502070009	50-302		9502050037	50-219
	9502070014	50-302		9502060037	50-219
	9502080203	PR		9502060293	50-219
	9502130272	50-302		9502060337	50-219
	9502150141	50-302		9502070073	50-219
	9502160005	PR		9502070120	50-269
	9502170282	50-302		9502080225	50-289
	9502220203	50-302		9502080274*	50-319
	9502230284	50-302		9502130173	50-289
	9502240181	50-302		9502150061	50-219
	9502280126	50-302		9502150282	50-219
	9502280096*	FOIA		9502150286*	50-219
Flower Memorial Hosp., Sylvania, OH	9502130066	FOIA		9502150406	50-289
France	9502210007	PR		9502150408	50-289
G. C. Stages Associates	9502230054	NUREG		9502170103	50-219
GRAM, Inc.	9502260062	NUREG		9502170103	50-219
	9502260088	NUREG		9502170260	50-289
GTI Corp	9502280031	CONTRACT		9502170260	50-289
	9502290044	CONTRACT		9502170265	50-289
	9502290116	CONTRACT		9502170268	50-289
Gamma-Metals, Inc.	9502290122	QA899		9502170272	50-289
	9502290125*	QA899		9502170272	50-289
General Accounting Office	9502230130*	40-8724		9502220196	50-289
General Atomics (formerly GA Technologies	9502070139	70-734		9502220196	50-289
s, Inc./General Atomic Co.)	9502130257	70-734		9502230049	50-320
	9502140146	50-163		9502230055*	50-320
	9502160128	40-8027		9502230311	50-219
	9502170130	50-89		9502240002	50-219
	9502220382	70-734		9502240064	50-219
	9502230248	50-89		9502270415	50-289
	9502230385	70-734		9502280284	50-289
General Dynamics Corp	9502140131	71-220	General Services Administration	9502170175*	FOIA
General Electric Co.	9502010141*	FOIA	General Technology, Inc.	9502090389	CONTRACT
	9502010155*	70-*****	Genesee Memorial Hosp., Flint, MI	9502090233	PRM
	9502010355	70-734		9502090239	PRM
	9502020048*	FOIA	Georgia Institute of Technology, Atlanta	9502090065	50-160
	9502020049*	70-*****	GA		
	9502020058*	70-*****		9502130184	50-160
	9502030082*	FOIA	Georgia Power Co.	9502010106	50-321
	9502030103	52-1		9502010150	50-424
	9502030165	TOPREP		9502010150	50-424
	9502030207*	70-*****		9502010214	50-424
	9502030234*	FOIA		9502010214	50-424
	9502080183	TOPREP		9502010287	50-424
	9502070166	70-1113		9502010257	50-424
	9502070169*	70-1113		9502070026	50-424
	9502100309	52-4		9502070026	50-424
	9502130132*	50-220		9502080291	50-321
	9502130136*	50-220		9502090140	50-368
	9502130144*	50-220		9502090140	50-425
	9502130148*	50-220		9502130123	50-321
	9502130218*	50-324		9502130159	50-321
	9502140226	52-3		9502130159	50-321
	9502140381	50-73		9502150289	50-321
	9502160218	70-1113		9502150298	50-321
	9502170132	TOPREP		9502150298	50-321
	9502220158	52-4		9502150376	50-424
	9502220166*	52-4		9502160036	50-424
	9502220170	52-4		9502170137	50-424
	9502220174*	52-4		9502220083	71-686
	9502220180	52-4		9502220162	50-424
	9502220217*	50-277		9502230048	50-424
	9502220218*	50-277		9502240082	50-321
	9502220308	70-1113		9502240282	50-425
	9502220317	52-4		9502250267	50-424
	9502220320*	52-4		9502280385	50-321
	9502230064	52-4		9502280385	50-321
	9502230256	52-4		9502280404	50-321
	9502230260*	52-4		9502280404	50-321
	9502230274	52-4	Georgians Against Nuclear Energy	9502020096	50-160

272 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Giltach Field Services/NDE, Inc. (formerly Industrial Inspection Globe X-Ray Services, Inc. Government Accountability Project Great Lakes Testing, Inc.	9502170189 9502140269 9502170187* 9502170171	71-171 71-146 FOIA 71-769		9502210178* 9502210182* 9502210183* 9502210196* 9502210195*	50-498 50-498 50-498 50-498 50-498
Greenpeace USA Grinnell Corp. (formerly ITT Grinnell Corp.) H & G Inspection Co., Inc. H&H X-Ray Services, Inc.	9502170135 9502090088 9502140149 9502090032	50-390 71-38 71-435 71-423	H	9502210285* 9502210243* 9502210269* 9502210276* 9502210261	50-498 50-498 50-498 50-498 50-498
H.R. Inspection Service Hahnemann Univ. Hosp., Philadelphia, PA (formerly Hahnemann Medical Coll. & Hosp. Hamm, Curran, Gallagher & Spielberg (formerly Hamm, Curran & Toussley)	9502270190 9502190069* 9502090047	71-55 FOIA 40-8027		9502210281* 9502210284* 9502210294* 9502210306* 9502210311*	50-498 50-498 50-498 50-498 50-498
	9502090051* 9502090122 9502090034 9502190099 9502190106	40-8027 70-3070 40-8027 70-3070 70-3070		9502210317* 9502210317* 9502210320* 9502220044* 9502220044*	50-498 50-498 50-498 50-498 50-498
	9502190115 9502190118* 9502240152 9502240162 9502240167	40-8027 70-3070 70-3070 70-3070 70-3070		9502220064* 9502220065* 9502220069* 9502220075* 9502220075*	50-498 50-498 50-498 50-498 50-498
Harrison Steel Casings Co. Health & Human Services, Dept. of U.S. Public Health Service Heartland Hosp., East, St. Joseph, MO, (formerly St. Joseph Hosp., St. Joseph)	9502240174* 9502090053 9502170186 9502090259*	70-3070 71-51 40-8968 FOIA		9502220077* 9502220077* 9502220127 9502220131* 9502220140	50-498 50-498 50-498 50-498 50-498
High Steel Structures, Inc. Holtz International	9502090281* 9502090090 9502090183* 9502090185*	FOIA 71-196 50-302 50-302	P P	9502220150* 9502220253* 9502220273* 9502230132 9502230196*	50-498 50-498 50-498 50-498 50-498
	9502100384* 9502100384* 9502100385* 9502100385* 9502100386*	50-275 50-275 50-275 50-275 50-275	P P P P P	9502230201* 9502230063 9502230138	50-498 50-498 40-1476
Hosp. Favis, Santurce, PR Hosp. of Univ. of Pennsylvania, Philadelphia, PA	9502100388* 9502240113 9502100352* 9502190030*	50-275 PR FOIA FOIA	P	9502090187	CONTRACT
	9502190082* 9502190119* 9502190150* 9502190153* 9502190168*	FOIA FOIA FOIA FOIA FOIA		9502100206 9502100206* 9502140400 9502160212	50-331 50-331 50-331 50-331
House of Rep.	9502010012 9502100172* 9502140185* 9502140291* 9502020373*	PRM ORG COMMISSIO COMMISSIO COMMISSIO	N N N N	9502230197* 9502240019 9502280050 9502280249 9502280378	50-331 50-331 50-331 50-331 50-331
House of Rep., Energy & Commerce				9502280466 9502270194 9502210142 9501310138* 9502010102*	50-331 71-690 PT21 50-348 STATE PRO
Houston Lighting & Power Co.	9502010154 9502010158 9502010182 9502020003 9502090136	50-498 50-498 50-498 50-498 50-498	Q P F F Q	9502280108* 9502070344* 9502070362* 9502080179* 9502150263	STATE PRO FOIA FOIA FOIA NUREG
	9502090126 9502090140 9502090140 9502090143* 9502090143*	50-498 50-498 50-498 50-498 50-498	Q P P P P	9502150287 9502150297 9502150309 9502170223 9502010224	NUREG NUREG NUREG 50-390 50-461
	9502090324 9502070211* 9502090166* 9502100023 9502100026*	50-498 50-498 50-498 50-498 50-498	P P Q P P	9502010226* 9502090032 9502070146 9502080262 9502090228	50-461 50-461 50-461 50-461 50-461
	9502100162 9502100162 9502100168 9502100168 9502130239	50-498 50-498 50-498 50-498 50-498	P P F F F	9502130243 9502140167 9502140368 9502140410 9502150097*	50-461 50-461 50-461 50-461 50-461
	9502210157* 9502210157* 9502210161 9502210161 9502210162*	50-498 50-498 50-498 50-498 50-498	P P P P P	9502150167 9502150170 9502160242 9502160247* 9502170138	50-461 50-461 50-461 50-461 50-461
	9502210162* 9502210166 9502210166 9502210175*	50-498 50-498 50-498 50-498	P F F P	9502210187 9502210187* 9502270271 9502290008	50-461 50-461 50-461 50-461

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Illinois State of	9502280012 9502280018 9502210025 9502230341* 9502240041	50-451 NUREG PR FOIA WASTE MGT	F	Lehigh Testing Laboratories, Inc. Lockheed Aircraft Corp Long Island Power Authority Longview Inspection, Inc. Los Alamos National Laboratory	9502140074 9502280042* 9502070056 9502140088 9502090062	71-289 MISC 50-322 71-771 NUREG	W
Illinois Univ. of Urbana, IL	9502270059 9502270061 9502280251 9502150239 9502230315	STATE PRO WASTE MGT NUREG 50-151 50-151	G R P	Louisiana Energy Services	9502080096 9502020011 9502020038 9502090036 9502090037	NUREG 70-3070 70-3070 70-3070 70-3070	
Indiana Michigan Power Co Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.)	9502230317* 9502230320* 9502230322* 9502150146 9502020100	50-151 50-151 50-151 50-315 50-315	P P P P S		9502090048* 9502090053 9502090059 9502160081 9502160103	70-3070 70-3070 70-3070 70-3070 70-3070	
	9502020106 9502070151 9502100210 9502100210	50-315 50-315 50-315 50-315	S P F F	Louisiana, State of	9502160180 9502240129 9502240171 9502080249 9502090064*	70-3070 70-3070 70-3070 70-3070 FOIA	
	9502100211 9502100211 9502130190 9502130190 9502130192	50-315 50-315 50-315 50-315 50-315	F F F F F	Lucus Paken, Inc. MITRE Corp MOG Inspection, Inc. (formerly Magnaflex Corp.)	9502100060* 9502090142 9502090048 9502220083	STATE PRO 71-672 CONTRACT 71-685	G
	9502130192 9502130196 9502130202* 9502130273 9502130273	50-315 50-315 50-315 50-315 50-315	F P P F F	Magna Chek, Inc. Magnesium Elektron, Inc. (formerly Melbert, Inc.) Merritt Yankov Alconic Power Co	9502220088 9502130281 9502080235 9502140364	71-736 40-8984 50-309 50-309	H S
	9502140385 9502150080 9502150082* 9502150083* 9502150124	50-315 50-315 50-315 50-315 50-263	R R R R F	Maria, State of	9502220224 9502220226* 9502280262 9502210041 9502280483	50-309 50-309 50-309 STATE PRO 50-309	P P P G P
	9502150154* 9502270180 9502280019 9502280020* 9502280020*	50-315 50-315 50-315 50-315 50-315	P P P P P	Massachusetts Institute of Radiology at Washington University Medical Center S. Mallinckrodt, Inc.	9502280456 9502280457 9502270053 9502090153	50-309 50-309 PR PR	P P
Industrial NDT Co Industrial Testing Laboratories, Inc.	9502280023* 9502280023* 9502280274 9502090137 9502090038	50-315 50-315 50-315 71-611 QA999	P P F F	Marshall College, Riverside, NY Maryland, State of Massachusetts Institute of Technology, Cambridge, MA	9502010074 9502280058* 9502020158 9502070155	50-199 STATE PRO 50-20 50-20	F G V
Ingersoll-Rand Co Institute for Energy & Environmental Research, Heidelberg, Germany Interior, Dept. of Interior, Dept. of, Bureau of Indian Affairs International Atomic Energy Agency	9502100152 9502240158* 9502060312 9502060339 9502070290* 9502070292* 9502070306* 9502170163	71-119 70-3070 40-8968 40-8968 FOIA FOIA FOIA XPORTLIC		Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Service Mays & Valentine Mesquero Apache Tribe Met-Cham Testing Laboratories of Utah, Inc. MetroHealth Medical Center, Cleveland, O (formerly Cleveland Metropolitan General	9502210228 9502240045 9502140118 9502160128 9502220104* 9502140113 8910290234*	50-20 50-20 71-542 40-8027 FOIA 71-509 FOIA	P P G G F
International Organization for Standard ization (Standards) Iowa State Univ., Ames, IA J.L. Shepherd & Associates JBF Associates, Inc.	9502270054 9502070111 9502150394 9502090175	PR 50-116 71-5984 CONTRACT	V	Mexico, Govt. of Michigan, Univ. of, Ann Arbor, MI Michigan, Univ. of, Hosp., Ann Arbor, MI Microform, Inc. Mid-American Inspection Services, Inc.	9502280125* 9502240081 9502010037 9502170139 9502190114	MISC 50-2 PRIM FOIA 71-694	F
JRA Associates	9502100245 9502170145 9502280182 9502220224 9502230309	FOIA FOIA FOIA FOIA FOIA		Midwest Inspection Services, Inc. Minnesota, Univ. of, Minneapolis, MN Missouri, Univ. of, Columbia, MO	9502240022 9502140128 9502090159* 9502150369 9502160268	71-694 71-476 FOIA 50-186 50-186	P Q
Jan X-Ray Services, Inc.	9502090108 9502280226 9502270443	71-403 71-403 XPORTLIC		Mitsubishi International Corp Mitsui & Co. (USA), Inc.	9502140199 9502140206* 9502080285 9502020281 9502140177	XPORTLIC XPORTLIC XPORTLIC XPORTLIC XPORTLIC	
Japan Kennecott Corp	9502070212 9502070219*	40-8584 40-8584		MolyCorp, Inc.	9502010178 9502010179 9502010180* 9502210286 9502240202	40-8778 40-8778 40-8778 XPORTLIC 40-8778	
	9502140147 9502140169 9502140171* 9502140419 9502240010	40-8584 40-8584 40-8584 40-8584 40-8904		Montgomery County, MD Morgan, Lewis & Bockius	9502170604* 9502020040 9502180048 9502180092 9502140088	FOIA 70-364 PR 70-364 71-782	
Kennecott Uranium Co. (formerly Minerals Exploration Co.) Kerr-McGee Corp	9502240011* 9502240014* 9502100047 9502130170*	40-8304 40-8304 40-8584 70-3073		NDE Services, Inc.	9502240031 9502080388 9502270422 9502220040 9502020047	FOIA 70-364 PR 71-759 40-8027	
Kirkpatrick & Lockhart Kish Valley Coalition to Save Our Children	9502130177* 9502130183* 9502010115 9502020094	FOIA 70-3073 70-***** 70-364		NUS Corp National Nuclear Corp Nationwide Testing Services, Inc. Native Americans for a Clean Environment	9502240031 9502080388 9502270422 9502220040 9502020047	71-792 CONTRACT XPORTLIC 71-759 40-8027	
Korea, Republic of (South Korea) Lawrence Livermore National Laboratory LeBoeuf, Lamb, Leiby & MacRae	9502080267 9502140406* 9502080047 7906110347*	70-364 COMMISSIO NUREG 50-329	N G		9502020051* 9502020064* 9502160115 9502210036	40-8027 40-8027 40-8027 FOIA	

274 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9502210086	FOIA		9502150241	50-443
	9502240182	40-8027		9502170074	50-443
Natural Resources Defense Council	9502070209	FOIA		9502170077	50-443
Navajo Nation	9502020132	40-8088		9502220169	50-443
Navy, Dept. of	9502140134	71-687		9502220302	50-443
Navy, Dept. of Naval Research Lab.	9502270345*	ORG	North Carolina, State of	9502140098*	STATE PRO
	9502270353*	ORG	North Dakota, State of	9502100077*	STATE PRO
	9502270356*	ORG	Northeast Nuclear Energy Co.	9502010043	50-336
	9502270362*	ORG		9502010208	50-423
	9502270368*	ORG		9502010229	50-245
	9502270372*	ORG		9502010232	50-423
	9502270376*	ORG		9502010233	50-336
	9502270380*	ORG		9502010234*	50-423
	9502270384*	ORG		9502010255	50-423
	9502280220*	ORG		9502010257*	50-423
Nebraska Public Power District	9502010327	50-288		9502030305	50-336
	9502010332	50-288		9502030309	50-245
	9502020107	50-288		9502030309	50-245
	9502020111	50-288		9502030312	50-245
	9502020116	50-288		9502070070	50-245
	9502020165	50-288		9502070070	50-245
	9502090275	50-288		9502070070	50-245
	9502090069	50-288		9502070137*	50-213
	9502090161	50-288		9502140218	50-336
	9502130258	50-288		9502140381	50-336
	9502140370	50-288		9502150322	50-213
	9502150255	50-288		9502150354	50-336
	9502150340	50-288		9502150365*	50-336
	9502160132	50-288		9502170184	50-336
	9502160136	50-288		9502220143	50-245
	9502170006	50-288		9502220143	50-245
	9502170040*	50-288		9502220143	50-245
	9502170043*	50-288		9502220396	50-336
	9502210250	50-288		9502220398	50-245
	9502230279	50-288		9502230137	PR
	9502240288	50-288		9502230137	PR
	9502270229	50-288		9502230137	PR
	9502280017	50-288		9502230219	50-423
Nevada Nuclear Waste Task Force, Inc.	9502020387*	COMMISSION		9502230225*	50-423
Nevada, State of	9502170140	WASTE MGT		9502230358	50-245
New Hampshire, State of	9502220026	STATE PRO		9502240004	50-213
New Jersey, State of	9502060287	50-354		9502240004	50-213
	9502230123	50-354	Northeast Ohio Regional Sewer District	9502100089*	FOIA
	9502230232	50-272		9502100169*	FOIA
	9502230161	PR	Northeast UNWise	9502070125	50-213
New Mexico, State of	9502020219	40-8088		9502070196	50-245
	9502090344	40-8088		9502170177	50-245
	9502160374	40-8088		9502170177	50-245
New Mexico Univ. of Albuquerque, NM	9502270219	PR		9502170181	50-245
New York, State Univ. of Buffalo, NY	9502090012*	50-57		9502170211	50-423
New York, State of	9502090259	50-54		9502170217	50-213
	9502150313	50-54		9502170217	50-213
Newark Beth Israel Medical Center,	9502250268*	FOIA		9502170217	50-213
Newark, NJ				9502170217	50-213
Newport News Shipbuilding & Dry Dock Co	9502170025	71-48		9502280397	50-245
Niagara Mohawk Power Corp.	9502080117	50-220	Northeast Utilities Service Co.	9502080182	50-245
	9502080119*	50-220		9502080205	50-336
	9502080121*	50-220		9502080300	50-245
	9502080315	50-220		9502080309	50-245
	9502080317*	50-220		9502080312	50-245
	9502080319*	50-220		9502070056	50-213
	9502070122	50-220		9502070135	50-213
	9502070124*	50-220		9502070196	50-245
	9502070127*	50-220		9502080080	50-213
	9502070136	50-220		9502150322	50-213
	9502070142*	50-220		9502170177	50-245
	9502130134	50-220		9502170177	50-245
	9502150229	50-220		9502170181	50-245
	9502150231	50-220		9502170211	50-423
	9502230018	50-410		9502230137	PR
	9502230023	50-220		9502230219	50-423
	9502230367	50-220		9502280397	50-245
	9502240112	50-410		9502080211	50-282
	9502240118	50-220		9502080211	50-282
	9502280400	50-220		9502080326	50-282
Non Destructive Testing Corp.	9502150083	71-538		9502080326	50-282
Notker Corp.	9502070102	71-113		9502070170	50-263
Nordson International, Inc.	9502220041*	71-5257		9502070171*	50-263
Nordik Shipbuilding & Drydock Corp.	9502080061	71-75		9502070192	50-282
North American Inspection, Inc.	9502080148	71-514		9502070192	50-282
	9502230203	71-3027		9502070257	50-283
North Atlantic Energy Service Corp	9502010135	50-443		9502070967	50-263
(NAESCO)				9502080124	PR
	9502010140*	50-443		9502130120	50-282
	9502020433	50-443		9502130120	50-282
	9502020435*	50-443		9502140256	50-263
	9502080235	50-443		9502140266	50-282
	9502080339	50-443		9502140428	50-282
	9502140190	50-443		9502140428	50-282

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Sequoyah Fuels Corp	9502010132*	50-29 H		9502100242	50-348 P
	9502070057*	ORG		9502140138	50-348 S
	9502270052*	FOIA		9502150189	50-348 P
	9502020194	40-8027		9502150189	50-348 P
	9502160115	40-8027		9502150347	50-348 P
Shaw, Pittman, Ferts & Trowbridge	9502240182	40-8027		9502150385	50-348 F
	9502240304	40-8027		9502150385	50-348 F
	9502020031	50-424		9502160156	50-348 F
	9502070026	50-424		9502160156	50-348 F
	9502070129	50-498		9502170105	50-424 F
Sheldahl Metallurgical Corp	9502030288*	40-7102		9502170247	50-348 P
Siemens Corp	9502070144	40-8848		9502170247	50-348 P
	9502140189	XPORTLUC		9502170249*	50-348 P
	9502140182*	XPORTLUC		9502170249*	50-348 P
	9502270073	XPORTLUC		9502170269	50-348 R
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9502030328*	70-1257		9502270265	50-348 F
	9502080318	70-1257		9502270265	50-348 F
	9502130283	70-1257		9502280027	50-348 S
	9502160389	71-9548		9502280064	50-348 R
			Southwest Research Institute	9502010169*	STATE PRO G
	9502240056	70-1257	Sprague, G	9502020206	50-389 M
	9502280381	70-1257	St. Elizabeth Hosp., Appleton, WI	9502270003	PR
	9502280388*	70-1257	St. Joseph Hosp., Flint, MI	9401280094*	FOIA
	9502280389*	70-1257		9401280097*	FOIA
	9502280394*	70-1257		9502020415*	FOIA
Sierra Club Legal Defense Fund, Inc	9502020109	70-3070		9502020422*	FOIA
	9502090067	70-3070		9502020422*	FOIA
	9502160078	70-3070	St. Luke's Hosp., Saginaw, MI	9502060018	XPORTLUC
	9502100078	72-1007	State, Dept. of	9502090024	XPORTLUC
Sierra Nuclear, Inc.	9502100178	71-*****	Structural Integrity Associates, Inc.	9502210158*	50-325 P
	9502100182*	71-*****		9502240070*	50-254 P
Sierra Testing, Inc.	9502090088	71-685		9502090089	71-691
	9502090362	CONTRACT	TEI Analytical Services, Inc. (formerly Trans-Eastern Inspection, Inc.)		
	9502090385	CONTRACT	Teledyne Brown Engineering Co.	9502270092	FOIA
	9502090075	CONTRACT	Teledyne Wah Chang Albany (formerly Wah Chang Corp.)	9502140320	XPORTLUC
South Carolina Electric & Gas Co.	9502090248	CONTRACT		9502140322	XPORTLUC
	9502010358	50-395 S		9502140333	XPORTLUC
	9502090902	50-395 P		9502010018	50-280 S
	9502090934	50-395 P	Tennessee Valley Authority	9502010030*	50-280 S
	9502090936	50-395 P		9502010039	50-280 P
	9502090940*	50-395 P		9502010352	50-390 O
	9502160395	50-395 O		9502010352	50-390 O
	9502210263	50-395 R		9502020062	50-259 F
	9502230222	50-395 R		9502020120	50-327 O
	9502230282	50-395 S		9502020120	50-327 O
South Carolina Univ. of Columbia, SC	9502280197	50-395 R		9502020143	50-390 S
	9502280317	50-395 P		9502020143	50-390 S
	9502280417	50-395 P		9502020171	50-327 S
	9502280418*	50-395 P		9502090925	50-259 V
	9502230229*	50-395 R		9502070108	50-327 P
Southeast Missouri Hosp., Cape Girardeau, MO	9505210115*	FOIA		9502070108	50-327 P
	9505210119*	FOIA		9502070108	50-327 P
Southern California Edison Co.	9502010115	50-208 R		9502070108	50-327 P
	9502010005	50-361 P		9502070147	50-327 O
	9502020068	50-361 P		9502070147	50-327 O
	9502020068	50-361 P		9502070153	50-328 S
	9502020094*	50-361 P		9502070153	50-327 S
	9502020094*	50-361 P		9502070159	50-327 S
	9502020094*	50-361 P		9502090180	50-328 F
	9502020099*	50-361 P		9502090237	50-327 F
	9502020099*	50-361 P		9502090237	50-327 F
	9502020104	PR		9502090305	50-280 P
Southern California Edison Co.	9502020147	50-361 P		9502090306*	50-280 P
	9502020147	50-361 P		9502100084	50-328 O
	9502020155*	50-361 P		9502100084*	50-328 O
	9502020155*	50-361 P		9502140104	71-227
	9502020161*	50-361 P		9502140179	50-259 S
	9502060031	50-206 F		9502140323	50-390 S
	9502060034*	50-206 F		9502140328	50-390 O
	9502060089	50-361 P		9502140334	50-390 O
	9502060089	50-361 P		9502140334	50-390 O
	9502060093*	50-361 P		9502140342	50-327 P
Southern California Edison Co.	9502060093*	50-361 P		9502140342	50-327 P
	9502060097	50-361 P		9502140346*	50-327 P
	9502060097	50-361 P		9502140346*	50-327 P
	9502060248	PR		9502140353	50-327 P
	9502150303	50-361 P		9502140353	50-327 P
	9502150303	50-361 P		9502140360*	50-327 P
	9502150305*	50-361 P		9502140360*	50-327 P
	9502150305*	50-361 P		9502140423	50-259 P
	9502150374	50-381 S		9502140423	50-259 P
	9502160025	PR		9502140423	50-259 P
Southern Nuclear Operating Co.	9502170056	50-381 R		9502140423	50-259 P
	9502210336	50-206 F		9502140425	50-390 O
	9502070340	50-348 R		9502140425	50-390 O
	9502070223	50-348 H		9502140425	50-390 O
	9502080223	50-348 H		9502140427	50-390 F
	9502090164	50-348 H		9502150337	50-259 F
	9502100242	50-348 P		9502150337	50-259 F
	9502100242	50-348 P		9502150337	50-259 F
	9502100242	50-348 P		9502150337	50-259 F
	9502100242	50-348 P		9502150337	50-259 F

278 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9502150379	50-327	R		9502160060	50-424	G
	9502150048	50-260	Q		9502160105	50-424	G
	9502160053	50-260	Q	Tru-Tec, Inc.	9502130158	FOIA	
	9502180287	50-296	S	Tulsa Gamma Ray, Inc.	9502220009	71-133	
	9502180260	50-296	S	Twin Ports Testing, Inc.	9502220019	71-253	
	9502160063	50-280	A	U.S. Embassies	9502030324	XPORLUC	
	9502160063	50-280	A		9502140156	XPORLUC	
	9502160088	50-280	A		9502150178	FOIA	
	9502160066	50-280	A		9502150179	FOIA	
	9502160082	50-280	Q		9502170134	XPORLUC	
	9502160056	71-6005			9502170144	FOIA	
	9502170116	50-390	A		9502170163	FOIA	
	9502170116	50-390	A	UMETCO Minerals Corp.	9502140157	40-299	
	9502170123	50-390	A		9502270005	40-299	
	9502170123	50-390	A		9502290403	40-299	
	9502170143	50-390	S		9502290409	40-299	
	9502170143	50-390	S	Ulmer & Berne	9502010167	FOIA	
	9502170148	50-390	Q		9502010172	40-8724	
	9502170148	50-390	Q		9502010175	FOIA	
	9502170152	50-390	A		9502010185	40-8724	
	9502170152	50-390	A	Union 76 Minerals	9502010184	40-8778	
	9502170180	50-390	Q		9502010185	40-8778	
	9502170185	50-390	A	Union Electric Co.	9502070071	50-483	P
	9502170185	50-390	A		9502070085	50-483	P
	9502220410	50-327	S		9502130215	50-483	S
	9502230389	50-259	Q		9502140163	50-483	P
	9502270233	50-259	P		9502220184	50-483	P
	9502270233	50-259	P		9502230013	50-483	P
	9502270233	50-259	P		9502270252	50-483	P
	9502270238	50-259	P		9502290402	50-483	F
	9502270238	50-259	P	Union Oil Co. of California (Kiba Unocal)	9502010184	40-8778	
	9502270238	50-259	P		9502010185	40-8778	
	9502270407	50-380	A	Union Pacific Corp.	9502150172	40-8452	
	9502280166	50-380	A	Union of Concerned Scientists	9502150296	50-304	P
	9502280166	50-380	A	United Nuclear Corp. (subs. of UNO, Inc.)	9502090224	70-820	
	9502280175	50-380	A		9502090225	70-820	
	9502280175	50-380	A		9502240292	40-8907	
	9502290412	50-259	P		9502240293	40-8907	
Testing Engineers, Inc.	9502210160	71-730			9502270088	40-8907	
Testing Technologies, Inc.	9502090073	71-683			9502290010	40-8907	
Testmaster Inspection Co.	9502090080	71-679			9502290014	40-8907	
Texas A&M Univ., College Station, TX	9502020133	50-125	P	United Technologies Corp.	9502290005	40-791	
Texas Utilities Electric Co. (TU Electric)	9502020217	50-445	F	Utah, State of	9502020124	40-8453	
	9502020221	50-445	F	VSL Corp.	9502070318	40-8681	
	9502020221	50-445	F		9502070188	50-302	S
	9502060103	50-445	F	Valley Industrial X-Ray	9502230068	71-777	
	9502060103	50-445	F	Valley Inspection Service, Inc.	9502290239	71-724	
	9502060109	50-445	P	Vernegia Industrial Testing Laboratories, Inc.	9502130088	71-100	
	9502060139	50-445	I				
	9502070076	50-445	F	Vermont Yankee Nuclear Power Corp.	9502020431	50-271	P
	9502070081	50-445	F		9502020432	50-271	P
	9502070148	50-445	F		9502060082	50-271	P
	9502070252	50-445	R		9502100335	50-271	P
	9502170062	50-445	K		9502130125	50-271	P
	9502170062	50-445	K		9502180304	50-271	R
	9502210330	50-446	Q		9502230265	50-271	P
	9502210333	50-446	Q		9502230262	50-271	P
	9502220187	50-445	R		9502240279	50-271	S
	9502220187	50-446	R	Virginia Power (Virginia Electric & Power Co.)	9502010009	PR	
	9502230087	50-446	P				
	9502230087	50-445	P		9502010246	50-280	P
	9502230080	50-445	P		9502010248	50-280	P
	9502230080	50-446	P		9502010249	50-280	P
	9502230240	50-448	R		9502010249	50-280	P
	9502230240	50-448	R		9502010257	50-280	Q
Texas, State of	9502180016	PR			9502010257	50-280	Q
	9502180034	PRM			9502060049	50-338	S
	9502230068	STATE PRO	G		9502060184	NUREG	
	9502230062	STATE PRO	G		9502060194	NUREG	
	9502240076	STATE PRO	G		9502070101	50-338	G
Texas Univ. of Austin, TX	9502080380	CONTRACT			9502070150	50-280	P
Texas Univ. of El Paso, TX	9502080116	WASTE MGT			9502090252	50-280	P
Toledo Edison Co.	9502220178	50-345	R		9502090252	50-280	P
	9502230070	50-345	R		9502090291	50-338	P
Transnuclear, Inc.	9502020301	XPORLUC			9502100116	50-338	P
	9502270006	70-1428			9502130070	50-280	P
	9502270006	70-1428			9502130070	50-280	P
	9502270014	70-1428			9502130175	50-280	S
	9502270030	70-1426			9502130185	50-338	P
	9502270065	70-1426			9502130260	50-338	S
	9502280433	70-1426			9502140130	50-280	S
Transportation, Dept. of	9502020290	71-*****			9502160045	PR	
Tri-Med, Inc.	9502230294	PRM			9502160280	50-338	P
Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9502090041	50-424	G		9502160397	50-338	R
					9502170060	50-338	R
	9502160066	50-424	G		9502230024	50-280	K
	9502160066	50-424	Q		9502230024	50-280	K
	9502160066	50-424	G		9502230244	50-280	P
	9502160090	50-424	Q		9502230244	50-280	P

280 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9502160173	71-8156		9502270257	50-305 A
	9502160174	71-8036		9502080243	PR
	9502160179	71-8033	Wisconsin, Univ. of, Milwaukee, WI	9502010152	50-482 P
	9502160240	71-8032	Wolf Creek Nuclear Operating Corp.	9502010151	50-482 A
	9502160245	71-8006		9502010304	50-482 P
	9502160294	71-8717		9502020410*	COMMISSIO N
	9502160297	71-9033		9502030250	50-482 P
	9502160300	71-8035		9502070337	50-482 Q
	9502160302	71-8107		9502210326	50-482 F
	9502160304	71-8156		9502220209	50-482 R
Wisconsin Public Service Corp.	9502170090	71-9035	Woodward-Clyde Consultants, Inc.	9502150291*	50-458 P
	9502030298	50-305 P	Worcester Polytechnic Institute,	9502070105	50-134 R
	9502140170	50-305 R	Worcester, MA		
	9502140268	50-305 P	Wop Testing Co., Inc.	9502090004	71-539
	9502140270*	50-305 P	Wright State Univ., Dayton, OH	9502180029	REGGD
	9502220148	50-305 H	X-Ray, Inc.	9502160055	71-158
	9502230283	50-305 P	Yankee Atomic Electric Co.	9502220056	71-231
	9502240029	50-305 P	Yuba Heat Transfer Corp.	9502080205	50-29 H
	9502270252	50-305 H		9502170126	50-29 F
				9502270182	71-253

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
32-1236235-00	9502130276*	50-902	P	ORG-94A-28	9502190006*	ORG	2-206
47-1228802-01	9502150017*	50-269	P	ONE-0400-50 R03	9502070242*	50-269	P
6424/RR-3560	9502030260*	50-264	P	ONE-0400-51 R01	9502070229*	50-270	P
8.7.3 R32	9502180144*	50-263	P	ONE-0400-70 R02	9502090310*	50-287	P
94-12	9502100221*	WASTE MGT	HLWR	ORISE 94/L-61	9502280465*	40-501	
94-3	9502230223*	50-395	R	ORNL/NDAC-276 CRFT	9502070183*	50-488	Q
9501	9502010106*	STATE PRO	Q	POB-F0001 R02	9502230288*	50-440	P
ONE-0400-24 R06	9502210261*	50-413	P	PIWR 95-04	9502080284*	WASTE MGT	HLWR
CHSINS-IT-001	9502200125*	WASC		SCIE-NRC-223-03	9502230032*	FOIA	
CHWRA 94-022	9502090115*	WASTE MGT	HLWR	SCIE-NRC-223-03	9502230034*	FOIA	
CHWRA 94-028	9502240254*	WASTE MGT	HLWR	SEA-94-554-06-A.5	9502230000*	NUREG	
CHWRA 95-001	9502230401*	WASTE MGT	HLWR	SECY-82-018	9502130231*	50-463	A ALAB-657
CHWRA 95-004	9502170148*	WASTE MGT	HLWR	SECY-83-103	9502230066*	FOIA	
COLR 94-10 R01	9502010300*	50-397	P	SECY-83-412	9502130263*	50-289	P ALAB-692
CPL-34Q-301 R01	9502210158*	50-325	P	SECY-83-003	9502130267*	50-416	P ALAB-704
DOE/NE/48139-54	9502100181*	PROJ		SECY-83-073	9502130161*	FOIA	
E2000-TA-3-1/95	9502170048*	52-3		SECY-83-113	9502130275*	50-445	P
EMF-1779P	9502280384*	70-1257		SECY-83-280	9502130232*	50-443	P ALAB-731
EDM-471	9502230378*	50-416	Q	SECY-83-281	9502250611*	FOIA	
G-63 R02	9502280258*	50-486	P	SECY-83-322	9502130256*	50-288	T
GAO/RCED-93-156	9502230130*	40-8724		SECY-92-043	9502210246*	FOIA	
GE-NE 813-01739-0390	9502130136*	50-220	P	SECY-92-129	9504180101*	FOIA	
GE-NE 813-01739-04R0	9502130144*	50-220	P	SECY-94-238	9502010222*	50-293	Q EA-93-077
GE-NE 813-01739-05R1	9502130148*	50-220	P	SECY-94-261	9501180056	SECY	39FR61787
GE-NE 771-35-0794 R01	9502240066*	50-321	P DRF B11-00604	SECY-94-291	9502230026	SECY	
GE-NE 771-38-0794 R01	9502240073*	50-321	P DRF B11-00604	SECY-94-303	9412300025	SECY	
GE-NE 771-44-0894 R02	9502130132*	50-220	P	SECY-95-002	9501170134	50-374	P
GE-NE 771-58-0994 R02	9502220218*	50-277	P DRF B13-01732	SECY-95-003	9501170001	40-8027	
GE-NE 771-58-0994 R02	9502220217*	50-277	P DRF B13-01732	SECY-95-008	9502150166	SECY	
GWGL022 R02	9502090072*	52-3		SECY-95-009	9502030025	SECY	
HL-831075	9502100364*	50-275	P	SECY-95-011	9502030037	SECY	
HL-831076	9502100365*	50-275	P	SECY-95-012	9502030116	SECY	
HL-831077	9502100366*	50-275	P	SECY-95-014	9502150150	SECY	
HL-83110	9502090182*	50-302	P	SECY-95-015	9502150203	COMMISSIO	N
HL-83111	9502090185*	50-302	P	SECY-95-016	9502150208	SECY	
INEL-84/0273	9501181038*	50-348	Q TAC M85386	SECY-95-021	9502150137	SECY	
INEL-84/0277	9502170223*	50-390	A TAC M76992	SECY-95-023	9502090170	52-1	
MOE-81-0445-NP	9502130218*	50-324	P	SECY-95-024	9502100034	COMMISSIO	N
MOV-WP-101 R02	9502240176*	50-237	P	SECY-95-025	9502140014	50-322	W
MOV-WP-156 CRFT PC	9502240187*	50-237	P	SECY-95-026	9502230090	SECY	
N-4072-003	9502020181*	50-381	P	SECY-95-031	9502230015	COMMISSIO	N
NEAD-SR-84/075 R1	9502103116*	50-382	P	SECY-A-80-047	9502130179*	50-275	P
NET-085-02-NP R01	9502020154*	50-247	P	SECY-A-80-088	9502130203*	50-3	P
NSP/ND-8508 R03	9502070171*	50-263	P	SECY-A-80-173	8110300232*	50-275	F
NUREG-0804 V19 N03	9502090121	NUREG		SRL-95-010	9502240070*	50-254	P
NUREG-0540 V16 N11	9502090222	NUREG		WCAP-12245 R03 ADD08	9502010187*	52-3	SG-95-01-006
NUREG-0713 V15	9502090242	NUREG		WCAP-13964 R1-A	9502130305*	TOPREP	
NUREG-1435 SD1	9502080207	NUREG		WCAP-13963 R01	9502100204*	52-3	
NUREG-1516 CRFT PC	9502080138	NUREG		WCAP-14047 R02	9502210114*	50-454	P SG-95-02-007
NUREG/BR-0117 N54-L	9502080034	NUREG		WCAP-14156	9502080314*	50-282	P
NUREG/BR-0195 ERR	9502150120	NUREG		WCAP-14238	9502080168*	50-280	P
NUREG/CR-0145	9502080047	NUREG		WCAP-14271	9502080277*	52-3	
NUREG/CR-6134	9502080054	NUREG	SAND83-2370	WCAP-14274	9502170289*	50-454	P
NUREG/CR-6135	9502080062	NUREG	SAND83-2371	WCAP-14277	9502090050*	50-454	P SG-95-01-007
NUREG/CR-6136	9502080068	NUREG	SAND83-2372	WVNS-SD-200A88 R00	9502080375*	PROJ	
NUREG/CR-6214	9502080096	NUREG		WVNS-SD-83FP R00	9502080387*	PROJ	
NUREG/CR-6258	9502090251	NUREG	ORNL-6796	WVNS-SD-83M R01	9502080389*	PROJ	
NUREG/CR-6291 V01	9502150283	NUREG	LILUENG642009	WVNS-SD-83PW R00	9502080372*	PROJ	
NUREG/CR-6291 V02	9502150287	NUREG	INEL-84/0123	WVNS-TR-76-025	9502080347*	PROJ	
NUREG/CR-6291 V03	9502150297	NUREG	INEL-84/0123	YM-ARP-95-03	9502170117*	WASTE MGT	
NUREG/CR-6291 V04	9502150309	NUREG	INEL-84/0123	YM-ARP-95-06	9502240207*	WASTE MGT	HLWR
				YMP-ARC-95-07	9502090275*	WASTE MGT	HLWR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7908110333	7908110343	78/03/03	50-329 G	9207210028	9502090237	94/06/13	FOIA
7908110347	7908110343	79/03/03	50-329 G	9207210182	9502090237	94/06/13	FOIA
7908110357	7908110343	78/03/03	50-329 G	9207210185	9502090237	94/06/13	FOIA
8005190285	9502060042	94/06/07	FOIA	9207310255	9502090237	94/07/25	FOIA
8104220394	9502060042	94/06/07	FOIA	9208040073	9502090237	94/08/13	FOIA
8110300232	9502130147	94/06/20	50-275 F	9208130044	9502020125	94/06/16	FOIA
8111180321	9502130127	94/06/27	50-247 F	9208130046	9502020125	94/06/16	FOIA
8203230089	9502130147	94/06/20	FOIA	9209140061	9502090237	94/08/13	FOIA
8307250611	9502130147	94/06/20	FOIA	9209140066	9502090237	94/08/13	FOIA
8408160059	9502090228	94/06/02	FOIA	9209140072	9502090237	94/08/13	FOIA
8408160065	9502090228	94/06/02	FOIA	9210020141	9502020125	94/06/16	FOIA
8408160068	9502090228	94/06/02	FOIA	9210020150	9502020125	94/06/16	FOIA
8408160064	9502090228	94/06/02	FOIA	9210060179	9502020125	94/06/16	FOIA
8504030090	9502270397	94/07/25	FOIA	9210060299	9502020125	94/06/16	FOIA
8508140019	9502270397	94/07/25	FOIA	9210060261	9502020125	94/06/16	FOIA
8612030549	9502080042	94/06/07	FOIA	9210060115	9502090237	94/06/13	FOIA
8612030748	9502080042	94/06/07	FOIA	9210060064	9502020125	94/06/16	FOIA
8707220403	9502270397	94/07/25	FOIA	9210280089	9502020125	94/06/16	FOIA
8901030148	9502270397	94/07/25	FOIA	9211030003	9502090237	94/06/13	FOIA
8906110195	9502020125	94/06/16	FOIA	9211030005	9502090237	94/06/13	FOIA
8908110196	9502020125	94/06/16	FOIA	9212220329	9502070141	94/06/02	50-498 Q
8910250294	9502020125	94/06/16	FOIA	9212220336	9502070141	94/06/02	50-498 Q
9012180048	9502030262	94/06/13	FOIA	9212240175	9502070141	94/06/02	50-498 Q
9012180068	9502030262	94/06/13	FOIA	9212240207	9502020114	94/05/17	50-259 P
9102270144	9502030262	94/06/13	FOIA	9212240236	9502070141	94/06/02	50-498 Q
9102270160	9502030262	94/06/13	FOIA	9213031023	9502130154	94/06/20	70-3079
9106110138	9502270397	94/07/25	FOIA	9213031023	9502130154	94/06/20	70-3079
9107090160	9502270397	94/07/25	FOIA	9214160196	9502140184	94/06/09	50-397 P
9107090173	9502270397	94/07/25	FOIA	9215140220	9502210148	94/07/19	FOIA
9112090167	9502270397	95/02/06	MISC	9215140235	9502020114	94/05/17	50-269 P
9201100101	9502020125	94/06/16	FOIA	9206170255	9502070141	94/06/02	50-498 Q
9201100108	9502020125	94/06/16	FOIA	9206210090	9502070141	94/06/02	50-498 Q
9201130228	9502090237	94/08/13	FOIA	9206240178	9502070141	94/06/02	50-498 Q
9201130227	9502090237	94/08/13	FOIA	9207060104	9502140184	94/06/09	50-528 P
9201230241	9502090237	94/08/13	70-1403	9208030298	9502090187	94/06/14	40-501
9201230242	9502090237	94/08/13	70-1403	9208100025	9502100075	94/06/14	FOIA
9202250091	9502020125	94/05/16	FOIA	9208100030	9502100075	94/06/14	FOIA
9202250096	9502020125	94/05/16	FOIA	9208100033	9502100075	94/06/14	FOIA
9202250154	9502090237	94/06/13	FOIA	9208200217	9502070141	94/06/02	50-498 Q
9202250157	9502090237	94/06/13	FOIA	9208200284	9502130106	94/06/21	FOIA
9202250240	9502090237	94/06/13	FOIA	9208200288	9502070270	94/06/31	FOIA
9202250266	9502090237	94/06/13	FOIA	9208230190	9502090251	94/05/24	40-8724
9203160280	9502020125	94/06/16	FOIA	9209100350	9502070077	94/06/29	52-1
9203160285	9502020125	94/06/16	FOIA	9209130058	9502150106	94/06/21	FOIA
9203260061	9502020125	94/06/16	70-2174	9209200043	9502020114	94/05/17	50-443 P
9203260070	9502020125	94/06/16	70-2174	9210010021	9502090251	94/05/24	40-8724
9203260248	9502020125	94/06/16	FOIA	9210010080	9502020114	94/05/17	50-443 P
9203260258	9502020125	94/06/16	FOIA	9210150241	9502140184	94/06/09	50-397 P
9203260261	9502020125	94/06/16	FOIA	9210220204	9502090251	94/05/24	40-8724
9203270180	9502270397	94/07/25	FOIA	9211180135	9502070141	94/06/02	50-498 Q
9204160101	9502020413	94/06/03	FOIA	9212010360	9502020114	94/05/17	50-423 P
9204160300	9502270397	94/07/25	FOIA	9212030020	9502140184	94/06/09	50-456 P
9205150019	9502090237	94/06/13	FOIA	9401120254	9502090251	94/05/24	40-8724
9205150021	9502090237	94/06/13	FOIA	9401280083	9502020125	94/06/16	FOIA
9205210111	9502020125	94/06/16	FOIA	9401280094	9502020125	94/06/16	FOIA
9206210115	9502020125	94/06/16	FOIA	9401280097	9502020125	94/06/16	FOIA
9206210119	9502020125	94/06/16	FOIA	9401280100	9502020125	94/06/16	FOIA
9206210125	9502020125	94/06/16	FOIA	9401310325	9502140184	94/06/09	50-458 P
9206210127	9502020125	94/06/16	FOIA	9402030340	9502140184	94/06/09	50-272 P
9207210025	9502090237	94/06/13	FOIA	9402060348	9502020114	94/05/17	50-388 P

284 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9402240263	950200125	94/06/16	FOIA	9502010355	9502010354	95/01/20	50-454 Q
9403030060	9502140164	94/06/09	50-456 P	9502020033	9502020027	95/01/24	50-263 Q
9403180165	9502000251	94/05/24	40-8724	9502020041	9502010130	94/05/19	70-*****
9403210046	9502000126	94/05/10	ACRS	9502020046	9502010130	94/05/19	FOIA
9404040169	9502140164	94/06/09	50-397 P	9502020049	9502010130	94/05/19	70-*****
9404210116	9502150273	95/02/06	PR	9502020051	9502020047	95/01/25	40-8027
9406030009	9502240226	94/07/26	50-206 P	9502020055	9502010130	94/05/18	70-*****
9406030331	9502240095	95/02/17	STATE PRO G	9502020059	9502010130	94/05/18	70-*****
9407210284	9502020167	95/02/09	PR	9502020064	9502020047	95/01/25	40-8027
9407290247	9502020167	95/02/09	PR	9502020065	9502020060	95/01/27	50-445 Q
9408290374	9502020157	95/02/02	PR	9502020075	9502020070	95/01/27	50-382 Q
9409060023	9502020157	95/02/02	PR	9502020078	9502020059	94/10/21	WASTE MGT
9410120301	9502020157	95/02/02	PR	9502020082	9502010130	94/05/18	FOIA
9410120319	9502020157	95/02/02	PR	9502020086	9502020074	94/05/19	FOIA
9410190185	9502020157	95/02/02	PR	9502020091	9502020074	94/05/19	FOIA
9412160202	9412160062	94/12/08	50-5	9502020094	9502020088	95/01/30	50-361 P
9412270251	9412270138	94/12/16	70-1004	9502020095	9502020074	94/05/19	FOIA
9501100275	9502140015	95/02/02	50-261	9502020099	9502020088	95/01/30	50-361 P
9501100279	9502140015	95/02/02	50-261	9502020127	9502020125	95/01/30	REVIEW GR P
9501120309	9502220276	95/02/07	STATE PRO G	9502020130	9502020114	94/05/17	FOIA
9501130127	9502220223	95/02/14	70-27	9502020153	9502020114	94/05/17	FOIA
9501170254	9501170217	95/12/08	FOIA	9502020154	9502020148	95/01/25	50-247 P
9501260010	9502020157	95/02/02	PR	9502020155	9502020147	95/01/30	50-361 P
9501310136	9502140015	95/02/06	50-340 Q	9502020159	9502020125	94/05/16	FOIA
9502010024	9502010022	95/01/23	50-268 Q	9502020161	9502020147	95/01/30	50-361 P
9502010027	9502010022	95/01/23	50-268 Q	9502020173	9502020114	94/05/17	FOIA
9502010030	9502010018	95/01/19	50-260	9502020179	9502020157	95/02/02	PR
9502010034	9502010032	95/01/20	50-269	9502020189	9502020157	95/02/02	PR
9502010040	9502010029	95/01/26	50-482 Q	9502020192	9502020114	94/05/17	FOIA
9502010062	9502010052	95/01/26	STATE PRO G	9502020197	9502020157	95/02/02	PR
9502010073	9502010058	95/01/27	50-344	9502020202	9502020125	94/05/16	FOIA
9502010085	9502010052	95/01/26	STATE PRO G	9502020213	9502020157	95/02/02	PR
9502010086	9502010083	95/01/24	50-498	9502020221	9502020217	95/01/27	50-445 F
9502010088	9502010083	95/01/24	50-498	9502020225	9502020157	95/02/02	PR
9502010100	9502010093	95/01/26	50-272	9502020236	9502020114	94/05/17	50-316 Q
9502010102	9502010087	95/01/27	STATE PRO G	9502020230	9502020224	95/01/18	70-687
9502010108	9502010087	95/01/27	STATE PRO G	9502020233	9502020157	95/02/02	PR
9502010109	9502010068	95/01/29	STATE PRO G	9502020237	9502020157	95/02/02	PR
9502010123	9502010122	94/12/20	50-443	9502020241	9502020157	95/02/02	PR
9502010132	9412290344	94/12/20	50-29	9502020242	9502020225	94/05/26	FOIA
9502010140	9502010135	95/01/23	50-443	9502020243	9502020240	95/01/27	40-3453
9502010141	9502010130	94/05/18	FOIA	9502020244	9502020114	94/05/17	FOIA
9502010155	9502010130	94/05/18	70-*****	9502020245	9502020234	95/01/26	WASTE MGT
9502010160	9502010130	94/05/19	FOIA	9502020247	9502020157	95/02/02	PR
9502010167	9502010158	94/05/19	FOIA	9502020252	9502020157	95/02/02	PR
9502010169	9502010130	94/05/19	FOIA	9502020254	9502020157	95/02/02	PR
9502010172	9502010158	94/05/19	40-8724	9502020261	9502020269	95/01/31	QA989
9502010175	9502010130	94/05/19	70-*****	9502020263	9502020157	95/02/02	PR
9502010176	9502010158	94/05/19	FOIA	9502020264	9502020114	94/05/17	50-245 P
9502010180	9502010178	95/01/19	40-8778	9502020268	9502020157	95/02/02	PR
9502010184	9502010178	95/01/19	40-8778	9502020287	9502020157	95/02/02	PR
9502010185	9502010158	94/05/19	40-8724	9502020289	9502020157	95/02/02	PR
9502010186	9502010178	95/01/19	40-8778	9502020291	9502020305	95/01/20	40-8948
9502010187	9502010168	95/01/25	50-3	9502020315	9502020305	95/01/20	40-8948
9502010190	9502010130	94/05/19	70-*****	9502020320	9502020323	95/01/27	40-8903
9502010197	9502010181	95/01/25	50-323	9502020322	9502020157	95/02/02	PR
9502010198	9502010196	94/05/18	70-*****	9502020347	9502020334	95/01/23	XPORTRUC
9502010200	9502010185	95/01/25	50-387 P	9502020357	9502020349	95/01/24	COMMISSIO
9502010201	9502010193	95/01/25	WASTE MGT	9502020368	9502020349	95/01/24	XPORTRUC
9502010204	9502010130	94/05/18	70-*****	9502020380	9502020334	95/01/23	XPORTRUC
9502010206	9502010158	94/05/19	40-8724	9502020373	9502020366	95/01/31	COMMISSIO
9502010213	9502010130	94/05/18	70-*****	9502020378	9502010821	95/01/27	60-335 P
9502010216	9502010130	94/05/18	FOIA	9502020400	9502020366	95/02/01	40-8943
9502010218	9502010210	94/05/16	50-293 Q	9502020410	9502020406	95/01/25	COMMISSIO
9502010221	9502010130	94/05/18	FOIA	9502020415	9502020125	94/05/16	FOIA
9502010222	9502010210	94/05/16	50-293	9502020419	9502020125	94/05/16	FOIA
9502010225	9502010224	95/01/27	50-461 P	9502020422	9502020128	94/05/16	FOIA
9502010234	9502010232	95/01/24	50-423	9502020425	9502020125	94/05/16	FOIA
9502010241	9502010240	95/01/27	50-237 P	9502020432	9502020431	95/01/30	50-271 P
9502010249	9502010246	95/01/24	50-280 P	9502020435	9502020433	95/01/31	50-443 K
9502010255	9502010250	95/01/28	50-218 P	9502020438	9502020435	95/01/31	50-295 S
9502010258	9502010250	95/01/28	50-213 P	9502020439	9502020435	95/01/31	50-423 S
9502010267	9502010265	95/01/23	50-423 P	9502020440	9502020435	95/01/31	50-267 S
9502010269	9502010260	95/01/27	50-313 P	9502020441	9502020435	95/01/31	50-423 S
9502010274	9502010266	94/05/26	FOIA	9502020442	9502020435	95/01/31	50-267 S
9502010278	9502010272	95/01/27	50-335	9502020443	9502020435	95/01/31	50-267 S
9502010279	9502010272	95/01/27	50-335	9502020444	9502020435	95/01/31	50-267 S
9502010286	9502010284	95/01/30	XPORTRUC	9502020445	9502020435	95/01/31	50-267 S
9502010292	9502010284	95/01/27	50-288	9502020446	9502020435	95/01/31	50-267 S
9502010294	9502010284	95/01/27	50-288	9502020447	9502020435	95/01/31	50-267 S
9502010307	9502010305	95/01/27	50-361 P	9502020448	9502020435	95/01/31	50-267 S
9502010314	9502010310	95/01/27	50-362 P	9502020449	9502020435	95/01/31	50-267 S
9502010318	9502010310	95/01/27	50-362 P	9502020450	9502020435	95/01/31	50-267 S
9502010322	9502010310	94/11/09	50-269	9502020451	9502020435	95/01/31	50-267 S
9502010323	9502010320	95/01/24	50-268	9502020452	9502020435	95/01/31	50-267 S
9502010328	9502010324	95/01/26	50-213	9502020453	9502020435	95/01/31	50-267 S
9502010339	9502010330	94/12/05	50-3	9502020454	9502020435	95/01/31	50-267 S

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 285

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502030095	9502030089	95/01/23	70-1151	9502060083	9502060089	95/02/02	50-361 P
9502030098	9502030084	95/01/27	50-365 Q	9502060099	9502060084	95/01/31	50-410 P
9502030102	9502030089	95/01/23	70-1151	9502060104	9502060042	94/06/07	FOIA
9502030104	9502030072	95/01/31	50-237 P	9502060107	9502060084	95/01/31	50-410 P
9502030106	9502030103	95/01/28	50-341 Q	9502060110	9502060042	94/06/07	FOIA
9502030114	9502030097	95/01/31	50-461 P	9502060119	9502060117	95/01/24	50-220 P
9502030116	9502030107	94/12/30	WASTE MGT	9502060121	9502060117	95/01/24	50-220 P
9502030118	9502030112	95/01/25	50-289 Q	9502060125	9502060042	94/06/07	FOIA
9502030122	9502030112	95/01/25	50-289 Q	9502060129	9502060042	94/06/07	FOIA
9502030127	9502030334	95/01/23	XPORTLIC	9502060130	9502060120	95/02/01	50-213 P
9502030133	9502030094	95/01/23	XPORTLIC	9502060131	9502220350	95/02/13	COMMISSO N
9502030136	9502030130	95/01/27	50-385 Q	9502060132	9502060120	95/02/01	50-213 P
9502030142	9502030130	95/01/27	50-385 Q	9502060138	9502060042	94/06/07	FOIA
9502030144	9502030135	95/01/30	50-348 Q	9502060143	9502060140	95/01/31	50-496 P
9502030148	9502010130	94/05/18	70-*****	9502060146	9502060042	94/06/07	FOIA
9502030153	9502030040	95/01/30	50-253 Q	9502060148	9502060141	95/02/01	50-309 P
9502030162	9502030148	94/05/08	40-1478	9502060151	9502060042	94/06/07	FOIA
9502030163	9502030155	95/01/28	50-302 Q	9502060152	9502060143	95/01/30	50-482 P
9502030168	9502030155	95/01/28	50-302 Q	9502060156	9502060042	94/06/07	FOIA
9502030169	9502030155	95/01/12	50-268 P	9502060164	9502060162	95/01/13	71-770
9502030174	9502030172	95/01/30	50-258 Q	9502060165	9502060150	95/01/31	50-361 P
9502030176	9502030157	95/01/09	40-8902	9502060167	9502060162	95/01/13	71-770
9502030180	9502030179	95/01/26	50-302 P	9502060174	9502060042	94/06/07	FOIA
9502030183	9502030179	95/01/26	50-302 P	9502060185	9502060178	95/01/31	50-289 P
9502030185	9502030179	95/01/26	50-302 P	9502060189	9502060178	95/01/31	50-289 P
9502030186	9502030182	95/01/30	50-302 Q	9502060193	9502060171	95/02/01	50-213 P
9502030191	9502030189	95/01/25	50-400 Q	9502060194	9502060164	95/01/30	MURREG
9502030193	9502010130	94/05/18	70-*****	9502060195	9502020190	94/12/05	50-3
9502030194	9502010130	94/05/18	70-*****	9502060204	9502060199	95/01/28	40-8961
9502030194	9502010130	94/05/18	FOIA	9502060210	9502060207	95/01/31	50-423 P
9502030207	9502010130	94/05/18	70-*****	9502060214	9502060211	95/01/31	50-282 P
9502030212	9502030209	95/01/30	50-424 P	9502060215	9502060207	95/01/31	50-423 P
9502030218	9502010130	94/05/18	70-*****	9502060221	9502060218	95/01/28	50-443 P
9502030223	9502010130	94/05/18	70-*****	9502060223	9502060218	95/01/28	50-443 P
9502030224	9502030210	95/01/23	XPORTLIC	9502060227	9502060218	95/01/28	50-443 P
9502030226	9502030216	95/01/26	50-324 P	9502060230	9501120043	94/12/23	MURREG
9502030227	9502010130	94/05/18	70-*****	9502060243	9502060239	95/01/31	50-289 H
9502030229	9502030210	95/01/23	XPORTLIC	9502060277	9502060256	94/01/27	40-8906
9502030230	9502010130	94/05/18	70-*****	9502060286	9502060284	95/02/02	50-333 P
9502030231	9502030216	95/01/26	50-324 P	9502060288	9502060042	95/02/02	50-410 P
9502030234	9502010130	94/05/18	FOIA	9502060295	9502030166	95/01/18	50-213 G
9502030236	9502010130	94/05/18	FOIA	9502060304	9502060300	95/01/28	50-281 P
9502030237	9502030235	95/01/30	50-285 Q	9502060310	9502060307	95/01/30	50-287 P
9502030240	9502030237	94/05/26	FOIA	9502060314	9502060311	95/02/01	50-367 P
9502030244	9502030166	95/01/18	50-213 G	9502060316	9502060311	95/02/01	50-367 P
9502030245	9502030243	95/01/31	50-287 Q	9502060317	9502060315	95/02/01	50-220 P
9502030251	9502030248	94/06/13	50-3 P	9502060319	9502060315	95/02/01	50-220 P
9502030253	9502030229	94/06/02	40-8852	9502060329	9502060327	94/01/26	70-364
9502030255	9502030228	94/06/02	40-8852	9502070044	9502070044	95/01/25	ORG
9502030256	9502030263	95/01/27	40-7102	9502070067	9502070064	95/01/30	ORG
9502030271	9502030262	94/06/13	30-14870	9502070081	9502070076	95/02/02	50-445 P
9502030275	9502030269	95/01/26	WASTE MGT	9502070082	9502070078	95/01/30	50-346 P
9502030277	9502030262	94/06/13	30-14870	9502070090	9502070088	95/01/30	50-346 P
9502030279	9502030262	94/06/13	30-14870	9502070091	9502070074	94/06/26	FOIA
9502030281	9502030260	95/01/31	50-317 P	9502070104	9502070086	95/01/31	WASTE MGT
9502030285	9502030262	94/06/13	30-14870	9502070119	9502070116	95/01/31	50-400 P
9502030288	9502030266	95/01/28	50-454 P	9502070123	9502070085	94/06/16	50-498 P
9502030290	9502030266	95/01/28	50-454 P	9502070124	9502070122	95/01/27	50-220 P
9502030291	9502030263	95/01/26	50-251 P	9502070125	9502070120	95/01/06	ORG
9502030300	9502030298	95/01/29	50-285 P	9502070127	9502070122	95/01/27	50-220 P
9502030315	9502030311	95/01/25	REVIEW GR	9502070133	9502070107	94/05/26	FOIA
9502030328	9502030334	95/02/01	70-1257	9502070137	9502070135	95/01/31	50-213 P
9502030340	9502030338	95/01/30	50-355 P	9502070142	9502070136	95/02/01	50-220 P
9502030346	9502030344	95/02/01	71-319	9502070154	9502070141	94/06/02	50-498 P
9502030348	9502030348	95/01/30	50-454 P	9502070157	9502070141	94/06/02	50-498 P
9502030350	9502030343	95/01/30	50-454 P	9502070158	9502070156	95/02/02	50-454 P
9502030355	9502060003	95/01/26	STATE PRO	9502070181	9502070150	95/02/01	50-280 P
9502030356	9502060004	95/01/27	50-400 Q	9502070183	9502070141	94/06/02	50-498 P
9502030358	9502060011	95/01/27	50-346 Q	9502070188	9502070168	95/02/01	70-1113
9502030360	9502060011	95/01/27	50-346 Q	9502070171	9502070170	95/02/02	50-263 P
9502060022	9502060017	95/01/30	50-483 Q	9502070173	9502070141	94/06/02	50-498 P
9502060028	9502060024	95/01/24	70-*****	9502070176	9502070172	95/01/31	50-528 P
9502060034	9502060031	95/01/23	50-206 F	9502070178	9502070177	95/02/03	50-249 P
9502060050	9502060042	94/06/07	FOIA	9502070185	9502070185	94/06/16	FOIA
9502060054	9502060042	94/06/07	FOIA	9502070201	9502070188	94/12/23	ORG
9502060055	9502060045	95/01/25	50-390 F	9502070203	9502070141	94/06/02	50-498 P
9502060057	9502060042	94/06/07	FOIA	9502070211	9502070207	95/02/03	50-498 P
9502060059	9502060042	94/06/07	FOIA	9502070217	9502070141	94/06/02	50-498 P
9502060063	9502060042	94/06/07	FOIA	9502070219	9502070212	95/01/28	40-8584
9502060067	9502060042	94/06/07	FOIA	9502070239	9502070236	95/01/30	50-270 P
9502060068	9502060065	95/01/31	52-3	9502070245	9502060208	95/01/31	50-269 P
9502060072	9502060065	95/01/31	52-3	9502070249	9502070248	95/01/30	50-269 P
9502060073	9502060042	94/06/07	FOIA	9502070256	9502060136	94/05/18	FOIA
9502060076	9502060042	94/06/07	FOIA	9502070263	9502070258	95/01/12	50-313 F
9502060078	9502060042	94/06/07	FOIA	9502070274	9502070272	95/01/31	50-313 G
9502060081	9502060042	94/06/07	FOIA	9502070276	9502070272	95/01/31	50-313 G
9502060086	9502060084	95/01/30	50-374 P	9502070280	9502070270	94/06/31	FOIA

286 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502070264	9502070267	95/01/30	50-263	9502090096	9502090071	94/12/30	50-390
9502070290	9502070282	95/02/09	50-424	9502090112	9502090110	95/02/06	50-458
9502070292	9502070270	94/05/31	FOIA	9502090156	9502090153	95/01/27	50-352
9502070296	9502070284	95/01/27	50-353	9502090157	9502090134	94/05/19	FOIA
9502070305	9502070294	95/01/27	50-353	9502090162	9502090159	95/02/01	50-286
9502070308	9502070270	94/05/31	FOIA	9502090177	9502090174	94/02/20	52-2
9502070327	9502070270	94/05/31	FOIA	9502090188	9502090126	94/03/10	52-2
9502070333	9502070330	95/01/27	50-352	9502090195	9502090178	95/01/30	50-267
9502070336	9502070330	95/01/27	50-352	9502090222	9502090219	95/02/08	40-8848
9502070344	9502070270	94/05/31	FOIA	9502090226	9502090234	94/12/19	70-820
9502070361	9502070360	95/01/31	50-247	9502090255	9502090251	94/05/24	FOIA
9502070362	9502070270	94/05/31	FOIA	9502090256	9502090252	94/06/13	FOIA
9502090004	9502090003	95/02/03	50-289	9502090261	9502090262	94/06/13	FOIA
9502090005	9502090002	95/01/27	50-413	9502090263	9502090251	94/05/24	40-8724
9502090012	9502090008	95/01/30	50-57	9502090267	9502090251	94/05/24	40-8724
9502090027	9502090023	95/02/02	50-219	9502090270	9502090257	94/06/13	FOIA
9502090048	9502090040	95/01/25	40-8724	9502090271	9502090262	94/06/13	FOIA
9502090077	9502090070	95/02/03	50-237	9502090273	9502090262	94/06/13	FOIA
9502090085	9502090085	95/02/02	50-219	9502090274	9502090268	94/06/14	50-219
9502090089	9502090075	95/02/02	50-219	9502090277	9502090262	94/06/13	FOIA
9502090090	9502090087	95/01/23	71-9269	9502090278	9502090262	94/06/13	FOIA
9502090091	9502090065	95/01/31	50-333	9502090279	9502090237	94/06/13	FOIA
9502090092	9502090083	95/01/27	50-244	9502090280	9502090268	94/06/14	FOIA
9502090104	9502090101	95/01/23	71-9260	9502090281	9502090268	94/06/13	FOIA
9502090112	9502090093	95/01/27	50-244	9502090284	9502090268	94/06/14	50-244
9502090120	9502090115	95/02/03	TOPREP	9502090285	9502090262	94/06/13	FOIA
9502090126	9502090122	95/02/03	QA998	9502090286	9502090268	94/06/13	FOIA
9502090126	9502090123	95/01/30	50-333	9502090301	9502090298	95/02/03	50-458
9502090126	9502090123	95/01/30	50-333	9502090304	9502090302	95/02/03	40-8902
9502090140	9502090138	95/02/01	71-9288	9502090306	9502090305	95/02/06	50-280
9502090141	9502090134	95/02/03	STATE PRO	9502100009	9502100004	95/02/03	50-445
9502090143	9502090137	95/02/02	50-265	9502100010	9502100006	95/02/03	50-333
9502090148	9502070141	94/06/02	FOIA	9502100012	9502100006	95/02/03	50-333
9502090149	9502090147	95/02/02	50-245	9502100025	9502100023	95/02/06	50-496
9502090151	9502090013	95/02/13	50-254	9502100035	9502100028	95/02/06	40-534
9502090153	9502090150	95/02/03	50-261	9502100051	9502100049	95/02/02	50-295
9502090156	9502090146	95/01/30	50-315	9502100060	9502100058	95/02/03	STATE PRO
9502090161	9502090157	95/02/02	50-259	9502100063	9502100055	95/02/03	50-458
9502090165	9502070141	94/06/02	50-496	9502100064	9502100057	95/02/01	50-182
9502090166	9502090113	95/02/13	50-254	9502100076	9502100068	95/01/17	WASTE MGT
9502090168	9502090167	95/02/02	50-250	9502100077	9502100071	95/02/03	STATE PRO
9502090170	9502090164	95/01/31	50-444	9502100085	9502100083	95/02/06	50-313
9502090176	9502070141	94/06/02	50-496	9502100087	9502100079	95/02/02	50-454
9502090179	9502070270	94/05/31	FOIA	9502100088	9502100084	95/02/06	50-328
9502090185	9502070141	94/06/02	50-496	9502100089	9502100075	94/06/14	FOIA
9502090186	9502090181	95/01/31	50-408	9502100091	9502100083	95/02/06	50-313
9502090190	9502070141	94/06/02	50-496	9502100094	9502100079	95/02/02	50-454
9502090206	9502090201	95/01/31	40-8770	9502100096	9502100075	94/06/14	FOIA
9502090211	9502090188	95/01/27	50-352	9502100109	9502100075	94/06/14	FOIA
9502090215	9502090188	95/01/27	50-352	9502100111	9502100105	95/02/07	50-296
9502090232	9502090226	95/02/01	50-387	9502100114	9502100110	95/01/26	70-887
9502090244	9502090240	95/02/02	50-387	9502100115	9502100108	95/02/06	50-493
9502090250	9502090240	95/02/02	50-387	9502100118	9502100108	95/02/06	50-493
9502090260	9502090257	95/01/31	PRCJ	9502100121	9502100125	95/02/02	50-373
9502090266	9502070270	94/05/31	FOIA	9502100137	9502100129	95/01/26	50-265
9502090272	9502090269	95/01/27	50-388	9502100138	9502100134	95/02/02	50-10
9502090273	9502090263	95/01/27	50-388	9502100139	9502100133	94/06/28	FOIA
9502090274	9502090270	95/01/31	50-388	9502100143	9502100134	95/02/02	50-10
9502090277	9502090270	95/01/31	50-388	9502100152	9502100152	95/02/02	PRCJ
9502090283	9502090280	95/02/06	WASTE MGT	9502100172	9502100164	95/01/31	PRCJ
9502090284	9502090280	95/02/06	WASTE MGT	9502100180	9502090282	94/06/13	FOIA
9502090293	9502090287	95/02/03	50-373	9502100182	9502100178	95/02/03	71-*****
9502090301	9502090299	95/01/18	50-270	9502100186	9502090282	94/06/13	FOIA
9502090317	9502090310	95/01/20	50-272	9502100190	9502100187	95/01/27	71-*****
9502090325	9502090323	95/02/02	50-158	9502100203	9502090282	94/06/13	FOIA
9502090347	9502090346	95/01/27	PRCJ	9502100204	9502100187	95/01/31	50-296
9502090353	9502090350	95/01/31	50-387	9502100206	9502100205	95/01/30	50-331
9502090355	9502090350	95/01/31	50-387	9502100216	9502100213	95/02/07	70-148
9502090356	9502090348	95/01/27	PRCJ	9502100217	9502100213	95/02/07	70-148
9502090364	9502090361	94/05/28	FOIA	9502100219	9502100199	95/02/06	50-271
9502090387	9502090383	95/02/02	PRCJ	9502100221	9502100218	95/01/27	WASTE MGT
9502090389	9502090383	95/02/02	PRCJ	9502100222	9502100222	95/02/03	50-296
9502090372	9502090363	95/02/02	PRCJ	9502100225	9502100220	95/02/03	50-296
9502090375	9502090363	95/02/02	PRCJ	9502100226	9502100223	95/02/07	70-734
9502090376	9502090370	95/01/27	50-352	9502100232	9502100223	95/02/07	70-734
9502090377	9502090370	95/01/27	50-362	9502100235	9502100234	95/02/03	50-428
9502090386	9502090384	95/01/25	40-7580	9502100243	9502100240	95/02/03	50-213
9502090396	9502090393	95/02/06	50-377	9502100248	9502100244	95/02/03	50-213
9502090413	9502090409	95/02/06	50-275	9502100255	9502100251	95/02/01	50-352
9502090418	9502090417	95/02/03	50-458	9502100257	9502100250	95/02/06	40-8864
9502090427	9502090422	95/02/03	50-397	9502100258	9502090282	94/06/13	FOIA
9502090439	9502090435	94/12/23	50-482	9502100259	9502100252	95/02/01	50-353
9502090445	9502090437	95/02/02	70-3070	9502100267	9502100256	95/02/03	50-334
9502090448	9502090436	95/02/01	70-3070	9502100274	9502090282	94/06/13	FOIA
9502090466	9502090460	95/02/06	80-281	9502100275	9502100274	94/06/22	FOIA
9502090482	9502090472	95/02/03	70-3070	9502100280	9502090282	94/06/13	FOIA
9502090488	9502090478	95/02/03	50-344				

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 287

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502100286	9502100224	94/06/22	FOIA	9502130222	9502130219	95/02/08	STATE PRO
9502100289	9502100262	94/06/13	FOIA	9502130228	9502130226	95/02/08	50-54
9502100290	9502100231	95/02/03	50-247	9502130231	9502130147	94/06/20	50-463
9502100299	9502100262	94/06/13	FOIA	9502130232	9502130223	95/02/03	50-334
9502100300	9502100224	94/06/22	FOIA	9502130234	9502130230	95/02/03	50-247
9502100306	9502100224	94/06/22	FOIA	9502130248	9502130246	95/02/08	50-468
9502100311	9502100262	94/06/13	FOIA	9502130249	9502130240	94/07/13	50-293
9502100316	9502100224	94/06/22	FOIA	9502130254	9502130240	94/07/13	FOIA
9502100323	9502100262	94/06/13	FOIA	9502130256	9502130256	95/02/08	50-264
9502100327	9502100308	95/02/04	40-3459	9502130262	9502130244	94/07/13	FOIA
9502100331	9502100328	94/02/04	50-244	9502130263	9502130147	94/06/20	50-289
9502100333	9502100328	94/02/04	50-244	9502130265	9502130244	94/07/13	FOIA
9502100334	9502100224	94/06/22	FOIA	9502130267	9502130147	94/06/20	50-416
9502100340	9502100339	94/02/03	71-9027	9502130275	9502130147	94/06/20	50-445
9502100343	9502100342	95/02/06	71-9029	9502130276	9502130272	95/02/03	50-302
9502100345	9502100224	94/06/22	FOIA	9502130278	9502130244	94/07/13	FOIA
9502100348	9502100347	95/02/06	71-9035	9502130282	9502130147	94/06/20	50-443
9502100351	9502100260	95/02/07	50-213	9502130285	9502130147	94/06/20	50-269
9502100352	9502100224	94/06/22	FOIA	9502130287	9502130244	94/07/13	FOIA
9502100355	9502100224	94/06/22	FOIA	9502130290	9502130259	95/02/03	50-413
9502100366	9502100262	94/06/13	FOIA	9502140005	9502140002	95/02/01	50-413
9502100368	9502100224	94/06/22	FOIA	9502140010	9502140003	95/02/02	50-261
9502100390	9502100224	94/06/22	FOIA	9502140016	9502140012	95/01/31	50-390
9502100392	9502100381	94/02/06	50-275	9502140019	9502140013	95/02/03	50-321
9502100393	9502100381	95/02/06	50-275	9502140021	9502140017	95/02/02	70-27
9502100394	9502100381	95/02/06	50-275	9502140022	9502140013	95/02/03	50-321
9502100395	9502100381	95/02/06	50-275	9502140030	9502140028	95/01/31	50-348
9502100396	9502100381	95/02/06	50-275	9502140032	9502140027	95/01/31	50-327
9502100397	9502100381	95/02/07	50-460	9502140039	9502140035	95/01/31	50-424
9502100398	9502100381	95/02/06	50-348	9502140047	9502140040	95/02/08	50-259
9502100399	9502100224	94/06/22	FOIA	9502140048	9502140036	95/02/06	50-280
9502100400	9502100224	94/06/22	FOIA	9502140054	9502140043	95/02/03	50-368
9502100401	9502100331	95/02/07	50-298	9502140057	9502140049	95/02/02	50-327
9502100402	9502100224	94/06/22	FOIA	9502140061	9502140052	95/01/31	50-338
9502100403	9502100221	95/02/03	50-454	9502140074	9502140071	95/02/01	50-321
9502100404	9502100343	95/02/06	50-313	9502140081	9502140071	95/02/01	50-321
9502100405	9502100224	94/06/22	FOIA	9502140089	9502140077	95/02/07	STATE PRO
9502100406	9502100343	95/02/06	50-313	9502140094	9502140077	95/02/07	STATE PRO
9502100407	9502100343	95/02/06	50-482	9502140096	9502140077	95/02/07	STATE PRO
9502100408	9502100343	95/02/06	50-254	9502140107	9502140082	95/01/31	50-390
9502100409	9502100343	95/02/06	50-313	9502140114	9502140112	95/01/30	50-338
9502100410	9502100343	95/02/06	50-313	9502140116	9502140092	95/01/31	50-390
9502100411	9502100343	95/02/06	50-313	9502140123	9502140117	95/02/08	50-258
9502100412	9502100343	95/02/06	50-313	9502140155	9502140154	95/01/31	XPORTRIC
9502100413	9502100343	95/02/06	50-313	9502140160	9502140154	95/02/03	COMMISSIO
9502100414	9502100343	95/02/06	50-313	9502140166	9502140154	95/02/03	COMMISSIO
9502100415	9502100343	95/02/06	50-313	9502140168	9502140091	95/02/07	50-440
9502100416	9502100343	95/02/06	50-313	9502140171	9502140168	95/01/30	40-8584
9502100417	9502100343	95/02/06	50-313	9502140173	9502140144	94/07/06	50-171
9502100418	9502100343	95/02/06	50-313	9502140176	9502140154	95/02/03	COMMISSIO
9502100419	9502100343	95/02/06	50-313	9502140188	9502140183	95/02/08	50-468
9502100420	9502100343	95/02/06	50-313	9502140191	9502140184	94/06/09	FOIA
9502100421	9502100343	95/02/06	50-313	9502140192	9502140189	95/02/08	XPORTRIC
9502100422	9502100343	95/02/06	50-313	9502140194	9502140184	94/06/09	FOIA
9502100423	9502100343	95/02/06	50-313	9502140196	9502140184	94/06/09	FOIA
9502100424	9502100343	95/02/06	50-313	9502140202	9502140184	94/06/09	FOIA
9502100425	9502100343	95/02/06	50-313	9502140204	9502140184	94/06/09	FOIA
9502100426	9502100343	95/02/06	50-313	9502140205	9502140200	95/02/10	50-440
9502100427	9502100343	95/02/06	50-313	9502140206	9502140189	95/02/07	XPORTRIC
9502100428	9502100343	95/02/06	50-313	9502140208	9502140184	94/06/09	50-324
9502100429	9502100343	95/02/06	50-313	9502140213	9502140184	94/06/09	FOIA
9502100430	9502100343	95/02/06	50-313	9502140216	9502140184	94/06/09	FOIA
9502100431	9502100343	95/02/06	50-313	9502140218	9502140211	95/02/10	50-440
9502100432	9502100343	95/02/06	50-313	9502140223	9502140184	94/06/09	FOIA
9502100433	9502100343	95/02/06	50-313	9502140227	9502140218	95/02/09	50-395
9502100434	9502100343	95/02/06	50-313	9502140230	9502140218	95/02/09	50-335
9502100435	9502100343	95/02/06	50-313	9502140233	9502140184	94/06/09	FOIA
9502100436	9502100343	95/02/06	50-313	9502140241	9502140238	95/02/09	50-237
9502100437	9502100343	95/02/06	50-313	9502140242	9502140184	94/06/09	50-458
9502100438	9502100343	95/02/06	50-313	9502140243	9502140239	95/02/09	50-247
9502100439	9502100343	95/02/06	50-313	9502140244	9502140184	94/06/09	50-468
9502100440	9502100343	95/02/06	50-313	9502140251	9502140248	95/02/05	50-333
9502100441	9502100343	95/02/06	50-313	9502140257	9502140255	95/02/08	50-219
9502100442	9502100343	95/02/06	50-313	9502140270	9502140268	95/02/08	50-305
9502100443	9502100343	95/02/06	50-313	9502140279	9502140184	94/06/09	FOIA
9502100444	9502100343	95/02/06	50-313	9502140281	9502140273	95/02/10	COMMISSIO
9502100445	9502100343	95/02/06	50-313	9502140283	9502140283	95/02/02	50-495
9502100446	9502100343	95/02/06	50-313	9502140286	9502140283	95/02/02	50-486
9502100447	9502100343	95/02/06	50-313	9502140288	9502140285	95/02/09	50-423
9502100448	9502100343	95/02/06	50-313	9502140307	9502140285	95/02/09	50-423
9502100449	9502100343	95/02/06	50-313	9502140309	9502140308	95/02/09	50-389
9502100450	9502100343	95/02/06	50-313	9502140312	9502140305	95/02/09	50-389
9502100451	9502100343	95/02/06	50-313	9502140314	9502140314	95/02/09	71-238
9502100452	9502100343	95/02/06	50-313	9502140325	9502140321	95/02/09	50-416
9502100453	9502100343	95/02/06	50-313	9502140337	9502140331	95/02/08	71-354
9502100454	9502100343	95/02/06	50-313	9502140345	9502140342	95/02/10	50-327
9502100455	9502100343	95/02/06	50-313	9502140354	9502140345	95/02/09	50-275

288 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502140360	9502140363	95/02/10	50-327	9502180019	9502180013	95/01/27	50-390
9502140376	9502140371	95/02/08	50-30	9502180020	9502180015	95/02/07	50-390
9502140378	9502140371	95/02/08	50-20	9502180040	9502180032	95/02/10	50-341
9502140382	9502140371	95/02/08	50-20	9502180042	9502180031	95/02/13	50-424
9502140390	9502140387	95/02/10	50-277	9502180044	9502180039	95/02/09	50-390
9502140399	9502140395	95/02/08	50-295	9502180046	9502180032	95/02/10	50-341
9502140401	9502140395	95/02/07	WASTE MGT	9502180053	9502180048	95/02/13	50-390
9502140402	9502140395	95/02/08	50-295	9502180055	9502180051	95/02/08	70-3062
9502140406	9502140403	95/02/08	COMMUNISMO	9502180063	9502180067	95/02/10	50-416
9502140412	9502140396	95/02/07	WASTE MGT	9502180070	9502180067	95/02/13	50-482
9502140415	9502140411	95/02/09	50-327	9502180076	9502180067	95/02/13	50-482
9502140417	9502140411	95/02/09	50-327	9502180106	9502180102	95/02/09	70-364
9502140434	9502140433	95/02/09	50-272	9502180118	9502180108	95/02/10	70-3070
9502150006	9502150003	95/02/08	CA589	9502180125	9502180108	95/02/10	70-3070
9502150013	9502150010	95/02/08	50-334	9502180130	9502180118	95/02/08	70-3070
9502150020	9502150016	95/02/08	50-496	9502180137	9502180129	95/02/08	70-1151
9502150027	9502150024	95/02/08	50-387	9502180143	9502180138	95/02/07	40-8848
9502150038	9502150032	95/02/09	50-334	9502180146	9502180136	95/02/14	50-283
9502150040	9502150032	95/02/09	50-334	9502180149	9502180129	95/02/08	70-1151
9502150042	9502150038	95/02/08	50-496	9502180196	9502180186	95/02/08	50-528
9502150046	9502150036	95/02/06	50-496	9502180204	9502180187	95/02/06	50-282
9502150048	9502150045	95/02/07	50-220	9502180205	9502180202	95/02/08	70-143
9502150049	9502150028	95/02/13	STATE PRO	9502180209	9502180202	95/02/08	70-143
9502150050	9502150044	95/02/08	50-315	9502180281	9502180277	94/05/25	REVIEW GR
9502150051	9502140295	95/02/08	50-423	9502180285	9502180182	95/02/07	50-454
9502150054	9502150052	95/02/10	50-354	9502180286	9502180182	95/02/07	50-454
9502150058	9502150053	95/02/08	50-361	9502180289	9502180287	95/02/07	50-454
9502150064	9502150060	95/02/08	40-XXXX	9502180290	9502180282	95/02/13	50-413
9502150077	9502150075	95/02/08	50-335	9502180301	9502180296	95/02/14	50-410
9502150084	9502150080	95/02/03	50-528	9502180303	9502180296	95/02/14	50-410
9502150086	9502150080	95/02/03	50-528	9502180306	9502180295	95/01/23	ORG
9502150088	9502150080	95/02/07	50-316	9502180316	9502180316	95/02/13	50-259
9502150093	9502150090	95/02/07	50-316	9502180319	9502180313	95/02/13	50-259
9502150097	9502150085	95/02/02	50-461	9502180327	9502180325	95/02/14	50-296
9502150107	9502150087	95/02/06	PR	9502180329	9502180324	95/02/14	50-410
9502150110	9502150106	94/05/21	FOIA	9502180331	9502180325	95/02/14	50-236
9502150128	9502150123	95/02/01	40-8027	9502180351	9502180351	95/02/06	50-236
9502150130	9502150123	95/02/01	40-8027	9502180379	9502180372	95/02/09	50-328
9502150131	9502150123	95/02/01	40-8027	9502180383	9502180374	95/02/13	50-412
9502150134	9502150123	95/02/09	50-250	9502180386	9502180372	95/02/08	50-528
9502150140	9502150106	94/05/21	FOIA	9502180401	9502180386	95/02/08	50-348
9502150143	9502150138	95/01/13	50-3	9502180403	9502180400	95/02/14	50-445
9502150149	9502150106	94/05/21	FOIA	9502180405	9502180404	95/02/07	71-XXXX
9502150154	9502150146	95/02/10	50-915	9502170008	9502170008	95/02/08	50-397
9502150160	9502150148	95/02/09	50-424	9502170017	9502170010	95/02/09	STATE PRO
9502150161	9502150159	95/02/09	50-325	9502170021	9502170018	95/02/13	50-380
9502150166	9502150139	95/01/27	50-418	9502170026	9502170025	95/02/14	STATE PRO
9502150168	9502150142	94/03/03	REVIEW GR	9502170037	9502170033	95/02/10	50-461
9502150176	9502150106	94/05/21	FOIA	9502170040	9502170038	95/02/10	50-296
9502150179	9502150106	94/05/21	FOIA	9502170043	9502170038	95/02/10	60-288
9502150188	9502150106	94/05/21	FOIA	9502170047	9502170039	95/02/10	STATE PRO
9502150194	9502150106	94/05/21	FOIA	9502170049	9502170023	95/02/13	62-3
9502150205	9502150106	94/05/21	FOIA	9502170053	9502180106	94/05/21	FOIA
9502150209	9502150106	94/05/21	FOIA	9502170058	9502170059	95/02/14	71-699
9502150222	9502150210	95/02/07	50-352	9502170084	9502150106	94/05/21	FOIA
9502150232	9502150010	95/02/06	50-313	9502170085	9502170083	95/02/14	71-5962
9502150235	9502150234	95/01/20	50-278	9502170086	9502170082	95/02/09	50-213
9502150237	9502150234	95/01/20	50-275	9502170088	9502170082	95/02/09	50-213
9502150247	9502150242	95/02/10	50-481	9502170070	9502150106	94/05/21	FOIA
9502150248	9502150106	94/05/21	FOIA	9502170075	9502170072	95/02/10	50-304
9502150253	9502150106	94/05/21	FOIA	9502170078	9502170072	95/02/10	50-304
9502150250	9502150106	94/05/21	FOIA	9502170079	9502150106	94/05/21	FOIA
9502150251	9502150106	94/05/21	FOIA	9502170083	9502150106	94/05/21	FOIA
9502150271	9502150106	94/05/21	FOIA	9502170085	9502150106	94/05/21	FOIA
9502150278	9502150106	94/05/21	FOIA	9502170085	9502170080	95/01/31	TOPREP
9502150282	9502150106	94/05/21	FOIA	9502170100	9502170083	95/02/01	WASTE MGT
9502150285	9502150273	95/02/08	PR	9502170102	9502180106	94/05/21	FOIA
9502150288	9502150106	94/05/21	FOIA	9502170104	9502180106	94/05/21	FOIA
9502150291	9502150286	95/02/08	50-458	9502170107	9502170093	95/02/01	WASTE MGT
9502150299	9502150292	95/02/08	50-219	9502170109	9502170093	95/02/01	WASTE MGT
9502150300	9502160273	95/02/08	PR	9502170117	9502170115	95/02/08	WASTE MGT
9502150305	9502150303	95/02/13	50-361	9502170125	9502150106	94/05/21	FOIA
9502150306	9502150106	94/05/21	FOIA	9502170133	9502150106	94/05/21	FOIA
9502150311	9502130029	94/05/24	FOIA	9502170141	9502150106	94/05/21	FOIA
9502150317	9502150308	95/02/03	50-259	9502170144	9502150106	94/05/21	FOIA
9502150319	9502150106	94/05/21	FOIA	9502170149	9502170142	95/01/31	WASTE MGT
9502150323	9502150106	94/05/21	FOIA	9502170150	9502170138	94/07/11	FOIA
9502150327	9502150106	94/05/21	FOIA	9502170156	9502170154	95/02/10	50-313
9502150338	9502150332	95/02/08	50-388	9502170158	9502170138	94/07/11	FOIA
9502150352	9502150345	95/02/14	50-528	9502170160	9502170157	95/02/14	40-3459
9502150357	9502150348	95/02/01	50-413	9502170166	9502150106	94/05/21	FOIA
9502150359	9502150355	95/02/08	50-290	9502170167	9502170153	94/07/08	FOIA
9502150365	9502150354	95/02/08	50-338	9502170170	9502150106	94/05/21	FOIA
9502150390	9502150377	95/02/08	50-317	9502170172	9502170151	94/07/01	FOIA
9502150399	9502150368	95/02/10	50-254	9502170173	9502170169	95/02/10	50-325
9502150390	9502150368	95/02/10	50-254	9502170175	9502170151	94/07/01	FOIA
9502160006	9502160006	95/02/10	50-155	9502170191	9502170188	95/02/13	50-255

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 289

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502170192	9502170190	95/02/10	50-387	9502210276	9502170224	95/02/16	50-498
9502170194	9502170190	95/02/10	50-387	9502210277	9502210271	95/02/14	50-311
9502170197	9502170190	95/02/12	50-387	9502210284	9502170224	95/02/16	50-498
9502170200	9502170190	94/07/12	FOIA	9502210285	9502210285	95/02/14	50-272
9502170204	9502170191	94/07/12	FOIA	9502210290	9502210287	95/02/15	50-244
9502170207	9502170193	94/07/12	50-498	9502210294	9502170224	95/02/16	50-498
9502170208	9502170205	95/01/25	50-275	9502210303	9502210299	95/02/15	50-454
9502170209	9502170206	95/02/10	50-261	9502210305	9502210290	95/02/15	50-387
9502170210	9502170206	95/02/10	50-261	9502210306	9502170224	95/02/16	50-498
9502170225	9502170232	95/01/25	50-268	9502210309	9502210296	95/02/15	50-387
9502170240	9502170238	95/02/10	50-268	9502210311	9502170224	95/02/15	50-498
9502170243	9502170238	95/02/10	50-268	9502210317	9502170224	95/02/15	50-498
9502170245	9502170237	95/02/10	50-333	9502210318	9502210313	95/02/15	50-400
9502170248	9502170238	95/02/14	50-348	9502210320	9502170224	95/02/15	50-498
9502170254	9502170250	95/01/25	27-48	9502210333	9502210330	95/02/15	50-446
9502170259	9502170256	95/02/13	50-454	9502210342	9502170151	94/07/01	FOIA
9502170263	9502170256	95/02/13	50-454	9502210344	9502210343	95/02/09	52-3
9502210003	9502210002	95/02/10	50-3	9502220003	9502220001	95/02/10	50-151
9502210009	9502210006	95/02/13	50-424	9502220008	9502220004	95/02/14	50-277
9502210012	9502210006	95/02/13	50-424	9502220010	9502220007	95/02/08	50-182
9502210029	9502210028	95/02/10	50-443	9502220011	9502220004	95/02/14	50-277
9502210031	9502210017	95/02/09	50-327	9502220041	9502220016	95/02/13	71-3257
9502210035	9502210032	95/02/13	50-413	9502220044	9502170224	95/02/16	50-498
9502210037	9502210034	95/02/10	50-347	9502220064	9502170224	95/02/16	50-498
9502210046	9502210044	95/02/09	50-348	9502220066	9502170224	95/02/16	50-498
9502210054	9502210047	95/02/13	50-271	9502220067	9502220019	95/02/15	50-461
9502210063	9502210047	95/02/13	50-271	9502220068	9502170224	95/02/16	50-498
9502210065	9502210058	95/02/13	70-7	9502220075	9502170224	95/02/16	50-498
9502210069	9502210058	95/02/13	70-7	9502220077	9502170224	95/02/16	50-498
9502210096	9502210051	94/07/18	FOIA	9502220084	9502220078	95/02/15	50-306
9502210095	9502210052	95/02/09	50-244	9502220101	9502220097	95/02/13	50-298
9502210098	9502210052	94/07/07	FOIA	9502220104	9502210051	94/07/11	FOIA
9502210102	9502210084	95/02/10	50-327	9502220107	9502220096	95/02/15	50-387
9502210110	9502210108	95/02/13	50-454	9502220111	9502220100	95/02/14	50-275
9502210113	9502210107	95/02/09	50-327	9502220120	9502210051	94/07/11	FOIA
9502210114	9502210105	95/02/13	50-454	9502220126	9502210051	94/07/11	FOIA
9502210119	9502210116	94/07/07	50-213	9502220131	9502220127	95/02/14	50-498
9502210128	9502210121	94/07/05	FOIA	9502220134	9502210096	94/07/18	FOIA
9502210132	9502210127	95/02/09	50-251	9502220139	9502220136	95/02/15	50-381
9502210135	9502170224	95/02/16	50-498	9502220147	9502220146	95/02/15	50-336
9502210136	9502210121	94/07/06	FOIA	9502220150	9502220146	95/02/15	50-336
9502210151	9502210149	95/02/10	50-315	9502220151	9502220136	95/02/15	50-351
9502210155	9502210154	95/02/10	50-397	9502220153	9502220140	95/02/14	50-443
9502210156	9502210147	95/02/15	50-325	9502220163	9502220156	95/02/14	50-443
9502210157	9502210153	95/02/15	50-498	9502220166	9502220158	95/02/18	52-4
9502210158	9502210151	94/07/06	50-220	9502220167	9502220158	95/02/14	50-443
9502210162	9502210151	95/02/15	50-498	9502220173	9502220154	95/02/14	50-528
9502210170	9502210061	94/07/11	FOIA	9502220174	9502220170	95/02/15	52-4
9502210175	9502170224	95/02/16	50-498	9502220175	9502220164	95/02/14	50-528
9502210178	9502170224	95/02/16	50-498	9502220176	9502220152	94/07/19	FOIA
9502210180	9502210189	95/02/14	50-213	9502220179	9502220171	94/07/18	FOIA
9502210182	9502170224	95/02/16	50-498	9502220187	9502220171	94/07/18	FOIA
9502210183	9502170224	95/02/16	50-498	9502220190	9502220171	94/07/18	FOIA
9502210189	9502210195	95/02/14	50-374	9502220193	9502220191	95/02/09	50-296
9502210190	9502210186	95/02/14	50-374	9502220205	9502220201	95/02/15	40-8348
9502210193	9502210187	95/02/14	50-451	9502220217	9502220211	95/02/14	50-277
9502210194	9502210181	95/02/13	50-333	9502220219	9502220211	95/02/14	50-277
9502210195	9502210189	95/02/14	50-213	9502220235	9502220234	95/02/14	50-309
9502210196	9502210224	95/02/16	50-498	9502220245	9502220239	95/02/15	50-455
9502210204	9502210198	95/02/14	50-268	9502220247	9502220237	95/02/14	50-381
9502210205	9502210212	94/07/06	FOIA	9502220253	9502170224	95/02/16	50-498
9502210207	9502210200	95/02/09	50-498	9502220255	9502220238	95/02/15	50-456
9502210208	9502210206	95/02/02	50-280	9502220267	9502220237	95/02/14	50-381
9502210212	9502210202	95/02/15	70-27	9502220269	9502220260	95/02/15	50-185
9502210214	9502210209	95/02/02	50-289	9502220264	9502220259	95/02/15	50-254
9502210217	9502210209	95/02/09	50-437	9502220268	9502220265	95/02/03	50-440
9502210218	9502210200	95/02/09	50-498	9502220269	9502220259	95/02/15	50-254
9502210220	9502210199	95/02/16	50-373	9502220271	9502220263	95/02/15	50-344
9502210222	9502210216	95/02/16	50-213	9502220272	9502220216	95/02/13	50-272
9502210223	9502210210	95/02/15	50-308	9502220273	9502220262	95/02/16	50-498
9502210224	9502210212	94/07/06	FOIA	9502220286	9502220260	95/02/13	50-285
9502210225	9502210216	95/02/16	50-213	9502220287	9502220274	95/02/13	50-345
9502210226	9502210210	95/02/15	50-309	9502220296	9502220293	95/02/10	50-331
9502210231	9502210213	95/02/13	50-351	9502220303	9502220293	95/02/10	50-331
9502210232	9502210215	95/02/13	50-387	9502220305	9502220294	95/02/15	50-298
9502210233	9502210216	95/02/16	50-213	9502220307	9502220299	95/02/15	50-245
9502210235	9502170224	95/02/16	50-498	9502220313	9502220280	95/02/15	50-285
9502210238	9502210213	95/02/13	50-381	9502220316	9502220299	95/02/15	50-245
9502210243	9502170224	95/02/16	50-498	9502220320	9502220317	95/02/15	52-4
9502210244	9502210215	95/02/13	50-387	9502220322	9502220293	95/02/15	50-245
9502210245	9502210240	95/02/16	52-2	9502220325	9502220308	95/02/15	50-213
9502210246	9502210099	94/07/01	FOIA	9502220344	9502220338	95/02/15	70-27
9502210249	9502210241	95/02/15	50-396	9502220349	9502220343	95/02/14	STATE PRO
9502210251	9502210241	95/02/15	50-396	9502220351	9502220348	95/02/14	40-9027
9502210257	9502210239	95/02/16	50-348	9502220353	9502220348	95/02/16	STATE PRO
9502210261	9502210255	95/02/15	50-413	9502220355	9502220352	95/02/14	40-9027
9502210268	9502170224	95/02/16	50-498	9502220368	9502220362	95/02/13	50-331

290 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502230393	9502230381	95/02/13	50-360 P	9502240184	9502240149	95/02/15	50-424 G
9502230317	9502230314	95/02/14	50-270 Q	9502240188	9502240152	95/02/14	70-3070
9502230307	9502230319	94/07/18	FOIA	9502240174	9502240152	95/02/14	70-3070
9502230308	9502230319	94/07/18	FOIA	9502240176	9502240170	95/02/16	50-237 P
9502230302	9502230319	94/07/18	FOIA	9502240188	9502240057	95/02/14	50-416 P
9502230304	9502230319	94/07/18	FOIA	9502240187	9502240170	95/02/16	50-237 P
9502230304	9502230319	94/07/18	FOIA	9502240193	9502240188	95/02/14	50-424 P
9502230304	9502230319	95/02/13	50-277 P	9502240194	9502240057	95/02/14	50-416 P
9502230304	9502230319	95/02/13	50-283 P	9502240198	9502240186	95/02/07	WASTE MGT
9502230305	9502230319	95/02/16	50-320 P	9502240207	9502240205	95/02/15	WASTE MGT
9502230306	9502230357	95/02/15	50-445 P	9502240215	9502240211	94/07/20	FOIA
9502230308	9502230360	95/02/13	50-286 S	9502240220	9502240218	95/02/14	50-255 P
9502230310	9502230360	95/02/13	50-304 O	9502240231	9502240227	95/02/17	50-454 P
9502230318	9502230362	95/02/14	50-459 S	9502240243	9502240233	95/02/16	50-255 P
9502230318	9502230363	95/02/13	50-331 P	9502240245	9502240244	95/02/14	50-280 P
9502230320	9502230312	95/02/14	50-499 S	9502240247	9502230382	95/02/10	WASTE MGT
9502230321	9502230312	95/02/14	50-368 S	9502240254	9502230382	94/11/02	WASTE MGT
9502230325	9502230312	95/02/13	50-423 P	9502240261	9502230382	94/07/20	FOIA
9502230329	9502230322	95/02/15	50-355 S	9502240267	9502240250	94/07/25	FOIA
9502230330	9502230327	95/02/15	50-335 P	9502240266	9502240240	94/07/20	FOIA
9502230360	9502230366	95/02/16	52-4	9502240269	9502240266	94/07/25	FOIA
9502230362	9502230365	95/02/16	50-271 P	9502240275	9502240250	94/07/25	FOIA
9502230368	9502230366	95/02/14	50-440 P	9502240278	9502240250	94/07/25	FOIA
9502230375	9502230372	95/02/13	40-4492	9502240280	9502240250	94/07/25	FOIA
9502230377	9502230374	95/02/16	52-4	9502240290	9502240269	95/02/22	71-781
9502230378	9502230372	95/02/13	40-4492	9502240299	9502240282	95/02/15	40-8907
9502230394	9502230392	95/02/20	50-255 P	9502240300	9502240298	95/02/10	50-290 J
9502230390	9502230398	95/02/21	NUREG	9502240302	9502240301	95/02/21	70-925
9502230391	9502230392	94/07/18	50-528 P	9502240313	9502240307	95/02/21	40-8904
9502230317	9502230315	95/02/15	50-151 P	9502240318	9502240318	95/02/17	50-482 Q
9502230320	9502230315	95/02/15	50-151 P	9502240327	9502240326	95/02/21	50-298 Q
9502230321	9502230308	95/02/02	50-369 P	9502240336	9502240329	95/02/21	50-312 Q
9502230322	9502230315	95/02/15	50-151 P	9502240343	9502240338	94/12/05	70-1252
9502230325	9502230319	94/06/08	FOIA	9502240351	9502240328	94/07/26	FOIA
9502230335	9502230332	94/07/20	FOIA	9502240357	9502240328	94/07/26	FOIA
9502230336	9502230319	94/06/08	FOIA	9502240362	9502240328	94/07/26	FOIA
9502230339	9502230326	95/02/14	50-458 P	9502240367	9502240365	95/02/17	50-389 P
9502230340	9502230332	94/07/20	FOIA	9502240384	9502240377	95/02/16	50-416 P
9502230341	9502230332	94/07/20	FOIA	9502240388	9502240388	95/02/23	50-305 P
9502230343	9502230319	94/06/08	FOIA	9502240390	9502240377	95/02/16	50-416 P
9502230348	9502230332	94/07/20	FOIA	9502240391	9502240386	95/02/23	50-305 P
9502230347	9502230319	94/06/08	FOIA	9502240398	9502240387	95/02/23	50-305 P
9502230349	9502230319	94/06/08	FOIA	9502240401	9502240387	95/02/23	50-305 P
9502230350	9502230328	95/02/14	50-498 P	9502240403	9502240387	95/02/23	50-305 P
9502230351	9502230332	94/07/20	FOIA	9502240406	9502240387	95/02/23	50-305 P
9502230354	9502230332	94/07/20	FOIA	9502240412	9502240387	95/02/23	50-305 P
9502230355	9502230319	94/06/08	FOIA	9502240413	9502240387	95/02/23	50-305 P
9502230356	9502230332	94/07/20	FOIA	9502240415	9502240387	95/02/23	50-305 P
9502230357	9502230332	94/07/20	FOIA	9502240417	9502240387	95/02/23	50-305 P
9502230360	9502230332	94/07/20	FOIA	9502240427	9502240387	95/02/23	50-305 P
9502230362	9502230332	94/07/20	FOIA	9502240438	9502240387	95/02/23	50-305 P
9502230364	9502230332	94/07/20	FOIA	9502240444	9502240387	95/02/23	50-305 P
9502230366	9502230319	94/06/08	FOIA	9502240449	9502240387	95/02/23	50-305 P
9502230371	9502230319	94/06/08	FOIA	9502240454	9502240387	95/02/23	50-305 P
9502230376	9502230319	94/06/08	FOIA	9502240466	9502240387	95/02/23	50-305 P
9502230378	9502230373	95/02/16	50-416 Q	9502240471	9502240387	95/02/23	50-305 P
9502230379	9502230319	94/06/08	FOIA	9502240474	9502240387	95/02/23	50-305 P
9502230380	9502230370	95/02/14	50-29 W	9502240479	9502240387	95/02/23	50-305 P
9502230383	9502230381	95/02/14	40-8904	9502240484	9502240387	95/02/23	50-305 P
9502230401	9502230400	95/01/18	WASTE MGT	9502240486	9502240387	95/02/23	50-305 P
9502240011	9502240010	95/01/31	40-8904	9502240490	9502240387	95/02/23	50-305 P
9502240014	9502240010	95/01/31	40-8904	9502240495	9502240387	95/02/23	50-305 P
9502240028	9502240024	95/02/15	50-219 Q	9502240498	9502240387	95/02/23	50-305 P
9502240036	9502240034	95/02/16	50-382 Q	9502240501	9502240387	95/02/23	50-305 P
9502240039	9502240033	95/02/14	70-1113	9502240501	9502240387	95/02/23	50-305 P
9502240047	9502240035	95/02/15	TOPREP	9502240502	9502240387	95/02/23	50-305 P
9502240050	9502240046	95/02/16	50-382 Q	9502240503	9502240387	95/02/23	50-305 P
9502240052	9502240046	95/02/16	50-382 Q	9502240504	9502240387	95/02/23	50-305 P
9502240065	9502240062	95/02/20	50-321 P	9502240505	9502240387	95/02/23	50-305 P
9502240070	9502240061	95/02/17	50-254 P	9502240506	9502240387	95/02/23	50-305 P
9502240073	9502240062	95/02/20	50-321 P	9502240507	9502240387	95/02/23	50-305 P
9502240075	9502240068	95/02/17	STATE PRO	9502240508	9502240387	95/02/23	50-305 P
9502240078	9502240068	95/02/17	STATE PRO	9502240509	9502240387	95/02/23	50-305 P
9502240079	9502240071	95/01/19	40-8904	9502240510	9502240387	95/02/23	50-305 P
9502240083	9502240074	95/02/22	50-243 G	9502240511	9502240387	95/02/23	50-305 P
9502240088	9502240088	95/02/15	50-352 S	9502240512	9502240387	95/02/23	50-305 P
9502240102	9502240089	95/02/17	50-301 Q	9502240513	9502240387	95/02/23	50-305 P
9502240103	9502240099	95/02/17	50-301 Q	9502240514	9502240387	95/02/23	50-305 P
9502240105	9502240074	95/02/22	50-245 G	9502240515	9502240387	95/02/23	50-305 P
9502240118	9502240109	95/02/08	PROJ	9502240516	9502240387	95/02/23	50-305 P
9502240120	9502240108	95/02/08	PROJ	9502240517	9502240387	95/02/23	50-305 P
9502240129	9502240095	95/02/17	STATE PRO	9502240518	9502240387	95/02/23	50-305 P
9502240132	9502240121	95/02/14	70-3070	9502240519	9502240387	95/02/23	50-305 P
9502240133	9502240130	95/02/09	TOPREP	9502240520	9502240387	95/02/23	50-305 P
9502240142	9502240082	95/02/17	50-317 Q	9502240521	9502240387	95/02/23	50-305 P
9502240147	9502240121	95/02/14	70-3070	9502240522	9502240387	95/02/23	50-305 P
9502240155	9502240121	95/02/14	70-3070	9502240523	9502240387	95/02/23	50-305 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 291

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9502270325	9502270320	95/02/22	50-237 P	9502280104	9502280085	95/02/20	70-1151
9502270327	9502270322	95/02/21	50-484 P	9502280105	9502280090	95/02/20	50-282 S
9502270345	9502270249	95/02/06	ORG	9502280110	9502280085	95/02/20	70-1151
9502270348	9502270337	95/02/10	50-315 P	9502280115	9502280085	95/02/20	70-1151
9502270353	9502270249	95/02/06	ORG	9502280121	9502280085	95/02/20	70-1151
9502270356	9502270249	95/02/06	ORG	9502280125	9502270366	95/02/08	MISC
9502270359	9502270346	95/02/16	50-418 P	9502280127	9502280095	95/02/20	70-1151
9502270361	9502270337	95/02/10	50-315 P	9502280130	9502280085	95/02/20	70-1151
9502270382	9502270249	95/02/06	ORG	9502280134	9502280095	95/02/20	70-1151
9502270384	9502270346	95/02/16	50-418 P	9502280139	9502280113	95/02/17	70-7002
9502270387	9502270360	95/02/13	50-496 P	9502280146	9502280142	95/02/16	50-353 P
9502270388	9502270249	95/02/06	ORG	9502280148	9502280113	95/02/17	70-7002
9502270372	9502270249	95/02/06	ORG	9502280150	9502280142	95/02/16	50-353 P
9502270374	9502270360	95/02/13	50-496 P	9502280152	9502280152	95/02/16	70-139 P
9502270376	9502270249	95/02/06	ORG	9502280152	9502280156	95/02/24	50-317 P
9502270378	9502270373	95/02/18	50-353 P	9502280156	9502280156	95/02/25	FOIA
9502270380	9502270249	95/02/06	ORG	9502280156	9502280156	95/02/25	FOIA
9502270381	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502270384	9502270249	95/02/06	ORG	9502280156	9502280156	95/02/25	FOIA
9502270387	9502270373	95/02/16	50-353 P	9502280156	9502280156	95/02/25	FOIA
9502270389	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502270390	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502270417	9502270410	94/08/01	FOIA	9502280156	9502280156	95/02/25	FOIA
9502270418	9502270414	95/01/13	50-368 P	9502280156	9502280156	95/02/25	FOIA
9502270420	9502270387	94/07/25	FOIA	9502280156	9502280156	95/02/25	FOIA
9502270440	9502270436	95/02/17	71-18	9502280156	9502280156	95/02/25	FOIA
9502280002	9502280001	95/02/17	50-483 O	9502280156	9502280156	95/02/25	FOIA
9502280011	9502280007	95/02/21	50-133 O	9502280156	9502280156	95/02/25	FOIA
9502280016	9502280007	95/02/21	50-133 O	9502280156	9502280156	95/02/25	FOIA
9502280020	9502280019	95/02/16	50-315 P	9502280156	9502280156	95/02/25	FOIA
9502280023	9502280019	95/02/16	50-315 P	9502280156	9502280156	95/02/25	FOIA
9502280031	9502280024	95/02/17	50-245 O	9502280156	9502280156	95/02/25	FOIA
9502280034	9502280026	95/02/17	50-289 O	9502280156	9502280156	95/02/25	FOIA
9502280036	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280042	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280056	9502280046	95/02/24	STATE PRO G	9502280156	9502280156	95/02/25	FOIA
9502280065	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280070	9502280063	95/02/18	50-293 P	9502280156	9502280156	95/02/25	FOIA
9502280072	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280075	9502280063	95/02/18	50-293 P	9502280156	9502280156	95/02/25	FOIA
9502280087	9502280064	94/07/18	FOIA	9502280156	9502280156	95/02/25	FOIA
9502280088	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280093	9502280081	95/02/15	50-456 O	9502280156	9502280156	95/02/25	FOIA
9502280094	9502280085	95/02/20	70-1151	9502280156	9502280156	95/02/25	FOIA
9502280095	9502270366	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280098	9502280085	95/02/20	70-1151	9502280156	9502280156	95/02/25	FOIA
9502280099	9502270387	94/07/25	FOIA	9502280156	9502280156	95/02/25	FOIA
9502280102	9502270388	95/02/06	MISC	9502280156	9502280156	95/02/25	FOIA
9502280103	9502280081	95/02/23	50-390 A	9502280156	9502280156	95/02/25	FOIA

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues. 20. Reports of site visits.	21. Backup technical documents (e.g., topical reports) submitted in support of the application. 22. Proposed equipment failure/instructions. 23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A. 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).	2. Amendments and changes to the PSAR. 3. Transmittal and acknowledgment letters. 4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility. 2. Amendments and supplements to the ER. 3. Transmittal and acknowledgment letters. 4. Information on scheduling of submittal or review of ER. 5. NRC questions, requests for additional information, and applicant responses.	6. Federal Register notices citing the availability of items 1 and 2. 7. Correspondence relating to the review of ER. 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. 9. Correspondence relating to certification of pollution control devices. NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC. 2. Supplements to the DES and FES. 3. Correspondence relating to the DES and FES. 4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals. 5. Transmittal and acknowledgment letters. 6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.	7. Backup technical documents submitted in connection with above. 8. Federal Register notices citing availability of items 1 and 2. 9. Reports of site visits to obtain information for the DES or FES. 10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES. NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR. 2. Supplements to the SER. 3. Correspondence relating to the SER and supplements. 4. Federal Register notices citing availability of items 1 and 2. 5. Information on scheduling of SER submittals and review.	6. Requests for additional information for use in preparing SER; responses to such requests. 7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER. 8. Transmittal and acknowledgment letters. NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.
-

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR.	4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.	1. Limited Work Authorizations (LWAs) and amendments 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review". 2. Correspondence where the primary topic of discus-	sion is antitrust matters. 3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
-

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings,

relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (SRP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.	19. Start-up test reports.
13. Quality assurance information.	20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i>
14. Environmental matters (technical).	21. SERs on specific generic issues.
15. Seismic qualification review team (SQRT) reports and related correspondence.	22. Proposed equipment failure/instructions.
16. Emergency core cooling system documents.	23. Inservice testing (not inspections).
17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.	24. Reports of site visits.
18. Correspondence regarding expansion of spent fuel storage pool.	25. Application to voluntarily surrender license, dismantle, and dispose of component parts.
	26. Changes in NRC's internal organizational structure.
-

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.	7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.	8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.
3. Responses by applicant to IE correspondence.	9. Health physics inspections/appraisals.
4. Applicant's determination of proprietary nature of Inspection Reports.	10. Emergency preparedness inspections/appraisals.
5. Letters concerning areas of noncompliance.	11. Inspections and related correspondence from the International Atomic Energy Agency.
6. Pre-service and in-service inspections and procedures.	12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed. |
|---|--|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports. | 4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1-7. |
|---|--|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts. 2. Testimony and statements submitted to ASLB and ASLAB. 3. Commission meeting transcripts.	4. NRC staff briefings to the Commission. 5. Statements and written testimony submitted at Commission meeting or hearings. 6. Transcripts of utility briefs to NRC staff. 7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches. 2. Information supplied for the record of Congressional hearings. 3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.	4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers. 2. Power plant examination summary sheet.	3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.
2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental

Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.
 4. Other correspondence relating to decommissioning.
 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.

5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.

6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.

7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.
-

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ings related to both facility license applications and safety-related matters.

5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
 2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
 3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
 4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.
- NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.
-

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.	2. Contractual documents and modifications to contracts.
-

FOIA — Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).

2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.

3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS — Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC dis-

cussing methodologies, analyses, the program and technical aspects of issues.

3. Meeting notifications and minutes.
 4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E — Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations. 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. 6. Preliminary Notifications of Safeguards Events or	Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance. 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions. 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. 3. Action and review plans, as well as guidance, for meeting NRC requirements. 4. Task force reports on specific topics. 5. Proceeding of conferences and workshops.	6. Management and program analysis reports. 7. Statistical analyses that are of interest to the staff, the industry, and the public. 8. Administrative reports that are of interest to the staff, the industry, and the public. 9. Correspondence from industry, government, and the public commenting on reports. 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG — Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR — Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21-10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999--Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD — Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES — Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

- a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments and presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
5. Internal memoranda relating to topics under discussion.
6. Correspondence related to items 1 through 5.

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.
3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
4. Hearing Board orders and rulings.
5. Technical reports submitted as evidence in the proceedings.
6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

5. Correspondence from citizens and other non-government organizations for the above items.

4. NRC topical report reviews and associated correspondence.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES — Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding precicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.
2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC — Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 17, No. 2

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

February 1-28, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
April	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE