ESH-EMS-890070

SEP 19 1989
OST

**THE ENVIRONMENTAL AND HEALTH PROTECTION DEPARTMENT
ENVIRONMENTAL MONITORING SECTION**

**ENVIRONMENTAL AND HEALTH PROTECTION
WELL INVENTORY**

**INCLUDES CURRENT AND PAST MONITORING
(AS OF APRIL 26, 1989)**

*Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808*

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**

ENVIRONMENTAL AND HEALTH PROTECTION WELL INVENTORY (u) JKH

Includes Current and Past Monitoring

(as of April 26, 1989)

Prepared By

JANELLE JANSSEN
ENVIRONMENTAL AND HEALTH PROTECTION DEPARTMENT

and

EXPLORATION RESOURCES

October 1989

Maps
Prepared By

SURVEYING AND MAPPING CONSULTANTS

Derivative Classifier:

Jim Heffner

Exploration Resources

425 North Lumpkin Street, Athens, Georgia 30601

TABLE OF CONTENTS

	<u>Page</u>
Introduction	v
Report Organization	vii
Inventory	1
Bibliography	89
Building Number Index	93
Description Index	97
Description Index by Area	105
Well Series Index	113
Appendix A: Area Maps	A-1

INTRODUCTION

This report is an inventory of the wells contained in Environmental and Health Protection (EHP) documents since the startup of the Savannah River Site (SRS) and includes wells monitored by special request and SRS research wells. All wells listed in this inventory are monitoring wells unless otherwise indicated.

The purpose of this report is as follows:

- to provide a historical record of the wells that EHP has monitored,
- to provide a document containing a list of wells that are currently in the Groundwater Monitoring Program, and
- to provide pertinent information about all wells listed in EHP documents.

The wells contained in this report are organized alphabetically, based on the three-letter Well Data File code. Under each well heading, two sections are possible: "active" or "abandoned or inactive." Active wells are currently being monitored for chemical and/or radioactive parameters. Abandoned wells have been removed from service and sealed. Inactive wells have only been removed from service. Abandoned or inactive wells have been removed from service and are probably sealed, but abandonment data are not available for the wells. Wells under construction are not included. Missing or unknown information about a well is indicated by a blank space in the inventory. A blank space in an index indicates the same information is repeated. For example, in the Building Number Index, a blank space indicates that the building number given above is also applicable for that well series.

Screen Zone Elevation values in parentheses are in feet below mean sea level (MSL). Elevations not in parentheses are above mean sea level.

The following abbreviations are used under Casing Type:

- Alum. = aluminum
- C.S. = carbon steel
- S.S. = stainless steel
- Steel = galvanized steel
- *** = These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.
- **** = These wells have 4-in. PVC casing, inside 8-in. C.S. intermediate casing, inside 12-in. C.S. surface casing. The C.S. casings do not extend as deeply as the PVC casing. The screen is stainless steel.

INTRODUCTION (cont.)

As of the fourth quarter of 1981, the policy for installing new wells is to use PVC casing. If no information to the contrary is available, casing type is listed as PVC for all wells installed during and after the fourth quarter of 1981 and as Steel for all wells installed prior to that date.

If available, the grouting date is used as the installation date. The following symbols are used for approximate install and abandon dates in this report:

- * An asterisk next to an installation date indicates the first day of the quarter in which the well was first sampled. An asterisk next to an abandon date indicates the first day of the quarter after the well was last sampled.
- ~ An approximate symbol indicates that the approximate date is taken from an annual report.

This report is a revision and update of HPR-89-033. Because of new well installation and continuing research of historical documents, updates of this document will be issued at approximately six-month intervals. All information is backed up by a verified hard copy in the Groundwater Records Library. In some cases, information is unknown or approximate. Later editions of this report will contain newly discovered information, resurveys of existing wells, and entries for all new wells. If you have additional information about the wells listed in this document, please forward such data to Janelle Janssen at Building 735-A.

REPORT ORGANIZATION

This report organizes the wells alphabetically, based on the three-letter Well Data File code. Included under each well series group is the following information:

- description of the well series,
- building number (if applicable),
- reference to an area map on which the well series is located (if available),
- well number,
- SRS coordinates,
- elevation (ft MSL) of the screen zone,
- elevation (ft MSL) of the top of the casing,
- type of casing,
- date of installation,
- date of abandonment (if applicable), and
- notes specific to the well series.

Appendix A contains area maps showing the location of the wells in each series (if available). Some maps are too large for inclusion in this document and are reproduced in Olson (1987). Mylar copies of these maps are available from EHP.

INVENTORY

A WELL SERIES

Description Swamp area southeast of H-Area Seepage Basins
 Bldg. Number Not applicable
 Map

	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>	<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Abandoned or Inactive:							
A 37					Steel	1-01-59~	
A 38					Steel	1-01-59~	1-01-61~
A 39					Steel	1-01-59~	1-01-61~
A 40					Steel	1-01-59~	1-01-61~
A 41					Steel	1-01-59~	1-01-61~

According to Works Technical Department (1962), A 38, 39, 40, and 41 were not read from January through June 1961. There is no evidence that these wells were read later. They were likely abandoned by early 1961.

ABG WELL SERIES

The ABG Series was renamed the ABW Series in September 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985). See the ABW Series.

ABP WELL SERIES

Description A-Area Metals Burning Pit
 Bldg. Number 731-4A
 Map See page A-6; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing	Install	Abandon
Well	ID	North	East	Screen Zone	Casing	Type	Date	Date
<hr/>								
Active:								
ABP	1A	97501.6	44425.6	202.9-172.9	359.9	PVC	8-15-84	
ABP	2A	97764.3	44118.8	211.1-181.1	371.9	PVC	8-10-84	
ABP	3	97794.1	44509.3	236.9-206.9	353.7	PVC	8-04-83	
ABP	4	97489.7	44096.0	212.5-182.5	364.3	PVC	6-21-84	

ABP WELL SERIES (cont.)

Description A-Area Metals Burning Pit
 Bldg. Number 731-4A
 Map See page A-6; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
ABP 1	97531.7	44461.9	238.4-208.4	360.4	PVC	8-01-83	7-01-84*
ABP 2	97752.2	44094.2	244.9-214.9	371.9	PVC	8-01-83	4-01-84*

ABW WELL SERIES

Description A-Area Background Well near Firing Range
 Bldg. Number 700-A-1
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
ABW 1	105939.9	55016.4	215.1-185.1	324.8	PVC	6-02-83	

ABW 1 is often referred to as the 700-A well.

The ABG Series was renamed the ABW Series in September 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985).

AC WELL SERIES

Description A-Area Cluster Perimeter Wells and M-Area Plume
 Definition Wells
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
AC 1A	105865.0	42238.8	145.7-140.7	262.1	Steel	8-03-81	
AC 1B	105862.8	42250.5	202.1-197.1	262.0	Steel	7-28-81	
AC 2A	105636.4	46428.6	146.0-141.0	344.7	PVC	9-09-81	
AC 2B	105648.7	46444.5	236.4-216.4	344.8	PVC	8-12-81	
AC 3A	100989.1	42119.8	153.6-148.6	302.3	PVC	9-15-81	
AC 3B	100996.5	42113.6	213.4-193.4	302.5	PVC	8-21-81	

ACB WELL SERIES

Description A-Area Coal Pile Runoff Containment Basin
 Bldg. Number 788-3A
 Map See page A-3; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>	
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen</u>	<u>Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:									
ACB	1A	102622.9	51369.9	247.6-217.6	359.6	PVC	1-11-84		
ACB	2A	102367.4	51561.3	237.8-207.8	349.8	PVC	1-30-84		
ACB	3A	102154.3	51313.3	236.3-206.3	348.3	PVC	1-25-84		
ACB	4A	102343.9	51116.2	241.7-211.7	359.1	PVC	2-02-84		
Abandoned:									
ACB	1	102624.4	51361.7	270.9-250.9	359.5	Steel	1-22-81	2-03-84	
ACB	2	102349.2	51559.2	253.2-233.2	349.2	Steel	3-24-80	1-01-84	
ACB	3	102161.6	51331.9	262.0-242.0	349.5	Steel	5-02-80	1-01-84	
ACB	4	102324.0	51114.4	250.7-230.7	349.5	Steel	1-19-81	1-01-84	

AMB WELL SERIES

Description Metallurgical Laboratory Seepage Basin
 Bldg. Number 904-110G
 Map See page A-4; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
AMB	4	104125.5	51480.4	242.8-222.8	380.4	PVC	9-08-88	
AMB	5	104083.4	51467.2	242.1-222.1	379.6	PVC	9-14-88	
AMB	6	104034.1	51466.0	242.6-222.6	377.2	PVC	9-15-88	
AMB	7	103920.0	51624.9	242.1-222.1	369.9	PVC	9-06-88	
Abandoned:								
AMB	1	103993.5	51425.5	260.8-230.8	377.8	PVC	6-07-83	4-01-84*
AMB	1A	104022.5	51436.3	246.9-216.9	378.7	PVC	5-29-84	8-22-88
AMB	2	104164.6	51517.9	252.0-222.0	379.3	PVC	6-13-83	8-12-88
AMB	3	104012.9	51603.5	266.8-236.8	373.8	PVC	5-23-83	4-01-84*
AMB	3A	104011.5	51625.1	251.4-221.4	373.3	PVC	4-11-84	8-22-88

The SBA Series was renamed the AMB Series in August 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985).

AOB WELL SERIES

Description Motor Shop Oil Basin

Bldg. Number 904-101G

Map See page A-5; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

AOB 1	101910.7	50485.9	248.5-218.5	341.1	PVC	5-27-83	
-------	----------	---------	-------------	-------	-----	---------	--

AOB 2	102009.8	50724.7	250.2-220.2	345.4	PVC	5-27-83	
-------	----------	---------	-------------	-------	-----	---------	--

AOB 3	102164.4	50959.4	243.9-223.9	352.6	PVC	4-21-89	
-------	----------	---------	-------------	-------	-----	---------	--

The AOP Series was renamed the AOB Series in August 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985).

AOP WELL SERIES

The AOP Series was renamed the AOB Series in August 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985). See the AOB Series.

ARP WELL SERIES

Description A-Area Burning/Rubble Pits

Bldg. Number 731-A, -1A

Map See page A-2; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

ARP 1A	99102.9	44317.4	223.0-193.0	355.1	PVC	2-03-84	
--------	---------	---------	-------------	-------	-----	---------	--

ARP 2	99119.8	44876.1	220.3-190.3	337.3	PVC	12-22-83	
-------	---------	---------	-------------	-------	-----	----------	--

ARP 3	98638.2	44903.7	218.2-188.2	339.8	PVC	12-14-83	
-------	---------	---------	-------------	-------	-----	----------	--

ARP 4	98567.7	44374.8	227.8-197.8	348.4	PVC	6-25-84	
-------	---------	---------	-------------	-------	-----	---------	--

According to the Field Activity Log for ARP 1, the well was installed 12-16-83 and developed for approximately 2.5 days, but the well would not produce. Consequently, the well was abandoned. According to the Field Activity Log for ARP 3, the well was first drilled 12-05-83, redrilled 12-08-83, drilled a third time on 12-14-83 and finally installed.

ASB WELL SERIES

Description Savannah River Laboratory Seepage Basins

Bldg. Number 904-53G1, -53G2, -54G, -55G

Map See page A-38; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
ASB 1A	105535.0	52614.0	247.2-217.2	349.1	PVC	1-05-84	
ASB 2A	105608.8	52856.9	246.9-216.9	349.0	PVC	12-30-83	
ASB 3A	105657.4	53152.7	247.9-217.9	345.0	PVC	10-13-81	
ASB 4	105935.7	53177.2	256.1-226.1	335.6	PVC	8-20-81	
ASB 5A	105885.5	52865.7	247.9-217.9	345.0	PVC	2-13-84	
ASB 6A	105716.0	52675.9	248.2-218.2	350.2	PVC	2-09-84	
	105716.0	52675.9	248.2-218.2	350.2	PVC	2-20-84	
ASB 6AA	105727.0	52643.9	82.8- 78.1	354.2	PVC	12-09-88	
ASB 7	105770.6	52626.4	231.3-211.3	353.4	PVC		
ASB 8	106381.6	53136.6	226.6-206.6	349.0	PVC		
ASB 8A	106369.3	53117.5	83.5- 77.9	349.3	PVC	1-01-87*	
ASB 8B	106362.3	53109.6	128.4-122.8	349.8	PVC	1-01-87*	
ASB 8C	106354.4	53101.0	188.3-182.7	349.7	PVC	1-01-87*	
ASB 8TA	106375.8	53124.7	24.6- 19.4	349.6	C.S.	1-01-87*	
ASB 9	104589.2	54226.2	236.4-216.4	309.0	PVC		
ASB 9B	104564.7	54215.3		309.0	PVC	10-01-87*	
ASB 9C	104568.1	54201.1	182.9-178.2	309.9	PVC	2-16-89	
Abandoned:							
ASB 1	105530.8	52621.8	257.6-237.6	348.7	Steel	3-12-81	1-05-84
ASB 2	105608.3	52845.6	255.9-235.9	348.5	Steel	3-16-81	1-05-84
ASB 3	105660.6	53153.7		345.2	Steel	3-20-81	10-01-81
ASB 5	105891.8	52875.3	242.4-222.4	344.8	Steel	3-05-81	2-14-84
ASB 6	105721.1	52683.1	243.9-223.9	350.4	Steel	3-03-81	2-20-84

ASB 6A was originally drilled on 12-03-84. According to the Well Construction Details dated 2-09-84, the screen was grouted during finishing, and the well was redrilled. On 2-20-84 the well was completed.

ASP Wells (see UNIDENTIFIED WELLS)

BG WELL SERIES

Description Burial Grounds
 Bldg. Number 904-56G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon. Date
	North	East	Screen Zone	Casing			
Active:							
BG 10	73055.6	56106.8		256.4	Steel	12-01-57	
Abandoned or Inactive:							
BG 1	74485	55650	224.5-214.5	278.1	Steel	3-21-56	7-01-76*
BG 2	74100	56290	226.1-216.1	272.5	Steel	3-29-56	7-01-76*
BG 3	73865	56680	227.0-217.0	267.6	Steel	3-28-56	7-01-76*
BG 4	73840.1	56720.2	267.1-257.1	269.1	Steel	4-18-56	7-01-76*
BG 5	74113.6	56950.2	223.2-213.2	276.2	Steel	3-26-56	4-01-73*
BG 6	74768.5	56905.0	228.7-218.7	281.3	Steel	4-04-56	7-01-76*
BG 7	75275	56255	225.8-215.8	287.4	Steel	4-18-56	7-01-76*
BG 8	74917.1	55765.6	230.4-220.4	289.3	Steel	4-06-56	7-01-76*
BG 9	74622.8	56246.1	229.5-119.5	282.9	Steel	4-11-56	7-01-76*
BG 10A	73050	56140		256.8	Alum.	5-18-61	4-21-89
BG 10B	73053	56096	113.7-111.7	254.8	Steel	11-05-65	4-03-89
BG 10C	73050	56092	142.4-140.4	254.3	Steel	6-29-66	3-30-89
BG 11	73677	55076			Steel	5-18-61	
BG 12	74790	54640		269.7	Alum.	5-18-61	7-01-76*
BG 18	75668	54198		264.7	Alum.	7-03-61	7-01-76*
BG 23					Steel	10-01-62*	10-01-70*
BG 24					Alum.	8-23-62	7-01-76*
BG 25					Alum.	10-01-62*	7-01-76*

BG 10 is used as the background well for the H-Area Seepage Basins.

BG WELL SERIES (cont.)

Description Just outside the fence surrounding the Burial Grounds;
 BG 43, 52, and 67 are inside the fence
 Bldg. Number 643-G, -7G, -28G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
BG 52	75910.4	55524.3	243.8-223.8	289.8	Steel	7-06-76	
BG 53	76157.3	55073.9	234.7-214.7	285.7	Steel	7-07-76	
BG 54	75837.9	54830.3	235.2-215.2	277.2	Steel	7-07-76	
BG 55	75525.3	54590.5	234.9-214.9	276.9	Steel	7-08-76	
BG 56	75206.5	54481.9	230.9-210.9	274.9	Steel	7-20-76	
BG 57	75000.4	54820.0	234.6-214.6	272.6	Steel	7-19-76	

BG WELL SERIES (cont.)

Description Just outside the fence surrounding the Burial Grounds;
 BG 43, 52, and 67 are inside the fence
 Bldg. Number 643-G, -7G, -28G
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
BG 58		74790.9	55162.3	238.2-218.2	278.2	Steel	7-16-76	
BG 59		74593.4	55508.3	237.7-217.7	282.7	Steel	7-09-76	
BG 60		74386.3	55850.3	235.5-215.5	275.5	Steel	7-09-76	
BG 61		74075.4	56360.8	245.0-225.0	275.0	Steel	7-12-76	
BG 62		73971.6	56530.9	242.5-222.5	272.5	Steel	7-12-76	
BG 63		73754.5	56870.5	244.2-224.2	274.2	Steel	7-13-76	
BG 64		73547.2	57212.4	247.3-227.3	285.3	Steel	7-13-76	
BG 65		73340.6	57552.7	250.9-230.9	290.9	Steel	7-14-76	
BG 66		73585.0	57805.0	251.0-231.0	296.0	Steel	7-14-76	
BG 67		73954.1	57902.6	244.7-224.7	294.7	Steel	7-15-76	
Abandoned:								
BG 26		73958.4	58809.7	230.7-210.7	295.7	Steel	5-12-76	4-14-88
BG 27		74356.7	58810.0	254.4-234.4	297.4	Steel	5-31-76	4-15-88
BG 28		74752.0	58810.2	259.7-239.7	295.7	Steel	5-14-76	4-18-88
BG 29		75151.6	58809.9	251.6-231.6	294.6	Steel	5-17-76	4-18-88
BG 30		75550.1	58809.1	251.7-231.7	288.7	Steel	5-18-76	4-19-88
BG 31		75949.9	58803.7	243.3-223.3	293.3	Steel	5-18-76	4-19-88
BG 32		76349.9	58803.5	246.9-226.9	296.9	Steel	5-19-76	4-11-88
BG 33		76479.9	58526.0	241.2-221.2	291.2	Steel	5-20-76	4-14-88
BG 34		76493.6	58107.4	237.4-217.4	282.4	Steel	5-20-76	4-12-88
BG 35		76495.3	57726.4	248.0-228.0	283.0	Steel	5-21-76	4-13-88
BG 36		76747.6	57620.3	243.3-223.3	281.3	Steel	5-21-76	4-13-88
BG 37		76804.9	57251.0	247.8-227.8	292.8	Steel	5-24-76	4-26-88
BG 38		76805.0	56851.1	245.9-225.9	301.9	Steel	5-24-76	4-25-88
BG 39		76804.9	56451.3	246.0-226.0	309.0	Steel	5-25-76	4-22-88
BG 40		76805.1	56051.0	241.9-221.9	314.9	Steel	5-26-76	4-21-88
BG 41		76576.3	55868.8	241.0-221.0	306.0	Steel	5-27-76	4-21-88
BG 42		76178.8	55869.5	237.1-217.1	300.1	Steel	5-26-76	4-20-88
BG 43		75852.5	56039.4	242.9-222.9	303.9	Steel	5-27-76	5-16-88
BG 51		73864.3	58599.3	241.2-221.2	292.2	Steel	6-01-76	3-30-88

BG WELL SERIES (cont.)

Description Just north of the Burial Grounds

Bldg. Number 643-7G, -28G

Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen	Zone Casing			
Inactive:							
BG 109	73939.1	59619.2		286.4	Steel	9-16-81	
BG 110	73324.3	59284.4		294.3	Steel	10-20-81	
Abandoned:							
BG 68	76553.6	58251.5		285.2	Steel	4-01-79~	3-17-88
BG 69	76553.8	58226.2		284.3	Steel	4-01-79~	4-07-88
BG 70	76574.2	58199.6		286.9	Steel	4-01-79~	3-18-88
BG 71	76571.1	58249.2		287.9	Steel	4-01-79~	3-17-88
BG 72	76602.5	58227.9		287.3	Steel	4-01-79~	3-24-88
BG 73	76619.7	58245.3		284.6	Steel	4-01-79~	3-23-88
BG 74	76630.4	58223.5		284.1	Steel	4-01-79~	3-22-88
BG 75	76641.9	58182.7		282.8	Steel	4-01-79~	3-22-88
BG 76	76751.9	58334.4		286.7	Steel	5-01-79~	12-09-87
BG 77	76771.8	58279.1		285.9	Steel	5-01-79~	12-09-87
BG 78	76805.9	58277.0		287.1	Steel	5-01-79~	12-08-87
BG 79	76800.6	58324.9		286.6	Steel	5-01-79~	12-10-87
BG 80	76596.5	57962.6		278.5	Steel	5-01-79~	3-11-88
BG 81	76621.9	57983.0		279.4	Steel	5-01-79~	3-14-88
BG 82	76645.7	57957.7		278.1	Steel	5-01-79~	3-15-88
BG 83	76671.6	57984.5		277.7	Steel	6-01-79~	3-16-88
BG 84	76695.9	57955.4		277.3	Steel	6-01-79~	3-09-88
BG 85	76719.0	57928.9		276.8	Steel	6-01-79~	3-09-88
BG 86	76721.4	57979.4		277.7	Steel	6-01-79~	3-10-88
BG 87	76748.9	57951.9		277.4	Steel	6-01-79~	3-11-88
BG 88	76947.7	58169.0		283.3	Steel	6-01-79~	12-07-87
BG 89	76987.9	58196.1		283.8	Steel	6-01-79~	12-01-87
BG 90	76996.6	58162.5		283.1	Steel	5-01-79~	12-03-87
BG 97	78475	57828		277.1	Alum.	11-01-81	1-09-89
BG 98	77257	57092		280.5	Steel	9-25-81	4-05-88
BG 99	76903	58404		285.9	Steel	10-21-81	3-25-88
BG 100	77816	58899		273.3	Steel	9-22-81	2-18-88
BG 105	76124	59473		290.9	Steel	9-18-81	12-22-88
BG 106	75817	59152		287.5	Steel	9-17-81	1-05-89
BG 111	76510	58941			Steel		1-04-89
BG 112	76969	59167			Steel		1-05-89
BG 113	77412	59375			Steel		2-19-88
BG 114	77273	58774			Steel		2-08-89
BG 115	77217	57890			Steel		3-28-88
BG 116	77585	58226			Alum.		1-12-89
BG 117	77940	58596			Steel		1-12-89
BG 118	78043	57628			Steel		1-06-89
BG 119	77752	57100			Steel		4-05-88
BG 120	78320	57199			Alum.		1-10-89
BG 124	77257	57090			Steel		4-06-88

BG WELL SERIES (cont.)

Description Burial Grounds Grid Wells

Bldg. Number 643-7G, -28G

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
BG 824GR				281.1		8-28-80	
Inactive:							
BG 224GR				279.1		8-13-80	
BG 424GR				277.9		8-18-80	
BG 624GR				279.7		8-20-80	
Abandoned:							
BG 204GR				305.9	Steel	7-09-80	6-17-87
BG 206GR				301.1	Steel	12-22-80	5-21-87
BG 208GR				296.4	Steel	12-15-80	5-18-87
BG 210GR				294.0	Steel	10-09-80	5-12-87
BG 212GR				287.9	Steel	12-11-80	5-06-87
BG 214GR				286.0		7-11-80	6-23-87
BG 216GR				285.2	Steel	7-24-80	6-26-87
BG 218GR				285.1	Steel	7-30-80	1-13-88
BG 220GR				285.7	Steel	8-04-80	6-11-87
BG 222GR				280.4	Steel	12-10-80	11-18-88
BG 402GR				304.1	Steel	9-08-80	4-14-87
BG 404GR				305.1	Steel	9-12-80	4-20-87
BG 406GR				300.3	Steel	9-16-80	4-24-87
BG 408GR				293.3	Steel	9-24-80	5-01-87
BG 410GR				289.5	Steel	12-04-80	5-27-87
BG 420GR				289.9	Steel	11-19-80	11-29-88
BG 422GR				282.0	Steel	11-25-80	11-21-88
BG 620GR				291.5	Steel	10-27-80	6-01-87
BG 622GR				285.2	Steel	11-21-80	11-16-88
BG 818GR				287.3	Steel	11-12-80	4-02-87
BG 820GR				288.9	Steel	11-05-80	4-09-87
BG 822GR				285.6	Steel	11-07-80	1-13-88

These wells are reported in SRS annual reports in abbreviated form (i.e., BG 204GR = 22.04, BG 824GR = 28.24).

BG-I Well (see UNIDENTIFIED WELLS)

BGO WELL SERIES

Description Burial Grounds Perimeter Wells

Bldg. Number 643-7G, -28G

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
BGO 1D	73737.9	58779.3	245.0-225.0	295.1	PVC	9-10-87	
BGO 2D	74552.9	58809.7	238.9-218.9	296.9	PVC	8-12-87	
BGO 3D	75351.3	58809.2	247.6-227.6	292.7	PVC	9-10-87	
BGO 4D	76150.1	58803.7	240.6-220.6	297.5	PVC	8-13-87	
BGO 5C	76476.9	58794.5	193.2-183.2	296.1	PVC	9-04-87	
BGO 5D	76477.5	58784.8	239.3-219.3	296.3	PVC	9-04-87	
BGO 6A	76487.2	58316.8	117.5-107.5	285.6	***	10-08-87	
BGO 6C	76487.1	58307.0	168.0-158.0	285.6	PVC	9-02-87	
BGO 6D	76487.3	58297.1	237.2-217.2	285.5	PVC	8-31-87	
BGO 7D	76494.5	57917.2	235.5-215.5	282.4	PVC	8-15-87	
BGO 8A	76569.0	57618.3	115.3-105.3	283.2	***	10-07-87	
BGO 8C	76579.2	57618.7	179.8-169.8	283.3	PVC	8-28-87	
BGO 8D	76588.8	57617.8	236.1-216.1	283.2	PVC	8-28-87	
BGO 9D	76811.6	57478.9	229.2-209.2	285.1	PVC	8-20-87	
BGO 10A	76805.2	57050.9	121.1-111.1	300.9	***	10-05-87	
BGO 10C	76805.2	57041.1	167.3-157.3	301.3	PVC	9-15-87	
BGO 10D	76805.1	57030.6	250.5-230.5	301.5	PVC	9-16-87	
BGO 11D	76805.1	56651.3	236.3-216.3	305.3	PVC	8-24-87	
BGO 12A	76804.6	56250.7	116.4-106.4	313.4	PVC	10-02-87	
BGO 12C	76805.2	56241.1	163.6-153.6	313.6	PVC	10-01-87	
BGO 12D	76805.2	56231.1	237.8-217.8	313.7	PVC	9-29-87	
BGO 13D	76805.3	55840.0	248.5-228.5	318.5	PVC	10-12-87	
BGO 14A	76377.5	55838.3	119.6-109.6	301.9	***	10-19-87	
BGO 14C	76367.7	55839.0	202.1-192.1	302.0	PVC	10-16-87	
BGO 14D	76357.5	55839.6	249.6-229.6	302.0	PVC	10-15-87	
BGO 15D	75973.5	55859.1	238.7-218.7	298.7	PVC	8-25-87	
BGO 16A	75757.0	56194.2	112.5-102.5	305.0	***	12-08-87	
BGO 16D	75751.4	56202.1	237.3-217.3	304.6	PVC	8-24-87	
BGO 17D	75599.6	56399.4	224.0-204.0	298.3	PVC	7-08-87	
BGO 18A	75599.9	56699.7	109.5- 99.5	295.2	***	10-30-87	
BGO 18D	75600.0	56711.2	239.6-219.6	294.9	PVC	11-04-87	
BGO 19D	75350.0	56997.3	213.9-193.9	287.2	PVC	7-15-87	
BGO 20D	74962.2	57113.8	236.3-216.3	283.7	PVC	3-02-88	
BGO 21D	74688.5	57470.7	237.7-217.7	285.4	PVC	11-11-87	
BGO 22D	74482.2	57817.3	214.2-194.2	286.5	PVC	7-23-87	
BGO 23D	74238.1	58133.0	242.0-222.0	289.2	PVC	8-06-87	
BGO 24D	74012.4	58438.8	241.0-221.0	293.2	PVC	7-29-87	
BGO 25A	76158.5	55668.1	114.1-104.1	296.5	***	10-19-87	
BGO 29A	75563.9	54089.6			PVC	2-17-89	

*** These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.

BH WELL SERIES

Description S-Area Defense Waste Processing Facility (DWPF)
Boring Wells

Bldg. Number

Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
BH 2	74999	64000			PVC	2-07-78	1-19-87
BH 3	75008	64601			PVC	2-13-78	10-16-87
BH 4	75106	65305			PVC	2-10-78	10-13-87
BH 13	72999	64002			PVC	2-08-78	2-05-88
BH 15	72992	66008			PVC	2-22-78	1-27-88
BH 50A	74590	65790			PVC		10-28-87
BH 64A	74405	65790			PVC		10-23-87
BH 75A	74231	65787			PVC		10-19-87

The install dates for BH 2, 3, 4, 13, and 15 are the last dates that cores were logged. The wells were probably installed a short time later.

The BH Series has also been known as the DWP Series. See the DWP Series.

BRD WELL SERIES

Description Road A Chemical Basin (Baxley Road)

Bldg. Number 904-111G

Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
BRD 1	55860.5	29277.7	178.9-148.9	205.8	PVC	5-10-83	
BRD 2	56093.3	29357.1	178.5-148.5	207.3	PVC	5-13-83	
BRD 3	55918.7	29538.9	188.5-158.5	220.4	PVC	5-16-83	
BRD 4	56060.4	29219.2	159.1-129.1	197.9	PVC	7-16-84	

BTP WELL SERIES

Description Bentonite Test Pit Wells, across from the entrance to the
Burial Grounds on Road E

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
BTP 1	73847.1	54697.3			Alum.	1965*	4-27-88
BTP 2	73829.1	54715.5			Alum.	1965*	4-27-88
BTP 3	73808.8	54733.8			Alum.	1965*	4-28-88
BTP 4	73792.1	54753.1			Alum.	1965*	4-27-88
BTP 5	73773.1	54772.5			Alum.	1965*	4-26-88
BTP 6	73755.5	54789.2			Alum.	1965*	4-26-88
BTP 7	73718.3	54783.2			Alum.	1965*	4-26-88
BTP 8					Alum.	1965*	4-27-88
BTP 9	73775.7	54748.8			Alum.	1965*	4-27-88
BTP 10	73800.2	54703.5			Alum.	1965*	4-28-88
BTP 11	73802.0	54686.5			Alum.	1965*	4-26-88
BTP 12					Alum.	1965*	5-02-88
BTP 13	73541.2	54670.5			Alum.	1965*	4-28-88
BTP 14	73573.7	54648.8			Alum.	1965*	4-28-88
BTP 15	73593.9	54649.7			Alum.	1965*	5-02-88
BTP 16	73604.0	54649			Alum.	1965*	5-02-88
BTP 17	73623.6	54649.5			Alum.	1965*	4-29-88
BTP 18	73681.9	54741.4			Alum.	1965*	4-28-88
BTP 19	73652.2	54714.1			Alum.	1965*	4-28-88
BTP 20	73646.9	54649.5			Alum.	1965*	5-02-88
BTP 21	73744.6	54689.5			Alum.	1965*	5-02-88
BTP 22	73725.5	54716.7			Alum.	1965*	4-28-88
BTP 23	73705.9	54680.6			Alum.	1965*	5-04-88
BTP 24	73692.4	54687.1			Alum.	1965*	5-04-88
BTP 25	73683.8	54702.9			Alum.	1965*	5-04-88
BTP 26	73677.2	54688.4			Alum.	1965*	5-04-88
BTP 27	73684.5	54681.2			Alum.	1965*	5-04-88
BTP 28	73684.5	54681.2			Alum.	1965*	5-04-88
BTP 29	73685.1	54660.5			Alum.	1965*	5-04-88
BTP 30	73674.5	54681.1			Alum.	1965*	5-04-88
BTP 31	73662.2	54681.4			Alum.	1965*	5-04-88
BTP 32					Alum.	1965*	5-02-88

* According to Environmental Monitoring and Exploration Software (1988), the BTP wells were installed in the mid-1960s when "SRL personnel conducted a research project at this site to determine if bentonite could be used as a protective cover for buried radioactive waste."

CCB WELL SERIES

Description C-Area Coal Pile Runoff Containment Basin
 Bldg. Number 189-C
 Map See page A-8; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations</u>	<u>Ft MSL</u>	Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CCB 1	65438.5	46990.1	228.4-198.4	278.6	PVC	9-15-81	
CCB 2	65306.1	46893.6	228.6-198.6	270.4	PVC	9-21-81	
CCB 3	65187.5	47006.6	235.6-205.6	267.4	PVC	8-17-81	
CCB 4	65310.2	47181.6	241.2-211.2	283.0	PVC	8-16-81	

CDB WELL SERIES

Description C-Area Disassembly Basin
 Bldg. Number 105-C
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CDB 1	67514.6	45685.5	216.6-195.7	288.9	PVC	8-01-86	
CDB 2	67415.3	45617.7	216.1-195.1	288.6	PVC	7-25-86	

CMP WELL SERIES

Description Chemicals, Metals, Pesticides Pits
 Bldg. Number 080-17G, -17.1G, -18G, -18.1G, -18.2G, -18.3G, -19G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CMP 8	52681.4	54272.4	214.0-184.0	228.6	PVC	6-11-82	
CMP 8A	52671.2	54270.2	23.5- 13.7	229.7	PVC	7-01-84	
CMP 8B	52674.6	54280.2	166.6-156.6	229.5	PVC	7-01-84	
CMP 9B	51691.6	53842.3	159.0-149.0	315.1	PVC	2-01-85	
CMP 9C	51684.9	53849.3	233.9-213.9	315.1	PVC	2-01-85	
CMP 10	51390.4	54006.5	218.8-188.8	310.9	PVC	8-20-82	
CMP 10B	51380.7	54005.9	147.4-137.4	310.8	PVC	7-01-84	
CMP 11	51481.3	53640.6	215.2-185.2	310.5	PVC	8-23-82	
CMP 11B	51456.6	53661.9	149.7-139.7	310.2	PVC	7-01-84	
CMP 12	51956.4	53518.9	223.6-193.6	282.9	PVC	8-27-82	
CMP 12A	51949.2	53524.6	32.1- 22.1	284.1	PVC	7-01-84	
CMP 12B	51943.3	53517.7	158.0-148.0	283.9	PVC	7-01-84	

CMP WELL SERIES (cont.)

Description Chemicals, Metals, Pesticides Pits
 Bldg. Number 080-17G, -17.1G, -18G, -18.1G, -18.2G, -18.3G, -19G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CMP 13	51862.0	53945.5	212.7-182.7	289.2	PVC	8-30-82	
CMP 13B	51855.5	53937.8	144.2-134.2	289.1	PVC	7-01-84	
CMP 14B	52376.4	52587.3	140.0-130.0	264.5	PVC	7-01-84	
CMP 14C	52371.7	52579.6	215.1-185.1	264.1	PVC	7-01-84	
CMP 15A	51357.2	52896.8	24.2- 14.2	276.5	PVC	7-01-84	
CMP 15B	51349.5	52904.7	155.1-145.1	276.4	PVC	7-01-84	
CMP 15C	51361.4	52907.8	250.6-220.6	277.0	PVC	7-01-84	
CMP 16B	51576.7	53849.9	151.7-141.7	317.7	PVC	2-01-85	
CMP 16C	51569.5	53856.0	235.6-215.6	317.5	PVC	2-01-85	

Piezometer well not monitored by EHP:

CMP 11TA (168.6-178.6) 310.5 C.S.

Abandoned:

CMP 1	51592.6	53986.8	219.8-199.8	312.9	Steel	5-01-75	6-01-84
CMP 2	51633.4	53957.3	206.9-202.9	313.5	Steel	5-01-75	6-01-84
CMP 3	51658.7	53921.6	206.0-186.0	314.6	Steel	5-01-75	6-01-84
CMP 4	51703.1	53848.5	204.4-184.4	316.4	Steel	5-01-75	6-01-84
CMP 5	51764.4	53768.6	220.0-200.0	312.0	Steel	9-15-78	6-01-84
CMP 6	51811.9	53643.0	216.0-196.0	305.5	Steel	8-31-79	6-01-84
CMP 7	51573.2	53734.9	208.6-188.6	319.9	Steel	9-14-79	6-01-84
CMP 9	51673.9	53838.1	206.6-176.6	314.3	PVC	6-25-82	6-01-84

Install dates for CMP 1, 2, 3, and 4 are from Christensen and Gordon (1983). These dates are approximations. More definite dates are not given.

Twelve pumps were installed in the CMP wells in July 1984 (Geraghty & Miller, 1985).

CMP 2 has a steel casing with a brass screen. CMP 9 was drilled 6-25-82 but was never sampled. CMP 12 has been referred to incorrectly as CMP 12C. CMP 13 has been referred to incorrectly as CMP 13C.

The Screen Zone Elevation in parenthesis is in feet below MSL.

COH WELL SERIES

The COH Series was changed to the LCO Series in 1985. This series is referred to as COH in Christensen and Gordon (1983). See the LCO Series.

CRP WELL SERIES

Description C-Area Burning/Rubble Pit
 Bldg. Number 131-C
 Map See page A-7; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
CRP	1	68617.7	44372.2	217.8-187.8	274.6	PVC	9-08-83	
CRP	2	69043.0	44336.4	201.8-171.8	278.7	PVC	9-16-83	
CRP	3	68665.5	44001.0	214.0-184.0	265.8	PVC	9-13-83	
CRP	4	68447.4	44101.2	210.7-180.7	267.7	PVC	6-28-84	

CSA WELL SERIES

Description Central Shops Hydrofluoric Acid Spill Area
 Bldg. Number 631-4G
 Map See page A-11; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CSA 1	61808.4	50197.0	262.0-232.0	290.8	PVC	6-06-84	
CSA 2	61761.8	50218.6	248.2-218.2	290.1	PVC	6-08-84	
CSA 3	61720.2	50173.2	248.6-218.6	289.4	PVC	6-07-84	
CSA 4	61781.9	50132.7	248.4-218.4	290.4	PVC	6-08-84	

CSB WELL SERIES

Description C-Area Reactor Seepage Basins
 Bldg. Number 904-66G, -67G, -68G
 Map See page A-9; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
CSB	1A	67593.0	44974.0	224.9-194.9	291.8	PVC	4-02-84	
CSB	2A	67310.2	44802.6	222.6-192.6	284.6	PVC	2-30-84	
CSB	3A	67385.6	44648.3	223.0-193.0	284.9	PVC	2-29-84	
CSB	4A	67561.8	44618.5	218.0-188.0	285.1	PVC	3-23-84	
CSB	5A	67751.6	44618.9	215.9-185.9	282.8	PVC	3-27-84	
CSB	6A	67812.4	44863.8	219.8-189.8	286.8	PVC	3-28-84	

CSB WELL SERIES (cont.)

Description C-Area Reactor Seepage Basins

Bldg. Number 904-66G, -67G, -68G

Map See page A-9; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
CSB 1	67589.8	44980.6			Steel	5-02-78	4-01-84*
CSB 2	67296.2	44799.8			Steel	5-03-78	4-01-84*
CSB 3	67364.9	44629.3			Steel	5-08-78	4-01-84*
CSB 4	67584.1	44627.4			Steel	5-19-78	11-12-81
	67584.1	44627.4			PVC	11-12-81	4-01-84*
CSB 5	67759.7	44627.7			Steel	5-22-78	4-01-84*
CSB 6	67813.8	44847.2			Steel	5-23-78	4-01-84*

CSB 4 was redrilled 11-12-81, and the steel casing was replaced with PVC.

CSH WELL SERIES

The CSH Series was changed to the HWS Series in 1985. This series is referred to as GTS in Christensen and Gordon (1983). In some reports of the raw data for this series, the wells are designated CSH. See the HWS Series.

CSO WELL SERIES

Description Fire Department Training Facility (Central Shops
Burnable Oil Basin)

Bldg. Number 904-113G

Map See page A-18; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CSO 1	61071.1	52484.2	262.0-232.0	303.9	PVC	7-05-83	
CSO 2	61114.3	52559.0	239.7-209.7	301.9	PVC	6-13-84	

CSR WELL SERIES

Description Central Shops Burning/Rubble Pits
 Bldg. Number 631-1G, -5G, -6G
 Map See page A-10; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
CSR 1	64413.1	52804.3	267.2-237.2	274.1	PVC	7-12-83	
CSR 2	64733.2	53525.1	285.5-255.5	297.7	PVC	7-14-83	
CSR 3	65234.8	53229.9	268.1-238.1	285.2	PVC	7-12-83	
CSR 4	64412.8	53214.4	267.6-237.6	284.7	PVC	6-15-84	

The wells are located around pits 631-1G and 631-5G.

CTS WELL SERIES

This series, referred to as CTS in Christensen and Gordon (1983), was changed to the HWS Series in 1985. In some reports of the raw data for the HWS Series, the wells are designated CSH. See the HWS Series.

DBP WELL SERIES

Description D-Area Burning/Rubble Pits
 Bldg. Number 431-D, -1D
 Map See page A-12; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
DBP 1	66691.4	18661.8	123.2-93.2	135.2	PVC	9-20-83	
DBP 2	66478.2	18407.3	114.3-84.3	126.3	PVC	9-19-83	
DBP 3	66775.5	18427.5	116.4-86.4	128.3	PVC	9-21-83	
DBP 4	66679.6	18342.1	114.2-84.2	126.2	PVC	6-25-84	

DCB WELL SERIES

Description D-Area Coal Pile Runoff Containment Basin

Bldg. Number 489-D

Map See page A-13; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
DCB 1A		64028.5	19856.3	120.1- 90.1	127.1	PVC	3-08-84	
DCB 2A		63436.1	20895.2	127.4- 97.4	134.3	PVC	3-07-84	
DCB 3A		62674.9	20899.9	126.2- 96.2	133.0	PVC	3-09-84	
DCB 4A		62678.8	20493.8	122.5- 92.5	129.5	PVC	3-07-84	
DCB 5A		63126.1	20139.8	115.9- 85.9	122.9	PVC	3-08-84	
DCB 6		64167.9	19979.3	129.5-109.5	133.2	PVC	8-31-87	
DCB 7		64001.4	20036.3	128.9-108.9	132.8	PVC	8-31-87	
DCB 8		63473.9	21014.1	130.3-110.3	136.8	PVC	8-31-87	
DCB 9		64190.6	19807.4	117.3- 97.3	122.3	PVC	8-31-87	
DCB 10		63803.1	19852.3	119.8- 99.8	123.9	PVC	8-31-87	
DCB 11		64638.3	19248.6	126.8-106.8	130.6	PVC	8-31-87	
DCB 12		65150.0	18529.8	112.0- 92.0	116.9	PVC	8-31-87	
DCB 13		63842.5	19235.4	122.1-102.0	129.8	PVC	6-30-88	
DCB 14		64909.8	19392.4	114.6- 94.6	129.4	PVC	8-25-88	
DCB 15		64607.4	17635.9	119.9- 99.8	127.6	PVC	6-29-88	
DCB 16		63956.0	17611.2	120.1-100.1	127.9	PVC	6-28-88	

Abandoned:

DCB 1	64033.9	19862.3	122.1-102.1	126.9	Steel	4-21-80	3-09-84
DCB 2	63431.5	20902.6	128.9-108.9	133.9	Steel	4-18-80	3-09-84
DCB 3	62697.9	20906.5	127.9-107.9	134.2	Steel	4-18-80	3-09-84
DCB 4	62688.2	20485.2	126.6-106.6	129.8	Steel	4-22-80	3-09-84
DCB 5	63112.9	20147.5	119.9-104.5	123.3	Steel	4-21-80	3-09-84

DOB WELL SERIES

Description D-Area Oil Disposal Basin

Bldg. Number 631-G

Map See page A-14; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
DOB 1	68438.1	23567.8	144.7-114.7	151.7	PVC	5-04-83	
DOB 2	68568.0	23340.8	145.3-115.3	152.2	PVC	5-04-83	
DOB 3	68693.5	23633.3	145.9-115.9	152.8	PVC	5-05-83	
DOB 4	68514.4	23815.6	139.2-109.2	153.0	PVC	6-26-84	

DRB WELL SERIES

Description Deep Rock Borings
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned or Inactive:							
DRB 5	75600	59400		288.5	Iron	8-01-62	3-06-89
DRB 5WW	75475	59375		288.3	Steel	2-06-62	4-07-89

The Well Abandonment Report for DRB 5 reports that this well did not have a screen.

DRB 5WW was installed as a temporary production well to provide water for Deep Rock Boring 5 (DRB 5).

DWP WELL SERIES

The DWP Series is now known as the BH Series. See the BH Series.

F WELL SERIES

Description F-Area Seepage Basins
 Bldg. Number 904-41G, -42G, -43G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
F 1	75604.7	51302.8	256.9-251.9	281.9	Steel	3-06-56	
F 2	75677.4	51484.3	217.0-207.0	281.4	Steel	1-26-56	
F 9	75015.1	50651.3	213.1-203.1	269.3	Steel	1-09-56	
F 10	75155.3	50444.3	276.5-266.5	280.1	Steel	3-05-56	
F 14	74807.1	50010.9		275.7	Steel	3-01-62	
F 15	74716.0	50738.3		253.5	Steel	3-01-62	
F 16	74597.1	50029.0		255.9	Steel	3-01-62	
F 17	74303.4	50466.4		239.8	Steel	3-01-62	
F 18A	74170.2	50108.0	204.4-194.4	233.4	PVC	1-16-85	
F 19	74245.9	49672.9		243.9	Steel	3-01-62	
F 24	76069.0	51322.9		291.0	Steel	3-01-62	
F 25	75083.8	51322.1		260.9	Steel	3-01-62	
Abandoned or Inactive:							
F 3	75655.5	51494.0	217.1-207.1	279.6	Steel	1-27-56	10-01-77*
F 4	75614.1	51510.1	217.8-207.8	280.1	Steel	1-14-56	9-20-78
F 5	75646.7	51464.3	263.0-258.0	279.6	Steel	1-17-56	1-01-60*

F WELL SERIES (cont.)

Description F-Area Seepage Basins
 Bldg. Number 904-41G, -42G, -43G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned or Inactive:							
F 6	75483.4	51144.0	274.4-264.4	278.1	Steel	3-06-56	1-01-60*
7 F 7	75450.6	51168.8	272.9-262.9	277.6	Alum.	3-07-56	3-28-89
7 F 8	75221	50911	215.4-205.4	277.7	Steel	1-05-56	3-16-89
F 11	75144	50438	214.3-204.3	280.8	Steel	2-07-56	1-01-60*
F 12	74895	50217	272.4-262.4	280.1	Steel	3-05-56	1-01-60*
F 13	74870	50201	271.8-261.8	279.5	Steel	3-05-56	1-01-60*
F 18	74170.2	50108.0		237.1	Steel	3-01-62	8-15-85
F 20	75227	48957		281.7	Steel	3-23-62	4-01-85*
F 21	75242	48121		282.0	Steel	3-23-63	4-01-85*
F 22	75513	47470		282.8	Steel	3-29-62	4-01-85*
✓ F 23	75460.1	50081.1		282.2	Steel	8-01-57	3-21-89
F 26	75578	50269		286.2	Steel		
F 27	75648	50087		286.4	Steel		
F 28	75319	49928		286.3	Steel		
F 29	75141	49813		285.7	Steel		
F 30	74995	49697		284.5	Steel		
F 31	75419	49813		284.6	Steel		
F 32				294.2	Steel	1-01-57*	10-01-60*
F 33	75113	49534		291.5	Steel	4-01-57*	10-01-60*
F 34	74986	49952			Alum.		3-27-89

According to the Drilling Request for F 18A, the well was drilled in the same hole as F 18.

The Well Abandonment Report for F 23 reports that this well did not have a screen.

FAC WELL SERIES

Description F-Area Acid/Caustic Basin
 Bldg. Number 904-74G
 Map See page A-15; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FAC 3	78018.3	55322.7	254.8-224.8	311.8	PVC	8-26-83	
FAC 4	78223.8	55472.9	237.8-207.8	309.9	PVC	7-20-84	
FAC 5	77960.3	55241.3	234.0-214.0	315.8	PVC	9-02-88	
FAC 6	78129.0	55335.5	236.2-216.2	312.5	PVC	9-15-88	

FAC WELL SERIES (cont.)

Description F-Area Acid/Caustic Basin
 Bldg. Number 904-74G
 Map See page A-15; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FAC 7	78123.4	55356.2	235.7-215.7	312.0	PVC	9-15-88	
FAC 8	78090.9	55366.0	236.0-216.0	311.0	PVC	9-09-88	
Abandoned:							
FAC 1	78159.6	55304.9	255.2-225.2	312.2	PVC	8-18-83	3-10-89
FAC 2	78044.1	55244.4	256.8-226.8	313.7	PVC	8-24-83	3-10-89

FAC 2 was redrilled when the first hole collapsed on 8-22-83 because of water from the basin.

The first borehole for FAC 7 was abandoned 9-09-88 because a wrench was dropped in the borehole.

FAL WELL SERIES

Description F-Area A Line
 Bldg. Number 221-1F
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FAL 1	78115.9	53756.4	238.5-207.0	312.9	PVC	3-03-86	
FAL 2	78231.9	53757.4	238.0-206.6	312.1	PVC	3-07-86	

FBP WELL SERIES

Description F-Area Burning/Rubble Pits
 Bldg. Number 231-F, -1F
 Map See page A-16; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
Well	ID	North	East	Screen Zone	Casing			
Active:								
FBP	1A	78893.0	51080.7	191.8-161.8	287.9	PVC	5-23-84	
FBP	2A	79711.4	50534.1	167.1-137.1	289.1	PVC	5-17-84	
FBP	3A	79838.9	50913.4	171.0-141.0	292.9	PVC	5-15-84	
FBP	4	79320.0	51368.2	195.2-165.2	286.3	PVC	7-19-84	

FBP WELL SERIES (cont.)

Description F-Area Burning/Rubble Pits
 Bldg. Number 231-F, -1F
 Map See page A-16; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
FBP 1	78887.6	51116.7	207.3-177.3	285.9	PVC	9-06-83	5-18-84
FBP 2	79668.4	50555.9	213.1-183.1	290.1	PVC	8-31-83	4-01-84*
FBP 3	79841.1	50927.7	215.2-185.2	290.2	PVC	9-02-83	4-01-84*

FBP 2A was first drilled 4-16-84 according to the Field Activities Log. A note indicates that although the well had 26 ft of water in the screen zone, it would not produce when blown with air. Consequently, the well was redrilled 5-17-84.

FC WELL SERIES

Description F-Area Hydrology Cluster
 Bldg. Number
 Map

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Abandoned:								
FC	3A	78726.6	57620.0	26.5- 21.5	271.4	Iron	10-26-77	1-26-89
FC	3C	78728.0	57639.0	126.0-121.0	270.8	Iron	8-09-77	2-03-89
FC	3D	78728.4	57647.9	170.9-165.9	270.9	Iron	8-22-77	2-01-89
FC	3E	78728.8	57655.5	190.7-185.7	270.7	Iron	8-30-77	1-31-89
FC	3F	78729.1	57663.2	210.1-205.1	270.2	Iron	9-13-77	1-30-89

The FCA Series was known as the FC Series until 1986 when the name was changed to avoid confusion with the F-Area Hydrology Cluster. See the FCA Series.

FCA WELL SERIES

Description F-Area Canyon Building
 Bldg. Number 221-F
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FCA 1N	79037.3	53675.9	298.3-296.8	312.3	Steel	10-26-79	
FCA 2C	78296.0	53712.2	299.3-295.3	312.2	Steel	9-20-79	

FCA WELL SERIES (cont.)

Description F-Area Canyon Building

Bldg. Number 221-F

Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
FCA 2D		78295.8	53715.2	239.0-219.0	312.2	Steel	11-07-79	
FCA 9B		78597.9	53577.1	297.7-295.2	309.9	Steel	10-31-79	
FCA 9C		78596.7	53717.6	297.6-295.1	310.1	Steel	10-30-79	
FCA 9D		78600.5	53733.1	241.9-221.9	311.9	Steel	3-11-80	
FCA 10A		78640.4	53571.9	241.0-221.0	311.8	Steel	11-02-79	
FCA 10B		78640.9	53578.9	298.9-294.9	311.9	Steel	9-24-79	
FCA 10C		78642.5	53717.7	298.4-295.9	309.9	Steel	10-29-79	
FCA 10D		78640.0	53732.0	239.5-219.5	311.3	Steel	10-26-79	
FCA 16A		78899.5	53568.8	235.1-215.1	312.2	Steel	11-06-79	
FCA 16B		78898.0	53571.0	299.3-295.3	312.1	Steel	10-19-79	
FCA 16D		78898.5	53719.5	241.1-221.1	310.7	Steel	3-10-80	
FCA 16T		78898.0	53579.0	292.8-291.3	312.1	Steel	10-19-79	
FCA 19D		78271.9	53719.1	229.7-209.7	311.6	PVC	12-19-88	

Formerly called FC, this series was changed in 1986 to FCA to avoid confusion with the F-Area Hydrology Cluster Wells. FCA 2B was drilled to 3 ft on 10-23-79. The drillers hit concrete; thus, the well was never installed. FCA 16C was drilled to 4.5 ft on 10-30-79. The drillers hit concrete; consequently, FCA 16C was never installed.

FCB WELL SERIES

Description F-Area Coal Pile Runoff Containment Basin

Bldg. Number 289-F

Map See page A-17; see also Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing	Install	Abandon
Well	ID	North	East	Screen Zone	Casing	Type	Date	Date
Active:								
FCB	2	76679.7	55046.7	235.2-205.2	307.3	PVC	9-03-81	
FCB	3	76427.8	54874.4	225.3-195.3	302.3	PVC	10-15-81	
FCB	4	76780.4	54605.9	234.5-204.5	306.6	PVC	11-04-81	
FCB	5	76492.6	54773.0	237.1-217.1	303.9	PVC	7-15-88	
FCB	6	76582.1	54733.4	235.1-215.1	310.5	PVC	7-13-88	
FCB	7	76913.9	54957.1	238.3-218.3	315.4	PVC	7-07-88	

Abandoned:

FCB 1	76835.4	54871.8	235.6-205.6	307.6	PVC	10-16-81	7-13-88
-------	---------	---------	-------------	-------	-----	----------	---------

FCB 1 was first drilled 9-2-81 and redrilled 10-16-81.

FET WELL SERIES

Description F-Area Effluent Treatment Facility
 Bldg. Number 200-F
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FET 1D	76165.6	53299.9	226.9-206.9	270.0	PVC	9-26-88	
FET 2D	76045.8	52981.2	229.5-209.5	270.0	PVC	8-05-88	
FET 3D	75961.0	53025.7	223.0-203.0	285.2	PVC	8-04-88	
FET 4D	75959.3	53149.0	225.1-205.1	286.9	PVC	8-05-88	

FMG WELL SERIES

Description F-Area Seepage Basins Vertical Radionuclide
 Distribution Wells
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
FMG 4A	75561	50182	164.9-160.9	284.9	Steel	11-25-68	3-20-89
FMG 4B	75537	50201	189.3-185.3	283.7	Steel	11-20-68	3-16-89
FMG 4C	75542	50175		284.2	Steel	11-19-68	3-13-89

A note on the Well Abandonment Report says that the Program Plan for abandoning FMG 4C stated that the well had an 8-ft screen. But when the well was pulled, there was no screen. The casing extended the total depth of the well.

FNB WELL SERIES

Description Old F-Area Seepage Basin
 Bldg. Number 904-49G
 Map See page A-29; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FNB 1	80151.5	54271.6	207.2-177.2	284.3	PVC	8-09-83	
FNB 2	80442.3	54362.1	210.8-180.8	287.8	PVC	8-11-83	
FNB 3	80553.1	54105.8	212.1-182.1	284.0	PVC	8-15-83	
FNB 4	80409.8	53843.5	209.6-179.6	291.5	PVC	7-24-84	

FSB WELL SERIES

Description F-Area Seepage Basins
 Bldg. Number 904-41G, -42G, -43G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FSB 76	76141.6	51388.8	227.0-197.0	294.2	PVC	10-01-81	
FSB 76A	76131.9	51391.6	47.4- 36.9	293.9	PVC	10-24-84	
FSB 76B	76122.4	51394.0	109.7- 99.2	293.8	PVC	10-31-84	
FSB 76C	76112.4	51396.4	165.3-154.8	293.6	PVC	11-05-84	
FSB 77	75129.4	50713.1	216.4-186.4	273.3	PVC	10-07-81	
FSB 78	74764.0	50164.7	217.7-187.7	272.6	PVC	10-08-81	
FSB 78A	74757.7	50172.8	37.5- 27.0	272.6	PVC	11-20-84	
FSB 78B	74765.9	50178.8	92.8- 82.4	272.8	PVC	11-28-84	
FSB 78C	74772.5	50170.2	151.4-141.6	273.5	PVC	11-30-84	
FSB 79	73663.1	50139.7	204.1-174.1	217.8	PVC	10-09-81	
FSB 79A	73664.5	50149.6	34.4- 24.0	218.1	PVC	11-13-84	
FSB 79B	73666.1	50159.2	91.2- 80.7	218.2	PVC	11-15-84	
FSB 79C	73668.0	50171.3	159.6-149.8	218.4	PVC	2-27-84	
FSB 87A	75601.7	50115.8	43.6- 33.1	287.8	PVC	10-22-84	
FSB 87B	75597.0	50104.9	100.5- 90.0	287.5	PVC	11-01-84	
FSB 87C	75591.9	50093.4	159.3-148.8	287.5	PVC	11-07-84	
FSB 87D	75586.3	50081.1	216.8-187.4	287.3	PVC	11-15-84	
FSB 88C	75619.4	51518.0	168.4-158.4	283.0	PVC	10-07-87	
FSB 88D	75621.8	51527.0	222.1-202.1	282.4	PVC	10-07-87	
FSB 89C	75553.2	51345.2	166.1-156.1	281.3	PVC	10-07-87	
FSB 89D	75548.3	51335.8	221.9-201.9	281.2	PVC	10-07-87	
FSB 90C	75382.9	51148.6	168.1-158.1	278.4	PVC	10-07-87	
FSB 90D	75376.9	51140.7	225.1-205.1	278.6	PVC	10-07-87	
FSB 91C	75213.3	50953.5	159.1-149.1	279.3	PVC	10-07-87	
FSB 91D	75207.6	50946.6	220.9-200.9	279.2	PVC	10-07-87	
FSB 92C	75053.2	50564.0	157.6-147.6	275.7	PVC	10-07-87	
FSB 92D	75045.8	50557.6	221.7-201.7	275.9	PVC	10-07-87	
FSB 93C	74897.3	50458.3	152.0-142.0	276.2	PVC	10-07-87	
FSB 93D	74888.5	50452.4	217.9-197.9	276.1	PVC	10-07-87	
FSB 94C	74869.0	50180.0	149.8-139.8	281.1	PVC	10-07-87	
FSB 94D	74863.4	50188.6	221.8-201.8	281.1	PVC	10-07-87	
FSB 95C	74971.7	50016.7	155.8-145.8	284.0	PVC	10-07-87	
FSB 95D	74977.5	50008.9	227.8-207.8	284.3	PVC	10-07-87	
FSB 96A	74882.2	49778.7	95.7- 85.7	279.8	***	10-07-87	
FSB 97A	75171.2	49965.7	95.8- 85.8	286.1	***	10-07-87	
FSB 97C	75179.6	49970.6	153.8-143.8	286.1	PVC	10-07-87	
FSB 97D	75188.9	49975.5	216.9-196.9	286.0	PVC	10-07-87	
FSB 98A	75389.8	50121.6	94.7- 84.7	283.0	***	10-07-87	
FSB 98C	75381.2	50116.5	156.8-146.8	283.1	PVC	10-07-87	
FSB 98D	75371.9	50111.6	218.8-198.8	283.1	PVC	10-07-87	

*** These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.

FSB WELL SERIES (cont.)

Description F-Area Seepage Basins

Bldg. Number 904-41G, -42G, -43G

Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FSB 99A	75675.6	50314.8	102.9- 92.9	287.6	***	10-07-87	
FSB 99C	75683.7	50320.6	167.2-157.2	287.7	PVC	10-07-87	
FSB 99D	75691.7	50326.9	218.1-198.1	287.6	PVC	10-07-87	
FSB100A	75534.4	50958.4	105.8- 95.8	286.0	***	10-07-87	
FSB101A	75719.0	51191.3	102.9- 92.9	285.2	***	10-07-87	
FSB102C	73582.9	50834.8	155.9-145.9	201.1	PVC	2-01-88	
FSB103C	74210.0	49651.3	157.1-147.1	242.4	PVC	2-01-88	
FSB104C	73872.6	49248.6	160.7-150.7	219.1	PVC	1-20-88	
FSB104D	73865.2	49255.4	210.4-190.4	219.2	PVC	1-20-88	
FSB105C	75234.2	49828.0	151.5-141.5	285.8	PVC	1-18-88	
FSB105D	75244.3	49833.3	223.7-203.7	285.8	PVC	1-18-88	
FSB106C	74190.1	50651.3	166.0-156.0	235.1	PVC	2-05-88	
FSB107C	75184.0	51158.1	160.8-150.8	270.9	PVC	1-15-88	
FSB107D	75177.2	51149.8	220.9-200.9	271.0	PVC	1-23-88	
FSB108D	76260.7	51142.3	223.8-203.8	298.0	PVC	10-07-87	
FSB109D	75855.9	50488.6	225.8-205.8	293.1	PVC	10-07-87	
FSB110C	74190.7	50150.6	147.2-137.2	234.0	PVC	9-09-87	
FSB110D	74193.3	50141.6	211.1-191.1	234.5	PVC	1-26-88	
FSB111C	75383.3	51526.3	169.0-159.0	276.3	PVC	2-05-88	
FSB111D	75382.9	51515.9	221.7-201.7	276.6	PVC	2-05-88	

*** These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.

FSB 1TA WELL

Description F-Area Seepage Basins Production Well

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

FSB 1TA 75649.1 51658.3 (199.1-235.4) 277.3 Steel 12-13-88

FSB 1TA has a 6-in. steel casing inside a 12-in. steel casing. The 12-in. casing does not extend as deeply as the 6-in. casing. The screen is stainless steel.

The Screen Zone Elevation in parenthesis is in feet below MSL.

FSS WELL SERIES

Description F-Area Sludge Land Application Site
 Bldg. Number Not applicable
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FSS 1D	75257.6	53897.6	229.9-209.9	266.0	PVC	10-06-88	
FSS 2D	75103.5	53918.9	224.4-204.4	261.6	PVC	10-07-88	
FSS 3D	74960.5	53548.0	225.8-205.8	258.2	PVC	10-10-88	
FSS 4D	75537.8	52876.1	222.6-202.6	291.8	PVC	10-16-88	

FTF WELL SERIES

Description F-Area Tank Farm
 Bldg. Number 241-F, -6F, -11F, -14F, -54F
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FTF 1	77413.3	53179.8	241.2-221.2	283.1	PVC	6-02-72	
FTF 2	77336.0	53275.1	239.4-219.4	281.3	PVC	6-15-72	
FTF 3	77235.3	53244.8	221.2-218.2	280.0	Steel	9-16-72	
FTF 4	77132.9	53268.2	236.6-216.6	278.5	PVC	6-08-72	
FTF 5	77035.6	53168.3	235.3-215.3	277.3	PVC	6-10-72	
FTF 6	77151.4	53062.0	236.9-216.9	278.0	PVC	6-09-72	
FTF 7	77235.9	53089.7	226.1-222.1	280.0	Steel	9-08-73	
FTF 8	77336.2	53059.9	239.6-219.6	281.5	PVC	6-13-72	
FTF 9	77482.8	52769.5	236.4-216.4	271.9	PVC	6-18-73	
FTF 10	77336.0	52905.0	235.1-215.1	271.1	PVC	7-03-72	
FTF 11	77180.7	52748.8	235.8-215.8	271.2	PVC	7-05-72	
FTF 12	77321.4	52648.5	235.0-215.0	271.7	Steel	11-13-73	
FTF 13	76637.8	53098.4	236.1-216.1	285.8	Steel	11-17-73	
FTF 14	76188.8	52107.7	238.6-218.6	270.7	PVC	9-10-73	
FTF 15	76732.0	53230.0	227.5-197.5	286.5	PVC	8-14-84	
FTF 16	76758.6	52879.8	233.8-203.8	288.6	PVC	10-22-84	
FTF 17	76872.0	52884.0	230.6-200.6	289.6	PVC	8-17-84	
FTF 18	76955.8	52879.2	232.3-202.3	288.0	PVC	10-15-84	
FTF 19	77139.1	52670.4	228.3-198.3	287.2	PVC	8-18-84	
FTF 20	77015.0	52500.0	228.3-198.3	287.1	PVC	8-21-84	
FTF 21	76866.7	52498.6	228.7-198.7	287.5	PVC	10-25-84	
FTF 22	76751.3	52494.7	242.6-212.6	286.8	PVC	8-29-84	

FTF WELL SERIES (cont.)

Description F-Area Tank Farm
 Bldg. Number 241-F, -6F, -11F, -14F, -54F
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
FTF 23	76611.8	52660.3	231.2-201.2	286.0	PVC	8-07-84	
FTF 24A	77256.6	52780.8	232.7-212.7	270.3	PVC	5-02-84	
FTF 25A	77308.4	52868.7	232.8-212.8	271.2	PVC	4-30-84	
FTF 26	77250.0	52875.4	226.3-206.3	270.9	PVC	5-09-84	
FTF 27	77227.2	52823.5	243.5-213.5	270.5	PVC	4-20-84	
Abandoned:							
FTF 24					Steel	4-01-81*	1-01-84*
FTF 25					Steel	4-01-81*	1-01-84*

GBW WELL SERIES

Description Background Well near Hawthorne Fire Tower
 Bldg. Number 627-3G
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations</u>	<u>Ft MSL</u>	Casing Type	Install Date	Abandon Date
	North	East	Screen	Zone			
Active:							
GBW 1	87385.2	87762.0	279.6-249.6	333.6	PVC	8-10-82	

GCD WELL SERIES

Description Burial Grounds
 Bldg. Number 643-7G
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
GCD 5					PVC	4-05-83	12-08-86
GCD 6					PVC		12-04-86
GCD 8					PVC	5-13-83	12-12-86
GCD 9					PVC	4-12-83	9-24-86
GCD 10					PVC	4-14-83	9-30-86
GCD 11					PVC	4-15-83	11-21-86
GCD 12					PVC	4-15-83	11-25-86

GRID WELL SERIES (see MGA, MGC, MGE, MGG, and MGI WELL SERIES)

H-Area Well (see UNIDENTIFIED WELLS)

H WELL SERIES

Description H-Area Seepage Basins
 Bldg. Number 904-44G, -45G, -46G, -56G
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
H	8	71615.4	58233.9	228.4-218.4	257.2	Steel	4-17-56	
H	10	71607.2	57822.8	232.5-222.5	257.3	Steel	5-01-56	
H	12	71529.9	58490.3		234.4	Steel	12-31-57	
						PVC	10-01-84*	
H	13	71327.4	58231.7		244.4	Steel	2-20-62	
H	14	71213.1	58071.9		242.3	Steel	2-20-62	
						PVC	1-01-85*	
H	15	71231.1	57812.9		240.1	Steel	2-20-62	
H	16	71339.8	57631.9		241.5	Steel	2-20-62	
H	17	71479.4	57582.6		243.3	Steel	2-20-62	
H	18A	71339.6	57337.7	227.5-217.5	239.5	PVC	1-09-85	
H	19	71434.2	57041.7		246.6	Steel	2-20-62	
Abandoned or Inactive:								
H	1	72187.4	58620.3	245.6-235.9	263.3	Steel	3-08-56	3-29-89
H	2	72180.5	58786.3	244.5-234.5	262.9	Steel	3-08-56	4-05-89
H	3	72098.4	58726.6	239.0-229.0	259.4	Steel	4-24-56	10-01-72*
H	4	72071.4	58741.3	245.2-235.2	258.8	Steel	3-08-56	4-05-89
H	5	72046.9	58599.1	243.4-233.4	259.1	Steel	4-12-56	
H	6	72009.1	58335.4	235.2-225.2	260.1	Steel	4-26-56	4-26-89
H	7	71949.2	58336.1	234.9-224.9	257.8	Steel	4-25-56	4-25-89
H	9	71572.6	58275.3	217.4-207.4	248.9	Steel	4-19-56	4-03-89
H	11	71565.9	57779.4	222.0-212.0	249.3	Steel	5-02-56	4-14-89
H	18	71339.6	57337.7		239.5	Steel	2-20-62	1-09-85
H	20	71387	57180		241.0	Steel	4-02-64	
H	21	71557	56868		247.7	Steel	4-02-64	
H	22	71652	56739		246.5	Steel	4-02-64	
H	23	71770	56495		242.8	Steel	4-02-64	
H	24	71943	56352		242.0	Steel	4-05-64	
H	25	72146	56211		242.6	Steel	4-03-64	
H	26	71387	57490		240.3	Steel	6-15-64	
H	27	71276	57246		232.4	Steel	6-15-64	
H	28	71323	57036		235.3	Steel	6-15-64	

H WELL SERIES (cont.)

Description H-Area Seepage Basins
 Bldg. Number 904-44G, -45G, -46G, -56G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned or Inactive:							
H 29	71438	56912		242.3	Steel	6-16-64	
H 30	71500	56745		240.6	Steel	6-16-64	
H 31	71642	56589		241.3	Steel	6-16-64	
H 32	71803	56340		235.4	Steel	6-16-64	
H 33	72024	56245		241.1	Steel	6-17-64	
H 34					Steel		
H 35					Steel		
H 36					Steel		
H 37					Steel		
H 38					Steel		
H 39	70610	57108		214.3	Steel	8-04-64	
H 40	70596	56908		204.5	Steel	8-04-64	
H 41	70784	56916		212.0	Steel	8-04-64	
H 42	70715	56593		204.5	Steel	8-05-64	
H 43	70862	56514		205.8	Steel	8-05-64	
H 44	70925	56298		203.5	Steel	8-05-64	
H 45	71685	56204		220.6	Steel	8-04-64	
H 46	71744	55411		219.2	Steel	8-04-64	
H 47					Steel		
H 48					Steel		
H 49	72487	55792		240.2	Steel	10-21-64	
H 50	72696	55764		241.3	Steel	10-26-64	
H 51	72990.0	55695.0		248.7	Steel	10-26-64	

The Drilling Request for H 18A indicates that 18A was drilled in the same hole as 18. Thirty-nine permanent monitoring wells (H 13 to H 51) were installed between 1962 and 1964 (Fenimore and Horton, 1972).

HAC WELL SERIES

Description H-Area Acid/Caustic Basin
 Bldg. Number 904-75G
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HAC 1	72171.0	61415.2	278.8-258.8	298.4	PVC	8-11-88	
HAC 2	72220.2	61366.9	278.8-258.8	298.1	PVC	8-09-88	
HAC 3	72183.4	61313.6	275.0-255.0	298.0	PVC	8-18-88	
HAC 4	72120.3	61372.0	274.1-254.1	296.9	PVC	8-18-88	

HAP WELL SERIES

Description H-Area Auxiliary Pump Pit
 Bldg. Number 241-49H
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HAP 1	71209.8	63398.8	276.3-256.3	289.1	PVC	11-04-87	
HAP 2	71122.9	63519.8	263.8-243.8	289.9	PVC	11-04-87	

HC WELL SERIES

Description H-Area Hydrology Cluster
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HC 8A	77481.8	60058.5		262.7	Steel	5-15-67	
HC 8B	77487.5	60058.4		263.9	Steel	5-16-67	
HC 8C	77484.4	60065.1		264.2	Steel	12-01-67	
HC 10A	75806.7	61593.4		229.3	Steel	6-08-67	
HC 10B	75801.3	61600.1		230.2	Steel	6-08-67	
HC 12B	73186.9	59488.4		290.1	Steel	6-23-67	

HC WELL SERIES (cont.)

Description H-Area Hydrology Cluster
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
HC 7A	74352	66992	133.7-130.7	280.0	Steel	4-24-67	1-26-88
HC 7B	74537	66989	199.0-194.0	280.2	Steel	4-25-67	3-04-88
HC 9A	75135	64084	126.8-123.8	271.9	Steel	6-01-67	2-17-88
HC 9B	75135	64084	179.7-174.7	271.6	Steel	6-01-67	2-25-88
HC 13B	73894	63610	198.3-193.3	292.1	Steel	7-06-67	3-21-88
HC 13C	73894	63610	211.4-207.1	292.6	Steel	7-07-67	2-05-88
HC 16A	72595.6	65461.8	123.1-118.1	265.5	Steel	11-29-67	2-16-88
HC 16B	72596	65462	187.6-183.6	265.4	Steel	11-29-67	2-29-88

HCA WELL SERIES

Description H-Area Canyon Building
 Bldg. Number 221-H
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HCA 1	72521.7	63109.0	273.7-253.7	310.0	PVC	12-18-86	
HCA 2	72265.9	62943.3	273.4-242.0	310.8	PVC	5-20-86	
HCA 3	72651.7	63108.7	273.8-253.8	310.3	PVC	12-11-86	
HCA 4	72523.7	62942.9	273.3-241.9	310.7	PVC	5-30-86	

HCB WELL SERIES

Description H-Area Coal Pile Runoff Containment Basin
 Bldg. Number 289-H
 Map See page A-19; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HCB 1	71426.8	63921.5	252.6-222.6	279.3	PVC	9-09-81	
HCB 2	71289.7	63797.9	269.9-239.9	281.7	PVC	9-10-81	
HCB 3	71098.8	63919.9	263.6-233.6	275.4	PVC	9-11-81	
HCB 4	71244.2	64054.5	265.9-235.9	277.8	PVC	9-11-81	

HCC WELL SERIES

Description H-Area Canyon Building
 Bldg. Number 221-H
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
HCC 4		72179.7	62954.4	307.2-301.7	311.1	PVC	12-12-86	
HCC 5		72222.6	62954.1	301.3-295.8	311.0	PVC	12-12-86	
HCC 6		72265.5	62954.0	301.8-296.3	311.5	PVC	12-12-86	
HCC 7		72308.4	62954.3	303.6-298.1	311.6	PVC	1-14-87	
HCC 8		72351.6	62954.1	302.0-296.5	311.0	PVC	1-15-87	
HCC 9		72394.9	62954.2	302.1-296.6	311.0	PVC	1-16-87	
HCC 10		72437.6	62954.0	301.7-296.2	311.0	PVC	12-16-86	
HCC 11		72480.4	62954.4	302.0-296.5	311.1	PVC	12-16-86	
HCC 12		72523.7	62953.9	301.8-296.3	311.1	PVC	12-16-86	
HCC 13		72567.1	62953.9	301.4-295.9	311.1	PVC	12-16-86	
HCC 14		72609.7	62954.0	302.5-297.0	311.3	PVC	12-16-86	
HCC 15		72652.9	62954.0	301.3-295.8	311.0	PVC	12-16-86	
HCC 16		72695.6	62954.0	302.0-296.5	311.2	PVC	12-17-86	
HCC 18		72736.4	63089.6	303.7-298.2	310.4	PVC	1-06-87	
HCC 19		72691.5	63089.0	302.3-296.8	310.7	PVC	1-07-87	
HCC 20		72651.8	63088.9	301.1-295.6	310.6	PVC	1-07-87	
HCC 21		72608.6	63088.9	302.3-296.8	310.6	PVC	1-07-87	
HCC 22		72566.2	63089.0	302.5-297.0	310.5	PVC	1-09-87	
HCC 23		72521.4	63088.9	301.5-296.0	310.4	PVC	1-09-87	
HCC 24		72481.1	63089.1	302.2-296.7	311.0	PVC	1-13-87	
HCC 25		72435.8	63088.5	302.7-297.2	310.8	PVC	1-13-87	
HCC 27		72351.0	63089.1	302.3-296.8	311.1	PVC	1-20-87	
HCC 28		72303.6	63087.8	303.8-297.8	311.1	PVC	1-16-87	
HCC 31		72178.9	63089.3	301.4-295.9	311.3	PVC	1-14-87	
HCC 32		72138.1	63089.0	302.6-297.1	311.0	PVC	1-14-87	

HET WELL SERIES

Description H-Area Effluent Treatment Facility
 Bldg. Number 200-H
 Map

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing	Install	Abandon
Well	ID	North	East	Screen Zone	Casing	Type	Date	Date
<hr/>								
Active:								
HET	1D	71948.3	60546.0	260.3-240.3	282.2	PVC	7-29-88	
HET	2D	72006.0	60094.4	259.7-239.7	276.9	PVC	7-27-88	
HET	3D	72093.9	60110.5	259.9-239.9	276.7	PVC	7-26-88	
HET	4D	72178.1	60166.5	259.6-239.5	276.7	PVC	7-21-88	

HOR WELL SERIES (see HR3 WELL SERIES)

HP WELL SERIES

Description Upper Tank Farm
 Bldg. Number 241-H
 Map

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Abandoned or Inactive:								
HP	1			273.0-269.0	304.8	Alum.	9-19-60	1-30-85
HP	3				304.6	Alum.	9-19-60	
HP	5			276.2-272.2	304.7	Alum.	9-19-60	1-29-85
HP	8			266.7-262.7	304.9	Alum.	9-21-60	1-30-85

According to a 1973 memo, HP 8 was located in a road. The top of the well was cut off, and the well was contaminated by runoff.

HPM WELL SERIES

Description Upper Tank Farm
 Bldg. Number 241-H
 Map

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Abandoned:								
HPM	1	71112.5	62232.0	270.6-260.6	305.8	Alum.	12-02-60	1-23-85
HPM	2	71118.0	62192.5	271.3-261.3	306.6	Alum.	12-07-60	1-23-85
HPM	3	71118.0	62143.0	269.5-259.5	305.3	Alum.	12-06-60	1-25-85
HPM	4	71110.0	62043.0	266.1-262.1	305.3	Alum.	12-15-60	1-25-85
HPM	5	71154.0	61961.0		307.3	Alum.	12-15-60	10-01-77*
HPM	6	71318.0	61961.0	260.9-260.6	306.4	Alum.	12-12-60	1-01-85
HPM	7	71395.0	62043.0	274.3-264.3	307.5	Alum.	12-08-60	7-18-77
HPM	8	71395.0	62160.0	267.3-263.3	307.3	Alum.	12-12-60	1-01-85
HPM	9	71389.0	62223.0	259.4-259.1	304.7	Alum.	12-14-60	1-01-85~
HPM	10	71318.0	62242.0	264.1-260.1	306.0	Alum.	12-05-60	1-18-85
HPM	11	71249.0	62242.0	271.9-261.9	305.4	Alum.	12-06-60	1-18-85
HPM	12	71184.0	62242.0	267.6-263.6	306.2	Alum.	12-06-60	1-22-85

Ashley, Padezanin, and Zeigler (1984a, 1984b) list monitoring results for HPM 9. Zeigler, Lawrimore, and O'Rear (1985) indicate that HPM 9 was still in service in 1984. Zeigler, Lawrimore, and O'Rear (1985) also give monitoring results for HPM 6 and 8. Although a definite abandon date is not given, these two wells were probably abandoned in January 1985.

HPM 6 was subject to runoff contamination according to a 1973 note.

HPT WELL SERIES

Description Aquifer Characterization Test Wells in H Area between
the Burial Grounds and Road 4

Bldg. Number

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HPT 1A	74847.1	60587.0			PVC	10-17-88	
HPT 1B	74857.4	60590.0			PVC	10-12-88	
HPT 2A	75061.8	60200.5	112.8- 62.6	260.2	PVC	10-12-88	

HPT 1A is a production well for the construction of the MWMF (Mixed Waste Management Facility) closure cap and is used as a Congaree aquifer characterization test well. HPT 1A and HPT 1B are observation test wells.

HRB WELL SERIES (See the HR8 WELL SERIES)

HR3 WELL SERIES

Description Old H-Area Retention Basin

Bldg. Number 281-3H

Map See page A-20; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HR3 11	71402.8	60146.5	230.0-200.4	271.4	PVC	10-16-84	
HR3 13	71649.4	60065.5	234.8-205.1	276.2	PVC	10-18-84	

The HR3 Series has been incorrectly referred to as the HOR Series in the past.

According to a field log dated 4-15-85, HR3 12 was not drilled.

HR8 WELL SERIES

Description H-Area Retention Basin

Bldg. Number 281-8H

Map See page A-20; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HR8 11	71945.7	59559.8	237.6-207.9	259.2	PVC	10-19-84	
HR8 12	71780.1	59330.1	235.9-206.3	257.5	PVC	10-22-84	
HR8 13	71559.6	59300.2	231.4-201.7	253.1	PVC	10-22-84	
HR8 14	71431.4	59612.1	231.9-202.3	253.6	PVC	10-23-84	

The HR8 Series has been incorrectly referred to as the HRB Series in the past.

HSB WELL SERIES

Description H-Area Seepage Basins

Bldg. Number 904-44G, -45G, -46G, -56G

Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HSB 65	72425.6	58432.0	242.4-212.4	272.0	PVC	9-24-81	
HSB 65A	72436.2	58436.0	73.2- 62.5	273.6	PVC	8-01-84	
HSB 65B	72445.6	58439.4	133.3-123.3	273.7	PVC	8-01-84	
HSB 65C	72439.6	58447.1	218.6-207.8	273.6	PVC	8-01-84	
HSB 66	72429.2	56928.3	228.1-198.1	280.2	PVC	10-14-81	
HSB 67	71505.0	58424.3	230.7-200.7	237.8	PVC	9-24-81	
HSB 68	71528.0	56901.0	243.3-213.3	250.1	PVC	9-28-81	
HSB 68A	71526.9	56892.1	58.0- 47.5	249.4	PVC	8-01-84	
HSB 68B	71525.5	56882.1	134.5-123.5	250.0	PVC	7-01-85*	
HSB 68C	71524.1	56872.7	179.5-168.4	250.1	PVC	7-01-85*	
HSB 69	71546.9	56475.1	229.0-199.0	236.0	PVC	9-25-81	
HSB 69A	71549.4	56465.1	93.1- 83.1	236.6	***	3-07-88	
HSB 70	72606.9	55758.9	235.7-205.7	242.8	PVC	9-25-81	
HSB 70C	72597.3	55757.1	174.9-164.9	243.1	PVC	3-22-88	
HSB 71	72875.9	55279.2	234.8-204.8	241.4	PVC	9-29-81	
HSB 71C	72866.6	55281.5	181.9-171.9	241.6	PVC	3-24-88	
HSB 83A	71648.6	58606.1	76.0- 65.2	237.3	PVC	8-01-84	
HSB 83B	71639.6	58594.9	132.1-121.2	237.0	PVC	7-01-85*	
HSB 83C	71636.9	58614.8	171.2-160.2	237.1	PVC	7-01-85*	
HSB 83D	71628.1	58601.7	228.7-198.7	237.0	PVC	7-01-85*	
HSB 84A	71586.2	56359.1	75.9- 64.7	228.7	PVC	7-01-85*	
HSB 84B	71603.3	56352.4	132.9-121.8	228.9	PVC	7-01-85*	

*** These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.

HSB WELL SERIES (cont.)

Description H-Area Seepage Basins
 Bldg. Number 904-44G, -45G, -46G, -56G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HSB 84C	71597.1	56360.1	181.8-170.9	229.1	PVC	7-01-85*	
HSB 84D	71583.9	56349.9	219.5-199.5	228.8	PVC	7-01-85*	
HSB 85A	73791.9	58943.4	71.1- 61.1	294.4	PVC	7-01-84	
HSB 85B	73789.3	58953.3	143.2-133.2	294.5	PVC	7-01-84	
HSB 85C	73802.3	58947.4	224.2-214.2	294.1	PVC	8-01-84	
HSB 86A	72520.2	55985.9	73.9- 63.1	262.4	PVC	8-01-84	
HSB 86B	72519.0	55976.9	124.0-113.8	261.9	PVC	8-01-84	
HSB 86C	72529.7	55984.6	199.4-189.4	262.9	PVC	8-01-84	
HSB 86D	72522.1	55996.5	236.6-206.6	263.0	PVC	8-01-84	
HSB100C	72077.2	58806.5	163.0-153.0	260.2	PVC	11-12-87	
HSB100D	72073.8	58796.9	236.9-216.9	260.1	PVC	10-28-87	
HSB101C	72001.9	58604.4	176.3-166.3	258.5	PVC	11-05-87	
HSB101D	71997.5	58594.8	236.1-216.1	258.7	PVC	11-11-87	
HSB102C	71960.1	58399.7	176.7-166.7	259.0	PVC	11-18-87	
HSB102D	71952.4	58393.4	236.3-216.3	258.6	PVC	11-19-87	
HSB103C	71593.9	58323.6	169.2-159.2	247.4	PVC	10-30-87	
HSB103D	71588.1	58315.6	233.7-213.7	247.6	PVC	11-02-87	
HSB104C	71376.8	58082.6	173.5-163.5	247.9	PVC	11-03-87	
HSB104D	71370.2	58075.8	230.6-210.6	247.8	PVC	10-29-87	
HSB105C	71447.3	57883.8	162.2-152.2	249.5	PVC	11-05-87	
HSB105D	71454.8	57877.4	231.8-211.8	249.5	PVC	11-06-87	
HSB106C	71720.9	57651.5	168.7-158.7	252.9	PVC	10-26-87	
HSB106D	71727.8	57644.8	230.7-210.7	252.9	PVC	10-26-87	
HSB107C	71698.5	57432.0	169.3-159.3	261.6	PVC	10-26-87	
HSB107D	71696.6	57412.2	235.1-215.1	262.3	PVC	11-12-87	
HSB108C	71688.7	57155.5	196.0-186.0	266.2	PVC	10-14-87	
HSB108D	71688.0	57145.6	232.0-212.0	266.3	PVC	10-26-87	
HSB109C	71684.8	56895.6	178.4-168.4	261.6	PVC	11-11-87	
HSB109D	71685.6	56885.5	233.0-213.0	261.2	PVC	11-10-87	
HSB110C	71779.3	56680.7	181.4-171.4	255.7	PVC	10-12-87	
HSB110D	71785.2	56672.1	231.4-211.4	255.6	PVC	10-28-87	
HSB111C	71919.4	56501.9	150.7-140.7	256.0	PVC	11-17-87	
HSB111D	71926.2	56494.5	195.7-185.7	256.0	PVC	9-21-87	
HSB111E	71932.8	56487.2	231.7-211.7	255.9	PVC	10-23-87	
HSB112C	72156.4	56417.4	150.6-140.6	254.9	PVC	11-20-87	
HSB112D	72161.6	56408.1	198.3-188.3	255.1	PVC	10-08-87	
HSB112E	72166.6	56399.5	231.7-211.7	255.1	PVC	10-27-87	
HSB113C	72312.3	56160.4	161.7-151.7	261.0	PVC	11-24-87	
HSB113D	72302.7	56164.3	236.2-216.2	260.9	PVC	11-20-87	
HSB114C	72464.6	56107.0	195.6-185.6	263.8	PVC	10-16-87	
HSB114D	72474.2	56104.6	232.8-212.8	264.0	PVC	10-21-87	
HSB115C	72653.2	56043.2	192.8-182.8	269.3	PVC	10-07-87	
HSB115D	72662.3	56039.8	233.9-213.9	269.1	PVC	10-20-87	
HSB116C	72888.1	55989.1	190.5-180.5	257.5	PVC	10-20-87	

HSB WELL SERIES (cont.)

Description H-Area Seepage Basins
 Bldg. Number 904-44G, -45G, -46G, -56G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HSB116D	72898.1	55988.2	234.5-214.5	256.8	PVC	9-02-87	
HSB117A	72733.6	55170.1	94.1- 84.1	236.3	***	1-25-88	
HSB117C	72740.7	55162.9	174.0-164.0	236.3	PVC	1-27-88	
HSB117D	72747.6	55155.6	219.1-199.1	236.3	PVC	1-27-88	
HSB118A	72696.4	55775.6	101.0- 91.0	247.3	***	11-25-87	
HSB119A	73082.5	56100.2	103.3- 93.3	257.1	***	10-05-87	
HSB120A	73395.1	56431.9	101.0- 91.0	268.2	***	11-13-87	
HSB121A	72024.8	57389.6	98.3- 88.3	274.6	***	11-02-87	
HSB122A	72195.9	57747.4	95.4- 85.4	271.6	***	10-16-87	
HSB123A	72189.8	58124.8	102.3- 92.3	264.5	***	10-08-87	
HSB124A	72199.6	58514.6	103.0- 93.0	266.2	***	9-16-87	
HSB125C	71503.6	58592.8	155.6-145.6	231.9	PVC	3-17-88	
HSB125D	71498.2	58584.1	219.4-199.4	231.7	PVC	3-17-88	
HSB126C	70627.7	57178.2	181.3-176.3	212.6	PVC	2-05-88	
HSB126D	70633.4	57169.6	200.5-190.5	212.7	PVC	2-05-88	
HSB127C	71210.1	56792.1	158.4-148.4	225.7	PVC	3-02-88	
HSB127D	71218.9	56788.0	217.8-197.8	226.1	PVC	3-02-88	
HSB129C	71830.4	55110.0	157.8-147.8	215.1	PVC	3-18-88	
HSB129D	71837.1	55103.4	205.2-185.2	214.7	PVC	3-17-88	
HSB130C	70762.4	54643.6	169.9-159.9	218.3	PVC	3-23-88	
HSB130D	70757.2	54651.7	202.1-182.1	218.6	PVC	3-23-88	
HSB131C	70374.7	56894.9	158.5-148.5	211.7	PVC	2-26-88	
HSB131D	70365.0	56891.1	205.7-195.7	212.1	PVC	2-26-88	
HSB132C	71472.4	58787.7	178.6-168.6	240.5	PVC	2-22-88	
HSB132D	71469.5	58799.3	226.5-206.5	240.7	PVC	2-22-88	
HSB133C	71949.5	59110.3	183.3-173.3	255.6	PVC	1-25-88	
HSB133D	71943.5	59102.3	228.5-208.5	255.3	PVC	1-26-88	
HSB134C	71210.3	58289.9	159.1-149.1	238.4	PVC	2-22-88	
HSB134D	71217.3	58296.5	225.8-205.8	238.1	PVC	2-15-88	
HSB135C	71390.2	56560.8	157.3-147.3	232.0	PVC	3-24-88	
HSB135D	71396.7	56552.8	219.9-199.9	232.3	PVC	3-11-88	
HSB136C	71900.3	55949.6	170.5-160.5	227.9	PVC	3-08-88	
HSB136D	71906.0	55941.7	220.2-200.2	228.0	PVC	3-07-88	
HSB137C	72269.9	55700.2	173.8-163.8	236.0	PVC	3-10-88	
HSB137D	72278.9	55696.1	225.3-205.3	236.6	PVC	3-14-88	
HSB138D	73160.2	55260.7	228.1-208.1	252.4	PVC	3-24-88	
HSB139A	71127.4	57365.4	97.6- 87.6	233.7	***	2-12-88	
HSB139C	71129.8	57374.5	158.5-148.5	233.8	PVC	3-16-88	
HSB139D	71133.2	57384.4	226.7-206.7	233.8	PVC	2-16-88	

*** These wells have 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. All screens are PVC.

HSB WELL SERIES (cont.)

Description H-Area Seepage Basins
 Bldg. Number 904-44G, -45G, -46G, -56G
 Map See Olson (1987)

HSB 66 was first drilled 9-29-81 and redrilled 10-14-81.

Christensen and Gordon (1983) refer to HSB 65-71 as HSW 65-71.

Geraghty & Miller (1985) describe the installation of 10 wells in August 1984.
 The installation date for these wells is designated as 8-01-84.

HSB 128 was not drilled.

HSB 1TB WELL

Description H-Area Seepage Basins Production Well
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HSB 1TB	72394.0	58696.1	(252.9-295.1)	269.6	Steel	12-07-88	
---------	---------	---------	---------------	-------	-------	----------	--

The Screen Zone Elevation in parenthesis is in feet below MSL.

HSS WELL SERIES

Description H-Area Sludge Land Application Site
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HSS 1D	67610.3	64675.6	256.5-236.5	310.1	PVC	10-29-88	
HSS 2D	67355.9	64785.9	254.5-234.5	304.4	PVC	10-20-88	
HSS 3D	68257.5	64709.5	282.6-262.6	309.8	PVC	10-27-88	

HSW WELL SERIES (see HSB WELL SERIES)

HTF WELL SERIES

Description H-Area Tank Farm

Bldg. Number 241-H, -6H, -8H, -12H, -15H, -83H

Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
HTF 1	71745.0	62067.0	256.9-236.9	282.0	Steel	9-03-73	
HTF 2	71610.0	62175.0	257.0-237.0	281.8	Steel	9-03-73	
HTF 3	71510.0	62067.0		280.7	Steel	9-03-73	
HTF 4	71630.0	61942.0	255.2-235.2	282.9	Steel	9-03-73	
HTF 5	71390.0	62110.0	284.3-264.3	305.8	Steel	9-13-73	
HTF 6	71259.0	62228.0	283.6-263.6	305.4	Steel	9-10-73	
HTF 7	71130.0	62112.0	283.5-263.5	305.3	Steel	9-17-73	
HTF 8	71270.0	61965.0	283.6-263.6	305.7	Steel	9-10-73	
HTF 9	71652.0	61698.0	265.8-245.8	324.0	Steel	4-01-73*	
HTF 10	71520.0	61838.0	265.2-245.2	322.7	Steel	4-01-73*	
HTF 11	71398.0	61722.0	258.9-238.9	322.8	Steel	4-01-73*	
HTF 12	71520.0	61593.0	262.9-242.9	322.9	Steel	4-01-73*	
HTF 13	71856.0	61586.0	282.6-262.6	324.4	Steel	9-25-73	
HTF 14	71858.0	61462.0	281.9-261.9	323.9	Steel	9-26-73	
HTF 15	71700.0	61353.0	280.7-260.7	322.5	Steel	9-27-73	
HTF 16	72150.0	61950.0	268.3-248.3	300.3	Steel	9-04-73	
HTF 17	72600.0	61188.0	258.4-238.4	290.2	PVC	7-13-73	
HTF 18	71771.8	61223.3	271.7-251.7	323.7	PVC	5-24-85	
HTF 19	71902.5	61079.2	265.7-245.7	324.8	PVC	5-30-85	
HTF 20	72073.3	61086.4	271.9-251.9	324.9	PVC	8-14-85	
HTF 21	71998.2	61261.0	262.6-242.6	324.7	PVC	5-23-85	
HTF 22	71363.4	62553.6	271.4-251.4	333.5	PVC	3-18-85	
HTF 23	71363.1	62670.3	276.8-256.8	334.0	PVC	4-02-85	
HTF 24	71362.6	62775.6	277.8-257.8	333.9	PVC	4-04-85	
HTF 25	71224.3	62902.0	272.5-252.5	334.3	PVC	5-21-85	
HTF 26	71090.7	62815.7	275.5-255.5	335.5	PVC	6-07-85	
HTF 27	71057.9	62660.3	279.1-259.1	333.1	PVC	4-17-85	
HTF 28	71080.1	62515.7	271.9-251.9	333.7	PVC	5-10-85	
HTF 29	71229.9	62414.9	289.9-259.9	333.5	PVC	12-19-84	
HTF 31	70747.0	62662.5	266.7-246.7	327.7	PVC	4-16-85	
HTF 32	70880.6	62807.9	271.1-251.1	329.1	PVC	5-13-85	
HTF 34	71144.1	61978.5	271.7-251.7	305.5	PVC	3-13-85	
Abandoned:							
HTF 30	70891.5	62536.4	275.9-255.9	329.9	PVC	8-07-85	7-01-86*

HWS WELL SERIES

Description Hazardous Waste Storage Facility at Central Shops
 Bldg. Number 709-G
 Map See page A-21; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HWS 1A	64885.1	50234.8	255.2-225.2	324.6	PVC	7-01-81*	
HWS 2	64786.3	50346.4	245.3-215.3	323.2	PVC	5-31-84	

Abandoned:

HWS 1	64885.3	50223.2	266.6-246.6	325.2	Steel	3-14-80	6-01-82*
HWS 3	64664.4	50194.7	243.5-213.5	325.5	PVC	6-01-84	5-01-85

The HWS Series was previously called the CSH Series in some reports of the raw data for this series. Christensen and Gordon (1983) list these wells as CTS 1 and 1A. The designations for these wells were changed to HWS 1 and 1A in 1985.

According to the field log, HWS 3 was abandoned May 1985.

HXB WELL SERIES

Description Ford Building Seepage Basin (Heat Exchanger Repair Facility Basin)
 Bldg. Number 904-91G
 Map See page A-18; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

HXB 1	60549.7	52557.8	244.2-214.2	306.2	PVC	6-24-83	
HXB 2	60866.5	52892.8	242.1-212.1	304.4	PVC	6-28-83	
HXB 3	60631.2	52707.3	242.2-212.2	304.2	PVC	6-13-84	

IDB WELL

Description Intermediate Depth Burial Well
 Bldg. Number Not applicable
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

IDB 1C	72388.4	76401.0		297.2	PVC	8-26-82	
--------	---------	---------	--	-------	-----	---------	--

IDB WELL SERIES

Description Interim Waste Management Facility Site Characterization
Wells, Site B, two miles northeast of H Area

Bldg. Number

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
IDB 2A	77284.4	75391.1	(22.5- 27.9)	304.3	C.S.	1-20-88	
IDB 2B	77264.1	75392.2	121.0-116.0	305.7	PVC	2-01-88	
IDB 2C	77244.0	75393.6	209.3-204.3	306.4	PVC	2-03-88	
IDB 3	77008.5	75022.1	234.0-229.0	324.9	PVC	12-03-87	
IDB 4	76134.7	74922.9	259.6-239.6	316.6	PVC	12-05-87	
IDB 5	75570.6	75488.8	255.1-235.1	321.9	PVC	12-08-87	
IDB 6	72691.3	75264.6	260.7-240.7	319.0	PVC	12-12-87	
IDB 7	73511.9	74450.1	261.4-241.4	313.4	PVC	12-17-87	
IDB 8	72016.7	77062.0	249.3-229.3	293.1	PVC	12-18-87	
IDB 9	76124.5	76398.1	206.4-201.4	288.3	PVC	2-06-88	
IDB 10	74955.5	74405.1	220.9-215.9	295.8	PVC	2-09-88	

The Screen Zone Elevation in parenthesis is in feet below MSL.

IDP WELL SERIES

Description Interim Waste Management Facility Site Characterization
Wells, Site P, adjacent to Site Q, and located south of
the TC-1 Area and north of Highway 125

Bldg. Number

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
IDP 3A	85104.3	37781.1	(81.3- 86.7)	284.0	C.S.	10-29-87	
IDP 3B	85119.5	37785.3	100.7- 95.7	284.5	PVC	9-30-87	
IDP 3C	85133.7	37790.1	169.1-164.1	285.0	PVC	10-02-87	
IDP 3D	85148.4	37794.3	228.8-208.8	285.7	PVC	10-06-87	
IDP 4	82812.6	38615.4	199.6-189.5	240.8	PVC	11-02-87	
IDP 5	83521.5	38284.5	206.6-186.4	253.7	PVC	10-30-87	
IDP 6	84113.9	38248.5	209.1-184.5	261.5	PVC	10-09-87	
IDP 7	84460.1	38713.9	208.6-188.6	248.5	PVC	10-07-87	
IDP 8	84740.4	39174.3	204.5-185.4	264.4	PVC	10-08-87	
IDP 9	85951.1	37830.4	208.0-188.0	271.9	PVC	10-08-87	
IDP 10	86386.9	39280.7	208.6-188.6	304.3	PVC	11-23-87	

The Screen Zone Elevation in parenthesis is in feet below MSL.

IDQ WELL SERIES

Description Interim Waste Management Facility Site Characterization Wells, Site Q, adjacent to Site P, and located south of the TC-1 Area and north of Highway 125

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
IDQ 3A	80553.7	35854.0	(184.3-189.8)	205.3	C.S.	11-17-87	
IDQ 3B	80578.4	35858.8	113.4-108.4	205.6	PVC	11-20-87	
IDQ 3C	80601.7	35863.5	141.6-136.6	206.5	PVC	11-20-87	
IDQ 4	83125.1	36726.2	205.6-185.6	265.5	PVC	12-11-87	
IDQ 5	82763.6	36851.8	207.5-187.4	267.2	PVC	11-06-87	
IDQ 6	82414.4	37299.3	202.1-181.9	258.1	PVC	11-05-87	
IDQ 7	82107.4	37836.3	194.8-174.6	240.6	PVC	11-04-87	
IDQ 8	83602.8	34688.1	200.4-180.4	242.6	PVC	11-13-87	
IDQ 9	82729.6	34053.4	193.9-173.9	236.1	PVC	11-18-87	
IDQ 10	82135.8	33610.1	185.7-165.7	236.5	PVC	11-19-87	
IDQ 11	80360.9	34741.0	134.8-129.7	208.8	PVC	2-10-88	
IDQ 12	81913.7	37116.5	184.9-164.9	242.2	PVC	2-12-88	

¹² The Screen Zone Elevation in parenthesis is in feet below MSL.

K Well (see UNIDENTIFIED WELLS)

KAB WELL SERIES

Description K-Area Ash Basin

Bldg. Number 188-K

Map See page A-23; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KAB 1	53055.6	39919.7	224.0-194.0	266.0	PVC	8-04-83	
KAB 2	52410.8	40277.9	228.6-198.6	260.7	PVC	7-18-83	
KAB 3	51807.7	39918.4	223.0-193.0	250.1	PVC	7-19-83	
KAB 4	52807.1	39457.0	217.0-187.0	254.4	PVC	7-21-83	

KAC WELL SERIES

Description K-Area Acid/Caustic Basin
 Bldg. Number 904-80G
 Map See page A-22; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KAC 1	53167.0	42614.8	229.0-199.0	266.0	PVC	10-27-83	
KAC 2	53255.5	42677.2	225.4-195.4	257.5	PVC	10-31-83	
KAC 3	53201.8	42723.9	225.8-195.8	257.8	PVC	11-02-83	
KAC 4	53053.5	42676.4	208.0-178.0	260.0	PVC	7-12-84	
KAC 5	53161.7	42716.3	224.3-204.3	259.0	PVC	9-21-88	
KAC 6	53139.9	42693.5	224.6-204.6	259.0	PVC	9-20-88	
KAC 7	53252.9	42574.5	223.0-203.0	265.1	PVC	9-16-88	

KCB WELL SERIES

Description K-Area Coal Pile Runoff Containment Basin
 Bldg. Number 189-K
 Map See page A-25; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KCB 1	53453.0	39523.1	213.6-183.6	260.4	PVC	9-18-81	
KCB 2	53634.4	39337.2	217.7-187.7	254.4	PVC	9-21-81	
KCB 3	53440.5	39139.2	214.1-184.1	247.9	PVC	9-21-81	
KCB 4	53256.1	39315.6	218.9-188.9	255.6	PVC	9-22-81	

KDB WELL SERIES

Description K-Area Disassembly Basin
 Bldg. Number 105-K
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KDB 1	54050.5	40425.9	205.8-184.8	273.1	PVC	8-11-86	
KDB 2	53907.3	40241.4	203.5-182.5	273.5	PVC	8-13-86	
KDB 3	53794.6	40393.7	205.4-184.2	273.4	PVC	8-18-86	

KRB WELL SERIES

Description K-Area Retention Basin
 Bldg. Number 904-88G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KRB 1	55025.3	39952.1		266.5	Steel	1963	
KRB 8	54893.6	40302.1		267.9	Steel	1963	
KRB 13	55344.2	39986.6		283.6	Steel	1966	
KRB 14	55566.7	40158.5		282.5	Steel	1966	
KRB 15	55476.3	40669.3		269.6	Steel	1966	

Prior to 1976, this series was called the KWL Series.

KRP WELL SERIES

Description K-Area Burning/Rubble Pit
 Bldg. Number 131-K
 Map See page A-24; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KRP 1	54544.0	42471.2	237.0-207.0	263.9	PVC	10-06-83	
KRP 2	54503.6	42681.6	229.2-199.2	256.1	PVC	10-04-83	
KRP 3	54248.7	42814.3	237.5-207.5	254.5	PVC	10-07-83	
KRP 4	54362.9	42590.3	218.7-188.7	255.6	PVC	8-07-84	

KSB WELL SERIES

Description K-Area Reactor Seepage Basin
 Bldg. Number 904-65G
 Map See page A-26; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
KSB 1	54044.4	39806.8	205.6-175.6	267.4	PVC	9-17-84	
KSB 2	53927.6	39703.4	203.8-173.8	265.8	PVC	9-18-84	
KSB 3	54040.2	39625.3	199.7-169.7	261.5	PVC	9-20-84	
KSB 4A	54140.4	39756.7	199.6-169.6	264.1	PVC	10-08-84	

KSB WELL SERIES (cont.)

Description K-Area Reactor Seepage Basin
 Bldg. Number 904-65G
 Map See page A-26; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:

KSB 4	54134.4	39750.9			PVC	9-24-84	10-08-84
-------	---------	---------	--	--	-----	---------	----------

KSB 4 was never monitored because the screen was grouted.

KSS WELL SERIES

Description K-Area Sludge Land Application Site
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

KSS 1D	47759.0	40220.2	177.5-157.4	229.8	PVC	11-04-88	
KSS 2D	46803.9	40438.3	164.7-144.6	192.3	PVC	11-07-88	
KSS 3D	46644.4	40749.3	159.3-139.3	185.2	PVC	11-08-88	

KWL WELL SERIES (see KRB WELL SERIES)

LAC WELL SERIES

Description L-Area Acid/Caustic Basin
 Bldg. Number 904-79G
 Map See page A-28; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

LAC 1	45238.8	51318.8	221.1-191.1	238.2	PVC	9-30-83	
LAC 2	45330.4	51270.2	223.4-193.4	240.2	PVC	9-29-83	
LAC 3	45201.9	51186.8	220.7-190.7	237.8	PVC	10-03-83	
LAC 4	45213.1	51270.4	215.3-185.3	237.1	PVC	7-10-84	

LAW WELL SERIES

Description L-Area Research Wells
 Bldg. Number Not applicable
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LAW 1A	44563.6	50628.0	(157.2-162.2)	219.1	C.S.	2-13-85	
LAW 1B	44562.5	50615.6	(93.6- 98.6)	218.7	C.S.	2-27-85	
LAW 1C	44562.4	50603.6	(29.0- 34.0)	218.5	PVC	2-15-85	
LAW 1D	44562.0	50595.6	11.6- 6.6	218.1	PVC	2-19-85	
LAW 1E	44561.2	50579.0	95.1- 90.1	217.8	PVC	2-21-85	
LAW 1F	44562.1	50567.1	185.9-165.9	217.3	PVC	2-25-85	
LAW 1TD	44564.1	50640.5	(212.9-217.9)	219.1	C.S.	2-07-85	
LAW 2A	45626.5	49637.6	(147.2-152.2)	224.6	C.S.	3-03-85	
LAW 2B	45641.0	49635.5	(4.8- 9.8)	225.3	PVC	3-01-85	
LAW 2C	45610.9	49638.7	191.2-171.2	224.0	PVC	2-26-85	
LAW 3A	45585.8	52266.2	(159.0-164.0)	248.5	C.S.	2-12-85	
LAW 3B	45600.7	52269.5	4.0-(1.0)	248.4	PVC	2-18-85	
LAW 3C	45616.1	52272.9	214.9-194.9	248.0	PVC	2-27-85	

The Screen Zone Elevations in parentheses are in feet below MSL.

LCO WELL SERIES

Description L-Area Oil and Chemical Basin
 Bldg. Number 904-83G
 Map See page A-28; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LCO 1	45198.2	50957.7	225.8-195.8	240.7	PVC	11-06-81	
LCO 2	45317.8	51043.4	226.6-196.6	241.6	PVC	11-10-81	
LCO 3	45203.0	51113.2	226.3-196.3	241.4	PVC	11-09-81	
LCO 4	45087.4	51036.1	222.3-192.3	237.2	PVC	11-05-81	

The COH Series was changed to the LCO Series in 1985. This series is referred to as COH in Christensen and Gordon (1983).

LDB WELL SERIES

Description L-Area Disassembly Basin
 Bldg. Number 105-L
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LDB 1	46067.3	50530.6	215.0-185.0	252.9	PVC	9-24-85	
LDB 2	45886.5	50590.5	214.5-184.5	251.9	PVC	9-19-85	

LFW WELL SERIES

Description Sanitary Landfill
 Bldg. Number 740-G
 Map See page A-37; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LFW 6	84537.8	45241.2	160.0-140.0	171.7	Steel	2-02-81	
LFW 7	84310.3	45318.9	159.3-139.3	171.4	Steel	1-30-81	
LFW 8	84032.6	45415.3	158.8-138.8	170.5	Steel	1-29-81	
LFW 10A	84369.6	45935.6	158.5-128.5	175.5	PVC	1-13-84	
LFW 16	84748.9	45852.6	160.9-130.9	178.8	PVC	8-26-81	
LFW 17	84602.8	45607.3	158.1-128.1	177.8	PVC	8-28-81	
LFW 18	84577.3	45459.4	159.6-129.6	175.4	PVC	8-27-81	
LFW 19	84817.2	45135.4	159.7-129.7	176.7	PVC	8-31-81	
LFW 20	85262.6	45582.9	164.5-134.5	180.9	PVC	8-25-81	
LFW 21	84178.3	46149.4	159.5-129.5	176.2	PVC	1-11-84	
LFW 22	84223.6	46325.2	152.1-122.1	174.2	PVC	1-12-84	
LFW 23	84251.3	46456.1	154.8-124.8	171.8	PVC	1-12-84	
LFW 24	84544.2	46520.8	154.2-124.2	171.3	PVC	1-13-84	
LFW 25	84967.2	46425.7	152.8-122.8	174.7	PVC	1-13-84	
LFW 26	85654.6	45633.8	164.9-143.9	186.9	PVC	10-29-86	
LFW 27	85839.1	45596.1	163.6-142.6	189.6	PVC	10-30-86	
LFW 28	86079.6	45555.3	161.8-140.8	192.8	PVC	10-28-86	
LFW 29	86372.7	45503.3	164.7-143.7	195.7	PVC	10-28-86	
LFW 30	86318.4	45170.9	165.8-144.8	210.8	PVC	12-31-86	
LFW 31	86262.2	44869.0	165.7-144.7	229.7	PVC	10-27-86	
LFW 32	85836.8	44935.9	165.1-144.1	224.1	PVC	10-24-86	
LFW 33	85633.8	44973.0	165.1-144.1	214.1	PVC	10-23-86	
LFW 34	85409.5	45016.9	164.4-143.4	201.4	PVC	10-22-86	
LFW 35	85237.4	45378.8	164.1-143.1	184.1	PVC	10-21-86	
LFW 36	83535.5	45582.3	150.4-129.4	170.4	PVC	11-05-86	
LFW 37	83113.2	45667.7	149.9-128.9	169.9	PVC	11-04-86	
LFW 38	83172.3	46018.5	150.3-129.3	170.3	PVC	11-03-86	

LFW WELL SERIES (cont.)

Description Sanitary Landfill
 Bldg. Number 740-G
 Map See page A-37; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LFW 39	83213.1	46218.5	151.4-130.4	171.4	PVC	11-03-86	
LFW 40	83248.8	46395.1	151.0-130.0	171.0	PVC	10-31-86	
LFW 41	83304.9	46626.9	150.5-129.5	170.5	PVC	10-31-86	
LFW 42	83776.2	46532.9	150.1-129.1	170.1	PVC	10-30-86	
Abandoned:							
LFW 1	84691.8	45852.3	162.0-142.0	179.5	Steel	2-10-75	11-24-86
LFW 2	84579.8	45498.2	163.6-143.6	176.7	Steel	2-11-75	12-05-86
LFW 3	84554.0	45346.8	157.0-137.0	173.9	Steel	3-14-75	12-04-86
LFW 4	84855.8	45103.9	162.0-142.0	178.7	Steel	3-17-75	12-02-86
LFW 5	85268.0	45629.1	169.1-149.1	181.4	Steel	6-22-78	12-01-86
LFW 9	84074.8	45802.8	163.1-143.1	174.9	Steel	1-28-81	11-26-86
LFW 10	84360.0	45915.0	165.2-145.2	177.0	Steel	1-27-81	1-01-84*

Zeigler, Lawrimore, and O'Rear (1985) state that wells LFW 6-10 have PVC casings. However, the Drilling Requests, Boring Logs, and Abandonment Data state that these wells have PVC screens and galvanized steel casings. LFW 1 has a steel casing for approximately the first 5 ft, then PVC casing and screen.

LRP WELL SERIES

Description L-Area Burning/Rubble Pit
 Bldg. Number 131-L
 Map See page A-27; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LRP 1	48548.6	49128.7	215.8-185.8	252.9	PVC	9-27-83	
LRP 2	48352.9	49214.4	214.7-184.7	256.7	PVC	10-26-83	
LRP 3	48333.6	49057.7	221.4-191.4	258.2	PVC	9-28-83	
LRP 4	48440.2	48964.7	203.3-173.3	255.6	PVC	7-09-84	

LRP 2 was first drilled 9-23-83 but was located over 6 ft of concrete pipe. The well was redrilled 10-26-83, 1 ft from the original site.

LSB WELL SERIES

Description L-Area Reactor Seepage Basin
 Bldg. Number 904-64G
 Map See page A-28; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
LSB 1	45153.1	50700.9	222.7-192.7	232.7	PVC	6-17-83	
LSB 2	45224.0	50824.5	225.0-195.0	235.2	PVC	6-20-83	
LSB 3	45388.7	50729.7	226.6-196.6	236.4	PVC	6-23-83	
LSB 4	45321.6	50513.0	221.5-191.5	231.5	PVC	6-21-83	

MCB WELL SERIES

Description Miscellaneous Chemical Basin
 Bldg. Number 731-5A
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MCB 2	97012.6	45129.0	225.9-205.9	328.4	PVC	4-13-87	
MCB 4	97532.5	44705.1	229.6-208.6	350.4	PVC	4-02-87	
MCB 5	97335.6	44863.9	226.3-206.3	339.6	PVC	4-14-87	
MCB 6	97425.7	45214.0	219.7-199.7	332.1	PVC	8-10-87	

MGA WELL SERIES

Description Series A, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGA 1	76003.6	55100.1	244.5-224.5	282.5	Steel	2-18-76	
MGA 3	75893.1	55264.0	245.5-225.5	283.5	Steel	2-19-76	
MGA 5	75766.8	55417.0	246.3-226.3	286.3	Steel	4-15-76	
MGA 7	75644.0	55571.9	245.6-225.6	285.6	Steel	4-12-76	
MGA 11	75409.9	55891.2	246.4-226.4	296.4	PVC	1-02-73	
MGA 19	74927.0	56527.0	250.2-230.2	284.2	PVC	10-09-72	
MGA 21	74811.5	56687.2	251.2-231.2	288.2	PVC	10-17-72	
MGA 23	74688.6	56844.5	249.7-229.7	285.7	PVC	10-12-72	
MGA 32	74144.8	57565.0	252.6-232.6	286.6	PVC	11-06-72	

MGA WELL SERIES (cont.)

Description Series A, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGA 34	74023.6	57728.9	254.7-234.7	292.7	PVC	11-07-72	
MGA 36	73904.0	57891.5	256.3-236.3	298.3	PVC	11-03-72	

Abandoned or Inactive:

MGA 9	75529.8	55732.6	245.9-225.9	288.9	Steel	4-07-76	
-------	---------	---------	-------------	-------	-------	---------	--

The MGA Series is one of the Grid Series. The other Grid Series are MGC, MGE, MGG, and MGI.

MGC WELL SERIES

Description Series C, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGC 1	75849.0	54978.2	240.8-220.8	278.8	Steel	2-06-76	
MGC 3	75733.0	55139.7	242.7-222.7	281.7	Steel	2-05-76	
MGC 5	75606.6	55293.0	244.0-224.0	284.0	Steel	2-09-76	
MGC 7	75502.4	55465.0	244.6-224.6	284.6	Steel	2-10-76	
MGC 9	75372.1	55610.7	239.1-219.1	284.1	PVC	1-04-73	
MGC 11	75252.3	55770.7	241.2-221.2	291.2	PVC	3-14-73	
MGC 13	75132.7	55931.4	247.5-227.5	292.5	PVC	2-06-73	
MGC 15	75008.6	56089.7	244.6-224.6	289.6	PVC	2-06-73	
MGC 17	74887.1	56251.5	249.7-229.7	284.7	PVC	5-23-73	
MGC 19	74770.1	56408.7	236.6-232.6	286.6	PVC	7-17-72	
MGC 21	74649.9	56566.5	250.4-230.4	287.4	PVC	10-18-72	
MGC 23	75528.3	56726.6	251.7-231.7	287.7	PVC	11-16-72	
MGC 30	74099.3	57292.3	251.7-231.7	282.7	PVC	11-08-72	
MGC 32	73982.1	57448.8	263.0-243.0	298.0	PVC	11-08-72	
MGC 34	73859.9	57612.0	256.5-236.5	291.5	PVC	11-13-72	
MGC 36	73738.9	57776.0	256.6-236.6	296.6	PVC	11-13-72	

The MGC Series is one of the Grid Series. The other Grid Series are MGA, MGE, MGG, and MGI.

MGE WELL SERIES

Description Series E, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGE 1	75695.1	54857.4	241.7-221.7	279.7	Steel	4-13-76	
MGE 3	75573.9	55015.9	241.4-221.4	281.4	Steel	4-14-76	
MGE 5	75453.8	55174.7	242.7-222.7	282.7	Steel	2-11-77	
MGE 7	75333.0	55331.3	242.1-222.1	282.1	Steel	2-20-76	
MGE 9	75215.1	55489.4	240.6-220.6	283.6	PVC	2-16-73	
MGE 13	74971.0	55809.9	243.4-223.4	288.4	PVC	2-16-73	
MGE 17	74731.6	56127.3	246.1-226.1	286.1	PVC	2-03-72	
MGE 19	74608.5	56287.6	246.9-226.9	283.9	PVC	2-15-72	
MGE 21	74487.8	56446.2	250.0-230.0	285.0	PVC	4-27-72	
MGE 23	74369.3	56609.2	249.4-229.4	282.4	PVC	4-18-72	
MGE 30	73935.8	57175.4	251.2-231.2	282.2	PVC	1-05-72	
MGE 32	73819	57332.6	254.8-234.8	287.8	PVC	1-20-72	
MGE 34	73695	57495.1	259.4-239.4	294.4	PVC	6-06-72	
MGE 36	73573	57657.3	256.7-236.7	295.7	PVC	6-06-72	

Abandoned or Inactive:

MGE 15	74848.8	55970.6	241.0-221.0	285.0	PVC	2-19-73	
--------	---------	---------	-------------	-------	-----	---------	--

The MGE Series is one of the Grid Series. The other Grid Series are MGA, MGC, MGG, and MGI.

MGG WELL SERIES

Description Series G, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGG 1	75543	54739.6	239.0-219.0	277.0	Steel	2-17-76	
MGG 3	75410	54888.3	242.8-222.8	282.8	Steel	2-12-76	
MGG 5	75303	55058.6	243.8-223.8	283.8	Steel	2-13-76	
MGG 7	75172	55208.5	240.4-220.4	280.4	Steel	2-23-76	
MGG 9	75071	55377.6	246.2-226.2	283.2	Steel	3-02-76	
MGG 13	74821	55690.9	245.3-225.3	286.3	Steel	8-30-74	
MGG 15	74699	55851.5	245.0-225.0	284.0	PVC	4-07-72	
MGG 17	74578	56011.7	248.1-228.1	282.1	PVC	4-10-72	
MGG 19	74456	56174.3	248.0-228.0	280.0	PVC	4-10-72	
MGG 21	74334	56333.1	248.6-228.6	279.6	PVC	2-27-73	
MGG 23	74214	56491.8	248.8-228.8	277.8	PVC	2-27-73	

MGG WELL SERIES (cont.)

Description Series G, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGG 28	73905	56895.4	252.5-232.5	276.5	Steel	8-27-74	
MGG 30	73781	57059.5	255.0-235.0	280.0	PVC	10-25-72	
MGG 32	73659	57218.0	256.3-236.3	286.3	PVC	8-02-72	
MGG 34	73536	57379.7	255.6-235.6	290.6	PVC	6-08-72	
MGG 36	73413	57541.7	253.2-233.2	291.2	PVC	6-08-72	

Abandoned or Inactive:

MGG 13CL	74811	55690.9			PVC	4-07-72	
MGG 28CL	73905	56885.4			PVC	10-25-72	

The MGG Series is one of the Grid Series. The other Grid Series are MGA, MGC, MGE, and MGI.

MGI WELL SERIES

Description Series I, Monitoring Grid Wells for Burial Grounds
 Bldg. Number Old Burial Ground, 643-G
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MGI 1	75381	54613.8	241.8-221.8	279.8	Steel	3-01-76	
MGI 5	75131	54924.8	242.1-222.1	278.4	Steel	2-26-76	
MGI 7	75030	55099.1	244.1-224.1	278.1	Steel	2-25-76	
MGI 9	74908	55252.4	243.7-223.7	280.7	Steel	2-24-76	
MGI 13	74660	55570.4	241.1-221.1	282.1	PVC	5-15-73	
MGI 15	74538	55730.7	224.5-220.5	279.5	PVC	5-08-73	
MGI 17	74417	55890.3	243.5-223.5	277.5	PVC	5-08-73	

Abandoned or Inactive:

MGI 3	75255	54768.6	238.4-218.4	281.6	Steel	2-27-76	
-------	-------	---------	-------------	-------	-------	---------	--

The MGI Series is one of the Grid Series. The other Grid Series are MGA, MGC, MGE, and MGG.

MSB WELL SERIES

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells
Bldg. Number HWMF: 904-51G, -112G (Lost Lake)
Plume Definition Wells: Not applicable
Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
¹ MSB 1A	101833.7	48467.3	253.4-223.4	353.4	PVC	1-01-83*	
¹ MSB 2A	102028.3	48746.4	252.7-222.7	352.7	PVC	1-01-83*	
¹ MSB 3A	102189.9	48553.7	259.8-229.8	359.8	PVC	1-01-83*	
¹ MSB 4A	101933.4	48313.0	254.9-224.9	354.9	PVC	10-08-82	
¹ MSB 5A	101971.5	46998.7	247.6-217.6	344.6	PVC	10-25-82	
¹ MSB 6A	101133.8	46319.9	241.9-211.9	343.9	PVC	10-01-82*	
¹ MSB 7A	100585.7	46726.1	242.1-212.1	344.5	PVC	10-01-82*	
¹ MSB 8A	100815.1	47293.2	242.5-212.5	344.2	PVC	10-01-82*	
MSB 9A	102236.7	48242.5	143.7-138.7	359.4	PVC	7-28-81	
MSB 9B	102239.4	48251.7	208.7-203.7	359.6	PVC		
MSB 9C	102245.6	48273.0	241.3-221.3	359.1	PVC	12-18-81	
MSB 10A	102451.8	47954.4	122.9-117.9	355.0	PVC	9-03-81	
MSB 10B	102488.2	47943.1	154.5-149.5	354.7	PVC	9-11-81	
MSB 10C	102465.6	47951.1	209.7-205.5	356.0	PVC	9-01-81	
MSB 10D	102476.9	47947.4	249.7-229.7	355.5	PVC	9-09-81	
MSB 11A	102638.9	48577.6	135.4-130.4	364.9	PVC	10-14-81	
MSB 11B	102648.9	48578.5	165.6-160.6	364.8	PVC	10-09-81	
MSB 11C	102658.6	48579.4	182.4-177.4	364.9	PVC	10-13-81	
MSB 11D	102669.5	48579.7	208.3-203.3	365.2	PVC	10-15-81	
MSB 11E	102678.5	48579.6	250.9-230.9	365.2	PVC	10-16-81	
MSB 11F	102629.3	48577.0	242.5-222.5	364.8	PVC	12-01-81	
MSB 12A	102283.2	47138.2	120.9-115.9	347.8	PVC	10-29-81	
MSB 12B	102251.8	47139.6	161.2-156.2	348.4	PVC	10-14-81	
MSB 12C	102274.4	47138.4	182.9-177.9	347.9	PVC	10-19-81	
MSB 12D	102262.2	47139.7	244.3-224.3	348.1	PVC	10-05-81	
MSB 12TA	102266.7	47127.3	(103.7-113.7)	348.5	Steel	12-01-81	
MSB 12TB	102260.1	47133.0	13.7-(6.3)	348.9	Steel	12-01-81	
¹ MSB 13A	101725.7	47525.4	134.9-129.9	345.2	PVC	10-22-81	
¹ MSB 13B	101735.7	47523.5	176.2-171.2	345.6	PVC	10-28-81	
¹ MSB 13C	101745.7	47521.9	242.6-222.6	345.7	PVC	10-07-81	
MSB 14A	101629.5	48521.9	164.5-144.5	348.3	PVC	10-19-81	
MSB 14B	101639.0	48519.1	193.7-188.7	348.7	PVC	10-20-81	
MSB 14C	101648.6	48517.3	243.7-223.7	348.7	PVC	10-09-81	
MSB 15A	102983.5	48827.0	167.2-162.2	367.2	PVC	11-09-81	

¹ Point-of-compliance well for the M-Area HWMF, comprising the M-Area Settling Basin (904-51G), Lost Lake (904-112G), an overflow ditch, and a seepage area.

The Screen Zone Elevations in parentheses are in feet below MSL.

MSB WELL SERIES (cont.)

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells
Bldg. Number HWMF: 904-51G, -112G (Lost Lake)
Plume Definition Wells: Not applicable
Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MSB 15AA	102953.2	48818.5	147.4-142.7	369.5	PVC	2-20-89	
MSB 15C	103002.1	48834.0	260.4-240.4	366.6	PVC	11-10-81	
MSB 15D	102971.2	48827.5	241.7-222.2	368.8	PVC	9-06-88	
MSB 16A	103693.9	48965.1	166.2-161.2	366.7	PVC	11-16-81	
MSB 16C	103714.1	48970.5	244.0-224.0	366.6	PVC	12-09-81	
MSB 17A	101976.6	46245.7	159.6-154.6	358.0	PVC	11-02-81	
MSB 17B	101994.6	46237.7	190.0-185.0	357.9	PVC	12-16-81	
MSB 17BB	102009.5	46220.8	137.6-132.9	359.3	PVC	1-09-88	
MSB 17C	102004.6	46234.3	253.3-233.3	358.1	PVC	11-03-81	
MSB 17D	102056.9	46226.2	233.1-213.6	360.2	PVC	9-16-88	
MSB 18A	100416.1	46110.4	162.3-157.3	340.2	PVC	12-09-81	
MSB 18B	100424.1	46115.7	197.0-192.0	340.3	PVC	12-01-81	
MSB 18C	100430.9	46121.4	227.3-207.3	340.6	PVC	12-01-81	
MSB 19A	100983.0	50934.4	119.6-114.6	299.5	PVC	12-08-81	
MSB 19B	100999.3	50934.8	147.4-142.4	299.9	PVC	12-11-81	
MSB 19C	100992.1	50942.4	218.1-198.1	300.2	PVC	12-09-81	
MSB 20A	103545.1	46060.5	161.2-156.2	354.0	PVC	11-20-81	
MSB 20C	103556.3	46088.8	232.4-212.4	353.3	PVC	11-23-81	
MSB 21A	103967.0	47217.2	157.8-152.8	353.4	PVC	11-19-81	
MSB 21B	104000.1	47271.8	147.5-142.8	355.3	PVC	2-20-89	
MSB 21C	103973.0	47234.6	231.8-211.8	353.4	PVC	11-23-81	
MSB 21TA	103980.9	47218.2	24.0- 18.7	354.7	PVC	12-01-81	
MSB 22	102186.5	48508.8	241.7-221.7	359.0	PVC	6-01-82	
MSB 23	104312.0	49294.0	250.4-230.4	371.8	PVC	8-01-82	
MSB 23B	104336.6	49286.4	176.1-171.1	371.6	PVC	2-16-83	
MSB 23TA	104298.8	54225.8	65.4- 60.4	372.9	Steel		
MSB 24	104614.4	49842.9	243.9-223.9	380.2	PVC	9-22-82	
MSB 24A	104625.3	49845.3	178.8-168.8	381.6	PVC	2-07-83	
MSB 25	103498.8	49668.9	244.7-224.7	366.9	PVC	8-01-82	
MSB 25A	103504.8	49657.9	169.7-159.7	366.4	PVC	2-02-83	
MSB 26	104612.8	48941.7	240.5-220.5	361.6	PVC	8-01-82	
MSB 26A	104602.3	48440.7	179.2-169.2	360.9	PVC	1-12-83	
MSB 26B	104646.7	48944.6	137.2-132.4	363.2	PVC	2-13-89	
MSB 27	104972.8	49487.7	244.0-234.0	375.5	PVC	8-01-82	
MSB 27A	104962.8	49487.8	203.8-193.8	375.2	PVC	1-11-83	
MSB 27B	104940.3	49486.4	169.9-164.4	376.8	PVC		
MSB 27TA	104951.4	49486.5	55.9- 50.6	376.6	C.S.		
MSB 28	104941.8	48517.3	230.6-210.6	354.4	PVC	8-01-82	
MSB 28A	104947.7	48521.9	157.6-152.6	354.2	PVC	1-14-83	

MSB WELL SERIES (cont.)

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells
Bldg. Number HWMF: 904-51G, -112G (Lost Lake)
Plume Definition Wells: Not applicable
Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
² MSB 29A	107326.8	51236.4	124.5-118.9	365.4	PVC		
² MSB 29B	107319.3	51217.5	153.3-147.7	365.2	PVC	4-01-86*	
² MSB 29C	107315.0	51206.6	181.2-175.6	365.2	PVC	4-01-86*	
² MSB 29D	107323.3	51226.9	229.5-208.9	365.1	PVC	4-01-86*	
MSB 29DD	107311.4	51191.3	250.6-230.6	364.6	PVC	8-23-88	
² MSB 29TA	107330.4	51245.7	65.6- 60.3	365.2	C.S.		
MSB 30A	105727.4	48004.1	36.6- 26.6	354.6	PVC	3-29-83	
MSB 30AA	105715.7	47970.5	97.6- 92.0	352.6	PVC		
MSB 30B	105719.9	47981.8	129.9-124.3	353.1	PVC		
MSB 30C	105731.1	48013.7	237.2-217.2	354.9	PVC		
MSB 30CC	105724.2	47993.3	165.3-159.7	353.7	PVC		
MSB 31A	101979.3	50100.2	22.0- 12.0	347.2	PVC		
MSB 31B	101981.3	50078.7	157.2-152.2	347.5	PVC	5-03-83	
MSB 31C	101979.6	50089.9	236.0-216.0	347.3	PVC	5-05-83	
MSB 31CC	101983.1	50067.9	181.6-176.9	348.8	PVC	2-27-89	
MSB 32	99655.6	52733.9	217.7-197.7	255.3	PVC		
MSB 33	98031.0	51736.3	229.3-209.3	256.6	PVC	4-28-83	
⁷⁵ MSB 33A	98006.7	51738.0	89.9- 84.3	255.4	PVC		
MSB 33B	97995.9	51741.9	127.9-122.3	255.2	PVC		
MSB 33C	97984.8	51746.7	172.8-167.2	255.3	PVC		
MSB 33TA	98018.2	51734.0	24.9- 19.7	255.5	C.S.		
MSB 34A	104954.9	50534.9	118.3-113.3	383.2	PVC		
MSB 34B	104944.7	50534.9	186.8-181.8	383.1	PVC		
MSB 34C	104934.1	50535.5	240.7-220.7	383.2	PVC		
MSB 34TA	104905.8	50536.6	(92.7-102.7)	382.5	Steel		
MSB 34TB	104891.6	50537.9	75.8- 65.8	382.8	Steel		
MSB 35A	102098.0	50945.2	130.8-125.2	351.1	PVC		
MSB 35B	102110.8	50947.9	171.0-165.4	351.8	PVC		
MSB 35D	102122.4	50949.7	256.2-235.5	352.1	PVC		
MSB 35TA	102101.6	50919.6	40.1- 34.8	350.4	C.S.		
MSB 36A	100511.3	49514.9	101.9- 96.3	340.6	PVC		
MSB 36B	100514.9	49526.3	164.8-159.2	340.7	PVC		
MSB 36C	100518.3	49537.2	194.8-189.2	340.8	PVC		
MSB 36D	100521.7	49548.3	249.7-229.0	341.5	PVC		

² Background well for the M-Area HWMF, comprising the M-Area Settling Basin (904-51G), Lost Lake (904-112G), an overflow ditch, and a seepage area.

The Screen Zone Elevation in parenthesis is in feet below MSL.

MSB WELL SERIES (cont.)

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells
Bldg. Number HWMF: 904-51G, -112G (Lost Lake)
Plume Definition Wells: Not applicable
Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MSB 36TA	100507.7	49503.0	55.0- 50.0	340.6	C.S.		
MSB 37A	105295.0	51439.8	74.5- 68.9	383.1	PVC		
MSB 37B	105289.5	51450.0	143.7-138.1	382.8	PVC		
MSB 37C	105283.2	51439.8	181.5-175.9	383.1	PVC		
MSB 37D	105271.0	51440.3	246.4-225.7	382.8	PVC		
MSB 37TA	105301.3	51449.8	36.9- 31.6	382.4	C.S.		
MSB 38B	102360.8	49746.1	144.0-139.3	356.6	PVC	10-19-88	
MSB 38C	102373.1	49762.0	166.5-161.8	356.3	PVC	10-20-88	
MSB 38D	102385.6	49777.8	237.9-218.4	356.0	PVC	9-16-88	
MSB 38TA	102434.9	49810.4	30.8- 25.6	356.7	C.S.		
MSB 39A	100837.6	48367.3	112.8-107.2	341.6	PVC		
MSB 39B	100844.6	48376.9	150.7-145.1	341.8	PVC		
MSB 39C	100852.1	48386.7	200.6-195.0	341.5	PVC		
MSB 39D	100858.7	48396.0	240.5-219.9	341.7	PVC		
MSB 39TA	100830.6	48357.7	50.9- 45.7	341.8	C.S.		
MSB 40A	97672.8	48279.4	117.7-112.1	321.2	PVC		
MSB 40B	97685.0	48281.6	155.8-150.2	321.7	PVC		
MSB 40C	97697.8	48283.5	192.8-187.2	322.1	PVC		
MSB 40D	97709.3	48285.1	237.0-216.4	322.9	PVC		
MSB 40TA	97660.4	48277.2	30.7- 25.5	320.8	C.S.		
MSB 41A	102184.4	53424.1	89.1- 83.5	323.8	PVC		
MSB 41B	102194.5	53417.8	115.0-109.4	324.0	PVC		
MSB 41C	102203.9	53410.6	152.8-147.2	324.6	PVC		
MSB 41D	102213.4	53403.7	247.7-227.0	325.0	PVC		
MSB 41TA	102176.5	53429.7	28.1- 22.9	323.7	C.S.		
MSB 42A	104557.9	51582.3	130.8-125.2	376.6	PVC		
MSB 42B	104569.8	51582.8	167.8-162.2	376.5	PVC		
MSB 42C	104581.9	51582.8	205.8-200.2	376.5	PVC		
MSB 42D	104595.2	51582.5	248.7-228.2	376.5	PVC		
MSB 42TA	104545.6	51581.7	47.4- 42.1	376.7	C.S.		
MSB 43A	107275.3	49293.7	141.8-136.2	357.9	PVC	4-01-86*	
MSB 43B	107274.6	49311.8	176.7-171.1	358.0	PVC	4-01-86*	
MSB 43D	107274.2	49322.0	221.6-201.0	357.5	PVC	4-01-86*	
MSB 43DD	107273.0	49341.2	243.4-223.3	358.1	PVC	8-23-88	
MSB 43TA	107275.8	49281.8	41.9- 36.7	357.6	C.S.		
MSB 44A	103296.5	51106.9	134.1-124.1	376.9	PVC		
MSB 44B	103296.2	51096.4	184.1-174.1	377.1	PVC		

² Background well for the M-Area HWMF, comprising the M-Area Settling Basin (904-51G), Lost Lake (904-112G), an overflow ditch, and a seepage area.

MSB WELL SERIES (cont.)

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells

Bldg. Number HWMF: 904-51G, -112G (Lost Lake)
Plume Definition Wells: Not applicable

Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MSB 44C	103296.3	51106.6	239.9-229.9	377.9	PVC		
MSB 45A	103998.1	50554.7	138.9-128.9	381.1	PVC		
MSB 45B	103987.9	50555.3	189.8-179.8	381.1	PVC		
MSB 45C	103997.7	50554.7	243.4-233.1	381.1	PVC		
MSB 46A	103098.6	50548.3	129.7-119.7	372.7	PVC		
MSB 46B	103102.4	50557.5	189.7-179.7	373.7	PVC		
MSB 46C	103098.5	50548.7	246.8-236.8	372.8	PVC		
MSB 47B	106978.5	52207.2		369.0	PVC		
MSB 47C	106969.2	52195.5		369.3	PVC		
MSB 47D	106960.1	52184.0		369.2	PVC		
MSB 47TA	106987.7	52219.0		369.0	C.S.		
MSB 48D	107914.4	54056.3	243.4-221.9	363.2	PVC		
MSB 49A	99759.0	45864.6	77.4- 72.7	335.4	PVC	1-20-89	
MSB 49B	99737.8	45868.2		334.8	PVC		
MSB 49D	99724.9	45856.4		334.2	PVC		
MSB 50B	96433.0	51053.5		224.0	PVC		
MSB 50D	96416.7	51044.1		223.5	PVC		
MSB 51B	96992.7	52818.0		263.5	PVC		
MSB 51D	97015.7	52816.2		262.5	PVC		
MSB 51DD	97006.2	52830.3		263.3	PVC		
MSB 52B	103077.7	53418.4		321.9	PVC		
MSB 52D	103062.7	53416.8		321.8	PVC		
MSB 53B	106443.6	54574.3	152.6-147.9	344.6	PVC	2-7-89	
MSB 53C	106456.2	54540.5		345.5	PVC		
MSB 53D	106448.2	54553.1	244.6-223.3	345.1	PVC		
MSB 54B	108446.8	52970.5		373.7	PVC		
MSB 54C	108447.4	52955.7		373.7	PVC		
MSB 54D	108461.5	52984.5	244.5-223.5	374.0	PVC		
MSB 54TA	108446.3	52985.8		373.8	C.S.		
MSB 55D	108391.4	52032.5	245.5-224.3	368.4	PVC		
MSB 56D	108463.5	44207.9	232.2-210.9	279.8	PVC		
MSB 61C	106091.1	55406.6		317.6	PVC		
MSB 61D	106094.6	55390.6		318.1	PVC		
MSB 65D	101915.5	49413.7	244.2-224.7	349.5	PVC	10-12-88	
MSB 66B	105842.0	51064.6	144.0-139.3	383.5	PVC	11-17-88	
MSB 66C	105842.1	51053.5	171.0-166.3	383.5	PVC	11-28-88	
MSB 66D	105841.8	51044.0	249.5-219.4	383.3	PVC	12-21-88	

MSB WELL SERIES (cont.)

Description M-Area Hazardous Waste Management Facility (HWMF) and
Plume Definition Wells
Bldg. Number HWMF--904-51G, -112G (Lost Lake)
Plume Definition Wells--Not applicable
Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
MSB 66TA	105842.6	51096.7	35.7- 31.0	382.8	****	12-21-88	
MSB 67B	106842.0	51989.6	134.9-130.1	365.1	PVC	11-09-88	
MSB 67C	106819.8	51988.6	174.9-170.1	364.8	PVC	11-11-88	
MSB 67D	106830.7	51971.5	241.0-221.5	365.0	PVC	11-11-88	
MSB 68B	106744.9	52308.5	133.0-128.3	356.9	PVC	12-01-88	
MSB 68C	106730.5	52304.9	171.7-167.0	356.7	PVC	12-14-88	
MSB 68D	106741.4	52293.6	239.9-220.4	357.0	PVC	12-06-88	
MSB 69B	107776.1	52432.9	144.7-140.0	381.7	PVC	1-26-89	
MSB 69C	107780.1	52447.5	175.7-171.0	381.8	PVC	1-31-89	
MSB 69D	107784.3	52462.0	239.9-220.4	382.2	PVC	2-01-89	
MSB 69TA	107772.5	52418.4	80.4- 74.7	381.5	***	1-26-89	
MSB 70C	101785.2	45012.0	179.2-174.5	362.2	PVC	8-29-88	
MSB 71B	103801.6	44054.7	136.2-131.4	345.1	PVC	10-28-88	
MSB 72B	96387.6	48350.3	156.6-151.9	328.2	PVC	1-31-89	
MSB 73B	99270.3	45694.0	136.2-131.5	340.4	PVC	2-03-89	
Abandoned:							
MSB 1	101824.2	48486.1	239.8-219.8	353.4	Steel	11-12-79	1-01-83*
MSB 2	101999.2	48741.9	263.0-243.0	352.3	Steel	11-19-79	1-01-83*
MSB 3	102181.6	48530.7	255.0-235.0	359.6	Steel	12-04-79	1-01-83*
MSB 4	102010.4	48313.8	256.7-236.7	355.1	Steel	3-21-80	1-01-83*
MSB 5	101768.7	46983.8	247.8-227.8	339.1	Steel	2-10-81	10-01-82*
MSB 6	101080.1	46462.6	248.4-228.4	339.7	Steel	2-03-81	10-01-82*
MSB 7	100730.7	46785.9	250.2-230.2	340.7	Steel	2-27-81	10-01-82*
MSB 8	100944.0	47145.4	248.2-228.2	339.4	Steel	2-24-81	10-01-82*
MSB 23A	104314.9	49290.7	62.4- 52.4	371.5	PVC	3-22-83	9-30-88

*** This well has 4-in. PVC casing inside 12-in. steel casing. The steel casing does not extend as deeply as the PVC casing. The screen is stain less steel.

**** This well has 4-in. PVC casing, inside 8-in. C.S. intermediate casing, inside 12-in. C.S. surface casing. The C.S. casings do not extend as deeply as the PVC casing. The screen is stainless steel.

During initial development of MSB 66D, formation sediments and gravel pack seeped into the well, indicating that the upper screen or lower casing had broken. A 2-in. PVC casing was installed inside the 4-in. casing to salvage the well.

MWD WELL SERIES

Description Mixed Waste/Hazardous Waste Disposal Facility

Bldg. Number

Map

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
MWD	1A	69592.8	75121.9	122.5- 57.4	329.5	PVC	5-26-88	
MWD	1B	69611.8	75114.1	133.8-131.6	329.6	PVC	5-18-88	
MWD	1C	69607.6	75127.8	207.0-172.0	328.6	PVC	4-11-88	
				167.0-157.0				
MWD	1D	69598.7	75108.1	272.9-227.8	330.0	PVC	4-06-88	
MWD	2A	69768.8	75241.1	122.7- 57.5	324.4	PVC	4-26-88	
MWD	2C	69771.5	75255.5	202.5-152.4	324.3	PVC	4-14-88	
MWD	2D	69761.4	75266.6	267.5-247.5	324.6	PVC	5-09-88	
MWD	3A	69839.4	74755.5	123.7-103.7	330.8	PVC	5-10-88	
MWD	5A	69234.7	75490.8	122.0- 56.9	324.6	PVC	5-06-88	
MWD	5C	69226.8	75500.2	202.6-152.5	325.1	PVC	4-25-88	
MWD	5D	69220.3	75486.6	269.5-249.5	324.9	PVC	4-01-88	
MWD	8	70074.0	75101.5	273.7-253.7	325.8	PVC	3-30-88	
MWD	9	68948.9	75201.0	260.6-240.6	322.5	PVC	3-31-88	
MWD	10	69508.7	75085.6	205.2-159.8	330.9	PVC	6-03-88	
MWD	11	69475.5	75067.9	124.4- 63.9	330.8	PVC	6-17-88	

MWD 1C has 5 ft of casing set between 172.0 and 167.0 ft MSL, and a screen above 172.0 ft and one below 167.0 ft.

MWD 2D and 11 were originally constructed in other locations. MWD 2D was abandoned because the screen was broken. MWD 11 was abandoned because the casing joint failed during the second stage of grouting. These first wells were never accepted by Du Pont. The data above are for the wells that were accepted as replacements by Du Pont.

NBG WELL SERIES

Description Naval Fuels Background Wells

Bldg. Number 247-F

Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
NBG	1	79300.4	53879.3	232.3-200.9	311.5	PVC	3-26-86	
NBG	2	79099.8	53958.4	233.6-203.6	312.7	PVC	4-04-86	
NBG	3	78939.6	54068.1	233.5-202.1	312.4	PVC	3-24-86	
NBG	4	78942.1	54329.2	227.5-196.1	306.5	PVC	4-01-86	
NBG	5	78943.4	54515.6	226.4-194.9	303.5	PVC	3-28-86	

OBS Wells (see UNIDENTIFIED WELLS)

PAC WELL SERIES

Description P-Area Acid/Caustic Basin
 Bldg. Number 904-78G
 Map See page A-31; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PAC 1	43543.3	66753.4	283.9-253.9	295.9	PVC	11-03-83	
PAC 2	43527.7	66980.9	277.9-247.9	284.8	PVC	11-04-83	
PAC 3	43585.6	66861.4	282.9-252.9	289.9	PVC	11-03-83	
PAC 4	43495.4	66863.2	280.6-250.6	291.6	PVC	7-06-84	
PAC 5	43561.7	66907.1	275.1-255.1	289.3	PVC	9-22-88	
PAC 6	43580.1	66894.7	275.2-255.2	289.4	PVC	9-23-88	

PCB WELL SERIES

Description P-Area Coal Pile Runoff Containment Basin
 Bldg. Number 189-P
 Map See page A-33; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PCB 1A	41988.2	65070.6	293.5-263.5	305.5	PVC	2-16-84	
PCB 2A	41821.4	64891.4	287.8-257.8	304.9	PVC	12-17-83	
PCB 3A	42036.0	64706.3	292.7-262.7	304.6	PVC	3-05-84	
PCB 4A	42171.0	64901.4	292.9-262.9	309.6	PVC	2-15-84	
Abandoned:							
PCB 1	41998.6	65066.5	276.1-256.1	305.6	Steel	3-31-80	1-01-84*
PCB 2	41823.2	64872.2	290.5-270.5	304.8	Steel	4-01-80	1-01-84*
PCB 3	42021.3	64705.9	293.4-273.4	303.7	Steel	4-03-80	3-06-84
PCB 4	42175.5	64884.5	294.8-274.8	309.1	Steel	4-02-80	1-01-84*

PDB WELL SERIES

Description P-Area Disassembly Basin
 Bldg. Number 105-P
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PDB 2	43513.1	64743.1	268.7-247.7	319.5	PVC	8-25-86	
PDB 3	43542.2	64938.2	269.1-248.1	319.5	PVC	8-28-86	

PRODUCTION WELLS (see DRB 5WW Well, FSB 1TA Well, HPT 1A Well, HSB 1TB Well, and PW WELL SERIES)

PRP WELL SERIES

Description P-Area Burning/Rubble Pit
 Bldg. Number 131-P
 Map See page A-32; see also Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PRP 1A	45349.8	63032.7	262.9-232.9	284.6	PVC	10-17-83	
PRP 2	45389.5	63229.0	264.1-234.1	286.4	PVC	10-18-83	
PRP 3	45200.7	63165.5	258.6-228.6	280.7	PVC	10-13-83	
PRP 4	45268.9	63345.9	262.9-232.9	284.7	PVC	7-05-84	

Abandoned:							
PRP 1	45349.8	63032.7			PVC	10-11-83	10-14-83

According to the Well Construction Details, PRP 1 had to be redrilled because the casing would not go down. The Drilling Requests indicate that PRP 1A was drilled in the same hole as PRP 1.

PSB WELL SERIES

Description P-Area Reactor Seepage Basins
 Bldg. Number 904-61G, -62G, -63G
 Map See page A-34; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PSB 1A	43619.3	64141.4	287.4-257.4	329.1	PVC	3-15-84	
PSB 2A	43612.4	63916.5	287.2-257.2	323.7	PVC	3-16-84	
PSB 3A	43599.8	63590.4	286.5-256.5	318.6	PVC	3-19-84	
PSB 4A	43534.2	63347.0	285.5-255.5	312.5	PVC	3-20-84	
PSB 5A	43440.5	63606.5	292.3-262.3	319.3	PVC	3-20-84	
PSB 6A	43436.0	63975.7	292.1-262.1	324.2	PVC	3-21-84	
PSB 7A	43553.3	64301.0	289.0-259.0	330.7	PVC	3-14-84	

Abandoned:

PSB 1	43620.5	64155.0			Steel	5-31-78	4-01-84*
PSB 2	43606.6	63906.6			Steel	6-01-78	4-01-84*
PSB 3	43599.5	63605.2			Steel	6-05-78	4-01-84*
PSB 4	43524.1	63346.8			Steel	6-05-78	4-01-84*
PSB 5	43438.4	63619.4			Steel	6-05-78	4-01-84*
PSB 6	43452.7	63972.8			Steel	6-06-78	4-01-84*
PSB 7	43538.1	64300.9			Steel	6-06-78	4-01-84*

PSS WELL SERIES

Description Par Pond Sludge Land Application Site
 Bldg. Number Not applicable
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
PSS 1D	37298.4	75773.3	202.1-182.1	219.6	PVC	11-14-88	
PSS 2D	36037.9	75910.1	197.1-177.1	228.7	PVC	11-14-88	
PSS 3D	35974.1	76138.7	198.5-178.5	234.0	PVC	11-14-88	

PW Wells (see UNIDENTIFIED WELLS)

~~PW WELL SERIES~~

Description Production Wells
Bldg. Number 905
Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
PW 8G	50477	89059		271.4	Steel	6-27-52	8-24-88
PW 9G	106905	72156	226.3-221.3	418.3	Steel	7-17-52	4-21-89

PZ WELL SERIES

Description Z-Area Piezometer Wells
Bldg. Number
Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
PZ 101					PVC		1-10-87
PZ 106	76327	66318			PVC		9-30-87
PZ 122	78645	67118			PVC		10-02-87
PZ 125					PVC		5-29-87
PZ 128							7-09-86
PZ 129	76680	67660			PVC		6-03-87
PZ 202	76107	67272			PVC		5-21-87
PZ 210					PVC		3-06-87
PZ 216					PVC		3-02-87
PZ 218	77297	67251			PVC		6-08-87
PZ 222	77585	66139			PVC		1-10-87

RAB WELL SERIES (see RAC WELL SERIES)

RAC WELL SERIES

Description R-Area Acid/Caustic Basin
 Bldg. Number 904-77G
 Map See page A-35; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RAC 1	55107.3	74570.7	277.3-247.3	283.6	PVC	10-21-83	
RAC 2	55026.3	74555.5	273.4-243.4	280.4	PVC	10-24-83	
RAC 3	55015.3	74667.5	272.3-242.3	279.3	PVC	10-25-83	
RAC 4	54984.0	74588.8	268.2-238.2	279.0	PVC	7-02-84	

The RAC Series has been designated the RAB Series in the past.

RESEARCH WELLS (see BG WELL SERIES, LAW WELL SERIES, MGA WELL SERIES, MGC WELL SERIES, MGE WELL SERIES, MGG WELL SERIES, MGI WELL SERIES)

RRP WELL SERIES

Description R-Area Burning/Rubble Pits
 Bldg. Number 131-R, -1R
 Map See page A-36; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RRP 1	54563.5	75634.6	272.4-242.4	284.4	PVC	10-20-83	
RRP 2	54468.3	75829.8	272.5-242.5	284.5	PVC	10-19-83	
RRP 3	54303.0	75853.0	268.1-238.1	280.1	PVC	10-20-83	
RRP 4	54294.5	75723.3	268.3-238.3	280.2	PVC	7-02-84	

RSA WELL SERIES

Description Series A, R-Area Reactor Seepage Basins
 Bldg. Number 904-60G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RSA 7	58065.7	75195.9			Steel	4-01-58*	
	58065.7	75195.9	289.5-269.6	312.4	PVC	11-26-84	

RSA WELL SERIES (cont.)

Description Series A, R-Area Reactor Seepage Basins
Bldg. Number 904-60G
Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
RSA 8		58068.3	75402.3			Steel	4-01-58*	
		58068.3	75402.3	285.5-265.6	312.3	PVC	11-21-84	
RSA 9		58123.8	75616.2			Steel	4-01-58*	
		58123.8	75616.2	284.5-264.6	311.7	PVC	11-21-84	
RSA 10		58172.8	75389.3			Steel	4-01-58*	
		58172.8	75389.3	288.7-268.8	311.3	PVC	11-26-84	
Abandoned or Inactive:								
RSA 1		57872.3	74820.7		310.4	Steel	1-14-58	4-19-61
RSA 2		57995.6	74828.4	274.7-	313.0	Steel	1-15-58	4-19-61
RSA 3		58075.6	74835.6	274.6-	310.4	Steel	1-17-58	4-19-61
RSA 4		58312.5	74843.5	283.9-	307.4	Steel	1-27-58	4-19-61
RSA 4A		58360.5	74799.0	280.2-	303.9	Steel	1-31-58	4-19-61
RSA 4B						Steel		4-19-61
RSA 5		58421.5	78854.0	281.1-	307.1	Steel	1-31-58	4-19-61
RSA 5A						Steel		4-19-61
RSA 5B						Steel		4-19-61
RSA 6		58159.0	75000.0	270.0-	312.3	Steel	1-30-58	
RSA 11		58494.5	75538.0		305.5	Steel	4-01-58*	4-19-61
RSA 12		58573.5	75173.6		305.9	Steel	4-01-58*	4-19-61
RSA 13		58500.0	74958.0		307.3	Steel	4-01-58*	4-19-61

As the result of a monitoring program review, sampling of 12 Series A wells was stopped in 1961 (Ashley, 1978). RSA 6 was still being read as late as 5-17-63. Consequently, the remaining abandoned wells listed above are the 12 discontinued wells. The abandon date listed is the last date the wells were sampled. The steel casings in RSA 7, 8, 9, and 10 were replaced with PVC in November 1984.

RSB WELL SERIES

Description Series B, R-Area Reactor Seepage Basins
Bldg. Number 904-103G and an abandoned sewer line
Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RSB 7	57692.8	75044.3			Steel	1-22-58	
	57692.8	75044.3	292.6-272.7	309.0	PVC	11-20-84	
RSB 8	57612.9	75178.2	294.3-274.3	305.8	Steel	9-26-76	

RSB WELL SERIES (cont.)

Description Series B, R-Area Reactor Seepage Basins
 Bldg. Number 904-103G and an abandoned sewer line
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>
<u>Well ID</u>		<u>North</u>	<u>East</u>	<u>Screen Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:								
RSB 9		57527.9	75378.3	264.9-	305.6	Steel	2-25-77	
Abandoned:								
RSB 1		57746.4	74507.6		302.6	Steel	1-16-58	4-19-61
RSB 2		57965.5	74734.3	274.1-	305.5	Steel	1-15-58	4-19-61
RSB 3		58411.4	74724.4		302.9	Steel	1-16-58	4-19-61
RSB 4		58640.9	74992.2	264.5-	303.0	Steel	1-23-58	4-19-61
RSB 4A		58644.0	74925.0		301.5	Steel	3-01-58*	4-19-61
RSB 4B						Steel		4-19-61
RSB 5		58596.0	75313.3	267.0-	305.6	Steel	1-23-58	4-19-61
RSB 6		58249.2	75102.0	272.1-	309.5	Steel	1-23-58	4-19-61

As the result of a monitoring program review, sampling of eight Series B wells was discontinued in 1961 (Ashley, 1978). The abandon date listed is the last date the wells were sampled. The steel casing in RSB 7 was replaced with PVC in November 1984.

RSC WELL SERIES

Description Series C, R-Area Reactor Seepage Basins
 Bldg. Number 904-103G, -104G, -57G, -58G, -59G, -60G
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>	
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen</u>	<u>Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:									
RSC	1	58111.6	74389.4	266.9-		306.1	Steel	1-16-58	
RSC	2	58543.0	74378.6	281.9-261.9		302.0	Steel	1-20-58	
RSC	3	58724.7	74699.7	278.6-258.6		301.3	Steel	1-20-58	
RSC	4	58900.3	75097.8	288.6-268.6		300.3	Steel	1-20-58	
RSC	5	58901.2	75484.9	278.3-258.3		304.9	Steel	1-23-58	
RSC	6	58607.1	75686.1	287.7-267.7		304.1	Steel	1-22-58	
RSC	7	58200.1	75686.2	283.4-263.4		307.8	Steel	1-23-58	
RSC	8	57818.1	75684.0			308.8	Steel	1-22-58	
RSC	9						Steel	1-21-58	
		59241.2	74565.3	271.6-251.6		301.8	Steel	11-04-76	
RSC	10	59542.7	75470.0	275.5-255.5		297.4	Steel	4-01-58*	

Four-inch galvanized steel casings replaced the original steel casings in the same boreholes in RSC 2, 3, 4, 5, 6, 7, 8, and 10 in October 1976. Screen zones for these wells are figured from the October 1976 Drilling Requests.

RSC WELL SERIES (cont.)

Description Series C, R-Area Reactor Seepage Basins
 Bldg. Number 904-103G, -104G, -57G, -58G, -59G, -60G
 Map See Olson (1987)

The Drilling Request for RSC 9 indicates that the old well could not be pulled; therefore, the casing was uncoupled 15 ft below ground level, the hole was filled with wet cement, and a new well was drilled.

RSD WELL SERIES

Description Series D, between R-Area Reactor Seepage Basins
 (904-103G) and R-Area Reactor Building
 Bldg. Number 904-103G, 105-R
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RSD 1	57440.8	75035.1	266.6-	301.0	Steel	1-27-58	
	57440.8	75035.1	287.7-267.9	300.5	PVC	11-26-84	
RSD 2A	57448.5	74811.5		301.2	Steel	7-30-64	
RSD 2B	57468.9	74810.7		303.6	Steel	7-30-64	
RSD 2C	57479.3	74810.6		301.7	Steel	4-17-64	
RSD 3	57451.6	74702.3	262.7-		Steel	1-24-58	
	57451.6	74702.3	289.1-269.3	300.8	PVC	11-19-84	
RSD 4	57441.4	75154.6	290.6-270.6	301.6	Steel	9-24-76	
RSD 5	57439.9	75207.0	289.6-269.6	301.7	Steel	10-06-76	
RSD 6	57441.3	75256.6	290.1-270.1	302.1	Steel	10-06-76	
RSD 7	57394.3	75178.4	287.3-267.3	293.4	Steel	2-28-77	
RSD 8	57394.0	75229.6	287.3-267.3	293.0	Steel	2-28-77	
RSD 9	57245.6	75185.9	271.7-251.7	292.6	Steel	2-25-77	
RSD 10	57246.6	75235.8		292.5	Steel	10-01-77*	
RSD 11	57249.1	75285.6		292.3	Steel	10-01-77*	

Abandoned:

RSD 2			268.5	301.2	Steel	1-24-58	7-30-64
-------	--	--	-------	-------	-------	---------	---------

PVC casing replaced steel casing in RSD 1 and RSD 3.

RSE WELL SERIES

Description Series E, R-Area Reactor Seepage Basins
 Bldg. Number 904-103G, -57G, -58G
 Map See Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RSE 1A	57734.5	74712.7	272.4-262.4	304.4	Steel	4-02-63	
	57734.5	74712.7	294.8-274.8	304.2	PVC	11-13-84	
RSE 1B	57731.4	74698.1		303.7	Steel	4-17-64	
	57731.4	74698.1	295.7-275.7	303.3	PVC	11-12-84	
RSE 1C	57730.8	74684.1		303.6	Steel	4-15-64	
	57730.8	74684.1	288.5-268.5	303.3	PVC	11-14-84	
RSE 2	57594.9	74743.5	268.8-258.8	302.8	Steel	4-02-63	
	57594.9	74743.5	289.5-269.7	302.5	PVC	11-09-84	
RSE 3A	57445.8	74931.2	288.0-268.2	301.0	PVC	11-13-84	
RSE 4A	57528.4	75101.1	270.6-260.6	304.6	Steel	4-05-63	
RSE 4B	57531.0	75096.2		305.9	Steel	7-01-64*	
RSE 4C	57533.6	75092.6		304.7	Steel	7-01-64*	
RSE 5	57588.9	74969.6		306.0	Steel	4-03-63	
RSE 6	57592.1	74815.1		304.6	Steel	4-03-63	
RSE 7	58481.5	74783.7	264.0-254.0	303.0	Steel	4-05-63	
	58481.5	74783.7	286.3-266.5	302.4	PVC	11-15-84	
RSE 8	58538.8	74869.4	263.1-253.1	302.1	Steel	4-05-63	
	58538.8	74869.4	291.0-271.2	302.2	PVC	11-14-84	
RSE 9	58463.3	74971.1	266.8-256.8	307.8	Steel	4-05-63	
	58463.3	74971.1	286.7-266.7	306.0	PVC	11-15-84	
RSE 10	58420.7	74848.3		307.8	Steel	5-18-63	
	58420.7	74848.3	290.5-270.7	304.7	PVC	11-15-84	
RSE 11	58357.6	74787.7		303.8	Steel	5-18-63	
RSE 12	58318.2	74842.3		305.8	Steel	5-18-63	
RSE 13	57507.6	75146.7		301.2	Steel	4-15-63	
RSE 18	58247.2	74839.5	288.1-268.1	307.1	Steel	10-07-76	
RSE 19	58318.4	74791.2	282.5-262.5	304.8	Steel	10-07-76	
RSE 24	57370.4	74638.9	257.6-237.6	294.1	PVC	1-08-87	
RSE 25	55824.5	74544.5	257.5-237.5	293.9	PVC	1-07-87	

Abandoned or Inactive:

RSE 1					Steel	7-01-63*	
RSE 3	57444	74932	263.4-253.4	301.4	Steel	4-02-63	
RSE 4					Steel	7-01-63	
RSE 14				304.0	Steel	4-17-65	
RSE 15				303.3	Steel	4-17-64	
RSE 16				304.5	Steel	4-17-64	
RSE 17				305.2	Steel		

Ashley (1978) states that the first 12 RSE wells were installed in 1963. Based on this information, RSE 4 is given an install date of 7-01-63. The field log for RSE 13 indicates this well was installed in 1963.

PVC casing replaced steel casing in RSE 1A, RSE 1B, RSE 1C, and RSE 2.

RSF WELL SERIES

Description Series F, R-Area Reactor Seepage Basins
 Bldg. Number 904-103G, -57G, -58G
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RSF 1	58505.3	74869.4	238.8-228.8	303.1	PVC	2-02-87	
RSF 2	57670.4	74628.6	235.3-224.8	302.8	PVC	2-16-87	
RSF 3	57621.4	75206.7	239.8-229.8	307.1	PVC	2-24-87	

RSS WELL SERIES

Description S-Area Defense Waste Processing Facility (DWPF)
 Bldg. Number Not applicable
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Inactive:							
RSS 1	74100	65100	218.2-215.2	293.8	Steel	1-22-75	
Abandoned:							
RSS 2	74100	65900	200.2-197.2	277.2	Steel	1-23-75	2-09-88
RSS 3	74800	64000	188.7-185.7	264.5	Steel	1-24-75	2-12-88
RSS 4	74800	64800	213.6-210.6	289.4	Steel	1-21-75	2-11-88
RSS 5	74800	65900	216.9-213.9	293.0	Steel	1-20-75	1-14-89

The RSS Series has been designated the RSSF Series in the past.

RSSF WELL SERIES (see RSS WELL SERIES)

RSW WELL SERIES

Description Series DW, R-Area Reactor Seepage Basins Dry Monitoring Wells

Bldg. Number 904-103G, -104G, -57G, -58G, -59G

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned or Inactive:							
RSW 1	57629.5	74872.7		304.6	Iron	10-05-76	
RSW 2	57629.2	74845.2		304.8	Iron	10-05-76	
RSW 3	57779.8	74697.2		303.2	Iron	10-05-76	
RSW 4	57778.7	74690.6		303.0	Iron	10-05-76	
RSW 5	57909.3	74856.7		308.1	Iron	10-05-76	
RSW 6	57441.7	75256.5		308.5	Iron	10-05-76	
RSW 7	58189.8	74886.0		307.9	Iron	10-05-76	
RSW 8	58190.4	74886.0		306.9	Iron	10-05-76	
RSW 9	58458.8	75026.1		306.2	Iron	10-05-76	
RSW 10	58467.0	75011.5		305.8	Iron	10-05-76	
RSW 11	58468.1	75431.7		308.4	Iron	10-05-76	
RSW 12	58505.3	75429.9		308.1	Iron	10-05-76	

RWM WELL SERIES

Description M-Area Recovery Wells (also used for plume definition)

Bldg. Number Not applicable

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RWM 1	102607.9	48580.6	232.0-172.0	365.5	C.S.	5-07-85	
RWM 2	104434.1	49205.5	208.3-198.3	371.3	C.S.	5-03-85	
			188.3-178.3				
			168.3-158.3				
			148.3-138.3				
RWM 3	104730.2	49680.0	214.0-204.0	377.0	C.S.	6-06-85	
			194.0-184.0				
			174.0-164.0				
			154.0-144.0				
RWM 4	103719.3	48948.2	211.9-201.6	366.5	C.S.	2-22-85	
			191.3-181.0				
			170.7-160.4				
			139.9-129.5				
RWM 5	103502.2	49628.0	216.8-206.4	366.9	C.S.	2-27-85	
			196.1-185.7				
			165.1-154.7				
			144.3-133.9				

RWM WELL SERIES (cont.)

Description M-Area Recovery Wells (also used for plume definition)
 Bldg. Number Not applicable
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
RWM 6	102001.5	50107.4	218.7-208.4 187.8-177.4 167.1-156.8 151.5-141.1	349.1	C.S.	5-03-85	
RWM 7	101904.6	49449.5	216.3-206.0 195.7-185.3 175.0-164.7 154.2-144.0	349.0	C.S.	2-25-85	
RWM 8	101948.2	47353.3	197.2-186.9 176.6-166.2 140.3-130.0 119.7-109.3	348.3	C.S.	2-21-85	
RWM 9	104099.8	50400.0	200.0-189.6 220.6-210.2 169.0-158.6 143.0-132.6	380.6	C.S.	2-26-85	
RWM 10	102000.9	48244.1	215.5-205.1 194.8-184.5 158.5-148.2 137.9-127.5	355.5	C.S.	2-21-85	
RWM 11	104875.0	50400.2	214.6-204.2 198.9-188.5 183.2-172.9 152.2-141.9	383.3	C.S.	2-26-85	

All of the RWM wells have four screen zones except for RWM 1, which has only one screen zone.

S Well (see UNIDENTIFIED WELLS)

S WELL SERIES

Description Wells predating the construction of SRS
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
S 9	74919	53785		260.0			
S 15	75381	53930		267.0			
S 16	75223	53491		261.8			

SB WELL SERIES

Description Special Burial Wells in the Burial Grounds
 Bldg. Number 643-28G
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
SB 1					PVC		5-26-88
SB 2					PVC		5-26-88
SB 3					PVC		5-26-88
SB 4					PVC		5-26-88
SB 5					PVC		5-27-88
SB 6					PVC		5-27-88
SB 7					PVC		5-27-88
SB 8					PVC		5-25-88
SB 9					PVC		5-25-88
SB 10					PVC		5-25-88
SB 11					PVC		5-25-88
SB 12					PVC		5-25-88
SB 13					PVC		5-25-88
SB 14					PVC		5-26-88
SB 15					Steel		5-25-88
SB 16					Steel		5-24-88
SB 17					Steel		5-24-88
SB 18					Steel		5-23-88
SB 19					Steel		5-23-88
SB 20					Steel		5-23-88

SBA WELL SERIES

The SBA Series was renamed the AMB Series in August 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985). See the AMB Series.

SBG WELL SERIES

Description S-Area Background Wells
 Bldg. Number Not applicable
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
SBG 1	74619.4	63749.1	220.7-190.7	262.4	PVC	9-19-85	
SBG 2	74570.2	64939.6	235.9-205.9	290.0	PVC	9-23-85	
SBG 3	73699.9	65265.6	236.6-206.6	286.6	PVC	9-24-85	
SBG 4	72399.8	65010.2	215.6-185.6	273.1	PVC	9-25-85	
SBG 5	72208.3	64499.0	219.4-199.4	284.5	PVC	1-15-87	
SBG 6	73599.3	63860.0	238.1-208.1	281.7	PVC	9-20-85	

SCA WELL SERIES

Description S-Area Canyon Building
 Bldg. Number 221-S
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
SCA 1					S.S.	5-02-86	
SCA 1A					S.S.	3-14-86	
SCA 2	73850.6	64697.1	245.9-215.9	288.9	S.S.	1-04-86	
SCA 2A	73855.8	64701.0	271.2-266.2	288.9	S.S.	1-02-86	

SDS WELL SERIES

Description Z-Area Saltstone Disposal Site Facility
 Bldg. Number 704-Z
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
SDS 1	75900	66400.0			PVC	11-15-79	4-27-87
SDS 2	77285.4	64923.2	237.6-217.6	289.6	PVC	4-03-81	5-28-87
SDS 3A	75643.4	64711.4	230.5-210.5	292.5	PVC	4-02-81	6-05-87
SDS 4	75816.5	63722.5	205.4-185.4	257.4	PVC	3-25-81	6-04-87
SDS 4A	75803.9	63726.0	233.4-228.4	257.6	PVC	5-05-81	6-04-87
SDS 5	75935.3	66712.5	238.2-218.2	289.8	PVC	4-24-81	3-10-87
SDS 5A					Steel		3-06-87

SDS WELL SERIES (cont.)

Description Z-Area Saltstone Disposal Site Facility

Bldg. Number 704-Z

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
SDS 6	76862.7	66991.8	236.9-216.9	290.0	PVC	4-11-81	4-20-87
SDS 7A	76515.7	67681.0	80.0- 75.0	276.6	Steel	4-23-81	1-27-88
SDS 7B	76518.2	67686.2	140.3-135.3	278.0	Steel	4-13-81	1-21-88
SDS 7C	76552.7	67694.0	189.2-184.2	277.2	Steel	4-11-81	1-15-88
SDS 7D	76527.4	67701.7	225.6-205.6	277.2	Steel	4-11-81	1-13-88
SDS 8	75399.8	67530.0	221.9-201.9	272.1	PVC	4-10-81	4-22-87
SDS 9	74819.4	66178.5	243.1-223.1	295.7	PVC	4-09-81	9-25-87
SDS 10	75572.0	65770.1	246.7-225.7	295.2	PVC	4-10-81	9-29-87
SDS 11	76410.9	65563.8	239.2-219.3	291.9	PVC	4-09-81	4-29-87
SDS 12A	77741.6	66610.5	141.4-136.4	278.7	Steel	3-27-81	1-11-88
SDS 12B	77749.9	66610.7	191.7-186.7	278.7	Steel	3-31-81	12-23-87
SDS 12C	77759.1	66610.4	226.1-206.1	279.1	Steel	4-01-81	12-17-87
SDS 13A	78900.0	66642.9	224.4-204.4	277.4	PVC	4-03-81	4-30-87
SDS 14	77872.6	67572.9	230.4-210.4	272.4	PVC	4-06-81	5-21-87
SDS 14A	77872.4	67577.1	257.8-252.8	271.0	PVC	5-05-81	5-20-87
SDS 15	77275.2	63979.7	232.0-212.0	284.9	PVC	3-24-81	1-27-88
SDS 16A	76420.9	68789.6	206.1-186.1	234.3		4-07-81	
SDS 16B	76510	68787			PVC		5-14-87
SDS 16C	76512	68781			PVC		5-12-87
SDS 17	74420.6	67353.7	216.6-196.6	271.3	PVC	4-08-81	5-05-87
SDS 18	77564.2	68278.7	235.3-215.3	267.6	PVC	4-08-81	5-22-87
SDS 18A	77579	68280			PVC		5-26-87
SDS 19	74937.5	68173.6	212.8-192.8	236.1	PVC	4-07-81	7-10-86
SDS 20A	77923	67309			PVC		5-11-87
SDS 20B	77925	67302			PVC		5-03-87
SDS 20C	77927	67295			PVC		5-06-87
SDS 21A	78951	67087			PVC		5-15-87
SDS 21B	78949	67080			PVC		5-07-87
SDS 21C	78946	67074			PVC		5-13-87
SDS 22A	76887	66304			PVC		4-09-87
SDS 22B	76895	66302			PVC		4-13-87
SDS 22C	76902	66300			PVC		4-14-87

D'Appolonia Consulting Engineers took boring samples from most of the well holes drilled in the SDS Series. Borings SDS 13 and 16 were abandoned, and wells were installed nearby. These wells were designated SDS 13A and SDS 16A in D'Appolonia (n.d.). There are conflicting coordinates and casing length reports for SDS 16A. SDS 3 is designated SDS 3A.

SLP WELL SERIES

Description S-Area Low Point Pump Pit
 Bldg. Number 511-S
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
SLP 1	72958.4	64449.1	248.0-228.0	284.8	PVC	11-09-87	
SLP 2	72863.4	64529.7	237.7-217.7	283.8	PVC	11-06-87	

SLW WELL SERIES

Description New Sanitary Landfill Piezometer Wells
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
SLW 1	87603.6	40299.8	180.0-160.0	304.1	PVC	4-17-88	
SLW 2	88690.5	40105.0	197.0-171.9	304.6	PVC	5-05-88	
SLW 3	88225.9	39205.5	188.7-168.7	278.7	PVC	5-13-88	
SLW 4	86999.9	39199.9	189.2-169.2	300.7	PVC	5-02-88	
SLW 5	87602.3	38105.7	194.6-174.6	242.0	PVC	4-27-88	
SLW 6	86797.0	38193.4	199.1-179.1	251.5	PVC	4-27-88	
SLW 7	88303.9	38100.8	174.1-154.1	231.1	PVC	4-21-88	
SLW 8	89267.2	38738.5	195.3-165.3	257.5	PVC	4-25-88	

SR WELL SERIES

The SR Series was renamed the SRW Series in September 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985).

SRW WELL SERIES

Description Silverton Road Waste Site
 Bldg. Number 731-3A
 Map See Olson (1987)

		<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		<u>Casing</u>	<u>Install</u>	<u>Abandon</u>	
<u>Well</u>	<u>ID</u>	<u>North</u>	<u>East</u>	<u>Screen</u>	<u>Zone</u>	<u>Casing</u>	<u>Type</u>	<u>Date</u>	<u>Date</u>
Active:									
SRW	1	103776.7	41407.0	230.2-200.2	315.2	PVC	10-21-81		
SRW	2	103721.8	41627.2	228.6-198.6	320.6	PVC	10-22-81		
SRW	2A	103720.8	41634.6	98.4- 88.6	320.6	PVC	8-08-83		
SRW	2B	103729.7	41631.7	162.6-152.8	320.6	PVC	12-20-83		
SRW	3A	103516.4	41851.2	193.1-163.1	332.1	PVC	8-20-84		
SRW	4	103359.9	41612.4	230.1-200.1	320.1	PVC	9-28-81		
SRW	5	103418.2	41240.0	224.6-194.6	309.4	PVC	10-29-81		
SRW	6	103602.7	41243.9	222.6-192.6	307.7	PVC	11-03-81		
SRW	7	103541.5	40926.2	217.5-197.5	299.1	PVC	5-03-82		
SRW	8	103470.0	40455.9	215.7-195.7	288.1	PVC	5-10-82		
SRW	9	103259.8	39688.4	196.3-166.3	253.4	PVC	7-20-82		
SRW	9A	103251.1	39692.9	124.3-114.4	253.3	PVC	8-21-83		
SRW	9B	103241.6	39697.6	162.4-152.6	253.4	PVC	12-19-83		
SRW	10	103387.9	40944.3	223.0-193.0	303.4	PVC	9-16-82		
SRW	11	103693.2	40874.2	220.6-190.6	295.8	PVC	9-20-82		
SRW	12A	103710.3	39013.3	113.7-103.9	236.3	PVC	9-20-83		
SRW	12B	103702.7	39020.3	156.1-146.3	236.3	PVC	12-17-83		
SRW	12C	103712.5	39023.1	198.9-179.1	236.3	PVC	9-30-83		
SRW	13A	103001.0	40668.2	103.6- 93.8	297.7	PVC	12-05-83		
SRW	13B	102993.6	40675.8	163.2-153.3	297.7	PVC	12-16-83		
SRW	13C	102986.5	40682.7	225.4-195.8	297.7	PVC	12-13-83		
SRW	14A	102831.3	41538.6	123.7-113.9	327.0	PVC	9-03-83		
				110.9-107.9					
SRW	14B	102836.1	41548.1	162.9-153.1	326.9	PVC	12-16-83		
SRW	14C	102824.2	41546.4	228.3-198.6	326.9	PVC	11-15-83		
SRW	15A	104778.0	41234.7	107.6- 97.8	319.1	PVC	10-02-83		
SRW	15B	104772.9	41252.5	161.6-151.8	319.1	PVC	11-12-83		
SRW	15C	104774.9	41245.1	217.3-187.7	319.1	PVC	10-18-83		
SRW	16A	103763.4	42830.9	144.1-119.4	346.8	PVC	10-28-83		
SRW	16B	103772.0	42825.8	169.9-160.1	346.8	PVC	11-13-83		
SRW	16C	103772.4	42841.8	235.7-205.7	346.6	PVC	7-04-84		

Abandoned:

SRW 3	103530.5	41843.4	238.4-208.4	331.4	PVC	10-27-81	8-20-84
-------	----------	---------	-------------	-------	-----	----------	---------

According to the Drilling Request, the first SRW 10 well was "backfilled with cement because of incorrect installation," and the second SRW 10 well was drilled 10 ft from the first well. SRW 14A has two screens.

The SR Series was renamed the SRW Series in September 1984 according to Table A-1, "Prefix Letter and Project Series in A/M Area," Marine and Bledsoe (1985).

SSS WELL SERIES

Description Sewage Sludge Application Site Wells--see below for specific locations

Bldg. Number 761-G, -1G, -2G, -3G, -4G, -5G, -6G, -7G, -8G

Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

SSS 1	54219.5	28968.8		194.9		11-04-80	
SSS 2	53846.7	27935.0		165.1		11-04-80	
SSS 3	53128.9	28216.6		163.6		11-04-80	
SSS 4	84842.7	39238.5		266.8			
SSS 5	82790.7	38596.7		240.0		11-04-80	
SSS 6	82482.2	39743.2		213.4		11-04-80	
SSS 7	84512.8	43286.0		226.6		11-04-80	
SSS 8	84276.7	43897.7		201.2		11-04-80	
SSS 9	84636.4	43949.1		203.3		11-04-80	
SSS 10	94196.0	58105.6		311.6		11-04-80	
SSS 11	93813.0	59015.8		304.1		11-04-80	
SSS 12	94044.1	59246.4		302.3		11-04-80	
PSS SSS 17	36539.5	76518.2		222.7		11-04-80	
SSS 19	83978.9	41113.2		230.2			
SSS 20	84490.9	41469.7		253.0			
SSS 21	86053.0	40518.4		286.5			
SSS 22	91202.7	66003.8		290.9			
SSS 23	93429.0	65994.1		301.0			
SSS 24	94097.7	65785.0		315.2			
SSS 25	34385.6	83709.7		203.2			
SSS 26	34059.2	83755.1		214.6			
SSS 27	33495.8	84747.7		213.8			

Abandoned:

KSS { SSS 13 ✓	47758.8	40220.3		228.6	PVC	11-04-80	11-03-88
SSS 14 ✓	46803.8	40438.4		191.1	PVC	11-04-80	11-03-88
SSS 15 ✓	46644.4	40749.2		184.3	PVC	11-04-80	11-08-88
PSS { SSS 16 ✓	36038.0	75910.3		228.0	PVC	11-04-80	11-10-88
SSS 18 ✓	37298.2	75773.2		218.6	PVC	11-04-80	11-09-88
FSS { SSS 29 ✓	74960.2	53548.1			PVC		10-10-88
SSS 30 ✓	75542.1	52869.5			PVC		10-11-88
SSS 31 ✓					PVC		10-27-88
HSS { SSS 32 ✓					PVC		10-14-88
SSS 33 ✓					PVC		10-20-88

SSS WELL SERIES (cont.)

Description Sewage Sludge Application Site Wells--see below for specific locations

Bldg. Number 761-G, -1G, -2G, -3G, -4G, -5G, -6G, -7G, -8G

Map

Location	Building No.	Well No.
40 Acre Hardwood Site	761-G	1-3
Lower Kato Road Site	761-1G	4-6
Orangeburg Site	761-2G	7-9
Lucy Site	761-3G	10-12
K-Area Borrow Pit	761-4G	13-15
Par Pond Borrow Pit	761-5G	16-18
Kato Road Site	761-6G	19-21
Road F Site	761-7G	22-24
Second Par Pond Borrow Pit	761-8G	25-27

TBG WELL SERIES

Description TNX Burying Grounds

Bldg. Number Not applicable

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
TBG 1	71429.5	17134.7	109.1- 89.1	151.2	PVC	9-21-88	
TBG 3	71324.1	17177.7	108.9- 88.9	151.2	PVC	9-14-88	
TBG 4	71267.1	17177.7	109.3- 89.3	151.3	PVC	9-19-88	
TBG 5	71226.5	17354.5	112.4- 92.4	149.4	PVC	9-01-88	
TBG 6	71482.3	17290.5	109.1- 89.1	148.1	PVC	9-12-88	
TBG 7	71298.5	17548.1	104.7- 84.7	146.8	PVC	9-07-88	

TW WELL SERIES

Description Upper Tank Farm
 Bldg. Number 241-H
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned or Inactive:							
TW 1	75363.4	54597.3		306.0	Steel	7-01-60~	1-01-81*
TW 3	74958.2	55296.0		306.0	Steel	7-01-60~	
TW 4	74785.3	55615.3		305.8	Steel	7-01-60~	1-01-81*
TW 5	74608.3	55906.9		305.6	Steel	7-01-60~	
TW 6	74413.5	56227.4		283.3	Steel	3-01-61~	

UNIDENTIFIED WELLS

ASP Wells

Description Z Area
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
ASP 1	75670	66475					2-25-87
ASP 2	76050	66360					3-03-87
ASP 3	76120	66590					3-03-87
ASP 4	75740	66700					2-25-87
ASP 5	75890	66540					2-26-87

According to the Well Abandonment Details, these wells did not have screens or casings when they were abandoned. The identification of these wells comes from the abandonment sheets. The ASP designation is unofficial.

UNIDENTIFIED WELLS (cont.)

BG-I Well

Description F Area
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:
 BG-I 77940 58596 Alum. 1-11-89

The identification of this well comes from the abandonment sheets. The BG-I designation is unofficial. According to the Well Abandonment Report, this well did not have a screen.

H-Area Well

Description H Area
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:
 H 103 73350.9 61849.7 PVC 7-18-88

The identification of this well comes from the abandonment sheets. The H 103 designation is unofficial.

K Well

Description Mixed Waste Management Facility (MWMF) Borrow Pit
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:
 K Alum. 3-07-88

The identification of this well comes from the abandonment sheets. The K designation is unofficial.

UNIDENTIFIED WELLS (cont.)

OBS Wells

Description Z Area
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Inactive:							
OBS 1	78340	65700					
OBS 2	78770	67510					
OBS 3	77920	67540					
OBS 5	77320	67480					
Abandoned:							
OBS 4	77840	67620			Alum.		4-02-87

Heckrotte (1987) includes a table, "DWPF Borehole and Piezometer Abandonments," that states that OBS 1, 2, 3, and 5 were not found. By inference this would mean that these wells were not officially abandoned. The same table lists the above coordinates for OBS 4, but indicates that they may be incorrect.

There has been some confusion in the past between OBS 2 and SDS 124. It appears that they are not the same well.

The identification of these wells comes from the table, "DWPF Borehole and Piezometer Abandonments," included in Heckrotte (1987). The OBS designation is unofficial.

PW Wells

Description Z Area
 Bldg. Number
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Inactive:							
PW 13	77950	67390			PVC		
Abandoned:							
PW 1	77900	67200			PVC		4-22-87
PW 2	77880	67050			PVC		4-03-87
PW 3	77850	67000			PVC		4-03-87
PW 4	77830	66900			PVC		4-03-87
PW 5	77810	66810			PVC		4-02-87

UNIDENTIFIED WELLS (cont.)

PW Wells (cont.)

Description Z Area

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
PW 6	77780	66710			PVC		4-02-87
PW 7	77990	66240			PVC		4-22-87
PW 8	78100	67220			PVC		4-22-87
PW 9	77810	67280			PVC		4-03-87
PW 10	77740	67300			PVC		4-03-87
PW 11	77870	67570			PVC		4-01-87
PW 12	76990	66320			PVC		3-31-87
PW 14	77970	67490			PVC		4-02-87
PW 15	77990	67590			PVC		4-02-87
PW 16	77080	66360			PVC		3-31-87
PW 17	77170	66390			PVC		3-31-87
PW 18	76890	66390			PVC		3-31-87
PW 19	76920	66190			PVC		4-02-87
PW 20	76920	66590			PVC		4-03-87
PW 21	76960	66210			PVC		3-31-87
PW 22	76800	66250			PVC		3-31-87

These PW Wells are not production wells. The identification of these wells comes from the abandonment sheets. The PW designation is unofficial.

S Well

Description S Area

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
S					PVC		1-29-88

The identification of this well comes from the abandonment sheets. The S designation is unofficial. This unidentified well was drilled out (all casing and screen material removed), grouted, and abandoned due to S-Area construction.

UNIDENTIFIED WELLS (cont.)

Z Well

Description Z Area
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:

Z							5-29-87
---	--	--	--	--	--	--	---------

The identification of this well comes from the abandonment sheets. The Z designation is unofficial. An unidentified, 4-ft-square, 40-ft-deep hand-dug well was filled with grout as a safety precaution. This open hole was located near well ZBG 2.

WW WELL SERIES

Description Burial Grounds Expansion Wells
 Bldg. Number
 Map

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Abandoned:

WW 1	74500	59400			Alum.		2-18-88
WW 2	75400	59700			Alum.		2-19-88
WW 3	74792				Alum.		2-19-88
WW 4	74600	59300			Alum.		2-02-88

XSB WELL SERIES

Description Old TNX Seepage Basin
 Bldg. Number 904-76T
 Map See page A-30; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			

Active:

XSB 1D	71104.8	16893.5	107.9- 87.9	156.0	PVC	9-09-88	
XSB 2D	71086.0	16823.1	104.0- 84.0	154.8	PVC	9-12-88	
XSB 3A	70915.4	16902.0		157.4	PVC	7-01-84*	
XSB 4D	70997.9	16826.2	103.9- 83.9	154.9	PVC	9-12-88	
XSB 5A	70962.5	16716.3		113.5	PVC		

XSB WELL SERIES (cont.)

Description Old TNX Seepage Basin
 Bldg. Number 904-76T
 Map See page A-30; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
XSB 1	71133.1	16901.0	112.0- 92.0	155.0	Steel	4-28-80	8-20-88
XSB 2	71019.7	16948.0	113.5- 93.5	154.1	Steel	4-30-80	9-01-88
XSB 3	70946.0	16890.8	126.9-106.9	156.4	Steel	4-14-80	7-01-84*
XSB 4	71024.5	16851.1	114.3- 94.3	153.5	Steel	4-15-80	9-01-88
XSB 5	70956.4	16703.8		112.0	PVC		9-12-88

According to the Request for Surveying (10-17-81), on 8-24-81, 25.5 ft of casing were added to XSB 4.

XSB 5 has been incorrectly identified as XSB 5B in the past.

YSB WELL SERIES

Description New TNX Seepage Basin
 Bldg. Number 904-102T
 Map See page A-30; see also Olson (1987)

Well ID	SRS Grid Coord.		Elevations Ft MSL		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
YSB 1A	71162.3	17809.0	128.4- 98.4	145.5	PVC	12-12-83	
YSB 2A	71010.3	17850.5	127.7- 97.7	144.7	PVC	12-13-83	
YSB 3A	70859.1	17755.7	126.7- 96.7	143.9	PVC	12-28-83	
YSB 4A	71020.9	17740.1	127.6- 97.6	144.6	PVC	12-27-83	
Abandoned:							
YSB 1	71160.5	17798.6	135.7-115.7	145.0	Steel	4-08-80	1-01-84*
YSB 2	71008.3	17862.6	138.0-118.0	147.1	Steel	4-09-80	4-01-84*
YSB 3	70855.3	17764.8	135.5-115.5	143.8	Steel	4-09-80	1-01-84*
YSB 4	71030.8	17742.3	138.7-118.7	144.4	Steel	4-10-80	1-01-84*

Z Well (see UNIDENTIFIED WELLS)

Z WELL SERIES

Description F Area and H Area
 Bldg. Number Not applicable
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
Z 2	74785.3	53181.6	214.5-214.0	257.3	Steel	5-25-51	
-Z 3	75086.2	51328.3	207.1-206.6	261.0	Steel	5-28-51	
-Z 8	76640.5	51584.9	214.1-213.6	280.0	Steel	6-07-51	
-Z 9	77732.0	50570.5	208.6-208.1	279.5	Steel	4-01-51*	6-25-76
	77732.0	50570.5	228.4-208.4	279.5	Steel	6-25-76	
-Z 11	72539.5	61750.3	256.6-256.1	298.3	Steel	10-01-51*	
-Z 12	71198.9	61400.9	251.4-250.9	295.6	Steel	10-29-51	
-Z 13	70785.8	62203.6	257.1-256.6	303.1	Steel	10-01-51*	
-Z 15	72802.1	63419.2	254.3-253.8	306.9	Steel	10-01-51*	
-Z 17	72260.9	43797.8	148.7-148.2	178.8	Steel	4-01-52	
-Z 18	73077.2	43774.1	160.4-159.9	202.1	Steel	4-03-52	
-Z 19A	74716.1	43696.6	200.1-180.1	262.0	Steel	6-23-76	
-Z 20	74080.7	43722.4	174.3-173.8	241.4	Steel	5-09-52	6-24-76
	74080.7	43722.4		241.4	Steel	6-24-76	
- Z 20B	74085.0	43721.0	195.6-175.6	243.6	Steel	6-24-76	
Abandoned or Inactive:							
Z 1	76220.5	52961.9	218.0-217.5	281.2	Steel	5-24-51	
Z 4	79440.0	51357.0	213.4-212.9	279.7	Steel	5-29-51	5-02-61
Z 5	78145.0	51858.0	216.8-216.3	303.8	Steel	4-01-51*	5-05-76
	78145.0	51858.0	225.2-205.2	303.8	Steel	5-05-76	
Z 6	76578.0	52989.0	221.8-221.3	285.6	Steel	4-01-51*	5-02-61
Z 7	77269.0	52155.0	215.9-215.4	291.0	Steel	6-07-51	5-07-76
	77269.0	52155.0	224.4-204.4	291.0	Steel	5-07-76	
Z 10	71999.0	60999.0	260.8-260.3	283.7	Steel	10-26-51	1-03-58
Z 14	71201.0	63000.0	262.6-262.1	300.4	Steel	10-23-51	10-01-80*
Z 16	71379.0	63091.0	260.1-259.6	302.0	Steel	10-01-51*	6-10-60
Z 19	74726.0	43690.0	179.9-179.4	263.8	Steel	4-04-52	3-12-76
	74726.0	43690.0		263.8	Steel	6-23-76	
Z 20A	74083.0	43719.0	104.8-104.3	243.8	Steel	5-09-52	5-02-61

Z 5, 7, 9, 19 and 20 were reworked in June 1976. The June 1976 abandon dates and installation dates for these wells represent the dates the wells were re-worked.

Although no abandonment date is available for Z 1, the well was destroyed before 6-18-87 according to a note in the sampling schedule chain-of-custody reports.

The date (6-25-53) given for the installation of Z 13 is for a new installation in an old boring. The original borehole was deepened.

ZBG WELL SERIES

Description Z-Area Background Wells

Bldg. Number

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
ZBG 1	76584.2	65584.1	240.1-220.0	291.1	PVC	4-17-87	
ZBG 1A	76588.5	65598.8	281.0-276.0	291.0	PVC	6-01-87	
ZBG 2	76170.5	67472.9	230.9-210.9	278.0	PVC	4-23-87	

ZDT WELL SERIES

Description Z-Area Drain Tank

Bldg. Number 551-Z

Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
ZDT 1	71644.4	65114.8	247.0-227.0	265.1	PVC	11-03-87	
ZDT 2	71696.5	65059.9	245.1-225.1	265.0	PVC	11-04-87	

ZW WELL SERIES

Description F Area and H Area

Bldg. Number Not applicable

Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
ZW 1A	80579.5	50674.6		276.7	PVC	1-01-85*	
ZW 2	80701.5	54388.7	204.8-194.8	289.0	Steel	8-30-51	
ZW 3	80746.5	57078.2	205.1-194.6	259.4	Steel	9-13-51	
ZW 4	77667.4	56556.9	239.7-229.2	274.8	Steel	9-07-51	
ZW 5	75767.4	54708.6	231.0-221.0	277.8	Steel	9-05-51	
ZW 6	76166.0	52030.8	227.2-216.7	268.1	Steel	9-07-51	
ZW 7	72399.5	60300.7	264.8-254.5	272.4	Steel	1-25-52	
ZW 8	70800.8	63801.5	264.1-254.1	273.4	Steel	1-30-52	
ZW 9	73198.4	61400.3	252.4-242.4	288.7	Steel	1-25-52	
ZW 10	73212.4	63401.0	252.2-242.2	300.4	Steel	1-25-52	

ZW WELL SERIES (cont.)

Description F Area and H Area
 Bldg. Number Not applicable
 Map See Olson (1987)

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
ZW 1	80580.0	50680.0	198.1-188.1	276.6	Steel	8-24-51	9-10-86

241-F WELL SERIES

Description F-Area Tank Farm
 Bldg. Number 241-F
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Abandoned:							
241-F 1					Steel	7-01-69*	1978
241-F 2					Steel	7-01-69*	1978
241-F 3					Steel	7-01-69*	1978
241-F 4					Steel	7-01-69*	1978
241-F 5					Steel	7-01-69*	1978

241-H WELL SERIES

Description H-Area Tank Farm, between Tanks 9 and 11
 Bldg. Number 241-H
 Map

Well ID	<u>SRS Grid Coord.</u>		<u>Elevations Ft MSL</u>		Casing Type	Install Date	Abandon Date
	North	East	Screen Zone	Casing			
Active:							
241-H	71639.9	62034.6		283.4	Steel	7-01-59*	

700-A WELL (See ABW WELL SERIES)

BIBLIOGRAPHY

- Ashley, C. (1978). Environmental Monitoring at the Savannah River Plant: Annual Report--1976, DPSPU 77-302. Aiken, SC: E. I. du Pont de Nemours and Company, Health Physics Department, Savannah River Plant.
- Ashley, C., P. C. Padezanin, and C. C. Zeigler. (1984a). Environmental Monitoring at the Savannah River Plant: Annual Report--1983, DPSPU 84-302. Aiken, SC: E. I. du Pont de Nemours and Company, Health Protection Department, Savannah River Plant.
- Ashley, C., P. C. Padezanin, and C. C. Zeigler. (1984b). Environmental Monitoring at the Savannah River Plant: Annual Report--1982, DPSPU 83-302. Aiken, SC: E. I. du Pont de Nemours and Company, Health Protection Department, Savannah River Plant.
- Christensen, E. J., and D. E. Gordon, eds. (1983). Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Site Geohydrology and Solid and Hazardous Wastes, DPST-83-829 (Vol. I). Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Laboratory.
- D'Appolonia. (n.d.). Report: Boring and Instrument Installation DWPF Salt Disposal Site.
- Environmental Monitoring (Health Protection Department) and Exploration Software. (1988). The Savannah River Plant's Groundwater Monitoring Program Conducted by the Health Protection Department for the Second Quarter 1988, HPR-88-300. Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Plant.
- Fenimore, J. W., and J. H. Horton. (1972). Operating History and Environmental Effects of Seepage Basins in Chemical Separations Areas of the Savannah River Plant, DPST-72-548. Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Laboratory.
- Geraghty & Miller, Inc. (1985). H-Area Seepage Basin Well Installation Data Report, Section IV, Monthly Summaries. Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Laboratory.
- Heckrotte, R. W. (1987). DWPF S-Area and Z-Area Soil Boring and Well Closure. Aiken, SC: E. I. du Pont de Nemours and Company, Interoffice Memorandum, Savannah River Laboratory.
- Marine, I. Wendell, and Horace W. Bledsoe. (1985). Supplemental Technical Data Summary: M-Area Groundwater Investigation, DPSTD-84-112. Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Laboratory.

BIBLIOGRAPHY (cont.)

- Olson, C. M. (1987). Area Maps of Wells Monitored by the Health Protection Department, HPR-87-189. Aiken, SC: E. I. du Pont de Nemours and Company, Health Protection Department, Savannah River Plant.
- Stone, J. A., and E. J. Christensen, eds. (1983). Technical Summary of Groundwater Quality Protection Program at Savannah River Plant, Radioactive Waste, DPST-83-829 (Vol. II). Aiken, SC: E. I. du Pont de Nemours and Company, Savannah River Laboratory.
- United States Department of Energy. (1986a). Application for a Post-Closure Permit, M-Area Hazardous Waste Management Facility (Vol. III), Appendix B, Book 1, "Well Construction Records and Geologic Data." Revision No. 1, July 1986. Savannah River Plant.
- United States Department of Energy. (1986b). Application for a Post-Closure Permit, M-Area Hazardous Waste Management Facility (Vol. III), Appendix B, Book 2, "Well Construction Records and Geologic Data." Revision No. 1, July 1986. Savannah River Plant.
- Works Technical Department. (1962). Health Physics Regional Monitoring Semi-annual Report, January through June 1961, DPSP 62-25-2. Aiken, SC: E. I. du Pont de Nemours and Company, Explosives Department, Atomic Energy Division, Savannah River Plant.
- Zeigler, C. C., I. B. Lawrimore, and W. E. O'Rear. (1985). Environmental Monitoring at the Savannah River Plant, Annual Report--1984, DPSPU 85-302. Aiken, SC: E. I. du Pont de Nemours and Company, Health Protection Department, Savannah River Plant.

BUILDING NUMBER INDEX

<u>Building Number</u>	<u>Well Series</u>
080-17G, -17.1G, -18G, -18.1G, -18.2G, -18.3G, -19G	CMP Well Series
105-C	CDB Well Series
105-K	KDB Well Series
105-L	LDB Well Series
105-P	PDB Well Series
105-R	RSD Well Series
131-C	CRP Well Series
131-K	KRP Well Series
131-L	LRP Well Series
131-P	PRP Well Series
131-R, -1R	RRP Well Series
188-K	KAB Well Series
189-C	CCB Well Series
189-K	KCB Well Series
189-P	PCB Well Series
200-F	FET Well Series
200-H	HET Well Series
221-F	FCA Well Series
221-1F	FAL Well Series
221-H	HCA Well Series
.....	HCC Well Series
221-S	SCA Well Series

BUILDING NUMBER INDEX (cont.)

<u>Building Number</u>	<u>Well Series</u>
231-F, -1F	FBP Well Series
241-F	241-F Well Series
241-F, -6F, -11F, -14F, -54F	FTF Well Series
241-H	HP Well Series
.....	HPM Well Series
.....	TW Well Series
.....	241-H Well Series
241-H, -6H, -8H, -12H, -15H, -83H	HTF Well Series
241-49H	HAP Well Series
247-F	NBG Well Series
281-3H	HR3 Well Series
281-8H	HR8 Well Series
289-F	FCB Well Series
289-H	HCB Well Series
431-D, -1D	DBP Well Series
489-D	DCB Well Series
511-S	SLP Well Series
551-Z	ZDT Well Series
627-3G	GBW Well Series
631-G	DOB Well Series
631-1G, -5G, -6G	CSR Well Series
631-4G	CSA Well Series
643-G	MGA Well Series
.....	MGC Well Series

BUILDING NUMBER INDEX (cont.)

<u>Building Number</u>	<u>Well Series</u>
643-G (cont.)	MGE Well Series
.....	MGG Well Series
.....	MGI Well Series
643-G, -7G, -28G	BG Well Series
643-7G	GCD Well Series
643-7G, -28G	BG Well Series
.....	BGO Well Series
643-28G	SB Well Series
700-A-1	ABW Well Series
704-Z	SDS Well Series
709-G	HWS Well Series
731-A, -1A	ARP Well Series
731-3A	SRW Well Series
731-4A	ABP Well Series
731-5A	MCB Well Series
740-G	LFW Well Series
761-G, -1G, -2G, -3G, -4G, -5G, -6G, -7G, -8G	SSS Well Series
788-3A	ACB Well Series
904-41G, -42G, -43G	F Well Series
.....	FSB Well Series
904-44G, -45G, -46G, -56G	H Well Series
.....	HSB Well Series
904-49G	FNB Well Series
904-51G, -112G	MSB Well Series

BUILDING NUMBER INDEX (cont.)

<u>Building Number</u>	<u>Well Series</u>
904-53G1, -53G2, -54G, -55G	ASB Well Series
904-56G	BG Well Series
904-60G	RSA Well Series
904-61G, -62G, -63G	PSB Well Series
904-64G	LSB Well Series
904-65G	KSB Well Series
904-66G, -67G, -68G	CSB Well Series
904-74G	FAC Well Series
904-75G	HAC Well Series
904-76T	XSB Well Series
904-77G	RAC Well Series
904-78G	PAC Well Series
904-79G	LAC Well Series
904-80G	KAC Well Series
904-83G	LCO Well Series
904-88G	KRB Well Series
904-91G	HXB Well Series
904-101G	AOB Well Series
904-102T	YSB Well Series
904-103G	RSB Well Series
.....	RSD Well Series
904-103G, -57G, -58G	RSE Well Series
.....	RSF Well Series
904-103G, -104G, -57G, -58G, -59G	RSW Well Series

BUILDING NUMBER INDEX (cont.)

<u>Building Number</u>	<u>Well Series</u>
904-103G, -104G, -57G, -58G, -59G, -60G	RSC Well Series
904-110G	AMB Well Series
904-111G	BRD Well Series
904-113G	CSO Well Series
905	PW Well Series

A building number is not applicable for the following series: A, AC, FSS, HC, HSS, IDB Well, KSS, LAW, MSB Plume Definition Wells, PSS, RSS, RWM, SBG, TBG, Z, and ZW.

DESCRIPTION INDEX

<u>Description</u>	<u>Well Series</u>
A-Area Background Well near Firing Range	ABW Well Series
A-Area Burning/Rubble Pits	ARP Well Series
A-Area Cluster Perimeter Wells	AC Well Series
A-Area Coal Pile Runoff Containment Basin	ACB Well Series
A-Area Metals Burning Pit	ABP Well Series
Aquifer Characterization Test Wells in H Area between the Burial Grounds and Road 4	HPT Well Series
Background Well near Hawthorne Fire Tower	GBW Well Series
Bentonite Test Pit Wells, across from the entrance to the Burial Grounds on Road E	BTP Well Series
Burial Grounds	BG Well Series
.....	GCD Well Series
Burial Grounds Expansion Wells	WW Well Series
Burial Grounds Grid Wells	BG Well Series
Burial Grounds Perimeter Wells	BGO Well Series
C-Area Burning/Rubble Pit	CRP Well Series
C-Area Coal Pile Runoff Containment Basin	CCB Well Series
C-Area Disassembly Basin	CDB Well Series
C-Area Reactor Seepage Basins	CSB Well Series
Central Shops Burning/Rubble Pits	CSR Well Series
Central Shops Hydrofluoric Acid Spill Area	CSA Well Series
Chemicals, Metals, Pesticides Pits	CMP Well Series
D-Area Burning/Rubble Pits	DBP Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
D-Area Coal Pile Runoff Containment Basin	DCB Well Series
D-Area Oil Disposal Basin	DOB Well Series
Deep Rock Borings	DRB Well Series
F Area	BG-I Well
.....	Z Well Series
.....	ZW Well Series
F-Area Acid/Caustic Basin	FAC Well Series
F-Area A Line	FAL Well Series
F-Area Burning/Rubble Pits	FBP Well Series
F-Area Canyon Building	FCA Well Series
F-Area Coal Pile Runoff Containment Basin	FCB Well Series
F-Area Effluent Treatment Facility	FET Well Series
F-Area Hydrology Cluster	FC Well Series
F-Area Seepage Basins	F Well Series
.....	FSB Well Series
F-Area Seepage Basins Production Well	FSB 1TA Well
F-Area Seepage Basins Vertical Radionuclide Distribution Wells	FMC Well Series
F-Area Sludge Land Application Site	FSS Well Series
F-Area Tank Farm	FTF Well Series
.....	241-F Well Series
Fire Department Training Facility (Central Shops Burnable Oil Basin)	CSO Well Series
Ford Building Seepage Basin (Heat Exchanger Repair Facility Basin)	HXB Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
Grid Wells	MGA Well Series
.....	MGC Well Series
.....	MGE Well Series
.....	MGG Well Series
.....	MGI Well Series
H Area	H-Area Well
.....	Z Well Series
.....	ZW Well Series
H-Area Acid/Caustic Basin	HAC Well Series
H-Area Auxiliary Pump Pit	HAP Well Series
H-Area Canyon Building	HCA Well Series
.....	HCC Well Series
H-Area Coal Pile Runoff Containment Basin	HCB Well Series
H-Area Effluent Treatment Facility	HET Well Series
H-Area Hydrology Cluster	HC Well Series
H-Area Retention Basin	HR8 Well Series
H-Area Seepage Basins	H Well Series
.....	HSB Well Series
H-Area Seepage Basins Production Well	HSB 1TB Well
H-Area Sludge Land Application Site	HSS Well Series
H-Area Tank Farm	HTF Well Series
H-Area Tank Farm, between Tanks 9 and 11	241-H Well Series
Hazardous Waste Management Facility	MSB Well Series
Hazardous Waste Storage Facility at Central Shops	HWS Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
Intermediate Depth Burial Well	IDB Well
Interim Waste Management Facility Site Characterization Wells, Site B, two miles northeast of H Area	IDB Well Series
Interim Waste Management Facility Site Characterization Wells, Site P, adjacent to Site Q, and located south of the TC-1 Area and north of Highway 125	IDP Well Series
Interim Waste Management Facility Site Characterization Wells, Site Q, adjacent to Site P, and located south of the TC-1 Area and north of Highway 125	IDQ Well Series
Just north of the Burial Grounds	BG Well Series
Just outside the fence surrounding the Burial Grounds; BG 43, 52, and 67 are inside the fence	BG Well Series
K-Area Acid/Caustic Basin	KAC Well Series
K-Area Ash Basin	KAB Well Series
K-Area Borrow Pit	SSS Well Series
K-Area Burning/Rubble Pit	KRP Well Series
K-Area Coal Pile Runoff Containment Basin	KCB Well Series
K-Area Disassembly Basin	KDB Well Series
K-Area Sludge Land Application Site	KSS Well Series
K-Area Reactor Seepage Basin	KSB Well Series
K-Area Retention Basin	KRB Well Series
Kato Road Site	SSS Well Series
L-Area Acid/Caustic Basin	LAC Well Series
L-Area Burning/Rubble Pit	LRP Well Series
L-Area Disassembly Basin	LDB Well Series
L-Area Oil and Chemical Basin	LCO Well Series
L-Area Reactor Seepage Basin	LSB Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
L-Area Research Wells	LAW Well Series
Lower Kato Road Site	SSS Well Series
Lucy Site	SSS Well Series
M-Area Plume Definition Wells	MSB Well Series
.....	AC Well Series
M-Area Recovery Wells (also used for plume definition)	RWM Well Series
M-Area Settling Basin (also used for plume definition)	MSB Well Series
Metallurgical Laboratory Seepage Basin	AMB Well Series
Miscellaneous Chemical Basin	MCB Well Series
Mixed Waste/Hazardous Waste Disposal Facility	MWD Well Series
Mixed Waste Management Facility (MWMF) Borrow Pit	K Well
Motor Shop Oil Basin	AOB Well Series
Naval Fuels Background Wells	NBG Well Series
New Sanitary Landfill Piezometer Wells	SLW Well Series
New TNX Seepage Basin	YSB Well Series
Old F-Area Seepage Basin	FNB Well Series
Old H-Area Retention Basin	HR3 Well Series
Old TNX Seepage Basin	XSB Well Series
Orangeburg Site	SSS Well Series
Par Pond Borrow Pit	SSS Well Series
Par Pond Sludge Land Application Site	PSS Well Series
P-Area Acid/Caustic Basin	PAC Well Series
P-Area Burning/Rubble Pit	PRP Well Series
P-Area Coal Pile Runoff Containment Basin	PCB Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
P-Area Disassembly Basin	PDB Well Series
P-Area Reactor Seepage Basins	PSB Well Series
Production Wells	DRB 5WW Well
.....	FSB 1TA Well
.....	HPT 1A Well
.....	HSB 1TB Well
.....	PW Well Series
R-Area Acid/Caustic Basin	RAC Well Series
R-Area Burning/Rubble Pits	RRP Well Series
R-Area Reactor Seepage Basins	RSA Well Series
.....	RSB Well Series
.....	RSC Well Series
.....	RSD Well Series
.....	RSE Well Series
.....	RSF Well Series
Research Wells	BG Well Series
.....	LAW Well Series
.....	MGA Well Series
.....	MGC Well Series
.....	MGE Well Series
.....	MGG Well Series
.....	MGI Well Series
Road A Chemical Basin (Baxley Road)	BRD Well Series
Road F Site	SSS Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
Sanitary Landfill	LFW Well Series
S Area	S Well
S-Area Background Wells	SBG Well Series
S-Area Canyon Building	SCA Well Series
S-Area Defense Waste Processing Facility (DWPF)	RSS Well Series
S-Area Defense Waste Processing Facility (DWPF) Boring Wells	BH Well Series
S-Area Low Point Pump Pit	SLP Well Series
Savannah River Laboratory Seepage Basins	ASB Well Series
Second Par Pond Borrow Pit	SSS Well Series
Series A, Monitoring Grid Wells for Burial Grounds	MGA Well Series
Series A, R-Area Reactor Seepage Basins	RSA Well Series
Series B, R-Area Reactor Seepage Basins	RSB Well Series
Series C, Monitoring Grid Wells for Burial Grounds	MGC Well Series
Series C, R-Area Reactor Seepage Basins	RSC Well Series
Series D, between R-Area Reactor Seepage Basin (904-103G) and R-Area Reactor Building	RSD Well Series
Series DW, R-Area Reactor Seepage Basins Dry Monitoring Wells	RSW Well Series
Series E, Monitoring Grid Wells for Burial Grounds	MGE Well Series
Series E, R-Area Reactor Seepage Basins	RSE Well Series
Series F, R-Area Reactor Seepage Basins	RSF Well Series
Series G, Monitoring Grid Wells for Burial Grounds	MGG Well Series
Series I, Monitoring Grid Wells for Burial Grounds	MGI Well Series
Sewage Sludge Application Site Wells	SSS Well Series

DESCRIPTION INDEX (cont.)

<u>Description</u>	<u>Well Series</u>
Silverton Road Waste Site	SRW Well Series
Special Burial Wells in the Burial Grounds	SB Well Series
Swamp area southeast of H-Area Seepage Basins	A Well Series
TNX Burying Grounds	TBG Well Series
Unidentified Wells	ASP Wells
.....	BG-I Well
.....	H-Area Well
.....	K Well
.....	OBS Wells
.....	PW Wells
.....	S Well
.....	Z Well
Upper Tank Farm	HP Well Series
.....	HPM Well Series
.....	TW Well Series
Wells predating the construction of SRS	S Well Series
Z Area	ASP Wells
.....	OBS Wells
.....	PW Wells
.....	Z Well
Z-Area Background Wells	ZBG Well Series
Z-Area Drain Tank	ZDT Well Series
Z-Area Piezometer Wells	PZ Well Series
Z-Area Saltstone Disposal Site Facility	SDS Well Series
40-Acre Hardwood Site	SSS Well Series

DESCRIPTION INDEX BY AREA

Description	Well Series
-------------	-------------

100 AREAS

C Area

C-Area Burning/Rubble Pit	CRP Well Series
C-Area Coal Pile Runoff Containment Basin	CCB Well Series
C-Area Disassembly Basin	CDB Well Series
C-Area Reactor Seepage Basins	CSB Well Series

K Area

K-Area Acid/Caustic Basin	KAC Well Series
K-Area Ash Basin	KAB Well Series
K-Area Burning/Rubble Pit	KRP Well Series
K-Area Coal Pile Runoff Containment Basin	KCB Well Series
K-Area Disassembly Basin	KDB Well Series
K-Area Reactor Seepage Basin	KSB Well Series
K-Area Retention Basin	KRB Well Series
K-Area Sludge Land Application Site	KSS Well Series

L Area

L-Area Acid/Caustic Basin	LAC Well Series
L-Area Burning/Rubble Pit	LRP Well Series
L-Area Disassembly Basin	LDB Well Series
L-Area Oil and Chemical Basin	LCO Well Series

DESCRIPTION INDEX BY AREA (cont.)

<u>Description</u>	<u>Well Series</u>
100 AREAS (cont.)	
<u>L Area</u> (cont.)	
L-Area Reactor Seepage Basin	LSB Well Series
L-Area Research Wells	LAW Well Series
<u>P Area</u>	
P-Area Acid/Caustic Basin	PAC Well Series
P-Area Burning/Rubble Pit	PRP Well Series
P-Area Coal Pile Runoff Containment Basin	PCB Well Series
P-Area Disassembly Basin	PDB Well Series
P-Area Reactor Seepage Basins	PSB Well Series
Par Pond Sludge Land Application Site	PSS Well Series
<u>R Area</u>	
R-Area Acid/Caustic Basin	RAC Well Series
R-Area Burning/Rubble Pits	RRP Well Series
Series A, R-Area Reactor Seepage Basins	RSA Well Series
Series B, R-Area Reactor Seepage Basins	RSB Well Series
Series C, R-Area Reactor Seepage Basins	RSC Well Series
Series D, between R-Area Reactor Seepage Basins (904-103G) and R-Area Reactor Building	RSD Well Series
Series DW, R-Area Reactor Seepage Basins Dry Monitoring Wells	RSW Well Series
Series E, R-Area Reactor Seepage Basins	RSE Well Series
Series F, R-Area Reactor Seepage Basins	RSF Well Series

DESCRIPTION INDEX BY AREA (cont.)

Description	Well Series
-------------	-------------

200 AREAS

Burial Grounds *

Bentonite Test Pit Wells, across from the entrance to the Burial Grounds on Road E	BTP Well Series
Burial Grounds	BG Well Series
Burial Grounds	GCD Well Series
Burial Grounds Expansion Wells	WW Well Series
Burial Grounds Grid Wells	BG Well Series
Burial Grounds Perimeter Wells	BGO Well Series
Just north of the Burial Grounds	BG Well Series
Just outside the fence surrounding the Burial Grounds	BG Well Series
Mixed Waste Management Facility (MWMF) Borrow Pit	K Well
Series A, Monitoring Grid Wells for Burial Grounds	MGA Well Series
Series C, Monitoring Grid Wells for Burial Grounds	MGC Well Series
Series E, Monitoring Grid Wells for Burial Grounds	MGE Well Series
Series G, Monitoring Grid Wells for Burial Grounds	MGG Well Series
Series I, Monitoring Grid Wells for Burial Grounds	MGI Well Series
Special Burial Wells in the Burial Grounds	SB Well Series

F Area

F Area !.....	BG-I Well
.....	Z Well Series
.....	ZW Well Series

* The Burial Grounds wells are in the 600 General Area; however, these wells are closely connected to activities in the 200 Areas.

DESCRIPTION INDEX BY AREA (cont.)

<u>Description</u>	<u>Well Series</u>
200 AREAS (cont.)	
<u>F Area (cont.)</u>	
F-Area Acid/Caustic Basin	FAC Well Series
F-Area A Line	FAL Well Series
F-Area Burning/Rubble Pits	FBP Well Series
F-Area Canyon Building	FCA Well Series
F-Area Coal Pile Runoff Containment Basin	FCB Well Series
F-Area Effluent Treatment Facility	FET Well Series
F-Area Hydrology Cluster	FC Well Series
F-Area Seepage Basins	F Well Series
.....	FSB Well Series
F-Area Seepage Basins Production Well	FSB 1TA Well
F-Area Seepage Basins Vertical Radionuclide Distribution Wells	FMC Well Series
F-Area Sludge Land Application Site	FSS Well Series
F-Area Tank Farm	FTF Well Series
.....	241-F Well Series
Naval Fuels Background Wells	NBG Well Series
Old F-Area Seepage Basin	FNB Well Series
<u>H Area</u>	
Aquifer Characterization Test Wells in H Area between the Burial Grounds and Road 4	HPT Well Series
H Area	H-Area Well
.....	Z Well Series
.....	ZW Well Series
H-Area Acid/Caustic Basin	HAC Well Series

DESCRIPTION INDEX BY AREA (cont.)

<u>Description</u>	<u>Well Series</u>
200 AREAS (cont.)	
<u>H Area</u> (cont.)	
H-Area Auxiliary Pump Pit	HAP Well Series
H-Area Canyon Building	HCA Well Series
.....	HCC Well Series
H-Area Coal Pile Runoff Containment Basin	HCB Well Series
H-Area Effluent Treatment Facility	HET Well Series
H-Area Hydrology Cluster	HC Well Series
H-Area Retention Basin	HR8 Well Series
H-Area Seepage Basins	H Well Series
.....	HSB Well Series
H-Area Seepage Basins Production Well	HSB 1TB Well
H-Area Sludge Land Application Site	HSS Well Series
H-Area Tank Farm	HTF Well Series
H-Area Tank Farm, between Tanks 9 and 11	241-H Well Series
Old H-Area Retention Basin	HR3 Well Series
Swamp area southeast of H-Area Seepage Basins	A Well Series
Upper Tank Farm	HP Well Series
.....	HPM Well Series
.....	TW Well Series
<u>S Area</u>	
S Area	S Well
S-Area Background Wells	SBG Well Series
S-Area Canyon Building	SCA Well Series

DESCRIPTION INDEX BY AREA (cont.)

Description	Well Series
-------------	-------------

200 Areas (cont.)

S Area (cont.)

S-Area Defense Waste Processing Facility (DWPF)	RSS Well Series
---	-----------------

S-Area Defense Waste Processing Facility (DWPF) Boring Wells	BH Well Series
---	----------------

S-Area Low Point Pump Pit	SLP Well Series
---------------------------------	-----------------

Z Area

Z Area	ASP Wells
--------------	-----------

.....	OBS Wells
-------	-----------

.....	PW Wells
-------	----------

.....	Z Well
-------	--------

Z-Area Background Wells	ZBG Well Series
-------------------------------	-----------------

Z-Area Drain Tank	ZDT Well Series
-------------------------	-----------------

Z-Area Piezometer Wells	PZ Well Series
-------------------------------	----------------

Z-Area Saltstone Disposal Site Facility	SDS Well Series
---	-----------------

300/700 AREAS

A-Area Background Well near Firing Range	ABW Well Series
--	-----------------

A-Area Burning/Rubble Pits	ARP Well Series
----------------------------------	-----------------

A-Area Cluster Perimeter Wells	AC Well Series
--------------------------------------	----------------

A-Area Coal Pile Runoff Containment Basin	ACB Well Series
---	-----------------

A-Area Metals Burning Pit	ABP Well Series
---------------------------------	-----------------

Hazardous Waste Management Facility	MSB Well Series
---	-----------------

M-Area Recovery Wells (also used for plume definition)	RWM Well Series
--	-----------------

M-Area Settling Basin (also used for plume definition)	MSB Well Series
--	-----------------

Metallurgical Laboratory Seepage Basin	AMB Well Series
--	-----------------

DESCRIPTION INDEX BY AREA (cont.)

<u>Description</u>	<u>Well Series</u>
300/700 AREAS (cont.)	
Miscellaneous Chemical Basin	MCB Well Series
Motor Shop Oil Basin	AOB Well Series
Plume Definition Wells	MSB Well Series
.....	AC Well Series
Savannah River Laboratory Seepage Basins	ASB Well Series
Silverton Road Waste Site	SRW Well Series
400 AREA	
D-Area Burning/Rubble Pits	DBP Well Series
D-Area Coal Pile Runoff Containment Basin	DCB Well Series
D-Area Oil Disposal Basin	DOB Well Series
600 AREAS	
<u>Burial Grounds</u>	See 200 Areas
<u>Central Shops</u>	
Central Shops Burning/Rubble Pits	CSR Well Series
Central Shops Hydrofluoric Acid Spill Area	CSA Well Series
Fire Department Training Facility (Central Shops Burnable Oil Basin)	CSO Well Series
Ford Building Seepage Basin (Heat Exchanger Repair Facility Basin)	HXB Well Series
Hazardous Waste Storage Facility at Central Shops	HWS Well Series
<u>General</u>	
Background Well near Hawthorne Fire Tower	GBW Well Series
Chemicals, Metals, Pesticides Pits	CMP Well Series

DESCRIPTION INDEX BY AREA (cont.)

Description	Well Series
-------------	-------------

600 AREAS (cont.)

General (cont.)

Interim Waste Management Facility Site Characterization Wells, Site B, two miles northeast of H Area	IDB Well Series
Interim Waste Management Facility Site Characterization Wells, Site P, adjacent to Site Q, and located south of the TC-1 Area and north of Highway 125	IDP Well Series
Interim Waste Management Facility Site Characterization Wells, Site Q, adjacent to Site P, and located south of the TC-1 Area and north of Highway 125	IDQ Well Series
Intermediate Depth Burial Well	IDB Well
Mixed Waste/Hazardous Waste Disposal Facility	MWD Well Series
New Sanitary Landfill Piezometer Wells	SLW Well Series
Road A Chemical Basin (Baxley Road)	BRD Well Series
Sanitary Landfill	LFW Well Series
Sewage Sludge Application Site Wells	SSS Well Series

TNX

New TNX Seepage Basin	YSB Well Series
Old TNX Seepage Basin	XSB Well Series
TNX Burying Grounds	TBG Well Series

OTHER WELL SERIES

The following well series are not located in a specific area, and they may be scattered over SRS: DRB Well Series, PW Well Series, S Well Series.

WELL SERIES INDEX

<u>Series Name</u>	<u>Page</u>
A Well Series	1
ABG Well Series (ABW Well Series)	1, 2
ABP Well Series	1
ABW Well Series (700-A Well, ABG Well Series)	1, 2, 88
AC Well Series	2
ACB Well Series	3
AMB Well Series (SBA Well Series)	3, 73
AOB Well Series (AOP Well Series)	4
AOP Well Series (AOB Well Series)	4
ARP Well Series	4
ASB Well Series	5
ASP Wells (Unidentified Wells)	5, 79
BG Well Series	6
BG-I Well (Unidentified Wells)	9, 80
BGO Well Series	10
BH Well Series (DWP Well Series)	11, 19
BRD Well Series	11
BTP Well Series	12
CCB Well Series	13
CDB Well Series	13
CMP Well Series	13
COH Well Series (LCO Well Series)	14, 47

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
CRP Well Series	15
CSA Well Series	15
CSB Well Series	15
CSH Well Series (CTS Well Series, HWS Well Series)	16, 17, 41
CSO Well Series	16
CSR Well Series	17
CTS Well Series (CHS Well Series, HWS Well Series)	16, 17, 41
DBP Well Series	17
DCB Well Series	18
DOB Well Series	18
DRB Well Series	19
DWP Well Series (BH Well Series)	11, 19
F Well Series	19
FAC Well Series	20
FAL Well Series	21
FBP Well Series	21
FC Well Series (F-Area Hydrology Cluster)	22
FC Well Series (FCA Well Series)	22, 23
FCA Well Series (FC Well Series)	22, 23
FCB Well Series	23
FET Well Series	24
FMC Well Series	24
FNB Well Series	24
FSB Well Series	25

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
FSB 1TA Well (Production Wells)	26, 62
FSS Well Series	27
FTF Well Series	27
GBW Well Series	28
GCD Well Series	29
Grid Well Series (MGA, MGC, MGE, MGG, and MGI Well Series)	29, 50, 51, 52, 53
H-Area Well (Unidentified Wells)	29, 80
H Well Series	29
HAC Well Series	31
HAP Well Series	31
HC Well Series	31
HCA Well Series	32
HCB Well Series	32
HCC Well Series	33
HET Well Series	33
HOR Well Series (HR3 Well Series)	34, 35
HP Well Series	34
HPM Well Series	34
HPT Well Series (HPT 1A Production Well)	35, 62
HRB Well Series (HR8 Well Series)	35, 36
HR3 Well Series (HOR Well Series)	34, 35
HR8 Well Series (HRB Well Series)	35, 36
HSB Well Series (HSW Well Series)	36, 39
HSB 1TB Well (Production Wells).....	39, 62

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
HSS Well Series	39
HSW Well Series (HSB Well Series)	36, 39
HTF Well Series	40
HWS Well Series (CSH Well Series, CTS Well Series)	16, 17, 41
HXB Well Series	41
IDB Well	41
IDB Well Series	42
IDP Well Series	42
IDQ Well Series	43
K Well (Unidentified Wells)	43, 81
KAB Well Series	43
KAC Well Series	44
KCB Well Series	44
KDB Well Series	44
KRB Well Series (KWL Well Series)	45, 46
KRP Well Series	45
KSB Well Series	45
KSS Well Series	46
KWL Well Series (KRB Well Series)	45, 46
LAC Well Series	46
LAW Well Series	47
LCO Well Series (COH Well Series)	14, 47
LDB Well Series	48
LFW Well Series	48

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
LRP Well Series	49
LSB Well Series	50
MCB Well Series	50
MGA Well Series (Grid Well Series)	29, 50, 51, 52, 53
MGC Well Series (Grid Well Series)	29, 51, 52, 53
MGE Well Series (Grid Well Series)	29, 51, 52, 53
MGG Well Series (Grid Well Series)	29, 51, 52, 53
MGI Well Series (Grid Well Series)	29, 51, 52, 53
MSB Well Series	54
MWD Well Series	60
NBG Well Series	60
OBS Wells (Unidentified Wells)	61, 82
PAC Well Series	61
PCB Well Series	61
PDB Well Series	62
Production Wells	62
DRB 5WW Well	19, 62
FSB 1TA Well	26, 62
HPT 1A Well	35, 62
HSB 1TB Well	39, 62
PW Well Series	62, 64
PRP Well Series	62
PSB Well Series	63
PSS Well Series	63

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
PW Wells (Unidentified Wells)	63, 82
PW Well Series (Production Wells)	62, 64
PZ Well Series	64
RAB Well Series (RAC Well Series)	64
RAC Well Series (RAB Well Series)	65
Research Wells	65
BG Well Series	6, 65
LAW Well Series	47, 65
MGA Well Series	50, 65
MGC Well Series	51, 65
MGE Well Series	52, 65
MGG Well Series	52, 65
MGI Well Series	53, 65
RRP Well Series	65
RSA Well Series	65
RSB Well Series	66
RSC Well Series	67
RSD Well Series	68
RSE Well Series	69
RSF Well Series	70
RSS Well Series (RSSF Well Series)	70
RSSF Well Series (RSS Well Series)	70
RSW Well Series	71
RWM Well Series	71

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
S Well (Unidentified Wells)	72, 83
S Well Series	73
SB Well Series	73
SBA Well Series (AMB Well Series)	3, 73
SBG Well Series	74
SCA Well Series	74
SDS Well Series	74
SLP Well Series	76
SLW Well Series	76
SR Well Series (SRW Well Series)	76, 77
SRW Well Series (SR Well Series)	76, 77
SSS Well Series	78
TBG Well Series	79
TW Well Series	80
Unidentified Wells	80
ASP Wells	5, 80
BG-I Well	9, 81
H-Area Well	29, 81
K Well	43, 81
OBS Wells	61, 82
PW Wells	63, 82
S Well	72, 83
Z Well	84, 85

WELL SERIES INDEX (cont.)

<u>Series Name</u>	<u>Page</u>
WW Well Series	84
XSB Well Series	84
YSB Well Series	85
Z Well (Unidentified Wells)	85
Z Well Series	86
ZBG Well Series	84, 87
ZDT Well Series	87
ZW Well Series	87
241-F Well Series	88
241-H Well Series	88
700-A Well (ABW Well Series)	2, 88

APPENDIX A

AREA MAPS

The following maps were prepared and updated by Surveying and Mapping Consultants of Tigerville, South Carolina. Additional maps, too large to include in this document, are printed in HPR-87-189 (Olson, 1987). Mylar copies are available from the Environmental and Health Protection Department.

A-AREA BURNING/RUBBLE PITS

A-AREA MOTOR SHOP OIL BASIN

C-AREA BURNING/RUBBLE PIT

C-AREA COAL PILE RUNOFF CONTAINMENT BASIN

C-AREA REACTOR SEEPAGE BASINS

F-AREA ACID/CAUSTIC BASIN

HAZARDOUS WASTE STORAGE FACILITY
AT CENTRAL SHOPS

P-AREA ACID/CAUSTIC BASIN

R-AREA ACID/CAUSTIC BASIN