LA-UR-96- 1859

Title:

ALPHA-N AND SPONTANEOUS FISSION
SOURCES AND SPECTRA FROM INDIVIDUAL
PLUTONIUM ISOTOPES IN PuF_4 AND PuO_2

CONF-961103--17

Author(s):

R. T. Perry
W. B. Wilson

RECEIVED

JUN 28 1996

OSTI

Submitted to:

American Nuclear Society
1996 International Conference
Washington, DC
November 10-15, 1996

MASTER

Los Alamos

NATIONAL LABORATORY

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the University of California for the U.S. Department of Energy under contract W-7405-ENG-36. By acceptance of this article, the publisher recognizes that the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. The Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; therefore, the Laboratory as an institution does not endorse the viewpoint of a publication or guarantee its technical correctness.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Form No. 836 R5
ST 2829 10/85

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Alpha-n and Spontaneous Fission Sources and Spectra from Individual Plutonium Isotopes in PuF₄ and PuO₂

**R.T. Perry and W. B. Wilson
Los Alamos National Laboratory
Los Alamos, NM 87545**

Introduction

Plutonium-containing compounds vary widely in isotopic content, and as a result, the dose as function of isotopic content also varies considerably. Determination of the dose from neutrons, decay and capture gammas from plutonium in the form of compounds, thus requires that the spontaneous fission (SF) and alpha-n (α ,n) source and spectra from each individual isotope be known.

To facilitate dose calculations from plutonium-containing compounds, we have calculated the spontaneous fission and (α ,n) sources and spectra for 1 g of each of the plutonium isotopes in the form of either PuF₄ or PuO₂. As ²⁴¹Am is often a component in a mixture of plutonium isotopic compounds, the source and spectra from 1 g of ²⁴¹Am mixed with PuF₄ or PuO₂ has also been determined. Using these results, the neutron source and spectra may be determined for any sample composition.

Methods

The neutron sources and spectra were calculated using the SOURCES¹ code and library. The code is under development. The code determines (β^- ,n) delayed, spontaneous fission and (α ,n) neutron sources and spectra due to the decay of a radionuclides in homogeneous media. Spontaneous fission spectra are calculated with evaluated half-life, SF branching, and ν data using Watt spectrum parameters for 43 actinides. The (α ,n) spectra are calculated with a library of nuclide decay alpha spectra, evaluated (α ,n) cross sections and product nuclide level branching fractions, and functional α stopping cross sections using an assumed isotropic neutron angular distribution in the center-of-mass system.

Results

The neutron source strength from spontaneous fission and (α,n) reactions for 1 g of each isotope are given in Table 1. The alphas from ^{241}Am are assumed to slow down in either PuF_4 or PuO_2 . The source for ^{243}Pu is from spontaneous fission alone as this isotope decays only by beta emission.

The combined SF and (α,n) spectra for each isotope, in the form PuO_2 or PuF_4 , is given in Tables 2 and 3. The first 22 energy groups correspond to those of the MATXS769 group neutron transport cross section library.² The broad final group contains so few neutrons as to be insignificant. Each spectra is normalized to the total source strength for 1 g of a particular isotope. The spectra for ^{241}Am are those produced from alpha particles slowing down in either PuO_2 or PuF_4 . The spectra for ^{243}Pu are the spontaneous fission spectra alone.

Conclusion

The absolute source and spectra for any combination of isotopes may be obtained using the results in Tables 1, 2, and 3. This source, spectra, and a coupled neutron-gamma library input into a transport code, then, would provide a method of determining dose from samples of PuO_2 or PuF_4 .

References

1. W.B. Wilson, R.T. Perry, J.E. Stewart, T.R. England, D. G. Madland, and E.D. Arthur, "Development of the SOURCES Code and Data Library for the Calculation of Neutron Sources and Spectra from (α,n) Reactions, Spontaneous Fission, $(B-,n)$ Delayed Neutrons," Los Alamos National Laboratory progress report LA-9841-PR, pp. 65-66, Los Alamos National Laboratory (August 1993).
2. RSIC Data Library Collection, "MATXS7A - 69 Neutron Group Cross Section Library in MATXS," Oak Ridge National Laboratory report DLC-117 (December 1985).

Table 1
Alpha-n and Spontaneous Fission Neutron Source Strength
for One Gram of Metal for Plutonium Isotopes in the Form of
PuO₂ or PuF₄ and ²⁴¹Am in PuO₂ or PuF₄

Isotope	Spontaneous Fission neutrons/gm	PuO ₂ alpha-n neutrons/gm	PuO ₂ total source neutrons/gm	PuF ₄ alpha-n neutrons/gm	PuF ₄ total source neutrons/gm
²³⁸ Pu	2.587E+03	1.412E+04	1.671E+04	2.175E+06	2.178E+06
²³⁹ Pu	2.181E-02	4.013E+01	4.015E+01	5.653E+03	5.653E+03
²⁴⁰ Pu	1.026E+03	1.481E+02	1.174E+03	2.091E+04	2.194E+04
²⁴¹ Pu	4.939E-02	1.357E+00	1.406E+00	1.704E+02	1.705E+02
²⁴² Pu	1.717E+03	2.150E+00	1.719E+03	2.696E+02	1.987E+03
²⁴³ Pu	6.618E-02	0.000E+00	6.618E-02	0.000E+00	6.618E-02
²⁴⁴ Pu	1.900E+03	7.531E-03	1.900E+03	7.628E-01	1.901E+03
²⁴¹ Am	1.182E+00	2.817E+03	2.818E+03	4.331E+05	4.331E+05

Table 2
Neutron Spectra Normalized to Total Source Strength for
Plutonium Isotopes in the Form of PuO₂ and ²⁴¹Am in PuO₂

Group Upper Energy Boundary, MeV	²³⁸ PuO ₂ neutrons per group	²³⁹ PuO ₂ neutrons per group	²⁴⁰ PuO ₂ neutrons per group	²⁴¹ PuO ₂ neutrons per group	²⁴² PuO ₂ neutrons per group	²⁴³ PuO ₂ neutrons per group	²⁴⁴ PuO ₂ neutrons per group	²⁴¹ Am in in PuO ₂ neutrons per group
1.000E+01	5.453E+01	5.260E-04	1.702E+01	9.961E-04	3.119E+01	7.996E-04	1.809E+01	3.406E-02
6.065E+00	9.529E+02	7.400E-01	1.067E+02	1.733E-02	1.802E+02	5.819E-03	1.503E+02	1.302E+02
3.679E+00	6.533E+03	1.661E+01	2.827E+02	5.551E-01	3.737E+02	1.373E-02	3.828E+02	1.189E+03
2.231E+00	5.233E+03	1.297E+01	2.952E+02	4.519E-01	4.116E+02	1.622E-02	4.706E+02	9.219E+02
1.353E+00	2.302E+03	6.332E+00	2.125E+02	2.383E-01	3.133E+02	1.275E-02	3.767E+02	3.693E+02
8.210E-01	9.679E+02	2.324E+00	1.250E+02	9.520E-02	1.927E+02	7.936E-03	2.361E+02	1.377E+02
5.000E-01	4.084E+02	8.270E-01	6.805E+01	3.320E-02	1.076E+02	4.446E-03	1.325E+02	5.057E+01
3.025E-01	1.413E+02	2.129E-01	3.417E+01	8.491E-03	5.530E+01	2.285E-03	6.808E+01	1.228E+01
1.830E-01	5.994E+01	7.331E-02	1.673E+01	3.349E-03	2.729E+01	1.127E-03	3.353E+01	4.101E+00
1.110E-01	2.756E+01	2.951E-02	8.114E+00	1.537E-03	1.329E+01	5.479E-04	1.629E+01	1.673E+00
6.734E-02	1.285E+01	1.257E-02	3.896E+00	6.775E-04	6.392E+00	2.634E-04	7.827E+00	7.215E-01
4.085E-02	5.983E+00	5.386E-03	1.858E+00	2.990E-04	3.053E+00	1.257E-04	3.734E+00	3.137E-01
2.478E-02	2.833E+00	2.481E-03	8.832E-01	1.390E-04	1.452E+00	5.978E-05	1.775E+00	1.464E-01
1.503E-02	1.354E+00	1.196E-03	4.188E-01	6.668E-05	6.885E-01	2.834E-05	8.412E-01	7.130E-02
9.118E-03	6.462E-01	5.759E-04	1.985E-01	3.197E-05	3.262E-01	1.342E-05	3.985E-01	3.466E-02
5.530E-03	2.869E-01	2.561E-04	8.754E-02	1.418E-05	1.439E-01	5.923E-06	1.758E-01	1.555E-02
3.519E-03	1.463E-01	1.301E-04	4.451E-02	7.208E-06	7.309E-02	3.012E-06	8.935E-02	7.981E-03
2.239E-03	7.476E-02	6.650E-05	2.259E-02	3.678E-06	3.714E-02	1.526E-06	4.537E-02	4.119E-03
1.425E-03	3.812E-02	3.403E-05	1.145E-02	1.878E-06	1.890E-02	7.768E-07	2.302E-02	2.128E-03
9.069E-04	2.921E-02	2.624E-05	8.780E-03	1.444E-06	1.446E-02	5.926E-07	1.766E-02	1.670E-03
3.673E-04	7.626E-03	6.793E-06	2.290E-03	3.732E-07	3.674E-03	1.520E-07	4.504E-03	4.457E-04
1.487E-04	1.573E-03	1.510E-06	4.901E-04	8.392E-08	8.521E-04	3.653E-08	1.033E-03	1.002E-04
7.550E-05	8.904E-04	8.182E-07	2.717E-04	4.481E-08	4.343E-04	1.713E-08	5.291E-04	5.382E-05

Table 3
Neutron Spectra Normalized to Total Source Strength for
Plutonium Isotopes in the Form of PuF₄ and ²⁴¹Am in PuF₄

Group Upper Energy Boundary, MeV	²³⁸ PuF ₄ neutrons per group	²³⁹ PuF ₄ neutrons per group	²⁴⁰ PuF ₄ neutrons per group	²⁴¹ PuF ₄ neutrons per group	²⁴² PuF ₄ neutrons per group	²⁴³ PuF ₄ neutrons per group	²⁴⁴ PuF ₄ neutrons per group	²⁴¹ Am in PuF ₄ neutrons per group
1.000E+01	5.453E+01	5.260E-04	1.702E+01	9.961E-04	3.119E+01	7.996E-04	1.809E+01	3.406E-02
6.065E+00	2.906E+02	2.588E-03	1.039E+02	5.425E-03	1.802E+02	5.819E-03	1.503E+02	1.513E-01
3.679E+00	1.854E+05	2.737E+02	1.251E+03	4.243E+00	3.794E+02	1.373E-02	3.828E+02	3.640E+04
2.231E+00	8.089E+05	2.046E+03	7.831E+03	5.592E+01	4.992E+02	1.622E-02	4.707E+02	1.610E+05
1.353E+00	5.803E+05	1.853E+03	7.008E+03	6.354E+01	4.136E+02	1.275E-02	3.770E+02	1.159E+05
8.210E-01	2.936E+05	7.430E+02	2.855E+03	2.773E+01	2.365E+02	7.936E-03	2.363E+02	5.827E+04
5.000E-01	1.721E+05	3.763E+02	1.464E+03	1.076E+01	1.246E+02	4.446E-03	1.326E+02	3.416E+04
3.025E-01	8.179E+04	1.932E+02	7.542E+02	4.497E+00	6.237E+01	2.285E-03	6.810E+01	1.633E+04
1.830E-01	3.342E+04	9.743E+01	3.782E+02	2.006E+00	3.044E+01	1.127E-03	3.354E+01	6.680E+03
1.110E-01	1.323E+04	4.118E+01	1.598E+02	9.409E-01	1.476E+01	5.479E-04	1.629E+01	2.644E+03
6.734E-02	5.136E+03	1.625E+01	6.389E+01	4.440E-01	7.090E+00	2.634E-04	7.828E+00	1.025E+03
4.085E-02	2.158E+03	7.026E+00	2.789E+01	2.264E-01	3.410E+00	1.257E-04	3.735E+00	4.304E+02
2.478E-02	9.313E+02	3.139E+00	1.256E+01	1.053E-01	1.619E+00	5.978E-05	1.775E+00	1.854E+02
1.503E-02	3.929E+02	1.373E+00	5.475E+00	4.489E-02	7.597E-01	2.834E-05	8.413E-01	7.801E+01
9.118E-03	1.671E+02	5.931E-01	2.368E+00	1.895E-02	3.564E-01	1.342E-05	3.985E-01	3.322E+01
5.530E-03	6.832E+01	2.441E-01	9.864E-01	7.736E-03	1.563E-01	5.923E-06	1.758E-01	1.364E+01
3.519E-03	3.327E+01	1.193E-01	4.844E-01	3.747E-03	7.906E-02	3.012E-06	8.935E-02	6.652E+00
2.239E-03	1.635E+01	5.879E-02	2.389E-01	1.831E-03	4.005E-02	1.526E-06	4.537E-02	3.269E+00
1.425E-03	8.130E+00	2.932E-02	1.189E-01	9.060E-04	2.034E-02	7.768E-07	2.302E-02	1.626E+00
9.069E-04	6.146E+00	2.218E-02	9.000E-02	6.830E-04	1.555E-02	5.926E-07	1.766E-02	1.229E+00
3.673E-04	1.570E+00	5.672E-03	2.306E-02	1.742E-04	3.951E-03	1.520E-07	4.504E-03	3.140E-01
1.487E-04	3.469E-01	1.252E-03	5.070E-03	3.855E-05	9.134E-04	3.653E-08	1.033E-03	6.939E-02
7.550E-05	1.872E-01	6.773E-04	2.753E-03	2.078E-05	4.673E-04	1.713E-08	5.292E-04	3.746E-02

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.