2. To: (Receiving Organization) Remote System and Sensor Applications	3. From: (Originating Organization) Remote System and Sensor Applications	4. Related EDT No.: N/A
5. Proj./Prog./Dept./Div.: Sensor/Analytical Technology Projects	6. Cog. Engr.: F. R. Reich	7. Purchase Order No.: N/A
8. Originator Remarks: Approval/Release		9. Equip./Component No.: N/A
		10. System/Bldg./Facility: N/A
11. Receiver Remarks:		12. Major Assm. Dwg. No.: N/A
		13. Permit/Permit Application No.: N/A
		14. Required Response Date: N/A

15. DATA TRANSMITTED					(F)	(G)	(H)	(I)
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	Approval Designator	Reason for Transmittal	Originator Disposition	Receiver Disposition
1	WHC-SD-WM-DP-231		0	Operating Data to In-Tank Solidification (ITS)-2 for January 1 to October 10, 1974	N/A	3	6	6
2	WHC-SD-WM-DP-232		0	241-SX Sludge Profile Temperatures for March 1 to December 29, 1972	N/A	3	6	6

16. KEY									
Approval Designator (F)		Reason for Transmittal (G)				Disposition (H) & (I)			
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval	4. Review			1. Approved	4. Reviewed no/comment		
		2. Release	5. Post-Review			2. Approved w/comment	5. Reviewed w/comment		
		3. Information	6. Dist. (Receipt Acknow. Required)			3. Disapproved w/comment	6. Receipt acknowledged		
(G)	(H)	17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)						(G)	(H)
Reason	Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN	(J) Name	(K) Signature	(L) Date	(M) MSIN
1/3	1/6	Cog. Eng. F. R. Reich	See Blk. 18	L5-55		Central Files		A3-88	3
1/3	1/6	Cog. Mgr. D. S. Dutt	<i>D. S. Dutt</i>	N1-21					
			9-19-96						

18. <i>F. R. Reich</i> F. R. Reich Signature of EDT Originator Date <i>9/20/96</i>	19. <i>D. S. Dutt</i> D. S. Dutt Authorized Representative for Receiving Organization Date <i>9-19-96</i>	20. <i>D. S. Dutt</i> D. S. Dutt Cognizant Manager Date <i>9-19-96</i>	21. DOE APPROVAL (if required) Ctrl. No. ☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments
---	--	---	---

**Operating Data to In-Tank Solidification (ITS)-2 for
January 1 to October 10, 1974****F. R. Reich**

Westinghouse Hanford Company, Richland, WA 99352

U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: 618450

UC: 721

Org Code: 8A800

Charge Code: N2183

B&R Code: EW4010000

Total Pages: 238

Key Words: ITS-2, Temperatures

Abstract: Data sheets containing ITS-2 temperatures.

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Janis Bishop
Release Approval9-24-96
Date **Approved for Public Release**

Date: JAN 1 1974

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1		off		off		247		off
2						90		
3						90		
4						88		
5						90		
6						242		
7						208		
8						241		
9						90		
10						170		
11						80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	161	118	44	100
2	127	134	90	104
3	92	126	NG	107
4	160	86	NG	109
5	142	102	43	109
6	114	NG	NG	112
7	NG	105	42	112
8	NG	105	76	112
9	60	106	NG	112
10	140	106	NG	112
11	76	60	97	111
12	134	96	85	101
13	108	134		
14	83	101		
15	NG	101		
16	NG	104		
17	160			
18	62			
19	64			
20	114			
21	50			
22	214			
23	182			
24	152			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	560	440
	B	560	440
	C	540	448
W	A		
	B		
	C		

Date: JAN 2 1974ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	off		off		240		off
2					91		
3					247		
4					90		
5					90		
6					241		
7					90		
8					242		
9					91		
10					270		
11					89		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	121	43	100
2	128	135	80	104
3	91	128	NG	107
4	160	NG	NG	109
5	142	109	41	111
6	114	NG	118	111
7	NG	106	NG	112
8	NG	106	53	112
9	NG	106	46	112
10	140	106	97	112
11	80	56	57	111
12	134	93	57	102
13	107	139		
14	86	104		
15	NG	104		
16	NG	109		
17	158			
18	58			
19	64			
20	112			
21	50			
22	215			
23	182			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	off
	C	
E	A	
	B	off
	C	
S	A	560 450
	B	550 440
	C	590 450
W	A	
	B	off
	C	

Date: **JAN 3 1974**ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1		08		08		247		09
2						87		
3						87		
4						87		
5						87		
6						242		
7						60		
8						245		
9						90		
10						270		
11						75		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	102	118	55	100
2	128	130	53	104
3	92	128	NG	107
4	160	NG	NG	109
5	142	110	NG	111
6	116	NG	47	113
7	NG	94	NG	113
8	NG	102	57	113
9	NG	102	NG	113
10	140	102	NG	113
11	66	62	95	110
12	134	70	52	102
13	107	133		
14	85	108		
15	NG	108		
16	NG	108		
17	149			
18	56			
19	64			
20	111			
21	49			
22	214			
23	182			
24	152			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: JAN 4 - 1974ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	off		off		247		off
2					70		
3					89		
4					87		
5					87		
6					243		
7					66		
8					245		
9					91		
10					210		
11					70		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	166	117	80	247 100
2	129	131	116	90 104
3	90	126	116	89 107
4	160	38	41	87 110
5	142	111	91	87 111
6	116	116	107	245 113
7	116	110	74	110 113
8	116	110	116	245 113
9	116	110	27	91 113
10	140	110	39	210 113
11	82	60	58	70 112
12	134	79	46	90 103
13	107	136		
14	87	120		
15	116	114		
16	116	111		
17	152			
18	56			
19	66			
20	112			
21	48			
22	216			
23	182			
24	192			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	440	500
	B	480	500
	C	490	500
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 1-6-72

ITS-2 TEMPERATURES

cm

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					250		
2					78		
3					90		
4					93		
5					98		
6				X	250		
7					10		
8					290		
9					92		
10					180		
11					60		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	102	118	82	10
2	126	195	84	104
3	90	120	62	106
4	160	112	60	109
5	142	110	45	113
6	116	NC	93	113
7	N.G.	105	40	113
8	N.G.	105	68	113
9	N.G.	105	87	113
10	139	105	82	113
11	98	65	98	111
12	103	105	55	103
13	107	105	130	
14	87	108		109
15	300	106		
16	N.G.	106		
17	183			
18	56			
19	66			
20	109			
21	46			
22	215			
23	182			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	360	440
	B	420	440
	C	300	415
W	A		
	B		
	C		

Date: 1-7-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0100	Remarks	0500	Remarks
1					40		
2					110		
3					100		
4					100		
5					90		
6					250		
7					35		
8					250		
9					45		
10					150		
11					45		

Pt.	TR-112-4 Days	TR-112-1 0100	TR-112-2 0100	TR-241-BX-2 0100
1	166	127	80	100
2	122	138	83	104
3	80	125	96	107
4	110	208	42	110
5	142	109	44	112
6	116	115	93	112
7	8	110	38	112
8	8	112	69	112
9	16	112	92	112
10	139	112	64	111
11	93	60	97	110
12	134	99	54	100
13	107	135		
14	88	112		
15	345	110		
16	7350	112		
17	183	112		
18	59			
19	66			
20	168			
21	45			
22	216			
23	183			
24	153			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	300
	B	310
	C	300
W	A	450
	B	450
	C	455

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 1-8-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						100		
2						105		
3						105		
4						105		
5						240		
6						250		
7						30		
8						240		
9						(270)		
10						60		
11						50		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	166	133	81	100
2	137	140	86	104
3	90	140	101	108
4	160	280	49	110
5	142	124	46	112
6	116	N.G.	99	112
7	58	170	41	111
8	48	120	73	111
9	76	122	41	111
10	140	122	83	111
11	92	63	91	110
12	134	105	56	101
13	106	135		110.2
14	96	126		
15	323	126		
16	0	125		
17	177			
18	54			
19	54			
20	105			
21	44			
22	316			
23	183			
24	152			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	320 450
	B	340 445
	C	300 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 1-9-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					250		
2					105		
3					100		
4					105		
5					105		
6					240		
7					20		
8					240		
9					100		
10					NG		
11					40		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	162	137	81	100
2	125	140	84	104
3	89	140	104	107
4	160	340	43	110
5	142	125	43	111
6	116	NG	99	112
7	60	122	40	111
8	NG	122	71	111
9	32	122	95	111
10	139	122	96	111
11	98	60	56	109
12	134	100		101
13	106	140		108.3
14	92	130		
15	296	128		
16	NG	125		
17	178			
18	88			
19	63			
20	105			
21	42			
22	215			
23	183			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Reater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	300 450
	B	225 445
	C	300 450
W	A	
	B	
	C	

Date: 1-10-74ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						253		
2						105		
3						105		
4						105		
5						105		
6						240		
7						250		
8						80		
9						250		
10						100 NS		
11						50		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	166	136	82	100
2	137	138	96	104
3	89	135	104	107
4	160	N.G.	30	110
5	142	125	46	111
6	116	N.G.	100	112
7	60	120	42	110
8	30	120	72	110
9	66	120	96	110
10	139	120	92	110
11	93	57	96	108
12	134	102	56	100
13	106	138		108.2
14	96	126		
15	332	126		
16	0	125		
17	180			
18	60			
19	65			
20	106			
21	44			
22	216			
23	184			
24	152			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 1 - 11 - 74ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						<u>300</u>		
2						90		
3						90		
4						90		
5						90		
6						240		
7						45		
8						240		
9						100		
10						N.G.		
11						50		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	166	124	82	160
2	137	135	86	164
3	88	125	106	102
4	160	N.G.	42	109
5	141	110	44	111
6	116	N.G.	100	110
7	—	108	41	109
8	—	108	71	109
9	—	109	96	109
10	140	109	91	109
11	94	60	90	109
12	133	102	53	99
13	106	135		107.6
14	87	110		
15	N.G.	110		
16	N.G.	110		
17	165			
18	57			
19	64			
20	106			
21	42			
22	315			
23	184			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	210 448
	B	300 448
	C	210 450
W	A	
	B	
	C	

ITS-2 TEMPERATURES

Date: 1-12-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				270	50		
2				90			
3				90			
4				90			
5				90			
6				240			
7				45			
8				240			
9				100			
10				10			
11				50			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	166	129	81	100
2	137	136	82	104
3	88	139	✓	107
4	160	N.A.	✓	109
5	141	121	42	111
6	116	N.A.	✓	110
7	—	118	124	108
8	—	118	134	108
9	—	118	✓	108
10	139	118	28	108
11	88	57	92	105
12	135	98	54	92
13	106	140		106.3
14	87	120		
15	—	120		
16	—	128		
17	164			
18	58			
19	64			
20	108			
21	42			
22	215			
23	184			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	450
	B	286
	C	200
W	A	450
	B	448
	C	452

Date: 1-15-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					330			
2					90			
3					90			
4					90			
5					90			
6					130			
7					80			
8					231			
9					90			
10					190			
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	165	122	105	100
2	129	130	88	104
3	87	130	✓	102
4	160	✓	✓	109
5	140	112	45	110
6	116	✓	✓	106
7	—	110	124	105
8	—	110	92	105
9	—	110	✓	105
10	138	110	95	105
11	—	57	101	103
12	134	96	50	96
13	106	137		104.7
14	89	110		
15	—	110		
16	—	110		
17	188			
18	72			
19	60			
20	110			
21	43			
22	815			
23	183			
24	151			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	off
	C	
E	A	
	B	off
	C	
S	A	300 450
	B	260 450
	C	20 465
W	A	
	B	off
	C	

Date: 1-16-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				370			
2				96			
3				90			
4				90			
5				90			
6				228			
7				42			
8				230			
9				261			
10				90			
11				105			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	120	107	100
2	129	128	98	104
3	87	120	N.B.	107
4	160	N.B.	N.B.	109
5	141	111	45	109
6	116	N.B.	N.B.	101
7	—	109	123	104
8	—	109	41	104
9	—	109	N.B.	104
10	140	109	61	104
11	—	64	107	102
12	134	92	50	97
13	106	141		104
14	92	107		
15	—	107		
16	—	107		
17	192			
18	76			
19	60			
20	110			
21	44			
22	213			
23	184			
24	152			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	200	450
	B	260	450
	C	0	453
W	A		
	B		
	C		

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					93.0			
2					10.5			
3					10.0			
4					10.0			
5					10.0			
6					22.6			
7					4.0			
8					32.3			
9					26.5			
10					30.0			
11					9.5			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	165	17.5	10.3	10.0
2	126	13.5	5.9	10.4
3	86	13.0	N.G.	10.8
4	160	N.G.	N.G.	11.0
5	140	12.5	N.G.	10.8
6	112	N.G.	4.4	10.4
7	—	12.1	N.G.	10.3
8	—	12.1	9.4	10.3
9	—	12.1	9.1	10.3
10	138	12.1	N.G.	10.3
11	—	5.9	7.8	10.1
12	132	9.3	4.4	9.6
13	106	14.1		103.7
14	93	12.5		
15	—	12.5		
16	NG	12.2		
17	178			
18	70			
19	62			
20	110			
21	46			
22	215			
23	182			
24	151			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.	Volts
	A		
N	B		
	C		
	A		
E	B		
	C		
	A	200	450
S	B	240	448
	C	0	455
	A		
W	B		
	C		

Date: 1-19-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0000	Remarks	0000	Remarks	0000	Remarks	0000	Remarks
1					395			
2					95			
3					95			
4					94			
5					95			
6					220			
7					70			
8					237			
9					97			
10					201			
11					85			

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-EX-2 0500
1	166	120	68	100
2	127	123	89	104
3	88	125	—	108
4	160	—	—	109
5	142	107	43	105
6	114	—	—	100
7	0	113	47	99
8	0	113	81	99
9	30	113	—	99
10	140	112	69	99
11	0	65	110	98
12	132	85	46	93
13	106	139		131 +
14	84	108		
15	270	110		
16	0	110		
17	178			
18	68			
19	64			
20	110			
21	48			
22	216			
23	182			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	98
	C	
E	A	
	B	98
	C	
S	A	200 450
	B	240 450
	C	100 455
W	A	98
	B	98
	C	

Date: 1-22-74

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0000 Remarks	0000 Remarks	0000 Remarks	0000 Remarks
1			295	
2			89	
3			87	
4			86	
5			87	
6			212	
7			68	
8			237	
9			90	
10			170	
11			70	

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-EX-2 0000
1	166	117	60	100
2	134	121	83	104
3	86	120	—	108
4	160	NG	—	108
5	140	103	38	101
6	112	—	—	96
7	0	105	59	95
8	N.G.	105	61	95
9	N.G.	105	—	95
10	140	105	70	95
11	7	63	101	93
12	132	75	40	96
13	108	135		
14	94	97		
15	296	99		
16	0	106		
17	178			
18	68			
19	64			
20	110			
21	214			
22	184			
23	152			
24	164			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	off
	C	
E	A	
	B	off
	C	220 450
S	A	230 450
	B	180 450
	C	
W	A	
	B	off
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0000	Remarks	0000	Remarks	0000	Remarks	0000	Remarks
1					300			
2					95			
3					95			
4					92			
5					94			
6					211			
7					63			
8					232			
9					96			
10					171			
11					69			

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-EX-2 0000
1	166	122	74	100
2	126	122	81	104
3	86	125	—	108
4	160	—	—	106
5	140	108	38	100
6	112	—	—	96
7	0	115	55	94
8	N.B.	115	61	94
9	N.B.	115	132	94
10	140	113	64	94
11	0	56	105	93
12	132	73	40	89
13	106	141		117 2
14	92	115		
15	300	115		
16	0	114		
17	184			
18	72			
19	70			
20	110			
21	50			
22	214			
23	184			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	off
	C	
E	A	450
	B	off 450
	C	455
S	A	200 450
	B	240 450
	C	180 455
W	A	
	B	off
	C	

ITS-2 TEMPERATURES

Date:

1-27-74

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					0130	100		
2						95		
3						100		
4						95		
5						95		
6						210		
7						75		
8						260		
9						95		
10						195		
11						100 75		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	166	118	55	79
2	126	113	80	104
3	86	117		106
4	160	400 ⁺	150	102
5	139	108	40	+100 97
6	112	000	130	95
7	—	107	30	94
8	—	107	54	92
9	—	108	49	92
10	138	108	49	92
11	—	056	110	88
12	133	072	110	84
13	106	140	100	
14	94	103	55	
15	—	105	100	
16	—	105	100	
17	182			
18	—			
19	69			
20	109			
21	50			
22	215			
23	183			
24	151			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B	DOW	
	C		
W	A		
	B		
	C		

Date: JAN 28 1974

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0100	1300	2100	0800	1300	2100	0100	1300	2100	0100	1300	2100
1							280					
2							100					
3							75					
4							90					
5							91					
6							100					
7							70					
8							210					
9							95					
10							100					
11							70					

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0100	1300	2100	0100	1300	2100
1	116	110			111		
2	78	113			79		
3	N.G.	110			100		
	N.G.	110 ⁺			380		
5	34	102			37		
6	119	000			121		
7	N.G.	107			30		
8	45	107			57		
9	N.G.	108			58		
10	49	108			57		
11	94	53			100		
12	36	74			34		
13		138					
14		94					
15		95					
16		102					
17							
18							
19							
20							
21							
22							
23							
24							

Record on 8-4 Shift

Heater	Amps	Volts
N	A OFF	—
	B	
	C	
R	A	
	B	
	C	↓
S	A OFF	450
	B OFF	450
	C OFF	455
W	A OFF	
	B	↓
	C	↓

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

23-143
24-151

ITS-2 TEMPERATURES

Date:

JAN 30 1974

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				0235	80		
2					80		
3					80		
4					80		
5					80		
6					210		
7					70		
8					310		
9					80		
10					210		
11					80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	11C	110	115	95
2	79	118	7840	103
3	N.G.	110	400	101
4	N.G.	400	39	102
5	33	101	116	96
6	112	200	10	86
7	N.G.	98	45	92
8	43	98	5	91
9	N.G.	99	50	91
10	59	100	91	90
11	94	50	95	84
12	38	74	40	86
13		140		
14		97		
15		98		
16		97		
17				
18				
19				
20				
21				
22				
23				
24				

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A OFF	OFF
	B	
	C	
E	A	
	B	
	C	
S	A 175	450
	B 175	450
	C 0	455
W	A OFF	OFF
	B	
	C	

Date: 1-31-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0400	1300	2100	0400	1300	2100	0400	1300	2100	0400	1300	2100
1							320					
2							95					
3							95					
4							95					
5							195					
6							210					
7							95					
8							220					
9							95					
10							200					
11							80					

	TR-112-4	TR-112-1			TR-112-2		
Pt.	Days	0400	1300	2100	0400	1300	2100
1	109	109			79		
2	80	116			100		
3	126	99			100		
	N.G.	100%			0		
5	33	95			34		
6	103	000			117		
7	N.G.	98			4		
8	56	99			46		
9	N.G.	98			10		
10	43	98			57		
11	96	97			96		
12	56	75			40		
13		138			115		
14		95			79		
15		95					
16		90					
17							
18							
19							
20							
21							
22							
23							
24							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	OFF
	B	OFF
	C	
R	A	
	B	
	C	✓
S	A	190
	B	200
	C	100
W	A	OFF
	B	
	C	✓

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: FEB 1 - 1974

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				310			
2				95			
3				95			
4				95			
5				95			
6				215			
7				65			
8				375			
9				310			
10				0			
11				67			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	110	132	95
2	126	110	79	103
3	86	114	150+	104
4	160	400+	150+	101
5	139	101	35	96
6	113	000	117	93
7	112	108	12	92
8	NG	107	55	92
9	NG	107	55	92
10	NG	107	6	91
11	120	058	97	89
12	130	71	36	83
13	108	142		
14	90	97		
15	NG	95		
16	NG	102		
17	180			
18	68			
19	70			
20	108			
21	109			
22	215			
23	182			
24	150			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	200 950
	B	200 950
	C	0 950
W	A	
	B	
	C	

Date: 2-2-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							350					
2							95					
3	off			off			95			off		
4							95					
5							95					
6							210					
7							65					
8							270					
9							100					
10							N.G.					
11							70					

Pt.	TR-112-4 Days	TR-112-1			TR-112-2		
		0100 0500	1300	2100	0100 0500	1300	2100
1		128			131		
2		122			77		
3		128			139		
4		N.G.			N.G.		
5		117			33		
6		N.G.			103		
7		115			N.G.		
8		115			55		
9		115			N.G.		
10		115			41		
11		58			89		
12		72			35		
13		139					
14		115					
15		115					
16		115					
17							
18							
19							
20							
21							
22							
23							
24							

Record on 8-4 Shift

Heater		Amps	Volts
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

FEB 2 - 1974

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							350					
2							90					
3							90					
4							90					
5							90					
6							275					
7							75					
8							270					
9							100					
10							600					
11							80					

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0500	1300	2100	0500	1300	2100
1		112			118		
2		113			78		
3		113			149+		
		400			149+		
5		099			033		
6		000			105		
7		100			000		
8		100			052		
9		100			000		
10		100			050		
11		052			90		
12		078			33		
13		137					
14		095					
15		094					
16		094					
17							
18							
19							
20							
21							
22							
23							
24							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 2-3-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0100 0500	1300	2100	0800 1300	2100		0100 0500	1300	2100	0500	1300	2100
1	114			84			360			84		
2							78					
3							70					
4							70					
5							90					
6							210					
7							60					
8							270					
9							78					
10							N.G.					
11							70					

Pt.	TR-112-4			TR-112-1			TR-112-2		
	Days	0100 0500	1300	2100	0100 0500	1300	2100		
1		118			107				
2		116			80				
3		108			132				
4		N.G.			N.G.				
5		108			33				
6		N.G.			101				
7		106			N.G.				
8		107			55				
9		107			N.G.				
10		107			40				
11		55			95				
12		71			37				
13		158							
14		104							
15		104							
16		104							
17									
18									
19									
20									
21									
22									
23									
24									

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

Date: 2.9.74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					380		
2					380		
3					100		
4					110		
5					98		
6					210		
7					60		
8					370		
9					110		
10					0		
11					70		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	162	121	88	98
2	125	118	39	101
3	87	124	81	102
4	161	311	130	104
5	139	108	935	96
6	111	106	1075	95
7	0	111	0	94
8	0	111	15	93
9	56	111	59	93
10	140	111	106	91
11	0	56	47	87
12	133	65	38	82
13	107	140		
14	92	104		
15	286	106		
16	0	106		
17	201			
18	80			
19	70			
20	108			
21	50			
22	215			
23	185			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	200 455
	B	201 450
	C	0 455
W	A	
	B	
	C	

Date: 2-10-77ITS-2 TEMPERATURES.

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				100			
2				360			
3				100			
4				100			
5				105			
6				210			
7				45			
8				390			
9				100			
10							
11				70			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	162	121	40	92
2	78	115	77	100
3	87	131	185	102
4	161	340	10	94
5	139	107	55	93
6	111	NA	110	94
7	0	110	25	93
8	0	100	57	86
9	NG-7 44	110	30	94
10	140	110	41	91
11	0	55	74	94
12	133	45	70	86
13	107	140	40	
14	87	110	90	
15	295	111	80	
16	0	111	130	
17	182			
18	68			
19	68			
20	108			
21	54			
22	245			
23	186			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Reater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	200 450
	B	200 448
	C	0 450
W	A	
	B	
	C	

ITS-2 TEMPERATURES

2-16-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				5	350		
2				3	100		
3				4	100		
4				5	100		
5				1	210		
6				7	80		
7				9	270		
8				9	110		
9				10	300		
10				11	80		
11				12	100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	165	118	88	95
2	138	116	82	98
3	88	132	123	103
4	160	234	uc	99
5	140	109	31	96
6	112	0	111	92
7	—	110	uc	91
8	—	110	99	91
9	18	110	26	91
10	139	110	33	88
11	—	60	76	85
12	132	66	37	80
13	107	140		
14	111	105		
15	198	105		
16	—	105		
17	196			
18	78			
19	70			
20	106			
21	54			
22	214			
23	185			
24	152			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	200	450
	B	100	450
	C	0	450
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-19-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					36		
2					90		
3					100		
4					100		
5					210		
6					60		
7					260		
8					100		
9					210		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	160	114	84	89
2	130	114	82	99
3	88	133	124	161
4	160	146	—	99
5	140	93	31	95
6	112	0	103	92
7	0	106	—	90
8	0	106	51	90
9	0	106	—	90
10	139	165	33	81
11	0	50	74	85
12	133	70	37	80
13	106	136		
14	86	100		
15	Full Scale	110		
16	92	100		
17	189			
18	70			
19	70			
20	107			
21	96			
22	214			
23	186			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	180 450
	B	148 450
	C	0 450
W	A	
	B	
	C	

Date: 2-23-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					290		
2					100		
3					90		
4					90		
5					200		
6					240		
7					70		
8					240		
9					90		
10					280		
11					80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		120	84	94
2		108	78	98
3		115	122	100
4		180	149	98
5		110	20	94
6		N.G.	97	90
7		110	0	89
8		109	40	89
9		109	0	89
10		110	30	88
11		50	74	84
12		67	40	80
13		140		
14		103		
15		105		
16		105		
17				
18				

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	2	455
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

Date: 2-24-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				320	✓		
2				90			
3				90			
4				90			
5				100			
6				200			
7				60			
8				250			
9				230			
10				60			
11				110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		123	84	94
2		108	76	98
3		125	126	100
4		180	100	98
5		115	30	94
6		0	94	90
7		115	0	89
8		115	30	89
9		114	0	89
10		115	20	88
11		58	74	85
12		66	40	80
13		137		
14		105		
15		105		
16		110		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 445
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 2-25-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					320 ✓		
2					90		
3					90		
4					90		
5					90		
6					200		
7					70		
8					250		
9					270		
10					230		
11					80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	164	127	84	94
2	128	116	76	96
3	87	122	126	100
4	160	180	104	97
5	89	111	30	94
6	110	0	91	90
7	0	110	0	88
8	0	109	30	88
9	10	110	0	88
10	138	110	20	87
11	0	60	74	84
12	136	66	40	80
13	107	139		
14	92	112		
15	246	112		
16	0	112		
17	190			
18	74			
19	71			
20	105			
21	53			
22	213			
23	185			
24	151			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 2-26-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					320 ✓		
2					90		
3					90		
4					90		
5					90		
6					200		
7					70		
8					250		
9					270		
10					220		
11					70		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	124	128	82	94
2	128	116	76	98
3	58	126	107	100
4	88	184	66	97
5	137	112	20	93
6	111	0	84	89
7	N.G.	113	0	88
8	N.G.	113	30	88
9	N.G.	113	0	89
10	138	113	10	87
11	N.G.	57	74	84
12	132	66	40	80
13	107	137		
14	93	116		
15	252	116		
16	N.G.	116		
17	193			
18	76			
19	71			
20	165			
21	54			
22	213			
23	185			
24	151			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A 44	—
	B	—
	C	—
E	A	—
	B	—
	C	—
S	A 100	445
	B 100	445
	C	450
W	A DEF	—
	B	—
	C	—

Date: 2-27-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					280		
2					90		
3					90		
4					90		
5					200		
6					65		
7					230		
8					90		
9					260		
10					240		
11					70		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	164	123	84	94
2	126	114	76	97
3	87	117	118	99
4	160	166	0	97
5	138	110	30	92
6	106	0	74	89
7	/	108	0	87
8	/	108	30	88
9	/	108	0	88
10	118	108	10	87
11	/	62	74	84
12	130	66	44	79
13	106	136		
14	88	110		
15	/	110		
16	/	112		
17	191			
18	74			
19	71			
20	105			
21	54			
22	214			
23	184			
24	152			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 455
	B	100 450
	C	50 455
W	A	
	B	
	C	

Date: 3-1-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					260		
2					90		
3					90		
4					90		
5					90		
6					230		
7					70		
8					230		
9					260		
10					220		
11					70		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	120	82	94
2	127	117	74	98
3	146 87	112	118	99
4	94 160	170	10	96
5	140 139	102	30	92
6	111	0	94	88
7	NG	103	10	87
8	NG	103	40	87
9	NG	103	0	87
10	138	103	10	86
11	116	50	72	84
12	130	66	42	79
13	106	134		
14	91	102		
15	270	103		
16	NG	103		
17	191			
18	73			
19	70			
20	105			
21	54			
22	214			
23	185			
24	152			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	NG	452
	B	..	450
	C	..	455
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-2-74ITS-2 TEMPERATURES

TR-112-N			TR-112-E			TR-112-S			TR-112-W		
0500	Remarks		0500	Remarks		0500	Remarks		0500	Remarks	
1	D			D		255				D	
2	O			O		90				O	
3	W			W		90				W	
4	N			N		90				N	
5						90					
6						200					
7						60					
8						125					
9						95					
10						220					
11						65					

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	164	115	83	94
2	128	115	74	98
3	87	115	118	99
4	160	165	44	96
5	139	103	—	91
6	110	—	91	88
7	NG	109	—	87
8	NG	109	38	87
9	NG	110	—	87
10	138	110	—	86
11	116	52	83	85
12	129	66	40	78
13	106	138		
14	97	180		
15	228	101		
16	NG	101		
17	191			
18	73			
19	71			
20	105			
21	54			
22	214			
23	184			
24	151			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	N	456
	B	G	448
	C		452
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-3-74ITS-2 TEMPERATURES

TR-112-N			TR-112-E			TR-112-S			TR-112-W		
0500	Remarks		0500	Remarks		0500	Remarks		0500	Remarks	
1	D		D			162*			D		
2	O		O			92			O		
3	W		W			91			W		
4	N		N			91			N		
5						91					
6						100					
7						60					
8						105					
9						95					
10						115					
11						60					

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	128	82	94
2	126	116	75	98
3	87	122	111	98
4	160	153	/	95
5	139	115	/	91
6	112	/	98	88
7	NG	116	/	87
8	NG	110	41	87
9	NG	110	/	87
10	138	110	/	86
11	NG	49	74	83
12	129	68	41	88
13	106	140		
14	92	101		
15	240	104		
16	NG	105		
17	189			
18	69			
19	69			
20	105			
21	54			
22	213			
23	185			
24	152			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	450
	B	448
	C	452
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

75
152

Date: 3-4-74

ITS-2 TEMPERATURES

TR-112-N			TR-112-E			TR-112-S			TR-112-W		
0000	Remarks		0000	Remarks		0000	Remarks		0000	Remarks	
1	OFF		OFF			260			OFF		
2						90					
3						90					
4						90					
5						90					
6						250					
7						25					
8						225					
9						90					
10						120					
11	✓		✓			70			✓		

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-BX-2 0000
1	164	125	84	94
2	125	117	76	97
3	87	118	112	98
4	160	150	41	95
5	139	115	31	90
6	108	N.G.	99	87
7	NG	107	N.G.	87
8	NG	107	58	87
9	NG	107	N.G.	86
10	138	107	27	86
11	NG	60	74	83
12	130	67	41	78
13	106	138		avg. 59°
14	83	107		
15	293	107		
16	NG	108		
17	199			
18	73			
19	71			
20	105			
21	54			
22	214			
23	186			
24	152			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	N 450
	B	G 448
	C	452
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0900	Remarks	0900	Remarks	0900	Remarks	0900	Remarks
1	OFF		OFF	250			OFF
2				95			
3				95			
4				95			
5				95			
6				195			
7				65			
8				235			
9				100			
10				170			
11				70			

Pt.	TR-112-4 Days	TR-112-1 0900	TR-112-2 0900	TR-241-BX-2 0900
1	164	135	84	95
2	127	116	74	98
3	67	128	113	98
4	160	148	51	95
5	139	118	33	90
6	110	N.G.	99	87
7	NG	116	N.G.	87
8	NG	116	40	87
9	NG	116	N.G.	87
10	138	116	41	86
11	NG	60	74	85
12	130	65	41	78
13	106	141		Aug. 89
14	86	120		
15	295	119		
16	NG	119		
17	210			
18	75			
19	71			
20	104			
21	55			
22	214			
23	185			
24	151			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	220	450
	B	220	448
	C	?	452
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0000	Remarks	0000	Remarks	0000	Remarks	0000	Remarks
1	OFF		OFF	240			OFF
2				90			
3				90			
4				90			
5				90			
6				215			
7				60			
8				240			
9				90			
10				115			
11	✓		✓	60			✓

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-BX-2 0000
1	164	119	52	94
2	126	118	74	96
3	85	118	113	96
4	92	148	35	94
5	160	107	33	90
6	138	N.G.	100	87
7	106	103	N.G.	87
8	706	103	47	87
9	—	103	N.G.	86
10	—	97	45	86
11	✓	50	75	83
12	✓	68	41	78
13	115	139		avg. 89.5
14	92	103		
15	—	103		
16	—	103		
17	203			
18	80			
19	70			
20	102			
21	54			
22	213			
23	184			
24	150			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	180 450
	B	110 450
	C	— 450
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0900	Remarks	0900	Remarks	0900	Remarks	0900	Remarks
1	off		off	235			off
2				85			
3				85			
4				85			
5				85			
6				210			
7				60			
8				240			
9				85			
10				120			
11	V		V	60			V

Pt.	TR-112-4 Days	TR-112-1 0900	TR-112-2 0900	TR-241-BX-2 0900
1	165	114	82	94
2	127	116	74	97
3	87	112	111	97
4	160	143	49	93
5	138	104	33	88
6	108	N.G.	99	87
7	NG	103	N.G.	86
8	NG	103	49	86
9	NG	103	N.G.	86
10	138	103	57	85
11	NG	50	76	82
12	129	68	41	78
13	106	141		(Avg. 88)
14	92	101		
15	261	101		
16	NG	101		
17	198			
18	70			
19	70			
20	104			
21	54			
22	213			
23	185			
24	151			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	220	450
	B	220	448
	C	?	450
W	A		
	B		
	C		

Date: 3-8-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0000	Remarks	0000	Remarks	0000	Remarks	0000	Remarks
1	off		off	230			off
2				75			
3				95			
4				95			
5				95			
6				265			
7				60			
8				235			
9				95			
10				120			
11	✓		✓	60			✓

Pt.	TR-112-4 Days	TR-112-1 0000	TR-112-2 0000	TR-241-BX-2 0000
1	164	132	84	94
2	135	118	73	97
3	86	124	111	97
4	160	142	77	93
5	138	122	33	89
6	102	N.G.	97	87
7	0	115	N.G.	87
8	0	115	49	86
9	22	115	N.G.	86
10	138	115	61	85
11	0	58	74	83
12	128	64	40	78
13	106	138		(avg. 88.5)
14	92	118		
15	264	118		
16	0	119		
17	208			
18	77			
19	70			
20	104			
21	54			
22	212			
23	184			
24	151			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	off
	B	
	C	
E	A	off
	B	
	C	
S	A	100+ 460
	B	100+ 460
	C	0 460
W	A	off
	B	
	C	

Date: 3-9-74ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						90		
2						88		
3						87		
4						87		
5						87		
6						198		
7						53		
8						235		
9						90		
10						180		
11						60		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	125	84	94
2	125	117	73	97
3	86	121	117	97
4	160	140	86	94
5	138	105	35	93
6	106	NG	99	92
7	0	107	NG	86
8	0	107	49	86
9	23	107	NG	85
10	138	107	68	84
11	0	62	74	82
12	130	67	41	78
13	103	137		89
14	89	98		
15	256	98		
16	0	106		
17	220			
18	124			
19	70			
20	104			
21	54			
22	213			
23	185			
24	151			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	200	540
	B	200	540
	C	0	540
W	A		
	B		
	C		

Date: 3-10-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					90		
5					91		
6					222		
7					230 ✓		
8					101		
9					240 ✓		
10					68		
11					90		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	164	112	86	94
2	125	120	73	97
3	86	107	115	96
4	156	134	90	93
5	135	104	NG	88
6	107	NG	99	86
7	0	101	NG	85
8	0	101	48	85
9	20	101	NG	85
10	138	101	69	85
11	18	61	73	83
12	130°	70	42	78
13	103°	137		81.25
14	95°	96		
15	248°	97		
16	0	97		
17	207°			
18	78°			
19	71°			
20	104			
21	54			
22	213			
23	186			
24	157			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	210	450
	B	210	445
	C	0?	450
W	A		
	B		
	C		

Date: 3-11-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					101		
2					102		
3					73		
4					100		
5					202		
6					102		
7					200		
8					208		
9					215		
10					75		
11					80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	127	84	94
2	125	122	73	97
3	86	121	114	96
4	160	133	91	92
5	137	113	35	88
6	106	NG	97	86
7	—	108	NG	85
8	—	109	48	85
9	—	109	NG	85
10	138	109	72	85
11	—	60	73	83
12	128	68	42	78
13	103	133		80.3
14	89	112		
15	—	111		
16	—	111		
17	219			
18	76			
19	70			
20	103			
21	55			
22	213			
23	184			
24	150			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	120	452
	B	100	455
	C	0	458
W	A		
	B		
	C		

Date: 3-12-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					93		
2					92		
3					92		
4					92		
5					93		
6					205		
7					62		
8					221		
9					93		
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	128	84	94
2	137	119	73	96
3	86	121	109	96
4	160	135	88	92
5	138	116	NG	88
6	110	NG	95	86
7	0	113	116	85
8	0	112	50	85
9	16	112	NG	85
10	138	113	71	85
11	0	56	74	83
12	131	72	42	79
13	104	138		
14	92	112		
15	2350	112		
16	0	112		
17	211			
18	76			
19	75			
20	104			
21	56			
22	213			
23	186			
24	151			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	210	450
	B	210	450
	C	0(?)	450
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-13-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					85		
2					86		
3					86		
4					86		
5					145		
6					* ? NG		
7					* ? NG		
8					86		
9					256. ✓		
10					63		
11					95		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	119	84	93
2	124	119	73	96
3	86	114	101	95
4	160	135	85	81
5	148	110	* NG ?	88
6	102	NG	93	86
7	0	104	* NG ?	85
8	0	104	49	85
9	20	104	* NG ?	85
10	138	104	73	85
11	0	62	73	83
12	128	67	41	78
13	104	140		87.5
14	88	103		
15	302	104		
16	0	103		
17	209			
18	77			
19	77			
20	104			
21	56			
22	213			
23	183			
24	151			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	210 450
	B	210 448
	C	0 450
W	A	
	B	
	C	

* CAN'T READ POINTER

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					100		
2					100		
3					100		
4					100		
5					* ?		
6					* ?		
7					* ?		
8					100		
9					252		
10					60		
11					80		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	134	83	94
2	124	115	76	96
3	85	126	100	95
4	160	134	78	92
5	138	126	* ?	88
6	106	NG	* ?	86
7	0	118	* ?	86
8	0	118	* ?	86
9	28	118	* ?	86
10	138	118	70	85
11	0	60	73	82
12	129	62	NG	77
13	104	136		87.8
14	92	124		
15	295	124		
16	200	122		
17	206			
18	72			
19	75			
20	104			
21	55			
22	213			
23	185			
24	151			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	220 450
	B	220 448
	C	0 450
W	A	
	B	
	C	

* CAN'T READ POINTER

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 3-15-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					102		
2					102		
3					102		
4					102		
5					220		
6					65		
7					227		
8					105		
9					380		
10					70		
11					* ?		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	104	132	85	94
2	124	108	73	96
3	86	120	107	95
4	160	128	83	92
5	138	122	* ?	8.8
6	107	NG	* ?	86
7	NG	113	* ?	86
8	NG	113	* ?	86
9	24	113	* ?	86
10	138	113	71	84
11	NG	61	73	82
12	128	68	39	76
13	103	133		87.6
14	97	118		
15	248	118		
16	NG	117		
17	220			
18	78			
19	77			
20	103			
21	56			
22	213			
23	186			
24	151			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	110 450
	B	110 450
	C	0 455
W	A	
	B	
	C	

* CAN'T READ POINTER

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

3-16-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				100			
2				100			
3				100			
4				100			
5				230			
6				70			
7				230			
8				230			
9				100			
10				200			
11				200			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	104	107	83	93
2	125	110	84	96
3	86	110	73	95
4	100	130	104	91
5	137	102	82	88
6	104	0	35	86
7	NG	100	91	85
8	NG	100	25	85
9	20	100	50	85
10	138	100	N.G.	84
11	NG	52	71	81
12	129	64	74	75
13	103	137	38	
14	90	88	83	
15	NG	88	74	
16	NG	92	104	
17	203			
18	76			
19	76			
20	103			
21	55			
22	213			
23	185			
24	150			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-17-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				105			
2				99			
3				99			
4				99			
5				200			
6				55			
7				220			
8				100			
9				290			
10				62			
11				100			

Pt.	TR-112-4		TR-112-1		TR-112-2		TR-241-BX-2	
	Days	0500	0500	0500	0500	0500	0500	0500
1	164	125	75	93				
2	125	114	38	96				
3	86	115	81	95				
4	161	125	74	91				
5	138	115	32	83				
6	104	0	89	86				
7	0	107	?	86				
8	0	107	49	86				
9	16	107	?	86				
10	138	107	72	85				
11	0	50	75	81				
12	129	63	75	75				
13	104	140						
14	88	108						
15	273	109						
16	0	108						
17	201							
18	72							
19	76							
20	104							
21	56							
22	213							
23	185							
24	157							

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 3-18-74

ITS-2 TEMPERATURES

12-8 gpc "B"

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				90			
2				90			
3				90			
4				90			
5				210			
6				62			
7				225			
8				92			
9				325			
10				62			
11				120			

Pt.	TR-112-4 Days	TR-112-1 0500 gpc "B"	TR-112-2 0500 gpc "B"	TR-241-BX-2 0500 gpc "B"
1	144	113	84	93
2	122	107	74	95
3	86	106	85	94
4	160	120	74	91
5	137	100	32	88
6	104	0	93	86
7	NG	99	<29	86
8	NG	99	51	86
9	NG	99	35	86
10	138	99	72	84
11	NG	62	75	81
12	128	63	35	75
13	104	133	—	—
14	93	101	—	—
15	283	101	—	—
16	NG	101	—	—
17	218	—	—	—
18	79	—	—	—
19	NG	INSTRUCTIONS:		
20	103			
21	56			
22	212			
23	185			
24	151			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	110	450
	B	110	450
	C	25	450
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-19-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					100		
2					100		
3					100		
4					100		
5					230		
6					92		
7					215		
8					100		
9					120		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500 ^{100°}	TR-112-2 0500 ^{90°}	TR-241-BX-2 0500 ^{90°}
1	124	110	84	100 92
2	124	108	74	100 94
3	86	102	89	100 94
4	120	132	78	100 91
5	138	95	35	200 98
6	106	0	93	92 96
7	NG	97	29	200 86
8	NG	97	53	200 86
9	NG	98	33	200 86
10	135	98	72	200 85
11	NG	62	74	200 83
12	129	66	40	200 78
13	104	141		
14	92	90		
15	NG	94		
16	NG	94		
17	205			
18	NG			
19	72			
20	104			
21	58			
22	213			
23	184			
24	151			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-20-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				100			
2				100			
3				100			
4				100			
5				2-10			
6				50			
7				215			
8				100			
9				245			
10				60			
11				95			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	164	140	84	93
2	124	117	74	85
3	86	125	81	94
4	160	120	84	92
5	137	125	31	90
6	107	0	97	87
7	—	124	29	86
8	—	124	40	86
9	22	124	34	86
10	137	125	70	86
11	—	60	74	84
12	127	69	40	84
13	103	132	—	
14	103	132		
15	264	132		
16	—	128		
17	276	—		
18	59	—		
19	70			
20	—			
21	53			
22	272			
23	184			
24	150			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	450
	B	110	450
	C	—	450
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-21-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				95			
3				95			
4				95			
5				200			
6				50			
7				215			
8				100			
9				345			
10				60			
11				85			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	124	126	84	92
2	124	118	74	94
3	86	112	82	94
4	160	116	74	88
5	137	116	35	86
6	108	0	95	86
7	NG	110	29	86
8	NG	110	53	86
9	NG	110	47	86
10	138 138	111	72	85
11	NG	65	74	83
12	129	70	32	78
13	104	134	—	
14	96	113	—	
15	176	112	—	
16	NG	112	—	
17	231	—	—	
18	78	—	—	
19	NG			
20	103			
21	157			
22	213			
23	184			
24	150			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	Down
	C	
E	A	
	B	Down
	C	
S	A	
	B	
	C	
W	A	
	B	Down
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-22-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				90			
2				90			
3				90			
4				90			
5				200			
6				60			
7				215			
8				95			
9				245			
10				65			
11				110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1			135	92
2			122	95
3			120	94
4			117	91
5			120	88
6			0	87
7			118	86
8			118	86
9			118	86
10			118	86
11			62	83
12			68	78
13			135	
14			125	
15			125	
16		224	124	
17		78		
18		0		
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

3-23-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					90		
5					195		
6					62		
7					210		
8					191		
9					243		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	169	108	84	92
2	121	112	75	94
3	85	109	84	94
4	160	120	72	91
5	136	108	38	88
6	103	-	97	86
7	-	100	30	86
8	-	100	54	86
9	-	100	38	86
10	-	84	73	85
11	136	64	76	85
12	106	68	43	83
13	105	40		
14	136	101		
15	350	101		
16	-	101		
17	205			
18	90			
19	76			
20	104			
21	60			
22	212			
23	184			
24	150			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	750
	B	100	750
	C	110	700
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

3-24-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					90		
5					193		
6					62		
7					210		
8					90		
9					240		
10					68		
11					95		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	110	84	
2	124	115	74	
3	86	132	84	
4	160	132	55	
5	136	102	37	
6	107	—	95	
7	—	101	31	
8	—	101	55	
9	15	101	42	
10	137	103	74	
11	—	63	76	
12	128	75	43	
13	104	131	112	
14	138	160		
15	—	160		
16	—	100		
17	119			
18	92			
19	74			
20	104			
21	60			
22	213			
23	187			
24	150			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 3-25-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					90		
5					215		
6					70		
7					210		
8					80		
9					240		
10					70		
11					110		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	127	84	91
2	125	123	74	94
3	86	123	86	93
4	160	128	40	90
5	136	116	39	88
6	108	—	97	86
7	N.G.	107	31	85
8	N.G.	107	51	85
9	N.G.	108	35	85
10	138	108	74	85
11	N.G.	65	76	83
12	128	71	43	78
13	103	34	84	
14	138	111		
15	N.G.	111		
16	N.G.	111		
17	129			
18	82			
19	74			
20	103			
21	61			
22	212			
23	182			
24	150			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	0	455
W	A		
	B		
	C		

Date: 3-26-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					90		
5					280		
6					70		
7					215		
8					190		
9					252		
10					70		
11					105		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	164	106	84	91
2	125	112	74	93
3	87	107	86	90
4	160	132	64	90
5	137	180	38	88
6	104	—	99	86
7	N.G.	97	31	85
8	N.G.	97	53	85
9	N.G.	97	41	85
10	137	97	72	83
11	N.G.	64	76	83
12	127	71	43	78
13	103	35		
14	138	97		
15	N.G.	97		
16	N.G.	97		
17	236			
18	80			
19	75			
20	102			
21	61			
22	212			
23	183			
24	150			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	125 450
	B	100 450
	C	0 455
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

3-27-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				95			
3				95			
4				94			
5				195			
6				70			
7				205			
8				95			
9				250			
10				74			
11				110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	70	133	80	91
2	105	125	74	94
3	65	126	84	93
4	215	133	59	90
5	180	123	39	88
6	150	—	97	86
7	170	112	31	85
8	125	112	54	85
9	85	112	39	85
10	160	112	72	85
11	138	63	76	83
12	108	74	43	79
13	10	133		
14	0	117		
15	10	117		
16	138	117		
17	0			
18	128			
19	105			
20	135			
21	108			
22	106			
23	210			
24				

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	0.1 445
	B	0.1 440
	C	0.1 445
W	A	
	B	
	C	

ITS-2 TEMPERATURES

Date: 3-28-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				95			
3				95			
4				95			
5				200			
6				73			
7				210			
8				95			
9				250			
10				80			
11				115			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	68	127	79	91
2	102	125	74	93
3	65	122	86	93
4	112	128	64	90
5	180	117	37	87
6	150		97	85
7	160	110	31	85
8	125	110	52	85
9	86	110	43	85
10	160	110	71	84
11	136	65	76	83
12	108	72	43	78
13	N.G.	136		
14	N.G.	110		
15	N.G.	110		
16	177	110		
17	N.G.			
18	128			
19	107			
20	138			
21	N.G.			
22	N.G.			
23	240			
24	82			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	120 450
	B	120 450
	C	0 460
W	A	
	B	
	C	

Date: 3-29-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				90			
2				90			
3				90			
4				90			
5				200			
6				69			
7				207			
8				91			
9				240	240		
10				171			
11				115			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	69	118	79	90
2	102	117	73	72
3	62	118	88	92
4	212	123	60	89
5	182	111	39	86
6	150	—	96	85
7	166	104	33	84
8	121	104	55	84
9	86	104	64	84
10	160	104	72	84
11	137	53	76	82
12	105	69	43	78
13	NG	139		
14	NG	104		
15	NG	104		
16	137	104		
17	NG			
18	128			
19	103			
20	140			
21	NG			
22	NG			
23	224			
24	74			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	105 455
	B	105 458
	C	0 455
W	A	
	B	
	C	

ITS-2 TEMPERATURES

Date: 3-30-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					190		
3					100		
4					95		
5					95		
6					80 200		
7					100		
8					80		
9					190		
10					74		
11					105		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	68	125	76	91
2	102	125	73	92
3	62	123	86	92
4	212	228	49	90
5	182	111	39	87
6	150	N.G.	96	85
7	164	109	36	85
8	125	110	53	85
9	86	110	54	85
10	160	110	71	84
11	136	60	75	82
12	108	73	42	77
13	NE	132		
14	NE	111		
15	N.E	110		
16	138	110		
17	NE			
18	130			
19	103			
20	141			
21	NE			
22	NE			
23	229			
24	76			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 455
	B	100 450
	C	2.5 455
W	A	
	B	
	C	

11758(87)
88/78

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

Date: 3-31-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					90		
2					90		
3					90		
4					85		
5					200		
6					65		
7					(205)		
8					100		
9					180		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	66	121	76	90
2	102	115	73	92
3	61	115	88	92
4	212	118	53	89
5	180	118	38	85
6	150	116	96	85
7	164	109	37	84
8	124	109	54	84
9	86	109	59	84
10	160	109	71	84
11	136	66	74	81
12	100	72	41	76
13	NG	133		85 Ave
14	NG	113		
15	NG	113		
16	137	112		
17	NG			
18	128			
19	102			
20	137			
21	200			
22	NG			
23	240			
24	82			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 448
	C	25 450
W	A	
	B	
	C	

Date: 4-1-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				95			
3				95			
4				95			
5				200			
6				65			
7				200			
8				100			
9				180			
10				70			
11				180			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	65	123	76	90
2	102	121	73	92
3	60	120	89	92
4	212	120	52	89
5	180	116	—	86
6	150	74	96	85
7	164	111	—	84
8	123	771	54	84
9	86	111 76	55	84
10	158	111 76	71	83
11	136	65 76	73	80
12	126	70	41	76
13	NG	139		
14	NG	101		
15	19	101		
16	137	114		
17	NG			
18	128			
19	102			
20	139			
21	596			
22	55			
23	211			
24	82			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	0 450
	B	0 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

Date: 4-2-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					93		
2					95		
3					92		
4					95		
5					150		
6					65		
7					200		
8					90		
9					175		
10					70		
11					150		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	65	116	76	89
2	101	116	72	92
3	60	120	88	92
4	312	101	50	89
5	180	107	—	86
6	120	—	95	85
7	164	107	—	84
8	122	107	53	83
9	86	107	59	80
10	160	107	66	79
11	136	65	70	77
12	99	72	39	73
13	NG	134		
14	86	99		
15	102	99		
16	127	102		
17	102	221		
18	128			
19	96			
20	119			
21	224			
22	125			
23	227			
24	81			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 440
	B	100 440
	C	0 440
W	A	
	B	
	C	

ITS-2 TEMPERATURES

Date: 4-3-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
O500	Remarks	O500	Remarks	O500	Remarks	O500	Remarks
1					100		
2					95		
3					95		
4					98		
5					✓ 200		
6					60		
7					190		
8					100		
9					170		
10					65		
11					100		

Pt.	TR-112-4 Days	TR-112-1 O500	TR-112-2 O500	TR-241-BX-2 O500
1	65	120	76	89
2	101	120	72	92
3	60	122	89	92
4	212	100	51	89
5	180	110	—	84
6	150	✓	94	85
7	163	111	—	81
8	122	111	51	81
9	95	111	60	81
10	160	111	68	81
11	136	65	72	80
12	96	68	39	75
13	NG	130		
14	NG	105		
15	NG	105		
16	137	106		
17	NG			
18	128			
19	95			
20	128			
21	320			
22	NG			
23	230			
24	50			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 4-4-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						160		
2						160		
3						97		
4						160		
5						175		
6						65		
7						190		
8						160		
9						165		
10						65		
11						95		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	65	123	76	89
2	121	122	72	91
3	60	120	86	71
4	212	105	41	88
5	180	106	—	86
6	150	—	91	84
7	163	110	—	81
8	120	110	53	81
9	84	111	51	81
10	140	111	68	80
11	136	65	72	77
12	97	69	40	75
13	NG	135		
14	NG	115		
15	NG	115		
16	137	115		
17	NG			
18	127			
19	85			
20	120			
21	310			
22	116			
23	208			
24	78			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

Date: 4-5-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					100		
2					100		
3					100		
4					100		
5					150		
6					65		
7					190		
8					100		
9					165		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500	Record on 8-4 Shift		
1	64	114	76	90	Heater	Amps.	Volts
2	101	120	72	92	N	A	
3	60	113	86	91		B	
4	212	120	41	89		C	
5	180	111	—	84	E	A	
6	149	—	92	83		B	
7	163	114	—	81		C	
8	122	113	53	81	S	A	100 452
9	85	113	59	81		B	100 450
10	160	55	67	81		C	0 455
11	136	64	72	80	W	A	
12	104	70	40	75		B	
13	0	140				C	
14	0	113					
15	0	113					
16	137	113					
17	0						
18	128						
19	95						
20	122						
21	0						
22	0						
23	220						
24	78						

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 4-8-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				98			
2				98			
3				200			
4				108			
5				201			
6				84			
7				190			
8				98			
9				160			
10				70			
11				102			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	63	124	75	90 90
2	101	108	72	92 91
3	60	108	86	91 91
4	212	108	85	86 86
5	180	NE	30	84 84
6	148	101	90	87 81
7	163	101	30	87 81
8	104	101	52	82 81
9	85	101	56	87 81
10	160	66	68	81 81
11	135	65	73	79 79
12	104	118	40	75 75
13	0	120		84
14	0	109		
15	0	108		
16	137	110		
17	0			
18	127			
19	94			
20	122			
21	0			
22	0			
23	016-58			
24	58			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	455
	B	100	450
	C	0	458
W	A		
	B		
	C		

4-10-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					105		
2					101		
3					100		
4					100		
5					100		
6					70		
7					190		
8					105		
9					130		
10					70		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	65	98	75	89
2	100	100	73	91
3	6	105	86	90
4	212	96	20	90
5	179	100	36	84
6	149	100	94	81
7	162	104	25	81
8	123	104	52	81
9	85	104	62	81
10	160	104	68	81
11	135	51	72	79
12	90	50	36	75
13	0	118		85.5
14	0	104		
15	0	97		
16	136	98		
17	0			
18	126			
19	95			
20	120			
21	0			
22	0			
23	154			
24	70			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 452
	B	100 450
	C	0 455
W	A	
	B	
	C	

Date: 4-11-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					100		
2					100		
3					100		
4					100		
5					200		
6					70		
7					100		
8					100		
9					150		
10					70		
11					90		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		94	77	89
2		94	72	91
3		100	84	90
4		98	25	87
5		88	35	83
6		112	91	81
7		93	30	81
8		93	54	81
9		93	64	81
10		93	68	81
11		50	72	79
12		50	41	75
13		115		83.3°C
14		100		
15		94		
16		94		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 4-12-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				90			
3				92			
4				95			
5				20			
6				65			
7				195			
8				95			
9				20			
10				70			
11				100			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		96	76	89
2		98	71	90
3		98	88	89
4		102	28	81
5		103	32	83
6		NG	92	81
7		92	30	81
8		93	53	81
9		93	67	80
10		93	65	80
11		52	73	79
12		52	40	75
13		116		82.5°
14		105		
15		99		
16		99		
17				
18				
19				
20				
21				
22				
23				
24				

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 455
	B	50 450
	C	— 455
W	A	
	B	
	C	

Date: 4-13-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				94			
2				95			
3				93			
4				94			
5				238			
6				62			
7				195			
8				190			
9				90			
10				68			
11				92			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		97	76	89
2		99	71	90
3		99	88	90
4		99	26	86
5		100	28	83
6			92	81
7		91	28	81
8		91	54	81
9		91	68	81
10		91	69	81
11		50	72	79
12		50	41	75
13		119		21997
14		101		96
15		96		37
16		94		
17				
18				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 455
	B	50 451
	C	— 455
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				88			
2				85			
3				90			
4				90			
5				130			
6				65			
7				200			
8				90			
9				153			
10				90			
11				90			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	66	150	76	89
2	102	102	70	90
3	62	101	84	89
4	212	104	34	86
5	179	104	30	83
6	148	0	74	81
7	163	97	28	81
8	123	97	55	81
9	85	97	59	81
10	160	97	68	81
11	135	50	72	79
12	102	53	41	74
13	000	118		83.0
14	000	104		
15	25	103		
16	135	103		
17	000			
18	125			
19	95			
20	122			
21	350+			
22	350+			
23	142			
24	87			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 455
	B	50 450
	C	— 455
W	A	
	B	
	C	

Date: 4-15-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				90			
2				90			
3				88			
4				90			
5				130			
6				73			
7				200			
8				100			
9				156			
10				73			
11				115			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	66	96	76	89
2	101	94	71	90
3	63	99	85	89
4	212	100	27	86
5	179	101	37	83
6	149	0	93	81
7	163	95	31	81
8	122	95	54	81
9	65	96	51	81
10	160	96	68	81
11	135	50	72	79
12	104	50	41	75
13	000	117		483.0
14	000	105		121996
15	034	100		96
16	137	100		36
17	000			
18	125			
19	95			
20	123			
21	3504			
22	3504			
23	161			
24	91			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 455
	B	50 450
	C	— 455
W	A	
	B	
	C	

Date: 4-16-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				91			
2				90			
3				90			
4				90			
5	Down	Down		120		Down	
6				70			
7				198			
8				91			
9				145			
10				72			
11				100			

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	69	91	76	89
2	101	103	71	90
3	65	102	84	89
4	212	102	26	86
5	178	97	37	83
6	149	0	89	81
7	164	86	31	80
8	124	86	53	80
9	85	86	53	80
10	161	86	68	80
11	135	52	72	78
12	97	50	41	73
13	000	116		82.5
14	000	95		12/ 989
15	22	91		96
16	137	91		29
17	00	91		24
18	135			5
19	95			
20	124			
21	350+			
22	350+			
23	160			
24	91			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	50	455
	B	50	440
	C	—	445
W	A		
	B		
	C		

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					99			
2					95			
3					95			
4					97			
5					110			
6					72			
7					193			
8					70			
9					90			
10					73			
11					102			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	69	97	76	88
2	101	99 -	71	90
3	65	100	80	89
4	212	97	26	86
5	178	96	37	83
6	148	0	87	81
7	163	96	33	81
8	121	96	55	80
9	85	95	52	80
10	160	95	68	80
11	135	54	72	78
12	101	53 -	41	74
13	000	117		82.5
14	000	101		12/989
15	22	101		96
16	137	102		29
17	000			2 1/5
18	125			
19	95			
20	124			
21	350 +			
22	350 +			
23	139			
24	84			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 440
	B	50 445
	C	0 450
W	A	
	B	
	C	

Date: 4-18-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				100			
2				98			
3				96			
4				97			
5				120			
6				75			
7				(93)			
8				100			
9				135			
10				80			
11				100			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	68	99	76	88
2	101	100 -	71	89
3	66	100	78	88
4	212	100	25	86
5	178	93	39	83
6	149	0	86	81
7	163	97	32	80
8	126	97	54	80
9	86	97	50	80
10	160	96	18	80
11	135	53	72	78
12	099	53 -	43	74
13	000	124		82.3
14	000	105		96
15	022	105		27
16	137	104		
17	000	123		
18	127			
19	095			
20	350+			
21	350+			
22	350+			
23	119			
24	83			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	50 455
	B	50 450
	C	— 455
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				90			
2				90			
3				90			
4				90			
5				115			
6				72			
7				194			
8				220			
9				370			
10				74			
11				115			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	69	92	75	88
2	101	103	70	89
3	66	102	80	88
4	212	84	26	85
5	178	86	86	82
6	148	0	33	80
7	162	85	54	80
8	124	85	59	80
9	87	80	68	80
10	160	80	72	80
11	135	60	39	79
12	96	59	76	74
13	N.G.	120		82.2
14	N.G.	95		1298.5
15	N.G.	95		96.5
16	136	92		25
17	N.G.			
18	126			
19	95			
20	125			
21	N.G.			
22	N.G.			
23	118			
24	80			

Record on 8-4 Shift		
Heater	Amps.	Volts
N	A	
	B	
	C	116
E	A	
	B	116
	C	
S	A	100
	B	100
	C	0
W	A	450
	B	450
	C	455

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 4-20-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					110		
2					110		
3					110		
4					111		
5	DOWN	DOWN			200		DOWN
6					62		
7					170		
8					112		
9					150		
10					68		
11					90		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	70	115	74	87
2	100	115	68	90
3	66	115	81	88
4	212	115	29	85
5	178	114	84	82
6	148	NG	31	81
7	162	114	53	80
8	122	114	54	80
9	86	114	68	80
10	160	114	71	80
11	135	61	34	79
12	98	58		75
13	N.G.	121		
14	N.G.	170		
15	N.G.	170		
16	136	120		
17	N.G.			
18	126			
19	95			
20	125			
21	N.G.			
22	N.G.			
23	120			
24	83			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	114
E	B	114
	C	
S	A	100 450
	B	100 450
	C	0 455
W	A	
	B	114
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					110			
2					110			
3					110			
4		DOWN		DOWN	110			DOWN
5					140			
6					68			
7					190			
8					140			
9					131			
10					70			
11					110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	70	110	74	87
2	100	110	70	84
3	66	110	79	83
4	212	109	25	85
5	178	80	37	83
6	148	126	84	83
7	162	104	26	80
8	122	104	53	80
9	86	104	45	80
10	160	104	68	80
11	135	102	72	79
12	97	55	34	74
13	N.G.	124		
14	N.G.	125		
15	N.G.	122		
16	136	110		
17	N.G.			
18	126			
19	95			
20	124			
21	N.G.			
22	N.G.			
23	120			
24	84			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	77
E	A	
	B	156
	C	
S	A	100 456
	B	100 445
	C	0 450
W	A	
	B	77
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: APR 22 1974

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1						91		
2						91		
3						90		
4		DOWN		DOWN		90		DOWN
5						190		
6						72		
7						180		
8						160		
9						250		
10						80		
11						110		

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1		100	74	87
2		104	70	88
3		104	73	88
4		82	85	85
5		70	40	82
6		116	79	80
7		93	35	80
8		93	54	80
9		94	51	80
10		93	68	80
11		54	73	77
12		35	41	73
13		125		
14		125		
15		102		
16		101		
17				
18				
19				
20				
21				
22				
23				
24				

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: APR 23 1974ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	DOWN		DOWN		100		DOWN
2					100		
3					100		
4					100		
5					200		
6					72		
7					190		
8					225		
9					275		
10					80		
11					110		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500	Record on 8-4 Shift		
					Heater	Amps.	Volts
1		105	75	87	N	A	
2		105	69	89		B	
3		105	78	87		C	
4		82	25	84	E	A	
5		97	38	82		B	
6		106	84	81		C	
7		94	31	80	S	A	
8		95	53	80		B	
9		95	53	80		C	
10		93	68	80	W	A	
11		60	72	79		B	
12		60	39	74		C	
13		121					
14		121					
15		108					
16		106					
17							
18							
19							
20							
21							
22							
23							
24							

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	DOWN		DOWN	100			DOWN
2				100			
3				100			
4				100			
5				176			
6				68			
7				190			
8				100			
9				130			
10				72			
11				103			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		103	74	87
2		103	68	87
3		102	78	87
4		101	75	85
5		95	35	82
6		NG	84	81
7		99	29	80
8		99	53	80
9		99	47	80
10		99	66	80
11		57	72	79
12		58	113	74
13		123		
14		122		
15		104		
16		104		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: APR 25 1974

TTS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	DOWN		DOWN	91			DOWN
2				90			
3				90			
4				90			
5				125			
6				71			
7				190			
8				95			
9				127			
10				75			
11				110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	64	106	73	96
2	100	106	67	88
3	66	105	77	87
4	211	81	25	84
5	77	91	38	81
6	148	116	83	80
7	163	91	31	80
8	122	91	53	80
9	86	91	51	80
10	160	91	68	80
11	135	53	78	78
12	96	55	110	73
13	N.S.	124		
14	---	123		
15	"	110		
16	137	108		
17	N.S.			
18	126			
19	95			
20	126			
21	N.S.			
22	---			
23	121			
24	83			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1	DOWN		DOWN	80			DOWN
2				80			
3				80			
4				80			
5				121			
6				70			
7				190			
8				80			
9				95			
10				75			
11				115			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	64	94	73	85
2	100	117	69	87
3	66	113	78	86
4	211	95	26	83
5	176	96	38	80
6	148	NG	81	79
7	162	93	31	79
8	120	93	53	79
9	85	93	51	78
10	160	93	68	78
11	134	82	71	77
12	96	78	34	73
13	NG	137		
14	NG	95		
15	24	95		
16	136	95		
17	NG			
18	123			
19	95			
20	124			
21	NG			
22	NG			
23	117			
24	80			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	0	450
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 4-27-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					190		
2					105		
3					105		
4					105		
5					200		
6					80		
7					200		
8					100		
9					140		
10					80		
11					130		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	64	110	76	86
2	100	110	78	88
3	64	110	78	86
4	211	110	27	84
5	176	105	37	81
6	148	NG	83	80
7	162	105	35	79
8	120	105	33	79
9	85	105	67	79
10	160	105	78	79
11	134	90	78	78
12	96	80	41	74
13	NG	134		
14	NG	112		
15	NG	112		
16	136	112		
17	NG			
18	126			
19	95			
20	124			
21	NG			
22	146			
23	114			
24	76			

Ave. 88.5

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 455
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					170		
2					100		
3					100		
4					100		
5					100		
6					210		
7					90		
8					190		
9					100		
10					150		
11					110		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	64	114	74	86
2	100	114	68	87
3	64	115	78	86
4	211	105	25	84
5	176	102	35	81
6	147	NG 107	84	80
7	162	103	32	80
8	122	103	53	79
9	85	103	47	79
10	160	103	67	79
11	134	87	70	79
12	95	80	41	74
13	NG	135		
14	NG	114		
15	NG	114		
16	136	114		
17	NG			
18	126			
19	95			
20	122			
21	NG			
22	NG			
23	115			
24	80			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

Date: 4-30-79

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					100		
2					100		
3					100		
4					100		
5					200		
6					80		
7					190		
8					90		
9					150		
10					80		
11					100		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	64	110	79	85
2	100	110	68	87
3	69	110	80	86
4	211	110	29	83
5	176	105	40	81
6	147	NG	72	80
7	162	100	31	79
8	125	100	53	79
9	86	100	50	79
10	160	100	68	79
11	124	85	71	79
12	100	80	59	74
13	NG	35		
14	NG	110		
15	NG	110		
16	138	110		
17	NG			
18	126			
19	96			
20	126			
21	NG			
22	NG			
23	114			
24	76			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

81°

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 4-30-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1					10.0		
2					10.0		
3					10.0		
4					10.0		
5					19.0		
6					20.0		
7					19.0		
8					14.0		
9					14.0		
10					9.0		
11					19.0		

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	64	120	72	45
2	100	120	70	42
3	67	120	79	42
4	210	120	29	43
5	176	104	37	21
6	148	—	73	41
7	162	109	37	79
8	122	109	58	79
9	86	109	56	79
10	160	109	67	79
11	134	90	72	78
12	98	85	41	74
13	NG	132		
14	NG	120		
15	NG	120		
16	136	120		
17	NG			
18	126			
19	96			
20	126			
21	NG			
22	NG			
23	121			
24	96			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	0	450
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 5-4-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0600	1300	2100	0500	1300	2100
1							90					
2							90					
3							90					
4							90					
5							200					
6							80					
7							185					
8							90					
9							145					
10							80					
11							100					

Pt.	TR-112-4	TR-112-1			TR-112-2			241 8X2 6100
	Days	0600	1300	2100	0600	1300	2100	
1	64	105			74			84
2	98	188			68			86
3	68	116			80			85
	210	94			38			83
5	176	94			38			80
6	147	NG			74			79
7	162	92			34			79
8	122	92			34			79
9	86	92			58			79
10	160	92			68			79
11	134	82			72			78
12	96	79			35			78
13	0	126						Ave 80.4
14	0	94						
15	7350	94						
16	138	94						
17	0							
18	120							
19	96							
20	127							
21	7350							
22	7350							
23	125							
24	87							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	200 450
	B	200 450
	C	0(?) 450
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 5-7-74

ITS-2 Thermocouples

	0500	TR-112-N 1300	2100	0800	TR-112-E 1300	2100	0900	TR-112-S 1300	2100	0500	TR-112-W 1300	2100
1							98					
2							98					
3							92					
4							98					
5							106					
6							95					
7							185					
8							100					
9							120					
10							95					
11							120					

TR-112-1					TR-112-2			214-8x-2
Pt.	Days	0500	1300	2100	0500	1300	2100	2100
1	70	98	5	5	74	5	84	
2	100	113	5	5	70	5	86	
3	73	120	5	5	76	5	55	
	210	108	5	5	32	5	83	
5	176	97	5	5	39	5	80	
6	147	NG	5	5	72	5	79	
7	162	92	5	5	39	5	79	
8	123	92	5	5	55	5	79	
9	86	91	5	5	50	5	79	
10	160	91	5	5	76	5	79	
11	134	85	5	5	72	5	78	
12	100	80	5	5	42	5	73	
13	—	135	5	5	5	5	214-8x-2	
14	—	98	5	5	5	5		
15	—	97	5	5	5	5		
16	138	97	5	5	5	5		
17	—		5	5	5	5		
18	126		5	5	5	5		
19	96		5	5	5	5		
20	130		5	5	5	5		
21	—		5	5	5	5		
22	—		5	5	5	5		
23	164		5	5	5	5		
24	143		5	5	5	5		

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason.
- If recording instruments, thermocouples, are not functioning properly, report this to the recorder.
- Circle all results that are out of process.

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

Date: 5-8-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							95					
2							95					
3							95					
4							95					
5							135					
6							80					
7							190					
8							100					
9							150					
10							80					
11							120					

Pt.	TR-112-4	TR-112-1			TR-112-2		214-BX-2
	Days	0500	1300	2100	0500	1300	0100 2000
1	70	115			74		84
2	105	115			69		86
3	73	115			78		85
	211	112			35		73
5	176	102			39		80
6	147	NG			74		79
7	162	94			38		79
8	122	98			54		79
9	86	98			53		79
10	160	100			67		79
11	134	88			72		78
12	96	82			40		73
13	—	135					AVE 80.4
14	—	115					
15	—	115					
16	138	115					
17	—						
18	126						
19	96						
20	130						
21	—						
22	—						
23	125						
24	83						

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	160 452
	B	100 450
	C	0 453
W	A	
	B	
	C	

Date: 5-9-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							95					
2							90					
3							90					
4							90					
5							180					
6							75					
7							190					
8							95					
9						1	180					
10							90					
11							120					

Pt.	TR-112-4	112-2			112-1			214-81-2
	Days	0800	1300	2100	0800	1300	2100	
1	69	73	5	5	105	7	84	
2	100	69	5	5	120	5	85	
3	72	72	5	5	120	5	85	
	210	31	5	5	112	5	82	
5	175	27	5	5	104	5	80	
6	147	74	5	5	116	5	78	
7	162	35	5	5	97	5	78	
8	122	37	5	5	97	5	78	
9	86	60	5	5	97	5	78	
10	160	70	5	5	97	5	78	
11	133	72	5	5	83	5	77	
12	101	41	5	5	80	5	73	
13	0		5	5	132		AVE-79.8	
14	0		5	5	108			
15	0		5	5	108			
16	137		5	5	108	5		
17	0		5	5		5		
18	126		5	5		5		
19	96							
20	130							
21	0							
22	0							
23	126							
24	82							

INSTRUCTIONS:	
1.	Fill out all blanks.
2.	If data are not available, give reason.
3.	If recording instruments, thermocouple functioning properly, report this to supervisor.
4.	Circle all results that are out of process.

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A	100	410
	B	100	410
	C	0	455
W	A		
	B		
	C		

Date: 5-10-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							90					
2							90					
3							90					
4							130					
5							920					
6							70					
7							119					
8							90					
9							150					
10							70					
11							110					

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0500	1300	2100	0500	1300	2100
1	70	108			74		84
2	100	118			79		85
3	72	112			79		85
	210	110			82		82
5	176	95			39		80
6	148	115			74		78
7	162	93			35		78
8	122	96			54		79
9	86	96			60		79
10	160	95			68		78
11	134	89			72		77
12	100	80			39		73
13	N.G.	134					LUK-79.8
14	N.G.	108					
15	N.G.	108					
16	136	108					
17	N.G.						
18	124						
19	96						
20	130						
21	N.G.						
22	N.G.						
23	130						
24	86						

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

TTS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							92	100				
2							92	100				
3							91	100				
4							120	130				
5							220	190				
6							72	70				
7							190	190				
8							93	100				
9							130	150				
10							115	80				
11							110	110				

Pt.	TR-112-4	TR-112-1			TR-112-2			112 BY
	Days	0500	1300	2100	0500	1300	2100	
1	70	108	120		73	74	83	
2	100	108	120		68	68	85	
3	72	118	120		80	78	85	
	210	85	118		34	30	82	
5	174	100	110		38	36	80	
6	146		N.G.		74	72	78	
7	162	92	100		35	37	78	
8	122	92	107		55	55	78	
9	86	92	107		62	64	78	
10	160	91	107		68	69	78	
11	134	80	88		72	72	78	
12	102	80	88		41	40	73	
13	N.G.	136	130				1225.6	
14	N.G.	110	130				79.0 average	
15	N.G.	110	120					
16	138	110	120					
17	N.G.							
18	126							
19	96							
20	130							
21	N.G.							
22	N.G.							
23	126							
24	82							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

5-12-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							92	95	100			
2							91	90	100			
3							90	90	100			
4							92	95	125			
5							195	200	200			
6							72	70	75			
7							190	195	190			
8							92	95	105			
9							148	150	150			
10							74	75	80			
11							110	110	120			

Pt.	TR-112-4	TR-112-1			TR-112-2			112B1 2100
	Days	0500	1300	2100	0500	1300	2100	
1	70	110	108	125	74	72	83	
2	100	119	108	121	69	68	85	
3	70	119	120	126	80	78	85	
	210	86	108	119	33	30	82	
5	176	105	90	105	38	40	80	
6	146		ng.	NG	74	72	78	
7	162	95	93	119	34	30	78	
8	122	95	93	119	60	58	78	
9	86	95	93	119	65	64	78	
10	160	95	93	119	67	68	78	
11	134	80	86	97	72	70	78	
12	100	80	80	97	39	40	73	
13	N.G.	133	132	97			79.8	
14	N.G.	112	108	127			95.6	
15	ng.	112	108	130			84	
16	138	112	108	130			116	
17	ng.						106	
18	134							
19	96							
20	130							
21	ng.							
22	N.G.							
23	120							
24	80							

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

Date:

5-14-74

ITS-2 Thermocouples

Pt.	TR-112-N			TR-112-E			TR-112-S ⁰⁹⁰⁰			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	0800	2100	0500	1300	2100
1							91	100				
2							90	100				
3							90	100				
4							90	105				
5	off			off			(213)	(210)		off		
6							71	70				
7							190	185				
8							91	100				
9							148	145				
10							73	75				
11							104	110				

Pt.	TR-112-4	TR-112-1			TR-112-2			112 BY
	Days	0500	1300	2100	0500	1300	2100	Temp
1	70	105	120		73	72	83	
2	100	118	120		69	68	84	
3	70	118	120		79	78	84	
	210	105	107		33	30	82	
5	174	97	98		37	37	79	
6	146		75		74	74	78	
7	160	93	106		34	36	78	
8	122	93	106		55	54	78	
9	88	93	106		66	64	78	
10	160	92	106		68	68	78	
11	132	83	86		72	68	77	
12	104	80	86		41	40	73	
13	75	136	132				79.33	
14	75	104	120					
15	75	104	118					
16	136	104	118					
17	75							
18	124							
19	96							
20	130							
21	75							
22	75							
23	122							
24	80							

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason.
- If recording instruments, thermocouples, are not functioning properly, report this to supervisor.
- Circle all results that are out of process or questionable.

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

Date:

5-15-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S ⁰⁹⁰⁰			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							90	100	105			
2							90	100	180			
3							88	100	180			
4							90	110	100			
5							155	(210)	150			
6							67	70	80			
7							(90)	185	190			
8							90	100	95			
9							145	150	150			
10							68	70	75			
11							102	105	100			

Pt.	TR-112-L	TR-112-1 ⁰⁹⁰⁰			TR-112-2 ⁰⁹⁰⁰			112 B4
	Days	0500	1300	2100	0500	1300	2100 Temp	
1	70	105	123		72	72	82	
2	100	115	123		68	68	84	
3	70	115	123		79	78	84	
4	210	87	108		31	32	82	
5	174	95	97		37	38	80	
6	146		ng		74	72	78	
7	162	93	108		32	36	78	
8	122	93	110		55	54	78	
9	88	93	110		67	66	78	
10	160	92	110		68	68	78	
11	132	78	90		71	72	77	
12	100	78	87		39	38	72	
13	ng	135	127				79.2	
14	ng	94	120				(2) 95.1	
15	ng	94	122				84	
16	138	105	123				71	
17	ng						108	
18	126							
19	96							
20	128							
21	ng							
22	ng							
23	120							
24	80							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date:

5-16-74

ITS-2 Thermocouples

Pt.	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							70	100	90			
2							90	100	90			
3							89	100	90			
4							120	110	90			
5							195	190	190			
6							68	60	72			
7							190	185	185			
8							92	100	90			
9							145	145	150			
10							70	70	80			
11							100	100	115			

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0500	1300	2100	0500	1300	2100 Temp
1	70	112	125		72	74	82
2	100	117	125		68	68	84
3	70	116	125		79	78	84
	210	86	110		31	34	82
5	124	100	105		37	40	80
6	146		ny		74	74	78
7	160	93	112		32	37	78
8	122	93	115		55	55	78
9	88	93	115		65	64	78
10	160	92	114		68	68	78
11	134	77	88		71	70	77
12	102	77	88		39	40	73
13	ny	135	127				79.4
14	ny	108	126				95.2
15	ny	108	126				84
16	138	107	125				112
17	ny						108
18	124						4
19	96						
20	128						
21	ny						
22	ny						
23	122						
24	80						

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	0 450
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 5-17-78

WNC-80-WP-231, Rev. 0

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							93	99	90			
2							92	95	90			
3							92	95	90			
4							93	95	90			
5	off			off			155	155	0	off		
6							68	66	65			
7							189	190	180			
8							94	100	120			
9							145	145	145			
10							72	70	70			
11							105	105	105			

Pt.	TR-112-4	TR-112-1			TR-112-2			112 BY
	Days	0500	1300	2100	0500	1300	2100	
1	49	103	116		74	74	82	
2	99	117	121		68	68	84	
3	68	117	121		79	78	84	
	210	88	105		32	30	82	
5	174	96	107		74	37	80	
6	147	—	—		35	73	78	
7	161	101	116		55	34	78	
8	121	101	116		66	54	78	
9	87	101	116		68	46	78	
10	160	100	116		72	67	78	
11	134	77	89		39	70	78	
12	102	77	74		72	39	72	
13	—	133	138				99.4	
14	—	103	115				12/95.2	
15	—	103	115				84	
16	137	103	114				112	
17	—						108	
18	125							
19	96							
20	127							
21	—							
22	—							
23	124							
24	82							

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason under remarks.
- If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A	100	150
	B	100	150
	C	—	150
W	A		
	B		
	C		

Date:

5-18-74

ITS-2 Thermocouples

Pt.	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							73	100	90			
2							180	100	90			
3							100	100	90			
4							95	100	90			
5							180	175	160			
6							60	62	65			
7							190	187	190			
8							100	102	100			
9							140	145	145			
10							65	71	70			
11							100	105	105			

TR-112-4		TR-112-1			TR-112-2		
Pt.	Days	0500	1300	2100	0500	1300	2100
1	69	92	118	115	72	72	72
2	99	113	118	115	67	68	118
3	69	113	118	115	78	77	78
	210	90	105	106	30	33	90
5	175	90	103	100	35	37	35
6	147	—	—	—	73	73	73
7	161	92	110	110	30	36	36
8	120	92	110	110	54	55	55
9	88	97	110	110	66	66	66
10	160	97	110	110	67	68	67
11	134	89	84	84	70	70	70
12	101	80	81	81	35	40	35
13	—	133	128	130			
14	—	92	119	119			
15	—	92	118	118			
16	138	92	118	118			
17	—						
18	125						
19	97						
20	128						
21	—						
22	—						
23	124						
24	80						

INSTRUCTIONS:

- Fill out all blanks.
- If data are not available, give reason.
- If recording instruments, thermocouples, are not functioning properly, report this to the recorder.
- Circle all results that are out of proper range.

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	—	450
W	A		
	B		
	C		

Date:

5-9-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			x	TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100		0500	1300	2100	0500	1300	2100
1								100		180			
2								180		95			
3								100		95			
4								100		95			
5								180		180	off		
6								65		86	off		
7								180		180			
8								100		100			
9								140		140			
10								70	7	70			
11								180		110			

Pt.	TR-112-4	TR-112-1			TR-112-2			112 BY
	Days	x 0500	1300	2100	0500	1300	2100	112 BY
1	68	120			67	82	82	
2	99	120			75	83	83	
3	69	120			76	83	83	
	210	105			81	82	82	
5	174	105			38	77	77	
6	147				73	78	78	
7	161	108			72	78	78	
8	121	110			54	78	78	
9	87	108			67	78	78	
10	160	108			16	78	78	
11	134	90			70	76	76	
12	96	90			38			
13	—	130						
14	—	124						
15	—	124						
16	137	120						
17	—							
18	125							
19	96							
20	127							
21	—							
22	—							
23	122							
24	80							

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A	120	445
	B	180	445
	C	50	450
W	A		
	B		
	C		

Date:

5-20-74

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0500	1300	2100	0500	1300	2100	0500	1300	2100
1							100					
2							95					
3							95					
4							95					
5							180					
6							65					
7							180					
8							100					
9							150					
10							80					
11							170					

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0500	1300	2100	0500	1300	2100
1	68	105			72		
2	99	115			66		
3	69	117			78		
	210	85			32		
5	174	97			36		
6	149				73		
7	161	94			30		
8	120	94			54		
9	87	94			66		
10	110	94			66		
11	134	78			71		
12	96	78			38		
13	/	135					
14	/	106					
15	/	105					
16	138	105					
17	/						
18	125						
19	96						
20	128						
21	/						
22	/						
23	126	20T					
24	84	14					

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps	Volts	
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	0500	1300	2100	0500	1300	2100
1							90					
2							90					
3							90					
4							110					
5							150					
6							10					
7							190					
8							90					
9							150					
10							80					
11							110					

Pt.	TR-112-4	TR-112-1			TR-112-2		
	Days	0500	1300	2100	0500	1300	2100
1	69	109			72		
2	100	116			68		
3	70	116			74		
	210	89			32		
5	174	96			37		
6	176	—			74		
7	161	96			35		
8	122	96			54		
9	86	96			66		
10	166	96			67		
11	134	76			70		
12	99	76			39		
13	/	125					
14	/	110					
15	/	110					
16	138	109					
17	/						
18	125						
19	96						
20	138						
21	/						
22	/						
23	117						
24	84						

Record on 8-4 Shift

Heater		Amps	Volts
N	A		
	B		
	C		
R	A		
	B		
	C		
S	A	100	450
	B	100	450
	C	25	450
W	A		
	B		
	C		

76
118INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date:

5-22-76

ITS-2 Thermocouples

	TR-112-N			TR-112-E			TR-112-S			TR-112-W		
	0500	1300	2100	0800	1300	2100	x 0500	1300	2100	0500	1300	2100
1							90					
2							80					
3							90					
4							120					
5							170					
6							80					
7							180					
8							90					
9							160					
10							80					
11							120					

Pt.	TR-112-4	TR-112-1			TR-112-2			11204
	Days	0500	1300	2100	x 0500	1300	2100	
1	70	105			72			
2	77	122			68			
3	71	128			78			
4	210	90			36			
5	173	95			38			
6	146	—			74			
7	160	95			36			
8	122	95			54			
9	86	95			64			
10	160	95			68			
11	134	80			72			
12	100	80			40			
13	✓	132						
14	✓	105						
15	✓	105						
16	138	105						
17	✓							
18	125							
19	96							
20	129							
21	✓							
22	✓							
23	126							
24	84							

Record on 8-4 Shift

Heater	Amps	Volts
N	A	
	B	
	C	
R	A	
	B	
	C	
S	A	100 450
	B	100 450
	C	20 450
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill out all blanks.
2. If data are not available, give reason under remarks.
3. If recording instruments, thermocouples, etc., are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2-TEMPERATURES

INC-50-10-231, Rev. 0

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1				95			
2				95			
3				90			
4				130			
5				190			
6				85			
7				180			
8				95			
9				150			
10				80			
11				110			

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	90	110	72	82
2	100	120	68	83
3	73	120	78	83
4	210	105	32	82
5	74	102	37	79
6	146	—	72	78
7	161	98	35	78
8	122	98	54	77
9	87	100	66	78
10	110	100	68	78
11	134	82	70	76
12	100	82	38	72
13	/	128		
14	/	116		
15	/	116		
16	138	114		
17	/			
18	125			
19	96			
20	130			
21	/			
22	/			
23	129			
24	85			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	/
	B	/
	C	/
E	A	/
	B	/
	C	/
S	A	100 450
	B	100 450
	C	20 450
W	A	/
	B	/
	C	/

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 5-24-74

Form 231, Rev. 0

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1			110	
2			110	
3			110	
4			110	
5			170	
6			70	
7			180	
8			110	
9			150	
10			75	
11			100	

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	71	110	72	82
2	100	118	68	86
3	72	118	78	86
4	210	105	35	82
5	173	102	36	78
6	146	—	74	76
7	161	95	55	76
8	121	95	54	78
9	87	95	64	78
10	160	95	68	76
11	133	80	70	76
12	99	80	40	74
13	NG	130		
14	NG	110		
15	NG	110		
16	137	110		
17	NG			
18	125			
19	97			
20	130			
21	NG			
22	NG			
23	124			
24	78			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	72	93	72	81.5
2	104	122	68	83
3	73	111	78	83
4	209	92	36	81
5	173	94	37	79
6	146	/	74	78
7	160	101	37	77
8	120	101	36	77
9	86	101	64	77
10	160	101	65	77
11	133	80	68	76
12	99	78	47	76.5
13	116	130		
14	116	94		
15	116	93		
16	138	94		
17	116			
18	126			
19	100			
20	130			
21	110			
22	116			
23	125			
24	118			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 5-26-77

UHG SD-144-00-234 Rev. 0

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	70	98	72	81.5
2	88	117	68	83
3	74	118	77	83
4	210	160	37	81.5
5	173	95	38	79
6	144	/	73	77
7	161	95	38	76.5
8	130	95	56	76.5
9	86	95	59	76.5
10	159	95	67	76.5
11	137	82	68	76
12	100	80	41	76.5
13	116	128		
14	116	98		
15	116	98		
16	137	98		
17	116			
18	125			
19	95			
20	131			
21	116			
22	116			
23 X	125			
24 X	82			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2-TEMPERATURE

Date: 5-27-74

TR-112-N	TR-112-E	TR-112-S	TR-112-W
0500	0500	0500	0500
Remarks	Remarks	Remarks	Remarks

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	70	108	72	81
2	69 99	120	67	82.5
3	69 74	120	77	83
4	74 210	94	33	81
5	74 112	103	37	78.5
6	146	N.G.	73	76
7	160	92	33	75.5
8	118	95	54	75.5
9	86	97	59	75.5
10	160	97	66	75.5
11	133	82	68	75
12	100	78	39	71.5
13		136		Av. 77.5
14	-	108		
15	-	108		
16	136	108		
17	-			
18	122			
19	96			
20	130			
21	-			
22	-			
23	129			
24	84			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

Date: 6-5-74

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	76	111	74	80
2	100	115	114	83
3	25	117	75	85
4	210	90	36	80
5	172	104	37	75
6	145	106	72	75
7	160	99	35	75
8	123	94	53	75
9	87	99	60	75
10	160	99	62	68
11	133	80	65	73
12	103	80	40	65
13	N.G.	135		
14	N.G.	111		
15	>350	111		
16	136	111		
17	N.G.			
18	124			
19	96			
20	134			
21	>350			
22	>350			
23	128			
24	82			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2. TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	75	110	73	80
2	100	115	50	83
3	74	117	75	85
4	209	90	35	80
5	172	100	36	75
6	145	46	72	75
7	161	90	35	73
8	120	99	53	75
9	88	99	60	75
10	160	99	62	88
11	133	80	65	73
12	161	50	40	68
13	N.G.	134		
14	N.G.	110		
15	2350	110		
16	137	110		
17	N.G.			
18	175			
19	97			
20	133			
21	2350			
22	2350			
23	130			
24	86			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater		Amps.		Volts	
N	A					
	B					
	C					
E	A					
	B					
	C					
S	A					
	B					
	C					
W	A					
	B					
	C					

6-7-76

ITS-2. TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	77	102	79	80
2	100	117	64	82
3	74	118	74	82
4	209	114	31	75
5	172	98	95	75
6	145	86	78	72
7	160	92	30	71
8	120	92	50	71
9	88	92	56	71
10	160	92	60	71
11	132	82	64	70
12	102	80	40	66
13	NG	138	77	
14	NG	102		
15	NG	102		
16	136	102		
17	NG			
18	124			
19	97			
20	133			
21	NG			
22	NG			
23	128			
24	82			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	76	112	70	80
2	100	120	64	81
3	75	120	74	82
4	209	89	31	79
5	172	95	33	75
6	146	0 (N.G.)	68	71
7	160	112	31	71
8	120	112	49	71
9	88	112	59	71
10	160	112	59	70
11	133	79	64	70
12	101	79	37	66
13	NG	122		
14	NG	100		
15	NG	100		
16	137	100		
17	NG			
18	124			
19	97			
20	133			
21	NG			
22	NG			
23	132			
24	88			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	OFF
	C	
E	A	
	B	OFF
	C	
S	A	
	B	OFF
	C	
W	A	
	B	OFF
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	78	117	70	80
2	100	117	64	81
3	76	114	74	81
4	209	99	31	79
5	172	100	37	75
6	146	N/G	68	71
7	160	115	33	71
8	120	115	51	71
9	88	114	60	71
10	160	114	60	71
11	132	88	64	70
12	102	88	39	66
13	N/G	126		
14	N/G	120		
15	N/G	120		
16	136	115		
17	N/G			
18	124			
19	97			
20	132			
21	N/G			
22	N/G			
23	131			
24	58			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
N	B	
N	C	OFF
E	A	
E	B	OFF
E	C	
S	A	
S	B	OFF
S	C	
W	A	
W	B	OFF
W	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 6-11-74

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 - Remarks	0500 - Remarks	0500 - Remarks	0500 - Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	79	108	72	79
2	100	123	64	81
3	79	123	73	81
4	209	82	74	78
5	172	99	38	74
6	146	N.G.	67	70
7	160	113	37	70
8	130	113	52	70
9	88	113	59	70
10	160	113	60	70
11	134	82	64	69
12	103	78	40	65
13	NG	123		
14	NG	111		
15	05	108		
16	137	108		
17	NG			
18	124			
19	97			
20	136			
21	05			
22	05			
23	140			
24	94			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
N	B	
N	C	
E	A	
E	B	
E	C	
S	A	
S	B	
S	C	
W	A	
W	B	
W	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 6-12-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	81	112	72	79
2	100	119	64	81
3	80	122	73	81
4	209	72	37	78
5	172	105	38	73
6	145	N.C.	67	70
7	160	109	38	69
8	120	109	52	69
9	88	110	51	69
10	160	110	68	69
11	133	73	64	68
12	103	75	41	64
13	NG	132		
14	NG	106		
15	NG	106		
16	137	106		
17	NG			
18	124			
19	97			
20	137			
21	NG			
22	NG			
23	140			
24	94			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 6-13-78

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	83	111	72	79
2	99	118	64	80
3	81	120	72	80
4	209	99	38	78
5	172	106	39	73
6	145	N.G.	67	69
7	120	111	38	69
8	121	111	62	69
9	89	111	50	69
10	160	112	59	69
11	133	76	64	68
12	104	76	41	64
13	NG	123		
14	NG	111		
15	NG	111		
16	136	111		
17	NG			
18	124			
19	98			
20	138			
21	NG			
22	NG			
23	142			
24	95			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	85	108	72	78
2	99	120	64	80
3	85	120	72	80
4	208	93	37	77
5	172	101	80	73
6	190	N.C.	66	69
7	160	108	37	68
8	121	108	52	68
9	89	108	51	68
10	160	108	62	68
11	133	82	64	68
12	102	82	41	64
13	—	128		
14	—	108		
15	—	108		
16	135	108		
17	—			
18	22			
19	98			
20	40			
21	—			
22	—			
23	150			
24	97			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	86	109	64	79
2	99	117	64	80
3	85	123	74	80
4	108	103	38	77
5	172	102	41	73
6	195	0	66	69
7	160	115	38	69
8	119	114	52	69
9	88	113	48	69
10	160	113	60	69
11	133	85	41	68
12	105	83	73	64
13	—	128		
14	—	109		
15	—	109		
16	135	109		
17	—			
18	124			
19	97			
20	190			
21	—			
22	—			
23	146			
24	102			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	105	61	78
2	99	122	71	80
3	86	122	37	80
4	208	102	39	76
5	172	102	63	68
6	143	NG	39	87
7	160	108	52	67
8	120	108	50	68
9	88	109	58	68
10	160	109	60	67
11	133	86	62	67
12	104	85	41	63
13	/	128		
14	/	165		
15	/	104		
16	136	109		
17	96			
18	124			
19	99			
20	143			
21	/			
22	/			
23	144			
24	98			

Record on 8-4 Shift

	Heater		Amps.	Volts
	A	B		
N				
E				
S				
W				

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

6-19-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	85	108	71	78
2	99	118	63	80
3	87	118	71	80
4	208	102	38	76
5	181	102	39	72
6	145	NG	64	67
7	160	106	36	67
8	120	106	49	67
9	87	108	52	67
10	160	105	56	67
11	133	86	60	67
12	103	86	41	63
13	/	128		
14	/	112		
15	/	111		
16	136	111		
17	106			
18	125			
19	98			
20	142			
21	/			
22	/			
23	112			
24	96			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.		Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

82
118

6-20-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	88	96	72	78
2	99	121	64	79
3	88	107	72	79
4	208	99	36	76
5	171	98	65	73
6	145	98	37	68
7	160	87	51	61
8	120	87	56	67
9	90	88	59	67
10	160	88	60	67
11	132	86	62	69
12	101	86	62	63
13	/	125		
14	/	96		
15	/	96		
16	136	96		
17	124			
18	124			
19	98			
20	142			
21	/			
22	/			
23	135			
24	90			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

82
120
100

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	88	115	71	78
2	99	118	62	80
3	88	118	70	79
4	208	102	35	26
5	170	102	36	72
6	145	NA	63	67
7	143	114	36	67
8	140	115	41	67
9	119	112	56	67
10	90	111	58	67
11	108	87	59	66
12	131	87	39	63
13	100	127		
14	10	115		
15	0	115		
16	106	115		
17	107			
18	133			
19	98			
20	147			
21	328			
22	NA			
23	138			
24	94			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	85	105	72	79
2	98	90	64	79.5
3	88	104	72	79.5
4	208	103	37	76
5	171	103	40	72
6	142		68	68
7	138	100	38	67
8	128	100	52	67
9	89	100	53	67
10	160	100	59	67
11	120	83	62	67
12	89	84	41	63.5
13	—	128		
14	—	105		
15	—	105		
16	—	105		
17	111			
18	112			
19	99			
20	142			
21	—			
22	—			
23	141			
24	88			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	99	108	70	78
2	99	120	61	79
3	88	122	71	79
4	208	101	36	76
5	180	101	38	71
6	142	/	66	68
7	170	114	36	67
8	120	114	51	67
9	170	114	55	67
10	120	114	59	67
11	131	90	61	66
12	102	85	38	63
13	—	132		
14	—	109		
15	—	108		
16	134	108		
17	128			
18	132			
19	99			
20	141			
21	331			
22	—			
23	153			
24	92			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 6/23/74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	90	113	70	78
2	98	122	60	79
3	89	126	70	79
4	268	90	35	75
5	130	101	38	71
6	144	—	64	67
7	158	110	37	67
8	130	110	50	66
9	90	113	50	66
10	160	113	58	66
11	132	87	60	66
12	104	80	39	62
13	—	127		
14	—	113		
15	—	113		
16	136	113		
17	118			
18	122			
19	99			
20	143			
21	—			
22	—			
23	139			
24	74			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 6/26/74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	112	69	77
2	98	122	60	79
3	77	122	68	79
4	108	97	34	75
5	170	101	36	70
6	145	—	44	67
7	158	112	35	66
8	119	112	49	66
9	90	113	56	66
10	160	113	58	66
11	132	86	60	66
12	100	86	38	62
13	—	138		
14	—	113		
15	—	113		
16	136	113		
17	112			
18	123			
19	98			
20	142			
21	—			
22	—			
23	150			
24	87			

Record on 8-4 Shift

	Heater		
	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	88	100	69	77
2	92	116	60	78
3	96	116	69	78
4	208	99	34	74
5	170	97	36	69
6	145	—	64	66
7	159	99	35	66
8	119	99	49	66
9	90	94	48	66
10	160	94	57	66
11	132	85	59	65
12	103	84	37	61
13	—	135		
14	—	100		
15	—	99		
16	134	99		
17	129			
18	126			
19	98			
20	142			
21	—			
22	—			
23	185			
24	91			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-HX-2 0500
1	87	104	70	76
2	98	119	60	78
3	95	118	68	78
4	208	95	34	74
5	170	96	36	69
6	144	—	64	66
7	159	102	34	65
8	118	102	49	65
9	96	102	49	65
10	160	102	57	65
11	132	83	59	64
12	100	83	37	61
13	—	133	—	—
14	—	91	—	—
15	—	91	—	—
16	136	91	—	—
17	164	—	—	—
18	125	—	—	—
19	99	—	—	—
20	141	—	—	—
21	—	—	—	—
22	—	—	—	—
23	132	—	—	—
24	99	—	—	—

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 6/29/74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	96	100	69	77
2	98	120	60	78
3	95	120	68	78
4	207	94	34	74
5	170	94	37	74
6	184	NG	64	66
7	158	100	35	66
8	119	99	49	65
9	90	99	51	65
10	160	99	57	65
11	132	87	59	65
12	102	85	38	61
13	10	122		
14	—	100		
15	— 0.3	100		
16	135	100		
17	192			
18	125			
19	99			
20	141			
21	— 95			
22	— 95			
23	137			
24	94			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 6/30/74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	105	69	77
2	98	124	61	78
3	96	123	69	78
4	207	98	36	74
5	170	98	38	74
6	144	NG	64	66
7	159	106	37	65
8	121	106	50	65
9	90	106	50	65
10	160	106	58	65
11	131	86	59	65
12	104	86	39	61
13	—	126		
14	—	103		
15	—	103		
16	135	103		
17	188			
18	125			
19	99			
20	141			
21	—			
22	—			
23	138			
24	95			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps. Volts	
		Amps.	Volts
N	A		
	B		
	C	D	
E	A		
	B	0	
	C		
S	A	W	
	B		
	C		
W	A	W	
	B		
	C		

Date: 7/1/74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	90	111	68	76
2	98	124	59	78
3	86	119	68	77
4	208	100	35	74
5	170	102	37	69
6	144	NG	63	66
7	158	107	36	65
8	120	107	50	65
9	90	107	56	65
10	160	107	57	65
11	130	86	59	64
12	105	85	39	61
13	—	126		
14	—	112		
15	—	112		
16	136	112		
17	190			
18	124			
19	100			
20	192			
21	—			
22	—			
23	138			
24	90			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	88	105	69	76
2	98	122	59	77
3	76	113	68	79
4	208	101	31	77
5	170	98	35	67
6	144	86	62	65
7	159	91	32	65
8	120	91	47	65
9	90	91	54	65
10	160	91	57	65
11	131	85	59	64
12	100	85	32	61
13	---	126		
14	---	105		
15	---	105		
16	136	105		
17	180			
18	124			
19	100			
20	182			
21	---			
22	---			
23	136			
24	42			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 7/3/74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	107	68	78
2	98	121	59	77
3	83	122	68	77
4	208	98	33	68
5	178	100	37	68
6	144	NG	61	65
7	160	103	35	65
8	169	103	49	65
9	90	103	54	65
10	160	103	56	65
11	131	86	59	64
12	99	86	38	61
13	—	125		
14	—	108		
15	—	108		
16	134	108		
17	178			
18	124			
19	100			
20	142			
21	—			
22	—			
23	136			
24	90			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	88	113	68	76
2	99	124	59	77
3	95	123	68	76
4	208	104	36	73
5	170	98	38	73
6	144	NG	61	66
7	159	114	37	65
8	119	113	48	65
9	90	113	46	65
10	160	113	56	65
11	132	85	59	64
12	99	85	39	61
13	< 0	126		
14	< 0	113		
15	> 350	113		
16	135	113		
17	160			
18	124			
19	99			
20	142			
21	> 350			
22	> 350			
23	137			
24	99			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	87	108	68	76
2	98	117	59	77
3	85	117	68	76
4	208	102	34	72
5	170	103	36	72
6	144	106	61	65
7	159	108	34	65
8	120	108	49	65
9	90	108	54	65
10	160	108	56	65
11	132	89	59	64
12	100	87	38	60
13	—	124		
14	—	112		
15	—	112		
16	133	108		
17	182			
18	134			
19	99			
20	142			
21	—			
22	—			
23	134			
24	90			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date:

7-6-78

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	86	112	75	76
2	98	118	70	78
3	89	118	70	74
4	906	95	34	67
5	170	104	35	68
6	194	106	60	65
7	158	105	35	65
8	120	105	48	65
9	90	105	52	65
10	160	103	57	64
11	131	88	58	64
12	101	85	37	64
13	—	124		
14	—	115		
15	—	115		
16	135	110		
17	186			
18	124			
19	108			
20	141			
21	—			
22	—			
23	139			
24	91			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

7-7-77

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-EX-2
	Days	0500	0500	0500
1	85	112	82	75
2	98	118	70	76
3	83	149	70	76
4	207	100	35	72
5	168	110	35	66
6	143	N.C.	54	64
7	156	164	35	64
8	121	112	47	64
9	90	113	44	64
10	159	113	52	64
11	130	88	57	63
12	103	84	35	60
13	—	125		
14	—	116		
15	—	116		
16	135	112		
17	152			
18	134			
19	99			
20	140			
21	—			
22	140			
23	135			
24	97			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.		Volts
N	A			
	B			
	C			
E	A			
	B			
	C			
S	A			
	B			
	C			
W	A			
	B			
	C			

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	109	68	75
2	98	120	57	76
3	84	116	67	75
4	206	104	36	72
5	169	100	37	67
6	144	—	60	65
7	158	107	36	64
8	120	108	49	64
9	91	108	52	64
10	158	108	56	64
11	131	90	58	64
12	104	88	39	60
13	—	124	44	
14	—	108	38	
15	—	108	38	
16	134	108	38	
17	135			
18	124			
19	100			
20	141			
21	—			
22	—			
23	134			
24	90			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	98	68	75
2	98	119	59	76
3	83	113	67	75
4	267	98	29	71
5	170	78	37	67
6	144	—	61	64
7	158	103	33	64
8	120	105	48	64
9	91	108	51	64
10	159	106	55	64
11	131	81	58	63
12	100	81	37	60
13	—	125		
14	—	98		
15	—	99		
16	134	98		
17	160			
18	124			
19	100			
20	138			
21	—			
22	—			
23	124			
24	78			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 7-10-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	82	105	68	76
2	97	154	59	76
3	81	115	40	75
4	206	92	30	71
5	168	92	35	67
6	144	N.E.	66	65
7	152	99	31	64
8	116	101	48	64
9	90	101	45	64
10	159	101	56	64
11	130	100	58	63
12	99	108	37	60
13	—	122		
14	—	105		
15	—	164		
16	734	104		
17	110			
18	132			
19	99			
20	139			
21	—			
22	—			
23	129			
24	84			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater		Amps.		Volts	
N	A					
	B					
	C					
E	A					
	B					
	C					
S	A					
	B					
	C					
W	A					
	B					
	C					

Date: 7-11-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	82	86	67	75
2	99	152	62	75
3	80	98	71	75
4	207	95	30	71
5	169	93	33	67
6	144		67	64
7	158	77	31	63
8	128	77	48	63
9	90	80	50	63
10	169	80	55	63
11	131	78	57	62
12	98	113	36	59
13	0	123		
14	0	83		
15	350+	83		
16	134	83		
17	102	138		
18	123			
19	99			
20	134			
21	350+			
22	350+			
23	124			
24	87			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
N	B	
N	C	
E	A	
E	B	
E	C	
S	A	
S	B	
S	C	
W	A	
W	B	
W	C	

Date: 7-12-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	81	99	67	75
2	99	142	61	76
3	79	103	72	75
4	206	94	28	71
5	168	95	33	67
6	143	—	68	64
7	157	100	30	63
8	117	100	48	63
9	90	100	49	63
10	158	100	55	63
11	131	100	57	62
12	96	107	24	59
13	—	120		
14	—	99		
15	—	99		
16	134	98		
17	105			
18	122			
19	98			
20	137			
21	—			
22	—			
23	129			
24	88			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 7-13-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	82	92	67	75
2	98	155	61	76
3	80	103	72	75
4	206	92	30	72
5	168	92	36	67
6	143	0	68	63
7	158	87	31	63
8	118	87	50	63
9	90	87	52	63
10	159	86	55	63
11	130	86	57	62
12	100	113	36	58
13	N.G.	123		
14	N.G.	95		
15	N.G.	95		
16	134	92		
17	101			
18	123			
19	99			
20	137			
21	N.G.			
22	N.G.			
23	133			
24	88			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES.

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-B#2 0500
1	82	103	67	70
2	98	154	63	71
3	81	112	73	70
4	207	96	30	71
5	168	97	30	67
6	144	00	68	63
7	157	96	37	63
8	120	95	30	62
9	90	96	48	62
10	159	96	56	62
11	131	96	58	61
12	102	113	34	54
13	N.G.	124	6	
14	N.G.	103		
15	N.G.	103		
16	134	103		
17	110			
18	123			
19	99			
20	138			
21	N.G.			
22	N.G.			
23	138			
24	93			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Reater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	84	100	69	75
2	98	157	63	85
3	93	104	72	68
4	206	102	95	66
5	168	102	36	63
6	144	N/G	65	64
7	156	105	36	64
8	122	104	50	63
9	90	103	53	63
10	159	103	57	63
11	131	103	56	62
12	104	116	38	59
13	N.G.	125		
14	N.G.	101		
15	N.G.	101		
16	134	100		
17	112			
18	123			
19	99			
20	138			
21	N.G.			
22	N.G.			
23	138			
24	72			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: July 16-1978

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	2084	90	66	73
2	3898	150	60	74
3	83	101	72	76
4	216	99	30	72
5	168	91	35	67
6	143	NG	65	63
7	152	75	33	62
8	120	77	44	62
9	90	79	53	62
10	159	79	55	62
11	130	85	55	61
12	101	116	77	58
13	N.G.	124		
14	N.G.	92		
15	N.G.	90		
16	134	90		
17	105			
18	122			
19	100			
20	139			
21	N.G.			
22	2013			
23	9013			
24	8588			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	84			
2	98			
3	83			
4	206			
5	168			
6	143			
7	156			
8	120			
9	90			
10	159			
11	130			
12	101			
13	N.G.			
14	N.G.			
15	N.G.			
16	130			
17	105			
18	122			
19	100			
20	139			
21	N.G.			
22	N.G.			
23	132			
24	88			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0800	TR-112-2 0900	TR-241-EX-2 0900
1	846	98	68	73
2	97	158	62	74
3	83	97	72	75
4	206	94	35	72
5	168	94	39	18
6	143	N.G.	68	63
7	156	96	37	62
8	120	96	51	62
9	90	96	49	62
10	159	96	57	62
11	130	96	57	61
12	100	114	59	58.5
13	N.G.	122		
14	N.G.	100		
15	N.G.	100		
16	134	100		
17	104			
18	122			
19	100			
20	146			
21	N.G.			
22	N.G.			
23	136			
24	92			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	70	111	72	81
2	78	118	66	82.5
3	97	118	76	83
4	209	92	33	81
5	172	102	37	78
6	145	N.G.	72	76
7	161	95	33	75
8	120	95	53	75
9	86	95	59	75
10	169	95	65	75
11	133	80	68	74.5
12	97	80	39	70
13	N/A	134		Avg. 77.2
14	N/A	107		
15	N/A	107		
16	136	111		
17	N/A			
18	120			
19	96			
20	131			
21	N/A			
22	76			
23	132			
24	88			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 5-29-74

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		115	72	81
2		117	66	82.5
3		117	76	83
4	709	90	33	81
5	172	106	35	78
6	146	N.G.	72	75
7	160	102	35	75
8	121	102	54	75
9	87	102	65	75
10	160	102	65	75
11	133	82	68	74
12	102	82	41	70
13	N.G.	132		avg. 77.0
14	N6	115		
15	N6	115		
16	137	110		
17	N6			
18	125			
19	96			
20	132			
21	N6			
22	N6			
23	128			
24	84			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		110	72	81
2		110	66	82
3		117	76	83
4		90	33	80.5
5		98	37	77.5
6		N.G.	72	75
7		98	33	74
8		98	53	74
9		98	60	74
10		98	64	74
11		82	68	73
12		80	39	69
13		136		avg. 76.4
14		110		
15		110		
16		110		
17				
18				

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 5-31-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		110	72	81
2		117	66	82
3		117	76	82.5
4		90	35	81
5		102	37	77
6		N.G.	72	74
7		96	33	74
8		96	53	74
9		96	60	74
10		96	64	73.5
11		80	67	73
12		80	39	68.5
13		136		avg. 76.2
14		110		
15		110		
16		110		
17				
18				
19				
20				
21				
22				
23				
24				

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 6-1-75

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		110	72	81
2		117	67	83
3		718	71	87.5
4		90	35	81
5		102	37	77
6		116	72	74
7		96	33	74
8		94	53	74
9		96	60	74
10		96	64	68.5
11		80	67	73
12		80	40	68.5
13		136		avg 76.2
14		110		
15		110		
16		110		
17				
18				

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 6-3-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	75	110	72	80
2	100	115	67	83
3	78	117	73	87
4	210	90	96	80
5	173	101	37	75
6	146	110	73	75
7	161	98	34	75
8	121	98	53	75
9	88	98	60	75
10	160	98	67	68.9
11	133	80	66	73
12	102	80	40	68.5
13	N.G.	136		
14	N.G.	110		
15	N.G.	110		
16	137	110		
17	N.G.			
18	125			
19	97			
20	135			
21	N.G.			
22	N.G.			
23	131			
24	86			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	OFF
	C	
E	A	OFF
	B	
	C	
S	A	OFF
	B	
	C	
W	A	
	B	OFF
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 6-4-73

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	77	111	93	80
2	100	111	48	83
3	77	117	24	86
4	210	90	36	80
5	172	108	37	75
6	146	116	72	75
7	169	98	34	75
8	120	98	53	75
9	87	98	60	75
10	156	98	62	68
11	132	80	65	77
12	103	80	40	69.0
13	N.G.	185		75
14	N.G.	110		
15	>350	110		
16	137	110		
17	N.G.			
18	125			
19	97			
20	135			
21	>350			
22	>350			
23	124			
24	81			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	OFF
E	A	
	B	
	C	OFF
S	A	
	B	OFF
	C	
W	A	
	B	OFF
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0/00	TR-112-2 0/00	TR-241-BX-2 0/00
1	87	93	66	72
2	98	159	62	74
3	84	104	71	75
4	206	97	33	72
5	166	97	37	68
6	143	N.G.	66	63
7	157	98	35	62
8	117	98	49	62
9	90	98	55	62
10	158	98	55	62
11	130	98	56	61
12	100	124	37	58.5
13	NC	100		
14	NC	100		
15	NC	100		
16	134	100		
17	104			
18	122			
19	168			
20	140			
21	NC			
22	NC			
23	126			
24	92			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	102	67	72
2	98	153	62	74
3	85	103	71	75
4	207	97	35	72
5	168	97	37	68
6	143	N.G.	66	63
7	157	97	37	62
8	118	97	49	62
9	91	100	47	62
10	159	100	55	62
11	131	100	55	61
12	106	102	38	58.5
13	N.G.	122		
14	N.G.	101		
15	N.G.	102		
16	134	102		
17	96			
18	123			
19	100			
20	140			
21	N.G.			
22	N.G.			
23	137			
24	92			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	99	64	72
2	99	165	60	73
3	86	101	70	75
4	206	88	33	72
5	118	92	37	68
6	143	—	60	63
7	157	102	35	62
8	119	102	49	62
9	91	102	54	62
10	159	102	54	62
11	131	103	56	61
12	101	115	38	58
13	NG	122		
14	NG	100		
15	NG	99		
16	134	99		
17	95			
18	123			
19	100			
20	141			
21	NG			
22	NG			
23	139			
24	94			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 7-23-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0900	0900
1	87	105	106	71
2	99	151	59	73
3	86	120	69	74
4	206	92	30	72
5	168	94	35	68
6	143	—	44	63
7	157	103	33	62
8	118	103	47	61
9	91	103	46	61
10	159	103	54	61
11	130	91	55	61
12	102	110	36	58
13	NG	125		
14	NG	105		
15	NG	105		
16	134	105		
17	103			
18	122			
19	100			
20	141			
21	NG			
22	NG			
23	137			
24	92			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 84 Shift

Heater	Amps.		Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

7-24-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	88	104	66	71
2	99	160	59	73
3	86	122	69	74
4	206	92	31	72
5	118	95	36	67
6	143	-	64	63
7	157	102	34	61
8	118	102	47	61
9	91	103	49	61
10	159	102	54	61
11	130	102	55	60
12	100	110	34	58
13	NG	128		
14	NG	104		
15	NG	104		
16	134	104		
17	95			
18	121			
19	99			
20	141			
21	NG			
22	NG			
23	136			
24	93			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	89	99	66	71
2	98	162	59	72
3	86	105	69	74
4	206	99	31	72
5	167	98	36	68
6	143	—	64	63
7	157	101	34	61
8	117	101	48	61
9	91	101	52	61
10	158	101	54	61
11	130	92	54	60
12	101	113	36	58
13	NE	127		
14	NE	99		
15	NE	99		
16	134	99		
17	93			
18	122			
19	99			
20	140			
21	NE			
22	NE			
23	137			
24	93			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		92	66	70
2		151	59	72
3		93	69	74
4		93	34	72
5		92	37	67
6		—	64	62
7		90	35	61
8		91	48	61
9		91	47	61
10		91	54	61
11		91	56	60
12		112	38	58
13		125		
14		91		
15		92		
16		92		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 7-27-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	89			
2	98			
3	87			
4	205			
5	163			
6	142			
7	156			
8	118			
9	90			
10	157			
11	129			
12	98			
13	< —			
14	< —			
15	> —			
16	132			
17	94			
18	121			
19	99			
20	141			
21	205			
22	> "			
23	142			
24	97			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	90	115	66	71
2	99	152	58	74
3	86	134	66	79
4	205	97	35	75
5	162	101	39	67
6	142	—	63	61
7	152	115	39	61
8	117	115	47	61
9	90	115	45	61
10	152	115	54	61
11	129	102	55	61
12	98	117	39	48
13	—	128		
14	—	108		
15	—	108		
16	132	108		
17	91			
18	121			
19	99			
20	141			
21	—			
22	—			
23	140			
24	96			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 7-29-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	92	115	59	70
2	100	150	66	72
3	80	132	37	74
4	204	101	39	72
5	162	109	63	67
6	182	—	37	62
7	154	115	49	61
8	120	115	53	61
9	90	115	45	61
10	157	115	55	61
11	129	111	39	60
12	95	115	65	58
13	< —	129	58	
14	< —	115		
15	> —	115		
16	132	115		
17	92			
18	121			
19	99			
20	142			
21	> —			
22	> —			
23	141			
24	94			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 7-30-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-HX-2 0500
1	92	106	65	70
2	100	160	59	72
3	80	118	68	74
4	205	100	37	72
5	156	100	39	67
6	149	—	64	62
7	156	110	37	61
8	118	110	48	61
9	91	110	45	61
10	158	110	55	61
11	129	111	55	60
12	100	115	39	58
13	—	125		
14	—	105		
15	—	106		
16	132	106		
17	90			
18	122			
19	99			
20	183			
21	—			
22	—			
23	188			
24	98			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

7-31-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-EX-2
	Days	0500	0500	0500
1	92	117	66	70
2	100	105	59	72
3	91	101	63	74
4	204	100	39	74
5	166	106	39	67
6	142	—	63	62
7	156	115	38	61
8	117	115	49	61
9	91	115	47	61
10	157	115	54	61
11	129	115	55	60
12	98	110	39	58
13	2 —	128		
14	2 —	122		
15	7 —	120		
16	132	120		
17	94			
18	121			
19	98			
20	143			
21	> —			
22	> —			
23	147			
24	95			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.	Volts
	A		
N	B		
	C		
	A		
E	B		
	C		
	A		
S	B		
	C		
	A		
W	B		
	C		
	A		

8-1-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	93	117	66	70
2	100	155	59	72
3	82	132	68	74
4	204	105	37	72
5	162	109	39	67
6	141	—	64	62
7	156	114	39	61
8	117	115	49	61
9	91	115	44	61
10	157	115	54	61
11	128	115	55	60
12	100	115	39	58
13	—	127		
14	—	118		
15	—	118		
16	132	117		
17	94			
18	122			
19	98			
20	143			
21	—			
22	—			
23	141			
24	94			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volt's
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-2-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	93	110	64	69
2	98	155	59	72
3	82	128	67	74
4	222	106	37	72
5	165	106	39	67
6	141	—	63	62
7	156	111	37	61
8	117	111	49	61
9	91	111	44	61
10	156	111	53	61
11	128	110	55	60
12	100	116	39	57
13	—	124		
14	—	110		
15	—	110		
16	130	110		
17	84			
18	121			
19	99			
20	143			
21	—			
22	—			
23	141			
24	96			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 8-3-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	52	105	64	69
2	99	157	57	71
3	82	112	67	73
4	220	107	37	72
5	165	107	38	67
6	141	—	60	62
7	156	109	37	61
8	116	109	48	61
9	91	109	53	61
10	157	109	53	60
11	128	107	55	60
12	160	112	39	57
13	—	120		
14	—	104		
15	—	104		
16	132	104		
17	84			
18	121			
19	99			
20	143			
21	—			
22	—			
23	141			
24	96			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	92	116	68	69
2	99	163	58	71
3	83	132	67	73
4	220	104	37	72
5	165	103	38	67
6	141	—	61	62
7	155	115	38	61
8	118	115	49	61
9	91	115	45	61
10	157	115	52	60
11	128	113	55	60
12	100	113	39	57
13	—	128		
14	—	116		
15	—	116		
16	132	116		
17	83			
18	120			
19	88			
20	123			
21	—			
22	—			
23	146			
24	101			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	92	115	64	68
2	100	154	59	72
3	85	133	67	73
4	204	104	38	72
5	765	103	39	67
6	142	1	61	62
7	155	113	38	61
8	117	113	48	61
9	91	112	44	61
10	157	112	53	61
11	128	113	55	60
12	180	115	39	58
13	—	125		
14	—	113		
15	—	114		
16	132	114		
17	90			
18	121			
19	99			
20	144			
21	—			
22	—			
23	145			
24	97			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 8-6-77ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	88	110	64	69
2	89	155	67	71
3	86	128	67	73
4	204	99	36	71
5	165	101	39	67
6	142	—	60	62
7	155	106	37	60
8	117	107	47	60
9	91	107	57	60
10	157	107	53	60
11	128	105	55	60
12	98	105	39	57
13	—	129		
14	—	100		
15	—	100		
16	132	100		
17	90			
18	121			
19	99			
20	144			
21	84			
22	84			
23	84			
24	84			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	91	107	64	69
2	99	149	58	71
3	85	126	67	73
4	204	102	34	71
5	167	103	37	66
6	142	—	62	62
7	156	105	35	60
8	118	105	47	60
9	92	105	44	60
10	158	105	53	60
11	128	105	55	60
12	100	110	38	57
13	—	125		
14	—	107		
15	—	107		
16	133	107		
17	83	182		
18	122	86		
19	100			
20	145			
21	—			
22	—			
23	136			
24	90			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-8-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	90	98	62	68
2	99	150	57	70
3	84	123	64	73
4	205	104	32	71
5	166	102	36	66
6	142		61	61
7	156	98	33	60
8	116	98	47	60
9	92	102	51	60
10	158	101	50	60
11	128	98	54	59
12	97	104	37	57
13		125		
14		94		
15		94		
16	132	94		
17	87			
18	121			
19	99			
20	144			
21				
22				
23	138			
24	92			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision. Circle all results that are out of process limits or are otherwise questionable.
4. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	90	104	62	68
2	98	150	57	70
3	84	125	65	72
4	205	98	34	71
5	162	96	37	66
6	142	96	60	61
7	156	97	34	60
8	113	96	47	60
9	92	96	44	60
10	158	97	52	60
11	129	95	54	59
12	98	110	37	57
13	—	124		
14	—	100		
15	166	100		
16	182	100		
17	84			
18	121			
19	99			
20	143			
21	—			
22	—			
23	138			
24	92			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.		Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

8-10-74

IIS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	90	110	60	68
2	94	150	57	76
3	83	126	63	73
4	284	100	35	72
5	156	105	36	66
6	142	—	58	61
7	156	110	35	60
8	118	110	46	60
9	92	110	50	60
10	158	110	51	60
11	128	110	50	58
12	102	110	37	56
13	—	125		
14	—	115		
15	—	110		
16	132	110		
17	89			
18	121			
19	97			
20	143			
21	—			
22	—			
23	143			
24	95			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-11-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	90	110	60	68
2	99	150	45	70
3	83	125	63	72
4	204	100	38	71
5	162	100	35	66
6	142	—	58	61
7	156	106	32	60
8	118	105	44	60
9	92	106	45	60
10	156	106	50	59
11	128	106	49	56
12	91	106	35	54
13	—	125		
14	—	107		
15	—	108		
16	132	108		
17	95	144		
18	122			
19	97			
20	144			
21	—			
22	—			
23	136			
24	92			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

131-89

Date: 8-12-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	90			
2	90			
3	90			
4	90			
5	83			
6	204			
7	166			
8	142			
9	156			
10	117			
11	128			
12	100			
13	0			
14	0			
15	350			
16	131			
17	102			
18	122			
19	97			
20	154			
21	350			
22	350			
23	137			
24	92			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

8-13-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	90	60	68
2	98	145	54	69
3	83	94	65	72
4	204	95	29	70
5	166	95	31	66
6	147	—	57	62
7	155	80	29	60
8	116	80	44	60
9	92	80	50	58
10	158	80	46	
11	128	90	42	
12	104	98	31	
13	✓	125		
14	✓	90		
15	✓	91		
16	132	90		
17	125			
18	125			
19	98			
20	140			
21	✓			
22	✓			
23	133			
24	88			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

128-84

Date: 8-14-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	104	60	68
2	98	145	54	69
3	81	120	66	72
4	204	80	26	70
5	165	93	30	66
6	141	—	58	62
7	155	95	29	61
8	116	95	44	60
9	92	95	48	58
10	158	95	46	54
11	128	95	43	
12	104	98	30	
13	/	120		
14	/	102		
15	/	102		
16	182	103		
17	131			
18	105			
19	97			
20	158			
21	/			
22	/			
23	134			
24	90			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

84 - 127

Date: 8-15-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	105	58	68
2	98	145	54	69
3	80	124	63	71
4	204	100	27	70
5	165	100	31	66
6	141	—	58	62
7	155	100	29	61
8	116	100	45	60
9	91	100	48	58
10	158	100	46	54
11	127	100	43	
12	104	100	31	
13	/	128		
14	/	105		
15	/	105		
16	132	105		
17	157			
18	124			
19	97			
20	156			
21	/			
22	/			
23	134			
24	89			

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

84-126

Date: 8-16-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	84	105	60	68
2	98	145	54	69
3	80	125	65	71
4	203	100	30	70
5	165	100	32	66
6	141	—	58	62
7	153	100	31	61
8	106	100	44	60
9	81	100	48	58
10	157	100	46	54
11	127	100	43	
12	114	100	31	
13	NG	125		
14	NG	105		
15	NG	105		
16	131	105		
17	163			
18	124			
19	96			
20	158			
21	NG			
22	NG			
23	136			
24	91			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

86-128

Date: 8-17-74
ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	O500	Remarks	O500	Remarks	O500	Remarks	O500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 O500	TR-112-2 O500	TR-241-HX-2 O500
1	86	125	62	69
2	97	147	57	70.5
3	81	138	66	72
4	203	92	32	71
5	164	108	36	67
6	141	/	69	63.5
7	153	120	35	62
8	107	120	48	61
9	84	120	52	59.5
10	156	120	49	55
11	128	110	45	51
12	105	105	35	50
13	NG	126		
14	NG	126		
15	NG	126		
16	131	125		
17	180			
18	124			
19	97			
20	157			
21	NG			
22	NG			
23	138			
24	92			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

X CAN'T

Read POINTER FOR ALL THE INK COVERING NO. 5190
Revised 3-23-73

Date: 8-18-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0200 0200	TR-112-2 0200 0200	TR-241-BX-2 0200 0200
1	87	118	62	70
2	98	140	57	71
3	82	145	66	75
4	203	166	31	71
5	160	118	36	67.5
6	141	/	39	64
7	153	125	35	62
8	109	125	45	61
9	85	125	50	60
10	157	125	49	55.5
11	128	108	45	51.5
12	106	109	35	50
13	NG	122		
14	NG	118		
15	NG	118		
16	132	118		
17	184			
18	124			
19	97			
20	158			
21	NG			
22	NG			
23	136			
24	90			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-19-74ITS-2-TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500 0100	TR-112-2 0500 0100	TR-241-EX-2 0500 0100
1	87	116	61	69
2	98	140	57	70
3	81	126	62	72
4	203	102	30	71
5	161	111	33	67
6	141	N.G.	59	63
7	153	114	31	61
8	110	114	45	60
9	86	114	44	59
10	157	114	49	55
11	129	107	45	51
12	106	107	31	49
13	NG	123		
14	NG	119		
15	NG	119		
16	131	116		
17	182			
18	124			
19	97			
20	158			
21	NG			
22	NG			
23	136			
24	89			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500 0100	TR-112-2 0500 0100	TR-241-EX-2 0500-0100
1	86	113	61	69
2	98	144	56	70
3	80	125	66	71
4	203	93	29	70
5	164	102	31	66
6	141	NG	59	63
7	153	111	31	61
8	110	111	45	60
9	86	111	49	59
10	157	111	49	55
11	128	107	45	58.5
12	106	107	31	48.5
13	NG	126		
14	NG	113		
15	NG	113		
16	131	111		
17	183			
18	123			
19	97			
20	156			
21	NG			
22	NG			
23	134			
24	88			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500/100	TR-112-2 0500/100	TR-241-BX-2 0500/100
1	84	113	61	69
2	98	142	52	76
3	80	126	62	71
4	203	100	29	70
5	162	100	32	66
6	141	N.G.	59	63
7	153	106	29	61
8	180	106	45	60
9	88	106	49	59
10	156	106	49	55
11	128	104	45	51
12	106	105	31	48.5
13	NG	127		
14	NG	113		
15	NG	113		
16	136	113		
17	187			
18	123			
19	97			
20	157			
21	NG			
22	NG			
23	130			
24	84			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-22-74ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500 0100	TR-112-2 0500 0100	TR-241-EX-2 0500 0100
1	85	117	62	69
2	98	141	57	70
3	79	125	66	71
4	203	97	30	70
5	164	109	33	67
6	141	N.G.	59	63
7	151	115	31	61
8	98	115	46	60
9	81	115	51	59
10	156	115	51	55
11	128	108	45	51
12	107	107	33	49
13	116	127		
14	NG	119		
15	NG	120		
16	132	116		
17	182			
18	133			
19	98			
20	156			
21	NG			
22	NG			
23	132			
24	86			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1		108	61	70
2		146	56	71
3		115	66	72
4		95	31	70
5		100	33	67
6		N.G.	59	64
7		104	31	61
8		104	45	60
9		104	44	59
10		104	51	56
11		104	45	52
12		104	33	49
13		127		
14		108		
15		108		
16		108		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 8-24-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	0300 TR-112-1	0300 TR-112-2	0300 TR-241-BX-2
		0500	0500	0500
1		110	60 60	69
2		145	51 51	71
3		128	66 66	72
4		98	31 31	70
5		103	33	67
6		NC	54	64
7		112	31	61
8		112	45	60
9		112	50	59
10		112	51	56
11		110	45	52
12		110	33	49
13		125		
14		104		
15		105		
16		105		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater Amps. Volts		
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 8-25-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	85	112	67	70
2	91	147	57	91
3	81	130	64	73
4	202	96	31	70
5	164	102	35	67
6	140	NR	58	64
7	148	112	35	60
8	98	112	46	60
9	82	112	51	59
10	156	114	50	56
11	126	108	47	52
12	107	109	35	49
13	—	116		
14	—	112		
15	—	112		
16	131	112		
17	174			
18	118			
19	98			
20	156			
21	—			
22	—			
23	138			
24	93			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	88	118	62	70
2	88	147	57	71
3	82	133	66	72
4	202	100	32	70
5	160	110	36	67
6	140	NE	59	64
7	148	112	34	61
8	100	112	44	60
9	82	112	50	59
10	158	112	51	56
11	128	108	47	52
12	108	108	35	49
13	—	128		
14	—	122		
15	—	122		
16	136	118		
17	172			
18	120			
19	88			
20	156			
21	—			
22	—			
23	140			
24	48			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 8-27-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	86	118	68	70
2	97	140	58	72
3	97	134	66	73
4	205	103	33	71
5	162	115	37	67
6	140	116	59	64
7	148	118	35	61
8	102	119	47	60
9	84	118	44	59
10	160	118	51	57
11	128	110	48	53
12	108	110	35	49
13	—	125		
14	—	125		
15	—	122		
16	130	119		
17	162			
18	121			
19	98			
20	156			
21	—			
22	—			
23	140			
24	93			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 8-28-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	86	120	62	70
2	96	144	57	72
3	60	135	66	73
4	202	103	35	71
5	462	112	37	67
6	180	NE	58	64
7	148	115	35	61
8	108	116	47	60
9	84	118	43	59
10	154	114	52	57
11	126	110	47	53
12	107	110	35	50
13	—	127		
14	—	120		
15	—	120		
16	130	120		
17	160			
18	120			
19	90			
20	160			
21	—			
22	—			
23	144			
24	96			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1.								
2.								
3.								
4.								
5.								
6.								
7.								
8.								
9.								
10.								
11.								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	88	115	68	71
2	98	149	58	72
3	82	133	66	73
4	202	93	33	71
5	153	106	38	67
6	140	NA	59	64
7	150	112	35	61
8	87	112	46	59
9	82	112	44	59
10	156	112	51	57
11	124	112	48	53
12	108	108	35	50
13	—	115		
14	—	118		
15	—	118		
16	131	118		
17	168			
18	122			
19	105			
20	158			
21	—			
22	—			
23	140			
24	94			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater		Amps.		Volts	
N	A					
	B					
	C					
E	A					
	B					
	C					
S	A					
	B					
	C					
W	A					
	B					
	C					

Date: 8-30-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	85	722	62	71
2	94	141	58	72
3	95	150	67	72
4	205	100	34	71
5	763	115	37	68
6	140	112	59	64
7	140	115	35	61
8	85	128	47	60
9	80	124	44	60
10	155	124	51	59
11	127	108	49	59
12	768	108	35	50
13	NG	122		
14	NG	122		
15	0.5	122		
16	131	122		
17	146	122		
18	121			
19	100			
20	159			
21	159			
22	0.5			
23	0.5			
24	100			

JCC

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

8-31-74

ITS-2 TEMPERATURES

JCC

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0900	TR-112-2 0600	TR-241-BX-2 0900
1	88	110	61	71
2	97	150	58	72
3	83	120	66	73
4	203	108	35	70
5	163	108	38	67
6	140	6 N 4	58	63
7	145	114	38	60
8	85	114	44	58
9	81	114	51	56
10	155	114	50	54
11	136	112	44	51
12	107	112	37	50
13	114	126		
14	114	110		
15	05	108		
16	132	108		
17	123			
18	118			
19	106			
20	107			
21	05			
22	95			
23	142			
24	96			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

TTS-2 TEMPERATURES

Date:

9-1-74
Joc

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 1500	TR-112-2 1500	TR-241-EX-2 1500
1	89	95	82	
2	98	146	55	
3	82	108	17	
4	203	105	30	
5	164	103	31	
6	141	NG	55	
7	143	86	96	
8	86	85	44	
9	81	85	42	
10	156	85	47	
11	127	93	42	
12	109	101	34	
13	NG	122		
14	NG	94		
15	05	94		
16	131	46		
17	123			
18	122			
19	101			
20	157			
21	05			
22	05			
23	135			
24	90			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	87	102	60	70
2	98	142	58	71
3	82	115	67	71
4	203	98	31	70
5	164	96	35	67
6	140	—	55	63
7	142	97	31	59
8	84	97	45	58
9	81	97	42	57
10	155	97	45	50
11	130	93	43	48
12	107	103	73	47
13	NG	125		
14	NG	102		
15	OS	102		
16	132	102		
17	122			
18	122			
19	105			
20	158			
21	85			
22	85			
23	190			
24	71			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	88			
2	98			
3	82			
4	203			
5	163			
6	141			
7	143			
8	88			
9	84			
10	156			
11	130			
12	109			
13	NG			
14	NG			
15	05			
16	132			
17	119			
18	119			
19	100			
20	160			
21	05			
22	05			
23	135			
24	93			

Record on 8-4 Shift

	Heater		Amps.	Volts
	A	B		
N				
E				
S				
W				

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2. TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1		107	62	70
2		142	66	72
3		127	27	72
4		97	37	69
5		97	60	67
6		000	30	63
7		107	44	59
8		107	49	57
9		107	49	57
10		107	43	54
11		107	27	48
12		110	57	47
13		127		
14		107		
15		107		
16		107		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0900	TR-112-2 0900	TR-241-BX-2 0900
1		118	62	72
2		143	58	72
3		147	68	72
4		98	88	76
5		112	32	67
6		NG-000	60	63
7		117	32	59
8		117	45	54
9		117	48	57
10		117	53	54
11		110	45	49
12		110	37	47
13		125		
14		122		
15		122		
16		122		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2. TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	86	102	62	71
2	98	143	60	72
3	80	120	70	72
4	201	99	29	69
5	164	100	25	66
6	141	000	62	68
7	144	107	31	57
8	95	107	43	57
9	85	107	49	57
10	156	107	53	53
11	127	107	45	47
12	116	107	31	40
13	N.G.	123		
14	N.G.	102		
15	N.G.	102		
16	131	102		
17	114			
18	126			
19	99			
20	158			
21	N.G.			
22	N.G.			
23	136			
24	88			

Record on 8-4 Shift

	Heater		Amps.		Volts	
N	A					
	B					
	C					
E	A					
	B					
	C					
S	A					
	B					
	C					
W	A					
	B					
	C					

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	85	102	62	71
2	98	142	59	72
3	80	123	68	72
4	201	95	30	69
5	164	97	32	66
6	141	000	63	62
7	146	107	30	57
8	88	107	42	57
9	85	107	44	57
10	156	107	50	54
11	127	107	45	49
12	110	107	31	46
13	N.G.	127		
14	N.G.	98		
15	N.G.	98		
16	131	98		
17	108			
18	120			
19	102			
20	156			
21	N.G.			
22	N.G.			
23	133			
24	87			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.		Volts
	A	B	
N			
E			
S			
W			

SEP 13 1974

MRC-55-1M-DR-231, Rev. D

Date:

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500 200	TR-112-2 0500 200	TR-241-EX-2 0500 200
1	82	102	63	72
2	98	139	62	73
3	78	117	70 70	72
4	201	98	26	70
5	123	97	31	67
6	140	0	65	63
7	143	107	30	57
8	88	107	44	57
9	85	108	50	57
10	156	108	46	49
11	127	108	47	50
12	160	108	30	47
13	N.G.	128		
14	N.G.	102		
15	N.G.	102		
16	130	102		
17	88	X		
18	120	X		
19	100			
20	156			
21	N.G.			
22	N.G.			
23	130			
24	84			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift		
Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date:

9-13-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500 0130	TR-112-2 0500 0110	TR-241-BX-2 0200 0130
1	87	95	60	72
2	97	142	58	72
3	79	103	70	72
4	210	96	211	69
5	164	97	30	67
6	139	00	66	63
7	142	97	24	58
8	87	98	42	57
9	87	98	48	56
10	155	98	48	54
11	127	98	45	51
12	160	98	29	46
13	140	127		
14	140	97		
15	140	96		
16	130	96		
17	87	X		
18	120			
19	100			
20	155			
21	140			
22	146			
23	150			
24	85			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 -0500 01/01	TR-112-2 0500 01/01	TR-241-BX-2 -0500 01/01
1	81	96	62	70.5
2	98	137	59	71
3	78	109	69	71
4	201	97	28	69.5
5	163	98	31	66.5
6	140	N.G.	64	62.5
7	201 143	97	29	58
8	201 94	92	43	57
9	84	92	48	56
10	152	92	47	54
11	127	91	47	51
12	110	91	29	46
13	N.G.	131		
14	N.G.	96		
15	N.G.	96		
16	131	96		
17	80			
18	120			
19	102			
20	155			
21	N.G.			
22	N.G.			
23	134			
24	98			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	81	101	62	71
2	98	138	59	71.5
3	78	106	70	71
4	201	97	29	70
5	163	97	32	67
6	140	N.G.	65	62.5
7	144	104	29	58
8	96	104	43	56.5
9	85	104	49	56
10	155	104	47	54.5
11	131	104	47	52
12	110	95	31	46.5
13	N.G.	125		
14	N.G.	106		
15	N.G.	106		
16	130	101		
17	76			
18	119			
19	107			
20	153			
21	N.G.			
22	N.G.			
23	131			
24	87			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 9/16/74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

A " 8-4

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	81			
2	98			
3	77			
4	202			
5	163			
6	140			
7	144			
8	95			
9	84			
10	156			
11	127			
12	110			
13	NG			
14	NG			
15	NG			
16	131			
17	68			
18	120			
19	116			
20	154			
21	NG			
22	NG			
23	133			
24	87			

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500 0900	TR-241-BX-2 0500
1	81	115	59 62	71
2	97	143	70 60	72
3	71	133	29 70	72
4	201	97	33 29	70
5	163	100	62 35	67
6	140	NG	29 64	64
7	145	110	41 31	55
8	95	110	41 45	56
9	85	110	45 43	54
10	157	110	55 47	58
11	127	110	49 49	48
12	110	110	30 31	
13	NG	126		
14	NG	108		
15	NG	108		
16	131	108		
17	61			
18	120			
19	116			
20	154			
21	NG			
22	NG			
23	133			
24	87			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500	0500	0500	0500
	Remarks	Remarks	Remarks	Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-EX-2
	Days	0500	0500	0500
1	81	115	58	71
2	97	123	70	71
3	77	133	71	72
4	201	98	29	71
5	162	99	30	68
6	140	109	65	65
7	142	110.0	30	58
8	96	110	44	55
9	84	110	39	54
10	155	110	44	52
11	727	110	49	48
12	110	109	31	
13	N6	126		
14	N6	108		
15	N6	108		
16	130	108		
17	80			
18	119			
19	105			
20	154			
21	N6			
22	N6			
23	137			
24	91			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 7-17-79ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	82	114	57	70
2	92	142	70	71
3	79	134	71	73
4	202	99	79	71
5	163	98	79	67
6	140	108	66	66
7	142	109	31	54
8	98	110	45	55
9	85	111	40	55
10	156	110	47	54
11	126	110	48	48
12	110	109	30	
13	0	126		
14	0	108		
15	+ 350	108		
16	120	108		
17	64			
18	120			
19	106			
20	156			
21	+ 350			
22	+ 350			
23	132			
24	86			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater	Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 9-20-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	82	112	56	72
2	92	140	62	72
3	79	143	70	72
4	201	103	30	69
5	162	103	31	66
6	140	NG	65	63
7	142	106	30	56
8	97	106	71	55
9	94	106	44	55
10	155	106	40	55
11	127	107	48	59
12	110	106	31	55
13	←	128		
14	←	116		
15	→	116		
16	131	112		
17	52			
18	119			
19	105			
20	154			
21	→			
22	→			
23	136	047		
24	88	1N		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision. Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

Date: 9-21-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	82	116		71
2	92	141		73
3	78	128		72
4	201	97		69
5	162	105		66
6	140	—		61
7	141	113		55
8	97	113		55
9	85	113		55
10	155	113		55
11	127	108		54
12	110	108		51
13	←	124		
14	←	118		
15	→	118		
16	130	117		
17	62			
18	119			
19	104			
20	155			
21	→			
22	→			
23	136			
24	89			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 9-22-74ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	81	113		71
2	92	143		71
3	78	127		71
4	201	95		69
5	162	106		66
6	140	—		61
7	141	107		56
8	98	111		58
9	84	111		55
10	155	111		55
11	127	106		54
12	110	106		51
13	← 0.5	126		
14	← 0.5	116		
15	→ 0.5	116		
16	130	113		
17	66			
18	119			
19	104			
20	154			
21	→ 0.5			
22	→ 0.5			
23	134			
24	89			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 9-23-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	81	109		70
2	92	145		71
3	77	123		71
4	201	92		69
5	161	103		66
6	140			61
7	141	110		55
8	97	110		54
9	84	110		54
10	155	110		54
11	127	110		53
12	110	107		50
13	NG	126		
14	NG	109		
15	NG	109		
16	130	109		
17	57			
18	119			
19	104			
20	155			
21	NG			
22	NG			
23	135			
24	58			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 9-24-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	80	113		71
2	90	147		71
3	80	126		71
4	204	96		69
5	160	105		66
6	140			61
7	142	111		55
8	100	111		34
9	84	111		34
10	156	111		54
11	126	110		53
12	110	108		51
13		123		
14		116		
15		116		
16	130	111		
17	60			
18	118			
19	106			
20	152			
21				
22				
23	136			
24	90			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N	TR-112-E	TR-112-S	TR-112-W
	0500 Remarks	0500 Remarks	0500 Remarks	0500 Remarks
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	81	114		71
2	91	142		72
3	78	124		71
4	200	93		69
5	162	108		66
6	140	—		61
7	141	112		55
8	100	112		55
9	84	112		55
10	155	112		55
11	126	110		54
12	110	107		51
13	✓	124		
14	✓	118		
15	✓	117		
16	130	112		
17	60			
18	119			
19	108			
20	155			
21	✓			
22	✓			
23	131			
24	84			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	80	115		71
2	91	145		72
3	77	125		71
4	201	95		69
5	161	100		66
6	140			61
7	140	113		55
8	99	113		55
9	84	113		55
10	155	113		55
11	126	110		54
12	108	110		51
13	✓	120		
14	✓	115		
15	✓	115		
16	130	116		
17	60			
18	119			
19	108			
20	156			
21	✓			
22	✓			
23	133			
24	83			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	80	100		70
2	91	143		71
3	76	110		71
4	200	100		69
5	161	95		65
6	140	—		60
7	140	90		55
8	99	93		54
9	84	93		54
10	155	93		54
11	126	93		53
12	108	93		50
13	—	127		
14	—	100		
15	—	100		
16	130	100		
17	60			
18	119			
19	188			
20	154			
21	—			
22	—			
23	131			
24	84			

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500 ✓	TR-112-2 0500	TR-241-EX-2 0500 ✓
1		111		72
2		136		72
3		124		72
4		85		68
5		103		65
6		0		59
7		110		55
8		110		54
9		110		54
10		110		54
11		106		53
12		106		50
13		124		
14		116		
15		116		
16		111		
17				
18				
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Date: 10-2-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	77	112		72
2	87	136		72
3	74	124		71
4	200	93		68
5	160	101		65
6	139	0		58
7	139	108		54
8	100	109		54
9	84	109		54
10	155	109		54
11	127	109		53
12	108	109		50
13	—	122		
14	—	115		
15	—	115		
16	129	112	114	
17	62		—	
18	119		—	
19	107			
20	151			
21	—			
22	—			
23	132			
24	80			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

	Heater		
	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 10-3-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	76	98		70
2	88	140		72
3	74	113		70
4	200	81		68
5	160	85		64
6	139	0		57
7	139	87		54
8	100	87		53
9	84	87		53
10	154	87		53
11	127	87		53
12	110	88		49
13	—	32	3	
14	—	96		
15	—	96		
16	130	96		
17	55	—		
18	119	—		
19	107			
20	150			
21	—			
22	—			
23	134			
24	82			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift

Heater		Amps.	Volts
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

Date: 10-4-74

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days ✓	TR-112-1 0500 ✓	TR-112-2 0500	TR-241-BX-2 0500 ✓
1		100		70
2		136		72
3		115		70
4		94		68
5		94		68
6		0		58
7		93		54
8		93		53
9		94		53
10		94		53
11		94		53
12		90		49
13		130		
14		99		
15		106		
16		100		
17		—		
18		—		
19				
20				
21				
22				
23				
24				

Record on 8-4 Shift

Heater Amps. Volts		
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-BX-2 0500
1	74	110		71
2	98	134		72
3	72	126		71
4	200	86		68
5	161	95		64
6	140	0		58
7	139	100		54
8	101	100		54
9	84	101		54
10	154	101		54
11	126	101		53
12	108	101		50
13	—	125		
14	—	112		
15	—	113		
16	130	113		
17	56			
18	118			
19	108			
20	148			
21	—			
22	—			
23	135			
24	82			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4	TR-112-1	TR-112-2	TR-241-BX-2
	Days	0500	0500	0500
1	72	113		71
2	78	123		72
3	72	128		71
4	200	84		68
5	161	102		64
6	139	116		58
7	139	110		54
8	101	108		53
9	84	108		53
10	155	108		53
11	128	103		52
12	108	103		49
13	NG	126		
14	NG	116		
15	ES	116		
16	130	116		
17	56			
18	119			
19	106			
20	148			
21	NG			
22	NG			
23	136			
24	80			

Record on 8-4 Shift

	Heater		
	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

76
124

Date: 10-7-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	70	110		70
2	76	130		71
3	70	126		70
4	200	86		68
5	161	100		64
6	139	116		57
7	139	110		54
8	101	109		52
9	83	108		52
10	154	108		53
11	128	104		52
12	110	103		49
13	NG	124		
14	NG	115		
15	NG	115		
16	130	115		
17	57			
18	119			
19	107			
20	148			
21	NG			
22	NG			
23	134			
24	77			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 10-8-74

ITS-2 TEMPERATURES

	TR-112-N		TR-112-E		TR-112-S		TR-112-W	
	0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	76	108		70
2	82	132		70
3	69	126		70
4	200	86		68
5	160	98		64
6	140	N.G.		66
7	140	110		55
8	102	108		52
9	83	107		52
10	154	108		52
11	127	102		51
12	110	102		49
13	N.G.	124		
14	N.G.	115		
15	N.G.	115		
16	130	115		
17	55			
18	119			
19	107			
20	148			
21	N.G.			
22	N.G.			
23	158			
24	79			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	
E	A	
	B	
	C	
S	A	
	B	
	C	
W	A	
	B	
	C	

INSTRUCTIONS:

1. Fill in all blanks
2. If data are not available, give reason under Remarks.
3. If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
4. Circle all results that are out of process limits or are otherwise questionable.
5. All suggestions, formal or informal, will be given prompt attention.

Date: 10-9-74ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	70	107		70
2	82	134		70
3	69	126		69
4	201	84		68
5	161	98		64
6	140	N.G.		57
7	146	110		54
8	102	108		52
9	83	108		52
10	154	108		50
11	127	108		50
12	110	102		49
13	N.G.	122		
14	N.G.	115		
15	N.G.	115		
16	130	115		
17	62			
18	119			
19	107			
20	148			
21	N.G.			
22	N.G.			
23	158			
24	81			

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.

Record on 8-4 Shift			
Heater	Amps.	Volts	
N	A		
	B		
	C		
E	A		
	B		
	C		
S	A		
	B		
	C		
W	A		
	B		
	C		

ITS-2 TEMPERATURES

TR-112-N		TR-112-E		TR-112-S		TR-112-W	
0500	Remarks	0500	Remarks	0500	Remarks	0500	Remarks
1							
2							
3							
4	0/s	0/s	0/s	0/s	0/s	0/s	0/s
5							
6							
7							
8							
9							
10							
11							

Pt.	TR-112-4 Days	TR-112-1 0500	TR-112-2 0500	TR-241-EX-2 0500
1	70	113		70
2	90	143		71
3	69	124		70
4	201	87	0/s	68
5	161	106	0/s	63.5
6	146	N.G.		58
7	146	112		53.5
8	102	112		53
9	83	112		53
10	154	112		53
11	126	103		52
12	110	97		49
13	N.G.	125		
14	N.G.	115		
15	N.G.	113		
16	130			
17	57			
18	119			
19	107			
20	146			
21	N.G.			
22	N.G.			
23	164			
24	83			

Record on 8-4 Shift

Heater	Amps.	Volts
N	A	
	B	
	C	0/s
E	A	
	B	0/s
	C	
S	A	
	B	0/s
	C	
W	A	
	B	0/s
	C	

INSTRUCTIONS:

- Fill in all blanks
- If data are not available, give reason under Remarks.
- If recording instruments, thermocouples, etc. are not functioning properly, report this to supervision.
- Circle all results that are out of process limits or are otherwise questionable.
- All suggestions, formal or informal, will be given prompt attention.