

---

---

# Title List of Documents Made Publicly Available

January 1-31, 1995

---

---


Date Published: March 1995

**Division of Freedom of Information and Publications Services  
Office of Administration  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001**



**MASTER**

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED *22*





## **DISCLAIMER**


This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

## **DISCLAIMER**

**Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.**

## CONTENTS

Preface .....	v
Arrangement of Items by Docket Number .....	ix
Alphabetic Arrangement of Docket Items by Facility Name .....	xv
Docketed Items .....	1
Low-Level Radwaste Disposal Sites — Docket 27 .....	1
Domestic Licensing of Source Material — Docket 40 .....	2
Domestic Licensing of Production and Utilization Facilities — Docket 50 .....	10
Standardized Nuclear Power Plant Design — Docket 52 .....	176
Domestic Licensing of Special Nuclear Material — Docket 70 .....	182
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 .....	188
Licensing of Independent Spent Fuel Storage — Docket 72 .....	192
Nondocketed Items .....	195
10 CFR — Commission Meeting Records .....	195
ACNW — Advisory Committee on Nuclear Waste .....	195
ACRS — Advisory Committee on Reactor Safeguards .....	195
ADVCM — NRC Advisory Committee .....	195
COMMISSION — NRC Commissioners .....	196
CONTRACT — NRC Contracts and Modifications .....	198
FOIA — Freedom of Information Act Requests and Releases .....	198
GEN TECH IS — Generic Technical Issues .....	218
I&E — Inspection and Enforcement .....	218
MISC — Public Document Room Miscellaneous .....	219
NUREG — NUREG Reports and Related Correspondence .....	219
ORG — Correspondence with Other Organizations .....	221
PR — Proposed Rule .....	223
PRESS — Press Releases .....	228
PRM — Petition for Rulemaking .....	228
PROJ — Projects—Predocket Licensing .....	229
PT21 — Noncompliance Reports and Related Correspondence .....	229
QA999 — Quality Assurance Inspections .....	230
REG Cert Registry Certificate .....	231
REGGD — Regulatory Guides .....	231
REVIEW GROUP — NRC Research Review Groups .....	232
SECY — Position Papers Before the Commission .....	232
Speeches Speeches .....	233
STATE PROG — State Programs .....	234
TOPREP — Vendor Reports and Related Correspondence .....	238
WASTE MGT — Nuclear Waste Management .....	240
XPORTLIC — Export and Import Licenses .....	244
Personal Author Index .....	247
Corporate Source Index .....	267
Report Number Index .....	283
Cross Reference of Enclosures to Principal Documents .....	285
Appendix A — Definitions of Docket 50 Categories .....	A-1
Appendix B — Definitions of Nondocketed Categories .....	B-1



---

## PREFACE

---

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

---

## DOCKETED ITEMS

---

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

## DOCKETED ITEMS (cont.)

- |                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>R. Periodic operating reports and related correspondence</p> <p>S. Reportable occurrences, PNOs, PNSs, and related correspondence</p> <p>T. Transcripts, testimony, and briefings on non-antitrust matters</p> | <p>U. Congressional/executive correspondence</p> <p>V. Licensing of operators and related correspondence</p> <p>W. Decommissioning stage documents and correspondence</p> <p>X. Onsite storage of low-level waste</p> <p>Y. Independent spent fuel storage installations</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- ① P. Operating license stage documents & correspondence
- ② 8907070172      ③ Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.
- ④ DENTON, H.R.      ⑤ Office of Governmental & Public Affairs (Post 870413). 89/06/27      ⑥
- ⑦ CLARK, P.R.      ⑧ General Public Utilities Corp.—GPU Service Corp. 2 pp. ⑨ 50442:181—50442:182  
↓ ↓ ↓ ↓ ↓

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.

11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

---

## NONDOCKETED ITEMS

---

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records  
ACRS—Advisory Committee on Reactor Safeguards  
ADVCM—NRC Advisory Committees  
COMMISSION—NRC Commissioners  
CONTRACT—NRC Contracts and Modifications  
FOIA—Freedom of Information Act Requests and Releases  
GEN TECH IS—Generic Technical Issues  
IE—Inspection and Enforcement Issuances  
MISC—Public Document Room Miscellaneous  
NUREG—NRC-Issued Formal Reports and Related Correspondence  
ORG—Organizational File  
PR—Proposed Rules  
PRM—Petitions for Rulemaking  
PROJ—Projects  
PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections  
REGGD—Regulatory Guides  
RES—Research and Technical Assistance Reports  
REVIEW GRP—Research Review Groups  
RM—Rulemakings  
SECY—Staff Position Papers Before the Commission  
STATE PROG—State Programs  
TOPREP—Vendor Topical Reports and Correspondence  
WASH—AEC-Issued Formal Reports and Correspondence  
WM—Waste Management Documents  
WMRES—Waste Management Contract Documents  
XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

②                      ③                      ④  
8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE  
TEST VI-2

⑤                      ⑥  
OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦                      ⑧                      ⑨                      ⑩                      ⑪  
FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫   ⑬   ⑭   ⑮  
51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

---

## NONDOCKETED ITEMS (cont.)

---

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

---

### NOTES:

1. The address for GPO is  
Superintendent of Documents  
U.S. Government Printing Office  
P.O. Box 37082  
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is  
National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is  
2120 L Street, NW.  
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission  
Public Document Room  
Mail Stop LL-6  
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.



## ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
<b>Low Level Radwaste Disposal Sites - Docket 27</b>			40-8155	AMAX SPECIALTY METALS CORP., CLEVELAND, OH	6
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8452	BEAR CREEK URANIUM CO., CASPER, WY	6
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8502	TOTAL MINERALS CORP., CASPER, WY	6
DOCKET	UNKNOWN	1	40-8576	EDLOW INTERNATIONAL CO., WASHINGTON, DC	6
<b>Domestic Licensing of Source Material - Docket 40</b>			40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	6
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	2	40-8681	UMETCO MINERALS CORP., BLANDING, UT	6
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	2	40-8724	CHEMETRON CORP., PROVIDENCE, RI	7
40-0501	ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	3	40-8778	MOLYCORP, INC., LOS ANGELES, CA	7
40-0861	HORIZONS INC. CEVELAND	3	40-8838	ARMY, DEPT. OF, MADISON, IN	7
40-1020	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	3	40-8857	POWER RESOURCES, INC., GLENROCK, WY	7
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	3	40-8869	RAYTHEON CO., WALTHAM, MA	7
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	3	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	7
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	3	40-8903	HOMESTAKE MINING CO., GRANTS, NM	7
40-2298	SPRAGUE ELECTRIC CO., NORTH ADAMS, MA	3	40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	7
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	3	40-8905	QUIVIRA MINING CO., GRANTS, NM	8
40-2384	RMI CO., ASHTABULA, OH	3	40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	8
40-2810	W.R. GRACE & CO., CLARKSVILLE, MD	3	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	8
40-3296	MARTIN MARIETTA CORP., BALTIMORE, MD	4	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	8
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	4	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	8
40-3453	ATLAS CORP., DENVER, CO	4	40-8981	PATHFINDER MINES CORP., MILLS, WY	9
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	4	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	9
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	4	40-9009	EDLOW INTERNATIONAL CO., WASHINGTON, DC	9
40-6940	CABOT CORP., BOYERTOWN, PA	4	40-9022	HARTLEY & HARTLEY LANDFILL	9
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	5	40-9024	ENERGY FUELS NUCLEAR	9
40-7455	WHITTAKER CORP., LOS ANGELES, CA	5	40-9027	CABOT CORP. READING & REVERE	9
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	5	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	5	50-2	FORD NUCLEAR REACTOR	10
40-7982	HONEYWELL, INC., HOPKINS, MN	5	50-3	INDIAN POINT STATION, UNIT 1	10
40-8027	SEQUOYAH FUELS CORP., GORE, OK	5	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	10
40-8084	RIO ALGOM MINING CORP., MOAB, UT	6	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	11
40-8102	EXXON CORP., HOUSTON, TX	6	50-29	YANKEE-ROWE NUCLEAR POWER STATION	11
40-8107	ARMY, DEPT. OF, SACRAMENTO, CA	6	50-57	BUFFALO MATERIALS RESEARCH CENTER	12

Docket	Name	Page	Docket	Name	Page
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	12	50-251	TURKEY POINT PLANT, UNIT 4	28
50-83	UNIV. OF FLORIDA TRAINING REACTOR	12	50-252	UNIV. OF NEW MEXICO RESEARCH REACTOR	29
50-97	CORNELL UNIV. ZERO POWER REACTOR	12	50-254	QUAD-CITIES STATION, UNIT 1	29
50-131	OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	12	50-255	PALISADES NUCLEAR PLANT	31
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	12	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	33
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	13	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	34
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	13	50-261	H.B. ROBINSON PLANT, UNIT 2	36
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	13	50-263	MONTICELLO NUCLEAR GENERATING PLANT	37
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	13	50-265	QUAD-CITIES STATION, UNIT 2	38
50-155	BIG ROCK POINT NUCLEAR PLANT	13	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	39
50-157	CORNELL UNIV. RESEARCH REACTOR	14	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	41
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	14	50-269	OCONEE NUCLEAR STATION, UNIT 1	42
50-163	GENERAL ATOMICS	14	50-270	OCONEE NUCLEAR STATION, UNIT 2	43
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	14	50-271	VERMONT YANKEE NUCLEAR POWER STATION	44
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	14	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	46
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	14	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	48
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	15	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	48
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	15	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	49
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	15	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	15	50-280	SURRY POWER STATION, UNIT 1	51
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	15	50-281	SURRY POWER STATION, UNIT 2	52
50-213	HADDAM NECK PLANT	16	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	53
50-219	OYSTER CREEK NUCLEAR POWER PLANT	17	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	55
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	19	50-285	FORT CALHOUN STATION, UNIT 1	55
50-223	UNIV. OF LOWELL RESEARCH REACTOR	20	50-286	INDIAN POINT STATION, UNIT 3	56
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	21	50-287	OCONEE NUCLEAR STATION, UNIT 3	57
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	22	50-288	REED COLLEGE RESEARCH REACTOR	59
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	23	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	59
50-247	INDIAN POINT STATION, UNIT 2	25	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	60
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	26	50-295	ZION NUCLEAR POWER STATION, UNIT 1	61
50-250	TURKEY POINT PLANT, UNIT 3	27	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	62
			50-298	COOPER NUCLEAR STATION	64
			50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	66
			50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	67

Docket	Name	Page	Docket	Name	Page
50-304	ZION NUCLEAR POWER STATION, UNIT 2	68	50-353	LIMERICK GENERATING STATION, UNIT 2	106
50-305	KEWAUNEE NUCLEAR POWER PLANT	69	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	108
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	70	50-355	HOPE CREEK NUCLEAR STATION, UNIT 2	109
50-309	MAINE YANKEE ATOMIC POWER PLANT	71	50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	109
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	72	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	109
50-312	RANCHO SECO NUCLEAR GENERATING STATION	75	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	110
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	75	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	111
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	77	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	112
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	78	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	113
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	80	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	115
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	81	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	117
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	82	50-373	LASALLE COUNTY STATION, UNIT 1	119
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	82	50-374	LASALLE COUNTY STATION, UNIT 2	120
50-322	SHOREHAM NUCLEAR POWER STATION	84	50-376	NORTH COAST NUCLEAR PLANT	121
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	84	50-382	WATERFORD GENERATING STATION, UNIT 3	121
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	86	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	123
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	87	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	125
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	88	50-389	ST. LUCIE PLANT, UNIT 2	127
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	90	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	128
50-329	MIDLAND PLANT, UNIT 1	92	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	131
50-330	MIDLAND PLANT, UNIT 2	92	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	133
50-331	DUANE ARNOLD ENERGY CENTER	93	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	134
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	94	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	136
50-334	BEAVER VALLEY POWER STATION, UNIT 1	95	50-409	LA CROSSE BOILING WATER REACTOR	137
50-335	ST. LUCIE PLANT, UNIT 1	96	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	137
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	97	50-412	BEAVER VALLEY POWER STATION, UNIT 2	139
50-338	NORTH ANNA POWER STATION, UNIT 1	99	50-413	CATAWBA NUCLEAR STATION, UNIT 1	140
50-339	NORTH ANNA POWER STATION, UNIT 2	100	50-414	CATAWBA NUCLEAR STATION, UNIT 2	141
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	101	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	142
50-344	TROJAN NUCLEAR PLANT	102	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	143
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	102	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	143
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	103	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	145
50-352	LIMERICK GENERATING STATION, UNIT 1	104			

Docket	Name	Page	Docket	Name	Page
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	148	DOCKET	UNKNOWN	178
STN-50-437	FLOATING NUCLEAR PLANT	151	<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>		
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	152	70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	182
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	152	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	182
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	153	70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	183
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	154	70-0058	MARTIN MARIETTA CORP., BALTIMORE, MD	183
50-443	SEABROOK NUCLEAR STATION, UNIT 1	154	70-0133	CLEVITE CORP., CLEVELAND, OH	183
50-444	SEABROOK NUCLEAR STATION, UNIT 2	155	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	183
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	155	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	183
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	156	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	183
STN-50-454	BYRON STATION, UNIT 1	158	70-0578	HAWAII, UNIV. OF, HONOLULU, HI	184
STN-50-455	BYRON STATION, UNIT 2	159	70-0687	CINTICHEM, INC., TUXEDO, NY	184
STN-50-456	BRAIDWOOD STATION, UNIT 1	160	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	184
STN-50-457	BRAIDWOOD STATION, UNIT 2	162	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	184
50-458	RIVER BEND STATION, UNIT 1	164	70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	184
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	165	70-0832	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	184
50-461	CLINTON POWER STATION, UNIT 1	165	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	184
STN-50-482	WOLF CREEK GENERATING STATION	166	70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	184
STN-50-483	CALLAWAY PLANT, UNIT 1	167	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	184
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	168	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	184
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	170	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	185
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	171	70-1201	B&W FUEL CO., LYNCHBURG, VA	185
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	172	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	185
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	173	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	185
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	175	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	186
50-537	CLINCH RIVER BREEDER REACTOR	176	70-1359	IRT CORP., SAN DIEGO, CA	186
DOCKET	UNKNOWN	176	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	186
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	176	70-1489	GOODYEAR AEROSPACE CORP., AKRON, OH	186
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	176	70-2872	RS HOLDING, INC., CLEVELAND, OH	187
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	176	70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	187
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	177	70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	187
52-005	CANDU 3U AECL TECHNOLOGIES, INC.	178			

Docket	Name	Page	Docket	Name	Page
70-3061	IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	187	71-5957	MODEL: BMI-1, CINTICHEM, INC.	190
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	187	71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	190
70-3074	COLUMBIA UNIV., NEW YORK, NY	187	71-6280	MODEL: A-0109, J.L. SHEPHERD & ASSOCIATES	190
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	187	71-9023	MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP.	190
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	188	71-9028	MODEL: 684 & 684E, AMERSHAM CORP.	190
DOCKET	UNKNOWN	188	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	190
<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>			71-9032	MODEL: 650, AMERSHAM CORP.	190
71-0001	ANEFECO, INC.	188	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	190
71-0003	SIEMENS NUCLEAR POWER CORP.	188	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	190
71-0018	NUCLEAR ASSURANCE CORP.	188	71-9039	MODEL: 715, AMERSHAM CORP.	191
71-0034	AMERICON HOLDING CO., INC.	188	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	191
71-0035	ROCKWELL INTERNATIONAL CORP.	188	71-9107	MODEL: 771, AMERSHAM CORP.	191
71-0088	BABCOCK & WILCOX CO.	188	71-9148	MODEL: 770, AMERSHAM CORP.	191
71-0123	HERRON TESTING LABORATORIES, INC.	188	71-9183	MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	191
71-0131	TESTING INSTITUTE OF ALASKA	188	71-9187	MODEL: 865, AMERSHAM CORP.	191
71-0158	X-R-I TESTING OF MICHIGAN	188	71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	191
71-0213	INTERMOUNTAIN TESTING CO.	188	71-9210	MODEL: NUS 10-135, NUS CORP.	191
71-0230	BABCOCK & WILCOX CO.	189	71-9217	MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	191
71-0236	AMERICAN AIRLINES, INC.	189	71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	191
71-0238	AGRICULTURE, DEPT. OF	189	71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	191
71-0242	LAW ENGINEERING TESTING CO.	189	71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	191
71-0254	GENERAL ELECTRIC CO.	189	71-9235	MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	191
71-0260	ASTROTECH, INC.	189	71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	192
71-0263	YUBA HEAT TRANSFER CORP.	189	71-9258	MODEL: F-294, NORDION INTERNATIONAL	192
71-0319	GENERAL TESTING & INSPECTION CO.	189	71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	192
71-0330	ALLIED INSPECTION SERVICES, INC.	189	<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>		
71-0341	ENTERGY OPERATIONS, INC.	189	72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	192
71-0354	ADVANCED MEDICAL SYSTEMS, INC.	189	72-0002	VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	192
71-0524	RADIATION STERILIZERS, INC.	189	72-0004	DUKE POWER CO., 50-269, 50-270 & 50-287	192
71-0526	DETROIT EDISON CO.	189	72-0007	CONSUMERS POWER CO., 50-255	192
71-0690	INDESERV, INC.	189	72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	192
71-0691	TEI ANALYTICAL SERVICES, INC.	190	72-0010	NORTHERN STATES POWER CO., 50-282 & 50-306	192
71-0748	NORTHEAST X-RAY SERVICES, INC.	190			
71-0765	WESTEX CO.	190			
71-0801	MCNDT LEASING, INC.	190			
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	190			
71-5086	MODEL: UNC-2600, UNITED NUCLEAR CORP.	190			
71-5362	MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	190			

Docket	Name	Page	Docket	Name	Page
72-0011	SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312	192	72-1003	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	193
72-1002	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	192	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	193
			72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	193

## ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
<b>Low Level Radwaste Disposal Sites - Docket 27</b>					
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	PATHFINDER MINES CORP., MILLS, WY	40-8981	9
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	PATHFINDER MINES CORP., RIVERTON, WY	40-2259	3
<b>Domestic Licensing of Source Material - Docket 40</b>					
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	4	PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	4
ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	40-0501	3	POWER RESOURCES, INC., GLENROCK, WY	40-8857	7
AMAX SPECIALTY METALS CORP., CLEVELAND, OH	40-8155	6	QUIVIRA MINING CO., GRANTS, NM	40-8905	8
ARMY, DEPT. OF, MADISON, IN	40-8838	7	RAYTHEON CO., WALTHAM, MA	40-8869	7
ARMY, DEPT. OF, SACRAMENTO, CA	40-8107	6	RIO ALGOM MINING CORP., MOAB, UT	40-8084	6
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	7	RMI CO., ASHTABULA, OH	40-2384	3
ATLAS CORP., DENVER, CO	40-3453	4	SEQUOYAH FUELS CORP., GORE, OK	40-8027	5
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	6	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	8
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	5	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	5
CABOT CORP. READING & REVERE	40-9027	9	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	7
CABOT CORP., BOYERTOWN, PA	40-6940	4	SPRAGUE ELECTRIC CO., NORTH ADAMS, MA	40-2298	3
CHEMETRON CORP., PROVIDENCE, RI	40-8724	7	TOTAL MINERALS CORP., CASPER, WY	40-8502	6
EDLOW INTERNATIONAL CO., WASHINGTON, DC	40-9009	9	UMETCO MINERALS CORP., BLANDING, UT	40-8681	6
EDLOW INTERNATIONAL CO., WASHINGTON, DC	40-8576	6	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	2
ENERGY FUELS NUCLEAR	40-9024	9	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	8
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	4	W.R. GRACE & CO., CLARKSVILLE, MD	40-2810	3
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	9	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	3
EXXON CORP., HOUSTON, TX	40-8102	6	WHITTAKER CORP., LOS ANGELES, CA	40-7455	5
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	5	WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	3
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	8	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	2	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	145
HARTLEY & HARTLEY LANDFILL	40-9022	9	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	148
HOMESTAKE MINING CO., GRANTS, NM	40-8903	7	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	75
HONEYWELL, INC., HOPKINS, MN	40-7982	5	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	113
HORIZONS INC. CEVELAND	40-0861	3	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	14
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	8	BEAVER VALLEY POWER STATION, UNIT 1	50-334	95
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	3	BEAVER VALLEY POWER STATION, UNIT 2	50-412	139
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	6	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	152
MARTIN MARIETTA CORP., BALTIMORE, MD	40-3296	4	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	152
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	40-1020	3	BIG ROCK POINT NUCLEAR PLANT	50-155	13
MOLYCORP, INC., LOS ANGELES, CA	40-8778	7	BRAIDWOOD STATION, UNIT 1	STN-50-456	160
			BRAIDWOOD STATION, UNIT 2	STN-50-457	162
			BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	33
			BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	34

Name	Docket	Page	Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	62	GENERAL ATOMICS	50-163	14
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	87	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	14
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	86	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	142
BUFFALO MATERIALS RESEARCH CENTER	50-57	12	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	143
BYRON STATION, UNIT 1	STN-50-454	158	H.B. ROBINSON PLANT, UNIT 2	50-261	36
BYRON STATION, UNIT 2	STN-50-455	159	HADDAM NECK PLANT	50-213	16
CALLAWAY PLANT, UNIT 1	STN-50-483	167	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	108
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	80	HOPE CREEK NUCLEAR STATION, UNIT 2	50-355	109
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	81	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	12
CATAWBA NUCLEAR STATION, UNIT 1	50-413	140	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	55
CATAWBA NUCLEAR STATION, UNIT 2	50-414	141	INDIAN POINT STATION, UNIT 1	50-3	10
CLINCH RIVER BREEDER REACTOR	50-537	176	INDIAN POINT STATION, UNIT 2	50-247	25
CLINTON POWER STATION, UNIT 1	50-461	165	INDIAN POINT STATION, UNIT 3	50-286	56
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	155	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	94
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	156	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	103
COOPER NUCLEAR STATION	50-298	64	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	111
CORNELL UNIV. RESEARCH REACTOR	50-157	14	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	15
CORNELL UNIV. ZERO POWER REACTOR	50-97	12	KEWAUNEE NUCLEAR POWER PLANT	50-305	69
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	67	LA CROSSE BOILING WATER REACTOR	50-409	137
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	102	LASALLE COUNTY STATION, UNIT 1	50-373	119
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	48	LASALLE COUNTY STATION, UNIT 2	50-374	120
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	84	LIMERICK GENERATING STATION, UNIT 1	50-352	104
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	77	LIMERICK GENERATING STATION, UNIT 2	50-353	106
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	78	MAINE YANKEE ATOMIC POWER PLANT	50-309	71
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	10	MANHATTAN COLLEGE RESEARCH REACTOR	50-199	15
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	21	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	11
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	26	MIDLAND PLANT, UNIT 1	50-329	92
DUANE ARNOLD ENERGY CENTER	50-331	93	MIDLAND PLANT, UNIT 2	50-330	92
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	82	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	23
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	112	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	97
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	101	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	143
FLOATING NUCLEAR PLANT	STN-50-437	151	MONTICELLO NUCLEAR GENERATING PLANT	50-263	37
FORD NUCLEAR REACTOR	50-2	10	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	19
FORT CALHOUN STATION, UNIT 1	50-285	55	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	137
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	41	NORTH ANNA POWER STATION, UNIT 1	50-338	99
			NORTH ANNA POWER STATION, UNIT 2	50-339	100
			NORTH COAST NUCLEAR PLANT	50-376	121



Name	Docket	Page	Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 1	50-269	42	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	136
OCONEE NUCLEAR STATION, UNIT 2	50-270	43	SHOREHAM NUCLEAR POWER STATION	50-322	84
OCONEE NUCLEAR STATION, UNIT 3	50-287	57	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	168
OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	50-131	12	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	170
OYSTER CREEK NUCLEAR POWER PLANT	50-219	17	ST. LUCIE PLANT, UNIT 1	50-335	96
PALISADES NUCLEAR PLANT	50-255	31	ST. LUCIE PLANT, UNIT 2	50-389	127
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	172	SURRY POWER STATION, UNIT 1	50-280	51
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	173	SURRY POWER STATION, UNIT 2	50-281	52
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	175	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	123
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	14	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	125
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	49	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	59
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	50	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	82
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	153	TROJAN NUCLEAR PLANT	50-344	102
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	154	TURKEY POINT PLANT, UNIT 3	50-250	27
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	60	TURKEY POINT PLANT, UNIT 4	50-251	28
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	39	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	48
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	66	UNIV. OF FLORIDA TRAINING REACTOR	50-83	12
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	53	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	13
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	70	UNIV. OF LOWELL RESEARCH REACTOR	50-223	20
QUAD-CITIES STATION, UNIT 1	50-254	29	UNIV. OF MARYLAND RESEARCH REACTOR	50-166	14
QUAD-CITIES STATION, UNIT 2	50-265	38	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	15
RANCHO SECO NUCLEAR GENERATING STATION	50-312	75	UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	29
REED COLLEGE RESEARCH REACTOR	50-288	59	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	12
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	15	UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	13
RIVER BEND STATION, UNIT 1	50-458	164	VERMONT YANKEE NUCLEAR POWER STATION	50-271	44
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	22	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	133
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	46	WATERFORD GENERATING STATION, UNIT 3	50-382	121
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	72	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	128
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	15	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	131
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	109	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	115
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	110	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	117
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	13	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	109
SEABROOK NUCLEAR STATION, UNIT 1	50-443	154	WOLF CREEK GENERATING STATION	STN-50-482	166
SEABROOK NUCLEAR STATION, UNIT 2	50-444	155	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	13
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	88	WPPSS NUCLEAR PROJECT, UNIT 1	50-460	165
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	90			

Name	Docket	Page	Name	Docket	Page
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	134	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	183
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	171	RS HOLDING, INC., CLEVELAND, OH	70-2872	187
YANKEE-ROWE NUCLEAR POWER STATION	50-29	11	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	185
ZION NUCLEAR POWER STATION, UNIT 1	50-295	61	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	187
ZION NUCLEAR POWER STATION, UNIT 2	50-304	68	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	187
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	176	TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	186
CANDU 3U AECL TECHNOLOGIES, INC.	52-005	178	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	187
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	176	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	188
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	177	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	184
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	176	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	185
<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>			<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>		
B&W FUEL CO., LYNCHBURG, VA	70-1201	185	ADVANCED MEDICAL SYSTEMS, INC.	71-0354	189
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	183	AGRICULTURE, DEPT. OF	71-0238	189
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	182	ALLIED INSPECTION SERVICES, INC.	71-0330	189
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	183	AMERICAN AIRLINES, INC.	71-0236	189
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	182	AMERICON HOLDING CO., INC.	71-0034	188
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	184	ANEFSCO, INC.	71-0001	188
CINTICHEM, INC., TUXEDO, NY	70-0687	184	ASTROTECH, INC.	71-0260	189
CLEVITE CORP., CLEVELAND, OH	70-0133	183	BABCOCK & WILCOX CO.	71-0230	189
COLUMBIA UNIV., NEW YORK, NY	70-3074	187	BABCOCK & WILCOX CO.	71-0088	188
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	183	DETROIT EDISON CO.	71-0526	189
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	184	ENTERGY OPERATIONS, INC.	71-0341	189
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	185	GENERAL ELECTRIC CO.	71-0254	189
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	184	GENERAL TESTING & INSPECTION CO.	71-0319	189
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	184	HERRON TESTING LABORATORIES, INC.	71-0123	188
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	186	INDESERV, INC.	71-0690	189
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	184	INTERMOUNTAIN TESTING CO.	71-0213	188
GOODYEAR AEROSPACE CORP., AKRON, OH	70-1489	186	LAW ENGINEERING TESTING CO.	71-0242	189
HAWAII, UNIV. OF, HONOLULU, HI	70-0578	184	MCNDT LEASING, INC.	71-0801	190
IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	70-3061	187	MODEL: 650, AMERSHAM CORP.	71-9032	190
IRT CORP., SAN DIEGO, CA	70-1359	186	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	190
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	187	MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	190
MARTIN MARIETTA CORP., BALTIMORE, MD	70-0058	183	MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	190
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	184	MODEL: 684 & 684E, AMERSHAM CORP.	71-9028	190
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	70-0832	184	MODEL: 715, AMERSHAM CORP.	71-9039	191
			MODEL: 770, AMERSHAM CORP.	71-9148	191
			MODEL: 771, AMERSHAM CORP.	71-9107	191

Name	Docket	Page	Name	Docket	Page
MODEL: 865, AMERSHAM CORP.	71-9187	191	RADIATION STERILIZERS, INC.	71-0524	189
MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	190	ROCKWELL INTERNATIONAL CORP.	71-0035	188
MODEL: A-0109, J.L. SHEPHERD & ASSOCIATES	71-6280	190	SIEMENS NUCLEAR POWER CORP.	71-0003	188
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	191	TEI ANALYTICAL SERVICES, INC.	71-0691	190
MODEL: BMI-1, CINTICHEM, INC.	71-5957	190	TESTING INSTITUTE OF ALASKA	71-0131	188
MODEL: F-294, NORDION INTERNATIONAL	71-9258	192	WESTEX CO.	71-0765	190
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	190	X-R-I TESTING OF MICHIGAN	71-0158	188
MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	71-9183	191	YUBA HEAT TRANSFER CORP.	71-0263	189
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	191	<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>		
MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.	71-9235	191	CONSUMERS POWER CO., 50-255	72-0007	192
MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF	71-5362	190	DUKE POWER CO., 50-269, 50-270 & 50-287	72-0004	192
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	191	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	192
MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP.	71-9023	190	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	72-1002	192
MODEL: NUS 10-135, NUS CORP.	71-9210	191	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	72-1003	193
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	192	MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	193
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	191	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	193
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	192	NORTHERN STATES POWER CO., 50-282 & 50-306	72-0010	192
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	191	PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	192
MODEL: UNC-2600, UNITED NUCLEAR CORP.	71-5086	190	SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312	72-0011	192
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	191	VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	72-0002	192
NORTHEAST X-RAY SERVICES, INC.	71-0748	190	UNKNOWN	DOCKET	178
NUCLEAR ASSURANCE CORP.	71-0018	188	UNKNOWN	DOCKET	188
			UNKNOWN	DOCKET	176
			UNKNOWN	DOCKET	1

## DOCKETED ITEMS

### LOW LEVEL RADWASTE DISPOSAL SITES

#### DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

- 9501110274** Provides response to issues raised in insp on 941012 & 13 of activities under license 12-13536-01. Procedures revised to update SNM disposal encl. Procedure S20-AD-008 proprietary & withheld from public disclosure. HOUSE, W.B. Chem-Nuclear Systems, Inc. 94/11/03. AUSTIN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 31pp. 82329:072-82329:208.
- 9501110281** Requests that procedure S20-AD-008, rev 17, "Trench Const," provided in 941103 response to insp on 941012 & 13 be withheld from public disclosure. HOUSE, W.B. Chem-Nuclear Systems, Inc. 94/11/23. AUSTIN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 82329:103-82329:104.
- 9501110283** Forwards safety insp rept 27-0047/94-01 on 941012 & 13. Violation noted. COLLINS, D.M. Region 2 (Post 820201). 94/10/25. HOUSE, W.B. Chem-Nuclear Systems, Inc. 1p. 82329:105-82329:105.
- 9501110298** Safety insp on 941013 of license 12-13536-01. Insp findings: violations noted. Annual rept submitted by licensee to NRC, did not include identification of each disposal unit & description of all SNM waste emplaced during previous yr. \* Region 2 (Post 820201). \* Chem-Nuclear Systems, Inc. 94/10/17. 2pp. 82329:106-82329:108.
- 9501110307** Rev 6 to procedure S20-AD-006, "Environ Surveillance Plan." MOHUNDRO, M., PRICET, L., LEED, D. Chem-Nuclear Systems, Inc. 94/11/02. 9pp. 82329:109-82329:117.
- 9501110311** Rev 9 to procedure S20-AD-010, "Barnwell Waste Mgt Facility Site Disposal Criteria Chem-Nuclear Sys, Inc Barnwell Otc." MORRIS, P.B., BENJAMIN, M.J., HURST, G.E. Chem-Nuclear Systems, Inc. 94/11/02. 59pp. 82329:118-82329:176.
- 9501110313** Rev 2 to procedure S20-AD-030, "Burial of SNM." BENJAMIN, M.J., STILL, J., HURST, G. Chem-Nuclear Systems, Inc. 94/11/02. 6pp. 82329:177-82329:182.
- 9501110317** Rev 6 to procedure S20-RP-003, "HP Radwaste Receipt, Offload & Release Operations." WHITTAKER, M.S., STILL, J.J., BENJAMIN, M.J. Chem-Nuclear Systems, Inc. 94/11/02. 26pp. 82329:183-82329:208.
- 9501030130** Responds to 941103 submittal by clarifying NRC reporting requirements & exemption granting process for future regulatory interactions w/NRC. GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/20. RYAN, M.T. Chem-Nuclear Systems, Inc. 3pp. 82247:311-82247:313.
- 9501120188** Forwards Rev 0 to Procedure S20-AD-008-NP, "Trench Const," developed without proprietary info & company secrets. HOUSE, W.B. Chem-Nuclear Systems, Inc. 95/01/06. AUSTIN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 82331:317-82331:342.
- 9501120190** Rev 0 to Procedure S20-AD-008-NP, "Trench Const." STILL, J., SMITH, J., ZAWACKI, J. Chem-Nuclear Systems, Inc. 94/01/03. 23pp. 82331:320-82331:342.

#### DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

- 9501200197** Submits written notice of US Ecology Richland Facility stds manual of operational air sample in excess of location, date, analysis & result. LEDOUX, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/09/20. ROBERTSON, G. Washington, State of. 1p. 82471:348-82471:349.
- 9501200200** Informs that review of manifest for waste handled indicated most restrictive isotope present to be U-233. LEDOUX, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/19. ROBERTSON, G. Washington, State of. 1p. 82471:350-82471:350.
- 9501200289** Discusses insp conducted by Dept of Health, Division of Radiation Protection on 941010-12, of activities authorized by State of WA Radioactive Mats license WN-1019-2, amend 19. ROBERTSON, G. Washington, State of. 94/11/02. GAYNOR, R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 3pp. 82471:357-82471:359.
- 9501200193** Provides written notification of US Ecology Richland stds manual of operational air sample in excess of location, date, analysis & result. LEDOUX, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/11/07. ROBERTSON, G. Washington, State of. 1p. 82471:347-82471:347.
- 9501200038** Ack receipt of 941128 ltr informing State of steps taken to correct items of non-compliance & recommendations noted during insp of WA State Radioactive ML WN-1019-2 on 941010-12. ELSEN, M.J. Washington, State of. 94/12/13. GAYNOR, R.K. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:338-82471:338.
- 9501060262** Transmits revised site stabilization & closure plan for Richland, WA Low-Level Radwaste Disposal Facility. W/o encl. BEDE, B.C. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/12/16. HOGG, R. NRC - No Detailed Affiliation Given. 1p. 82273:356-82273:356.
- 9501200042** Responds to 941212 ltr requesting permission to conditionally qualify P Jones as radiological control & safety technician to perform incoming & outgoing shipment surveys. Request approved. ELSEN, M.J. Washington, State of. 94/12/19. LEDOUX, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:339-82471:339.

- 9501200049** Responds to 941116 ltr requesting variance to license condition 73(C) re completion of required audit. Request approved. ELSEN, M.J. Washington, State of. 94/12/21. PALMER, A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:340-82471:340.
- 9501200204** Responds to 941215 submittal of revs to Richland Operational Procedures & informs that procedures acceptable & may be issued. ELSEN, M.J. Washington, State of. 94/12/21. LEDOUX, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 2pp. 82471:355-82471:356.
- 9501230263** Forwards revised Richland Operational Procedures (ROP) 34, "Cask Insp" & 68, "Waste Confirmation." ROP 71 deleted. Revised table of contents reflecting changes also encl. \* American Ecology Corp. 95/01/03. HOGG, R. NRC - No Detailed Affiliation Given. 5pp. 82504:043-82504:062.
- 9501230264** Rev 3 to Richland Operational Procedure 34, "Cask Insp." \* American Ecology Corp. 94/12/15. 6pp. 82504:048-82504:053.
- 9501230265** Rev 2 to Richland Operational Procedure 68, "Waste Confirmation." \* American Ecology Corp. 94/12/15. 9pp. 82504:054-82504:062.
- 9501230190** Forwards two "Acknowledgement of Receipt" forms re changes to Richland operational procedures & Beatty contingency plan. W/o encl. HOGG, R.C. Division of Waste Management (NMSS 940403). 95/01/10. CRAIG, J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82485:360-82485:360.

#### DOCKET DOCKET UNKNOWN

- 9501190134** Provides NRC comments on site characterization plan for former Brooks & Perkins facility. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/12. ADAMS, T.G. B. Koh & Associates, Inc. 100pp. 82471:025-82471:124.
- 9501130156** Forwards completed radiological characterization plan for facility in Detroit, MI. WILLIAMS, J. American Ecology Corp. 94/06/08. ELLMAN, W. Affiliation Not Assigned. 1p. 82363:310-82363:352.
- 9501130168** "Radiological Characterization, Limited Remediation & Verification Survey Strategy for Release of Former Brooks & Perkins Facility at 1950 West Fort Street, Detroit, MI." YOUNG, L. American Ecology Corp. 94/06/08. 27pp. 82363:311-82363:336.
- 9501130176** Mats licensing package for license STB-362 for Brooks & Perkins Corp. HARMON, D.F. Atomic Energy Commission (Pre 750119). 69/10/17. 8pp. 82363:337-82363:352.
- 9501110136** "Site Characterization Plan Former Brooks & Perkins, Inc Site ARR Mfg, Inc Livonia, MI." \* B. Koh & Associates, Inc. 94/07/31. 80pp. 82295:242-82295:321.
- 9501040144** Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN, L.H. Squire, Sanders & Dempsey. FRIEDMAN, J.M. Affiliation Not Assigned. PULSIFER, H.A. 70pp. 82224:001-82224:070.
- 9501100284** Informs of recent rulemaking action that could significantly affect NRC's regulatory framework for removal of facilities from site decommissioning mgt plan. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. ELLMAN, W. Affiliation Not Assigned. 2pp. 82310:356-82310:357.
- 9501110082** Informs of recent rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from Site Decommissioning Mgt Plan. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. PULSIFER, H.A. Affiliation Not Assigned. 51pp. 82302:112-82302:162.
- 9501180252** Discusses former facility in Patterson, NJ currently owned by P Bonzani. Forwards documents from file re license C-03134. KINEMAN, J.D. Region 1 (Post 820201). 95/01/05. BONZANI, P. Affiliation Not Assigned. 3pp. 82327:086-82327:098.
- 9501180256** Application for AEC license C-3134 to transfer, deliver, export or receive U or thorium source matl. CIRANGLE, E. Affiliation Not Assigned. 56/11/20. 4pp. 82327:089-82327:092.
- 9501180259** Informs that licensee licensed to receive possession of & title to 3000 lbs of refined source matl during term of license for use in magnesium sand castings for jet engines. JOHNSON, L. Atomic Energy Commission (Pre 750119). 56/11/29. CIRANGLE, E. Affiliation Not Assigned. 1p. 82327:093-82327:093.
- 9501180260** Requests renewal of license C-3134 to purchase source matl as need arises. CIRANGLE, E. Affiliation Not Assigned. 60/09/27. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 82327:094-82327:094.
- 9501180263** Informs of listed changes in set-up re application of 600927 for source matl license on thorium matl. WILSON, W. Affiliation Not Assigned. 61/02/28. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 2pp. 82327:095-82327:096.
- 9501180265** Submits listed info as requested in ref ltr. CIRANGLE, E. Affiliation Not Assigned. 60/10/20. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 2pp. 82327:097-82327:098.

## 2 DOCKETED ITEMS

- 9501190041** Forwards NRC comments re radiological characterization, limited remediation & verification survey strategy for release of former Brooks & Perkins facility. LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/12. YOUNG,L. 10pp. 82394:313-82394:322.
- 9501190209** Ack 950110 telcon re contact w/current occupants of former American Metal Products facility in Ann Arbor,MI.Forwards correspondence re terminated license C-04812 of American Metal Products. KURTH,M. Region 3 (Post 820201). 95/01/12. ADAMS,W. Oak Ridge Associated Universities. 10pp. 82365:001-82365:145.
- 9501190234** Safety insp on 620515 of license SMB-389.Insp findings: licensee failed to use source matl according to procedures described in license application,containers did not have correct labels & adequate surveys not performed. MORETTI,E.J. Atomic Energy Commission (Pre 750119). \* Affiliation Not Assigned. 62/05/15. 14pp. 82365:011-82365:024.
- 9501190261** Discusses 571004 application for source matl license to conduct research.Forwards description of facilities & set of safeguard procedures.W/o encls. OHLGREN,H.A. Affiliation Not Assigned. 58/04/15. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 82365:025-82365:025.
- 9501190264** Forwards insp rept,dtd 600302,for licenses C-4069,C-4812 & C-4090.Two items of noncompliance noted during insp re labeling of storage equipment & failure to state matl content of containers. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/04/22. PRICE,H.L. Atomic Energy Commission (Pre 750119). 3pp. 82365:026-82365:026.
- 9501200112** "Procedures for UF6 Handling." & brief guide thereto. ARENDO,J.W., POWELLE,W., SAYLOR,H.F. Affiliation Not Assigned. 95/01/12. 18pp. 82365:027-82365:044.
- 9501190278** Safety insp on 600302 of licenses C-4069,C-4812 & C-4090. Insp findings:storage containers were incorrectly labeled & failure to state matl content in containers noted. JEZIK,R.M., HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/03/10. 2pp. 82365:045-82365:046.
- 9501190266** Submits info for formal issuance of SML C-4812,per 590720,telcon.Ack 200 lb of U to be used for research. W/o encl. OHLGREN,H.A. Affiliation Not Assigned. 59/07/20. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 82365:047-82365:047.
- 9501190268** Informs that American Metal Products Co issued source matl license C-4812 to receive possession & title to 200 lb of source matl for research purposes.W/o encl. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/07/20. OHLGREN,H.A. Affiliation Not Assigned. 8pp. 82365:048-82365:056.
- 9501190299** Ack license C-4812 to expire on 600731 & requests renewal of said license for one more year w/same conditions as before. OHLGREN Affiliation Not Assigned. 60/07/11. Atomic Energy Commission (Pre 750119). 1p. 82365:057-82365:057.
- 9501190310** Discusses insp authorized under source matl license numbers C-4069,C-4090 & C-4812.One item of non-compliance noted for license C-4812,re incorrect labeling of containers.W/o encl. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/21. OHLGREN,H.A. Affiliation Not Assigned. 1p. 82365:058-82365:058.
- 9501190327** Submits info requested on 600719 re renewal of source matl license C-4812.Explains how source matl will be used & how it will be handled in company facilities. OHLGREN,H.A. Affiliation Not Assigned. 60/07/26. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 4pp. 82365:059-82365:062.
- 9501190342** "Procedure Manual for Matl Accountability Station for American Metal Products Co for Handling of U Compounds." OHLGREN,H.A., LANDRUM,L.H., JENKS,D.W. Affiliation Not Assigned. 60/07/29. 19pp. 82365:063-82365:081.
- 9501190355** Requests renewal of license C-5221 for one year.Informs procedures submitted to NRC previously for license remain valid. JENKS,D.W. Affiliation Not Assigned. 61/08/07. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 4pp. 82365:082-82365:085.
- 9501190371** Informs American Metal Products Co licensed to receive possession of & title to 1,000 lb of source matl for research purposes,under license C-5221.Notes that procedures established under previous license still apply. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 95/01/12. OHLGREN,H.A. Affiliation Not Assigned. 2pp. 82365:086-82365:087.
- 9501190383** License SMB-0389 for American Metal Products Co,authorizing use of 1,000 lb of U & Th as research matl,per procedures described in applications of 580415,600726 & 610807. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/08/22. 3pp. 82365:088-82365:092.
- 9501190388** Forwards insp rept for license SMB-389 on 620515.Six areas of noncompliance were noted. MORETTI,E.J. Atomic Energy Commission (Pre 750119). 62/09/07. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 4pp. 82365:093-82365:109.
- 9501190393** Transmits for concurrence NOV issued for license SMB-389. Informs licensee will not be cited for noncompliance w/10CFR20.301,as originally recommended by Region III. PAGE,R.G. Atomic Energy Commission (Pre 750119). 62/10/22. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 82365:110-82365:110.
- 9501190398** Discusses insp rept for source matl license SMB-389 on 620515.Several areas of noncompliance noted.Continuous air sampling sys not employed,end shake machine not enclosed in dry box & drainage bed,soil & well water not sampled. PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/10/30. JENKS,D.W. Affiliation Not Assigned. 8pp. 82365:111-82365:118.
- 9501190404** Responds to ltr,dtd 621030 discussing violations noted in recent insp.Violations re lack of continuous air-sampling sys,location of end shake machine & monitoring of drainage bed,septic tank & water well. JENKS,D.W. Affiliation Not Assigned. 62/11/15. PRICE,E.R. Atomic Energy Commission (Pre 750119). 3pp. 82365:121-82365:123.
- 9501200027** Ack ltr,dtd 621115 responding to notice of 621030,informing of American Metal Products Co decision to leave nuclear matl business.Requests response within 20 days of C/A provided to address problems outlined in notice re matl. PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/12/12. Affiliation Not Assigned. 4pp. 82365:126-82365:129.
- 9501200035** Ack ltr,dtd 621212,requesting what C/A will be taken for identified problems.Informs company plans to phase out of nuclear business & will abandon license SMB-389.Nuclear matl at site ready to ship to Oak Ridge,TN or already disposed. JENKS,D.W. Affiliation Not Assigned. 62/12/21. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 82365:130-82365:130.
- 9501200047** Responds to ltr,dtd 621213 requesting info on why company leaving nuclear matl business.Informs that policies of div of licensing & regulations big factor in decision to leave & considers action of div "harassment." JENKS,D.W. Affiliation Not Assigned. 62/12/21. TREMMEL,E.B. Atomic Energy Commission (Pre 750119). 10pp. 82365:132-82365:141.
- 9501200057** Confirms completion of enforcement action w/American Metal Products Co re inspection on 620515.Company indicated all radioactive matls had been disposed of or will be shipped to Oak Ridge,TN.Company also to abandon license. PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/03/04. NRC - No Detailed Affiliation Given. 2pp. 82365:142-82365:143.
- 9501200065** Comments on allegations made by American Metal Products Co in ltr,dtd 621221 re overbearing regulation by NRC regulators.Informs company did not specify what C/A it would take to correct problems & decided to cancel. PRICE,H.L. Atomic Energy Commission (Pre 750119). 63/02/07. TREMMEL,E. Atomic Energy Commission (Pre 750119). 2pp. 82365:144-82365:145.
- 9501200224** Transcript of 950117 telcon from Rockville,MD in matter of Energy Fuels Nuclear,inc ML amend.Pp 51-60. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 95/01/17. 11pp. 82471:322-82471:333.

## DOMESTIC LICENSING OF SOURCE MATERIAL

### DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

- 9501050418** Forwards annual rept on insp of evaporation ponds for 1994, conducted on 941027. HANKINS,B.R. UMETCO Minerals Corp. 94/12/19. HAQUE,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 82276:354-82276:358.
- 9501030129** Submits evaluation of response to comments on UMETCO East Gas Hills Heap Leach pile radon barrier. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 94/12/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82260:209-82260:210.
- 9501190108** Responds to NRC 940831 ltr requesting addl info & analyses of previously approved reclamation plan. GIEGK,T.E. UMETCO Minerals Corp. 95/01/05. HOLONICH,J.J., HAQUE,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82456:355-82456:355.
- 9501190102** Confirms that licensee expects to provide response to 940831 NRC ltr re above-ground tailings disposal area by 950228. LYONS,P.J. UMETCO Minerals Corp. 95/01/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82394:360-82394:361.

### DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

- 9501030137** Responds to 941111 ltr,providing comments on final status survey of Bldg 419 at Curtis Bay,MD site. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/09. REILLY,K. Defense, Dept. of, Defense Logistics Agency. 8pp. 82260:193-82260:200.
- 9501000077** Forwards insp rept 40-00341/94-01 on 940811-12.No violations noted. SHANBAKY,M.M. Region 1 (Post 820201). 94/12/12. FRZE,K.L. Defense, Dept. of, Defense Logistics Agency. 2pp. 82255:292-82255:299.
- 9501100082** Insp rept 40-0341/94-01 on 940811-12.No violations noted. Major areas inspected/closeout insp limited to confirmatory survey of bldg T-737 & surrounding land for residual Th contamination. NESSEN,P., WHITE,D., SHANBAKY,M.M. Region 1 (Post 820201). 94/12/09. 6pp. 82255:294-82255:299.
- 9501101152** Forwards insp rept 40-0341/94-02 on 941116.No violations noted. SHANBAKY,M.M. Region 1 (Post 820201). 94/12/19. FRZE,K.L. Defense, Dept. of, Defense Logistics Agency. 2pp. 82271:236-82271:242.
- 9501101061** Insp rept 40-0341/94-02 on 941116.No violations noted. Major areas inspected:thorium storage facility on Seneca Army Depot for residual thorium contamination prior to release of warehouse for unrestricted use. LANZISERA,P., EVERHART,D., SHANBAKY,M.M. Region 1 (Post 820201). 94/12/16. 5pp. 82271:238-82271:242.
- 9501104049** Forwards format proposed for soil samples at Curtis Bay site. GAUL,W. Affiliation Not Assigned. 94/12/21. ORLANDO,N. NRC - No Detailed Affiliation Given. 2pp. 82327:331-82327:332.
- 9501130140** Forwards latest schedule for completion of Curtis Bay project. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/01/06. ORLANDO,D.A. Office of Nuclear Material Safety & Safeguards. 2pp. 82366:236-82366:237.
- 9501260182** Notification of 950123 meeting of Ordnance Road Citizens Committee in Annapolis,MD. MINNITTE,S.F. Anne Arundel County, MD. 95/01/11. BALLARD,J., KYLE,L., SCHMIDT,C. Anne Arundel County, MD. 1p. 82523:194-82523:194.

9501230184 Forwards listed documents re remediation of Anne Arundel County property in Curtis Bay, MD, w/o encls.  
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/12. STOKES, W. Anne Arundel County, MD. 4pp. 82487:357-82487:360.

9501230207 Responds to ltr from W Gaul of RUST Federal Svcs, dtd 941216, requesting review of final status surveys for two former Defense Logistics Agency warehouses in Anne Arundel County, MD.  
ORLANDO, D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/12. REILLY, K. Defense, Dept. of, Defense Logistics Agency. 9pp. 82500:317-82500:330.

-9501230211 Summary of 941221 meeting w/Defense Logistics Agency & contractors in Rockville, MD re delays in completion of remediation of site & status of outstanding repts & site evaluations.  
\* Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/21. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 82500:326-82500:330.

9501240375 Submits proposed work methods & steps that will be followed in surveying & remediation efforts for bldg soil & associated pylons.  
MALICH, P.J. Rust Engineering Co. 95/01/12. REILLY, F.K. Defense, Dept. of, Defense Logistics Agency. 3pp. 82513:012-82513:014.

#### DOCKET 40-0501 ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA

9501110289 Forwards "Radiological Sampling & Analyses From Groundwater Monitoring Wells at Alcoa Industrial Landfill Cleveland, OH."  
ABELQUIST, E.W. Oak Ridge Associated Universities. 94/12/15. LENTZ, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82327:300-82327:330.

-9501110294 "Radiological Sampling & Analyses from Groundwater Monitoring Wells at Alcoa Industrial Landfill, Cleveland, OH."  
ABELQUIST, E.W., LAUDEMAN, M.J., PAYNE, A.T. Oak Ridge Associated Universities. 94/12/31. 30pp. 82327:301-82327:330.

9501040144 Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN, L.H. Squire, Sanders & Dempsey, PETRAS, S. Vorys, Sater, Seymour & Pease. WISSINK, R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 70pp. 82224:001-82224:070.

9501100292 Informs of recent rulemaking action that could significantly affect NRC's regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. KING, R.C. Aluminum Co. of America. 3pp. 82294:340-82294:342.

#### DOCKET 40-0861 HORIZONS INC. CLEVELAND

9501040144 Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN, L.H. Squire, Sanders & Dempsey, PETRAS, S. Vorys, Sater, Seymour & Pease. WISSINK, R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 70pp. 82224:001-82224:070.

9501100264 Expresses comments on recent rulemaking action that could significantly affect NRC's regulatory framework for removal of facilities from Site Decommissioning Mgt Plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. PETRAS, S. Vorys, Sater, Seymour & Pease. 3pp. 82293:357-82293:359.

9501100276 Writes to call attention to recent rulemaking action that could significantly affect NRC's regulatory framework of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WAINER, H. Horizons Inc. Cleveland, OH. 3pp. 82294:337-82294:339.

9501100295 Informs of recent rulemaking action that could significantly affect NRC's regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. FRIEDMAN, J.M. Benesch, Friedlander, Coplan & Aronoff. 3pp. 82294:343-82294:345.

#### DOCKET 40-1020 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9501040144 Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN, L.H. Squire, Sanders & Dempsey, KING, R.C. Aluminum Co. of America. ELLMAN, W. . 70pp. 82224:001-82224:070.

9501100303 Informs of recent rulemaking action that could significantly affect NRC's regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WISSINK, R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 82294:346-82294:347.

#### DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9501100131 Forwards licensee annual review of Split Rock Millsite groundwater corrective action program.  
BAKER, S.J. Western Nuclear, Inc. 94/12/15. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82293:316-82293:346.

-9501100134 "Western Nuclear, Inc 1994 Groundwater Corrective Action Program Review, Split Rock Mill, Jeffery City, WY," dtd 941215.  
\* Western Nuclear, Inc. 94/12/15. 30pp. 82293:317-82293:346.

9501240104 Forwards 940922 radiation safety audit/ALARA rept conducted at Western Nuclear, Inc Split Rock millsite.  
BAKER, S.J. Western Nuclear, Inc. 95/01/09. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 82513:004-82513:009.

#### DOCKET 40-1650 WYMAN-GORDON CO., NORTH GRAFTON, MA

9501110188 Forwards "Oct 1994 Sampling & Radiological Analyses of Magnesium-Thorium Disposal Area."  
THARP, J.W. Wyman-Gordon Co. 94/12/13. MORGADO, D.J. Grafton, MA. 1p. 82302:240-82302:266.

-9501110196 "Oct 1994 Sampling & Radiological Analyses of Magnesium-Thorium Disposal Area."  
HANNA, S.R., FELDMAN, L., MCBRIDE, G. GZA GeoEnvironmental, Inc. (formerly Goldberg-Zoino & Associates, Inc. & Goldber. 94/12/31. 26pp. 82302:241-82302:266.

9501060239 Informs that groundwater sample analyses from Oct 1994 sampling of wells adjacent to Mg-Th disposal area, submitted by Wyman-Gordon in ltr of 941213 consistent w/EPA sampling protocols.  
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 82278:324-82278:325.

#### DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9501030093 Forwards "Ground-Water Hydrology, Freshwater Injection & Tailings Seepage Collection Sys Near Tailings Reservoir 1," annual update rept on ground water CAP at Lucky Mc.  
HARDGROVE, T.W. Pathfinder Mines Corp. 94/12/22. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82283:129-82283:252.

-9501030100 "Ground-Water Hydrology, Freshwater Injection & Tailings Seepage Collection Sys Near Tailings Reservoir 1," w/13 oversized drawings.  
SANDBERG, E., HOFFMAN, G.L. Hydro-Engineering. 94/12/31. 131pp. 82283:131-82283:252.

9501060150 Forwards revised text for Pathfinder Mines Corp Lucky Mc Mine Tailings reclamation plan. Revs submitted to correct minor error in submittal of 941216.  
MICHEL, T.G. Hydro-Engineering. 94/12/29. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 68pp. 82284:282-82284:354.

#### DOCKET 40-2298 SPRAGUE ELECTRIC CO., NORTH ADAMS, MA

9501100220 Forwards insp rept 40-2298/94-01 on 941201. No violations noted.  
SHANBAKY, M.M. Region 1 (Post 820201). 95/01/10. GRUBER, J.P. . 2pp. 82325:286-82325:292.

-9501180225 Insp rept 40-2298/94-01 on 941201. No violations noted. Major areas inspected: facilities & equipment, vapor extraction procedures, surveys, dosimetry & waste inventory & disposal.  
ULLRICH, B., DOLCE, K., SHANBAKY, M.M. Region 1 (Post 820201). 95/01/09. 5pp. 82325:288-82325:292.

#### DOCKET 40-2377 KAISER ALUMINUM SPECIALTY PRODUCTS

9501090354 Forwards "Guidance Manual...Radiological Surveys in Support of License Termination," NUREG/CR-5849, draft TP on site characterization for decommissioning & "Assessing Environ Availability of U in Soils..." NUREG/CR-6232.W/o encls.  
TURTLER, R.H. Division of Waste Management (NMSS 940403). 95/01/04. HOLMES, B.A. National Refractories & Minerals Corp. (formerly Kaiser Aluminum & Chemical Corp. 3pp. 82288:184-82288:186.

#### DOCKET 40-2384 RMI CO., ASHTABULA, OH

9501310262 "Chronology RMI Environ Svcs/DOE Funding Cuts for Cleaning Ashtabula Site 9/94 Through 1/95."  
ARNOLD, C. Senate. 95/01/11. 2pp. 82566:242-82566:243.

#### DOCKET 40-2810 W.R. GRACE & CO., CLARKSVILLE, MD

9501040033 First partial response to FOIA request for records. App A records encl & available in PDR. Review of records subj to request continuing.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/02/16. SARKISSIAN, K. Affiliation Not Assigned. 18pp. 82530:003-82532:178.

-9501060218 Safety insp on 680820 of license SMB-0334. Insp findings: no noncompliance noted.  
EPSTEIN, E. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 68/08/20. 1p. 82530:196-82530:199.

-9501060222 Application for amend, renewing license SMB-0334.  
SANCHEZ, M.G. W.R. Grace & Co. 67/05/26. 7pp. 82530:200-82530:208.

-9501060224 Forwards license SMB-0334 for WR Grace & Co.  
LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/06/15. FITCH, F.T. W.R. Grace & Co. 1p. 82530:209-82530:211.

-9501060230 Forwards application for amend, renewing license SMB-0334, authorizing possession of 1,600 lb hydrates, oxides & salts for research & development studies on nuclear fuels.  
FITCH, F.T. W.R. Grace & Co. 64/05/21. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82530:212-82530:212.

-9501060240 Application for amend, renewing license SMB-0334.  
JIHAN, J. W.R. Grace & Co. 64/05/22. 7pp. 82530:213-82530:219.

#### 4 DOCKETED ITEMS

-9501060252 Discusses insp of licenses 19-04003-01,SMB-0334 & SNM-0417 on 610929.Noncompliance noted:survey not made to determine concentration of tritium in work areas & radiation surveys not conducted in U & thorium storage room. PRICE,E. Atomic Energy Commission (Pre 750119). 62/03/29. MITCHELL,F.W. W.R. Grace & Co. 2pp. 82530:220-82530:222.

-9501060259 Submits addl info in support of 610615 request for renewal of license. FITCH,F.T. W.R. Grace & Co. 61/06/26. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 82530:223-82530:226.

-9501060263 Ack receipt of 610615 application for license.Requests that licensee provide listed info to allow continuation of evaluation of application. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/06/21. FITCH,F.T. W.R. Grace & Co. 1p. 82530:227-82530:227.

-9501090045 Application for amend,renewing license C-4132,for two yr period & permit receipt of 3200 lb of source matl in form of hydrates,oxides or other compounds. FITCH,F.T. W.R. Grace & Co. 61/06/15. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 82530:228-82530:229.

-9501090058 Forwards renewal license C-4132 for WR Grace & Co. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/06/06. FITCH,F.T. W.R. Grace & Co. 1p. 82530:230-82530:230.

-9501090070 License C-4132 for WR Grace & Co,authorizing possession of 3200 lb source matl for research & development studies. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/07/01. FITCH,F.T. W.R. Grace & Co. 1p. 82530:231-82530:231.

-9501090074 Application for amend,renewing license C-4132 for WR Grace & Co. FITCH,F.T. W.R. Grace & Co. 60/05/03. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 82530:232-82530:233.

-9501090080 Ack receipt of 590610 ltr informing NRC of steps taken to correct deficiencies noted in source matl program. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/06/19. HURLEY,F.R. W.R. Grace & Co. 1p. 82530:234-82530:234.

-9501090086 Responds to NRC 590515 ltr re deficiencies noted in insp of license C-4132.Corrective actions:licensee will initiate regular insps of working areas using portable survey meter & will maintain records of survey. HURLEY,F.R. W.R. Grace & Co. 59/06/10. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 82530:235-82530:237.

-9501090094 Discusses insp of license C-4132 on 590122.Advises that no surveys made to determine extent of contamination & exposure of personnel to source matl per 10CFR20.201(b). JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/15. HURLEY,F.R. W.R. Grace & Co. 1p. 82530:238-82530:238.

-9501090103 Amend 1 to license C-4132 for WR Grace & Co,authorizing possession of 3200 lb of source matl for research,bench scale & pilot plant development studies. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/01/23. HURLEY,F.R. W.R. Grace & Co. 1p. 82530:239-82530:239.

-9501090111 Application for license,authorizing possession of refined source matl for bench scale & pilot plant development studies. MESSINA,P. W.R. Grace & Co. 59/01/21. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 82530:240-82530:240.

-9501090116 License C-4132 for WR Grace & Co,authorizing possession of 1,200 lb of source matl for research. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/06/03. HURLEY,F.R. W.R. Grace & Co. 1p. 82530:241-82530:241.

-9501090119 Application for license,authorizing possession of 1,200 lb source matl for research studies. HURLEY,F.R. W.R. Grace & Co. 58/05/22. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 82530:242-82530:242.

-9501090307 Forwards compliance insp rept of licenses 19-04003-01, SNM-0417 & SMB-0334 on 610929. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/11/28. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 82530:292-82530:293.

-9501090325 Compliance insp rept of licenses 19-04003-01,SMB-0334 & SNM-0417 on 610929.Insp findings:failure to perform survey or evaluate hazards re storage of U & thorium in storage room & failure to label containers containing U. EPSTEIN,E. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/11/21. 8pp. 82530:294-82530:307.

-9501100226 Notices of insp on 650917 re status of compliance w/10CFR30.40 & 20. KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 65/09/08. MOYER,J.W. W.R. Grace & Co. 1p. 82530:316-82530:316.

-9501100347 Submits personnel exposure & monitoring rept for CY69 per 10CFR20. LOMONTE,J.N. W.R. Grace & Co. 70/01/29. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p. 82531:009-82531:009.

#### DOCKET 40-3296 MARTIN MARIETTA CORP., BALTIMORE, MD

9501310046 Forwards insp repts 40-3296/94-01 & 70-0058/94-01 on 941103. No violations noted.Informs that listed sites suitable for unrestricted use. KINNEMAN,J.D. Region 1 (Post 820201). 95/01/25. ALCARESE,J. Martin Marietta Corp. 3pp. 82528:166-82528:174.

-9501310052 Insp repts 40-3296/94-01 & 70-0058/94-01 on 941103.No violations noted.Major areas inspected:bdgs C & D at Martin-Marietta Middle River facility & bdgs KJ & KC at Martin State Airport. HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/01/23. 6pp. 82528:169-82528:174.

9501310129 Forwards insp repts 40-3296/94-01 & 70-0058/94-01 on 941103. No violations noted.Informs that listed sites suitable for unrestricted use. KINNEMAN,J.D. Region 1 (Post 820201). 95/01/25. BROOKS,J. Maryland, State of. 3pp. 82529:228-82529:236.

#### DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 40-3453 ATLAS CORP., DENVER, CO

9501050458 Requests addl info re current site conditions & proposed reclamation plan re Atlas Minerals U Mill Tailings site. SINCLAIR,W.J. Utah, State of. 94/12/19. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82276:347-82276:348.

9501090051 Requests that NRC accept encl replacement ltr addressing issues raised in demand ltr of 941026.Original version of 941122 in red-line version,showing deletions & additions also encl.W/o encl. BLUBAUGH,R.E. Atlas Corp. 94/12/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82288:359-82288:358.

9501090105 Forwards series of Atlas press releases summarizing financial & acquisition activities,in response to NRC 941026 RAI on licensee recent acquisitions & restructurings. BLUBAUGH,R.E. Atlas Corp. 94/12/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 27pp. 82302:301-82302:327.

9501050473 Discusses State of UT 941115,response & comments re Atlas proposed study of CO river water quality & Biota,position statement. SINCLAIR,W.J. Utah, State of. 94/12/21. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82276:345-82276:346.

9501090168 Forwards summary of 941213 meeting w/licensee to discuss & clarify questions on Moab U mill sent by 941104 ltr. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/22. BLUBAUGH,R. Atlas Corp. 9pp. 82290:303-82290:311.

9501050466 Submits corrective action program review summarizing Atlas progress toward attaining groundwater protection stds. BLUBAUGH,R.E. Atlas Corp. 94/12/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 22pp. 82234:334-82234:355.

9501090231 Provides listed comments re licensee dose commitment calculations for residence nearest to licensee mill near Moab,UT. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/05. BLUBAUGH,R. Atlas Corp. 4pp. 82288:159-82288:162.

9501190152 Discusses responses to NRC demand for info on potential corporate organizational changes. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/09. BLUBAUGH,R. Atlas Corp. 3pp. 82471:200-82471:202.

9501250279 Informs that Atlas Corp names M Richings as President & Chief Operating Officer effective 950116. DORRAN,J. Atlas Corp. 95/01/12. 1p. 82515:360-82515:360.

9501310178 Suggests that meeting between state of UT & NRC be held to examine docket file re groundwater characterization & assessment for Atlas Corp Moab,UT U mill site,in response to state of UT 941219 request. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/17. SINCLAIR,W.J. Utah, State of. 4pp. 82560:356-82560:359.

9501250132 Requests that future documentation submitted to NRC be provided to encl list of involved organizations including correspondence & repts on technical & environ aspects of reclamation plan under review. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/18. BLUBAUGH,R. Atlas Corp. 6pp. 82462:353-82462:356.

9501260130 Transmits analytical results of Colorado River water & sediments collected,per NRC request dtd 941028,signed by D Gillen. BLUBAUGH,R.E. Atlas Corp. 95/01/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 82523:217-82523:230.

#### DOCKET 40-6500 ENERGY, DEPT. OF, CANONSBURG, PA

9501110210 Forwards 1994 annual insp rept for Burrell Vicinity Property in Burrell,PA. VIRGONA,J.E. Energy, Dept. of. 95/01/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82329:229-82329:282.

-950110221 "1994 Annual Insp of Burrell,PA,UMTRA Project Disposal Site, Dec 1994." W/one oversize drawing. WAUGH,W.J. Energy, Dept. of. DOE/ID/12584-206. 94/12/31. 57pp. 82329:231-82329:282.

#### DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9501190149 Submits notification of 950124 meeting w/Petrotomics Co in Rockville,MD to discuss NRC comments on reclamation plan for Shirley Basin Site. HAQUE,M.W. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/09. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82470:359-82470:359.

#### DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9501030210 Forwards Cabot Corp site decommissioning plan as indicated in telcon.Cabot submital for final survey plan will be forwarded upon receipt of docu ment from licensee.W/o encl. HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/12. ABELQUIST,E. Oak Ridge Associated Universities. 1p. 82260:181-82260:181.



## DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

- 941230007 Forwards response to RAI for 920602 application. EVES,C.S. Shieldalloy Metallurgical Corp. 94/12/22. COMFORT,G. NRC - No Detailed Affiliation Given. 12pp. 82218:061-82218:314.
- 9501040001 "Training in Radiation Protection."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 10pp. 82218:093-82218:102.
- 9501040002 "ALARA Program."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 10pp. 82218:103-82218:112.
- 9501040003 "Control of Radiological Work."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 8pp. 82218:113-82218:120.
- 9501040004 "CA in Radiological Protection."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 11pp. 82218:121-82218:131.
- 9501040005 "Control of SOPs for Radiation Safety."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 12pp. 82218:132-82218:143.
- 9501040007 "Receipt, Handling & Identification of Radioactive Matis."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 9pp. 82218:144-82218:152.
- 9501040009 "Radiological Areas & Posting."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 6pp. 82218:153-82218:158.
- 9501040010 "Emergency Response & Notifications."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 19pp. 82218:159-82218:177.
- 9501040011 "Radiation Protection Records."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 12pp. 82218:178-82218:189.
- 9501040012 "Instrumentation & Surveillance."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 18pp. 82218:190-82218:207.
- 9501040013 "Contamination Control."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 15pp. 82218:208-82218:222.
- 9501040015 "Stop Work Authority."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 6pp. 82218:223-82218:228.
- 9501040016 "Control of Radwaste."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 10pp. 82218:229-82218:238.
- 9501040017 "External Radiation Exposure Control."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 18pp. 82218:239-82218:256.
- 9501040018 "Training & Qualifications of Radiation Protection Personnel."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 10pp. 82218:257-82218:266.
- 9501040019 "Packaging & Transportation of Radioactive Matis."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 19pp. 82218:267-82218:285.
- 9501040020 "Environ Surveillance."  
\* Shieldalloy Metallurgical Corp. 94/03/10. 11pp. 82218:286-82218:296.
- 9501040021 "Internal Radiation Exposure Control."  
\* Shieldalloy Metallurgical Corp. 94/03/11. 18pp. 82218:297-82218:314.
- 9501050165 Confirms 941118 telcon re violations noted in insp rept 40-7102/93-01. Understands that licensee did not receive NRC 940729 ltr & that corrective actions taken or planned will be forwarded by 941221. MILLER,M.T. NRC - No Detailed Affiliation Given. 94/11/23. EVES,C.S. Shieldalloy Metallurgical Corp. 2pp. 82179:039-82179:040.
- 9501030140 Forwards comments on draft annotated outlines dtd 941020 for Shieldalloy Metallurgical Corp EIS. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). COMFORT,G.C. Licensing Branch. FIN L-2094. 94/12/08. MCCOLD,L.N. Oak Ridge Associated Universities. 7pp. 82260:184-82260:190.
- 9501090179 US Bankruptcy Court Southern District of NY order to show cause scheduling hearing on motion of Official Committee of Unsecured Creditors to compel debtors to provide equal info to prospective buyers & sellers of claims.W/encl. GARRITY,J. Affiliation Not Assigned. 94/12/30. 5pp. 82290:001-82290:066.
- 9501090196 Motion filed to compel debtors to provide equal info to prospective buyers & sellers of claims.W/supporting mat encl. SPEISER,M.A. Affiliation Not Assigned. SPEISER,M.A. Stroock,Stroock & Lavan. 94/12/30. 61pp. 82290:006-82290:066.
- 9501260001 Trip rept of 941221 visit to Shieldalloy Metallurgical Corp facility in Newfield,NJ to familiarize M Lamastra w/site operations. COMFORT,G.C., LAMAstra,M. Licensing Branch. 95/01/18. PIERSON,R.C. Licensing Branch. 2pp. 82519:236-82519:237.
- 9501250352 Discusses delay of issuance of draft EIS re decommissioning of Shieldalloy Metallurgical Corp facility in Newfield,NJ. Lists reason NRC maintain stated piles not release & are only considered to be in storage. COMFORT,G.C. Licensing Branch. 95/01/20. HARGROVE,R.W. Environmental Protection Agency. 2pp. 82516:349-82516:350.

## DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

- 9501110474 Informs that 941019 meeting was helpful in shaping thinking as to how to approach problems confronted at site. LEVIN,R. Whittaker Industries, Ltd. dba Whittaker Steel Strip (formerly Whittaker Corp.). 94/12/12. AUSTIN,J.H. NRC - No Detailed Affiliation Given. 3pp. 82302:082-82302:084.
- 9501030195 Informs of receipt of 941212 facsimile re licensee characterization rept schedule. BYKOSKI,L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/20. LEVIN,R. Whittaker Industries, Ltd. dba Whittaker Steel Strip (formerly Whittaker Corp.). 2pp. 82260:182-82260:183.

## DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

- 9501040157 FOIA request for info re remedial assessment work plan, conceptual decommissioning plan & site characterization rept submitted by Fansteel,Inc. BALDI,M. Rust Engineering Co. 94/02/17. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82188:128-82188:128.
- 9501040160 Final response to FOIA request for info re remedial assessment work plan,conceptual decommissioning plan & site characterization rept submitted by Fansteel,Inc.Listed App A documents already available in PDR. GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 94/03/18. BALDI,M. Rust Engineering Co. 2pp. 82188:129-82188:130.

## DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

- 9501110484 Discusses issue of revised schedule for completion of decommissioning activities.No schedule can be finalized until timing for USNRC approval of license amend application for onsite disposal can be established. RUPER,W.M. BP Chemicals International. 94/12/09. GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 82302:037-82302:038.
- 9501120072 Requests extension until 950131 to prepare & submit comprehensive response to questions re 940210 license application. RUPERT,W.M. BP Chemicals International. 94/12/12. GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82307:039-82307:039.

## DOCKET 40-7982 HONEYWELL, INC., HOPKINS, MN

- 9501180229 Discusses insp rept 40-07982/91-01 & investigation rept 3-91-003. FITZGERALD,C.M. Alliant Techsystems, Inc. 95/01/04. GROBE,J.A. Region 3 (Post 820201). 2pp. 82393:065-82393:066.

## DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

- 9501050229 Forwards Fish & Wildlife RFI comments,EPA HQ memo re meeting w/ Public Health Svc & ltr from EPA HQ to Public Health Svc, as discussed on 940527. HEBERT,M.A. Environmental Protection Agency. 94/05/27. SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 7pp. 82224:353-82224:359.
- 9501110472 Forwards bi-monthly progress rept for Sequoyah Fuels Corp facility near Gore,OK,outlining activities performed during months of Oct & Nov 1994. BLACHLY,T. Sequoyah Fuels Corp. 94/12/08. HEBERT,M. Environmental Protection Agency. 22pp. 82307:337-82307:358.
- 9501120111 Responds to 941121 ltr & informs that review of final RFI work plan has been conducted & technical methodologies appear adequate to characterize presence,types,magnitude & extent. WILLIAMS,O. Army, Dept. of, Corps of Engineers. 94/12/12. BROWN,R.E. Environmental Protection Agency. 3pp. 82331:305-82331:307.
- 9501120104 Submits comments on final RCRA facility investigation work plan on 941031. PETER,K.D. Interior, Dept. of, Geological Survey. 94/12/19. HEBERT,M.A. Environmental Protection Agency. 2pp. 82331:301-82331:303.
- 9501100195 General Atomic brief in support of motion for protective order.\* Requests that protective order be entered w/version of paragraph 7 as proposed by Sequoyah Fuels Corp. W/Certificate of Svc. DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #195 16132. 94/12/22. Atomic Safety & Licensing Board Panel. 6pp. 82257:087-82257:092.
- 9501100109 NRC Staff response to Sequoyah Fuels Corp motion for protective order.\* Staff requests that Board deny Sequoyah Fuels Corp motion.W/Certificate of Svc. UTTAL,S.L., MARCO,C.L. Office of the General Counsel (Post 860701). #195 16143. 94/12/23. Atomic Safety & Licensing Board Panel. 11pp. 82257:118-82257:128.
- 9501100111 Sequoyah Fuels Corp brief in support of motion for protective order.\* Requests that motion be granted & protective order be entered as agreed by parties. W/ Certificate of Svc. AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #195 16142. 94/12/23. Atomic Safety & Licensing Board Panel. 4pp. 82257:129-82257:132.
- 9501100122 Notice of appearance.\* CL Marco enters appearance in matter of Sequoyah Fuels Corp. MARCO,C.L. Office of the General Counsel (Post 860701). #195 16140. 94/12/23. 1p. 82257:117-82257:117.
- 9501100117 Memorandum (requesting party comments).\* Board invites parties to address matter as part of responsive filings due 950106.W/Certificate of Svc.Served on 941227. GLEASON,J.P. Atomic Safety & Licensing Board Panel. #195 16141. 94/12/27. 4pp. 82257:133-82257:136.
- 9501060216 Discusses disposition of raffinate sludge.Licensee proceeded to consolidate remaining raffinate sludge inventory in clarifier impoundments & to remove Pond 4 from svc.as indicated in 931124 ltr to NRC. ELLIS,J.H. Sequoyah Fuels Corp. 94/12/30. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82283:322-82283:323.
- 9501180188 Informs that time provided by NRC regulation within which Commission may act to review decision of Presiding Officer order of 941014,expired.W/Certificate of Svc.Served on 950103. HOYLE,J.C. Office of the Secretary of the Commission. #195 16170. 95/01/03. Atomic Safety & Licensing Board Panel. 3pp. 82325:213-82325:215.
- 9501180145 General Atomics reply to NRC Staff response to Sequoyah Fuels,Corp motion for protective order.\* Informs that licensee adopts & incorporates 950106 reply.W/Certificate of Svc. DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #195 16206. 95/01/06. Atomic Safety & Licensing Board Panel. 3pp. 82325:151-82325:153.



## 6 DOCKETED ITEMS

9501180212 NRC Staff reply to General Atomic brief in support of motion for protective order.\* NRC responds to Board 941227 memo requesting parties to address issue on need for NRC Staff to be subj to protective order.W/Certificate of Svc. UTTAL,S.L., HOM,S.R. Office of the General Counsel (Post 860701). #195 16197. 95/01/06. Atomic Safety & Licensing Board Panel. 12pp. 82325:253-82325:263.

9501180213 Sequoyah Fuels Corp reply to NRC Staff response to motion for protective order.\* Sequoyah Fuels suggests that protective order be entered w/version of paragraph 7. AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #195 16191. 95/01/06. GLEASON,J.P., KLJNE,J.R., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. 10pp. 82325:264-82325:273.

9501130193 Advises that based on review of analysis of potential for U uptake & proposed license conditions to be implemented in lieu of contingency plan,submitted by licensee 941121 ltr, addl info needed to address issue raised by NRC Comment 6. ELLIS,J.H. Sequoyah Fuels Corp. 95/01/09. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82425:041-82425:042.

9501180249 Memorandum & Order (scheduling oral argument).\* Board orders parties to make brief oral presentation of respective positions on 950202 re 941202 Motion for protective order. W/Certificate of Svc.Served on 950111. GLEASON,J.P. Atomic Safety & Licensing Board Panel. #195 16211. 95/01/11. 4pp. 82326:103-82326:106.

9501180139 Order (rescheduling oral argument).\* Orders that argument will be rescheduled to 950127.W/Certificate of Svc.Served on 950112. GLEASON,J.P. Atomic Safety & Licensing Board Panel. #195 16214. 95/01/12. Sequoyah Fuels Corp. 4pp. 82325:147-82325:150.

9501200020 Ack receipt of 941114 ltr stating that licensee will no longer maintain certain conditions re ventilation in control room & 941117-1207 ltrs which provided NRC w/update of fertilizer program & staffing reductions. COLLINS,S.J. Region 4 (Post 820201). 95/01/12. ELLIS,J. Sequoyah Fuels Corp. 4pp. 82351:175-82351:178.

9501260365 Informs that placement of contaminated soils into interim storage cell completed & cover installed. REID,B.W. Sequoyah Fuels Corp. 95/01/19. SHEPHERD,J.C. Office of Nuclear Material Safety & Safeguards. 1p. 82523:184-82523:184.

### DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9501110368 Forwards Amend 48 to License SUA-1119 & TER.Amend incorporates proposed decommissioning plan submitted in 940218,0715 & 1028 ltrs for Libson facility. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/30. FERDINAND,B. Rio Algom Mining Corp. 7pp. 82307:255-82307:274.

-9501110373 Amend 48 to license SUA-1119 for Rio Algom Mining Corp, incorporating proposed decommissioning plan for Libson facility. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/30. 13pp. 82307:262-82307:274.

9501090068 Responds to 941111 ltr,which addresses status of repairs to upper tailings evaporation cell at Lisbon,Utah facility. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/04. FERDINAND,B. Rio Algom Mining Corp. 1p. 82288:357-82288:357.

### DOCKET 40-8102 EXXON CORP., HOUSTON, TX

9501240278 Forwards rept, "Supporting Info for Alternate Concentration Limit Application." Rept provides detailed info on Highland tailings basin,ground water levels & quality,corrective action plan & ACLs.W/one oversize encl. PATE,J.D. Exxon Corp. 95/01/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82562:102-82562:225.

-9501240282 "Supporting Info for Alternate Concentration Limit Application." W/one oversize drawing. \* Exxon Corp. 94/12/31. 121pp. 82562:106-82562:225.

9501270234 Submits 1994 annual rept of seepage mitigation,per Condition 33c of License SUA-1139.Attachment 1 provides gallons pumped from each well each month in 1994. RANGE,D.M. Exxon Coal USA, Inc. (formerly Carter Mining Co.). 95/01/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 32pp. 82546:251-82546:306.

### DOCKET 40-8107 ARMY, DEPT. OF, SACRAMENTO, CA

9501230007 Forwards insp rept 40-8107/94-01 on 941202.No violations or deviations noted. WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 95/01/13. BLOSE,T.E. Army, Dept. of. 3pp. 82377:021-82377:033.

-9501230010 Insp rept 40-8107/94-01 on 941202.No violations or deviations noted.Major areas inspected:status of decommissioning activities associated w/buildings 555,242, 244 & 251. WENSLAWSKI,F.A. Region 4 (Post 820201). 95/01/13. 9pp. 82377:024-82377:033.

### DOCKET 40-8155 AMAX SPECIALTY METALS CORP., CLEVELAND, OH

9501180093 Ack receipt of 941121 ltr informing NRC of steps taken to correct violations noted in insp of license STB-1161.Ltr,dtd 941205 confirmed that all operations involving processing & shipping of licensed matl have been suspended. HOLT,B.J. Region 3 (Post 820201). 95/01/10. SALLADE,L. AMAX Specialty Metals Corp. (subs. of AMAX, Inc.). 1p. 82326:148-82326:162.

-9501180105 Confirms that all operations involving processing & shipping of thorium containing mats have been suspended until procedures & controls developed to ensure compliance w/NRC & DOT regulations. SALLADE,L. AMAX Specialty Metals Corp. (subs. of AMAX, Inc.). 94/12/05. CANIANO,R. Region 3 (Post 820201). 7pp. 82326:149-82326:155.

-9501180117 Responds to 941027 ltr re violations noted in insp of license STB-1161.Corrective actions:all operations involving processing or shipping thorium containing mats have been suspended until procedures & controls have been developed. SALLADE,L. AMAX Specialty Metals Corp. (subs. of AMAX, Inc.). 94/11/21. CANIANO,R.J. Region 3 (Post 820201). 7pp. 82326:156-82326:162.

### DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9501060154 Clarifies confusion caused by footnote to App D,Mill Area Long Term Cost,submitted w/financial surety update on 941028. CHASE,G. Union Pacific Corp. CHASE,G. Bear Creek Uranium Co. 94/12/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). TURTIL,R. NRC - No Detailed Affiliation Given. 2pp. 82288:001-82288:002.

9501110175 Attempts to clarify some confusion caused by footnote to App D, "Mill Area Long Term Cost," submitted w/financial surety update on 941028. CHASE,G. Bear Creek Uranium Co. 94/12/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82296:358-82296:359.

9501090257 Advises that NRC determined that no mod to surety amount in license condition 27 necessary at time.Editorial changes to conditions 18,27 & 43 listed.Copy of amended license & TER encl. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/29. CHASE,G. Bear Creek Uranium Co. 5pp. 82288:170-82288:182.

-9501090261 Amend 31 to license SUA-1310 for Bear Creek U Co,approving current surety arrangement & no mod to surety amount in License Condition 27 necessary at time. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/29. 8pp. 82288:175-82288:182.

### DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9501130183 Forwards rept on 1993 & 1994 annual insps of Irigaray- Christensen ISL operations,conducted on 930922 & 940907, respectively. MOONEY,G. Wyoming, State of. 94/12/30. WICHERS,D. COGEMA, Inc. 23pp. 82366:179-82366:201.

9501230186 Submits revs to COGEMA 941110 & 941221 submittals re request to receive,store & dry TX yellowcake product. WICHERS,D.L. COGEMA, Inc. 95/01/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 82503:217-82503:224.

9501250159 Informs that NRC completed review of requested amend to license SUA-1341,submitted by ltr dtd 941110 & revised by ltrs dtd 941221 & 950112.Request for amend approved. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/13. WICHERS,D.L. COGEMA, Inc. 3pp. 82462:334-82462:352.

-9501250217 Amend 36 to license SUA-1341 for COGEMA Mining,Inc revising License conditions 10 & 12 of license. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/13. 13pp. 82462:340-82462:352.

9501300042 Confirms 950112 telcon notification re excursion status of monitor well MW108 at Christensen Ranch ISL project. VASELIN,J. Wyoming Mineral Corp. 95/01/18. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82554:307-82554:310.

### DOCKET 40-8576 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9501110159 Provides list of delivery dates which applies to shipments made during fourth quarter of 1994 in accordance w/requirements of Convention on Physical Protection of Nuclear Mats. CONDREY,D. Edlow International Co. 95/01/03. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 82273:100-82273:100.

### DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9501310256 Forwards response to NRC comments conceptual design tailings mgt study for "Sweetwater U Project,Sweetwater County,WY." PAULSON,O.A. Kennecott Corp. 95/01/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82576:200-82576:292.

-9501310258 "Sweetwater U Project,Sweetwater County,WY." \* Kennecott Corp. 95/01/18. 91pp. 82576:202-82576:292.

9501310314 Confirms 950118,telcon re 950223 meeting between Kennecott U Co & Shepherd Miller,Inc. PAULSON,O.A. Kennecott Corp. 95/01/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82576:359-82576:360.

### DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9501270362 "Contract 6261 Capital Cost Rept." \* Roberts & Schaffer Resource Service,Inc. 94/02/24. 36pp. 82670:123-82670:165.

9501240137 Submits annual summary of amount 11e.(2) byproduct matl disposed of from offsite generators,per requirements of license condition 33 of license SUA-1358.Table 1.0, "1994 Intercontinental Energy Corp Shipments" encl. SPARLING,D.K. Energy Fuels Nuclear, Inc. 95/01/10. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82513:001-82513:003.

9501270198 Application for amend to License SUA-1358 to receive & process annually approx 30,000 lb of U from Dawn Mining Co. SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/01/11. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82537:279-82537:279.

9501270236 Application for amend to License SUA-1358 to receive & process U contained in form of uranyl nitrate from Rhone-Poulenc Chemicals.  
SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/01/12. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82540:347-82540:348.

9501270121 Informs MO Leavitt that time provided by NRC regulation within which Commission may act to review DD-94-10 in docket,has expired.W/Certificate of Svc.Served on 950119.  
HOYLE,J.C. Office of the Secretary of the Commission. #195 16234. 95/01/19. LEAVITT,M.O. Utah, State of. 2pp. 82511:001-82511:002.

**DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI**

9501110326 Forwards "Final Closure/Post-Closure Plan Bert Avenue Site." Drawing index encl.  
KOH,B. Chemetron Corp. 94/12/05. PARKER,J.L. Ohio, State of. 1p. 82311:001-82312:219.

-9501110332 "Final Closure/Post-Closure Plan Bert Avenue Site."  
\* Damies & Moore. 94/12/31. 582pp. 82311:002-82312:219.

9501110302 Forwards "Chemetron Remediation Plan," in response to comments.  
KOH,B. Chemetron Corp. 94/12/19. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 82306:001-82307:019.

-9501110306 "Chemetron Remediation Plan."  
\* Chemetron Corp. 94/02/07. 317pp. 82306:003-82307:019.

9501230251 FOIA request for listed documents re McGean-Rohco,Inc & Chemetron Corp.  
MITCHELL,W. Armstrong, Gordon, Mitchell & Damiani. 94/03/11. NRC - No Detailed Affiliation Given. 2pp. 82424:049-82424:050.

9501230253 First partial response to FOIA request for documents. Forwards App A documents.App B documents already available in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/03. MITCHELL,W. Armstrong, Gordon, Mitchell & Damiani. 3pp. 82424:051-82424:106.

-9501230279 Responds to 930924 request for summarization of surveys conducted by NRC in vicinity of Chemetron Bert Avenue site.  
SHEAR,G.L. Region 3 (Post 820201). 93/09/28. EDWARDS,K.M. Newburgh Heights, OH. 6pp. 82424:101-82424:106.

9501250074 Second partial response to FOIA request for info.Forwards App C & D info which will be in PDR.App D info partially withheld (ref FOIA exemption 6).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. MITCHELL,W. Armstrong, Gordon, Mitchell & Damiani. 4pp. 82469:320-82469:359.

-9501250087 Draft trip rept on 931014 Chemtron regulator meeting in Cuyahoga Heights,OH.Related info encl.info partially deleted.  
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/05/09. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 34pp. 82469:326-82469:359.

9501030144 Informs that changes to "Radiological Sampling & Remediation Plan for Fryer Property," transmitted by fax on 941123 acceptable.  
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/08. SARGENT,D.R. Chemetron Corp. 3pp. 82247:308-82247:310.

9501090236 Advises licensee of two recent rulemaking actions that could significantly affect NRC regulatory framework for decommissioning licensed nuclear facilities.  
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/21. SARGENT,D.R. Chemetron Corp. 2pp. 82288:163-82288:164.

9501250127 Forwards responses to NRC comments on "Radiological Survey & Sampling Rept of Residential,Public & Commercial Properties in Vicinity of Harvard Avenue" rept,in response to NRC 941202 ltr.  
KOH,B. Chemetron Corp. 95/01/06. JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 8pp. 82516:060-82516:075.

9501190083 Forwards comments on "Decommissioning Plan for Plant C 1000 Harvard Ave,Cleveland,OH." Advises that licensee submit general acceptable, but several deficiencies need to be addressed before approval.  
SHEAR,G.L. Region 3 (Post 820201). 95/01/13. POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 4pp. 82336:188-82336:282.

-9501190087 "Draft Branch Technical Position on Site Characterization for Decommissioning."  
\* NRC - No Detailed Affiliation Given. 94/11/30. 91pp. 82336:192-82336:282.

**DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA**

9501300020 Forwards "Site Characterization Rept for License Termination of Washington,PA Facility." Vols 1-3 & App G.  
DANKMYER,B.K. United Nuclear Corp. (subs. of UNC, Inc.). 95/01/19. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82632:001-82637:121.

-9501300021 "Site Characterization Rept for License Termination of Washington,PA Facility." Vols 1-3 & App G.  
\* United Nuclear Corp. (subs. of UNC, Inc.). 95/01/31. 2,304pp. 82633:002-82637:121.

9501030131 Informs that licensee should provide listed items for NRC to complete review of decommissioning plan for Molycorp,Inc Washington,PA site & ensure compliance w/NRC requirements.  
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/19. DANKMEYER,B. Molycorp, Inc. 8pp. 82260:201-82260:208.

9501200168 Responds to 941208 ltr which provided NRC w/status of site characterization rept for Washington,PA facility & requested due date be revised to 950120.  
GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/06. DANKMYER,B. Molycorp, Inc. 3pp. 82458:345-82458:347.

9501250149 Requests NRC approval to demolish bldg at Washington,PA facility.Correspondence between C Glenn,former site project manager & GW Dawes on issue & final survey of bldg in question encl.  
DAWES,G.W. Molycorp, Inc. 95/01/11. PERSON,R. Office of Nuclear Material Safety & Safeguards. 1p. 82517:324-82517:348.

-9501250156 "Survey Rept for R&D Bldg Located at Molycorp,Inc Washington,PA."  
\* IT Corp. 94/12/08. 15pp. 82517:334-82517:348.

**DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN**

9501030214 Corrects name of Project Manager for Jefferson Proving Ground.  
GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/16. SHEAR,G.L. Region 3 (Post 820201). 1p. 82260:180-82260:180.

9501310311 Advises that H Gutzwiller submitted resignation from Jefferson Proving Ground Restoration Advisory Board co-community co-chairman.Revised 950131 meeting agenda encl.W/ one oversize map.  
CLOUD,P.D. Army, Dept. of. 95/01/13. Army, Dept. of. 3pp. 82607:332-82607:334.

**DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY**

9501060087 Responds to 941206 request for info or data indicating that excursion at monitor well CM-15 controlled.Well CM-15 went on excursion status on 940909.Injection activities shut down in wells C-17 & C-19 to assist in controlling excursion.  
KEARNEY,W.F. Power Resources Corp. 94/12/20. CHANCELLOR,R. Wyoming, State of. 4pp. 82288:148-82288:151.

**DOCKET 40-8869 RAYTHEON CO., WALTHAM, MA**

9501110087 Forwards insp rept 40-8869/94-01 on 941107.No violations noted.  
SHANBAKY,M.M. Region 1 (Post 820201). 94/12/27. MCCARTHY,J.J. Raytheon Co. 2pp. 82271:035-82271:040.

-9501110097 Insp rept 40-8869/94-01 on 941107.No violations noted.Major areas inspected:survey of facility for residual contamination prior to release of facility for unrestricted use.  
DOLCE,K., SHANBAKY,M.M. Region 1 (Post 820201). 94/12/22. 4pp. 82271:037-82271:040.

**DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM**

9501120177 Forwards "Ground Water Corrective Action Program Review, Bluewater U Mill Near Grants,NM," as required by Condition 34 of License SUA-1470.Review assesses effectiveness of CAP on groundwater concentrations.  
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 94/12/21. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 82348:311-82348:334.

-9501120182 "Ground Water CAP Review,Bluewater U Mill Near Grants,NM."  
\* Affiliation Not Assigned. 94/12/31. 24pp. 82348:312-82348:334.

9501090108 Invites EPA to participate in scoping process that NRC initiated to prepare EIS re B&W Shallow Land Disposal Area in Parks Township near Leechburg,PA.FR notice describing scoping process & NRC intent to prepare EIS encl.  
KNAPP,M.R. Division of Waste Management (NMSS 940403). 94/12/23. SANDERSON,R.E. Environmental Protection Agency. 3pp. 82289:305-82289:315.

9501130087 Forwards original rider & ARCO Bluewater Mill Reclamation Bond in listed amount.  
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/01/06. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 82362:355-82362:359.

9501250024 Forwards revised, "Radiation Protection Program Bluewater U Mill," for NRC review & concurrence.  
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/01/17. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82463:159-82463:188.

-9501250035 Revised "Radiation Protection Program Bluewater U Mill."  
\* Atlantic Richfield Co. (ARCO). 95/01/31. 27pp. 82463:162-82463:188.

**DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM**

9501120143 Discusses soil cleanup verification survey & sampling plan for use at Grants mill tailings site.W/two oversize drawings.  
CRAFT,F.R. Homestake Mining Co. 94/12/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 82425:150-82425:155.

9501170221 Requests listed license conditions be removed &/or adjusted to reflect current site potential for employee & general public exposure to radioactive matl.  
CRAFT,F.R. Homestake Mining Co. 95/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82393:012-82393:016.

9501230181 Submits evaluation of verification procedure re Homestake Mining Co request that License Condition 28 be amended.  
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/01/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 82499:350-82499:355.

**DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT**

9501060156 Forwards amend to Standby Ltr of Credit S-08516-00042 for Sohio Western Mining Co license SUA-1472,in reply to 941130 ltr.  
LITVIN,D.A. Kennecott Corp. 94/12/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82287:355-82287:356.

## 8 DOCKETED ITEMS

### DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

- 9501100140 Advises that staff has determined that proposed radon barrier design adequate to ensure that long-term radon flux from cover will not exceed standard. Supporting evaluation encl.  
BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 94/12/29.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 82291:346-82291:356.
- 9501260170 "Discharge Plan - 189 Seminannual Rept 2nd Half 1994." W/ 950115 ltr. LUTHIGER, P. Quivira Mining Co. 94/12/31. OHRBOM, R. New Mexico, State of. 6pp. 82523:197-82523:202.
- 9501110465 Informs that per license condition 13 of license SUA-1473, Quivira Mining Co is operating eight ion exchange columns to recover U form mine waters. Licensee currently does not have any units operating underground at mines.  
LUTHIGER, P. Quivira Mining Co. 95/01/05. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82302:080-82302:080.

### DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

- 9501240230 Forwards "Five Yr Review (1989-1994) EPA Remedial Action & NRC Ground Water Corrective Action."  
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). 95/01/17.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82509:001-82510:072.
- 9501240231 "Five Yr Review (1989-1994) EPA Remedial Action & NRC Ground Water Corrective Action."  
\* Canonie Environmental Services, Inc. 95/01/31. 432pp. 82509:005-82510:072.
- 9501202294 Provides info re nitrate contamination at UNC Church Rock site.  
TRUJILLO, D.M. New Mexico, State of. 94/12/19. GHOSE, S. Environmental Protection Agency. 31pp. 82329:302-82329:332.
- 9501060255 Requests 30-day extension of deadline in Section V.8 of EPA Administrative Order which requires UNC to submit five yr rept & in NRC License Condition 30 which requires that UNC submit corrective action rept by 941231.  
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). 94/12/22.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). GHOSE, S. Environmental Protection Agency. 1p. 82273:360-82273:360.
- 9501090115 Approves 30-day extension request, which makes revised due date 950131, for submittal of groundwater monitoring rept as well as corrective action program review.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/22. VELASQUEZ, J. United Nuclear Corp. (subs. of UNC, Inc.). 1p. 82288:355-82288:355.
- 9501260033 Forwards minutes of Albuquerque meeting between EPA, NRC, NM Environ Dept & Navajo Superfund Program, held on 941116 at UNC Churchrock site in Gallup, NM.  
GHOSE, S.K. Environmental Protection Agency. 94/12/30. TRUJILLO, D. New Mexico, State of. 5pp. 82519:228-82519:232.
- 9501260279 Ack receipt of minutes of 941116 meeting in Albuquerque, NM. Offers listed clarifications.  
CURTISS, J. Navajo Nation. 95/01/06. GHOSE, S. Environmental Protection Agency. 2pp. 82514:357-82514:359.
- 9501250160 Submits results of ALARA audit conducted on 941223.  
MORALES, E.M. United Nuclear Corp. (subs. of UNC, Inc.). 95/01/09. COLLINS, S.J. Region 4 (Post 820201). 2pp. 82514:296-82514:297.
- 9501310452 Forwards 1994 Church Rock database. W/o encl.  
DU PONT, S. Canonie Environmental Services, Inc. 95/01/13. BOSTICK, K.A. Jacobs Engineering Group, Inc. 1p. 82566:240-82566:240.

### DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

- 9501110356 Forwards amend 26 to license SUA-1534 & TER. Amend incorporates changes re emission controls for vacuum dryer, waste disposal arrangements, 10CFR20 refs, Crow Butte Organization charts & evaporation pond program.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/29. COLLINGS, S.P. Affiliation Not Assigned. 14pp. 82307:188-82307:212.
- 9501110360 Amend 26 to license SUA-1534 for Crow Butte Resources, Inc., incorporating changes re emission controls for vacuum dryer, waste disposal arrangements, 10CFR20 refs, Crow Butte organization charts & evaporation pond program.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/29. 11pp. 82307:202-82307:212.
- 9501090247 Forwards Amend 27 to license SUA-1534 & TER. Amend accepts request to have portion of former Pilot Plant Recovery Plant bldg removed from current restricted status. W/o encls.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/30. COLLINGS, S.P. Ferret Exploration Co. of Nebraska, Inc. 5pp. 82288:165-82288:169.
- 9501310266 Application for amend to license SUA-1534 re const of mine units.  
KNODE, R. Affiliation Not Assigned. 95/01/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 16pp. 82551:304-82551:320.

### DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

- 9501170045 Forwards draft scoping document for RI/FS at SMC Cambridge Site to present results of scoping efforts which involved evaluation of existing data, identification of data gaps & description of proposed RI/FS scope of work.  
SHIELDS, W.J. PTI Services, Inc. 95/01/05. STELLO, M.A. Environmental Protection Agency. 2pp. 82476:080-82476:280.

-9501170048 "Remedial Investigation & Feasibility Study Scoping Document Shieldalloy Cambridge Site."  
\* PTI Services, Inc. 95/01/05. 199pp. 82476:082-82476:280.

9501130207 Requests listed info & documents listed in Attachment 1 of NRC docket as well as Ohio EPA list NRC provided 940325. List does not include NRC documents provided to ORNL 940428.  
WADE, M.C. Oak Ridge National Laboratory. FIN L-2094. 94/05/09. GLENN, C. NRC - No Detailed Affiliation Given. 10pp. 82366:145-82366:154.

9501120119 Forwards list needed to complete description of proposed action & alternatives & EIS.  
WADE, M.C. Oak Ridge Associated Universities. 94/11/16. NELSON, R. NRC - No Detailed Affiliation Given. 7pp. 82331:308-82331:314.

9501030140 Forwards comments on draft annotated outlines dtd 941020 for Shieldalloy Metallurgical Corp EIS.  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). COMFORT, G.C. Licensing Branch. FIN L-2094. 94/12/08. MCCOLL, L.N. Oak Ridge Associated Universities. 7pp. 82260:184-82260:190.

9501040172 Forwards interoffice memo of State of OH EPA dtd 940818 re review of Shieldalloy Metallurgical Corp ground water & surface water monitoring program at Cambridge, OH facility.  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/21. WADE, M.C. Oak Ridge Associated Universities. 26pp. 82189:330-82189:355.

9501030216 Forwards NRC review comments on work plan for determining characteristics of Cambridge slag, in response to 941128 ltr which forwarded subj work plan for review & approval.  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/28. SMITH, D.F. Shieldalloy Metallurgical Corp. 6pp. 82260:174-82260:179.

9501090179 US Bankruptcy Court Southern District of NY order to show cause scheduling hearing on motion of Official Committee of Unsecured Creditors to compel debtors to provide equal info to prospective buyers & sellers of claims. W/encl.  
GARRITY, J. Affiliation Not Assigned. 94/12/30. 5pp. 82290:001-82290:066.

-9501090196 Motion filed to compel debtors to provide equal info to prospective buyers & sellers of claims. W/supporting matl encl.  
SPEISER, M.A. Affiliation Not Assigned. SPEISER, M.A. Stroock, Stroock & Lavan. 94/12/30. 61pp. 82290:006-82290:066.

9501110382 Requests FR publication of notice of extension of public comment period for NUREG-1508, "Draft EIS To Construct & Operate Crownpoint Uranium Solution Mining Project, Crownpoint, NM." FR encl.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/03. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 3pp. 82327:333-82327:339.

-9501120115 Notice of extension of public comment period.  
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/03. 4pp. 82327:336-82327:339.

9501190196 Informs that for NRC to withhold document from public disclosure, application & affidavit, executed per NRC regulations in 10CFR2.790, must be submitted by owner of document.  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/04. SMITH, D.F. Shieldalloy Metallurgical Corp. 3pp. 82471:210-82471:212.

9501190186 Informs of consideration of new alternative for Shieldalloy Metallurgical Corp at Cambridge, OH facility EIS.  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/05. EVES, C.S. Shieldalloy Metallurgical Corp. 1p. 82470:360-82470:360.

9501230172 Forwards Shieldalloy Metallurgical Corp 941128 ltr for use in development of EIS & rept entitled, "Phase I & II Cultural Resource Survey: Proposed Dike Consts in Vicinity of Cambridge in Cambridge Township, Guernsey County, OH."  
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/09. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82542:006-82542:087.

-9501230175 "Phase I & II Cultural Resource Survey: Proposed Dike Consts in Vicinity of Cambridge in Cambridge Township, Guernsey County, OH."  
MCDANIEL, G., SKINNER, S.M. Affiliation Not Assigned. 89/02/08. 68pp. 82542:020-82542:087.

9501130198 Comments on inadequate work plan submitted by Shieldalloy to ascertain components, both radiological & chemical of east & west slag at Cambridge, OH facility.  
BAUMAN, S. Affiliation Not Assigned. 95/01/13. NELSON, R.A. Division of Waste Management (NMSS 940403). 3pp. 82426:163-82426:165.

9501260219 Provides comments re Shieldalloy work plan for determining characteristics of slag at Cambridge, OH facility. Plan does not contain enough technical data to support proposed sampling & analysis work.  
OWEN, R.E. Ohio, State of. 95/01/19. NELSON, R.A. NRC - No Detailed Affiliation Given. 2pp. 82514:353-82514:354.

9501310120 Discusses response to NRC questions re "Phase I Work Plan for Scoping Survey of Vicinity Properties Cambridge, OH" & determines that no further info necessary.  
MCCANN, G.M. Region 3 (Post 820201). 95/01/26. LEE, P. Cyprus Coal Co. (subs. of Cyprus Minerals Co.). 1p. 82529:187-82529:187.

### DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

- 9501100170 Confirms that SE Turk requested & BP Cotter granted, extension of time until 950106, for staff to file response to pending requests for hearing.  
TURK, S.E. Office of the General Counsel (Post 860701). #195 16136. 94/12/23. COTTER, B.P. Atomic Safety & Licensing Board Panel. 2pp. 82257:074-82257:075.

9501120261 Discusses U Resources, Inc preparation of comprehensive EIS for const & operation of U Solution Mining Project in Crownpoint, NM. HOWES, G. New Mexico, State of. 94/12/29. Division of Waste Management (NMSS 940403). 1p. 82334:350-82334:351.

9501060207 Requests 60 day extension beyond 950114, deadline for oral, written comments or beyond NRC extension request deadline, at least three public hearings in three separate locations & thorough & complete translation into Navajo of proceedings. JONES, M.L. Affiliation Not Assigned. 95/01/02. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 82286:352-82286:358.

9501060269 Comments on draft EIS to const & operate Crownpoint U Solution Mining Project, Crownpoint, NM. Requests epidemiological survey of health of effects of U mining & exposure to radiation be included in draft EIS. JONES, M.L. Affiliation Not Assigned. 95/01/02. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 82286:343-82286:351.

9501090082 Requests assistance in identifying technical staff reviewers for preparing safety evaluation report to support NRC's licensing action for Hydro Resources Uranium In-situ Leach facility at Crownpoint, NM. LAYTON, M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/03. AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403). BELL, M. Engineering & Geosciences Branch (NMSS 940403). 1p. 82288:356-82288:356.

9501130041 Expresses concern re proposed development by Hydro Resources, Inc of "solution U mining" in Crownpoint & Church Rock, NM communities, per review of draft EIS. REITZ, A.E. Affiliation Not Assigned. 95/01/03. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 17pp. 82392:185-82392:201.

9501130112 Comments on U mining EIS draft for Crownpoint, NM area. KLONOWSKI, J. Affiliation Not Assigned. 95/01/03. LEIGHTON, M. Division of Waste Management (NMSS 940403). 2pp. 82362:360-82362:361.

9501090274 Forwards NUREG-1508, "Draft EIS to Const & Operate Crownpoint U Solution Mining Project, Crownpoint, NM," per 941229 telcon request, W/o encl. PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/04. BELLE, E. Environmental Protection Agency. 1p. 82288:183-82288:183.

9501120327 Forwards resolution from Eastern Navajo Health Board in respect to agency request for comments. VICE, J. New Mexico, State of. 95/01/06. Division of Waste Management (NMSS 940403). 4pp. 82329:335-82329:338.

9501180136 Memorandum & order (setting schedule for filings). \* Petitioner shall file amended hearing requests w/presiding officer, applicant & staff. W/Certificate of Svc. Served on 950109. Re-served on 950111. COTTER, B.P. Atomic Safety & Licensing Board Panel. #195 16199. 95/01/09. Office of the General Counsel (Post 860701). 6pp. 82325:139-82325:146.

9501120321 Requests complete environ impact statement for Hydro Resources, Inc proposal for solution U mining in Crownpoint & Church Rock, AZ. REITZ, A. New Mexico, State of. 95/01/12. Division of Waste Management (NMSS 940403). 1p. 82329:333-82329:334.

9501270195 Advises that staff has extended time for members of public to submit comments on Draft Environmental Impact Statement. TURK, S.E. Office of the General Counsel (Post 860701). #195 16219. 95/01/12. COTTER, B.P. Atomic Safety & Licensing Board Panel. 2pp. 82492:351-82492:352.

9501270228 Opposes const & operation of Crownpoint U solution mining in NM. TODACHEENE, G.B. Affiliation Not Assigned. 95/01/18. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82540:345-82540:346.

9501270091 Memorandum & Order (revising schedule for filings). \* Board orders that request for extension of time to file amended hearing requests granted to listed petitioners. W/Certificate of Svc. Served on 950120. COTTER, B.P. Atomic Safety & Licensing Board Panel. #195 16244. 95/01/20. Affiliation Not Assigned. 5pp. 82490:348-82490:352.

9501270184 Submits postcard encouraging NRC to stop all U mining in domestic water supplies. SCHRADER, D. Affiliation Not Assigned. 95/01/27. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82540:293-82540:294.

#### DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9501060148 Forwards Pathfinder Mines Corp annual report for Ruth ISL Project. Permit to Mine 631, per requirements of WS 35-11-411(a). No const. development or reclamation activities scheduled for coming yr. 1995. W/1 oversize encl. WICHERS, D.L. Pathfinder Mines Corp. 94/12/16. GIURGEVICH, B. Wyoming, State of. 9pp. 82302:289-82302:297.

9501060149 Requests that Condition 37 of License SUA-1540 be amended to incorporate stated revised surety estimate for North Butte commercial scale operation, rather than 941110 estimate, per discussions w/R Turtill, NRC. WICHERS, D.L. Pathfinder Mines Corp. 94/12/16. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82283:355-82283:355.

9501190131 Informs that annual surety update for Ruth & North Butte ISL Projects submitted in 941110 & 941216 is acceptable. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/06. WICHERS, D. Pathfinder Mines Corp. 7pp. 82470:343-82470:358.

-9501190138 Amend 13 to license SUA-1540 for Pathfinder Mines Corp, accepting annual surety update for Ruth & North Butte ISL Projects. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/06. 9pp. 82470:350-82470:358.

#### DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9501240384 Informs that licensee in process of preparing amend to License SMC-1559 re proposed engineering design changes to embankment as outlined. HELLSTROM, G.W. Envirocare, Inc. 95/01/11. HOLONICH, J.J. Division of Waste Management (NMSS 940403). 1p. 82437:352-82437:352.

9501240391 Informs that, on 950110, radwaste shipment refused from Kerr-McGee due to discovery of free standing liquid. License Condition 12.5 prohibits licensee from accepting shipment containing sub liquid or wastes failing paint filter test. HELLSTROM, G.W. Envirocare, Inc. 95/01/12. HOLONICH, J.J. Division of Waste Management (Pre 870413). 7pp. 82438:074-82438:086.

-9501240395 "Plan for Managing LARW Shipments Which Fail Paint Filter Liquids Test." \* \* \* Envirocare, Inc. 94/01/31. 3pp. 82438:081-82438:083.

-9501240397 "Policy for Managing LARW Shipments which Fail Paint Filter Liquids Test." \* \* \* Envirocare, Inc. 94/01/31. 3pp. 82438:084-82438:086.

9501260369 Application for amend to License SMC-1559, revising total U background concentration for GW-29 to 0.040 pCi/l. HELLSTROM, G.W. Envirocare of Utah, Inc. 95/01/19. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82519:274-82519:278.

#### DOCKET 40-9009 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9501110159 Provides list of delivery dates which applies to shipments made during fourth quarter of 1994 in accordance w/requirements of Convention on Physical Protection of Nuclear Materis. CONDREY, D. Edlow International Co. 95/01/03. BENNINGTON, G.M. Office of Nuclear Material Safety & Safeguards. 1p. 82273:100-82273:100.

#### DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

9501260228 Forwards Vols 1 & 2 of technical memo, "Historical Data Evaluation SCA/Hartley & Hartley Landfill Bay County, MI." Document summarizes environ monitoring data obtained during period from 1985 to 1993, per 1984 Amend to Consent Order. OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/01/13. PARROTT, J. NRC - No Detailed Affiliation Given. HARTMAN, M. Michigan, State of. 2pp. 82538:001-82539:005.

-9501260229 Vols 1 & 2 of technical memo, "Historical Data Evaluation SCA/Hartley & Hartley Landfill Bay County, MI." \* RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/01/09. 367pp. 82538:003-82539:005.

#### DOCKET 40-9024 ENERGY FUELS NUCLEAR

9501060241 Requests info re listed, proposed & candidate endangered or threatened species, as part of environ assessment being prepared for proposed Reno Creek project site near Wright, WY. Location of proposed site shown on encl map. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/22. SHANKS, L. Interior, Dept. of, Fish & Wildlife Service. 3pp. 82278:322-82278:323.

9501240345 Responds to ltr, dtd 941122 re proposed solution mining for U by Energy Fuels Nuclear, Inc at Reno Creek site in WY. Submits list of threatened or endangered species that may be present in project area & requests being updated re case. DAVIS, C.P. Interior, Dept. of, Fish & Wildlife Service. 94/12/14. GILLEN, D.M. Division of Waste Management (NMSS 940403). 3pp. 82431:344-82431:346.

9501240367 Submits comments re protected plant & animal species that may be affected by license application for in-situ U project near Reno Junction, WY. Except for certain species & animals as listed, all species protected by State of WY statute. COLLINS, T.C. Wyoming, State of. 94/12/21. GILLEN, D.M. Division of Waste Management (NMSS 940403). 69pp. 82438:001-82438:073.

9501250015 Discusses licensee 931123 application for amend to Reno Creek ISL project. Permit 479. Requests response to encl technical review comments resulting from review. MOONEY, G. Wyoming, State of. 95/01/10. WETZ, T.V. Energy Fuels Nuclear, Inc. 40pp. 82432:128-82432:169.

#### DOCKET 40-9027 CABOT CORP. READING & REVERE

9501030127 Provides notice of issuance of amend & opportunity for hearing to be transmitted to Ofc of FR. GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82247:314-82247:316.

-9501040255 Notice to inform public that NRC has issued license amend to Source Matl License SMC-1562 to Cabot Corp. GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/20. 2pp. 82247:315-82247:316.

9501230257 Discusses info re Reading site final release effort. CAMPITELLI, A.T. Cabot Corp. 94/12/29. HOGG, R. NRC - No Detailed Affiliation Given. 3pp. 82497:351-82497:353.

9501200131 Forwards updated "Decommissioning Plan for Main Processing Bldg & Surrounding Area at Reading, PA Site." HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/10. ABELQUIST, E. Oak Ridge Associated Universities. 1p. 82471:251-82471:297.

-9501200141 "Decommissioning Plan for Main Processing Bldg & Surrounding Area at Reading, PA Site." CRAIG, K., REISENWEAVER, D. 94/12/31. 46pp. 82471:252-82471:297.

9501230262 Confirms change of outdoor survey unit at Cabot Reading, per telcon w/ NES, Inc on 950106. CRAIG, K.A. Affiliation Not Assigned. 95/01/10. HOGG, R. Office of Nuclear Material Safety & Safeguards. 1p. 82497:287-82497:287.

## 10 DOCKETED ITEMS

### DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

#### DOCKET 50-2 FORD NUCLEAR REACTOR

##### Q. Inspection reports, IE Bulletins & correspondence

**9501240142** Responds to NRC 941221 ltr re violation noted in insp rept 50-002/94-03. Corrective actions: room-3074 has been properly posted as radioactive matls storage area.  
FLEMING, R.F. Michigan, Univ. of Ann Arbor, MI. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82504:359-82504:360.

#### DOCKET 50-3 INDIAN POINT STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### P. Operating license stage documents & correspondence

**9501170036** Notification of 950125 meeting w/util in Rockville, MD to discuss 24-month cycle TS changes.  
WANG, A.B. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/10. MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 4pp. 82323:259-82323:262.

**9501300228** Requests reconsideration of policy on NRC review of licensee exemption requests re performance of containment integrated leak rate testing in App J.  
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/01/13. RUSSELL, S.E. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82552:340-82552:341.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

##### R. Periodic operating reports & related correspondence

**9501030030** Forwards discharge monitoring repts for month of Nov 1994 & rept of non-compliance event.  
SCHMEISER, T. Consolidated Edison Co. of New York, Inc. 94/12/21. New York, State of. 1p. 82189:269-82189:281.

**-9501040055** NPDES noncompliance notification on 941101, 7 & 8, plant unable to maintain required 1.75 foot differential in discharge canal under all operating conditions due to temporary circulating water flow transients.  
BURNS, R. Consolidated Edison Co. of New York, Inc. 94/12/22. 2pp. 82189:270-82189:270.

**-9501040061** NPDES discharge monitoring repts for Nov 1994 for Indian Point Station Units 1, 2 & 3.  
SCHMEISER, T. Consolidated Edison Co. of New York, Inc. 94/11/30. 11pp. 82189:271-82189:281.

#### DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9501050111** Informs that revs 7C, 7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

**9501050051** Discusses NRC recent receipt of info re physical security concern at plant. Forwards details of subj concern for review & followup. Requests that results of review & disposition be submitted to Region III within 45 days of dtd ltr. W/o encl.  
CANIANO, R.J. Region 3 (Post 820201). 94/12/29. JOYCE, T. Commonwealth Edison Co. 2pp. 82179:085-82179:086.

**9501190086** Rev 7 to EPIP 0300-01, "Notificatons for GSEP Emergencies."  
STOBAUGH, D. Commonwealth Edison Co. 94/12/30. 34pp. 82394:220-82394:254.

**9501110071** Forwards details of physical security concern at plant for review & followup. Requests that results of review & disposition be submitted within 45 days. W/o encl.  
CANIANO, R.J. Region 3 (Post 820201). 95/01/05. JOYCE, T. Commonwealth Edison Co. 2pp. 82272:306-82272:307.

**9501190135** Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

**9501170151** Rev 1 to surveillance procedure DRS 5600-01, "Monthly High Very High Radiation Area Posting & Door Checks," replacing & deleting procedure DRS 1600-02 "Performance of High Radiation Area Surveillance & Door Function Checks."  
\* Commonwealth Edison Co. 95/01/06. 11pp. 82393:001-82393:011.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**9501250084** Rev 6g to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station."  
\* Commonwealth Edison Co. 95/01/31. 48pp. 82515:306-82515:353.

##### Q. Inspection reports, IE Bulletins & correspondence

**9501050316** Responds to Unit 1 confirmatory action ltr RIII-94-001, Item 4 re potential transfer tube freezing.  
LYSTER, M.D. Commonwealth Edison Co. 94/04/13. AXELSON, W.L. Region 3 (Post 820201). 5pp. 82614:107-82614:111.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501170072** Responds to NRC 941209 ltr re violations noted in insp repts 50-010/94-18, 50-237/94-18 & 50-249/94-18. Corrective actions: CR operators counseled on procedural adherence & new radiation sticker placed on vibration analysis machine.  
JOYCE, T.P. Commonwealth Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 5pp. 82393:036-82393:040.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310212 Provides plant response to request re identification & resolution of past engineering decisions.  
JOYCE,T.P. Commonwealth Edison Co. 95/01/25. Document Control Branch (Document Control Desk). 5pp. 82562:355-82562:359.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200189 Monthly operating repts for Dec 1994 for Dresden Nuclear Power Station.W/950116 ltr.  
SYKES,K.W., HOLLAND,P.G. Commonwealth Edison Co. 94/12/31. 24pp. 82472:334-82472:357.

#### S. Reportable occurrences, LERs & related correspondence

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utilis affected by notification informed.Utilis should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### W. Decommissioning Stage Documents & Correspondence

9501050027 Forwards Rev 4 to "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1."  
JOYCE,T.P. Commonwealth Edison Co. 94/12/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 82260:265-82260:344.

-9501050031 "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1," rev 4.  
\* Commonwealth Edison Co. 94/12/31. 80pp. 82260:267-82260:344.

9501200070 Offsite Dose Calculation Manual's revisions to Chapters 10, 11,12 & Appendix F for Dresden Station.  
\* Commonwealth Edison Co. 94/12/30. 153pp. 82472:024-82472:176.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

9501240108 Ack ltr,dtd 941214 re missed commitment to cleanup unit 2/3 radwaste sludge tank room by certain date.Expresses concern re past missed commitments.Requests strong mgt attention be directed to meeting latest commitment date of 950815.  
AXELSON,W.L. Region 3 (Post 820201). 95/01/16. JOYCE,T. Commonwealth Edison Co. 3pp. 82420:017-82420:021.

9501300041 Submits notification of change frequency of high & very high radiation area door surveillance.  
HOLLAND,P.G. Commonwealth Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82554:306-82554:306.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

#### S. Reportable occurrences, LERs & related correspondence

9501060122 Forwards Reportable Occurrence Rept 50-20/1994-1 on occurrence at facility on 941203.Rept originally submitted on 941213.W/o encl.  
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82310:354-82310:354.

#### DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

#### F. Security, medical, emergency & fire protection plans

9501250179 Change 28 to Rev 3 to defueled emergency plan.  
MCDAVITT,D.F. Yankee Atomic Electric Co. 95/01/11. 22pp. 82514:268-82514:289.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### H. General correspondence

9501110441 Responds to 941122 ltr addressed to Chairman Selin re citizen group concern on public participation in decommissioning process & performing insp during decommissioning activities.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/06. KERRY,J.F. Senate. 60pp. 82378:070-82378:166.

9501260085 Comment on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.Proposed rule would establish site release dose limit of 15 mrem/y for residual radioactivity.  
GRANT,J.M. Connecticut Yankee Atomic Power Co. 95/01/20. CHILKS,S.J. Office of the Secretary of the Commission. 6pp. 82465:234-82465:239.

#### P. Operating license stage documents & correspondence

9501190252 Requests update on status of Yankee Atomic Electric Plant decommissioning plan & written response to questions & issue areas raised in Franklin County Commission (FCC) "Issue Areas Paper" submitted prior to FCC meeting & 940818 ltr.  
FORBES,M., STOBERSKI,J., STRIEBEL,M. Franklin County,MA. 94/10/31. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82394:290-82394:297.

9501040125 Requests permission to continue use of decommissioning trust funds to conduct second phase of its component removal project prior to approval of Yankee Decommissioning Plan.  
TRACY,H.T. Yankee Atomic Electric Co. 94/12/28. FAIRTILE,M. Non-Power Reactor & Decommissioning Project Directorate. 1p. 82260:224-82260:224.

9501060047 Discusses decommission order conditions between NRC & util.  
FAIRTILE,M.B. Non-Power Reactor & Decommissioning Project Directorate. 94/12/28. KAY,J.A. Yankee Atomic Electric Co. 6pp. 82247:343-82247:348.

9501060103 Discusses info concerning NRC plans to continue to withdraw decommissioning trust funds for use in decommissioning activities.  
FAIRTILE,M.B. Non-Power Reactor & Decommissioning Project Directorate. 94/12/29. TRACY,H.T. Yankee Atomic Electric Co. 3pp. 82259:240-82259:242.

9501130184 Requests copy of listed documentation re decommissioning of facility.  
DOHERTY,J.F. Affiliation Not Assigned. 95/01/02. WEISS,S.H. Non-Power Reactor & Decommissioning Project Directorate. 1p. 82314:292-82314:292.

9501130107 Forwards clarification to Rev 25 of YOCAP-1-A to incorporate correct wording of ANSI N45.2.11 as applies to accepted practice for independent design verification.  
CLARK,C.R. Yankee Atomic Electric Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82392:217-82392:218.

-9501170155 Clarifications to util operational QA program.  
\* Yankee Atomic Electric Co. 94/12/15. 1p. 82392:218-82392:218.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl.3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.



## 12 DOCKETED ITEMS

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

#### F. Security, medical, emergency & fire protection plans

9501110009 Forwards insp rept 50-057/94-02 on 941114-18.No violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 94/12/22. LANDI,D.M. New York, State Univ. of, Buffalo, NY. 3pp. 82271:325-82271:332.

-9501110014 Insp rept 50-057/94-02 on 941114-18.No violations noted. Major areas inspected:organization & staffing,reactor surveillances & calibr & emergency preparedness.  
DRAGOUN,T., JANG,J.C. Region 1 (Post 820201). 94/12/22. 5pp. 82271:328-82271:332.

#### Q. Inspection reports, IE Bulletins & correspondence

9501110009 Forwards insp rept 50-057/94-02 on 941114-18.No violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 94/12/22. LANDI,D.M. New York, State Univ. of, Buffalo, NY. 3pp. 82271:325-82271:332.

-9501110014 Insp rept 50-057/94-02 on 941114-18.No violations noted. Major areas inspected:organization & staffing,reactor surveillances & calibr & emergency preparedness.  
DRAGOUN,T., JANG,J.C. Region 1 (Post 820201). 94/12/22. 5pp. 82271:328-82271:332.

### DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

#### P. Operating license stage documents & correspondence

9501230287 Advises that 940729 ltr,requesting that portions of special rept provided to NRC by nuclear reactor facility at Univ of Virginia dtd 920911,be withheld from public disclosure per 10CFR2.790,acceptable.  
ADAMS,A. . 95/01/18. HAMPTON,J.T. Pro-Technics International (formerly ProTechnics, Inc.). 4pp. 82423:201-82423:204.

#### S. Reportable occurrences, LERs & related correspondence

9501240050 Submits affidavit re NRC request for publication of proprietary & confidential info of ProTechnics Intl,Inc,in connection w/spill which took place at Univ of VA Reactor Facility in 1992 & reported to NRC by univ on 920911.  
FORD,K.W. Pro-Technics International (formerly ProTechnics, Inc.). FORD,K.W. Ford, K.W. 94/07/29. ADAMS,A. NRC - No Detailed Affiliation Given. 3pp. 82513:047-82513:049.

### DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

#### F. Security, medical, emergency & fire protection plans

9501300221 Forwards Rev 9 to "Univ of FL Training Reactor Emergency Plan."  
Changes considered relatively minor in nature,result of reviews of plan & response to simulated emergencies following emergency drills.  
VERNESTSON,W. Florida. Univ. of, Gainesville, FL. 95/01/20. Document Control Branch (Document Control Desk). 4pp. 82554:210-82554:278.

-9501300223 Rev 9 to "Univ of FL Training Reactor Emergency Plan."  
\* Florida, Univ. of, Gainesville, FL. 95/01/20. 65pp. 82554:214-82554:278.

### DOCKET 50-97 CORNELL UNIV. ZERO POWER REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

9501200045 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp repts 50-097/94-01 & 50-157/94-02.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/12. HOPCROFT,D.J. Cornell Univ., Ithaca, NY. 3pp. 82351:206-82351:209.

### DOCKET 50-131 OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR

#### P. Operating license stage documents & correspondence

9501240218 Forwards "Notice of Consideration of Application for Renewal of Facility License," being filed w/FR for publications. Notice relates to 930510 application for license amend to renew license R-57.  
ADAMS,A. . 95/01/18. PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 2pp. 82485:212-82485:218.

-9501240221 Notice of consideration of application for renewal of facility license R-57.  
WEISS,S.H. . 95/01/18. 5pp. 82485:214-82485:218.

9501270272 Forwards "Notice of Consideration of Application for Renewal of Facility License" & informs notice forwarded to FR for publication.  
ADAMS,A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 2pp. 82525:311-82525:317.

-9501270292 Notice of consideration of application for renewal of facility operating license R-57.  
BAJWA,S.S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82525:313-82525:317.

#### R. Periodic operating reports & related correspondence

9501240317 Rept for period Jan-Dec 1994,per 10CFR50.59.  
PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82437:135-82437:137.

### DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

#### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501130235 Forwards Rev 7 to "Humboldt Bay Power Plant Unit 3 SAFSTOR QA Plan," revising Sections 2.0 & 3.1.1  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82366:160-82366:171.

-9501130236 Rev 7 to "Humboldt Bay Power Plant Unit 3 SAFSTOR QA Plan."  
\* Pacific Gas & Electric Co. 95/01/31. 10pp. 82366:162-82366:171.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501050364 Forwards revised SEs that util committed to reevaluate during NRC insp of plant,Unit 3 on 940719-22.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Document Control Branch (Document Control Desk). 1p. 82230:316-82230:324.

-9501050368 "SE Transfer Cask/Crane Interlocks."  
\* Pacific Gas & Electric Co. 94/12/30. 5pp. 82230:317-82230:321.

-9501050369 "Crane Interlocks SE."  
\* Pacific Gas & Electric Co. 94/12/30. 3pp. 82230:322-82230:324.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

9501190026 Ack receipt of 941228 ltr which responded to NRC request for info re earthquake near HBPP on 941226.Plant personnel have continued to look for unusual conditions or damage to plant. NRC has initiated longer-term followup activities.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/06. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 82335:096-82335:104.

-9501190032 Forwards info requested by GM Vasquez,during 941228 telcon w/R Willis of ubl re 941226 earthquake.Event did not affect health & safety of public.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/28. VASQUEZ,G.M. Region 4 (Post 820201). 4pp. 82335:101-82335:104.

#### DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

##### V. Operator Examinations

9501230268 Requests two sets of ref matl for reactor/senior reactor operator licensing exams be furnished at least sixty days prior to exams scheduled for week of 950303,per telcon between P Doyle & LM Bobek.  
MENDIOLA,A.J. . 95/01/08. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 10pp. 82423:089-82423:099.

#### DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR

##### R. Periodic operating reports & related correspondence

9501270370 "Annual Rept From Univ of WA for Period Jan - Dec 1994." W/ 950119 ltr. BOWEN,J.R. Washington, Univ. of, Seattle, WA. 94/12/31. 8pp. 82554:065-82554:072.

#### DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

##### F. Security, medical, emergency & fire protection plans

9501240318 Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01. HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

##### P. Operating license stage documents & correspondence

9501230155 Forwards request for addl info re application for amend of amended facility License DPR-4 for Saxton Nuclear Experimental Corp Reactor.  
ADAMS,A. Non-Power Reactor & Decommissioning Project Directorate. 94/12/22. HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 6pp. 82179:306-82179:311.

9501240318 Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01. HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

-9501240321 Rev to TS Change Reqest 55 to license DPR-4,including addl text resulting from matl provided in response to questions in NRC 950103 RAI.  
HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. 17pp. 82504:151-82504:167.

-9501240325 Rev 12 to Procedure 1000-ADM-1291.01, "Safety Review Process."  
CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 94/05/20. 49pp. 82504:168-82504:216.

-9501240331 Rev 0 to Procedure 1110-ADM-7218.01, "Nuclear Safety Assessment Audit Program."  
\* General Public Utilities Corp. - GPU Service Corp. 94/09/27. 30pp. 82504:217-82504:246.

-9501240336 Rev 2 to Procedure 1000-ADM-7218.01, "Response to GPUNC QA Audits."  
\* General Public Utilities Corp. - GPU Service Corp. 87/08/21. 14pp. 82504:247-82504:260.

-9501240338 Rev 1 to Procedure 6675-ADM-4500.07, "SNEC Procedure Development,Change,Requests & Safety Reviews."  
GOOD,B. Saxton Nuclear Experimental Corp. 91/10/14. 22pp. 82504:261-82504:282.

-9501240341 Rev 1 to Procedure 6575-SUR-4523.01, "Quarterly Facility Insp Procedure."  
GOOD,B. Saxton Nuclear Experimental Corp. 93/12/03. 12pp. 82504:283-82504:294.

-9501240348 "Analysis of Effects of Flooding on Saxton Containment Vessel."  
RECKMAN,B.J., MUELLNER,F.E. NUS Corp. NUS-TM-EP-11. 72/04/30. 15pp. 82504:295-82504:309.

##### Q. Inspection reports, IE Bulletins & correspondence

9501240318 Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01. HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

-9501240341 Rev 1 to Procedure 6575-SUR-4523.01, "Quarterly Facility Insp Procedure."  
GOOD,B. Saxton Nuclear Experimental Corp. 93/12/03. 12pp. 82504:283-82504:294.

#### DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

##### P. Operating license stage documents & correspondence

9501050242 Requests rev to license amend request dated 920527.  
HOLM,R.L. Illinois, Univ. of, Urbana, IL 94/12/29. Document Control Branch (Document Control Desk). 1p. 82260:262-82260:262.

9501270109 Provides replacement page 31 for 920527 TSs amend for Univ Advanced TRIGA.Replacement page reflects changes incorporated in TS amend 7 dtd 941118 & proposed changes requested in 920527 amend request.  
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/01/20. Document Control Branch (Document Control Desk). 1p. 82540:289-82540:290.

-9501300006 Proposed tech specs replacing page 31 for 920527 TS amend, reflecting changes incorporated in TS amend 7,dtd 941118.  
\* Illinois, Univ. of, Urbana, IL. 95/01/20. 1p. 82540:290-82540:290.

#### DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

##### F. Security, medical, emergency & fire protection plans

9501050147 Informs review completed of revisions 112 through 115 of various sections of plant emergency plan.Concludes revisions acceptable & do not decrease effectiveness of emergency planning.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. DONNELLY,P.M. Consumers Power Co. 2pp. 82178:154-82178:155.

9501230187 Forwards rev 27 to Big Rock Point Security Plan & rev 4 to Safeguards contingency plan,both consistent w/provisions of 10CFR73.21(c).Revs withheld.  
DONNELLY,P.M. Consumers Power Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82497:284-82497:284.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### P. Operating license stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M., LACROIX,D.G. Consumers Power Co. KAUP,K.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

##### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501120061 Forwards insp rept 50-155/94-15 on 941027-1219 & notice of violation.Violation concerned loss of control of contaminated matl outside radiologically restricted area.  
PHILLIPS,M.P. Region 3 (Post 820201). 95/01/04. DONNELLY,P.M. Consumers Power Co. 4pp. 82279:312-82279:332.

-9501120062 Notice of violation from insp on 941027-1219.Violation noted on 941003,section of piping w/measurable amounts of radioactive contamination had been found outside of radiological restricted area.  
\* Region 3 (Post 820201). 95/01/04. 2pp. 82279:316-82279:317.

-9501120065 Insp rept 50-155/94-15 on 941027-1219.Violations noted. Major areas inspected:operational safety verification, maint & surveillance,engineering & technical support, refueling,startup & radiation protection.  
PHILLIPS,M.P. Region 3 (Post 820201). 95/01/04. 15pp. 82279:318-82279:332.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501310240 Responds to NRC ltr re violations noted in insp rept 50-155/94-15 on 941027-1219.Corrective actions:remainder of gang boxes & other miscellaneous outside matl surveyed & completed survey of entire maintenance shop.  
DONNELLY,P.M. Consumers Power Co. 95/01/17. Document Control Branch (Document Control Desk). 12pp. 82547:345-82547:356.

9501110412 NRC info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.



## 14 DOCKETED ITEMS

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501120147 Monthly operating rept for Dec 1994 for Big Rock Point Nuclear Plant.W/950104 ltr. JOHNSTON, J.R., DONNELLY, P.M. Consumers Power Co. 94/12/31. 6pp. 82329:294-82329:299.

### S. Reportable occurrences, LERs & related correspondence

9501040128 LER 94-010-00: on 941129, manual scram occurred due to loss of feedwater. Caused by procedure not being validated for rare operating condition of returning condensate pump to svc. Procedure revised & validated. W/941223 ltr. BOUFASSA, M.D., DONNELLY, P.M. Consumers Power Co. 94/12/23. 5pp. 82245:318-82245:322.

9501240124 LER 94-006-01: on 940729, turbine oil fire discovered on top of high pressure FW heater insulation. Caused by turbine lube oil contacting hot FW heater. Existing collection basis modified. W/950112 ltr. BOUFASSA, M.D., DONNELLY, P.M. Consumers Power Co. 95/01/12. 6pp. 82485:006-82485:011.

9501310228 LER 94-009-00: on 941103, fire header being filled & vented when flow through primary containment spray nozzles occurred. Caused by inadequate switching & tagging order tracking sys. Operations crew review of tags. W/950119 ltr. BOUFASSA, M.D., DONNELLY, P.M. Consumers Power Co. 95/01/19. 14pp. 82553:079-82553:092.

## DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

9501200045 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp repts 50-097/94-01 & 50-157/94-02. JOYNER, J.H. Region 1 (Post 820201). 95/01/12. HOPCROFT, D.J. Cornell Univ., Ithaca, NY. 3pp. 82351:206-82351:209.

## DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

### G. Adjudicatory correspondence

9501270208 Georgians Against Nuclear Energy amended petition for leave to intervene in consideration of application for renewal of facility license. W/Certificate of Svc. CARROLL, G. Georgians Against Nuclear Energy. #195 16218. 94/12/30. Atomic Safety & Licensing Board Panel. 103pp. 82491:174-82491:276.

9501180023 Notice of appearance. \* Provides listed info in accordance w/ 10CFR2.713(b). W/Certificate of Svc. GUNNELLS, E.G. Office of the General Counsel (Post 860701). #195 16200. 95/01/05. 2pp. 82326:126-82326:127.

9501180097 Notice of appearance. \* RA Nordin enters appearance in matter of GA Institute of Technology. W/Certificate of Svc. NORDIN, R.A. Office of the General Counsel (Post 860701). #195 16201. 95/01/05. 2pp. 82325:137-82325:138.

9501180017 Memorandum & order (Telcon call, 950110). \* Informs that Board scheduling prehearing conference in Atlanta, GA on 950131 to discuss standing & ten proposed contentions submitted by GANE. W/Certificate of Svc. Served on 950111. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #195 16212. 95/01/11. 5pp. 82326:121-82326:125.

9501180189 Notice of prehearing conference. \* Conference will be conducted on 950131 & continuing to 950202. W/Certificate of Svc. Served on 950112. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #194 16215. 95/01/12. 4pp. 82325:216-82325:219.

9501270047 Georgians Against Nuclear Energy, suppl affidavit of RJ Johnson affirming membership in Georgians Against Nuclear Energy. W/Certificate of Svc. CARROLL, G. Georgians Against Nuclear Energy. #195 16227. 95/01/13. 4pp. 82490:251-82490:254.

### P. Operating license stage documents & correspondence

9501180278 Forwards circuit diagram for GTRR Shim Safety Blades. KAREM, R.A. Georgia Institute of Technology, Atlanta, GA. 94/11/29. MENDONCA, M.M. NRC - No Detailed Affiliation Given. 100pp. 82426:166-82426:264.

9501060095 Requests that ltr be included w/petition re Georgia Tech Neely reactor & shutdown of reactor & need to stop sewer dumping or operate under ALARA nationwide. BLOCKEY-O'BRIEN Affiliation Not Assigned. 94/12/04. Ofc of the Executive Director for Operations. 2pp. 82283:356-82283:357.

9501240236 Forwards revised version of SAR for reactor, replacing SAR submitted on 940419. Revised version corrects several typographical errors. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82429:001-82429:228.

-9501240241 "SAR for 5 MW GA Tech Research Reactor," revised from first submittal, Apr 1994. \* Georgia Institute of Technology, Atlanta, GA. 95/01/10. 227pp. 82429:002-82429:228.

### Q. Inspection reports, IE Bulletins & correspondence

9501110505 Forwards response to violations noted in Insp Rept 50-160/92-04. Corrective actions: second telephone should be appointed by command ctr. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 95/01/05. Document Control Branch (Document Control Desk). 3pp. 82302:096-82302:098.

9501240043 Forwards insp rept 50-160/94-05 on 941212-14. Noncited violations identified. COLLINS, D.M. Region 2 (Post 820201). 95/01/13. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 82417:304-82417:313.

-9501240047 Insp rept 50-160/94-05 on 941212-14. Noncited violations identified. Major areas inspected: review of operational program of Class I research reactor. BASSETT, C.H., DESAI, B.B., MCALPINE, E.J. Region 2 (Post 820201). 95/01/12. 7pp. 82417:307-82417:313.

### V. Operator Examinations

9501110424 Forwards results of operator initial exam conducted on 941129-30 at Georgia Institute Technology. W/o encl. RICHARDS, S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 1p. 82302:036-82302:036.

9501190385 Forwards operator/senior operator license certificates to listed individuals in recognition of important role that licensed operators fulfill in protecting health & safety of public. BOGER, B.A. Division of Reactor Controls & Human Factors (Post 921004). 95/01/12. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 1p. 82367:055-82367:055.

## DOCKET 50-163 GENERAL ATOMICS

### P. Operating license stage documents & correspondence

9501230063 Forwards request for addl info needed for continued review of licensee amend request for facility license R-67, for General Atomics TRIGA Mark F research reactor submitted on 940907. ADAMS, A. 95/01/17. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 5pp. 82423:205-82423:209.

## DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

### F. Security, medical, emergency & fire protection plans

9501180075 Forwards insp rept 50-166/94-03 on 941216. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/01/06. DIETER, G.E. Maryland, Univ. of, College Park, MD. 2pp. 82324:203-82324:208.

-9501180081 Insp rept 50-166/94-03 on 941216. No violations noted. Major areas inspected: training records, communications equipment, ER equipment, emergency plan & procedures pertaining to EP. SILK, D.M., KEIMIG, R.R. Region 1 (Post 820201). 95/01/06. 4pp. 82324:205-82324:208.

### Q. Inspection reports, IE Bulletins & correspondence

9501180075 Forwards insp rept 50-166/94-03 on 941216. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/01/06. DIETER, G.E. Maryland, Univ. of, College Park, MD. 2pp. 82324:203-82324:208.

-9501180081 Insp rept 50-166/94-03 on 941216. No violations noted. Major areas inspected: training records, communications equipment, ER equipment, emergency plan & procedures pertaining to EP. SILK, D.M., KEIMIG, R.R. Region 1 (Post 820201). 95/01/06. 4pp. 82324:205-82324:208.

## DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

### H. General correspondence

9501310260 Informs that Captain EE Kearsley MSC, USN assumed position of Acting Director of Armed Forces Radiobiology Research Inst, replacing Captain RL Bumgarner, MC, USN. KEARSLEY, E.E. Armed Forces Radiobiological Research Institute. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82566:359-82566:359.

## DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

**F. Security, medical, emergency & fire protection plans**

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**P. Operating license stage documents & correspondence**

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**Q. Inspection reports, IE Bulletins & correspondence**

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**S. Reportable occurrences, LERs & related correspondence**

9501270215 Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17. FRATIANNI,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270231 Part 21 Rept 94-001 re seismic qualification for diesel fuel oil day tank, transfer pump control switch & foot valve. Shake test w/item installed in fluid filled tube recommended for porcelain displacer of switch. FRATIANNI,S.A. Coltec Industries, Inc. 94/04/20. Document Control Branch (Document Control Desk). 1p. 82554:058-82554:058.

-9501270237 Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries. Entergy Operations, Inc notified vendor of crack on 940409. Final rept w/ respect to cracked puller hole under way in Coltec Engineering Dept. FRATIANNI,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.

-9501270241 Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way. FRATIANNI,S.A. Coltec Industries, Inc. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.

**DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA****F. Security, medical, emergency & fire protection plans**

9501260077 Rev 6 to, "Emergency Plan, Univ of Missouri-Rolla Reactor." W/950120 ltr. FREEMAN,D.W. Missouri, Univ. of, Rolla, MO. 94/12/30. 43pp. 82519:179-82519:221.

9501110211 Forwards safeguards event log entries for quarter ending 941231. Encl withheld (ref 10CFR73.21(b)(2)). HULTSCH,R.A. Missouri, Univ. of, Columbia, MO. 95/01/05. MCKNIGHT,J. Document Control Branch (Document Control Desk). 1p. 82302:237-82302:237.

**P. Operating license stage documents & correspondence**

9501250233 Requests approval of encl proposed highway route for shipment of SF from Columbia, MO to DOE Savannah River plant in Aiken, SC to six months beyond current expiration date. HULTSCH,R.A. Missouri, Univ. of, Columbia, MO. 94/09/28. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 82439:175-82439:177.

**Q. Inspection reports, IE Bulletins & correspondence**

9501240333 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp rept 50-186/94-02. AXELSON,W.L. Region 3 (Post 820201). 95/01/18. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 1p. 82431:331-82431:334.

-9501240342 Responds to NRC 941123 ltr re violations noted in insp rept 50-186/94-02. Corrective actions: training has been improved for MURR waste shipping personnel. ERNST,J.P. Missouri, Univ. of, Columbia, MO. 94/12/21. Ofc of Enforcement (Post 870413). 3pp. 82431:332-82431:334.

**DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR****R. Periodic operating reports & related correspondence**

9501240324 Changes in facility, procedures & tests & experiments for period 931001-940930, per 10CFR50.59(b). FAW,R.E. Kansas State Univ., Manhattan, KS. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82437:338-82437:339.

**DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC****P. Operating license stage documents & correspondence**

9501250085 Forwards amend 19 to license R-95 & SE. Amend deletes requirement for daily measurement of gross radioactivity in secondary coolant sys from TS. MENDONCA,M.M. . 95/01/19. TEHAN,T. Rhode Island, State of. 3pp. 82485:242-82485:250.

-9501250091 Amend 19 to license R-95, deleting TS requirement for daily measurement of gross radioactivity in secondary coolant sys. WEISS,S.H. . 95/01/19. 4pp. 82485:245-82485:248.

-9501250097 Safety evaluation supporting amend 19 to license R-95. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. 2pp. 82485:249-82485:250.

**DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR****V. Operator Examinations**

9501120146 Requests one set of ref matl entitled, "Ref Matl for Reactor/Senior Reactor Operator Licensing Exams," to meet schedule for written & operating exams for week of 950313.W/encls. ERESIAN,W.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. BERLIN,R.E. Manhattan College, Riverdale, NY. 10pp. 82352:123-82352:132.

9501240289 Forwards accelerated operator requalification plan for reactor & list names of two operators affected by implementation of program. DUGGAN,W.P. Manhattan College, Riverdale, NY. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82431:252-82431:254.

**DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

9501260352 Forwards rev 14 of security force training & qualification plan.W/o encl. KRIEGER,R.W. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82523:165-82523:166.

9501240242 Forwards rev 44 to physical security plan. Rev withheld. KRIEGER,R.W. Southern California Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 3pp. 82513:070-82513:072.

9501190202 Forwards Rev 6.1 to Site Emergency Plan for San Onofre Nuclear Generating Station. MARSH,W.C. Southern California Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 20pp. 82470:105-82470:312.

-9501190205 "SONGS Emergency Plan, Rev 6.1." \* Southern California Edison Co. 95/01/12. 188pp. 82470:125-82470:312.

9501300166 Revised EPIPs, including rev 8 to SO123-VIII-10, rev 3 to SO123-VIII-10.1, rev 1 to SO123-VIII-10.2, rev 1 to SO123-VIII-10.3, rev 10 to SO123-VIII-40 & rev 8 to SO123-VIII-50. MARSH,W.C. Southern California Edison Co. 95/01/19. 112pp. 82556:001-82556:112.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

## 16 DOCKETED ITEMS

### G. Adjudicatory correspondence

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

9501110446 Responds to 941130 ltr re San Onofre Nuclear Generating Station lack of escape route for residents in event of accident at plant.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/06. FEINSTEIN,D. Senate. 2pp. 82297:261-82297:262.

### P. Operating license stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### DOCKET 50-213 HADDAM NECK PLANT

#### F. Security, medical, emergency & fire protection plans

9501100351 Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA,J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

9501120120 Forwards response to NRC 941027 RAI re CYAPCO & NNECO 940627 proposed revs to emergency plan for Haddam Neck Plant & Millstone Nuclear Power Station that would incorporate EALs based on guidance provided in NUMARC/NESP-007, Rev 2.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/03. Document Control Branch (Document Control Desk). 43pp. 82334:307-82334:349.

9501170167 Rev 41 to EPIP 1.5-2, "Notification & Communication."  
BUCH,W.H. Connecticut Yankee Atomic Power Co. 95/01/03. 2pp. 82378:269-82378:270.

9501170049 Forwards insp rept 50-213/94-25 on 941025-1214. No violations noted.  
DURR,J.P. Region 1 (Post 820201). 95/01/09. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 82314:102-82314:126.

9501170051 Insp rept 50-213/94-25 on 941025-1214. No violations noted. Major areas inspected: plant operations, maint, engineering & tech support & plant support activities. Also observed performance of instrument air sys, emergency planning drill.  
NICHOLSON,L.E. Region 1 (Post 820201). 94/12/29. 22pp. 82314:105-82314:126.

9501310037 Discusses 941115 ltr which requested deferrment of offsite portion of annual 1994 medical emergency drill for plant. NRC agrees w/deferring drill to first quarter of 1995.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 82528:143-82528:146.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060046 Requests that all nuclear plants w/Thermo-Lag insulation halt operations until matl removed & replaced w/effective fire retardant. Also requests ltr be treated as show cause petition under 10CFR2.206.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 94/10/21. NRC - No Detailed Affiliation Given. 1p. 82282:052-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501060113 Requests that all nuclear power plants currently using Thermo-Lag fire barrier matl be shutdown until matl replaced. Notes president of company that mfg Thermo-Lag charged w/ conspiracy to defraud US on effectiveness of matl.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 94/10/25. THE CHAIRMAN, SELINI, Commissioners (Post 750119). 1p. 82282:102-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

9501240255 Comment on proposed rule 10CFR50 re shutdown & low power operations. Util concerned that proposed rule will not only increase refueling outage duration, but will also increase complexity during outages.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 95/01/05. Docketing & Services Branch. 6pp. 82429:255-82429:260.

### P. Operating license stage documents & correspondence

9501050107 Forwards "IPE for External Events," in response to GL 88-20, suppl 4.  
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities. 94/12/27. Document Control Branch (Document Control Desk). 11pp. 82228:001-82228:007.

9501050110 "IPE for External Events."  
\* Northeast Utilities Service Co. 94/12/31. 360pp. 82228:012-82228:007.

9501100351 Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA,J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

9501190279 Transmits TS Section 6.5.2.7 for plant re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82394:345-82394:351.

9501190285 Proposed rev to TS re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
\* Connecticut Yankee Atomic Power Co. 95/01/12. 5pp. 82394:347-82394:351.

9501250258 Forwards response to NRC 941222 RAI on mechanical design description of Westinghouse fuel design that will be used for Haddam Neck Plant beginning w/ Cycle 19.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/01/18. Document Control Branch (Document Control Desk). 5pp. 82514:140-82514:144.

9501260379 Forwards SER supporting util submittals requesting approval to use an alternative to ASME Code Section XI, per 10CFR50.55a(3) ASME Code Case N-416-1, "Alternative Pressure Test Requirements for Welded Repairs or..."  
MCKEE,P.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82513:190-82513:201.

9501260381 Safety evaluation supporting util submittals requesting approval to use an alternative to ASME Code Section XI, ASME Code Case N-416-1 re alternative pressure test requirements.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 7pp. 82513:195-82513:201.

9501250317 Forwards Rev 4 to "Technical Rept Supporting Cycle 18 Operation."  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82516:148-82516:181.

-9501250321 Rev 4 to "Technical Rept Supporting Cycle 18 Operation."  
\* Northeast Utilities, MFB-001 R04, 94/11/30, 31pp, 82516:151-82516:181.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp, 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501100012 Forwards exam rept 50-213/94-26OL on 941114-18.No violations noted.  
MEYER,G. Region 1 (Post 820201). 94/12/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 82255:018-82255:209.

-9501100020 Exam rept 50-213/94-26OL on 941114-18.Exam results:six RO, one SRO instant & three SRO upgrade candidates passed exam.  
D'ANTONIO,J.M. Region 1 (Post 820201). 94/12/23. 190pp. 82255:020-82255:209.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501050481 Forwards response to violations noted in Insp Rept 50-213/94-22.Corrective actions:new piping uncoupled from operable auxiliary feedwater sys,upon discovery of condition.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/03. Document Control Branch (Document Control Desk). 5pp. 82229:340-82229:345.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170049 Forwards insp rept 50-213/94-25 on 941025-1214.No violations noted.  
DURR,J.P. Region 1 (Post 820201). 95/01/09. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 82314:102-82314:126.

-9501170051 insp rept 50-213/94-25 on 941025-1214.No violations noted. Major areas inspected:plant operations,maint,engineering & tech support & plant support activities.Also observed performance of instrument air sys,emergency planning drill.  
NICHOLSON,L.E. Region 1 (Post 820201). 94/12/29. 22pp. 82314:105-82314:126.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230110 Monthly operating rept for Dec 1994 for Haddam Neck Plant. W/950115 ltr.  
EMMONS,K., RYLEY,M., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 94/12/31. 7pp. 82497:237-82497:243.

#### S. Reportable occurrences, LERs & related correspondence

9501170101 LER 94-027-00:on 941213,surveillance frequency exceeded for verifying offsite power source operability due to program failure.Changed procedure provided specific location for recorded interim SR.W/950110 ltr.  
MCCRACKEN,D.S., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/01/10. 5pp. 82392:019-82392:025.

9501230129 LER 94-028-00:on 941215,analysis indicated that short circuit failure in bulbs could render circuits inoperable. Caused by original design failure.Removal of identified bulbs via jumper/bypass process.W/950112 ltr.  
TOWNSEND,G.R., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/01/12. 6pp. 82421:194-82421:200.

9501240323 Special repton 941219,EDG shut down after 6 m of planned 2 h test run.Caused by exciter field breaker tripping due to poor contact of A phase pole in breaker.New breaker installed & tested & EDG returned to svc on 941220.  
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82437:126-82437:127.

9501310429 Part 21 rept re potential for failure of 3300 MFD capacitors.Nutherm recommended utilis inspect installed capacitors.  
STARR,F. Thermo Electron Corp. 95/01/23. Document Control Branch (Document Control Desk). 6pp. 82575:351-82575:356.

9501310122 LER 94-029-00:on 941228,determined that no action statement 3.8.3.1.1 which addresses cross-typing of redundant busses via MCC 3,4 or 8 tie breakers.Caused by incorrect interpretation.Operators instructed re matter.W/950125 ltr.  
TOWNSEND,G., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/01/25. 7pp. 82553:059-82553:066.

#### V. Operator Examinations

9501100012 Forwards exam rept 50-213/94-26OL on 941114-18.No violations noted.  
MEYER,G. Region 1 (Post 820201). 94/12/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 82255:018-82255:209.

-9501100020 Exam rept 50-213/94-26OL on 941114-18.Exam results:six RO, one SRO instant & three SRO upgrade candidates passed exam.  
D'ANTONIO,J.M. Region 1 (Post 820201). 94/12/23. 190pp. 82255:020-82255:209.

9501310014 Invites util staff to attend Training Managers meeting on 950207 & 08 to discuss status of operator licensing programs from Region 1 & NRC Headquarters perspectives & provide forum for discussion of mutual items of interest.  
MEYER,G.M. Region 1 (Post 820201). 95/01/17. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82528:040-82528:044.

#### DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

#### F. Security, medical, emergency & fire protection plans

9501050430 Provides up-dated response to questions for which answers provided in response to request for addl info re GL-92-08, "Thermo-Lag 330-1 Fire Barriers," per 10CFR50.54(f),were incomplete based on reference to further NEI activity.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/12/27. Document Control Branch (Document Control Desk). 9pp. 82236:331-82236:339.

9501100116 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermal Science,Inc mfg & supplier of Thermo-Lag fire matl.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 8pp. 82281:353-82281:360.

9501120129 Ack receipt of 941208 ltr requesting that NRC immediately suspend licensee license for plant until licensee removes Thermo-Lag fire barrier matl & replaces it w/product that meets current NRC fire protection regulations.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 54pp. 82312:278-82312:351.

-9501120158 Notice given that NIRS & Oyster Creek Nuclear Watch request that NRC suspend licensee license for plant until thermo-lag fire barrier matl is removed & replaced w/product meeting current fire protection regulations.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 3pp. 82312:332-82312:336.

-9501120255 Petitions staff of NRC to immediately suspend operating license of power station until licensee has brought station into compliance w/fire protection regulations by removing Thermo-Lag fire barriers matl.  
GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 94/12/08. TAYLOR,J. Ofc of the Executive Director for Operations. 8pp. 82312:337-82312:348.

-9501120260 Forwards 941208 ltr from NIRS & Oyster Creek Nuclear Watch Creek Nuclear Watch which requested action re use of Thermo-Lag 330-1 at station.Petitioner request that NRC suspend util license for station,discussed.  
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/12/14. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 7pp. 82312:349-82312:351.

9501270015 Forwards security insp rept 50-219/94-28 on 941205-09 & NOV. Physical security program generally directed toward assuring public health & safety.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 82488:228-82488:239.

-9501270030 Notice of violation from insp on 941205-09.Violations noted: less than adequate lighting in isolation zone,fire exterior areas within PA & inadequate personnel searches carried out on individuals that had failed metal detector screening.  
\* Region 1 (Post 820201). 95/01/06. 2pp. 82488:231-82488:232.

-9501270051 Insp rept 50-219/94-28 on 941205-09.Violations noted.Major areas inspected:effectiveness of management control, management support,audits,protected area detection equipment & vital area access control & alarm stations.  
KING,E.B., DELLA RATTA,A. Region 1 (Post 820201). 95/01/06. 7pp. 82488:233-82488:239.

9501200300 Revised EIPs,including EPIP index,Rev 14 to EPIP-OC-02,Rev 10 to EPIP-OC-06,Rev 3 to EPIP-OC-10,Rev 11 to EPIP-OC-25,Rev 11 to EPIP-OC-26 & Rev 10 to 6430-ADM-1319.02.W/950111 ltr.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/01/11. 243pp. 82477:073-82477:315.

9501240350 Submits Rev 5 to Emergency Response Data Sys VM-PC-1150, "Data Point Library Ref File," adding eleven new points for weather related data.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/01/18. Document Control Branch (Document Control Desk). 13pp. 82432:001-82432:013.

## 18 DOCKETED ITEMS

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:286.

**9501120129** Ack receipt of 941208 ltr requesting that NRC immediately suspend license for plant until licensee removes Thermo-Lag fire barrier matl & replaces it w/product that meets current NRC fire protection regulations. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 54pp. 82312:278-82312:351.

**9501120158** Notice given that NIRS & Oyster Creek Nuclear Watch request that NRC suspend licensee license for plant until thermo-lag fire barrier matl is removed & replaced w/product meeting current fire protection regulations. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 3pp. 82312:332-82312:336.

**9501120255** Petitions staff of NRC to immediately suspend operating license of power station until licensee has brought station into compliance w/fire protection regulations by removing Thermo-Lag fire barrier matl. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 94/12/08. TAYLOR,J. Ofc of the Executive Director for Operations. 6pp. 82312:337-82312:348.

**9501120260** Forwards 941208 ltr from NIRS & Oyster Creek Nuclear Watch Creek Nuclear Watch which requested action re use of Thermo-Lag 330-1 at station.Petitioner request that NRC suspend util license for station,discussed. GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/12/14. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 7pp. 82312:349-82312:351.

### H. General correspondence

**9412220041** Addresses concerns raised by constituent,H Richmond re insp of reactor internals & emergency preparedness plans at Oyster Creek Nuclear Generating Station. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/16. BRADLEY,B. Senate. 4pp. 82485:203-82485:208.

**9501240191** Requests written reply re 941006 ltr concerning safety insp of plant while down for current refueling outage. BRADLEY,B. Senate. 94/10/21. BANGART,R.L. Office of Congressional Affairs (Post 911117). 2pp. 82485:206-82485:208.

### P. Operating license stage documents & correspondence

**9501050149** Forwards rept entitled, "Assessment of Impact of Oyster Creek Nuclear Generating Station on Kemp's Ridley & Loggerhead Sea Turtles." BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/12/23. Document Control Branch (Document Control Desk). 1p. 82261:001-82261:100.

**9501050155** "Assessment of Impacts of Oyster Creek Nuclear Generating Station on Kemp's Ridley & Loggerhead Sea Turtles." \* General Public Utilities Corp. - GPU Service Corp. 94/12/31. 135pp. 82261:100-82261:100.

**9501050430** Provides up-dated response to questions for which answers provided in response to request for addl info re GL-92-08, "Thermo-Lag 330-1 Fire Barriers," per 10CFR50.54(f),were incomplete based on reference to further NEI activity. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/12/27. Document Control Branch (Document Control Desk). 9pp. 82236:331-82236:339.

**9501030082** Forwards proprietary rept MPR-1579,Rev 0, "Confirmatory Dynamic Analysis of Oyster Creek Reactor Internals for Core Shroud Repair Evaluation," in response to NRC 941125 request.W/o proprietary rept. KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 94/12/28. Document Control Branch (Document Control Desk). 6pp. 82223:039-82223:044.

**9501050283** Forwards proprietary Rev 0 to Vols 1 & 2 MPR-1579, "Confirmatory Dynamic Analysis of Oyster Creek Reactor Internals for Core Shroud Repair Evaluation." Encl withheld (ref 10CFR2.790(b)(1)). KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 94/12/28. Document Control Branch (Document Control Desk). 6pp. 82260:246-82260:251.

**9501050412** Summary of 941219 meeting w/util re status of licensing actions.List of attendees & activities encl. DROMERICK,A.W. Project Directorate I-4. 94/12/29. Project Directorate I-4. 14pp. 82218:047-82218:060.

**9501050467** Forwards request for addl info re fuel enrichment increase. DROMERICK,A.W. Project Directorate I-4. 94/12/29. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 82229:127-82229:131.

**9501090263** Forwards amend 176 to license DPR-16 & safety evaluation. Amend establishes addl requirements for availability of LPRM w/APRM sys. DROMERICK,A.W. Project Directorate I-4 (PD1-4) (Post 941001). 94/12/29. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 82259:292-82259:322.

**9501090266** Amend 176 to license DPR-16,establishes addl requirements for availability of LPRM associated w/APRM sys. MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 94/12/29. 12pp. 82259:296-82259:307.

**9501090271** Safety evaluation supporting amend 176 to license DPR-16. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 4pp. 82259:308-82259:311.

**9501090283** "Review of Oyster Creek TS Change Request 191 to Implement Long Term Solution II," technical support for the Reactor Sys Branch. MARCH-LEUBA,J. Oak Ridge National Laboratory. FIN L-1697. ORNL/NRC/LTR-92/14. 92/09/30. NRC - No Detailed Affiliation Given. 4pp. 82259:312-82259:315.

**9501090296** Safety evaluation accepting licensee 940427 ltr requesting to change TS to establish addl requirements for availability of LPRM associated w/APRM sys. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 7pp. 82259:316-82259:322.

**9501100116** Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermal Science,Inc mfg & supplier of Thermo-Lag fire matl. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 8pp. 82281:353-82281:360.

**9501100230** Submits listed probabilistic risk assessment database info on computer diskette. KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82291:311-82291:312.

**9501240252** Comment requesting extension to comment period on proposed amend by util to change TS to allow use of addl 45 existing existing spent fuel storage locations in spent fuel pool. TOSCH,K.W. New Jersey, State of. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82429:253-82429:254.

**9501240318** Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01. HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

**9501240325** Rev 12 to Procedure 1000-ADM-1291.01, "Safety Review Process." CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 94/05/20. 49pp. 82504:168-82504:216.

**9501240331** Rev 0 to Procedure 1110-ADM-7218.01, "Nuclear Safety Assessment Audit Program." \* General Public Utilities Corp. - GPU Service Corp. 94/09/27. 30pp. 82504:217-82504:246.

**9501240336** Rev 2 to Procedure 1000-ADM-7218.01, "Response to GPUNC QA Audits." \* General Public Utilities Corp. - GPU Service Corp. 87/08/21. 14pp. 82504:247-82504:260.

**9501260304** Submits biological assessment on impacts to sea turtles at plant,for review as part of formal consultation process initiated in Nov 1993. CRUTCHFIELD,D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. MANTZARIS,C. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 3pp. 82508:178-82508:180.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501110016** Forwards insp rept 50-219/94-24 on 941024-1201.No violations noted. WIGGINS,J.T. Region 1 (Post 820201). 94/12/22. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 82272:233-82272:248.

**9501110017** Insp rept 50-219/94-24 on 941024-1201.No violations noted. Major areas inspected:emergency diesel generator mod & combustion turbine mod. GRECA,N.D., SCHOLL,L., RULAND,W.H. Region 1 (Post 820201). 94/12/22. 13pp. 82272:236-82272:248.

**9501110045** Forwards insp rept 50-219/94-25 on 941031-1118.No violations noted. KELLY,E.M. Region 1 (Post 820201). 94/12/22. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 82274:006-82274:014.

**9501110061** Insp rept 50-219/94-25 on 941031-1104 & 1114-18.No violations noted.Major areas inspected:design modifications implementation,engineering support for modifications & site engineering organization structure. GREGG,H.I., PAOLINO,R.J., KELLY,E.M. Region 1 (Post 820201). 94/12/22. 6pp. 82274:008-82274:014.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501110155** Ack receipt of 941027 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/94-14.C/A to be reviewed in future insp. DURR,J.P. Region 1 (Post 820201). 94/12/28. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 82273:095-82273:099.

**9501110409** Forwards insp rept 50-219/94-27 on 941114-18.No violations noted. RULAND,W.H. Region 1 (Post 820201). 94/12/28. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 82307:289-82307:305.

-9501110414 Insp rept 50-219/94-27 on 941114-18.No violations noted. Major areas inspected:review status of previously identified open items & to determine adequacy of licensee actions to resolve issues.  
BHATIA,R., RULAND,W.H. Region 1 (Post 820201). 94/12/28. 14pp. 82307:292-82307:305.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110103 Forwards insp rept 50-219/94-26 on 941025-1128.No violation noted.  
DURR,J.P. Region 1 (Post 820201). 94/12/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 82271:119-82271:132.

-9501110104 Insp rept 50-219/94-26 on 941025-1128.No violations noted. Major areas inspected:station activities,including assessment/quality verification.  
ROGGE,J. Region 1 (Post 820201). 94/12/30. 12pp. 82271:121-82271:132.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501270015 Forwards security insp rept 50-219/94-28 on 941205-09 & NOV. Physical security program generally directed toward assuring public health & safety.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 82488:228-82488:239.

-9501270030 Notice of violation from insp on 941205-09.Violations noted: less than adequate lighting in isolation zone,fire exterior areas within PA & inadequate personnel searches carried out on individuals that had failed metal detector screening.  
\* Region 1 (Post 820201). 95/01/06. 2pp. 82488:231-82488:232.

-9501270051 Insp rept 50-219/94-28 on 941205-09.Violations noted.Major areas inspected:effectiveness of management control, management support,audits,protected area detection equipment & vital area access control & alarm stations.  
KING,E.B., DELLA RATTA,A. Region 1 (Post 820201). 95/01/06. 7pp. 82488:233-82488:239.

9501180076 Notification of significant licensee meeting 95-05 w/util on 950123 in King of Prussia,PA to discuss apparent violations re mod design control & testing for DGs.  
ROGGE,J. Region 1 (Post 820201). 95/01/10. Region 1 (Post 820201). 3pp. 82326:330-82326:332.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200294 Monthly operating rept for Dec 1994 for OCNPP. W/950113 ltr.  
EDELMAAN,P.G., EGAN,D.M., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 8pp. 82478:106-82478:113.

#### S. Reportable occurrences, LERs & related correspondence

9501300048 LER 94-022-00: on 941219,primary containment leak rate exceeded TS requirements due to maint procedure noncompliance.Valve stroke length was readjusted & performed local leak rate test.W/950118 ltr.  
BARBIERI,R., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/01/18. 5pp. 82553:036-82553:040.

#### V. Operator Examinations

9501310029 Extends invitation to attend 950207-08 training managers meeting planned by NRC,Region I,to discuss status of operator licensing programs & inform facilities of planned initiatives & changes.Proposed agenda & map encl.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 82528:064-82528:068.

#### DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501190166 Forwards request for addl info re proposed EAL rev to NUMARC/NESP-007 methodology for plant,per util 940711 submittal.  
BRINKMAN,D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 56pp. 82352:141-82352:196.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501170229 FOIA request for documents re construction-related contracts awarded at plants from 1988 to present.  
LEMMERBROCK,K. Affiliation Not Assigned. 94/02/10. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82342:356-82342:356.

9501050109 Forwards application for amend to license DPR-63, revising TS sections 2.1.2 re fuel cladding integrity & 3.6.2/4.6.2 re protective instrumentation & associated bases.  
TERRY,C.D. Niagara Mohawk Power Corp. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82233:280-82233:309.

-9501050118 Application for amend to license DPR-63 to change listed TSs to extend calibration frequency of reactor recirculation flow transmitters from once per quarter to once per operating cycle.  
TERRY,C.D. Niagara Mohawk Power Corp. 94/12/23. 6pp. 82233:282-82233:287.

-9501050127 Proposed tech specs re extension of calibration frequency of reactor recirculation flow transmitters.  
\* Niagara Mohawk Power Corp. 94/12/23. 22pp. 82233:288-82233:309.

9501090321 Forwards amend 151 to license DPR-63 & safety evaluation. Amend revises TS to allow one-time extension of second 10-yr service period for primary containment integrated leakage rate (Type A) test.  
BRINKMAN,D.S. Project Directorate I-1 (PD1-1) (Post 941001). 94/12/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 82261:331-82261:342.

-9501090326 Amend 151 to license DPR-63,allowing one-time extension of second 10-yr service period for primary containment integrated leakage rate (type A) test.  
CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 94/12/29. 4pp. 82261:334-82261:337.

-9501090329 Safety evaluation supporting amend 151 to license DPR-63.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 4pp. 82261:338-82261:342.

9501190198 Forwards NMPNS,Unit 1 reactor core shroud repair design summary & core shroud design supporting documentation prepared by GE,per GL 94-03, "IGSCC of Core Shrouds in BWRs." GE documentation withheld per 10CFR2.790.  
TERRY,C.D. Niagara Mohawk Power Corp. 95/01/06. Document Control Branch (Document Control Desk). 23pp. 82471:001-82471:024.

9501190357 Informs that as results evaluation of resources & costs,util extended completion schedule for GL 88-14 Open Items 6,19 & 25,identified in 930217 ltr.Items will be completed by 951231.Util also revised work scope associated w/GL 88-14.  
TERRY,C.D. Niagara Mohawk Power Corp. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82428:352-82428:353.

9501190367 Provides listed info per 950105 discussions w/NRC,clarifying why setpoints reflected in proposed amend differed from current setpoints.  
TERRY,C.D. Niagara Mohawk Power Corp. 95/01/11. Document Control Branch (Document Control Desk). pp. 82428:354-82428:355.

9501190200 Discusses licensee 940623 ltr informing NRC of decision to amend commitment w/respect to NUREG-0619, "BWR Feedwater Nozzle & Control Rod Drive Return Line Nozzle Cracking," for plant.  
BRINKMAN,D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 82367:032-82367:035.

9501200071 Forwards safety evaluation granting util 940818 request to use of Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs.  
CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 82378:221-82378:229.

-9501200075 Safety evaluation granting util 940818 request for approval to use Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:225-82378:229.



## 20 DOCKETED ITEMS

9501250424 Ack 940823 response to GL 94-03 re corrosion cracking of core shrouds in BWRs. Forwards SE that finds util schedule for insp or repair of core shroud at plant per GL 94-03, acceptable.  
BRINKMAN, D.S., Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82485:297-82485:311.

-9501250437 SER accepting util schedule for insp of preemptive repair of BWR core shroud at plant. Confirms also that plant can be safely operated till next refueling outage.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82485:301-82485:311.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310152 Forwards amend 152 to license DPR-63 & safety evaluation. Amend revises TS 2.2.2.3.2.8.4.2.8 & associated bases to reduce number of reactor head safety valves required operable from 15 to 9 valves.  
BRINKMAN, D.S., Project Directorate I-1 (PD1-1) (Post 941001). 95/01/25. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82558:256-82558:271.

-9501310154 Amend 152 to license DPR-63, revising 2.2.2.3.2.8.4.2.8 & associated bases to reduce number of reactor head safety valves required operable from 16 to 9 valves.  
MARSH, L.B., Project Directorate I-1 (PD1-1) (Post 941001). 95/01/25. 7pp. 82558:260-82558:266.

-9501310157 Safety evaluation supporting amend 152 to license DPR-63.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. 5pp. 82558:267-82558:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501110233 Forwards insp repts 50-220/94-23 & 50-410/94-27 on 941114-18. No violations noted.  
COWGILL, C.J., Region 1 (Post 820201). 94/12/23. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82274:232-82274:244.

-9501110242 Insp repts 50-220/94-23 & 50-410/94-27 on 941114-18. No violations noted. Major areas inspected: effectiveness of facility programs to identify, raise to proper mgmt level, resolve & prevent problems & conditions.  
DOERFLEIN, L.T., Region 1 (Post 820201). 94/12/20. 10pp. 82274:235-82274:244.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J., Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K., Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K., Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K., Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501240064 Forwards exam rept 50-220/94-25OL administered during wk of 941205. All of nine applicants passed initial exam & subsequently issued licenses.  
MEYER, G.W., Region 1 (Post 820201). 95/01/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 82418:226-82418:357.

-9501240070 Exam rept 50-220/94-25OL on 941205-09. Exam results: all applicants passed exam & demonstrated very good performance during all parts of exam w/ few generic weaknesses identified.  
FLOREK, D., MEYER, G.W., Region 1 (Post 820201). 95/01/12. 130pp. 82418:228-82418:357.

9501240269 Forwards insp repts 50-220/94-26 & 50-410/94-29 on 941113-1217. Violations noted. Violation involved failure to properly perform channel functional tests for Unit 2 safety relief valve acoustic monitors.  
COWGILL, C.J., Region 1 (Post 820201). 95/01/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82429:315-82429:354.

-9501240273 Insp repts 50-220/94-26 & 50-410/94-29 on 941113-1217. Violations noted. Major areas inspected: plant operations, maint, plant support & engineering.  
DOERFLEIN, L.T., Region 1 (Post 820201). 95/01/09. 37pp. 82429:318-82429:354.

9501250424 Ack 940823 response to GL 94-03 re corrosion cracking of core shrouds in BWRs. Forwards SE that finds util schedule for insp or repair of core shroud at plant per GL 94-03, acceptable.  
BRINKMAN, D.S., Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82485:297-82485:311.

-9501250437 SER accepting util schedule for insp of preemptive repair of BWR core shroud at plant. Confirms also that plant can be safely operated till next refueling outage.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82485:301-82485:311.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K., Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K., Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501260087 Ack receipt of util responses dtd 930308 & 941214 to NRC Bulletin 90-01, Suppl 1, "Loss of Fill-Oil in Transmitters Manufactured by Rosemount."  
BRINKMAN, D.S., Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82513:260-82513:285.

-9501260096 Safety evaluation accepting util response to NRC Bulletin 90-01, Suppl 1, "Loss of Fill-Oil in Transmitters Manufactured by Rosemount."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 2pp. 82513:264-82513:265.

-9501180201 "Evaluation of Util Response to Supplement 1 to NRC Bulletin 90-01: Nine Mile Point 1/2."  
UDY, A.C. EG&G Idaho, Inc. UDY, A.C. Idaho National Engineering Laboratory, FIN L-1695. EGG-DNSP-10919. 94/09/30. NRC - No Detailed Affiliation Given. 19pp. 82513:266-82513:285.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K., 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K., 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K., 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K., Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200187 Monthly operating rept for Dec 1994 for NMPNS Unit 1. W/950111 ltr.  
COLEMAN, D.E., ABBOTT, R.B. Niagara Mohawk Power Corp. 94/12/31. 5pp. 82472:319-82472:323.

### S. Reportable occurrences, LERs & related correspondence

9501250185 LER 94-006-01: on 941027, discovered that Unit 1 operating outside of TS requirement for reactor building integrity. Caused by inadequate original design. Mechanical plugs inserted in drain lines. W/950116 ltr.  
SWEET, K.J., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/01/16. 7pp. 82507:131-82507:137.

### V. Operator Examinations

9501240064 Forwards exam rept 50-220/94-25OL administered during wk of 941205. All of nine applicants passed initial exam & subsequently issued licenses.  
MEYER, G.W., Region 1 (Post 820201). 95/01/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 82418:226-82418:357.

-9501240070 Exam rept 50-220/94-25OL on 941205-09. Exam results: all applicants passed exam & demonstrated very good performance during all parts of exam w/ few generic weaknesses identified.  
FLOREK, D., MEYER, G.W., Region 1 (Post 820201). 95/01/12. 130pp. 82418:228-82418:357.

9501310009 Extends invitation to attend 950207-08 training managers meeting planned by NRC, Region 1, to discuss status of operator licensing programs from Region 1 & NRC Headquarters perspectives & inform facilities of planned initiatives.  
MEYER, G.W., Region 1 (Post 820201). 95/01/17. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 82528:026-82528:030.

### DOCKET 50-223 UNIV. OF LOWELL RESEARCH REACTOR

#### F. Security, medical, emergency & fire protection plans

9501240296 Forwards insp rept 50-223/94-02 on 941205-07. No violations noted.  
JOYNER, J.H., Region 1 (Post 820201). 95/01/12. KEGEL, G. Massachusetts, Univ. of Lowell, MA (formerly Lowell, Univ. of). 2pp. 82431:279-82431:284.

-9501240299 Insp rept 50-223/94-02 on 941205-07. No violations noted. Major areas inspected: status of previously identified items, review of applicability of 10CFR36 regulations re use of irradiator & implementation of emergency preparedness plan.  
DRAGOUN, T., Region 1 (Post 820201). 95/01/12. 4pp. 82431:281-82431:284.

#### Q. Inspection reports, IE Bulletins & correspondence

9501240296 Forwards insp rept 50-223/94-02 on 941205-07. No violations noted.  
JOYNER, J.H., Region 1 (Post 820201). 95/01/12. KEGEL, G. Massachusetts, Univ. of Lowell, MA (formerly Lowell, Univ. of). 2pp. 82431:279-82431:284.

-9501240299 Insp rept 50-223/94-02 on 941205-07. No violations noted. Major areas inspected: status of previously identified items, review of applicability of 10CFR36 regulations re use of irradiator & implementation of emergency preparedness plan.  
DRAGOUN, T., Region 1 (Post 820201). 95/01/12. 4pp. 82431:281-82431:284.

## DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

## F. Security, medical, emergency &amp; fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501050051 Discusses NRC recent receipt of info re physical security concern at plant. Forwards details of subj concern for review & followup. Requests that results of review & disposition be submitted to Region III within 45 days of dtd ltr. W/o encl.  
CANIANO, R.J. Region 3 (Post 820201). 94/12/29. JOYCE, T. Commonwealth Edison Co. 2pp. 82179:085-82179:086.

9501190086 Rev 7 to EPIP 0300-01, "Notificatons for GSEP Emergencies."  
STOBAUGH, D. Commonwealth Edison Co. 94/12/30. 34pp. 82394:220-82394:254.

9501100002 Advises that util has developed an updated evacuation time estimate for plant Units 2 & 3. Update does not decrease effectiveness of generic generating stations emergency plan. W/o encls.  
PIET, P.L. Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 82291:344-82291:345.

950110071 Forwards details of physical security concern at plant for review & followup. Requests that results of review & disposition be submitted within 45 days. W/o encl.  
CANIANO, R.J. Region 3 (Post 820201). 95/01/05. JOYCE, T. Commonwealth Edison Co. 2pp. 82272:306-82272:307.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501170151 Rev 1 to surveillance procedure DRS 5600-01, "Monthly High Very High Radiation Area Posting & Door Checks," replacing & deleting procedure DRS 1600-02 "Performance of High Radiation Area Surveillance & Door Function Checks."  
\* Commonwealth Edison Co. 95/01/06. 11pp. 82393:001-82393:011.

9501250402 Rev 1 to EPIP 0300-03, "GSEP Activation for Nuclear Event" & table of contents.  
\* Commonwealth Edison Co. 95/01/11. 37pp. 82517:266-82517:302.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

9501250084 Rev 6g to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station."  
\* Commonwealth Edison Co. 95/01/31. 48pp. 82515:306-82515:353.

## G. Adjudicatory correspondence

9501180243 Advises that per 941201 memorandum & order, KG Pierce compiled summary of evidence given by different witnesses that resembles meeting, discussion & talk in any of records possess as accurately as possible. W/Certificate of Svc.  
PIERCE, K.G. Affiliation: Not Assigned. #195 16169. 94/12/30. Docketing & Services Branch. 38pp. 82325:305-82325:351.

9501270113 Memorandum & order (problems w/record). \* Parties may file comments on problems & other transcript problems so that comments may be received by Licensing Board on or before 950127. W/Certificate of Svc. Served on 950118.  
BLOCH, P.B. Atomic Safety & Licensing Board Panel. #195 16225. 95/01/18. Office of the General Counsel (Post 860701). 3pp. 82506:349-82506:351.

9501270087 NRC Staff proposed findings of fact & conclusions of law concerning order dtd 940421 issued to KG Pierce. \* Advises Licensing Board to issue order dtd 940421 to KG Pierce. W/Certificate of Svc.  
WOODHEAD, C.P. Office of the General Counsel (Post 860701). #195 16255. 95/01/23. 61pp. 82491:112-82491:173.

## P. Operating license stage documents &amp; correspondence

9501060227 FOIA request for further correspondence & repts re repts TAC-M82693, M81264 & M81265, related to ECCS room coolers at facilities.  
WILLIAMS, O.G. 94/02/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82278:001-82278:001.

9501060232 Responds to FOIA request for documents. Forwards app A records being made available in PDR. Response is partial response.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. WILLIAMS, O.G. 2pp. 82278:002-82278:315.

-9203040098 Discusses review of assessment of ECCS operability w/o room cooler heat removal capacity, per Region III 911018 request. Concludes that isolation of DG cooling water supply to ECCS pump room coolers may constitute unreviewed safety question.  
MCCRACKEN, C.E. Plant Systems Branch. 92/02/28. BARRETT, R.J. Project Directorate III-2. 3pp. 82278:030-82278:268.

-9501060261 "Nuclear Safety-Related, Containment Cooling Svc Water Pump Room Cooler Heat Load Study," for plants.  
KANE, T.J., CEVIGNEY, S.P. Sargent & Lundy, Inc. SL-7120 R01. 88/07/12. 26pp. 82278:004-82278:029.

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501200070 Offsite Dose Calculation Manual's revisions to Chapters 10, 11, 12 & Appendix F for Dresden Station.  
\* Commonwealth Edison Co. 94/12/30. 153pp. 82472:024-82472:176.

9501250043 Revised chapters 10-12 & App F to Rev 1.1 of plant "Offsite Dose Calculation Manual."  
\* Commonwealth Edison Co. 94/12/30. 151pp. 82433:001-82433:152.

9501120122 Forwards EA & FONSI re one-time schedular exemption for plant, Unit 2, from test intervals for Type B & C leak rate tests required by 10CFR50, App J, Sections III.D.2(a) & III.D.3.  
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. FARRAR, D.L. Commonwealth Edison Co. 1p. 82307:020-82307:026.

-9501120124 EA & FONSI requesting one-time schedular exemption from requirements of Sections III.D.2(a) & III.D.3 (Type B & Type C tests) of App J to 10CFR50 re primary reactor containment leakage testing for water-cooled reactors.  
STANG, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 6pp. 82307:021-82307:026.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

9501190300 Grants licensee 941123 request for schedular exemption permitting operation for max of 180 days before completing certain 10CFR50, App J, Type B & C tests at plant.  
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 95/01/13. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82367:043-82367:051.

-9501190313 Exemption to permit operation for max of 180 days before completing certain 10CFR50, App J, Type B & C tests at plant.  
ROE, J.W. Division of Reactor Projects - III, IV, V (Post 901216). 95/01/13. Commonwealth Edison Co. 5pp. 82367:046-82367:050.

-9501190333 Forwards exemption for FR publication.  
CAPRA, R.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. Rules & Directives Review Branch (Post 920323). 1p. 82367:051-82367:051.

9501240108 Ack ltr, dtd 941214 re missed commitment to cleanup unit 2/3 radwaste sludge tank room by certain date. Expresses concern re past missed commitments. Requests strong mgt attention be directed to meeting latest commitment date of 950815.  
AXELSON, W.L. Region 3 (Post 820201). 95/01/16. JOYCE, T. Commonwealth Edison Co. 3pp. 82420:017-82420:021.

9501250253 Discusses hydrogen water chemistry fuel surveillance. Fourth cycle irradiation produced no evidence of fuel performance problems based on activity levels indicating zero defects. Fourth cycle insps at Vallecitos not completed.  
PIET, P.L. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82514:147-82514:148.

9501300041 Submits notification of change frequency of high & very high radiation area door surveillance.  
HOLLAND, P.G. Commonwealth Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82554:306-82554:306.

9501270349 Provides util followup response to request action 1 of NRC GL 94-02 that addresses thermal hydraulic instability in BWRs.  
BAX, R.L. Commonwealth Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82546:307-82546:311.

9501300059 Confirms plans as discussed between M Kunowski of NRC & P Boyle of licensee staff to hold mgt meeting on 950131 to discuss plant source term reduction & dose minimization efforts.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/20. JOYCE, T.P. Commonwealth Edison Co. 1p. 82512:058-82512:058.

9501310181 Proposes alternative method for reclassification of Unit 2 "B" recirculation loop weld from "Category G" to "Category E".  
PIET, P.L. Commonwealth Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 2pp. 82566:236-82566:237.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. DAMPF, J.F. Union Electric Co. COOK, J.G. Illinois Power Co. 7pp. 82529:096-82529:102.

## Q. Inspection reports, IE Bulletins &amp; correspondence

9412210185 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.



## 22 DOCKETED ITEMS

950110076 Confirms NRC intent to perform engineering & technical support follow-up insp of DNPS during weeks of 940123-27 & 0130-0203. Pre-insp site visit will be conducted on 950117-20.  
SHAFER, W.D. Region 3 (Post 820201). 95/01/04. JOYCE, T. Commonwealth Edison Co. 2pp. 82274:048-82274:049.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170072 Responds to NRC 941209 ltr re violations noted in insp repts 50-010/94-18.50-237/94-18 & 50-249/94-18. Corrective actions: CR operators counseled on procedural adherence & new radiation sticker placed on vibration analysis machine.  
JOYCE, T.P. Commonwealth Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 5pp. 82393:036-82393:040.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240363 Provides NRC w/licensee basis for omitting listed sys from plant third 10-yr interval inservice insp plan, rev 2.  
PIET, P.L. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82432:017-82432:019.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501300003 Ack receipt of 941123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/94-15 & 50-249/94-15. Concurs w/assessment that no deviation occurred & notes that plant annunciator procedure acceptable.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/20. JOYCE, T. Commonwealth Edison Co. 2pp. 82511:061-82511:062.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310212 Provides plant response to request re identification & resolution of past engineering decisions.  
JOYCE, T.P. Commonwealth Edison Co. 95/01/25. Document Control Branch (Document Control Desk). 5pp. 82562:355-82562:359.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:053.

### R. Periodic operating reports & related correspondence

9501200189 Monthly operating repts. for Dec 1994 for Dresden Nuclear Power Station W/950116 ltr.  
SYKES, K.W., HOLLAND, P.G. Commonwealth Edison Co. 94/12/31. 24pp. 82472:334-82472:357.

### S. Reportable occurrences, LERs & related correspondence

9501050189 LER 94-018-01: on 940608, potential trip of MCCs due to improper feed breaker settings. Reenergizing tripped loads. W/941229 ltr.  
ECKERT, G.C., JOYCE, T.P. Commonwealth Edison Co. 94/07/07. 9pp. 82258:070-82258:078.

9501060117 LER 94-005-02: on 940430, facility manually scrambled due to loss of instrument air from air receiver pipe failure. Receiver tanks & inlet/outlet piping will be upgraded using stainless steel matl. W/941227 ltr.  
YATES, K., JOYCE, T.P. Commonwealth Edison Co. 94/08/08. 7pp. 82287:133-82287:139.

9501060134 LER 94-030-00: on 941204, notification made based on MOV 2-1301-4 being outside design basis during unit start-up on 941126. Caused by inadequate breaker magnetic setting procedure. MOV reversal conditions simulated. W/941230 ltr.  
O'NEIL, J., JOYCE, T.P. Commonwealth Edison Co. 94/12/23. 6pp. 82287:140-82287:145.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utills affected by notification informed. Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### V. Operator Examinations

9501240332 Requests reinstatement of TJ Mohr SRO license for plant & for license to be in effect upon successful completion of licensed operator requalification exam in 1995 for reasons as listed.  
PIET, P.L. Commonwealth Edison Co. 95/01/17. NRC - No Detailed Affiliation Given. 2pp. 82437:343-82437:344.

## DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

9501270204 Revised EIPs, including rev 7 to EPIP 1-14, rev 3 to EPIP 3-4, rev 19 to EPIP 3-6, rev 6 to EPIP 5-1, rev 12 to EPIP 5-3, rev 6 to EPIP 5-5 & rev 12 to EPIP 5-7. W/950118 ltr.  
MARLOW, T.A., WIDAY, J.A. Rochester Gas & Electric Corp. 95/01/18. JOHNSON, A. Project Directorate I-3 (PD1-3) (Post 941001). 237pp. 82537:042-82537:278.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### H. General correspondence

9501130177 Comment supporting proposed rule 10CFR50 re "Shutdown & Low-Power Operations for Nuclear Power Reactors."  
MECREDY, R.C. Rochester Gas & Electric Corp. 95/01/03. Docketing & Services Branch. 9pp. 82299:282-82299:290.

### P. Operating license stage documents & correspondence

9501110032 Informs that changes associated w/reformatting of administrative controls in Section 6 of TS acceptable.  
MODES, M.C. Region 1 (Post 820201). 95/01/04. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 82272:260-82272:263.

-9501110040 Forwards rev 20 to QA program for station operation, in accordance w/10CFR50.54(a)(3). W/o encl.  
MECREDY, R.C. Rochester Gas & Electric Corp. 94/05/16. JOHNSON, A.R. Document Control Branch (Document Control Desk). 2pp. 82272:262-82272:263.

9501270003 Forwards revised version of QA Program, Rev 20.  
MODES, M.C. Region 1 (Post 820201). 95/01/09. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 82488:165-82488:170.

-9501270004 Revised version of QA Program, rev 20.  
MODES, M.C. Region 1 (Post 820201). 95/01/09. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 82488:167-82488:170.

9501230212 Responds to NRC request for addl info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies."  
MECREDY, R.C. Rochester Gas & Electric Corp. 95/01/11. JOHNSON, A.R. Project Directorate I-3 (PD1-3) (Post 941001). 2pp. 82499:359-82499:360.

9501270213 Submits initial & preliminary notification of problem w/ type A transportation package.  
SHEPHERD, M.F. J.L. Shepherd & Associates. 95/01/19. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82525:256-82525:257.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501040154 Advises of util plans to resolve open item documented in insp rept 50-244/93-20, dtd 931118, by making proposal that consistently applies term "containment isolation boundary," as well as defining allowed outage times.  
MECREDY, R.C. Rochester Gas & Electric Corp. 94/12/21. Document Control Branch (Document Control Desk). 3pp. 82260:233-82260:235.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERILLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110075 Informs that NRC decision re EA to be transmitted in separate correspondence concerning violation noted in insp rept 50-244/94-28 & subsequently discussed in 941220 enforcement conference at Region 1 ofc. Attendees list encl.  
HEHL, C.W. Region 1 (Post 820201). 95/01/03. MECREDY, R.C. Rochester Gas & Electric Corp. 18pp. 82274:019-82274:036.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180131 Ack receipt of 941207 ltr informing NRC of steps taken to correct violations noted in insp rept 50-244/94-21.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/10. MECREDY, R.C. Rochester Gas & Electric Corp. 2pp. 82324:306-82324:312.

9501180176 Forwards insp rept 50-244/94-27 on 941122-1231 & notice of violation.  
LINVILLE, J.C. Region 1 (Post 820201). 95/01/10. MECREDY, R.C. Rochester Gas & Electric Corp. 3pp. 82326:342-82326:358.

–9501180181 Notice of violation from insp on 941122-1231. Violation noted: work instruction contained in station mod procedure SM-5284b.2 did not include appropriate quantitative or qualitative acceptance criteria.  
\* Region 1 (Post 820201). 95/01/10. 1p. 82326:345-82326:345.

–9501180184 Insp rept 50-244/94-27 on 941122-1231. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support & safety assessment/quality verification.  
LAZARUS, W.J. Region 1 (Post 820201). 95/01/10. 13pp. 82326:346-82326:358.

9501300009 Discusses insp rept 50-244/94-28 on 941121-22 & forwards notice of violation.  
MARTIN, T.T. Region 1 (Post 820201). 95/01/13. MECREDDY, R.C. Rochester Gas & Electric Corp. 5pp. 82511:071-82511:077.

–9501300013 Notice of violation from insp on 941121-22. Violation noted: licensee did not implement unannounced drug & alcohol tests in statistically random & unpredictable manner.  
\* Region 1 (Post 820201). 95/01/13. 2pp. 82511:076-82511:077.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501180196 Monthly operating rept for Dec 1994 for Ginna Station. W/950106 ltr.  
WALDEN, J.V., WIDAY, J.A. Rochester Gas & Electric Corp. 94/12/31. 5pp. 82393:052-82393:056.

#### V. Operator Examinations

9501310017 Submits invitation to attend 950207-08 Training Managers meeting, to discuss status of operator licensing programs from Region I & NRC perspectives, inform of planned changes & provide forum for discussion of mutual items of interest.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. MECREDDY, R.C. Rochester Gas & Electric Corp. 5pp. 82528:050-82528:054.

#### DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

95011040189 Informs NRC that Rev 14 to plant emergency plan was implemented in Dec 1994.  
DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities. 94/12/27. Document Control Branch (Document Control Desk). 1p. 82260:240-82260:240.

9501100351 Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers.  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA, J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

9501050211 Revised Corporate Organization for Nuclear Incidents (CONI) Procedures, including Rev 50 to CONI 1.02, Rev 29 to CONI 1.03, Rev 22 to CONI 4.10, Rev 27 to CONI 5.01, Rev 5 to CONI 6.01, Rev 9 to CONI 7.01 & Rev 20 to CONI 8.01.  
RODGERS, R.C. Northeast Nuclear Energy Co. 94/12/30. 200pp. 82219:202-82220:038.

9501120120 Forwards response to NRC 941027 RAI re CYAPCO & NNECO 940627 proposed revs to emergency plan for Haddam Neck Plant & Millstone Nuclear Power Station that would incorporate EALs based on guidance provided in NUMARC/NESP-007, Rev 2.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/03. Document Control Branch (Document Control Desk). 43pp. 82334:307-82334:349.

9501180047 Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27. Response found to be in error by describing unattended vehicle as having motor running.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/03. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82324:081-82324:089.

9501200069 Revised EPIPs, including rev 161 to 4000 Procedure Index & rev 2 to EPOP 4419, "Manager of Operational Support Ctr."  
\* Northeast Nuclear Energy Co. 95/01/09. 30pp. 82426:323-82426:353.

9501300015 Forwards insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive mat release.  
DURR, J.P. Region 1 (Post 820201). 95/01/20. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.

–9501300036 Insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts.  
NICHOLSON, L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BURNETT, R.F. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

9501300052 Ack ltr, dtd 941115 to Selin re allegations reported to senior RI at plant on 940329 & two petitions filed w/NRC. Informs investigation into allegations ongoing & will put Aug 1994 allegations in FR notice of director decision.  
GRAY, J.R. Ofc of Enforcement (Post 870413). 95/01/24. ROSS, A.J. Affiliation Not Assigned. 3pp. 82512:018-82512:020.

#### H. General correspondence

9501240255 Comment on proposed rule 10CFR50 re shutdown & low power operations. Util concerned that proposed rule will not only increase refueling outage duration, but will also increase complexity during outages.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 95/01/05. Docketing & Services Branch. 6pp. 82429:255-82429:260.

#### P. Operating license stage documents & correspondence

9501170217 Eighth partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR. App Q documents partially withheld (ref FOIA exemption 6). App R documents withheld (ref FOIA exemption 6).  
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 93/12/08. HUBBARD, V. Winston & Strawn. 12pp. 82573:001-82573:036.

–9501170243 Notification of significant licensee meeting 91-69 w/util on 910612 to discuss radiation monitoring sys review & associated issues.  
KELLY, E. Region 1 (Post 820201). 91/05/23. Region 1 (Post 820201). 2pp. 82573:163-82573:167.

–9501170265 Partially deleted ltr discussing listed allegations.  
WENZINGER, E. Region 1 (Post 820201). 91/05/31. Affiliation Not Assigned. 2pp. 82574:057-82574:059.

–9501180312 Partially deleted ltr discussing NRC completed followup of concern provided on 910520 re plant. Resolution listed.  
WENZINGER, E. Region 1 (Post 820201). 92/02/27. Affiliation Not Assigned. 7pp. 82574:208-82574:234.

9501110073 Responds to encl 941128 note from R Kacich re self-assessment of licensee controls to ensure completeness & accuracy of outgoing correspondence.  
BLOUGH, A.R. Region 1 (Post 820201). 94/12/21. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82272:308-82272:333.

9501100351 Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers.  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA, J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

9501100224 Forwards Safety Evaluation re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR." Structural integrity of core shroud will be maintained for remainder of Cycle 15.  
ANDERSEN, J.W. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/04. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82282:215-82282:226.

–9501100250 Safety evaluation re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR." Core shroud will be acceptable for svc during remainder of current operating cycle.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 8pp. 82282:219-82282:226.

9501120351 Forwards Amend 77 to License DPR-21 & SE. Amend revises TS to clarify low pressure coolant injection requirements.  
ANDERSEN, J.W. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/09. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 82310:161-82310:170.

## 24 DOCKETED ITEMS

- 9501120354 Amend 77 to License DPR-21, re changes to TS to clarify low pressure injection requirements.  
 MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/09. 4pp. 82310:164-82310:167.
- 9501120356 Safety evaluation supporting Amend 77 to License DPR-21.  
 \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 3pp. 82310:168-82310:170.
- 9501130029 Forwards Amend 78 to License DPR-21 & SE. Amend revises TS to relocate primary containment isolation valve list.  
 ANDERSEN, J.W. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/10. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82319:155-82319:170.
- 9501130038 Amend 78 to License DPR-21, re changes to TS to relocate primary containment isolation valve list.  
 MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/10. 7pp. 82319:158-82319:166.
- 9501130044 Safety evaluation supporting Amend 78 to License DPR-21.  
 \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/10. 4pp. 82319:167-82319:170.
- 9501200001 Forwards SE which grants relief to util from code repair requirements for pinhole leak in moderate energy class 3 pipe at plant, Unit 1.  
 MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/11. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82423:078-82423:083.
- 9501200002 Safety evaluation granting licensee 941102 request for relief from code repair requirements for pinhole leak in moderate energy class 3 pipe.  
 \* Project Directorate I-4 (PD1-4) (Post 941001). 95/01/11. 3pp. 82423:081-82423:083.
- 9501190242 Provides util plans re implementation of dedicated STA & updates staff on shift supervisor staff assistance role in CR & in simulator training for plant, Unit 1.  
 DEBARBA, E.A. Northeast Nuclear Energy Co. 95/01/12. Document Control Branch (Document Control Desk). 3pp. 82428:343-82428:345.
- 9501190279 Transmits TS Section 6.5.2.7 for plant re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
 DEBARBA, E.A. Connecticut Yankee Atomic Power Co. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82394:345-82394:351.
- 9501190285 Proposed rev to TS re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
 \* Connecticut Yankee Atomic Power Co. 95/01/12. 5pp. 82394:347-82394:351.
- 9501240291 Discusses 941220 meeting w/util re actions to resolve recurring setpoint drift problem on safety relief valves at plant. Handouts from meeting encl. NRC remain concerned w/ magnitude & recurring nature of setpoint drift.  
 DURR, J.P. Region 1 (Post 820201). 95/01/17. OPEKA, J.F. Northeast Nuclear Energy Co. 19pp. 82431:258-82431:276.
- 9501260379 Forwards SER supporting util submittals requesting approval to use an alternative to ASME Code Section XI, per 10CFR50.55a(a)(3), ASME Code Case N-416-1, "Alternative Pressure Test Requirements for Welded Repairs or..."  
 MCKEE, P.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 82513:190-82513:201.
- 9501260381 Safety evaluation supporting util submittals requesting approval to use an alternative to ASME Code Section XI, ASME Code Case N-416-1 re alternative pressure test requirements.  
 \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 7pp. 82513:195-82513:201.
- 9501250262 Withdraws 931015 LAR re TS Tables 3.8-1 & 3.8-2, proposing max duration that radioactive effluent monitoring instrumentation could be out-of-svc for maint.  
 OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82514:124-82514:125.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
 GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501170268 Partially deleted ltr forwarding insp repts 50-245/91-80, 50-336/91-80 & 50-423/91-81. No violations noted. Related info encl.  
 WENZINGER, E.C. Region 1 (Post 820201). 93/12/08. OPEKA, J.F. Northeast Nuclear Energy Co. 26pp. 82574:064-82574:091.
- 9501090061 Forwards insp rept 50-245/94-34 on 941114-18 & 22-29. Corrective actions taken to resolve EDSFI items & isolation condenser insp items thorough & comprehensive.  
 RULAND, W.H. Region 1 (Post 820201). 94/12/20. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 2pp. 82235:290-82235:302.
- 9501090064 Insp rept 50-245/94-34 on 941114-18 & 22-29. Corrective actions taken to resolve EDSFI items & isolation condenser insp items thorough & comprehensive. Major areas inspected: corrective actions on previously identified insp findings.  
 CHEUNG, L., RULAND, W. Region 1 (Post 820201). 94/12/19. 11pp. 82235:292-82235:302.
- 9501110195 Responds to encl ltrs dtd 941114 & 23 re NRC ltrs dtd 940930 & 1024. NRC will review implementation of CA for violation during subsequent insp of licensed activities.  
 DURR, J.P. Region 1 (Post 820201). 94/12/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82271:261-82271:278.
- 9501110083 Forwards exam repts 50-245/94-38OL & 50-423/94-34OL on 941205. No violations noted.  
 MEYER, G.W. Region 1 (Post 820201). 94/12/23. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 82273:001-82273:061.
- 9501110088 Exam repts 50-245/94-38OL & 50-423/94-34OL on 941205-06. Exam results: one RO passed initial written retake exam.  
 SISCO, C., MEYER, G. Region 1 (Post 820201). 94/12/23. 59pp. 82273:003-82273:061.
- 9501110220 Ack receipt of 940826 ltr informing NRC of steps taken to correct violations noted in insp rept 50-245/94-19. Inadequate responses to violation B & notice of deviation, discussed.  
 DURR, J.P. Region 1 (Post 820201). 94/12/23. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82274:208-82274:223.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
 PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501180047 Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27. Response found to be in error by describing unattended vehicle as having motor running.  
 JOYNER, J.H. Region 1 (Post 820201). 95/01/03. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82324:061-82324:069.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501200005 Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-32, 50-336/94-31 & 50-423/94-29.  
 JOYNER, J.H. Region 1 (Post 820201). 95/01/12. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 82351:144-82351:152.
- 9501240042 Forwards insp repts 50-245/94-37, 50-336/94-35 & 50-423/94-33. Noncited violations noted.  
 JOYNER, J.H. Region 1 (Post 820201). 95/01/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82417:279-82417:303.
- 9501240052 Insp repts 50-245/94-37, 50-336/94-35 & 50-423/94-33 on 941206-09. Noncited violations noted. Major areas inspected: action on previous findings, planning & preparation for plant outage & organization.  
 NIMITZ, R.L., BORES, R.J. Region 1 (Post 820201). 95/01/01. 22pp. 82417:282-82417:303.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
 GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
 GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501300015 Forwards insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive matl release.  
 DURR, J.P. Region 1 (Post 820201). 95/01/20. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.
- 9501300031 Notice of violation from combined insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31. Violations noted: failure to adequately install unit 1 containment door during irradiated fuel movement & failure to verify unit 2 valve closure.  
 \* Region 1 (Post 820201). 95/01/20. 2pp. 82511:126-82511:127.
- 9501300036 Insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts.  
 NICHOLSON, L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
 GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
 GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

9501230114 Monthly operating reports for Dec 1994 for Millstone Nuclear Plant Units 1,2 & 3.W/950113 ltr.  
NEWBURGH,G., MILLER,D.B. Northeast Nuclear Energy Co. 94/12/31. 17pp. 82497:244-82497:260.

**S. Reportable occurrences, LERs & related correspondence**

9501170254 Partially deleted ltr re allegation concerning two reactor trips at unit 1.Related info encl.  
KELLY,G. Region 1 (Post 820201). 91/06/05. Affiliation Not Assigned. 22pp. 82573:318-82574:003.

9501040192 LER 94-033-00:on 941124.MSSR pilot valve setpoint drift occurred.Caused by oxide bonding of pilot seal to seat. Pilot valve assemblies removed & replaced w/ pilot valves that had been refurbished & recertified.W/941227 ltr.  
HARRIS,D.N., BOUCHARD,G.H. Northeast Nuclear Energy Co. 94/12/27. 5pp. 82246:007-82246:011.

9501120004 LER 94-021-01:on 940603.ultimate heat sink temp exceeded during thermal heat treatment & backwashing evolution of "A" & "B" intake bays.Caused by personnel error.Operating procedure will be revised.W/950105 ltr.  
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/01/05. 6pp. 82341:351-82341:356.

9501240198 LER 94-031-01:on 941017.gas turbine start logic seal-in occurred.Caused by personnel error.Circuitry that provided ESF emergency start signal to gas turbine generator & provided seal modified.W/950113 ltr.  
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/01/13. 6pp. 82485:029-82485:034.

9501270344 LER 94-011-01:on 940322.nonconservative reactor vessel low- low level setpoint.Caused by 1979 plant design change to adequately address change in active fuel length failed. Setpoint change was performed.W/950118 ltr.  
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/01/18. 5pp. 82575:091-82575:095.

**V. Operator Examinations**

9501110083 Forwards exam repts 50-245/94-38OL & 50-423/94-34OL on 941205.No violations noted.  
MEYER,G.W. Region 1 (Post 820201). 94/12/23. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 82273:001-82273:061.

-9501110088 Exam repts 50-245/94-38OL & 50-423/94-34OL on 941205-06. Exam results:one RO passed initial written retake exam.  
SISCO,C., MEYER,G. Region 1 (Post 820201). 94/12/23. 59pp. 82273:003-82273:061.

9501310014 Invites util staff to attend Training Managers meeting on 950207 & 08 to discuss status of operator licensing programs from Region I & NRC Headquarters perspectives & provide forum for discussion of mutual items of interest.  
MEYER,G.M. Region 1 (Post 820201). 95/01/17. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82528:040-82528:044.

9501310095 Extends invitation to attend Training Manager meeting on 950207-08 in King of Prussia,PA to discuss status of operator licensing programs from region I & NRC headquarters perspectives.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. GUILFOIL,T. Sonalysts, Inc. 5pp. 82529:103-82529:107.

**DOCKET 50-247 INDIAN POINT STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

9501060168 Rev to emergency plan,consisting of 940829 ltr,confirming that util will pay Hudson Valley Ctr stated sum for yr 1994, per agreement to accept as patients.personnel from plant.W/ 941227 ltr.  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/27. 3pp. 82283:329-82283:331.

9501200194 Generic ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**P. Operating license stage documents & correspondence**

9501030132 Forwards proprietary & nonproprietary response to RAI re steam generator tube acceptance criteria TS amend request. Proprietary response withheld (ref 10CFR2.790).  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/20. Document Control Branch (Document Control Desk). 22pp. 82189:234-82189:268.

-9501030134 Proposed tech specs re steam generator tube acceptance criteria.  
\* Consolidated Edison Co. of New York, Inc. 94/12/20. 3pp. 82189:256-82189:268.

9501110206 Informs that based on NRC 941202 RAI re GL 93-04,util currently plans to commence & complete WOG current order mod during facility refueling & maint outage scheduled to begin in Feb 1997.  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/22. Document Control Branch (Document Control Desk). 2pp. 82302:168-82302:169.

9501130232 Transmits TS pages 3.9-4.4,2-1,4.11-3,4.11-4,6-5,6-6,6-12, 6-17 & Table 6.2-1,including rev bars inadvertently omitted from 941102 proposed amend consisting of administrative changes.Requests that NRC continue to process application.  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 82366:202-82366:212.

-9501130234 Proposed tech specs pages 3.9-4.4,2-1,4.11-3,4.11-4,6-5,6-6, 6-12,6-17 & Table 6.2-1,including rev bars inadvertently omitted.  
\* Consolidated Edison Co. of New York, Inc. 95/01/04. 9pp. 82366:204-82366:212.

9501170036 Notification of 950125 meeting w/util in Rockville,MD to discuss 24-month cycle TS changes.  
WANG,A.B. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/10. MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 4pp. 82323:259-82323:262.

9501250316 Clarifies response to Question 8 in NRC 941121 RAI re SG tube acceptance criteria TS amend request dtd 940413. Proposed TS page 4.13-2 encl.  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82514:094-82514:096.

-9501250319 Proposed TS page 4.13-2,replacing word "imperfections" w/ "degradation" in definition of "F" tube.  
\* Consolidated Edison Co. of New York, Inc. 95/01/12. 1p. 82514:096-82514:096.

9501300228 Requests reconsideration of policy on NRC review of licensee exemption requests re performance of containment integrated leak rate testing in App J.  
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/01/13. RUSSELL,S.E. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82552:340-82552:341.

9501180270 Administrative ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310219 Advises that util 931222 & 941222 ltrs,responding to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies," acceptable.  
WILLIAMS,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 82562:025-82562:027.

**Q. Inspection reports, IE Bulletins & correspondence**

9501110102 Forwards insp rept 50-247/94-18 on 941016-1126.No violations noted.  
COWGILL,C.J. Region 1 (Post 820201). 94/12/23. QUINN,S.E. Commonwealth Edison Co. 3pp. 82271:068-82271:118.

-9501110106 Insp rept 50-247/94-18 on 941016-1126.No violations noted. Major areas inspected:resident inspector core,regional initiative & reactive insps performed during day & backshift hours of station activities including plant operations.  
DOERFLEIN,L.T. Region 1 (Post 820201). 94/12/22. 48pp. 82271:071-82271:118.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501230059 Forwards Relief Request 8,Rev 2,as requested by NRC in 941220 telcon re scope & proposed alternate insp of relief request,including in util 940124 submittal of ISI program summary for third ten-yr interval.  
QUINN,S.E.,Consolidated Edison Co. of New York, Inc. 95/01/06. Document Control Branch (Document Control Desk). 7pp. 82497:154-82497:160.

9501240026 Discusses anonymous concern received by util re possibility that unqualified inspectors,or inspectors w/expired certifications had performed safety related work at plant. Forwards synopsis of OI investigation results.  
COOPER,R.W. Region 1 (Post 820201). 95/01/11. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 82417:087-82417:091.

9501240040 Notifies licensee of 950123-27 safety insp 50-247/95-01 to be conducted by NRC personnel at plant.  
RULAND,W.H. Region 1 (Post 820201). 95/01/13. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 82417:275-82417:278.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

## 26 DOCKETED ITEMS

- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

- 9501030030 Forwards discharge monitoring repts for month of Nov 1994 & rept of non-compliance event.  
SCHMEISER,T. Consolidated Edison Co. of New York, Inc. 94/12/21. New York, State of. 1p. 82189:269-82189:281.
- 9501040055 NPDES noncompliance notification on 941101,7 & 8, plant unable to maintain required 1.75 foot differential in discharge canal under all operating conditions due to temporary circulating water flow transients.  
BURNS,R. Consolidated Edison Co. of New York, Inc. 94/12/22. 2pp. 82189:270-82189:270.
- 9501040061 NPDES discharge monitoring repts for Nov 1994 for Indian Point Station Units 1,2 & 3.  
SCHMEISER,T. Consolidated Edison Co. of New York, Inc. 94/11/30. 11pp. 82189:271-82189:281.
- 9501300110 Monthly operating rept for Dec 1994 for Indian Point Unit 2. W/950117 ltr. REED,A., QUINN,S.E. Commonwealth Edison Co. 94/12/31. 6pp. 82552:352-82552:357.

### V. Operator Examinations

- 9501310039 Requests attendance at Region I training manager meeting in King of Prussia,PA on 950207-08 re status of operator licensing,planned initiatives & changes.Meeting agenda encl.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 82528:159-82528:163.

## DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

- 9501110071 Forwards details of physical security concern at plant for review & followup.Requests that results of review & disposition be submitted within 45 days.W/o encl.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/05. JOYCE,T. Commonwealth Edison Co. 2pp. 82272:306-82272:307.
- 9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan,acceptable.Plan contained generic emergency planning info for all of util nuclear stations.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.
- 9501050051 Discusses NRC recent receipt of info re physical security concern at plant.Forwards details of subj concern for review & followup.Requests that results of review & disposition be submitted to Region III within 45 days of dtd ltr.W/o encl.  
CANIANO,R.J. Region 3 (Post 820201). 94/12/29. JOYCE,T. Commonwealth Edison Co. 2pp. 82179:085-82179:086.
- 9501190086 Rev 7 to EPIP 0300-01, "Notificatons for GSEP Emergencies."  
STOBAUGH,D. Commonwealth Edison Co. 94/12/30. 34pp. 82394:220-82394:254.
- 9501100002 Advises that util has developed an updated evacuation time estimate for plant Units 2 & 3.Update does not decrease effectiveness of generic generating stations emergency plan. W/o encls.  
PIET,P.L. Commonwealth Edison Co. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 82291:344-82291:345.
- 9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF,in accordance w/ NUREG-0737,Suppl 1.Supporting info encl.W/one oversize encl.  
BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.
- 9501170151 Rev 1 to surveillance procedure DRS 5600-01, "Monthly High Very High Radiation Area Posting & Door Checks." replacing & deleting procedure DRS 1600-02 "Performance of High Radiation Area Surveillance & Door Function Checks."  
\* Commonwealth Edison Co. 95/01/06. 11pp. 82393:001-82393:011.
- 9501250402 Rev 1 to EPIP 0300-03, "GSEP Activation for Nuclear Event" & table of contents.  
\* Commonwealth Edison Co. 95/01/11. 37pp. 82517:266-82517:302.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.
- 9501250084 Rev 6g to "Generating Stations Emergency Plan (GSEP) Site Annex Dresden Nuclear Power Station."  
\* Commonwealth Edison Co. 95/01/31. 48pp. 82515:306-82515:353.

### P. Operating license stage documents & correspondence

- 9501060227 FOIA request for further correspondence & repts re repts TAC-M82693,M81264 & M81265,related to ECCS room coolers at facilities.  
WILLIAMS,O.G. . 94/02/08. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82278:001-82278:001.
- 9501060232 Responds to FOIA request for documents.Forwards app A records being made available in PDR.Response is partial response.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. WILLIAMS,O.G. . 2pp. 82278:002-82278:315.
- 920340098 Discusses review of assessment of ECCS operability w/o room cooler heat removal capacity,per Region III 911018 request. Concludes that isolation of DG cooling water supply to ECCS pump room coolers may constitute unreviewed safety question.  
MCCRACKEN,C.E. Plant Systems Branch. 92/02/28. BARRETT,R.J. Project Directorate III-2. 3pp. 82278:030-82278:268.
- 9501060261 "Nuclear Safety-Related,Containment Cooling Svc Water Pump Room Cooler Heat Load Study" for plants.  
KANE,T.J., CEVIGNEY,S.P. Sargent & Lundy, Inc. SL-7120 R01. 88/07/12. 26pp. 82278:004-82278:029.
- 9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING,M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.
- 9501200070 Offsite Dose Calculation Manual's revisions to Chapters 10, 11,12 & Appendix F for Dresden Station.  
\* Commonwealth Edison Co. 94/12/30. 153pp. 82472:024-82472:176.
- 9501250043 Revised chapters 10-12 & App F to Rev 1.1 of plant "Offsite Dose Calculation Manual."  
\* Commonwealth Edison Co. 94/12/30. 151pp. 82433:001-82433:152.
- 9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.
- 9501240108 Ack ltr,dtd 941214 re missed commitment to cleanup unit 2/3 radwaste sludge tank room by certain date.Expresses concern re past missed commitments.Requests strong mgt attention be directed to meeting latest commitment date of 950815.  
AXELSON,W.L. Region 3 (Post 820201). 95/01/16. JOYCE,T. Commonwealth Edison Co. 3pp. 82420:017-82420:021.
- 9501300041 Submits notification of change frequency of high & very high radiation area door surveillance.  
HOLLAND,P.G. Commonwealth Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82554:306-82554:306.
- 9501270349 Provides util followup response to request action 1 of NRC GL 94-02 that addresses thermal hydraulic instability in BWRs.  
BAX,R.L. Commonwealth Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82546:307-82546:311.
- 9501300059 Confirms plans as discussed between M Kunowski of NRC & P Boyle of licensee staff to hold mgt meeting on 950131 to discuss plant source term reduction & dose minimization efforts.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/20. JOYCE,T.P. Commonwealth Edison Co. 1p. 82512:058-82512:058.
- 9501180270 Administrative Ltr 95-01 to OL or GP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. THOMPSON,D.P. Illinois Power Co. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9501110076 Confirms NRC intent to perform engineering & technical support follow-up insp of DNPS during weeks of 940123-27 & 0130-0203.Pre-insp site visit will be conducted on 950117-20.  
SHAFFER,W.D. Region 3 (Post 820201). 95/01/04. JOYCE,T. Commonwealth Edison Co. 2pp. 82274:048-82274:049.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501170072** Responds to NRC 941209 ltr re violations noted in insp repts 50-010/94-18, 50-237/94-18 & 50-249/94-18. Corrective actions: CR operators counseled on procedural adherence & new radiation sticker placed on vibration analysis machine. JOYCE, T.P. Commonwealth Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 5pp. 82393:036-82393:040.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501240363** Provides NRC w/license basis for omitting listed sys from plant third 10-yr interval inservice insp plan, rev 2. PIET, P.L. Commonwealth Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82432:017-82432:019.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501300003** Ack receipt of 941123 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/94-15 & 50-249/94-15. Concurrs w/assessment that no deviation occurred & notes that plant annunciator procedure acceptable. GREENMAN, E.G. Region 3 (Post 820201). 95/01/20. JOYCE, T. Commonwealth Edison Co. 2pp. 82511:061-82511:062.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501310212** Provides plant response to request re identification & resolution of past engineering decisions. JOYCE, T.P. Commonwealth Edison Co. 95/01/25. Document Control Branch (Document Control Desk). 5pp. 82562:355-82562:359.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200189** Monthly operating repts for Dec 1994 for Dresden Nuclear Power Station. W/950116 ltr. SYKES, K.W., HOLLAND, P.G. Commonwealth Edison Co. 94/12/31. 24pp. 82472:334-82472:357.

#### S. Reportable occurrences, LERs & related correspondence

**9501200067** LER 94-022-00 on 941214, discovered that insert & withdraw lines for CRD had branch connections installed on both lines. Caused by lines not being removed after oscillation testing completed. Branch lines cut. W/950110 ltr. SIMMONS, K.L., JOYCE, T.P. Commonwealth Edison Co. 95/01/10. 5pp. 82421:146-82421:150.

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utills affected by notification informed. Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

**9501240332** Requests reinstatement of TJ Mohr SRO license for plant & for license to be in effect upon successful completion of licensed operator requalification exam in 1995 for reasons as listed. PIET, P.L. Commonwealth Edison Co. 95/01/17. NRC - No Detailed Affiliation Given. 2pp. 82437:343-82437:344.

#### DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**9501240247** Informs of 941006 SALP meeting w/util to discuss plant performance over past 19 months. EBNETER, S.D. Region 2 (Post 820201). 94/09/13. SERVAIF, L. Affiliation Not Assigned. 3pp. 82429:244-82429:246.

**9501170053** Page 3-16a to plant radiological emergency plan, rev 28. W/ forwarding ltr. PLUNKETT, T.F. Florida Power & Light Co. 95/01/04. 2pp. 82378:252-82378:253.

**9501180128** Determines that 941031 revs 26 & 27 to Radiological Emergency Plan consistent w/provisions of 10CFR50.47(b) & acceptable. CLINE, W.E. Region 2 (Post 820201). 95/01/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82326:176-82326:178.

**9501240027** Forwards insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations identified. VERRELLI, D.M. Region 2 (Post 820201). 95/01/13. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82417:092-82417:126.

**-9501240033** Insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations noted. Major areas inspected: plant operations, maint, surveillance observations, engineering, plant support, fire protection & housekeeping. JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 95/01/13. 32pp. 82417:095-82417:126.

**9501310202** Advises that util will conduct an exercise of plant radiological emergency plan on 950322. PLUNKETT, T.F. Florida Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82562:354-82562:354.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### P. Operating license stage documents & correspondence

**9501030064** Forwards amends 169 & 163 to licenses DPR-31 & DPR-41, respectively & SE. Amends consist of changes to TS re relocating diesel fuel oil testing program requirements to TS Section 6 & to bases section of TS. CROTEAU, R.P. Project Directorate II-2. 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82177:255-82177:278.

**-9501030068** Amends 169 & 163 to licenses DPR-31 & DPR-41, respectively, relocating diesel fuel oil testing program requirements to TS Section 6 & to bases section of TS. MATTHEWS, D.B. Project Directorate II-2. 94/12/28. 15pp. 82177:258-82177:272.

**-9501030069** Safety evaluation supporting amends 169 & 163 to licenses DPR-31 & DPR-41, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 6pp. 82177:273-82177:278.

**9501050324** Advises that recommended current order timing mod, per GL 93-04, will be implemented during next refueling outage for Unit 3 scheduled to start in Sept 1995 & Unit 4 scheduled to start in Mar 1996. PLUNKETT, T.F. Florida Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82278:359-82278:360.

**9501050349** Forwards amends 170 & 164 to licenses DPR-31 & DPR-41, respectively & SE. Amends change TS re removal of schedule for withdrawal of RV matl specimens from TS per GL 91-01. CROTEAU, R.P. Project Directorate II-2. 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82229:180-82229:197.

**-9501050359** Amends 170 & 164 to licenses DPR-31 & DPR-41, respectively, changing TS re removal of schedule for withdrawal of RV matl specimens from TS as discussed in GL 91-01. MATTHEWS, D.B. Project Directorate II-2. 94/12/28. 11pp. 82229:183-82229:193.

**-9501050363** Safety evaluation supporting amends 170 & 164 to licenses DPR-31 & DPR-41, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 4pp. 82229:194-82229:197.

**9501170096** Summary of 941214 meeting w/util in Rockville, MD re design basis threat rule. List of attendees encl. CROTEAU, R.P. Project Directorate II-2. 95/01/09. Project Directorate II-2. 8pp. 82323:215-82323:222.

**9501130189** Forwards amendments 171 & 165 to licenses DPR-31 & DPR-41, respectively. Amends change TS re surveillance requirements for inservice insp & testing programs. CROTEAU, R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82319:289-82319:303.

**-9501130194** Amends 171 & 165 to licenses DPR-31 & DPR-41, respectively, changing TS re surveillance requirements for inservice insp & training programs. MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 7pp. 82319:292-82319:298.

**-9501130196** Safety evaluation supporting amends 171 & 165 to licenses DPR-31 & DPR-41, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/11. 5pp. 82319:299-82319:303.

**9501180319** Discusses licensee 930804, 1228 & 941228 responses to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies." Responses acceptable. CROTEAU, R.P. Project Directorate II-2. 95/01/12. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82338:134-82338:135.



## 28 DOCKETED ITEMS

9501270171 Application for amends to licenses DPR-31 & DPR-41, revising TS 6.9.1.7, "COLR," re implementation of FPL nuclear physics methodology for calculations of COLR parameters. FPL Topical Rept NF-TR-95-01, "Nuclear Physics Methodology..." encl. PLUNKETT, T.F. Florida Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 13pp. 82552:203-82552:339.

-9501270177 Proposed tech specs 6.9.1.7, "COLR," including ref to Topical Rept NF-TR-95-01 re implementation of FPL nuclear physics methodology for calculations of COLR parameters.  
\* Florida Power & Light Co. 95/01/17. 4pp. 82552:216-82552:220.

-9501270179 "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."  
\* Florida Power & Light Co. NF-TR-95-01. 95/01/31. 119pp. 82552:221-82552:339.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501240247 Informs of 941006 SALP meeting w/util to discuss plant performance over past 19 months.  
EBNETER, S.D. Region 2 (Post 820201). 94/09/13. SERVAIF, L. Affiliation Not Assigned. 3pp. 82429:244-82429:246.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170073 Discusses 951220 telcon re arrangements for NRC to inspect licensed operator requalification program at plant schedule for 950130.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82314:183-82314:184.

9501130189 Forwards amendments 171 & 165 to licenses DPR-31 & DPR-41, respectively. Amends change TS re surveillance requirements for inservice insp & testing programs.  
CROTEAU, R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82319:289-82319:303.

-9501130194 Amends 171 & 165 to licenses DPR-31 & DPR-41, respectively, changing TS re surveillance requirements for inservice insp & training programs.  
MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 7pp. 82319:292-82319:298.

-9501130196 Safety evaluation supporting amends 171 & 165 to licenses DPR-31 & DPR-41, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/11. 5pp. 82319:299-82319:303.

9501240027 Forwards insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations identified.  
VERRELLI, D.M. Region 2 (Post 820201). 95/01/13. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82417:092-82417:126.

-9501240033 Insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations noted. Major areas inspected: plant operations, maint, surveillance observations, engineering, plant support, fire protection & housekeeping.  
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 95/01/13. 32pp. 82417:095-82417:126.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501030020 Forwards response to 10CFR50.46, "Acceptance Criteria for ECCS in Light Water Power Reactors," satisfying annual reporting requirements for util Turkey Point Units 3 & 4.  
PLUNKETT, T.F. Florida Power & Light Co. 94/12/15. Document Control Branch (Document Control Desk). 6pp. 82223:029-82223:034.

9501230297 Monthly operating repts for Dec 1994 for TPS Units 3 & 4. W/950113 ltr. KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/12/31. 9pp. 82497:122-82497:130.

### S. Reportable occurrences, LERs & related correspondence

9501310304 LER 94-006-00: on 941226, "C" main feedwater control valve failed closed, causing reactor & turbine trips. Caused by loose screw terminal connection. I/P transducers replaced w/ new model w/ different design wire connection. W/950120 ltr. KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 95/01/20. 4pp. 82575:165-82575:168.

### V. Operator Examinations

9501170073 Discusses 951220 telcon re arrangements for NRC to inspect licensed operator requalification program at plant schedule for 950130.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82314:183-82314:184.

### DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

### F. Security, medical, emergency & fire protection plans

9501240247 Informs of 941006 SALP meeting w/util to discuss plant performance over past 19 months.  
EBNETER, S.D. Region 2 (Post 820201). 94/09/13. SERVAIF, L. Affiliation Not Assigned. 3pp. 82429:244-82429:246.

9501170053 Page 3-16a to plant radiological emergency plan, rev 28. W/ forwarding ltr. PLUNKETT, T.F. Florida Power & Light Co. 95/01/04. 2pp. 82378:252-82378:253.

9501180128 Determines that 941031 revs 26 & 27 to Radiological Emergency Plan consistent w/provisions of 10CFR50.47(b) & acceptable.  
CLINE, W.E. Region 2 (Post 820201). 95/01/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82326:176-82326:178.

9501240027 Forwards insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations identified.  
VERRELLI, D.M. Region 2 (Post 820201). 95/01/13. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82417:092-82417:126.

-9501240033 Insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations noted. Major areas inspected: plant operations, maint, surveillance observations, engineering, plant support, fire protection & housekeeping.  
JOHNSON, T.P., LANDIS, K.D. Region 2 (Post 820201). 95/01/13. 32pp. 82417:095-82417:126.

9501310202 Advises that util will conduct an exercise of plant radiological emergency plan on 950322.  
PLUNKETT, T.F. Florida Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82562:354-82562:354.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### P. Operating license stage documents & correspondence

9501030064 Forwards amends 169 & 163 to licenses DPR-31 & DPR-41, respectively & SE. Amends consist of changes to TS re relocating diesel fuel oil testing program requirements to TS Section 6 & to bases section of TS.  
CROTEAU, R.P. Project Directorate II-2. 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82177:255-82177:278.

-9501030068 Amends 169 & 163 to licenses DPR-31 & DPR-41, respectively, relocating diesel fuel oil testing program requirements to TS Section 6 & to bases section of TS.  
MATTHEWS, D.B. Project Directorate II-2. 94/12/28. 15pp. 82177:258-82177:272.

-9501030069 Safety evaluation supporting amends 169 & 163 to licenses DPR-31 & DPR-41, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 6pp. 82177:273-82177:278.

9501050324 Advises that recommended current order timing mod, per GL 93-04, will be implemented during next refueling outage for Unit 3 scheduled to start in Sept 1995 & Unit 4 scheduled to start in Mar 1996.  
PLUNKETT, T.F. Florida Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82278:359-82278:360.

9501050349 Forwards amends 170 & 164 to licenses DPR-31 & DPR-41, respectively & SE. Amends change TS re removal of schedule for withdrawal of RV matl specimens from TS per GL 91-01.  
CROTEAU, R.P. Project Directorate II-2. 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82229:180-82229:197.

-9501050359 Amends 170 & 164 to licenses DPR-31 & DPR-41, respectively, changing TS re removal of schedule for withdrawal of RV matl specimens from TS as discussed in GL 91-01.  
MATTHEWS, D.B. Project Directorate II-2. 94/12/28. 11pp. 82229:183-82229:193.

-9501050363 Safety evaluation supporting amends 170 & 164 to licenses DPR-31 & DPR-41, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 4pp. 82229:194-82229:197.

9501170096 Summary of 941214 meeting w/util in Rockville, MD re design basis threat rule. List of attendees encl.  
CROTEAU, R.P. Project Directorate II-2. 95/01/09. Project Directorate II-2. 8pp. 82323:215-82323:222.

9501130189 Forwards amendments 171 & 165 to licenses DPR-31 & DPR-41, respectively. Amends change TS re surveillance requirements for inservice insp & testing programs.  
CROTEAU, R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82319:289-82319:303.

-9501130194 Amends 171 & 165 to licenses DPR-31 & DPR-41, respectively, changing TS re surveillance requirements for inservice insp & training programs.  
MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 7pp. 82319:292-82319:298.

-9501130196 Safety evaluation supporting amends 171 & 165 to licenses DPR-31 & DPR-41, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/11. 5pp. 82319:299-82319:303.

9501180319 Discusses licensee 930804, 1228 & 941228 responses to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies." Responses acceptable.  
CROTEAU, R.P. Project Directorate II-2. 95/01/12. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82338:134-82338:135.

9501270171 Application for amends to licenses DPR-31 & DPR-41, revising TS 6.9.1.7, "COLR," re implementation of FPL nuclear physics methodology for calculations of COLR parameters. FPL Topical Rept NF-TR-95-01, "Nuclear Physics Methodology..." encl.  
PLUNKETT, T.F. Florida Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 13pp. 82552:203-82552:339.

-9501270177 Proposed tech specs 6.9.1.7, "COLR," including ref to Topical Rept NF-TR-95-01 re implementation of FPL nuclear physics methodology for calculations of COLR parameters.  
\* Florida Power & Light Co. 95/01/17. 4pp. 82552:216-82552:220.

-9501270179 "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."  
\* Florida Power & Light Co. NF-TR-95-01. 95/01/31. 11pp. 82552:221-82552:339.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501240247 Informs of 941006 SALP meeting w/util to discuss plant performance over past 19 months.  
EBNETER, S.D. Region 2 (Post 820201). 94/09/13. SERVAIF, L. Affiliation Not Assigned. 3pp. 82429:244-82429:246.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170073 Discusses 951220 telcon re arrangements for NRC to inspect licensed operator requalification program at plant schedule for 950130.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82314:183-82314:184.

9501130189 Forwards amendments 171 & 165 to licenses DPR-31 & DPR-41, respectively. Amends change TS re surveillance requirements for inservice insp & testing programs.  
CROTEAU, R.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82319:289-82319:303.

-9501130194 Amends 171 & 165 to licenses DPR-31 & DPR-41, respectively, changing TS re surveillance requirements for inservice insp & training programs.  
MATTHEWS, D.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 7pp. 82319:292-82319:298.

-9501130196 Safety evaluation supporting amends 171 & 165 to licenses DPR-31 & DPR-41, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/11. 5pp. 82319:299-82319:303.

9501240027 Forwards insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations identified.  
VERRELLI, D.M. Region 2 (Post 820201). 95/01/13. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82417:092-82417:126.

-9501240033 Insp repts 50-250/94-24 & 50-251/94-24 on 941127-1231. No violations noted. Major areas inspected: plant operations, maint, surveillance observations, engineering, plant support, fire protection & housekeeping.  
JOHNSON, T.P., DESAI, B.B., TROCINE, L. Region 2 (Post 820201). 95/01/13. 32pp. 82417:095-82417:126.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501030020 Forwards response to 10CFR50.46, "Acceptance Criteria for ECCS in Light Water Power Reactors," satisfying annual reporting requirements for util Turkey Point Units 3 & 4.  
PLUNKETT, T.F. Florida Power & Light Co. 94/12/15. Document Control Branch (Document Control Desk). 6pp. 82223:029-82223:034.

9501230297 Monthly operating repts for Dec 1994 for TPS Units 3 & 4. W/950113 ltr. KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 94/12/31. 9pp. 82497:122-82497:130.

#### V. Operator Examinations

9501170073 Discusses 951220 telcon re arrangements for NRC to inspect licensed operator requalification program at plant schedule for 950130.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 82314:183-82314:184.

#### DOCKET 50-252 UNIV. OF NEW MEXICO RESEARCH REACTOR

#### F. Security, medical, emergency & fire protection plans

9501110439 Requests addl info to continue review of 940701 submittal of rev to emergency plan for AGN-201M reactor at Univ of New Mexico.  
MENDONCA, M.M. Non-Power Reactor & Decommissioning Project Directorate. 94/12/23. BUSCH, R.D. New Mexico, Univ. of, Albuquerque, NM. 3pp. 82297:253-82297:255.

#### DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C, 7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.



## 30 DOCKETED ITEMS

- 9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

- 9501060227 FOIA request for further correspondence & repts re repts TAC-M82693, M81264 & M81265, related to ECCS room coolers at facilities.  
WILLIAMS, O.G. 94/02/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82278:001-82278:001.
- 9501060232 Responds to FOIA request for documents. Forwards app A records being made available in PDR. Response is partial response.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. WILLIAMS, O.G. 2pp. 82278:002-82278:315.
- 9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/ requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.
- 9501100271 Forwards notice of transfer of control for license for plants. Notice re 941121 request to transfer control of 25% of plants ownership, per 10CFR50.80, to Mid-American Energy Company.  
PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. SHELTON, S.E. Iowa-Illinois Gas & Electric. 3pp. 82282:253-82282:258.
- 9501100280 Notice of transfer of control of 25% of licenses DPR-29 & DPR-30, from IA-IL Gas & Electric Company to Mid-American Energy Company.  
CAPRA, R.A. Project Directorate III-2. 95/01/04. 3pp. 82282:256-82282:258.
- 9501180317 Responds to 940111 request for relief for residual heat removal svc water sys for plant, as supplemented on 940523. Code relief no longer required.  
PULSIFER, R.M. Project Directorate III-2. 95/01/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82338:141-82338:143.

- 9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

- 9501310013 Forwards mod design documents & core shroud insp plan info in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."  
SCHRAGE, J.L. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82576:116-82576:199.

- 9501310016 "Shroud Stabilizer Hardware."  
FORTIN, A. General Electric Co. 25A5668 R02. 95/01/07. 13pp. 82576:129-82576:141.

- 9501310018 "Reactor Pressure Vessel."  
FORTIN, A. General Electric Co. 25A5669 R02. 95/01/07. 10pp. 82576:142-82576:150.

- 9501310021 "Fabrication of Shroud Stabilizer."  
FORTIN, A. General Electric Co. 25A5670 R02. 95/01/06. 13pp. 82576:151-82576:163.

- 9501310023 "Shroud Stabilizer."  
POTTER, M.D. General Electric Co. 25A5615 R00. 95/01/07. 15pp. 82576:164-82576:178.

- 9501310026 "Quad Cities Units 1 & 2 Shroud Repair Seismic Analysis."  
TSAI, N.C., SCHRAGE, M.R., KING, L.W. General Electric Co. GENE-771-71-1094 R01. 95/01/05. 20pp. 82576:179-82576:199.

- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

- 9501310463 Transmits correction of typos, including correction of typo in Encl 3 of 941206 submittal of Topical Rept NEDO-32205-A, "Equivalent Margin Analysis - Plant Applicability Verification Form - Quad Cities Station," per GL 92-01.  
SCHRAGE, J.L. Commonwealth Edison Co. 95/01/25. Document Control Branch (Document Control Desk). 3pp. 82582:210-82582:214.

- 9501310464 Correction to Encl 3, "Equivalent Margin Analysis Plant Applicability Verification Form" of topical rept NEDO-32205-A, Rev 1.  
General Electric Co. NEDO-32205-A R01. 95/01/25. 2pp. 82582:213-82582:214.

- 9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. CANTRELL, J.D. IES Utilities Inc. (formerly Iowa Electric Light & Power Co). GIPSON, D.R. Detroit Edison Co. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
FAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

- 9501050333 Forwards response to 941129 ltr re violations noted in insp repts 50-254/94-20 & 50-265/94-20. Corrective actions: unit 1 RHR sys vibration data was collected on 941103, during performance of quarterly operability surveillance for sys.  
KRAFT, E.S. Commonwealth Edison Co. 94/12/29. Document Control Branch (Document Control Desk). 14pp. 82236:340-82236:353.

- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

- 9501120055 Ack actions taken in response to CAL dtd 940726, re Quad Cities foreign mats identified in Unit 1 residual heat removal sys on 940714 & 25.CAL RIII-94-006, considered closed.  
MARTIN, J.B. Region 3 (Post 820201). 95/01/05. WALLACE, M.J. Commonwealth Edison Co. 1p. 82279:300-82279:300.

- 9501190052 Forwards insp repts 50-254/94-28 & 50-265/94-28 on 941111-1215. No violations noted.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/09. KRAFT, E. Commonwealth Edison Co. 2pp. 82335:222-82335:236.

- 9501190059 Insp repts 50-254/94-28 & 50-265/94-28 on 941111-1215. No violations noted. Major areas inspected: operational safety verification, monthly maint observation, monthly surveillance observations & engineering & technical support.  
HILAND, P. Region 3 (Post 820201). 95/01/06. 13pp. 82335:224-82335:236.

- 9501240398 Responds to 941214 ltr re violations noted in Insp Repts 50-254/94-17 & 50-265/94-17 & proposed imposition of civil penalty. Corrective actions: problem w/ rod corrected & maint procedure reviewed for enhancement & rev.  
KRAFT, E.S. Commonwealth Edison Co. 95/01/13. Ofc of Enforcement (Post 870413). 9pp. 82513:078-82513:086.

- 9501310013 Forwards mod design documents & core shroud insp plan info in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."  
SCHRAGE, J.L. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82576:116-82576:199.

- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

- 9501240065 Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-20 & 50-265/94-20.  
SHAFER, W.D. Region 3 (Post 820201). 95/01/18. KRAFT, E. Commonwealth Edison Co. 2pp. 82419:253-82419:269.

- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mat Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

- 9501130072 Forwards listing of facility & procedure changes, tests & experiments requiring safety evaluations completed during month of Nov 1994 for Quad-Cities Station Units 1 & 2.  
AITKEN, P.C. Commonwealth Edison Co. 94/12/22. Document Control Branch (Document Control Desk). 44pp. 82361:301-82361:344.

- 9501240183 Monthly operating repts for Dec 1994 for Quad Cities Units 1 & 2/W/950109 ltr.  
MOORE, K., AITKEN, P.C. Commonwealth Edison Co. 94/12/31. 20pp. 82504:339-82504:358.

### S. Reportable occurrences, LERs & related correspondence

- 9501060012 Forwards LER 94-016, Rev 0 for plant. Licensee commitments listed.  
PEARCE, L.W. Commonwealth Edison Co. 94/12/22. Document Control Branch (Document Control Desk). 2pp. 82287:066-82287:074.

- 9501060019 LER 94-016-00: on 941116, while repairing 1/2 EDG CW pump bedplate, hanger [H] 1052-M-303 noted as being unloaded. Cause unknown. Rod hanger re-adjusted, units 1 & 2 EDG CW pumps reviewed & rev of applicable procedures made.  
MELTON, M. Commonwealth Edison Co. 94/12/21. 7pp. 82287:068-82287:074.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utis affected by notification informed. Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

9501180103 Informs that K B Griffith was removed from license duty on 950109, therefore, requests termination of license SOP-31205. PEARCE, L.W. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 1p. 82366:332-82366:332.

#### DOCKET 50-255 PALISADES NUCLEAR PLANT

#### F. Security, medical, emergency & fire protection plans

9501170140 Revised EIPs including rev 5 to EOF-1, rev 6 to EOF-3, rev 7 to EOF-4, rev 5 to EOF-5, rev 6 to EOF-6, rev 7 to EOF-7 & rev 3 to EOF-8.  
\* Consumers Power Co. 94/12/07. 42pp. 82358:306-82358:348.

9501030146 Rev 10 to EOF Procedure EOF-2, "EOF Director."  
MITCHELL, M.H., LENRAD, K.L. Consumers Power Co. 94/12/14. 10pp. 82223:170-82223:179.

9501030190 Forwards safety insp 50-255/94-18 on 941013-1202. Violation noted but not cited.  
KROPP, W.J. Region 3 (Post 820201). 94/12/14. PALMISANO, T. Consumers Power Co. 4pp. 82173:211-82173:236.

-9501030193 Insp rept 50-255/94-18 on 941013-1202. No violations noted. Major areas inspected: operational safety verification, material condition, housekeeping & plant cleanliness, radiological controls & security.  
KROPP, W.J. Region 3 (Post 820201). 94/12/14. 20pp. 82173:215-82173:236.

9501050178 Editorial change to Rev 5 to EOF Procedure REC-1, "Recovery."  
MITCHELL, M.H., PENROD, K.L. Consumers Power Co. 94/12/14. 17pp. 82220:344-82220:360.

9501050192 Rev 13 to EOF Procedure GEN-1, "Overview."  
MITCHELL, M.H. Consumers Power Co. 94/12/14. 11pp. 82222:321-82222:331.

9501050157 Requests that concerns be reviewed by someone independent from security organization, as noted in encl. NRC concerned that chilling effect on contractor personnel may have also occurred.  
CANIANO, R.J. Region 3 (Post 820201). 94/12/21. PALMISANO, T. Consumers Power Co. 2pp. 82178:179-82178:180.

9501030148 Rev 10 to EOF Procedure GEN-3, "On-Shift Sys Power Controller."  
MITCHELL, M.H., PETERSON, D.L. Consumers Power Co. 94/12/23. 7pp. 82223:180-82223:186.

9501050115 Ack receipt of 940421 ltr which transmitted changes identified as Rev 6 to plant contingency plan submitted under provisions of 10CFR50.54(p). Changes acceptable.  
CANIANO, R.J. Region 3 (Post 820201). 94/12/28. ROGERS, D.W. Consumers Power Co. 2pp. 82178:095-82178:096.

9501090300 Responds to NRC Staff requests for info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & informs that indictment of Thermal Science, Inc re alleged false statements & concealment of facts does not alter decision per 940923 ltr.  
ZIMMERMAN, R.P. Division of Reactor Projects - I/II (Post 870411). 94/12/29. HAAS, K.M. Consumers Power Co. 7pp. 82260:348-82260:354.

9501100173 Rev 4 to Procedure Section 1, "Introduction."  
WYMER, S.F. Consumers Power Co. 95/01/03. 8pp. 82294:062-82294:070.

9501100176 Rev 11 to Procedure Section 5, "Organization Control of Emergencies."  
WYMER, S.F. Consumers Power Co. 95/01/03. 23pp. 82294:071-82294:083.

9501100183 Rev 5 to Procedure Section 3, "Site Emergency Plan Summary."  
WYMER, S.F. Consumers Power Co. 95/01/03. 9pp. 82294:001-82294:009.

9501100193 Rev 5 to Procedure EI-6.10, "Offsite Dose Calculation- Straight Line Gaussian (Manual Method)."  
WYMER, S.F. Consumers Power Co. 95/01/03. 12pp. 82294:010-82294:021.

9501100194 Rev 10 to Procedure EI-4.2, "Operational Support Ctr Activation."  
WYMER, S.F. Consumers Power Co. 95/01/03. 26pp. 82294:094-82294:118.

9501100199 Rev 8 to Procedure EI-10, "Accident Environ Assessment."  
WYMER, S.F. Consumers Power Co. 95/01/03. 35pp. 82294:119-82294:154.

9501100203 Rev 10 to Procedure Section 8, "Maintaining Emergency Preparedness."  
WYMER, S.F. Consumers Power Co. 95/01/03. 14pp. 82294:155-82294:169.

9501100206 Rev 7 to Procedure Section 7, "Emergency Facilities & Equipment."  
WYMER, S.F. Consumers Power Co. 95/01/03. 17pp. 82294:170-82294:186.

9501100179 Rev 7 to Procedure EI-4.3, "Emergency Operations Facility Activation."  
WYMER, S.F. Consumers Power Co. 95/01/04. 9pp. 82293:347-82293:356.

9501110095 Informs that rev 7 to plant safeguards contingency plan consistent w/provisions of 10CFR50.54 & acceptable.  
CANIANO, R.J. Region 3 (Post 820201). 95/01/04. HAAS, K.M. Consumers Power Co. 2pp. 82271:044-82271:045.

9501120086 Rev 22 to EPIP EI-1, "Activation of Site Emergency Plan/ Emergency Classification."  
\* Consumers Power Co. 95/01/04. 48pp. 82331:066-82331:114.

9501120088 Rev 3 to EPIP Section 2, "Scope & Applicability."  
\* Consumers Power Co. 95/01/05. 11pp. 82331:115-82331:125.

9501120092 Rev 7 to EPIP Section 6, "Emergency Measures."  
\* Consumers Power Co. 95/01/05. 26pp. 82331:126-82331:151.

9501120093 Rev 16 to EPIP Section 4, "Emergency Conditions."  
\* Consumers Power Co. 95/01/05. 46pp. 82331:152-82331:199.

9501120097 Rev 7 to EPIP EI-4.1, "Technical Support Ctr Activation."  
\* Consumers Power Co. 95/01/05. 16pp. 82331:285-82331:300.

9501170137 Rev 13 to Emergency Implementing Procedure EI-3, "Communications & Notifications."  
WYMER, S.F. Consumers Power Co. 95/01/08. 15pp. 82393:017-82393:031.

9501090050 Rev 62 to EOF procedures index.  
\* Consumers Power Co. 95/01/09. 2pp. 82289:295-82289:296.

9501090054 Rev 43 to EOF Appendix G, "Emergency Telephone Numbers" of EOF procedures.  
\* Consumers Power Co. 95/01/09. 8pp. 82289:297-82289:304.

9501170131 Rev 6 to Emergency Implementing Procedure-EOF Info Locate, "EOF Emergency Operations Facility Proprietary Info Locators."  
\* Consumers Power Co. 95/01/17. 2pp. 82378:263-82378:264.

9501240353 Forwards insp rept 50-255/94-21 on 941203-950106. One non-cited violation noted.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/18. FENECH, R.A. Consumers Power Co. 5pp. 82431:219-82431:251.

-9501240359 Insp rept 50-255/94-21 on 941223-950106. One non-cited violation noted. Major areas inspected: operational safety verification, engineered safety featured sys, onsite event followup, matl condition, plant cleanliness & security.  
KROPP, W.J. Region 3 (Post 820201). 95/01/13. 28pp. 82431:224-82431:251.

9501250080 Rev 18 to Emergency Implementing Procedure EI-2.1, "Emergency Actions/Notifications/Responsibilities."  
WYMER, S.L., BROTT, N.K., THIELMANN, J.R. Consumers Power Co. 95/01/18. 10pp. 82515:066-82515:076.

9501310186 Responds to NRC RAI re GL 92-08, issued per 10CFR50.54(F), re thermo-lag 330-1 fire barriers.  
HAAS, K.M. Consumers Power Co. 95/01/24. Document Control Branch (Document Control Desk). 7pp. 82560:342-82560:348.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9501040187 Forwards rev 17 to "Final Safety Analysis Rept Update for Palisades Plant."  
FENECH, R.A. Consumers Power Co. 94/12/22. Document Control Branch (Document Control Desk). 11pp. 82263:001-82264:285.

-9501040188 Rev 17 to "Final Safety Analysis Rept Update."  
\* Consumers Power Co. 94/12/13. 1,000pp. 82263:012-82264:285.

#### P. Operating license stage documents & correspondence

9501050097 Ack receipt of 940525 ltr, which transmitted changes identified as rev 13 to 10CFR50.54(p), training & qualification plan submitted under provisions of 10CFR50.54(p). Changes acceptable.  
CANIANO, R.J. Region 3 (Post 820201). 94/12/23. ROGERS, D.W. Consumers Power Co. 4pp. 82179:032-82179:035.

9501050020 Forwards rev 1 of util 941214 response to NRC RAI, dtd 941130, re 10CFR50.61 screening criterion.  
FRENCH, R.A. Consumers Power Co. 94/12/28. Document Control Branch (Document Control Desk). 150pp. 82259:001-82259:150.

9501050121 Application for amend to license DPR-20, revising TSs re iodine removal sys.  
HAAS, K.M. Consumers Power Co. 94/12/29. Document Control Branch (Document Control Desk). 8pp. 82220:039-82220:343.

-9501050125 Proposed tech specs re iodine removal sys.  
\* Consumers Power Co. 94/12/29. 297pp. 82220:047-82220:343.

9501090300 Responds to NRC Staff requests for info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & informs that indictment of Thermal Science, Inc re alleged false statements & concealment of facts does not alter decision per 940923 ltr.  
ZIMMERMAN, R.P. Division of Reactor Projects - I/II (Post 870411). 94/12/29. HAAS, K.M. Consumers Power Co. 7pp. 82260:348-82260:354.

## 32 DOCKETED ITEMS

9501120089 Forwards SE accepting 920110 submittal requesting permission for continued operation of plant until beginning of FC 12 & provided JCO.  
GAMBERONI,M. Project Directorate III-1. 95/01/09. HAAS,K.M. Consumers Power Co. 3pp. 82310:313-82310:319.

-9501120099 SE accepting 920110 submittal requesting permission for continued operation at plant until beginning of FC 12 & provided JCO.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 4pp. 82310:316-82310:319.

9501120209 Requests addl info for clarification to complete review on compliance w/ 10CFR61, "Screening Criteria."  
GAMBERONI,M. Project Directorate III-1. 95/01/09. HAAS,K.M. Consumers Power Co. 3pp. 82305:022-82305:024.

9501130066 Responds to ltr,dtd 941031, re need for administrative correction to plant TS.Forwards corrected TS pp 3-1c & 3-2 re issuance of amend 137.  
GAMBERONI,M.K. Project Directorate III-1. 95/01/10. HAAS,K.M. Consumers Power Co. 3pp. 82319:173-82319:177.

-9501130079 Corrected TS pp 3-1c & 3-2 to amend 137 to license DPR-20, reflecting changes made to TS by amend 134,dtd 910125.  
\* Project Directorate III-1. 95/01/10. 2pp. 82319:176-82319:177.

9501240403 Forwards rev 3 to Palisades engineering analysis EA-RDS-94-02, "Evaluation of Palisades Current PTS Screening Criteria Margin."  
FENECH,R.A. Consumers Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82457:001-82457:025.

-9501250105 Rev 3 to "Evaluation of Palisades Current PTS Screening Criteria Margin."  
\* Consumers Power Co. EA-RDS-94-02 R03. 95/01/05. 23pp. 82457:003-82457:025.

9501300185 Tech Specs Change Request to license DPR-20 addressing required settings & allowable "as found" & "as left" tolerances for primary & secondary safety valves.  
HAAS,K.M. Consumers Power Co. 95/01/13. Document Control Branch (Document Control Desk). 12pp. 82587:063-82587:107.

-9501300187 Proposed tech specs addressing required settings & allowable "as found" & "as left" tolerances for primary & secondary safety valves.  
\* Consumers Power Co. 95/01/13. 9pp. 82587:075-82587:084.

-9502010248 Non-Proprietary "Palisades Loss Of Load Analysis."  
COLE,S.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-93-086(NP). 94/10/19. 22pp. 82587:085-82587:107.

9501240400 Discusses licensee 941228 ltr which responded to NRC 941130 RAI re plant reactor vessel & 10CFR50.61 screening criterion.Response to NRC 950109 RAI encl.  
FENECH,R.A. Consumers Power Co. 95/01/16. Document Control Branch (Document Control Desk). 26pp. 82431:157-82431:182.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300210 Forwards Rev 1 to Calculation EA-RDS-94-02, "Evaluation of Palisades Current PTS Screening Criteria Margin."  
HAAS,K.M. Consumers Power Co. 95/01/23. Document Control Branch (Document Control Desk). 8pp. 82555:247-82555:332.

-9501300212 Rev 1 to Calculation EA-RDS-94-02, "Evaluation of Palisades Current PTS Screening Criteria Margin."  
\* Consumers Power Co. 94/11/08. 78pp. 82555:255-82555:332.

9501310186 Responds to NRC RAI re GL 92-08,issued per 10CFR50.54(F),re thermo-lag 330-1 fire barriers.  
HAAS,K.M. Consumers Power Co. 95/01/24. Document Control Branch (Document Control Desk). 7pp. 82560:342-82560:348.

9501310098 Informs that requested schedule extension to one month after 1995 outage,acceptable.  
GAMBERONI,M. Office of Nuclear Reactor Regulation (Post 941001). 95/01/26. HAAS,K.M. Consumers Power Co. 3pp. 82561:295-82561:297.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. SHELTON,D.C., SIMPKINS,R.A. Centerion Energy. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9501030190 Forwards safety insp 50-255/94-18 on 941013-1202.Violation noted but not cited.  
KROPP,W.J. Region 3 (Post 820201). 94/12/14. PALMISANO,T. Consumers Power Co. 4pp. 82173:211-82173:236.

-9501030193 Insp rept 50-255/94-18 on 941013-1202.No violations noted. Major areas inspected:operational safety verification, material condition,housekeeping & plant cleanliness, radiological controls & security.  
KROPP,W.J. Region 3 (Post 820201). 94/12/14. 20pp. 82173:215-82173:236.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501130242 Remits check in stated amount for payment of civil penalty re inability of EDGs to supply max design basis accident electrical loads,per NRC 941213 ltr transmitting insp rept 50-255/94-17.Reply to NOV will be submitted by 950112.  
HAAS,K.M. Consumers Power Co. 95/01/06. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 82366:172-82366:173.

9501240406 Responds to NRC 941027 ltr re violations noted in insp rept 50-255/94-17.Corrective actions:monthly TS tests revised to perform peak load testing every Jan & at other times as requested by sys engineer.  
HAAS,K.M. Consumers Power Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82432:031-82432:040.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240353 Forwards insp rept 50-255/94-21 on 941203-950106.One non-cited violation noted.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/18. FENECH,R.A. Consumers Power Co. 5pp. 82431:219-82431:251.

-9501240359 Insp rept 50-255/94-21 on 941223-950106.One non-cited violation noted.Major areas inspected:operational safety verification,engineered safety featured sys,onsite event followup,matl condition,plant cleanliness & security.  
KROPP,W.J. Region 3 (Post 820201). 95/01/13. 28pp. 82431:224-82431:251.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200292 Monthly operating rept for Dec 1994 for Palisades Nuclear Plant.W/950106 ltr.  
BERLES,B.W., WILLIAMS,A.L. Consumers Power Co. 94/12/31. 5pp. 82478:101-82478:105.

### S. Reportable occurrences, LERs & related correspondence

9501050241 LER 94-004-01:on 940209,ESS pump cooling failed. Caused by failure to recognize that ESS pumps dependent on seal & bearing cooling.Revised plant operating procedures so normal position for CV-0913 & CV-0950 open.W/941228 ltr.  
ROBERTS,W.L., HAAS,K.M. Consumers Power Co. 94/12/28. 6pp. 82258:115-82258:120.

9501090239 Informs that on 941201,radiological gaseous effluent monitor declared inoperable & not restored to operable status within seven days per ODCM,App A.Sample flow valve control gears badly worn.Replacement gears installed.  
VINCENT,R.A. Consumers Power Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82302:299-82302:300.

9501130265 LER 94-020-00:on 941207,inadvertent actuation of AFW flow occurred during performance of TS surveillance testing because of failed electrical relay.Administrative Procedure 4.02, "Control of Equipment" will be revised.W/950106 ltr.  
GIRE,P.J., HAAS,K.M. Consumers Power Co. 95/01/06. 10pp. 82392:001-82392:010.

9501250114 LER 94-012-01:on 940427,w/plant in cold shutdown,determined that internal ground in thermal margin monitor caused nonconformance w/RPS design basis.Mod implemented to effectively isolate grounded monitor from pressure loop.  
ROBERTS,W.L., HAAS,K.M. Consumers Power Co. 95/01/17. 10pp. 82464:173-82464:182.

### Y. Dry Cask Independent Spent Fuel Storage Installations

9501040267 Registers initial use on 941221,of Pacific Sierra Nuclear Ventilated Storage Cask (VSC) Model VSC-24,Number CVCC-24-005 by providing listed info.  
HAAS,K.M. Consumers Power Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82276:223-82276:224.

9501050336 Discusses adequacy of existing cask unloading procedure.  
HAAS,K.M. Consumers Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82247:337-82247:339.

9501100300 Responds to 941106 ltr re dry cask storage at plant. Informs of intent to hold public meeting near plant to discuss unloading procedures w/interested members of public before making any decisions re adequacy of unloading procedures.  
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. SINCLAIR, M.P. Affiliation Not Assigned. 4pp. 82282:299-82282:302.

#### DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr.  
SANFORD, M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501110068 Discusses proposed revisions to plant emergency plans submitted on 940520. Changes involve figure A-1 & B-1, "Site Emergency Organization & TSC EP."  
CLINE, W.E. Region 2 (Post 820201). 95/01/04. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 82272:179-82272:183.

9501110341 Forwards response to violation noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door. Encl withheld.  
MACHON, R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

9501120116 Informs that reasonable assurance exists that cable PP453-II & other non-safety related cables will be able to perform their intended functions during App R, SBO & anticipated transients w/o scram events. SE approving use of cables encl.  
WILLIAMS, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

-9501120121 Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R, SBO & anticipated transients w/o scram events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

9501250415 Forwards insp repts 50-259/94-34, 50-260/94-34 & 50-296/94-34 on 941214-16. No violations or deviations noted. Rept details withheld per 10CFR73.21.  
COLLINS, D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

-9501250420 Insp repts 50-259/94-34, 50-260/94-34 & 50-296/94-34 on 941214-16. No violations or deviations noted. Major areas inspected: security plans & procedures, alarm stations, assessment aids & protected area alarms. Details withheld.  
MASNYK, O.M. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation material, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

##### P. Operating license stage documents & correspondence

9501050419 Informs NRC that TVA modified BFN training programs to make programs consistent w/ or more conservative than interim BWROG guidelines, in response to GL 94-02. TVA also modified BFN Unit 2 operating procedures.  
SALAS, P. Tennessee Valley Authority. 94/12/22. Document Control Branch (Document Control Desk). 2pp. 82247:330-82247:331.

9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop constr of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT, W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.

9501100242 Application for amends to licenses DPR-33, DPR-52 & DPR-68, proposing changes to TS, by revising applicability & SR for IRM, APRM high flux (15% scram) & APRM inoperative trip functions.  
SALAS, P. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 16pp. 82294:220-82294:285.

-9501100253 Proposed tech specs revising applicability & SR for IRM, APRM high flux (15% scram) & APRM inoperative trip functions.  
\* Tennessee Valley Authority. 95/01/04. 48pp. 82294:237-82294:285.

9501110366 Forwards Safety Evaluation re containment isolation configuration to be used for util.  
WILLIAMS, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82302:029-82302:035.

-9501110369 Safety evaluation re NUREG-0737 item II.E.4.2 containment isolation design. Design acceptable.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/06. 6pp. 82302:030-82302:035.

9501120116 Informs that reasonable assurance exists that cable PP453-II & other non-safety related cables will be able to perform their intended functions during App R, SBO & anticipated transients w/o scram events. SE approving use of cables encl.  
WILLIAMS, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

-9501120121 Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R, SBO & anticipated transients w/o scram events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

9501240122 Ack receipt of util 941115 ltr requesting changes to nuclear QA program plan, informs that NRC still reviewing proposed changes & that util will be notified upon completion of review.  
GIBSON, A.F. Region 2 (Post 820201). 95/01/12. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 82420:105-82420:108.

9501230107 Forwards SE which finds schedule for insp of Unit 1 core shroud, acceptable. GL 94-03 requests that licensee take listed actions w/respect to core shrouds.  
WILLIAMS, J.F. 95/01/13. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

-9501230109 SER accepting schedule for insp of Unit 1 core shroud.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

9501260188 Forwards request for addl info to complete evaluation of util 940330 amend request re Agastat relays used in analog transmitter/trip sys.  
WILLIAMS, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 82508:087-82508:093.

9501260267 Provides updated schedule for submittal of BFN expanded (multi-unit) PRA & portions of IPEEE, per GL 88-20.  
SALAS, P. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 12pp. 82523:153-82523:164.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### Q. Inspection reports, IE Bulletins & correspondence

9501050262 Forwards response to NRC 941129 ltr re violations noted in insp repts 50-259/94-26, 50-260/94-26 & 50-296/94-26. Corrective actions: review of previous valid EDG failures was performed to determine other failures had been documented.  
MACHON, R.D. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 4pp. 82229:254-82229:257.

9501110140 Forwards insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation.  
PEEBLES, T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

-9501110156 Notice of violation from insp on 941114-18 & 941128-1202. Violations noted: licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f).  
\* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

-9501110166 Insp repts 50-259/94-11, 50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202. Violations noted. Major areas inspected: licensed operator requalification program during 941114-1202.  
HOPPER, G.T., LAWYER, L.L. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501110341 Forwards response to violation noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door. Encl withheld.  
MACHON, R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

9501100164 Forwards response to NRC 941207 ltr re violations noted in insp repts 50-259/94-27, 50-260/94-27 & 50-296/94-27. Corrective actions: util issued site bulletin on issue to heighten personnel awareness as need to better control FME.  
MACHON, R.D. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 13pp. 82293:231-82293:243.

9501170025 Forwards insp repts 50-259/94-29, 50-260/94-29 & 50-296/94-29 on 941101-1209. No violations noted.  
CASTO, C.A. Region 2 (Post 820201). 95/01/06. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82314:026-82314:051.

-9501170035 Insp repts 50-259/94-29, 50-260/94-29 & 50-296/94-29 on 941101-04, 941114-18 & 941205-09. No violations noted. Major areas inspected: review of design control procedures, audits of pipe support calculations & action on previous insp.  
LENAHAN, J.J., CHOU, R.C., CASTO, C.A. Region 2 (Post 820201). 95/01/06. 23pp. 82314:029-82314:051.

## 34 DOCKETED ITEMS

9501240096 Forwards insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted.  
LESSER,M.S. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82419:338-82419:362.

-9501240102 Insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted.Major areas inspected:three events involving shutdown cooling,operations,surveillance testing,maint activities & review of open items.  
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/01/11. 22pp. 82419:341-82419:362.

9501250415 Forwards insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Rept details withheld per 10CFR73.21.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

-9501250420 Insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Major areas inspected:security plans & procedures,alarm stations, assessment aids & protected area alarms.Details withheld.  
MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

9501230107 Forwards SE which finds schedule for insp of Unit 1 core shroud,acceptable.GL 94-03 requests that licensee take listed actions w/respect to core shrouds.  
WILLIAMS,J.F. 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

-9501230109 SER accepting schedule for insp of Unit 1 core shroud.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

9501240054 Forwards insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.  
CLINE,W.E. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:334-82417:347.

-9501240058 Insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.Major areas inspected:chemistry,environment monitoring,radwaste disposal & preparations for Unit 3 startup.  
JONES,D.W., SHORTRIDGE,R.B., DECKER,T.R. Region 2 (Post 820201). 95/01/13. 11pp. 82417:337-82417:347.

9501240407 Ack receipt of 950105 ltr informing of steps taken to correct violations noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82432:041-82432:043.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240316 Forwards insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82437:318-82437:337.

-9501240319 Insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.Major areas inspected: DBVP,design changes & plant mods.  
WISEMAN,G., CASTO,C. Region 2 (Post 820201). 95/01/13. 17pp. 82437:321-82437:337.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240250 Ack receipt of 941223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-26, 50-260/94-26 & 50-296/94-26.  
CASTO,C.A. Region 2 (Post 820201). 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82429:250-82429:252.

9501240366 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-27, 50-260/94-27 & 50-328/94-27.  
LESSER,M.S. Region 2 (Post 820201). 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82432:020-82432:022.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501260376 Responses to 941223 ltr re violation noted in Insp Repts 50-259/94-11,50-260/94-11 & 50-296/94-11.Corrective actions: affected individuals assigned to on-shift duties.  
MACHON,R.D. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82519:282-82519:287.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200183 Monthly operating repts for Dec 1994 for BFNPP. W/950113 ltr.  
SMITH,T.R., SHRIVER,T.D. Tennessee Valley Authority. 94/12/31. 13pp. 82472:297-82472:309.

### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed.Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utils affected by notification informed.Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501310429 Part 21 rept re potential for failure of 3300 MFD capacitors.Nutherm recommended utils inspect installed capacitors.  
STARR,F. Thermo Electron Corp. 95/01/23. Document Control Branch (Document Control Desk). 6pp. 82575:351-82575:356.

### V. Operator Examinations

9501110140 Forwards insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation.  
PEEBLES,T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

-9501110156 Notice of violation from insp on 941114-18 & 941128-1202. Violations noted:licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f).  
\* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

-9501110166 Insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202.Violations noted.Major areas inspected:licensed operator requalification program during 941114-1202.  
HOPPER,G.T. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

### DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9,W/941227 ltr.  
SANFORD,M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501110068 Discusses proposed revisions to plant emergency plans submitted on 940520.Changes involve figure A-1 & B-1, "Site Emergency Organization & TSC EP."  
CLINE,W.E. Region 2 (Post 820201). 95/01/04. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82272:179-82272:183.

9501110341 Forwards response to violation noted in insp repts 50-259/94-30,50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door.Encl withheld.  
MACHON,R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

9501120116 Informs that reasonable assurance exists that cable PP453-II & other non-safety related cables will be able to perform their intended functions during App R,SBO & anticipated transients w/o scram events.SE approving use of cables encl.  
WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

-9501120121 Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R,SBO & anticipated transients w/o scram events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

9501250415 Forwards insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Rept details withheld per 10CFR73.21.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

-9501250420 Insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Major areas inspected:security plans & procedures,alarm stations, assessment aids & protected area alarms.Details withheld.  
MASNYK,O.M. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

**9501050419** Informs NRC that TVA modified BFN training programs to make programs consistent w/or more conservative than interim BWROG guidelines,in response to GL 94-02.TVA also modified BFN Unit 2 operating procedures.  
SALAS,P. Tennessee Valley Authority. 94/12/22. Document Control Branch (Document Control Desk). 2pp. 82247:330-82247:331.

**9501200342** Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.

**9501100242** Application for amends to licenses DPR-33,DPR-52 & DPR-68, proposing changes to TS,by revising applicability & SR for IRM,APRM high flux (15% scram) & APRM inoperative trip functions.  
SALAS,P. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 16pp. 82294:220-82294:285.

**-9501100253** Proposed tech specs revising applicability & SR for IRM,APRM high flux (15% scram) & APRM inoperative trip functions.  
\* Tennessee Valley Authority. 95/01/04. 48pp. 82294:237-82294:285.

**9501120116** Informs that reasonable assurance exists that cable PP453-II & other non-safety related cables will be able to perform their intended functions during App R,SBO & anticipated transients w/o scram events.SE approving use of cables encl.  
WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09.  
KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

**-9501120121** Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R,SBO & anticipated transients w/o scram events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

**9501190259** Notifies that committed programmatic actions to address GL 89-10 guidance implemented for BFN Unit 2.  
SALAS,P. Tennessee Valley Authority. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82456:340-82456:342.

**9501240122** Ack receipt of util 941115 ltr requesting changes to nuclear QA program plan,informs that NRC still reviewing proposed changes & that util will be notified upon completion of review.  
GIBSON,A.F. Region 2 (Post 820201). 95/01/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82420:105-82420:108.

**9501230107** Forwards SE which finds schedule for insp of Unit 1 core shroud,acceptable.GL 94-03 requests that licensee take listed actions w/respect to core shrouds.  
WILLIAMS,J.F. . 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

**-9501230109** SER accepting schedule for insp of Unit 1 core shroud.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

**9501260188** Forwards request for addl info to complete evaluation of util 940330 amend request re Agastat relays used in analog transmitter/trip sys.  
WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19.  
KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 82508:087-82508:093.

**9501260267** Provides updated schedule for submittal of BFN expanded (multi-unit) PRA & portions of IPEEE,per GL 88-20.  
SALAS,P. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 12pp. 82523:153-82523:164.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501050262** Forwards response to NRC 941129 ltr re violations noted in insp repts 50-259/94-26,50-260/94-26 & 50-296/94-26. Corrective actions:review of previous valid EDG failures was performed to determine other failures had been documented.  
MACHON,R.D. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 4pp. 82229:254-82229:257.

**9501110140** Forwards insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation.  
PEEBLES,T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

**-9501110156** Notice of violation from insp on 941114-18 & 941128-1202. Violations noted:licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f).  
\* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

**-9501110166** Insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202.Violations noted.Major areas inspected:licensed operator requalification program during 941114-1202.  
HOPPER,G.T., LAWYER,L.L. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501110341** Forwards response to violation noted in insp repts 50-259/94-30,50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door.Encl withheld.  
MACHON,R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

**9501100164** Forwards response to NRC 941207 ltr re violations noted in insp repts 50-259/94-27,50-260/94-27 & 50-296/94-27. Corrective actions:util issued site bulletin on issue to heighten personnel awareness as need to better control FME.  
MACHON,R.D. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 13pp. 82293:231-82293:243.

**9501100166** Forwards response to NRC 941114 ltr & provides addl info re second 10-yr interval ISI program.  
SALAS,P. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 40pp. 82294:022-82294:061.

**9501170025** Forwards insp repts 50-259/94-29,50-260/94-29 & 50-296/94-29 on 941101-1209.No violations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82314:026-82314:051.

**-9501170035** Insp repts 50-259/94-29,50-260/94-29 & 50-296/94-29 on 941101-04,941114-18 & 941205-09.No violations noted.Major areas inspected:review of design control procedures,audits of pipe support calculations & action on previous insp.  
LENAHAN,J.J., CHOU,R.C., CASTO,C.A. Region 2 (Post 820201). 95/01/06. 23pp. 82314:029-82314:051.

**9501240096** Forwards insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted.  
LESSER,M.S. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82419:338-82419:362.

**-9501240102** Insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted.Major areas inspected:three events involving shutdown cooling,operations,surveillance testing,maint activities & review of open items.  
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/01/11. 22pp. 82419:341-82419:362.

**9501250415** Forwards insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Reprt details withheld per 10CFR73.21.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

**-9501250420** Insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Major areas inspected:security plans & procedures,alarm stations, assessment aids & protected area alarms.Details withheld.  
MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

**9501230107** Forwards SE which finds schedule for insp of Unit 1 core shroud,acceptable.GL 94-03 requests that licensee take listed actions w/respect to core shrouds.  
WILLIAMS,J.F. . 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

**-9501230109** SER accepting schedule for insp of Unit 1 core shroud.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

**9501240054** Forwards insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.  
CLINE,W.E. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:334-82417:347.

**-9501240058** Insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.Major areas inspected:chemistry,envirom monitoring,radwaste disposal & preparations for Unit 3 startup.  
JONES,D.W., SHORTRIDGE,R.B., DECKER,T.R. Region 2 (Post 820201). 95/01/13. 11pp. 82417:337-82417:347.

**9501240407** Ack receipt of 950105 ltr informing of steps taken to correct violations noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82432:041-82432:043.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.



**36 DOCKETED ITEMS**

9501240316 Forwards insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82437:318-82437:337.

-9501240319 Insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.Major areas inspected: DBVP,design changes & plant mods.  
WISEMAN,G., CASTO,C. Region 2 (Post 820201). 95/01/13. 17pp. 82437:321-82437:337.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240250 Ack receipt of 941223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-26, 50-260/94-26 & 50-296/94-26.  
CASTO,C.A. Region 2 (Post 820201). 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82429:250-82429:252.

9501240366 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-27, 50-260/94-27 & 50-328/94-27.  
LESSER,M.S. Region 2 (Post 820201). 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82432:020-82432:022.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501260376 Responds to 941223 ltr re violation noted in Insp Repts 50-259/94-11,50-260/94-11 & 50-296/94-11.Corrective actions: affected individuals assigned to on-shift duties.  
MACHON,R.D. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82519:282-82519:287.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

9501200183 Monthly operating repts for Dec 1994 for BFNPP. W/950113 ltr.  
SMITH,T.R., SHRIVER,T.D. Tennessee Valley Authority. 94/12/31. 13pp. 82472:297-82472:309.

**S. Reportable occurrences, LERs & related correspondence**

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501050218 LER 94-013-00:on 941202,Unit 2 scrambled from 54% power due to balance of plant equipment failure.Caused by mechanical degradation of stator cooling water temp switch. Affected sys restored to operable status.W/941228 ltr.  
AUSTIN,S.W., MACHON,R.D. Tennessee Valley Authority. 94/12/28. 8pp. 82258:092-82258:099.

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utlis informed. Utlis should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:298-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utlis affected by notification informed.Utlis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501310429 Part 21 rept re potential for failure of 3300 MFD capacitors.Nutherm recommended utlis inspect installed capacitors.  
STARF,F. Thermo Electron Corp. 95/01/23. Document Control Branch (Document Control Desk). 6pp. 82575:351-82575:356.

**V. Operator Examinations**

9501110140 Forwards insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation.  
PEEBLES,T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

-9501110156 Notice of violation from insp on 941114-18 & 941128-1202. Violations noted:licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f).  
\* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

-9501110166 Insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202.Violations noted.Major areas inspected:licensed operator requalification program during 941114-1202.  
HOPPER,G.T. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

**DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

9501120328 Forwards rev to emergency plan,including rev to schedule frequency definitions,addition of Technical Analysis Director & new accident assessment reporting scheme,Rev 4 to PEP-003 & Rev 1 to PEP-004.W/three oversize encl.  
KRICH,R.M. Carolina Power & Light Co. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82361:029-82361:300.

-9501120331 Revised Plant Emergency Procedures (PEP),including Rev 4 to PEP-003, "Emergency Preparedness Periodic Tests" & Rev 1 to PEP-004, "ERO Qualification."  
W/one oversize drawing.  
\* Carolina Power & Light Co. 94/12/19. 51pp. 82361:032-82361:082.

-9501120337 Rev 28 to Plant Program Procedure PLP-007, "Robinson Emergency Plan."  
W/two oversize drawings.  
\* Carolina Power & Light Co. 94/12/27. 217pp. 82361:083-82361:300.

9501300069 Forwards rev 27 to industrial security plan.Changes do not decrease effectiveness of plan & level of security provided. Encl withheld.  
KRICH,R.M. Carolina Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82587:061-82587:062.

9501310027 Forwards final FEMA rept dtd 941120,discussing findings of 931130 joint exercise of offsite radiological emergency response plans for plant.No deficiencies noted.W/o encl.  
CLINE,W.E. Region 2 (Post 820201). 95/01/20. HINNANT,C.S. Carolina Power & Light Co. 3pp. 82528:061-82528:063.

9501260079 Transmits safeguards info re 95-0055 advance fuel shipment notification.Encl withheld.  
SKIPPER,M. Carolina Power & Light Co. 95/01/24. COOK,J. NRC - No Detailed Affiliation Given. 1p. 82465:285-82465:285.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**P. Operating license stage documents & correspondence**

9501030176 Forwards amend corrected TS page 6.13-1 to amend 152 to license DPR-23 & reissued amend 153 to license DPR-23.  
MOZAFARI,B. Project Directorate II-1. 94/12/22. HINNANT,C.S. Power Authority of the State of New York (New York Power Authority). 2pp. 82177:334-82177:348.

-9501030182 Corrected TS page 6.13-1 to amend 152 to license DPR-23.  
\* Project Directorate II-1. 94/12/22. 1p. 82177:336-82177:338.

-9501030187 Corrected amend 153 to license DPR-23.  
BATEMAN,W.H. Project Directorate II-1. 94/12/22. 8pp. 82177:339-82177:348.

9501040178 Application for amend to license DPR-23,requesting relocation of turbine rotor insp requirement to HBRSEP UFSAR,Section 10.2.  
KRICH,R.M. Carolina Power & Light Co. 94/12/27. Document Control Branch (Document Control Desk). 11pp. 82218:339-82218:352.

-9501040179 Proposed tech specs,requesting relocation of turbine rotor insp requirement to HBRSEP UFSAR,Section 10.2.  
\* Carolina Power & Light Co. 94/12/27. 3pp. 82218:350-82218:352.

9501060049 Forwards amend 155 to license DPR-23 & safety evaluation. Amend deletes TS requirement to perform 5-yr interval hydrostatic test on auxiliary coolant sys critical headers.  
MOZAFARI,B.L. Project Directorate II-1. 94/12/28. HINNANT,C.S. Carolina Power & Light Co. 2pp. 82247:349-82247:357.

-9501060053 Amend 155 to license DPR-23,deleting TS requirement to perform 5-yr interval hydrostatic test on auxiliary coolant system critical headers.  
BATEMAN,W.H. Project Directorate II-1. 94/12/28. 4pp. 82247:352-82247:355.

-9501060054 Safety evaluation supporting amend 155 to license DPR-23.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 2pp. 82247:356-82247:357.

9501120357 Forwards Environmental Assessment & Finding of No Significant Impact re increased fuel enrichment,per 940728 application for amend to license.  
MOZAFARI,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 94/12/28. HINNANT,C.S. Carolina Power & Light Co. 2pp. 82303:321-82303:326.

-9501120358 Environ assessment & FONSI re 940728 application for amend to license DPR-23,allowing for storage of fuel w/enrichment not to exceed 4.95 + 0.05 w/o U-235 in new & spent fuel storage racks.  
SIEGEL,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 94/12/28. 4pp. 82303:323-82303:326.

9501110400 Forwards amend 156 to license DPR-23 & safety evaluation. Amend allows increased limit for fuel enrichment & storage of fuel w/enrichment not to exceed 4.95 + 0.05 w/o U-235 in new & spent fuel storage racks.  
MOZAFARI,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/05. HINNANT,C.S. Carolina Power & Light Co. 2pp. 82297:167-82297:179.

-9501110405 Amend 156 to license DPR-23,allowing increased limit for fuel enrichment & storage of fuel w/enrichment not to exceed 4.95 + 0.05 w/o U-235 in new & spent fuel storage racks.  
BATEMAN,W.H. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/05. 6pp. 82297:169-82297:174.

-9501110407 Safety evaluation supporting amend 156 to license DPR-23.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 4pp. 82297:175-82297:179.

**950110455** Requests addl info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)." MOZAFARI, B. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/06. HINNANT, C.S. Carolina Power & Light Co. 3pp. 82297:263-82297:265.

**9501300035** Informs NRC of address & telephone number changes for plant to eliminate any difficulties that may have been associated w/dual prefixes that existed previously. KRICH, R.M. Carolina Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 82554:304-82554:305.

**9501300025** Confirms 950112 telcon between Rogan & author re mgt meeting to be conducted in Atlanta, GA on 950207 to discuss CP&L performance evaluation section. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. HABERMEYER, H. Carolina Power & Light Co. 4pp. 82511:224-82511:227.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### **Q. Inspection reports, IE Bulletins & correspondence**

**9501040178** Application for amend to license DPR-23, requesting relocation of turbine rotor insp requirement to HBRSEP UFSAR, Section 10.2. KRICH, R.M. Carolina Power & Light Co. 94/12/27. Document Control Branch (Document Control Desk). 11pp. 82218:339-82218:352.

**9501040179** Proposed tech specs, requesting relocation of turbine rotor insp requirement to HBRSEP UFSAR, Section 10.2. \* Carolina Power & Light Co. 94/12/27. 3pp. 82218:350-82218:352.

**9501050476** Responds to NRC 941128 ltr re violations noted in Insp Rept 50-261/94-23. Corrective actions: Procedure GP-007 revised, TS Section 3 reviewed & evaluation of RCS temp control practices during hot shutdown conditions conducted. Fee paid. HINNANT, C.S. Carolina Power & Light Co. 94/12/27. Ofc of Enforcement (Post 870413). 9pp. 82229:346-82229:354.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501110457** Discusses insp rept 50-261/94-27 on 941023-1203 & forwards notice of violation. CHRISTENSEN, H. Region 2 (Post 820201). 94/12/29. HINNANT, C.S. Carolina Power & Light Co. 4pp. 82307:306-82307:336.

**9501110458** Notice of violation from insp on 941023-1203. Violation noted: operators failed to follow requisites of operations surveillance test OST-750. \* Region 1 (Post 820201). 94/12/29. 2pp. 82307:310-82307:311.

**9501110459** Insp rept 50-261/94-27 on 941023-1203. Violations noted. Major areas inspected: operational safety verification, surveillance & maint observation, plant safety review committee activities & EP assessment. ORDERS, W.T., CHRISTENSEN, H. Region 2 (Post 820201). 94/12/29. 25pp. 82307:312-82307:336.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501110079** Ack receipt of 940914 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/94-17 on 940815. MERSCHOFF, E.W. Region 2 (Post 820201). 94/12/30. HINNANT, C.S. Carolina Power & Light Co. 4pp. 82272:199-82272:202.

**9501100261** Provides addl info re 940729 request for addl info on relief from reactor vessel insp requirements. KRICH, R.M. Carolina Power & Light Co. 95/01/03. Document Control Branch (Document Control Desk). 9pp. 82294:328-82294:336.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501310127** Forwards insp rept 50-261/94-28 on 941204-950102 & notice of violation. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. HINNANT, C.S. Carolina Power & Light Co. 3pp. 82529:211-82529:227.

**9501310136** Notice of violation from insp on 941204-950102. Violations noted: operations personnel incorrectly implemented OMN-005. \* Region 2 (Post 820201). 95/01/20. 1p. 82529:214-82529:214.

**9501310146** Insp rept 50-261/94-28 on 941204-950102. Violations noted. Major areas inspected: operational safety verification, maintenance observation, plant safety review committee activities & followup. ORDERS, W.T., OGLE, C.R., CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. 13pp. 82529:215-82529:227.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### **R. Periodic operating reports & related correspondence**

**9501170128** Monthly operating rept for Dec 1994 for HB Robinson Steam Electric Plant, Unit 2, W/950109 ltr. KRICH, R.M., SCARBOROUGH, J. Carolina Power & Light Co. 94/12/31. 4pp. 82392:347-82392:350.

**9501300057** Submits 30-day rept per 10CFR50.46(a)(3)(ii) for plant, Unit 2, due to changes made in ECCS evaluation models. KRICH, R.M. Carolina Power & Light Co. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82552:358-82552:360.

#### **V. Operator Examinations**

**9501130037** Forwards info requested by NRC Administrative Ltr 94-12, "Operator Licensing Natl Exam Schedule." Provides notification of change in schedule for licensed operator initial & requalification exams. KRICH, R.M. Carolina Power & Light Co. 94/10/25. Document Control Branch (Document Control Desk). 2pp. 82319:171-82319:172.

**9501270221** Advises that revised Form 396, reflecting change in status re licensed operator medical exam required by 10CFR55.21 being transmitted to Region II only, for licensed individual listed in proprietary encl. Encl withheld per 10CFR2.790(a)(6). KRICH, R.M. Carolina Power & Light Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82575:304-82575:305.

#### **DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT**

##### **F. Security, medical, emergency & fire protection plans**

**9501120173** Revised EIPs, including rev 40 to EPIP-A.2-001, rev 17 to EPIP-A.2-106, rev 14 to EPIP-A.2-107, rev 9 to EPIP-A.2-108, rev 2 to EPIP-A.109, rev 7 to EPIP-A.201, rev 10 to EPIP-A.204, rev 10 to EPIP-A.205 & rev 9 to EPIP-A.209, W/950109 ltr. HUDSON, G. Northern States Power Co. 95/01/09. 354pp. 82330:001-82330:354.

**9501310459** Provides notification of completion of plant mod work w/ impact on emergency response facility, per NRC request in insp rept 50-263/94-05, Section 3.c. HILL, W.J. Northern States Power Co. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82580:351-82580:353.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### **H. General correspondence**

**9501100197** Requests that NRC modify distribution lists used for transmittal of generic communications such as INs, GLs & bulletins, due to organization changes. ANDERSON, R.O. Northern States Power Co. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82291:295-82291:295.

**9501130121** Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis, as PR will extend refueling outages at all plants. ANDERSEN, R.O. Northern States Power Co. 94/12/30. Docketing & Services Branch. 2pp. 82299:089-82299:090.

**9501130121** Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis, as PR will extend refueling outages at all plants. ANDERSEN, R.O. Northern States Power Co. 94/12/30. Office of the Secretary of the Commission. 2pp. 82299:089-82299:090.

##### **P. Operating license stage documents & correspondence**

**9501100110** Forwards SE for BWR Owners Group response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPP.'" WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. ANDERSON, R.O. Northern States Power Co. 3pp. 82303:234-82303:239.

**9501100115** Safety evaluation accepting BWR Owners Group response to GL 89-19. WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. 3pp. 82303:237-82303:239.



## 38 DOCKETED ITEMS

- 9501240119** Revises commitments related to IPEEE effort, per GL 88-20. Notifies that reduced scope seismic margins assessment to be performed in lieu of Level 1 seismic PRA to satisfy NRC objectives for seismic portion of IPEEE.  
HILL, W.J. Northern States Power Co. 95/01/05. Document Control Branch (Document Control Desk). 5pp. 82510:351-82510:355.
- 9501240092** Forwards "Startup Physics Testing Rept, Cycle 17." Aspects of startup physics testing listed. Cycle 17 first Monticello cycle to utilize core loading which includes 8 bundles of Siemens 9x9-IX (also called ATRIUM 9B) design.  
ANDERSON, R.O. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82513:087-82513:090.
- 9501240100** "Startup Physics Testing Rept, Cycle 17."  
\* Northern States Power Co. 95/01/09. 3pp. 82513:088-82513:090.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informing old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. SHELTON, D.C., SIMPKINS, R.A. Centenor Energy. 7pp. 82529:096-82529:102.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501060153** Submits response to violations noted in Insp Rept 50-263/94-11. Corrective actions: proof testing of automatic welding machine utilizing replacement power supply unit performed prior to & subsequent to performance of welds.  
HILL, W.J. Northern States Power Co. 94/12/27. Document Control Branch (Document Control Desk). 8pp. 82283:347-82283:354.
- 9501060157** Submits response to violations noted in Insp Rept 50-263/94-12. Corrective actions: controlled outplant drawings checked & replaced if found not to be of current rev.  
HILL, W.J. Northern States Power Co. 94/12/27. Document Control Branch (Document Control Desk). 5pp. 82283:341-82283:346.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501120015** Forwards insp rept 50-263/94-13 on 941115-1224. No violations noted.  
PHILLIPS, M.P. Region 3 (Post 820201). 94/12/30. WATZLE, E. Northern States Power Co. 4pp. 82279:138-82279:153.
- 9501120020** Insp rept 50-263/94-13 on 941115-1224. No violations noted. Major areas inspected: operations, maint, engineering & plant support.  
PHILLIPS, M.P. Region 3 (Post 820201). 94/12/30. 12pp. 82279:142-82279:153.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501240016** Ack receipt of 941227 ltr informing NRC of steps taken to correct violations noted in insp rept 50-263/94-11.  
PHILLIPS, M.P. Region 3 (Post 820201). 95/01/17. WATZLE, E. Northern States Power Co. 1p. 82417:048-82417:048.
- 9501104112** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501300133** Forwards plant ISI exam summary report for 1994 refueling outage.  
HILL, W.J. Northern States Power Co. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82556:113-82556:220.
- 9501300143** "Northern States Power ISI, Third Interval, Monticello Summary Rept 1994."  
VIK, M., JONES, T., RICKER, J. Northern States Power Co. 95/01/17. 105pp. 82556:116-82556:220.
- 9501310459** Provides notification of completion of plant mod work w/ impact on emergency response facility, per NRC request in insp rept 50-263/94-05, Section 3.c.  
HILL, W.J. Northern States Power Co. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82580:351-82580:353.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501230120** Monthly operating rept for Dec 1994 for Monticello Nuclear Plant/W/950112 ltr.  
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 94/12/31. 5pp. 82497:261-82497:265.

### DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9501050111** Informs that revs 7C, 7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

**9501190135** Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

**9501060227** FOIA request for further correspondence & repts re repts TAC-M82693, M81264 & M81265, related to ECCS room coolers at facilities.  
WILLIAMS, O.G. 94/02/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82278:001-82278:001.

**9501060232** Responds to FOIA request for documents. Forwards app A records being made available in PDR. Response is partial response.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. WILLIAMS, O.G. 2pp. 82278:002-82278:315.

**-9203040098** Discusses review of assessment of ECCS operability w/o room cooler heat removal capacity, per Region III 911018 request. Concludes that isolation of DG cooling water supply to ECCS pump room coolers may constitute unreviewed safety question.  
MCCRACKEN, C.E. Plant Systems Branch. 92/02/28. BARRETT, R.J. Project Directorate III-2. 3pp. 82278:030-82278:268.

**9501050156** Advises that 940525 rev to quality assurance topical rept consistent w/ requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

**9501100271** Forwards notice of transfer of control for license for plants. Notice re 941121 request to transfer control of 25% of plants ownership, per 10CFR50.80, to Mid-American Energy Company.  
PULSIFER, R.M. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. SHELTON, S.E. Iowa-Illinois Gas & Electric. 3pp. 82282:253-82282:258.

**-9501100280** Notice of transfer of control of 25% of licenses DPR-29 & DPR-30, from IA-IL Gas & Electric Company to Mid-American Energy Company.  
CAPRA, R.A. Project Directorate III-2. 95/01/04. 3pp. 82282:256-82282:258.

**9501180317** Responds to 940111 request for relief for residual heat removal svc water sys for plants supplemented on 940523. Code relief no longer required.  
PULSIFER, R.M. Project Directorate III-2. 95/01/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82338:141-82338:143.

**9501190314** Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

**9501310013** Forwards mod design documents & core shroud insp plan info in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."  
SCHRAGE, J.L. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82576:116-82576:199.

**-9501310016** "Shroud Stabilizer Hardware."  
FORTINA, A. General Electric Co. 25A5668 R02. 95/01/07. 13pp. 82576:129-82576:141.

**-9501310018** "Reactor Pressure Vessel."  
FORTINA, A. General Electric Co. 25A5669 R02. 95/01/07. 10pp. 82576:142-82576:150.

**-9501310021** "Fabrication of Shroud Stabilizer."  
FORTINA, A. General Electric Co. 25A5670 R02. 95/01/06. 13pp. 82576:151-82576:163.

-9501310023 "Shroud Stabilizer."  
POTTER,M.D. General Electric Co. 25A5615 R00. 95/01/07. 15pp. 82576:164-82576:178.

-9501310026 "Quad Cities Units 1 & 2 Shroud Repair Seismic Analysis."  
TSAI,N.C., SCHRAG,M.R., KING,L.W. General Electric Co. GENE-771-71-1094 R01. 95/01/05. 20pp. 82576:179-82576:199.

9501310156 Informs that in order to eliminate potential impact of outage schedule changes,as described in 950119 telcon w/NRC, Comm Ed will partially implement amend 145 to license DPR-30 prior to start of 13th refuel outage.Affected TS encl.  
KRAFT,E.S. Commonwealth Edison Co. 95/01/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 82575:340-82575:344.

-9501310167 Proposed tech specs re snubber visual insp intervals.  
\* Commonwealth Edison Co. 95/01/20. 3pp. 82575:342-82575:344.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310463 Transmits correction of typos,including correction of typo in Encl 3 of 941206 submittal of Topical Rept NEDO-32205-A, "Equivalent Margin Analysis - Plant Applicability Verification Form - Quad Cities Station," per GL 92-01.  
SCHRAGE,J.L. Commonwealth Edison Co. 95/01/25. Document Control Branch (Document Control Desk). 3pp. 82582:210-82582:214.

-9501310464 Correction to Encl 3, "Equivalent Margin Analysis Plant Applicability Verification Form" of topical rept NEDO-32205-A,Rev 1.  
\* General Electric Co. NEDO-32205-A R01. 95/01/25. 2pp. 82582:213-82582:214.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. EBERHARDT,R.R. Detroit Edison Co. SCHROCK,C.A. Wisconsin Public Service Corp. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050333 Forwards response to 941129 ltr re violations noted in insp repts 50-254/94-20 & 50-265/94-20.Corrective actions:unit 1 RHFR sys vibration data was collected on 941103,during performance of quarterly operability surveillance for sys.  
KRAFT,E.S. Commonwealth Edison Co. 94/12/29. Document Control Branch (Document Control Desk). 14pp. 82236:340-82236:353.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120055 Ack actions taken in response to CAL dtd 940726, re Quad Cities foreign mats identified in Unit 1 residual heat removal sys on 940714 & 25.CAL RIII-94-006,considered closed.  
MARTIN,J.B. Region 3 (Post 820201). 95/01/05. WALLACE,M.J. Commonwealth Edison Co. 1p. 82279:300-82279:300.

9501190052 Forwards insp repts 50-254/94-28 & 50-265/94-28 on 941111- 1215.No violations noted.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/09. KRAFT,E. Commonwealth Edison Co. 2pp. 82335:222-82335:236.

-9501190059 Insp repts 50-254/94-28 & 50-265/94-28 on 941111-1215.No violations noted.Major areas inspected:operational safety verification,monthly maint observation,monthly surveillance observations & engineering & technical support.  
HILAND,P. Region 3 (Post 820201). 95/01/06. 13pp. 82335:224-82335:236.

9501240398 Responds to 941214 ltr re violations noted in Insp Repts 50-254/94-17 & 50-265/94-17 & proposed imposition of civil penalty.Corrective actions:problem w/rod corrected & maint procedure reviewed for enhancement & rev.  
KRAFT,E.S. Commonwealth Edison Co. 95/01/13. Ofc of Enforcement (Post 870413). 9pp. 82513:078-82513:086.

9501310013 Forwards mod design documents & core shroud insp plan info in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."  
SCHRAGE,J.L. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82576:116-82576:199.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240065 Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-20 & 50-265/94-20.  
SHAFER,W.D. Region 3 (Post 820201). 95/01/18. KRAFT,E. Commonwealth Edison Co. 2pp. 82419:253-82419:269.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310156 Informs that in order to eliminate potential impact of outage schedule changes,as described in 950119 telcon w/NRC, Comm Ed will partially implement amend 145 to license DPR-30 prior to start of 13th refuel outage.Affected TS encl.  
KRAFT,E.S. Commonwealth Edison Co. 95/01/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 82575:340-82575:344.

-9501310167 Proposed tech specs re snubber visual insp intervals.  
\* Commonwealth Edison Co. 95/01/20. 3pp. 82575:342-82575:344.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501130072 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during month of Nov 1994 for Quad-Cities Station Units 1 & 2.  
AITKEN,P.C. Commonwealth Edison Co. 94/12/22. Document Control Branch (Document Control Desk). 44pp. 82361:301-82361:344.

9501240183 Monthly operating repts for Dec 1994 for Quad Cities Units 1 & 2/W/ 950109 ltr.  
MOORE,K., AITKEN,P.C. Commonwealth Edison Co. 94/12/31. 20pp. 82504:339-82504:358.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501120257 LER 94-017-00:on 941205,banked position withdrawal sequence rules violated since Oct of 1991 due to training,procedure & work practice deficiencies in nuclear engineering group. Retrained,evaluation of rod drop analysis.W/950104 ltr.  
BRIGL,D., PEARCE,L.W. Commonwealth Edison Co. 95/01/04. 10pp. 82345:345-82345:354.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utilis affected by notification informed.Utilis should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

9501180103 Informs that K B Griffith was removed from license duty on 950109,therefore,requests termination of license SOP-31205.  
PEARCE,L.W. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 1p. 82366:332-82366:332.

#### DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050172 Ack receipt of 941219 response to 941118 ltr requesting info re physical security concern at plant.Corrective action toward security specialist good & review sufficient.  
CANIANO,R.J. Region 3 (Post 820201). 94/12/29. LINK,R. Wisconsin Electric Power Co. 2pp. 82178:214-82178:215.

9501090027 Forwards plant emergency plan exercise scenario conducted on 941206.  
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 82289:001-82289:256.

-9501090030 "Wisconsin Electric Power Co Point Beach Nuclear Plant Emergency Preparedness Exercise,941206."  
\* Wisconsin Electric Power Co. 94/12/06. 257pp. 82289:002-82289:256.

9501190093 Forwards public & central files version of revised EPIPs & revised emergency plan manual.Central files version of revised EPIPs & emergency plan manual withheld.  
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82428:001-82428:263.

-9501190099 Public version of revised EPIPs,including Rev 27 to EPIP 1.2,Rev 21 to EPIP 4.1,Rev 1 to EPIP 4.5,Rev 15 to EPIP-22, Rev 13 to EPIP-23,Rev 9 to EPIP-24,Rev 13 to EPIP-25 & Rev 12 to EPIP-26.  
\* Wisconsin Electric Power Co. 95/01/09. 62pp. 82428:002-82428:063.

## 40 DOCKETED ITEMS

- 9501190103 Public version of revised "Emergency Plan Manual."  
\* Wisconsin Electric Power Co. 95/01/09. 200pp. 82428:064-82428:263.
- 9501240115 Forwards FEMA correspondence, dtd 941214 notifying state of WI of two deficiencies re plant emergency preparedness exercise conducted on 941206. Ack that C/A to be demonstrated at full participation exercise on 950426.  
MCCORMICK-BARGE Region 3 (Post 820201). 95/01/14. LINK, R. Wisconsin Electric Power Co. 3pp. 82420:076-82420:078.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.
- P. Operating license stage documents & correspondence**
- 9501130268 Final response to FOIA request for documents. Records in App A encl & will be available in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. HARNETT, N.D. Affiliation Not Assigned. 2pp. 82321:003-82321:112.
- 9501130269 Forwards complete radioactive matl tag data base entry & shipment manifest from plant identifying spent fuel cask lifting yoke.  
WALLACE, J. ALARON Corp. 92/11/30. WHITE, D. Region 1 (Post 820201). 8pp. 82321:020-82321:041.
- 9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY, V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.
- 9501300247 Partially withheld paper re review of ALAB-719.  
FITZGERALD, J.A. Office of the General Counsel (Post 860701). SECY-83-369. 83/09/07. 100pp. 82525:045-82525:156.
- 9501100145 Forwards WCAP-12794, rev 2 & WCAP-12795, rev 2 in response to request for background info re TS change 171 on heatup & cooldown limit curve expiration date extension.  
LINK, B. Wisconsin Electric Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82292:001-82293:096.
- 9501100148 "Reactor Cavity Neutron Measurement Program for WEPC Point Beach Unit 1."  
ANDERSON, S.L. Wisconsin Electric Power Co. WCAP-12794 R02. 92/12/31. 226pp. 82292:004-82292:229.
- 9501100152 "Reactor Cavity Neutron Measurement Program for WEPC Point Beach Unit 2."  
ANDERSON, S.L. Wisconsin Electric Power Co. WCAP-12795 R02. 92/09/30. 231pp. 82292:230-82293:096.
- 9501120339 Requests enforcement discretion in order to restore reactor makeup water sys in plant to normal operation, per Section VII of enforcement policy (10CFR2, App C).  
LINK, B. Wisconsin Electric Power Co. 95/01/10. Document Control Branch (Document Control Desk). 6pp. 82329:339-82329:344.
- 9501180147 Forwards safety evaluation of util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components" & notice of denial. Probability of detection of cracks too great to demonstrate that criteria would be met.  
NORRHOLM, L.J. Project Directorate III-3. 95/01/11. LINK, R.E. Wisconsin Electric Power Co. 4pp. 82341:327-82341:344.
- 9501180160 Safety evaluation denying util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 11pp. 82341:331-82341:341.
- 9501180167 Notice of denial of amend to Licenses DPR-24 & DPR-27 & opportunity for hearing on 940826 request to revise TS 15.4.2, "Inservice Insp of Safety Class Components," as described in WCAP-14157.  
NORRHOLM, L.J. Project Directorate III-3. 95/01/11. 3pp. 82341:342-82341:344.
- 9501250151 Submits addendum to 941123 TS Change Request 163, modifying TS 15.3.6, "Containment Sys." to enhance operating conditions & limiting conditions for operation for containment sys, per 950112 telcon w/NRC.  
LINK, B. Wisconsin Electric Power Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82514:298-82514:301.
- 9501250157 Proposed tech specs to enhance operating conditions & limiting conditions for operation for containment systems.  
\* Wisconsin Electric Power Co. 95/01/12. 2pp. 82514:300-82514:301.
- 9501190092 Responds to 941212 ltr & informs of implementation of recommended rod control sys timing change on BPNR Unit 2 during Fall 1994 refueling outage.  
LINK, B. Wisconsin Electric Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82470:341-82470:342.
- 9501190098 Application for amends to licenses DPR-24 & DPR-27 re change request 163, "Mods to Section 15.3.6, 'Containment Sys.'" to enhance operating conditions & limiting conditions for operation for containment sys.  
LINK, B. Wisconsin Electric Power Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82394:352-82394:353.
- 9501190115 Proposed tech specs re change requests 163, mods to section 15.3.6, "Containment Sys." to enhance operating conditions & limiting conditions for operation for containment sys.  
\* Wisconsin Electric Power Co. 95/01/13. 1p. 82394:353-82394:353.
- 9501260233 Forwards amends 160 & 164 to licenses DPR-24 & DPR-27, respectively & safety evaluation. Amends revise TS for operating & limiting conditions for operation of containment systems. Associated TS bases also updated.  
HANSEN, A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. LINK, R.E. Wisconsin Electric Power Co. 3pp. 82508:094-82508:127.
- 9501260237 Amends 160 & 164 to licenses DPR-24 & DPR-27, respectively, changing TS re operating & limiting conditions for plant containment systems. Associated bases also updated to reflect change.  
HANSEN, A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 27pp. 82508:097-82508:123.
- 9501260239 Safety evaluation supporting amends 160 & 164 to licenses DPR-24 & DPR-27, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 4pp. 82508:124-82508:127.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310067 Forwards review of individual plant examination submittal for internal events, draft SE, front-end TER, back-end TER & human reliability analysis TER. IPE supports licensee position.  
HANSEN, A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/26. LINK, R.E. Wisconsin Electric Power Co. 25pp. 82561:140-82561:294.
- 9501310106 "Point Beach 1 & 2 TER on Front End IPE Submittal," Task 22, dtd 941004.  
DARBY, J.L. Science & Engineering Associates, Inc. SEA 92-553-022-A-3. 94/10/04. NRC - No Detailed Affiliation Given. 62pp. 82561:165-82561:226.
- 9501310132 "Point Beach IPE Back-End" TER dtd Sept 1994.  
AMARASOORIYA, W. SCIENTECH, Inc. NRC-05-91-068-23. 94/09/30. NRC - No Detailed Affiliation Given. 24pp. 82561:227-82561:250.
- 9501310144 "Point Beach Units 1 & 2 TER of IPE Submittal Human Reliability Analysis, Final Rept.," Task 23. Draft dtd 940131, final Aug 1994.  
HAAS, P.M. Concord Associates, Inc. NRC-04-91-069. CA/TR-93-019-23. 94/08/31. NRC - No Detailed Affiliation Given. 44pp. 82561:251-82561:294.
- 9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. JOYCE, T.P., WEIDNER, R.C. Commonwealth Edison Co. 7pp. 82529:096-82529:102.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501110180 Forwards insp repts 50-266/94-24 & 50-301/94-24 on 941212-16. Non-cited violations noted.  
GARDNER, R.N. Region 3 (Post 820201). 95/01/06. LINK, R.E. Wisconsin Electric Power Co. 2pp. 82273:117-82273:123.
- 9501110191 Insp repts 50-266/94-24 & 50-301/94-24 on 941212-16. Non-cited violations noted. Major areas inspected: util check valve program, TI 2515/110.  
DUNLOP, A., COLACCINO, J., GARDNER, R.N. Region 3 (Post 820201). 95/01/05. 5pp. 82273:119-82273:123.
- 9501120070 Forwards insp repts 50-266/94-22 & 50-301/94-22 on 941109-1220. No violations noted. NRC concerned because lack of adequate post maint testing of N42 detector led to condition not allowed by TS.  
FARBBER, M.J. Region 3 (Post 820201). 95/01/06. LINK, R. Wisconsin Electric Power Co. 2pp. 82279:341-82279:358.
- 9501120073 Insp repts 50-266/94-22 & 50-301/94-22 on 941109-1220. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support, safety assessment & quality verification & CA on previous findings.  
FARBBER, M.J. Region 3 (Post 820201). 95/01/06. 16pp. 82279:343-82279:358.
- 9501180147 Forwards safety evaluation of util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components" & notice of denial. Probability of detection of cracks too great to demonstrate that criteria would be met.  
NORRHOLM, L.J. Project Directorate III-3. 95/01/11. LINK, R.E. Wisconsin Electric Power Co. 4pp. 82341:327-82341:344.
- 9501180160 Safety evaluation denying util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 11pp. 82341:331-82341:341.
- 9501180167 Notice of denial of amend to Licenses DPR-24 & DPR-27 & opportunity for hearing on 940826 request to revise TS 15.4.2, "Inservice Insp of Safety Class Components," as described in WCAP-14157.  
NORRHOLM, L.J. Project Directorate III-3. 95/01/11. 3pp. 82341:342-82341:344.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501260382 Notification of 950201 meeting w/util to discuss insp & repair of sleeved steam generator tubes. HANSEN,A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. NORRHOLM,L.J. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82514:001-82514:004.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501110478 Monthly operating repts for Dec 1994 for Point Beach Nuclear Plant Units 1 & 2. W/950106 ltr. KOUDELMKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 94/12/31. 10pp. 82302:066-82302:095.

#### DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

#### F. Security, medical, emergency & fire protection plans

9501190117 Forwards Rev 3 to "FSV Decommissioning Fire Protection Plan," Sections 1 through 4. Brief summary of principal changes also included. Changes do not involve unreviewed safety questions, in accordance w/10CFR50.59. FISHER,M.J. Public Service Co. of Colorado. 95/01/05. Document Control Branch (Document Control Desk). 5pp. 82379:275-82379:320.

-9501190120 Rev 3 to "FSV Decommissioning Fire Protection Plan." \* Public Service Co. of Colorado. 95/01/05. 41pp. 82379:280-82379:320.

9501190027 Forwards insp rept 50-267/94-08 on 941205-07. No violations noted. COLLINS,S.J. Region 4 (Post 820201). 95/01/12. CRAWFORD,A.C. Public Service Co. of Colorado. 5pp. 82335:105-82335:127.

-9501190034 Insp rept 50-267/94-08 on 941205-07. No violations noted. Major areas inspected: facility status, organizational structure, selected radiation protection program areas & emergency preparedness program. CAIN,C.L. Region 4 (Post 820201). 95/01/05. 18pp. 82335:110-82335:127.

9501310093 Revised EPIPs, including issue 4 to DPP 5.2.11, "ERP. Technical Support Ctr" & issue 4 to DPP 5.2.15, "Emergency/ Contingency Plan for Chemical, Petroleum, Hazardous Waste." FISHER,M. Public Service Co. of Colorado. 95/01/16. 95pp. 82547:241-82547:336.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,F.R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412220271 Partially deleted investigation rept 4-91-019, "Fort St Vrain: Alleged Intimidation & Harassment." GIETL,D.R., WILLIAMSON,E.L., HAYES,B.B. Ofc of Investigations (Post 880201). 92/07/20. 25pp. 82231:010-82231:039.

9501060116 Ninth partial response to FOIA request for documents. Releasable portions of record identified in App U encl & placed in PDR (ref FOIA Exemption 7C). App V document withheld in entirety (ref FOIA Exemption 5). POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. O'MALLEY,S.B. Affiliation Not Assigned. 4pp. 82231:225-82231:236.

-9501060120 Partially withheld package consisting of Enforcement Action EA-92-152 summary. \* NRC - No Detailed Affiliation Given. 94/04/11. 4pp. 82231:233-82231:236.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501190027 Forwards insp rept 50-267/94-08 on 941205-07. No violations noted. COLLINS,S.J. Region 4 (Post 820201). 95/01/12. CRAWFORD,A.C. Public Service Co. of Colorado. 5pp. 82335:105-82335:127.

-9501190034 Insp rept 50-267/94-08 on 941205-07. No violations noted. Major areas inspected: facility status, organizational structure, selected radiation protection program areas & emergency preparedness program. CAIN,C.L. Region 4 (Post 820201). 95/01/05. 18pp. 82335:110-82335:127.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### T. Hearing transcripts on non-antitrust matters

9412220269 Sixth partial response to FOIA request for info re NRC investigation OI4-91-019, DOL investigation 91-ERA-037 & NOV & proposed civil penalty. Forwards App O & P documents withheld in entirety, or in part (see FOIA Exemption 7). GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 94/02/10. O'MALLEY,S.B. Affiliation Not Assigned. 5pp. 82231:001-82231:148.

-9501030215 Partially deleted transcript of interview w/TE Schleiger re investigation of events surrounding alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 6pp. 82231:040-82231:045.

-9501030220 Partially deleted transcript of interview w/DL Blain re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 4pp. 82231:046-82231:049.

-9501030223 Partially deleted transcript of interview w/EJ O'Donoghue re alleged H&I at plant. GIETL,D. Ofc of Investigations (Post 880201). 92/02/11. 4pp. 82231:050-82231:053.

-9501040028 Partially deleted transcript of interview w/ED Stroud re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 3pp. 82231:054-82231:056.

-9501040032 Partially deleted transcript of interview w/WE Woodard re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 91/02/13. 5pp. 82231:057-82231:061.

-9501040034 Partially deleted transcript of interview w/FJ Borst re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 7pp. 82231:062-82231:068.

-9501040038 Partially deleted transcript of interview w/DR Alps re alleged H&I at plant. GIETL,D. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:069-82231:070.

-9501040039 Partially deleted transcript of interview w/ME Deniston re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:071-82231:072.

-9501040040 Partially deleted transcript of interview w/CH Fuller re alleged H&I at plant. GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/19. 75pp. 82231:073-82231:148.

#### W. Decommissioning Stage Documents & Correspondence

9501060140 Final response to FOIA request for documents. Releasable portions of agency records subj to request identified in App W encl (ref FOIA Exemption 7). POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. O'MALLEY,S.B. Affiliation Not Assigned. 3pp. 82231:237-82231:272.

-9501060144 Partially deleted package consisting of incident rept re unauthorized use of badge & 910401 interoffice memos re QA monitoring conducted in audit areas. \* Public Service Co. of Colorado. 90/04/03. 29pp. 82231:244-82231:272.

## 42 DOCKETED ITEMS

9501060093 Ltr contract,definitizing task order 32, "Technical Assistance in Review of Fort Saint Vrain Repowering Natural Gas Hazards Analysis."  
MACE,M.H. Division of Contracts (Post 940714). 94/12/02. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 82259:244-82259:245.

9501040030 Forwards util second annual update (Rev 2) of Fort St Vrain decommissioning plan.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/12/27. Document Control Branch (Document Control Desk). 6pp. 82281:001-82281:347.

-9501040042 "Fort St Vrain Decommissioning Plan."  
\* Public Service Co. of Colorado. 94/12/27. 200pp. 82281:007-82281:347.

9501190018 Provides util response to NRC comments re final survey plan for site release for Fort St Vrain nuclear station.  
FISHER,M.J. Public Service Co. of Colorado. 95/01/11. Document Control Branch (Document Control Desk). 23pp. 82379:218-82379:274.

-9501190024 "Fort St Vrain Decommissioning Project Site Specific Guideline Values for Surface Activity."  
STORY,H.L. Scientific Ecology Group, Inc. 95/01/11. 31pp. 82379:244-82379:274.

9501270357 Forwards amend to NPDES permit,removing pH limitations & pH monitoring requirements for farm pond outlet & will be effective as of 950201.  
FISHER,M.J. Public Service Co. of Colorado. 95/01/13. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 82541:315-82541:323.

9501260211 Provides util response to NRC comments re revised Fort St Vrain final survey plan for site release.  
FISHER,M.J. Public Service Co. of Colorado. 95/01/20. AUSTIN,J.H. Office of Nuclear Material Safety & Safeguards. 7pp. 82523:187-82523:193.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Y. Dry Cask Independent Spent Fuel Storage Installations

9501050220 Provides update on plans to repower Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery steam generators.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 94/12/19. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82247:341-82247:342.

### DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501120278 Forwards public version of Rev 94-06 to Vol A of Oconee Nuclear Site Emergency Plan.  
HAMPTON,J.W. Duke Power Co. 94/12/20. Document Control Branch (Document Control Desk). 9pp. 82305:033-82305:242.

-9501120290 Public version of Rev 94-06 to Vol A of "Oconee Nuclear Site Emergency Plan."  
HAMPTON,J.W. Duke Power Co. 94/12/15. 200pp. 82305:042-82305:242.

9501040218 Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN,M.S. Duke Power Co. 5pp. 82219:060-82219:064.

9501180173 Rev 94-06 to Oconee Nuclear Site emergency plan,W/950103 ltr.  
HAMPTON,J.W. Duke Power Co. 95/01/03. 2pp. 82379:124-82379:125.

9501190389 Notification of 950119 meeting w/util re emergency electrical sys mod.Agenda questions encl.  
WEIN,L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82367:056-82367:061.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501050424 Request addl info to complete review of util 941122 request to increase allowable U-235 enrichment of fuel to be stored in spent fuel storage facilities at plant.  
WIEN,L.A. Project Directorate II-3. 94/12/29. HAMPTON,J.W. Duke Power Co. 4pp. 82229:105-82229:108.

9501090357 Forwards response to NRC questions re effects of emergency power over-frequency on ONS Units 1,2 & 3,as part of review of TS Section 4.6 amend submitted on 940224.  
HAMPTON,J.W. Duke Power Co. 95/01/04. Document Control Branch (Document Control Desk). 20pp. 82288:187-82288:206.

9501100252 Forwards amends 208,208 & 205 to licenses DPR-38,DPR-47 & DPR-55 & SE.Amend change organizational unit term from "group" to "div" & modify titles of positions designated to approve mods.  
WIENS,L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. HAMPTON,J.W. Duke Power Co. 3pp. 82283:100-82283:119.

-9501100262 Amends 208,208 & 205 to licenses DPR-38,DPR-47 & DPR-55, respectively,changing organizational unit term from "group" to "div," modify titles of positions designated to approve mod & clarify responsibilities of Safety Assurance Manager.  
BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. 13pp. 82283:103-82283:115.

-9501100268 Safety evaluation supporting amends 208,208 & 205 to licenses DPR-38,DPR-47 & DPR-55,respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 4pp. 82283:116-82283:119.

9501180323 Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual.Effective 950101.  
TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82475:015.

-9501190247 Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station,rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section.  
LOUCKS,L.E., GEDDIE,E.M., INGRAM,C.D. Duke Power Co. 95/01/01. 377pp. 82474:003-82475:015.

9501200363 Forwards revs to "Oconee Selected Licensee Commitments-Manual." SLC manual Chapter 16.0 to FSAR will be updated monthly as needed during yr.  
HAMPTON,J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82472:253-82472:274.

-9501200364 Revs to "Oconee Selected Licensee Commitments Manual."  
\* Duke Power Co. 95/01/09. 20pp. 82472:255-82472:274.

9501200036 Notification of 950131 meeting w/util & B&W Fuels Co in Rockville,MD to describe developments program & implementation plan & schedule for B&W Mark B11 fuel assembly.  
WIENS,L.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/12. BERKOW,H.N. Division of Reactor Projects I/II (DRPE) Post 941001). 5pp. 82378:177-82378:181.

9501240084 Application for amends to licenses NPF-9,NPF-17,NPF-35,NPF- 52,NPF-38,NPF-47 & NPF-55,clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.

-9501240086 Proposed tech specs,changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
\* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501090270 Requests to delay completion of commitment item re testing of ASW check valve LPSW-502 until 950616,in response to Insp Repts 50-269/94-31,50-270/94-31 & 50-287/94-31.  
HAMPTON,J.W. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82289:332-82289:334.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110033 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-32, 50-270/94-32 & 50-287/94-32.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/04. HAMPTON,J.W. Duke Power Co. 3pp. 82272:264-82272:266.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170003 Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-24, 54-270/94-24 & 50-287/94-24.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 3pp. 82313:263-82313:265.

9501170016 Forwards insp repts 50-269/94-39,50-270/94-39 & 50-287/94-39 on 941205-09.Noncritical violations noted.  
GIBSON,A.F. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 3pp. 82313:327-82313:342.

-9501170023 Insp repts 50-269/94-39,50-270/94-39 & 50-287/94-39 on 941205-09.Noncritical violations noted.Major areas inspected: unresolved items & germane LERs to design,operation & safety classification of condenser circulating water sys.  
ROGERS,W.G., PEEBLES,T.A. Region 2 (Post 820201). 95/01/06. 13pp. 82313:330-82313:342.

9501170033 Ack receipt of 940408 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31.Concludes that blow-down of SG following single line break constitutes unreviewed concern.  
MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 4pp. 82314:062-82314:074.

-9412120041 Provides Reactor Sys Branch evaluation re TIA concerning safety implications re potential steam line break blowing down both SGs at plant.  
JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/05. BERKOW,H.N. . 3pp. 82314:066-82314:068.

-9501170050 Submits Rev 1 to Task Interface Agreement TIA 94-013. Requests expansion of scope of TIA 94-013 to include potential steam line re failures associated w/ other branch lines & components upstream of turbine stop valves.  
BOGER,B.A. Region 2 (Post 820201). 94/08/29. LAINAS,G.C. Assistant Director for Region II Reactors. 1p. 82314:069-82314:069.

-9404140042 Determines if plant licensee operating steam sys in condition which involves unreviewed safety question re TIA & requests GC Lainas & staff to review issue to determine subjects listed.  
JOHNSON,J.R. Region 2 (Post 820201). 94/03/31. LAINAS,G.C. Assistant Director for Region II Reactors. 4pp. 82314:070-82314:074.

9501190262 Discusses commitment made in 930524 response to NRC Bulletin 90-001, Suppl 1, to perform enhanced surveillance program on appropriate Rosemount transmitters covered by NRC Bulletin 90-001. Transmitters evaluated to be operable.  
HAMPTON,J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82426:348-82426:348.

9501240037 Forwards insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37 on 941212-16 & notice of violation.  
PEEBLES,T.A. Region 2 (Post 820201). 95/01/13. HAMPTON,J.W. Duke Power Co. 3pp. 82417:249-82417:269.

-9501240046 Notice of violation from insp on 941212-16. Violation noted: site I&C technicians failed to follow procedures for NRC enforcement actions.  
\* Region 2 (Post 820201). 95/01/13. 2pp. 82417:252-82417:253.

-9501240051 Insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37 on 941212-16. Violations noted. Major areas inspected: Nonlicensed operator & instrument & controls training programs.  
PAYNE,D.C., LAWYER,L.L. Region 2 (Post 820201). 95/01/11. 16pp. 82417:254-82417:269.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240076 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34. NRC believes that suppl response necessary in that corrective actions limited to QA staff.  
CLINE,W.E. Region 2 (Post 820201). 95/01/17. HAMPTON,J.W. Duke Power Co. 4pp. 82418:358-82418:361.

9501270351 Submits comments on NRC Insp Repts 50-269/94-99, 50-270/94-99 & 50-287/94-99 for SALP rept for period 930502-941029.  
HAMPTON,J.W. Duke Power Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82540:358-82540:360.

9501104412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501270356 Responds to NRC 941219 ltr re violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31.  
HAMPTON,J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82546:312-82546:312.

9501300044 Forwards response to NRC 941221 ltr re violations in insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36. Corrective actions: drains & vents on 2A seal supply filter closed.  
HAMPTON,J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82554:311-82554:313.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200183 Monthly operating repts for Dec 1994 for BFNPP. W/950113 ltr.  
SMITH,T.R., SHRIVER,T.D. Tennessee Valley Authority. 94/12/31. 13pp. 82472:297-82472:309.

9501200153 Forwards monthly operating repts for Dec 1994 & revised repts for Nov 1994 for Oconee Nuclear Station.  
WEBER,R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82472:275-82472:292.

-9501230093 Monthly operating repts for Dec 1994 for Oconee Nuclear Station.  
WILLIAMS,R.A. Duke Power Co. 94/12/31. 15pp. 82472:277-82472:291.

-9501230102 Revised monthly operating rept for Nov 1994 for CNS.  
\* Duke Power Co. 94/11/30. 1p. 82472:292-82472:292.

#### S. Reportable occurrences, LERs & related correspondence

9501240194 LER 94-006-00: on 941215, TS limit exceeded due to vendor design deficiency. Increased calibr frequencies & replaced or repaired pressure switches. W/950112 ltr.  
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 95/01/12. 7pp. 82485:022-82485:028.

#### DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501120278 Forwards public version of Rev 94-06 to Vol A of Oconee Nuclear Site Emergency Plan.  
HAMPTON,J.W. Duke Power Co. 94/12/20. Document Control Branch (Document Control Desk). 9pp. 82305:033-82305:242.

-9501120290 Public version of Rev 94-06 to Vol A of "Oconee Nuclear Site Emergency Plan."  
HAMPTON,J.W. Duke Power Co. 94/12/15. 200pp. 82305:042-82305:242.

9501040218 Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN,M.S. Duke Power Co. 5pp. 82219:060-82219:064.

9501180173 Rev 94-06 to Oconee Nuclear Site emergency plan. W/950103 ltr.  
HAMPTON,J.W. Duke Power Co. 95/01/03. 2pp. 82379:124-82379:125.

9501190389 Notification of 950119 meeting w/util re emergency electrical sys mod. Agenda questions encl.  
WIEN,L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82367:056-82367:061.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501050424 Request addl info to complete review of util 941122 request to increase allowable U-235 enrichment of fuel to be stored in spent fuel storage facilities at plant.  
WIEN,L.A. Project Directorate II-3. 94/12/29. HAMPTON,J.W. Duke Power Co. 4pp. 82229:105-82229:108.

9501090357 Forwards response to NRC questions re effects of emergency power over-frequency on ONS Units 1,2 & 3, as part of review of TS Section 4.6 amend submitted on 940224.  
HAMPTON,J.W. Duke Power Co. 95/01/04. Document Control Branch (Document Control Desk). 20pp. 82288:187-82288:206.

9501100252 Forwards amends 208,208 & 205 to licenses DPR-38, DPR-47 & DPR-55 & SE. Amends change organizational unit term from "group" to "div" & modify titles of positions designated to approve mods.  
WIEN,L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. HAMPTON,J.W. Duke Power Co. 3pp. 82283:100-82283:119.

-9501100262 Amends 208,208 & 205 to licenses DPR-38, DPR-47 & DPR-55, respectively, changing organizational unit term from "group" to "div," modify titles of positions designated to approve mod & clarify responsibilities of Safety Assurance Manager.  
BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. 13pp. 82283:103-82283:115.

-9501100268 Safety evaluation supporting amends 208,208 & 205 to licenses DPR-38, DPR-47 & DPR-55, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 4pp. 82283:116-82283:119.

9501180323 Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual, effective 950101.  
TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82475:015.

-9501190247 Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station, rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section.  
LOUCKS,L.E., GEDDIE,E.M., INGRAM,C.D. Duke Power Co. 95/01/01. 377pp. 82474:003-82475:015.

9501200363 Forwards revs to "Oconee Selected Licensee Commitments Manual." SLIC manual Chapter 16.0 to FSAR will be updated monthly as needed during yr.  
HAMPTON,J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82472:253-82472:274.

-9501200364 Revs to "Oconee Selected Licensee Commitments Manual."  
\* Duke Power Co. 95/01/09. 20pp. 82472:255-82472:274.

9501200036 Notification of 950131 meeting w/util & B&W Fuels Co in Rockville, MD to describe developments program & implementation plan & schedule for B&W Mark B11 fuel assembly.  
WIEN,L.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/12. BERKOW,H.N. Division of Reactor Projects I/II (DRPE) Post 941001). 5pp. 82378:177-82378:181.

9501240084 Application for amends to licenses NPF-9, NPF-17, NPF-35, NPF-52, NPF-38, NPF-47 & NPF-55, clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.



## 44 DOCKETED ITEMS

-9501240086 Proposed tech specs, changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
\* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:277.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501090270 Requests to delay completion of commitment item re testing of ASW check valve LPSW-502 until 950616, in response to Insp Repts 50-269/94-31, 50-270/94-31 & 50-287/94-31.  
HAMPTON, J.W. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82289:332-82289:334.

9501260065 Ack receipt of 931115 ltr re util request for relief 93-12 from certain ASME Code requirements determined to be impractical to perform at plant, unit 3 during second 10-yr interval inservice insp. SE encl.  
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. HAMPTON, J.W. Duke Power Co. 3pp. 82513:202-82513:210.

-9501260073 Safety evaluation approving second ten year interval inservice insp program plan request for relief 93-12 for plant, units 2 & 3.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 6pp. 82513:205-82513:210.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110033 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-32, 50-270/94-32 & 50-287/94-32.  
ORLENIAK, R.V. Region 2 (Post 820201). 95/01/04. HAMPTON, J.W. Duke Power Co. 3pp. 82272:264-82272:266.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170003 Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-24, 50-270/94-24 & 50-287/94-24.  
ORLENIAK, R.V. Region 2 (Post 820201). 95/01/06. HAMPTON, J.W. Duke Power Co. 3pp. 82313:263-82313:265.

9501170016 Forwards insp repts 50-269/94-39, 50-270/94-39 & 50-287/94-39 on 941205-09, Noncited violations noted.  
GIBSON, A.F. Region 2 (Post 820201). 95/01/06. HAMPTON, J.W. Duke Power Co. 3pp. 82313:327-82313:342.

-9501170023 Insp repts 50-269/94-39, 50-270/94-39 & 50-287/94-39 on 941205-09, Noncited violations noted. Major areas inspected: unresolved items & germane LERs to design, operation & safety classification of condenser circulating water sys.  
ROGERS, W.G., PEEBLES, T.A. Region 2 (Post 820201). 95/01/06. 13pp. 82313:330-82313:342.

9501170033 Ack receipt of 940408 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31. Concludes that blow-down of SG following single line break constitutes unreviewed concern.  
MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/06. HAMPTON, J.W. Duke Power Co. 4pp. 82314:062-82314:074.

-9412120041 Provides Reactor Sys Branch evaluation re TIA concerning safety implications re potential steam line break blowing down both SGs at plant.  
JONES, R.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/05. BERKOW, H.N. 3pp. 82314:066-82314:068.

-9501170050 Submits Rev 1 to Task Interface Agreement TIA 94-013. Requests expansion of scope of TIA 94-013 to include potential steam line re failures associated w/ other branch lines & components upstream of turbine stop valves.  
BOGER, B.A. Region 2 (Post 820201). 94/08/29. LAINAS, G.C. Assistant Director for Region II Reactors. 1p. 82314:069-82314:069.

-9404140042 Determines if plant licensee operating steam sys in condition which involves unreviewed safety question re TIA & requests GC Lainas & staff to review issue to determine subjects listed.  
JOHNSON, J.R. Region 2 (Post 820201). 94/03/31. LAINAS, G.C. Assistant Director for Region II Reactors. 4pp. 82314:070-82314:074.

9501190262 Discusses commitment made in 930524 response to NRC Bulletin 90-001, Suppl 1, to perform enhanced surveillance program on appropriate Rosemount transmitters covered by NRC Bulletin 90-001. Transmitters evaluated to be operable.  
HAMPTON, J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82428:348-82428:348.

9501240037 Forwards insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37 on 941212-16 & notice of violation.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/13. HAMPTON, J.W. Duke Power Co. 3pp. 82417:249-82417:269.

-9501240046 Notice of violation from insp on 941212-16. Violation noted: site I&C technicians failed to follow procedures for NRC enforcement actions.  
\* Region 2 (Post 820201). 95/01/13. 2pp. 82417:252-82417:253.

-9501240051 Insp repts 50-269/94-37, 50-270/94-37 & 50-287/94-37 on 941212-16. Violations noted. Major areas inspected: Nonlicensed operator & instrument & controls training programs.  
PAYNE, D.C., LAWYER, L.L. Region 2 (Post 820201). 95/01/11. 16pp. 82417:254-82417:269.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240076 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34. NRC believes that supplemental response necessary in that corrective actions limited to QA staff.  
CLINE, W.E. Region 2 (Post 820201). 95/01/17. HAMPTON, J.W. Duke Power Co. 4pp. 82418:358-82418:361.

9501270351 Submits comments on NRC Insp Repts 50-269/94-99, 50-270/94-99 & 50-287/94-99 for SALP rept for period 930502-941029.  
HAMPTON, J.W. Duke Power Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82540:358-82540:360.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurizing of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501270356 Responds to NRC 941219 ltr re violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31.  
HAMPTON, J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82546:312-82546:312.

9501300044 Forwards response to NRC 941221 ltr re violations in insp repts 50-269/94-36, 50-270/94-36 & 50-287/94-36. Corrective actions: drains & vents on 2A seal supply filter closed.  
HAMPTON, J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82554:311-82554:313.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mat Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200153 Forwards monthly operating repts for Dec 1994 & revised repts for Nov 1994 for Oconee Nuclear Station.  
WEBER, R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82472:275-82472:292.

-9501230093 Monthly operating repts for Dec 1994 for Oconee Nuclear Station.  
WILLIAMS, R.A. Duke Power Co. 94/12/31. 15pp. 82472:277-82472:291.

-9501230102 Revised monthly operating rept for Nov 1994 for CNS.  
\* Duke Power Co. 94/11/30. 1p. 82472:292-82472:292.

### S. Reportable occurrences, LERs & related correspondence

9501190229 LER 94-005-00 on 941209, failed equipment of breaker resulted in reactor trip due to thermal overload. Changed out power supply breaker & reviewed breaker preventive maint program. W/950105 ltr.  
WILKIE, L.V., HAMPTON, J.W. Duke Power Co. 95/01/05. 7pp. 82381:031-82381:037.

## DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

### F. Security, medical, emergency & fire protection plans

9501050345 Requests exemption from provisions of 10CFR50, App R, Section III.J, "Emergency Lighting" & withdrawal of previously approved exemption for use of emergency ac lighting in torus area of reactor bldg.  
REID, D.A. Vermont Yankee Nuclear Power Corp. 94/12/28. Document Control Branch (Document Control Desk). 3pp. 82260:253-82260:255.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.

RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.

RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9501230322 Rev 12 to "Vermont Yankee Nuclear Power Station FSAR." W/ 950116 ltr. REID,D.A. Vermont Yankee Nuclear Power Corp. 95/01/16. 580pp. 82502:001-82503:216.

#### P. Operating license stage documents & correspondence

9501050345 Requests exemption from provisions of 10CFR50,App R,Section III.J, "Emergency Lighting" & withdrawal of previously approved exemption for use of emergency ac lighting in torus area of reactor bldg. REID,D.A. Vermont Yankee Nuclear Power Corp. 94/12/28. Document Control Branch (Document Control Desk). 3pp. 82260:253-82260:255.

9501060189 Amends porton of 930928 submittal relating to backup copy storage,as result of recent internal audit of implementation of document storage & retrieval via optical disk sys at plant,per GL 88-18. TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82283:326-82283:326.

9501060127 Documents actions taken by util to evaluate,w/o immediate code repair,two pinhole through-wall flaws in svc water piping at plant & requests relief from requirement to perform immediate code repair,in accordance w/GL 90-05. TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 94/12/30. Document Control Branch (Document Control Desk). 4pp. 82392:181-82392:184.

9501110464 Forwards safety evaluation re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactors." DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 1p. 82297:266-82297:273.

9501110467 Safety evaluation accepting response to GL 94-03 re core shroud cracking. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 7pp. 82297:267-82297:273.

9501130107 Forwards clarification to Rev 25 of YOQAP-1-A to incorporate correct wording of ANSI N45.2.11 as applies to accepted practice for independent design verification. CLARK,C.R. Yankee Atomic Electric Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82392:217-82392:218.

9501170155 Clarifications to util operational QA program. \* Yankee Atomic Electric Co. 94/12/15. 1p. 82392:218-82392:218.

9501300154 Forwards EPRI rept entitled, "Demonstration Techniques & Procedures for Exam of Feedwater Inner Radius & Bore Region from Inside Surface," dtd 950118. TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/01/19. Document Control Branch (Document Control Desk). 21pp. 82554:279-82554:300.

9501180270 Administrative ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310235 Notification of 950208 meeting w/BWROG solution 1-D utils in Rockville,MD to discuss option 1-D submittal review, stability monitor & ODYSY/LAPUR. RICHINGS,H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82558:272-82558:273.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501110115 Forwards insp rept 50-271/94-29 on 941206-08.No violations noted.Informs that relief requested from liquid penetrant exam associated w/qualification demonstration being reviewed by NRC. MODES,M.C. Region 1 (Post 820201). 94/12/29. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 82271:143-82271:153.

9501110122 Insp rept 50-271/94-29 on 941206-08.No violations noted. Major areas inspected:qualification of ultrasonic insp technique that examines BWR feedwater nozzle by performance demonstration on nozzle mockup. BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 94/12/29. 8pp. 82271:146-82271:153.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180013 Forwards insp rept 50-271/94-26 on 941030-1210.No violations noted. LINVILLE,J.C. Region 1 (Post 820201). 95/01/06. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 82324:011-82324:036.

9501180014 Insp rept 50-271/94-26 on 941030-1210.No violations noted. Major areas inspected:operations,maint,engineering,plant support & safety assessment & quality verification. TRAPP,J.M. Region 1 (Post 820201). 95/01/05. 23pp. 82324:014-82324:036.

9501240044 Forwards insp rept 50-271/95-01 on 950103-06.No violations noted. JOYNER,J.H. Region 1 (Post 820201). 95/01/13. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 82417:314-82417:321.

9501240055 Insp rept 50-271/95-01 on 950103-06.No violations noted. Major areas inspected:effectiveness of mgt control,mgt support,audits,program plans,protected area barrier & detection equipment. KING,E.B., SMITH,G.C. Region 1 (Post 820201). 95/01/13. 5pp. 82417:317-82417:321.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240085 Forwards insp rept 50-271/94-28 on 941219-21.No violations noted.Insp found that tonus vent sys designed per NRC-approved BWROG guidelines & supported by comprehensive safety evaluation. KELLY,E.M. Region 1 (Post 820201). 95/01/17. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 82419:314-82419:323.

9501240088 Insp rept 50-271/94-28 on 941219-21.No violations noted. Major areas inspected:hardened wetwell vent to determine licensee compliance w/commitments made in response to NRC GL 89-16, "Installation of Hardened Wetwell Vent." KORONA,B.E., KELLY,E.M. Region 1 (Post 820201). 95/01/13. 8pp. 82419:316-82419:323.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

950120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

950120007 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501060202 Submits required rept summarizing licensee evaluation for 1994 re bulk chlorine rail shipments,per amend 132 to license DPR-28. TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 94/12/30. Document Control Branch (Document Control Desk). 2pp. 82283:324-82283:325.

9501200138 Monthly operating rept for Dec 1994 for VT Yankee Nuclear Power Station.W/950110 ltr. WALLIN,G.A., REID,D.A. Vermont Yankee Nuclear Power Corp. 94/12/31. 6pp. 82478:013-82478:018.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR. \* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

9501180221 Package consisting of event notifications for plants. \* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501040175 LER 94-016-00:on 941130,unisolable svc water piping leaks resulting in inoperability of WS subsystems & alternate cooling subsystem.UT insps have been completed on similar piping in SW sys w/o other problems.W/941229 ltr. WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 94/12/29. 8pp. 82245:346-82245:353.

9501100265 LER 94-015-00:on 941205,HPCI sys declared inoperable as result of identification of blown fuse in turbine trip circuit during quarterly surveillance testing due to intermittent failure.W/950104 ltr. WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/01/04. 6pp. 82296:020-82296:025.



## 46 DOCKETED ITEMS

9501190145 LER 94-018-00: on 941216, two vital fire barriers inoperable due to degraded fire penetration seals. Established continuous fire watch within one h on one side of each barrier & prepared both seals w/ approved mats. W/950113 ltr. WANGCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/01/13. 6pp. 82392:072-82392:077.

9501310330 LER 94-017-00: on 941210 & 950117, inlet isolation damper for CR HVAC sys failed to fully close when CR HVAC recirculation mode select switch placed in emergency position due to wear & corrosion in damper. Inlet damper replaced. W/950126 ltr. WANGCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/01/26. 8pp. 82575:169-82575:176.

### V. Operator Examinations

9501180046 Informs that listed ref mat identified in attachment 2 of ES-201 required prior to administration of licensing exam at facility scheduled for wk of 950306. MEYER, G.W. Region 1 (Post 820201). 95/01/06. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 82324:358-82324:360.

9501310020 Extends invitation to attend 950207-08 training managers meeting planned by NRC, Region 1, to discuss status of operator licensing programs & informs facilities of planned initiatives & changes. MEYER, G.W. Region 1 (Post 820201). 95/01/17. REID, D.A. Vermont Yankee Nuclear Power Corp. 5pp. 82528:188-82528:192.

### DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050201 Responds to 941222 NRC request by providing util engineering evaluation of RCP lube oil collection systems. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82224:330-82224:352.

-9501050210 "Fire Protection Review of Salem Reactor Coolant Pump Oil Collection Sys." dtd 941221. SHUMAKER, D.P., SCHROEDER, G., STEINHAUER, P. Public Service Electric & Gas Co. of New Jersey. S-C-FP-NEE-0936 R00. 94/12/21. 21pp. 82224:332-82224:352.

9501110139 Forwards SALP repts 50-272/93-99 & 50-311/93-99 on 930620-1105. Weaknesses in operability decision making resulted in some determinations not conservative or otherwise lacked solid technical basis. MARTIN, T.T. Region 1 (Post 820201). 95/01/03. ELIASON, L. Public Service Electric & Gas Co. of New Jersey. 5pp. 82271:217-82271:232.

-9501110145 SALP repts 50-272/93-99 & 50-311/93-99 for 930620-1105. \* Region 1 (Post 820201). 95/01/03. 11pp. 82271:222-82271:232.

9501110158 Forwards 941206 ltr from R Meyniger of FEMA, notifying CA Williams, State Director of New Jersey Ofc of Emergency Mgt of FEMA identified deficiency for State of New Jersey during 940524 plant exercise. JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 82271:243-82271:248.

9501110192 Forwards insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function. JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.

-9501110202 Insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation. LIMROTH, D.F. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.

9501250078 Rev 28 to EPIP 204S, "Emergency Response Callout/Personnel Recall." W/Rev 51 to table of contents. \* Public Service Electric & Gas Co. of New Jersey. 95/01/13. 64pp. 82516:001-82516:059.

9501240302 Forwards insp repts 50-272/94-31 & 50-311/94-31. Violations noted. Violations involve procedural adequacy which affected testing of containment spray sys. WHITE, J.R. Region 1 (Post 820201). 95/01/17. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82431:292-82431:308.

-9501240308 Insp repts 50-272/94-31 & 50-311/94-31 on 941106-1217. Violations noted. Major areas inspected: public health & safety during day & back shift hours of station activities, maint, surveillances, security & engineering. WHITE, J.R. Region 1 (Post 820201). 95/01/12. 13pp. 82431:296-82431:308.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### H. General correspondence

9501120035 Comment supporting proposed rules 10CFR2.51 & 54 re NPP license renewal. Util of belief that proposed rev reflect positive effort towards establishing regulatory process requirements for continued operation of nuclear facilities. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 95/01/03. Docketing & Services Branch. 2pp. 82279:198-82279:199.

9501180155 Requests svc list update due to recent personnel changes. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/09. Document Control Branch (Document Control Desk). 1p. 82366:329-82366:329.

#### P. Operating license stage documents & correspondence

9501310259 Record of telcon w/NRC on 941123 re LCR 94-06 RCS flow measurements, feedwater line breaks & comparison of feedwater malfunction event to rod withdrawal from subcritical. MCTIGUE, W.J. Public Service Electric & Gas Co. of New Jersey. 94/11/23. 3pp. 82566:244-82566:246.

9501100092 Ltr contract, definitizing task order 40, to "IPE Reviews, Internal Events, Front End Only." Salem 1 & 2. MACE, M. Division of Contracts (Post 940714). FIN B-5787. 94/12/08. COLINA, I. Science & Engineering Associates, Inc. 2pp. 82269:353-82269:354.

9501050346 Forwards amends 161 & 142 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends revise TS snubber surveillance requirements, per Generic Ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals..." OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:160-82229:179.

-9501050353 Amends 161 & 142 to licenses DPR-70 & DPR-75, respectively, revising TS re snubber surveillance requirements, per generic ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. 14pp. 82229:163-82229:176.

-9501050358 Safety evaluation supporting amends 161 & 142 to licenses DPR-70 & DPR-75, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/12. 3pp. 82229:177-82229:179.

9501050376 Forwards amends 162 & 143 to licenses DPR-70 & DPR-75, respectively & SE. Amends revise sustained degraded voltage relay trip setpoint & allowable value due to changes in switchyard configuration. OLSHAN, L.M. Project Directorate I-2 (PD1-2) Post 941001. 94/12/14. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:212-82229:226.

-9501050383 Amends 162 & 143 to licenses DPR-70 & DPR-75, respectively, revising sustained degraded voltage relay trip setpoint & allowable value due to changes in switchyard configuration. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/14. 8pp. 82229:215-82229:222.

-9501050387 Safety evaluation supporting amends 162 & 143 to licenses DPR-70 & DPR-75, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/14. 4pp. 82229:223-82229:226.

9501050237 Requests in accordance w/requirements of 10CFR50.55a(3), approval to utilize ASME Code N-514, "LTOP" & in accordance w/10CFR50.12, exemption from 10CFR50.60. Calculations that revised pressurizer OPS analysis encl. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/12/22. Document Control Branch (Document Control Desk). 17pp. 82227:089-82227:269.

-9501050243 "LTOP Event W/RH3 Valve." CHANDRA, V., PANDE, R. Public Service Electric & Gas Co. of New Jersey. S-C-RC-MDC-1358 R00. 94/06/13. 128pp. 82227:106-82227:234.

-9501050249 "LTOP Events W/One PORV." CHANDRA, V., PANDE, R.P. Public Service Electric & Gas Co. of New Jersey. S-C-RC-MDC-1413 R00. 94/12/16. 35pp. 82227:235-82227:269.

9501040273 Application for amends to Licenses DPR-70 & DPR-75, revising surveillance requirements for areas within containment. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/23. Document Control Branch (Document Control Desk). 3pp. 82219:192-82219:201.

-9501040274 Proposed tech specs re surveillance requirements for areas within containment. \* South Carolina Electric & Gas Co. 94/12/23. 7pp. 82219:195-82219:201.

9501100237 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 940929 License Change Request LCR 94-25 re instrumentation from Tech Specs & has no comments. TOSCH, K. New Jersey, State of. 94/12/27. Document Control Branch (Document Control Desk). 2pp. 82291:319-82291:320.

9501100490 Forwards amends 163 & 144 to licenses DPR-70 & DPR-75 & safety evaluation. Amends change surveillance frequency from five to ten yrs for performing air or smoke flow test through each containment spray header. OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 94/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82297:309-82297:329.

-9501100493 Amends 163 & 144 to licenses DPR-70 & DPR-75, respectively, changing surveillance frequency from five to ten yrs for performing air or smoke flow test through each containment spray header. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/27. 8pp. 82297:312-82297:319.

-9501100495 Safety evaluation supporting amends 163 & 144 to licenses DPR-70 & DPR-75, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 2pp. 82297:320-82297:329.

9501050201 Responds to 941222 NRC request by providing util engineering evaluation of RCP lube oil collection systems. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82224:330-82224:352.

-9501050210 "Fire Protection Review of Salem Reactor Coolant Pump Oil Collection Sys." dtd 941221. SHUMAKER, D.P., SCHROEDER, G., STEINHAUER, P. Public Service Electric & Gas Co. of New Jersey. S-C-FP-NEE-0936 R00. 94/12/21. 21pp. 82224:332-82224:352.

- 9501230145** Informs that EPA has reviewed util request for approval to use ASME Code Case N416-1 as alternative to Section XI & has no comments. TOSCH,K. Environmental Protection Agency. 94/12/30. Document Control Branch (Document Control Desk). 2pp. 82497:359-82497:360.
- 9501110359** Responds to 940721 request for approval for use of ASME Code Case N-598, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing." NRC recommends approval. OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/01/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 82297:114-82297:117.
- 9501120066** Notification of significant licensee meeting 95-01 w/util on 950126 for plant personnel to provide NRC w/overview of results of self-assessment of SWS. WHITE,J., MARSHALL,C., KELLY,E. Region 1 (Post 820201). 95/01/05. Region 1 (Post 820201). 2pp. 82279:333-82279:334.
- 9501120007** Notification of significant licensee meeting 94-150 w/util on 950118 to discuss NRC systematic appraisal of licensee performance for period covering 930620-941105. WHITE,J.R. Region 1 (Post 820201). 95/01/06. Region 1 (Post 820201). 2pp. 82279:035-82279:036.
- 9501230229** Submits annual review of incidental takes re federally listed threatened & endangered species, including fish & sea turtles. THOMSON,F.X. Public Service Electric & Gas Co. of New Jersey. 95/01/09. SILVA,L. National Marine Service, Inc. 3pp. 82504:093-82504:095.
- 9501240145** Comments on licensee 941118 application for amends to licenses DPR-70 & DPR-75, revising reactivity control sys TS for boron flow paths & CPs, by reducing min number of operable CPs required for boron addition in Mode 4. TOSCH,K. New Jersey, State of. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82512:359-82512:360.
- 9501310252** Forwards safety evaluation accepting util 910702 ltr, transmitting Topical Rept NFU-0039, Rev 2, "Salem Reactor Physics Methods," describing benchmark analyses & applications of TRINODE/CPM/EPRI-CELL code sys. TER encl. OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82562:047-82562:058.
- 9501310253** Safety evaluation accepting util methodology described in Topical Rept NFU-0039, Rev 2, "Salem Reactor Physics Methods" for reload licensing analyses. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 9pp. 82562:050-82562:058.
- 9501250076** Informs of changes of greater than 50 F to calculated PCT for units 1 & 2 LOCA analyses. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82462:357-82462:359.
- 9501250083** Requests relief from restrictions for welding on SA-351 matl contained in 1989 ASME PSV Code Section III. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/01/18. Document Control Branch (Document Control Desk). 14pp. 82463:189-82463:202.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501050346** Forwards amends 161 & 142 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends revise TS snubber surveillance requirements, per Generic Ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals..." OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 94/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:160-82229:179.
- 9501050353** Amends 161 & 142 to licenses DPR-70 & DPR-75, respectively, revising TS re snubber surveillance requirements, per generic ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions." STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/12. 14pp. 82229:163-82229:176.
- 9501050358** Safety evaluation supporting amends 161 & 142 to licenses DPR-70 & DPR-75, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/12. 3pp. 82229:177-82229:179.
- 9501090042** Forwards insp rept 50-272/94-27, 50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted. RULAND,W.H. Region 1 (Post 820201). 94/12/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 82235:241-82235:249.
- 9501090057** Insp repts 50-272/94-27, 50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted. Major areas inspected: engineering program by regional personnel to determine effectiveness of licensee engineering staff. CALVERT,C., RULAND,W.H. Region 1 (Post 820201). 94/12/21. 7pp. 82235:243-82235:249.
- 9501110001** Forwards insp rept 50-272/94-29 & 50-311/94-29 on 941107-18. No violations noted. MODES,M.C. Region 1 (Post 820201). 94/12/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 82271:310-82271:319.
- 9501110005** Insp repts 50-272/94-29 & 50-311/94-29 on 941107-18. No violations noted. Major areas inspected: augmented insp of reactor pressure vessel shell welds, eddy current exam of SG tubes, mechanical plugging of SG tubes & mgt oversight. BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 94/12/22. 8pp. 82271:312-82271:319.
- 9501050483** Forwards response to violations noted in Insp Repts 50-272/94-24 & 50-311/94-24. Corrective actions: power & protection setpoints reduced to ensure plant operations remain within licensed limits. HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/23. Document Control Branch (Document Control Desk). 16pp. 82229:324-82229:339.
- 9501050445** Forwards response to NRC concern stated in Insp Repts 50-272/94-19 & 50-311/94-19 relative to current TS definition of controlled leakage. Salem Unit 2 seal injection throttle valves (CVOs) will be set. HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/27. Document Control Branch (Document Control Desk). 5pp. 82276:349-82276:353.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501110139** Forwards SALP repts 50-272/93-99 & 50-311/93-99 on 930620-1105. Weaknesses in operability decision making resulted in some determinations not conservative or otherwise lacked solid technical basis. MARTIN,T.T. Region 1 (Post 820201). 95/01/03. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 82271:217-82271:232.
- 9501110145** SALP repts 50-272/93-99 & 50-311/93-99 for 930620-1105. \* Region 1 (Post 820201). 95/01/03. 11pp. 82271:222-82271:232.
- 9501110192** Forwards insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function. JOYNER,J.H. Region 1 (Post 820201). 95/01/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.
- 9501110202** Insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation. LIMROTH,D.F., MCCABE,E.C. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501250130** Responds to NRC 941130 ltr re violations noted in insp repts 50-272/94-21 & 50-311/94-21. Corrective actions: util developed relief request for S3 valve open exercise test to be submitted to NRC. HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/16. Document Control Branch (Document Control Desk). 10pp. 82518:026-82518:035.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501240302** Forwards insp repts 50-272/94-31 & 50-311/94-31. Violations noted. Violations involve procedural adequacy which affected testing of containment spray sys. WHITE,J.R. Region 1 (Post 820201). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82431:292-82431:308.
- 9501240308** Insp repts 50-272/94-31 & 50-311/94-31 on 941106-1217. Violations noted. Major areas inspected: public health & safety during day & back shift hours of station activities, maint. surveillances, security & engineering. WHITE,J.R. Region 1 (Post 820201). 95/01/12. 13pp. 82431:296-82431:308.
- 9501270009** Notification of significant licensee meeting 95-06 w/util on 950208 to discuss NRC requested Enforcement Conference re findings of Office of Investigations of employee concerns of 10CFR50.5 & 10CFR50.7. WHITE,J.R. Region 1 (Post 820201). 95/01/17. Region 1 (Post 820201). 2pp. 82488:202-82488:203.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501310090** Ack receipt of 941013 ltr re violations noted in insp repts 50-272/94-18, 50-311/94-18 & 50-354/94-18. Discusses licensee dispute of violation for Hope Creek Station. NRC concludes that adequate basis for withdrawing violation not provided. WIGGINS,J.T. Region 1 (Post 820201). 95/01/23. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82529:085-82529:095.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## 48 DOCKETED ITEMS

### R. Periodic operating reports & related correspondence

9501030126 Forwards discharge monitoring rept for plant containing info required in Permit NJ0005622 for month of Nov.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/22.  
CAPORALE,G. New Jersey, State of. 5pp. 82189:262-82189:300.

-9501030128 "Discharge Monitoring Rept for plant," dtd Nov 1994.  
QUINN,R.F., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/30.  
14pp. 82189:287-82189:300.

9501230289 Monthly operating rept for Dec 1994 for SGS Unit 1. W/950113 ltr.  
HELLER,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 94/12/  
31. 8pp. 82504:063-82504:070.

### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNIAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501130115 LER 94-018-00: on 941209, safeguards equipment cabinet (SEC) 1A declared inoperable due to sequencing problem & TS 3.0.3 entered. Root cause analysis will be performed. Rept also intended to satisfy requirements of 10CFR21.W/950104 ltr.  
PASTVA,M.J., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/01/04. 8pp. 82366:338-82366:345.

### V. Operator Examinations

9501310004 Extends invitation to attend Training Managers Meeting to discuss status of operator licensing programs & inform facilities of planned initiatives & changes. Forwards notice of meeting to be held on 950207-08 in King of Prussia, PA.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 82528:006-82528:010.

## DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

### R. Periodic operating reports & related correspondence

9501250081 "USGS TRIGA Reactor Annual Rept for 1994." W/950118 ltr.  
DEBEY,T.M. Interior, Dept. of. 94/12/31. COLLINS,S. Region 4 (Post 820201). 19pp.  
82438:169-82438:187.

## DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

9501230326 Notifies NRC that PG&E completed replacement of Thermo-Lag w/other fire barrier mats/sys, per util 940214 response to GL 92-08.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82504:105-82504:105.

9501270216 Rev 24 to EPIP EP G-1, "Emergency Classification & Emergency Plan Activation." W/950118 ltr.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/18. 15pp. 82537:280-82537:294.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501180158 Order. \* Extends time within which Commission may take sua sponte review of Presiding Officer 941104 initial decision. W/Certificate of Svc. Served on 950112.  
HOYLE,J.C. Office of the Secretary of the Commission. #195 16217. 95/01/12. Office of the General Counsel (Post 860701). 3pp. 82325:179-82325:181.

### H. General correspondence

9501130160 Comment opposing proposed rule 10CFR50 re shutdown & low power operation for Nuclear Power Reactors.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Docketing & Services Branch. 335pp. 82298:008-82298:342.

9501130108 Comment on proposed changes to reactor pressure vessel integrity rule 10CFR50. Endorses NEI comments.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/03. Docketing & Services Branch. 3pp. 82299:035-82299:037.

9501240059 Requests that NRC plant mailing list be revised by adding WH Fujimoto, Vice President & Plant Manager & deleting J Townsend, Vice President & Plant Manager.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/11. Document Control Branch (Document Control Desk). 1p. 82513:010-82513:010.

### P. Operating license stage documents & correspondence

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300256 Partially withheld paper recommending disposition of Joint Intervenor stay request on fuel loading.  
MALSCH,M.G. Office of the General Counsel (Post 860701). SECY-83-512. 83/12/19. 12pp. 82525:194-82525:205.

9501040204 Informs NRC that all safety-significant HED associated w/plant Units 1 & 2 detailed CR design review effort have been resolved.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:241-82260:241.

9501050470 Submits final rept on potential for inadequate electrical isolation in 120-volt vital instrument ac power circuits. Health & safety of public not affected by issue.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Document Control Branch (Document Control Desk). 25pp. 82233:331-82233:355.

9501090330 Forwards LAR 94-12 to licenses DPR-80 & DPR-82, revising ref TS to clarify TS issued in license amends 84 & 83, "Eagle 21 RPS Mod w/Bypass Manifold Elimination," deleting TS ref to RM-14A & RM-14B & removing cycle-specific TS requirements.  
RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Document Control Branch (Document Control Desk). 1p. 82288:207-82288:301.

-9501090342 LAR 94-12 to licenses DPR-80 & DPR-82, revising TS to clarify TS issued in license amends 84 & 83, "Eagle 21 RPS Mod w/Bypass Manifold Elimination," deleting refs to RM-14A & RM-14B & removing cycle-specific TS requirements.  
\* Pacific Gas & Electric Co. 94/12/30. 12pp. 82288:208-82288:219.

-9501090345 Proposed tech specs, clarifying TS issued in license amends 84 & 83, "Eagle 21 Reactor Protection Sys Mod w/Bypass Manifold Elimination," deleting TS refs to RM-14A & RM-14B & removing cycle-specific TS requirements.  
\* Pacific Gas & Electric Co. 94/12/30. 82pp. 82288:220-82288:301.

9501230326 Notifies NRC that PG&E completed replacement of Thermo-Lag w/other fire barrier mats/sys, per util 940214 response to GL 92-08.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82504:105-82504:105.

9501270002 Notification of significant licensee meeting w/util in Arlington, TX re reorganization of nuclear power generation & other topics.  
BEACH,A.B. Region 4 (Post 820201). 95/01/19. Region 4 (Post 820201). 5pp. 82488:160-82488:164.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501030046 Ack receipt of 941215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/94-25 & 50-323/94-25.  
GWYNN,T.P. Region 4 (Post 820201). 94/12/27. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 82157:216-82157:224.

9501030050 Forwards insp repts 50-275/94-26 & 50-323/94-26 on 941024-28. Violations noted but not cited.  
COLLINS,S.J. Region 4 (Post 820201). 94/12/27. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 82157:244-82157:258.

-9501030053 Insp repts 50-275/94-26 & 50-323/94-26 on 941024-28. Violations noted but not cited. Major areas inspected: audits & appraisals, training & qualifications.  
MURRAY,B. Region 4 (Post 820201). 94/12/13. 10pp. 82157:249-82157:258.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501060001 Forwards insp rept 50-275/94-27 & 50-323/94-27 on 941016-1126 & notice of violation.  
BEACH,A.B. Region 4 (Post 820201). 94/12/30. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 82189:001-82189:030.

-9501060002 Notice of violation from insp on 941016-1126. Violation noted: surveillance testing of molded case circuit breakers were not appropriate to circumstances.  
\* Region 4 (Post 820201). 94/12/30. 2pp. 82189:007-82189:008.

-9501060003 Insp repts 50-275/94-27 & 50-323/94-27 on 941016-1126. Violations noted. Major areas inspected: operational safety verification, plant maint, surveillance observation, plant support activities & in-office review of LERs.  
KIRSCH,D.F. Region 4 (Post 820201). 94/12/21. 22pp. 82189:009-82189:030.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501230020 Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp rept 50-323/94-28.  
PERKINS,K.E. Region 4 (Post 820201). 95/01/09. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 82377:038-82377:040.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501240235 Monthly operating rept for Dec 1994 for Diablo Canyon Nuclear Plant/W/ 950113 ltr.  
EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 13pp. 82512:337-82512:349.

#### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNAYK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501050067 LER 94-019-01: on 940901, inadequate containment penetration over-current protection due to personnel error. Affected circuits de-energized by opening appropriate breakers & switches.  
SOKOLSKY,D., RUEGER,G.M. Pacific Gas & Electric Co. 94/12/28. 12pp. 82258:001-82258:012.

9501190176 LER 94-020-00: on 941214, reactor tripped due to RCP bus undervoltage that resulted from electrical sys disturbance external to util sys. No corrective actions deemed necessary. W/950113 ltr.  
SISK,D.P., RUEGER,G.M. Pacific Gas & Electric Co. 95/01/13. 9pp. 82381:013-82381:021.

#### DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501060091 Rev 9 to ERP-130, "Site Evacuation." W/941229 ltr.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. 8pp. 82288:140-82288:147.

9501100285 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.

9501200282 Revised EIPs, including Rev 13 to ERP-140, "Emergency Response Organization (ERO) Call Out," Rev 8 to ERP-700, "Technical Support Team Leader (TSTL)" & Rev 8 to ERP-710, "Technical Support Group." W/950111 ltr.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. 26pp. 82477:329-82477:355.

9501230180 Submits revised plant physical security plan to allow use of biometrics hand geometry access control equipment. Encl withheld.  
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82497:285-82497:286.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### P. Operating license stage documents & correspondence

9501060180 Notifies NRC that TS Amends 199/201 implemented, as requested in 941129 ltr issuing TS amends.  
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/21. Document Control Branch (Document Control Desk). 2pp. 82283:327-82283:328.

9501050382 Informs of withdrawal of TS change request 93-02.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. Document Control Branch (Document Control Desk). 1p. 82276:359-82276:359.

9501050390 Provides addl info re Rev 2 to relief request 16-VRR-1 of second ten yr interval of IST program.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. Document Control Branch (Document Control Desk). 1p. 82247:336-82247:336.

9501100285 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.

9501110222 Requests that review of corrective action repts be transferred from independent nuclear QA to line organization for plants.  
MODES,M.C. Region 1 (Post 820201). 95/01/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82273:142-82273:154.

9501120140 Forwards affidavits & nonproprietary & proprietary versions of GE documents MDE-87-0485-1 & RE-020, per NRC 941114 request to enable NRC to process TS Change Request 90-03. Proprietary version of MDE-87-0485-1 & RE-020 withheld.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 9pp. 82331:001-82331:065.

9501120144 Nonproprietary "TS Improvement Analysis for RPS for PBAPS, Units 2 & 3."  
JACOBS,J.L., CHILLI,L., SOZZI,G.L. General Electric Co. MDE-87-0485-1-NP. 95/01/31. 34pp. 82331:010-82331:043.

9501120149 Nonproprietary "TS Improvement Analysis for ECCS Actuation Instrumentation for PBAPS, Units 2 & 3."  
DREWS,M.A., LARSON,C.L., MCCANDLESS,R.J. General Electric Co. RE-020-NP. 95/01/31. 22pp. 82331:044-82331:065.

9501110482 Ack receipt of ltr transmitting request to eliminate independent safety engineering group composition requirements for plants.  
MODES,M.C. Region 1 (Post 820201). 95/01/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82297:292-82297:306.

9501110486 Submits proposed change to QA Program description for plants.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 13pp. 82297:294-82297:306.

9501270157 Forwards revised transfer of cars from NOA to line organization.  
MODES,M.C. Region 1 (Post 820201). 95/01/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82490:226-82490:240.

9501310158 Forwards notice of withdrawal of application for amend to License DPR-44.  
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/01/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82561:348-82561:352.

9501310188 Notice of withdrawal of application for amend to license DPR-44.  
SHEA,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 2pp. 82561:351-82561:352.

9501240106 License Change Request 94-08 to Licenses DPR-44 & DPR-56, revising TS Tables 3.7.1 & 3.7.4 to reflect reduction in number of primary containment power operated outboard valves for TIP probes, per PBAPS Mod P00068.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. Document Control Branch (Document Control Desk). 8pp. 82504:326-82504:338.

9501240113 Proposed tech specs Tables 3.7.1 & 3.7.4, reflecting reduction in number of primary containment power operated outboard valves for TIP probes.  
PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. 5pp. 82504:334-82504:338.

9501240180 License Change Request 94-07 to Licenses DPR-44 & DPR-56, revising allowed time between signal calibrations of LPRM from every 6 wks [approx 1,000 EFPH] to every 2,000 megawatt days per std ton.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. Document Control Branch (Document Control Desk). 9pp. 82508:334-82508:347.

## 50 DOCKETED ITEMS

-9501240182 Proposed tech specs revising frequency of calibr for LPRM signals from every 6 wks to every 2,000 megawatt days per std ton.  
\* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. 5pp. 82508:343-82508:347.

9501240265 Application for amends to licenses DPR-44 & DPR-56, proposing to change "source range monitor" to "range neutron monitors" & delete "intermediate range monitors".  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/17. 92pp. 82437:001-82437:092.

9501270151 Ack util 941229 withdrawal of relief from requirements of ASME Code, section XI to perform timely repairs to leaking emergency svc water booster pump suction piping, informs that NRC review of util 940603 request closed.  
SHEA, J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82523:316-82523:318.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310108 Notification of 950202 meeting w/util in Rockville, MD to discuss review of PECO Improved TS Application.  
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/01/25. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 82561:298-82561:301.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089. "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050394 Informs of withdrawal of relief request from implied implementation of ASME Section XI repairs.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. Document Control Branch (Document Control Desk). 1p. 82247:335-82247:335.

9412270233 NRC Info Notice 94-090. "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001. "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108. "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180061 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp rept 50-277/94-26 on 941121.  
ANDERSON, C.J. Region 1 (Post 820201). 95/01/10. RAINEY, G. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82326:317-82326:329.

9501180001 Forwards insp repts 50-277/94-27 & 50-278/94-27 on 941113-1231. Non-cited violations identified.  
ANDERSON, C.J. Region 1 (Post 820201). 95/01/11. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82324:318-82324:340.

-9501180003 Insp repts 50-277/94-27 & 50-278/94-27 on 941113-1231. Non-cited violations identified. Major areas inspected: plant operations, maint & surveillance & engineering & technical support.  
ANDERSON, C.J. Region 1 (Post 820201). 95/01/11. 20pp. 82324:321-82324:340.

9501100350 NRC Info Notice 95-002. "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501270200 Forwards "Peach Bottom Atomic Power Station Unit 2 ISI Summary Rept for 921211-941022 Periodic Insp."  
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82546:142-82546:250.

-9501270201 "Peach Bottom Atomic Power Station Unit 2 ISI Summary Rept for 921211-941022 Periodic Insp."  
\* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/12. 107pp. 82546:144-82546:250.

950110412 NRC Info Notice 95-003. "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004. "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005. "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006. "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008. "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200149 Monthly operating repts for Dec 1994 for PBAPS Units 2 & 3. W/950113 ltr.  
JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 14pp. 82472:010-82472:023.

9501170208 Forwards 1994 annual rept on safety relief challenges for plant.  
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 1p. 82358:350-82358:350.

### S. Reportable occurrences, LERs & related correspondence

9501270215 Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17.  
FRATIANNI, S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270241 Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way.  
FRATIANNI, S.A. Coltec Industries, Inc. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.

### V. Operator Examinations

9501310049 Requests attendance at Region I training manager meeting in King of Prussia, PA re status of operator licensing programs, planned initiatives & changes. Meeting agenda encl.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 82528:183-82528:187.

### DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

9501060091 Rev 9 to ERP-130. "Site Evacuation." W/941229 ltr.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. 8pp. 82288:140-82288:147.

9501100285 Discusses licensee response to NRC requests for info re GL 92-08. "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.

9501200282 Revised EIPs, including Rev 13 to ERP-140. "Emergency Response Organization (ERO) Call Out." Rev 8 to ERP-700. "Technical Support Team Leader (TSTL)" & Rev 8 to ERP-710. "Technical Support Group." W/950111 ltr.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. 26pp. 82477:329-82477:355.

9501230180 Submits revised plant physical security plan to allow use of biometrics hand geometry access control equipment. Encl withheld.  
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82497:285-82497:286.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### P. Operating license stage documents & correspondence

9501060180 Notifies NRC that TS Amends 199/201 implemented, as requested in 941129 ltr issuing TS amends.  
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/21. Document Control Branch (Document Control Desk). 2pp. 82283:327-82283:328.

9501050390 Provides addl info re Rev 2 to relief request 16-VRR-1 of second ten yr interval of IST program.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. Document Control Branch (Document Control Desk). 1p. 82247:336-82247:336.

**9501100285** Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.

**950110222** Requests that review of corrective action repts be transferred from independent nuclear QA to line organization for plants.  
MODES,M.C. Region 1 (Post 820201). 95/01/05. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82273:142-82273:154.

**9501120140** Forwards affidavits & nonproprietary & proprietary versions of GE documents MDE-87-0485-1 & RE-020, per NRC 941114 request to enable NRC to process TS Change Request 90-03. Proprietary version of MDE-87-0485-1 & RE-020 withheld.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/05. Document Control Branch (Document Control Desk). 9pp. 82331:001-82331:065.

**9501120144** Nonproprietary "TS Improvement Analysis for RPS for PBAPS, Units 2 & 3."  
JACOBS,J.L., CHI,LL., SOZZI,G.L. General Electric Co. MDE-87-0485-1-NP. 95/01/31. 34pp. 82331:010-82331:043.

**9501120149** Nonproprietary "TS Improvement Analysis for ECCS Actuation Instrumentation for PBAPS, Units 2 & 3."  
DREWS,M.A., LARSON,C.L., MCCANDLESS,R.J. General Electric Co. RE-020-NP. 95/01/31. 22pp. 82331:044-82331:065.

**950110482** Ack receipt of ltr transmitting request to eliminate independent safety engineering group composition requirements for plants.  
MODES,M.C. Region 1 (Post 820201). 95/01/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82297:292-82297:306.

**950110486** Submits proposed change to QA Program description for plants.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 13pp. 82297:294-82297:306.

**9501270157** Forwards revised transfer of cars from NQA to line organization.  
MODES,M.C. Region 1 (Post 820201). 95/01/09. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82490:226-82490:240.

**9501240106** License Change Request 94-08 to Licenses DPR-44 & DPR-56, revising TS Tables 3.7.1 & 3.7.4 to reflect reduction in number of primary containment power operated outboard valves for TIP probes, per PBAPS Mod P00068.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. Document Control Branch (Document Control Desk). 8pp. 82504:326-82504:338.

**9501240113** Proposed tech specs Tables 3.7.1 & 3.7.4, reflecting reduction in number of primary containment power operated outboard valves for TIP probes.  
\* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. 5pp. 82504:334-82504:338.

**9501240180** License Change Request 94-07 to Licenses DPR-44 & DPR-56, revising allowed time between signal calibrations of LPRM from every 6 wks [approx 1,000 EFPF] to every 2,000 megawatt days per std ton.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. Document Control Branch (Document Control Desk). 9pp. 82508:334-82508:347.

**9501240182** Proposed tech specs revising frequency of calibr for LPRM signals from every 6 wks to every 2,000 megawatt days per std ton.  
\* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/13. 5pp. 82508:343-82508:347.

**9501240265** Application for amends to licenses DPR-44 & DPR-56, proposing to change "source range monitor" to "range neutron monitors" & delete "intermediate range monitors".  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/17. 92pp. 82437:001-82437:092.

**9501270151** Ack util 941229 withdrawal of relief from requirements of ASME Code, section XI to perform timely repairs to leaking emergency svc water booster pump suction piping. Informs that NRC review of util 940603 request closed.  
SHEA,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82523:316-82523:318.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310108** Notification of 950202 meeting w/util in Rockville, MD to discuss review of PECO Improved TS Application.  
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/01/25. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 82561:298-82561:301.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501050394** Informs of withdrawal of relief request from implied implementation of ASME Section XI repairs.  
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/29. Document Control Branch (Document Control Desk). 1p. 82247:335-82247:335.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501180001** Forwards insp repts 50-277/94-27 & 50-278/94-27 on 941113-1231. Non-cited violations identified.  
ANDERSON,C.J. Region 1 (Post 820201). 95/01/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82324:318-82324:340.

**9501180003** Insp repts 50-277/94-27 & 50-278/94-27 on 941113-1231. Non-cited violations identified. Major areas inspected: plant operations, maint & surveillance & engineering & technical support.  
ANDERSON,C.J. Region 1 (Post 820201). 95/01/11. 20pp. 82324:321-82324:340.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**950110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**950120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200149** Monthly operating repts for Dec 1994 for PBAPS Units 2 & 3. W/950113 ltr.  
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 14pp. 82472:010-82472:023.

**9501170208** Forwards 1994 annual rept on safety relief challenges for plant.  
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 1p. 82358:350-82358:350.

#### S. Reportable occurrences, LERs & related correspondence

**9501270215** Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17.  
FRATTIANNE,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

**9501270241** Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way.  
FRATTIANNE,S.A. Coltec Industries, Inc. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.

#### V. Operator Examinations

**9501310049** Requests attendance at Region I training manager meeting in King of Prussia, PA re status of operator licensing programs, planned initiatives & changes. Meeting agenda encl.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 82528:183-82528:187.

#### DOCKET 50-280 SURRY POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501040190** Rev 37 to "Surry Power Station Emergency Plan." W/941227 ltr.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. 197pp. 82233:064-82233:261.

**9501050350** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

**9501100061** Revised EIPs, including rev 11 to EPIP-3.03, rev 14 to EPIP-4.02, rev 11 to EPIP-4.16, rev 8 to EPIP-4.18, rev 6 to EPIP-4.21 & rev 10 to EPIP-5.05, W/950105 ltr.  
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/01/05. 99pp. 82291:187-82291:285.



## 52 DOCKETED ITEMS

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9412230001 Forwards "Individual Plant Examination Of Non-Seismic External Events & Fires Final Rept," Vols 1 & 2. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/14. Document Control Branch (Document Control Desk). 4pp. 82099:001-82100:150.

-9412230007 "Individual Plant Examination Of Non-Seismic External Events & Fires,Final Rept," Vols 1 & 2. \* Virginia Power (Virginia Electric & Power Co.). 94/12/31. 509pp. 82099:005-82100:150.

9501050350 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

9501100219 Submits follow up to telephone notification re excursion of total suspended solids limitations at plant outfall 181. MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/01/03. COOK,C.S. Virginia, Commonwealth of. 2pp. 82291:301-82291:302.

9501240131 Provides schedules for implementation of recommended surveillance testing & current order timing changes at stations,in response to NRC 941214 RAI re GL 93-04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82508:358-82508:359.

9501250055 Confirms 950118 telcon between DA Somers & LW Garner,re mgt meeting scheduled for 950125. VERRELLI,D.M. Region 2 (Post 820201). 95/01/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82433:279-82433:281.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501040183 Submits response to violations noted Insp Repts 50-280/94-28 & 50-281/94-28.Corrective actions:design change packages field changed to include correct positioner mod instructions in vendor manual. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. Document Control Branch (Document Control Desk). 6pp. 82218:357-82218:362.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110028 Ack receipt of 941227 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-28 & 50-281/94-28. VERRELLI,D.M. Region 2 (Post 820201). 95/01/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82272:258-82272:259.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501240105 Notification of significant licensee meeting w/util on 950202 to discuss performance of facility during period of 930704-950121.Meeting closed to public. BELISLE,G.A. Region 2 (Post 820201). 95/01/13. Region 2 (Post 820201). 2pp. 82420:010-82420:011.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82438:069-82438:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230301 Monthly operating repts for Dec 1994 for Surry Power Station.W/950112 ltr. OLSEN,C., KESSLER,P., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 20pp. 82497:131-82497:150.

### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501170019 PNO-II-95-002:on 950108,Unit 1 experienced automatic reactor scram on low SG level.Cause of pump overspeed trip not determined.Faulty position indication circuit attributed to failed cable connection. BELISLE,G.A. Region 2 (Post 820201). 95/01/10. 1p. 82313:346-82313:346.

### V. Operator Examinations

9501240097 Confirms arrangements made per 950104 telcon between listed individuals for administration of OL exams at plant during wk of 950320 & exam preparation visit for wk of 950306.Exam repts 50-280/95-300 & 50-281/95-300 ref results. PEEBLES,T.A. Region 2 (Post 820201). 95/01/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 82420:001-82420:006.

### Y. Dry Cask Independent Spent Fuel Storage Installations

9501090167 Submits annual update of SAR for SPS ISFSI,comprising of new & revised descriptions,per amend 7 to license SNM-2501 issued 940629,which added TS for use of CASTOR X/33 storage cask & changed operating limits for CASTOR V/21 cask. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/19. Document Control Branch (Document Control Desk). 6pp. 82290:067-82290:302.

-9501090275 Amend 5 to "Surry ISFSI Environ Rept," incorporating CASTOR X/33 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 49pp. 82290:073-82290:121.

-9501090293 Amend 9 to "Surry ISFSI SAR," incorporating CASTOR X/33 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 119pp. 82290:122-82290:240.

-9501090298 Amend 6 to "Surry ISFSI Environ Rept," incorporating CASTOR V/21 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 21pp. 82290:241-82290:261.

-9501090310 Amend 10 to "Surry ISFSI SAR," incorporating CASTOR V/21 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 39pp. 82290:262-82290:302.

### DOCKET 50-281 SURRY POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9412230001 Forwards "Individual Plant Examination Of Non-Seismic External Events & Fires Final Rept," Vols 1 & 2. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/14. Document Control Branch (Document Control Desk). 4pp. 82099:001-82100:150.

-9412230007 "Individual Plant Examination Of Non-Seismic External Events & Fires,Final Rept," Vols 1 & 2. \* Virginia Power (Virginia Electric & Power Co.). 94/12/31. 509pp. 82099:005-82100:150.

9501040190 Rev 37 to "Surry Power Station Emergency Plan." W/941227 ltr. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. 197pp. 82233:064-82233:261.

9501050350 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

9501100061 Revised EPIPs,including rev 11 to EPIP-3.03,rev 14 to EPIP-4.02,rev 11 to EPIP-4.16,rev 8 to EPIP-4.18,rev 6 to EPIP-4.21 & rev 10 to EPIP-5.05,W/950105 ltr. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/01/05. 99pp. 82291:187-82291:285.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced,Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501050350 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

9501100219 Submits follow up to telephone notification re excursion of total suspended solids limitations at plant outfall 181. MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/01/03. COOK,C.S. Virginia, Commonwealth of. 2pp. 82291:301-82291:302.

9501240131 Provides schedules for implementation of recommended surveillance testing & current order timing changes at stations,in response to NRC 941214 RAI re GL 93-04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82508:358-82508:359.

9501250055 Confirms 950118 telcon between DA Somers & LW Garner,re mgt meeting scheduled for 950125. VERRELLI,D.M. Region 2 (Post 820201). 95/01/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82433:279-82433:281.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501040183 Submits response to violations noted Insp Repts 50-280/94-28 & 50-281/94-28.Corrective actions:design change packages field changed to include correct positioner mod instructions in vendor manual. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. Document Control Branch (Document Control Desk). 6pp. 82218:357-82218:362.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110028 Ack receipt of 941227 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/94-28 & 50-281/94-28. VERRELLI,D.M. Region 2 (Post 820201). 95/01/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82272:258-82272:259.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501240105 Notification of significant licensee meeting w/util on 950202 to discuss performance of facility during period of 930704-950121.Meeting closed to public. BELISLE,G.A. Region 2 (Post 820201). 95/01/13. Region 2 (Post 820201). 2pp. 82420:010-82420:011.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230301 Monthly operating repts for Dec 1994 for Surry Power Station.W/950112 ltr. OLSEN,C. KESSLER,P., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 20pp. 82497:131-82497:150.

#### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

#### V. Operator Examinations

9501240097 Confirms arrangements made per 950104 telcon between listed individuals for administration of OL exams at plant during wk of 950320 & exam preparation visit for wk of 950306.Exam repts 50-280/95-300 & 50-281/95-300 ref results. PEEBLES,T.A. Region 2 (Post 820201). 95/01/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 82420:001-82420:006.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9501090167 Submits annual update of SAR for SPS ISFSI,comprising of new & revised descriptions,per amend 7 to license SNM-2501 issued 940629,which added TS for use of CASTOR X/33 storage cask & changed operating limits for CASTOR V/21 cask. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/19. Document Control Branch (Document Control Desk). 6pp. 82290:067-82290:302.

-9501090275 Amend 5 to "Surry ISFSI Environ Rept," incorporating CASTOR X/33 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 49pp. 82290:073-82290:121.

-9501090293 Amend 9 to "Surry ISFSI SAR," incorporating CASTOR X/33 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 119pp. 82290:122-82290:240.

-9501090298 Amend 6 to "Surry ISFSI Environ Rept," incorporating CASTOR V/21 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 21pp. 82290:241-82290:261.

-9501090310 Amend 10 to "Surry ISFSI SAR," incorporating CASTOR V/21 changed pages. \* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 39pp. 82290:262-82290:302.

#### DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050335 Provides util response to 940923 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." WADLEY,M.D. Northern States Power Co. 94/12/21. Document Control Branch (Document Control Desk). 15pp. 82247:085-82247:282.

-9501050344 "Tranco Procedure TIQAP 9.20,For Installation of KM-1 Fire Barrier Systems for Electrical Raceway Systems." \* Tranco Products, Inc. 94/10/14. 183pp. 82247:100-82247:282.

9501090323 Provides follow-up to request for addl info re GL 92-08 "Thermo-Lag 330-1 Fire Barriers." Written rept responding to encl requested within 90 days. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. ANDERSON,R.O. Northern States Power Co. 7pp. 82259:345-82259:351.

9501170074 Forwards rev 7 to Prairie Island Safeguards Contingency Plan,Plan withheld. ANDERSON,R.O. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82456:322-82456:322.



## 54 DOCKETED ITEMS

9501250188 Revised EIPs, including Rev 88 EIP indexes, Rev 11 to F3-12, Rev 17 to F3-15, Rev 3 to F3-20.1, Rev 4 to F3-20.2, Rev 15 to F3-23, Rev 7 to F3-23.1 & Rev 6 to F3-24.W/950116 ltr.  
ANDERSON, R.O. Northern States Power Co. 95/01/16. 66pp. 82514:182-82514:267.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025 asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### H. General correspondence

9501130121 Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis. PR will extend refueling outages at all plants.  
ANDERSON, R.O. Northern States Power Co. 94/12/30. Docketing & Services Branch. 2pp. 82299:089-82299:090.

### P. Operating license stage documents & correspondence

9501050335 Provides util response to 940923 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."  
WADLEY, M.D. Northern States Power Co. 94/12/21. Document Control Branch (Document Control Desk). 15pp. 82247:085-82247:282.

9501050344 "Transco Procedure TIQAP 9.20, For Installation of KM-1 Fire Barrier Systems for Electrical Raceway Systems."  
\* Transco Products, Inc. 94/10/14. 183pp. 82247:100-82247:282.

9501090323 Provides follow-up to request for addl info re GL 92-08 "Thermo-Lag 330-1 Fire Barriers." Written rept responding to encl requested within 90 days.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29.  
ANDERSON, R.O. Northern States Power Co. 7pp. 82259:345-82259:351.

9501060112 Submits info re SG weld indication evaluation.  
ANDERSON, R.O. Northern States Power Co. 94/12/30. Document Control Branch (Document Control Desk). 17pp. 82287:310-82287:326.

9501100244 Forwards amends 113 & 106 to licenses DPR-42 & DPR-60 & safety evaluation. Amends modify EDG 24-hour load test requirements to provide indicated load range of 103-110 percent of continuous rating.  
PETERSON, S.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05.  
ANDERSON, R.O. Northern States Power Co. 4pp. 82283:031-82283:053.

9501100249 Amends 113 & 106 to licenses DPR-42 & DPR-60, respectively, modifying EDG 24-hour load test requirements to provide indicated load range of 103-110 percent of continuous rating.  
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 15pp. 82283:035-82283:048.

9501100255 Safety evaluation supporting amends 113 & 106 to licenses DPR-42 & DPR-60, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 5pp. 82283:049-82283:053.

9501120077 Informs that licensee response to GL 93-04 acceptable re "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)."  
THOMAS, C.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05.  
ANDERSON, R.O. Northern States Power Co. 2pp. 82310:192-82310:193.

9501130280 Forwards application for amend to Licenses DPR-42 & DPR-60, changing TS 4.12, "SG Tube Surveillance," to incorporate revised acceptance criteria for SG tubes w/ degradation in tubesheet roll expansion region. Proprietary rept encl.  
WADLEY, M. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82426:022-82426:162.

9501130284 Application for amends to Licenses DPR-42 & DPR-60, changing TS 4.12, "Steam Generator Tube Surveillance," to incorporate revised acceptance criteria for steam generator tubes w/ degradation in tubesheet roll expansion region.  
WADLEY, M. Northern States Power Co. 95/01/09. 19pp. 82426:025-82426:043.

9501130286 Proposed Tech Specs 4.12 re steam generator surveillance.  
\* Northern States Power Co. 95/01/09. 10pp. 82426:044-82426:053.

9501130287 Non-proprietary WCAP-14226, "F" & "L" Tube Plugging Criteria for Tubes w/ Degradation in Tubesheet Roll Expansion Region of Prairie Island Units 1 & 2 Steam Generators."  
\* Westinghouse Electric Corp. WCAP-14226. 94/12/31. 110pp. 82426:054-82426:162.

9501230328 Provides clarifications in support of 941205 LAR changes in containment refueling integrity requirements.  
WADLEY, M.D. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82484:358-82484:359.

9501200307 Forwards application for amends to Licenses DPR-42 & DPR-60, revising event monitoring instrumentation TS to conform to std TS for post accident monitoring.  
WADLEY, M.D. Northern States Power Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82465:286-82465:322.

9501200311 Application for amends to Licenses DPR-42 & DPR-60, revising event monitoring instrumentation TS to conform to std TS for post accident monitoring.  
WADLEY, M.D. Northern States Power Co. 95/01/10. 11pp. 82465:288-82465:298.

9501200316 Proposed tech specs re post accident monitoring.  
\* Northern States Power Co. 95/01/10. 24pp. 82465:299-82465:322.

9501260375 Forwards amends 114 & 107 to licenses DPR-42 & DPR-60, respectively & SE. Amends change submittal frequency of radioactive effluent release rept from semi-annual to annual in TS.  
PETERSON, S.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11.  
ANDERSON, R.O. Northern States Power Co. 2pp. 82513:338-82513:362.

9501260377 Amends 114 & 107 to licenses DPR-42 & DPR-60, respectively, changing submittal frequency of radioactive effluent release rept from semi-annual to annual in TS.  
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 20pp. 82513:341-82513:360.

9501260378 Safety evaluation supporting amends 114 & 107 to licenses DPR-42 & DPR-60, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 2pp. 82513:361-82513:362.

9501190164 Informs that effective 950109, NRC Project Mgt responsibility for plant transferred from SR Peterson to CR Thomas.  
HANNON, J.N. Project Directorate III-1. 95/01/13. ANDERSON, R.O. Northern States Power Co. 2pp. 82367:001-82367:002.

9501190304 Forwards LAR re licenses DPR-42 & DPR-60, revising TS 4.4.D.1 to change interval for performance of RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
WADLEY, M. Northern States Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82394:255-82394:266.

9501190308 LAR to licenses DPR-42 & DPR-60, revising TS 4.4.D.1 to change interval for performance of RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
WADLEY, M. Northern States Power Co. 95/01/13. 7pp. 82394:257-82394:263.

9501190317 Proposed tech spec 4.4.D.1, which changes interval for performance RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
\* Northern States Power Co. 95/01/13. 5pp. 82394:264-82394:268.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. LIU, L., FRANZ, J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050266 Informs of schedule change re addl info re response to follow-up item concerning weakness on development & implementation of adequate check valve program.  
WADLEY, M.D. Northern States Power Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82229:258-82229:259.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

950120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501260367** Forwards RAI re third 10-Year ISI program plan & associated requests for relief. Response to request should be submitted within 60 days to meet staff ISI program plan review schedule.  
THOMAS, C.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. ANDERSON, R.O. Northern States Power Co. 12pp. 82513:326-82513:337.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501100184** Monthly operating rept for Dec 1994 for Prairie Island. W/950105 ltr.  
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 94/12/31. 9pp. 82291:286-82291:294.

#### S. Reportable occurrences, LERs & related correspondence

**9501040170** Submits followup to 940418 Part 21 re investigation w/ respect to Jan 1994 incident at Prairie Island Generating Plant involving Crane design gate valves.  
MCCULLOUGH, H. Crane Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:238-82260:238.

#### V. Operator Examinations

**9501190040** Informs that written & operating exams scheduled for wk of 950515. Requests that staff furnish ref mats identified in encl attachment by Feb 1995.  
RING, M.A. Region 3 (Post 820201). 95/01/11. WATZL, E. Northern States Power Co. 3pp. 82335:153-82335:155.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

**9501270034** Requests that NRC use encl documentation re ref audit of facility, in preparing evaluation of PX Engineering Co., Inc.  
AVELLAN, J. PX Engineering Co., Inc. 94/12/23. O'CONNOR, S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 9pp. 82546:001-82546:038.

**-9501300016** "Resin Installation Procedure."  
SCRUTON, G.S. PX Engineering Co., Inc. 94/12/19. 12pp. 82546:010-82546:021.

**-9501300023** "Calibration of Standard Measuring Devices Used In Production & Quality Control Insp."  
SCRUTON, G. PX Engineering Co., Inc. 94/12/19. 17pp. 82546:022-82546:038.

**9501110186** Requests scheduler exemption to submit rept of preoperational test acceptance criteria & test results for plant ISFSI within three days prior to receipt of spent fuel 10CFR72.7.  
ANDERSON, R.O. Northern States Power Co. 95/01/04. Document Control Branch (Document Control Desk). 4pp. 82297:357-82297:360.

**9501270027** Submits Transnuclear audit rept E-13610 for audit 94-7 at PX Engineering.  
MASON, M. Transnuclear, Inc. 95/01/05. O'CONNOR, S. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:272-82540:283.

**-9501300010** "Audit Rept - TN Audit 94-7."  
CASS, L. Transnuclear, Inc. 94/12/19. 10pp. 82540:274-82540:283.

**9501310328** Forwards insp rept 72-0010/94-212 on 941108-1215 & notice of violation.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/25. ANDERSON, R.O. Northern States Power Co. 4pp. 82576:337-82576:358.

**-9501310338** Insp rept 72-0010/94-212 on 941108-1215. Violations noted. Major areas inspected: implementation of NRC-approved NSP QA program in providing quality controls for mgt & fabrication activities associated w/TN-40 dry spent fuel storage sys.  
O'CONNOR, S.C., MATULA, T.O. Source Containment & Devices Branch (Post 911213). BROWN, B.W. Idaho National Engineering Laboratory. 95/01/19. 14pp. 82576:342-82576:355.

**-9501310342** Notice of violation from insp on 941108-1215. Violation noted: info was not recorded on data record sheets for neutron shield resin pour activity.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/24. 3pp. 82576:356-82576:358.

#### DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

##### V. Operator Examinations

**9501050475** Forwards addl info requested w/respect to approval of proposed rev of operator requalification program.  
CLOVIS, R.D. Idaho State Univ., Pocatello, ID. 94/12/22. MENDONCA, M.M. Non-Power Reactor & Decommissioning Project Directorate. 4pp. 82276:341-82276:344.

#### DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9501230182** Rev 3 to EPIP-RR-19A, "Operations Liaison Actions." W/950106 ltr.  
PATTERSON, T.L. Omaha Public Power District. 94/06/14. 13pp. 82497:298-82497:310.

**9501030015** Ack receipt of licensee 941101 & 11 lbs re changes to plant radiological emergency response plan & emergency classification procedure. Advises that listed changes acceptable.  
COLLINS, S.J. Region 4 (Post 820201). 94/12/27. PATTERSON, T.L. Omaha Public Power District. 4pp. 82157:080-82157:083.

**9501200080** Revised EIPs, including page 1 to FC-EPF Index, issued on 941213, rev R2 to FC-EPF-4, issued on 941213, rev R1 to FC-EPF-5, issued on 941213, page 2 to FC-EPF Index, issued on 941215 & rev R0 to FC-EPF-36, issued on 941215.  
PATTERSON, T.L. Omaha Public Power District. 95/01/03. 8pp. 82426:354-82426:361.

**9501240386** Forwards Rev 8 to site security plan, including detailed summary listing of changes. Rev includes implementation of Generic Ltr 93-07, "Mods of TS Administrative Control Requirements for Emergency & Security Plans."  
PATTERSON, T.L. Omaha Public Power District. 95/01/17. Document Control Branch (Document Control Desk). 1p. 82513:011-82513:011.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### J. Insurance & indemnity information

**9501030139** Forwards certificate of nuclear energy liability insurance for American Nuclear Insurers Policy NF-207 & MAELU Policy MF-63, providing evidence of util continuation of Nuclear Energy Liability Insurance Policies for CY95.  
PATTERSON, T.L. Omaha Public Power District. 94/12/21. Document Control Branch (Document Control Desk). 2pp. 82260:191-82260:192.

#### P. Operating license stage documents & correspondence

**9501060197** Ltr contract, mod 1, changing due date on deliverable for task order 39, "IFE Review, Internal Events-front End Only."  
MACE, M. Division of Contracts (Post 940714). 94/12/08. COLINA, I. Science & Engineering Associates, Inc. 2pp. 82259:172-82259:173.

**9501100312** Forwards amend 166 to license DPR-40 & safety evaluation. Amend revises TS 3.6(3)a & 3.2 to delete surveillance requirements for RW backup valves to containment cooling coils.  
BLOOM, S. Project Directorate IV-2. 94/12/29. PATTERSON, T.L. Omaha Public Power District. 4pp. 82282:303-82282:315.

**-9501100316** Amend 166 to license DPR-40, revising TS 3.6(3)a & 3.2 to delete surveillance requirements for RW backup valves to containment cooling coils.  
BLOOM, S.D. Project Directorate IV-2. 94/12/29. 6pp. 82282:307-82282:312.

**-9501100319** Safety evaluation supporting amend 166 to license DPR-40.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 3pp. 82282:313-82282:315.

**9501230315** Forwards application for amend to license DPR-40, seeking to amend Spec 2.22 & 3.1 to delete requirements for toxic gas monitoring sys (TGMS). "Analysis to Support Removal of FCS TGMS" & markup TS also encl.  
GATES, W.G. Omaha Public Power District. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82487:292-82487:348.

**-9501230317** Application for amend to license DPR-40, revising Specs 2.22 & 3.1 to delete requirements for toxic gas monitoring sys.  
GATES, W.G. Omaha Public Power District. 95/01/09. 8pp. 82487:294-82487:301.

**-9501230319** "Analysis to Support Removal of FCS Toxic Gas Monitoring Sys."  
\* Omaha Public Power District. 94/08/31. 40pp. 82487:302-82487:341.

**-9501230320** Proposed tech specs, reflecting deletion of requirements for toxic gas monitoring sys.  
\* Omaha Public Power District. 95/01/09. 7pp. 82487:342-82487:348.

**9501190051** Notification of significant licensee meeting w/util on 950125 to discuss on-line DG maint & issues associated w/scheduled Mar 1995 refueling outage.  
BEACH, A.B. Region 4 (Post 820201). 95/01/12. Region 4 (Post 820201). 4pp. 82335:218-82335:221.

**9501310272** Submits update on current changes to administrative controls re issue of potential loss of control room air-conditioning.  
PATTERSON, T.L. Omaha Public Power District. 95/01/19. Document Control Branch (Document Control Desk). 8pp. 82582:285-82582:292.

**9501300120** Forwards "Cycle 16 Reload Evaluation Rept for FCS, Unit 1." Rept provides evaluation of core design & performance for operation during cycle 16.  
PATTERSON, T.L. Omaha Public Power District. 95/01/20. Document Control Branch (Document Control Desk). 1p. 82554:073-82554:134.

**-9501300123** "Cycle 16 Reload Evaluation Rept," for FCS Unit 1.  
\* Omaha Public Power District. 95/01/20. 61pp. 82554:074-82554:134.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

## 56 DOCKETED ITEMS

9501090006 Forwards insp rept 50-285/94-22 on 941023-1203.No violation noted. BEACH,A.B. Region 4 (Post 820201). 95/01/03. PATTERSON,T.L. Omaha Public Power District. 4pp. 82235:021-82235:038.

-9501090009 Insp rept 50-285/94-22 on 941023-1203.No violations noted. Major areas inspected:onsite events,operational safety verification,plant support activities,maint & surveillance observations & onsite engineering. JOHNSON,W.D. Region 4 (Post 820201). 94/12/29. 14pp. 82235:025-82235:038.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501040083 Forwards "Fort Calhoun Station Performance Indicators for Nov 1994." PATTERSON,T.L. Omaha Public Power District. 94/12/20. Document Control Branch (Document Control Desk). 1p. 82224:169-82224:267.

-9501040092 "Fort Calhoun Station Performance Indicators,Nov 1994." \* Omaha Public Power District. 94/11/30. 97pp. 82224:172-82224:267.

9501190183 Monthly operating rept for Dec 1994 for FCS Unit 1. W/950113 ltr. MATTHEWS,T.C., PATTERSON,T.L. Omaha Public Power District. 94/12/31. 8pp. 82470:314-82470:321.

### DOCKET 50-286 INDIAN POINT STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

9501060270 Revised EPIPs,including Rev 18 to IP-1038, "Offsite Emergency Notifications" & Rev 21 to IP-1050, "Accountability." \* Power Authority of the State of New York (New York Power Authority). 94/12/31. 47pp. 82277:280-82277:326.

9501120128 Forwards exemption from requirements of 10CFR50,App R, Section III.G.2 re protection of redundant equipment from fire damage in response to util 931130 & 940706 submittals. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82305:008-82305:019.

-9501120132 Exemption from requirements of 10CFR50,App R, Section III.G.2. re protection of redundant equipment from fire damage at plant. BERKOW,H.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/05. Power Authority of the State of New York (New York Power Authority). 9pp. 82305:011-82305:019.

9501250249 Revised EPIPs,including rev 93 to index & rev 2 to IP-1012, "Emergency Airborne Activity Determination." W/950113 ltr. \* Power Authority of the State of New York (New York Power Authority). 95/01/13. 16pp. 82439:339-82439:354.

9501270330 Forwards amend 157 to license DPR-64 & safety evaluation. Amend moves fire protection requirements from TS to IP3 & revises IP3 IAW NRC fire protection standard specs. CONICELLA,N.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82525:324-82525:342.

-9501270338 Amend 157 to license DPR-64,moving fire protection requirements from TS to IP3 & revising IP3 IAW NRC standard fire protection specs. CASE,M.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 11pp. 82525:328-82525:337.

-9501270341 Safety evaluation supporting amend 157 to license DPR-64. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82525:338-82525:342.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

9501270218 Requests that monitoring frequency of chlorine analyzer be changed to include grab sampling in lieu of continuous monitoring & that grab sampling be conducted per conditions defined footnote "r." Evaluation of subj analyzer encl. BLAKE,J.W. Power Authority of the State of New York (New York Power Authority). 94/01/19. STIEDLE,W. New York, State of. 15pp. 82540:325-82540:339.

9501030201 Advises that results of PASS evaluation & commitment clarifications reviewed & offers no objection.NRC understands that plant licensing bases will be updated to reflect info contained in 941031 ltr. CONICELLA,N.F. Project Directorate I-1. 94/12/28. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82175:116-82175:118.

9501120128 Forwards exemption from requirements of 10CFR50,App R, Section III.G.2 re protection of redundant equipment from fire damage in response to util 931130 & 940706 submittals. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82305:008-82305:019.

-9501120132 Exemption from requirements of 10CFR50,App R, Section III.G.2. re protection of redundant equipment from fire damage at plant. BERKOW,H.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/05. Power Authority of the State of New York (New York Power Authority). 9pp. 82305:011-82305:019.

9501200043 Forwards notice of consideration of issuance of amend to License DPR-64 & proposed NSHC determination & opportunity for hearing on util 941116 request re reduction of max allowable control rod drop time from 2.4 s to 1.8 s. CONICELLA,N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82378:230-82378:240.

-9501200048 Notice of consideration of issuance of amend to license DPR-64 & proposed NSHC determination & opportunity for hearing.Amend would revise TS 3.10.8, reducing max allowable control rod drop time from 2.4 to 1.8 seconds. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. 8pp. 82378:233-82378:240.

9501230072 Forwards amend 158 to license DPR-64 & safety evaluation. Amend revises TS 4.4.E.1 to allow one-time extension to 30-month interval requirement for leak rate testing of RHR containment isolation valves. CONICELLA,N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 82423:210-82423:219.

-9501230074 Amend 158 to license DPR-64, revising TS 4.4.E.1 to allow one-time extension to 30-month interval requirement for leak rate testing of RHR containment isolation valves. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. 4pp. 82423:214-82423:217.

-9501230075 Safety evaluation supporting amend 158 to license DPR-64. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 2pp. 82423:218-82423:219.

9501270330 Forwards amend 157 to license DPR-64 & safety evaluation. Amend moves fire protection requirements from TS to IP3 & revises IP3 IAW NRC fire protection standard specs. CONICELLA,N.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82525:324-82525:342.

-9501270338 Amend 157 to license DPR-64,moving fire protection requirements from TS to IP3 & revising IP3 IAW NRC standard fire protection specs. CASE,M.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 11pp. 82525:328-82525:337.

-9501270341 Safety evaluation supporting amend 157 to license DPR-64. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82525:338-82525:342.

9501300228 Requests reconsideration of policy on NRC review of licensee exemption requests re performance of containment integrated leak rate testing in App J. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/01/13. RUSSELL,S.E. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82552:340-82552:341.

9501230061 Forwards amend 159 to license DPR-64 & safety evaluation. Amend revises TS Section 6.5, "Review & Audit" & TS section 6.8, "Procedures," to establish new review & approval process for nuclear safety-related procedures. CONICELLA,N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/17. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 82392:131-82392:155.

-9501230062 Amend 159 to license DPR-64, revising TS Section 6.5, "Review & Audit" & TS Section 6.8, "Procedures" to establish new review & approval process for nuclear safety-related procedures. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/17. 13pp. 82392:135-82392:147.

-9501230064 Safety evaluation supporting amend 159 to license DPR-64. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 8pp. 82392:148-82392:155.

9501230073 Forwards corrected amends 148 & 156 & bases change dtd. 941221. CONICELLA,N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82392:156-82392:165.

-9501230077 Corrected tech spec pages to amends 148 & 156 to license DPR-64, including instruction page & rev bars in right hand column. Administrative errors, minor & had no effect on technical validity of plant, TS.  
\* Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. 7pp. 82392:160-82392:165.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110109 Forwards insp rept 50-286/94-30 on 941205-09. No violations noted.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/03. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 82271:133-82271:142.

-9501110114 Insp rept 50-286/94-30 on 941205-09. No violations noted. Major areas inspected: NRC Restart Action Plan II.30, mgmt controls, quality assurance audits, control of liquid & gaseous effluents & air cleaning systems.  
JANG, J.C., JOYNER, J.H. Region 1 (Post 820201). 95/01/03. 7pp. 82271:136-82271:142.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110084 Forwards insp rept 50-286/94-406 on 941205-08. No violations noted.  
MODES, M.C. Region 1 (Post 820201). 95/01/04. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 82274:037-82274:047.

-9501110090 Insp rept 50-286/94-406 on 941205-08. No violations noted. Major areas inspected: random sample of licensee radiographic packages consisting of safety related welded components fabricated to Construction Code.  
HARRIS, R.H., GRAY, E.H. Region 1 (Post 820201). 94/12/30. 8pp. 82274:040-82274:047.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501250073 Responds to NRC ltr re violation noted in insp rept 50-286/94-26 on 941012-1114. Corrective actions: set of blocking devices to fully open RC-PCV-456 installed & blocking devices for RC-PCV-455C replaced.  
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82517:350-82517:355.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310100 Forwards insp rept 50-286/94-27 on 941115-1227. No violations noted. Activities observed effective in assuring safe operation of unit.  
COWGILL, C.J. Region 1 (Post 820201). 95/01/25. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 82529:115-82529:160.

-9501310103 Insp rept 50-286/94-27 on 941115-1227. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, safety assessment & quality verification.  
COWGILL, C.J. Region 1 (Post 820201). 95/01/25. 39pp. 82529:118-82529:160.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501030030 Forwards discharge monitoring repts for month of Nov 1994 & rept of non-compliance event.  
SCHMEISER, T. Consolidated Edison Co. of New York, Inc. 94/12/21. New York, State of. 1p. 82189:269-82189:281.

-9501040055 NPDES noncompliance notification on 941101, 7 & 8, plant unable to maintain required 1.75 foot differential in discharge canal under all operating conditions due to temporary circulating water flow transients.  
BURNS, R. Consolidated Edison Co. of New York, Inc. 94/12/22. 2pp. 82189:270-82189:270.

-9501040061 NPDES discharge monitoring repts for Nov 1994 for Indian Point Station Units 1, 2 & 3.  
SCHMEISER, T. Consolidated Edison Co. of New York, Inc. 94/11/30. 11pp. 82189:271-82189:281.

9501240169 Monthly operating rept for Dec 1994 for Indian Point 3 NPP. W/950111 ltr.  
ORLANDO, T., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 94/12/31. 6pp. 82513:093-82513:098.

9501310346 Annual rept of changes, tests & experiments, per 10CFR50.59 for 1993 period. 930123-940122.  
HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/01/29. Document Control Branch (Document Control Desk). 67pp. 82582:114-82582:180.

#### S. Reportable occurrences, LERs & related correspondence

9501170063 LER 93-051-01 on 931117, engineering identified 10 inch diameter fire main that did not appear to be supported to seismic requirements. Caused by personnel error. Completed walkdown of sys in category I areas. W/950109 ltr.  
PRUSSMAN, S., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/01/09. 8pp. 82392:011-82392:018.

9501250388 LER 94-012-00 on 941228, identified condition that could have resulted in loss of normal & emergency lighting in central CR due to fire in lower cable tunnel. App R compliance training conducted. W/950118 ltr.  
BLOISE, F., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/01/18. 9pp. 82507:168-82507:176.

#### V. Operator Examinations

9501310032 Invites util staff to attend Training Managers Meeting on 950207 & 08 to discuss status of operator licensing programs from Region I & NRC Headquarters & provide forum for discussion of mutual items of interest.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 5pp. 82528:115-82528:119.

#### DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

9501120278 Forwards public version of Rev 94-06 to Vol A of Oconee Nuclear Site Emergency Plan.  
HAMPTON, J.W. Duke Power Co. 94/12/20. Document Control Branch (Document Control Desk). 9pp. 82305:033-82305:242.

-9501120290 Public version of Rev 94-06 to Vol A of "Oconee Nuclear Site Emergency Plan."  
HAMPTON, J.W. Duke Power Co. 94/12/15. 200pp. 82305:042-82305:242.

9501040218 Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS, D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN, M.S. Duke Power Co. 5pp. 82219:060-82219:064.

9501180173 Rev 94-06 to Oconee Nuclear Site emergency plan. W/950103 ltr.  
HAMPTON, J.W. Duke Power Co. 95/01/03. 2pp. 82379:124-82379:125.

9501190389 Notification of 950119 meeting w/util re emergency electrical sys mod. Agenda questions encl.  
WEIN, L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82367:056-82367:061.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501050424 Request addl info to complete review of util 941122 request to increase allowable U-235 enrichment of fuel to be stored in spent fuel storage facilities at plant.  
WIEN, L.A. Project Directorate II-3. 94/12/29. HAMPTON, J.W. Duke Power Co. 4pp. 82229:105-82229:108.

9501090357 Forwards response to NRC questions re effects of emergency power over-frequency on ONS Units 1, 2 & 3, as part of review of TS Section 4.6 amend submitted on 940224.  
HAMPTON, J.W. Duke Power Co. 95/01/04. Document Control Branch (Document Control Desk). 20pp. 82288:187-82288:206.

9501100252 Forwards amends 208, 208 & 205 to licenses DPR-38, DPR-47 & DPR-55 & SE. Amends change organizational unit term from "group" to "div" & modify titles of positions designated to approve mods.  
WIENS, L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. HAMPTON, J.W. Duke Power Co. 3pp. 82283:100-82283:119.

-9501100262 Amends 208, 208 & 205 to licenses DPR-38, DPR-47 & DPR-55, respectively, changing organizational unit term from "group" to "div," modify titles of positions designated to approve mod & clarify responsibilities of Safety Assurance Manager.  
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. 13pp. 82283:103-82283:115.

## 58 DOCKETED ITEMS

- 9501100268** Safety evaluation supporting amends 208,208 & 205 to licenses DPR-38,DPR-47 & DPR-55,respectively.  
 \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 4pp. 82283:116-82283:119.
- 9501180323** Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual,effective 950101.  
 TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82475:015.
- 9501190247** Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station,rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section.  
 LOUCKS,L.E., GEDDIE,E.M., INGRAM,C.D. Duke Power Co. 95/01/01. 377pp. 82474:003-82475:015.
- 9501200363** Forwards revs to "Oconee Selected Licensee Commitments Manual." SLC manual Chapter 16.0 to FSAR will be updated monthly as needed during yr.  
 HAMPTON,J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82472:253-82472:274.
- 9501200364** Revs to "Oconee Selected Licensee Commitments Manual."  
 \* Duke Power Co. 95/01/09. 20pp. 82472:255-82472:274.
- 9501200036** Notification of 950131 meeting w/util & B&W Fuels Co in Rockville,MD to describe developments program & implementation plan & schedule for B&W Mark B11 fuel assembly.  
 WIENS,L.A. Division of Reactor Projects I/II (DRPE) Post 941001. 95/01/12. BERKOW,H.N. Division of Reactor Projects I/II (DRPE) Post 941001. 5pp. 82378:177-82378:181.
- 9501240084** Application for amends to licenses NPF-9,NPF-17,NPF-35,NPF- 52,NPF-38,NPF-47 & NPF-55,clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
 TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.
- 9501240086** Proposed tech specs,changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
 \* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
 GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- G. Inspection reports, IE Bulletins & correspondence**
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
 PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501090270** Requests to delay completion of commitment item re testing of ASW check valve LPSW-502 until 950616,in response to Insp Repts 50-269/94-31,50-270/94-31 & 50-287/94-31.  
 HAMPTON,J.W. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82289:332-82289:334.
- 9501260065** Ack receipt of 931115 ltr re util request for relief 93-12 from certain ASME Code requirements determined to be impractical to perform at plant,unit 3 during second 10-yr interval inservice insp.SE encl.  
 BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. HAMPTON,J.W. Duke Power Co. 3pp. 82513:202-82513:210.
- 9501260073** Safety evaluation approving second ten year interval inservice insp program plan request for relief 93-12 for plant,units 2 & 3.  
 \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 6pp. 82513:205-82513:210.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9501110033** Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-32, 50-270/94-32 & 50-287/94-32.  
 CRLENJAK,R.V. Region 2 (Post 820201). 95/01/04. HAMPTON,J.W. Duke Power Co. 3pp. 82272:264-82272:266.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501170003** Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-24, 54-270/94-24 & 50-287/94-24.  
 CRLENJAK,R.V. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 3pp. 82313:263-82313:265.
- 9501170016** Forwards insp repts 50-269/94-39,50-270/94-39 & 50-287/94-39 on 941205-09.Noncited violations noted.  
 GIBSON,A.F. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 3pp. 82313:327-82313:342.
- 9501170023** Insp repts 50-269/94-39,50-270/94-39 & 50-287/94-39 on 941205-09.Noncited violations noted.Major areas inspected: unresolved items & germane LERs to design,operation & safety classification of condenser circulating water sys.  
 ROGERS,W.G., PEEBLES,T.A. Region 2 (Post 820201). 95/01/06. 13pp. 82313:330-82313:342.
- 9501170033** Ack receipt of 940408 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/93-31, 50-270/93-31 & 50-287/93-31.Concludes that blow-down of SG following single line break constitutes unreviewed concern.  
 MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/06. HAMPTON,J.W. Duke Power Co. 4pp. 82314:062-82314:074.
- 9412120041** Provides Reactor Sys Branch evaluation re TIA concerning safety implications re potential steam line break blowing down both SGs at plant.  
 JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/05. BERKOW,H.N. . 3pp. 82314:066-82314:068.
- 9501170050** Submits Rev 1 to Task Interface Agreement TIA 94-013. Requests expansion of scope of TIA 94-013 to include potential steam line re failures associated w/ other branch lines & components upstream of turbine stop valves.  
 BOGER,B.A. Region 2 (Post 820201). 94/08/29. LAINAS,G.C. Assistant Director for Region II Reactors. 1p. 82314:069-82314:069.
- 9404140042** Determines if plant licensee operating steam sys in condition which involves unreviewed safety question re TIA & requests GC Lainas & staff to review issue to determine subjects listed.  
 JOHNSON,J.R. Region 2 (Post 820201). 94/03/31. LAINAS,G.C. Assistant Director for Region II Reactors. 4pp. 82314:070-82314:074.
- 9501120106** Requests addl info re ISI request for relief 94-01,Oconee Nuclear Station,unit 3.  
 WIENS,L.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. HAMPTON,J.W. Duke Power Co. 4pp. 82310:337-82310:340.
- 9501190262** Discusses commitment made in 930524 response to NRC Bulletin 90-001,Suppl 1, to perform enhanced surveillance program on appropriate Rosemount transmitters covered by NRC Bulletin 90-001.Transmitters evaluated to be operable.  
 HAMPTON,J.W. Duke Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82428:348-82428:348.
- 9501240037** Forwards insp repts 50-269/94-37,50-270/94-37 & 50-287/94-37 on 941212-16 & notice of violation.  
 PEEBLES,T.A. Region 2 (Post 820201). 95/01/13. HAMPTON,J.W. Duke Power Co. 3pp. 82417:249-82417:269.
- 9501240046** Notice of violation from insp on 941212-16.Violation noted: site I&C technicians failed to follow procedures for NRC enforcement actions.  
 \* Region 2 (Post 820201). 95/01/13. 2pp. 82417:252-82417:253.
- 9501240051** Insp repts 50-269/94-37,50-270/94-37 & 50-287/94-37 on 941212-16.Violations noted.Major areas inspected: Nonlicensed operator & instrument & controls training programs.  
 PAYNE,D.C., LAWYER,LL Region 2 (Post 820201). 95/01/11. 16pp. 82417:254-82417:269.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501240076** Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-34, 50-270/94-34 & 50-287/94-34.NRC believes that suppl response necessary in that corrective actions limited to QA staff.  
 CLINE,W.E. Region 2 (Post 820201). 95/01/17. HAMPTON,J.W. Duke Power Co. 4pp. 82418:358-82418:361.
- 9501270351** Submits comments on NRC Insp Repts 50-269/94-99,50-270/94-99 & 50-287/94-99 for SALS repl for period 930502-941029.  
 HAMPTON,J.W. Duke Power Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82540:358-82540:360.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 950120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
 GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501270356** Responds to NRC 941219 ltr re violations noted in insp repts 50-269/94-31,50-270/94-31 & 50-287/94-31.  
 HAMPTON,J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82546:312-82546:312.
- 9501300044** Forwards response to NRC 941221 ltr re violations in insp repts 50-269/94-36,50-270/94-36 & 50-287/94-36.Corrective actions:drains & vents on 2A seal supply filter closed.  
 HAMPTON,J.W. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82554:311-82554:313.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
 GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
 GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
 GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

- 9501200153 Forwards monthly operating repts for Dec 1994 & revised repts for Nov 1994 for Oconee Nuclear Station.  
WEBER,R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82472:275-82472:292.
- 9501230093 Monthly operating repts for Dec 1994 for Oconee Nuclear Station.  
WILLIAMS,R.A. Duke Power Co. 94/12/31. 15pp. 82472:277-82472:291.
- 9501230102 Revised monthly operating rept for Nov 1994 for CNS.  
\* Duke Power Co. 94/11/30. 1p. 82472:292-82472:292.

**DOCKET 50-288 REED COLLEGE RESEARCH REACTOR****R. Periodic operating reports & related correspondence**

- 9501050480 "Reed Reactor Facility - Annual Repts for 910901-940830." W/ 941213 ltr.  
FRANTZ,S.G. Reed College, Portland, OR. 94/08/30. MENDONCA,M. Document Control Branch (Document Control Desk). 22pp. 82276:319-82276:340.

**DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

- 9501170251 Final response to FOIA request for documents.App B documents being made PDR available.  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. RANCK,M.H. Affiliation Not Assigned. 2pp. 82381:113-82381:158.
- 8207050048 Requests exemption from certain annual exercise requirements of 10CFR50, App 3, IV.F.1.a.  
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 82/07/27. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 82381:116-82381:117.
- 9501100124 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermal Science,Inc mfg & supplier of Thermo-Lag fire matl.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 8pp. 82282:165-82282:172.
- 9501090313 Transmits objectives of 1995 TMINS annual emergency exercise scheduled for 950412.  
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/01/03. MARTIN,T.T. Region 1 (Post 820201). 7pp. 82288:302-82288:308.
- 9501180092 Forwards insp rept 50-289/94-23 on 941101-1205.No violations noted.  
DURR,J.P. Region 1 (Post 820201). 95/01/10. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 82324:257-82324:276.
- 9501180094 Insp rept 50-289/94-23 on 941101-1205.No violations noted. Major areas inspected:plant operations,maint,engineering, radiological controls & security activities re plant safety.  
ROGGE,J.F. Region 1 (Post 820201). 95/01/04. 17pp. 82324:260-82324:276.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

- 9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**P. Operating license stage documents & correspondence**

- 9501040251 FOIA request for documents re damaged TMI II reactor at plant.  
RANCK,M.H. Affiliation Not Assigned. 94/03/04. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82188:102-82188:102.
- 9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records.App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.
- 9501300234 Partially withheld paper re facility psychological impacts- litigation strategy & response to motion on stated stress issue.  
MALSCH,M.G. Office of the General Counsel (Post 860701). SECY-82-281. 82/07/02. 7pp. 82524:341-82524:347.
- 9501030072 Advises NRC of need to revise TS page 3-32a,submitted w/TS Change Request 221.Agreement on preliminary language for revised page reached w/NRC during insp on 940825.Revised page 3-32a encl.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 94/12/23. Document Control Branch (Document Control Desk). 1p. 82223:035-82223:038.

- 9501040043 Rev to TS Change Request 221 to License DPR-50, revising TS page 3-32a.  
\* General Public Utilities Corp. - GPU Service Corp. 94/12/23. 2pp. 82223:036-82223:037.

- 9501040046 Proposed tech specs page 3-32a.  
\* General Public Utilities Corp. - GPU Service Corp. 94/12/23. 1p. 82223:038-82223:038.

- 9501050129 Forwards "TMI-1 IPE for External Events."  
KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82225:001-82226:255.

- 9501050131 "TMI-1 IPE for External Events."  
\* General Public Utilities Corp. - GPU Service Corp. 94/12/16. 616pp. 82225:003-82226:255.

- 9501100124 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermal Science,Inc mfg & supplier of Thermo-Lag fire matl.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 8pp. 82282:165-82282:172.

- 9501100346 Responds to 940624 ltr re deletion of remaining special conditions of operation imposed on TMI-1 at restart in Oct 1985.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 14pp. 82283:016-82283:030.

- 9501230002 Notification of 950126 meeting w/util in Rockville,MD to discuss process & options for extending operating license expiration date to recover period time was mandated in shutdown mode by NRC following Unit 2 accident.  
HERNAN,R.W. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/11. MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 3pp. 82423:105-82423:107.

- 9501240318 Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01.  
HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

- 9501240325 Rev 12 to Procedure 1000-ADM-1291.01, "Safety Review Process."  
CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 94/05/20. 49pp. 82504:168-82504:216.

- 9501240331 Rev 0 to Procedure 1110-ADM-7218.01, "Nuclear Safety Assessment Audit Program."  
\* General Public Utilities Corp. - GPU Service Corp. 94/09/27. 30pp. 82504:217-82504:246.

- 9501240336 Rev 2 to Procedure 1000-ADM-7218.01, "Response to GPUNC QA Audits."  
\* General Public Utilities Corp. - GPU Service Corp. 87/08/21. 14pp. 82504:247-82504:260.

- 9501240204 Application for amends to licenses DPR-50 & DPR-73, to incorporate improvements from STSs for B&W plants (NUREG-1430).  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82513:099-82513:135.

- 9501240206 Proposed tech specs re incorporation of improvements from STSs for B&W plants (NUREG-1430).  
\* General Public Utilities Corp. - GPU Service Corp. 95/01/16. 24pp. 82513:112-82513:135.

- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

- 9501270191 Informs of 950125 meeting w/util at plant to discuss status of licensing activities.  
HERNAN,R.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. RUSSELL,W. MIRAGLIA,F., THADANIA,A. NRC - No Detailed Affiliation Given. 4pp. 82523:341-82523:344.

**Q. Inspection reports, IE Bulletins & correspondence**

- 9501170056 Partial 22nd response to FOIA request for info.Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY,V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

- 8111170482 Partially deleted IE Investigation Rept HQS-81-004 on 810916-1002.Major areas investigated:alleged improprieties on OL exams at plant.  
BACI,P.E., SMITH,R.H., MATAKAS,R.A. Enforcement Br.Enforcement & Investigation Staff,IE (Pre 820201). 81/10/14. 54pp. 82557:029-82557:083.

- 8111170496 Partially deleted IE Investigation Rept HQS-81-005 on 811019-22.Areas investigated:alleged improprieties on OL exams at plant.  
BACI,P.E. Ofc of Inspection & Enforcement, Director (820201-870413). GILBERT,E.C., WARD,W.J. Enforcement Br.Enforcement & Investigation Staff,IE (Pre 820201). 81/10/28. 22pp. 82557:007-82557:028.

- 9501170089 Forwards copy of IE completed rept of investigation,Case Number HQS-81-003 re alleged cheating on OL exams at plant.  
DIRCKS,W.J. Ofc of the Executive Director for Operations. 81/08/14. PALLADINO, GILINSKY, BRADFORD Commissioners (Post 750119). 1p. 82557:146-82557:146.

- 9501170108 Partially withheld Investigation Rept HQS-81-003.No noncompliance noted.Major areas investigated:allegations re cheating on OL exams at plant.  
GILBERT,E.C., BACI,P.E., SMITH,R.H. Enforcement & Investigation Staff, IE (Pre 820201). 81/08/11. 54pp. 82557:147-82557:200.



## 60 DOCKETED ITEMS

**9501030072** Advises NRC of need to revise TS page 3-32a, submitted w/TS Change Request 221. Agreement on preliminary language for revised page reached w/NRC during insp on 940825. Revised page 3-32a encl.  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 94/12/23. Document Control Branch (Document Control Desk). 1p. 82223:035-82223:038.

**9501100202** Forwards suppl response to NRC ltr re violations noted in insp rept 50-289/94-80-01. Corrective actions: TMI plant maint has continued in-depth review of cancelled preventive maint activities.  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 94/12/27. Document Control Branch (Document Control Desk). 3pp. 82291:296-82291:298.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501110199** Ack receipt of 941202 ltr informing NRC of steps taken to correct violations noted in insp rept 50-289/94-13.  
DURR, J.P. Region 1 (Post 820201). 94/12/28. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 82271:279-82271:285.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501180092** Forwards insp rept 50-289/94-23 on 941101-1205. No violations noted.  
DURR, J.P. Region 1 (Post 820201). 95/01/10. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 82324:257-82324:276.

**9501180094** Insp rept 50-289/94-23 on 941101-1205. No violations noted. Major areas inspected: plant operations, maint, engineering, radiological controls & security activities re plant safety.  
ROGGE, J.F. Region 1 (Post 820201). 95/01/04. 17pp. 82324:260-82324:276.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501200202** Monthly operating rept for Dec 1994 for TMI-1. W/950113 ltr.  
BROUGHTON, T.G., HEYSEK, W.G. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 7pp. 82478:040-82478:046.

### T. Hearing transcripts on non-antitrust matters

**9501170056** Partial 22nd response to FOIA request for info. Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5, 6 & 7).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY, V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

**9501230117** Partially deleted transcript of statement of BA Wilson re alleged improprieties on OL exams at plant.  
WILSON, B.A., WARD, W.J. NRC - No Detailed Affiliation Given. 81/09/18. 5pp. 82557:084-82557:088.

**9501230126** Transcript of statement of PF Collins re alleged improprieties on OL exams at plant.  
COLLINS, P.F., \* NRC - No Detailed Affiliation Given. 81/09/23. 3pp. 82557:089-82557:091.

**9501230136** Transcript of statement of RE Maines re alleged improprieties on OL exams at plant.  
MAINES, R.E., WARD, W.J. NRC - No Detailed Affiliation Given. 81/09/17. 3pp. 82557:092-82557:094.

**9501230140** Statement of transcript of MJ Ross re alleged improprieties on OL exams at plant.  
ROSS, M.J., BACI, P.E. NRC - No Detailed Affiliation Given. 81/09/19. 47pp. 82557:095-82557:141.

### V. Operator Examinations

**9501170056** Partial 22nd response to FOIA request for info. Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5, 6 & 7).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY, V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

**9501170482** Partially deleted IE Investigation Rept HQS-81-004 on 810916-1002. Major areas investigated: alleged improprieties on OL exams at plant.  
BACI, P.E., SMITH, R.H., MATAKAS, R.A. Enforcement Br. Enforcement & Investigation Staff, IE (Pre 820201). 81/10/14. 54pp. 82557:029-82557:083.

**9501170496** Partially deleted IE Investigation Rept HQS-81-005 on 811019-22. Areas investigated: alleged improprieties on OL exams at plant.  
BACI, P.E. Ofc of Inspection & Enforcement, Director (820201-870413). GILBERT, E.C., WARD, W.J. Enforcement Br. Enforcement & Investigation Staff, IE (Pre 820201). 81/10/28. 22pp. 82557:007-82557:028.

**9501170069** Partially deleted memo re apparent cheating at licensed operator requalification program at plant during IE investigation into recent cheating on operator exams.  
GILINSKY, V. Commissioners (Post 750119). 81/09/30. PALLADINO, BRADFORD, AHEARNE Commissioners (Post 750119). 4pp. 82557:142-82557:145.

**9501170108** Partially withheld Investigation Rept HQS-81-003. No noncompliance noted. Major areas investigated: allegations re cheating on OL exams at plant.  
GILBERT, E.C., BACI, P.E., SMITH, R.H. Enforcement & Investigation Staff, IE (Pre 820201). 81/08/11. 54pp. 82557:147-82557:200.

**9501230185** Informs of 830616 NRC mgmt & personnel meeting re issues raised in 830602 & 830603 memos & status of FOIA procedures in NRC & rights of employees under disciplinary review.  
PALLADINO, N.J. Commissioners (Post 750119). 83/06/13. GILINSKY, AHEARNE, ROBERTS Commissioners (Post 750119). 1p. 82557:212-82557:212.

**9501310005** Extends invitation to attend training managers meeting by NRC Region I on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from Region I & NRC headquarters perspectives.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 5pp. 82528:011-82528:015.

### DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501180004** Notification of significant licensee meeting 95-04 w/util on 950112 to discuss pending switchover to new security computer sys & compensatory measures that will be implemented during transition.  
TRAPP, J.M. Region 1 (Post 820201). 95/01/10. Region 1 (Post 820201). 2pp. 82324:001-82324:002.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

**9501240354** FOIA request for info re radiation emissions or nuclear accidents at plant 1980-1993.  
ALTIERI, A.J. Affiliation Not Assigned. 94/01/12. REED, C.A. NRC - No Detailed Affiliation Given. 1p. 82424:204-82424:204.

**9501240360** Final response to FOIA request for info. Forwards App A info which will be in PDR. NUREG/CR-2907 & NUREG/CR-2850 are already in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/28. ALTIERI, A.J. Affiliation Not Assigned. 2pp. 82424:205-82425:039.

**95012070156** Discusses review of MA Dept of Public Health leukemia study from 1978-1986.  
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (870411-921003). 90/11/30. THOMPSON, H.L. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 76pp. 82424:323-82425:039.

**9501240364** Safety evaluation supporting amend 12 to license DPR-35.  
\* Office of Nuclear Reactor Regulation, Director. 75/05/23. 3pp. 82424:213-82424:322.

**9501130120** Forwards reformatted version of TS & bases, allowing access of document in electronic form for review & concurrence.  
BOULETTE, E.T. Boston Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 8pp. 82362:001-82362:283.

**9501130139** Proposed reformatted tech specs & bases.  
\* Boston Edison Co. 95/01/09. 273pp. 82362:011-82362:283.

**9501130229** Discusses 900504 & 941003 ltrs in response to GL 89-19, "Request for Action Related to Resolution of USI A-47, 'Safety Implication of Control Sys in LWR Nuclear Plants.'"  
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/10. BOULETTE, E.T. Boston Edison Co. 3pp. 82319:318-82319:320.

9501190105 Submits design details of Pilgrim core shroud stabilizer sys for NRC review. Partially proprietary documentation provides assumptions, methodology, analyses & conclusions that support implementation of core shroud repair.  
BOULETTE, E.T. Boston Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 20pp. 82471:125-82471:199.

-9501190111 "Pilgrim Nuclear Power Station Owner's Specification For Reactor Shroud Repair."  
HARIZI, P.D. Boston Edison Co. 95/01/13. 41pp. 82471:146-82471:186.

-9501190114 "Boston Edison Requirements For Seismic Analysis For General Electric RPV Shroud Repair Project."  
DYCKMAN, J.G., HARIZI, P., KLINE, W.R. Boston Edison Co. 94/11/01. 13pp. 82471:187-82471:199.

9501260235 Discusses 941205-12 site visit to review implementation of maint rule 10CFR50.65 & forwards detailed findings.  
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/19. BOULETTE, E.T. Boston Edison Co. 16pp. 82500:009-82500:025.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501040141 Ack receipt & review of SALP board rept for period covering 930314-941008.  
BOULETTE, E.T. Boston Edison Co. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82223:304-82223:305.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180085 Forwards insp rept 50-293/94-25 on 941025-1206. Good causal analysis & identification of failure mechanisms noted. Corrective actions in forms of sys mods & corrective maint critically reviewed & comprehensively verified by testing.  
LINVILLE, J. Region 1 (Post 820201). 95/01/10. BOULETTE, E.T. Boston Edison Co. 3pp. 82324:220-82324:240.

-9501180089 Insp rept 50-293/94-25 on 941025-1206. No violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & plant support.  
TRAPP, J.M. Region 1 (Post 820201). 95/01/10. 18pp. 82324:223-82324:240.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501260235 Discusses 941205-12 site visit to review implementation of maint rule 10CFR50.65 & forwards detailed findings.  
EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/19. BOULETTE, E.T. Boston Edison Co. 16pp. 82500:009-82500:025.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501270131 NPDES discharge monitoring rept for Dec 1994 for Pilgrim Nuclear Power Station. W/950119.  
SCHMELING, L.L., ROTHERT, W.C. Boston Edison Co. 94/12/31. 10pp. 82525:352-82525:361.

#### S. Reportable occurrences, LERs & related correspondence

9501040103 LER 94-004-01: on 940803, automatic primary containment isolation control sys actuation occurred. Caused by improper alignment of control valve fulcrum alignment pins. Vents added to oil sump & sys oil pressure reduced. W/941229 ltr.  
CANNON, R.L., BOULETTE, E.T. Boston Edison Co. 94/12/29. 7pp. 82245:311-82245:317.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utis affected by notification informed. Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

9501310012 Submits invitation to 950207-08 Training Managers meeting, to discuss status of operator licensing programs from Region I & NRC perspectives, inform facilities of planned initiatives & provide forum for discussion of mutual items of interest.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. BOULETTE, E.T. Boston Edison Co. 5pp. 82528:035-82528:039.

#### DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C, 7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501090273 Responds to 941201 referral of ltr from RK Rutherford that contained petition from members of Zion Nuclear Power Station security force opposing new response team member security plan.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/30. JOHNSTON, J.B. Senate, Appropriations. 2pp. 82259:323-82259:342.

-9501090292 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 941103. Appropriate action will be taken on petition within reasonable time. Petition re security plan.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. 15pp. 82259:328-82259:342.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501300104 Forwards rev 36 to security plan. Plan withheld.  
JOHNSON, I.M. Commonwealth Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82587:059-82587:060.

9501240134 Responds to 941128 ltr by Dept of Energy re petition from members of station security force opposing new security plan for response team members.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON, P. Senate. 3pp. 82436:353-82436:360.

9501270287 Responds to Senator Simons ltr, dtd 941128 re RK Rutherford 2.206 petition from members of Zion Nuclear Power Station security force opposing new security plan for response team members.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON, P. Senate. 2pp. 82542:088-82542:103.

-9501270306 Forwards Senator Simons ltr & identifies ltr as duplicating petition received at NRC from RK Rutherford.  
INGRAM, F. Congressional Affairs (870413-911116). 94/12/28. MOSSBURG, D. Office of the Secretary of the Commission. 7pp. 82542:097-82542:103.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, J.B. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501090273 Responds to 941201 referral of ltr from RK Rutherford that contained petition from members of Zion Nuclear Power Station security force opposing new response team member security plan.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/30. JOHNSTON, J.B. Senate, Appropriations. 2pp. 82259:323-82259:342.



## 62 DOCKETED ITEMS

-9501090292 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 941103. Appropriate action will be taken on petition within reasonable time. Petition re security plan.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. 15pp. 82259:328-82259:342.

9501240134 Responds to 941128 ltr by Dept of Energy re petition from members of station security force opposing new security plan for response team members.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON, P. Senate. 3pp. 82436:353-82436:360.

9501270287 Responds to Senator Simons ltr, dtd 941128 re RK Rutherford 2.206 petition from members of Zion Nuclear Power Station security force opposing new security plan for response team members.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON, P. Senate. 2pp. 82542:088-82542:103.

-9501270306 Forwards Senator Simons ltr & identifies ltr as duplicating petition received at NRC from RK Rutherford.  
INGRAM, F. Congressional Affairs (870413-911116). 94/12/28. MOSSBURG, D. Office of the Secretary of the Commission. 7pp. 82542:097-82542:103.

### H. General correspondence

9501060276 Responds to referral, dtd 941230, of ltr from RK Rutherford re petition from members of plant security force about reduction in force at plant. Forwards official NRC responses to RK Rutherford petition.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/30. JOHNSTON, J.B. Senate. 2pp. 82259:151-82259:157.

### P. Operating license stage documents & correspondence

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/ requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501180334 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION.  
PILCH, M.M., ALLEN, M.D. Sandia National Laboratories. KNUDSON, D.L. Idaho National Engineering Laboratory. FIN J-6027. NUREG/CR-6075 S01. 94/12/31. Division of Systems Research (880717-941217). 450pp. 82340:001-82341:179.

9501190296 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION.  
PILCH, M.M. Sandia National Laboratories. YAN, H., THEOFANOUS, T.G. California, Univ. of Santa Barbara, CA. FIN J-6027. NUREG/CR-6075. 94/12/31. Division of Systems Research (880717-941217). 396pp. 82359:001-82360:032.

9501190263 Submits schedules for implementation of current order timing mod & surveillance test, per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."  
VONK, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82471:213-82471:214.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

9501180270 Administrative ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informal old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. EBERHARDT, R.R. Detroit Edison Co. SCHROCK, C.A. Wisconsin Public Service Corp. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9501110203 Ack receipt of 941223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/94-20 & 50-304/94-20.  
JACOBSON, J.M. Region 3 (Post 820201). 95/01/04. TUETKEN, R. Commonwealth Edison Co. 2pp. 82274:187-82274:191.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120252 Requests reduced NRC insp activity in SWSOPI area of emphasis.  
MADDEN, J.J. Commonwealth Edison Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82329:300-82329:301.

9501230053 Responds to NRC 941212 ltr re violations noted in insp repts 50-295/94-21 & 50-304/94-21. Corrective actions: SE re out of svc containment spray diesel oil storage tank transmitted to corporate safety review group.  
TUETKEN, R.P. Commonwealth Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 7pp. 82485:353-82485:359.

9501190156 Forwards "Service Water Sys Operational Performance Insp (SWSOPI) Self-Assessment Plan." Actual self-assessment will be performed in time frame between 950417 & 0530.  
TUETKEN, R.P. Commonwealth Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82379:321-82379:342.

-9501190158 "Service Water Sys Operational Performance Insp Self-Assessment Plan."  
BEINECKE, P.J., LOHMANN, M.E. Commonwealth Edison Co. 95/01/13. 20pp. 82379:323-82379:342.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501300105 Forwards special insp repts 50-295/94-22 & 50-304/94-22 on 941017-21. No violations noted. Overall conduct of activities re development of core reload analysis for sites good.  
RING, M.A. Region 3 (Post 820201). 95/01/20. TUETKEN, R. Commonwealth Edison Co. 4pp. 82512:161-82512:175.

-9501300111 Insp repts 50-295/94-22 & 50-304/94-22 on 941017-21. No violations noted. Major areas inspected: review of NFS nuclear engineering organizations & programs & selected core reload analysis.  
BURGESS, B.L., KENDRICK, E.D., EHRHARDT, F.J. Region 3 (Post 820201). 95/01/20. 11pp. 82512:165-82512:175.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230305 Monthly operating rept for Dec 1994 for Zion Station. W/950116 ltr.  
CYGAN, J., BROCCOLO, E.A. Commonwealth Edison Co. 94/12/31. 13pp. 82504:126-82504:138.

### S. Reportable occurrences, LERs & related correspondence

9501190211 LER 94-007-01: on 940608, failed to perform type C leak rate testing on 1(2)MOV-CC685 per TS 3.9. Caused by mgt deficiency. Documented mod approval & counseled sys engineering individuals involved. W/950109 ltr.  
GUPTA, S., BROCCOLO, E.A. Commonwealth Edison Co. 95/01/09. 9pp. 82381:022-82381:030.

### DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr.  
SANFORD, M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501110068 Discusses proposed revisions to plant emergency plans submitted on 940520. Changes involve figure A-1 & B-1. "Site Emergency Organization & TSC EP."  
CLINE, W.E. Region 2 (Post 820201). 95/01/04. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 82272:179-82272:183.

9501110341 Forwards response to violation noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door. Encl withheld.  
MACHON, R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

9501120116 Informs that reasonable assurance exists that cable PP453-II & other nonsafety related cables will be able to perform their intended functions during App R,SBO & anticipated transients w/o scram events. SE approving use of cables encl.  
WILLIAMS, R.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

-9501120121 Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R,SBO & anticipated transients w/o scram events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

9501250415 Forwards insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Rept details withheld per 10CFR73.21. COLLINS,D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

-9501250420 Insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Major areas inspected:security plans & procedures,alarm stations, assessment aids & protected area alarms.Details withheld. MASNYK,O.M. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501050419 Informs NRC that TVA modified BFN training programs to make programs consistent w/or more conservative than interim BWROG guidelines,in response to GL 94-02.TVA also modified BFN Unit 2 operating procedures. SALAS,P. Tennessee Valley Authority. 94/12/22. Document Control Branch (Document Control Desk). 2pp. 82247:330-82247:331.

9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgmt support at other plants. SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.

9501100242 Application for amends to licenses DPR-33,DPR-52 & DPR-68, proposing changes to TS,by revising applicability & SR for IRM,APRM high flux (15% scram) & APRM inoperative trip functions. SALAS,P. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 16pp. 82294:220-82294:285.

-9501100253 Proposed tech specs revising applicability & SR for IRM,APRM high flux (15% scram) & APRM inoperative trip functions. \* Tennessee Valley Authority. 95/01/04. 48pp. 82294:237-82294:285.

9501110366 Forwards Safety Evaluation re containment isolation configuration to be used for util. WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82302:029-82302:035.

-9501110369 Safety evaluation re NUREG-0737 item II.E.4.2 containment isolation design.Design acceptable. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/06. 6pp. 82302:030-82302:035.

9501120116 Informs that reasonable assurance exists that cable PP453-II & other non-safety related cables will be able to perform their intended functions during App R,SBO & anticipated transients w/o scram events.SE approving use of cables encl. WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82305:001-82305:007.

-9501120121 Safety evaluation supporting use of cable PP453-II & other nonsafety related cables during App R,SBO & anticipated transients w/o scram events. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 6pp. 82305:002-82305:007.

9501240122 Ack receipt of util 941115 ltr requesting changes to nuclear QA program plan,informs that NRC still reviewing proposed changes & that util will be notified upon completion of review. GIBSON,A.F. Region 2 (Post 820201). 95/01/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82420:105-82420:108.

9501230107 Forwards SE which finds schedule for insp of Unit 1 core shroud,acceptable.GL 94-03 requests that licensee take listed actions w/respect to core shrouds. WILLIAMS,J.F. . 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

-9501230109 SER accepting schedule for insp of Unit 1 core shroud. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

9501260265 Informs that TVA is taking aggressive approach & intends to complete corrective action for Unit 3 corrective action tracking documents before Unit 3 returns to service. MACHON,R.D. Tennessee Valley Authority. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82523:150-82523:152.

9501260188 Forwards request for addl info to complete evaluation of util 940330 amend request re Agastat relays used in analog transmitter/trip sys. WILLIAMS,J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 82508:087-82508:093.

9501260267 Provides updated schedule for submittal of BFN expanded (multi-unit) PRA & portions of IPEEE,per GL 88-20. SALAS,P. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 12pp. 82523:153-82523:164.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501050262 Forwards response to NRC 941129 ltr re violations noted in insp repts 50-259/94-26,50-260/94-26 & 50-296/94-26. Corrective actions:review of previous valid EDG failures was performed to determine other failures had been documented. MACHON,R.D. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 4pp. 82229:254-82229:257.

9501110140 Forwards insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation. PEEBLES,T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

-9501110156 Notice of violation from insp on 941114-18 & 941128-1202. Violations noted:licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f). \* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

-9501110166 Insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202.Violations noted.Major areas inspected:licensed operator requalification program during 941114-1202. HOPPER,G.T., LAWYER,L.L. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501110341 Forwards response to violation noted in insp repts 50-259/94-30,50-260/94-30 & 50-296/94-30 concerning security officer failure to ensure all personnel exited designated vital area before mechanically locking door.Encl withheld. MACHON,R.D. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82310:358-82310:359.

9501100164 Forwards response to NRC 941207 ltr re violations noted in insp repts 50-259/94-27,50-260/94-27 & 50-296/94-27. Corrective actions:util issued site bulletin on issue to heighten personnel awareness as need to better control FME. MACHON,R.D. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 13pp. 82293:231-82293:243.

9501170025 Forwards insp repts 50-259/94-29,50-260/94-29 & 50-296/94-29 on 941101-1209.No violations noted. CASTO,C.A. Region 2 (Post 820201). 95/01/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82314:026-82314:051.

-9501170035 Insp repts 50-259/94-29,50-260/94-29 & 50-296/94-29 on 941101-04,941114-18 & 941205-09.No violations noted.Major areas inspected:review of design control procedures,audits of pipe support calculations & action on previous insp. LENAHAN,J.J., CHOU,R.C., CASTO,C.A. Region 2 (Post 820201). 95/01/06. 23pp. 82314:029-82314:051.

9501240096 Forwards insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted. LESSER,M.S. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82419:338-82419:362.

-9501240102 Insp repts 50-259/94-32,50-260/94-32 & 50-296/94-32 on 941113-1217.No violations noted.Major areas inspected:three events involving shutdown cooling,operations,surveillance testing,maint activities & review of open items. WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/01/11. 22pp. 82419:341-82419:362.

9501250415 Forwards insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Rept details withheld per 10CFR73.21. COLLINS,D.M. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82514:030-82514:033.

-9501250420 Insp repts 50-259/94-34,50-260/94-34 & 50-296/94-34 on 941214-16.No violations or deviations noted.Major areas inspected:security plans & procedures,alarm stations, assessment aids & protected area alarms.Details withheld. MASNYK,O.M., MCGUIRE,D.R. Region 2 (Post 820201). 95/01/11. 1p. 82514:033-82514:033.

9501230107 Forwards SE which finds schedule for insp of Unit 1 core shroud,acceptable.GL 94-03 requests that licensee take listed actions w/respect to core shrouds. WILLIAMS,J.F. . 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82436:159-82436:170.

-9501230109 SER accepting schedule for insp of Unit 1 core shroud. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 10pp. 82436:161-82436:170.

## 64 DOCKETED ITEMS

9501240054 Forwards insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.  
CLINE,W.E. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:334-82417:347.

-9501240058 Insp repts 50-259/94-33,50-260/94-33 & 50-296/94-33 on 941212-16.Noncited violations identified.Major areas inspected:chemistry,enviro monitoring,radwaste disposal & preparations for Unit 3 startup.  
JONES,D.W., SHORTRIDGE,R.B., DECKER,T.R. Region 2 (Post 820201). 95/01/13. 11pp. 82417:337-82417:347.

9501240407 Ack receipt of 950105 ltr informing of steps taken to correct violations noted in insp repts 50-259/94-30, 50-260/94-30 & 50-296/94-30.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82432:041-82432:043.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240316 Forwards insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82437:318-82437:337.

-9501240319 Insp repts 50-259/94-31,50-260/94-31 & 50-296/94-31 on 941128-1216.No violations noted.Major areas inspected: DBVP,design changes & plant mods.  
WISEMAN,G., CASTO,C. Region 2 (Post 820201). 95/01/13. 17pp. 82437:321-82437:337.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240250 Ack receipt of 941223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-26, 50-260/94-26 & 50-296/94-26.  
CASTO,C.A. Region 2 (Post 820201). 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82429:250-82429:252.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501260376 Responds to 941223 ltr re violation noted in Insp Repts 50-259/94-11,50-260/94-11 & 50-296/94-11.Corrective actions: affected individuals assigned to on-shift duties.  
MACHON,R.D. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82519:282-82519:287.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORN,J.R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed.Utills should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utills affected by notification informed.Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### V. Operator Examinations

9501110140 Forwards insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202 & notice of violation.  
PEEBLES,T.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82274:111-82274:126.

-9501110156 Notice of violation from insp on 941114-18 & 941128-1202. Violations noted:licensed operators resumed activities authorized by license w/o completing requirement of 10CFR55.53(f).  
\* Region 2 (Post 820201). 94/12/23. 2pp. 82274:115-82274:116.

-9501110166 Insp repts 50-259/94-11,50-260/94-11 & 50-296/94-11 on 941114-18 & 941128-1202.Violations noted.Major areas inspected:licensed operator requalification program during 941114-1202.  
HOPPER,G.T. Region 2 (Post 820201). 94/12/22. 10pp. 82274:117-82274:126.

## DOCKET 50-298 COOPER NUCLEAR STATION

### F. Security, medical, emergency & fire protection plans

9501130135 Responds to exercise weaknesses noted in insp rept 50-298/94-29 on 941114-18.Corrective actions:individual has been counseled on what constitutes release & how to rept releases & EIPs will be revised.  
MUELLER,J.M. Nebraska Public Power District. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82361:354-82361:359.

9501270048 Ack receipt of 950105 ltr informing NRC of steps taken to correct emergency preparedness weaknesses noted in insp rept 50-298/94-29 on 941209.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/19. HORN,G.R. Nebraska Public Power District. 5pp. 82490:040-82490:050.

9501310047 Forwards insp rept 50-298/94-34 on 941219-23 & notice of violation.Violation of concern because it involved articles not properly searched at primary access point.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/20. HORN,G.R. Nebraska Public Power District. 4pp. 82528:175-82528:182.

-9501310054 Notice of violation from insp on 941219-23.Violation noted:failure to comply w/hand carried item search requirements.  
\* Region 4 (Post 820201). 95/01/20. 1p. 82528:180-82528:180.

-9501310062 Partially withheld insp rept 50-298/94-34 on 941219-23 (ref 10CFR73.21).Violations noted.Major areas inspected: licensee physical security program.  
MURRAY,B. Region 4 (Post 820201). 95/01/18. 2pp. 82528:181-82528:182.

9501310193 Submits util FFD semi-annual performance rept for 940701- 1231.  
MUELLER,J.H. Nebraska Public Power District. 95/01/20. Document Control Branch (Document Control Desk). 4pp. 82558:357-82558:360.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

9501310169 Requests enforcement discretion from CNS TS LCO 3.12.A.3, "Control Room Emergency Filter Sys," which allows for continued reactor operation for 7 days.Extends for an addl 14 days LCO for CNS TS 3.12.A.3.  
HORN,G.R. Nebraska Public Power District. 94/04/18. CALLAN,L.J. Region 4 (Post 820201). 8pp. 82558:161-82558:168.

9501030101 Requests permanent exemption from 10CFR50.55a(a)(2) for weld located between 24" HPCI turbine exhaust line & 10" branch line at plant.  
HORN,G.R. Nebraska Public Power District. 94/12/23. Document Control Branch (Document Control Desk). 7pp. 82223:154-82223:160.

9501300054 Notification of licensee meeting w/util on 940105 to discuss progress of plant restart plans.  
BEACH,A.B. Region 4 (Post 820201). 94/12/27. Region 4 (Post 820201). 5pp. 82157:259-82157:263.

9501030085 Requests one-time schedular exemption from specific requirements of Section III.D.2(a) for drywell head & manport (Penetration X-4) at plant.  
HORN,G.R. Nebraska Public Power District. 94/12/27. Document Control Branch (Document Control Desk). 6pp. 82223:045-82223:050.

9501120352 Forwards notice of consideration of issuance of amend, proposed NSHC determination & opportunity for hearing on 941222 application for amend to license to make definition of limiting conditions for operation IAW GL 87-09.  
HALL,J.R. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. HORN,G.R. Nebraska Public Power District. 3pp. 82303:327-82303:338.

-9501120355 Notice of consideration of issuance of amend to license DPR-46 & proposed NSHC determination & opportunity for hearing on application for amend to revise TS definition 1.0,j re entering operational condition IAW GL 87-09.  
BECKNER,W.D. . 94/12/27. 9pp. 82303:330-82303:338.

9501100207 Informs that District will submit schedular extension request for testing portion of GL 89-10 MOV testing program CNS by 950109.  
HORN,G.R. Nebraska Public Power District. 94/12/31. Document Control Branch (Document Control Desk). 1p. 82291:299-82291:299.

9501100232 Submits justification to extend completion of initial testing portion of GL 89-10 re motor operated valve program at plant.  
HORN,G.R. Nebraska Public Power District. 95/01/08. Document Control Branch (Document Control Desk). 33pp. 82294:187-82294:219.

9501130073 Requests addl info re GL 92-01,rev 1, "Reactor Vessel Structural Integrity," & confirmation of plant-specific applicability of topical rept,NEDO-32205,rev 1.  
HALL,J.R. Project Directorate IV-1. 95/01/08. HORN,G.R. Nebraska Public Power District. 9pp. 82319:178-82319:186.

9501170204 Serves as documentation of spiked sample results from Idaho Falls Spiked Water Sample 9407-NRC-02.  
MUELLER,J.H. Nebraska Public Power District. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82378:290-82378:292.

9501190028 Summarizes 941215 meeting w/util at plant to discuss progress licensee has made in addressing restart issues identified as part of NRC insp manual chapter 0350. "Staff Guidelines for Restart Approval."  
BEACH,A.B. Region 4 (Post 820201). 95/01/11. HORN,G.R. Nebraska Public Power District. 47pp. 82336:293-82336:339.

9501190022 Discusses 950105 meeting at plant training facility re progress licensee has made toward completion of restart readiness program & status of required NRC insp necessary to confirm restart readiness.  
BEACH,A.B. Region 4 (Post 820201). 95/01/12. HORN,G.R. Nebraska Public Power District. 7pp. 82335:086-82335:092.

**9501240275** Forwards NPPD Design Calculation NEDC 94-071, Rev 4, "Control Room Operator Dose Due to Inleakage to Control Room" & Rev 5 to Calculation C122-93-01-01, "CNS Control Room Operator Thyroid Dose Calculation," per 950109 telcon w/NRC.  
MUELLER, J.H. Nebraska Public Power District. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82464:183-82464:266.

**-9501260093** Rev 4 to NEDC 94-071, "Control Room Operator Dose Due to Inleakage to Control Room."  
\* Nebraska Public Power District. NEDC 94-071 R04. 95/01/14. 9pp. 82464:185-82464:193.

**-9501260100** Rev 5 to Calculation C122-93-01-01, "CNS Control Room Operator Thyroid Dose Calculation."  
\* ERIN Engineering & Research, Inc. C122-93-01-01 R05. 95/01/09. 73pp. 82464:194-82464:266.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310413** Forwards amend 166 to license DPR-46 & safety evaluation. Amend revises TS 3.5.C.1 & 3.5.C.4 to increase pressure for operation of HPCIS to 150 psig.  
HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. HORN, G.R. Nebraska Public Power District. 3pp. 82548:045-82548:056.

**-9501310424** Amend 166 to license DPR-46, revising TS 3.5.C.1 & 3.5.C.4 to increase min pressure for operation of HPCIS to 150 psig.  
HALL, J.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. 5pp. 82548:048-82548:052.

**-9501310427** Safety evaluation supporting amend 166 to license DPR-46.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. 4pp. 82548:053-82548:056.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501030008** Ack receipt of 941125 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/94-27.  
GWYNN, T.P. Region 4 (Post 820201). 94/12/23. HORN, G.R. Nebraska Public Power District. 5pp. 82157:036-82157:046.

**9501030026** Forwards insp rept 50-298/94-30 on 941023-1203. Non-cited violation noted. Violation of minor safety significance & licensee took immediate actions to implement appropriate CA.  
BEACH, A.B. Region 4 (Post 820201). 94/12/23. HORN, G.R. Nebraska Public Power District. 5pp. 82157:123-82157:141.

**-9501030029** Insp rept 50-298/94-30 on 941023-1203. Non-cited violation noted. Major areas inspected: operational safety verification, plant support activities, onsite engineering, maint & surveillance observations.  
HARRELL, P.H. Region 4 (Post 820201). 94/12/21. 14pp. 82157:128-82157:141.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501040114** Suppl response to NRC Bulletin 88-004, "Potential Safety Related Pump Loss." NRC Bulletin 88-004 raised concerns re min flow protection for safety-related pumps.  
HORN, G.R. Nebraska Public Power District. 94/12/29. Document Control Branch (Document Control Desk). 9pp. 82247:317-82247:325.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501130135** Responds to exercise weaknesses noted in insp rept 50-298/94-29 on 941114-18. Corrective actions: individual has been counseled on what constitutes release & how to report releases & EIPs will be revised.  
MUELLER, J.M. Nebraska Public Power District. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82361:354-82361:359.

**9501130001** Ack receipt of 941128 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/94-24.  
BEACH, A.B. Region 4 (Post 820201). 95/01/09. HORN, G.R. Nebraska Public Power District. 4pp. 82298:001-82298:007.

**9501190022** Discusses 950105 meeting at plant training facility re progress licensee has made toward completion of restart readiness program & status of required NRC insp necessary to confirm restart readiness.  
BEACH, A.B. Region 4 (Post 820201). 95/01/12. HORN, G.R. Nebraska Public Power District. 7pp. 82335:086-82335:092.

**9501190076** Insp rept 50-298/94-23 has been cancelled. No insp rept will be issued for rept number.  
BEACH, A.B. Region 4 (Post 820201). 95/01/12. HORN, G.R. Nebraska Public Power District. 4pp. 82335:310-82335:313.

**9501190035** Forwards insp rept 50-298/94-33 on 941219-23. Noncited violations noted.  
COLLINS, S.J. Region 4 (Post 820201). 95/01/13. HORN, G.R. Nebraska Public Power District. 5pp. 82335:136-82335:150.

**-9501190039** Insp rept 50-298/94-33 on 941219-23. Noncited violations noted. Major areas inspected: portions of utility radiation protection program including audits, appraisals, training & qualifications.  
MURRAY, B. Region 4 (Post 820201). 95/01/11. 10pp. 82335:141-82335:150.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501260384** Forwards response to violations & proposed imposition of civil penalty in amount of \$300,000 noted in Insp Rept 50-298/94-14. Corrective actions: walkdowns of primary containment penetrations performed.  
HORN, G.R. Nebraska Public Power District. 95/01/18. Ofc of Enforcement (Post 870413). 19pp. 82519:288-82519:306.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501270048** Ack receipt of 950105 ltr informing NRC of steps taken to correct emergency preparedness weaknesses noted in insp rept 50-298/94-29 on 941209.  
COLLINS, S.J. Region 4 (Post 820201). 95/01/19. HORN, G.R. Nebraska Public Power District. 5pp. 82490:040-82490:050.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501310047** Forwards insp rept 50-298/94-34 on 941219-23 & notice of violation. Violation of concern because it involved articles not properly searched at primary access point.  
COLLINS, S.J. Region 4 (Post 820201). 95/01/20. HORN, G.R. Nebraska Public Power District. 4pp. 82528:175-82528:182.

**-9501310054** Notice of violation from insp on 941219-23. Violation noted: failure to comply w/hand carried item search requirements.  
\* Region 4 (Post 820201). 95/01/20. 1p. 82528:180-82528:180.

**-9501310062** Partially withheld insp rept 50-298/94-34 on 941219-23 (ref 10CFR73.21). Violations noted. Major areas inspected: licensee physical security program.  
MURRAY, B. Region 4 (Post 820201). 95/01/18. 2pp. 82528:181-82528:182.

**9501300201** Forwards Relief Requests RV-63, RV-64, RV-65 & RV-66 to inservice testing program.  
MUELLER, J.H. Nebraska Public Power District. 95/01/24. Document Control Branch (Document Control Desk). 7pp. 82554:321-82554:327.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501240193** Monthly operating rept for Dec 1994 for Cooper Nuclear Station. W/950110 ltr.  
FRAUSE, E.A., HERRON, J.T. Nebraska Public Power District. 94/12/31. 5pp. 82508:348-82508:352.

#### S. Reportable occurrences, LERs & related correspondence

**9501170138** Final response to FOIA requests for documents. App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI, T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

**-9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

**9501200017** LER 94-019-00: on 940411, determined that feedwater flow transmitters had been improperly calibrated since installation in 1980. Caused by personnel error. Power reduced by 20 MW (th) & recalibrated. W/950112 ltr.  
HORN, A.J., HERRON, J.T. Nebraska Public Power District. 95/01/12. 6pp. 82421:140-82421:145.

**9501200124** LER 94-012-01: on 940708, TS noncompliance for HPCI sys noted re setpoint discrepancy associated w/low steam line isolation pressure switches. Requested TS change to NRC establishing operability limit for HPCI. W/950119 ltr.  
HORN, A.J., HERRON, J.T. Nebraska Public Power District. 95/01/12. 6pp. 82421:162-82421:167.

**9501260086** LER 94-033-00: on 941220, eight SRVs removed & sent to W testing facilities because four of SRV lift pressures higher than required setpoint tolerance. Caused by design & mfg. GE confirmed set-points pose no adverse effects. W/950119 ltr.  
ALFORD, A., HERRON, J.T. Nebraska Public Power District. 95/01/19. 6pp. 82513:179-82513:184.

## 66 DOCKETED ITEMS

9501310126 Informs NRC that plant will not be submitting LER 94-029. Number internally assigned to potentially reportable condition that later determined not reportable. GODLEY,R.C. Nebraska Public Power District. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82566:250-82566:250.

### DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050172 Ack receipt of 941219 response to 941118 ltr requesting info re physical security concern at plant. Corrective action toward security specialist good & review sufficient. CANIANO,R.J. Region 3 (Post 820201). 94/12/29. LINK,R. Wisconsin Electric Power Co. 2pp. 82178:214-82178:215.

9501090027 Forwards plant emergency plan exercise scenario conducted on 941206. MAXFIELD,G.J. Wisconsin Electric Power Co. 95/01/04. Document Control Branch (Document Control Desk). 1p. 82289:001-82289:258.

-9501090030 "Wisconsin Electric Power Co Point Beach Nuclear Plant Emergency Preparedness Exercise, 941206."  
\* Wisconsin Electric Power Co. 94/12/06. 257pp. 82289:002-82289:258.

9501190093 Forwards public & central files version of revised EIPs & revised emergency plan manual. Central files version of revised EIPs & emergency plan manual withheld. MAXFIELD,G.J. Wisconsin Electric Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82428:001-82428:263.

-9501190099 Public version of revised EIPs, including Rev 27 to EIP 1.2, Rev 21 to EIP 4.1, Rev 1 to EIP 4.5, Rev 15 to EIP-22, Rev 13 to EIP-23, Rev 9 to EIP-24, Rev 13 to EIP-25 & Rev 12 to EIP-26.  
\* Wisconsin Electric Power Co. 95/01/09. 62pp. 82428:002-82428:063.

-9501190103 Public version of revised "Emergency Plan Manual."  
\* Wisconsin Electric Power Co. 95/01/09. 200pp. 82428:064-82428:263.

9501240115 Forwards FEMA correspondence, dtd 941214 notifying state of WI of two deficiencies re plant emergency preparedness exercise conducted on 941206. Ack that C/A to be demonstrated at full participation exercise on 950426. MCCORMICK-BARGE Region 3 (Post 820201). 95/01/14. LINK,R. Wisconsin Electric Power Co. 3pp. 82420:076-82420:078.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501130269 Forwards complete radioactive matl tag data base entry & shipment manifest from plant identifying spent fuel cask lifting yoke. WALLACE,J. ALARON Corp. 92/11/30. WHITE,D. Region 1 (Post 820201). 8pp. 82321:020-82321:041.

9501100145 Forwards WCAP-12794, rev 2 & WCAP-12795, rev 2 in response to request for background info re TS change 171 on heatup & cooldown limit curve expiration date extension. LINK,B. Wisconsin Electric Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82292:001-82292:096.

-9501100152 "Reactor Cavity Neutron Measurement Program for WEPC Point Beach Unit 2."  
ANDERSON,S.L. Wisconsin Electric Power Co. WCAP-12795 R02. 92/09/30. 231pp. 82292:230-82292:096.

9501120339 Requests enforcement discretion in order to restore reactor makeup water sys in plant to normal operation, per Section VII of enforcement policy (10CFR2, App C). LINK,B. Wisconsin Electric Power Co. 95/01/10. Document Control Branch (Document Control Desk). 6pp. 82329:339-82329:344.

9501180147 Forwards safety evaluation of util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components" & notice of denial. Probability of detection of cracks too great to demonstrate that criteria would be met. NORRHOLM,L.J. Project Directorate III-3. 95/01/11. LINK,R.E. Wisconsin Electric Power Co. 4pp. 82341:327-82341:344.

-9501180160 Safety evaluation denying util 940826 amend request CR-175 to revise TS 15.4.22, "Inservice Insp of Safety Class Components."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 11pp. 82341:331-82341:341.

-9501180167 Notice of denial of amend to Licenses DPR-24 & DPR-27 & opportunity for hearing on 940826 request to revise TS 15.4.2, "Inservice Insp of Safety Class Components," as described in WCAP-14157. NORRHOLM,L.J. Project Directorate III-3. 95/01/11. 3pp. 82341:342-82341:344.

9501250151 Submits addendum to 941123 TS Change Request 163, modifying TS 15.3.6, "Containment Sys," to enhance operating conditions & limiting conditions for operation for containment sys, per 950112 telcon w/NRC. LINK,B. Wisconsin Electric Power Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82514:298-82514:301.

-9501250157 Proposed tech specs to enhance operating conditions & limiting conditions for operation for containment systems.  
\* Wisconsin Electric Power Co. 95/01/12. 2pp. 82514:300-82514:301.

9501190092 Responds to 941212 ltr & informs of implementation of recommended rod control sys timing change on PBNP Unit 2 during Fall 1994 refueling outage. LINK,B. Wisconsin Electric Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82470:341-82470:342.

9501190098 Application for amends to licenses DPR-24 & DPR-27 re change request 163, "Mods to Section 15.3.6, 'Containment Sys,'" to enhance operating conditions & limiting conditions for operation for containment sys. LINK,B. Wisconsin Electric Power Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82394:352-82394:353.

-9501190115 Proposed tech specs re change requests 163, mods to section 15.3.6, "Containment Sys," to enhance operating conditions & limiting conditions for operation for containment sys.  
\* Wisconsin Electric Power Co. 95/01/13. 1p. 82394:353-82394:353.

9501260233 Forwards amends 160 & 164 to licenses DPR-24 & DPR-27, respectively & safety evaluation. Amends revise TS for operating & limiting conditions for operation of containment systems. Associated TS bases also updated. HANSEN,A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. LINK,R.E. Wisconsin Electric Power Co. 3pp. 82508:094-82508:127.

-9501260237 Amends 160 & 164 to licenses DPR-24 & DPR-27, respectively, changing TS re operating & limiting conditions for plant containment systems. Associated bases also updated to reflect change. HANSEN,A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 27pp. 82508:097-82508:123.

-9501260239 Safety evaluation supporting amends 160 & 164 to licenses DPR-24 & DPR-27, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 4pp. 82508:124-82508:127.

9501310105 Discusses Unit 2 shut down for refueling at end of Cycle 20 operation on 940924. LINK,B. Wisconsin Electric Power Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82555:357-82555:358.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310067 Forwards review of individual plant examination submittal for internal events, draft SE, front-end TER, back-end TER & human reliability analysis TER. IPE supports licensee position. HANSEN,A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/26. LINK,R.E. Wisconsin Electric Power Co. 25pp. 82561:140-82561:294.

-9501310106 "Point Beach 1 & 2 TER on Front End IPE Submittal," Task 22, dtd 941004. DARBY,J.L. Science & Engineering Associates, Inc. SEA 92-553-022-A:3. 94/10/04. NRC - No Detailed Affiliation Given. 62pp. 82561:165-82561:226.

-9501310132 "Point Beach IPE Back-End" TER dtd Sept 1994. AMARASOORIYA,W. SCIENTECH, Inc. NRC-05-91-068-23. 94/09/30. NRC - No Detailed Affiliation Given. 24pp. 82561:227-82561:250.

-9501310144 "Point Beach Units 1 & 2 TER of IPE Submittal Human Reliability Analysis, Final Rept.," Task 23, Draft dtd 940131, final Aug 1994. HAAS,P.M. Concord Associates, Inc. NRC-04-91-069. CA/TR-93-019-23. 94/08/31. NRC - No Detailed Affiliation Given. 44pp. 82561:251-82561:294.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401. RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. LIU,L., FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501110180 Forwards insp repts 50-266/94-24 & 50-301/94-24 on 941212-16. Non-cited violations noted. GARDNER,R.N. Region 3 (Post 820201). 95/01/06. LINK,R.E. Wisconsin Electric Power Co. 2pp. 82273:117-82273:123.

-9501110191 Insp repts 50-266/94-24 & 50-301/94-24 on 941212-16. Non-cited violations noted. Major areas inspected: util check valve program, TI 2515/110. DUNLOP,A., COLACCINO,J., GARDNER,R.N. Region 3 (Post 820201). 95/01/05. 5pp. 82273:119-82273:123.

9501120070 Forwards insp repts 50-266/94-22 & 50-301/94-22 on 941109-1220. No violations noted. NRC concerned because lack of adequate post maint testing of N42 detector led to condition not allowed by TS. FARBER,M.J. Region 3 (Post 820201). 95/01/06. LINK,R. Wisconsin Electric Power Co. 2pp. 82279:341-82279:358.

-9501120073 Insp repts 50-266/94-22 & 50-301/94-22 on 941109-1220. No violations noted. Major areas inspected: plant operations, maint engineering, plant support, safety assessment & quality verification & CA on previous findings. FARBER,M.J. Region 3 (Post 820201). 95/01/06. 16pp. 82279:343-82279:358.

**9501180147** Forwards safety evaluation of util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components" & notice of denial. Probability of detection of cracks too great to demonstrate that criteria would be met. NORRHOLM, L.J. Project Directorate III-3. 95/01/11. LINK, R.E. Wisconsin Electric Power Co. 4pp. 82341:327-82341:344.

**-9501180160** Safety evaluation denying util 940826 amend request CR-175 to revise TS 15.4.22, "Inservice Insp of Safety Class Components."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 11pp. 82341:331-82341:341.

**-9501180167** Notice of denial of amend to Licenses DPR-24 & DPR-27 & opportunity for hearing on 940826 request to revise TS 15.4.2, "Inservice Insp of Safety Class Components," as described in WCAP-14157.  
NORRHOLM, L.J. Project Directorate III-3. 95/01/11. 3pp. 82341:342-82341:344.

**9501240334** Requests relief from section XI of ASME Code re insp of nuclear power plant components. Forwards relief request RR-2-19 that provides info for NRC to complete review of relief request from ASME Code.  
MAXFIELD, G. Wisconsin Electric Power Co. 95/01/11. Document Control Branch (Document Control Desk). 4pp. 82431:335-82431:338.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**950110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501260382** Notification of 950201 meeting w/util to discuss insp & repair of sleeved steam generator tubes.  
HANSEN, A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. NORRHOLM, L.J. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82514:001-82514:004.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501110478** Monthly operating repts for Dec 1994 for Point Beach Nuclear Plant Units 1 & 2. W/950106 ltr.  
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 94/12/31. 10pp. 82302:086-82302:095.

#### DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**9501050186** Rev 24 to EPIP EM-213, "Medical Emergency Procedures."  
STEPHENSON, J.D. Florida Power Corp. 94/12/23. 15pp. 82222:332-82222:346.

**9501050340** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. BEARD, P.M. Florida Power Corp. 7pp. 82229:153-82229:159.

**9501240062** Ack receipt of 941110 response to NOV re results of investigation conducted by NRC OI re violation of security requirements on part of security guard. NRC concludes that violation will not be withdrawn.  
EBNETER, S.D. Region 2 (Post 820201). 94/12/29. DELROSSO, L. Burns International Security Services, Inc. 4pp. 82417:243-82417:246.

**9501060272** Revised EIPs, including Rev 48 to EM-202, "Duties of Emergency Coordinator" & Rev 69 to EM-206, "Emergency Plan Roster & Notification."  
STEPHENSON, J. Florida Power Corp. 94/12/30. 71pp. 82273:269-82273:339.

**9501250047** Rev 15 to "Radiological Emergency Response Plan." W/950118 ltr.  
STEPHENSON, J.D., BOLDT, G.L. Florida Power Corp. 95/01/04. 265pp. 82517:001-82517:265.

**9501130237** Forwards response to follow-up to RAI on GL 92-08, "Thermo-Lag Fire Barriers," per 10CFR50.54(f).  
BOLDT, G.L. Florida Power Corp. 95/01/06. Document Control Branch (Document Control Desk). 17pp. 82365:322-82365:338.

**9501120183** Discusses 941013 ltr which responds to two concerns in plant, Unit 3, Operational Safeguards Response Evaluation rept. Established policy not consistent w/security plan. Safeguards info withheld. W/o encl.  
VARGA, S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/10. BEARD, P.M. Florida Power Corp. 2pp. 82305:356-82305:357.

**9501310130** Forwards final rept dtd 941219 from FEMA discussing findings of joint exercise of offsite radiological ER plans for plant conducted on 940120. No deficiencies identified, although corrective action & improvements needed. W/o encl.  
CLINE, W.E. Region 2 (Post 820201). 95/01/23. BEARD, P.M. Florida Power Corp. 8pp. 82529:237-82529:239.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### H. General correspondence

**9501130136** Comments opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactor.  
WIDELL, R.C. Florida Power Corp. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 8pp. 82299:141-82299:147.

**9501130259** Requests that NRC update service list to reflect listed organizational change.  
BOLDT, G.L. Florida Power Corp. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82366:177-82366:178.

#### P. Operating license stage documents & correspondence

**9501050340** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. BEARD, P.M. Florida Power Corp. 7pp. 82229:153-82229:159.

**9501130237** Forwards response to follow-up to RAI on GL 92-08, "Thermo-Lag Fire Barriers," per 10CFR50.54(f).  
BOLDT, G.L. Florida Power Corp. 95/01/06. Document Control Branch (Document Control Desk). 17pp. 82365:322-82365:338.

**9501270210** Informs audit of util implementation of improved TS rept completed & notes audit concurs w/improved TS as it reflects in FSAR & other correspondence. Forwards TER documenting results of audit.  
RAGHAVAN, L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. BEARD, P.M. Florida Power Corp. 2pp. 82525:221-82525:255.

**-9501270224** "TER, Audit of Plant Specific License Conversion to STS: Crystal River Unit 3."  
SPENCER, K.M. Idaho National Engineering Laboratory. SPENCER, K.M. Affiliation Not Assigned. FIN J-2038. INEL-94-0256. 94/12/31. NRC - No Detailed Affiliation Given. 32pp. 82525:224-82525:255.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501240062** Ack receipt of 941110 response to NOV re results of investigation conducted by NRC OI re violation of security requirements on part of security guard. NRC concludes that violation will not be withdrawn.  
EBNETER, S.D. Region 2 (Post 820201). 94/12/29. DELROSSO, L. Burns International Security Services, Inc. 4pp. 82417:243-82417:246.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501120069** Responds to 941003 ltr, discussing addl info re DOL proceeding 88-ERA-29, subj of enforcement conference held in Region II on 931122. NRC will consider enforcement action, in event that Secretary of Labor decision reversed.  
EBNETER, S.D. Region 2 (Post 820201). 95/01/06. BEARD, P.M. Florida Power Corp. 6pp. 82279:335-82279:340.



## 68 DOCKETED ITEMS

9501170038 Forwards insp rept 50-302/94-18 on 941205-04.No violations noted. CASTO,C.A. Region 2 (Post 820201). 95/01/06. BEARD,P.M. Florida Power Corp. 3pp. 82314:075-82314:101.

-9501170042 Insp rept 50-302/94-18 on 941205-06.No violations noted. Major areas inspected:commitments to GL 89-10 re safety- related motor-operated valve testing & surveillance. GIRARD,E. Region 2 (Post 820201). 95/01/06. 24pp. 82314:078-82314:101.

9501170055 Forwards insp rept 50-302/94-23 on 941128-1216.Violation noted but not cited. PEEBLES,T.A. Region 2 (Post 820201). 95/01/06. BEARD,P.M. Florida Power Corp. 2pp. 82314:130-82314:144.

-9501170060 Insp rept 50-302/94-23 on 941128-1216.Violations noted but not cited.Major areas inspected:licensed operator requalification program,including exam administration & development,remedial training & license condition tracking. ERNSTES,M.E., LAWYER,L.L. Region 2 (Post 820201). 95/01/05. 11pp. 82314:132-82314:144.

9501230104 Informs licensee of pilot NRC site visit to verify 10CFR50.56 draft maint insp procedures for verification & validation insp,to be performed on 950320-24 at unit 3. MATHEWS,D. . 95/01/12. BEARD,P.M. Florida Power Corp. 4pp. 82392:166-82392:170.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240383 Provides addl info as requested in insp rept 50-302/94-26. Util believes that SWSOPA conducted by personnel was thorough & comprehensive.Design analysis/calculation M94-0056,rev 0 encl. BOLDT,G.L. Florida Power & Light Co. 95/01/18. Document Control Branch (Document Control Desk). 4pp. 82431:074-82431:156.

-9501240389 "Allowable SWHE Tube Blockage vs VHS Temp." \* Florida Power & Light Co. 94/12/06. 79pp. 82431:078-82431:156.

9501270340 Forwards response to NRC 941220 ltr re violations noted in insp rept 50-302/94-25.Corrective actions:on 941114,upper door to control complex was found blocked open w/no temporary seal & w/no communications established w/CR. BOLDT,G.L. Florida Power Corp. 95/01/18. Document Control Branch (Document Control Desk). 4pp. 82540:354-82540:357.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200121 Monthly operating rept for Dec 1994 for Crystal River Unit 3.W/950111 ltr. DAO,T.V., BOLDT,G.L. Florida Power Corp. 94/12/31. 5pp. 82465:353-82465:357.

### S. Reportable occurrences, LERs & related correspondence

9501050130 LER 94-012-00:on 941128, personnel error led to incomplete surveillance resulting in violation of TS.Performance of FLUR surveillance to ensure that all relays in tolerance. W/941228 ltr. FRIJOUF,J.A., BOLDT,G.L. Florida Power Corp. 94/12/28. 6pp. 82258:025-82258:030.

9501250205 LER 94-008-01:on 941011,inattention to detail caused incompleting surveillance test within designated time period & resulted in violation of TS.Conducted presentation on attention to detail,communication & teamwork.W/950118 ltr. FRIJOUF,J.A., BOLDT,G.L. Florida Power & Light Co. 95/01/18. 5pp. 82507:138-82507:142.

9501250278 LER 94-014-00:on 941031,determined that RB fan/cooler operation develops cooling sys flow imbalance due to personnel error.Design basis configuration document will be revised.W/950120 ltr. FRIJOUF,J.A., BOLDT,G.L. Florida Power & Light Co. 95/01/20. 6pp. 82507:143-82507:148.

9501300243 LER 94-013-00:on 940913,marine organism biofouling caused HX partial blocking & potential for operation outside design basis.Frequency of RW pit insp & cleaning has been increased.W/950120 ltr. FRIJOUF,J.A., BOLDT,G.L. Florida Power Corp. 95/01/20. 6pp. 82553:008-82553:013.

### V. Operator Examinations

9501170055 Forwards insp rept 50-302/94-23 on 941128-1216.Violation noted but not cited. PEEBLES,T.A. Region 2 (Post 820201). 95/01/06. BEARD,P.M. Florida Power Corp. 2pp. 82314:130-82314:144.

-9501170060 Insp rept 50-302/94-23 on 941128-1216.Violations noted but not cited.Major areas inspected:licensed operator requalification program,including exam administration & development,remedial training & license condition tracking. ERNSTES,M.E., LAWYER,L.L. Region 2 (Post 820201). 95/01/05. 11pp. 82314:132-82314:144.

### DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan,acceptable.Plan contained generic emergency planning info for all of util nuclear stations. CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501090273 Responds to 941201 referral of ltr from RK Rutherford that contained petition from members of Zion Nuclear Power Station security force opposing new response team member security plan. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/30. JOHNSTON,J.B. Senate, Appropriations. 2pp. 82259:323-82259:342.

-9501090292 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 941103.Appropriate action will be taken on petition within reasonable time.Petition re security plan. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. 15pp. 82259:328-82259:342.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF,in accordance w/ NUREG-0737,Suppl 1.Supporting info encl.W/one oversize encl. BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501300104 Forwards rev 36 to security plan.Plan withheld. JOHNSON,I.M. Commonwealth Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82587:059-82587:060.

9501240134 Responds to 941128 ltr by Dept of Energy re petition from members of station security force opposing new security plan for response team members. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON,P. Senate. 3pp. 82436:353-82436:360.

9501270287 Responds to Senator Simons ltr,dtd 941128 re RK Rutherford 2.206 petition from members of Zion Nuclear Power Station security force opposing new security plan for response team members. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON,P. Senate. 2pp. 82542:088-82542:103.

-9501270306 Forwards Senator Simons ltr & identifies ltr as duplicating petition received at NRC from RK Rutherford. INGRAM,F. Congressional Affairs (870413-911116). 94/12/28. MOSSBURG,D. Office of the Secretary of the Commission. 7pp. 82542:097-82542:103.

9501200194 Generic ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501090273 Responds to 941201 referral of ltr from RK Rutherford that contained petition from members of Zion Nuclear Power Station security force opposing new response team member security plan. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/30. JOHNSTON,J.B. Senate, Appropriations. 2pp. 82259:323-82259:342.

-9501090292 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 941103.Appropriate action will be taken on petition within reasonable time.Petition re security plan. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. 15pp. 82259:328-82259:342.

9501240134 Responds to 941128 ltr by Dept of Energy re petition from members of station security force opposing new security plan for response team members. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON,P. Senate. 3pp. 82436:353-82436:360.



**H. General correspondence**

**9501060276** Responds to referral, dtd 941230, of ltr from RK Rutherford re petition from members of plant security force about reduction in force at plant. Forwards official NRC responses to RK Rutherford petition.  
TAYLOR, J.M., Ofc of the Executive Director for Operations. 94/12/30.  
JOHNSTON, J.B. Senate. 2pp. 82259:151-82259:157.

**P. Operating license stage documents & correspondence**

**9501050156** Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

**9501180334** THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION.  
PILCH, M.M., ALLEN, M.D. Sandia National Laboratories. KNUDSON, D.L. Idaho National Engineering Laboratory. FIN J-6027. NUREG/CR-6075 S01. 94/12/31. Division of Systems Research (880717-941217). 450pp. 82340:001-82341:179.

**9501190286** THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION.  
PILCH, M.M. Sandia National Laboratories. YAN, H., THEOFANOUS, T.G. California, Univ. of Santa Barbara, CA. FIN J-6027. NUREG/CR-6075. 94/12/31. Division of Systems Research (880717-941217). 396pp. 82359:001-82360:032.

**9501190263** Submits schedules for implementation of current order timing mod & surveillance test, per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."  
YONK, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82471:213-82471:214.

**9501190314** Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informants old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. THOMPSON, D.P. Illinois Power Co. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 7pp. 82529:096-82529:102.

**Q. Inspection reports, IE Bulletins & correspondence**

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9501110203** Ack receipt of 941223 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/94-20 & 50-304/94-20.  
JACOBSON, J.M. Region 3 (Post 820201). 95/01/04. TUETKEN, R. Commonwealth Edison Co. 2pp. 82274:187-82274:191.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501120252** Requests reduced NRC insp activity in SWSOPi area of emphasis.  
MADDEN, J.J. Commonwealth Edison Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82329:300-82329:301.

**9501230053** Responds to NRC 941212 ltr re violations noted in insp repts 50-295/94-21 & 50-304/94-21. Corrective actions: SE re out of svc containment spray diesel oil storage tank transmitted to corporate safety review group.  
TUETKEN, R.P. Commonwealth Edison Co. 95/01/09. Document Control Branch (Document Control Desk). 7pp. 82485:353-82485:359.

**9501190156** Forwards "Service Water Sys Operational Performance Insp (SWSOPi) Self-Assessment Plan." Actual self-assessment will be performed in time frame between 950417 & 0530.  
TUETKEN, R.P. Commonwealth Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82379:321-82379:342.

**9501190158** "Service Water Sys Operational Performance Insp Self-Assessment Plan."  
BEINECKE, P.J., LOHMANN, M.E. Commonwealth Edison Co. 95/01/13. 20pp. 82379:323-82379:342.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501300105** Forwards special insp repts 50-295/94-22 & 50-304/94-22 on 941017-21. No violations noted. Overall conduct of activities re development of core reload analysis for sites good.  
RING, M.A. Region 3 (Post 820201). 95/01/20. TUETKEN, R. Commonwealth Edison Co. 4pp. 82512:161-82512:175.

**9501300111** Insp repts 50-295/94-22 & 50-304/94-22 on 941017-21. No violations noted. Major areas inspected: review of NFS nuclear engineering organizations & programs & selected core reload analysis.  
BURGESS, B.L., KENDRICK, E.D., EHRHARDT, F.J. Region 3 (Post 820201). 95/01/20. 11pp. 82512:165-82512:175.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

**9501230305** Monthly operating rept for Dec 1994 for Zion Station. W/950116 ltr.  
CYGAN, J., BROCCOLO, E.A. Commonwealth Edison Co. 94/12/31. 13pp. 82504:126-82504:138.

**S. Reportable occurrences, LERs & related correspondence**

**9501270353** LER 91-002-01: on 910321, sys auxiliary transformer deluge & reactor trip. Caused by spurious actuation of Unit 2 transformer fire protection deluge sys. Mgt info sys dept increased sequence of events. W/950119 ltr.  
MIKAS, L., BROCCOLO, E.A. Commonwealth Edison Co. 95/01/19. 6pp. 82575:096-82575:101.

**DOCKET 95-305 KEWAUNEE NUCLEAR POWER PLANT****F. Security, medical, emergency & fire protection plans**

**9501190265** Revised EIPs, including rev AL to APPX-A-2, rev AK to APPX-A-3, rev AA to APPX-A-4, rev AL to APPX-A-5, rev K to APPX-A-6 & rev H to APPX-A-7. W/950111 ltr.  
SCHROCK, C.A. Wisconsin Public Service Corp. 95/01/11. 28pp. 82471:215-82471:243.

**9501310456** Rev M to EPIP EP-RET-3C, "Post Accident Operation of High Radiation Square Room." W/950124 ltr.  
SCHROCK, C.A. Wisconsin Public Service Corp. 95/01/24. 36pp. 82582:215-82582:250.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**J. Insurance & indemnity information**

**9501310287** Forwards NELIA & MAELU insurance policy endorsements.  
SCHROCK, C.A. Wisconsin Public Service Corp. 95/01/23. Document Control Branch (Document Control Desk). 8pp. 82582:274-82582:281.

**P. Operating license stage documents & correspondence**

**9501130253** Provides response to NRC position that util remove addl tubes from plant SGs during spring 1995 refueling outage, per 941229 telcon.  
SCHROCK, C.A. Wisconsin Public Service Corp. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82366:174-82366:176.

**9501240337** Forwards addl info in response to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)."  
STEINHARDT, C.R. Wisconsin Public Service Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82437:345-82437:346.

**9501200288** Provides request for addl info re NRC GL 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities."  
STEINHARDT, C. Wisconsin Public Service Corp. 95/01/13. Document Control Branch (Document Control Desk). 58pp. 82426:265-82426:322.

**9501250128** Discusses 940610 submittal of rev 15 to util operational QA program description.  
SCHROCK, C.A. Wisconsin Public Service Corp. 95/01/19. Document Control Branch (Document Control Desk). 8pp. 82438:319-82438:326.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

## 70 DOCKETED ITEMS

**9501310217** Forwards Rev 1 to WCAP-14042, "Kewaunee Weld Drop Weight Test Program Results," in response to NRC request in order to review until 940824 application for amend to license DPR-43.  
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82547:112-82547:154.

**-9501310220** Rev 1 to "Kewaunee Weld Drop Weight Test Program Results."  
PEZZE,C.M., KIM,C., RISHLE,R.D. Westinghouse Electric Corp. WCAP-14042 R01. 95/01/23. 40pp. 82547:115-82547:154.

**9501310170** Provides requested info re recent field experience w/W Alloy 600 thermally treated mechanical plugs.  
SCHROCK,C.A. Wisconsin Public Service Corp. 95/01/26. Document Control Branch (Document Control Desk). 2pp. 82566:238-82566:239.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. BLIND,A.A., CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

**9501030197** Forwards insp rept 50-305/94-14 on 941018-1128. Noncited violations identified.  
FARBER,M.J. Region 3 (Post 820201). 94/12/14. SCHROCK,C.A. Wisconsin Public Service Corp. 2pp. 82173:265-82173:290.

**-9501030211** Insp rept 50-305/94-14 on 941018-1128. Noncited violations identified. Major areas inspected: plant operations, maint, surveillance, plant support & corrective actions on previous findings.  
FARBER,M.J. Region 3 (Post 820201). 94/12/14. 21pp. 82173:268-82173:290.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501060161** Requests approval per 10CFR50.55a(a)(3) for use of ASME Code Cases N-416-1 & N-498-1 as alternatives to ASME Section XI requirements in effect at KNPP. ISI Relief Requests RR-G-1 & RR-G-3 for 2nd & 3rd intervals, respectively encl.  
SCHROCK,C.A. Wisconsin Public Service Corp. 94/12/30. Document Control Branch (Document Control Desk). 8pp. 82283:333-82283:340.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501260382** Notification of 950201 meeting w/util to discuss insp & repair of sleeved steam generator tubes.  
HANSEN,A.G. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. NORRHOLM,L.J. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82514:001-82514:004.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501180171** Monthly operating rept for Dec 1994 for Kewaunee Nuclear Power Plant W/950110 ltr.  
ANDERSON,M.L., SCHROCK,C.A. Wisconsin Public Service Corp. 94/12/31. 5pp. 82379:128-82379:132.

### S. Reportable occurrences, LERs & related correspondence

**9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

### DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9501050335** Provides util response to 940923 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."  
WADLEY,M.D. Northern States Power Co. 94/12/21. Document Control Branch (Document Control Desk). 15pp. 82247:085-82247:282.

**-9501050344** "Transco Procedure TIQAP 9.20, For Installation of KM-1 Fire Barrier Systems for Electrical Raceway Systems."  
\* Transco Products, Inc. 94/10/14. 183pp. 82247:100-82247:282.

**9501090323** Provides follow-up to request for addl info re GL 92-08 "Thermo-Lag 330-1 Fire Barriers." Written rept responding to encl requested within 90 days.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. ANDERSON,R.O. Northern States Power Co. 7pp. 82259:345-82259:351.

**9501170074** Forwards rev 7 to Prairie Island Safeguards Contingency Plan. Plan withheld.  
ANDERSON,R.O. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82456:322-82456:322.

**9501250188** Revised EIPs, including Rev 88 EIP indexes, Rev 11 to F3-12, Rev 17 to F3-15, Rev 3 to F3-20.1, Rev 4 to F3-20.2, Rev 15 to F3-23, Rev 7 to F3-23.1 & Rev 6 to F3-24. W/950116 ltr.  
ANDERSON,R.O. Northern States Power Co. 95/01/16. 66pp. 82514:182-82514:267.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### H. General correspondence

**9501130121** Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis, as PFR will extend refueling outages at all plants.  
ANDERSEN,R.O. Northern States Power Co. 94/12/30. Office of the Secretary of the Commission. 2pp. 82299:089-82299:090.

### P. Operating license stage documents & correspondence

**9501050335** Provides util response to 940923 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."  
WADLEY,M.D. Northern States Power Co. 94/12/21. Document Control Branch (Document Control Desk). 15pp. 82247:085-82247:282.

**-9501050344** "Transco Procedure TIQAP 9.20, For Installation of KM-1 Fire Barrier Systems for Electrical Raceway Systems."  
\* Transco Products, Inc. 94/10/14. 183pp. 82247:100-82247:282.

**9501090323** Provides follow-up to request for addl info re GL 92-08 "Thermo-Lag 330-1 Fire Barriers." Written rept responding to encl requested within 90 days.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. ANDERSON,R.O. Northern States Power Co. 7pp. 82259:345-82259:351.

**9501060112** Submits info re SG weld indication evaluation.  
ANDERSON,R.O. Northern States Power Co. 94/12/30. Document Control Branch (Document Control Desk). 17pp. 82287:310-82287:326.

**9501100244** Forwards amends 113 & 106 to licenses DPR-42 & DPR-60 & safety evaluation. Amends modify EDG 24-hour load test requirements to provide indicated load range of 103-110 percent of continuous rating.  
PETERSON,S.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. ANDERSON,R.O. Northern States Power Co. 4pp. 82283:031-82283:053.

**-9501100249** Amends 113 & 106 to licenses DPR-42 & DPR-60, respectively, modifying EDG 24-hour load test requirements to provide indicated load range of 103-110 percent of continuous rating.  
HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 15pp. 82283:035-82283:048.

-9501100255 Safety evaluation supporting amends 113 & 106 to licenses DPR-42 & DPR-60, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 5pp. 82283:049-82283:053.

9501120077 Informs that licensee response to GL 93-04 acceptable re "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)." THOMAS, C.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. ANDERSON, R.O. Northern States Power Co. 2pp. 82310:192-82310:193.

9501130280 Forwards application for amend to Licenses DPR-42 & DPR-60, changing TS 4.12, "SG Tube Surveillance," to incorporate revised acceptance critia for SG tubes w/ degradation in tubesheet roll expansion region. Proprietary rept encl. WADLEY, M. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82426:022-82426:162.

-9501130284 Application for amends to Licenses DPR-42 & DPR-60, changing TS 4.12, "Steam Generator Tube Surveillance," to incorporate revised acceptance criteria for steam generator tubes w/ degradation in tubesheet roll expansion region. WADLEY, M. Northern States Power Co. 95/01/09. 19pp. 82426:025-82426:043.

-9501130286 Proposed Tech Specs 4.12 re steam generator surveillance.  
\* Northern States Power Co. 95/01/09. 10pp. 82426:044-82426:053.

-9501130287 Non-proprietary WCAP-14226, "F\* & L\* Tube Plugging Criteria for Tubes w/Degradation in Tubesheet Roll Expansion Region of Prairie Island Units 1 & 2 Steam Generators."  
\* Westinghouse Electric Corp. WCAP-14226. 94/12/31. 110pp. 82426:054-82426:162.

9501230328 Provides clarifications in support of 941205 LAR changes in containment refueling integrity requirements.  
WADLEY, M.D. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82484:358-82484:359.

9501200307 Forwards application for amends to Licenses DPR-42 & DPR-60, revising event monitoring instrumentation TS to conform to std TS for post accident monitoring.  
WADLEY, M.D. Northern States Power Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82465:286-82465:322.

-9501200311 Application for amends to Licenses DPR-42 & DPR-60, revising event monitoring instrumentation TS to conform to std TS for post accident monitoring.  
WADLEY, M.D. Northern States Power Co. 95/01/10. 11pp. 82465:288-82465:298.

-9501200316 Proposed tech specs re post accident monitoring.  
\* Northern States Power Co. 95/01/10. 24pp. 82465:299-82465:322.

9501260375 Forwards amends 114 & 107 to licenses DPR-42 & DPR-60, respectively & SE. Amends change submittal frequency of radioactive effluent release rept from semi-annual to annual in TS.  
PETERSON, S.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. ANDERSON, R.O. Northern States Power Co. 2pp. 82513:338-82513:362.

-9501260377 Amends 114 & 107 to licenses DPR-42 & DPR-60, respectively, changing submittal frequency of radioactive effluent release rept from semiannual to annual in TS.  
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 20pp. 82513:341-82513:360.

-9501260378 Safety evaluation supporting amends 114 & 107 to licenses DPR-42 & DPR-60, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 2pp. 82513:361-82513:362.

9501190164 Informs that effective 950109, NRC Project Mgt responsibility for plant transferred from SR Peterson to CR Thomas.  
HANNON, J.N. Project Directorate III-1. 95/01/13. ANDERSON, R.O. Northern States Power Co. 2pp. 82367:001-82367:002.

9501190304 Forwards LAR re licenses DPR-42 & DPR-60, revising TS 4.4.D.1 to change interval for performance of RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
WADLEY, M. Northern States Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82394:255-82394:268.

-9501190308 LAR to licenses DPR-42 & DPR-60, revising TS 4.4.D.1 to change interval for performance of RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
WADLEY, M. Northern States Power Co. 95/01/13. 7pp. 82394:257-82394:263.

-9501190317 Proposed tech spec 4.4.D.1, which changes interval for performance RHR sys leakage test from once every 12 months to perform test during each refueling shutdown.  
\* Northern States Power Co. 95/01/13. 5pp. 82394:264-82394:268.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. CANTRELL, J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). GIPSON, D.R. Detroit Edison Co. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050266 Informs of schedule change re addl info re response to follow-up item concerning weakness on development & implementation of adequate check valve program.  
WADLEY, M.D. Northern States Power Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82229:258-82229:259.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501100184 Monthly operating rept for Dec 1994 for Prairie Island, W/950105 ltr.  
DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 94/12/31. 9pp. 82291:286-82291:294.

#### S. Reportable occurrences, LERs & related correspondence

9501040170 Submits followup to 940418 Part 21 re investigation w/ respect to Jan 1994 incident at Prairie Island Generating Plant involving Crane design gate valves.  
MCCULLOUGH, H. Crane Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:238-82260:238.

9501250370 LER 94-004-00 on 941220, discovered that CWS snubber was not tested as required. Caused by oversight by project engineer. Removed snubber for further testing & installed replacement snubber. W/950118 ltr.  
HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 95/01/18. 4pp. 82507:158-82507:161.

#### V. Operator Examinations

9501190040 Informs that written & operating exams scheduled for wk of 950515. Requests that staff furnish ref mats identified in encl attachment by Feb 1995.  
RING, M.A. Region 3 (Post 820201). 95/01/11. WATZLE, E. Northern States Power Co. 3pp. 82335:153-82335:155.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9501110186 Requests scheduler exemption to submit rept of preoperational test acceptance criteria & test results for plant ISFSI within three days prior to receipt of spent fuel 10CFR72.7.  
ANDERSON, R.O. Northern States Power Co. 95/01/04. Document Control Branch (Document Control Desk). 4pp. 82297:357-82297:360.

#### DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

#### F. Security, medical, emergency & fire protection plans

9501250355 Revised EIPs including Rev 4 to 2-50-15, "Off-Site Radiological Monitoring" & Rev 5 to 2-50-25, "Emergency Equipment Readiness Checklist."  
\* Maine Yankee Atomic Power Co. 95/01/12. 60pp. 82514:034-82514:093.

9501250123 Forwards Rev 20 to security plan, revising table of contents, (Page ix) & pages 1.0-1 & 6.4-1. Encl withheld per 10CFR73.21.  
HEBERT, J.F. Maine Yankee Atomic Power Co. 95/01/16. Document Control Branch (Document Control Desk). 1p. 82518:125-82518:125.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

## 72 DOCKETED ITEMS

### H. General correspondence

**9501100259** Responds to 941109 ltr re specific questions about recent plant operation w/ degraded SG tube & three general questions about SG tube rupture events.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. MYERS, H.R. Affiliation Not Assigned. 7pp. 82282:245-82282:252.

**-9501100273** Discusses 941106 telegram re story about plant steam tube cracks & implications thereof. Plant engineers found 303 circumferential tube cracks, four had been eaten more than 90% through tube walls.  
MYERS, H.R. Affiliation Not Assigned. 94/11/09. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 82282:252-82282:252.

### P. Operating license stage documents & correspondence

**9501050132** RAI re IPE for severe accident vulnerabilities for plant.  
HEBERT, J.R. Maine Yankee Atomic Power Co. 94/12/23. Document Control Branch (Document Control Desk). 1p. 82260:264-82260:264.

**9501180163** Application for amend to license DPR-36, changing TSs to add new exception to Spec 3.11.B which addresses inoperable personnel air lock hatch.  
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82379:133-82379:134.

**-9501180165** Proposed tech specs re change to add new exception to Spec 3.11.B which addresses inoperable personnel air lock hatch.  
\* Maine Yankee Atomic Power Co. 95/01/13. 1p. 82379:134-82379:134.

**9501200219** Approves affidavit dtd Oct 7, 1994 & license amend application requesting Combustion Engineering final rept CEN-618-P, rev 00, "SG Tube Repair Using Leak Tight Sleeves," be marked as proprietary.  
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/13. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 4pp. 82377:179-82377:182.

**9501260146** Forwards amend 145 to license DPR-36 & safety evaluation. Amend allows use of integral fuel burnable absorbers as method of controlling core excess reactivity & maintaining core power distribution within acceptable peaking limits.  
TROTTER, E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/17. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 82508:057-82508:065.

**-9501260152** Amend 145 to license DPR-36, allowing use of integral fuel burnable absorbers as method of controlling core excess reactivity & maintaining core power distribution within acceptable peaking limits.  
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/17. 4pp. 82508:060-82508:063.

**-9501260156** Safety evaluation supporting amend 145 to license DPR-36.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 2pp. 82508:064-82508:065.

**9501300206** Informs NRC of delay in completion date of task & provides revised commitment date.  
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82554:328-82554:329.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501200077** Discusses status of util GL MOV program & 941117 status meeting in response to insp 50-309/94-14 conducted in Aug of 1994. Informs that 941202 request for extension to 950731 to complete MOV program granted. W/941117 conference encls.  
KELLY, E.M. Region 1 (Post 820201). 95/01/12. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 31pp. 82352:092-82352:122.

**9501240022** Forwards insp rept 50-309/94-23 on 941205-09. No violations noted.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/13. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 82417:060-82417:080.

**-9501240029** Insp rept 50-309/94-23 on 941205-09. No violations noted. Major areas inspected: audits & surveillances, program organization & mgt oversight & changes to programs & equipment of radiation protection program.  
FAGLAND, R.C., BORES, R. Region 1 (Post 820201). 95/01/10. 18pp. 82417:063-82417:080.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501270007** Forwards insp rept 50-309/94-20 on 940919-27. No violations noted.  
WIGGINS, J.T. Region 1 (Post 820201). 95/01/18. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 82488:183-82488:201.

**-9501270010** Insp rept 50-309/94-20 on 940919-27. No violations noted. Major areas inspected: SWS operational performance insp.  
GREGG, H., KELLY, E. Region 1 (Post 820201). 95/01/18. 17pp. 82488:185-82488:201.

**9501270334** Forwards response to 941207 ltr re violations noted in insp rept 50-309/94-21. Corrective actions on 941009 & 941010, maint was performed on SR primary cooling water pump, P-9B, using work users.  
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/18. Document Control Branch (Document Control Desk). 4pp. 82540:349-82540:353.

**9501120008** NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501270020** Forwards insp rept 50-309/94-22 on 941122-1231. No violations noted.  
LINVILLE, J.C. Region 1 (Post 820201). 95/01/19. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 82488:249-82488:262.

**-9501270023** Insp rept 50-309/94-22 on 941122-1231. No violations noted. Major areas inspected: operations, maint, engineering & overall plant support.  
LAZARUS, W.J. Region 1 (Post 820201). 95/01/19. 11pp. 82488:252-82488:262.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mat Brought Inside Containment."  
GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501200167** Monthly operating rept for Dec 1994 for Maine Yankee. W/950110 ltr.  
BAILEY, S.J., HEBERT, J.R. Maine Yankee Atomic Power Co. 94/12/31. 6pp. 82472:207-82472:212.

### S. Reportable occurrences, LERs & related correspondence

**9501100214** LER 94-018-00: on 941204, secondary component cooling water inoperable due to valve mispositioning. Counseled operator on proper use of procedures. W/950103 ltr.  
WILLOUGHBY, P.R., HEBERT, J.R. Maine Yankee Atomic Power Co. 95/01/03. 3pp. 82296:001-82296:004.

### V. Operator Examinations

**9501310008** Extends invitation to training manager meeting on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from Region 1 & NRC Headquarter perspectives.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 5pp. 82528:021-82528:025.

**9501270007** Forwards insp rept 50-309/94-20 on 940919-27. No violations noted.  
WIGGINS, J.T. Region 1 (Post 820201). 95/01/18. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 82488:183-82488:201.

**-9501270010** Insp rept 50-309/94-20 on 940919-27. No violations noted. Major areas inspected: SWS operational performance insp.  
GREGG, H., KELLY, E. Region 1 (Post 820201). 95/01/18. 17pp. 82488:185-82488:201.

**9501270020** Forwards insp rept 50-309/94-22 on 941122-1231. No violations noted.  
LINVILLE, J.C. Region 1 (Post 820201). 95/01/19. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 82488:249-82488:262.

### DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9501050201** Responds to 941222 NRC request by providing util engineering evaluation of RCP lube oil collection systems.  
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82224:330-82224:352.

**-9501050210** "Fire Protection Review of Salem Reactor Coolant Pump Oil Collection Sys." dtd 941221.  
SHUMAKER, D.P., SCHROEDER, G., STEINHAUER, P. Public Service Electric & Gas Co. of New Jersey. S-C-FP-NEE-0936 R00. 94/12/21. 21pp. 82224:332-82224:352.

**9501110139** Forwards SALP repts 50-272/93-99 & 50-311/93-99 on 930620-1105. Weaknesses in operability decision making resulted in some determinations not conservative or otherwise lacked solid technical basis.  
MARTIN, T.T. Region 1 (Post 820201). 95/01/03. ELIASON, L. Public Service Electric & Gas Co. of New Jersey. 5pp. 82271:217-82271:232.

**9501110158** Forwards 941206 ltr from R Meyniger of FEMA, notifying CA Williams, State Director of New Jersey Ofc of Emergency Mgt of FEMA identified deficiency for State of New Jersey during 940524 plant exercise.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 82271:243-82271:248.

**9501110192** Forwards insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function.  
JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.

**-9501110202** Insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation.  
LIMROTH, D.F. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.

**9501250078** Rev 28 to EPIP 204S, "Emergency Response Callout/Personnel Recall." W/Rev 51 to table of contents.  
\* Public Service Electric & Gas Co. of New Jersey. 95/01/13. 64pp. 82516:001-82516:059.

**9501240302** Forwards insp repts 50-272/94-31 & 50-311/94-31. Violations noted. Violations involve procedural adequacy which affected testing of containment spray sys.  
WHITE, J.R. Region 1 (Post 820201). 95/01/17. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82431:292-82431:308.

**-9501240308** Insp repts 50-272/94-31 & 50-311/94-31 on 941106-1217. Violations noted. Major areas inspected: public health & safety during day & back shift hours of station activities, maint, surveillances, security & engineering.  
WHITE, J.R. Region 1 (Post 820201). 95/01/12. 13pp. 82431:296-82431:308.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501270287** Responds to Senator Simons ltr, dtd 941128 re RK Rutherford 2.206 petition from members of Zion Nuclear Power Station security force opposing new security plan for response team members.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/18. SIMON, P. Senate. 2pp. 82542:088-82542:103.

**-9501270306** Forwards Senator Simons ltr & identifies ltr as duplicating petition received at NRC from RK Rutherford.  
INGRAM, F. Congressional Affairs (870413-911116). 94/12/28. MOSSBURG, D. Office of the Secretary of the Commission. 7pp. 82542:097-82542:103.

#### H. General correspondence

**9501120035** Comment supporting proposed rules 10CFR2.51 & 54 re NPP license renewal. Util of belief that proposed rev reflect positive effort towards establishing regulatory process requirements for continued operation of nuclear facilities.  
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 95/01/03. Docketing & Services Branch. 2pp. 82279:198-82279:199.

**9501180155** Requests svc list update due to recent personnel changes.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/09. Document Control Branch (Document Control Desk). 1p. 82366:329-82366:329.

#### P. Operating license stage documents & correspondence

**9501120028** Final response to FOIA request for documents. Records in App A encl & will be available in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. HARNETT, N.D. Affiliation Not Assigned. 2pp. 82321:003-82321:112.

**9501310259** Record of telcon w/NRC on 941123 re LCR 94-06 RCS flow measurements, feedwater line breaks & comparison of feedwater malfunction event to rod withdrawal from subcritical.  
MCTIGUE, W.J. Public Service Electric & Gas Co. of New Jersey. 94/11/23. 3pp. 82566:244-82566:246.

**9501100092** Ltr contract, definitizing task order 40, to "IPE Reviews, Internal Events, Front End Only," Salem 1 & 2.  
MACE, M. Division of Contracts (Post 940714). FIN B-5787. 94/12/08. COLINA, I. Science & Engineering Associates, Inc. 2pp. 82269:353-82269:354.

**9501050346** Forwards amends 161 & 142 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends revise TS snubber surveillance requirements, per Generic Ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals."  
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:160-82229:179.

**-9501050353** Amends 161 & 142 to licenses DPR-70 & DPR-75, respectively, revising TS re snubber surveillance requirements, per generic ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions."  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. 14pp. 82229:163-82229:176.

**-9501050358** Safety evaluation supporting amends 161 & 142 to licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/12. 3pp. 82229:177-82229:179.

**9501050376** Forwards amends 162 & 143 to licenses DPR-70 & DPR-75, respectively & SE. Amends revise sustained degraded voltage relay setpoint & allowable value due to changes in switchyard configuration.  
OLSHAN, L.M. Project Directorate I-2 (PD1-2) Post 941001. 94/12/14. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:212-82229:226.

**-9501050383** Amends 162 & 143 to licenses DPR-70 & DPR-75, respectively, revising sustained degraded voltage relay trip setpoint & allowable value due to changes in switchyard configuration.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/14. 8pp. 82229:215-82229:222.

**-9501050387** Safety evaluation supporting amends 162 & 143 to licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/14. 4pp. 82229:223-82229:226.

**9501050237** Requests in accordance w/requirements of 10CFR50.55a(a)(3), approval to utilize ASME Code N-514, "LTOP" & in accordance w/10CFR50.12, exemption from 10CFR50.60. Calculations that revised pressurizer OPS analysis encl.  
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 94/12/22. Document Control Branch (Document Control Desk). 17pp. 82227:089-82227:269.

**-9501050243** "LTOP Event W/RH3 Valve."  
CHANDRA, V., PANDE, R.P. Public Service Electric & Gas Co. of New Jersey. S-C-RC-MDC-1358 R00. 94/06/13. 128pp. 82227:106-82227:234.

**-9501050249** "LTOP Events W/One PORV."  
CHANDRA, V., PANDE, R.P. Public Service Electric & Gas Co. of New Jersey. S-C-RC-MDC-1413 R00. 94/12/16. 35pp. 82227:235-82227:269.

**9501040273** Application for amends to Licenses DPR-70 & DPR-75, revising surveillance requirements for areas within containment.  
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/23. Document Control Branch (Document Control Desk). 3pp. 82219:192-82219:201.

**-9501040274** Proposed tech specs re surveillance requirements for areas within containment.  
\* South Carolina Electric & Gas Co. 94/12/23. 7pp. 82219:195-82219:201.

**9501100237** Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 940929 License Change Request LCR 94-25 re instrumentation from Tech Specs & has no comments.  
TOSCH, K. New Jersey, State of. 94/12/27. Document Control Branch (Document Control Desk). 2pp. 82291:319-82291:320.

**9501110490** Forwards amends 163 & 144 to licenses DPR-70 & DPR-75 & safety evaluation. Amends change surveillance frequency from five to ten yrs for performing air or smoke flow test through each containment spray header.  
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 94/12/27. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82297:309-82297:329.

**-9501110493** Amends 163 & 144 to licenses DPR-70 & DPR-75, respectively, changing surveillance frequency from five to ten yrs for performing air or smoke flow test through each containment spray header.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/27. 8pp. 82297:312-82297:319.

**-9501110495** Safety evaluation supporting amends 163 & 144 to licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 2pp. 82297:320-82297:329.

**9501050201** Responds to 941222 NRC request by providing util engineering evaluation of RCP lube oil collection systems.  
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82224:330-82224:352.

**-9501050210** "Fire Protection Review of Salem Reactor Coolant Pump Oil Collection Sys." dtd 941221.  
SHUMAKER, D.P. Public Service Electric & Gas Co. of New Jersey. S-C-FP-NEE-0936 R00. 94/12/21. 21pp. 82224:332-82224:352.

**9501230145** Informs that EPA has reviewed util request for approval to use ASME Code Case N416-1 as alternative to Section XI & has no comments.  
TOSCH, K. Environmental Protection Agency. 94/12/30. Document Control Branch (Document Control Desk). 2pp. 82497:359-82497:360.

**9501110359** Responds to 940721 request for approval for use of ASME Code Case N-596, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing." NRC recommends approval.  
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/01/05. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 82279:114-82279:117.

**9501120066** Notification of significant licensee meeting 95-01 w/util on 950126 for plant personnel to provide NRC w/overview of results of self-assessment of SWS.  
WHITE, J., MARSHALL, C., KELLY, E. Region 1 (Post 820201). 95/01/05. Region 1 (Post 820201). 2pp. 82279:333-82279:334.

**9501120007** Notification of significant licensee meeting 94-150 w/util on 950118 to discuss NRC systematic appraisal of licensee performance for period covering 930620-941105.  
WHITE, J.R. Region 1 (Post 820201). 95/01/06. Region 1 (Post 820201). 2pp. 82279:035-82279:036.

**9501230229** Submits annual review of incidental takes re federally listed threatened & endangered species, including fish & sea turtles.  
THOMSON, F.X. Public Service Electric & Gas Co. of New Jersey. 95/01/09. SILVA, L. National Marine Service, Inc. 3pp. 82504:093-82504:095.

**9501240145** Comments on licensee 941118 application for amends to licenses DPR-70 & DPR-75, revising reactivity control sys TS for boration flow paths & CPs, by reducing min number of operable CPs required for boron addition in Mode 4.  
TOSCH, K. New Jersey, State of. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82512:359-82512:360.

**9501310252** Forwards safety evaluation accepting util 910702 ltr, transmitting Topical Rept NFU-0039, Rev 2, "Salem Reactor Physics Methods," describing benchmark analyses & applications of TRINODE/CPM/EPRI-CELL code sys. TER encl.  
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/01/17. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82562:047-82562:058.

## 74 DOCKETED ITEMS

—9501310253 Safety evaluation accepting util methodology described in Topical Rept NFU-0039, Rev 2, "Salem Reactor Physics Methods" for reload licensing analyses.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 9pp. 82562:050-82562:058.

9501250076 Informs of changes of greater than 50 F to calculated PCT for units 1 & 2 LOCA analyses.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82462:357-82462:359.

9501250083 Requests relief from restrictions for welding on SA-351 matl contained in 1989 ASME PSV Code Section III.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/01/18. Document Control Branch (Document Control Desk). 14pp. 82463:189-82463:202.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501050346 Forwards amends 161 & 142 to licenses DPR-70 & DPR-75, respectively & safety evaluation. Amends revise TS snubber surveillance requirements, per Generic Ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals."  
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82229:160-82229:179.

—9501050353 Amends 161 & 142 to licenses DPR-70 & DPR-75, respectively, revising TS re snubber surveillance requirements, per generic ltr 90-09 "Alternative Requirements for Snubber Visual Insp Intervals & Corrective Actions."  
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/12. 14pp. 82229:163-82229:176.

—9501050358 Safety evaluation supporting amends 161 & 142 to licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/12. 3pp. 82229:177-82229:179.

9501090042 Forwards insp rept 50-272/94-27,50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted.  
RULAND,W.H. Region 1 (Post 820201). 94/12/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 82235:241-82235:249.

—9501090057 Insp repts 50-272/94-27,50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted. Major areas inspected: engineering program by regional personnel to determine effectiveness of licensee engineering staff.  
CALVERT,C., RULAND,W.H. Region 1 (Post 820201). 94/12/21. 7pp. 82235:243-82235:249.

9501110001 Forwards insp rept 50-272/94-29 & 50-311/94-29 on 941107-18. No violations noted.  
MODES,M.C. Region 1 (Post 820201). 94/12/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 82271:310-82271:319.

—9501110005 Insp repts 50-272/94-29 & 50-311/94-29 on 941107-18. No violations noted. Major areas inspected: augmented insp of reactor pressure vessel shell welds, eddy current exam of SG tubes, mechanical plugging of SG tubes & mgt oversight.  
BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 94/12/22. 8pp. 82271:312-82271:319.

9501050483 Forwards response to violations noted in Insp Repts 50-272/94-24 & 50-311/94-24. Corrective actions: power & protection setpoints reduced to ensure plant operations remain within licensed limits.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/23. Document Control Branch (Document Control Desk). 16pp. 82229:324-82229:339.

9501050445 Forwards response to NRC concern stated in Insp Repts 50-272/94-19 & 50-311/94-19 relative to current TS definition of controlled leakage. Salem Unit 2 seal injection throttle valves (CVOBs) will be set.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/27. Document Control Branch (Document Control Desk). 5pp. 82276:349-82276:353.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050085 Forwards "Salem Generating Station Unit 2 ISI Program Long Term Plan," Vols A-E.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82264:286-82264:291.

—9501050090 "Salem Generating Station Unit 2 ISI Program Long Term Plan," Vols A-E.  
SIENKIEWICZ,S., LAKE,L.F., NICHOLS,J.A. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 1,784pp. 82264:288-82264:291.

9501050254 Provides response to request for addl info re ISI program for Salem Generating Station, Unit 2.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/28. Document Control Branch (Document Control Desk). 61pp. 82224:268-82224:329.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110139 Forwards SALP repts 50-272/93-99 & 50-311/93-99 on 930620-1105. Weaknesses in operability decision making resulted in some determinations not conservative or otherwise lacked solid technical basis.  
MARTIN,T.T. Region 1 (Post 820201). 95/01/03. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 82271:217-82271:232.

—9501110145 SALP repts 50-272/93-99 & 50-311/93-99 on 930620-1105.  
\* Region 1 (Post 820201). 95/01/03. 11pp. 82271:222-82271:232.

9501110192 Forwards insp repts 50-272/94-34,50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.

—9501110202 Insp repts 50-272/94-34,50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation.  
LIMROTH,D.F., MCCABE,E.C. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501250130 Responds to NRC 941130 ltr re violations noted in insp repts 50-272/94-21 & 50-311/94-21. Corrective actions: util developed relief request for SJ3 valve open exercise test to be submitted to NRC.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/16. Document Control Branch (Document Control Desk). 10pp. 82518:026-82518:035.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240302 Forwards insp repts 50-272/94-31 & 50-311/94-31. Violations noted. Violations involve procedural adequacy which affected testing of containment spray sys.  
WHITE,J.R. Region 1 (Post 820201). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82431:292-82431:308.

—9501240308 Insp repts 50-272/94-31 & 50-311/94-31 on 941106-1217. Violations noted. Major areas inspected: public health & safety during day & back shift hours of station activities, maint, surveillances, security & engineering.  
WHITE,J.R. Region 1 (Post 820201). 95/01/12. 13pp. 82431:296-82431:308.

9501270009 Notification of significant licensee meeting 95-06 w/util on 950208 to discuss NRC requested Enforcement Conference re findings of Office of Investigations of employee concerns of 10CFR50.5 & 10CFR50.7.  
WHITE,J.R. Region 1 (Post 820201). 95/01/17. Region 1 (Post 820201). 2pp. 82488:202-82488:203.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310090 Ack receipt of 941013 ltr re violations noted in insp repts 50-272/94-18,50-311/94-18 & 50-354/94-18. Discusses licensee dispute of violation for Hope Creek Station. NRC concludes that adequate basis for withdrawing violation not provided.  
WIGGINS,J.T. Region 1 (Post 820201). 95/01/23. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82529:085-82529:095.

950190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501030126 Forwards discharge monitoring rept for plant containing info required in Permit NJ000522 for month of Nov.  
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/22. CAPORALE,G. New Jersey, State of. 5pp. 82189:282-82189:300.

—9501030128 "Discharge Monitoring Rept for plant," dtd Nov 1994.  
QUINN,R.F., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/30. 14pp. 82189:287-82189:300.

9501230308 Monthly operating rept for Dec 1994 for SGS Unit 2. W/950113 ltr.  
MORRONI,M., HELLER,R. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 10pp. 82504:139-82504:148.

### S. Reportable occurrences, LERs & related correspondence



**9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNIAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:311-82540:311.

**9501240192** LER 94-015-00: on 941220, "Shift Sup-Admin" tag on gas analyzer sample isolation valve temporarily released & valve placed in closed position. Caused by personnel error. Info directive distributed re significance of event. W/950119 ltr.  
WILTSEE,F., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/01/18. 6pp. 82469:276-82469:281.

**9501270226** LER 94-016-00: on 941226, unplanned TS 3.0.3 entry occurred due to inoperability of high steam flow/low - low Tavq SI above 545 degrees F RC temp. Integrated Operating Procedure IOP-2 will be procedurally enhanced. W/950125 ltr.  
PASTVA,M.J., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/01/25. 8pp. 82575:079-82575:086.

#### V. Operator Examinations

**9501310004** Extends invitation to attend Training Managers Meeting to discuss status of operator licensing programs & inform facilities of planned initiatives & changes. Forwards notice of meeting to be held on 950207-08 in King of Prussia, PA.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 82528:006-82528:010.

### DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

#### F. Security, medical, emergency & fire protection plans

**9501090016** Forwards plant 1994 annual emergency exercise scenario conducted on 941107.  
NICOLLS,S. Sacramento Municipal Utility District. 94/10/27. COLLINS,S. Region 4 (Post 820201). 1p. 82289:259-82289:294.

**-9501090021** "Rancho Seco 1994 Annual Emergency Exercise, 941107."  
ELLIOTT,D. Sacramento Municipal Utility District. 94/11/07. 35pp. 82289:260-82289:294.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### J. Insurance & indemnity information

**9501250307** Forwards Endorsement 122 to NELIA Policy NF-0212, Endorsement 110 to MAELU Policy MF-0075, Endorsement 13 to NELIA Certificate NW-0117 & Endorsement 13 to MAELU Certificate MW-0048.  
DELEZENSKI,J. Sacramento Municipal Utility District. 95/01/16. Document Control Branch (Document Control Desk). 3pp. 82516:138-82516:147.

#### P. Operating license stage documents & correspondence

**9501300214** Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

**-9501300253** Partially withheld paper re review of ALAB-746.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). SECY-83-455. 83/11/07. 18pp. 82525:176-82525:193.

**9501190162** Forwards revised "Rancho Seco Quality Manual," describing current Rancho Seco QA program.  
REDEKER,S.J. Sacramento Municipal Utility District. 95/01/06. WEISS,S. Document Control Branch (Document Control Desk). 2pp. 82393:261-82393:347.

**-9501190165** Revised "Rancho Seco Quality Manual."  
\* Sacramento Municipal Utility District. 95/01/03. 85pp. 82393:263-82393:347.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:062-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

**9501170138** Final response to FOIA requests for documents. App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

**-9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

**9501110020** Notification of 950109 meeting w/ SMUD in Rockville, MD to discuss Part 72 physical protection of SF.  
GASKIN,C.E. Licensing Branch. 95/01/05. Licensing Branch. 1p. 82295:339-82295:339.

### DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501050183** Rev 32 to Procedure/Work Plan 1903.010, "EAL Classification."  
\* Entergy Operations, Inc. 94/12/16. 131pp. 82234:203-82234:333.

**9501030041** Ack receipt of 940929 ltr informing NRC of steps taken to correct violations noted in insp reports 50-313/94-06 & 50-368/94-06. Concludes w/ util that sections I.A & II.C.7 of 10CFR50, App R not applicable to ANO.C/A found acceptable.  
BEACH,A.B. Region 4 (Post 820201). 94/12/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82157:184-82157:202.

**9501250089** Rev 11 to Procedure/Work Plan 1903.065, "Emergency Response Facility TSC."  
\* Entergy Operations, Inc. 95/01/03. 65pp. 82515:001-82515:065.

**9501180153** Advises that 941221 rev 31 to industrial security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/12. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 82379:140-82379:144.

**9501190053** Ack receipt of 950104 ltr that documents change to commitment made as result of NOV from insp repts 50-313/93-12 & 50-368/93-12. Informs that commitment change & change to FFD meets regulatory requirements of 10CFR26.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82335:237-82335:242.

**9501230021** Forwards insp repts 50-313/94-26 & 50-368/94-26 on 941205-09. Non-cited violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82377:041-82377:048.

**-9501230028** Partially withheld insp repts 50-313/94-26 & 50-368/94-26 on 941205-09 (ref 10CFR73.21). Non-cited violations noted. Major areas inspected: licensee physical security program.  
MURRAY,B. Region 4 (Post 820201). 94/12/27. 3pp. 82377:046-82377:048.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### P. Operating license stage documents & correspondence



## 76 DOCKETED ITEMS

**9501050385** Forwards revised TS pages of amend 174 & revised SE. TS pages being reissued because rev bars that normally included in right hand margin, not visible on amend that had been distributed.

KALMAN, G. Project Directorate IV-1. 94/12/20. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 82229:132-82229:144.

**-9501050401** Corrected TS pages to amend 174 to license DPR-51. Pages reissued because rev bars that normally included in right hand margin to indicate part of page revised, not visible.

\* Project Directorate IV-1. 94/12/20. 5pp. 82229:135-82229:139.

**-9501050404** Revised SE supporting amend 174 to license DPR-51.

\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/20. 5pp. 82229:140-82229:144.

**9501060031** Discusses 941027 meeting at ANO site re status of actions to complete commitments to NRC GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Attendance list & licensee presentation, encl.

GWYNN, T.P. Region 4 (Post 820201). 94/12/29. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 82189:046-82189:095.

**9501040145** Informs that ANO is now in compliance w/station blackout rule.

MIMS, D.C. Entergy Operations, Inc. 94/12/30. Document Control Branch (Document Control Desk). 2pp. 82260:231-82260:232.

**9501180271** Forwards notice of consideration of issuance of amend to License DPR-51 & proposed NSHC determination & opportunity for hearing. Proposed amend to change TS to address installation of battery chargers on each vital power train.

KALMAN, G. Project Directorate IV-1. 95/01/10. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 82338:123-82338:133.

**-9501180276** Notice of consideration of issuance of amend to license DPR-51 & proposed NSHC determination & opportunity for hearing. Amend proposes changes to TS to address installation of battery chargers on each vital power train.

ALEXION, T.W. Project Directorate IV-1. 95/01/10. 8pp. 82338:126-82338:133.

**9501230223** Forwards "ANO-1 Simulator Performance Testing Rept."

MIMS, D.C. Entergy Operations, Inc. 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82480:227-82481:020.

**-9501230225** "ANO-1 Simulator Performance Testing Rept."

\* Entergy Operations, Inc. 95/01/17. 155pp. 82480:230-82481:020.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.

GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501030016** Forwards insp repts 50-313/94-24 & 50-368/94-24 on 941017-1222 & NOV.

GWYNN, T.P. Region 4 (Post 820201). 94/12/23. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 82157:084-82157:120.

**-9501030021** Notice of violation from insp on 941017-1222. Violations noted: licensee failed to generate temporary mod package, w/safety evaluation performed per 10CFR50.59, for temporary repair of tube leak DHR pump room cooler.

\* Region 4 (Post 820201). 94/12/23. 2pp. 82157:089-82157:090.

**-9501030024** Insp repts 50-313/94-24 & 50-368/94-24 on 941017-1222. Violations noted. Major areas inspected: engineering & technical support activities.

WESTERMAN, T.F. Region 4 (Post 820201). 94/12/22. 31pp. 82157:091-82157:120.

**9501030009** Ack receipt of 941118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-18 & 50-368/94-18 on 941006.

COLLINS, S.J. Region 4 (Post 820201). 94/12/27. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82157:047-82157:054.

**9501030041** Ack receipt of 940929 ltr informing NRC of steps taken to correct violations noted in insp reports 50-313/94-06 & 50-368/94-06. Concludes w/util that sections II.A & II.C.7 of 10CFR50, App R not applicable to ANO.C/A found acceptable.

BEACH, A.B. Region 4 (Post 820201). 94/12/27. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82157:184-82157:202.

**9501030042** Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-08 & 50-368/94-08.

BEACH, A.B. Region 4 (Post 820201). 94/12/27. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82157:203-82157:213.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."

PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."

GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050065** Forwards insp repts 50-313/94-28 & 50-368/94-28 on 941205-09. No violations noted.

COLLINS, S.J. Region 4 (Post 820201). 94/12/30. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82179:091-82179:101.

**-9501050070** Insp repts 50-313/94-28 & 50-368/94-28 on 941205-09. No violations noted. Major areas inspected: licensee implementation of revised 10CFR20 in accordance w/ TI 2515/123.

MURRAY, B. Region 4 (Post 820201). 94/12/28. 7pp. 82179:095-82179:101.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."

GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9501090029** Forwards insp repts 50-313/94-09 & 50-368/94-09 on 941016-1126 & notice of violation.

BEACH, A.B. Region 4 (Post 820201). 95/01/04. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 82235:185-82235:214.

**-9501090034** Notice of violation from insp on 941016-1126. Violation noted: inspector identified that licensee failed to update Unit 2 safety analysis rept, Table 15.1.0-1.

\* Region 4 (Post 820201). 95/01/04. 2pp. 82235:191-82235:192.

**-9501090036** Insp repts 50-313/94-09 & 50-368/94-09 on 941016-1126. Violations noted. Major areas inspected: operational safety verification, monthly maint observation, bimonthly surveillance observation & onsite engineering.

VANDENBURGH, C. Region 4 (Post 820201). 94/12/29. 2pp. 82235:193-82235:214.

**9501110436** Forwards SE & INEL Technical Evaluation requesting relief from ASME boiler & pressure vessel code, Section XI ISI requirements re reactor coolant pumps.

BECKNER, W.D. 95/01/04. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 82297:242-82297:252.

**-9501110453** SER accepting request for relief from ASME Boiler & Pressure Vessel Code, Section XI inservice insp requirements re reactor coolant pumps.

\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 2pp. 82297:245-82297:246.

**-9501110461** "Technical Evaluation Ltr Rept of Second Ten-Year Interval Inservice Insp Request for Relief 93-001 for Plant."

\* Project Directorate IV-1. 95/01/04. 6pp. 82297:247-82297:252.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."

GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501110513** Documents basis for util change & current controls for reporting of confirmed "Positive" supervisors re Insp Repts 50-313/93-12 & 50-368/93-12.

MIMS, D.C. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82329:209-82329:210.

**9501110515** Forwards response to violations noted in Insp Repts 50-313/94-19 & 50-368/94-19. Corrective actions: plant access authorization procedure revised to include verification review of authorization review of FBI criminal histories.

YELVERTON, J.W. Entergy Operations, Inc. 95/01/06. Document Control Branch (Document Control Desk). 10pp. 82302:099-82302:108.

**9501190053** Ack receipt of 950104 ltr that documents change to commitment made as result of NOV from insp repts 50-313/93-12 & 50-368/93-12. Informs that commitment change & change to FFD meets regulatory requirements of 10CFR26.

COLLINS, S.J. Region 4 (Post 820201). 95/01/13. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82335:237-82335:242.

**-9501190064** Documents basis for licensee commitment change & current controls for reporting of confirmed "positive" supervisors. Believes that determination process for reporting supervisory drug use, per 10CFR26.73(a)(2)(ii), effective.

MIMS, D.C. Entergy Operations, Inc. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 82335:241-82335:242.

**9501230021** Forwards insp repts 50-313/94-26 & 50-368/94-26 on 941205-09. Noncited violations noted.

COLLINS, S.J. Region 4 (Post 820201). 95/01/13. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82377:041-82377:048.

**-9501230028** Partially withheld insp repts 50-313/94-26 & 50-368/94-26 on 941205-09 (ref 10CFR73.21). Non-cited violations noted. Major areas inspected: licensee physical safety program.

MURRAY, B. Region 4 (Post 820201). 94/12/27. 3pp. 82377:046-82377:048.

**9501250017** Ack receipt of 941104 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-20 & 50-368/94-20 on 941006.

GWYNN, T.P. Region 4 (Post 820201). 95/01/13. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 82432:171-82432:180.

**9501250046** Forwards insp repts 50-313/94-27 & 50-368/94-27 on 941205-09. No violations noted.

GWYNN, T.P. Region 4 (Post 820201). 95/01/13. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 82433:257-82433:273.

**-9501250048** Insp repts 50-313/94-27 & 50-368/94-27 on 941205-09. No violations noted. Major areas inspected: adequacy of operability & reportability evaluations in functional areas of operations & maint.

ANG, W.P. Region 4 (Post 820201). 95/01/06. 12pp. 82433:262-82433:273.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."

GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."

GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."

GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."

GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501270041** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-07 & 50-368/94-07.

BEACH, A.B. Region 4 (Post 820201). 95/01/20. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 82488:350-82488:361.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."

GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200161 Monthly operating rept for Dec 1994 for Arkansas Nuclear One.W/950113 ltr. HAYES,K.R., MIMS,D.C. Entergy Operations, Inc. 94/12/31. 7pp. 82433:353-82433:359.

#### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utils affected by notification informed.Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501270215 Forwards Part 21 notices issued in 1994,in light of recent release of Administrative Ltr 94-17. FRATIANNI,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270237 Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries.Entergy Operations,Inc notified vendor of crack on 940409.Final rept w/respect to cracked puller hole under way in Coltec Engineering Dept. FRATIANNI,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.

9501250133 LER 94-003-01: on 941008,tested surveillance of some engineered Safeguards components did not verify operability as required by TS due to procedural deficiencies.Existing testing program evaluated.W/950116 ltr. MILLER,K.J., MIMS,D.C. Entergy Operations, Inc. 95/01/16. 6pp. 82507:103-82507:108.

#### DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501060183 Informs that emergency response manual updated to reflect changes in emergency notification call out list.Since all revised pages contained personal phone numbers,only document control ack ltr & record of rev encl. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 2pp. 82283:315-82283:316.

9501060187 Rev 24 to Emergency Response Procedure 5.01, "Emergency Response Organization & Notification Phone Numbers." W/ 941228 ltr. MIHALIK,D.R., FITZPATRICK,E. American Electric Power Service Corp. 94/12/28. RUSSELL,W.T. Document Control Branch (Document Control Desk). 11pp. 82288:003-82288:013.

9501100294 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 8pp. 82282:291-82282:298.

9501120050 Forwards insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216.Non-cited violations identified. KROPP,W.J. Region 3 (Post 820201). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. 4pp. 82279:240-82279:261.

-9501120058 Insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Noncited violations identified.Major areas inspected: previous insp findings,operational safety verification, security,onsite event follow-up & nozzle weld insp. KROPP,W.J. Region 3 (Post 820201). 95/01/05. 18pp. 82279:244-82279:261.

9501240357 Confirms discussion between J Belanger & W Hodge re scheduling of enforcement conference on 950123 at Region III ofc in Lisle,IL to discuss results of reactive safeguards insp conducted on 941208-9 & access program on 950104. GREENMAN,E.G. Region 3 (Post 820201). 95/01/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 82437:351-82437:351.

9501300215 Forwards Rev 28 to modified amended security plan,per GL 93-07.Rev withheld. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/17. MARTIN Document Control Branch (Document Control Desk). 2pp. 82587:057-82587:058.

9501310124 Forwards safety evaluation accepting util 911202 ltr, providing addl info to NRC re fire protection at plant. Advises that NRC has determined that no review of Natl Fire Protection Assoc code compliance rept necessary. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 2pp. 82561:341-82561:344.

-9501310141 Safety evaluation accepting util 911202 ltr providing addl info to NRC re fire protection issues at plant. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 2pp. 82561:343-82561:344.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501100294 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 8pp. 82282:291-82282:298.

9501090343 Forwards Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively & SE.Amends revise TS to make administrative & editorial changes. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Co., Inc. 3pp. 82262:284-82262:325.

-9501090346 Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively, re administrative & editorial changes to TS. HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. 33pp. 82262:287-82262:319.

-9501090349 Safety evaluation supporting Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. 6pp. 82262:320-82262:325.

9501120105 Requests FR publication of notice of issuance of corrected amends 186 & 172 to licenses DPR-58 & DPR-74, respectively. Amends re administrative & editorial changes to TS. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. NRC - No Detailed Affiliation Given. 2pp. 82310:331-82310:334.

9501100139 Forwards amends 188 & 174 to licenses DPR-58 & DPR-74 & safety evaluation.Amends replace current TS testing requirements for Event V RCS pressure isolation valves w/requirements from ASME Boiler & Vessel Code,Section XI. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. 4pp. 82282:173-82282:196.

-9501100147 Amends 188 & 174 to licenses DPR-58 & DPR-74, respectively, replacing current TS testing requirements for Event V RCS pressure isolation valves w/requirements from ASME Boiler & Pressure Vessel Code,Section XI. HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 15pp. 82282:177-82282:191.

-9501100151 Safety evaluation supporting amends 188 & 174 to licenses DPR-58 & DPR-74, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 5pp. 82282:192-82282:196.

9501100225 Forwards amends 187 & 173 to licenses DPR-58 & DPR-74, respectively & SE.Amends remove specific scheduling requirements for type A,B & C CL rate tests from TS. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 4pp. 82282:227-82282:244.

-9501100238 Amends 187 & 173 to licenses DPR-58 & DPR-74, respectively, removing specific scheduling requirements for type A,B & C CL rate tests from TS & replacing requirements w/ requirement to perform types A,B & C testing. HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 11pp. 82282:231-82282:241.

-9501100241 Safety evaluation supporting amends 187 & 173 to licenses DPR-58 & DPR-74, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 3pp. 82282:242-82282:244.

9501120024 Confirms discussion between R Westberg & M Ackerman to hold special meeting in Lisle,IL to discuss util plan to perform self assessment of svc water sys at plant. GREENMAN,E.G. Region 3 (Post 820201). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. 1p. 82279:166-82279:166.

9501230218 Responds to 951205 request for addl info re responses to GL 93-04, "Rod Control Sys Failure & Withdrawal Of Rod Cluster Control Assemblies." FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. Document Control Branch (Document Control Desk). 3pp. 82501:358-82501:360.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

## 78 DOCKETED ITEMS

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401. RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. SCHNELL, D.F., RANDOLPH, G.L. Union Electric Co. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120050 Forwards insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Non-cited violations identified. KROPP, W.J. Region 3 (Post 820201). 95/01/05. FITZPATRICK, E. Indiana Michigan Power Co. 4pp. 82279:240-82279:261.

-9501120058 insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Non-cited violations identified. Major areas inspected: previous insp findings, operational safety verification, security, onsite event follow-up & nozzle weld insp. KROPP, W.J. Region 3 (Post 820201). 95/01/05. 18pp. 82279:244-82279:261.

9501250266 Responds to NRC 941216 ltr re notice of violation, proposed imposition of civil penalty & demand of notice to utilize on 930805. Reply to NOV & demand for info provided in encl ltr dtd 930901. Defers payment of civil penalty. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. Document Control Branch (Document Control Desk). 3pp. 82516:082-82516:137.

9501240090 Forwards insp repts 50-315/94-23 & 50-316/94-23 on 941208-09 & 950104. One potential violation identified. Enforcement conference scheduled 950123 to discuss apparent violation. AXELSON, W.L. Region 3 (Post 820201). 95/01/13. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 82419:328-82419:330.

-9501240098 Insp repts 50-315/94-23 & 50-316/94-23 on 951208-09 & 950104. One potential violation identified. Major areas inspected: review of licensee investigation into granting of unescorted access of positive drug test person into plant. BELANGER, J.L., CREED, J.R. Region 3 (Post 820201). 95/01/12. 1p. 82419:330-82419:330.

9501240357 Confirms discussion between J Belanger & W Hodge re scheduling of enforcement conference on 950123 at Region III ofc in Lisle, IL to discuss results of reactive safeguards insp conducted on 941208-9 & access program on 950104. GREENMAN, E.G. Region 3 (Post 820201). 95/01/13. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 82437:351-82437:351.

9501100350 NRC Info Notice 95-002, "Problems W/G CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501190167 Forwards monthly operating rept for Dec 1994 & revised copy of operating data rept for Nov 1994. BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/11. Document Control Branch (Document Control Desk). 1p. 82394:354-82394:359.

-9501190163 Monthly operating rept for Dec 1994 for Donald C Cook Plant Unit 1. JANISSE, J.D. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/31. 4pp. 82394:355-82394:358.

-9501190174 Revised monthly operating rept of Nov 1994 for D C Cook Nuclear Plant, Unit 1. JANISSE, J.D. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/11/30. 1p. 82394:359-82394:359.

### S. Reportable occurrences, LERs & related correspondence

9501060210 LER 94-012-00: on 941205, noted that vent stack particulate filter gamma spectrum results for 941130 not available for review due to personnel error. Backup sample analyzed & evaluated. W/941230 ltr. MOREY, D.O., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/30. 4pp. 82287:156-82287:159.

9501250142 LER 94-013-00: on 941216, fire protection in Zone 29G found outside design basis due to errors in original safe shutdown analysis. Fire watches established for Zone 29G. W/950116 ltr. MANGAN, P.C., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/16. 6pp. 82507:109-82507:114.

### V. Operator Examinations

9501190033 Requests ref matl identified in attachment 2 of ES-201 be furnished by 950301 to prepare for written & operating exams scheduled for wks of 950612 & 0619. W/o encls. RING, M.A. Region 3 (Post 820201). 95/01/11. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 82335:133-82335:135.

### DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501060183 Informs that emergency response manual updated to reflect changes in emergency notification call out list. Since all revised pages contained personal phone numbers, only document control ack ltr & record of rev encl. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/27. RUSSELL, W.T. Document Control Branch (Document Control Desk). 2pp. 82283:315-82283:316.

9501060187 Rev 24 to Emergency Response Procedure 5.01, "Emergency Response Organization & Notification Phone Numbers." W/ 941228 ltr. MIHALIK, D.R., FITZPATRICK, E. American Electric Power Service Corp. 94/12/28. RUSSELL, W.T. Document Control Branch (Document Control Desk). 11pp. 82288:003-82288:013.

9501100294 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. FITZPATRICK, E. Indiana Michigan Power Co. 8pp. 82282:291-82282:298.

9501120050 Forwards insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Non-cited violations identified. KROPP, W.J. Region 3 (Post 820201). 95/01/05. FITZPATRICK, E. Indiana Michigan Power Co. 4pp. 82279:240-82279:261.

-9501120058 Insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Non-cited violations identified. Major areas inspected: previous insp findings, operational safety verification, security, onsite event follow-up & nozzle weld insp. KROPP, W.J. Region 3 (Post 820201). 95/01/05. 18pp. 82279:244-82279:261.

9501240357 Confirms discussion between J Belanger & W Hodge re scheduling of enforcement conference on 950123 at Region III ofc in Lisle, IL to discuss results of reactive safeguards insp conducted on 941208-9 & access program on 950104. GREENMAN, E.G. Region 3 (Post 820201). 95/01/13. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 82437:351-82437:351.

9501300215 Forwards Rev 28 to modified amended security plan, per GL 93-07. Rev withheld. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/17. MARTIN Document Control Branch (Document Control Desk). 2pp. 82587:057-82587:058.

9501310124 Forwards safety evaluation accepting util 911202 ltr, providing addl info to NRC re fire protection at plant. Advises that NRC has determined that no review of Natl Fire Protection Assoc code compliance rept necessary. HICKMAN, J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK, E. American Electric Power Service Corp. 2pp. 82561:341-82561:344.

-9501310141 Safety evaluation accepting util 911202 ltr providing addl info to NRC re fire protection issues at plant. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 2pp. 82561:343-82561:344.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**P. Operating license stage documents & correspondence**

- 9501100294** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29.  
FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 8pp. 82282:291-82282:298.
- 9501090343** Forwards Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively & SE.Amends revise TS to make administrative & editorial changes.  
HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Co., Inc. 3pp. 82262:284-82262:325.
- 9501090346** Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively, re administrative & editorial changes to TS.  
HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. 33pp. 82262:287-82262:319.
- 9501090349** Safety evaluation supporting Amends 186 & 172 to Licenses DPR-58 & DPR-74, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. 6pp. 82262:320-82262:325.
- 9501120105** Requests FR publication of notice of issuance of corrected amends 186 & 172 to licenses DPR-58 & DPR-74, respectively. Amends re administrative & editorial changes to TS.  
HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. NRC - No Detailed Affiliation Given. 2pp. 82310:331-82310:334.
- 9501090278** Requests relief from requirements of ASME Section XI Code in order to allow deferral of repair of minor leak that has developed in body of MFW isolation valve FMO-203.Supporting matl encl.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 82289:326-82289:331.
- 9501100139** Forwards amends 186 & 174 to licenses DPR-58 & DPR-74 & safety evaluation.Amends replace current TS testing requirements for Event V RCS pressure isolation valves w/requirements from ASME Boiler & Vessel Code,Section XI.  
HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05.  
FITZPATRICK,E. Indiana Michigan Power Co. 4pp. 82282:173-82282:196.
- 9501100147** Amends 188 & 174 to licenses DPR-58 & DPR-74, respectively, replacing current TS testing requirements for Event V RCS pressure isolation valves w/requirements from ASME Boiler & Pressure Vessel Code,Section XI.  
HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 15pp. 82282:177-82282:191.
- 9501100151** Safety evaluation supporting amends 188 & 174 to licenses DPR-58 & DPR-74, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 5pp. 82282:192-82282:196.
- 9501100225** Forwards amends 187 & 173 to licenses DPR-58 & DPR-74, respectively & SE.Amends remove specific scheduling requirements for type A,B & C CL rate tests from TS.  
HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05.  
FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 4pp. 82282:227-82282:244.
- 9501100238** Amends 187 & 173 to licenses DPR-58 & DPR-74, respectively, removing specific scheduling requirements for type A,B & C CL rate tests from TS & replacing requirements w/ requirement to perform types A,B & C testing.  
HANNON,J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 11pp. 82282:231-82282:241.
- 9501100241** Safety evaluation supporting amends 187 & 173 to licenses DPR-58 & DPR-74, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 3pp. 82282:242-82282:244.
- 9501120024** Confirms discussion between R Westberg & M Ackerman to hold special meeting in Lisle,IL to discuss util plan to perform self assessment of svc water sys at plant.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. 1p. 82279:166-82279:166.
- 9501230218** Responds to 951205 request for addl info re responses to GL 93-04, "Rod Control Sys Failure & Withdrawal Of Rod Cluster Control Assemblies."  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. Document Control Branch (Document Control Desk). 3pp. 82501:358-82501:360.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310155** Advises that WCAP-14118,Rev 1, "Structural Integrity Evaluation of Reactor Vessel Upper Head Penetrations to Support Continued Operation:DC Cook Unit 2," marked as proprietary,will be withheld from public disclosure.  
HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 82561:345-82561:347.
- 9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. SCHNELL,D.F., RANDOLPH,G.L. Union Electric Co. 7pp. 82529:096-82529:102.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501120050** Forwards insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Non-cited violations identified.  
KROPP,W.J. Region 3 (Post 820201). 95/01/05. FITZPATRICK,E. Indiana Michigan Power Co. 4pp. 82279:240-82279:261.
- 9501120058** Insp repts 50-315/94-22 & 50-316/94-22 on 941030-1216. Noncited violations identified.Major areas inspected: previous insp findings,operational safety verification, security,onsite event follow-up & nozzle weld insp.  
KROPP,W.J. Region 3 (Post 820201). 95/01/05. 18pp. 82279:244-82279:261.
- 9501250266** Responds to NRC 941216 ltr re notice of violation,proposed imposition of civil penalty & demand of info issued to util on 930805.Reply to NOV & demand for info provided in encl ltr dtd 930901.Defers payment of civil penalty.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/01/12. Document Control Branch (Document Control Desk). 3pp. 82516:082-82516:137.
- 9501240090** Forwards insp repts 50-315/94-23 & 50-316/94-23 on 941208-09 & 950104.One potential violation identified.Enforcement conference scheduled 950123 to discuss apparent violation.  
AXELSON,W.L. Region 3 (Post 820201). 95/01/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 82419:328-82419:330.
- 9501240098** Insp repts 50-315/94-23 & 50-316/94-23 on 951208-09 & 950104.One potential violation identified.Major areas inspected:review of licensee investigation into granting of unescorted access of positive drug test person into plant.  
BELANGER,J.L., CREED,J.R. Region 3 (Post 820201). 95/01/12. 1p. 82419:330-82419:330.
- 9501240357** Confirms discussion between J Belanger & W Hodge re scheduling of enforcement conference on 950123 at Region III ofc in Lisle,IL to discuss results of re-active safeguards insp conducted on 941208-9 & access program on 950104.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 82437:351-82437:351.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501190159** Monthly operating rept for Dec 1994 for Donald C Cook Plant Unit 2.W/ 950111 ltr.  
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/31. 6pp. 82379:354-82379:359.
- S. Reportable occurrences, LERs & related correspondence**
- 9501060211** LER 94-007-01:on 940909,containment Type B & C leakage exceeded LCO value due to leakage of post accident sample line check valve.Containment isolation valves exhibiting excessive leakrates repaired & retested.W/941222 ltr.  
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/22. 5pp. 82287:160-82287:164.
- V. Operator Examinations**
- 9501190033** Requests ref matl identified in attachment 2 of ES-201 be furnished by 950301 to prepare for written & operating exams scheduled for wks of 950612 & 0619.W/o encls.  
RING,M.A. Region 3 (Post 820201). 95/01/11. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 82335:133-82335:135.

## 80 DOCKETED ITEMS

### DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

- 9501230307 Rev 21 to "Emergency Response Plan."  
\* Baltimore Gas & Electric Co. 94/12/21. 123pp. 82487:069-82487:191.
- 9501240141 Revised ERPIPs, including ERPIP 3.0, Rev 18, Change 1, ERPIP-825, Rev 1, ERPIP-900, Rev 3 & ERPIP B.1, Rev 17, Change 1.  
\* Baltimore Gas & Electric Co. 95/01/04. 77pp. 82510:233-82510:309.
- 9501240280 Forwards insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted. Personnel performed concurrent duties while assigned as compensatory fire watches. Practice contrary to utility fire protection program & NRC violation.  
COWGILL, C.J. Region 1 (Post 820201). 95/01/17. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 82431:053-82431:073.
- 9501240285 Notice of violation from insp on 941030-1231. Violation noted: between Jun & Dec 1994, fire watches had been assigned concurrent duties & responsibilities of fire watches section of attachment had not been completed.  
\* Region 1 (Post 820201). 95/01/17. 1p. 82431:056-82431:056.
- 9501240295 Insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted. Major areas inspected: resident inspector core, regional initiative & reactive insps performed during day & backshift hours of station, plant operations & maint.  
DOERFLEIN, L.T. Region 1 (Post 820201). 95/01/12. 17pp. 82431:057-82431:073.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### H. General correspondence

- 9501130111 Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. Supports comments submitted by NEI & Combustion Engineering Owners Group.  
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/04. Docketing & Services Branch. 2pp. 82299:040-82299:041.

#### P. Operating license stage documents & correspondence

- 9501250136 Forwards amends 202 & 180 to licenses DPR-53 & DPR-69, respectively, & SE. Amends allow one-time increase of AOT from 7 to 14 days for dedicated class IE emergency power sys & allows one-time AOT increase to 30 days for CR EVS.  
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/11. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 82485:255-82485:274.
- 9501250143 Amends 202 & 180 to licenses DPR-53 & DPR-69, respectively, allowing one-time extensions of AOT for dedicated class IE emergency power sys & unit 1 CR EVS.  
CASE, M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/11. 10pp. 82485:258-82485:267.
- 9501250146 Safety evaluation supporting amends 202 & 180 to licenses DPR-53 & DPR-69, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 6pp. 82485:268-82485:274.
- 9501190271 Confirms 950110 telcon w/BG&E & B Long of Containment Sys Branch re recent joint review of long-term LOCA containment pressure & temp analyses.  
HUGHES, E.M. Bechtel Power Corp. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82428:346-82428:347.
- 9501240248 Provides final update on status of plant procedures upgrade project. Informs that project completed & remains on schedule for Dec 1995 completion.  
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82429:247-82429:249.
- 9501250126 Notification of 950206 meeting w/util in Rockville, MD to discuss engineering programs, initiatives & schedules for Units 1 & 2.  
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/19. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 82485:251-82485:254.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9501050064 Forwards insp repts 50-317/94-33 & 50-318/94-32 on 941114-18. No violations noted.  
MEYER, G.W. Region 1 (Post 820201). 94/12/16. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 82178:350-82178:359.
- 9501050068 Insp repts 50-317/94-33 & 50-318/94-32 on 941114-15. No violations noted. Major areas inspected: review & observation of plant annual operating exam for licensed operators & review of programs administration.  
PRELL, J.A., MEYER, G.W. Region 1 (Post 820201). 94/12/13. 8pp. 82178:352-82178:359.
- 9501040138 Forwards response to violations noted in Insp Repts 50-317/94-29 & 50-318/94-28. Corrective actions: personnel involved in events appropriately counseled.  
DENTON, R.E. Baltimore Gas & Electric Co. 94/12/22. Document Control Branch (Document Control Desk). 7pp. 82223:297-82223:303.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501180218 Forwards insp repts 50-317/94-25 & 50-318/94-25 on 941017-28 & 1213-14 & notice of violation. Violation of concern because safety-related equipment was not properly protected against const environ.  
RULAND, W.H. Region 1 (Post 820201). 95/01/11. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 82326:278-82326:299.
- 9501180222 Notice of violation from insp on 941017-1214. Violation noted: packaging, protection & cleaning activities associated w/safety-related equipment not maintained by licensee.  
\* Region 1 (Post 820201). 95/01/11. 2pp. 82326:281-82326:282.
- 9501180227 Insp repts 50-317/94-25 & 50-318/94-25 on 941017-28 & 1213-14. Violation noted. Major areas inspected: diesel generator sys designs, alternate ac power criteria & diesel generator bldg HVAC.  
CHEUNG, L., FINKEL, A., RULAND, W.H. Region 1 (Post 820201). 95/01/11. 15pp. 82326:283-82326:299.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501240280 Forwards insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted. Personnel performed concurrent duties while assigned as compensatory fire watches. Practice contrary to utility fire protection program & NRC violation.  
COWGILL, C.J. Region 1 (Post 820201). 95/01/17. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 82431:053-82431:073.
- 9501240285 Notice of violation from insp on 941030-1231. Violation noted: between Jun & Dec 1994, fire watches had been assigned concurrent duties & responsibilities of fire watches section of attachment had not been completed.  
\* Region 1 (Post 820201). 95/01/17. 1p. 82431:056-82431:056.
- 9501240295 Insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted. Major areas inspected: resident inspector core, regional initiative & reactive insps performed during day & backshift hours of station, plant operations & maint.  
DOERFLEIN, L.T. Region 1 (Post 820201). 95/01/12. 17pp. 82431:057-82431:073.
- 950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501240373 Change 5 to Rev 0, to "Program Plan for Second Insp Interval for Plant, Units 1 & 2." W/950118 ltr.  
\* Baltimore Gas & Electric Co. 95/01/18. 7pp. 82438:158-82438:164.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

- 9501230144 Monthly operating repts for Dec 1994 for Calvert Cliffs Nuclear Power Plant. W/940113 ltr.  
PIAZZA, F., CRUSE, C.H. Baltimore Gas & Electric Co. 94/12/31. 11pp. 82497:268-82497:278.
- 9501130179 Forwards "Calvert Cliffs Nuclear Power Plant Simulator Four-Yr Certification Rept" of uncorrected performance test failures for Calvert Cliffs Unit 1.  
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82366:214-82366:234.
- 9501130185 "Calvert Cliffs Nuclear Power Plant Simulator Four-Yr Certification Rept."  
\* Baltimore Gas & Electric Co. 95/01/10. 18pp. 82366:215-82366:234.

#### S. Reportable occurrences, LERs & related correspondence

- 9501130161 Part 21 rept. determined that Bechtel Power Corp analysis of long-term cooling phase of LOCA did not model heat transfer from RCS metal components to RCS coolant. Util asked C-E to provide new mass & energy transfer data.  
DENTON, R.E. Baltimore Gas & Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 4pp. 82363:353-82363:356.

**V. Operator Examinations**

- 9501050064** Forwards insp repts 50-317/94-33 & 50-318/94-32 on 941114-18.No violations noted.  
MEYER,G.W. Region 1 (Post 820201). 94/12/16. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 82178:350-82178:359.
- 9501050068** Insp repts 50-317/94-33 & 50-318/94-32 on 941114-15.No violations noted.Major areas inspected:review & observation of plant annual operating exam for licensed operators & review of programs administration.  
PRELL,J.A., MEYER,G.W. Region 1 (Post 820201). 94/12/13. 8pp. 82178:352-82178:359.
- 9501110132** Responds to plant initial training units detailed review of NRC Scenario CCNRC-3,which administered to senior reactor operator candidates in April 1994.Informs that three of candidates performed poorly & denied licenses.  
MEYER,G.W. Region 1 (Post 820201). 94/12/29. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 82274:106-82274:108.
- 9501310024** Submits invitation to attend 950207-08 Training Managers Meeting,to discuss status of operator licensing programs from Region I & NRC perspectives,inform of planned changes & provide forum for discussion of mutual items of interest.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 82528:055-82528:059.

**DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

- 9501230307** Rev 21 to "Emergency Response Plan."  
\* Baltimore Gas & Electric Co. 94/12/21. 123pp. 82487:069-82487:191.
- 9501240141** Revised ERPIPs,including ERPIP 3.0,Rev 18,Change 1, ERPIP-825,Rev 1,ERPIP-900,Rev 3 & ERPIP B.1,Rev 17,Change 1.  
\* Baltimore Gas & Electric Co. 95/01/04. 77pp. 82510:233-82510:309.
- 9501240280** Forwards insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231.Violations noted.Personnel performed concurrent duties while assigned as compensatory fire watches.Practice contrary to util fire protection program & NRC violation.  
COWGILL,C.J. Region 1 (Post 820201). 95/01/17. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 82431:053-82431:073.
- 9501240285** Notice of violation from insp on 941030-1231.Violation noted:between Jun & Dec 1994,fire watches had been assigned concurrent duties & responsibilities of fire watches section of attachment had not been completed.  
\* Region 1 (Post 820201). 95/01/17. 1p. 82431:056-82431:056.
- 9501240295** Insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted.Major areas inspected:resident inspector core,regional initiative & reactive insps performed during day & backshift hours of station,plant operations & maint.  
DOERFLEIN,L.T. Region 1 (Post 820201). 95/01/12. 17pp. 82431:057-82431:073.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**H. General correspondence**

- 9501130111** Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors.Supports comments submitted by NEI & Combustion Engineering Owners Group.  
DENTON,R.E. Baltimore Gas & Electric Co. 95/01/04. Docketing & Services Branch. 2pp. 82299:040-82299:041.

**P. Operating license stage documents & correspondence**

- 9501110329** Withdraws 941101 lead fuel assembly temporary exemption request,as supplemented by 941213 ltr.Licensee will not be testing non-Zircaloy cladding mats in upcoming fuel cycle, due to mtg difficulties.  
DENTON,R.E. Baltimore Gas & Electric Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82302:065-82302:066.
- 9501250136** Forwards amends 202 & 180 to licenses DPR-53 & DPR-69, respectively, & SE.Amendments allow one-time increase of AOT from 7 to 14 days for dedicated class IE emergency power sys & allows one-time AOT increase to 30 days for CR EVS.  
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/11. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 82485:255-82485:274.
- 9501250143** Amends 202 & 180 to licenses DPR-53 & DPR-69,respectively, allowing one-time extensions of AOT for dedicated class IE emergency power sys & unit 1 CR EVS.  
CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/11. 10pp. 82485:258-82485:267.
- 9501250146** Safety evaluation supporting amends 202 & 180 to licenses DPR-53 & DPR-69,respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 6pp. 82485:268-82485:274.
- 9501190271** Confirms 950110 telcon w/BG&E & B Long of Containment Sys Branch re recent joint review of long-term LOCA containment pressure & temp analyses.  
HUGHES,E.M. Bechtel Power Corp. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82428:346-82428:347.
- 9501240248** Provides final update on status of plant procedures upgrade project.Informs that project completed & remains on schedule for Dec 1995 completion.  
DENTON,R.E. Baltimore Gas & Electric Co. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82429:247-82429:249.
- 9501250126** Notification of 950206 meeting w/util in Rockville,MD to discuss engineering programs,initiatives & schedules for Units 1 & 2.  
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/19. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 82485:251-82485:254.

- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**Q. Inspection reports, IE Bulletins & correspondence**

- 9501050064** Forwards insp repts 50-317/94-33 & 50-318/94-32 on 941114-18.No violations noted.  
MEYER,G.W. Region 1 (Post 820201). 94/12/16. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 82178:350-82178:359.
- 9501050068** Insp repts 50-317/94-33 & 50-318/94-32 on 941114-15.No violations noted.Major areas inspected:review & observation of plant annual operating exam for licensed operators & review of programs administration.  
PRELL,J.A., MEYER,G.W. Region 1 (Post 820201). 94/12/13. 8pp. 82178:352-82178:359.
- 9501040138** Forwards response to violations noted in Insp Repts 50-317/94-29 & 50-318/94-28.Corrective actions:personnel involved in events appropriately counseled.  
DENTON,R.E. Baltimore Gas & Electric Co. 94/12/22. Document Control Branch (Document Control Desk). 7pp. 82223:297-82223:303.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501180218** Forwards insp repts 50-317/94-25 & 50-318/94-25 on 941017-28 & 1213-14 & notice of violation.Violation of concern because safety-related equipment was not properly protected against const environ.  
RULAND,W.H. Region 1 (Post 820201). 95/01/11. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 82326:276-82326:299.
- 9501180222** Notice of violation from insp on 941017-1214.Violation noted:packaging,protection & cleaning activities associated w/safety-related equipment not maintained by licensee.  
\* Region 1 (Post 820201). 95/01/11. 2pp. 82326:281-82326:282.
- 9501180227** Insp repts 50-317/94-25 & 50-318/94-25 on 941017-28 & 1213-14.Violation noted.Major areas inspected:diesel generator sys designs,alternate ac power criteria & diesel generator bldg HVAC.  
CHEUNG,L., FINKEL,A., RULAND,W.H. Region 1 (Post 820201). 95/01/11. 15pp. 82326:283-82326:299.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501240280** Forwards insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231.Violations noted.Personnel performed concurrent duties while assigned as compensatory fire watches.Practice contrary to util fire protection program & NRC violation.  
COWGILL,C.J. Region 1 (Post 820201). 95/01/17. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 82431:053-82431:073.
- 9501240285** Notice of violation from insp on 941030-1231.Violation noted:between Jun & Dec 1994,fire watches had been assigned concurrent duties & responsibilities of fire watches section of attachment had not been completed.  
\* Region 1 (Post 820201). 95/01/17. 1p. 82431:056-82431:056.
- 9501240295** Insp repts 50-317/94-34 & 50-318/94-33 on 941030-1231. Violations noted.Major areas inspected:resident inspector core,regional initiative & reactive insps performed during day & backshift hours of station,plant operations & maint.  
DOERFLEIN,L.T. Region 1 (Post 820201). 95/01/12. 17pp. 82431:057-82431:073.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501240373** Change 5 to Rev 0,to "Program Plan for Second Insp Interval for Plant,Units 1 & 2." W/950118 ltr.  
\* Baltimore Gas & Electric Co. 95/01/18. 7pp. 82438:158-82438:164.
- 9501120006** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.



## 82 DOCKETED ITEMS

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230144 Monthly operating reports for Dec 1994 for Calvert Cliffs Nuclear Power Plant.W/940113 ltr.  
PIAZZA,F., CRUSE,C.H. Baltimore Gas & Electric Co. 94/12/31. 11pp. 82497:268-82497:278.

### S. Reportable occurrences, LERs & related correspondence

9501130161 Part 21 rept,determined that Bechtel Power Corp analysis of long-term cooling phase of LOCA did not model heat transfer from RCS metal components to RCS coolant.Utl asked C-E to provide new mass & energy transfer data.  
DENTON,R.E. Baltimore Gas & Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 4pp. 82363:353-82363:356.

### V. Operator Examinations

9501050064 Forwards insp repts 50-317/94-33 & 50-318/94-32 on 941114-18.No violations noted.  
MEYER,G.W. Region 1 (Post 820201). 94/12/16. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 82178:350-82178:359.

-9501050068 Insp repts 50-317/94-33 & 50-318/94-32 on 941114-15.No violations noted.Major areas inspected:review & observation of plant annual operating exam for licensed operators & review of programs administration.  
PRELL,J.A. Region 1 (Post 820201). 94/12/13. 8pp. 82178:352-82178:359.

9501110132 Responds to plant initial training units detailed review of NRC Scenario CCNRC-3,which administered to senior reactor operator candidates in April 1994.Informs that three of candidates performed poorly & denied licenses.  
MEYER,G.W. Region 1 (Post 820201). 94/12/29. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 82274:106-82274:108.

9501310024 Submits invitation to attend 950207-08 Training Managers Meeting,to discuss status of operator licensing programs from Region 1 & NRC perspectives,inform of planned changes & provide forum for discussion of mutual items of interest.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 82528:055-82528:059.

## DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

9501170251 Final response to FOIA request for documents.App B documents being made PDR available.  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. RANCK,M.H. Affiliation Not Assigned. 2pp. 82381:113-82381:158.

-8207050048 Requests exemption from certain annual exercise requirements of 10CFR50,App 3,IV.F.1.a.  
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 82/07/27. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 82381:116-82381:117.

9501090313 Transmits objectives of 1995 TMI's annual emergency exercise scheduled for 950412.  
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/01/03. MARTIN,T.T. Region 1 (Post 820201). 7pp. 82288:302-82288:308.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

9501040251 FOIA request for documents re damaged TMI II reactor at plant.  
RANCK,M.H. Affiliation Not Assigned. 94/03/04. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82188:102-82188:102.

9501170251 Final response to FOIA request for documents.App B documents being made PDR available.  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. RANCK,M.H. Affiliation Not Assigned. 2pp. 82381:113-82381:158.

-8308110360 Issues exemption to requirements of 10CFR50.71(e),deleting requirements to periodically update TMI-2 FSAR to reflect changes made during cleanup,in response to 810506 request. Use of technical evaluations acceptable.  
SNYDER,B.J. TMI Program Office. 83/08/10. HOVEY,G.K. Metropolitan Edison Co. 2pp. 82381:118-82381:143.

-8601020369 Forwards 851017 ltr transmitting NRC approval of util exemption request from certain record keeping & reporting requirements.Exemption consistent w/goal for safe & expeditious removal of fuel & debris.  
TRAVERS,W.D. TMI-2 Cleanup Project Directorate. 85/12/23. LEWIS,M.I. Lewis, M. 1p. 82381:144-82381:158.

9501240318 Forwards response to NRC 950103 RAI re TS Change Request (TSCR) 55,including TSCR 55 w/revs incorporated,TMI Fire Protection Engineer rept of insp of plant containment vessel & Procedures 1000-ADM-1291.01 & 1110-ADM-7218.01.  
HILHEBRAND,J.E. Saxton Nuclear Experimental Corp. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82504:149-82504:309.

-9501240325 Rev 12 to Procedure 1000-ADM-1291.01, " Safety Review Process."  
CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 94/05/20. 49pp. 82504:168-82504:216.

-9501240331 Rev 0 to Procedure 1110-ADM-7218.01, "Nuclear Safety Assessment Audit Program."  
\* General Public Utilities Corp. - GPU Service Corp. 94/09/27. 30pp. 82504:217-82504:246.

-9501240336 Rev 2 to Procedure 1000-ADM-7218.01, "Response to GPUNC QA Audits."  
\* General Public Utilities Corp. - GPU Service Corp. 87/08/21. 14pp. 82504:247-82504:260.

9501240204 Application for amends to licenses DPR-50 & DPR-73,to incorporate improvements from STSs for B&W plants (NUREG-1430).  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82513:099-82513:135.

-9501240206 Proposed tech specs re incorporation of improvements from STSs for B&W plants (NUREG-1430).  
\* General Public Utilities Corp. - GPU Service Corp. 95/01/16. 24pp. 82513:112-82513:135.

9501270339 Responds to ltrs dtd 941105,1205 & 23 re testimony of E Epstein status of commitments to TMI QAP & util plans to cutback on labor costs.Forwards responses to questions requested.  
MASNIK,M.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. EPSTEIN,E. Affiliation Not Assigned. 5pp. 82525:343-82525:351.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

9501240073 Informs that NRC in process of conducting operational safeguards response evaluations at NPPs & that plant has been chosen for review scheduled for wk of 950123-26.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. BECKHAM,J.T. Georgia Power Co. 4pp. 82417:356-82417:359.

9501110340 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers." Informs that president of company that mfg thermo-lag fire barrier sys indicted for defrauding US. Need to re-evaluate barrier matl already installed in NPPGS.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. BECKHAM,J.T. Georgia Power Co. 8pp. 82297:106-82297:113.

9501180044 Forwards 941117 ltr transmitting FEMA final rept for 930915 joint exercise offsite radiological emergency response plans for plant.No deficiencies noted.  
CLINE,W.E. Region 2 (Post 820201). 95/01/10. BECKHAM,J.T. Georgia Power Co. 3pp. 82324:355-82324:357.



9501240326 Ack receipt of 941128 ltr transmitting rev dtd Nov 1994 to plant physical security program & informs that NRC review of proposed changes found to be consistent w/10CFR50.54(p) & therefore, may be incorporated into plan.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/12. BECKHAM,J.T. Georgia Power Co. 3pp. 82437:340-82437:342.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9409200218 Forwards documentation providing assumptions,methodology, analyses & conclusions which support implementation of EBNP, Unit 1 core shroud,per 940824 response to GL 94-03 for review.W/proprietary drawings.Drawings withheld.  
BECKHAM,J.T. Georgia Power Co. 94/09/02. Document Control Branch (Document Control Desk). 27pp. 81063:001-81063:192.

-9409200222 "Safety Evaluation for Installation of Stabilizers on Hatch Unit 1 Core Shroud."  
CHARNLEY,J.E., PUNCHES,J.R., RODABAUGH,J.F. General Electric Co. GENE-771-42-0894 R00. 94/08/23. 19pp. 81063:030-81063:046.

-9409200223 "Shroud Mechanical Repair Program Hatch Unit 1 Shroud Repair Hardware Stress Analysis."  
SRIDHAR,B.N., CIMORELLI,S.S., RODABAUGH,J.F. General Electric Co. GENE-771-39-0794 R00. 94/08/31. 46pp. 81063:047-81063:092.

-9409200224 "Seismic Design Rept of Shroud Repair for Hatch Unit 1 Nuclear Power Plant."  
PANG,S., WEITZE,B., RODABAUGH,J.F. General Electric Co. GENE-771-48-0894 R00. 94/08/23. 37pp. 81063:093-81063:129.

-9409200226 Rev 1 to Design Spec 24A5125, "Shroud Stabilizers."  
SIES,J.A., KENRECK,S.A., CHARNLEY,J.E. General Electric Co. 94/08/10. 7pp. 81063:130-81063:136.

-9409200229 Rev 0 to Mod & Installation PL107E5447, "Reactor" mod drawing part list.  
CELS,C., DRENDEL,D.B., AHMANN,R.J. General Electric Co. 94/08/22. 2pp. 81063:137-81063:138.

-9409200234 Rev 1 to Design Spec 25A5572, "Shroud Repair Hardware."  
SIES,J.A., BURTON,W.R., CHARNLEY,J.E. General Electric Co. 94/08/18. 9pp. 81063:139-81063:147.

-9409200236 Rev 0 to Fabrication Spec 25A5573, "Fabrication of Shroud Stabilizers."  
ERBES,J.G., TROVATO,J.L., AHMANN,R.J. General Electric Co. 94/08/22. 10pp. 81063:148-81063:157.

-9409200239 Rev 0 to Installation Spec 25A5593, "Stabilizer Installation."  
DRENDEL,D.B., SIES,J.A., AHMANN,R.J. General Electric Co. 94/08/23. 8pp. 81063:158-81063:165.

-9409200242 Rev 0 to Stress Rept 25A5594, "Shroud Stabilizers."  
SIES,J.A., LEWIS,T.A., CHARNLEY,J.E. General Electric Co. 25A5594 R00. 94/08/18. 16pp. 81063:166-81063:181.

-9409200244 Rev 1 to Installation Spec 21A2040, "Cleaning & Cleanliness Control for Field Mods of Vessel Components."  
CORE,D., LOPEZ,M.O. General Electric Co. 80/07/22. 7pp. 81063:182-81063:188.

-9409200250 Rev 0 to Field Disposition Instruction 0185-12000, documenting design,requirements & matl required to install stabilizers for shroud horizontal welds.W/three proprietary oversize drawings.  
CHARNLEY,J.E., FREW,B.D., RODABAUGH,J.F. General Electric Co. 94/08/23. 74pp. 81063:189-81063:192.

950110340 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers." Informs that president of company that mfg thermo-lag fire barrier sys indicted for defrauding US. Need to re-evaluate barrier matl already installed in NPGSS.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. BECKHAM,J.T. Georgia Power Co. 8pp. 82297:106-82297:113.

9501200078 Summary of 941207 meeting w/util re equipment operability under degraded grid conditions.List of attendees & viewgraphs encl.  
JABBOUR,K.N. Project Directorate II-3. 95/01/10. Project Directorate II-3. 26pp. 82423:052-82423:077.

9501230234 Application for amends to licenses DPR-57 & NFP-5,proposing changes to TS,to allow plant to operate at uprated power level of 2558 MWt.Also,forwards proprietary "Power Uprate SAR for E1 Hatch Plant Units 1 & 2."  
BECKHAM,J.T. Georgia Power Co. 95/01/13. Document Control Branch (Document Control Desk). 31pp. 82503:225-82503:302.

-9501230239 Proposed tech specs allowing plant to operate at uprated power level of 2558 MWt.  
\* Georgia Power Co. 95/01/13. 49pp. 82503:254-82503:302.

9501230292 Forwards proprietary & nonproprietary version of "Safety & 10CFR50.92 Significant Hazards Consideration Assessment for RPV Stratification Prevention Improvements..." to suppl 941013 TS rev request.Proprietary version withheld.  
BECKHAM,J.T. Georgia Power Co. 95/01/13. Document Control Branch (Document Control Desk). 6pp. 82501:295-82501:321.

-9501230296 Nonproprietary "Safety & 10CFR50.92 Significant Hazards Consideration Assessment for RPV Stratification Prevention Improvements at E1 Hatch Nuclear Plant Units 1 & 2."  
SCHAEFER,K.T., JONES,D.R., CHOE,H. General Electric Co. DRF A00-05834/6. 94/11/30. 21pp. 82501:301-82501:321.

9501250066 Requests addl info re core shroud mod for Unit 1.  
JABBOUR,K.N. . 95/01/19. BECKHAM,J.T. Georgia Power Co. 4pp. 82485:238-82485:241.

9501300135 Application for amends to licenses DPR-57 & NFP-5,revising TS to improved TS per NUREG-1433.  
BECKHAM,J.T. Georgia Power Co. 95/01/19. Document Control Branch (Document Control Desk). 7pp. 82567:001-82572:336.

-9501300148 Proposed tech specs consistent w/NUREG-1433.  
\* Georgia Power Co. 95/01/19. 2,156pp. 82568:001-82572:336.

9501300209 Forwards listing of surveillances which will not be performed upon improved TSs implementation.Plant requests encl surveillances be listed in license amend.  
BECKHAM,J.T. Georgia Power Co. 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82554:330-82554:335.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501040259 Forwards response to NRC 941202 ltr re violations noted in insp repts 50-321/94-27 & 50-366/94-27.Corrective actions: Event was investigated per requirements of plant administrative control procedure 10AC-MGR-004-05.  
BECKHAM,J.T. Georgia Power Co. 94/12/28. Document Control Branch (Document Control Desk). 9pp. 82219:179-82219:187.

9501101121 Forwards insp repts 50-321/94-28 & 50-366/94-28 on 941106-1203.Violations will not be subject to enforcement action because licensee efforts in identifying & correcting violation meet criteria specified in Enforcement Policy.  
SINKULE,M. Region 2 (Post 820201). 94/12/28. BECKHAM,J.T. Georgia Power Co. 4pp. 82271:184-82271:204.

-9501101126 Insp repts 50-321/94-28 & 50-366/94-28 on 941106-1203.No violations noted.Major areas inspected:plant operations, surveillances,maint,onsite engineering,contaminated scaffolding control,mods & open item review.  
HOLBROOK,B., CRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 94/12/28. 17pp. 82271:188-82271:204.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501100044 Forwards insp repts 50-321/94-30 & 50-366/94-30 on 941128-1202.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 94/12/30. BECKMAN,J.T. Georgia Power Co. 3pp. 82272:089-82272:101.

-9501100048 Insp repts 50-321/94-30 & 50-366/94-30 on 941128-1202.No violations or deviations noted.Major areas inspected: radioactive effluent controls,reactor coolant chemistry, training & followup on previously identified issues.  
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/12/27. 10pp. 82272:092-82272:101.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170124 Forwards insp repts 50-321/94-29 & 50-366/94-29 on 941212-16.No violations or deviations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/06. BECKHAM,J.T. Georgia Power Co. 5pp. 82314:190-82314:203.

-9501170133 Insp repts 50-321/94-29 & 50-366/94-29 on 941212-16.No violations or deviations noted.Major areas inspected: maintenance of instrumentation & control sys.  
FILLION,P., SHYMLOCK,M. Region 2 (Post 820201). 95/01/05. 7pp. 82314:195-82314:203.

9501190260 Responds to NRC NOV from insp repts 50-321/94-26 & 50-366/94-26.Corrective actions:ltr issued on 941026 re procedural requirements re proper wearing of dosimetry.  
BECKHAM,J.T. Georgia Power Co. 95/01/09. Document Control Branch (Document Control Desk). 8pp. 82394:298-82394:305.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

## 84 DOCKETED ITEMS

9501240072 Ack receipt of 941215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-26 & 50-366/94-26.  
CLINE,W.E. Region 2 (Post 820201). 95/01/17. BECKHAM,J.T. Georgia Power Co. 3pp. 82417:353-82417:355.

9501240322 Ack receipt of 941228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-27 & 50-366/94-27. NRC notes that individual involved in refueling movement errors precluded from future refueling operations.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/17. BECKHAM,J.T. Georgia Power Co. 3pp. 82431:324-82431:326.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501270371 Forwards "Owner Data Rept for ISI,El Hatch Nuclear Plant Unit 1,Sept - Nov 1994."  
BECKHAM,J.T. Georgia Power Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82546:039-82546:141.

-9501270372 "Owner Data Rept for ISI,El Hatch Nuclear Plant Unit 1,Sept- Nov 1994."  
\* Georgia Power Co. 94/11/30. 100pp. 82546:041-82546:141.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200180 Monthly operating repts for Dec 1994 for El Hatch Nuclear Plant.W/950113 ltr  
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 94/12/31. 12pp. 82472:177-82472:188.

### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501110069 PNO-II-94-055:on 941228,SFP steel liner punctured.Caused by dropped 350 lb core shroud bolt from one foot above pool water surface.Permanent underwater welding repairs expected to commence 950102.State of Georgia has been notified.  
CAHILL,S.J. Region 2 (Post 820201). 94/12/30. 1p. 82272:184-82272:184.

9501260163 Forwards attached documents re postulated loss of SFPC events at plant,units 1 & 2.  
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82536:290-82536:295.

-9501300301 Notices of 941228 event at plant where used core shroud head bolt being lifted out of SFP for shipment when steel cable sling failed w/bolt.Bolt tore three inch diameter gash in stainless steel liner of SFP.  
LOCHBAUM,D. Affiliation Not Assigned. 95/01/04. SHEA,J. NRC - No Detailed Affiliation Given. 1p. 82536:292-82536:292.

## DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501130166 Forwards "SNPS Annual Man-Rem Rept." including individuals for whom personnel monitoring provided during CY94,per 10CFR20.407(a) & (b).Rept also includes individuals identified in 10CFR20.202(a),who require monitoring.  
PETSCHAUER,F. Long Island Power Authority. 95/01/11. Office of Nuclear Regulatory Research (860720-941217). 1p. 82366:133-82366:134.

-9501130169 "SNPS Annual Man-Rem Rept."  
\* Long Island Power Authority. 94/12/31. 1p. 82366:134-82366:134.

9501250028 Forwards "Shoreham Nuclear Power Station Radiological Environ Monitoring Program,Annual Radiological Environ Operating Rept," Jan-June 1994.  
PETSCHAUER,F. Long Island Power Authority. 95/01/20. Document Control Branch (Document Control Desk). 2pp. 82432:182-82432:262.

-9501250033 "Shoreham Nuclear Power Station Radiological Environ Monitoring Program,Annual Radiological Environ Operating Rept," Jan-June 1994.  
\* Long Island Power Authority. 94/06/30. 100pp. 82432:184-82432:262.

### W. Decommissioning Stage Documents & Correspondence

9501130187 Forwards draft rept. "Confirmatory Survey of Radwaste Bldg, Suppression Pool & Phase 2 Systems,Shoreham Nuclear Power Station,Brookhaven,NY."  
VITKUS,T.J. Oak Ridge Associated Universities. 94/10/20. FAUVER,D. Division of Waste Management (NMSS 940403). 1p. 82362:284-82362:354.

-9501130191 Draft rept. "Confirmatory Survey of Radwaste Bldg, Suppression Pool & Phase 2 Sys,Shoreham Nuclear Power Station,Brookhaven,NY."  
VITKUS,T.J. Oak Ridge Associated Universities. 94/10/31. Division of Waste Management (NMSS 940403). 70pp. 82362:285-82362:354.

9501110304 Forwards revised "Proposed Confirmatory Survey Plan for Reactor Bldg Shoreham Nuclear Power Station Brookhaven,NY."  
VITKUS,T.J. Oak Ridge Associated Universities. 94/10/25. FAUVER,D. Division of Waste Management (NMSS 940403). 1p. 82329:211-82329:228.

-9501110310 "Proposed Confirmatory Survey Plan for Reactor Bldg,Shoreham Nuclear Power Station,Brookhaven,NY."  
\* Oak Ridge Associated Universities. 94/10/25. 17pp. 82329:212-82329:228.

9501240284 Responds to NRC request for addl info re certain elevated levels found during Phase 4 confirmatory survey.  
PETSCHAUER,F. Long Island Power Authority. 95/01/20. Document Control Branch (Document Control Desk). 7pp. 82437:128-82437:134.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

## DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

### F. Security, medical, emergency & fire protection plans

9501230326 Notices NRC that PG&E completed replacement of Thermo-Lag w/other fire barrier matls/sys,per util 940214 response to GL 92-08.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82504:105-82504:105.

9501270216 Rev 24 to EPIP EP G-1, "Emergency Classification & Emergency Plan Activation." W/950118 ltr.  
RUEGER,G.M. Pacific Gas & Electric Co. 95/01/18. 15pp. 82537:280-82537:294.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501180158 Order. \* Extends time within which Commission may take sua sponte review of Presiding Officer 941104 initial decision.W/Certificate of Svc.Served on 950112. HOYLE,J.C. Office of the Secretary of the Commission. #195 16217. 95/01/12. Office of the General Counsel (Post 860701). 3pp. 82325:179-82325:181.

#### H. General correspondence

9501130160 Comment opposing proposed rule 10CFR50 re shutdown & low power operation for Nuclear Power Reactors. RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Docketing & Services Branch. 335pp. 82298:008-82298:342.

9501130108 Comment on proposed changes to reactor pressure vessel integrity rule 10CFR50.Endorses NEI comments. RUEGER,G.M. Pacific Gas & Electric Co. 95/01/03. Docketing & Services Branch. 3pp. 82299:035-82299:037.

9501240059 Requests that NRC plant mailing list be revised by adding WH Fujimoto,Vice President & Plant Manager & deleting J Townsend,Vice President & Plant Manager. RUEGER,G.M. Pacific Gas & Electric Co. 95/01/11. Document Control Branch (Document Control Desk). 1p. 82513:010-82513:010.

#### P. Operating license stage documents & correspondence

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records.App HH records partially withheld (ref FOIA exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300256 Partially withheld paper recommending disposition of Joint Intervenor stay request on fuel loading. MALSCH,M.G. Office of the General Counsel (Post 860701). SECY-83-512. 83/12/19. 12pp. 82525:194-82525:205.

9501040204 Informs NRC that all safety-significant HED associated w/plant Units 1 & 2 detailed CR design review effort have been resolved. RUEGER,G.M. Pacific Gas & Electric Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:241-82260:241.

9501050470 Submits final rept on potential for inadequate electrical isolation in 120-volt vital instrument ac power circuits. Health & safety of public not affected by issue. RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Document Control Branch (Document Control Desk). 25pp. 82233:331-82233:355.

9501090330 Forwards LAR 94-12 to licensees DPR-80 & DPR-82, revising ref TS to clarify TS issued in license amends 84 & 83. "Eagle 21 RPS Mod w/Bypass Manifold Elimination," deleting TS ref to RM-14A & RM-14B & removing cycle-specific TS requirements. RUEGER,G.M. Pacific Gas & Electric Co. 94/12/30. Document Control Branch (Document Control Desk). 1p. 82288:207-82288:301.

-9501090342 LAR 94-12 to licensees DPR-80 & DPR-82, revising TS to clarify TS issued in license amends 84 & 83. "Eagle 21 RPS Mod w/Bypass Manifold Elimination," deleting refs to RM-14A & RM-14B & removing cycle-specific TS requirements. \* Pacific Gas & Electric Co. 94/12/30. 12pp. 82288:208-82288:219.

-9501090345 Proposed tech specs,clarifying TS issued in license amends 84 & 83. "Eagle 21 Reactor Protection Sys Mod w/Bypass Manifold Elimination," deleting TS refs to RM-14A & RM-14B & removing cycle-specific TS requirements. \* Pacific Gas & Electric Co. 94/12/30. 82pp. 82288:220-82288:301.

9501230326 Notifies NRC that PG&E completed replacement of Thermo-Lag w/other fire barrier matls/sys,per util 940214 response to GL 92-08. RUEGER,G.M. Pacific Gas & Electric Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82504:105-82504:105.

9501270002 Notification of significant licensee meeting w/util in Arlington,TX re reorganization of nuclear power generation & other topics. BEACH,A.B. Region 4 (Post 820201). 95/01/19. Region 4 (Post 820201). 5pp. 82488:160-82488:164.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501030046 Ack receipt of 941215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/94-25 & 50-323/94-25. GWYNN,T.P. Region 4 (Post 820201). 94/12/27. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 82157:216-82157:224.

9501030050 Forwards insp repts 50-275/94-26 & 50-323/94-26 on 941024-28.Violations noted but not cited. COLLINS,S.J. Region 4 (Post 820201). 94/12/27. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 82157:244-82157:258.

-9501030053 Insp repts 50-275/94-26 & 50-323/94-26 on 941024-28. Violations noted but not cited.Major areas inspected:audits & appraisals,training & qualifications. MURRAY,B. Region 4 (Post 820201). 94/12/13. 10pp. 82157:249-82157:258.

9412210186 NRC Info Notice 94-089. "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090. "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501060001 Forwards insp rept 50-275/94-27 & 50-323/94-27 on 941016-1126 & notice of violation. BEACH,A.B. Region 4 (Post 820201). 94/12/30. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 82189:001-82189:030.

-9501060002 Notice of violation from insp on 941016-1126.Violation noted:surveillance testing of molded case circuit breakers were not appropriate to circumstances. \* Region 4 (Post 820201). 94/12/30. 2pp. 82189:007-82189:008.

-9501060003 Insp repts 50-275/94-27 & 50-323/94-27 on 941016-1126. Violations noted.Major areas inspected:operational safety verification,plant maint,surveillance observation,plant support activities & in-office review of LERs. KIRSCH,D.F. Region 4 (Post 820201). 94/12/21. 22pp. 82189:009-82189:030.

9412270314 NRC Info Notice 95-001. "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108. "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501230020 Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp rept 50-323/94-28. PERKINS,K.E. Region 4 (Post 820201). 95/01/09. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 82377:038-82377:040.

9501100350 NRC Info Notice 95-002. "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240274 Responds to NRC 941216 ltr re violations noted in insp rept 50-275/94-29 & 50-323/94-29.Corrective actions:controls training module & instrumentation revised,operations incident summary issued & surveillance procedures revised. RUEGER,G.M. Pacific Gas & Electric Co. 95/01/17. Document Control Branch (Document Control Desk). 7pp. 82430:348-82430:355.

950110412 NRC Info Notice 95-003. "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004. "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005. "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006. "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008. "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501240235 Monthly operating rept for Dec 1994 for Diablo Canyon Nuclear Plant.W/ 950113 ltr. EUBANK,T., STIPEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 13pp. 82512:337-82512:349.

#### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501050091 LER 94-007-01:on 941008,TS 3.7.1.1 not met during MSSV surveillance testing due to setpoint drift.New test device purchased & util participation in industry investigation efforts continued. SISK,D.P., RUEGER,G.M. Pacific Gas & Electric Co. 94/12/28. 7pp. 82258:013-82258:019.

## 86 DOCKETED ITEMS

9501250067 LER 94-012-00: on 941219, manual trip initiated due to circulating water pump cavitation. Caused by fouling of intake circulating water screens during high ocean swells. Audible alarm installed at intake. W/950118 ltr.  
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 95/01/18. 9pp. 82513:170-82513:178.

9501310208 LER 94-006-00: on 941001, SG feedwater ring degradation occurred due to flow accelerated corrosion. Through-wall holes near feedwater ring bottom nozzle plugs of SG 2-4 weld repaired. W/950120 ltr.  
SISK, D.P., RUEGER, G.M. Pacific Gas & Electric Co. 95/01/20. 7pp. 82553:067-82553:073.

### DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501030059 Provides info re shipment of irradiated nuclear reactor fuel by util, to Harris nuclear project.  
COWAN, J.P. Carolina Power & Light Co. 94/12/09. STROUD, T.C. North Carolina, State of. 3pp. 82157:264-82157:266.

9501030027 Informs of shipment of solid irradiated nuclear reactor fuel in IF-303 & IF-304 series shipping casks, from Brunswick nuclear project to Harris nuclear project.  
COWAN, J.P. Carolina Power & Light Co. 94/12/19. STROUD, T.C. North Carolina, State of. 3pp. 82157:142-82157:144.

9501050112 Forwards insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23. No violations noted.  
STOHR, J.P. Region 2 (Post 820201). 94/12/21. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82178:088-82178:091.

-9501050119 Partially withheld insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area access control of personnel & packages.  
THOMPSON, D., MCGUIRE, D. Region 2 (Post 820201). 94/12/21. 1p. 82178:091-82178:091.

9501110488 Rev 48C to OPEP-App A, "Emergency Response Resources."  
\* Carolina Power & Light Co. 94/12/29. 21pp. 82302:039-82302:059.

9501120194 Rev 40C to "Emergency Response Plan." W/941229 ltr.  
PERGERSON, B. Carolina Power & Light Co. 94/12/29. 15pp. 82331:343-82331:357.

9501260060 Informs of upcoming shipment of irradiated nuclear fuel from Brunswick nuclear project to Harris nuclear project in State of NC. Nuclear fuel to be shipped in IF-303 & IF-304 type casks by rail.  
COWAN, J.P. Carolina Power & Light Co. 95/01/20. STROUD, T.C. North Carolina, State of. 3pp. 82465:276-82465:278.

9501260079 Transmits safeguards info re 95-0055 advance fuel shipment notification. Encl withheld.  
SKIPPER, M. Carolina Power & Light Co. 95/01/24. COOK, J. NRC - No Detailed Affiliation Given. 1p. 82465:285-82465:285.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### I. Financial information

9501050094 Forwards "Brunswick Nuclear Plant Three-Yr Business Plan Performance Improvement Initiatives & Projects."  
ANDERSON, R.A. Carolina Power & Light Co. 94/12/14. Document Control Branch (Document Control Desk). 4pp. 82226:256-82227:088.

-9501050099 "Brunswick Nuclear Plant Three-Yr Business Plan Performance Improvement Initiatives & Projects."  
\* Public Service Electric & Gas Co. of New Jersey. 94/12/14. 193pp. 82226:260-82227:088.

#### P. Operating license stage documents & correspondence

9501260103 Requests NRC exercise enforcement discretion for plant, units 1 & 2 concerns decreasing frequency of surveillance testing required TS 3.6.4.1 to position verification of drywell suppression chamber vacuum breakers.  
ANDERSON, R.A. Carolina Power & Light Co. 94/09/08. LAINAS, G.C. Office of Nuclear Reactor Regulation (Post 941001). 11pp. 82513:211-82513:221.

9501050281 Notifies NRC of completion of activities associated w/ Action 1 of GL 94-02, "Long-Term Solutions & Upgrade of Interim Operating Recommendations for Thermal-Hydraulic Instabilities in BWR."  
COWAN, J.P. Carolina Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82229:260-82229:261.

9501090353 Informs that, based on util 940824 submittal re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs," util mods & matls based safety assessments of BSEP shrouds sufficient to justify continued safe operation.  
MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/03. Carolina Power & Light Co. 3pp. 82262:339-82262:353.

-9501090355 Safety evaluation supporting util response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 12pp. 82262:342-82262:353.

9501310270 Discusses 941117 amend request to add exemption statement to requirements of TS 3.0.4 in spec 3.1.3.1, action B & revise TS 3.1.3.5. GE rept encl. Rept withheld.  
ANDERSON, R.A. Carolina Power & Light Co. 95/01/13. Document Control Branch (Document Control Desk). 18pp. 82582:251-82582:268.

9501300018 Confirms 950110 telcon between Honma & author re mgt meeting to be conducted in Atlanta, GA on 950222 to discuss plant & util self-assessment.  
CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82511:178-82511:180.

9501300025 Confirms 950112 telcon between Rogan & author re mgt meeting to be conducted in Atlanta, GA on 950207 to discuss CP&L performance evaluation section.  
CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. HABERMEYER, H. Carolina Power & Light Co. 4pp. 82511:224-82511:227.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501260385 Forwards Safety Evaluation re ASME Code Case N-498-1. NRC finds that use of ASME authorized for requested class 3 sys. Case authorized until such time as Code Case published in future rev of Reg Guide 1.147.  
MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/23. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82514:005-82514:013.

-9501260386 Safety evaluation re ASME Code Case N-498-1. Licensee proposed alternative to use Code Case N-498-1 authorized until such time as Code Case published in future rev of reg guide 1.147.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 6pp. 82514:008-82514:013.

#### Q. Inspection reports, IE Bulletins & correspondence

9501050112 Forwards insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23. No violations noted.  
STOHR, J.P. Region 2 (Post 820201). 94/12/21. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82178:088-82178:091.

-9501050119 Partially withheld insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area access control of personnel & packages.  
THOMPSON, D., MCGUIRE, D. Region 2 (Post 820201). 94/12/21. 1p. 82178:091-82178:091.

9501040200 Forwards response to NRC 941125 ltr re violations noted in insp repts 50-324/94-32 & 50-325/94-32 on 941001-1104. Corrective actions: work supervisor has been counseled re weaknesses in preplanning for job.  
COWAN, J. Carolina Power & Light Co. 94/12/27. Document Control Branch (Document Control Desk). 11pp. 82219:049-82219:059.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501110112 Forwards insp repts 50-324/94-34 & 50-325/94-34 on 941105-1202. No violations or deviations noted.  
CHRISTENSEN, H. Region 2 (Post 820201). 94/12/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82274:080-82274:095.

-9501110119 Insp repts 50-324/94-34 & 50-325/94-34 on 941105-1202. No violations noted. Major areas inspected: operations, maintenance & surveillance, engineering & plant support.  
PATTERSON, C.A., CHRISTENSEN, H. Region 2 (Post 820201). 94/12/28. 11pp. 82274:083-82274:095.

9501110078 Ack receipt of 941227 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/94-32 & 50-325/94-32. Implementation of C/A to be reviewed in future insp.  
CHRISTENSEN, H. Region 2 (Post 820201). 94/12/29. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82272:196-82272:198.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110324 Responds to 941005 request for relief from provisions of ASME boiler & pressure vessel code, "Rules for Inservice Insp of Nuclear Power Components," & evaluation contained in Safety Evaluation.  
MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/03. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 82297:100-82297:105.

-9501110330 Safety evaluation supporting code case N-416-1 alternative to required hydrostatic pressure test (ref ASME Code Case N-416-1).  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 3pp. 82297:102-82297:105.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100349 Forwards amended pages for NIS-1 rept re in-service insp program.  
LOPRIORE,R.P. Carolina Power & Light Co. 95/01/05. Document Control Branch (Document Control Desk). 7pp. 82294:351-82294:357.

9501170157 Notification of 950117 meeting w/util in Rockville,MD to review plans for core shroud insp during 1995 refueling outage.  
MILANO,P.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. BATEMAN,W.H. . 3pp. 82323:234-82323:236.

9501240120 Forwards insp repts 50-324/94-35 & 50-325/94-35 on 941212-16.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 95/01/11. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 82420:081-82420:104.

-9501240123 Insp repts 50-324/94-35 & 50-325/94-35 on 941212-16.No violations noted.Major areas inspected:organization of Environ & Chemistry Dept & Radioactive Waste Group,audits, plant water chemistry & semiannual radioactive release rept.  
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/01/10. 24pp. 82420:084-82420:104.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310050 Forwards insp repts 50-324/94-36 & 50-325/94-36 on 941203-950106.No violations noted.  
CHRISTENSEN,H. Region 2 (Post 820201). 95/01/20. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 82528:193-82528:212.

-9501310056 Insp repts 50-324/94-36 & 50-325/94-36 on 941203-950106.No violations noted.Major areas inspected:operations,maint & surveillance,engineering & plant support.  
CHRISTENSEN,H., PATTERSON,C.A. Region 2 (Post 820201). 95/01/20. 17pp. 82528:196-82528:212.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501040245 Transmits "1993 Annual Rept per 10CFR50.59(b)(2)," for Brunswick Nuclear Plant.  
LOPRIORE,R.P. Carolina Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82219:133-82219:178.

-9501040248 "1993 Annual Rept per 10CFR50.59(b)(2)."  
\* Carolina Power & Light Co. 93/12/30. 42pp. 82219:134-82219:178.

9501200175 Monthly operating repts for Dec 1994 for Brunswick Steam Electric Plant,W/950112 ltr.  
HARRISON,F., LEVIS,W. Carolina Power & Light Co. 94/12/31. 7pp. 82472:235-82472:241.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

#### DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

##### F. Security, medical, emergency & fire protection plans

9501030059 Provides info re shipment of irradiated nuclear reactor fuel by util, to Harris nuclear project.  
COWAN,J.P. Carolina Power & Light Co. 94/12/09. STROUD,T.C. North Carolina, State of. 3pp. 82157:264-82157:266.

9501030027 Informs of shipment of solid irradiated nuclear reactor fuel in IF-303 & IF-304 series shipping casks,from Brunswick nuclear project to Harris nuclear project.  
COWAN,J.P. Carolina Power & Light Co. 94/12/19. STROUD,T.C. North Carolina, State of. 3pp. 82157:142-82157:144.

9501050112 Forwards insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23.No violations noted.  
STOHR,J.P. Region 2 (Post 820201). 94/12/21. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 82178:088-82178:091.

-9501050119 Partially withheld insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23 (ref 10CFR73.21).No violations noted. Major areas inspected:protected & vital area access control of personnel & packages.  
THOMPSON,D. Region 2 (Post 820201). 94/12/21. 1p. 82178:091-82178:091.

9501110488 Rev 48C to OPEP-App A, "Emergency Response Resources."  
\* Carolina Power & Light Co. 94/12/29. 21pp. 82302:039-82302:059.

9501120194 Rev 40C to "Emergency Response Plan." W/941229 ltr.  
PERGERSON,B. Carolina Power & Light Co. 94/12/29. 15pp. 82331:343-82331:357.

9501260060 Informs of upcoming shipment of irradiated nuclear fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-303 & IF-304 type casks by rail.  
COWAN,J.P. Carolina Power & Light Co. 95/01/20. STROUD,T.C. North Carolina, State of. 3pp. 82465:276-82465:276.

9501260079 Transmits safeguards info re 95-0055 advance fuel shipment notification.Encl withheld.  
SKIPPER,M. Carolina Power & Light Co. 95/01/24. COOK,J. NRC - No Detailed Affiliation Given. 1p. 82465:285-82465:285.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### I. Financial information

9501050094 Forwards "Brunswick Nuclear Plant Three-Yr Business Plan Performance Improvement Initiatives & Projects."  
ANDERSON,R.A. Carolina Power & Light Co. 94/12/14. Document Control Branch (Document Control Desk). 4pp. 82226:256-82227:088.

-9501050099 "Brunswick Nuclear Plant Three-Yr Business Plan Performance Improvement Initiatives & Projects."  
\* Public Service Electric & Gas Co. of New Jersey. 94/12/14. 193pp. 82226:260-82227:088.

#### P. Operating license stage documents & correspondence

9501260103 Requests NRC exercise enforcement discretion for plant,units 1 & 2 concerns decreasing frequency of surveillance testing required TS 3.6.4.1 to position verification of drywell suppression chamber vacuum breakers.  
ANDERSON,R.A. Carolina Power & Light Co. 94/09/08. LAINAS,G.C. Office of Nuclear Reactor Regulation (Post 941001). 11pp. 82513:211-82513:221.

9501050281 Notifies NRC of completion of activities associated w/Action 1 of GL 94-02, "Long-Term Solutions & Upgrade of Interim Operating Recommendations for Thermal-Hydraulic Instabilities in BWR."  
COWAN,J.P. Carolina Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82229:260-82229:261.

9501090353 Informs that,based on util 940824 submittal re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs," util mods & matls based safety assessments of BSEP shrouds sufficient to justify continued safe operation.  
MILANO,P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/03. Carolina Power & Light Co. 3pp. 82262:339-82262:353.

-9501090355 Safety evaluation supporting util response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 12pp. 82262:342-82262:353.

9501310270 Discusses 941117 amend request to add exemption statement to requirements of TS 3.0.4 in spec 3.1.3.1,action B & revise TS 3.1.3.5.GE rept encl.Rept withheld.  
ANDERSON,R.A. Carolina Power & Light Co. 95/01/13. Document Control Branch (Document Control Desk). 18pp. 82582:251-82582:268.

9501250339 Forwards nonproprietary version of "Brunswick Steam Electric Plant,Unit 1 Feedwater Nozzle Fracture Mechanics Analysis," NEDC-30634,Rev 1.Requests that copies of document originally submitted by util 941028 ltr be destroyed.  
LOPRIORE,R.P. Carolina Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 3pp. 82516:182-82516:226.

-9501250349 Nonproprietary Rev 1 to "Brunswick Steam Electric Plant,Unit 1 Feedwater Nozzle Fracture Mechanics Analysis."  
STEVENS,G.L. General Electric Co. NEDC-30634 R01. 91/05/31. 42pp. 82516:185-82516:226.

**88 DOCKETED ITEMS**

9501300018 Confirms 950110 telcon between Honma & author re mgt meeting to be conducted in Atlanta, GA on 950222 to discuss plant & util self-assessment. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82511:178-82511:180.

9501300025 Confirms 950112 telcon between Rogan & author re mgt meeting to be conducted in Atlanta, GA on 950207 to discuss CP&L performance evaluation section. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. HABERMEYER, H. Carolina Power & Light Co. 3pp. 82511:224-82511:227.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501260385 Forwards Safety Evaluation re ASME Code Case N-498-1. NRC finds that use of ASME authorized for requested class 3 sys. Case authorized until such time as Code Case published in future rev of Reg Guide 1.147. MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/23. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82514:005-82514:013.

-9501260386 Safety evaluation re ASME Code Case N-498-1. Licensee proposed alternative to use Code Case N-498-1 authorized until such time as Code Case published in future rev of reg guide 1.147. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 6pp. 82514:008-82514:013.

**Q. Inspection reports, IE Bulletins & correspondence**

9501050112 Forwards insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23. No violations noted. STOHR, J.P. Region 2 (Post 820201). 94/12/21. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82178:088-82178:091.

-9501050119 Partially withheld insp repts 50-324/94-33 & 50-325/94-33 on 941024-28 & 1121-23 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area access control of personnel & packages. THOMPSON, D., MCGUIRE, D. Region 2 (Post 820201). 94/12/21. 1p. 82178:091-82178:091.

9501040200 Forwards response to NRC 941125 ltr re violations noted in insp repts 50-324/94-32 & 50-325/94-32 on 941001-1104. Corrective actions: work supervisor has been counseled re weaknesses in preplanning for job. COWAN, J. Carolina Power & Light Co. 94/12/27. Document Control Branch (Document Control Desk). 11pp. 82219:049-82219:059.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501110112 Forwards insp repts 50-324/94-34 & 50-325/94-34 on 941105-1202. No violations or deviations noted. CHRISTENSEN, H. Region 2 (Post 820201). 94/12/28. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82274:080-82274:095.

-9501110119 Insp repts 50-324/94-34 & 50-325/94-34 on 941105-1202. No violations noted. Major areas inspected: operations, maintenance & surveillance, engineering & plant support. PATTERSON, C.A., CHRISTENSEN, H. Region 2 (Post 820201). 94/12/28. 11pp. 82274:083-82274:095.

9501110078 Ack receipt of 941227 ltr informing NRC of steps taken to correct violations noted in insp reports 50-324/94-32 & 50-325/94-32. Implementation of C/A to be reviewed in future insp. CHRISTENSEN, H. Region 2 (Post 820201). 94/12/29. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82272:196-82272:198.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110324 Responds to 941005 request for relief from provisions of ASME boiler & pressure vessel code, "Rules for Inservice Insp of Nuclear Power Components," & evaluation contained in Safety Evaluation. MILANO, P.D. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/03. ANDERSON, R.A. Carolina Power & Light Co. 2pp. 82297:100-82297:105.

-9501110330 Safety evaluation supporting code case N-416-1 alternative to required hydrostatic pressure test (ref ASME Code Case N-416-1). \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 3pp. 82297:102-82297:105.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170157 Notification of 950117 meeting w/util in Rockville, MD to review plans for core shroud insp during 1995 refueling outage. MILANO, P.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. BATEMAN, W.H. . 3pp. 82323:234-82323:236.

9501240120 Forwards insp repts 50-324/94-35 & 50-325/94-35 on 941212-16. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 95/01/11. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82420:081-82420:104.

-9501240123 Insp repts 50-324/94-35 & 50-325/94-35 on 941212-16. No violations noted. Major areas inspected: organization of Environ & Chemistry Dept & Radioactive Waste Group, audits, plant water chemistry & semiannual radioactive release rept. CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 95/01/10. 24pp. 82420:084-82420:104.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310050 Forwards insp repts 50-324/94-36 & 50-325/94-36 on 941203-950106. No violations noted. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/20. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 82528:193-82528:212.

-9501310056 Insp repts 50-324/94-36 & 50-325/94-36 on 941203-950106. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & plant support. CHRISTENSEN, H., PATTERSON, C.A. Region 2 (Post 820201). 95/01/20. 17pp. 82528:196-82528:212.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

9501040245 Transmits "1993 Annual Rept per 10CFR50.59(b)(2)," for Brunswick Nuclear Plant. LOPRIORE, R.P. Carolina Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82219:133-82219:178.

-9501040248 "1993 Annual Rept per 10CFR50.59(b)(2)." \* Carolina Power & Light Co. 93/12/30. 42pp. 82219:134-82219:178.

9501200175 Monthly operating repts for Dec 1994 for Brunswick Steam Electric Plant. W/950112 ltr. HARRISON, F., LEVIS, W. Carolina Power & Light Co. 94/12/31. 7pp. 82472:235-82472:241.

**S. Reportable occurrences, LERs & related correspondence**

9501260045 LER 94-015-00: on 941215, HPCI injection valve did not receive an open signal & no injection into RV. Caused by personnel error. Use of Simpson 260 meters which have tone position on switch has been discontinued. W/950116 ltr. MCGOWAN, J.F., COWAN, J. Carolina Power & Light Co. 95/01/12. 5pp. 82575:072-82575:076.

**DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9. W/941227 ltr. SANFORD, M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501110055 Forwards insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/12/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82272:139-82272:160.

-9501110060 Insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. Major areas inspected: observation & evaluation of licensee 1994 annual emergency exercise. SARTOR, W.M., BARR, K. Region 2 (Post 820201). 94/12/29. 19pp. 82272:142-82272:160.

9501110068 Discusses proposed revisions to plant emergency plans submitted on 940520. Changes involve figure A-1 & B-1, "Site Emergency Organization & TSC EP." CLINE, W.E. Region 2 (Post 820201). 95/01/04. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 82272:179-82272:183.

9501170119 Rev 14 to EPIP-1, "Emergency Plan Initiating Condition Matrix." SHELL, R.H. Tennessee Valley Authority. 95/01/09. 23pp. 82392:284-82392:306.

9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.

-9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area. \* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.



**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### H. General correspondence

**9501130126** Comments opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactors.  
SANFORD,M.O. Tennessee Valley Authority. 94/12/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82299:118-82299:118.

#### P. Operating license stage documents & correspondence

**9501030080** Forwards notice of consideration of issuance of amends to licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing.Amend re-vises diesel generator SR.  
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/22. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82177:349-82177:357.

**-9501030090** Notice of consideration of issuance of amends to licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing.Amend would revise SR for diesel generators, deleting requirement to accelerate to at least 900 rpm.  
WILLIAMS,J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/22. 8pp. 82177:350-82177:357.

**9501110256** Forwards amends 192 & 184 to licenses DPR-77 & DPR-79, respectively & SE.Amend revise TS re cold leg injection accumulators.  
LABARGE,D.E. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27.  
KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82297:029-82297:047.

**-9501110261** Amends 192 & 184 to licenses DPR-77 & DPR-79, respectively, revising TS re cold leg injection accumulators.  
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 12pp. 82297:031-82297:042.

**-9501110265** Safety evaluation supporting amends 192 & 184 to licenses DPR-77 & DPR-79, respectively.  
\* Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/27. 5pp. 82297:043-82297:047.

**9501200342** Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.

**9501110239** Forwards amend 193 to license DPR-77 & safety evaluation. Amend adds OL condition 2.C.(25) to provide limited extension of surveillance test intervals for specified instrumentation during cycle 7.  
LABARGE,D.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03.  
KINGSLEY,O.D. Tennessee Valley Authority. 1p. 82297:001-82297:011.

**-9501110244** Amend 193 to license DPR-77,extending surveillance interval requirements to coincide w/cycle 7 refueling outage.  
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 2pp. 82297:002-82297:003.

**-9501110249** Safety evaluation supporting amend 193 to license DPR-77.  
\* Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 95/01/03. 8pp. 82297:004-82297:011.

**9501110516** Proposed TS Change 95-01 to licenses DPR-77 & DPR-79,adding permissive to SR 4.9.7.1 to allow crane interlocks & physical stops to be defeated during implementation of approved spent-fuel pool storage capacity increase mod.  
SHELL,R.H. Tennessee Valley Authority. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82327:344-82327:353.

**-9501110518** Proposed tech specs,adding permissive to SR 4.9.7.1 to allow crane interlocks & physical stops to be defeated during implementation of approved spent-fuel pool storage capacity increase mod.  
\* Tennessee Valley Authority. 95/01/03. 7pp. 82327:347-82327:353.

**9501110147** Forwards ltr which documents info received by Region II personnel from concerned individual re allegation RII-94-A-0226.Encl withheld (ref 10CFR2.790).  
MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/04. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82271:233-82271:235.

**9501240122** Ack receipt of util 941115 ltr requesting changes to nuclear QA program plan,informs that NRC still reviewing proposed changes & that util will be notified upon completion of review.  
GIBSON,A.F. Region 2 (Post 820201). 95/01/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82420:105-82420:108.

**9501260374** Provides suppl info re emergency capabilities of D/Gs during interdependence tests to support 941216 proposed TS Change Request 94-16,per NRC 950111 request.  
SHELL,R.H. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82519:279-82519:281.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300190** Forwards amends 194 & 185 to licenses DPR-77 & DPR-79 & safety evaluation.Amend add permissive statement to surveillance requirement 4.9.7.1.  
LABARGE,D.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24.  
KINGSLEY,O. Tennessee Valley Authority. 1p. 82542:305-82542:319.

**-9501300193** Amends 194 & 185 to licenses DPR-77 & DPR-79, respectively, adding permissive statement to surveillance requirement 4.9.7.1.  
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 8pp. 82542:307-82542:314.

**-9501300195** Safety evaluation supporting amends 194 & 185 to licenses DPR-77 & DPR-79, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 4pp. 82542:315-82542:319.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501030162** Forwards insp repts 50-327/94-42 & 50-328/94-42 on 941128-1202.No violations noted.  
SHYMLOCK,M.B. Region 2 (Post 820201). 94/12/23. KINGLSEY,O.D. Tennessee Valley Authority. 3pp. 82173:001-82173:012.

**-9501030168** Insp repts 50-327/94-42 & 50-328/94-42 on 941128-1202.No violations noted.Major areas inspected:design changes & plant mods,engineering & technical support activities.  
THOMAS,M., CASTO,C. Region 2 (Post 820201). 94/12/22. 9pp. 82173:004-82173:012.

**9501110096** Forwards insp repts 50-327/94-43 & 50-328/94-43 on 941129-1202 & notice of violation.  
CASTO,C.A. Region 2 (Post 820201). 94/12/23. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82272:335-82272:345.

**-9501110101** Notice of violation from insp on 941129-1202.Violation noted:centrifugal charging pumps suction valves failed to open due to maint practices not being implemented as required by TS 6.8.1.  
\* Region 2 (Post 820201). 94/12/23. 1p. 82272:338-82272:338.

**-9501110111** Insp repts 50-327/94-43 & 50-328/94-43 on 941129-1202. Violations noted.Major areas inspected:review of failure of arrow-hart motor starter contactors & corrective actions for equipment failures.  
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 94/12/23. 7pp. 82272:339-82272:345.

**9501110377** Forwards insp repts 50-327/94-40 & 50-328/94-40 on 941114-18,1205-09.No violations or deviations identified.  
LESSER,M.S. Region 2 (Post 820201). 94/12/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82307:275-82307:288.

**-9501110383** Insp repts 50-327/94-40 & 50-328/94-40 on 941114-18,1205-09. No violations or deviations noted.Major areas inspected: implementation of Post Restart Plan,dtd 930820.  
SPARKS,S.E., LESSER,M.S. Region 2 (Post 820201). 94/12/27. 11pp. 82307:278-82307:288.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:062-82167:069.

**9501110055** Forwards insp repts 50-327/94-32 & 50-328/94-32 on 941114-18.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 94/12/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82272:139-82272:160.

**-9501110060** Insp repts 50-327/94-32 & 50-328/94-32 on 941114-18.No violations or deviations noted.Major areas inspected: observation & evaluation of licensee 1994 annual emergency exercise.  
SARTOR,W.M., BARR,K. Region 2 (Post 820201). 94/12/29. 19pp. 82272:142-82272:160.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501110046** Forwards insp repts 50-327/94-41 & 50-328/94-41 on 941106- 1203 & notice of violation.  
MERSCHOFF,E.W. Region 2 (Post 820201). 94/12/30. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82272:102-82272:131.

**-9501110051** Notice of violation from insp on 941106-1203.Violation noted:procedure SSP-12.1,not implemented in that on 941125, fuel handling supervisor not present in spent fuel pit area during shuffle of spent fuel.  
\* Region 2 (Post 820201). 94/12/30. 2pp. 82272:106-82272:107.

**-9501110057** Insp repts 50-327/94-41 & 50-328/94-41 on 941106-1203. Violations noted.Major areas inspected:areas of plant operations,maint observations,surveillance observations, onsite engineering,plant support & LER closeout.  
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 94/12/27. 24pp. 82272:108-82272:131.



## 90 DOCKETED ITEMS

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170020 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-34 & 50-328/94-34 on 941129. LESSER, M.S. Region 2 (Post 820201). 95/01/05. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82313:347-82313:349.

9501180077 Notification of SALP Board meeting w/utl on 950126 to discuss performance of plant during period 931010-950107. LESSER, M.S. Region 2 (Post 820201). 95/01/05. Region 2 (Post 820201). 2pp. 82324:209-82324:210.

9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.

-9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area. \* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.

-9501240045 Exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Exam results: all candidates passed written &/or operating exams. BALDWIN, R.S., LAWYER, L.L. Region 2 (Post 820201). 95/01/09. 220pp. 82418:005-82418:225.

9501240005 Forwards insp repts 50-327/94-46 & 50-328/94-46 on 941212-16. Violations identified that will not be subj to enforcement action. CLINE, W.E. Region 2 (Post 820201). 95/01/12. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82417:012-82417:027.

-9501240008 Insp repts 50-327/94-46 & 50-328/94-46 on 941212-16. Violations identified that will not be subj to enforcement action. Major areas inspected: organization & staffing, audits & appraisals, external exposure control & surveys. PARKER, B.A., RANKIN, W.R. Region 2 (Post 820201). 95/01/10. 13pp. 82417:015-82417:027.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501250012 Ack receipt of 941213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-30 & 50-328/94-30. CASTO, C.A. Region 2 (Post 820201). 95/01/19. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82432:125-82432:127.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mat Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200145 Monthly operating repts for Dec 1994 for Sequoyah Nuclear Plant. W/ 950111 ltr. HOLLOMON, T.J., SHELL, R.H. Tennessee Valley Authority. 94/12/31. 10pp. 82465:323-82465:332.

### S. Reportable occurrences, LERs & related correspondence

9501270195 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNIAK, R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501180205 LER 94-015-00: on 941208, failed to perform hourly fire watch required by TS. Caused by failure to comply w/TSs. Personnel briefed on locked doors & adjusted routes to cover areas. W/ 950109 ltr. GILLEY, S.D., ADNEY, R.J. Tennessee Valley Authority. 95/01/09. 7pp. 82392:057-82392:064.

9501200021 Forward LER re three events that received enforcement discretion. Events dealt w/problems encountered during mod 2A-A DG speed controller, problems w/Unit 1 vital inverter 2-I & oil sys problems on Unit 2 TDAFF. ADNEY, R.J. Tennessee Valley Authority. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82436:124-82436:139.

-9501200024 LER 94-016-00: on 941214, determined that TVA should provide NRC notification of listed three events, previously granted enforcement discretion. Causes of events & corrective actions listed. BAJRASZEWski, J. Tennessee Valley Authority. 95/01/12. 14pp. 82436:126-82436:139.

### V. Operator Examinations

9501170028 Confirms arrangements made in telcon on 950103 between R King & M Ernstes for administration of licensing exams at plant during wks of 950424, 0508 & 09. Requested ref mats should be submitted by 950208. PEEBLES, T.A. Region 2 (Post 820201). 95/01/05. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 82314:052-82314:057.

9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.

-9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area. \* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.

-9501240045 Exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Exam results: all candidates passed written &/or operating exams. BALDWIN, R.S., LAWYER, L.L. Region 2 (Post 820201). 95/01/09. 220pp. 82418:005-82418:225.

### DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr. SANFORD, M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501110055 Forwards insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/12/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82272:139-82272:160.

-9501110060 Insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. Major areas inspected: observation & evaluation of licensee 1994 annual emergency exercise. SARTOR, W.M. Region 2 (Post 820201). 94/12/29. 19pp. 82272:142-82272:160.

9501110068 Discusses proposed revisions to plant emergency plans submitted on 940520. Changes involve figure A-1 & B-1, "Site Emergency Organization & TSC EP." CLINE, W.E. Region 2 (Post 820201). 95/01/04. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 82272:179-82272:183.

9501170119 Rev 14 to EPIP-1, "Emergency Plan Initiating Condition Matrix." SHELL, R.H. Tennessee Valley Authority. 95/01/09. 23pp. 82392:284-82392:306.

9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.

-9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area. \* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation mat, because of questions re effectiveness of mat. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier mat until mat replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### H. General correspondence

9501130126 Comments opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactors. SANFORD, M.O. Tennessee Valley Authority. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82299:118-82299:118.

#### P. Operating license stage documents & correspondence

9501030080 Forwards notice of consideration of issuance of amends to licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing. Amend revises diesel generator SR. LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/22. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82177:349-82177:357.

- 9501030090 Notice of consideration of issuance of amends to licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing. Amend would revise SR for diesel generators, deleting requirement to accelerate to at least 900 rpm. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/22. 8pp. 82177:350-82177:357.
- 9501110256 Forwards amends 192 & 184 to licenses DPR-77 & DPR-79, respectively & SE. Amends revise TS re cold leg injection accumulators. LABARGE, D.E. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 82297:029-82297:047.
- 9501110261 Amends 192 & 184 to licenses DPR-77 & DPR-79, respectively, revising TS re cold leg injection accumulators. HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 12pp. 82297:031-82297:042.
- 9501110265 Safety evaluation supporting amends 192 & 184 to licenses DPR-77 & DPR-79, respectively.  
\* Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 94/12/27. 5pp. 82297:043-82297:047.
- 9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants. SCHMIDT, W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.
- 9501110516 Proposed TS Change 95-01 to licenses DPR-77 & DPR-79, adding permissive to SR 4.9.7.1 to allow crane interlocks & physical stops to be defeated during implementation of approved spent-fuel pool storage capacity increase mod. SHELL, R.H. Tennessee Valley Authority. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82327:344-82327:353.
- 9501110518 Proposed tech specs, adding permissive to SR 4.9.7.1 to allow crane interlocks & physical stops to be defeated during implementation of approved spent-fuel pool storage capacity increase mod.  
\* Tennessee Valley Authority. 95/01/03. 7pp. 82327:347-82327:353.
- 9501110147 Forwards ltr which documents info received by Region II personnel from concerned individual re allegation RII-94-A-0226. Encl withheld (ref 10CFR2.790). MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/04. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82271:233-82271:235.
- 9501240122 Ack receipt of util 941115 ltr requesting changes to nuclear QA program plan, informs that NRC still reviewing proposed changes & that util will be notified upon completion of review. GIBSON, A.F. Region 2 (Post 820201). 95/01/12. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 82420:105-82420:108.
- 9501260374 Provides suppl info re emergency capabilities of D/Gs during interdependence tests to support 941216 proposed TS Change Request 94-16, per NRC 950111 request. SHELL, R.H. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82519:279-82519:281.
- 9501310119 Summarizes 950113 meeting w/listed attendees in Region II ofc to discuss licensee performance during plant cycle & 5 refueling outage. MERSCHOFF, E.W. Region 2 (Post 820201). 95/01/20. KINGSLEY, O.D. Tennessee Valley Authority. 19pp. 82529:168-82529:186.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501300190 Forwards amends 194 & 185 to licenses DPR-77 & DPR-79 & safety evaluation. Amends add permissive statement to surveillance requirement 4.9.7.1. LABARGE, D.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82542:305-82542:319.
- 9501300193 Amends 194 & 185 to licenses DPR-77 & DPR-79, respectively, adding permissive statement to surveillance requirement 4.9.7.1. HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 8pp. 82542:307-82542:314.
- 9501300195 Safety evaluation supporting amends 194 & 185 to licenses DPR-77 & DPR-79, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 4pp. 82542:315-82542:319.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501030162 Forwards insp repts 50-327/94-42 & 50-328/94-42 on 941128-1202. No violations noted. SHYMLOCK, M.B. Region 2 (Post 820201). 94/12/23. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82173:001-82173:012.
- 9501030168 Insp repts 50-327/94-42 & 50-328/94-42 on 941128-1202. No violations noted. Major areas inspected: design changes & plant mods, engineering & technical support activities. THOMAS, M., CASTO, C. Region 2 (Post 820201). 94/12/22. 9pp. 82173:004-82173:012.
- 9501110096 Forwards insp repts 50-327/94-43 & 50-328/94-43 on 941129-1202 & notice of violation. CASTO, C.A. Region 2 (Post 820201). 94/12/23. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82272:335-82272:345.
- 9501110101 Notice of violation from insp on 941129-1202. Violation noted: centrifugal charging pumps suction valves failed to open due to maint practices not being implemented as required by TS 6.8.1.  
\* Region 2 (Post 820201). 94/12/23. 1p. 82272:338-82272:338.
- 9501110111 Insp repts 50-327/94-43 & 50-328/94-43 on 941129-1202. Violations noted. Major areas inspected: review of failure of arrow-hart motor starter contactors & corrective actions for equipment failures. RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 94/12/23. 7pp. 82272:339-82272:345.
- 9501110377 Forwards insp repts 50-327/94-40 & 50-328/94-40 on 941114-18, 1205-09. No violations or deviations identified. LESSER, M.S. Region 2 (Post 820201). 94/12/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82307:275-82307:288.
- 9501110383 Insp repts 50-327/94-40 & 50-328/94-40 on 941114-18, 1205-09. No violations or deviations noted. Major areas inspected: implementation of Post Restart Plan, dtd 930820. SPARKS, S.E., LESSER, M.S. Region 2 (Post 820201). 94/12/27. 11pp. 82307:278-82307:288.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870411). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501110055 Forwards insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 94/12/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82272:139-82272:160.
- 9501110060 Insp repts 50-327/94-32 & 50-328/94-32 on 941114-18. No violations or deviations noted. Major areas inspected: observation & evaluation of licensee 1994 annual emergency exercise. SARTOR, W.M., BARR, K. Region 2 (Post 820201). 94/12/29. 19pp. 82272:142-82272:160.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501110046 Forwards insp repts 50-327/94-41 & 50-328/94-41 on 941106-1203 & notice of violation. MERSCHOFF, E.W. Region 2 (Post 820201). 94/12/30. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 82272:102-82272:131.
- 9501110051 Notice of violation from insp on 941106-1203. Violation noted: procedure SSP-12.1, not implemented in that on 941125, fuel handling supervisor not present in spent fuel pit area during shuffle of spent fuel.  
\* Region 2 (Post 820201). 94/12/30. 2pp. 82272:106-82272:107.
- 9501110057 Insp repts 50-327/94-41 & 50-328/94-41 on 941106-1203. Violations noted. Major areas inspected: areas of plant operations, maint observations, surveillance observations, onsite engineering, plant support & LER closeout. HOLLAND, W.E., LESSER, M.S. Region 2 (Post 820201). 94/12/27. 24pp. 82272:108-82272:131.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501170020 Ack receipt of 941222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-34 & 50-328/94-34 on 941129. LESSER, M.S. Region 2 (Post 820201). 95/01/05. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82313:347-82313:349.
- 9501180077 Notification of SALP Board meeting w/util on 950126 to discuss performance of plant during period 931010-950107. LESSER, M. Region 2 (Post 820201). 95/01/05. Region 2 (Post 820201). 2pp. 82324:209-82324:210.
- 9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.
- 9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area.  
\* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.
- 9501240045 Exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Exam results: all candidates passed written &/or operating exams. BALDWIN, R.S. Region 2 (Post 820201). 95/01/09. 22pp. 82418:005-82418:225.
- 9501240005 Forwards insp repts 50-327/94-46 & 50-328/94-46 on 941212-16. Violations identified that will not be subj to enforcement action. CLINE, W.E. Region 2 (Post 820201). 95/01/12. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82417:012-82417:027.
- 9501240008 Insp repts 50-327/94-46 & 50-328/94-46 on 941212-16. Violations identified that will not be subj to enforcement action. Major areas inspected: organization & staffing, audits & appraisals, external exposure control & surveys. PARKER, B.A., RANKIN, W.R. Region 2 (Post 820201). 95/01/10. 13pp. 82417:015-82417:027.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

## 92 DOCKETED ITEMS

9501240366 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/94-27, 50-260/94-27 & 50-328/94-27. LESSER, M.S. Region 2 (Post 820201). 95/01/18. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82432:020-82432:022.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501250012 Ack receipt of 941213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-30 & 50-328/94-30. CASTO, C.A. Region 2 (Post 820201). 95/01/19. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82432:125-82432:127.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containmentment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200145 Monthly operating repts for Dec 1994 for Sequoyah Nuclear Plant/W/ 950111 ltr. HOLLOWON, T.J., SHELL, R.H. Tennessee Valley Authority. 94/12/31. 10pp. 82465:323-82465:332.

### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNYAK, R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

### V. Operator Examinations

9501240032 Forwards exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Activities appear to be violation of NRC requirements. PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82418:001-82418:225.

-9501240038 Notice of violation from insp on 941128-1216. Violation noted: on 941129, designated vehicle had been left unattended within protected area. \* Region 2 (Post 820201). 95/01/11. 1p. 82418:004-82418:004.

-9501240045 Exam repts 50-327/94-301 & 50-328/94-301 on 941212-16. Violations noted. Exam results: all candidates passed written &/or operating exams. BALDWIN, R.S., LAWYER, L.L. Region 2 (Post 820201). 95/01/09. 220pp. 82418:005-82418:225.

### DOCKET 50-329 MIDLAND PLANT, UNIT 1

#### A. Application/construction stage documents & correspondence

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY, V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300238 Partially withheld paper re review of ALAB-684. TRUBATCH, S.L. Office of the General Counsel (Post 860701). SECY-82-331. 82/08/09. 11pp. 82524:348-82524:358.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containmentment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### DOCKET 50-330 MIDLAND PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY, V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300238 Partially withheld paper re review of ALAB-684. TRUBATCH, S.L. Office of the General Counsel (Post 860701). SECY-82-331. 82/08/09. 11pp. 82524:348-82524:358.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

##### F. Security, medical, emergency & fire protection plans

9501030037 Rev 16 to Duane Arnold Energy Ctr Emergency Plan.  
HENDERSON,L., FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/12/22. 100pp. 82295:001-82295:241.

9501100167 Revised EIPs,including rev 11 to EPIP-3.3 & rev 14 to Corp Plan Implementing Procedure CPIP-2.1.W/950103 ltr.  
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/01/03. 132pp. 82293:098-82293:230.

9501300124 Confirms D Schrum & T Lenaghan discussion re mgt meeting on 950201 for reanalysis of 10CFR50,App R safe shutdown.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/20. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 82512:186-82512:188.

-9501300141 Notification of significant licensee meeting w/util on Lisle,IL on 950201 to discuss reanalysis of 10CFR50,App R safe shutdown & Thermo-Lag.  
LANKSBURY,R.D. Region 3 (Post 820201). 95/01/20. Region 3 (Post 820201). 2pp. 82512:187-82512:188.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

##### P. Operating license stage documents & correspondence

9501030087 Forwards response to NRC request for adtl info re MSIV leakage control sys TS Amend Request (RTS-232).  
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/12/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 100pp. 82223:051-82223:150.

9501050135 Forwards amend 205 to license DPR-49 & safety evaluation. Amend revises TSs by adding operability requirements,LCO & surveillance requirements for control bldg chillers.  
KELLY,G.B. Project Directorate III-3. 94/12/29. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 82223:330-82223:341.

-9501050138 Amend 205 to license DPR-49, revising TSs by adding operability requirements,LCO & surveillance requirements for control bldg chillers.  
NORRHOLM,L.J. Project Directorate III-3. 94/12/29. 8pp. 82223:332-82223:339.

-9501050142 Safety evaluation supporting amend 205 to license DPR-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 2pp. 82223:340-82223:341.

9501090312 Informs that NRR concurs w/util 931207 submittal re withdrawal of util position re safety related dual function valves at plant for reasons as stated.  
KELLY,G.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 82261:329-82261:330.

9501100220 Forwards RA1 re submittal for IPE.List of questions re internal event analysis of IPE,including front-end,back-end & human reliability analysis portions.  
KELLY,G.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 11pp. 82282:204-82282:214.

9501130204 Forwards amend 206 to license DPR-49 & safety evaluation. Amend revises TS by deleting ref to written relief from ASME Code requirements being granted by NRC.  
KELLY,G.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 82319:304-82319:317.

-9501130206 Amend 206 to license DPR-49, revising TS by deleting ref to written relief from ASME Code requirements being granted by NRC.  
NORRHOLM,L.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82319:307-82319:311.

-9501130208 Safety evaluation supporting amend 206 to license DPR-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/06. 6pp. 82319:312-82319:317.

9501300124 Confirms D Schrum & T Lenaghan discussion re mgt meeting on 950201 for reanalysis of 10CFR50,App R safe shutdown.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/20. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 1pp. 82512:186-82512:188.

-9501300141 Notification of significant licensee meeting w/util on Lisle,IL on 950201 to discuss reanalysis of 10CFR50,App R safe shutdown & Thermo-Lag.  
LANKSBURY,R.D. Region 3 (Post 820201). 95/01/20. Region 3 (Post 820201). 2pp. 82512:187-82512:188.

9501300245 Forwards adtl info re request for TS change to increase allowable MSIV leakage rate & delete MSIV leakage control sys.  
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/01/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 82551:345-82551:354.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### Q. Inspection reports, IE Bulletins & correspondence

950130175 Forwards insp rept 50-331/94-19 on 941019-1129.No violations noted.  
LANKSBURY,R.D. Region 3 (Post 820201). 94/12/16. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 82173:032-82173:045.

-9501030180 Insp rept 50-331/94-19 on 941019-1129.No violations noted. Major areas inspected:plant operations,maint,surveillance, onsite engineering,plant support & rept review.  
LANKSBURY,R.D. Region 3 (Post 820201). 94/12/16. 11pp. 82173:034-82173:045.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120041 Forwards insp rept 50-331/94-21 on 941212-16.Licensed operator requalification training program being implemented in accordance w/10CFR55 requirements.  
RING,M.A. Region 3 (Post 820201). 95/01/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 82279:208-82279:220.

-9501120048 Insp rept 50-331/94-21 on 941212-16.No violations noted. Major areas inspected:review of LOR training administrative procedures,training & attendance records,operating exam material & observation.  
BIELBY,M., JORDAN,M. Region 3 (Post 820201). 95/01/06. 10pp. 82279:211-82279:220.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310381 Forwards SE which finds request for reduction in IGSCC insp of recirculation piping as result of implementing HWC,acceptable.  
KELLY,G.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 82577:004-82577:020.

-9501310384 SE accepting util request for reduction in IGSCC of recirculation piping as result of implementing HWC.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 2pp. 82577:007-82577:020.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## 94 DOCKETED ITEMS

### R. Periodic operating reports & related correspondence

9501200147 Monthly operating rept for Dec 1994 for Duane Arnold Energy Ctr.W/ 950113 ltr. WOODWARD,R., WILSON,D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co), 94/12/31. 6pp. 82472:004-82472:009.

### V. Operator Examinations

9501120041 Forwards insp rept 50-331/94-21 on 941212-16.Licensed operator requalification training program being implemented in accordance w/10CFR55 requirements. RING,M.A. Region 3 (Post 820201). 95/01/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 82279:208-82279:220.

-9501120048 Insp rept 50-331/94-21 on 941212-16.No violations noted. Major areas inspected:review of LOR training administrative procedures,training & attendance records,operating exam material & observation. BIELBY,M., JORDAN,M. Region 3 (Post 820201). 95/01/06. 10pp. 82279:211-82279:220.

### DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

### F. Security, medical, emergency & fire protection plans

950110250 Submits special rept,identifying fire protection features that,by plan,being rendered inoperable to accomodate certain activities during 1994/1995 refueling outage. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/01/04. Document Control Branch (Document Control Desk). 3pp. 82302:060-82302:062.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

9501050161 Forwards amend 221 to license DPR-59 & safety evaluation. Amend revises primary containment atmosphere monitoring & drywell to torus differential pressure requirements. CONICELLA,N.F. Project Directorate I-1. 94/12/28. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 82227:329-82227:348.

-9501050166 Amend 221 to license DPR-59, revising primary containment atmosphere monitoring & drywell to torus differential pressure requirements. CASE,M.J. Project Directorate I-1. 94/12/28. 10pp. 82227:334-82227:343.

-9501050169 Safety evaluation supporting amend 221 to license DPR-59. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 5pp. 82227:344-82227:348.

9501050204 Discusses licensee 941129 ltr which submitted revised commitments associated w/implementation of TSs amend 207, issued on 940309.Informs that approval of amend conditional upon implementation of alarm setpoint mods & changes. CONICELLA,N.F. Project Directorate I-1. 94/12/29. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 82223:350-82223:353.

9501050317 Responds to request,dtd 941122, to withhold from public disclosure four handout packages associated w/plant core shroud.Concludes packages contain proprietary info & request for withholding granted. CONICELLA,N.F. Project Directorate I-1. 94/12/29. COLE,N.M. MPR Associates, Inc. 4pp. 82223:354-82223:357.

9501120074 Forwards SE accepting 941021,27 & 941213 submittals re proposed core shroud repair for plant as alternative to requirements of ASME Boiler & Vessel Code pursuant to 10CFR50.55a(a)(3)(i). CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82310:171-82310:191.

-9501120075 SE accepting 941021,27 & 941213 submittals re proposed core shroud repair as alternative to requirements of ASME Boiler & Pressure Vessel Code pursuant to 10CFR50.55a(a)(3)(i). \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 19pp. 82310:174-82310:191.

9501230249 Forwards corrected amends 220 & 221 for license DPR-59. Errors minor & had no effect on technical validity of plant TS. CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 82423:188-82423:195.

-9501230254 Corrected tech spec pages 253,53 & 181 to license DPR-59, inserting part of sentence not related to amend 220 & inserting rev bar in left hand column of amend 221. \* Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. 4pp. 82423:192-82423:195.

9501240140 Forwards amend 222 to license DPR-59 & safety evaluation. Amend revises Section 6.5, "Review & Audit," & Section 6.8, "Procedures," of TSs to establish new review & approval process for nuclear safety-related procedures. CONICELLA,N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 82423:223-82423:245.

-9501240143 Amend 222 to license DPR-59,amending TS Sections 6.5 & 6.8 to establish new review & approval process for nuclear safety-related procedures. CASE,M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. 10pp. 82423:227-82423:236.

-9501240149 Safety evaluation supporting amend 222 to license DPR-59. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/18. 9pp. 82423:237-82423:245.

9501250029 Rev 2 to "Core Operating Limits Rept." HOLMES,R. Power Authority of the State of New York (New York Power Authority). 95/01/18. 27pp. 82433:199-82433:225.

9501260111 Grants schedule extension for safety-related motor-operated valve testing & surveillance program for plant. CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/19. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 82508:054-82508:056.

9501250255 Submits results of core shroud insp performed during refueling outage at plant per GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR" requirements. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/01/20. Document Control Branch (Document Control Desk). 6pp. 82439:185-82439:190.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310197 Informs that effective 950109,CE Carpenter assigned as Project Manager for plant. MARSH,L.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 82562:005-82562:007.

### Q. Inspection reports, IE Bulletins & correspondence

9501110162 Forwards insp rept 50-333/94-30 on 941212-16 & notice of violation.Violation involves several different plant workers exhibiting very poor radiological work practices,identified by NRC. JOYNER,J.H. Region 1 (Post 820201). 94/12/22. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 82274:141-82274:152.

-9501110169 Notice of violation from insp on 941212-16.Violations noted: improper use of dosimetry by workers,workers neglected frisking procedures & improper decontamination procedures used by personnel after monitor alarms. \* Region 1 (Post 820201). 94/12/22. 2pp. 82274:144-82274:145.

-9501110178 Insp rept 50-333/94-30 on 941212-16.Violations noted.Major areas inspected:radiation protection program during refueling outage,radiological control in progress, radiation work permit usage & reviews for ALARA exposures. FURIA,J. Region 1 (Post 820201). 94/12/22. 7pp. 82274:146-82274:152.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501250255 Submits results of core shroud insp performed during refueling outage at plant per GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR" requirements. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/01/20. Document Control Branch (Document Control Desk). 6pp. 82439:185-82439:190.

9501300062 Forwards insp rept 50-333/94-29 on 941113-1231.No violations noted. COGILL,C.J. Region 1 (Post 820201). 95/01/20. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 82512:059-82512:075.

-9501300067 Insp rept 50-333/94-29 on 941113-1231.No violations noted. Major areas inspected:maint,engineering,plant support & safety assessment/quality verification. COWGILL,C.J. Region 1 (Post 820201). 95/01/20. 14pp. 82512:062-82512:075.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501060115** Monthly operating rept for Dec 1994 for JA FitzPatrick Nuclear Power Plant.W/941229 ltr. FLAGG,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 94/12/31. 6pp. 82286:338-82286:342.

#### S. Reportable occurrences, LERs & related correspondence

**9501040250** LER 94-009-00: on 941129, partial invalid primary containment isolation as result of personnel error during electrical bus power source transfer. Operations personnel restored sys to normal in accordance w/plant procedures.W/941229 ltr. CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 94/12/29. 9pp. 82245:354-82245:362.

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utills affected by notification informed. Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

**9501310015** Extends invitation to attend training managers meeting by NRC Region I on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from Region I & NRC headquarters perspectives. MEYER,G.W. Region 1 (Post 820201). 95/01/17. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 5pp. 82528:045-82528:049.

#### DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501170070** Provides Rev 23 to Issue 4 of Beaver Valley Power Station PSP (Base Plan). Encl withheld. THOMAS,G.S. Duquesne Light Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82456:321-82456:321.

**9501230313** Rev 6 to Emergency Preparedness Plan Implementing Procedure (EPP/IP) EPP/IP 1.4. "TSC Activation, Operation & Deactivation." W/950112 ltr. THOMAS,G.S. Duquesne Light Co. 95/01/12. 102pp. 82487:192-82487:291.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### H. General correspondence

**9501190069** Informs that effective 950109 manager, Quality Svcs Unit, will rept directly to Senior Vice President & Chief Nuclear Officer of Nuclear Power Division. THOMAS,G.S. Duquesne Light Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82470:313-82470:313.

**9501240263** Comment on NUREG-1122, rev 1 re technical catalog for nuclear power plant operators who operate PWR reactors. THOMAS,G.S. Duquesne Light Co. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82429:302-82429:303.

#### P. Operating license stage documents & correspondence

**9501090047** Discusses status & results of plant SWS self-assessment in meeting of 941117. Informs meeting beneficial in understanding status of self-assessment & C/A dealing w/SWS problems. Forwards list of attendees & util handouts. WIGGINS,J.T. Region 1 (Post 820201). 94/12/20. CROSS,J.E. Duquesne Light Co. 20pp. 82235:250-82235:269.

**9501120114** Requests addl info concerning plant, units 1 & 2 IPE submittal in response to GL 88-20. EDISON,G.E. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/05. CROSS,J.E. Duquesne Light Co. 9pp. 82310:341-82310:349.

**9501230200** Commits to implementing mods detailed in Westinghouse Technical Bulletin NSD-TB-94-05-R0 to current order timing at facilities as stated, in response to NRC 941205 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of RCCAs." THOMAS,G.S. Duquesne Light Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82499:357-82499:358.

**9501200030** Informs licensee that no significant hazards evaluation accompanied proposed license amends 212 & 78, dtd 941011 unsatisfactory. Requests that revised no significant hazards evaluation be submitted. EDISON,G.E. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/13. CROSS,J.E. Duquesne Light Co. 4pp. 82420:337-82420:340.

**9501270322** Submits notification of change in organizational structure within Portland General Electric Co as applies to oversight & mgt of Trojan Nuclear Plant. QUENNOZ,S.M. Pacific Gas & Electric Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82546:313-82546:313.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501110228** Forwards insp repts 50-334/94-26 & 50-412/94-27 on 941115- 1219. No violations noted. LINVILLE,J.C. Region 1 (Post 820201). 94/12/28. CROSS,J.E. Duquesne Light Co. 3pp. 82302:187-82302:201.

**-9501110230** Insp repts 50-334/94-26 & 50-412/94-27 on 941115-1219. No violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & plant support. LAZARUS,W.J. Region 1 (Post 820201). 94/12/27. 12pp. 82302:190-82302:201.

**9501040260** Forwards response to NRC 941129 ltr re violations noted in insp repts 50-334/94-24 & 50-412/94-25. Corrective actions: installing blocking diode in emergency switchgear supply fan circuitry. NOONAN,T.P. Duquesne Light Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82219:188-82219:191.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501110089** Forwards revised relief request to Unit 1 ISI program. THOMAS,G.S. Duquesne Light Co. 94/12/30. Document Control Branch (Document Control Desk). 3pp. 82295:346-82295:348.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501180161** Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/94-24 & 50-412/94-25. LINVILLE,J.C. Region 1 (Post 820201). 95/01/10. CROSS,J.E. Duquesne Light Co. 2pp. 82326:204-82326:209.

**9501180324** Forwards safety evaluation granting util 940803 request for proposed alternative (Code Case N-498-1) to ASME Boiler & Pressure Vessel Code for inservice insp program. BUTLER,W.R. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/12. CROSS,J.E. Duquesne Light Co. 3pp. 82352:133-82352:140.

**-9501180327** Safety evaluation granting util 940803 request for proposed alternative exam to requirements of ASME Boiler & Pressure Code for inservice insp program. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 5pp. 82352:136-82352:140.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501170085** Monthly operating repts for Dec 1994 for Beaver Valley Power Station.W/ 950109 ltr. JONES,D.T., NOONAN,T.P. Duquesne Light Co. 94/12/30. 9pp. 82392:323-82392:331.

**9501300150** NPDES discharge monitoring rept for Dec 1994.W/950116 ltr. ORDORF,D., NOONAN,T.P. Duquesne Light Co. 94/12/31. 36pp. 82556:259-82556:294.



## 96 DOCKETED ITEMS

### S. Reportable occurrences, LERs & related correspondence

**9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl info from balance of plants supplied valves.  
HORNIAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

### V. Operator Examinations

**9501180166** Notices that J Crum,holder of license SOP-110554-1,has completed on-shift individual license re-activation program.  
THOMAS,G.S. Duquesne Light Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82366:328-82366:328.

**9501310033** Requests attendance at Region I training manager meeting on 950207-8 re operator licensing programs,initiatives, changes & mutual items of interest.Meeting agenda encl.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. CROSS,J.E. Duquesne Light Co. 5pp. 82528:122-82528:126.

### DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9501050370** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. GOLDBERG,J.H. Florida Power & Light Co. 7pp. 82229:205-82229:211.

**9501100001** Rev 15 to EPIP 3100032E, "On-Site Support Ctrs." W/950103 ltr.  
SAGER,D.A. Florida Power & Light Co. 95/01/03. 24pp. 82293:246-82293:269.

**9501180080** Advises that 941031 revs 25 & 26 to radiological emergency plan consistent w/provisions of 10CFR50.47(b) & acceptable.  
CLINE,W.E. Region 2 (Post 820201). 95/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82324:217-82324:219.

**9501250115** Revised EIPs,including rev 15 to 3100025E, "Fire Emergencies," rev 16 to 3100027E, "Re-Entry," rev 10 to HP- 200, "Health Physics Emergency Control," & rev 7 to HP-201, "Emergency Personnel Exposure Control." W/950118 ltr.  
SAGER,D.A. Florida Power & Light Co. 95/01/18. 71pp. 82438:087-82438:157.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

**9501120029** Comment supporting proposed rule 10CFR2 re policy statement rev, "Policy & Procedure for Enforcement Actions; Policy Statement,Discrimination."  
BOHLKE,W.H. Florida Power & Light Co. 94/12/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82279:189-82279:189.

**9501130122** Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels.Endorses NEI comments & recommendations.  
BOHLKE,W.H. Florida Power & Light Co. 94/12/29. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 82299:091-82299:092.

### P. Operating license stage documents & correspondence

**9501240083** Forwards 941207 ltr requesting that NRC exercise discretion not to enforce compliance w/actions required in TS 3.3.1.1, "Reactor Protection Sys," action 2.  
EBNETER,S.D. Region 2 (Post 820201). 94/12/09. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 82419:306-82419:313.

**9501110254** Forwards ltr which documents info received by Region II from concerned individual re allegation RII-94-A-0119.Encl withheld (ref 10CFR2.790).  
MERSCHOFF,E.W. Region 2 (Post 820201). 94/12/27. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82271:305-82271:307.

**9501050370** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. GOLDBERG,J.H. Florida Power & Light Co. 7pp. 82229:205-82229:211.

**9501270137** Comment supporting proposal to issue GL providing guidance for determining when analog-to-digital replacement can be performed under requirements of 10CFR50.59.  
BOHLKE,W.H. Florida Power & Light Co. 95/01/17. NRC - No Detailed Affiliation Given. 3pp. 82490:203-82490:205.

**9501270171** Application for amends to licenses DPR-31 & DPR-41, revising TS 6.9.1.7, "COLR," re implementation of FPL nuclear physics methodology for calculations of COLR parameters.FPL Topical Rept NF-TR-95-01, "Nuclear Physics Methodology..." encl.  
PLUNKETT,T.F. Florida Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 13pp. 82552:203-82552:339.

**-9501270179** "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants."  
\* Florida Power & Light Co. NF-TR-95-01. 95/01/31. 119pp. 82552:221-82552:339.

**9501240158** Forwards amends 131 & 70 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends clarify actions required in event of inoperable equipment associated w/containment depressurization & cooling system.  
NORRIS,J.A. . 95/01/18. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82436:189-82436:225.

**-9501240167** Amends 131 & 70 to licenses DPR-67 & NPF-16, respectively, clarifying actions required in event of inoperable equipment associated w/containment depressurization & cooling sys & provide consistency between Units 1 & 2 requirements.  
MATTHEWS,D.B. . 95/01/18. 28pp. 82436:192-82436:219.

**-9501240168** Safety evaluation supporting amends 131 & 70 to licenses DPR-67 & NPF-16, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 6pp. 82436:220-82436:225.

**9501310191** Application for amends to licenses DPR-67 & NPF-16, relocating operability requirements for INCORE DETECTORS (TS 3/4.3.3.2) to updated FSAR & revising LHR surveillance 4.2.1.4 & special test exceptions surveillances.  
SAGER,D.A. Florida Power & Light Co. 95/01/20. Document Control Branch (Document Control Desk). 12pp. 82556:329-82556:359.

**-9501310198** Proposed tech specs,relocating operability requirements for INCORE DETECTORS to (TS 3/4.3.3.2) to updated FSAR & revising LHR surveillance 4.2.1.4 & special test exceptions surveillance 4.10.2.2,4.10.4.2 & 4.10.5.2.  
\* Florida Power & Light Co. 95/01/20. 19pp. 82556:341-82556:359.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501180047** Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27.Response found to be in error by describing unattended vehicle as having motor running.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/03. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 82324:081-82324:089.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501120003** Ack receipt of 941220 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/94-22 & 50-389/94-22.  
VERELLI,D.M. Region 2 (Post 820201). 95/01/05. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82279:006-82279:008.

**9501190063** Forwards response to NRC ltr re violations noted in insp repts 50-335/94-24 & 50-399/94-24.Corrective actions:changes to QI 3-PR/PSL-1,QI 5-PR/PSL-1 & administrative procedure AP-0010432 implemented on 950111.  
GOLDBERG,J.H. Florida Power & Light Co. 95/01/13. Document Control Branch (Document Control Desk). 4pp. 82456:356-82456:359.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.



**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501310065** Forwards insp repts 50-335/94-25 & 50-389/94-25 on 941204-31. No violations noted.  
VERRELLI,D.M. Region 2 (Post 820201). 95/01/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82528:235-82528:261.

**9501310071** Insp repts 50-335/94-25 & 50-389/94-25 on 941204-31. No violations noted. Major areas inspected: plant operations, maint & surveillance, engineering support & plant support.  
PREVATTE,R.L., MILLER,M.S., SCHIN,R.P. Region 2 (Post 820201). 95/01/19. 24pp. 82528:238-82528:261.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultra-sonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501240238** Monthly operating repts for Dec 1994 for St Lucie Units 1 & 2.W/950113 ltr.  
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 94/12/31. 9pp. 82512:350-82512:358.

#### S. Reportable occurrences, LERs & related correspondence

**9501230101** Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

#### DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9501040189** Informs NRC that Rev 14 to plant emergency plan was implemented in Dec 1994.  
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 94/12/27. Document Control Branch (Document Control Desk). 1p. 82260:240-82260:240.

**9501100351** Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA,J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

**9501050211** Revised Corporate Organization for Nuclear Incidents (CONI) Procedures, including Rev 50 to CONI 1.02, Rev 29 to CONI 1.03, Rev 22 to CONI 4.10, Rev 27 to CONI 5.01, Rev 5 to CONI 6.01, Rev 9 to CONI 7.01 & Rev 20 to CONI 8.01.  
RODGERS,R.C. Northeast Nuclear Energy Co. 94/12/30. 200pp. 82219:202-82220:038.

**9501120120** Forwards response to NRC 941027 RAI re CYAPCO & NNECO 940627 proposed revs to emergency plan for Haddam Neck Plant & Millstone Nuclear Power Station that would incorporate EALS based on guidance provided in NUMARC/NESP-007, Rev 2.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/01/03. Document Control Branch (Document Control Desk). 43pp. 82334:307-82334:349.

**9501180047** Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27. Response found to be in error by describing unattended vehicle as having motor running.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/03. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 82324:081-82324:089.

**9501200069** Revised EIPs, including rev 161 to 4000 Procedure Index & rev 2 to EPOP 4419, "Manager of Operational Support Cr."  
\* Northeast Nuclear Energy Co. 95/01/09. 30pp. 82426:323-82426:353.

**9501300015** Forwards insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive matl release.  
DURR,J.P. Region 1 (Post 820201). 95/01/20. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.

**9501300036** Insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts.  
NICHOLSON,L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN,R.F. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

**9501300052** Ack ltr, dtd 941115 to I Selin re allegations reported to senior RI at plant on 940329 & two petitions filed w/NRC. Informs investigation into allegations ongoing & will put Aug 1994 allegations in FR notice of director decision.  
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/01/24. ROSS,A.J. Affiliation Not Assigned. 3pp. 82512:018-82512:020.

#### H. General correspondence

**9501240255** Comment on proposed rule 10CFR50 re shutdown & low power operations. Util concerned that proposed rule will not only increase refueling outage duration, but will also increase complexity during outages.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/01/05. Docketing & Services Branch. 6pp. 82429:255-82429:260.

#### P. Operating license stage documents & correspondence

**9501170217** Eighth partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR. App Q documents partially withheld (ref FOIA exemption 6). App R documents withheld (ref FOIA exemption 6).  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 93/12/08. HUBBARD,V. Winston & Strawn. 12pp. 82573:001-82573:036.

**9501170231** Requests results of review & disposition re activities at Unit 2 in 30 days w/ no personal privacy, proprietary or safeguards info.  
HEHL,C.W. Region 1 (Post 820201). 91/05/31. MROCZKA,E.J. Northeast Nuclear Energy Co. 5pp. 82573:014-82573:130.

**9501170241** Provides response re issue 2 of RI-91-A-0103.  
MROCZKA,E.J. Northeast Nuclear Energy Co. MROCZKA,E.J. Northeast Utilities. 91/08/22. HEHL,C.W. Region 1 (Post 820201). 13pp. 82573:131-82573:162.

**9501170243** Notification of significant licensee meeting 91-69 w/util on 910612 to discuss radiation monitoring sys review & associated issues.  
KELLY,E. Region 1 (Post 820201). 91/05/23. Region 1 (Post 820201). 2pp. 82573:163-82573:167.

**9501170248** Expresses appreciation for informing NRC of results re Table of NU response.  
WENZINGER,E. Region 1 (Post 820201). 91/10/11. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82573:181-82573:234.

**9501170249** Requests result of review & disposition re activities at facility within 30 days w/ no personal privacy, proprietary or safeguard info so it can be released to PDR.  
HEHL,C.W. Region 1 (Post 820201). 91/07/01. MROCZKA,E.J. Northeast Nuclear Energy Co. 7pp. 82573:235-82573:241.

**9501170264** Partially deleted ltr responding to concern provided on 910722 re dissatisfaction w/NRC handling of 910513 & previous concerns re frequent defeating of radiation monitor horns at unit.  
WENZINGER,E. Region 1 (Post 820201). 91/12/10. Affiliation Not Assigned. 6pp. 82574:047-82574:056.

**9501170267** Partially deleted ltr responding to concerns provided on 910514 & 17, asserting that error occurred during calibr of clean liquid radiation monitor.  
WENZINGER,E. Region 1 (Post 820201). 91/12/12. Affiliation Not Assigned. 2pp. 82574:060-82574:063.

**9501170269** Partially deleted memo discussing listed allegations.  
SHEDLOSKEY,T. NRC - No Detailed Affiliation Given. 91/06/06. STEWART,S. NRC - No Detailed Affiliation Given. 1p. 82574:092-82574:100.

**9501180312** Partially deleted ltr discussing NRC completed followup of concern provided on 910520 re plant. Resolution listed.  
WENZINGER,E. Region 1 (Post 820201). 92/02/27. Affiliation Not Assigned. 7pp. 82574:208-82574:234.

**9501180342** Partially deleted ltr responding to concerns provided on 910528 & 30, asserting that unit 2 I&C technician not adequately trained to be "job supervisor," resulting in incorrect safety tagout.  
WENZINGER,E. Region 1 (Post 820201). 92/03/02. Affiliation Not Assigned. 42pp. 82574:317-82575:024.

**9501180347** Partially deleted ltr responding to concerns provided on 910529, alleging that locations for jumpers & lifted leads required by procedure 2207 do not agree between procedure steps & terminal board designations.  
WENZINGER,E. Region 1 (Post 820201). 91/08/14. Affiliation Not Assigned. 4pp. 82575:025-82575:030.

**9501180348** Partially deleted ltr forwarding results of NU review re 910529 ltr stating that electrical lead locations in procedure incorrect at unit 2.  
WENZINGER,E. Region 1 (Post 820201). 91/10/25. Affiliation Not Assigned. 2pp. 82575:031-82575:036.

## 98 DOCKETED ITEMS

**9501110073** Responds to encl 941128 note from R Kacich re self-assessment of licensure controls to ensure completeness & accuracy of outgoing correspondence. BLOUGH, A.R. Region 1 (Post 820201). 94/12/21. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82272:308-82272:333.

**95011100351** Provides followup to RAI re GL-92-08, "Thermo-Lag 330-1 Fire Barriers." Some installation parameters discussed in section II of RAI of Dec 1993 cannot be verified or determined by simple walkdowns of in-plant barriers. ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. OPEKA, J.F. Northeast Nuclear Energy Co. 8pp. 82287:009-82287:016.

**9501230329** Updates until 940613 ltr which dealt w/facility control room emergency ventilation sys. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/05. Document Control Branch (Document Control Desk). 3pp. 82481:359-82481:361.

**9501190279** Transmits TS Section 6.5.2.7 for plant re clarifications to specify audit frequency for Nuclear Safety Assessment Board. DEBARBA, E.A. Connecticut Yankee Atomic Power Co. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82394:345-82394:351.

**-9501190285** Proposed rev to TS re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
\* Connecticut Yankee Atomic Power Co. 95/01/12. 5pp. 82394:347-82394:351.

**9501190377** Informs NRC that startup assessment team established to conduct in-depth assessment of facility readiness for plant start-up. Scope of assessment includes listed categories. Startup assessment team charter encl. OPEKA, J.F. Northeast Nuclear Energy Co. 95/01/12. Document Control Branch (Document Control Desk). 5pp. 82393:358-82393:362.

**9501240264** Discusses 941117 meeting w/util re discussion of performance concerns identified at Unit 2 during ongoing refueling outage. Handouts from meeting, encl. COOPER, R.W. Region 1 (Post 820201). 95/01/17. OPEKA, J.F. Northeast Nuclear Energy Co. 33pp. 82429:269-82429:301.

**9501260379** Forwards SER supporting util submittals requesting approval to use an alternative to ASME Code Section XI, per 10CFR50.55(a)(3), ASME Code Case N-416-1, "Alternative Pressure Test Requirements for Welded Repairs or..." MCKEE, P.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 82513:190-82513:201.

**-9501260381** Safety evaluation supporting util submittals requesting approval to use an alternative to ASME Code Section XI, ASME Code Case N-416-1 re alternative pressure test requirements.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 7pp. 82513:195-82513:201.

**9501180270** Administrative ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501170258** Partially deleted memo discussing concerns w/NRC handling of allegations at unit 2. MARTIN, T.T. Region 1 (Post 820201). 91/06/07. WILLIAMS, D.C. Office of the Inspector General (Post 890417). 8pp. 82574:008-82574:017.

**-9501170268** Partially deleted ltr forwarding insp repts 50-245/91-80, 50-336/91-80 & 50-423/91-81. No violations noted. Related info encl. WENZINGER, E.C. Region 1 (Post 820201). 93/12/08. OPEKA, J.F. Northeast Nuclear Energy Co. 26pp. 82574:064-82574:091.

**-9501180268** Partially deleted ltr responding to concerns provided in May 1991 re radiation monitors & insp 50-336/91-19 noted improvements in reliability of liquid & gaseous radiation monitors. WENZINGER, E. Region 1 (Post 820201). 92/02/03. Affiliation Not Assigned. 2pp. 82574:101-82574:102.

**9501110195** Responds to encl ltrs dtd 941114 & 23 re NRC ltrs dtd 940930 & 1024. NRC will review implementation of CA for violation during subsequent insp of licensed activities. DURR, J.P. Region 1 (Post 820201). 94/12/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82271:261-82271:278.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501060059** Forwards corrected page 1 of SE re NRC bulletin 90-01 suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." MCKEE, P.F. Project Directorate I-4 (PD-1-4) (Post 941001). 94/12/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp. 82259:163-82259:167.

**-9501060089** Corrected Page 1 of SE re NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters by Rosemount," ref correct units 2 & 3.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. 1p. 82259:167-82259:167.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501200005** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-32, 50-336/94-31 & 50-423/94-29. JOYNER, J.H. Region 1 (Post 820201). 95/01/12. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 82351:144-82351:152.

**9501240042** Forwards insp repts 50-245/94-37, 50-336/94-35 & 50-423/94-33. Noncited violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/01/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82417:279-82417:303.

**-9501240052** Insp repts 50-245/94-37, 50-336/94-35 & 50-423/94-33 on 941206-09. Noncited violations noted. Major areas inspected: action on previous findings, planning & preparation for plant outage & organization. NIMITZ, R.L., BORES, R.J. Region 1 (Post 820201). 95/01/01. 22pp. 82417:282-82417:303.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501104412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501300015** Forwards insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive material release. DURR, J.P. Region 1 (Post 820201). 95/01/20. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.

**-9501300031** Notice of violation from combined insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31. Violations noted: failure to adequately install unit 1 containment door during irradiated fuel movement & failure to verify unit 2 valve closure.  
\* Region 1 (Post 820201). 95/01/20. 2pp. 82511:126-82511:127.

**-9501300036** Insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted: Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts. NICHOLSON, L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mail Brought Inside Containment." GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501230114** Monthly operating repts for Dec 1994 for Millstone Nuclear Plant Units 1, 2 & 3. W/950113 ltr. NEWBURGH, G., MILLER, D.B. Northeast Nuclear Energy Co. 94/12/31. 17pp. 82497:244-82497:260.

### S. Reportable occurrences, LERs & related correspondence

**9501060141** LER 94-040-00: on 941206, discovered that ventilation design deficiency affecting enclosure bldg integrity. Encl bldg integrity declared inoperable. Work in progress to redesign hydrogen analyzer. W/941228 ltr. LUTZ, P.J., MILLER, D.B., HAYNES, H.F. Northeast Nuclear Energy Co. 94/12/28. 4pp. 82287:146-82287:149.

**9501120009** LER 94-041-00: on 941208, review of event that occurred on 941020 indicated loss of electrical facility separation. Caused by degraded condition of floor drains. Immediate isolation of SW flow initiated. W/950106 ltr. LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/01/06. 4pp. 82341:357-82341:360.

**9501270247** LER 94-042-00: on 941222, unqualified ESAS power suppliers installed. Caused by lack of procedural detail for making notification to plant. Power suppliers replaced as part of 1994 refueling outage. W/950118 ltr. LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/01/18. 4pp. 82575:087-82575:090.

### V. Operator Examinations

**9501310014** Invites util staff to attend Training Managers meeting on 950207 & 08 to discuss status of operator licensing programs from Region 1 & NRC Headquarters perspectives & provide forum for discussion of mutual items of interest. MEYER, G.M. Region 1 (Post 820201). 95/01/17. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 82528:040-82528:044.

**9501310095** Extends invitation to attend Training Manager meeting on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from region 1 & NRC headquarters perspectives. MEYER, G.W. Region 1 (Post 820201). 95/01/17. GUILFOIL, T. Sonalysts, Inc. 5pp. 82529:103-82529:107.

## DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

## F. Security, medical, emergency &amp; fire protection plans

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records, App HH records partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY, V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300248 Partially withheld paper re review of ALAB-741. FITZGERALD, J.A. Office of the General Counsel (Post 860701). SECY-83-436. 83/10/25. 19pp. 82525:157-82525:175.

9501050239 Forwards rev 35 to North Anna Power Station physical security plan, per 10CFR50.54(p)(2). Plan withheld. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. Document Control Branch (Document Control Desk). 1p. 82287:292-82287:292.

9501050350 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

9501050066 Forwards insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202. Rept discusses Fitness for Duty incident re apparent falsification of records by corporate Fitness for Duty Coordinator. STOHR, J.P. Region 2 (Post 820201). 94/12/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82179:016-82179:021.

-9501050079 Partially withheld insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program for power reactors. TOBIN, W.J., MCGUIRE, D.R. Region 2 (Post 820201). 94/12/29. 1p. 82179:021-82179:021.

9501170081 Provides notification of temporary special security measures to be implemented for containment access facility being const to support plant Unit 2 SG replacement/refueling outage. Encl withheld. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82378:261-82378:262.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

## G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

## P. Operating license stage documents &amp; correspondence

9501050350 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.

9501240131 Provides schedules for implementation of recommended surveillance testing & current order timing changes at stations, in response to NRC 941214 RAI re GL 93-04. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82508:358-82508:359.

9501240212 Forwards SE authorizing licensee 940623 submittal, requesting approval to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding. MATTHEWS, D.B. 95/01/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82485:219-82485:224.

-9501240216 Safety evaluation authorizing approval to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 4pp. 82485:221-82485:224.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310135 Submits notification re stationary source permit to construct & operate an EDG. CLADDER, A.W. Virginia Power (Virginia Electric & Power Co.). 95/01/25. HAYLTON, G.L. Virginia, Commonwealth of. 6pp. 82575:331-82575:338.

## Q. Inspection reports, IE Bulletins &amp; correspondence

9501240063 Informs that, based on NRC review of resumes submitted by util for self assessment team, level of effort proposed for self assessment acceptable & that onsite insp need not be conducted prior to rept being finalized. PEEBLES, T.A. Region 2 (Post 820201). 94/11/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82417:247-82417:248.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050066 Forwards insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202. Rept discusses Fitness for Duty incident re apparent falsification of records by corporate Fitness for Duty Coordinator. STOHR, J.P. Region 2 (Post 820201). 94/12/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82179:016-82179:021.

-9501050079 Partially withheld insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program for power reactors. TOBIN, W.J., MCGUIRE, D.R. Region 2 (Post 820201). 94/12/29. 1p. 82179:021-82179:021.

9501090145 Forwards "1994 Unit 1 Refueling Outage ISI Summary Rept," summarizing exams performed during outage of second period of North Anna Unit 1 second 10-yr ISI interval. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82291:001-82291:186.

-9501090171 "1994 Unit 1 Refueling Outage ISI Summary Rept." Virginia Power (Virginia Electric & Power Co.). 94/12/29. 180pp. 82291:003-82291:186.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120052 Forwards insp repts 50-338/94-30 & 50-339/94-30 on 941120-1224. No violations or deviations noted. VERRELLI, D.M. Region 2 (Post 820201). 95/01/06. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82279:273-82279:297.

-9501120064 Insp repts 50-338/94-30 & 50-339/94-30 on 941120-1224. No violations or deviations noted. Major areas inspected: plant status, plant operations, maintenance observations, surveillance observation & plant support activities. MCWHORTER, R.D., TAYLOR, D.R., SHACKELFORD, J. Region 2 (Post 820201). 95/01/06. 21pp. 82279:275-82279:297.

9501130131 Comments on insp repts 50-338/94-28 & 50-339/94-28 on 941114-18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82361:360-82361:361.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment." GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## R. Periodic operating reports &amp; related correspondence

9501180216 Monthly operating repts for Dec 1994 for North Anna Power Units 1 & 2. W/950110 ltr. STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 12pp. 82393:067-82393:078.

## 100 DOCKETED ITEMS

### S. Reportable occurrences, LERs & related correspondence

- 9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNBYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.
- 9501100245** LER 94-008-00: on 941215, inadequate missile protection due to incomplete procurement/design review of manhole covers. Info Action Statement for AP-41. Severe Weather Conditions was entered at 1045 hr on 941215. W/950104 ltr. STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/01/04. 5pp. 82296:015-82296:019.
- 9501240074** Special rept: on 940901, determined that fire damper visual insps not performed as required due to fire protection SRs being originally misinterpreted. Requirements for visual insps incorporated into periodic test procedures.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82513:050-82513:051.

### DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

- 9501300214** Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.
- 9501300248** Partially withheld paper re review of ALAB-741.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). SECY-83-436. 83/10/25. 19pp. 82525:157-82525:175.
- 9501050239** Forwards rev 35 to North Anna Power Station physical security plan, per 10CFR50.54(p)(2). Plan withheld.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/27. Document Control Branch (Document Control Desk). 1p. 82287:292-82287:292.
- 9501050350** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.
- 9501050066** Forwards insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202. Rept discusses Fitness for Duty incident re apparent falsification of records by corporate Fitness for Duty Coordinator.  
STOHR,J.P. Region 2 (Post 820201). 94/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82179:016-82179:021.
- 9501050079** Partially withheld insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program for power reactors.  
TOBIN,W.J. Region 2 (Post 820201). 94/12/29. 1p. 82179:021-82179:021.
- 9501170081** Provides notification of temporary special security measures to be implemented for containment access facility being const to support plant Unit 2 SG replacement/refueling outage. Encl withheld.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82376:261-82376:262.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

- 9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

- 9501050350** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 82229:198-82229:204.
- 9501240131** Provides schedules for implementation of recommended surveillance testing & current order timing changes at stations, in response to NRC 941214 RAI re GL 93-04.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82508:358-82508:359.
- 9501240212** Forwards SE authorizing licensee 940623 submittal, requesting approval to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.  
MATTHEWS,D.B. 95/01/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82485:219-82485:224.

**-9501240216** Safety evaluation authorizing approval to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 4pp. 82485:221-82485:224.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310135** Submits notification re stationary source permit to construct & operate an EDG.  
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/01/25. CLAYTON,G.L. Virginia, Commonwealth of. 6pp. 82575:331-82575:338.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9501240063** Informs that, based on NRC review of resumes submitted by util for self assessment team, level of effort proposed for self assessment acceptable & that onsite insp need not be conducted prior to rept being finalized.  
PEEBLES,T.A. Region 2 (Post 820201). 94/11/25. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82417:247-82417:248.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures at Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501050066** Forwards insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202. Rept discusses Fitness for Duty incident re apparent falsification of records by corporate Fitness for Duty Coordinator.  
STOHR,J.P. Region 2 (Post 820201). 94/12/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 82179:016-82179:021.
- 9501050079** Partially withheld insp repts 50-338/94-29 & 50-339/94-29 on 941128-1202 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program for power reactors.  
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 94/12/29. 1p. 82179:021-82179:021.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501120052** Forwards insp repts 50-338/94-30 & 50-339/94-30 on 941120-1224. No violations or deviations noted.  
VERRELLI,D.M. Region 2 (Post 820201). 95/01/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 82279:273-82279:297.
- 9501120064** Insp repts 50-338/94-30 & 50-339/94-30 on 941120-1224. No violations or deviations noted. Major areas inspected: plant status, plant operations, maintenance observations, surveillance observation & plant support activities.  
MCWHORTER,R.D., TAYLOR,D.R., SHACKELFORD,J. Region 2 (Post 820201). 95/01/06. 21pp. 82279:275-82279:297.
- 9501130131** Comments on insp repts 50-338/94-28 & 50-339/94-28 on 941114-18.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82361:360-82361:361.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

**9501180216** Monthly operating repts for Dec 1994 for North Anna Power Units 1 & 2.W/950110 ltr.  
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 12pp. 82393:067-82393:078.

**S. Reportable occurrences, LERs & related correspondence**

**9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of add input from balance of plants supplied valves.  
HORNAYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

**9501240074** Special rept:on 940901,determined that fire damper visual insps not performed as required due to fire protection SRs being originally misinterpreted.Requirements for visual insps incorporated into periodic test procedures.  
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/01/17. Document Control Branch (Document Control Desk). 2pp. 82513:050-82513:051.

**DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9501300214** Twenty-first partial response to FOIA request for info. Forwards App HH records.App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

**9501300244** Partially withheld paper re review of ALAB-707.  
TRUBATCH,S.L. Office of the General Counsel (Post 860701). SECY-83-048. 83/02/01. 24pp. 82524:359-82525:022.

**9501050162** Ack receipt of util 941209 ltr in response to NRC correspondence identifying concern re training qualifications for plant security personnel.NRC review of util investigation sufficient w/no further questions.  
CANIANO,R.J. Region 3 (Post 820201). 94/12/28. GIPSON,D.R. Detroit Edison Co. 2pp. 82178:181-82178:185.

**9501050174** Advises that based on review,NRC determined that rev 11 to only Section J of plant emergency plan received in Nov 1994 acceptable & does not degrade effectiveness of licensee planning.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. GIPSON,D.R. Detroit Edison Co. 1p. 82178:216-82178:216.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ end.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power plants w/Thermo-Lag fire barrier matl until matl replaced.Informs request for reactors shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**H. General correspondence**

**9412300046** Responds to ltr,dtd 941129 forwarding ltr,dtd 941121 from Citizens Resistance at Fermi 2 re NRC findings in 941115 restart SE & info declared proprietary.Informs no new safety issues raised by 941121 ltr & plant restart proceeding.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/21. DINGELL,J.D. House of Rep., Energy & Commerce. 3pp. 82536:266-82536:273.

**9412300055** Forwards ltr,dtd 941121,from Citizens Resistance at Fermi 2 re proposed restart of plant.Informs group disagrees w/some findings in 941115 SE of plant.Requests ltr be reviewed for any other info not previously considered.  
DINGELL,J.D. House of Rep., Energy & Commerce. 94/11/29. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 82536:268-82536:273.

**9501120021** Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees.  
GOODMAN,L.S. Detroit Edison Co. 95/01/09. Office of the Secretary of the Commission. 2pp. 82279:161-82279:162.

**9501190005** Comment supporting proposed rule 10CFR50 re shutdown & low power operations for NP reactors.All util outages currently controlled by defense in depth philosophy implemented by operations & work control group.  
JONDLE,D. Detroit Edison Co. 95/01/11. Docketing & Services Branch. 5pp. 82335:051-82335:055.

**P. Operating license stage documents & correspondence**

**9501240155** Forwards corrected pages of SE re restart issued for plant.  
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/12/15. DINGELL,J.D. House of Rep., Energy & Commerce. 2pp. 82436:330-82436:352.

**9501240170** Safety evaluation informing that licensee has adequately addressed contributing root causes that have been identified for 931225 turbine failure event.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/15. 20pp. 82436:331-82436:352.

**9501030097** Forwards relief request VR-59 for IST program for pumps & valves to resolve listed inspector follow-up item noted in Insp Rept 50-341/94-09.ISI program revised to include relief request.  
GIPSON,D.R. Detroit Edison Co. 94/12/27. Document Control Branch (Document Control Desk). 3pp. 82223:151-82223:153.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310111** Forwards safety evaluation accepting util response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." Concludes that condition of plant core shroud not degraded from IGSCC.  
COLBURN,T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. GIPSON,D.R. Detroit Edison Co. 3pp. 82561:332-82561:340.

**9501310118** Safety evaluation accepting util response to GL 94-03 re intergranular stress corrosion cracking of core shrouds in BWRs.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 6pp. 82561:335-82561:340.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. BLIND,A.A., CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 7pp. 82529:096-82529:102.

**Q. Inspection reports, IE Bulletins & correspondence**

**9501050128** Forwards insp rept 50-341/94-17 on 941128-1202.No violations noted.  
MCCORMICK,J.W. Region 3 (Post 820201). 94/12/23. GIPSON,D.R. Detroit Edison Co. 2pp. 82178:128-82178:135.

**9501050141** Insp rept 50-341/94-17 on 941128-1202.No violations noted. Major areas inspected:mgt organization,solid radwaste & implementation of revised 10CFR20.  
HAGUE,R.L., PAUL,R., MCCORMICK-BARGE Region 3 (Post 820201). 94/12/23. 6pp. 82178:130-82178:135.

**9501030097** Forwards relief request VR-59 for IST program for pumps & valves to resolve listed inspector follow-up item noted in Insp Rept 50-341/94-09.ISI program revised to include relief request.  
GIPSON,D.R. Detroit Edison Co. 94/12/27. Document Control Branch (Document Control Desk). 3pp. 82223:151-82223:153.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190068** Forwards insp rept 50-341/94-16 on 941021-1216 & NOV.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/11. GIPSON,D.R. Detroit Edison Co. 6pp. 82335:276-82335:307.

**9501190077** Notice of violation from insp on 941021-1216.Violation noted:operators tagged out C RHRSW pump for maint,making pump inoperable & failing to verify alternative method of DHR available.  
\* Region 3 (Post 820201). 95/01/11. 2pp. 82335:282-82335:283.

**9501190078** Insp rept 50-341/94-16 on 941021-1216.Violation noted. Major areas inspected:action on previous insp findings, operational safety verification & engineered safety features sys.  
PHILLIPS,M.P. Region 3 (Post 820201). 95/01/06. 24pp. 82335:284-82335:307.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

## 102 DOCKETED ITEMS

9501300019 Forwards insp rept 50-341/94-15 on 950103-0106.No violations noted. BURGESS,B.L. Region 3 (Post 820201). 95/01/23. GIPSON,D.R. Detroit Edison Co. 2pp. 82511:181-82511:187.

-9501300024 Insp rept 50-341/94-15 on 950103-06.No violations noted. Major areas inspected:QA activities & related training issues. LOUGHEED,V.P., LANGSTAFF,R.A., BURGESS,B.L. Region 3 (Post 820201). 95/01/23. 5pp. 82511:183-82511:187.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200181 Monthly operating rept for Dec 1994 for Fermi 2.W/950113 ltr. STONE,B.J., GIPSON,D.R. Detroit Edison Co. 94/12/31. 4pp. 82472:293-82472:296.

### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR. \* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants. \* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501190267 LER 94-011-00:on 941123.erratic indication observed for intermediate range monitor "E" during testing of SRM "C". Caused by personnel low sensitivity of significance.Screws replaced & tightened as necessary.W/950111 ltr. PENDERGAST,J.M., GIPSON,D.R. Detroit Edison Co. 95/01/11. 6pp. 82381:038-82381:042.

9501250289 Forwards 940707 internal DE memo re facility turbine generator event of 931225,at request of T Colburn. Understands that reason memo requested was because memo discussed info about shaft bow. GIPSON,D.R. Detroit Edison Co. 95/01/17. Document Control Branch (Document Control Desk). 4pp. 82514:097-82514:100.

9501270144 PNO-III-94-090A:on 950118.startup following turbine generator failure outage occurred.Plans to complete testing static exc'ter & intends to replace low-pressure turbine during next refueling outage. PHILLIPS,M., GREENMAN,E.G. Region 3 (Post 820201). 95/01/19. 1p. 82490:211-82490:211.

### U. Congressional/Executive Correspondence

9501240155 Forwards corrected pages of SE re restart issued for plant. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/12/15. DINGELL,J.D. House of Rep., Energy & Commerce. 2pp. 82436:330-82436:352.

-9501240170 Safety evaluation informing that licensee has adequately addressed contributing root causes that have been identified for 931225 turbine failure event. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/15. 20pp. 82436:331-82436:352.

### DOCKET 50-344 TROJAN NUCLEAR PLANT

#### C. Utility Environmental Report (ER), amends & correspondence

9501310189 Forwards PGE-1061, "Trojan Nuclear Plant Decommissioning Plan" & PGE-1063, "Trojan Nuclear Plant Suppl to Applicant Environ Rept Post-Operating License Stage." QUENNOZ,S.M. Portland General Electric Co. 95/01/26. Document Control Branch (Document Control Desk). 2pp. 82604:001-82604:012.

-9501310199 "Trojan Nuclear Plant Suppl to Applicant Environ Rept Post- Operating License Stage." \* Portland General Electric Co. 95/01/26. 62pp. 82604:315-82605:012.

#### F. Security, medical, emergency & fire protection plans

9501170116 Revised EIPs,including corrected pages 1,2 & 11 to EPIP-1, rev 2,corrected pages 1,2 & 15 to EPIP-5,rev 4 & corrected pages 1,2 & 9 to EPIP-6,rev 1.W/950105 ltr. QUENNOZ,S.M. Portland General Electric Co. 95/01/05. 8pp. 82392:332-82392:342.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501030160 Amend 7 to PGE-1025, "Environ Qualification Program Manual for Trojan Nuclear Plant." CHERNOFF,H.K. Portland General Electric Co. 94/12/21. 10pp. 82223:187-82223:196.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310386 Notification of 950202 meeting w/Portland Gas & Electric in Rockville,MD to discuss proposed spent fuel storage installation to be located at site of plant. RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/01/24. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82548:044-82548:044.

9501310189 Forwards PGE-1061, "Trojan Nuclear Plant Decommissioning Plan" & PGE-1063, "Trojan Nuclear Plant Suppl to Applicant Environ Rept Post-Operating License Stage." QUENNOZ,S.M. Portland General Electric Co. 95/01/26. Document Control Branch (Document Control Desk). 2pp. 82604:001-82605:012.

-9501310192 "Trojan Nuclear Plant Decommissioning Plan." \* Portland General Electric Co. PGE-1061. 95/01/26. 312pp. 82604:003-82604:314.

-9501310199 "Trojan Nuclear Plant Suppl to Applicant Environ Rept Post- Operating License Stage." \* Portland General Electric Co. 95/01/26. 62pp. 82604:315-82605:012.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501100227 Monthly operating rept for Dec 1994 for Trojan Nuclear Plant.W/950104 ltr. MEGHEE,M.H., QUENNOZ,S.M. Pacific Gas & Electric Co. 94/12/31. 5pp. 82291:303-82291:307.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9501310386 Notification of 950202 meeting w/Portland Gas & Electric in Rockville,MD to discuss proposed spent fuel storage installation to be located at site of plant. RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/01/24. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82548:044-82548:044.

### DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501230054 Revised EIPs,including Rev 0 to RA-EP-02710, "Reentry" & Rev 0 to RA-EP-02864, "Containment Evacuation." \* Centerior Energy. 94/09/11. 30pp. 82497:161-82497:190.

9501040228 Rev 1 to EPIP HS-EP-02850, "Hazardous Chemical & Oil Spills." \*O'CONNOR,W.J. Centerior Energy. 94/12/29. 53pp. 82219:065-82219:117.

9501190084 Rev 30 to emergency plan off normal occurrence procedures manual table of contents. \* Centerior Energy. 94/12/29. 3pp. 82470:338-82470:340.



**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**-9501060113** Requests that all nuclear power plants currently using Thermo-Lag fire barrier matl be shutdown until matl replaced. Notes president of company that mfg Thermo-Lag charged w/ conspiracy to defraud US on effectiveness of matl.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 94/10/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 82282:102-82282:104.

#### H. General correspondence

**9501130114** Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors.  
STETZ,J.P. Centerior Service Co. 95/01/04. Document Control Branch (Document Control Desk). 3pp. 82299:049-82299:051.

#### P. Operating license stage documents & correspondence

**9501130119** Forwards results of water supply performance evaluation study 35 (WS 035) for lab at plant.  
WOOD,J.K., PERCIVAL,A.M. Toledo Edison Co. 95/01/03. MURFF,N. Environmental Protection Agency. 9pp. 82361:345-82361:353.

**9501260271** Forwards TS pages reflecting clarifications to license amend application 90-0048.  
LEISURE,M.K. Centerior Energy. 95/01/10. GUNDRUM,L.L. NRC - No Detailed Affiliation Given. 7pp. 82513:239-82513:245.

**9501260187** Forwards amend 194 to license NPF-3 & safety evaluation. Amend revises TS 1.8.c & definition of "containment integrity," & TS 4.6.1.1.b,4.6.1.2.f,4.6.1.1 & footnote to TS 4.6.1.1.a.TS 3.6.1.3 & 3/4.6.1.1 also revised.  
GUNDRUM,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17.  
STETZ,J.P. Centerior Energy. STETZ,J.P. Toledo Edison Co. 4pp. 82508:070-82508:086.

**-9501260196** Amend 194 to license NPF-3, revising TS 1.8.c & definition of "containment integrity" & TS 4.6.1.1.b,4.6.1.2.f,4.6.1.1 & footnote to 4.6.1.1.a.TS 3.6.1.3 & 3/4.2.1.1 also revised.  
GUNDRUM,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 9pp. 82508:074-82508:082.

**-9501260200** Safety evaluation supporting amend 194 to license NPF-3.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 4pp. 82508:083-82508:086.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. DAMPF,J.F. Union Electric Co. COOK,J.G. Illinois Power Co. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089. "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501050061** Forwards insp rept 50-346/94-13 on 941025-1208 & notice of violation.  
LANKSBURY,R.D. Region 3 (Post 820201). 94/12/28. STETZ,J.P. Centerior Service Co. 2pp. 82179:001-82179:015.

**-9501050071** Notice of violation from insp on 941025-1208.Violation noted:foreign matl exclusion closure insp of RC/refuel canal was not adequately done following completion of refueling activities & reassembly of reactor on 941026.  
\* Region 3 (Post 820201). 94/12/28. 1p. 82179:003-82179:003.

**-9501050076** Insp rept 50-346/94-13 on 941025-1208.Violations noted. Major areas inspected:plant operations,surveillances,maint, onsite engineering,plant support & license event repts.  
LANKSBURY,R.D. Region 3 (Post 820201). 94/12/28. 12pp. 82179:004-82179:015.

**9412270233** NRC Info Notice 94-090. "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001. "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108. "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501240036** Ack receipt of 950116 ltr informing NRC of steps taken to correct violations noted in insp rept 50-347/94-10.C/A to be reviewed in future insp.  
AXELSON,W.L. Region 3 (Post 820201). 95/01/16. STETZ,J.P. Toledo Edison Co. 3pp. 82417:171-82417:181.

**9501100350** NRC Info Notice 95-002. "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003. "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004. "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005. "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501310036** Forwards insp rept 50-346/94-12 on 941128-1216 & notice of violation.  
JACOBSON,J.M. Region 3 (Post 820201). 95/01/24. STETZ,J.P. Centerior Energy. 2pp. 82528:127-82528:142.

**-9501310043** Notice of violation from insp on 941128-1216.Violation noted:plant did not adequately evaluate increased diagnostic equipment inaccuracies described in ITI-MQVATS 10CFR21 notification 920228.  
\* Region 3 (Post 820201). 95/01/23. 2pp. 82528:129-82528:130.

**-9501310055** Insp rept 50-346/94-12 on 941128-1216.Violations noted.Major areas inspected:licensee response to GI 89-10, "Safety-Related Motor Operated Valve Testing & Surveillance" (2515/109) licensee self assessment in this area.  
BURGESS,S.D., GUZMAN,J.G., PEGG,W.D. Region 3 (Post 820201). 95/01/23. 12pp. 82528:131-82528:142.

**9501190091** NRC Info Notice 95-006. "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008. "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200198** Monthly operating rept for Dec 1994 for DBNPS Unit 1. W/950116 ltr.  
WOLF,G., WOOD,J.K. Toledo Edison Co. 94/12/31. 8pp. 82478:032-82478:039.

**9501200362** "Wastewater Rept for Dec 1994 for Davis-Besse Nuclear Power Station,Unit 1." W/950110 ltr.  
WOOD,J.K. Toledo Edison Co. 94/12/31. 8pp. 82472:245-82472:252.

#### V. Operator Examinations

**9501190161** Requests ref matl identified in attachment 2 of ES-201 by Feb 1995 to prepare written & operating exams scheduled for week of 950508.  
RING,M.A. Region 3 (Post 820201). 95/01/11. STETZ,J.P. Centerior Service Co. 3pp. 82336:137-82336:139.

#### DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501240053** Informs of 950227-0302 operational safeguards response evaluation program, to evaluate readiness of licensees on-site security forces to respond to external threat.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/14. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82417:331-82417:333.

**9501040129** Advises that 941128 rev 5 & 6 of Farley Contingency Plan consistent w/ provisions of 10CFR50.54(p) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 82260:225-82260:226.

**9501190130** Rev 53 to EPIP FNP-O-EIP-8.1, "Emergency Phone List." W/ 950110 ltr.  
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/10. 65pp. 82394:155-82394:219.

**9501250284** Forwards cover page for security plan,rev 27.Encl withheld.  
\* Southern Nuclear Operating Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82518:126-82518:126.

**9501240253** Rev 0 to EPIP FNP-O-EIP-8.2, "Notification Roster." W/ 950112 ltr.  
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/12. 105pp. 82510:128-82510:232.

**9501310458** Rev 1 to EPIP FNP-O-EIP-0008, "On-Call Schedule." W/950120 ltr.  
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/20. 15pp. 82576:293-82576:307.



## 104 DOCKETED ITEMS

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

**9501060073** Forwards amends 111 & 102 to licenses NPF-2 & NPF-8, respectively, Amends delete requirement for control room chlorine detection system from TS & associated bases. SIEGEL,B.L. Project Directorate II-1. 94/12/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82259:252-82259:269.

**-9501060077** Amends 111 & 102 to licenses NPF-2 & NPF-8, respectively, deleting TS requirement for control room chlorine detection system. BATEMAN,W.H. Project Directorate II-1. 94/12/28. 12pp. 82259:255-82259:266.

**-9501060079** Safety evaluation supporting amends 111 & 102 to licenses NPF-2 & NPF-8, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 3pp. 82259:267-82259:269.

**9501200235** Application for amends to Licenses NPF-2 & NPF-8, incorporating line-item TS improvements to reduce surveillance requirements for testing during power operation in response to GL 93-05. MOREY,D. Southern Nuclear Operating Co. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82478:059-82478:100.

**-9501200239** Proposed tech specs re line-item improvements, per GL 93-05. \* Southern Nuclear Operating Co. 95/01/09. 3pp. 82478:062-82478:100.

**9501230171** Requests authorization to use alternative rules for 10-yr hydrostatic testing for Class 1, 2 & 3 sys based on ASME Code Case N-498-1. MOREY,D. Southern Nuclear Operating Co. 95/01/13. Document Control Branch (Document Control Desk). 3pp. 82504:106-82504:108.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501110065** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/94-24 & 50-364/94-24 on 941108. JAUDON,J.P. Region 2 (Post 820201). 94/12/27. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 82272:172-82272:173.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501170013** Forwards insp repts 50-348/94-30 & 50-364/94-30 on 941114-1211. No violations noted. CHRISTENSEN,H. Region 2 (Post 820201). 95/01/06. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82313:299-82313:326.

**-9501170017** Insp repts 50-348/94-30 & 50-364/94-30 on 941114-1211. No violations noted. Major areas inspected: operations, maint/ surveillance, engineering/technical support & general plant support. ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 95/01/06. 25pp. 82313:302-82313:326.

**9501170066** Forwards insp repts 50-348/94-28 & 50-364/94-28 on 941031-1104 & 1213. No violations or deviations noted. Requests that listed info be submitted to aid in resolution of remainder. CASTO,C.A. Region 2 (Post 820201). 95/01/06. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82314:158-82314:182.

**-9501170068** Insp repts 50-348/94-28 & 50-364/94-28 on 941031-1104 & 941213. No violations noted. Major areas inspected: completion of implementation of commitments made in response to GL 89-10, "Safety-Related MOV Testing & Surveillance." GIRARD,E., CASTO,C. Region 2 (Post 820201). 95/01/06. 22pp. 82314:161-82314:182.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**950120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**950120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501200188** Monthly operating repts for Dec 1994 for J M Farley Nuclear Plant Units 1 & 2. W/950113 ltr. HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 94/12/31. 10pp. 82472:324-82472:333.

### S. Reportable occurrences, LERs & related correspondence

**9501260163** Forwards attached documents re postulated loss of SFPC events at plant, units 1 & 2. SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82536:290-82536:295.

**-9501300302** Forwards addl info re Farley loss of SFP cooling events along w/other related events & info. LOCHBAUM,D. Affiliation Not Assigned. 95/01/05. SHEA,J. NRC - No Detailed Affiliation Given. 3pp. 82536:293-82536:295.

### DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9501050057** Notification of significant licensee meeting 94-149 w/util on 950109 in King of Prussia, PA to discuss upcoming Unit 2 outage & changes in health physics organization. ANDERSON,C.J. Region 1 (Post 820201). 94/12/22. Region 1 (Post 820201). 2pp. 82179:088-82179:089.

**9501110201** Forwards insp repts 50-352/94-28 & 50-353/94-28 on 941128-1201. No safety concerns or violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/12/23. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82274:171-82274:186.

**-9501110214** Insp repts 50-352/94-28 & 50-353/94-28 on 941125-1201. No violations noted. Major areas inspected: insp of EP program within plant support functional area. MAIER,W., KEIMIG,R. Region 1 (Post 820201). 94/12/23. 13pp. 82274:174-82274:186.

**9501100285** Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.

**9501130218** Forwards Issue 2, Rev 2 to physical security plan, reflecting implementation of hand geometry biometrics for site access control in accordance w/exemption from certain requirements of 10CFR73.55 granted 941109. Encl withheld per 10CFR73.21. HELWIG,D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82347:348-82347:349.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

**9501100313** Forwards Environ Assessment & Finding of No Significant Impact re request for exemption from certain requirements of 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water Cooled Reactors," for Units 1 & 2. RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82282:316-82282:323.

- 9501100315 Environ Assessment & Finding of no Significant Impact. Proposed action would grant exemption from 10CFR50, App J, "Primary Reactor Containment Leakage Testing Water Cooled Power Reactors." POSTLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/15. 5pp. 82282:319-82282:323.
- 9501030161 Forwards amends 83 & 44 to licenses NPF-39 & NPF-85 & safety evaluation. Amends remove surveillance frequency details re 10CFR50, App J, Types B & C testing from TS. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/19. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82177:321-82177:333.
- 9501030166 Amends 39 & 44 to licenses NPF-39 & NPF-44, respectively, removing surveillance frequency details re 10CFR50, App J, Types B & C testing from TS. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/19. 8pp. 82177:324-82177:331.
- 9501030171 Safety evaluation supporting amends 83 & 44 to licenses NPF-39 & NPF-85, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/19. 2pp. 82177:332-82177:333.
- 9501030141 Submits info supporting exemption from 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors," per 10CFR50.12(a). HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/22. Document Control Branch (Document Control Desk). 6pp. 82223:164-82223:169.
- 9501050057 Notification of significant licensee meeting 94-149 w/uti on 950109 in King of Prussia, PA to discuss upcoming Unit 2 outage & changes in health physics organization. ANDERSON, C.J. Region 1 (Post 820201). 94/12/22. Region 1 (Post 820201). 2pp. 82179:088-82179:089.
- 9501060275 Forwards exemption from certain requirements of 10CFR50, App J "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors." Exemption needed to allow continuation of plant operation within 24 month cycle. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82257:348-82257:357.
- 9501060277 Exemption from certain requirements of 10CFR50, App J "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors" allowing continuation of plant operation within 24 month cycle. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 94/12/22. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 82257:351-82257:357.
- 9501100285 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82263:120-82263:128.
- 9501120130 Notifies of renewal of NPDES Permit PA0051926. PA Dept of Environ Resources & renewed Permit PA0051926 authorizing utli to discharge effluents from LGS to Schuylkill & Possum Hollow Run encl. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/04. Document Control Branch (Document Control Desk). 112pp. 82338:151-82338:265.
- 9501110024 Ack receipt of encl 941121 ltr transmitting licensee request to eliminate independent safety engineering group composition requirements for plant Units 1 & 2, while maintaining independent technical review function. MODES, M.C. Region 1 (Post 820201). 95/01/05. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82272:250-82272:257.
- 9501110222 Requests that review of corrective action repts be transferred from independent nuclear QA to line organization for plants. MODES, M.C. Region 1 (Post 820201). 95/01/05. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82273:142-82273:154.
- 9501120160 Provides response to request for addl info re planned implementation of power rerate program at Limerick Generating Station Units 1 & 2. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/06. Document Control Branch (Document Control Desk). 6pp. 82329:354-82329:359.
- 9501270157 Forwards revised transfer of cars from NQA to line organization. MODES, M.C. Region 1 (Post 820201). 95/01/09. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82490:226-82490:240.
- 9501260268 Forwards amends 84 & 45 to licenses NPF-39 & NPF-85 & safety evaluation. Amends revise TS Section 3.3.7.8.2 & associated bases 3/4.3.7.8 re MCR toxic gas detection sys. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/01/19. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82508:162-82508:177.
- 9501260273 Amends 84 & 45 to licenses NPF-39 & NPF-85, respectively, revising TS Section 3.3.7.8.2 & associated bases 3/4.3.7.8 re MCR toxic gas detection sys. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/01/19. 11pp. 82508:165-82508:174.
- 9501260275 Safety evaluation supporting amends 84 & 45 to licenses NPF-39 & NPF-85, respectively. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. 3pp. 82508:175-82508:177.
- 9501260117 Forwards amends 85 & 46 to licenses NPF-39 & NPF-85, respectively & SE. Amends raise steam leakage detection sys set points that isolate HPCI & RCIC sys equipment on high room temp & high delta temp. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/01/20. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82513:222-82513:238.
- 9501260138 Amends 85 & 46 to licenses NPF-39 & NPF-85, respectively, raising steam leakage detection sys set-points that isolate HPCI & RCIC sys equipment on high equipment room temp & high delta temp. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/01/20. 10pp. 82513:225-82513:234.
- 9501260143 Safety evaluation supporting amends 85 & 46 to licenses NPF-39 & NPF-85, respectively. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 4pp. 82513:235-82513:238.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310231 Forwards corrected page 2 of amends 85 & 46 to licenses NPF-39 & NPF-85, respectively, raising steam leakage sys set-points that isolate HPCI sys & RCIC sys equipment on high equipment room temp & high delta temp. RINALDI, F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82562:028-82562:032.
- 9501310241 Corrected TS page 2 to amends 85 & 46 to licenses NPF-39 & NPF-85, respectively. STOLZ, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 2pp. 82562:031-82562:032.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9501090279 FOIA request for record of M Biamonte of NRC Insp Team memo to Region I re instrument & controls training. Subj memo was not included in insp exit meeting held on 940315 (50-352/94-09 & 50-353/94-09). HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/03/22. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82258:264-82258:264.
- 9501090284 Final response to FOIA request for document. Forwards App A documents. App A documents also available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82258:265-82258:268.
- 9501090288 Provides info on instrument & controls technician incident which NRC believes is adequate cause for training insp, as promise in telcon. BIAMONTE, M.A. NRC - No Detailed Affiliation Given. 94/03/15. NRC - No Detailed Affiliation Given. 2pp. 82258:267-82258:268.
- 9501090032 Forwards safety insp repts 50-352/94-25 & 50-353/94-25 on 941114-18. ESW sys design changes found to be technically sound, w/comprehensive safety evaluations. KELLY, E.M. Region 1 (Post 820201). 94/12/20. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82235:215-82235:225.
- 9501090037 Insp repts 50-352/94-25 & 50-353/94-25 on 941114-18. ESW sys design changes found to be thoroughly documented & technically sound. Major areas inspected: two plant design changes to verify mods technically sound. MOY, D.T., KELLY, E.M. Region 1 (Post 820201). 94/12/20. 9pp. 82235:217-82235:225.
- 9501110201 Forwards insp repts 50-352/94-28 & 50-353/94-28 on 941128-1201. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 94/12/23. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82274:171-82274:186.
- 9501110214 Insp repts 50-352/94-28 & 50-353/94-28 on 941125-1201. No violations noted. Major areas inspected: insp of EP program within plant support functional area. MAIER, W., KEIMIG, R. Region 1 (Post 820201). 94/12/23. 13pp. 82274:174-82274:186.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501200061 Forwards insp repts 50-352/94-31 & 50-353/94-31 on 941205-14. No violations noted. MODES, M.C. Region 1 (Post 820201). 95/01/11. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82352:072-82352:084.
- 9501200063 Insp repts 50-352/94-31 & 50-353/94-31 on 941205-14. No violations noted. Major areas inspected: engineering business plan & goals, mgt oversight of engineering activities & engineering design. LOHMEIER, A., REYES, R.J., MODES, M.C. Region 1 (Post 820201). 95/01/11. 9pp. 82352:075-82352:084.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:062-82436:091.

## 106 DOCKETED ITEMS

- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501270043 Forwards insp repts 50-352/94-30 & 50-353/94-30 on 941206- 950109.No violations noted. ANDERSON,C.J. Region 1 (Post 820201). 95/01/19. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82488:265-82488:314.
- 9501270055 Insp repts 50-352/94-30 & 50-353/94-30 on 941206-950109. No violations noted.Major areas inspected;planned unit 1 outage for repair of recirculation pump seal cancelled during down power evolution. ANDERSON,C.J. Region 1 (Post 820201). 95/01/18. 45pp. 82488:269-82488:314.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501270324 Clarifies commitment specified in Section 7.0, "Independent & Internal Reviews & Audits." of NRC combined insp repts 50-352/94-28 & 50-353/94-28. HELWIG,D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/20. Document Control Branch (Document Control Desk). 1p. 82546:314-82546:314.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501090043 "Annual 10CFR50.59 Rept,930701-940630." W/941230 ltr. BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/06/30. 27pp. 82290:325-82290:351.
- 9501230332 Monthly operating repts for Dec 1994 for Limerick Generating Station Unit 1 & 2.W/950112 ltr. KELLEY,S.J., MUNTZ,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 11pp. 82484:347-82484:357.
- S. Reportable occurrences, LERs & related correspondence**
- 9501230045 Forwards LER 94-013-00 reporting condition prohibited by TSs re RPS level switch being valved out of svc & inoperable w/o associated TS action being met. BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/06. Document Control Branch (Document Control Desk). 1p. 82421:168-82421:174.
- 9501230051 LER 94-013-00:on 941208,discovered that isolation valves closed.Caused by personnel error re inadequate position verifications.Insp of isolation valves for remaining level switches performed immediately. KANTER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/06. 4pp. 82421:169-82421:174.
- 9501270215 Forwards Part 21 notices issued in 1994,in light of recent release of Administrative Ltr 94-17. FRATIANNI,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.
- 9501270241 Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way. FRATIANNI,S.A. Coltec Industries, Inc. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.
- 9501300007 PNO-I-95-002:on 950120,staff received info concerning automobile which contained radioactively contaminated clothing.Caused by employee who worked at plant & left car at svc station for period of six months to be serviced. NIMITZ,R.L., BORES,R., JOYNER,J. Region 1 (Post 820201). 95/01/20. 2pp. 82511:066-82511:067.
- 9501300017 PNO-I-95-002A:on 950120,received info that automobile,which had reportedly contained radioactivity contaminated clothing had been left at automotive svc station.Licensee indicated data package of survey performed would be available for NRC. NIMITZ,R.L., JOYNER,J. Region 1 (Post 820201). 95/01/23. 2pp. 82511:176-82511:177.
- V. Operator Examinations**
- 9501310049 Requests attendance at Region I training manager meeting in King of Prussia,PA re status of operator licensing programs, planned initiatives & changes.Meeting agenda encl. MEYER,G.W. Region 1 (Post 820201). 95/01/17. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 82528:183-82528:187.
- DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2**
- F. Security, medical, emergency & fire protection plans**
- 9501050057 Notification of significant licensee meeting 94-149 w/util on 950109 in King of Prussia,PA to discuss upcoming Unit 2 outage & changes in health physics organization. ANDERSON,C.J. Region 1 (Post 820201). 94/12/22. Region 1 (Post 820201). 2pp. 82179:088-82179:089.
- 9501110201 Forwards insp repts 50-352/94-28 & 50-353/94-28 on 941128- 1201.No safety concerns or violations noted. JOYNER,J.H. Region 1 (Post 820201). 94/12/23. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82274:171-82274:186.
- 9501110214 Insp repts 50-352/94-28 & 50-353/94-28 on 941125-1201.No violations noted.Major areas inspected:insp of EP program within plant support functional area. MAIER,W. Region 1 (Post 820201). 94/12/23. 13pp. 82274:174-82274:186.
- 9501100285 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.
- 9501130218 Forwards Issue 2,Rev 2 to physical security plan,reflecting implementation of hand geometry biometrics for site access control in accordance w/exemption from certain requirements of 10CFR73.55 granted 941109.Encl withheld per 10CFR73.21. HELWIG,D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82347:348-82347:349.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.
- G. Adjudicatory correspondence**
- 9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.
- P. Operating license stage documents & correspondence**
- 9501100313 Forwards Environ Assessment & Finding of No Significant Impact re request for exemption from certain requirements of 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water Cooled Reactors," for Units 1 & 2. RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82282:316-82282:323.
- 9501100315 Environ Assessment & Finding of No Significant Impact. Proposed action would grant exemption from 10CFR50,App J, "Primary Reactor Containment Leakage Testing Water Cooled Power Reactors." POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 94/12/15. 5pp. 82282:319-82282:323.
- 9501030161 Forwards amends 83 & 44 to licenses NPF-39 & NPF-85 & safety evaluation.Amends remove surveillance frequency details re 10CFR50,App J,Types B & C testing from TS. RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82177:321-82177:333.
- 9501030166 Amends 39 & 44 to licenses NPF-39 & NPF-44,respectively, removing surveillance frequency details re 10CFR50,App J, Types B & C testing from TS. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/19. 8pp. 82177:324-82177:331.
- 9501030171 Safety evaluation supporting amends 83 & 44 to licenses NPF-39 & NPF-85,respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/19. 2pp. 82177:332-82177:333.
- 9501030141 Submits info supporting exemption from 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water- Cooled Power Reactors," per 10CFR50.12(a). HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/22. Document Control Branch (Document Control Desk). 6pp. 82223:164-82223:169.
- 9501050057 Notification of significant licensee meeting 94-149 w/util on 950109 in King of Prussia,PA to discuss upcoming Unit 2 outage & changes in health physics organization. ANDERSON,C.J. Region 1 (Post 820201). 94/12/22. Region 1 (Post 820201). 2pp. 82179:088-82179:089.
- 9501060275 Forwards exemption from certain requirements of 10CFR50, App J "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors." Exemption needed to allow continuation of plant operation within 24 month cycle. RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 94/12/22. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82257:348-82257:357.
- 9501100285 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to fully address technical issues discussed in GL. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 82283:120-82283:128.
- 9501120130 Notifies of renewal of NPDES Permit PA0051926,PA Dept of Environ Resources & renewed Permit PA0051926 authorizing util to discharge effluents from LGS to Schuykill & Possum Hollow Run encl. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/04. Document Control Branch (Document Control Desk). 112pp. 82338:151-82338:265.

- 9501110024** Ack receipt of encl 941121 ltr transmitting licensee request to eliminate independent safety engineering group composition requirements for plant Units 1 & 2, while maintaining independent technical review function.  
MODES, M.C. Region 1 (Post 820201). 95/01/05. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82272:250-82272:257.
- 9501110222** Requests that review of corrective action repts be transferred from independent nuclear QA to line organization for plants.  
MODES, M.C. Region 1 (Post 820201). 95/01/05. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82273:142-82273:154.
- 9501120160** Provides response to request for addl info re planned implementation of power terate program at Limerick Generating Station Units 1 & 2.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/06. Document Control Branch (Document Control Desk). 6pp. 82329:354-82329:359.
- 9501270157** Forwards revised transfer of cars from NOA to line organization.  
MODES, M.C. Region 1 (Post 820201). 95/01/09. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82490:226-82490:240.
- 9501190347** Informs NRC that mod work associated w/installing new highly density spent fuel storage racks in spent fuel pools completed for LGS Unit 2, in response to NRC request. Installation of new racks for Unit 1 in planning stages.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/10. Document Control Branch (Document Control Desk). 1p. 82428:351-82428:351.
- 9501260268** Forwards amends 84 & 45 to licenses NPF-39 & NPF-85 & safety evaluation. Amends revise TS Section 3.3.7.8.2 & associated bases 3/4.3.7.8 re MCR toxic gas detection sys.  
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/19. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82508:162-82508:177.
- 9501260273** Amends 84 & 45 to licenses NPF-39 & NPF-85, respectively, revising TS Section 3.3.7.8.2 & associated bases 3/4.3.7.8 re MCR toxic gas detection sys.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/19. 11pp. 82508:165-82508:174.
- 9501260275** Safety evaluation supporting amends 84 & 45 to licenses NPF-39 & NPF-85, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. 3pp. 82508:175-82508:177.
- 9501260117** Forwards amends 85 & 46 to licenses NPF-39 & NPF-85, respectively & SE. Amends raise steam leakage detection sys set points that isolate HPCI & RCIC sys equipment on high room temp & high delta temp.  
RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/20. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82513:222-82513:238.
- 9501260138** Amends 85 & 46 to licenses NPF-39 & NPF-85, respectively, raising steam leakage detection sys set-points that isolate HPCI & RCIC sys equipment on high equipment room temp & high delta temp.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/20. 10pp. 82513:225-82513:234.
- 9501260143** Safety evaluation supporting amends 85 & 46 to licenses NPF-39 & NPF-85, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 4pp. 82513:235-82513:238.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310231** Forwards corrected page 2 of amends 85 & 46 to licenses NPF-39 & NPF-85, respectively, raising steam leakage sys set-points that isolate HPCI sys & RCIC sys equipment on high equipment room temp & high delta temp.  
RINALDI, F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82562:028-82562:032.
- 9501310241** Corrected TS page 2 to amends 85 & 46 to licenses NPF-39 & NPF-85, respectively.  
STOLZ, J.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 2pp. 82562:031-82562:032.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501090279** FOIA request for record of M Biamonte of NRC Insp Team memo to Region I re instrument & controls training. Subj memo was not included in insp exit meeting held on 940315 (50-352/94-09 & 50-353/94-09).  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/03/22. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82258:264-82258:264.
- 9501090284** Final response to FOIA request for document. Forwards App A documents. App A documents also available in PDR.  
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82258:265-82258:268.
- 9501090288** Provides info on instrument & controls technician incident which NRC believes is adequate cause for training insps, as promise in telcon.  
BIAMONTE, M.A. NRC - No Detailed Affiliation Given. 94/03/15. NRC - No Detailed Affiliation Given. 2pp. 82258:267-82258:268.
- 9501090032** Forwards safety insp repts 50-352/94-25 & 50-353/94-25 on 941114-18. ESW sys design changes found to be technically sound, w/comprehensive safety evaluations.  
KELLY, E.M. Region 1 (Post 820201). 94/12/20. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82235:215-82235:225.
- 9501090037** Insp repts 50-352/94-25 & 50-353/94-25 on 941114-18. ESW sys design changes found to be thoroughly documented & technically sound. Major areas inspected: two plant design changes to verify mods technically sound.  
MOY, D.T., KELLY, E.M. Region 1 (Post 820201). 94/12/20. 9pp. 82235:217-82235:225.
- 9501110201** Forwards insp repts 50-352/94-28 & 50-353/94-28 on 941128-1201. No safety concerns or violations noted.  
JOYNER, J.H. Region 1 (Post 820201). 94/12/23. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82274:171-82274:186.
- 9501110214** Insp repts 50-352/94-28 & 50-353/94-28 on 941125-1201. No violations noted. Major areas inspected: insp of EP program within plant support functional area.  
MAIER, W., KEIMIG, R. Region 1 (Post 820201). 94/12/23. 13pp. 82274:174-82274:186.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:135.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501200061** Forwards insp repts 50-352/94-31 & 50-353/94-31 on 941205-14. No violations noted.  
MODES, M.C. Region 1 (Post 820201). 95/01/11. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 82352:072-82352:084.
- 9501200063** Insp repts 50-352/94-31 & 50-353/94-31 on 941205-14. No violations noted. Major areas inspected: engineering business plan & goals, mgt oversight of engineering activities & engineering design.  
LOHMEIER, A., REYES, R.J., MODES, M.C. Region 1 (Post 820201). 95/01/11. 9pp. 82352:075-82352:084.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501270043** Forwards insp repts 50-352/94-30 & 50-353/94-30 on 941206-950109. No violations noted.  
ANDERSON, C.J. Region 1 (Post 820201). 95/01/19. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 82488:265-82488:314.
- 9501270055** Insp repts 50-352/94-30 & 50-353/94-30 on 941206-950109. No violations noted. Major areas inspected: planned unit 1 outage for repair of recirculation pump seal cancelled during down power evolution.  
ANDERSON, C.J. Region 1 (Post 820201). 95/01/18. 45pp. 82488:269-82488:314.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501270324** Clarifies commitment specified in Section 7.0, "Independent & Internal Reviews & Audits" of NRC combined insp repts 50-352/94-28 & 50-353/94-28.  
HELWIG, D.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/20. Document Control Branch (Document Control Desk). 1p. 82546:314-82546:314.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mail Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501090043** "Annual 10CFR50.59 Rept, 930701-940630." W/941230 ltr.  
BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/06/30. 27pp. 82290:325-82290:351.
- 9501230332** Monthly operating repts for Dec 1994 for Limerick Generating Station Unit 1 & 2. W/950112 ltr.  
KELLY, S.J., MUNTZ, J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 11pp. 82484:347-82484:357.
- S. Reportable occurrences, LERs & related correspondence**
- 9501270215** Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17.  
FRATIANNI, S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

## 108 DOCKETED ITEMS

- 9501270241 Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way. FRATIANNI, S.A. Coltec Industries, Inc. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.
- 9501300007 PNO-I-95-002: on 950120, staff received info concerning automobile which contained radioactively contaminated clothing. Caused by employee who worked at plant & left car at svc station for period of six months to be serviced. NIMITZ, R.L., BORES, R., JOYNER, J. Region 1 (Post 820201). 95/01/20. 2pp. 82511:066-82511:067.
- 9501310239 LER 94-011-00: on 941221, condition was prohibited by TS in that TS SR for D23 & D24 EDGs was not met due to inadequate TS change review. Appropriate EDG LOCA/LOOP ST procedures revised. W/950120 ltr. KANTNER, J.L., BOYCE, R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/01/20. 4pp. 82575:112-82575:115.
- 9501300017 PNO-I-95-002A: on 950120, received info that automobile, which had reportedly contained radioactivity contaminated clothing had been left at automotive svc station. Licensee indicated data package of survey performed would be available for NRC. NIMITZ, R.L., JOYNER, J. Region 1 (Post 820201). 95/01/23. 2pp. 82511:176-82511:177.
- V. Operator Examinations**
- 9501310049 Requests attendance at Region I training manager meeting in King of Prussia, PA re status of operator licensing programs, planned initiatives & changes. Meeting agenda encl. MEYER, G.W. Region 1 (Post 820201). 95/01/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 82528:183-82528:187.
- DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1**
- F. Security, medical, emergency & fire protection plans**
- 9501110204 Forwards insp rept 50-354/94-26 on 941106 & 1205. No violations noted. Rept describes some ineffectiveness re root cause determinations for some specific failures of safety related equipment. WHITE, J.R. Region 1 (Post 820201). 94/12/23. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82274:192-82274:204.
- 9501110209 Insp rept 50-354/94-26 on 941106-1205. No violations noted. Major areas inspected: operations, maintenance, surveillance testing, engineering/technical support, radiological controls, security & housekeeping. WHITE, J.R. Region 1 (Post 820201). 94/12/23. 7pp. 82274:195-82274:204.
- 9501110158 Forwards 941206 ltr from R Meyniger of FEMA, notifying CA Williams, State Director of New Jersey Ofc of Emergency Mgt of FEMA identified deficiency for State of New Jersey during 940524 plant exercise. JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 82271:243-82271:248.
- 9501110192 Forwards insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function. JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.
- 9501110202 Insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation. LIMROTH, D.F. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.
- 9501250075 Rev 28 to EPIP 204H, "Emergency Response Callout/Personnel Recall." W/Rev 51 to table of contents. \* Public Service Electric & Gas Co. of New Jersey. 95/01/13. 62pp. 82515:249-82515:305.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.
- H. General correspondence**
- 9501120035 Comment supporting proposed rules 10CFR2.51 & 54 re NPP license renewal. Util of belief that proposed rev reflect positive effort towards establishing regulatory process requirements for continued operation of nuclear facilities. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 95/01/03. Docketing & Services Branch. 2pp. 82279:198-82279:199.
- P. Operating license stage documents & correspondence**
- 9501100240 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed until 940929 License Change Request LCR 94-18 re instrumentation from Tech Specs & has no comments. TOSCH, K. New Jersey, State of. 94/12/27. Document Control Branch (Document Control Desk). 2pp. 82291:321-82291:322.
- 9501110359 Responds to 940721 request for approval for use of ASME Code Case N-598, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing." NRC recommends approval. OLSHAN, L.N. Project Directorate 1-2 (PD1-2) Post 941001. 95/01/05. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 82297:114-82297:117.
- 9501230203 Application for amend to License NPF-57, changing TS Section 3/4.3.8, "Turbine Overspeed Protection Sys." & relocates bases to plant UFSAR. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/11. Document Control Branch (Document Control Desk). 8pp. 82500:302-82500:316.
- 9501230205 Proposed Tech Specs Section 3/4.3.8 re removal of turbine overspeed protection. \* Public Service Electric & Gas Co. of New Jersey. 95/01/11. 7pp. 82500:310-82500:316.
- 9501250259 Application for amend to License NPF-57, changing administrative controls to reflect organizational changes. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/13. Document Control Branch (Document Control Desk). 6pp. 82514:126-82514:139.
- 9501250261 Proposed tech specs re administrative controls to reflect organizational changes. \* Public Service Electric & Gas Co. of New Jersey. 95/01/13. 7pp. 82514:132-82514:139.
- 9501270116 Application for amend to license NPF-57, to revise surveillance requirement 4.1.3.1.2.b re CR immovable as result of excessive friction or mechanical interference. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/20. Document Control Branch (Document Control Desk). 6pp. 82541:348-82541:355.
- 9501270122 Proposed tech specs re surveillance requirement 4.1.3.1.2.b & situation of immovable CR due to excessive friction or mechanical interference. \* Public Service Electric & Gas Co. of New Jersey. 95/01/20. 2pp. 82541:354-82541:355.
- 9501270124 Application for amend to license NPF-57, to remove specification from TSs & relocates Bases to plant UFSAR & surveillance requirements to applicable surveillance procedures. HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/01/20. Document Control Branch (Document Control Desk). 8pp. 82546:315-82546:333.
- 9501270127 Proposed tech specs re removal of specification from TSs & relocation of Bases to UFSAR & surveillance requirements to applicable surveillance procedures. \* Public Service Electric & Gas Co. of New Jersey. 95/01/20. 11pp. 82546:323-82546:333.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501090042 Forwards insp rept 50-272/94-27, 50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted. RULAND, W.H. Region 1 (Post 820201). 94/12/21. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 82235:241-82235:249.
- 9501090057 Insp repts 50-272/94-27, 50-311/94-27 & 50-354/94-25 on 940926-1007. No significant concerns noted. Major areas inspected: engineering program by regional personnel to determine effectiveness of licensee engineering staff. CALVERT, C., RULAND, W.H. Region 1 (Post 820201). 94/12/21. 7pp. 82235:243-82235:249.
- 9501110204 Forwards insp rept 50-354/94-26 on 941106 & 1205. No violations noted. Rept describes some ineffectiveness re root cause determinations for some specific failures of safety related equipment. WHITE, J.R. Region 1 (Post 820201). 94/12/23. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82274:192-82274:204.
- 9501110209 Insp rept 50-354/94-26 on 941106-1205. No violations noted. Major areas inspected: operations, maintenance, surveillance testing, engineering/technical support, radiological controls, security & housekeeping. WHITE, J.R. Region 1 (Post 820201). 94/12/23. 7pp. 82274:195-82274:204.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:092-82167:099.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501110192 Forwards insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Insp concluded that continued adherence to schedule for upgrading assessment aids important to continued adequacy of assessment function. JOYNER, J.H. Region 1 (Post 820201). 95/01/03. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82271:254-82271:260.
- 9501110202 Insp repts 50-272/94-34, 50-311/94-34 & 50-354/94-28 on 941212-15. No violations noted. Major areas inspected: security plan & implementing procedures, previously identified item, fitness-for-duty & contingency plan implementation. LIMROTH, D.F., MCCABE, E.C. Region 1 (Post 820201). 94/12/23. 4pp. 82271:257-82271:260.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501100350 NRC Info Notice 95-002, "Problems W/G CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501310090 Ack receipt of 941013 ltr re violations noted in insp repts 50-272/94-18,50-311/94-18 & 50-354/94-18.Discusses licensee dispute of violation for Hope Creek Station.NRC concludes that adequate basis for withdrawing violation not provided. WIGGINS,J.T. Region 1 (Post 820201). 95/01/23. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 82529:085-82529:095.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Mat Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501250199 Monthly operating rept for Dec 1994 for Hope Creek Generation Station Unit 1.W/950113 ltr LYONS,D.W., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 14pp. 82514:164-82514:177.

9501310451 NPDES discharge monitoring rept for Dec 1994 for Hope Creek Generating Station.W/950123 ltr. HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 25pp. 82575:306-82575:330.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNAYAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501100243 LER 94-018-00:on 941207,discovered design of deficiency common to redundant station svc water traveling screens. Engineering revised design,eliminated flow sensor & utilized booster pump breaker position.W/950104 ltr. AVERSA,L., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/01/04. 5pp. 82296:010-82296:014.

9501200014 LER 94-019-00:on 941213,moisture content above limit specified for turbine operation.Caused by HPCI oil reservoir leaking through steam admission isolation valve.HPCI lube oil sys drained,flushed & filled w/new oil.W/950111 ltr. AVERSA,L., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/01/11. 6pp. 82421:134-82421:139.

9501250118 Special Rept 95-01:on 941212,determined that tape recorder associated w/loose-part detection sys malfunctioning.Caused by aging of recorder tape transport sys.Detection channels in svc & will alarm if loose parts detected. HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/01/18. Document Control Branch (Document Control Desk). 1p. 82518:036-82518:036.

9501250326 LER 94-013-01:on 941221,identified addl confirmed occurrence of not meeting shift manning requirements of TS 6.2.2.a, sometime in 1987 or 1988.Licensing dept personnel reviewing NUREG-1022 guidelines.W/950120 ltr. AVERSA,L., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/01/20. 9pp. 82507:149-82507:157.

#### V. Operator Examinations

9501310004 Extends invitation to attend Training Managers Meeting to discuss status of operator licensing programs & inform facilities of planned initiatives & changes.Forwards notice of meeting to be held on 950207-08 in King of Prussia,PA. MEYER,G.W. Region 1 (Post 820201). 95/01/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 82528:006-82528:010.

#### DOCKET 50-355 HOPE CREEK NUCLEAR STATION, UNIT 2

##### P. Operating license stage documents & correspondence

9501110359 Responds to 940721 request for approval for use of ASME Code Case N-598, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing." NRC recommends approval. OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/01/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 82297:114-82297:117.

#### DOCKET 50-358 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1

##### H. General correspondence

9501170056 Partial 22nd response to FOIA request for info.Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY,V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

-9501230160 Responds to congressman Udall ltr re Applegate FOIA request & believes that proposed reply to 821207 ltr not entirely responsive,particularly to listed questions.Proposes to notify congressman of poor handling of FOIA request. ASSELSTINE,J.K. Commissioners (Post 750119). 94/04/11. PALLADINO, GILINSKY, AHEARNE Commissioners (Post 750119). 5pp. 82557:205-82557:209.

#### DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

##### F. Security, medical, emergency & fire protection plans

9501260352 Forwards rev 14 of security force training & qualification plan.W/o encl. KRIEGER,R.W. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82523:165-82523:166.

9501240242 Forwards rev 44 to physical security plan.Rev withheld. KRIEGER,R.W. Southern California Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 3pp. 82513:070-82513:072.

9501180277 Responds to 941202,07 & 08 ltrs requesting that NRC close plant as soon as possible.NRC evaluation of petition will assess impact of current Orange County financial situation on emergency evacuation plan. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. DEAN,R.M. Affiliation Not Assigned. 4pp. 82361:022-82361:028.

9501190202 Forwards Rev 6.1 to Site Emergency Plan for San Onofre Nuclear Generating Station. MARSH,W.C. Southern California Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 20pp. 82470:105-82470:312.

-9501190205 "SONGS Emergency Plan,Rev 6.1."  
\* Southern California Edison Co. 95/01/12. 188pp. 82470:125-82470:312.

9501300166 Revised EIPs,including rev 8 to SO123-VIII-10,rev 3 to SO123-VIII-10.1,rev 1 to SO123-VIII-10.2,rev 1 to SO123-VIII-10.3,rev 10 to SO123-VIII-40 & rev 8 to SO123-VIII-50. MARSH,W.C. Southern California Edison Co. 95/01/19. 112pp. 82556:001-82556:112.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### G. Adjudicatory correspondence

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

9501180277 Responds to 941202,07 & 08 ltrs requesting that NRC close plant as soon as possible.NRC evaluation of petition will assess impact of current Orange County financial situation on emergency evacuation plan. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. DEAN,R.M. Affiliation Not Assigned. 4pp. 82361:022-82361:028.

-9501180283 Requests that NRC close plant as soon as possible due to Orange County bankruptcy. DEAN,R.M. Affiliation Not Assigned. 94/12/08. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82361:028-82361:028.

##### H. General correspondence

9501060037 Responds to RM Dean 941118 ltr to Vice President Gore requesting to have plant shut down.Informs that NRC as provided by 10CFR2.206 will take appropriate action on request within reasonable time. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. DEAN,R.M. Affiliation Not Assigned. 3pp. 82259:159-82259:162.

9501110446 Responds to 941130 ltr re San Onofre Nuclear Generating Station lack of escape route for residents in event of accident at plant. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/06. FEINSTEIN,D. Senate. 2pp. 82297:261-82297:262.

##### P. Operating license stage documents & correspondence

9501040121 Submits eleventh edition of integrated implementation schedule for Units 2 & 3. MARSH,W. Southern California Edison Co. 94/12/29. Document Control Branch (Document Control Desk). 18pp. 82233:262-82233:279.

9501050193 Application for amends 137 & 121 to licenses NPF-10 & NPF-15,respectively,suppl 3 re TS improvement program. ROSENBLUM,R.M. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 10pp. 82221:001-82221:333.

-9501050195 Proposed tech specs re TS improvement program.  
\* Southern California Edison Co. 95/01/03. 323pp. 82221:011-82221:333.



## 110 DOCKETED ITEMS

**9501130016** Expresses NRC concerns re possible violation of employee protection provisions per 10CFR50.7 concerning alleged H&I at plant as result of issues raised re out-of-specification fasteners.  
CALLAN,L.J. Region 4 (Post 820201). 95/01/10. RAY,H.B. Southern California Edison Co. 5pp. 82298:350-82298:354.

**9501190191** Forwards SE which provides evaluation of "White Paper, Fastener Strength Analysis,Nuclear Safety Concern 93-11, Rev 1." Identification of dimensionally non-conforming fasteners,does not present safety concern.  
FIELDS,M.B. Project Directorate IV-2. 95/01/10. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 3pp. 82367:018-82367:029.

**-9501190213** Safety evaluation accepting dimensionally out-of-tolerance threaded fasteners at SONGS.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. 9pp. 82367:022-82367:029.

**9501170256** Responds to ltr,dtd 941206,requesting approval to use ASME Code Case N-416-1 beginning w/unit 2 cycle 8 refueling outage & ending w/code case incorporation into reg guide 1.147.Forwards SE approving of util request.  
QUAY,T.R. Project Directorate IV-2. 95/01/11. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 2pp. 82338:145-82338:150.

**-9501170259** SER approving util request to use ASME Code Case N-416-1 as alternative to required hydrostatic pressure tests for plants.Code Case to be used during next refueling outage & up to incorporation into reg guide 1.147.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 4pp. 82338:147-82338:150.

**9501300158** Forwards monthly operating repts for Dec 1994 & Rev 27 to "ODCM."  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82552:001-82552:202.

**-9501300162** Rev 27 to "ODCM."  
\* Southern California Edison Co. 94/12/21. 189pp. 82552:014-82552:202.

**9501300167** Forwards addl info requested by NRC in support of Amend Applications 136 & 120 re proposed changes to TS 3/4.3.2, "Degraded Grid Voltage."  
MARSH,W.C. Southern California Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82588:001-82590:043.

**-9501300170** "Sys Dynamic Voltages During Design Basis Accident."  
MURIELL, PATEL,A. Southern California Edison Co. E4C-082 R01. 93/08/16. 387pp. 82588:003-82589:025.

**-9501300171** "Auxiliary Sys Voltage Regulation."  
GURJALA,N.S., PHAM,S. Southern California Edison Co. E4C-090 R01. 93/08/16. 153pp. 82589:026-82589:178.

**-9501300172** "4 KV SWGR Protective Relay Setting Calculation."  
MOSLEY,K., KIM,J. Southern California Edison Co. E4C-098 R00. 95/01/12. 229pp. 82589:179-82590:043.

**9501270008** Forwards suppl 4 to amend applications 137 & 121 to licenses NPF-10 & NPF-15, respectively,per discussion w/NRC TSIP Coordinator,TP Tjader.  
ROSENBLUM,R.M. Southern California Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 9pp. 82541:162-82541:314.

**-9501270012** Proposed tech specs supplementing amend applications 137 & 121 to licenses NPF-10 & NPF-15, respectively.  
\* Southern California Edison Co. 95/01/19. 144pp. 82541:171-82541:314.

**9501260308** Provides response to NRC request for addl info on IPE for SONGS,Units 2 & 3.  
MARSH,W.C. Southern California Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 1,249pp. 82520:001-82523:149.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501260120** Provides annual RCS specific activity rept for 1994,as required by TS 6.9.1.5.TS limits for RCS not exceeded in 1994.  
MARSH,W.C. Southern California Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82514:311-82514:311.

### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501110419** Responds to NRC 941212 ltr re violations noted in insp of licenses NPF-10 & NPF-15 on 940925-1105.Corrective actions: util has enhanced station procedure SO123-0-30, "Shift Manning," to clarify & place limits more restrictive.  
ROSENBLUM,R.M. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82327:340-82327:341.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190222** Forwards Rev 2 to second 10-yr ISI program for San Onofre Nuclear Generating Station Units 1 & 2.  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 11pp. 82379:343-82379:353.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501300158** Forwards monthly operating repts for Dec 1994 & Rev 27 to "ODCM."  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82552:001-82552:202.

**-9501300160** Monthly operating repts for Dec 1994 for San Onofre Nuclear Station Units 2 & 3.  
DARLING,J.L. Southern California Edison Co. 94/12/31. 12pp. 82552:002-82552:013.

**-9501300162** Rev 27 to "ODCM."  
\* Southern California Edison Co. 94/12/21. 189pp. 82552:014-82552:202.

### S. Reportable occurrences, LERs & related correspondence

**9501250380** LER 94-003-01: on 940422,noted that three yr TS air flow test for six manual deluge open head spray/sprinkler sys not performed for listed components.Administrative controls developed for surveillances of subj sys.W/950117 ltr.  
KRIEGER,R.W. Southern California Edison Co. 95/01/17. 6pp. 82507:162-82507:167.

**9501260114** Special repton 950104,all functions of primary meteorological instrument tower (Met Tower) failed. Caused by short circuit in non-weather resistant circuit card.Operability of Met Tower restored on 950120.  
MARSH,W.C. Southern California Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82514:310-82514:310.

### DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**9501260352** Forwards rev 14 of security force training & qualification plan,W/o encl.  
KRIEGER,R.W. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82523:165-82523:166.

**9501240242** Forwards rev 44 to physical security plan,Rev withheld.  
KRIEGER,R.W. Southern California Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 3pp. 82513:070-82513:072.

**9501180277** Responds to 941202,07 & 08 ltrs requesting that NRC close plant as soon as possible.NRC evaluation of petition will assess impact of current Orange County financial situation on emergency evacuation plan.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. DEAN,R.M. Affiliation Not Assigned. 4pp. 82361:022-82361:028.

**9501190202** Forwards Rev 6.1 to Site Emergency Plan for San Onofre Nuclear Generating Station.  
MARSH,W.C. Southern California Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 20pp. 82470:105-82470:312.

**-9501190205** "SONGS Emergency Plan,Rev 6.1."  
\* Southern California Edison Co. 95/01/12. 188pp. 82470:125-82470:312.

**9501300166** Revised EPIPs,including rev 8 to SO123-VIII-10,rev 3 to SO123-VIII-10.1,rev 1 to SO123-VIII-10.2,rev 1 to SO123-VIII-10.3,rev 10 to SO123-VIII-40 & rev 8 to SO123-VIII-50.  
MARSH,W.C. Southern California Edison Co. 95/01/19. 112pp. 82556:001-82556:112.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.



9501180277 Responds to 941202,07 & 08 ltrs requesting that NRC close plant as soon as possible.NRC evaluation of petition will assess impact of current Orange County financial situation on emergency evacuation plan.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. DEAN,R.M. Affiliation Not Assigned. 4pp. 82361:022-82361:028.

-9501180283 Requests that NRC close plant as soon as possible due to Orange County bankruptcy.  
DEAN,R.M. Affiliation Not Assigned. 94/12/08. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82361:028-82361:028.

#### H. General correspondence

9501060037 Responds to RM Dean 941118 ltr to Vice President Gore requesting to have plant shut down.Informs that NRC as provided by 10CFR2.206 will take appropriate action on request within reasonable time.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. DEAN,R.M. Affiliation Not Assigned. 3pp. 82259:159-82259:162.

9501110446 Responds to 941130 ltr re San Onofre Nuclear Generating Station lack of escape route for residents in event of accident at plant.  
TAYLOR,J.M. Oic of the Executive Director for Operations. 95/01/06. FEINSTEIN,D. Senate. 2pp. 82297:261-82297:262.

#### P. Operating license stage documents & correspondence

9501040121 Submits eleventh edition of integrated implementation schedule for Units 2 & 3.  
MARSH,W. Southern California Edison Co. 94/12/29. Document Control Branch (Document Control Desk). 18pp. 82233:262-82233:279.

9501050193 Application for amends 137 & 121 to licenses NPF-10 & NPF-15, respectively, suppl 3 re TS improvement program.  
ROSENBLUM,R.M. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 10pp. 82221:001-82221:333.

-9501050195 Proposed tech specs re TS improvement program.  
\* Southern California Edison Co. 95/01/03. 323pp. 82221:011-82221:333.

9501130016 Expresses NRC concerns re possible violation of employee protection provisions per 10CFR50.7 concerning alleged H&I at plant as result of issues raised re out-of-specification fasteners.  
CALLAN,L.J. Region 4 (Post 820201). 95/01/10. RAY,H.B. Southern California Edison Co. 5pp. 82298:350-82298:354.

9501190191 Forwards SE which provides evaluation of "White Paper, Fastener Strength Analysis,Nuclear Safety Concern 93-11, Rev 1." Identification of dimensionally non-conforming fasteners,does not present safety concern.  
FIELDS,M.B. Project Directorate IV-2. 95/01/10. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 3pp. 82367:018-82367:029.

-9501190213 Safety evaluation accepting dimensionally out-of-tolerance threaded fasteners at SONGS.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. 9pp. 82367:022-82367:029.

9501170256 Responds to ltr,dtd 941206,requesting approval to use ASME Code Case N-416-1 beginning w/unit 2 cycle 8 refueling outage & ending w/code case incorporation into reg guide 1.147.Forwards SE approving of util request.  
QUAY,T.R. Project Directorate IV-2. 95/01/11. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 2pp. 82338:145-82338:150.

-9501170259 SER approving util request to use ASME Code Case N-416-1 as alternative to required hydrostatic pressure tests for plants.Code Case to be used during next refueling outage & up to incorporation into reg guide 1.147.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 4pp. 82338:147-82338:150.

9501300158 Forwards monthly operating repts for Dec 1994 & Rev 27 to "ODCM."  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82552:001-82552:202.

-9501300162 Rev 27 to "ODCM."  
\* Southern California Edison Co. 94/12/21. 189pp. 82552:014-82552:202.

9501300167 Forwards addl info requested by NRC in support of Amend Applications 136 & 120 re proposed changes to TS 3/4.3.2, "Degraded Grid Voltage."  
MARSH,W.C. Southern California Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82558:001-82558:043.

-9501300172 "4 KV SWGR Protective Relay Setting Calculation."  
MOSLEY,K. KIM,J. Southern California Edison Co. E4C-098 R00. 95/01/12. 229pp. 82589:179-82590:043.

9501270008 Forwards suppl 4 to amend applications 137 & 121 to licenses NPF-10 & NPF-15, respectively,per discussion w/NRC TSIP Coordinator,TP Tjader.  
ROSENBLUM,R.M. Southern California Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 9pp. 82541:162-82541:314.

-9501270012 Proposed tech specs supplementing amend applications 137 & 121 to licenses NPF-10 & NPF-15, respectively.  
\* Southern California Edison Co. 95/01/19. 144pp. 82541:171-82541:314.

9501260308 Provides response to NRC request for addl info on IPE for SONGS,Units 2 & 3.  
MARSH,W.C. Southern California Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 1,249pp. 82520:001-82523:149.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501260120 Provides annual RCS specific activity rept for 1994,as required by TS 6.9.1.5.TS limits for RCS not exceeded in 1994.  
MARSH,W.C. Southern California Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82514:311-82514:311.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110419 Responds to NRC 941212 ltr re violations noted in insp of licenses NPF-10 & NPF-15 on 940925-1105,Corrective actions: util has enhanced station procedure SO123-0-30, "Shift Manning," to clarify & place limits more restrictive.  
ROSENBLUM,R.M. Southern California Edison Co. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82327:340-82327:341.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180152 Confirms that special insp entitled "Maint Reliability Initiative" to be performed at plant for weeks of 950130 & 950213.Insp will assess effectiveness of implementation of maint program re safety-related structures & sys.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/09. RAY,H.B. Southern California Edison Co. 5pp. 82326:186-82326:190.

9501190222 Forwards Rev 2 to second 10-yr ISI program for San Onofre Nuclear Generating Station Units 1 & 2.  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 11pp. 82379:343-82379:353.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Coldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501300158 Forwards monthly operating repts for Dec 1994 & Rev 27 to "ODCM."  
MARSH,W.C. Southern California Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 1p. 82552:001-82552:202.

-9501300160 Monthly operating repts for Dec 1994 for San Onofre Nuclear Station Units 2 & 3.  
DARLING,J.L. Southern California Edison Co. 94/12/31. 12pp. 82552:002-82552:013.

#### S. Reportable occurrences, LERs & related correspondence

9501260114 Special rept on 950104,all functions of primary meteorological instrument tower (Met Tower) failed. Caused by short circuit in non-weather resistant circuit card.Operability of Met Tower restored on 950120.  
MARSH,W.C. Southern California Edison Co. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82514:310-82514:310.

#### DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501240053 Informs of 950227-0302 operational safeguards response evaluation program, to evaluate readiness of licensees on-site security forces to respond to external threat.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/14. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82417:331-82417:333.

9501040129 Advises that 941126 rev 5 & 6 of Farley Contingency Plan consistent w/ provisions of 10CFR50.54(p) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 82260:225-82260:226.

## 112 DOCKETED ITEMS

9501190130 Rev 53 to EPIP FNP-0-EIP-8.1, "Emergency Phone List." W/ 950110 ltr. HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/10. 65pp. 82394:155-82394:219.

9501250284 Forwards cover page for security plan, rev 27. Encl withheld.  
\* Southern Nuclear Operating Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82518:126-82518:126.

9501240253 Rev 0 to EPIP FNP-0-EIP-8.2, "Notification Roster." W/ 950112 ltr. HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/12. 105pp. 82510:128-82510:232.

9501310458 Rev 1 to EPIP FNP-0-EIP-0008, "On-Call Schedule." W/950120 ltr. HUDSPETH,J.B. Southern Nuclear Operating Co. 95/01/20. 15pp. 82576:293-82576:307.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

9501060073 Forwards amends 111 & 102 to licenses NPF-2 & NPF-8, respectively. Amends delete requirement for control room chlorine detection system from TS & associated bases.  
SIEGEL,B.L. Project Directorate II-1. 94/12/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82259:252-82259:269.

-9501060077 Amends 111 & 102 to licenses NPF-2 & NPF-8, respectively, deleting TS requirement for control room chlorine detection system.  
BATEMAN,W.H. Project Directorate II-1. 94/12/28. 12pp. 82259:255-82259:266.

-9501060079 Safety evaluation supporting amends 111 & 102 to licenses NPF-2 & NPF-8, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 3pp. 82259:267-82259:269.

9501200235 Application for amends to Licenses NPF-2 & NPF-8, incorporating line-item TS improvements to reduce surveillance requirements for testing during power operation in response to GL 93-05.  
MOREY,D. Southern Nuclear Operating Co. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82478:059-82478:100.

-9501200239 Proposed tech specs re line-item improvements, per GL 93-05.  
\* Southern Nuclear Operating Co. 95/01/09. 39pp. 82478:062-82478:100.

9501230171 Requests authorization to use alternative rules for 10-yr hydrostatic testing for Class 1,2 & 3 sys based on ASME Code Case N-498-1.  
MOREY,D. Southern Nuclear Operating Co. 95/01/13. Document Control Branch (Document Control Desk). 3pp. 82504:106-82504:108.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300183 Advises that 940916 rev to relief requests re containment spray sys contained in inservice testing program for plant acceptable.  
SIEGEL,B.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82536:358-82536:360.

### Q. Inspection reports, IE Bulletins & correspondence

9501110065 Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/94-24 & 50-364/94-24 on 941108.  
JAUDON,J.P. Region 2 (Post 820201). 94/12/27. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 82272:172-82272:173.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:062-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170013 Forwards insp repts 50-348/94-30 & 50-364/94-30 on 941114-1211. No violations noted.  
CHRISTENSEN,H. Region 2 (Post 820201). 95/01/06. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82313:299-82313:326.

-9501170017 Insp repts 50-348/94-30 & 50-364/94-30 on 941114-1211. No violations noted. Major areas inspected: operations, maint/ surveillance, engineering/technical support & general plant support.  
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 95/01/06. 25pp. 82313:302-82313:326.

9501170066 Forwards insp repts 50-348/94-28 & 50-364/94-28 on 941031-1104 & 1213. No violations or deviations noted. Requests that listed info be submitted to aid in resolution of remainder.  
CASTO,C.A. Region 2 (Post 820201). 95/01/06. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 82314:158-82314:182.

-9501170068 Insp repts 50-348/94-28 & 50-364/94-28 on 941031-1104 & 941213. No violations noted. Major areas inspected: completion of implementation of commitments made in response to GL 89-10, "Safety-Related MOV Testing & Surveillance."  
GIRARD,E., CASTO,C. Region 2 (Post 820201). 95/01/06. 22pp. 82314:161-82314:182.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200188 Monthly operating repts for Dec 1994 for J M Farley Nuclear Plant Units 1 & 2 W/950113 ltr.  
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 94/12/31. 10pp. 82472:324-82472:333.

### S. Reportable occurrences, LERs & related correspondence

9501180133 LER 94-002-00: on 941214, surveillance not performed on SWP tube & cooling valves due to cognitive personnel error. Surveillance schedules reviewed to ensure corrected schedules placed. W/950110 ltr.  
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/01/10. 4pp. 82381:003-82381:006.

9501250057 LER 94-003-00: on 941218, reactor tripped due to low-low level in 2C SG. Caused by an intermittent failure in 63AST-2 auto stop oil pressure switch [63] circuit. Pressure switch replaced & insp of fluid sys performed. W/950117 ltr.  
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/01/17. 5pp. 82513:165-82513:169.

9501260163 Forwards attached documents re postulated loss of SFPC events at plant, units 1 & 2.  
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82536:290-82536:295.

-9501300302 Forwards addl info re Farley loss of SFP cooling events along w/other related events & info.  
LOCHBAUM,D. Affiliation Not Assigned. 95/01/05. SHEA,J. NRC - No Detailed Affiliation Given. 3pp. 82536:293-82536:295.

9501310225 LER 94-004-00: on 941225, reactor tripped due to loss of turbine DEHC overspeed protection. Root cause investigation was performed, resulting in replacement of six cards associated w/SEHC sys. W/950124 ltr.  
HILL,R.D., WOODARD,J. Southern Nuclear Operating Co. 95/01/24. 5pp. 82553:074-82553:078.

### DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501240073 Informs that NRC in process of conducting operational safeguards response evaluations at NPPs & that plant has been chosen for review scheduled for wk of 950123-26.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. BECKHAM,J.T. Georgia Power Co. 4pp. 82417:356-82417:359.

9501180044 Forwards 941117 ltr transmitting FEMA final rept for 930915 joint exercise offsite radiological emergency response plans for plant. No deficiencies noted.  
CLINE,W.E. Region 2 (Post 820201). 95/01/10. BECKHAM,J.T. Georgia Power Co. 3pp. 82324:355-82324:357.

9501240326 Ack receipt of 941128 ltr transmitting rev dtd Nov 1994 to plant physical security program & informs that NRC review of proposed changes found to be consistent w/10CFR50.54(p) & therefore, may be incorporated into plan.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/12. BECKHAM,J.T. Georgia Power Co. 3pp. 82437:340-82437:342.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

- 9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**P. Operating license stage documents & correspondence**

- 9501200078 Summary of 941207 meeting w/util re equipment operability under degraded grid conditions.List of attendees & viewgraphs encl.  
JABBOUR,K.N. Project Directorate II-3. 95/01/10. Project Directorate II-3. 26pp. 82423:052-82423:077.
- 9501230234 Application for amends to licenses DPR-57 & NPF-5,proposing changes to TS,to allow plant to operate at uprated power level of 2558 MWt.Also,forwards proprietary "Power Uprate SAR for E1 Hatch Plant Units 1 & 2."  
BECKHAM,J.T. Georgia Power Co. 95/01/13. Document Control Branch (Document Control Desk). 31pp. 82503:225-82503:302.
- 9501230239 Proposed tech specs allowing plant to operate at uprated power level of 2558 MWt.  
\* Georgia Power Co. 95/01/13. 49pp. 82503:254-82503:302.
- 9501230292 Forwards proprietary & nonproprietary version of "Safety & 10CFR50.92 Significant Hazards Consideration Assessment for RPV Stratification Prevention Improvements..." to suppl 941013 TS rev request.Proprietary version withheld.  
BECKHAM,J.T. Georgia Power Co. 95/01/13. Document Control Branch (Document Control Desk). 6pp. 82501:295-82501:321.
- 9501230296 Nonproprietary "Safety & 10CFR50.92 Significant Hazards Consideration Assessment for RPV Stratification Prevention Improvements at E1 Hatch Nuclear Plant Units 1 & 2."  
SCHAEFER,K.T., JONES,D.R., CHOE,H. General Electric Co. DRF A00-05834/6. 94/11/30. 21pp. 82501:301-82501:321.
- 9501300135 Application for amends to licenses DPR-57 & NPF-5, revising TS to improved TS per NUREG-1433.  
BECKHAM,J.T. Georgia Power Co. 95/01/19. Document Control Branch (Document Control Desk). 7pp. 82567:001-82572:336.
- 9501300148 Proposed tech specs consistent w/NUREG-1433.  
\* Georgia Power Co. 95/01/19. 2,156pp. 82568:001-82572:336.
- 9501300209 Forwards listing of surveillances which will not be performed upon improved TSs implementation.Plant requests encl surveillances be listed in license amend.  
BECKHAM,J.T. Georgia Power Co. 95/01/19. Document Control Branch (Document Control Desk). 6pp. 82554:330-82554:335.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**Q. Inspection reports, IE Bulletins & correspondence**

- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501040259 Forwards response to NRC 941202 ltr re violations noted in insp repts 50-321/94-27 & 50-366/94-27.Corrective actions: Event was investigated per requirements of plant administrative control procedure 10AC-MGR-004-0S.  
BECKHAM,J.T. Georgia Power Co. 94/12/28. Document Control Branch (Document Control Desk). 9pp. 82219:179-82219:187.
- 9501110121 Forwards insp repts 50-321/94-28 & 50-366/94-28 on 941106-1203.Violations will not be subject to enforcement action because licensee efforts in identifying & correcting violation meet criteria specified in Enforcement Policy.  
SINKULE,M. Region 2 (Post 820201). 94/12/28. BECKHAM,J.T. Georgia Power Co. 4pp. 82271:184-82271:204.
- 9501110126 Insp repts 50-321/94-28 & 50-366/94-28 on 941106-1203.No violations noted.Major areas inspected:plant operations, surveillances,maint,onsite engineering,contaminated scaffolding control,mods & open item review.  
HOLBROOK,B.L., CRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 94/12/28. 17pp. 82271:188-82271:204.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

- 9501110044 Forwards insp repts 50-321/94-30 & 50-366/94-30 on 941128-1202.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 94/12/30. BECKMAN,J.T. Georgia Power Co. 3pp. 82272:089-82272:101.

- 9501110048 Insp repts 50-321/94-30 & 50-366/94-30 on 941128-1202.No violations or deviations noted.Major areas inspected: radioactive effluent controls,reactor coolant chemistry, training & followup on previously identified issues.  
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 94/12/27. 10pp. 82272:092-82272:101.

- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

- 9501170124 Forwards insp repts 50-321/94-29 & 50-366/94-29 on 941212-16.No violations or deviations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/06. BECKHAM,J.T. Georgia Power Co. 5pp. 82314:190-82314:203.

- 9501170133 Insp repts 50-321/94-29 & 50-366/94-29 on 941212-16.No violations or deviations noted.Major areas inspected: maintenance of instrumentation & control sys.  
FILLION,P., SHYLOCK,M. Region 2 (Post 820201). 95/01/05. 7pp. 82314:195-82314:203.

- 9501190260 Responds to NRC NOV from insp repts 50-321/94-26 & 50-366/94-26.Corrective actions:ltr issued on 941026 re procedural requirements re proper wearing of dosimetry.  
BECKHAM,J.T. Georgia Power Co. 95/01/09. Document Control Branch (Document Control Desk). 8pp. 82394:298-82394:305.

- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

- 9501240072 Ack receipt of 941215 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-26 & 50-366/94-26.  
CLINE,W.E. Region 2 (Post 820201). 95/01/17. BECKHAM,J.T. Georgia Power Co. 3pp. 82417:353-82417:355.

- 9501240322 Ack receipt of 941228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-27 & 50-366/94-27.NRC notes that individual involved in refueling movement errors precluded from future refueling operations.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/17. BECKHAM,J.T. Georgia Power Co. 3pp. 82431:324-82431:326.

- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

- 9501200180 Monthly operating repts for Dec 1994 for E1 Hatch Nuclear Plant.W/950113 ltr.  
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 94/12/31. 12pp. 82472:177-82472:188.

**S. Reportable occurrences, LERs & related correspondence**

- 9501190073 LER 94-009-00:on 941220,failed component results in unplanned engineered safety feature sys actuation.Relay coil was replaced.W/950113 ltr.  
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 95/01/13. 5pp. 82421:001-82421:005.
- 9501250062 Special rept 2-95-01:on 950110 unit 2 drywell high range radiation inoperable longer than 7 days.Caused by exceeding procedural limits of 34SV-SUV-019-2S.Techinicians checked high voltage power supply which powers radiation detectors.  
BECKHAM,J.T. Georgia Power Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82464:170-82464:172.

**DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2****F. Security, medical, emergency & fire protection plans**

- 9501050183 Rev 32 to Procedure/Work Plan 1903.010, "EAL Classification."  
\* Entergy Operations, Inc. 94/12/16. 131pp. 82234:203-82234:333.
- 9501030041 Ack receipt of 940929 ltr informing NRC of steps taken to correct violations noted in insp reports 50-313/94-06 & 50-368/94-06.Concludes w/util that sections II.A & II.C.7 of 10CFR50,App R not applicable to ANO.C/A found acceptable.  
BEACH,A.B. Region 4 (Post 820201). 94/12/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82157:184-82157:202.
- 9501250089 Rev 11 to Procedure/Work Plan 1903.065, "Emergency Response Facility TSC."  
\* Entergy Operations, Inc. 95/01/03. 65pp. 82515:001-82515:065.

## 114 DOCKETED ITEMS

**9501180153** Advises that 941221 rev 31 to industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/12. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 82379:140-82379:144.

**9501190053** Ack receipt of 950104 ltr that documents change to commitment made as result of NOV from insp repts 50-313/93-12 & 50-368/93-12.Informs that commitment change & change to FFD meets regulatory requirements of 10CFR26.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82335:237-82335:242.

**9501230021** Forwards insp repts 50-313/94-26 & 50-368/94-26 on 941205-09.Noncited violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82377:041-82377:048.

**-9501230028** Partially withheld insp repts 50-313/94-26 & 50-368/94-26 on 941205-09 (ref 10CFR73.21).Non-cited violations noted. Major areas inspected:licensee physical security program.  
MURRAY,B. Region 4 (Post 820201). 94/12/27. 3pp. 82377:046-82377:048.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### P. Operating license stage documents & correspondence

**9501060031** Discusses 941027 meeting at ANO site re status of actions to complete commitments to NRC GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Attendance list & licensee presentation,enc.  
GWYNN,T.P. Region 4 (Post 820201). 94/12/29. YELVERTON,J.W. Entergy Operations, Inc. 50pp. 82189:046-82189:095.

**9501040145** Informs that ANO is now in compliance w/station blackout rule.  
MIMS,D.C. Entergy Operations, Inc. 94/12/30. Document Control Branch (Document Control Desk). 2pp. 82260:231-82260:232.

**9501200212** Forwards amend 158 to license NPF-6 & SE.Amend deletes TS requirement for full complement of SG surveillances while SG,subject of Jan 1995 special insp.  
KALMAN,G. Project Directorate IV-1. 95/01/05. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 82377:160-82377:178.

**-9501200214** Amend 158 to license NPF-6,deleting TS requirement for full complement of SG surveillances while SG,subject to Jan 1995 special insp.  
KALMAN,G. Project Directorate IV-1. 95/01/05. 10pp. 82377:163-82377:172.

**-9501200217** Safety evaluation supporting amend 158 to license NPF-6.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 6pp. 82377:173-82377:178.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501030016** Forwards insp repts 50-313/94-24 & 50-368/94-24 on 941017-1222 & NOV.  
GWYNN,T.P. Region 4 (Post 820201). 94/12/23. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 82157:084-82157:120.

**-9501030021** Notice of violation from insp on 941017-1222.Violations noted:licensee failed to generate temporary mod package, w/safety evaluation performed per 10CFR50.59, for temporary repair of tube leak DHR pump room cooler.  
\* Region 4 (Post 820201). 94/12/23. 2pp. 82157:089-82157:090.

**-9501030024** Insp repts 50-313/94-24 & 50-368/94-24 on 941017-1222. Violations noted,Major areas inspected:engineering & technical support activities.  
WESTERMAN,T.F. Region 4 (Post 820201). 94/12/22. 31pp. 82157:091-82157:120.

**9501030009** Ack receipt of 941118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-18 & 50-368/94-18 on 941006.  
COLLINS,S.J. Region 4 (Post 820201). 94/12/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82157:047-82157:054.

**9501030041** Ack receipt of 940929 ltr informing NRC of steps taken to correct violations noted in insp reports 50-313/94-06 & 50-368/94-06.Concludes w/util that sections I,A & II,C.7 of 10CFR50,App R not applicable to ANO,C/A found acceptable.  
BEACH,A.B. Region 4 (Post 820201). 94/12/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82157:184-82157:202.

**9501030042** Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-08 & 50-368/94-08.  
BEACH,B.A. Region 4 (Post 820201). 94/12/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82157:203-82157:213.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050065** Forwards insp repts 50-313/94-28 & 50-368/94-28 on 941205-09.No violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 94/12/30. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82179:091-82179:101.

**-9501050070** Insp repts 50-313/94-28 & 50-368/94-28 on 941205-09.No violations noted.Major areas inspected:licensee implementation of revised 10CFR20 in accordance w/TI 2515/123.  
MURRAY,B. Region 4 (Post 820201). 94/12/28. 7pp. 82179:095-82179:101.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9501090029** Forwards insp repts 50-313/94-09 & 50-368/94-09 on 941016-1126 & notice of violation.  
BEACH,A.B. Region 4 (Post 820201). 95/01/04. YELVERTON,J.W. Entergy Operations, Inc. 6pp. 82235:185-82235:214.

**-9501090034** Notice of violation from insp on 941016-1126.Violation noted:inspector identified that licensee failed to update Unit 2 safety analysis rept,Table 15.1.0-1.  
\* Region 4 (Post 820201). 95/01/04. 2pp. 82235:191-82235:192.

**-9501090036** Insp repts 50-313/94-09 & 50-368/94-09 on 941016-1126. Violations noted.Major areas inspected:operational safety verification,monthly maint observation,bimonthly surveillance observation & onsite engineering.  
VANDENBURGH,C. Region 4 (Post 820201). 94/12/29. 22pp. 82235:193-82235:214.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501110513** Documents basis for util change & current controls for reporting of confirmed "Positive" supervisors re Insp Repts 50-313/93-12 & 50-368/93-12.  
MINS,D.C. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82329:209-82329:210.

**9501200212** Forwards amend 158 to license NPF-6 & SE.Amend deletes TS requirement for full complement of SG surveillances while SG,subject of Jan 1995 special insp.  
KALMAN,G. Project Directorate IV-1. 95/01/05. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 82377:160-82377:178.

**-9501200214** Amend 158 to license NPF-6,deleting TS requirement for full complement of SG surveillances while SG,subject to Jan 1995 special insp.  
KALMAN,G. Project Directorate IV-1. 95/01/05. 10pp. 82377:163-82377:172.

**-9501200217** Safety evaluation supporting amend 158 to license NPF-6.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 6pp. 82377:173-82377:178.

**9501110515** Forwards response to violations noted in Insp Repts 50-313/94-19 & 50-368/94-19.Corrective actions:plant access authorization procedure revised to include verification review of authorization review of FBI criminal histories.  
YELVERTON,J.W. Entergy Operations, Inc. 95/01/06. Document Control Branch (Document Control Desk). 10pp. 82302:099-82302:108.

**9501190053** Ack receipt of 950104 ltr that documents change to commitment made as result of NOV from insp repts 50-313/93-12 & 50-368/93-12.Informs that commitment change & change to FFD meets regulatory requirements of 10CFR26.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82335:237-82335:242.

**-9501190064** Documents basis for licensee commitment change & current controls for reporting of confirmed "positive" supervisors. Believes that determination process for reporting supervisory drug use,per 10CFR26.73(a)(2)(ii),effective.  
MIMS,D.C. Entergy Operations, Inc. 95/01/04. Document Control Branch (Document Control Desk). 2pp. 82335:241-82335:242.

**9501230021** Forwards insp repts 50-313/94-26 & 50-368/94-26 on 941205-09.Noncited violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82377:041-82377:048.

**-9501230028** Partially withheld insp repts 50-313/94-26 & 50-368/94-26 on 941205-09 (ref 10CFR73.21).Non-cited violations noted. Major areas inspected:licensee physical security program.  
MURRAY,B. Region 4 (Post 820201). 94/12/27. 3pp. 82377:046-82377:048.

**9501250017** Ack receipt of 941104 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-20 & 50-368/94-20 on 941006.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 82432:171-82432:180.

**9501250046** Forwards insp repts 50-313/94-27 & 50-368/94-27 on 941205-09.No violations noted.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 82433:257-82433:273.

**-9501250048** Insp repts 50-313/94-27 & 50-368/94-27 on 941205-09.No violations noted.Major areas inspected:adequacy of operability & reportability evaluations in functional areas of operations & maint.  
ANG,W.P. Region 4 (Post 820201). 95/01/06. 12pp. 82433:262-82433:273.

**9501100350** NRC Info Notice 95-002, "Problems WGE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501104112** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501270041 Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/94-07 & 50-368/94-07. BEACH,A.B. Region 4 (Post 820201). 95/01/20. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 82488:350-82488:361.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501190295 Monthly operating rept for Dec 1994 for ANO-2. W/950113 ltr. WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 94/12/31. 7pp. 82394:306-82394:312.

#### S. Reportable occurrences, LERs & related correspondence

9501270215 Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17. FRATTIANNE,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270237 Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries, Entergy Operations, Inc notified vendor of crack on 940409. Final rept w/ respect to cracked pulley hole under way in Coltec Engineering Dept. FRATTIANNE,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.

#### DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501240025 Informs util that station, units 1 & 2 has been chosen for operational safeguards response evaluation scheduled for week of 950327-30. COLLINS,D.M. Region 2 (Post 820201). 94/12/14. MCMEEKIN,T.C. Duke Power Co. 4pp. 82417:082-82417:086.

9501040218 Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN,M.S. Duke Power Co. 5pp. 82219:060-82219:064.

9501050256 Forwards insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. COLLINS,D.M. Region 2 (Post 820201). 94/12/28. MCMEEKIN,T.C. Duke Power Co. 3pp. 82179:069-82179:072.

-9501050267 Insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. Major areas inspected: util physical security program for NP reactors including protection of safeguards info, access controls & alarm stations. STRATTON,L., MCGUIRE,D. Region 2 (Post 820201). 94/12/28. 1p. 82179:072-82179:072.

9501240111 Forwards final FEMA rept dtd 941117 re findings of joint exercise of offsite radiological ER plans for plant on 931020. W/o encl. CLINE,W.E. Region 2 (Post 820201). 95/01/10. MCMEEKIN,T.C. Duke Power Co. 3pp. 82420:022-82420:024.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501030181 Confirms arrangements made w/util & staff member concerning open meeting on 950113 to discuss corrective measures taken to eliminate adverse trend in mispositioned valves. MERSCHOFF,E.W. Region 2 (Post 820201). 94/12/23. MCMEEKIN,T.C. Duke Power Co. 3pp. 82177:001-82177:003.

9501040014 Notification of significant meeting w/util on 940113 to discuss corrective measures that licensee is taking to eliminate adverse trend in mispositioned valves. SINKULE,M.V. Region 2 (Post 820201). 94/12/23. Region 2 (Post 820201). 2pp. 82173:296-82173:297.

9501090347 Forwards request for addl info re fuel storage mods at plants. MARTIN,R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. TUCKMAN,M.S. Duke Power Co. 5pp. 82259:352-82259:356.

9501180323 Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual, effective 950101. TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82474:015.

-9501190247 Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station, rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section. LOUCKS,L.E. Duke Power Co. 95/01/01. 377pp. 82474:003-82474:015.

9501190340 Withdraws portion of 940110 proposed TS amend, change to flow measurement uncertainty which appears on Figure 3.2-1 of TS for MNS & CNS, per 950105 telcon w/NRC. TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82428:349-82428:350.

9501110504 Submits NRC request for addl info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies." MCMEEKIN,T.C. Duke Power Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82327:342-82327:343.

9501130084 Forwards safety evaluation re second ten-year interval insp program plan update & associated requests for Relief 92-03. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. MCMEEKIN,T.C. Duke Power Co. 3pp. 82319:187-82319:207.

-9501130088 Safety evaluation supporting second ten-year interval ISI program plan, rev 1 & associated request for relief. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/01/09. 2pp. 82319:190-82319:191.

-9501130096 "Technical Evaluation Rept on Second Ten-Year Interval Insp Program Plan." BROWN,B.W., FEIGE,E.J., GALBRAITH,S.G. Idaho National Engineering Laboratory. FIN L-2556. EGG-MS-11198. 94/05/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 82319:192-82319:207.

9501230208 Forwards revised Page 2-5 of Tech Specs, marked to reflect change proposed in 940110 submittal. TUCKMAN,M.S. Duke Power Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82497:347-82497:350.

-9501230210 Proposed tech specs re change method of measuring reactor coolant sys flow. \* Duke Power Co. 95/01/10. 2pp. 82497:349-82497:350.

9501200073 Forwards proprietary revised EIPs, including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04 & RP/0/A/5700/19. Encl withheld. MCMEEKIN,T.C. Duke Power Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82433:360-82433:361.

9501200029 Forwards amends 153 & 135 to licenses NPF-9 & NPF-17 & safety evaluation. Amends revise TS 2.2-1 & 4.2.5 to allow change in method for measuring RCS flow rate. NERSES,V. Division of Reactor Projects I/II (DRPE) Post 941001. 95/01/12. MCMEEKIN,T.C. Duke Power Co. 4pp. 82378:182-82378:212.

-9501200031 Amends 153 & 135 to licenses NPF-9 & NPF-17, respectively, revising TS 2.2-1 & 4.2.5 to allow change in method for measuring RCS flow rate. BERKOW,H.N. Division of Reactor Projects I/II (DRPE) Post 941001. 95/01/12. 10pp. 82378:186-82378:196.

-9501200033 Safety evaluation supporting amends 153 & 135 to licenses NPF-9 & NPF-17, respectively. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 16pp. 82378:197-82378:212.

9501240084 Application for amends to licenses NPF-9, NPF-17, NPF-35, NPF-52, NPF-38, NPF-47 & NPF-55, clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements. TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.

-9501240086 Proposed tech specs, changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements. \* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.

9501200090 Confirms 950105 telcon requesting staff to discontinue its review of topical rept RC/LA/P94/04-94/009, "Topical Rept on Methodology, Verification & Application of Computer Program, GAPPIPE," on 940601. CHAN,T.L. Mechanical Engineering Branch. 95/01/13. CLOUD,R.L. Robert L. Cloud Associates, Inc. 1p. 82420:341-82420:341.

9501310140 Application for amends to licenses NPF-9 & NPF-17 to TS re amends that allow analog channel operational test interval for radiation monitoring instrumentation to be increased from monthly to quarterly. MCMEEKIN,T.C. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 11pp. 82555:333-82555:356.

-9501310143 Proposed tech specs re amends to allow analog channel operational test interval for radiation monitoring instrumentation to be increased from monthly to quarterly. \* Duke Power Co. 95/01/18. 13pp. 82555:344-82555:356.

## 116 DOCKETED ITEMS

- 9501310435 Application for amends to Licenses NPF-9,NPF-17,NPF-35 & NPF-52, respectively. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys from TS to SLC manual for station.  
REHN, D.L. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 12pp. 82560:283-82560:341.
- 9501310441 Proposed tech specs re relocation of seismic instrumentation, meteorological instrumentation & loose-part detection sys to SLC manual.  
\* Duke Power Co. 95/01/18. 47pp. 82560:295-82560:341.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501090041 Provides supplemental response to NOV issued 940506 for insp repts 50-369/94-08 & 50-370/94-08. Corrective actions: rev to design basis document to address RCS leakage calculation will be completed by 950501.  
MCMEEKIN, T.C. Duke Power Co. 94/12/15. Document Control Branch (Document Control Desk). 3pp. 82289:350-82289:352.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501050256 Forwards insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted.  
COLLINS, D.M. Region 2 (Post 820201). 94/12/28. MCMEEKIN, T.C. Duke Power Co. 3pp. 82179:069-82179:072.
- 9501050267 Insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. Major areas inspected: util physical security program for NP reactors including protection of safeguards info, access controls & alarm stations.  
STRATTON, L., MCGUIRE, D. Region 2 (Post 820201). 94/12/28. 1p. 82179:072-82179:072.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501090090 Responds to NRC 941122 ltr re violations noted in insp repts 50-369/94-17 & 50-370/94-17. Corrective actions: medical facility supervisor reviewed incident w/all nursing staff & implemented double verification for operator medical exams.  
MCMEEKIN, T.C. Duke Power Co. 94/12/30. Document Control Branch (Document Control Desk). 6pp. 82289:335-82289:340.
- 9501110257 Forwards insp repts 50-369/94-25 & 50-370/94-25 on 941030-1130. Violation of concern because of frequent recurrence of mispositioned valves affecting safety-related equipment.  
SINKULE, M.V. Region 2 (Post 820201). 94/12/30. MCMEEKIN, T.C. Duke Power Co. 3pp. 82274:280-82274:299.
- 9501110262 Notice of violation from insp on 941030-1130. Violation noted: frequent recurrence of mispositioned valves affecting safety-related equipment.  
\* Region 2 (Post 820201). 94/12/30. Spp. 82274:283-82274:285.
- 9501110271 Insp repts 50-369/94-25 & 50-370/94-25 on 941030-1130. Violations noted. Major areas inspected: failure to maintain correct configuration for main feed-water regulating valve to ensure that valve would perform safety function.  
MAXWELL, G.F., SINKULE, M.V. Region 2 (Post 820201). 94/12/29. 14pp. 82274:286-82274:299.
- 9501110093 Forwards insp repts 50-369/94-28 & 50-370/94-28 on 941128-1202 & notice of violation. Violation of concern because NRC expects licensees to learn from past failures & to take effective corrective actions.  
STOHR, J.P. Region 2 (Post 820201). 95/01/03. MCMEEKIN, T.C. Duke Power Co. 4pp. 82274:050-82274:074.
- 9501110100 Notice of violation from insp on 941128-1202. Violation noted: licensee failed to label two B-25 type containers of radioactive waste & several vacuum cleaner hoses.  
\* Region 2 (Post 820201). 95/01/03. 2pp. 82274:054-82274:055.
- 9501110107 Insp repts 50-369/94-28 & 50-370/94-28 on 941128-1202. Violations noted. Major areas inspected: audits & appraisals, changes to program, outage planning & preparation, training & qualifications & internal & external exposure controls.  
FORBES, D.B., PARKER, B.A., RANKIN, W.R. Region 2 (Post 820201). 94/12/28. 17pp. 82274:056-82274:074.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory; High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9501240164 Forwards McGuire Civil Engineering Rept. "1994 Annual Insp of SNSW Dam & WWCB Dikes." Matl requested by insp team during recent dam insp activities at MNS. Recommendations listed in rept will be implemented during mid 1995.  
MCMEEKIN, T.C. Duke Power Co. 95/01/04. Document Control Branch (Document Control Desk). 3pp. 82513:136-82513:164.
- 9501240173 "1994 Annual Insp of SNSW Dam & WWCB Dikes."  
SHABAN, W.E. Duke Power Co. 94/12/31. 26pp. 82513:139-82513:164.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501170021 Forwards insp repts 50-369/94-26 & 50-370/94-26 on 941205-09 & notice of violation.  
CASTO, C.A. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 4pp. 82314:001-82314:024.
- 9501170024 Notice of violation from insp on 941205-09. Violation noted: licensee identified that during insp, last scheduled refueling outage of first period of second insp interval not done.  
\* Region 2 (Post 820201). 95/01/06. 2pp. 82314:005-82314:006.
- 9501170031 Insp repts 50-369/94-26 & 50-370/94-26 on 941205-09. Violations noted. Major areas inspected: eddy current exam of SG tubes & ISI of safety-related components & pipe welds.  
ECONOMOS, N., BLAKE, J. Region 2 (Post 820201). 95/01/06. 18pp. 82314:007-82314:024.
- 9501170037 Forwards exam repts 50-369/94-300 & 50-370/94-300 on 941205-09.  
GIBSON, A.F. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 3pp. 82313:004-82313:262.
- 9501170043 Exam repts 50-369/94-300 & 50-370/94-300 on 941205-09. Exam results: mine candidates successfully passed initial exam, two RO failed part of exam.  
LAWYER, L.L. Region 2 (Post 820201). 95/01/06. 256pp. 82313:007-82313:262.
- 9501170057 Forwards insp repts 50-369/94-27 & 50-370/94-27 on 941114-16. No violations noted.  
CRLENJAK, R.V. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 3pp. 82314:145-82314:156.
- 9501170059 Insp repts 50-369/94-27 & 50-370/94-27 on 941114-16. No violations noted. Major areas inspected: special insp conducted on standby nuclear svc pond dam, including crest, embankments, reservoir, discharge structure & instrumentation.  
MAXWELL, G., CRLENJAK, R.V. Region 2 (Post 820201). 95/01/06. 9pp. 82314:148-82314:156.
- 9501130084 Forwards safety evaluation re second ten-year interval insp program plan update & associated requests for Relief 92-03.  
BERKOW, H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. MCMEEKIN, T.C. Duke Power Co. 3pp. 82319:187-82319:207.
- 9501130088 Safety evaluation supporting second ten-year interval ISI program plan, rev 1 & associated request for relief.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/01/09. 2pp. 82319:190-82319:191.
- 9501130096 "Technical Evaluation Rept on Second Ten-Year Interval Insp Program Plan."  
BROWN, B.W., FEIGE, E.J., GALBRAITH, S.G. Idaho National Engineering Laboratory. FIN L-2556. EGG-MS-11198. 94/05/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 82319:192-82319:207.
- 9501240020 Ack receipt of 941230 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-17 & 50-370/94-17 on 941122.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. MCMEEKIN, T.C. Duke Power Co. 3pp. 82417:054-82417:056.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501250052 Discusses NRC 941021 ltr informing licensee that staff w/ technical assistance from BNL completed review of info re IST program relief requests submitted on 940106 for plant units 1 & 2 & certain relief request were denied.  
MCMEEKIN, T.C. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 333pp. 82462:001-82462:333.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501300236 Forwards request for relief from ASME B&PV Code requirements for second interval ISI.  
MCMEEKIN, T.C. Duke Power Co. 95/01/20. Document Control Branch (Document Control Desk). 6pp. 82551:355-82551:360.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501310087 "ISI Rept McGuire Nuclear Station Unit 1 Ninth Refueling Outage."  
MCMEEKIN, T.C. Duke Power Co. 95/01/26. Document Control Branch (Document Control Desk). 2pp. 82563:001-82564:054.
- 9501310089 "ISI Rept McGuire Nuclear Station Unit 1 Ninth Refueling Outage."  
BARBOUR, J. Duke Power Co. 95/01/25. 416pp. 82563:003-82564:054.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.



**R. Periodic operating reports & related correspondence**

- 9501050451** Submits four yr rept for McGuire Nuclear Station Unit 1, per 10CFR55.45 b.5.ii & b.5.vi. Form 474's for each McGuire unit, failed test procedures, description of tests completed (1991-1994) & next four yr test schedule (1995-1998) encl. CALDWELL, B.F. Duke Power Co. 94/12/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 82274:350-82274:361.
- 9501200110** Forwards monthly operating rept for 1994 for McGuire Nuclear Station & revised monthly operating rept for Nov 1994. WEBER, R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82477:316-82477:317.
- 9501230124** Monthly operating repts for Dec 1994 for McGuire Nuclear Station. WILLIAMS, R.A. Duke Power Co. 94/12/31. 10pp. 82477:318-82477:327.
- 9501230130** Revised monthly operating for Nov 1994 for McGuire Nuclear Station.  
\* Duke Power Co. 94/11/30. 1p. 82477:328-82477:328.
- 9501240298** Forwards annual Lake Norman environ summary rept for 1993. MCMEEKIN, T.C. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 1p. 82488:001-82488:093.
- 9501240307** "Annual Lake Norman Environ Summary Rept for 1993."  
\* Duke Power Co. 93/12/31. 93pp. 82488:002-82488:093.

**S. Reportable occurrences, LERs & related correspondence**

- 9501170138** Final response to FOIA requests for documents. App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI, T. Affiliation Not Assigned. App. 82339:138-82339:170.
- 9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.
- 9501090062** LER 94-010-00: on 941130, discovered that spare Unit 2 containment penetration, 2-M313A not included in procedure PT/2/A/4200/02C due to improper work practices. Spare instrument penetration added to procedure. W/941230 ltr. DEESE, R.J., MCMEEKIN, T.C. Duke Power Co. 94/12/30. 6pp. 82287:033-82287:038.
- 9501230101** Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.
- 9501230121** Part 21 Rept CFRN 94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.
- 9501240381** LER 94-009-00: on 941125, boron dilution of Unit 1 VCT occurred due to procedural deficiencies caused by inadequate self checking. Procedure CP/0/A/8400/10 placed on administrative hold. W/950113 ltr. DEESE, R.J., MCMEEKIN, T.C. Duke Power Co. 95/01/20. 7pp. 82507:006-82507:012.

**V. Operator Examinations**

- 9501170037** Forwards exam repts 50-369/94-300 & 50-370/94-300 on 941205-09. GIBSON, A.F. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 3pp. 82313:004-82313:262.
- 9501170043** Exam repts 50-369/94-300 & 50-370/94-300 on 941205-09. Exam results: nine candidates successfully passed initial exam, two RO failed part of exam. LAWYER, L.L. Region 2 (Post 820201). 95/01/06. 256pp. 82313:007-82313:262.

**DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

- 9501240025** Informs util that station, units 1 & 2 has been chosen for operational safeguards response evaluation scheduled for week of 950327-30. COLLINS, D.M. Region 2 (Post 820201). 94/12/14. MCMEEKIN, T.C. Duke Power Co. 4pp. 82417:082-82417:086.
- 9501040218** Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN, M.S. Duke Power Co. 5pp. 82219:060-82219:064.
- 9501050256** Forwards insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 94/12/28. MCMEEKIN, T.C. Duke Power Co. 3pp. 82179:069-82179:072.
- 9501050267** Insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. Major areas inspected: util physical security program for NP reactors including protection of safeguards info, access controls & alarm stations. STRATTON, L. Region 2 (Post 820201). 94/12/28. 1p. 82179:072-82179:072.
- 9501240111** Forwards final FEMA rept dtd 941117 re findings of joint exercise of offsite radiological ER plans for plant on 931020.W/o encl. CLINE, W.E. Region 2 (Post 820201). 95/01/10. MCMEEKIN, T.C. Duke Power Co. 3pp. 82420:022-82420:024.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

- 9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**P. Operating license stage documents & correspondence**

- 9501030181** Confirms arrangements made w/util & staff member concerning open meeting on 950113 to discuss corrective measures taken to eliminate adverse trend in mispositioned valves. MERSCHOFF, E.W. Region 2 (Post 820201). 94/12/23. MCMEEKIN, T.C. Duke Power Co. 3pp. 82177:001-82177:003.
- 9501040014** Notification of significant meeting w/util on 940113 to discuss corrective measures that licensee is taking to eliminate adverse trend in mispositioned valves. SINKULE, M.V. Region 2 (Post 820201). 94/12/23. Region 2 (Post 820201). 2pp. 82173:296-82173:297.
- 9501050436** Approves use of ASME code case N-416-1 w/stipulations in lieu of performing hydrostatic pressure test of installation of replacement items by welding. Safety evaluation & staff conclusions encl. BERKOW, H.N. Project Directorate II-3. 94/12/28. MCMEEKIN, T.C. Duke Power Co. 3pp. 82257:340-82257:347.
- 9501050444** Safety evaluation supporting request to use ASME code case N-416-1, in lieu of performing hydrostatic pressure test or installation of replacement items by welding.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 5pp. 82257:343-82257:347.
- 9501100008** Provides listed info re plant Unit 2 Dec 1994 EOC-9 refueling outage. MCMEEKIN, T.C. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 9pp. 82290:352-82290:360.
- 9501090347** Forwards request for addl info re fuel storage mods at plants. MARTIN, R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. TUCKMAN, M.S. Duke Power Co. 5pp. 82259:352-82259:356.
- 9501180323** Forwards revisions 38, 35, 36 & 37 Duke Power Company Offsite Dose Calculations Manual, effective 950101. TUCKMAN, M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82474:015.
- 9501190247** Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station, rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section. LOUCKS, L.E. Duke Power Co. 95/01/01. 377pp. 82474:003-82474:015.
- 9501190340** Withdraws portion of 940110 proposed TS amend, change to flow measurement uncertainty which appears on Figure 3.2-1 of TS for MNS & CNS, per 950105 telcon w/NRC. TUCKMAN, M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82428:349-82428:350.
- 9501110504** Submits NRC request for addl info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies." MCMEEKIN, T.C. Duke Power Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82327:342-82327:343.
- 9501230208** Forwards revised Page 2-5 of Tech Specs, marked to reflect change proposed in 940110 submittal. TUCKMAN, M.S. Duke Power Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82497:347-82497:350.
- 9501230210** Proposed tech specs re change method of measuring reactor coolant sys flow.  
\* Duke Power Co. 95/01/10. 2pp. 82497:349-82497:350.
- 9501200073** Forwards proprietary revised EIPs, including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04 & RP/0/A/5700/19. Encl withheld. MCMEEKIN, T.C. Duke Power Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82433:360-82433:361.
- 9501200029** Forwards amends 153 & 135 to licenses NPF-9 & NPF-17 & safety evaluation. Amends revise TS 2.2-1 & 4.2.5 to allow change in method for measuring RCS flow rate. NERSES, V. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/12. MCMEEKIN, T.C. Duke Power Co. 4pp. 82378:182-82378:212.
- 9501200031** Amends 153 & 135 to licenses NPF-9 & NPF-17, respectively, revising TS 2.2-1 & 4.2.5 to allow change in method for measuring RCS flow rate. BERKOW, H.N. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/12. 10pp. 82378:186-82378:196.
- 9501200033** Safety evaluation supporting amends 153 & 135 to licenses NPF-9 & NPF-17, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 16pp. 82378:197-82378:212.
- 9501240084** Application for amends to licenses NPF-9, NPF-17, NPF-35, NPF-52, NPF-38, NPF-47 & NPF-55, clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements. TUCKMAN, M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.



## 118 DOCKETED ITEMS

- 9501240086 Proposed tech specs, changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
\* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.
- 9501200090 Confirms 950105 telcon requesting staff to discontinue its review of topical rept RCLA/P94/04-94/009. "Topical Rept on Methodology, Verification & Application of Computer Program, GAPPIPE," on 940601.  
CHAN, T.L. Mechanical Engineering Branch. 95/01/13. CLOUD, R.L. Robert L. Cloud Associates, Inc. 1p. 82420:341-82420:341.
- 9501310140 Application for amends to licenses NPF-9 & NPF-17 to TS re amends that allow analog channel operational test interval for radiation monitoring instrumentation to be increased from monthly to quarterly.  
MCMEEKIN, T.C. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 11pp. 82555:333-82555:356.
- 9501310143 Proposed tech specs re amends to allow analog channel operational test interval for radiation monitoring instrumentation to be increased from monthly to quarterly.  
\* Duke Power Co. 95/01/18. 13pp. 82555:344-82555:356.
- 9501310435 Application for amends to Licenses NPF-9, NPF-17, NPF-35 & NPF-52, respectively. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys from TS to SLC manual for station.  
REHN, D.L. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 12pp. 82560:283-82560:341.
- 9501310441 Proposed tech specs re relocation of seismic instrumentation, meteorological instrumentation & loose-part detection sys to SLC manual.  
\* Duke Power Co. 95/01/18. 47pp. 82560:295-82560:341.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501090041 Provides supplemental response to NOV issued 940506 for insp repts 50-369/94-08 & 50-370/94-08. Corrective actions: rev to design basis document to address RCS leakage calculation will be completed by 950501.  
MCMEEKIN, T.C. Duke Power Co. 94/12/15. Document Control Branch (Document Control Desk). 3pp. 82289:350-82289:352.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501050256 Forwards insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted.  
COLLINS, D.M. Region 2 (Post 820201). 94/12/28. MCMEEKIN, T.C. Duke Power Co. 3pp. 82179:069-82179:072.
- 9501050267 Insp repts 50-369/94-29 & 50-370/94-29 on 941205-09. No violations noted. Major areas inspected: util physical security program for NP reactors including protection of safeguards info, access controls & alarm stations.  
STRATTON, L., MCGUIRE, D. Region 2 (Post 820201). 94/12/28. 1p. 82179:072-82179:072.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501090090 Responds to NRC 941122 ltr re violations noted in insp repts 50-369/94-17 & 50-370/94-17. Corrective actions: medical facility supervisor reviewed incident w/all nursing staff & implemented double verification for operator medical exams.  
MCMEEKIN, T.C. Duke Power Co. 94/12/30. Document Control Branch (Document Control Desk). 6pp. 82289:335-82289:340.
- 9501110257 Forwards insp repts 50-369/94-25 & 50-370/94-25 on 941030-1130. Violation of concern because of frequent recurrence of mispositioned valves affecting safety-related equipment.  
SINKULE, M.V. Region 2 (Post 820201). 94/12/30. MCMEEKIN, T.C. Duke Power Co. 3pp. 82274:280-82274:299.
- 9501110262 Notice of violation from insp on 941030-1130. Violation noted: frequent recurrence of mispositioned valves affecting safety-related equipment.  
\* Region 2 (Post 820201). 94/12/30. 3pp. 82274:283-82274:285.
- 9501110271 Insp repts 50-369/94-25 & 50-370/94-25 on 941030-1130. Violations noted. Major areas inspected: failure to maintain correct configuration for main feedwater regulating valve to ensure that valve would perform safety function.  
MAXWELL, G.F., SINKULE, M.V. Region 2 (Post 820201). 94/12/29. 14pp. 82274:286-82274:299.
- 9501110093 Forwards insp repts 50-369/94-28 & 50-370/94-28 on 941128-1202 & notice of violation. Violation of concern because NRC expects licensees to learn from past failures & to take effective corrective actions.  
STOHR, J.P. Region 2 (Post 820201). 95/01/03. MCMEEKIN, T.C. Duke Power Co. 4pp. 82274:050-82274:074.
- 9501110100 Notice of violation from insp on 941128-1202. Violation noted: licensee failed to label two B-25 type containers of radioactive waste & several vacuum cleaner hoses.  
\* Region 2 (Post 820201). 95/01/03. 2pp. 82274:054-82274:055.
- 9501110107 Insp repts 50-369/94-28 & 50-370/94-28 on 941128-1202. Violations noted. Major areas inspected: audits & appraisals, changes to program, outage planning & preparation, training & qualifications & internal & external exposure controls.  
FORBES, D.B., PARKER, B.A., RANKIN, W.R. Region 2 (Post 820201). 94/12/28. 17pp. 82274:056-82274:074.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9501240164 Forwards McGuire Civil Engineering Rept, "1994 Annual Insp of SNSW Dam & WWCB Dikes." Matt requested by insp team during recent dam insp activities at MNS. Recommendations listed in rept will be implemented during mid 1995.  
MCMEEKIN, T.C. Duke Power Co. 95/01/04. Document Control Branch (Document Control Desk). 3pp. 82513:136-82513:164.
- 9501240173 "1994 Annual Insp of SNSW Dam & WWCB Dikes."  
SHABAN, W.E. Duke Power Co. 94/12/31. 26pp. 82513:139-82513:164.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501170021 Forwards insp repts 50-369/94-26 & 50-370/94-26 on 941205-09 & notice of violation.  
CASTO, C.A. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 4pp. 82314:001-82314:024.
- 9501170031 Insp repts 50-369/94-26 & 50-370/94-26 on 941205-09. Violations noted. Major areas inspected: eddy current exam of SG tubes & ISI of safety-related components & pipe welds.  
ECONOMOS, N., BLAKE, J. Region 2 (Post 820201). 95/01/06. 18pp. 82314:007-82314:024.
- 9501170037 Forwards exam repts 50-369/94-300 & 50-370/94-300 on 941205-09.  
GIBSON, A.F. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 3pp. 82314:004-82314:026.
- 9501170043 Exam repts 50-369/94-300 & 50-370/94-300 on 941205-09. Exam results: nine candidates successfully passed initial exam, two RO failed part of exam.  
LAWYER, L.L. Region 2 (Post 820201). 95/01/06. 256pp. 82313:007-82313:262.
- 9501170057 Forwards insp repts 50-369/94-27 & 50-370/94-27 on 941114-16. No violations noted.  
CRLENJAK, R.V. Region 2 (Post 820201). 95/01/06. MCMEEKIN, T.C. Duke Power Co. 3pp. 82314:145-82314:156.
- 9501170059 Insp repts 50-369/94-27 & 50-370/94-27 on 941114-16. No violations noted. Major areas inspected: special insp conducted on standby nuclear svc pond dam, including crest, embankments, reservoir, discharge structure & instrumentation.  
MAXWELL, G., CRLENJAK, R.V. Region 2 (Post 820201). 95/01/06. 9pp. 82314:148-82314:156.
- 9501240020 Ack receipt of 941230 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/94-17 & 50-370/94-17 on 941122.  
PEEBLES, T.A. Region 2 (Post 820201). 95/01/11. MCMEEKIN, T.C. Duke Power Co. 3pp. 82417:054-82417:056.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501250052 Discusses NRC 941021 ltr informing licensee that staff w/ technical assistance from BNL completed review of info re IST program relief requests submitted on 940106 for plant units 1 & 2 & certain relief request were denied.  
MCMEEKIN, T.C. Duke Power Co. 95/01/19. Document Control Branch (Document Control Desk). 333pp. 82462:001-82462:333.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501050451 Submits four yr rept for McGuire Nuclear Station Unit 1, per 10CFR55.45 b.5.ii & b.5.vi. Form 474's for each McGuire unit, failed test procedures, description of tests completed (1991-1994) & next four yr test schedule (1995-1998) encl.  
CALDWELL, B.F. Duke Power Co. 94/12/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 82274:350-82274:361.
- 9501200110 Forwards monthly operating rept for 1994 for McGuire Nuclear Station & revised monthly operating rept for Nov 1994.  
WEBER, R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82477:316-82477:317.
- 9501230124 Monthly operating repts for Dec 1994 for McGuire Nuclear Station.  
WILLIAMS, R.A. Duke Power Co. 94/12/31. 10pp. 82477:318-82477:327.

-9501230130 Revised monthly operating for Nov 1994 for McGuire Nuclear Station.  
\* Duke Power Co. 94/11/30. 1p. 82477:328-82477:328.

9501240298 Forwards annual Lake Norman environ summary rept for 1993.  
MCMEEKIN,T.C. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 1p. 82488:001-82488:093.

-9501240307 "Annual Lake Norman Environ Summary Rept for 1993."  
\* Duke Power Co. 93/12/31. 93pp. 82488:002-82488:093.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utis informed. Utis should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utis affected by notification informed.Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### V. Operator Examinations

9501170037 Forwards exam repts 50-369/94-300 & 50-370/94-300 on 941205-09.  
GIBSON,A.F. Region 2 (Post 820201). 95/01/06. MCMEEKIN,T.C. Duke Power Co. 3pp. 82313:004-82313:262.

-9501170043 Exam repts 50-369/94-300 & 50-370/94-300 on 941205-09. Exam results:nine candidates successfully passed initial exam,two RO failed part of exam.  
LAWYER,LL. Region 2 (Post 820201). 95/01/06. 256pp. 82313:007-82313:262.

#### DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan,acceptable.Plan contained generic emergency planning info for all of uti nuclear stations.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

950120051 Forwards for review SALP 12 rept for plant for period 930601-941126.  
MARTIN,J.B. Region 3 (Post 820201). 94/12/29. QUERIO,R. Commonwealth Edison Co. 4pp. 82279:262-82279:272.

-9501120057 SALP repts 50-373/94-01 & 50-374/94-01 for 930601-941126.  
\* Region 3 (Post 820201). 94/12/29. 7pp. 82279:266-82279:272.

9501120063 Forwards insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.  
CLAYTON,B. Region 3 (Post 820201). 95/01/03. QUERIO,R. Commonwealth Edison Co. 2pp. 82280:001-82280:043.

-9501120068 Insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.Major areas inspected:plant operations, maint,engineering & EP exercise involving review of exercise scenario.  
CLAYTON,B., BURGESS,B.L., MCNEIL,D.R. Region 3 (Post 820201). 95/01/03. 40pp. 82280:003-82280:043.

9501310461 Revised EPIPs,including Rev 51 to LZP-1320-1, "Augmentation of Plant Staffing" & Rev 6 to LZP-1320-2, "Operational Check of GSEP Activation Phase List."  
\* Commonwealth Edison Co. 95/01/03. 29pp. 82582:181-82582:209.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF,in accordance w/ NUREG-0737,Suppl 1.Supporting info encl.W/one oversize encl.  
BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501240078 Requests that results of review & disposition be submitted within 45 days.Response should not contain personal privacy, proprietary or safeguards info so it can be released to public & placed in NRC PDR.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/13. QUERIO,R.E. Commonwealth Edison Co. 2pp. 82419:301-82419:302.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING,M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501050362 Forwards summary of LaSalle near term improvement (NTI) plan,LaSalle NTI plan issues compared to LaSalle business unit plan & overview of planning & oversight vehicles.  
QUERIO,R.E. Commonwealth Edison Co. 94/12/23. Document Control Branch (Document Control Desk). 15pp. 82230:325-82230:339.

9501190292 Offsite Dose Calculation Manual revisions to chapters 10-12 & Appendix F for Lasalle Station.  
\* Commonwealth Edison Co. 94/12/30. 154pp. 82394:001-82394:154.

9501120348 Forwards NRC Staff questions re fire testing of Darmatt KM1 fire barrier matl at plant in response to uti 940406-1213 submittals concerning replacement of Thermo-Lag fire protection mats.  
RECKLEY,W.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82310:158-82310:160.

9501190314 Provides views re uti progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

9501240034 Application for amends to licenses NPF-11 & NPF-18,to revise pressure alarm setpoint allowable values for ECCS & RCIC sys "keep filled" pressure instrumentation channels.  
BENES,G.G. Commonwealth Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 14pp. 82512:277-82512:336.

-9501240041 Proposed tech specs revising pressure alarm setpoint allowable values for ECCS & RCIC sys "keep filled" pressure instrumentation channels.  
\* Commonwealth Edison Co. 95/01/13. 48pp. 82512:291-82512:336.

9501260244 Discusses relief request submitted on 941122 re use of ASME Code case N-498-1,approved by ASME on 940511,for hydrostatic testing of plant components for rest of 10-year insp period. Forwards SE approving of uti request to use ASME code case.  
CAPRA,R.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR,D.L. Commonwealth Edison Co. 4pp. 82508:128-82508:136.

-9501260249 SER approving inservice insp request for relief RI-31 to use ASME Code case N-498-1 re plant hydrostatic testing, approved 940511,for Lasalle NFGS Unit 1 & 2.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:132-82508:136.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300279 Discusses 941214 ltr from Commonwealth Edison Co & 941213 affidavits from GE submitting listed documents & requesting documents be withheld from public disclosure per 10CFR2.790.  
RECKLEY,W.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82542:322-82542:324.

9501310207 Informs NRC that requested action 1 to GL 94-02 has been completed.  
BENES,G.G. Commonwealth Edison Co. 95/01/24. Document Control Branch (Document Control Desk). 2pp. 82555:359-82555:360.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. COOK,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). STETZ,J.P. Centerior Energy. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

950120051 Forwards for review SALP 12 rept for plant for period 930601-941126.  
MARTIN,J.B. Region 3 (Post 820201). 94/12/29. QUERIO,R. Commonwealth Edison Co. 4pp. 82279:262-82279:272.

-9501120057 SALP repts 50-373/94-01 & 50-374/94-01 for 930601-941126.  
\* Region 3 (Post 820201). 94/12/29. 7pp. 82279:266-82279:272.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501120063 Forwards insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.  
CLAYTON,B. Region 3 (Post 820201). 95/01/03. QUERIO,R. Commonwealth Edison Co. 2pp. 82280:001-82280:043.

## 120 DOCKETED ITEMS

-9501120068 Insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.Major areas inspected:plant operations, maint,engineering & EP exercise involving review of exercise scenario.  
CLAYTON,B., BURGESS,B.L., MCNEIL,D.R. Region 3 (Post 820201). 95/01/03. 40pp. 82280:003-82280:043.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501260244 Discusses relief request submitted on 941122 re use of ASME Code case N-498-1, approved by ASME on 940511, for hydrostatic testing of plant components for rest of 10-year insp period. Forwards SE approving of util request to use ASME code case.  
CAPRA,R.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR,D.L. Commonwealth Edison Co. 4pp. 82508:128-82508:136.

-9501260249 SER approving inservice insp request for relief RI-31 to use ASME Code case N-498-1 re plant hydrostatic testing, approved 940511, for LaSalle NPGS Unit 1 & 2.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:132-82508:136.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200142 Monthly operating rept for Dec 1994 for LaSalle County Nuclear Station Units 1 & 2.W/950112 ltr.  
CALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 94/12/31. 18pp. 82472:189-82472:206.

### S. Reportable occurrences, LERs & related correspondence

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utills affected by notification informed.Utills should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501190157 LER 94-015-00:on 941212,Group 1 MSIV PCI occurred,causing reactor scram.Caused by failed switch.Switch replaced.W/ 950111 ltr.  
BRYANT,J., RAY,D.J. Commonwealth Edison Co. 95/01/11. 6pp. 82381:007-82381:012.

### V. Operator Examinations

9501300232 Requests temporary mod to SRO license status of RM Shields under license SOP-30582.  
QUERIO,R.E. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 1p. 82554:209-82554:209.

### DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan,acceptable.Plan contained generic emergency planning info for all of util nuclear stations.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501120051 Forwards for review SALP 12 rept for plant for period 930601-941126.  
MARTIN,J.B. Region 3 (Post 820201). 94/12/29. QUERIO,R. Commonwealth Edison Co. 4pp. 82279:262-82279:272.

-9501120057 SALP repts 50-373/94-01 & 50-374/94-01 for 930601-941126.  
\* Region 3 (Post 820201). 94/12/29. 7pp. 82279:266-82279:272.

9501120063 Forwards insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.  
CLAYTON,B. Region 3 (Post 820201). 95/01/03. QUERIO,R. Commonwealth Edison Co. 2pp. 82280:001-82280:043.

-9501120068 Insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126.No violations noted.Major areas inspected:plant operations, maint,engineering & EP exercise involving review of exercise scenario.  
CLAYTON,B., LANGSTAFF,R.A. Region 3 (Post 820201). 95/01/03. 40pp. 82280:003-82280:043.

9501310461 Revised EPIPs,including Rev 51 to LZP-1320-1, "Augmentation of Plant Staffing" & Rev 6 to LZP-1320-2, "Operational Check of GSEP Activation Phone List."  
\* Commonwealth Edison Co. 95/01/03. 29pp. 82582:181-82582:209.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF,in accordance w/ NUREG-0737,Suppl 1.Supporting info encl.W/one oversize encl.  
BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501240078 Requests that results of review & disposition be submitted within 45 days.Response should not contain personal privacy, proprietary or safeguards info so it can be released to public & placed in NRC PDR.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/13. QUERIO,R.E. Commonwealth Edison Co. 2pp. 82419:301-82419:302.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82262:053-82262:104.

### P. Operating license stage documents & correspondence

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING,M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501050362 Forwards summary of LaSalle near term improvement (NTI) plan,LaSalle NTI plan issues compared to LaSalle business unit plan & overview of planning & oversight vehicles.  
QUERIO,R.E. Commonwealth Edison Co. 94/12/23. Document Control Branch (Document Control Desk). 15pp. 82230:325-82230:339.

9501190292 Offsite Dose Calculation Manual revisions to chapters 10-12 & Appendix F for LaSalle Station.  
\* Commonwealth Edison Co. 94/12/30. 154pp. 82394:001-82394:154.

9501120348 Forwards NRC Staff questions re fire testing of Darmatt KM1 fire barrier matl at plant in response to util 940406-1213 submittals concerning replacement of Thermo-Lag fire protection mats.  
RECKLEY,W.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82310:158-82310:160.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

9501240034 Application for amends to licenses NPF-11 & NPF-18, to revise pressure alarm setpoint allowable values for ECCS & RCIC sys "keep filled" pressure instrumentation channels.  
BENES,G.G. Commonwealth Edison Co. 95/01/13. Document Control Branch (Document Control Desk). 14pp. 82512:277-82512:336.

-9501240041 Proposed tech specs revising pressure alarm setpoint allowable values for ECCS & RCIC sys "keep filled" pressure instrumentation channels.  
\* Commonwealth Edison Co. 95/01/13. 48pp. 82512:291-82512:336.

9501260244 Discusses relief request submitted on 941122 re use of ASME Code case N-498-1, approved by ASME on 940511, for hydrostatic testing of plant components for rest of 10-year insp period. Forwards SE approving of util request to use ASME code case.  
CAPRA,R.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR,D.L. Commonwealth Edison Co. 4pp. 82508:128-82508:136.

-9501260249 SER approving inservice insp request for relief RI-31 to use ASME Code case N-498-1 re plant hydrostatic testing, approved 940511, for LaSalle NPGS Unit 1 & 2.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:132-82508:136.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300279** Discusses 941214 ltr from Commonwealth Edison Co & 941213 affidavits from GE submitting listed documents & requesting documents be withheld from public disclosure per 10CFR2.790.  
RECKLEY,W.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82542:322-82542:324.

**9501310207** Informs NRC that requested action 1 to GL 94-02 has been completed.  
BENES,G.G. Commonwealth Edison Co. 95/01/24. Document Control Branch (Document Control Desk). 2pp. 82555:359-82555:360.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. COOK,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). STETZ,J.P. Centerior Energy. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501120051** Forwards for review SALP 12 rept for plant for period 930601-941126.  
MARTIN,J.B. Region 3 (Post 820201). 94/12/29. QUERIO,R. Commonwealth Edison Co. 4pp. 82279:262-82279:272.

**-9501120057** SALP repts 50-373/94-01 & 50-374/94-01 for 930601-941126.  
\* Region 3 (Post 820201). 94/12/29. 7pp. 82279:266-82279:272.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501120063** Forwards insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126. No violations noted.  
CLAYTON,B. Region 3 (Post 820201). 95/01/03. QUERIO,R. Commonwealth Edison Co. 2pp. 82280:001-82280:043.

**-9501120068** Insp repts 50-373/94-18 & 50-374/94-18 on 941008-1126. No violations noted. Major areas inspected: plant operations, maint, engineering & EP exercise involving review of exercise scenario.  
CLAYTON,B., BURGESS,B.L., MCNEIL,D.R. Region 3 (Post 820201). 95/01/03. 40pp. 82280:003-82280:043.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**950110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501260244** Discusses relief request submitted on 941122 re use of ASME Code case N-498-1, approved by ASME on 940511, for hydrostatic testing of plant components for rest of 10-year insp period. Forwards SE approving of util request to use ASME code case.  
CAPRA,R.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR,D.L. Commonwealth Edison Co. 4pp. 82508:128-82508:136.

**-9501260249** SER approving inservice insp request for relief RI-31 to use ASME Code case N-498-1 re plant hydrostatic testing, approved 940511, for LaSalle NPGS Unit 1 & 2.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:132-82508:136.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200142** Monthly operating rept for Dec 1994 for LaSalle County Nuclear Station Units 1 & 2W/950112 ltr.  
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 94/12/31. 18pp. 82472:189-82472:206.

#### S. Reportable occurrences, LERs & related correspondence

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utis affected by notification informed. Utis should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

**9501190303** LER 94-010-00 on 941214, division 2 ECC & RCIC initiated due to PS isolation valve leak. Action request was initiated to repair isolation valve. W/950112 ltr.  
ELLSWORTH,M., RAY,D.J. Commonwealth Edison Co. 95/01/12. 6pp. 82381:051-82381:056.

**9501270359** LER 94-012-00 on 941221, high pressure core spray declared inoperable due to 2B DG exceeded 72h TS. 2B DG was repaired & declared operable on 941222. W/950129 ltr.  
KOLLROSS,T., RAY,D.J. Commonwealth Edison Co. 95/01/19. 4pp. 82575:102-82575:105.

**9501300198** Special rept on 941221, 2B DG was shutdown for investigation by sys engineering & electrical maint personnel due to speed engine governor reacting opposite of given signal.  
RAY,D.J. Commonwealth Edison Co. 95/01/19. Document Control Branch (Document Control Desk). 1p. 82554:320-82554:320.

#### V. Operator Examinations

**9501300232** Requests temporary mod to SRO license status of RM Shields under license SOP-30982.  
QUERIO,R.E. Commonwealth Edison Co. 95/01/18. Document Control Branch (Document Control Desk). 1p. 82554:209-82554:209.

#### DOCKET 50-376 NORTH COAST NUCLEAR PLANT

##### A. Application/construction stage documents & correspondence

**9501300214** Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

**-9501300224** Partially withheld paper informing of Appeal Board decision re petition on ALAB-662.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). SECY-82-024. 82/01/20. 100pp. 82524:258-82524:340.

#### DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

##### F. Security, medical, emergency & fire protection plans

**9501030153** Submits response to GL 88-20, Suppl 4, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities." Realistic schedule for submittal of internal fire evaluation will be provided to NRC by 950301. Waterford 3 "IPE..." encl.  
BURSKI,R.F. Entergy Operations, Inc. 94/12/29. Document Control Branch (Document Control Desk). 5pp. 82223:216-82223:293.

**9501050260** Forwards NRC request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Discusses licensee plan to continue to rely on Thermo-Lag fire barriers to comply w/NRC fire protection regulations.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BARKHURST,R.P. Entergy Operations, Inc. 8pp. 82227:349-82227:356.

**9501050194** Forwards insp rept 50-382/94-21 on 941113-1224 & mgt meeting conducted on 941220. Violation noted but not cited. Advises that health physics personnel demonstrated excellent radiological protection oversight skills during tests.  
BEACH,A.B. Region 4 (Post 820201). 94/12/30. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 82178:228-82178:285.

**-9501050207** Insp rept 50-382/94-21 on 941113-1224. Violations noted but not cited. Major areas inspected: plant status, plant support activities, plant operations, maint & onsite engineering, mgt meetings, maint & surveillance observations & on-line maint.  
VANDENBURGH,C. Region 4 (Post 820201). 94/12/29. 53pp. 82178:233-82178:285.

**9501190180** Revised EPIPs, including rev 18 to EP-001-010, rev 20 to EP-001-020, rev 19 to EP-001-030, rev 20 to EP-001-040, rev 13 to EP-002-071, rev 21 to EP-002-100, rev 21 to EP-002-102 & rev 13, Change 1 to EP-002-052. W/950113 ltr.  
BURSKI,R.F. Entergy Operations, Inc. 95/01/13. 36pp. 82427:001-82427:360.

**9501230213** Forwards SE re reevaluation of exemption from 10CFR50, app R, section III.G.2. Conclusions stated in SER of Dec 1984 remain valid. Existing exemption remains acceptable.  
PATEL,C.P. . 95/01/17. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 82392:175-82392:180.

**-9501230219** Safety evaluation re re-evaluation of previous exemption from requirements of appendix R to 10CFR50 Sec III.G.2. SE supports reaffirmation.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. 3pp. 82392:178-82392:180.

## 122 DOCKETED ITEMS

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

**9501040194** TS change request NPF-38-161 to license NPF-38,modifying requirement to perform MTC test near end of each cycle. "Analysis of Moderator Temp Coefficients in Support of Change in TS EOC Negative MTC Limit" encl.  
BARKHURST,R.P. Entergy Operations, Inc. 94/12/09. Document Control Branch (Document Control Desk). 8pp. 82275:269-82275:356.

**-9501040196** Proposed tech specs,modifying requirement to perform MTC test near end of each cycle.  
\* Entergy Operations, Inc. 94/12/09. 7pp. 82275:277-82275:284.

**-9501090348** "Analysis of Moderator Temp Coefficients in Support of Change in TS of EOC Negative MTC Limit."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).  
\* ASEA Brown Boveri, Inc. CE NPSD-911. 93/05/31. 72pp. 82275:285-82275:356.

**9501030153** Submits response to GL 88-20,Suppl 4, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities." Realistic schedule for submittal of internal fire evaluation will be provided to NRC by 950301.Waterford 3 "IPE..." encl.  
BURSKI,R.F. Entergy Operations, Inc. 94/12/29. Document Control Branch (Document Control Desk). 5pp. 82223:216-82223:293.

**-9501040254** "Individual Plant Exam for External Events."  
\* Entergy Operations, Inc. 94/12/31. 73pp. 82223:221-82223:293.

**9501050260** Forwards NRC request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f).Discusses licensee plan to continue to rely on Thermo-Lag fire barriers to comply w/NRC fire protection regulations.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BARKHURST,R.P. Entergy Operations, Inc. 8pp. 82227:349-82227:356.

**9501120087** Forwards SE for CEOG response to GL 89-19, "Request for Action Re Resolution of USI A-47, 'Safety Implication of Control Sys in LWR Nuclear Power Plants,' per 10CFR50.54(f)."  
PATEL,C.P. Project Directorate III-2. 95/01/03. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 82304:346-82304:355.

**-9501120107** SE re CEOG response to GL 89-19, "Request for Action Re Resolution of USI A-47, 'Safety Implication of Control...'" Concludes that if licensee implemented appropriate operator training,then automatic overfill protection not necessary.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 6pp. 82304:350-82304:355.

**9501190169** Requests addl info to complete review re pressure temperature TS change for plant,Unit 3.  
PATEL,C.P. Project Directorate III-1. 95/01/11. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 82367:003-82367:007.

**9501270005** Ack receipt of 950105 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/94-25.  
BEACH,A.B. Region 4 (Post 820201). 95/01/18. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 82488:171-82488:180.

**9501250453** TS Change Request NPF-38-164 to License NPF-38,adding new TS 3.0.5,establishing allowance of equipment removed from svc or declared inoperable to comply w/actions to returned to svc under administrative controls to perform testing.  
BARKHURST,R.P. Entergy Operations, Inc. 95/01/19. Document Control Branch (Document Control Desk). 8pp. 82514:014-82514:029.

**-9501250455** Proposed TS 3.0.5,establishing allowance of equipment removed from svc or declared inoperable to comply w/actions to be returned to svc under administrative controls to perform testing required to demonstrate operability.  
\* Entergy Operations, Inc. 95/01/19. 8pp. 82514:022-82514:029.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501270219** Forwards encl notice of consideration of issuance of amend & proposed NSHC determination & opportunity for hearing re util 950119 amend request for FR publication.Proposed amend revises TS to add new TS 3.0.5 & associated bases.  
PATEL,C.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 82525:258-82525:267.

**-9501270222** Notice of consideration of issuance of amend to license NPF-38 & proposed NSHC determination & opportunity for hearing.Amend revises TS to add new TS 3.0.5 & associated bases.  
PATEL,C.P. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 7pp. 82525:261-82525:267.

### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050194** Forwards insp rept 50-382/94-21 on 941113-1224 & mgt meeting conducted on 941220.Violation noted but not cited.Advises that health physics personnel demonstrated excellent radiological protection oversight skills during tests.  
BEACH,A.B. Region 4 (Post 820201). 94/12/30. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 82178:228-82178:285.

**-9501050207** Insp rept 50-382/94-21 on 941113-1224.Violations noted but not cited.Major areas inspected:plant status,plant support activities,plant operations,maint & onsite engineering,mgt meetings,maint & surveillance observations & on-line maint.  
VANDENBURGH,C. Region 4 (Post 820201). 94/12/29. 53pp. 82178:233-82178:285.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501090003** Forwards insp rept 50-382/94-27 on 941128-1202.No violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/05. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 82235:006-82235:020.

**-9501090005** Insp rept 50-382/94-27 on 941128-1202.No violations noted. Major areas inspected:radiological environ monitoring program including audits & appraisals,changes,training & qualifications.  
MURRAY,B. Region 4 (Post 820201). 94/12/28. 10pp. 82235:011-82235:020.

**9501090102** Responds to violation noted in insp rept 50-382/94-25. Corrective actions:C/A document generated,EDG B declared inoperable & TS Action 3.8.1.1.b entered.  
BURSKI,R.F. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82290:319-82290:324.

**9501090110** Responds to NRC NOV from insp rept 50-382/94-20.Corrective actions:CR-94-1065 initiated to document & enter into corrective action program fact that no procedural or programmatic process in place to ensure instrumentation.  
BURSKI,R.F. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 7pp. 82290:312-82290:318.

**9501230022** Forwards insp rept 50-382/94-26 on 941114-1202 & notice of violation.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. BARKHURST,R.P. Entergy Operations, Inc. 6pp. 82377:049-82377:116.

**-9501230029** Notice of violation from insp on 941114-1202.Violation noted:licensee failed to initiate update of station info mgt sys after completion of work authorization 01125613 to change temperature controller setpoints for boric acid tank.  
\* Region 4 (Post 820201). 95/01/13. 2pp. 82377:055-82377:056.

**-9501230032** Insp rept 50-382/94-26 on 941114-1202.Violations noted.Major areas inspected:overall performance of engineering organizations at plant.  
WESTERMAN,T.F. Region 4 (Post 820201). 95/01/06. 60pp. 82377:057-82377:116.

**9501030350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501240239** Ack receipt of 950105 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/94-20.  
BEACH,A.B. Region 4 (Post 820201). 95/01/18. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 82429:230-82429:241.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

**R. Periodic operating reports & related correspondence**

9501230193 Monthly operating rept for Dec 1994 for Waterford 3. W/950116 ltr. BECKER,T.S., BURSKI,R.F. Entergy Operations, Inc. 94/12/31. 7pp. 82497:327-82497:333.

**S. Reportable occurrences, LERs & related correspondence**

9501030142 LER 94-018-00: on 941123, liquid radwaste released from waste condensate tank 'a' w/incorrect & non-conservative permit release setpoint on liquid waste radiation monitor. Caused by human error. Appropriate personnel counseled. W/941229 ltr. HOUGHTALING,J., STARKEY,R.S. Entergy Operations, Inc. 94/12/28. 8pp. 82247:077-82247:084.

**DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

9501110131 Forwards amends 137 & 107 to licenses NPF-14 & NPF-22, respectively & SE. Amends delete frequency requirements for audits in TS 6.5.2.8 & remove audit requirements for emergency plan & security plan. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82297:012-82297:028.

-9501110141 Amends 137 & 107 to licenses NPF-14 & NPF-22, respectively, deleting frequency requirements for TS 6.5.2.8 audits & removing audit requirements for emergency plan & security plan. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. 10pp. 82297:015-82297:024.

-9501110154 Safety evaluation supporting amends 137 & 107 to licenses NPF-14 & NPF-22, respectively. \* Project Directorate I-2. 94/12/22. 4pp. 82297:025-82297:028.

9501110470 Responds to request for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f) for plant. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BYRAM,R.G. Pennsylvania Power & Light Co. 8pp. 82297:274-82297:281.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501260089 Provides status update to petition filed 940413 requesting NRC to issue IN re potential meltdown of fuel in spent fuel pools. Informs NRC has issued draft SE on topic, to be issued in Feb 1995. IN to be issued shortly thereafter. W/encls. SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/01/19. BLANCH,P.M. Affiliation Not Assigned. 3pp. 82500:026-82500:146.

**H. General correspondence**

9501100052 Ack receipt of comments on draft SE re spent fuel pool cooling issues at plant, per 941129 ltr. Informs that staff considering comments in preparation to finalize draft SE. SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 94/12/29. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 4pp. 82283:054-82283:085.

-9501100056 Forwards comments on meeting w/NRC staff on 941025 & draft SE re plant spent fuel pool cooling issues. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 94/11/29. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). pp. 82283:058-82283:085.

9501240313 Comments on util proposal, dtd 941228 to update FSAR of plant by using RHR sys in fuel pool cooling mode to mitigate consequences of seismic events. Comments critical of util technical arguments for FSAR update to plant. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 95/01/16. SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 3pp. 82437:123-82437:125.

**J. Insurance & indemnity information**

9501310321 Forwards Endorsements 73,74 & 75 to NELIA Policy NF-0262, Endorsements 56,57 & 58 to MAELU Policy MF-0107, Endorsement 13 to NELIA Policy NW-0157, Endorsement 13 to MAELU Policy MW-0077 & Endorsement 20 to NELIA Policy N-0084. BYRAM,R.G. Pennsylvania Power & Light Co. 95/01/24. Document Control Branch (Document Control Desk). 29pp. 82576:308-82576:336.

**O. Advisory Committee on Reactor Safeguards reports & correspondence**

9501030076 Advises of ACRS discussion of NRC staff DSER re potential loss of SFPC following LOCA at plant. KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/19. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 82247:072-82247:074.

**P. Operating license stage documents & correspondence**

9501030157 Forwards SE re util request to increase allowable exposure of siemens 9x9-2 fuel from 40,000 to 45,000 assembly average for plant, units 1 & 2. Request acceptable. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82175:108-82175:113.

-9501030164 Safety evaluation approving request to increase burnup limit of siemens 9x9-2 fuel from 40,000 to 45,000 assembly average. \* Project Directorate I-2. 94/12/15. 3pp. 82175:111-82175:113.

9501030192 Forwards notice of consideration of issuance of amends to licenses NPF-14 & NPF-22 & NSHC determination & opportunity for hearing. Amends revise TS to allow pressure testing at reactor coolant temp up to 212 F at operating condition 4. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82175:119-82175:130.

-9501030208 Notice of consideration of issuance of amend to licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amends would allow pressure testing up to 212 F while remaining in operating condition 4. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/19. 9pp. 82175:122-82175:130.

9501050325 Forwards amends 136 & 106 to licenses NPF-14 & NPF-22, respectively & SE. Amends revise TS 3.1.5 to remove SLCS operability requirement while in operational condition 5. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82227:311-82227:328.

-9501050331 Amends 136 & 106 to licenses NPF-14 & NPF-22, respectively, revising TS 3.1.5 to remove SLCS operability requirements while in operating condition 5. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. 10pp. 82227:314-82227:323.

-9501050334 Safety evaluation supporting amends 136 & 106 to licenses NPF-14 & NPF-22, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/20. 5pp. 82227:324-82227:328.

9501110131 Forwards amends 137 & 107 to licenses NPF-14 & NPF-22, respectively & SE. Amends delete frequency requirements for audits in TS 6.5.2.8 & remove audit requirements for emergency plan & security plan. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82297:012-82297:028.

-9501110141 Amends 137 & 107 to licenses NPF-14 & NPF-22, respectively, deleting frequency requirements for TS 6.5.2.8 audits & removing audit requirements for emergency plan & security plan. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. 10pp. 82297:015-82297:024.

-9501110154 Safety evaluation supporting amends 137 & 107 to licenses NPF-14 & NPF-22, respectively. \* Project Directorate I-2. 94/12/22. 4pp. 82297:025-82297:028.

9501030149 Provides supplemental response to ref RAI, dtd 940601, re basis for util use of RHR sys in FPC mode. BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 5pp. 82247:303-82247:307.

9501040149 Provides clarifications of proposed amends 176 & 130 re minor reload methodology changes at request of G Thomas. BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82223:294-82223:296.

9501040155 Requests relief from ASME Code Section III NC-5230, Category C for field weld on line HBB-110-4. W/three oversize drawings. BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 6pp. 82307:035-82307:038.

9501110470 Responds to request for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f) for plant. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BYRAM,R.G. Pennsylvania Power & Light Co. 8pp. 82297:274-82297:281.

9501110479 Forwards SE accepting proposed corporate restructuring of facility as described in 940725 ltr. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/29. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 82297:282-82297:291.

-9501110483 Safety evaluation accepting proposed corporate restructuring of facility. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 6pp. 82297:286-82297:291.

9501110297 Forwards amends 138 & 108 to licenses NPF-14 & NPF-22 & safety evaluation. Amends revise TS definition of "Core Alteration" to conform to definition approved by staff for current BWR improved TS in NUREG-1433. POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001. 95/01/03. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82297:048-82297:062.

-9501110395 Amends 138 & 108 to licenses NPF-14 & NPF-22, respectively, revising TS definition of "Core Alteration" to conform to definition approved by staff of current BWR improved TS NUREG-1433. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/01/03. 8pp. 82297:051-82297:059.

-9501110399 Safety evaluation supporting amends 138 & 108 to licenses NPF-14 & NPF-22, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 4pp. 82297:059-82297:062.



## 124 DOCKETED ITEMS

- 9501310112** Forwards amends 140 & 110 to licenses NPF-14 & NPF-22 & safety evaluation. Amends change TS to remove requirement for APRM to be operable while plant is in operational condition 5 refueling status.  
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 82561:302-82561:331.
- 9501310116** Amends 140 & 110 to licenses NPF-14 & NPF-22, respectively, changing TS to remove requirement for APRM to be operable while plant is in operational condition 5, refueling status.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. 22pp. 82561:306-82561:327.
- 9501310117** Safety evaluation supporting amends 140 & 110 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 4pp. 82561:328-82561:331.
- 9501310206** Forwards amends 139 & 109 to licenses NPF-14 & NPF-22 & safety evaluation. Amends change TS 3/4.1.3 to extend SDV vent or drain valve restoration time from 24 h to seven days.  
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82562:008-82562:024.
- 9501310213** Amends 139 & 109 to licenses NPF-14 & NPF-22, respectively, changing TS 3/4.1.3 to extend SDV vent or drain valve restoration time from 24 h to seven days.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. 10pp. 82562:011-82562:020.
- 9501310221** Safety evaluation supporting amends 139 & 109 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 4pp. 82562:021-82562:024.
- 9501310249** Forwards copy of "Environ Assessment & Finding of No Significant Impact" for info.  
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82562:034-82562:046.
- 9501310251** "Environ Assessment & Finding of No Significant Impact."  
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. 10pp. 82562:037-82562:046.
- 9501270006** Notification of significant licensee meeting 95-07 w/util on 950209 to discuss outage plans for unit 1, recent util restructuring, status of corrective action effectiveness improvement efforts & plans re dry storage of spent fuel.  
WHITE, J.R. Region 1 (Post 820201). 95/01/13. Region 1 (Post 820201). 2pp. 82488:181-82488:182.
- 9501240080** Informs NRC that util revised GL 89-10 program w/ respect to dynamically testing of said valves in RCIC sys & HPCI sys, in accordance w/GL 89-10, Suppl 3 valves.  
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 15pp. 82510:336-82510:350.
- 9501230275** Notification of 950124 meeting w/util in North Bethesda, MD to discuss 941121 license amend request to delete main steam isolation valve leakage control sys from plant, Units 1 & 2.  
POSUSNY, C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. NRC - No Detailed Affiliation Given. 5pp. 82423:196-82423:200.
- 9501240351** Requests approval to use listed chemical additives in revising water treatment program at plant to optimize treatment for corrosion scaling, slime & fouling.  
FIELDS, J.S. Pennsylvania Power & Light Co. 95/01/17. SWERDON, P.M. Pennsylvania, Commonwealth of. 3pp. 82437:353-82437:355.
- 9501260274** Informs of rev to GL 89-10 program w/respect to dynamically testing of eight valves in RCIC & HPCI sys, in accordance w/ NRC guidance on GL 89-10, Suppl 3.  
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 15pp. 82514:338-82514:352.
- 9501250256** Provides listed info re PP&L FFD program under 10CFR26.PP&L revised testing panel to include only substances specified in 10CFR26 App A.  
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/20. Document Control Branch (Document Control Desk). 2pp. 82514:145-82514:146.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501110021** Forwards insp repts 50-387/94-24 & 50-388/94-25 on 941031-1104 & notice of violation. Licensee failed to provide certification for individuals responsible for certifying adequacy of radioactive matl shipments.  
JOYNER, J.J. Region 1 (Post 820201). 94/12/22. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 82272:001-82272:020.
- 9501110029** Notice of violation from insp on 941031-1104. Violation noted: training records for individuals responsible for certifying adequacy of radioactive matl shipments did not include employer certification, per 49CFR172.  
\* Region 1 (Post 820201). 94/12/22. 1p. 82272:005-82272:005.
- 9501110034** Insp repts 50-387/94-24 & 50-388/94-25 on 941031-1104. Violations noted. Major areas inspected: review of audits & appraisals, changes to organization, personnel, facilities, training & qualifications of personnel.  
RAGLAND, R.C., ECKERT, L., BORES, R.J. Region 1 (Post 820201). 94/12/21. 15pp. 82272:006-82272:020.
- 9501110012** Ack receipt of 941114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/94-19 & 50-388/94-20.  
JOYNER, J.H. Region 1 (Post 820201). 94/12/23. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 82272:228-82272:232.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501050308** Forwards Rev 11 to IST-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing" & Rev 8 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."  
BYRAM, R.G. Pennsylvania Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82230:129-82230:210.
- 9501050309** Rev 11 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing."  
\* Pennsylvania Power & Light Co. 94/12/31. 37pp. 82230:133-82230:169.
- 9501050311** Rev 8 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."  
\* Pennsylvania Power & Light Co. 94/12/31. 41pp. 82230:170-82230:210.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory; High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501180269** Forwards safety evaluation of first 10-yr interval inservice insp program plan, rev 2 & associated requests for relief. Relief granted for IRR-12 (in part), IRR-13, IRR-14, IRR-15 (in part), IRR-16, IRR-17, IRR-18 & IRR-20 (in part).  
STOLZ, J.F. Project Directorate I-2. 95/01/09. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 82339:312-82339:343.
- 9501180274** SER approving findings in first ten-year interval inservice insp program plan, rev 2 & associated requests for relief except for relief numbers 1RR-11 & 1RR-19.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 25pp. 82339:316-82339:343.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501310080** Forwards insp repts 50-387/94-25 & 50-388/94-26 on 941122-1231. Control room operator response to 941130 unit 1 feedwater transient reflected good training & ability.  
WHITE, J.R. Region 1 (Post 820201). 95/01/25. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82529:026-82529:045.
- 9501310088** Insp repts 50-387/94-25 & 50-388/94-26 on 941122-1231. No violations noted. Major areas inspected: initiatives selected for insp were evaluation of on line maint & recirculation sys vibration testing.  
WHITE, J. Region 1 (Post 820201). 95/01/25. 17pp. 82529:029-82529:045.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501050116** Forwards summary rept for safety evaluations approved during Jan-Dec 1993 for Susquehanna SES Units 1 & 2.  
BYRAM, R.G. Pennsylvania Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 209pp. 82221:334-82221:181.
- 9501230311** Monthly operating repts for Dec 1994 for SSES Units 1 & 2. W/950117 ltr.  
BALL, R.S., BYRAM, R.G. Pennsylvania Power & Light Co. 94/12/31. 9pp. 82504:117-82504:125.
- 9501260181** "Quarterly Hazardous Waste Rept - General Info," for fourth quarter of 1994. W/950113 ltr.  
BELLES, T.D. Pennsylvania Power & Light Co. 94/12/31. 5pp. 82514:333-82514:337.

**S. Reportable occurrences, LERs & related correspondence**

**9501060006** Forwards listed ACRS repts re potential for loss of spent fuel pool cooling following LOCA & revs to NRC part 71 regulation.  
\* Office of Public Affairs (Post 911117). 94/12/21. 1p. 82287:057-82287:065.

**9501050100** LER 94-017-00: on 941130, feedwater transient resulted in power excursion. Caused by short circuit through feedwater circuit dc arc suppressor. Replaced failed electrical components & checked to ensure proper function W/941229 ltr.  
RYDER, T.S., STANLEY, H.G. Pennsylvania Power & Light Co. 94/12/29. 5pp. 82258:020-82258:024.

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utilis affected by notification informed. Utilis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

**9501260163** Forwards attached documents re postulated loss of SFPC events at plant, units 1 & 2.  
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/01/17. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82536:290-82536:295.

**-9501300301** Notifies of 941228 event at plant where used core shroud head bolt being lifted out of SFP for shipment when steel cable sling failed w/bolt. Bolt tore three inch diameter gash in stainless steel liner of SFP.  
LOCHBAUM, D. Affiliation Not Assigned. 95/01/04. SHEA, J. NRC - No Detailed Affiliation Given. 1p. 82536:292-82536:292.

**-9501300302** Forwards addl info re Farley loss of SFP coling events along w/other related events & info.  
LOCHBAUM, D. Affiliation Not Assigned. 95/01/05. SHEA, J. NRC - No Detailed Affiliation Given. 3pp. 82536:293-82536:295.

**V. Operator Examinations**

**9501120141** Informs that JD Hackenburg is being permanently reassigned to position of Supervisor-Site Services.  
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82334:352-82334:352.

**9501310006** Extends invitation to attend Training Managers Meeting to discuss status of operator licensing program & inform facilities of planned initiatives & changes. Forwards notice of meeting to be held on 950207-08 in King of Prussia, PA.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 82528:016-82528:020.

**DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9501110131** Forwards amends 137 & 107 to licenses NPF-14 & NPF-22, respectively & SE. Amends delete frequency requirements for audits in TS 6.5.2.8 & remove audit requirements for emergency plan & security plan.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82297:012-82297:028.

**-9501110141** Amends 137 & 107 to licenses NPF-14 & NPF-22, respectively, deleting frequency requirements for TS 6.5.2.8 audits & removing audit requirements for emergency plan & security plan.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. 10pp. 82297:015-82297:024.

**-9501110154** Safety evaluation supporting amends 137 & 107 to licenses NPF-14 & NPF-22, respectively.  
\* Project Directorate I-2. 94/12/22. 4pp. 82297:025-82297:028.

**9501110470** Responds to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f) for plant.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. BYRAM, R.G. Pennsylvania Power & Light Co. 8pp. 82297:274-82297:281.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82262:053-82262:104.

**9501260089** Provides status update to petition filed 940413 requesting NRC to issue IN re potential meltdown of fuel in spent fuel pools. Informs NRC has issued draft SE on topic to be issued in Feb 1995. IN to be issued shortly thereafter. W/encls.  
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/01/19. BLANCH, P.M. Affiliation Not Assigned. 3pp. 82500:026-82500:146.

**H. General correspondence**

**9501100052** Ack receipt of comments on draft SE re spent fuel pool cooling issues at plant, per 941129 ltr. Informs that staff considering comments in preparation to finalize draft SE.  
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 94/12/29. LOCHBAUM, D.A., PREVATTE, D.C. Affiliation Not Assigned. 4pp. 82283:054-82283:065.

**-9501100056** Forwards comments on meeting w/NRC staff on 941025 & draft SE re plant spent fuel pool cooling issues.  
LOCHBAUM, D.A., PREVATTE, D.C. Affiliation Not Assigned. 94/11/29. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). pp. 82283:058-82283:085.

**9501240313** Comments on util proposal, dtd 941228 to update FSAR of plant by using RHR sys in fuel pool cooling mode to mitigate consequences of seismic events. Comments critical of util technical arguments for FSAR update to plant.  
LOCHBAUM, D.A., PREVATTE, D.C. Affiliation Not Assigned. 95/01/16. SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 3pp. 82437:123-82437:125.

**J. Insurance & indemnity information**

**9501310321** Forwards Endorsements 73.74 & 75 to NELIA Policy NF-0262, Endorsements 56.57 & 58 to MAELU Policy MF-0107, Endorsement 13 to NELIA Policy NW-0157, Endorsement 13 to MAELU Policy MW-0077 & Endorsement 20 to NELIA Policy N-0084.  
BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/24. Document Control Branch (Document Control Desk). 29pp. 82576:308-82576:336.

**O. Advisory Committee on Reactor Safeguards reports & correspondence**

**9501030076** Advises of ACRS discussion of NRC staff DSER re potential loss of SFPC following LOCA at plant.  
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 82247:072-82247:074.

**P. Operating license stage documents & correspondence**

**9501030157** Forwards SE re util request to increase allowable exposure of siemens 9x9-2 fuel from 40,000 to 45,000 assembly average for plant, units 1 & 2. Request acceptable.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/15. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82175:108-82175:113.

**-9501030164** Safety evaluation approving request to increase burnup limit of siemens 9x9-2 fuel from 40,000 to 45,000 assembly average.  
\* Project Directorate I-2. 94/12/15. 3pp. 82175:111-82175:113.

**9501030192** Forwards notice of consideration of issuance of amends to licenses NPF-14 & NPF-22 & NSHC determination & opportunity for hearing. Amends revise TS to allow pressure testing at reactor coolant temp up to 212 F at operating condition 4.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82175:119-82175:130.

**-9501030208** Notice of consideration of issuance of amend to licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amends would allow pressure testing up to 212 F while remaining in operating condition 4.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/19. 9pp. 82175:122-82175:130.

**9501050325** Forwards amends 136 & 106 to licenses NPF-14 & NPF-22, respectively & SE. Amends revise TS 3.1.5 to remove SLCS operability requirement while in operational condition 5.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82227:311-82227:328.

**-9501050331** Amends 136 & 106 to licenses NPF-14 & NPF-22, respectively, revising TS 3.1.5 to remove SLCS operability requirements while in operating condition 5.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/20. 10pp. 82227:314-82227:323.

**-9501050334** Safety evaluation supporting amends 136 & 106 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/20. 5pp. 82227:324-82227:328.

**9501110131** Forwards amends 137 & 107 to licenses NPF-14 & NPF-22, respectively & SE. Amends delete frequency requirements for audits in TS 6.5.2.8 & remove audit requirements for emergency plan & security plan.  
POSUSUNY, C. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82297:012-82297:028.

**-9501110141** Amends 137 & 107 to licenses NPF-14 & NPF-22, respectively, deleting frequency requirements for TS 6.5.2.8 audits & removing audit requirements for emergency plan & security plan.  
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 94/12/22. 10pp. 82297:015-82297:024.

**-9501110154** Safety evaluation supporting amends 137 & 107 to licenses NPF-14 & NPF-22, respectively.  
\* Project Directorate I-2. 94/12/22. 4pp. 82297:025-82297:028.

**9501030149** Provides supplemental response to ref RAI, dtd 940601, re basis for util use of RHR sys in FPC mode.  
BYRAM, R.G. Pennsylvania Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 5pp. 82247:303-82247:307.

**9501040149** Provides clarifications of proposed amends 176 & 130 re minor reload methodology changes at request of G Thomas.  
BYRAM, R.G. Pennsylvania Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82223:294-82223:296.

## 126 DOCKETED ITEMS

950110470 Responds to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f) for plant.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. BYRAM,R.G. Pennsylvania Power & Light Co. 8pp. 82297:274-82297:281.

950110479 Forwards SE accepting proposed corporate restructuring of facility as described in 940725 ltr.  
POSUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 94/12/29. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 82297:282-82297:291.

-950110483 Safety evaluation accepting proposed corporate restructuring of facility.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 8pp. 82297:286-82297:291.

950110297 Forwards amends 138 & 108 to licenses NPF-14 & NPF-22 & safety evaluation. Amends revise TS definition of "Core Alteration" to conform to definition approved by staff for current BWR improved TS in NUREG-1433.  
POSUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/03. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82297:048-82297:062.

-950110395 Amends 138 & 108 to licenses NPF-14 & NPF-22, respectively, revising TS definition of "Core Alteration" to conform to definition approved by staff of current BWR improved TS NUREG-1433.  
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/03. 8pp. 82297:051-82297:058.

-950110399 Safety evaluation supporting amends 138 & 108 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 4pp. 82297:059-82297:062.

950131012 Forwards amends 140 & 110 to licenses NPF-14 & NPF-22 & safety evaluation. Amends change TS to remove requirement for APRM to be operable while plant is in operational condition 5 refueling status.  
POSUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 82561:302-82561:331.

-950131016 Amends 140 & 110 to licenses NPF-14 & NPF-22, respectively, changing TS to remove requirement for APRM to be operable while plant is in operational condition 5, refueling status.  
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. 22pp. 82561:306-82561:327.

-950131017 Safety evaluation supporting amends 140 & 110 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 4pp. 82561:328-82561:331.

950131026 Forwards amends 139 & 109 to licenses NPF-14 & NPF-22 & safety evaluation. Amends change TS 3/4.1.3 to extend SDV vent or drain valve restoration time from 24 h to seven days.  
POSUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82562:008-82562:024.

-950131023 Amends 139 & 109 to licenses NPF-14 & NPF-22, respectively, changing TS 3/4.1.3 to extend SDV vent or drain valve restoration time from 24 h to seven days.  
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/01/09. 10pp. 82562:011-82562:020.

-950131022 Safety evaluation supporting amends 139 & 109 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. 4pp. 82562:021-82562:024.

950127006 Notification of significant licensee meeting 95-07 w/util on 950209 to discuss outage plans for unit 1, recent util restructuring, status of corrective action effectiveness improvement efforts & plans re dry storage of spent fuel.  
WHITE,J.R. Region 1 (Post 820201). 95/01/13. Region 1 (Post 820201). 2pp. 82488:181-82488:182.

950124080 Informs NRC that util revised GL 89-10 program w/ respect to dynamically testing of said valves in RCIC sys & HPCI sys, in accordance w/GL 89-10, Suppl 3 valves.  
BYRAM,R.G. Pennsylvania Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 15pp. 82510:336-82510:350.

9501230275 Notification of 950124 meeting w/util in North Bethesda, MD to discuss 941121 license amend request to delete main steam isolation valve leakage control sys from plans Units 1 & 2.  
POSUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/01/17. NRC - No Detailed Affiliation Given. 5pp. 82423:196-82423:200.

9501240351 Requests approval to use listed chemical additives in revising water treatment program at plant to optimize treatment for corrosion scaling, slime & fouling.  
FIELDS,J.S. Pennsylvania Power & Light Co. 95/01/17. SWERDON,P.M. Pennsylvania, Commonwealth of. 3pp. 82437:353-82437:355.

9501260274 Informs of rev to GL 89-10 program w/ respect to dynamically testing of eight valves in RCIC & HPCI sys, in accordance w/ NRC guidance on GL 89-10, Suppl 3.  
BYRAM,R.G. Pennsylvania Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 15pp. 82514:338-82514:352.

9501250256 Provides listed info re PP&L FFD program under 10CFR26.PP&L revised testing panel to include only substances specified in 10CFR26 App A.  
BYRAM,R.G. Pennsylvania Power & Light Co. 95/01/20. Document Control Branch (Document Control Desk). 2pp. 82514:145-82514:146.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

## Q. Inspection reports, IE Bulletins & correspondence

950110021 Forwards insp repts 50-387/94-24 & 50-388/94-25 on 941031-1104 & notice of violation. Licensee failed to provide certification for individuals responsible for certifying adequacy of radioactive mail shipments.  
JOYNER,J.J. Region 1 (Post 820201). 94/12/22. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 82272:001-82272:020.

-950110029 Notice of violation from insp on 941031-1104. Violation noted: training records for individuals responsible for certifying adequacy of radioactive mail shipments did not include employer certification, per 49CFR172.  
\* Region 1 (Post 820201). 94/12/22. 1p. 82272:005-82272:005.

-950110034 Insp repts 50-387/94-24 & 50-388/94-25 on 941031-1104. Violations noted. Major areas inspected: review of audits & appraisals, changes to organization, personnel, facilities, training & qualifications of personnel.  
RAGLAND,R.C., ECKERT,L., BORES,R.J. Region 1 (Post 820201). 94/12/21. 15pp. 82272:006-82272:020.

950110012 Ack receipt of 941114 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/94-19 & 50-388/94-20.  
JOYNER,J.H. Region 1 (Post 820201). 94/12/23. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 82272:228-82272:232.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501050308 Forwards Rev 11 to IST-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing" & Rev 8 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."  
BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82230:129-82230:210.

-9501050311 Rev 8 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."  
\* Pennsylvania Power & Light Co. 94/12/31. 41pp. 82230:170-82230:210.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501104412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310080 Forwards insp repts 50-387/94-25 & 50-388/94-26 on 941122-1231. Control room operator response to 941130 unit 1 feedwater transient reflected good training & ability.  
WHITE,J.R. Region 1 (Post 820201). 95/01/25. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 82529:026-82529:045.

-9501310088 Insp repts 50-387/94-25 & 50-388/94-26 on 941122-1231. No violations noted. Major areas inspected: initiatives selected for insp were evaluation of on line maint & recirculation sys vibration testing.  
WHITE,J. Region 1 (Post 820201). 95/01/25. 17pp. 82529:029-82529:045.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## R. Periodic operating reports & related correspondence

9501050116 Forwards summary rept for safety evaluations approved during Jan-Dec 1993 for Susquehanna SES Units 1 & 2.  
BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/28. Document Control Branch (Document Control Desk). 209pp. 82221:334-82221:381.

9501230311 Monthly operating repts for Dec 1994 for SSES Units 1 & 2. W/950117 ltr.  
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 94/12/31. 9pp. 82504:117-82504:125.

9501260181 "Quarterly Hazardous Waste Rept - General Info," for fourth quarter of 1994. W/950113 ltr. BELLES, T.D. Pennsylvania Power & Light Co. 94/12/31. 5pp. 82514:333-82514:337.

#### S. Reportable occurrences, LERs & related correspondence

9501060006 Forwards listed ACRS repts re potential for loss of spent fuel pool cooling following LOCA & revs to NRC part 71 regulation. \* Office of Public Affairs (Post 911117). 94/12/21. 1p. 82287:057-82287:065.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501260163 Forwards attached documents re postulated loss of SFPC events at plant units 1 & 2. SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/01/17. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82536:290-82536:295.

#### V. Operator Examinations

9501120141 Informs that JD Hackenburg is being permanently reassigned to position of Supervisor-Site Services. BYRAM, R.G. Pennsylvania Power & Light Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82334:352-82334:352.

9501310006 Extends invitation to attend Training Managers Meeting to discuss status of operator licensing program & inform facilities of planned initiatives & changes. Forwards notice of meeting to be held on 950207-08 in King of Prussia, PA. MEYER, G.W. Region 1 (Post 820201). 95/01/17. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 82528:016-82528:020.

#### DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050370 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 7pp. 82229:205-82229:211.

9501100001 Rev 15 to EPIP 3100032E, "On-Site Support Ctrs." W/950103 ltr. SAGER, D.A. Florida Power & Light Co. 95/01/03. 24pp. 82293:246-82293:269.

9501180080 Advises that 941031 revs 25 & 26 to radiological emergency plan consistent w/provisions of 10CFR50.47(b) & acceptable. CLINE, W.E. Region 2 (Post 820201). 95/01/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82324:217-82324:219.

9501250115 Revised EIPs, including rev 15 to 3100025E, "Fire Emergencies," rev 16 to 3100027E, "Re-Entry," rev 10 to HP-200, "Health Physics Emergency Control," & rev 7 to HP-201, "Emergency Personnel Exposure Control." W/950118 ltr. SAGER, D.A. Florida Power & Light Co. 95/01/18. 71pp. 82438:087-82438:157.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### H. General correspondence

9501120029 Comment supporting proposed rule 10CFR2 re policy statement rev, "Policy & Procedure for Enforcement Actions; Policy Statement, Discrimination." BOHLKE, W.H. Florida Power & Light Co. 94/12/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82279:189-82279:189.

9501130122 Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels. Endorses NEI comments & recommendations. BOHLKE, W.H. Florida Power & Light Co. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 82299:091-82299:092.

#### M. Antitrust correspondence

9501230119 Responds to 941205 ltr re an update on status of certain proceedings involving util before FERC & courts. BOUKNIGHT, J.A. Steptoe & Johnson. 95/01/03. GODY, A.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82504:111-82504:116.

#### P. Operating license stage documents & correspondence

9501110254 Forwards ltr which documents info received by Region II from concerned individual re allegation RII-94-A-0119. Encl withheld (ref 10CFR2.790). MERSCHOFF, E.W. Region 2 (Post 820201). 94/12/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82271:305-82271:307.

9501050370 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. GOLDBERG, J.H. Florida Power & Light Co. 7pp. 82229:205-82229:211.

9501270137 Comment supporting proposal to issue GL providing guidance for determining when analog-to-digital replacement can be performed under requirements of 10CFR50.59. BOHLKE, W.H. Florida Power & Light Co. 95/01/17. NRC - No Detailed Affiliation Given. 3pp. 82490:203-82490:205.

9501270171 Application for amends to licenses DPR-31 & DPR-41, revising TS 6.9.1.7, "COLR," re implementation of FPL nuclear physics methodology for calculations of COLR parameters. FPL Topical Rept NF-TR-95-01, "Nuclear Physics Methodology..." encl. PLUNKETT, T.F. Florida Power & Light Co. 95/01/17. Document Control Branch (Document Control Desk). 13pp. 82552:203-82552:339.

9501270179 "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie Nuclear Plants." \* Florida Power & Light Co. NF-TR-95-01. 95/01/31. 119pp. 82552:221-82552:339.

9501240158 Forwards amends 131 & 70 to licenses DPR-67 & NPF-16, respectively & safety evaluation. Amends clarify actions required in event of inoperable equipment associated w/containment depressurization & cooling system. NORRIS, J.A. 95/01/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82436:189-82436:225.

9501240167 Amends 131 & 70 to licenses DPR-67 & NPF-16, respectively, clarifying actions required in event of inoperable equipment associated w/containment depressurization & cooling sys & provide consistency between Units 1 & 2 requirements. MATTHEWS, D.B. 95/01/18. 28pp. 82436:192-82436:219.

9501240168 Safety evaluation supporting amends 131 & 70 to licenses DPR-67 & NPF-16, respectively. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 6pp. 82436:220-82436:225.

9501310191 Application for amends to licenses DPR-67 & NPF-16, relocating operability requirements for INCORE DETECTORS (TS 3/4.3.3.2) to updated FSAR & revising LHR surveillance 4.2.1.4 & special test exceptions surveillances. SAGER, D.A. Florida Power & Light Co. 95/01/20. Document Control Branch (Document Control Desk). 12pp. 82556:329-82556:359.

9501310198 Proposed tech specs, relocating operability requirements for INCORE DETECTORS to (TS 3/4.3.3.2) to updated FSAR & revising LHR surveillance 4.2.1.4 & special test exceptions surveillance 4.10.2.2, 4.10.4.2 & 4.10.5.2. \* Florida Power & Light Co. 95/01/20. 19pp. 82556:341-82556:359.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120003 Ack receipt of 941220 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/94-22 & 50-389/94-22. VERELLI, D.M. Region 2 (Post 820201). 95/01/05. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 82279:006-82279:008.

9501190063 Forwards response to NRC ltr re violations noted in insp repts 50-335/94-24 & 50-389/94-24. Corrective actions: changes to QI 3-PR/PSL-1, QI 5-PR/PSL-1 & administrative procedure AP-0010432 implemented on 950111. GOLDBERG, J.H. Florida Power & Light Co. 95/01/13. Document Control Branch (Document Control Desk). 4pp. 82456:356-82456:359.

## 128 DOCKETED ITEMS

- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501310065 Forwards insp repts 50-335/94-25 & 50-389/94-25 on 941204- 31.No violations noted.  
VERRELLI,D.M. Region 2 (Post 820201). 95/01/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 82528:235-82528:261.
- 9501310071 Insp repts 50-335/94-25 & 50-389/94-25 on 941204-31.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering support & plant support.  
PREVATTE,R.L., MILLER,M.S., SCHIN,R.P. Region 2 (Post 820201). 95/01/19. 24pp. 82529:238-82529:261.
- 9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- R. Periodic operating reports & related correspondence**
- 9501240238 Monthly operating repts for Dec 1994 for St Lucie Units 1 & 2.W/950113 ltr.  
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 94/12/31. 9pp. 82512:350-82512:358.
- S. Reportable occurrences, LERs & related correspondence**
- 9501200347 Special repton 941214,2A emergency diesel generator failed. Caused by excessive clearance between speed adjusting shaft & shaft bushing.Electrical maint replaced failed governor/ actuator assembly on 2A2 EDG.  
SAGER,D.A. Florida Power & Light Co. 95/01/09. Document Control Branch (Document Control Desk). 3pp. 82472:242-82472:244.
- 9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utilis informed. Utilis should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.
- DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1**
- A. Application/construction stage documents & correspondence**
- 9501300100 Advises that NRC reviewing TVA operating license application for unit 1 of WBNP TVA expects to initiate commercial operation of unit 1 in spring 1995.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/10/28. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 1p. 82536:347-82536:347.
- 9501240099 Ack receipt of 940416 ltr responding to questions in 940325 meeting on post HFT work controls.  
JAUDON,J.P. Region 2 (Post 820201). 94/12/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:007-82420:009.
- 9501240039 Responds to 941102 ltr re hot functional testing.Advises that NRC has not completed review & cannot reach final conclusion on extent of HFT retesting needed due to util failure to complete review of all test results packages.  
JAUDON,J.P. Region 2 (Post 820201). 94/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82417:270-82417:274.
- 9501240094 Forwards staff assessment of licensee problems at plant. Informs that staff agrees w/941114 assessment.  
EBNETER,S.D. Region 2 (Post 820201). 94/12/22. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 82419:331-82419:337.
- 9501050431 Provides addl info in response to NRC questions discussed during 940830 meeting w/util re use of Thermo-Lag fire retardant matl at plant.  
NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 7pp. 82233:356-82233:362.
- 9501050479 Withdraws TVA previous request for exemption from certain requirements of 10CFR50.60.Westinghouse WCAP-14176, "Watts Bar Unit 1 Heatup & Cooldown Limit Curves for Normal Operation" & Rev 2 of Watts Bar Unit 1 PT limit rept encl.  
NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82276:225-82276:318.
- 9501050484 Nonproprietary "Watts Bar Unit 1 Heatup & Cooldown Limit Curves for Normal Operation."  
MALONE,M.J. Westinghouse Electric Corp. WCAP-14176. 94/09/30. 20pp. 82276:227-82276:246.
- 9501060068 App A to RCS sys description N3-68-4001, "Watts Bar Unit 1 RCS Pressure & Temp Limits Rept," Rev 2.  
MORGAN,C. Tennessee Valley Authority. N3-68-4001 APP A. 94/12/19. 30pp. 82276:247-82276:318.
- 9501120202 Forwards Phase 2 Thermo-Lag 330-1 fire barrier matl qualification test repts.Repts suppl test submitted on 930709 for qualifying Thermo-Lag 330-1 on electrical raceways.  
NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. . 82400:001-82416:181.
- 9501120204 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Two Sided Multiple Conduit Enclosures & Cable Tray Support Sys)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97257. 94/12/02. 1,046pp. 82400:003-82402:320.
- 9501120205 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Sided Box Enclosures Encasing Groups of Horizontal Conduits & Large Junction Box)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97258. 94/11/23. 700pp. 82402:321-82405:119.
- 9501120206 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Box Enclosures Encasing Gang of Seven 4inch Steel Conduits & Individual Enclosures on 3/4 inch Aluminum & Steel Conduits)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97260. 94/12/01. 700pp. 82405:120-82407:285.
- 9501120208 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Four-Sided Box Enclosures Encasing Groups of Vertical Conduits & Enclosure Encasing 4 Inch Conduit & Junction Box)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97259. 94/11/29. 800pp. 82407:286-82410:264.
- 9501120212 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three 18 Inch Cable Trays & 3 Inch Conduit)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97185. 94/11/15. 550pp. 82410:265-82412:229.
- 9501120217 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Common Enclosures W/Three 18 inch Cable Trays & Covered 18 Inch Tray W/1 inch & 5 inch Air Drops)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97187. 94/11/18. 600pp. 82412:230-82414:322.
- 9501120221 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Special Trays Fitting W/Two 18 Inch Cable Tray Sections)."  
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97186. 94/11/15. 450pp. 82414:323-82416:181.
- 9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.
- 9501130190 Forwards response to NRC 941117 RAI on FSAR Chapter 14.  
NUNN,D.E. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82366:139-82366:144.
- 9501170018 Confirms 950105 telecon between B Schofield & P Fredrickson re meeting scheduled for 950111 to discuss status of RIP CAP completion.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82313:343-82313:345.
- 9501120343 Forwards NRC memo,dtl 950104 & ltr,dtl 941222 to be reclassified as publicly available documents.  
TAM,P.S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. Document Control Branch (Document Control Desk). 1p. 82303:339-82303:339.
- 9501100307 Discusses licensing status of plant,Unit 1 & assessment of problems re construction quality.Progress rept,ltrs dtl 941222 & 1114,encl.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/04. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 6pp. 82303:340-82303:359.
- 9501100310 Informs that NRC staff agrees w/assessment sent in util 941114 ltr.Efforts to address root causes of problems must be pursued vigorously in order for NRC to develop confidence that util has institutionalized mgt expectations.  
EBNETER,S.D. NRC - No Detailed Affiliation Given. 94/12/22. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 82303:346-82303:359.
- 9501190074 Forwards rept providing addl info re auxillary pressurizer spray line,excess letdown line & residual heat removal supply line.  
NUNN,D.E. Tennessee Valley Authority. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82394:328-82394:344.
- 9501190080 "Response to NRC RAI on Watts Bar Bulletin 88-008 Evaluation."  
LEE,C.Q. Aptech Engineering Services. AES 93081991-1Q-3C. 94/12/22. 15pp. 82394:330-82394:344.
- 9501200208 Responds to NRC comments in 941209 ltr re planned testing for HFT 2 test sequence.  
NUNN,D.E. Tennessee Valley Authority. 95/01/10. Document Control Branch (Document Control Desk). 12pp. 82478:001-82478:012.
- 9501200205 Responds to NRC RAI,dtl 940822,re plant electrical separation requirements & applicability of industry testing.  
NUNN,D.E. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). 12pp. 82478:047-82478:058.
- 9501190374 Forwards updated proof & review version of TS,TS bases & Technical Requirements Manual for plant.  
GRIMES,C.I. . 95/01/13. HEBDON,F.J. . 6pp. 82378:171-82378:176.

9501240228 Forwards Central Files version of updated proof & review version of TSS. HEBDON,F.J. 95/01/18. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 82510:310-82510:322.

9501250169 Summary of 950111 meeting w/TVA re technical issues concerning designation nuclear experience review equipment vendor bulletin reviews as quality assurance records. TAM,P.S. 95/01/19. 9pp. 82485:275-82485:283.

9501260153 Provides notification that power ascension test procedures & power escalation test procedures being made available, per FSAR chapter 14, paragraph 14.2.11 & Reg Guide 1.68, rev 2, app B. List of procedures provided to NRC on 950118 encl. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82514:330-82514:332.

9501310410 Forwards Rev 6 to "WBNP Replacement Item Program CAP Plan." CAP revised to clarify TVA position w/regard to GL 91-05. TVA removed previous statement of exception, per NRC review of applicable procedures w/regard to GLs 91-05 & 89-02. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82566:251-82566:289.

9501310421 Rev 6 to "WBNP Replacement Items Program CAP Plan." ELLIOTT,W.L. Tennessee Valley Authority. 95/01/06. 36pp. 82566:254-82566:289.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300139 Notification of 950208 meeting w/util to discuss US Fish & Wildlife Svc review of NRC & TVA Biological Assessment. FLANDERS,S.C. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/23. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 82542:198-82542:200.

9501310356 Informs that 941028 NRC rept on biological assessment re environ impacts of plant on wildlife listed as endangered near plant concluded plant not likely to affect wildlife. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 2pp. 82548:042-82548:043.

#### D. NRC Draft/Final Environmental Statements, supplis & correspondence

9501200039 Comment opposing FES draft re plant concerning issuance of OL. Believes that NRC would be making mistake by granting util OL for plant. Draft FES remains vague re storage of radwaste & public demands full disclosure to ensure safety. ANDERSON,T. Affiliation Not Assigned. 95/01/07. Rules & Directives Review Branch (Post 920323). 2pp. 82351:200-82351:201.

9501200037 Comment opposing final environmental statement for TVA plant. MCNABB,W.A. Affiliation Not Assigned. 95/01/11. Rules & Directives Review Branch (Post 920323). 1p. 82351:199-82351:199.

9501270143 Comment approving final environ statement re operation of plant. BROWN,C.W. Tennessee, State of. 95/01/17. FLANDERS,S. Rules & Directives Review Branch (Post 920323). 1p. 82490:210-82490:210.

#### E. NRC Safety Evaluation Report (SER), supplis & correspondence

9501310288 Notification of 950208 meeting w/util in Spring City, TN to discuss status, needed actions, schedules & priorities of various licensing issues (ref chapter 1 of NUREG-0847, Watts Bar SER, suppl 14). TAM,P.S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 82562:064-82562:066.

#### F. Security, medical, emergency & fire protection plans

9501030183 Forwards "Watts Bar Nuclear Plant 1994 Annual Exercise on 941026." HUSTON,R.W. Tennessee Valley Authority. 94/09/09. Region 2 (Post 820201). 2pp. 82261:190-82261:328.

9501030224 "Watts Bar Nuclear Plant 1994 Annual Exercise on 941026." Tennessee Valley Authority. 94/10/26. 100pp. 82261:192-82261:328.

9501050431 Provides addl info in response to NRC questions discussed during 940830 meeting w/util re use of Thermo-Lag fire retardant matl at plant. NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 7pp. 82233:356-82233:362.

9501120202 Forwards Phase 2 Thermo-Lag 330-1 fire barrier matl qualification test repts. Repts suppl test results submitted on 930709 for qualifying Thermo-Lag 330-1 on electrical raceways. NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82400:001-82416:181.

9501120204 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Two Sided Multiple Conduit Enclosures & Cable Tray Support Sys)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97257. 94/12/02. 1,046pp. 82400:003-82402:320.

9501120205 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Sided Box Enclosures Encasing Groups of Horizontal Conduits & Large Junction Box)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97258. 94/11/23. 700pp. 82402:321-82405:119.

9501120208 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Four-Sided Box Enclosures Encasing Groups of Vertical Conduits & Enclosure Encasing 4 Inch Conduit & Junction Box)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97259. 94/11/29. 800pp. 82407:286-82410:264.

9501120212 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three 18 Inch Cable Trays & 3 Inch Conduit)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97185. 94/11/15. 550pp. 82410:265-82412:229.

9501120217 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Common Enclosures W/Three 18 Inch Cable Trays & Covered 18 Inch Tray W/1 Inch & 5 Inch Air Drops)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97187. 94/11/18. 600pp. 82412:230-82414:322.

9501120221 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Special Trays Fitting W/Two 18 Inch Cable Tray Sections)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97186. 94/11/15. 450pp. 82414:323-82416:181.

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr. SANFORD,M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501190054 Provides revised response to violations noted in insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01. Util will check fire pumps on three diverse points on pump curve. NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.

9501170032 Forwards insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82313:350-82313:360.

9501170040 Insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations noted. Major areas inspected: EOP follow-up insp to verify that previous NRC comments appropriately dispositioned. MELLETT,L.S., KING,L.P., KELLOGG,P. Region 2 (Post 820201). 95/01/05. 9pp. 82313:352-82313:360.

9501240162 Forwards insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:161-82420:186.

9501240171 Insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. Major areas inspected: areas of construction work activities, applicant engineer assessment & installation of Thermo-lag & fire protection. WALTON,G.A. Region 2 (Post 820201). 95/01/12. 21pp. 82420:164-82420:186.

9501250398 Forwards insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Rept details withheld per 10CFR73.21. JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82518:046-82518:050.

9501250405 Insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Major areas inspected: physical security requirements for power reactors. Details withheld. TILLMAN,A., JULIAN,C. Region 2 (Post 820201). 95/01/13. 2pp. 82518:049-82518:050.

9501270054 Responds to NRC 941221 ltr re deviation noted in insp repts 50-390/94-78 & 50-391/94-78. Corrective actions: fire protection shift supervisors & fire protection manager trained on work documentation requirements & review. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82542:001-82542:005.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### Q. Inspection reports, IE Bulletins & correspondence

9501170095 Ack receipt of 941201 request to delay scheduled insp of plant EQ program. Insp scheduled to start on 941205. Insp cannot be delayed & will start 941212. JAUDON,J.P. Region 2 (Post 820201). 94/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82314:185-82314:187.

9501050253 Requests extension on util response & suppl response to NRC NOV's noted in insp repts 50-390/94-72, 50-391/94-72, 50-390/94-66 & 50-391/94-66. NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82224:360-82224:361.



## 130 DOCKETED ITEMS

- 9501050248 Informs that previous commitments for corrective action from several insp repts & other correspondence will be rescheduled.  
NUNN,D.E. Tennessee Valley Authority. 94/12/24. Document Control Branch (Document Control Desk). 5pp. 82230:356-82230:360.
- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501050217 Transmits NRC ORAT insp rept 50-390/94-202 on 941109-18 of activities authorized by NRC Construction Permit CPPR-91 for plant.  
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 94/12/28. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82227:270-82227:310.
- 9501050228 Insp rept 50-390/94-202 on 941109-18.No violations noted. Major areas inspected:self-assessment programs for operational readiness,operator command & control, configuration control & matl condition.  
NARBUT,P.P., NORKIN,D., GALLO,R. Office of Nuclear Reactor Regulation (Post 941001). 94/12/23. 36pp. 82227:275-82227:310.
- 9501110367 Forwards insp repts 50-390/94-80 & 50-391/94-80 on 941106-1203.No violations or deviations noted.  
JAUDON,J.P. Region 2 (Post 820201). 94/12/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82307:213-82307:254.
- 9501110372 Insp repts 50-390/94-80 & 50-391/94-80 on 941106-1203.No violations or deviations noted.Areas inspected: preoperational test program implementation verification, preoperational test procedure review & test witnessing.  
VAN DOORN,P.K., TAYLOR,P.A., JULIAN,C. Region 2 (Post 820201). 94/12/27. 39pp. 82307:216-82307:254.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501110022 Forwards insp repts 50-390/94-81 & 50-391/94-81 on 941114- 941210.No violations noted.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/03. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 82272:021-82272:056.
- 9501110031 Insp repts 50-390/94-81 & 50-391/94-81 on 941114-941210.No violations noted.Major areas inspected:lighting fixture seismic interaction,electrical cable ampacity,unistrut supports & electrical designs.  
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 94/12/21. 30pp. 82272:027-82272:056.
- 9501130186 Reschedules previous commitments for corrective actions associated w/ NRC NOV 390/94-61-01,Example 2 & concerns re validation of open items closure packages.Final completion of corrective actions expected on 950228.  
NUNN,D.E. Tennessee Valley Authority. 95/01/03. Document Control Branch (Document Control Desk). 2pp. 82366:137-82366:138.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9501130165 Forwards responses to NRC 941205 ltr re violations & deviation noted in insp repts 50-390/94-73 & 50-391/94-73. Corrective actions:author of Procedure PTI-70-02 no longer on site & violation discussed w/involved personnel.  
NUNN,D.E. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 12pp. 82366:121-82366:132.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501130175 Forwards response to NRC 941110 & 16 ltrs re violations noted in insp repts 50-390/94-72 & 50-391/94-72.Corrective actions:Site Std Practices (SSP) SSP-3.04 & SSP-3.06 revised.  
NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 25pp. 82365:296-82365:321.
- 9501190054 Provides revised response to violations noted in insp repts 50-390/94-62,50-391/94-62,70-2910/94-01 & 70-2928/94-01.Util will check fire pumps on three deverse points on pump curve.  
NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.
- 9501190062 Responds to NRC 941209 ltr re violations noted in insp repts 50-390/94-76 & 50-391/94-76.Corrective actions:ltr submitted to supervisors re adherence to contractual agreements.  
NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 4pp. 82456:343-82456:346.
- 9501170032 Forwards insp repts 50-390/94-86 & 50-391/94-86 on 941219-22.No violations noted.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82313:350-82313:360.
- 9501170040 Insp repts 50-390/94-86 & 50-391/94-86 on 941219-22.No violations noted.Major areas inspected:EOP follow-up insp to verify that previous NRC comments appropriately dispositioned.  
MELLEN,L.S., KING,L.P., KELLOGG,P. Region 2 (Post 820201). 95/01/05. 9pp. 82313:352-82313:360.
- 9501180016 Ack ltr of clarification,dtd 941215 informing of steps taken to correct violations noted in insp repts 50-390/94-11 & 50-391/94-11.Ltr meets requirements of 10CFR2.201.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82324:037-82324:039.
- 9501240014 Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-79 & 50-391/93-79 on 940304.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:040-82417:042.
- 9501180090 Discusses insp rept 50-390/94-202 on 941218 & forwards notice of violation.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 82324:244-82324:249.
- 9501180095 Notice of violation from insp on 941218.Violation noted: electrical circuit breakers on 6.9 kV vital buses found in off-normal positions.  
\* Region 2 (Post 820201). 95/01/10. 2pp. 82324:248-82324:249.
- 9501230065 Provides revised completion date for previous commitment re violation identified in insp repts 50-390/94-35 & 50-391/94-35.Corrective actions will be completed by 950330.  
NUNN,D.E. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82497:191-82497:192.
- 9501240006 Ack receipt of 941217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-69 & 50-391/94-69 on 941118.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:028-82417:030.
- 9501240112 Forwards insp repts 50-390/94-79 & 50-391/94-79 on 941114-18,1128-1202 & 1212-13 & notice of violation. Activities appear to be in violation of NRC requirements.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:046-82420:075.
- 9501240114 Notice of violation from insp on 941114-18,1128-1202 & 1212-13.Violation noted:implementation of CA for NRC violation 50-390/94-05 had not been adequate to determine full extent of condition & actions to correct condition.  
\* Region 2 (Post 820201). 95/01/11. 1p. 82420:049-82420:049.
- 9501240117 Insp repts 50-390/94-79 & 50-391/94-79 on 941114-18, 1128-1202 & 1212-13.Violations noted.Major areas inspected: welding activities,PSI,welding CAP & CA for previous insp findings.  
CROWLEY,B.R., FREDRICKSON,P. Region 2 (Post 820201). 95/01/10. 26pp. 82420:050-82420:075.
- 9501240015 Ack receipt of 941216 ltr re activities conducted at facility noted in insp repts 50-390/94-66 & 50-391/94-66. NRC concerned re procedure changes made w/ o adequate regard to commitments util implement.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82417:043-82417:047.
- 9501240125 Forwards insp repts 50-390/94-74 & 50-391/94-74 on 941212-16.No violations or deviations noted.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:109-82420:124.
- 9501240129 Insp repts 50-390/94-74 & 50-391/94-74 on 941212-16.No violations noted.Major areas inspected:review & assess applicant program for establishing EQ of electric & mechanical equipment.  
MERRIWEATHER,N., FREDRICKSON,P. Region 2 (Post 820201). 95/01/13. 11pp. 82420:112-82420:124.
- 9501240162 Forwards insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217.No violations or deviations noted.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:161-82420:186.
- 9501240171 Insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217.No violations or deviations noted.Major areas inspected:areas of construction work activities,applicant engineer assessment & installation of Thermo-lag & fire protection.  
WALTON,G.A. Region 2 (Post 820201). 95/01/12. 21pp. 82420:164-82420:186.
- 9501250398 Forwards insp repts 50-390/94-77 & 50-391/94-77 on 941212- 16.No violations or deviations noted.Rept details withheld per 10CFR73.21.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82518:046-82518:050.
- 9501250405 Insp repts 50-390/94-77 & 50-391/94-77 on 941212-16.No violations or deviations noted.Major areas inspected: physical security requirements for power reactors.Details withheld.  
TILLMAN,A., JULIAN,C. Region 2 (Post 820201). 95/01/13. 2pp. 82518:049-82518:050.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82438:069-82438:081.
- 9501270045 Responds to NRC 941215 ltr re violations noted in insp rept 50-390/94-64.Corrective actions:discussions held w/involved personnel addressing attention to detail while performing walkdowns for D-10471 series workplans.  
NUNN,D.E. Tennessee Valley Authority. 95/01/17. Document Control Branch (Document Control Desk). 6pp. 82533:355-82533:360.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501270066 Documents date provided on 950113 to NRC resident inspector J Lara re previous commitment involving listed violations noted in insp repts 50-390/94-35 & 50-391/94-35.Corrective actions for commitment will be complete by 950228.  
NUNN,D.E. Tennessee Valley Authority. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82541:337-82541:338.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82438:092-82438:104.
- 9501270040 Responds to NRC 941218 ltr re violation noted in insp rept 50-390/94-75.Corrective actions:hardware deficiencies identified have been reworked & pump rooms have been secured.  
NUNN,D.E. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 4pp. 82540:284-82540:287.

9501270073 Notifies NRC of change in methodology for implementing recurrence control action 1, stated in 941109 response to NRC 941006 ltr re violation noted in insp repts 50-390/94-58 & 50-391/94-58. NUNN,D.E. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82541:339-82541:341.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501270054 Responds to NRC 941221 ltr re deviation noted in insp repts 50-390/94-78 & 50-391/94-78. Corrective actions: fire protection shift supervisors & fire protection manager trained on work documentation requirements & review. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82542:001-82542:005.

9501270059 Responds to NRC 941118 ltr re weaknesses & violation noted in insp repts 50-390/94-69 & 50-391/94-69. Corrective actions: sys description for containment heat removal spray sys revised to include expected recirculation header flow. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 12pp. 82541:324-82541:336.

9501310066 Forwards insp repts 50-390/94-85 & 50-391/94-85 on 941212-16 & 20-23. Violation noted but not cited. NRC concerned w/issue involving inappropriate QC re insp hold points. JAUDON,J.P. Region 2 (Post 820201). 95/01/23. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82528:262-82528:284.

-9501310073 Insp repts 50-390/94-85 & 50-391/94-85 on 941212-16 & 20-23. Violations noted but not cited. Major areas inspected: completion of post-1985 data review for welding & NDE procedures. COLEY,J.L., FREDRICKSON,P. Region 2 (Post 820201). 95/01/23. 20pp. 82528:265-82528:284.

9501310075 Discusses NRC 940224-1117 investigation re review of employee discrimination case filed by employee of licensee w/DOL. Synopsis of investigative rept encl. JAUDON,J.P. Region 2 (Post 820201). 95/01/23. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 82529:016-82529:023.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNAY,K.R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

9501230101 Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN 94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

##### A. Application/construction stage documents & correspondence

9501300100 Advises that NRC reviewing TVA operating license application for unit 1 of WBNP. TVA expects to initiate commercial operation of unit 1 in spring 1995. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/10/28. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 1p. 82536:347-82536:347.

9501240099 Ack receipt of 940416 ltr responding to questions in 940325 meeting on post HFT work controls. JAUDON,J.P. Region 2 (Post 820201). 94/12/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:007-82420:009.

9501240039 Responds to 941102 ltr re hot functional testing. Advises that NRC has not completed review & cannot reach final conclusion on extent of HFT retesting needed due to util failure to complete review of all test results packages. JAUDON,J.P. Region 2 (Post 820201). 94/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82417:270-82417:274.

9501050431 Provides addl info in response to NRC questions discussed during 940830 meeting w/util re use of Thermo-Lag fire retardant matl at plant. NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 7pp. 82233:356-82233:362.

9501120202 Forwards Phase 2 Thermo-Lag 330-1 fire barrier matl qualification test repts. Repts suppl test results submitted on 930709 for qualifying Thermo-Lag 330-1 on electrical raceways. NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. . 82400:001-82416:181.

-9501120204 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Two Sided Multiple Conduit Enclosures & Cable Tray Support Sys)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97257. 94/12/02. 1,046pp. 82400:003-82402:320.

-9501120205 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Sided Box Enclosures Encasing Groups of Horizontal Conduits & Large Junction Box)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97258. 94/11/23. 700pp. 82402:321-82405:119.

-9501120206 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Box Enclosures Encasing Gang of Seven 4inch Steel Conduits & Individual Enclosures on 3/4 Inch Aluminum & Steel Conduits)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97260. 94/12/01. 700pp. 82405:120-82407:285.

-9501120208 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Four-Sided Box Enclosures Encasing Groups of Vertical Conduits & Enclosure Encasing 4 Inch Conduit & Junction Box)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97259. 94/11/29. 800pp. 82407:286-82410:264.

-9501120212 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three 18 Inch Cable Trays & 3 Inch Conduit)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97185. 94/11/15. 550pp. 82410:265-82412:229.

-9501120217 Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Common Enclosures W/Three 18 Inch Cable Trays & Covered 18 Inch Tray W/1 Inch & 5 Inch Air Drops)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97187. 94/11/18. 600pp. 82412:230-82414:322.

-9501120221 "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Special Trays Fitting W/Two 18 Inch Cable Tray Sections)." STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97186. 94/11/15. 450pp. 82414:323-82416:181.

9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants. SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.

9501130190 Forwards response to NRC 941117 RAI on FSAR Chapter 14. NUNN,D.E. Tennessee Valley Authority. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82366:139-82366:144.

9501170018 Confirms 950105 telecon between B Schofield & P Fredrickson re meeting scheduled for 950111 to discuss status of RIP CAP completion. JAUDON,J.P. Region 2 (Post 820201). 95/01/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82313:343-82313:345.

9501120343 Forwards NRC memo, dtd 950104 & ltr, dtd 941222 to be reclassified as publicly available documents. TAM,P.S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. Document Control Branch (Document Control Desk). 1p. 82303:339-82303:339.

9501200205 Responds to NRC RAI, dtd 940822, re plant electrical separation requirements & applicability of industry testing. NUNN,D.E. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). 12pp. 82478:047-82478:058.

9501190374 Forwards updated proof & review version of TS, TS bases & Technical Requirements Manual for plant. GRIMES,C.I. . 95/01/13. HEBDON,F.J. . 6pp. 82378:171-82378:176.

9501250169 Summary of 950111 meeting w/TVA re technical issues concerning designation nuclear experience review equipment vendor bulletin reviews as quality assurance records. TAM,P.S. . 95/01/19. . 9pp. 82485:275-82485:283.

9501260153 Provides notification that power ascension test procedures & power escalation test procedures being made available, per FSAR chapter 14, paragraph 14.2.11 & Reg Guide 1.68, rev 2, app B. List of procedures provided to NRC on 950118 encl. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82514:330-82514:332.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300139 Notification of 950208 meeting w/util to discuss US Fish & Wildlife Svc review of NRC & TVA Biological Assessment. FLANDERS,S.C. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/23. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 82542:198-82542:200.

9501310356 Informs that 941028 NRC rept on biological assessment re environ impacts of plant on wildlife listed as endangered near plant concluded plant not likely to affect wildlife. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 2pp. 82548:042-82548:043.

##### D. NRC Draft/Final Environmental Statements, suppls & correspondence

9501200039 Comment opposing FES draft re plant concerning issuance of OL. Believes that NRC would be making mistake by granting util OL for plant. Draft FES remains vague re storage of radwaste & public demands full disclosure to ensure safety. ANDERSON,T. Affiliation Not Assigned. 95/01/07. Rules & Directives Review Branch (Post 920323). 2pp. 82351:200-82351:201.

## 132 DOCKETED ITEMS

**9501200037** Comment opposing final environmental statement for TVA plant. MCNABB, W.A. Affiliation Not Assigned. 95/01/11. Rules & Directives Review Branch (Post 920323). 1p. 82351:199-82351:199.

**9501270143** Comment approving final environ statement re operation of plant. BROWN, C.W. Tennessee, State of. 95/01/17. FLANDERS, S. Rules & Directives Review Branch (Post 920323). 1p. 82490:210-82490:210.

### E. NRC Safety Evaluation Report (SER), supplis & correspondence

**9501310288** Notification of 950208 meeting w/util in Spring City, TN to discuss status, needed actions, schedules & priorities of various licensing issues (ref chapter 1 of NUREG-0847, Watts Bar SER, suppl 14). TAMP, S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 82562:064-82562:066.

### F. Security, medical, emergency & fire protection plans

**9501030183** Forwards "Watts Bar Nuclear Plant 1994 Annual Exercise on 941026." HUSTON, R.W. Tennessee Valley Authority. 94/09/09. Region 2 (Post 820201). 2pp. 82261:190-82261:328.

**-9501030224** "Watts Bar Nuclear Plant 1994 Annual Exercise on 941026." Tennessee Valley Authority. 94/10/26. 100pp. 82261:192-82261:328.

**9501050431** Provides addl info in response to NRC questions discussed during 940830 meeting w/util re use of Thermo-Lag fire retardant matl at plant. NUNN, D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 7pp. 82233:356-82233:362.

**9501120202** Forwards Phase 2 Thermo-Lag 330-1 fire barrier matl qualification test repts. Repts suppl test results submitted on 930709 for qualifying Thermo-Lag 330-1 on electrical raceways. NUNN, D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82400:001-82416:181.

**-9501120204** Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Two Sided Multiple Conduit Enclosures & Cable Tray Support Sys)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97257. 94/12/02. 1,046pp. 82400:003-82402:320.

**-9501120205** Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Sided Box Enclosures Encasing Groups of Horizontal Conduits & Large Junction Box)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97258. 94/11/23. 700pp. 82402:321-82405:119.

**-9501120206** Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Box Enclosures Encasing Gang of Seven 4inch Steel Conduits & Individual Enclosures on 3/4 Inch Aluminum & Steel Conduits)." STANSBERRY, H.W., HUMPHREY, C.A., PRIEST, D.N. Thermal Science, Inc. 11960-97260. 94/12/01. 700pp. 82405:120-82407:285.

**-9501120208** Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three Four-Sided Box Enclosures Encasing Groups of Vertical Conduits & Enclosure Encasing 4 Inch Conduit & Junction Box)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97259. 94/11/29. 800pp. 82407:286-82410:264.

**-9501120212** "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Three 18 Inch Cable Trays & 3 Inch Conduit)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97185. 94/11/15. 550pp. 82410:265-82412:229.

**-9501120217** Vols 1 & 2 of "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Common Enclosures W/Three 18 Inch Cable Trays & Covered 18 Inch Tray W/1 Inch & 5 Inch Air Drops)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97187. 94/11/18. 600pp. 82412:230-82414:322.

**-9501120221** "Fire Endurance Test of Thermo-Lag 330-1 Fire Protective Envelopes (Special Trays Fitting W/Two 18 Inch Cable Tray Sections)." STANSBERRY, H.W. Thermal Science, Inc. 11960-97186. 94/11/15. 450pp. 82414:323-82416:181.

**9501050327** Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr. SANFORD, M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

**9501190054** Provides revised response to violations noted in insp repts 50-390/94-82, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01. Util will check fire pumps on three diverse points on pump curve. NUNN, D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.

**9501170032** Forwards insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 82313:350-82313:360.

**-9501170040** Insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations noted. Major areas inspected: EOP follow-up insp to verify that previous NRC comments appropriately dispositioned. MELLENS, L.S., JULIAN, C.A. Region 2 (Post 820201). 95/01/05. 9pp. 82313:352-82313:360.

**9501240162** Forwards insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. JAUDON, J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82420:161-82420:186.

**-9501240171** Insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. Major areas inspected: areas of construction work activities, applicant engineer assessment & installation of Thermo-lag & fire protection. WALTON, G.A. Region 2 (Post 820201). 95/01/12. 21pp. 82420:164-82420:186.

**9501250398** Forwards insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Rept details withheld per 10CFR73.21. JAUDON, J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82518:046-82518:050.

**-9501250405** Insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Major areas inspected: physical security requirements for power reactors. Details withheld. TILLMAN, A. Region 2 (Post 820201). 95/01/13. 2pp. 82518:049-82518:050.

**9501270054** Responds to NRC 941221 ltr re deviation noted in insp repts 50-390/94-78 & 50-391/94-78. Corrective actions: fire protection shift supervisors & fire protection manager trained on work documentation requirements & review. NUNN, D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82542:001-82542:005.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:268.

### Q. Inspection reports, IE Bulletins & correspondence

**9501170095** Ack receipt of 941201 request to delay scheduled insp of plant EQ program. Insp scheduled to start on 941205. Insp cannot be delayed & will start 941212. JAUDON, J.P. Region 2 (Post 820201). 94/12/09. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82314:185-82314:187.

**9501050253** Requests extension on util response & suppl response to NRC NOV's noted in insp repts 50-390/94-72, 50-391/94-72, 50-390/94-66 & 50-391/94-66. NUNN, D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82224:360-82224:361.

**9501050248** Informs that previous commitments for corrective action from several insp repts & other correspondence will be rescheduled. NUNN, D.E. Tennessee Valley Authority. 94/12/24. Document Control Branch (Document Control Desk). 5pp. 82230:356-82230:360.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501110367** Forwards insp repts 50-390/94-80 & 50-391/94-80 on 941106-1203. No violations or deviations noted. JAUDON, J.P. Region 2 (Post 820201). 94/12/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 82307:213-82307:254.

**-9501110372** Insp repts 50-390/94-80 & 50-391/94-80 on 941106-1203. No violations or deviations noted. Areas inspected: preoperational test program implementation verification, preoperational test procedure review & test witnessing. VAN DOORN, P.K., TAYLOR, P.A., JULIAN, C. Region 2 (Post 820201). 94/12/27. 39pp. 82307:216-82307:254.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501110022** Forwards insp repts 50-390/94-81 & 50-391/94-81 on 941114-941210. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/01/03. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 82272:021-82272:056.

**-9501110031** Insp repts 50-390/94-81 & 50-391/94-81 on 941114-941210. No violations noted. Major areas inspected: lighting fixture seismic interaction, electrical cable ampacity, unistrut supports & electrical designs. BRADY, J.B., FREDRICKSON, P. Region 2 (Post 820201). 94/12/21. 30pp. 82272:027-82272:056.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9501130165** Forwards responses to NRC 941205 ltr re violations & deviation noted in insp repts 50-390/94-73 & 50-391/94-73. Corrective actions: author of Procedure PTI-70-02 no longer on site & violation discussed w/involved personnel. NUNN, D.E. Tennessee Valley Authority. 95/01/04. Document Control Branch (Document Control Desk). 12pp. 82366:121-82366:132.

- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501130175** Forwards response to NRC 941110 & 16 ltr re violations noted in insp repts 50-390/94-72 & 50-391/94-72. Corrective actions: Site Std Practices (SSP) SSP-3.04 & SSP-3.06 revised. NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 25pp. 82365:296-82365:321.
- 9501190054** Provides revised response to violations noted in insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01. Util will check fire pumps on three diverse points on pump curve. NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.
- 9501190062** Responds to NRC 941209 ltr re violations noted in insp repts 50-390/94-76 & 50-391/94-76. Corrective actions: ltr submitted to supervisors re adherence to contractual agreements. NUNN,D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 4pp. 82456:343-82456:346.
- 9501170032** Forwards insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations noted. JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 82313:350-82313:360.
- 9501170040** Insp repts 50-390/94-86 & 50-391/94-86 on 941219-22. No violations noted. Major areas inspected: EOP follow-up insp to verify that previous NRC comments appropriately dispositioned. MELLEEN,L.S., KING,L.P., KELLOGG,P. Region 2 (Post 820201). 95/01/05. 9pp. 82313:352-82313:360.
- 9501180016** Ack ltr of clarification, dtd 941215 informing of steps taken to correct violations noted in insp repts 50-390/94-11 & 50-391/94-11. Ltr meets requirements of 10CFR2.201. JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82324:037-82324:039.
- 9501240014** Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/93-79 & 50-391/93-79 on 940304. JAUDON,J.P. Region 2 (Post 820201). 95/01/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:040-82417:042.
- 9501230065** Provides revised completion date for previous commitment re violation identified in insp repts 50-390/94-35 & 50-391/94-35. Corrective actions will be completed by 950330. NUNN,D.E. Tennessee Valley Authority. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82497:191-82497:192.
- 9501240006** Ack receipt of 941217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-69 & 50-391/94-69 on 941118. JAUDON,J.P. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:028-82417:030.
- 9501240112** Forwards insp repts 50-390/94-79 & 50-391/94-79 on 941114-18, 1128-1202 & 1212-13 & notice of violation. Activities appear to be in violation of NRC requirements. JAUDON,J.P. Region 2 (Post 820201). 95/01/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:046-82420:075.
- 9501240114** Notice of violation from insp on 941114-18, 1128-1202 & 1212-13. Violation noted: implementation of CA for NRC violation 50-390/94-05 had not been adequate to determine full extent of condition & actions to correct condition. \* Region 2 (Post 820201). 95/01/11. 1p. 82420:049-82420:049.
- 9501240117** Insp repts 50-390/94-79 & 50-391/94-79 on 941114-18, 1128-1202 & 1212-13. Violations noted. Major areas inspected: welding activities, PSI, welding CAP & CA for previous insp findings. CROWLEY,B.R., FREDRICKSON,P. Region 2 (Post 820201). 95/01/10. 26pp. 82420:050-82420:075.
- 9501240015** Ack receipt of 941216 ltr re activities conducted at facility noted in insp repts 50-390/94-66 & 50-391/94-66. NRC concerned re procedure changes made w/o adequate regard to commitments until implement. JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 82417:043-82417:047.
- 9501240125** Forwards insp repts 50-390/94-74 & 50-391/94-74 on 941212-16. No violations or deviations noted. JAUDON,J.P. Region 1 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:109-82420:124.
- 9501240129** Insp repts 50-390/94-74 & 50-391/94-74 on 941212-16. No violations noted. Major areas inspected: review & assess applicant program for establishing EQ of electric & mechanical equipment. MERRIWEATHER,N., FREDRICKSON,P. Region 2 (Post 820201). 95/01/13. 11pp. 82420:112-82420:124.
- 9501240162** Forwards insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82420:161-82420:186.
- 9501240171** Insp repts 50-390/94-82 & 50-391/94-82 on 941120-1217. No violations or deviations noted. Major areas inspected: areas of construction work activities, applicant engineer assessment & installation of Thermo-lag & fire protection. WALTON,G.A. Region 2 (Post 820201). 95/01/12. 21pp. 82420:164-82420:186.
- 9501250398** Forwards insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Rept details withheld per 10CFR73.21. JAUDON,J.P. Region 2 (Post 820201). 95/01/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82518:046-82518:050.
- 9501250405** Insp repts 50-390/94-77 & 50-391/94-77 on 941212-16. No violations or deviations noted. Major areas inspected: physical security requirements for power reactors. Details withheld. TILLMAN,A., JULIAN,C. Region 2 (Post 820201). 95/01/13. 2pp. 82518:049-82518:050.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501270066** Documents date provided on 950113 to NRC resident inspector J Lara re previous commitment involving listed violations noted in insp repts 50-390/94-35 & 50-391/94-35. Corrective actions for commitment will be complete by 950228. NUNN,D.E. Tennessee Valley Authority. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82541:337-82541:338.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501270073** Notifies NRC of change in methodology for implementing recurrence control action 1, stated in 941109 response to NRC 941006 ltr re violation noted in insp repts 50-390/94-58 & 50-391/94-58. NUNN,D.E. Tennessee Valley Authority. 95/01/19. Document Control Branch (Document Control Desk). 3pp. 82541:339-82541:341.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501270054** Responds to NRC 941221 ltr re deviation noted in insp repts 50-390/94-78 & 50-391/94-78. Corrective actions: fire protection shift supervisors & fire protection manager trained on work documentation requirements & review. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82542:001-82542:005.
- 9501270059** Responds to NRC 941118 ltr re weaknesses & violation noted in insp repts 50-390/94-69 & 50-391/94-69. Corrective actions: sys description for containment heat removal spray sys revised to include expected recirculation header flow. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 12pp. 82541:324-82541:336.
- 9501310066** Forwards insp repts 50-390/94-85 & 50-391/94-85 on 941212-16 & 20-23. Violation noted but not cited. NRC concerned w/issue involving inappropriate QC re insp hold points. JAUDON,J.P. Region 2 (Post 820201). 95/01/23. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82528:262-82528:284.
- 9501310073** Insp repts 50-390/94-85 & 50-391/94-85 on 941212-16 & 20-23. Violations noted but not cited. Major areas inspected: completion of post-1985 data review for welding & NDE procedures. COLEY,J.L., FREDRICKSON,P. Region 2 (Post 820201). 95/01/23. 20pp. 82528:265-82528:284.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

- 9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNIAK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.
- 9501230101** Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.
- 9501230121** Part 21 Rept CFRN 94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

- 9501040150** Revised EIPs, including Rev 22 to EPP-001, "Activation & Implementation of Emergency Plan." Rev 18 to EPP-005, "Offsite Dose Calculations" Rev 12 to EPP-009, "On-Site Medical." W/941222 ltr. NETTLES,K.W. South Carolina Electric & Gas Co. 94/12/22. 97pp. 82224:071-82224:168.
- 9501240251** Revised EIPs, including rev 29 to EPP-002, "Communication & Notification," rev 12 to EPP-015, "Natural Emergency (Earthquake, Tornado, Hurricane)," rev 9 to EPP-023, "Onsite Emergency Response Ctr Operations..." W/950118 ltr. FOWLKES,R.M. South Carolina Electric & Gas Co. 95/01/18. 146pp. 82430:202-82430:347.

## 134 DOCKETED ITEMS

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### H. General correspondence

**9501130142** Comment opposing proposed rule 10CFR50 re shutdown & low power operations.Believes that PR totally unnecessary & represents addl regulatory burden not fully cost justified. TAYLOR,G.J. South Carolina Electric & Gas Co. 95/01/03. Docketing & Services Branch. 3pp. 82299:252-82299:254.

**9501190095** Comment supporting proposed rule 10CFR21 re inter-utility transfer. TAYLOR,G.J. South Carolina Electric & Gas Co. 95/01/09. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 82336:033-82336:034.

### M. Antitrust correspondence

**8201070268** Regards util petition for reconsideration of denial of request for significant changes determination (antitrust). MALSCH,M.G. Office of the General Counsel (Post 860701). SECY-81-544. 81/09/14. 75pp. 82524:060-82524:257.

### P. Operating license stage documents & correspondence

**9501030177** Discusses 941215 meeting held in Region II ofc re results of util SG replacement outage & informs that meeting provided better understanding of project including challenges,mods & assessments made.Attendees list encl. MERSCHOFF,E.W. Region 2 (Post 820201). 94/12/20. SKOLDS,J.L. South Carolina Electric & Gas Co. 123pp. 82173:046-82173:168.

**9501310160** Responds to NRC request to revise response to GL 88-17 & informs of inconsistencies between recommendation of GL & proposed rule on shutdown & low power operation in area of RCS level monitoring instrumentation. TAYLOR,G.J. South Carolina Electric & Gas Co. 95/01/20. Document Control Branch (Document Control Desk). 1p. 82575:345-82575:350.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501170005** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/94-24. CHRISTENSEN,H. Region 2 (Post 820201). 95/01/05. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 82313:287-82313:288.

**9501170012** Discusses notice of deviation 93-16-01 which indicated failure to provide backup protection for electric penetrations in overload range of currents. CASTO,C.A. Region 2 (Post 820201). 95/01/05. SKOLDS,J.L. South Carolina Electric & Gas Co. 6pp. 82313:293-82313:298.

**9501240066** Forwards insp rept 50-395/94-27 on 941101-1216 & notice of violation. CHRISTENSEN,H. Region 2 (Post 820201). 95/01/11. SKOLDS,J.L. South Carolina Electric & Gas Co. 3pp. 82419:270-82419:294.

**-9501240067** Notice of violation from insp on 941101-1216.Violation noted:STP 249.052 specified min hydrostatic test pressure that was 40 psig less than 1.25 times sys pressure at highest elevation in test boundary. \* Region 2 (Post 820201). 95/01/11. 1p. 82419:273-82419:273.

**-9501240077** Insp rept 50-395/94-27 on 941101-1216.Violations noted.Major areas inspected:activities associated w/SG replacement project. HAAG,R.C., FARNHOLTZ,T.R., KLEINSORGE,W.P. Region 2 (Post 820201). 95/01/10. 21pp. 82419:274-82419:294.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501240329** Notification of significant licensee meeting w/util on 950216 to discuss performance of facility during SALP period 930228-950128. CANTRELL,F. Region 1 (Post 820201). 95/01/18. Region 1 (Post 820201). 2pp. 82431:329-82431:330.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics." GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501240186** Monthly operating rept for Dec 1994 for VC Summer Nuclear Station,Unit 1.W/950113 ltr. HALTIWANGER,J., TAYLOR,G.J. South Carolina Electric & Gas Co. 94/12/31. 5pp. 82508:353-82508:357.

### S. Reportable occurrences, LERs & related correspondence

**9501110520** LER 94-006-00:on 941205,presure boundary leak in reactor coolant sys identified.Caused by seal injection nozzle weld failed as consequence of possible defects.Exams of weld performed & extent of weld failure identified.W/950103 ltr. FOWLKES,R.M., TAYLOR,G.J. South Carolina Electric & Gas Co. 95/01/03. 4pp. 82347:342-82347:345.

**9501270215** Forwards Part 21 notices issued in 1994,in light of recent release of Administrative Ltr 94-17. FRATTIANNE,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

**-9501270231** Part 21 Rept 94-001 re seismic qualification for diesel fuel oil day tank,transfer pump control switch & foot valve.Shake test w/item installed in fluid filled tube recommended for porcelain displacer of switch. FRATTIANNE,S.A. Coltec Industries, Inc. 94/04/20. Document Control Branch (Document Control Desk). 1p. 82554:058-82554:058.

### DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9501060138** Forwards RAI re GL, "Thermo-Lag 330-1 Fire Barriers." Informs president of company that mfg barrier matl charged w/defrauding US about matl effectiveness.Need to re-evaluate Thermo-Lag matl already installed in plants. ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. PARRISH,J.V. Washington Public Power Supply System. 8pp. 82259:202-82259:209.

**9501060208** Forwards updated response to deviations noted in EOPs Insp Rept 50-397/91-27,satisfying commitment made in 940425 response to Insp Rept 50-397/94-01. PARRISH,J.V. Washington Public Power Supply System. 94/12/30. Document Control Branch (Document Control Desk). 69pp. 82286:235-82286:303.

**9501180159** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/94-28. GWYNN,T.P. Region 4 (Post 820201). 95/01/06. PARRISH,J.V. Washington Public Power Supply System. 4pp. 82326:195-82326:203.

**-9501180170** Responds to NRC 941109 ltr re violations noted in insp rept 50-397/94-28.Corrective actions:responsibility for fire protection issues centralized in one organization to provide better focus for identification & evaluation of issues. PARRISH,J.V. Washington Public Power Supply System. 94/12/16. Document Control Branch (Document Control Desk). 5pp. 82326:199-82326:203.

**9501180306** Revised EPIPs,including rev 16 to EPIP 13.4.1,rev 12 to EPIP 13.5.5,rev 20 to EPIP 13.10.9,rev 9 to EPIP 13.11.4, rev 12 to EPIP 13.11.12 & rev 15 to EPIP 13.11.14. \* Washington Public Power Supply System. 95/01/10. 86pp. 82366:239-82366:326.

**9501180162** Advises that 941219 rev 27 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,S.J. Region 4 (Post 820201). 95/01/12. PARRISH,J.V. Washington Public Power Supply System. 5pp. 82379:135-82379:139.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

## G. Adjudicatory correspondence

- 9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

## I. Financial information

- 9501230142** Package consisting of summary of transactions,statement of transactions,assets acquired,assets disposed of,940630-1231 & asset summary,asset summary adjusted for accruals,list of assets & fixed income maturity analysis,941231.  
FOSTER,M. Seafirst Bank. 94/12/31. 26pp. 82500:331-82500:356.

## P. Operating license stage documents &amp; correspondence

- 9501040180** Submits "Simulator Facility Certification," for WPPS WNP-2 per 10CFR55.45.  
PARRISH,J.V. Washington Public Power Supply System. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82262:001-82262:262.
- 9501040182** "Simulator Facility Certification."  
\* Washington Public Power Supply System. 94/12/07. 400pp. 82262:004-82262:262.
- 9501050367** Forwards Revs 18,19 & 20 to WPPSS-QA-004, "Operational QA Program....." Revs 18 & 19 reflect mgt & organizational changes & Rev 20 reflects changes to methods used to review procurement documents & monitor procurement process.  
PARRISH,J.V. Washington Public Power Supply System. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82230:211-82230:315.
- 9501050371** Rev 18 to "Operational QA Program Description."  
\* Washington Public Power Supply System. 94/04/07. 38pp. 82230:213-82230:253.
- 9501050375** Rev 19 to "Operational QA Program Description."  
\* Washington Public Power Supply System. 94/07/01. 31pp. 82230:254-82230:284.
- 9501050379** Rev 20 to "Operational QA Program Description."  
\* Washington Public Power Supply System. 94/11/14. 31pp. 82230:285-82230:315.
- 9501060138** Forwards RAI re GL, "Thermo-Lag 330-1 Fire Barriers." Informs president of company that mfg barrier matl charged w/defrauding US about matl effectiveness.Need to re-evaluate Thermo-Lag matl already installed in plants.  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29.  
PARRISH,J.V. Washington Public Power Supply System. 8pp. 82259:202-82259:209.
- 9501090019** Informs that requested QA program change described in submittal ltr G02-94-243 approved,w/listed exceptions.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/04. PARRISH,J.V. Washington Public Power Supply System. 6pp. 82235:152-82235:157.
- 9501130250** Forwards amend 133 to license NPF-21 & safety evaluation. Amend modifies TS delete reference to written relief from ASME Code requirements being granted by NRC.  
CLIFFORD,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05.  
PARRISH,J.V. Washington Public Power Supply System. 3pp. 82319:321-82319:338.
- 9501130256** Amend 133 to license NPF-21,revising TS to delete ref to written relief from ASME Code requirements being granted by NRC.  
CLIFFORD,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. 9pp. 82319:324-82319:332.
- 9501130258** Safety evaluation supporting amend 133 to license NPF-21.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 6pp. 82319:333-82319:338.
- 9501200119** Notification of 950201 meeting w/util in Rockville,MD to discuss TS conversion.  
CLIFFORD,J.W. . 95/01/11. QUAY,T.R. . 3pp. 82420:345-82420:347.
- 9501240163** Provides plans for implementing long-term solution to reactor coupled neutronic/thermal-hydraulic stability issue in response to GL 94-02,Action 2.  
PARRISH,J.V. Washington Public Power Supply System. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82513:091-82513:092.
- 9501250090** Requests that first page of NRC Jan 4 ltr be replaced w/encl corrected page.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. PARRISH,J.V. Washington Public Power Supply System. 4pp. 82438:200-82438:204.
- 9501270042** Notification of licensee meeting w/util on 950131 to discuss results of recent NRC configuration mgt team insp.  
BEACH,A.B. Region 4 (Post 820201). 95/01/19. Region 4 (Post 820201). 5pp. 82490:035-82490:039.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501300284** Notification of meeting w/util on 950206 in Rockville,MD to discuss plant standby gas treatment sys & secondary containment.  
CLIFFORD,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25.  
QUAY,T.R. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 82537:006-82537:010.

## Q. Inspection reports, IE Bulletins &amp; correspondence

- 9501030010** Forwards insp rept 50-397/94-32 on 941030-1210.No violations noted.  
BEACH,A.B. Region 4 (Post 820201). 94/12/23. PARRISH,J.V. Washington Public Power Supply System. 5pp. 82157:055-82157:074.
- 9501030014** Insp rept 50-397/94-32 on 941030-1210.No violations noted. Major areas inspected:resident & region-based inspectors of control room operations,licensee action on previous insp findings & operational safety verification.  
KIRSCH,D.F. Region 4 (Post 820201). 94/12/23. 15pp. 82157:060-82157:074.
- 9501130091** Forwards Vois 1,2 & 3 of "ISI Program Plan,Interval - 2." Informs that util will notify NRC of date on which second 10-yr plan implemented,as documented in util 941201 ltr.  
PARRISH,J.V. Washington Public Power Supply System. 94/12/27. Document Control Branch (Document Control Desk). 1p. 82466:001-82466:263.
- 9501130103** Vois 1,2 & 3 of "ISI Program Plan Interval - 2." W/oversized drawings.  
\* Washington Public Power Supply System. 94/12/15. 1,100pp. 82466:002-82466:263.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501060208** Forwards updated response to deviations noted in EOPs Insp Rept 50-397/91-27,satisfying commitment made in 940425 response to Insp Rept 50-397/94-01.  
PARRISH,J.V. Washington Public Power Supply System. 94/12/30. Document Control Branch (Document Control Desk). 69pp. 82286:235-82286:303.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501190029** Insp rept 50-397/94-31 being cancelled.No insp rept will be issued for rept number.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/05. PARRISH,J.V. Washington Public Power Supply System. 4pp. 82335:128-82335:131.
- 9501180159** Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/94-28.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/06. PARRISH,J.V. Washington Public Power Supply System. 4pp. 82326:195-82326:203.
- 9501180170** Responds to NRC 941109 ltr re violations noted in insp rept 50-397/94-28.Corrective actions:responsibility for fire protection issues centralized in one organization to provide better focus for identification & evaluation of issues.  
PARRISH,J.V. Washington Public Power Supply System. 94/12/16. Document Control Branch (Document Control Desk). 5pp. 82326:199-82326:203.
- 9501230206** Provides response to violations noted in Insp Rept 50-397/94-29.Corrective actions:timeout held w/mechanical & electrical craft personnel to ensure they understood proper storage requirements for hoists.  
PARRISH,J.V. Washington Public Power Supply System. 95/01/13. Document Control Branch (Document Control Desk). 3pp. 82497:344-82497:346.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501310123** Responds to NRC 940831 ltr re violations noted in insp rept 50-397/94-24.Corrective actions:one-over-one review of LCO entry has been instituted as mgt expectation through end of Mar 1995.  
PARRISH,J.V. Washington Public Power Supply System. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82566:247-82566:248.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.



## 136 DOCKETED ITEMS

### R. Periodic operating reports & related correspondence

9501170123 Monthly operating rept for Dec 1994 for WNP-2. W/950109 ltr. EMBREE,D.G., SMITH,G.O. Washington Public Power Supply System. 94/12/31. 4pp. 82392:343-82392:346.

### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

### DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

9501030059 Provides info re shipment of irradiated nuclear reactor fuel by util,to Harris nuclear project.  
COWAN,J.P. Carolina Power & Light Co. 94/12/09. STROUD,T.C. North Carolina, State of. 3pp. 82157:264-82157:266.

9501030027 Informs of shipment of solid irradiated nuclear reactor fuel in IF-303 & IF-304 series shipping casks,from Brunswick nuclear project to Harris nuclear project.  
COWAN,J.P. Carolina Power & Light Co. 94/12/19. STROUD,T.C. North Carolina, State of. 3pp. 82157:142-82157:144.

9501050306 Forwards response to portions of sections of 940214 response to RAI re util response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" that were deferred until completion of industry testing conducted by Nuclear Energy Inst.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/19. Document Control Branch (Document Control Desk). 9pp. 82230:340-82230:348.

9501090129 Rev 4 to EPIP PEP-500, "Recovery." W/941229 ltr.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/29. 19pp. 82288:336-82288:354.

9501090046 Responds to NRC 941130 ltr re violations noted in insp rept 50-400/94-22.Corrective actions:revised plant administrative procedure AP-002, "Plant Conduct of Operations," to include section entitled, "Control of Designated Vehicles."  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/30. Document Control Branch (Document Control Desk). 9pp. 82289:341-82289:349.

9501260128 Change 6 to Rev 5 to EPIP PEP-323, "Setup of Emergency Facilities," deleting list of effective pages & adding new drawing of OSC.W/950119 ltr.  
KELLOGG,E.A., ROBINSON,W.R. Carolina Power & Light Co. 95/01/19. 7pp. 82523:231-82523:237.

9501260060 Informs of upcoming shipment of irradiated nuclear fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-303 & IF-304 type casks by rail.  
COWAN,J.P. Carolina Power & Light Co. 95/01/20. STROUD,T.C. North Carolina, State of. 3pp. 82465:276-82465:278.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 830207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9501040174 Submits info per 10CFR50.46(a)(3)(ii) for SHNPP re estimated effect of significant changes or errors in ECCS evaluation models or in application of models.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/19. Document Control Branch (Document Control Desk). 3pp. 82189:356-82189:358.

9501040193 Application for amend to license NPF-63,requesting one-time schedular rev to TS re containment leak rate testing.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/19. Document Control Branch (Document Control Desk). 11pp. 82219:007-82219:023.

-9501040195 Proposed tech specs re containment leak rate testing.  
\* Carolina Power & Light Co. 94/12/19. 6pp. 82219:018-82219:023.

9501040264 Responds to 941012 ltr,confirming that util plans to submit requested addl info on 950116 re IPE.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/19. Document Control Branch (Document Control Desk). 1p. 82260:245-82260:245.

9501050306 Forwards response to portions of sections of 940214 response to RAI re util response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" that were deferred until completion of industry testing conducted by Nuclear Energy Inst.  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/19. Document Control Branch (Document Control Desk). 9pp. 82230:340-82230:348.

9501090337 Summary of 941215 meeting w/util in Rockville,MD re status of NRC review of previously submitted requests,responses to generic communications & general licensee activities.List of meeting attendees & util 18-month agenda encl.  
LE,N.B. Project Directorate II-1 (PD2-1) (Post 941001). 94/12/22. Project Directorate II-1 (PD2-1) (Post 941001). 21pp. 82262:263-82262:283.

9501240061 Summarizes 941228 mgt meeting in Region II Ofc re plant business plan results review & operational challenges.List of attendees & copy of licensee slides encl.  
MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/10. ROBINSON,W.R. Carolina Power & Light Co. 61pp. 82417:182-82417:242.

9501200150 Forwards amend 53 to license NPF-63 & SE.Amend deletes section 2.c.(8) & attachment 1 to facility operating license.  
LE,N.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/12. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 82436:149-82436:158.

-9501200152 Amend 53 to license NPF-63,deleting section 2.C.(8) & attachment 1 to facility operating license.  
BATEMAN,W.H. Project Directorate II-1. 95/01/12. 4pp. 82436:152-82436:155.

-9501200155 Safety evaluation supporting amend 53 to license NPF-63.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 4pp. 82436:156-82436:158.

9501250135 Advises that util commits to implement current order surveillance test as recommended by WOG in "Recommended Rod Control Sys Surveillance Test," distributed to WOG member utils on 940408,in response to NRC 941212 RAI re GL 93-04.  
ROBINSON,W.R. Carolina Power & Light Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82517:359-82517:360.

9501250069 Confirms 941014 telcon discussions & CP&L intent to provide package which follows guidance in NRC 940712 memo entitled, "Guidance on Closure of Staff Review of GL 89-10 Programs" by 950228.  
ROBINSON,W.R. Carolina Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 1p. 82515:247-82515:247.

9501260139 Application for amend to license NPF-63,revising TS SR 4.0.3 & associated bases to provide for delay in which to perform surveillance discovered not performed within specified frequency.  
ROBINSON,W.R. Carolina Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 9pp. 82514:312-82514:329.

-9501260147 Proposed tech specs providing delay period in which to perform surveillance which has been discovered not to have been performed within specified frequency.  
\* Carolina Power & Light Co. 95/01/19. 9pp. 82514:321-82514:329.

9501300025 Confirms 950112 telcon between Rogan & author re mgt meeting to be conducted in Atlanta,GA on 950207 to discuss CP&L performance evaluation section.  
CHRISTENSEN,H. Region 2 (Post 820201). 95/01/20. HABERMEYER,H. Carolina Power & Light Co. 4pp. 82511:224-82511:227.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501250408 Forwards addl info re IPE submittal for plant,in response to NRC 941012 RAI.  
ROBINSON,W.R. Carolina Power & Light Co. 95/01/25. Document Control Branch (Document Control Desk). 121pp. 82516:227-82516:347.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501090046 Responds to NRC 941130 ltr re violations noted in insp rept 50-400/94-22.Corrective actions:revised plant administrative procedure AP-002, "Plant Conduct of Operations," to include section entitled, "Control of Designated Vehicles."  
ROBINSON,W.R. Carolina Power & Light Co. 94/12/30. Document Control Branch (Document Control Desk). 9pp. 82289:341-82289:349.

9501110117 Summary of 941228 enforcement conference re activities authorized for Harris facility.List of attendees & slides encl.  
MERSCHOFF,E.W. Region 2 (Post 820201). 94/12/30. ROBINSON,W.R. Carolina Power & Light Co. 30pp. 82271:154-82271:183.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170002 Ack receipt of 941219 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/94-204.Response to violation B does not address extent of review of other generic communications.  
MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/06. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 82313:001-82313:003.

9501170067 Responds to NRC 941208 ltr re violations noted in insp rept 50-400/94-23. Corrective actions: 1B-SB battery operability restored on 941117 by performing single cell charge. Also, monthly & quarterly interval maintenance procedures revised. ROBINSON, W.R. Carolina Power & Light Co. 95/01/06. Document Control Branch (Document Control Desk). 4pp. 82393:032-82393:035.

9501170111 Ack receipt of 941230 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/94-22. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/09. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 82314:188-82314:189.

9501250194 Provides revised version of CP&L reply to NOV submitted on 950106. Revised response corrects "Date When Full Compliance Will be Achieved" section of original response ltr from 940331 to 950331. ROBINSON, W.R. Carolina Power & Light Co. 95/01/16. Document Control Branch (Document Control Desk). 4pp. 82514:178-82514:181.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501240340 Submits suppl response to violation noted in insp rept 50-400/94-21 per 950106 telcon. Util informs that review of correspondence from util to NRC initiated involving initial screening of responses to GLs & NRC bulletins. ROBINSON, W.R. Carolina Power & Light Co. 95/01/19. Document Control Branch (Document Control Desk). 2pp. 82437:347-82437:348.

9501240358 Ack receipt of 950106 ltr informing NRC of steps taken to correct violations noted in insp 50-400/94-23. CHRISTENSEN, H. Region 2 (Post 820201). 95/01/19. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 82432:014-82432:016.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501250237 Monthly operating rept for Dec 1994 for Shearon Harris Nuclear Power Plant. W/950112 ltr. ROGERS, S., ROBINSON, W.R. Carolina Power & Light Co. 94/12/31. 4pp. 82514:154-82514:157.

#### DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

##### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### W. Decommissioning Stage Documents & Correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

##### F. Security, medical, emergency & fire protection plans

9501190166 Forwards request for addl info re proposed EAL rev to NUMARC/NESP-007 methodology for plant, per util 940711 submittal. BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 82352:141-82352:196.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

##### P. Operating license stage documents & correspondence

9501170229 FOIA request for documents re construction-related contracts awarded at plants from 1988 to present. LEMMERBROCK, K. Affiliation Not Assigned. 94/02/10. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82342:356-82342:356.

9501130083 Forwards addl info requested in NRC 941121 ltr re util 940722 proposed license amend to allow facility to operate at uprated power of 3,467 MWt. Rev 1 to GE rept NEDC-32015, "...Fatigue Evaluation Power Uprate..." also encl. TERRY, C.D. Niagara Mohawk Power Corp. 95/01/03. Document Control Branch (Document Control Desk). 10pp. 82364:338-82364:362.

9501130085 "Nine Mile Point 2 Fatigue Evaluation Power Uprate Operating Conditions," rev 1. DIAS, K.P., FAYNSHTEIN, K., STEVENS, G.L. General Electric Co. NEDC-32015 R01. 94/09/13. 15pp. 82364:348-82364:362.

9501170079 Application for amend to license NPF-69 re min gallons of fuel oil required in day tanks & storage tanks. SYLVIA, B.R. Niagara Mohawk Power Corp. 95/01/06. Document Control Branch (Document Control Desk). 3pp. 82392:232-82392:252.

9501170088 Proposed tech specs re min gallons of fuel oil required in day tanks & storage tanks. \* Niagara Mohawk Power Corp. 95/01/06. 18pp. 82392:235-82392:252.

9501170098 Application for amend to license NPF-69 re deletion of certain instruments not classified as Category 1. SYLVIA, B.R. Niagara Mohawk Power Corp. 95/01/06. Document Control Branch (Document Control Desk). 4pp. 82392:253-82392:263.

9501170102 Proposed tech specs re deletion of certain instruments not classified as Category 1. \* Niagara Mohawk Power Corp. 95/01/06. 27pp. 82392:257-82392:283.

9501230331 Forwards response to NRC 941201 RAI re potential environ impacts of util 940722 proposed power uprate. TERRY, C.D. Niagara Mohawk Power Corp. 95/01/09. Document Control Branch (Document Control Desk). 17pp. 82501:322-82501:338.

## 138 DOCKETED ITEMS

**950120071** Forwards safety evaluation granting until 940818 request to use of Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs.  
CASE, M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82378:221-82378:229.

**-950120075** Safety evaluation granting until 940818 request for approval to use Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:225-82378:229.

**9501240254** Forwards amend 60 to license NPF-69 & safety evaluation. Amend revises applicability requirements of TS 3.7.3 to require operability of control room outdoor air special filter train sys in operational conditions 1.2,3 & \*\*.  
BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82485:225-82485:237.

**-9501240257** Amend 60 to license NPF-69, revising applicability requirements of TS 3.7.3 to require operability of control room outdoor air special filter train sys in operational conditions 1.2,3 & \*\*.  
CASE, M.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. 6pp. 82485:229-82485:234.

**-9501240260** Safety evaluation supporting amend 60 to license NPF-69.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 3pp. 82485:235-82485:237.

**9501270112** Forwards amend 61 to license NPF-69 & safety evaluation. Amend revises TS 1.7, "CORE ALTERATION" & including changes to TS 3/4.9.3, "Control Rod Position" & associated bases.  
BRINKMAN, D.S. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82523:250-82523:268.

**-9501270117** Amend 61 to license NPF-69, revising TS 1.7, "CORE ALTERATION" including changes to TS 3/4.9.3, "Control Rod Position" & associated bases.  
CASE, M.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 11pp. 82523:255-82523:265.

**-9501270118** Safety evaluation supporting amend 61 to license NPF-69.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 4pp. 82523:266-82523:268.

**9501180270** Administrative Ltr 95-01 to OL or GP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

**9501110167** Forwards safety insp rept 50-410/94-26 of licensed operator requalification program on 941128-1202.LORT program good overall & enables safe plant operation by effectively evaluating licensed operator performance.  
MEYER, G.W. Region 1 (Post 820201). 94/12/23. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82273:101-82273:113.

**-9501110181** Safety insp rept 50-410/94-26 on 941128-1202.No violations noted.Major areas inspected:license operator requalification training program & observation of annual & biennial written exams to two operating crews.  
CARUSO, J., MEYER, G.W. Region 1 (Post 820201). 94/12/23. 10pp.. 82273:104-82273:113.

**9501110233** Forwards insp repts 50-220/94-23 & 50-410/94-27 on 941114-18.No violations noted.  
COWGILL, C.J. Region 1 (Post 820201). 94/12/23. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82274:232-82274:244.

**-9501110242** Insp repts 50-220/94-23 & 50-410/94-27 on 941114-18.No violations noted.Major areas inspected:effectiveness of facility programs to identify,raise to proper mgt level, resolve & prevent problems & conditions.  
DOERFLEIN, L.T. Region 1 (Post 820201). 94/12/20. 10pp. 82274:235-82274:244.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501240269** Forwards insp repts 50-220/94-26 & 50-410/94-29 on 941113-1217.Violations noted.Violation involved failure to properly perform channel functional tests for Unit 2 safety relief valve acoustic monitors.  
COWGILL, C.J. Region 1 (Post 820201). 95/01/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82429:315-82429:354.

**-9501240273** Insp repts 50-220/94-26 & 50-410/94-29 on 941113-1217. Violations noted.Major areas inspected:plant operations, maint,plant support & engineering.  
DOERFLEIN, L.T. Region 1 (Post 820201). 95/01/09. 37pp. 82429:318-82429:354.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501260087** Ack receipt of util responses dtd 930308 & 941214 to NRC Bulletin 90-01, Suppl 1, "Loss of Fill-Oil in Transmitters Manufactured by Rosemount."  
BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). 95/01/18. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82513:260-82513:285.

**-9501260096** Safety evaluation accepting util response to NRC Bulletin 90-01, Suppl 1, "Loss of Fill-Oil in Transmitters Manufactured by Rosemount."  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 2pp. 82513:264-82513:265.

**-9501180201** "Evaluation of Util Response to Supplement 1 to NRC Bulletin 90-01:Nine Mile Point 1/2."  
UDY, A.C. EG&G Idaho, Inc. UDY, A.C. Idaho National Engineering Laboratory. FIN L-1695. EGG-DNSP-10919. 94/09/30. NRC - No Detailed Affiliation Given. 19pp. 82513:266-82513:285.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501240240** Monthly operating rept for Dec 1994 for Nine Mile Point Unit 2.W/950116 lr.  
CAROCCIO, C.J., DAHLBERG, K.A. Niagara Mohawk Power Corp. 94/12/31. 6pp. 82510:356-82510:361.

### S. Reportable occurrences, LERs & related correspondence

**9501170138** Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI, T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

**-9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

**9501050429** Special rept on 941211, main vent gaseous effluent monitoring sys declared inoperable due to poor peak centroid resolution.New detector installed & calibr in process & automatic liquid nitrogen (LN2) level control sys repaired.  
DAHLBERG, K.A. Niagara Mohawk Power Corp. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82247:328-82247:329.

**9501230070** LER 94-007-00 on 941209, actuations of RPS & ESF sys occurred.Caused by poor managerial methods.Implementation of immediate actions for scram & unit brought to cold shutdown. W/950109 lr.  
CONWAY, J.T., DAHLBERG, K.A. Niagara Mohawk Power Corp. 95/01/09. 9pp. 82421:185-82421:193.

### V. Operator Examinations

**9501110167** Forwards safety insp rept 50-410/94-26 of licensed operator requalification program on 941128-1202.LORT program good overall & enables safe plant operation by effectively evaluating licensed operator performance.  
MEYER, G.W. Region 1 (Post 820201). 94/12/23. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 82273:101-82273:113.

**-9501110181** Safety insp rept 50-410/94-26 on 941128-1202.No violations noted.Major areas inspected:license operator requalification training program & observation of annual & biennial written exams to two operating crews.  
CARUSO, J., MEYER, G.W. Region 1 (Post 820201). 94/12/23. 10pp.. 82273:104-82273:113.

**9501310009** Extends invitation to attend 950207-08 training managers meeting planned by NRC, Region I, to discuss status of operator licensing programs from Region I & NRC Headquarters perspectives & inform facilities of planned initiatives.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. SYLVIA, B.R. Niagara Mohawk Power Corp. 5pp. 82528:026-82528:030.

**9501310095** Extends invitation to attend Training Manager meeting on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from region I & NRC headquarters perspectives.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. GUILFOIL, T. Sonalysts, Inc. 5pp. 82529:103-82529:107.

## DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

## F. Security, medical, emergency &amp; fire protection plans

- 9501170070 Provides Rev 23 to Issue 4 of Beaver Valley Power Station PSP (Base Plan). Encl withheld.  
THOMAS, G.S. Duquesne Light Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82456:321-82456:321.
- 9501230313 Rev 6 to Emergency Preparedness Plan Implementing Procedure (EPP/IP) EPP/IP 1.4. "TSC Activation, Operation & Deactivation." W/950112 ltr.  
THOMAS, G.S. Duquesne Light Co. 95/01/12. 102pp. 82487:192-82487:291.
- 9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

## G. Adjudicatory correspondence

- 9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

## H. General correspondence

- 9501190069 Informs that effective 950109 manager, Quality Svcs Unit, will rept directly to Senior Vice President & Chief Nuclear Officer of Nuclear Power Division.  
THOMAS, G.S. Duquesne Light Co. 95/01/09. Document Control Branch (Document Control Desk). 1p. 82470:313-82470:313.
- 9501240263 Comment on NUREG-1122, rev 1 re technical catalog for nuclear power plant operators who operate PWR reactors.  
THOMAS, G.S. Duquesne Light Co. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82429:302-82429:303.

## P. Operating license stage documents &amp; correspondence

- 9501090047 Discusses status & results of plant SWS self-assessment in meeting of 941117. Informs meeting beneficial in understanding status of self-assessment & C/A dealing w/ SWS problems. Forwards list of attendees & util handouts.  
WIGGINS, J.T. Region 1 (Post 820201). 94/12/20. CROSS, J.E. Duquesne Light Co. 20pp. 82235:250-82235:269.
- 9501090033 Requests enforcement discretion re extension of surveillance requirement 4.3.1.1.1 overtemperature & overpower quarterly channel functional test surveillance interval.  
NOONAN, T.P. Duquesne Light Co. 94/12/30. Document Control Branch (Document Control Desk). 5pp. 82289:353-82289:357.
- 9501110149 Discusses licensee 941230 ltr requesting NRC to exercise discretion not to enforce compliance w/ quarterly SR in plant unit 2, TS table 4.3-1, item 7 overtemperature Delta-T & item 8, Request approved.  
COOPER, R. Region 1 (Post 820201). 94/12/30. CROSS, J.E. Duquesne Light Co. 3pp. 82274:134-82274:136.
- 9501170122 Forwards amend 65 to license NPF-73 & SE. Amend deletes biannual infrared aerial photography requirement.  
EDISON, G.E. Project Directorate I-3. 95/01/05. CROSS, J.E. Duquesne Light Co. 2pp. 82323:223-82323:231.
- 9501170125 Amend 65 to license NPF-73, deleting TS biannual infrared aerial photography requirement.  
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/05. 4pp. 82323:225-82323:228.
- 9501170127 Safety evaluation supporting amend 65 to license NPF-73.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 3pp. 82323:229-82323:231.
- 9501230200 Commits to implementing mods detailed in Westinghouse Technical Bulletin NSD-TB-94-05-R0 to current order timing at facilities as stated, in response to NRC 941205 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of RCCAs."  
THOMAS, G.S. Duquesne Light Co. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82499:357-82499:358.
- 9501200030 Informs licensee that no significant hazards evaluation accompanied proposed license amends 212 & 78, dtd 941011 unsatisfactory. Requests that revised no significant hazards evaluation be submitted.  
EDISON, G.E. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/13. CROSS, J.E. Duquesne Light Co. 4pp. 82420:337-82420:340.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

## Q. Inspection reports, IE Bulletins &amp; correspondence

- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501110228 Forwards insp repts 50-334/94-26 & 50-412/94-27 on 941115-1219. No violations noted.  
LINVILLE, J.C. Region 1 (Post 820201). 94/12/28. CROSS, J.E. Duquesne Light Co. 3pp. 82302:187-82302:201.

-9501110230 Insp repts 50-334/94-26 & 50-412/94-27 on 941115-1219. No violations noted. Major areas inspected: plant operations, maint & surveillance, engineering & plant support.  
LAZARUS, W.J. Region 1 (Post 820201). 94/12/27. 12pp. 82302:190-82302:201.

9501040260 Forwards response to NRC 941129 ltr re violations noted in insp repts 50-334/94-24 & 50-412/94-25. Corrective actions: installing blocking diode in emergency switchgear supply fan circuitry.  
NOONAN, T.P. Duquesne Light Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82219:188-82219:191.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501180161 Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/94-24 & 50-412/94-25.  
LINVILLE, J.C. Region 1 (Post 820201). 95/01/10. CROSS, J.E. Duquesne Light Co. 2pp. 82326:204-82326:209.

9501180324 Forwards safety evaluation granting util 940803 request for proposed alternative (Code Case N-498-1) to ASME Boiler & Pressure Vessel Code for inservice insp program.  
BUTLER, W.R. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/12. CROSS, J.E. Duquesne Light Co. 3pp. 82352:133-82352:140.

-9501180327 Safety evaluation granting util 940803 request for proposed alternative exam to requirements of ASME Boiler & Pressure Code for inservice insp program.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 5pp. 82352:136-82352:140.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

## R. Periodic operating reports &amp; related correspondence

- 9501170085 Monthly operating repts for Dec 1994 for Beaver Valley Power Station. W/ 950109 ltr.  
JONES, D.T., NOONAN, T.P. Duquesne Light Co. 94/12/30. 9pp. 82392:323-82392:331.
- 9501300150 NPDES discharge monitoring rept for Dec 1994. W/950116 ltr.  
ORDORF, D., NOONAN, T.P. Duquesne Light Co. 94/12/31. 36pp. 82556:259-82556:294.

## S. Reportable occurrences, LERs &amp; related correspondence

- 9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNIAK, R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

## V. Operator Examinations

- 9501310033 Requests attendance at Region I training manager meeting on 950207-8 re operator licensing programs, initiatives, changes & mutual items of interest. Meeting agenda encl.  
MEYER, G.W. Region 1 (Post 820201). 95/01/17. CROSS, J.E. Duquesne Light Co. 5pp. 82528:122-82528:126.

# 140 DOCKETED ITEMS

## DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

- 9501040218** Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN,M.S. Duke Power Co. 5pp. 82219:060-82219:064.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### P. Operating license stage documents & correspondence

- 9501230081** Forwards evaluations & associated info requested in NRC 940914 ltr re proposed amend to CNS FSAR relative to electrical breaker coordination for incoming breakers to all essential 600 Vac MCCs.  
REHN,D.L. Duke Power Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82485:312-82485:352.
- 9501230089** CNS Units 1 & 2 10CFR50.59 evaluation of FSAR change related EDSFI deviation 50413.414/92-01-02 (IEEE 308-1974).  
DICKARD,R.A. Duke Power Co. 94/12/20. 14pp. 82485:316-82485:329.
- 9501230090** "Breaker Coordination Evaluation for 125 Volt dc Vital I&C Power Sys & 600 Volt ac Essential Auxiliary Power Sys."  
FANISH,P., BOYER,R.P., ABRAHAM,P.M. Duke Power Co. CNC-1535.00-00-0007. 94/10/13. 19pp. 82485:330-82485:352.
- 9501090347** Forwards request for addl info re fuel storage mods at plants.  
MARTIN,R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. TUCKMAN,M.S. Duke Power Co. 5pp. 82259:352-82259:356.
- 9501100258** Requests that sodium bromide be approved as permanent treatment compound for control of algae in cooling towers at Catawba Nuclear Station.  
CARTER,J.S. Duke Power Co. 95/01/04. ELEAZER,T.M. South Carolina, State of. 3pp. 82294:325-82294:327.
- 9501180323** Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual, effective 950101.  
TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82475:015.
- 9501190247** Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station, rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section.  
LOUCKS,L.E. Duke Power Co. 95/01/01. 377pp. 82474:003-82475:015.
- 9501190340** Withdraws portion of 940110 proposed TS amend, change to flow measurement uncertainty which appears on Figure 3.2-1 of TS for MNS & CNS, per 950105 telcon w/NRC.  
TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82428:349-82428:350.
- 9501240084** Application for amends to licenses NPF-9,NPF-17,NPF-35,NPF- 52,NPF-38,NPF-47 & NPF-55, clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.
- 9501240086** Proposed tech specs, changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements.  
\* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.
- 9501250164** Provides notice that all outstanding activities re GL 88-14, "Instrument Air," have been completed at CNS.  
REHN,D.L. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82514:294-82514:295.
- 9501250171** Requests that 941129 TS amend request for permanent renewal of SG tube interim plugging criteria be amended to be cycle specific to Cycle 9. Advises that NSHC, page 3 of 6, second sentence should refer to GDC 32.  
REHN,D.L. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 1p. 82515:354-82515:354.
- 9501310435** Application for amends to Licenses NPF-9,NPF-17,NPF-35 & NPF-52, respectively. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys from TS to SLC manual for station.  
REHN,D.L. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 12pp. 82560:283-82560:341.
- 9501310441** Proposed tech specs re relocation of seismic instrumentation, meteorological instrumentation & loose-part detection sys to SLC manual.  
\* Duke Power Co. 95/01/18. 47pp. 82560:295-82560:341.
- 9501270159** Forwards amends 127 & 121 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends revise TS Table 3.3-4, by revising "Trip Setpoint" & "Allowable Value" for 4 kV undervoltage grid degraded voltage relays.  
MARTIN,R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. REHN,D.L. Duke Power Co. 3pp. 82523:321-82523:336.
- 9501270168** Amends 127 & 121 to licenses NPF-35 & NPF-52, respectively, revising trip setpoint & allowable value for 4 kV bus undervoltage grid degraded voltage relays & allowable value for 4 kV undervoltage loss of voltage/loss-of-offsite relay.  
BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 9pp. 82523:324-82523:332.
- 9501270169** Safety evaluation supporting amends 127 & 121 to licenses NPF-35 & NPF-52, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 4pp. 82523:333-82523:336.

- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501110118** Forwards "Second Interval ISI Plan Catawba Nuclear Station Unit 1," Rev 0. Isometric drawings & sys flow diagrams requested by NRC to support review of plan & Requests for Relief 94-04 & 94-05 included as part of plan.  
REHN,D.L. Duke Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82300:001-82302:016.
- 9501110123** Rev 0 of "Second Interval ISI Plan Catawba Nuclear Station Unit 1."  
CHERRY,J.E. Duke Power Co. 94/12/27. 74pp. 82300:004-82302:016.
- 9501230081** Forwards evaluations & associated info requested in NRC 940914 ltr re proposed amend to CNS FSAR relative to electrical breaker coordination for incoming breakers to all essential 600 Vac MCCs.  
REHN,D.L. Duke Power Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82485:312-82485:352.
- 9501230089** CNS Units 1 & 2 10CFR50.59 evaluation of FSAR change related EDSFI deviation 50413.414/92-01-02 (IEEE 308-1974).  
DICKARD,R.A. Duke Power Co. 94/12/20. 14pp. 82485:316-82485:329.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9501090185** Forwards response to NRC 941201 ltr re violations noted in insp repts 50-413/94-27 & 50-414/94-27. Corrective actions: open access panels closed & work stopped that involved access to ductwork until damper could be secured.  
REHN,D.L. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 16pp. 82268:309-82268:324.
- 9501110064** Ack receipt of 941108 ltr informing NRC of steps taken to correct violations noted in insp reports 50-413/94-17 & 50-414/94-17. Informs violations A.3,B.4,C & E will be withdrawn but A.1,B.2 & F.2 will stand. W/encl.  
GIBSON,A.F. Region 2 (Post 820201). 95/01/03. REHN,D.L. Duke Power Co. 11pp. 82272:161-82272:171.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501170052** Advises of insp initiative to be performed at plant site to evaluate corrective actions re outstanding items opened in previous NRC insp repts.  
PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. REHN,D.L. Duke Power Co. 3pp. 82314:127-82314:129.
- 9501240079** Forwards list of meeting attendees & copy of util self assessment presentation at Region II ofc on 941212 re results of util SALP at plant since 931003.  
MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/09. REHN,D.L. Duke Power Co. 62pp. 82419:179-82419:239.
- 9501240030** Forwards insp repts 50-413/94-29 & 50-414/94-29 on 941219-23. No violations noted.  
CASTO,C.A. Region 2 (Post 820201). 95/01/12. REHN,D.L. Duke Power Co. 3pp. 82417:127-82417:134.
- 9501240035** Insp repts 50-413/94-29 & 50-414/94-29 on 941219-23. No violations noted. Major areas inspected: engineering.  
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/01/05. 5pp. 82417:130-82417:134.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200158 Forwards monthly operating repts for Dec 1994 & revised repts for Nov 1994. WEBER,R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82497:066-82497:076.

-9501230116 Monthly operating rept for Dec 1994 for CNS. WILLIAMS,R.A. Duke Power Co. 94/12/31. 10pp. 82497:068-82497:077.

-9501230118 Revised monthly operating rept for Nov 1994 for CNS. \* Duke Power Co. 94/11/30. 1p. 82497:078-82497:078.

#### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN 94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501040218 Advises that 941208 rev 0 to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201). 94/12/27. TUCKMAN,M.S. Duke Power Co. 5pp. 82219:060-82219:064.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### P. Operating license stage documents & correspondence

9501230081 Forwards evaluations & associated info requested in NRC 940914 ltr re proposed amend to CNS FSAR relative to electrical breaker coordination for incoming breakers to all essential 600 Vac MCCs. REHN,D.L. Duke Power Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82485:312-82485:352.

-9501230090 "Breaker Coordination Evaluation for 125 Volt dc Vital I&C Power Sys & 600 Volt ac Essential Auxiliary Power Sys." FANISH,P., BOYER,R.P., ABRAHAM,P.M. Duke Power Co. CNC-1535.00-00-0007. 94/10/13. 19pp. 82485:330-82485:352.

9501090347 Forwards request for addl info re fuel storage mods at plants. MARTIN,R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. TUCKMAN,M.S. Duke Power Co. 5pp. 82259:352-82259:356.

9501100258 Requests that sodium bromide be approved as permanent treatment compound for control of algae in cooling towers at Catawba Nuclear Station. CARTER,J.S. Duke Power Co. 95/01/04. ELEAZER,T.M. South Carolina, State of. 3pp. 82294:325-82294:327.

9501180323 Forwards revisions 38,35,36 & 37 Duke Power Company Offsite Dose Calculations Manual, effective 950101. TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 1p. 82474:001-82475:015.

-9501190247 Offsite Dose Calculation Manual rev 35 to Oconee Nuclear Station, rev 36 to McGuire Nuclear Station rev 37 to Catawba Nuclear Station & rev 38 to Generic section. LOUCKS,L.E. Duke Power Co. 95/01/01. 377pp. 82474:003-82475:015.

9501190340 Withdraws portion of 940110 proposed TS amend, change to flow measurement uncertainty which appears on Figure 3.2-1 of TS for MNS & CNS, per 950105 telcon w/NRC. TUCKMAN,M.S. Duke Power Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82428:349-82428:350.

9501240084 Application for amends to licenses NPF-9,NPF-17,NPF-35,NPF- 52,NPF-38,NPF-47 & NPF-55, clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements. TUCKMAN,M.S. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 19pp. 82512:198-82512:276.

-9501240086 Proposed tech specs, changing or clarifying certain TS administrative requirements covering technical review & control activities or records retention requirements. \* Duke Power Co. 95/01/12. 60pp. 82512:217-82512:276.

9501250164 Provides notice that all outstanding activities re GL 88-14, "Instrument Air," have been completed at CNS. REHN,D.L. Duke Power Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82514:294-82514:295.

9501310435 Application for amends to Licenses NPF-9,NPF-17,NPF-35 & NPF-52, respectively, Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys from TS to SLC manual for station. REHN,D.L. Duke Power Co. 95/01/18. Document Control Branch (Document Control Desk). 12pp. 82560:283-82560:341.

-9501310441 Proposed tech specs re relocation of seismic instrumentation, meteorological instrumentation & loose-part detection sys to SLC manual. \* Duke Power Co. 95/01/18. 47pp. 82560:295-82560:341.

9501270159 Forwards amends 127 & 121 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends revise TS Table 3.3-4, by revising "Trip Setpoint" & "Allowable Value" for 4 kV undervoltage grid degraded voltage relays. MARTIN,R.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. REHN,D.L. Duke Power Co. 3pp. 82523:321-82523:336.

-9501270168 Amends 127 & 121 to licenses NPF-35 & NPF-52, respectively, revising trip setpoint & allowable value for 4 kV bus undervoltage grid degraded voltage relays & allowable value for 4 kV undervoltage loss of voltage/loss-of-offsite relay. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 9pp. 82523:324-82523:332.

-9501270169 Safety evaluation supporting amends 127 & 121 to licenses NPF-35 & NPF-52, respectively. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 4pp. 82523:333-82523:336.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501030039 Forwards SE granting licensee 930617 request for relief 93-01 from certain ASME code requirements found to be impractical to perform at plant during first 10-yr interval. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. REHN,D.L. Duke Power Co. 3pp. 82177:244-82177:254.

-9501030044 Safety evaluation granting request for relief 93-01. \* Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 8pp. 82177:247-82177:254.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501230081 Forwards evaluations & associated info requested in NRC 940914 ltr re proposed amend to CNS FSAR relative to electrical breaker coordination for incoming breakers to all essential 600 Vac MCCs. REHN,D.L. Duke Power Co. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82485:312-82485:352.

-9501230089 CNS Units 1 & 2 10CFR50.59 evaluation of FSAR change related EDSFI deviation 50413,414/92-01-02 (IEEE 308-1974). DICKARD,R.A. Duke Power Co. 94/12/20. 14pp. 82485:316-82485:329.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501090185 Forwards response to NRC 941201 ltr re violations noted in insp repts 50-413/94-27 & 50-414/94-27. Corrective actions: open access panels closed & work stopped that involved access to ductwork until damper could be secured. REHN,D.L. Duke Power Co. 95/01/03. Document Control Branch (Document Control Desk). 16pp. 82288:309-82288:324.

9501110064 Ack receipt of 941108 ltr informing NRC of steps taken to correct violations noted in insp reports 50-413/94-17 & 50-414/94-17. Informs violations A,3,B,4,C & E will be withdrawn but A,1,B,2 & F,2 will stand. W/encd. GIBSON,A.F. Region 2 (Post 820201). 95/01/03. REHN,D.L. Duke Power Co. 11pp. 82272:161-82272:171.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170052 Advises of insp initiative to be performed at plant site to evaluate corrective actions re outstanding items opened in previous NRC insp repts. PEEBLES,T.A. Region 2 (Post 820201). 95/01/05. REHN,D.L. Duke Power Co. 3pp. 82314:127-82314:129.

9501240079 Forwards list of meeting attendees & copy of util self assessment presentation at Region II ofc on 941212 re results of util SALP at plant since 931003. MERSCHOFF,E.W. Region 2 (Post 820201). 95/01/09. REHN,D.L. Duke Power Co. 62pp. 82419:179-82419:239.

9501240030 Forwards insp repts 50-413/94-29 & 50-414/94-29 on 941219-23. No violations noted. CASTO,C.A. Region 2 (Post 820201). 95/01/12. REHN,D.L. Duke Power Co. 3pp. 82417:127-82417:134.



## 142 DOCKETED ITEMS

--9501240035 Insp repts 50-413/94-29 & 50-414/94-29 on 941219-23.No violations noted.Major areas inspected:engineering.  
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/01/05. 5pp. 82417:130-82417:134.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200158 Forwards monthly operating repts for Dec 1994 & revised repts for Nov 1994.  
WEBER,R.L. Duke Power Co. 95/01/13. Document Control Branch (Document Control Desk). 2pp. 82497:066-82497:078.

--9501230118 Revised monthly operating rept for Nov 1994 for CNS.  
\* Duke Power Co. 94/11/30. 1p. 82497:078-82497:078.

### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utils affected by notification informed.Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501040131 Advises that 941123 rev 24 to physical security plan consistent w/provisions of 10CFR50.54(f) & acceptable.  
COLLINS,D.M. Region 2 (Post 820201). 94/12/24. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 82260:227-82260:230.

9501050158 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. HUTCHINSON,C.R. Entergy Operations, Inc. 8pp. 82223:342-82223:349.

9501110124 Forwards insp rept 50-416/94-20 on 941120-1217.No violations noted.  
CHRISTENSEN,H. Region 2 (Post 820201). 95/01/03. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 82272:346-82272:361.

--9501110134 Insp rept 50-416/94-20 on 941119-1217.No violations noted. Major areas inspected:plant operations,review of nonconformance repts,maint observation,plant housekeeping, security,fire protection & emergency preparedness.  
TEDROW,J., HUGHEY,C., BERNHARD,R. Region 2 (Post 820201). 94/12/28. 14pp. 82272:350-82272:361.

9501180193 Temporary Change Notice 15 to Rev 23 to EPIP 10-S-01-1, "Activation of Emergency Plan." W/950105 ltr.  
HUTCHINSON,C.R. Entergy Operations, Inc. 95/01/05. 9pp. 82393:043-82393:051.

9501250422 Rev 14 to EPIP 01-S-04-21, "Emergency Preparedness Training Program." W/950113 ltr.  
ABLES,D., ELLIS,D., HUTCHINSON,C.R. Entergy Operations, Inc. 95/01/13. 21pp. 82517:303-82517:323.

9501240349 Forwards insp rept 50-416/94-22 on 941220-23.No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/19. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 82431:347-82431:359.

--9501240352 Insp rept 50-416/94-22 on 941220-23.No violations or deviations noted.Major areas inspected:review of manuals, security procedure & site program for access authorization.  
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/01/19. 8pp. 82431:351-82431:359.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9501060106 Application for amend to license NPF-29, revising TS associated w/various ESF sys following design basis fuel handling accident.Mark-up of current TS,proposed TS & mark-up improved TS encl.  
HUTCHINSON,C.R. Entergy Operations, Inc. 94/11/09. Document Control Branch (Document Control Desk). 72pp. 82288:014-82288:139.

--9501060109 Proposed tech specs associated w/various ESF systems following design basis fuel handling accident.  
\* Entergy Operations, Inc. 94/11/09. 125pp. 82288:029-82288:139.

9501120277 Ack receipt of 941109 ltr which identified concerns re staff characterization of technical bases that underlie graded QA initiative at plant.Points of clarification relative to issues identified in ltr,listed.  
THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. MEISNER,M.J. Entergy Operations, Inc. 4pp. 82304:356-82304:359.

9501050158 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. HUTCHINSON,C.R. Entergy Operations, Inc. 8pp. 82223:342-82223:349.

9501120360 Forwards amend 114 to license NPF-29 & safety evaluation. Amend removes license condition 2.C.(25)(b) & attachment 2 to license NPF-29, "Transamerica Delaval, Inc (TDI) Diesel Generator Maint & Surveillance Requirements."  
O'CONNOR,P.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 82303:311-82303:320.

--9501120361 Amend 114 to license NPF-29,removing license condition 2.C.(25)(b) & attachment 2 to license, "Transamerica Delaval, Inc (TDI) Diesel Generator Maint & Surveillance Requirements."  
O'CONNOR,P.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. 4pp. 82303:314-82303:317.

--9501120362 Safety evaluation supporting amend 114 to license NPF-29.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. 3pp. 82303:318-82303:320.

9501190332 Forwards supplemental response to GL 94-03, "IGSCC of Core Shrouds in BWRs," providing core shroud insp plan as stipulated in GL 94-03, Requested Action 3 & Reporting Requirement 2.  
HUTCHINSON,C.R. Entergy Operations, Inc. 95/01/10. Document Control Branch (Document Control Desk). 7pp. 82471:244-82471:250.

9501250200 Reflects on util performance for past yr & recognizes NRC for being part of strong performance.  
HUTCHINSON,C. Entergy Operations, Inc. 95/01/13. Document Control Branch (Document Control Desk). 6pp. 82514:158-82514:163.

9501240024 Forwards draft SE Sections 1.0 - 3.5 for conversion to improved STS,per NUREG-1434.Comments on encl draft requested by 950217.  
O'CONNOR,P.W. . 95/01/18. HUTCHINSON,C.R. Entergy Operations, Inc. 104pp. 82436:226-82436:329.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9501240213 Discusses Case RII 84A0023 re training of nonlicensed personnel w/ref to mechanical maint technicians.Region II experience from regional assessments reveal that certain utils do not incorporate use of "qual cards" in plant TS.  
LEWIS,R.C. Region 2 (Post 820201). 84/05/11. BURCH,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 82557:337-82557:337.

9501040023 Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/94-18 on 941114.  
CHRISTENSEN,H. Region 2 (Post 820201). 94/12/22. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 82173:345-82173:347.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9501110124 Forwards insp rept 50-416/94-20 on 941120-1217.No violations noted. CHRISTENSEN,H. Region 2 (Post 820201). 95/01/03. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 82272:346-82272:361.

-9501110134 Insp rept 50-416/94-20 on 941119-1217.No violations noted. Major areas inspected:plant operations,review of nonconformance repts,maint observation,plant housekeeping, security,fire protection & emergency preparedness. TEDROW,J., HUGHEY,C., BERNHARD,R. Region 2 (Post 820201). 94/12/28. 14pp. 82272:350-82272:361.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501170168 Advises that required response date for NOV 94-05-01 has been extended & all corrective actions to resolve insp findings described in insp rept 50-416/94-05 will be fully implemented by 950630. MEISNER,M.J. Entergy Operations, Inc. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82358:353-82358:353.

9501190332 Forwards supplemental response to GL 94-03, "IGSCC of Core Shrouds in BWRs," providing core shroud insp plan as stipulated in GL 94-03,Requested Action 3 & Reporting Requirement 2. HUTCHINSON,C.R. Entergy Operations, Inc. 95/01/10. Document Control Branch (Document Control Desk). 7pp. 82471:244-82471:250.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501240349 Forwards insp rept 50-416/94-22 on 941220-23.No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 95/01/19. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 82431:347-82431:359.

-9501240352 Insp rept 50-416/94-22 on 941220-23.No violations or deviations noted.Major areas inspected:review of manuals, security procedure & site program for access authorization. THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/01/19. 8pp. 82431:351-82431:359.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230288 Monthly operating rept for Dec 1994 for Grand Gulf Nuclear Station.W/ 950113 ltr. LIN,S.D., HUTCHINSON,C.R. Entergy Operations, Inc. 94/12/31. 4pp. 82497:354-82497:357.

#### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR. \* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants. \* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501270215 Forwards Part 21 notices issued in 1994,in light of recent release of Administrative Ltr 94-17. FRATIANNI,S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270237 Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries,Entergy Operations,Inc notified vendor of crack on 940409.Final rept w/respect to cracked puller hole under way in Coltec Engineering Dept. FRATIANNI,S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.

#### T. Hearing transcripts on non-antitrust matters

9501170056 Partial 22nd response to FOIA request for info.Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY,V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

-9501300321 Transcript of interview w/EL Hennington re util administrative training procedure for Mechanical Maint Nonlicensed Training Program at plant. BURCH,R.H. Office of Investigations (Pre 880201). 84/03/26. 5pp. 82557:332-82557:336.

#### V. Operator Examinations

-9501240213 Discusses Case RII 84A0023 re training of nonlicensed personnel w/ref to mechanical maint technicians.Region II experience from regional assessments reveal that certain utils do not incorporate use of "qual cards" in plant TS. LEWIS,R.C. Region 2 (Post 820201). 84/05/11. BURCH,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 82557:337-82557:337.

#### DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

9501120277 Ack receipt of 941109 ltr which identified concerns re staff characterization of technical bases that underlie graded QA initiative at plant.Points of clarification relative to issues identified in ltr listed. THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/22. MEISNER,M.J. Entergy Operations, Inc. 4pp. 82304:356-82304:359.

##### Q. Inspection reports, IE Bulletins & correspondence

9501240213 Discusses Case RII 84A0023 re training of nonlicensed personnel w/ref to mechanical maint technicians.Region II experience from regional assessments reveal that certain utils do not incorporate use of "qual cards" in plant TS. LEWIS,R.C. Region 2 (Post 820201). 84/05/11. BURCH,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 82557:337-82557:337.

#### T. Hearing transcripts on non-antitrust matters

9501170056 Partial 22nd response to FOIA request for info.Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY,V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.

-9501300321 Transcript of interview w/EL Hennington re util administrative training procedure for Mechanical Maint Nonlicensed Training Program at plant. BURCH,R.H. Office of Investigations (Pre 880201). 84/03/26. 5pp. 82557:332-82557:336.

#### V. Operator Examinations

-9501240213 Discusses Case RII 84A0023 re training of nonlicensed personnel w/ref to mechanical maint technicians.Region II experience from regional assessments reveal that certain utils do not incorporate use of "qual cards" in plant TS. LEWIS,R.C. Region 2 (Post 820201). 84/05/11. BURCH,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 82557:337-82557:337.

#### DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

##### F. Security, medical, emergency & fire protection plans

9501040189 Informs NRC that Rev 14 to plant emergency plan was implemented in Dec 1994. DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 94/12/27. Document Control Branch (Document Control Desk). 1p. 82260:240-82260:240.

9501050211 Revised Corporate Organization for Nuclear Incidents (CONI) Procedures,including Rev 50 to CONI 1.02,Rev 29 to CONI 1.03,Rev 22 to CONI 4.10,Rev 27 to CONI 5.01,Rev 5 to CONI 6.01,Rev 9 to CONI 7.01 & Rev 20 to CONI 8.01. RODGERS,R.C. Northeast Nuclear Energy Co. 94/12/30. 200pp. 82219:202-82220:038.

9501120120 Forwards response to NRC 941027 RAI re CYAPCO & NNECO 940627 proposed revs to emergency plan for Haddam Neck Plant & Millstone Nuclear Power Station that would incorporate EALs based on guidance provided in NUMARC/NESP-007,Rev 2. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/01/03. Document Control Branch (Document Control Desk). 43pp. 82334:307-82334:349.

9501180047 Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27.Response found to be in error by describing unattended vehicle as having motor running. JOYNER,J.H. Region 1 (Post 820201). 95/01/03. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 82324:081-82324:089.

9501200069 Revised EIPs,including rev 161 to 4000 Procedure Index & rev 2 to EPOP 4419, "Manager of Operational Support Ctr." \* Northeast Nuclear Energy Co. 95/01/09. 30pp. 82426:323-82426:353.

## 144 DOCKETED ITEMS

- 9501300015** Forwards insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive mat'l release.  
DURR, J.P. Region 1 (Post 820201). 95/01/20. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.
- 9501300036** Insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts.  
NICHOLSON, L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.
- G. Adjudicatory correspondence**
- 9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.
- 9501300052** Ack ltr, dtd 941115 to I Selin re allegations reported to senior RI at plant on 940329 & two petitions filed w/NRC. Informs investigation into allegations ongoing & will put Aug 1994 allegations in FR notice of director decision.  
GRAY, J.R. Ofc of Enforcement (Post 870413). 95/01/24. ROSS, A.J. Affiliation Not Assigned. 3pp. 82512:018-82512:020.
- H. General correspondence**
- 9501240255** Comment on proposed rule 10CFR50 re shutdown & low power operations. Util concerned that proposed rule will not only increase refueling outage duration, but will also increase complexity during outages.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/01/05. Docketing & Services Branch. 6pp. 82429:255-82429:260.
- P. Operating license stage documents & correspondence**
- 9501170243** Notification of significant licensee meeting 91-69 w/util on 910612 to discuss radiation monitoring sys review & associated issues.  
KELLY, E. Region 1 (Post 820201). 91/05/23. Region 1 (Post 820201). 2pp. 82573:163-82573:167.
- 9501180339** Partially deleted ltr responding to concerns provided on 910522 re inadequate calibration procedures used for Millstone unit 3 accumulator level transmitters.  
WENZINGER, E. Region 1 (Post 820201). 92/03/05. Affiliation Not Assigned. 6pp. 82574:288-82574:316.
- 9501100773** Responds to encl 941128 note from R Kacich re self-assessment of licensee controls to ensure completeness & accuracy of outgoing correspondence.  
BLOUGH, A.R. Region 1 (Post 820201). 94/12/21. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82272:308-82272:333.
- 9501040242** Application for amend to license NPF-49, modifying SR 4.8.1.1.2.g.3 that will permit DG full load rejection tests to be performed at realistic plant conditions using power factor to envelope calculated power factor.  
DEBARBA, E.A. Northeast Nuclear Energy Co. 94/12/23. Document Control Branch (Document Control Desk). 9pp. 82219:118-82219:132.
- 9501040247** Proposed tech specs, modifying SR 4.8.1.1.2.g.3 that will permit DG full load rejection tests to be performed at realistic plant conditions using power factor to envelope calculated power factor during worst KW loading conditions.  
\* Northeast Nuclear Energy Co. 94/12/23. 6pp. 82219:127-82219:132.
- 9501110323** Forwards amend 99 to license NPF-49 & SE. Amend revises TS figure 3.1-5 title IAW applicable LCO, relocates CVCS valve position requirements to reactivity control sys-shutdown margin spec & consolidates action statements to LCOs.  
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001). 94/12/29. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp. 82297:067-82297:099.
- 9501110331** Amend 99 to license NPF-49, revising TS figure 3.1-5 title IAW applicable LCO, relocating CVCS valve position requirements to reactivity control sys-shutdown margin spec & consolidating action statements to LCOs.  
MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 94/12/29. 26pp. 82297:071-82297:095.
- 9501110334** Safety evaluation supporting amend 99 to license NPF-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 4pp. 82297:096-82297:099.
- 9501170087** Forwards amend 100 to license NPF-49 & safety evaluation. Amend removes expired one-time extensions of surveillance & obsolete definition & adds 11 line item improvements IAW GL 93-05.  
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/03. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 82323:001-82323:079.
- 9501170090** Amend 100 to license NPF-49, removing expired one-time extensions of surveillance & obsolete definition & adding 11 line item improvements IAW GL 93-05.  
MCKEE, P.F. Project Directorate I-4. 95/01/03. 68pp. 82323:005-82323:071.
- 9501170092** Safety evaluation supporting amend 100 to license NPF-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 3pp. 82323:072-82323:079.
- 9501170014** Forwards amend 101 to license NPF-49 & safety evaluation. Amend modifies TS surveillance requirement by increasing acceptance criterion for closure of main steam isolation valves from 5 to 10 seconds.  
ROONEY, V.L. Project Directorate I-4 (PD1-4) (Post 941001). 95/01/10. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 82323:204-82323:214.
- 9501170027** Amend 101 to license NPF-49, modifying TS surveillance requirement by increasing acceptance criterion for closure of main steam isolation valves from 5 to 10 seconds.  
MCKEE, P.F. Project Directorate I-4. 95/01/10. 4pp. 82323:207-82323:210.
- 9501170030** Safety evaluation supporting amend 101 to license NPF-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/10. 4pp. 82323:211-82323:214.
- 9501190224** Application for amend to license NPF-49, incorporating TS by deleting power range, neutron flux & high negative rate trip.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/01/10. Document Control Branch (Document Control Desk). 7pp. 82394:269-82394:289.
- 9501190227** Proposed tech specs deleting power range, neutron flux & high negative rate trip.  
\* Northeast Nuclear Energy Co. 95/01/10. 14pp. 82394:276-82394:289.
- 9501190321** Clarifies 940816 proposed rev to TS re RHR pump allowable outage time, per 941222 & 950106 telcons w/NRC. Footnote added to encl TS page 3/4 5-3 to read as listed.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/10. Document Control Branch (Document Control Desk). 4pp. 82456:347-82456:354.
- 9501190328** Proposed tech specs page 3/4 5-3, allowing one time extension of allowable outage time for each RHR pump from 72 h to 120 h through 950430.  
\* Northeast Nuclear Energy Co. 95/01/10. 4pp. 82456:351-82456:354.
- 9501190279** Transmits TS Section 6.5.2.7 for plant re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
DEBARBA, E.A. Connecticut Yankee Atomic Power Co. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82394:345-82394:351.
- 9501190285** Proposed rev to TS re clarifications to specify audit frequency for Nuclear Safety Assessment Board.  
\* Connecticut Yankee Atomic Power Co. 95/01/12. 5pp. 82394:347-82394:351.
- 9501240347** Responds to RAI as transmitted per NRC 941209 ltr & reaffirms util commitment to implement current order timing mod & new surveillance test for resolution of GL 93-04 at plant during refueling outage in Apr 1995.  
OPEKA, J.F. Northeast Nuclear Energy Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82437:349-82437:350.
- 9501260320** Informs of plans to implement new piping weld ultrasonic exam procedure per paragraph IWA-2240, "Alternative Examinations," of ASME Boiler & Pressure Vessel Code, section XI for Millstone Unit 3.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82519:307-82519:308.
- 9501260326** Application for amend to license NPF-49, incorporating changes to TS, by increasing minimum required boron concentration in boric acid tank from 6300 ppm to 6600 ppm.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/01/18. Document Control Branch (Document Control Desk). 7pp. 82519:250-82519:273.
- 9501260330** Proposed tech specs increasing minimum required boron concentration in boric acid tank from 6300 ppm to 6600 ppm.  
\* Northeast Nuclear Energy Co. 95/01/18. 17pp. 82519:257-82519:273.
- 9501260379** Forwards SER supporting util submittals requesting approval to use an alternative to ASME Code Section XI, per 10CFR50.55a(a)(3), ASME Code Case N-416-1, "Alternative Pressure Test Requirements for Welded Repairs or..."  
MCKEE, P.F. Office of Nuclear Reactor Regulation (Post 941001). TAC M90685. 95/01/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 5pp. 82513:190-82513:201.
- 9501260381** Safety evaluation supporting util submittals requesting approval to use an alternative to ASME Code Section XI, ASME Code Case N-416-1 re alternative pressure test requirements.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 7pp. 82513:195-82513:201.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501050113** Notification of significant meeting 94-148 w/util on 940105 to discuss enforcement conference related to inaccurate training records. List of attendees encl.  
NICHOLSON, L. Region 1 (Post 820201). 94/12/21. Region 1 (Post 820201). 3pp. 82178:092-82178:094.
- 9501110195** Responds to encl ltrs dtd 941114 & 23 re NRC ltrs dtd 940930 & 1024. NRC will review implementation of CA for violation during subsequent insp of licensed activities.  
DURR, J.P. Region 1 (Post 820201). 94/12/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 82271:261-82271:278.
- 9501110083** Forwards exam repts 50-245/94-38OL & 50-423/94-34OL on 941205. No violations noted.  
MEYER, G.W. Region 1 (Post 820201). 94/12/23. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 82273:001-82273:061.
- 9501110088** Exam repts 50-245/94-38OL & 50-423/94-34OL on 941205-06. Exam results: one RO passed initial written retake exam.  
SISCO, C. Region 1 (Post 820201). 94/12/23. 59pp. 82273:003-82273:061.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

950106059 Forwards corrected page 1 of SE re NRC bulletin 90-01 suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 94/12/30. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 82259:163-82259:167.

-950106089-Corrected Page 1 of SE re NRC bulletin 90-01,suppl 1, "Loss of Fill-Oil in Transmitters by Rosemount," ref correct units 2 & 3.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. 1p. 82259:167-82259:167.

9501180047 Ack receipt of 941130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-29, 50-336/94-25 & 50-423/94-27. Response found to be in error by describing unattended vehicle as having motor running. JOYNER,J.H. Region 1 (Post 820201). 95/01/03. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 82324:081-82324:089.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501200005 Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/94-32, 50-336/94-31 & 50-423/94-29. JOYNER,J.H. Region 1 (Post 820201). 95/01/12. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 82351:144-82351:152.

9501240042 Forwards insp repts 50-245/94-37,50-336/94-35 & 50-423/94-33. Noncited violations noted. JOYNER,J.H. Region 1 (Post 820201). 95/01/13. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 82417:279-82417:303.

-9501240052 Insp repts 50-245/94-37,50-336/94-35 & 50-423/94-33 on 941206-09. Noncited violations noted. Major areas inspected: action on previous findings, planning & preparation for plant outage & organization. NIMITZ,R.L., BORES,R.J. Region 1 (Post 820201). 95/01/01. 22pp. 82417:282-82417:303.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501300015 Forwards insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31 and notice of violation. Violation of concern because containment penetration operability & closure restrictions necessary to restrict radioactive mat release. DURR,J.P. Region 1 (Post 820201). 95/01/20. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 82511:122-82511:175.

-9501300031 Notice of violation from combined insp repts 50-245/94-35, 50-336/94-34 & 50-423/94-31. Violations noted: failure to adequately install unit 1 containment door during irradiated fuel movement & failure to verify unit 2 valve closure.  
\* Region 1 (Post 820201). 95/01/20. 2pp. 82511:126-82511:127.

-9501300036 Insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31 on 941116-1231. Violations noted. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, security, outage activities, licensee self-assessment & repts. NICHOLSON,L.E. Region 1 (Post 820201). 95/01/20. 48pp. 82511:128-82511:175.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Mat Brought Inside Containment." GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230114 Monthly operating repts for Dec 1994 for Millstone Nuclear Plant Units 1,2 & 3. W/950113 ltr. NEWBURGH,G., MILLER,D.B. Northeast Nuclear Energy Co. 94/12/31. 17pp. 82497:244-82497:260.

#### V. Operator Examinations

9501110083 Forwards exam repts 50-245/94-38OL & 50-423/94-34OL on 941205. No violations noted. MEYER,G.W. Region 1 (Post 820201). 94/12/23. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 82273:001-82273:061.

-9501110088 Exam repts 50-245/94-38OL & 50-423/94-34OL on 941205-06. Exam results: one RO passed initial written retake exam. SISCO,C., MEYER,G. Region 1 (Post 820201). 94/12/23. 59pp. 82273:003-82273:061.

9501310014 Invites util staff to attend Training Managers meeting on 950207 & 08 to discuss status of operator licensing programs from Region I & NRC Headquarters perspectives & provide forum for discussion of mutual items of interest. MEYER,G.M. Region 1 (Post 820201). 95/01/17. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82528:040-82528:044.

9501310095 Extends invitation to attend Training Manager meeting on 950207-08 in King of Prussia, PA to discuss status of operator licensing programs from region I & NRC headquarters perspectives. MEYER,G.W. Region 1 (Post 820201). 95/01/17. GUILFOIL,T. Sonalysts, Inc. 5pp. 82529:103-82529:107.

#### DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

##### E. NRC Safety Evaluation Report (SER), suppls & correspondence

9501050304 Requests NRC approval of alternate testing criteria to originally approved by NRC in Section 6.2.4 of NUREG-1137, "Safety Evaluation Rept Related to Operation of Vogtle Electric Generating Plant, Units 1 & 2." MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 7pp. 82230:349-82230:355.

##### F. Security, medical, emergency & fire protection plans

9501050391 Revised EIPs, including rev 5 to EPIP-91503-C, "Control Room Instrumentation For Assessment Of Core Damage," rev 5 to EPIP-91706-C, "Alert Notification Sys," & rev 16 to EPIP-91702-C, "Emergency Equipment & Supplies." W/941222 ltr. BEASLEY,J.B. Georgia Power Co. 94/12/22. 60pp. 82229:262-82229:323.

9501100141 Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermal Science, Inc mfg & supplier of Thermo-Lag fire matl. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/30. MCCOY,C.K. Georgia Power Co. 7pp. 82282:197-82282:203.

9501230266 Submits amend 27 to Vogtle Electric Generating Plant Unit 1 & Unit 2 Physical Security & Contingency Plan, per 10CFR50.54(p). Plan withheld. MCCOY,C.K. Georgia Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 82497:087-82497:088.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.

RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501100178 Ack receipt of 941220 ltr re NRC staff personnel witnesses. Requests that EDO reconsider denial based on discussion. Related correspondence. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D., Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16128. 94/12/21. BARTH,C. Office of the General Counsel (Post 860701). 2pp. 82257:306-82257:307.

9501100191 Memorandum & order CLI-94-15.\* Intervenor petition for review denied. W/ Certificate of Svc. Served on 941221. HOYLE,J.C. Office of the Secretary of the Commission. #195 16127. 94/12/21. Affiliation Not Assigned. 8pp. 82257:308-82257:315.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

9501100161 Georgia Power Co motion to strike intervenors prehearing statement of issues. W/ Certificate of Svc. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J., Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16130. 94/12/22. Atomic Safety & Licensing Board Panel. 19pp. 82257:281-82257:299.

9501100168 Memorandum & order (staff witnesses). \* Decision on pending motion is deferred. W/ Certificate of Svc. Served on 941222. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #195 16129. 94/12/22. Affiliation Not Assigned. 6pp. 82257:300-82257:305.

9501100078 Forwards intervenor motion for subpoena of J Joiner & cross exam plan which intervenor filing in camera. Intervenor no longer wishes to call E Harris as witness in proceeding.

WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J., Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16146. 94/12/23. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:093-82257:097.

## 146 DOCKETED ITEMS

- 950110089 Intervenor motion for subpoena of J Joiner.\* Requests that motion be granted. Draft subpoena encl./W/Certificate of Svc & svc list.  
WILMOTH, M.J. Affiliation Not Assigned. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 94/12/23. Atomic Safety & Licensing Board Panel. 4pp. 82257:094-82257:097.
- 9501100100 Georgia Power Company position re intervenor subpoenas for witnesses.\* Advises that Board should exercise authority to require showing of relevance before issuance of subpoena. W/Certificate of Svc & svc list.  
LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16145. 94/12/23. Atomic Safety & Licensing Board Panel. 9pp. 82257:108-82257:116.
- 9501100129 Forwards intervenor list of exhibits for "Phase I" hearing on licensee transfer issues & exhibits 32,37,41,48-50,67, 69,79-83,86-118 & 120-121.  
WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16147. 94/12/23. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 2pp. 82249:013-82250:099.
- 9501100144 Intervenor list of exhibits for "Phase I" hearing on licensee transfer issues.\* W/Certificate of Svc & svc list.  
KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 94/12/23. 449pp. 82249:015-82250:099.
- 9501100076 Informs that Counsel to Georgia Power filed 941222 motion to strike Intervenor prehearing statement of issues.W/Svc list.  
KOHN, M.D. Georgia Power Co. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16153. 94/12/27. BLOCH, P.B., MURPHY, T.D., CARPENTER, J.H. Atomic Safety & Licensing Board Panel. 2pp. 82256:113-82256:114.
- 9501100095 Informs that NRC Staff will not be taking position or filing brief re Board 941220 Order offering parties opportunity to file briefs by 941229 concerning need for documents.  
HULL, J.T. Office of the General Counsel (Post 860701). #195 16144. 94/12/27. BLOCH, P.B., MURPHY, T.D., CARPENTER, J.H. Atomic Safety & Licensing Board Panel. 1p. 82256:119-82256:119.
- 9501100105 Intervenor motion for issuance of subpoenas.\* Requests that Board issue subpoena for listed individuals at date & time indicated in encl subpoena requests.W/Certificate of Svc.  
KOHN, M.D. Georgia Power Co. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16163. 94/12/28. Atomic Safety & Licensing Board Panel. 32pp. 82257:001-82257:032.
- 9501100157 Motion to call MD Barker out of time.\* Intervenor moves to call MD Barker as witness on 950119 in Board hearing room in Rockville, MD for listed reasons.W/Certificate of Svc & svc list.  
KOHN, M.D. Georgia Power Co. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16165. 94/12/28. Atomic Safety & Licensing Board Panel. 4pp. 82257:067-82257:070.
- 9501100087 NRC Staff response to 941222 Board questions.\* Advises that intervenor request to conduct discovery fishing expedition during hearing should be denied.  
YOUNG, M.A. Office of the General Counsel (Post 860701). #195 16161. 94/12/29. Atomic Safety & Licensing Board Panel. 2pp. 82257:098-82257:107.
- 9501100101 Affidavit of SD Ebneter re Board questions of 941222.\* Informs that util exercised authority over nuclear operations at plant & related support activities at SONOPCO.  
EBNETER, S.D. Region 2 (Post 820201). 94/12/29. 3pp. 82257:100-82257:102.
- 9501100103 Affidavit of KE Brockman re Board questions of 941222.\* W/Certificate of Svc.  
BROCKMAN, K.E. Office for Analysis & Evaluation of Operational Data, Director. 94/12/29. 5pp. 82257:103-82257:107.
- 9501100104 Georgia Power Co response to Board Memorandum & Order (subpoena duces tecum).\* Util objects to production of requested records, encloses records located within scope of records identified in Order.W/Certificate of Svc & svc list.  
JOINER, J.E. Georgia Power Co. JOINER, J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16162. 94/12/29. Atomic Safety & Licensing Board Panel. 209pp. 82256:129-82256:337.
- 9501100119 Informs that no amends exist to 840101 agreement between Southern Co Svc, Inc & util, that error made as ref in 941103 ltr to Board providing document believed to be amend to amended agreement.  
LAMBERSKI, J. Georgia Power Co. #195 16167. 94/12/29. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:059-82257:059.
- 9501100128 Forwards affidavits executed by L Long, T Wright & L Stevens provided per commitment during 941214 prehearing conference & informs that listed individuals provided files to counsel which were source of documents produced on 941206.  
LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16166. 94/12/29. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:060-82257:066.
- 9501100138 Affidavit of LB Long re formation of Sonopco Project or Southern Nuclear Operating Co concerning files in possession of employee while under util employ.  
LONG, L.B. Southern Nuclear Operating Co. 94/12/23. 2pp. 82257:061-82257:062.
- 9501100143 Affidavit of T Wright re review of util publication entitled "This Week" for documents dealing w/Sonopco Project or Southern Nuclear Operating Co from 880101-901231.  
WRIGHT, T. Georgia Power Co. 94/12/22. 2pp. 82257:063-82257:064.
- 9501100146 Affidavit of LK Stevens re review of public affairs dept files, including articles, speeches & press releases re formation of Sonopco Project or Southern Nuclear Operating Co.  
STEVENS, L.K. Georgia Power Co. 94/12/27. 2pp. 82257:065-82257:066.
- 9501100165 Intervenor witness schedule.\* Lists intervenor witnesses & individual schedules in matter of util amend to license re transfer to Southern Nuclear.W/svc list.  
\* Affiliation Not Assigned. \* Georgia Power Co. #195 16164. 94/12/30. 3pp. 82257:071-82257:073.
- 9501180168 Informs that copies of Georgia Power Co exhibit 1 for hearing on illegal license transfer allegation dtd 940801, were provided to Board & parties on 940801.  
LAMBERSKI, J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16172. 94/12/30. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 82325:182-82325:182.
- 9501180251 Ack receipt of subpoenas for 23 witnesses to appear at Atlanta hearing during wk of 950109. Troutman Sanders not authorized to accept svc for JP Schaudies.  
LAMBERSKI, J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16173. 94/12/30. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 82326:110-82326:110.
- 9501180204 Responds to Board 941220 memorandum & order & informs that Georgia Power voluntarily produced copies of documents re Georgia Power & Southern Co Mgt Council meetings.  
LAMBERSKI, J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16187. 95/01/02. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 18pp. 82325:235-82325:252.
- 9501180250 FRN (evidentiary hearing).\* Informs of public evidentiary hearing scheduled for 950109-14 in Atlanta, GA. Hearing began in Rockville, MD on 940104.W/Certificate of Svc.Served on 950103.  
BLOCH, P.B. Atomic Safety & Licensing Board Panel. #195 16176. 95/01/03. 3pp. 82326:107-82326:109.
- 9501180257 Motion by Georgia Power Co & J Joiner to quash subpoena of J Joiner.\* Advises that subpoena has potential of disrupting proceeding, util representation & ability to prepare for hearing.W/Certificate of Svc & svc list.  
BLAKE, E.L. Georgia Power Co. BLAKE, E.L. Shaw, Pittman, Potts & Trowbridge. #195 16180. 95/01/03. Atomic Safety & Licensing Board Panel. 14pp. 82326:077-82326:090.
- 9501180237 Intervenor Motion to strike prefiled testimony of AW Dahlberg & P McDonald.\* Intervenor A Mosbaugh moves Board to strike portions of util prefiled sub j testimony on grounds of irrelevancy.W/Certificate of Svc & svc list.  
KOHN, S.M. Affiliation Not Assigned. KOHN, S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16195. 95/01/04. Atomic Safety & Licensing Board Panel. 7pp. 82326:091-82326:097.
- 9501180242 Intervenor schedule for Phase II.\* Intervenor responds to Board request for submission of schedule for Phase II hearing on DG issues during 941215 prehearing conference. W/Certificate of Svc & svc list.  
KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16194. 95/01/04. 3pp. 82326:098-82326:100.
- 9501120199 "NRC Licensing Board Sets Vogtle Hearing for 950109 in Atlanta, GA."\* Office of Public Affairs (Post 911117). 95/01/05. 1p. 82344:358-82344:358.
- 9501180048 Intervenor motion to strike prefiled testimony of Messrs McCoy & Hairston.\* Submits portions asserted to be stricken from record & reasons for decision.W/ svc list.  
WILMOTH, M.J. Affiliation Not Assigned. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16188. 95/01/05. Atomic Safety & Licensing Board Panel. 5pp. 82325:118-82325:122.
- 9501180149 Intervenor motion to strike prefiled testimony of JM Farley.\* Submits portions of testimony which should be stricken & reasons for strike.W/certificate of Svc & svc list.  
WILMOTH, M.J. Georgia Power Co. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16193. 95/01/06. Atomic Safety & Licensing Board Panel. 3pp. 82325:154-82325:156.
- 9501180157 Georgia Power Co motion to quash multiple subpoenas.\* Concludes that subpoenas issued on 941229, should be quashed. W/Certificate of Svc.  
LEWIS, D.R. Georgia Power Co. LEWIS, D.R. Shaw, Pittman, Potts & Trowbridge. LEWIS, D.R. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16209. 95/01/06. Atomic Safety & Licensing Board Panel. 22pp. 82325:157-82325:178.
- 9501180172 Intervenor motion objecting to admission of corrections to Shipman deposition into record.\* Requests Board to refuse licensee request to issue corrections to Shipman 940805 disposition.  
KOHN, M.D. Georgia Power Co. #195 16216. 95/01/10. Atomic Safety & Licensing Board Panel. 5pp. 82325:183-82325:202.
- 9501180183 Transcript of WB Shipman 940822 disposition re matter of GA Power Co. Witnesses: SB Treadaway.  
\* Atomic Safety & Licensing Board Panel. 94/08/22. 15pp. 82325:188-82325:202.
- 9501180197 Forwards ltr dtd 941229 submitted by util & add info re Southern Co Mgt Council meetings for time period of 880301-910101 in response to Board Memorandum & Order dtd 941220.W/Svc list.  
LAMBERSKI, J. Atomic Safety & Licensing Board Panel. #195 16213. 95/01/10. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 11pp. 82325:220-82325:230.
- 9501180246 NRC Staff third supplemental amended response to intervenor second interrogatories & request for production of documents.\* W/Certificate of Svc.Related correspondence.  
HULL, J.T. Office of the General Counsel (Post 860701). #195 16210. 95/01/11. Affiliation Not Assigned. 9pp. 82325:352-82325:360.
- 9501270082 Memorandum & order (schedule for Phase II). \* Expects that parties requesting subpoenas will briefly describe scope of expected testimony.W/Certificate of Svc.Served on 950118.  
BLOCH, P.B. Atomic Safety & Licensing Board Panel. #195 16228. 95/01/18. Office of the General Counsel (Post 860701). 5pp. 82490:353-82490:357.

### P. Operating license stage documents & correspondence

- 9501040198 Application for amends to licenses NPF-68 & NPF-81, revising TS, by revising leak test frequency for valves w/resilient seals.  
MCCOY, C.K. Georgia Power Co. 94/12/27. Document Control Branch (Document Control Desk). 8pp. 82219:039-82219:048.

- 9501040201 Proposed tech specs revising leak test frequency for valves w/resilient seals.  
\* Georgia Power Co. 94/12/27. 2pp. 82219:047-82219:048.
- 9501050307 Submits response to request for info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies."  
MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82267:284-82267:285.
- 9501050312 Application for amends to Licenses NPF-68 & NPF-81, requesting to add automatic load sequencer to plant.  
MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82233:310-82233:330.
- 9501050314 Proposed tech specs re addition of automatic load sequencer.  
\* Georgia Power Co. 94/12/29. 18pp. 82233:313-82233:330.
- 9501100141 Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers," & US Atty for District of Maryland & IG for NRC announced indictment of Thermo Science, Inc mfg & supplier of Thermo-Lag fire matl. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/30. MCCOY,C.K. Georgia Power Co. 7pp. 82282:197-82282:203.
- 9501100352 Application for amends to Licenses NPF-68 & NPF-81, revising Tech Specs clarifications & footnote addition to electrical power sys.  
MCCOY,C.K. Georgia Power Co. 95/01/03. Document Control Branch (Document Control Desk). 4pp. 82327:263-82327:299.
- 9501100353 Proposed tech specs re clarifications & footnote addition to electrical power sys.W/1 oversize encl.  
\* Georgia Power Co. 95/01/03. 33pp. 82327:267-82327:299.
- 9501100320 Forwards amends 77 & 78 to license NPF-68 & amends 56 & 57 to license NPF-81, respectively & SE. Amends replace containment sys TS 3.6.2.2 for spray additive sys.w/new ECCS TS 3.5.5 for ECCS recirculation fluid pH control sys.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. MCCOY,C.K. Georgia Power Co. 4pp. 82282:327-82282:356.
- 9501100332 Amends 77 & 78 to licenses NPF-68 & amends 56 & 57 to license NPF-81, respectively. Amends replace containment sys TS 3.6.2.2 for spray additive sys.w/ new ECCS TS 3.5.5 for ECCS recirculation fluid pH control sys.  
BERDOW,H.N. . 95/01/05. 22pp. 82282:331-82282:352.
- 9501100338 Safety evaluation supporting amends 77 & 78 to license NPF-68 & amends 56 & 57 to license NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 4pp. 82282:353-82282:356.
- 9501200156 Forwards revised TS page 3/4 8-8a to amends 75 & 54 of licenses NPF-68 & NPF-81, respectively.  
WHEELER,L.L. Project Directorate II-3. 95/01/10. MCCOY,C.K. Georgia Power Co. 2pp. 82420:352-82420:355.
- 9501200160 Corrected tech spec page 3/4 8-8a to amends 75 & 54 to licenses NPF-68 & NPF-81, respectively, replacing page due to typographical error.  
\* Project Directorate II-3. 95/01/10. 2pp. 82420:354-82420:355.
- 9501240179 Forwards amends 79 & 58 to licenses NPF-68 & NPF-81 & safety evaluation. Amends relocate heat flux hot channel factor in TS 4.2.2.2.1 to cycle-specific COLR to allow for burnup- dependent values of penalty in excess of two percent.  
WHEELER,L.L. . 95/01/11. MCCOY,C.K. Georgia Power Co. 3pp. 82423:250-82423:261.
- 9501240202 Amends 79 & 58 to licenses NPF-68 & NPF-81, respectively, relocating heat flux hot channel factor.  
BERLOW,H.N. . 95/01/11. 7pp. 82423:253-82423:259.
- 9501240203 Safety evaluation supporting amends 79 & 58 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 2pp. 82423:260-82423:261.
- 9501240176 Forwards amends 80 & 59 to licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends change TS in response to application dtd 940416 & revise VEGP TS 3/4.7.1.1 & Bases re setpoint tolerance for MSSV.  
WHEELER,L.L. . 95/01/12. MCCOY,C.K. Georgia Power Co. 4pp. 82436:171-82436:188.
- 9501240178 Amends 80 & 59 to license NPF-68 & NPF-81, respectively, revising VEGP TS 3/4.7.1.1 & Bases re setpoint tolerance for MSSV & changing to TS in response to application dtd 940816.  
BERKOW,H.N. . 95/01/12. 11pp. 82436:176-82436:186.
- 9501240181 Safety evaluation supporting amends 80 & 59 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 2pp. 82436:187-82436:188.
- 9501260272 Forwards amends 82 & 60 to licenses NPF-68 & NPF-81, respectively & SE. Amends TS table 3.7-1 by lowering max allowable PR neutron flux high setpoint when one or more MSSV are inoperable.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. MCCOY,C.K. Georgia Power Co. 3pp. 82513:246-82513:259.
- 9501260281 Amends 82 & 60 to licenses NPF-68 & NPF-81, respectively, revising TS table 3.7-1 by lowering max allowable PR neutron flux high setpoint when one or more MSSV are inoperable.  
BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 9pp. 82513:249-82513:257.
- 9501260285 Safety evaluation supporting amends 82 & 60 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 2pp. 82513:258-82513:259.
- 9501260297 Forwards amend 81 to license NPF-68 & safety evaluation. Amend eliminates license condition 2.C.(6) & associated attachment 1 of license.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. MCCOY,C.K. Georgia Power Co. 3pp. 82513:288-82513:298.
- 9501260307 Amend 81 to license NPF-68, eliminating license condition 2.C.(6) & associated attachment 1 of license.  
DENTON,H.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82513:291-82513:295.
- 9501260313 Safety evaluation supporting amend 81 to license NPF-68.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 3pp. 82513:296-82513:298.
- 9501300325 Application for amends to Licenses NPF-68 & NPF-81, changing TS 6.4.2 re plant review board composition.  
MCCOY,C.K. Georgia Power Co. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82551:327-82551:333.
- 9501300326 Proposed TS 6.4.1.2 re plant review board composition.  
\* Georgia Power Co. 95/01/20. 2pp. 82551:332-82551:333.
- 9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501270146 Forwards amends 83 & 61 to NPF-68 & NPF-81 & safety evaluation. Amends relocate requirements of TS 3/4.7.10.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. MCCOY,C.K. Georgia Power Co. 3pp. 82523:298-82523:315.
- 9501270150 Amends 83 & 61 to licenses NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4.7.10.  
BERKOW,H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 10pp. 82523:301-82523:310.
- 9501270152 Safety evaluation supporting amends 83 & 61 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 5pp. 82523:311-82523:315.
- 9501310183 Forwards notice of withdrawal of 930122 application, as supplemented 930806, requesting amend to license, to modify facility TS to clarify & add requirements re automatic load sequencers.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. MCCOY,C.K. Georgia Power Co. 3pp. 82562:001-82562:004.
- 9501310190 Notice of withdrawal of 930122 application, as supplemented 930806, for amend to licenses NPF-68 & NPF-81, respectively, revising TS to clarify & add requirements re automatic load sequencers.  
WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 1p. 82562:004-82562:004.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/26. Consolidated Edison Co. of New York, Inc. 9pp. 82167:062-82167:099.
- 9501040186 Forwards response to NRC ltr re violations noted in insp repts 50-424/94-26 & 50-425/94-26 on 941016-1119. Corrective actions: 941118. NSCW towers for both units searched to ensure that no evidence of tampering existed.  
MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 6pp. 82219:001-82219:006.
- 9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501230321 Forwards Vol 1 to "Votgtle Electric Generating Plant Unit 1 ISI Final Rept Fifth Maint/Refueling Outage (Period 3/ Interval 1)."  
MCCOY,C.K. Georgia Power Co. 95/01/10. Document Control Branch (Document Control Desk). 3pp. 82479:001-82480:073.
- 9501230325 Vol 1 to "Votgtle Electric Generating Plant Unit 1 ISI Final Rept Fifth Maint/Refueling Outage (Period 3/Interval 1)."  
\* Georgia Power Co. 94/12/31. 434pp. 82479:004-82480:073.
- 9501240002 Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/94-26 & 50-425/94-26 on 941215.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/11. MCCOY,C.K. Duke Power Co. 3pp. 82417:007-82417:009.
- 9501240136 Forwards insp repts 50-424/94-29 & 50-425/94-29 on 941211-1217. No violations or deviations noted.  
CRLENJAK,R.V. Region 2 (Post 820201). 95/01/12. MCCOY,C.K. Georgia Power Co. 3pp. 82420:143-82420:160.
- 9501240148 Insp repts 50-424/94-29 & 50-424/94-29 on 941120-1217. No violations or deviations noted. Major areas inspected: surveillance, maintenance & plant support, onsite engineering, cold weather preparations & follow-up of open items.  
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/01/12. 13pp. 82420:146-82420:160.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.



## 148 DOCKETED ITEMS

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037-NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200173 Monthly operating repts for Dec 1994 for Vogtle Electric Generating Plant Units 1 & 2/W/950111 ltr.  
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 94/12/31. 12pp. 82472:223-82472:234.

9501240287 Forwards "Plant Vogtle Training Simulator 4-Yr Certification Update," per 10CFR55.45(b)(5)(iii).  
BEASLEY,J.B. Georgia Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 82508:182-82508:238.

-9501240293 "Plant Vogtle Training Simulator 4-Yr Certification Update."  
\* Georgia Power Co. 95/01/13. 115pp. 82508:184-82508:238.

### T. Hearing transcripts on non-antitrust matters

9501100108 Forwards GAP prefilled testimony of AW Dahlberg,RP McDonald, CK McCoy,WG Hairston, JM Farley & exhibits. Also forwards supplemental prefilled testimony of CK McCoy,W/Certificate of Svc.Related correspondence.  
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore), #195 16154. 94/12/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 7pp. 82248:055-82248:012.

-9501100126 Prefiled Testimony of AW Dahlberg re illegal license transfer allegation of intervenor.  
DAHLBERG,A.W. Georgia Power Co. 94/12/27. 19pp. 82248:062-82248:080.

-9501100136 Prefiled Testimony of RP McDonald re illegal license transfer allegation of intervenor.W/exhibits re meetings w/NRC officials on SONOPCO project.  
MCDONALD,R.P. Georgia Power Co. 94/12/27. 47pp. 82248:081-82248:127.

-9501100150 Prefiled Testimony of CK McCoy re illegal license transfer allegation of intervenor.W/exhibits re amend 39 to FSAR & duties of radiological assessment manager.  
MCCOY,C.K. Georgia Power Co. 94/12/27. 76pp. 82248:128-82248:203.

-9501100154 Prefiled Testimony of WG Hairston re illegal license transfer allegation of intervenor.W/exhibits A-J supporting testimony.  
HAIRSTON,W.G. Georgia Power Co. 94/12/27. 131pp. 82248:204-82248:334.

-9501100159 Prefiled Testimony of JM Farley re illegal license transfer allegation of intervenor.W/exhibit A giving biographical info.  
FARLEY,J.M. Georgia Power Co. 94/12/27. 42pp. 82248:335-82249:012.

9501100112 Forwards Staff prefilled testimony of illegal transfer issue. Related Correspondence.  
HULL,J.T. Office of the General Counsel (Post 860701). #195 16155. 94/12/28. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 1p. 82257:033-82257:058.

-9501100123 Testimony of FR Allenspach,DS Hood & JF Rogge on "Illegal Transfer" Issue.Related Correspondence.W/o Certificate of Svc.  
ALLENSPACH,F.R., HOOD,D.S., ROGGE,J.F. Region 1 (Post 820201). 94/12/28. 25pp. 82257:034-82257:058.

9501100114 Forwards transcripts of depositions of S Ebneter on 941020,L Robinson on 941108-09,K Brockman on 941026 & P Taylor on 941019.Related correspondence.  
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore), #195 16168. 94/12/29. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Office of the General Counsel (Post 860701). 1p. 82250:100-82254:213.

-9501100121 Transcript of 941020 deposition of S Ebneter in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-200.  
\* Atomic Safety & Licensing Board Panel. EBNETER,S.D. NRC - No Detailed Affiliation Given. 94/10/20. 155pp. 82250:103-82250:261.

-9501100125 Transcript of 941108 deposition of LL Robinson in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-800.  
\* Atomic Safety & Licensing Board Panel. ROBINSON,L.L. . 94/11/08. 951pp. 82250:262-82253:120.

-9501100130 Transcript of 941019 deposition of PA Taylor in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-170.  
\* Atomic Safety & Licensing Board Panel. 94/10/19. 177pp. 82253:121-82253:297.

-9501100133 Transcript of 941026 deposition of KE Brockman in Rockville,MD re licensee amend transfer to Southern Nuclear. Pp 1-400.  
\* Atomic Safety & Licensing Board Panel. 94/10/26. 280pp. 82253:298-82254:213.

9501060226 Transcript of 950104 hearing in Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 1,014-1,319.W/ supporting exhibits.  
BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/04. 379pp. 82285:001-82286:015.

9501100235 Transcript of 950105 hearing in Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 1320-1615.  
BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/05. 335pp. 82304:001-82304:335.

9501110190 Transcript of 950106 hearing in Rockville,MD in matter of GAP re license amend (transfer to Southern Nuclear).Pp 1616-1933.  
BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/06. 435pp. 82328:001-82329:071.

9501100266 Transcript of 950107 telcon in matter of GAP re license amend (transfer to Southern Nuclear).Pp 10131-10166.  
BLOCH,P.B., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/07. 37pp. 82294:286-82294:323.

9501120316 Transcript of 950109 telcon re license amend,transfer to Southern Nuclear.Pp 10,167-10,199.  
\* Atomic Safety & Licensing Board Panel. 95/01/09. 35pp. 82334:187-82334:221.

9501130064 Transcript of 950110 meeting in Rockville,MD re Georgia Power Vogtle Electric Generating Plant Units 1 & 2 license amend,transfer to Southern Nuclear.Pp 1,934-2,077.  
\* Atomic Safety & Licensing Board Panel. 95/01/10. 150pp. 82365:146-82365:295.

9501180172 Intervenor motion objecting to admission of corrections to Shipman deposition into record.\* Requests Board to refuse licensee request to issue corrections to Shipman 940805 disposition.  
KOHN,M.D. Georgia Power Co. #195 16216. 95/01/10. Atomic Safety & Licensing Board Panel. 5pp. 82325:183-82325:202.

-9501180183 Transcript of WB Shipman 940822 disposition re matter of GA Power Co.Witnesses:SB Treadaway.  
\* Atomic Safety & Licensing Board Panel. 94/08/22. 15pp. 82325:188-82325:202.

9501130202 Transcript of 950111 hearing in Rockville,MD in matter of GAP license amend (transfer to Southern Nuclear).Pp 2,078- 2,267.  
BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/11. 195pp. 82363:115-82363:309.

9501130271 Transcript of 950111 hearing in Rockville,MD re GPC license amend (transfer to Southern Nuclear).Pp 2,268-2,407.  
BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/11. 197pp. 82364:001-82364:197.

9501180279 Transcript of 950112 hearing in Rockville,MD re Vogtle Electric Generating Plant.Pp 2,408-2,620.  
\* Atomic Safety & Licensing Board Panel. 95/01/12. 240pp. 82460:103-82460:357.

9501230235 Transcript of 950113 hearing in Rockville,MD re facility. Pp 2,621-2,762.  
\* Georgia Power Co. 95/01/13. 153pp. 82480:074-82480:226.

9501200231 Transcript of 950117 telcon from Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 10,167-10,188.  
BLOCH,P.B., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/17. 23pp. 82471:298-82471:321.

### DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

#### E. NRC Safety Evaluation Report (SER), suppis & correspondence

9501050304 Requests NRC approval of alternate testing criteria to originally approved by NRC in Section 6.2.4 of NUREG-1137, "Safety Evaluation Rept Related to Operation of Vogtle Electric Generating Plant,Units 1 & 2."  
MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 7pp. 82230:349-82230:355.

#### F. Security, medical, emergency & fire protection plans

9501050391 Revised EIPs,including rev 5 to EPIP-91503-C, "Control Room Instrumentation For Assessment Of Core Damage," rev 5 to EPIP-91706-C, "Alert Notification System," & rev 16 to EPIP- 91702-C, "Emergency Equipment & Supplies." W/941222 ltr.  
BEASLEY,J.B. Georgia Power Co. 94/12/22. 60pp. 82229:262-82229:323.

9501230266 Submits amend 27 to Vogtle Electric Generating Plant Unit 1 & Unit 2 Physical Security & Contingency Plan,per 10CFR50.54(p).Plan withheld.  
MCCOY,C.K. Georgia Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 82497:087-82497:088.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.

RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

- 9501060099** Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.
- 9501100178** Ack receipt of 941220 ltr re NRC staff personnel witnesses. Requests that EDO reconsider denial based on discussion. Related correspondence. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16128. 94/12/21. BARTH,C. Office of the General Counsel (Post 860701). 2pp. 82257:306-82257:307.
- 9501100191** Memorandum & order CLI-94-15.\* Intervenor petition for review denied.W/ Certificate of Svc.Served on 941221. HOYLE,J.C. Office of the Secretary of the Commission. #195 16127. 94/12/21. Affiliation Not Assigned. 8pp. 82257:308-82257:315.
- 9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:268.
- 9501100161** Georgia Power Co motion to strike intervenors prehearing statement of issues.\* W/Certificate of Svc. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16130. 94/12/22. Atomic Safety & Licensing Board Panel. 19pp. 82257:281-82257:299.
- 9501100168** Memorandum & order (staff witnesses).\* Decision on pending motion is deferred.W/Certificate of Svc.Served on 941222. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #195 16129. 94/12/22. Affiliation Not Assigned. 6pp. 82257:300-82257:305.
- 9501100078** Forwards intervenor motion for subpoena of J Joiner & cross exam plan which intervenor filing in camera. Intervenor no longer wishes to call E Harris as witness in proceeding. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16146. 94/12/23. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:093-82257:097.
- 9501100089** Intervenor motion for subpoena of J Joiner.\* Requests that motion be granted.Draft subpoena encl.W/Certificate of Svc & svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 94/12/23. Atomic Safety & Licensing Board Panel. 4pp. 82257:094-82257:097.
- 9501100100** Georgia Power Company position re intervenor subpoenas for witnesses.\* Advises that Board should exercise authority to require showing of relevance before issuance of subpoena. W/Certificate of Svc & svc list. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16145. 94/12/23. Atomic Safety & Licensing Board Panel. 9pp. 82257:108-82257:116.
- 9501100129** Forwards intervenor list of exhibits for "Phase I" hearing on licensee transfer issues & exhibits 32,37,41,48-50,67, 69,79-83,86-118 & 120-121. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16147. 94/12/23. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 82249:013-82250:099.
- 9501100144** Intervenor list of exhibits for "Phase I" hearing on license transfer issues.\* W/Certificate of Svc & svc list. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 94/12/23. 449pp. 82249:015-82250:099.
- 9501100076** Informs that Counsel to Georgia Power filed 941222 motion to strike Intervenor prehearing statement of issues.W/Svc list. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16153. 94/12/27. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 2pp. 82256:113-82256:114.
- 9501100095** Informs that NRC Staff will not be taking position or filing brief re Board 941220 Order offering parties opportunity to file briefs by 941229 concerning need for documents. HULL,J.T. Office of the General Counsel (Post 860701). #195 16144. 94/12/27. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 1p. 82256:119-82256:119.
- 9501100105** Intervenor motion for issuance of subpoenas.\* Requests that Board issue subpoena for listed individuals at date & time indicated in encl subpoena requests.W/ Certificate of Svc. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16163. 94/12/28. Atomic Safety & Licensing Board Panel. 32pp. 82257:001-82257:032.
- 9501100157** Motion to call MD Barker out of time.\* Intervenor moves to call MD Barker as witness on 950119 in Board hearing room in Rockville,MD for listed reasons.W/ Certificate of Svc & svc list. KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16165. 94/12/28. Atomic Safety & Licensing Board Panel. 4pp. 82257:067-82257:070.
- 9501100087** NRC Staff response to 941222 Board questions.\* Advises that intervenor request to conduct discovery fishing expedition during hearing should be denied. YOUNG,M.A. Office of the General Counsel (Post 860701). #195 16161. 94/12/29. Atomic Safety & Licensing Board Panel. 2pp. 82257:098-82257:107.
- 9501100101** Affidavit of SD Ebnetter re Board questions of 941222.\* Informs that util exercised authority over nuclear operations at plant & related support activities at SONOPCO. EBNETTER,S.D. Region 2 (Post 820201). 94/12/29. 3pp. 82257:100-82257:102.
- 9501100103** Affidavit of KE Brockman re Board questions of 941222.\* W/Certificate of Svc. BROCKMAN,K.E. Office for Analysis & Evaluation of Operational Data, Director. 94/12/29. 5pp. 82257:103-82257:107.
- 9501100104** Georgia Power Co response to Board Memorandum & Order (subpoena duces tecum).\* Util objects to production of requested records,encloses records located within scope of records identified in Order.W/Certificate of Svc & svc list. JOINER,J.E. Georgia Power Co. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16162. 94/12/29. Atomic Safety & Licensing Board Panel. 209pp. 82256:129-82256:337.
- 9501100119** Informs that no amends exist to 840101 agreement between Southern Co Svc,inc & util,that error made as ref in 941103 ltr to Board providing document believed to be amend to amended agreement. LAMBERSKI,J. Georgia Power Co. #195 16167. 94/12/29. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:059-82257:059.
- 9501100128** Forwards affidavits executed by L Long,T Wright & L Stevens provided per commitment during 941214 prehearing conference & informs that listed individuals provided files to counsel which were source of documents produced on 941206. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16166. 94/12/29. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82257:060-82257:066.
- 9501100138** Affidavit of LB Long re formation of Sonopco Project or Southern Nuclear Operating Co concerning files in possession of employee while under util employ. LONG,L.B. Southern Nuclear Operating Co. 94/12/23. 2pp. 82257:061-82257:062.
- 9501100143** Affidavit of T Wright re review of util publication entitled "This Week" for documents dealing w/Sonopco Project or Southern Nuclear Operating Co from 890101-901231. WRIGHT,T. Georgia Power Co. 94/12/22. 2pp. 82257:063-82257:064.
- 9501100146** Affidavit of LK Stevens re review of public affairs dept files,including articles,speeches & press releases re formation of Sonopco Project or Southern Nuclear Operating Co. STEVENS,L.K. Georgia Power Co. 94/12/27. 2pp. 82257:065-82257:066.
- 9501100165** Intervenor witness schedule.\* Lists intervenor witnesses & individual schedules in matter of util amend to license re transfer to Southern Nuclear.W/svc list. \* Affiliation Not Assigned. \* Georgia Power Co. #195 16164. 94/12/30. 3pp. 82257:071-82257:073.
- 9501180168** Informs that copies of Georgia Power Co exhibit 1 for hearing on illegal license transfer allegation dtd 940801, were provided to Board & parties on 940801. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16172. 94/12/30. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82325:182-82325:182.
- 9501180251** Ack receipt of subpoenas for 23 witnesses to appear at Atlanta hearing during wk of 950109.Troutman Sanders not authorized to accept svc for JP Schaudies. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16173. 94/12/30. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 82326:110-82326:110.
- 9501180204** Responds to Board 941220 memorandum & order & informs that Georgia Power voluntarily produced copies of documents re Georgia Power & Southern Co Mgt Council meetings. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16187. 95/01/02. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 18pp. 82325:235-82325:252.
- 9501180250** FRN (evidentiary hearing).\* Informs of public evidentiary hearing scheduled for 950109-14 in Atlanta,GA.Hearing began in Rockville,MD on 940104.W/Certificate of Svc.Served on 950103. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #195 16176. 95/01/03. 3pp. 82326:107-82326:109.
- 9501180257** Motion by Georgia Power Co & J Joiner to quash subpoena of J Joiner.\* Advises that subpoena has potential of disrupting proceeding,util representation & ability to prepare for hearing.W/Certificate of Svc & svc list. BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #195 16180. 95/01/03. Atomic Safety & Licensing Board Panel. 14pp. 82326:077-82326:090.
- 9501180237** Intervenor Motion to strike prefiled testimony of AW Dahlberg & P McDonald.\* Intervenor A Mosbaugh moves Board to strike portions of util prefiled subj testimony on grounds of irrelevancy.W/Certificate of Svc & svc list. KOHN,S.M. Affiliation Not Assigned. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16195. 95/01/04. Atomic Safety & Licensing Board Panel. 7pp. 82326:091-82326:097.
- 9501180242** Intervenor schedule for Phase II.\* Intervenor responds to Board request for submission of schedule for Phase II hearing on DG issues during 941215 prehearing conference. W/Certificate of Svc & svc list. KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16194. 95/01/04. 3pp. 82326:098-82326:100.
- 9501120199** "NRC Licensing Board Sets Vogtle Hearing for 950109 in Atlanta,GA." \* Office of Public Affairs (Post 911117). 95/01/05. 1p. 82344:358-82344:358.
- 9501180048** Intervenor motion to strike prefiled testimony of Messrs McCoy & Hairston.\* Submits portions asserted to be stricken from record & reasons for decision.W/ svc list. WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16188. 95/01/05. Atomic Safety & Licensing Board Panel. 5pp. 82325:118-82325:122.
- 9501180149** Intervenor motion to strike prefiled testimony of JM Farley.\* Submits portions of testimony which should be stricken & reasons for strike.W/certificate of Svc & svc list. WILMOTH,M.J. Georgia Power Co. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #195 16193. 95/01/06. Atomic Safety & Licensing Board Panel. 3pp. 82325:154-82325:156.

## 150 DOCKETED ITEMS

- 9501180157** Georgia Power Co motion to quash multiple subpoenas.\* Concludes that subpoenas issued on 941229 should be quashed. W/Certificate of Svc. LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. LEWIS,D.R. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16209. 95/01/06. Atomic Safety & Licensing Board Panel. 22pp. 82325:157-82325:178.
- 9501180172** Intervenor motion objecting to admission of corrections to Shipman deposition into record.\* Requests Board to refuse licensee request to issue corrections to Shipman 940805 disposition. KOHN,M.D. Georgia Power Co. #195 16216. 95/01/10. Atomic Safety & Licensing Board Panel. 5pp. 82325:183-82325:202.
- 9501180183** Transcript of WB Shipman 940822 disposition re matter of GA Power Co. Witnesses:SB Treadaway.  
\* Atomic Safety & Licensing Board Panel. 94/08/22. 15pp. 82325:188-82325:202.
- 9501180246** NRC Staff third supplemental amended response to intervenor second interrogatories & request for production of documents.\* W/Certificate of Svc. Related correspondence. HULL,J.T. Office of the General Counsel (Post 860701). #195 16210. 95/01/11. Affiliation Not Assigned. 9pp. 82325:352-82325:360.
- 9501270082** Memorandum & order (schedule for Phase II). \* Expects that parties re-questing subpoenas will briefly describe scope of expected testimony. W/Certificate of Svc. Served on 950118. BLOCH,P.B. Atomic Safety & Licensing Board Panel. #195 16228. 95/01/18. Office of the General Counsel (Post 860701). 5pp. 82490:353-82490:357.
- P. Operating license stage documents & correspondence**
- 9501040198** Application for amends to licenses NPF-68 & NPF-81, revising TS, by revising leak test frequency for valves w/resilient seals. MCCOY,C.K. Georgia Power Co. 94/12/27. Document Control Branch (Document Control Desk). 8pp. 82219:039-82219:048.
- 9501040201** Proposed tech specs revising leak test frequency for valves w/resilient seals.  
\* Georgia Power Co. 94/12/27. 2pp. 82219:047-82219:048.
- 9501040169** Forwards rev 3 to "Vogtle Electric Generating Plant Unit 2 Cycle 4, Core Operating Limits Rept." Dec 1994. MCCOY,C.K. Georgia Power Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82189:301-82189:329.
- 9501040171** Rev 3 to "Vogtle Electric Generating Plant Unit 2 Cycle 4, Core Operating Limits Rept."  
\* Georgia Power Co. 94/12/30. 27pp. 82189:302-82189:329.
- 9501050307** Submits response to request for info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies." MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 2pp. 82287:284-82287:285.
- 9501050312** Application for amends to Licenses NPF-68 & NPF-81, requesting to add automatic load sequencer to plant. MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82233:310-82233:330.
- 9501050314** Proposed tech specs re addition of automatic load sequencer.  
\* Georgia Power Co. 94/12/29. 18pp. 82233:313-82233:330.
- 9501100352** Application for amends to Licenses NPF-68 & NPF-81, revising Tech Specs clarifications & footnote addition to electrical power sys. MCCOY,C.K. Georgia Power Co. 95/01/03. Document Control Branch (Document Control Desk). 4pp. 82327:263-82327:299.
- 9501100353** Proposed tech specs re clarifications & footnote addition to electrical power sys. W/1 oversize encl.  
\* Georgia Power Co. 95/01/03. 33pp. 82327:267-82327:299.
- 9501100320** Forwards amends 77 & 78 to license NPF-68 & amends 56 & 57 to license NPF-81, respectively & SE. Amends replace containment sys TS 3.6.2.2 for spray additive sys. w/new ECCS TS 3.5.5 for ECCS recirculation fluid pH control sys. WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. MCCOY,C.K. Georgia Power Co. 4pp. 82282:327-82282:356.
- 9501100332** Amends 77 & 78 to licenses NPF-68 & amends 56 & 57 to license NPF-81, respectively. Amends replace containment sys TS 3.6.2.2 for spray additive sys. w/new ECCS TS 3.5.5 for ECCS recirculation fluid pH control sys. BERDOW,H.N. 95/01/05. 22pp. 82282:331-82282:352.
- 9501100338** Safety evaluation supporting amends 77 & 78 to license NPF-68 & amends 56 & 57 to license NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. 4pp. 82282:353-82282:356.
- 9501200156** Forwards revised TS page 3/4 8-8a to amends 75 & 54 of licenses NPF-68 & NPF-81, respectively. WHEELER,L.L. Project Directorate II-3. 95/01/10. MCCOY,C.K. Georgia Power Co. 2pp. 82420:352-82420:355.
- 9501200160** Corrected tech spec page 3/4 8-8a to amends 75 & 54 to licenses NPF-68 & NPF-81, respectively, replacing page due to typographical error.  
\* Project Directorate II-3. 95/01/10. 2pp. 82420:354-82420:355.
- 9501240179** Forwards amends 79 & 58 to licenses NPF-68 & NPF-81 & safety evaluation. Amends relocate heat flux hot channel factor in TS 4.2.2.f to cycle-specific COLR to allow for burnup-dependent values of penalty in excess of two percent. WHEELER,L.L. 95/01/11. MCCOY,C.K. Georgia Power Co. 3pp. 82423:250-82423:261.
- 9501240202** Amends 79 & 58 to licenses NPF-68 & NPF-81, respectively, relocating heat flux hot channel factor. BERLOW,H.N. 95/01/11. 7pp. 82423:253-82423:259.
- 9501240203** Safety evaluation supporting amends 79 & 58 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 2pp. 82423:260-82423:261.
- 9501240176** Forwards amends 80 & 59 to licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends change TS in response to application dtd 940416 & revise VEGP TS 3/4.7.1.1 & Bases re setpoint tolerance for MSSV. WHEELER,L.L. 95/01/12. MCCOY,C.K. Georgia Power Co. 4pp. 82436:171-82436:188.
- 9501240178** Amends 80 & 59 to license NPF-68 & NPF-81, respectively, revising VEGP TS 3/4.7.1.1 & Bases re setpoint tolerance for MSSV & changing to TS in response to application dtd 940816. BERKOW,H.N. 95/01/12. 11pp. 82436:176-82436:186.
- 9501240181** Safety evaluation supporting amends 80 & 59 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 2pp. 82436:187-82436:188.
- 9501260272** Forwards amends 82 & 60 to licenses NPF-68 & NPF-81, respectively & SE. Amends TS table 3.7-1 by lowering max allowable PR neutron flux high setpoint when one or more MSSV are inoperable. WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. MCCOY,C.K. Georgia Power Co. 3pp. 82513:246-82513:259.
- 9501260281** Amends 82 & 60 to licenses NPF-68 & NPF-81, respectively, revising TS table 3.7-1 by lowering max allowable PR neutron flux high setpoint when one or more MSSV are inoperable. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 9pp. 82513:249-82513:257.
- 9501260285** Safety evaluation supporting amends 82 & 60 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 2pp. 82513:258-82513:259.
- 9501300325** Application for amends to Licenses NPF-68 & NPF-81, changing TS 6.4.2 re plant review board composition. MCCOY,C.K. Georgia Power Co. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82551:327-82551:333.
- 9501300326** Proposed TS 6.4.1.2 re plant review board composition.  
\* Georgia Power Co. 95/01/20. 2pp. 82551:332-82551:333.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501270146** Forwards amends 83 & 61 to NPF-68 & NPF-81 & safety evaluation. Amends relocate requirements of TS 3/4.7.10. WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. MCCOY,C.K. Georgia Power Co. 3pp. 82523:298-82523:315.
- 9501270150** Amends 83 & 61 to licenses NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4.7.10. BERKOW,H.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 10pp. 82523:301-82523:310.
- 9501270152** Safety evaluation supporting amends 83 & 61 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 5pp. 82523:311-82523:315.
- 9501310183** Forwards notice of withdrawal of 930122 application, as supplemented 930806, requesting amend to license, to modify facility TS to clarify & add requirements re automatic load sequencers. WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. MCCOY,C.K. Georgia Power Co. 3pp. 82562:001-82562:004.
- 9501310190** Notice of withdrawal of 930122 application, as supplemented 930806, for amend to licenses NPF-68 & NPF-81, respectively, revising TS to clarify & add requirements re automatic load sequencers. WHEELER,L.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 1p. 82562:004-82562:004.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501040186** Forwards response to NRC ltr re violations noted in insp repts 50-424/94-26 & 50-425/94-26 on 941016-1119. Corrective actions: on 941118, NSCW lowers for both units searched to ensure that no evidence of tampering existed. MCCOY,C.K. Georgia Power Co. 94/12/29. Document Control Branch (Document Control Desk). 6pp. 82219:001-82219:006.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501240002 Ack receipt of 941229 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/94-26 & 50-425/94-26 on 941215. CRLENJAK,R.V. Region 2 (Post 820201). 95/01/11. MCCOY,C.K. Duke Power Co. 3pp. 82417:007-82417:009.

9501240136 Forwards insp repts 50-424/94-29 & 50-425/94-29 on 941211-1217.No violations or deviations noted. CRLENJAK,R.V. Region 2 (Post 820201). 95/01/12. MCCOY,C.K. Georgia Power Co. 3pp. 82420:143-82420:160.

-9501240148 Insp repts 50-424/94-29 & 50-424/94-29 on 941120-1217.No violations or deviations noted.Major areas inspected: surveillance,maintenance & plant support,onsite engineering, cold weather preparations & follow-up of open items. BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/01/12. 13pp. 82420:146-82420:160.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501200173 Monthly operating repts for Dec 1994 for Vogtle Electric Generating Plant Units 1 & 2.W/950111 ltr. HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 94/12/31. 12pp. 82472:223-82472:234.

9501240287 Forwards "Plant Vogtle Training Simulator 4-Yr Certification Update," per 10CFR55.45(b)(5)(iii). BEASLEY,J.B. Georgia Power Co. 95/01/16. Document Control Branch (Document Control Desk). 2pp. 82508:182-82508:298.

-9501240293 "Plant Vogtle Training Simulator 4-Yr Certification Update." \* Georgia Power Co. 95/01/13. 115pp. 82508:184-82508:298.

#### T. Hearing transcripts on non-antitrust matters

9501060226 Transcript of 950104 hearing in Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 1,014-1,319.W/ supporting exhibits. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/04. 379pp. 82285:001-82286:015.

9501100108 Forwards GAP prefilled testimony of AW Dahlberg,RP McDonald, CK McCoy,WG Hairston, JM Farley & exhibits.Also forwards supplemental prefilled testimony of CK McCoy.W/Certificate of Svc.Related correspondence. LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16154. 94/12/27. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 7pp. 82248:055-82249:012.

-9501100126 Prefilled Testimony of AW Dahlberg re illegal license transfer allegation of intervenor. DAHLBERG,A.W. Georgia Power Co. 94/12/27. 19pp. 82248:062-82248:080.

-9501100136 Prefilled Testimony of RP McDonald re illegal license transfer allegation of intervenor.W/exhibits re meetings w/NRC officials on SONOPCO project. McDONALD,R.P. Georgia Power Co. 94/12/27. 47pp. 82248:081-82248:127.

-9501100150 Prefilled Testimony of CK McCoy re illegal license transfer allegation of intervenor.W/exhibits re amend 39 to FSAR & duties of radiological assessment manager. MCCOY,C.K. Georgia Power Co. 94/12/27. 76pp. 82248:128-82248:203.

-9501100154 Prefilled Testimony of WG Hairston re illegal license transfer allegation of intervenor.W/exhibits A-J supporting testimony. HAIRSTON,W.G. Georgia Power Co. 94/12/27. 131pp. 82248:204-82248:334.

-9501100159 Prefilled Testimony of JM Farley re illegal license transfer allegation of intervenor.W/exhibit A giving biographical info. FARLEY,J.M. Georgia Power Co. 94/12/27. 42pp. 82248:335-82249:012.

9501100112 Forwards Staff prefilled testimony of illegal transfer issue. Related Correspondence. HULL,J.T. Office of the General Counsel (Post 860701). #195 16155. 94/12/28. BLOCH,P.B., MURPHY,T.D., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 1p. 82257:033-82257:058.

-9501100123 Testimony of FR Allenspach,DS Hood & JF Rogge on "Illegal Transfer" Issue.Related Correspondence.W/o Certificate of Svc. ALLENSPACH,F.R. . HOOD,D.S., ROGGE,J.F. Region 1 (Post 820201). 94/12/28. 25pp. 82257:034-82257:058.

9501100114 Forwards transcripts of depositions of S Ebneter on 941020,L Robinson on 941108-09,K Brockman on 941026 & P Taylor on 941019.Related correspondence. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #195 16168. 94/12/29. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Office of the General Counsel (Post 860701). 1p. 82250:100-82254:213.

-9501100121 Transcript of 941020 deposition of S Ebneter in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-200. \* Atomic Safety & Licensing Board Panel. EBNETER,S.D. NRC - No Detailed Affiliation Given. 94/10/20. 155pp. 82250:103-82250:261.

-9501100125 Transcript of 941108 deposition of LL Robinson in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-800. \* Atomic Safety & Licensing Board Panel. ROBINSON,L.L. . 94/11/08. 951pp. 82250:262-82253:120.

-9501100130 Transcript of 941019 deposition of PA Taylor in Atlanta,GA re licensee amend transfer to Southern Nuclear.Pp 1-170. \* Atomic Safety & Licensing Board Panel. 94/10/19. 177pp. 82253:121-82253:297.

-9501100133 Transcript of 941026 deposition of KE Brockman in Rockville,MD re licensee amend transfer to Southern Nuclear.Pp 1-400. \* Atomic Safety & Licensing Board Panel. 94/10/26. 280pp. 82253:298-82254:213.

9501100235 Transcript of 950105 hearing in Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 1320-1615. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/05. 335pp. 82304:001-82304:335.

9501110190 Transcript of 950106 hearing in Rockville,MD in matter of GAP re license amend (transfer to Southern Nuclear).Pp 1616- 1933. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/06. 435pp. 82328:001-82329:071.

9501100266 Transcript of 950107 telcon in matter of GAP re license amend (transfer to Southern Nuclear).Pp 10131-10166. BLOCH,P.B., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/07. 37pp. 82294:286-82294:323.

9501120316 Transcript of 950109 telcon re license amend,transfer to Southern Nuclear.Pp 10,167-10,199. \* Atomic Safety & Licensing Board Panel. 95/01/09. 35pp. 82334:187-82334:221.

9501130064 Transcript of 950110 meeting in Rockville,MD re Georgia Power Vogtle Electric Generating Plant Units 1 & 2 license amend,transfer to Southern Nuclear.Pp 1,934-2,077. \* Atomic Safety & Licensing Board Panel. 95/01/10. 150pp. 82365:146-82365:295.

9501180172 Intervenor motion objecting to admission of corrections to Shipman deposition into record.\* Requests Board to refuse licensee request to issue corrections to Shipman 940805 disposition. KOHN,M.D. Georgia Power Co. #195 16216. 95/01/10. Atomic Safety & Licensing Board Panel. 5pp. 82325:183-82325:202.

-9501180183 Transcript of WB Shipman 940822 disposition re matter of GA Power Co.Witnesses:SB Treadaway. \* Atomic Safety & Licensing Board Panel. 94/08/22. 15pp. 82325:188-82325:202.

9501130202 Transcript of 950111 hearing in Rockville,MD in matter of GAP license amend (transfer to Southern Nuclear).Pp 2,078- 2,267. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/11. 195pp. 82363:115-82363:309.

9501130271 Transcript of 950111 hearing in Rockville,MD re GPC license amend (transfer to Southern Nuclear).Pp 2,268-2,407. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/11. 197pp. 82364:001-82364:197.

9501180279 Transcript of 950112 hearing in Rockville,MD re Vogtle Electric Generating Plant.Pp 2,408-2,620. \* Atomic Safety & Licensing Board Panel. 95/01/12. 240pp. 82460:103-82460:357.

9501230235 Transcript of 950113 hearing in Rockville,MD re facility. Pp 2,621-2,762. \* Georgia Power Co. 95/01/13. 153pp. 82480:074-82480:226.

9501200231 Transcript of 950117 telcon from Rockville,MD re GAP license amend (transfer to Southern Nuclear).Pp 10,167-10,188. BLOCH,P.B., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 95/01/17. 23pp. 82471:298-82471:321.

#### DOCKET STN-50-437 FLOATING NUCLEAR PLANT

##### A. Application/construction stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

##### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

## 152 DOCKETED ITEMS

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

#### A. Application/construction stage documents & correspondence

9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119), 1p. 82421:359-82421:359.

9501240011 Notification of significant meeting w/util in Atlanta,GA to discuss Bellefonte const status.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/12. Region 2 (Post 820201). 2pp. 82417:035-82417:036.

9501240019 Confirms 950109 telcon between J Blackburn & P Fredrickson, re mgt meeting requested by licensee,scheduled for 950124. Purpose of meeting to discuss plant construction status.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:051-82417:053.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr.  
SANFORD,M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

9501270196 Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP.Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves.  
HORNBACK,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

### DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants.  
SCHMIDT,W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119), 1p. 82421:359-82421:359.

9501240011 Notification of significant meeting w/util in Atlanta,GA to discuss Bellefonte const status.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/12. Region 2 (Post 820201). 2pp. 82417:035-82417:036.

9501240019 Confirms 950109 telcon between J Blackburn & P Fredrickson, re mgt meeting requested by licensee,scheduled for 950124. Purpose of meeting to discuss plant construction status.  
JAUDON,J.P. Region 2 (Post 820201). 95/01/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 82417:051-82417:053.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501050327 Rev 14 to Central Emergency Control Ctr EPIP-9.W/941227 ltr.  
SANFORD,M.O. Tennessee Valley Authority. 94/12/27. 12pp. 82278:347-82278:358.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### S. Reportable occurrences, LERs & related correspondence

**9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNWAY,R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.

#### DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

#### P. Operating license stage documents & correspondence

**9501060070** Informs that scheduled completion date of IPEEE as reported in 911220 ltr,per GL 88-20 revised to June 1996. STRATMAN,R.A. Centerior Energy. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82283:358-82283:358.

**9501060162** Informs that extended due date of 950430 required to incorporate reduced accident pressure & third party comments into Perry Administrative Procedure (PAP)-1120, "Leak Testing Program." STRATMAN,R.A. Centerior Energy. 94/12/29. Document Control Branch (Document Control Desk). 1p. 82283:332-82283:332.

**9501090332** Forwards FR notice for environmental assesment & finding of no significant impact re conversion to improved standard TS per 931216 application for amend. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. STRATMAN,R.A. Centerior Energy. 2pp. 82261:343-82261:350.

**-9501090334** Environ assesment & finding of no significant impact re request for amend to TS to implement improved standard TS. NORRHOLM,L.L. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. 6pp. 82261:345-82261:350.

**9501250341** Submits results from capability test sample 9407-NRC-16 from DOE Radiological & Environ Sciences Lab that was analyzed using normal plant operating procedures. STRATMAN,R.A. Centerior Energy. 95/01/17. HOUSE,J. Region 3 (Post 820201). 1p. 82516:348-82516:348.

**9501240024** Forwards draft SE Sections 1.0 - 3.5 for conversion to improved STS,per NUREG-1434. Comments on encl draft requested by 950217. O'CONNOR,P.W. . 95/01/18. HUTCHINSON,C.R. Entergy Operations, Inc. 104pp. 82436:226-82436:329.

**9501270269** Forwards amend 68 to license NPF-58 & safety evaluation. Amend revises TS in response to 940919 application. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. STRATMAN,R.A. Cleveland Electric Illuminating Co. 3pp. 82525:297-82525:310.

**-9501270278** Amend 68 to license NPF-58, revising TS snubber visual insp schedule. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 8pp. 82525:300-82525:307.

**-9501270289** Safety evaluation supporting amend 68 to license NPF-58. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 3pp. 82525:308-82525:310.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300175** Forwards corrections to amend 67 to license NPF-58 consisting of changes to TS Table 4.3.2.1-1,4.3.3.1-1,page numbers for 3/4 3-102 & 3/4 3-100 & safety evaluation. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. STRATMAN,R.A. Centerior Energy. 3pp. 82548:001-82548:030.

**-9501300178** Corrected safety evaluation supporting amend 67 to license NPF-58. \* Office of Nuclear Reactor Regulation (Post 941001). 94/11/22. 23pp. 82548:004-82548:008.

**-9501310318** Corrected amend 67 to license NPF-58 consisting of changes to TS changes 3/4 3-26,3/4-39,3/4 3-100 & 3/4 3-102. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. 5pp. 82548:009-82548:030.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401. RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M. Consumers Power Co. JOYCE,T.P., WEIDNER,R.C. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501030196** Forwards insp rept 50-440/94-14 on 941008-1123 & notice of violation. GREGER,L.R. Region 3 (Post 820201). 94/12/22. STRATMAN,R.A. Centerior Service Co. 3pp. 82173:237-82173:264.

**-9501030198** Notice of violation from insp on 941008-1123. Violation noted: instructions for work on Div I EDG Testable Rupture Disk not appropriate for circumstances. \* Region 3 (Post 820201). 94/12/22. 1p. 82173:240-82173:240.

**-9501030202** Insp rept 50-440/94-14 on 941008-1123. Violations noted. Major areas inspected: maint & surveillance, engineering including incorporation of GL 89-04. GREGER,L.R. Region 3 (Post 820201). 94/12/22. 24pp. 82173:241-82173:264.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501270269** Forwards amend 68 to license NPF-58 & safety evaluation. Amend revises TS in response to 940919 application. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. STRATMAN,R.A. Cleveland Electric Illuminating Co. 3pp. 82525:297-82525:310.

**-9501270278** Amend 68 to license NPF-58, revising TS snubber visual insp schedule. HOPKINS,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 8pp. 82525:300-82525:307.

**-9501270289** Safety evaluation supporting amend 68 to license NPF-58. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 3pp. 82525:308-82525:310.

**9501310149** Forwards response to NRC 941222 ltr re violations noted in insp rept 50-440/94-14 on 941008-1123. Corrective actions: verified that similar condition did not exist on Division 1 & 3 EDG & restoration of Division 2 EDG to operable status. SHELTON,D.C. Centerior Energy. 95/01/20. Document Control Branch (Document Control Desk). 5pp. 82568:353-82568:357.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.



## 154 DOCKETED ITEMS

### R. Periodic operating reports & related correspondence

9501200195 Monthly operating rept for Dec 1994 for PNPP Unit 1. W/950113 ltr. NEUMAN,G.M., STRATMAN,R.A. Centerior Energy. 94/12/31. 6pp. 82478:026-82478:031.

9501230155 NPDES discharge rept for month of Dec 1994.W/950112 ltr. STRATMAN,R.A. Centerior Energy. 94/12/31. 5pp. 82497:279-82497:283.

### S. Reportable occurrences, LERs & related correspondence

9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.

\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.

-9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utlis informed. Utlis should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230060 LER 94-023-00:on 941212,TS LCO action exceeded when plant not placed into hot shutdown condition.Caused by degradation of batch 314 Viton seating matl located in disk holder sub-assembly.Seating matl replaced.W/950111 ltr. ELBERFELD,C.R., STRATMAN,R.A. Centerior Energy. 95/01/11. 10pp. 82421:175-82421:184.

### V. Operator Examinations

9501310445 Requests cancellation of Senior Operator license SOP-30518-2 held by ML Wesley,per 10CFR50.74(a).Wesley reassigned to position for which current Senior Operator license not needed.  
SHELTON,D.C. Centerior Energy. 95/01/26. Document Control Branch (Document Control Desk). 1p. 82566:241-82566:241.

### DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

9501050329 Forwards site stabilization plan for Perry Nuclear Power Plant Unit 2,in accordance w/provisions established in 940812 ltr,providing plans to redress portions of PNPP site affected by PNPP Unit 2 const activities.  
STRATMAN,R.A. Centerior Energy. 94/12/29. Document Control Branch (Document Control Desk). 4pp. 82229:355-82229:358.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

950120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

950120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230155 NPDES discharge rept for month of Dec 1994.W/950112 ltr. STRATMAN,R.A. Centerior Energy. 94/12/31. 5pp. 82497:279-82497:283.

### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utlis informed. Utlis should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

### DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501110235 Forwards insp rept 50-443/94-29 on 941206-09.No exercise weakness,safety concerns or violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 94/12/23. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 5pp. 82274:246-82274:259.

-9501110243 Insp rept 50-443/94-29 on 941206-09.No exercise weaknesses, safety concerns or violations noted.Major areas inspected: emergency preparedness exercise.  
LUSHER,J., LAUGHLIN,J., MAIER,W. Region 1 (Post 820201). 94/12/23. 9pp. 82274:251-82274:259.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### H. General correspondence

9501130157 Comment supporting proposed rule 10CFR50 re shutdown & lower power operations for nuclear reactors.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/27. Docketing & Services Branch. 5pp. 82299:265-82299:269.

#### P. Operating license stage documents & correspondence

9501050313 Describes bolt mechanism & vendor info,results found during SWS pump process & evaluation of cause & potential generic implications associated w/SWS pump bolt degradation,as committed to in utli 940930 ltr.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/27. Document Control Branch (Document Control Desk). 4pp. 82260:256-82260:259.

9501050351 Forwards proposed changes to Part A of ODCM for NRC review & approval.Changes to Part B of ODCM will be submitted w/ annual radioactive effluent release rept in accordance w/TS 6.13.2b.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/27. Document Control Branch (Document Control Desk). 3pp. 82236:354-82236:362.

-9501050354 Proposed changes to Part A of ODCM.  
\* North Atlantic Energy Service Corp. (NAESCO). 94/12/27. 6pp. 82236:357-82236:362.

9501050459 Informs NRC of items related to transfer of managing agent responsibilities to facility & imposed certain temporary reporting conditions.  
GROSSI,R.J. North Atlantic Energy Service Corp. (NAESCO). 94/12/30. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82247:326-82247:327.

9501240152 Forwards rept entitled, "Investigation Rept on Blind Performance Test Samples," addressing FFD program false negative blind test recently experienced.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/01/11. Document Control Branch (Document Control Desk). 3pp. 82513:073-82513:077.

-9501240156 "Investigation Rept on Blind Performance Test Samples."  
WILLETTE,R.E. . 94/12/21. 2pp. 82513:076-82513:077.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310099 Advises that primary coolant specific activity did not exceed limits of TS 3.4.8 during 1994.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/01/23. Document Control Branch (Document Control Desk). 1p. 82566:358-82566:358.

9501310102 Application for amend to license NPF-86,to revise surveillance requirement 4.6.1.2.a from specific schedule for performance of containment ILRTs.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/01/25. Document Control Branch (Document Control Desk). 7pp. 82566:341-82566:352.

-9501310107 Proposed tech specs re changing of surveillance requirement 4.6.1.2.a from specific schedule for performance of containment ILRTs.  
\* North Atlantic Energy Service Corp. (NAESCO). 95/01/25. 5pp. 82566:348-82566:352.

#### Q. Inspection reports, IE Bulletins & correspondence

9501110197 Forwards insp rept 50-443/94-28 on 941114-18.No violations noted.  
KELLY,E.M. Region 1 (Post 820201). 94/12/23. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 82273:130-82273:141.

-9501110205 Insp rept 50-443/94-28 on 941114-18.No violations noted. Major areas inspected:util technical support group activities.  
PRIVIDY,L., KELLY,E.M. Region 1 (Post 820201). 94/12/23. 7pp. 82273:134-82273:141.

9501110235 Forwards insp rept 50-443/94-29 on 941206-09.No exercise weakness,safety concerns or violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 94/12/23. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 5pp. 82274:246-82274:259.

-9501110243 Insp rept 50-443/94-29 on 941206-09.No exercise weaknesses, safety concerns or violations noted.Major areas inspected: emergency preparedness exercise.  
LUSHER,J., LAUGHLIN,J., MAIER,W. Region 1 (Post 820201). 94/12/23. 9pp. 82274:251-82274:259.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501240003 Responds to NRC 941216 ltr re violations noted in insp rept 50-443/94-24.Corrective actions:util revised undervoltage test procedure to perform TADOT w/o disabling existing protection circuitry.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/01/13. Document Control Branch (Document Control Desk). 6pp. 82513:041-82513:046.

9501240060 Forwards insp rept 50-443/94-31 on 941212-15.No violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 95/01/13. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 82419:240-82419:252.

-9501240068 Insp rept 50-443/94-31 on 941212-15.No violations noted. Major areas inspected:audits & appraisals,major changes in organization, personnel,facilities, equipment or programs & effectiveness of licensee controls.  
NICK,J., BORES,R. Region 1 (Post 820201). 95/01/06. 8pp. 82419:245-82419:252.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501170145 Monthly operating rept for Dec 1994 for Seabrook Station Unit 1.W/950106 ltr.  
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/31. 5pp. 82392:351-82392:355.

#### S. Reportable occurrences, LERs & related correspondence

9501050202 LER 94-018-00: on 941128,missed TS SR.Caused by lack of alarm response procedure for "Rod Deviation Monitor Inoperable" alarm & misunderstanding of rod position data as presented by MPCs.Response procedure will be developed.W/941228 ltr.  
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/28. 7pp. 82258:085-82258:091.

9501050286 LER 94-016-01: on 941019,noncompliance w/TS 3.3.2 action requirements noted.Caused by acceptance of inappropriate TS requirements re emergency bus UV protection.Technical Clarification TS-059 has been revised.W/941229 ltr.  
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/29. 10pp. 82287:045-82287:054.

9501250148 LER 94-010-01: on 940603,identified portions of RCP turning vane cap scow (TVCS) & two TVCS locking cups in RV.Original equipment design did not adequately consider flow induced vibration of locking cup.TVCSs replaced.W/950116 ltr.  
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/01/16. 11pp. 82507:115-82507:125.

#### V. Operator Examinations

9501310003 Extends invitation to training manager meeting on 950207- 08 in King of Prussia,PA to discuss status of operator licensing programs from Region 1 & NRC Headquarter perspectives.Meeting agenda encl.  
MEYER,G.W. Region 1 (Post 820201). 95/01/17. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 82528:001-82528:005.

#### DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

9501120304 Rev 20 to CPSES Emergency Plan.  
WOODLAN,D.R., WILKERSON,C.L. Texas Utilities Electric Co. (TU Electric). 95/01/06. 39pp. 82334:222-82334:260.

## 156 DOCKETED ITEMS

9501250072 Revised Emergency Plan Procedures (EPP), including Rev 8 to EPP-112, Rev 13 to EPP-304, Revs 212, 213, 214 & 215 to procedure index & 111, 112 & 113 to form index. W/950116 ltr.  
TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/01/16. 43pp. 82515:077-82515:120.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Inform request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15.  
JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

9501120040 Comment supporting proposed rule 10CFR50.55 & 73 re "Reduction of Reporting Requirements Imposed on NRC Licensees."  
MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 94/12/22. Docketing & Services Branch. 2pp. 82279:206-82279:207.

9501130151 Comments opposing proposed rule 10CFR50 re shutdown & low power operations for Nuclear Power Reactors.  
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/12/30. Document Control Branch (Document Control Desk). 4pp. 82299:261-82299:264.

9501190248 Informs that on 950123, TU Electric nuclear corporate offices will be located at listed address.  
TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/01/12. Document Control Branch (Document Control Desk). 1p. 82428:356-82428:356.

### J. Insurance & indemnity information

9501110462 Forwards Endorsement 51 to NELIA Policy NF-274, Endorsement 24 to MAELU Policy NF-131, Endorsement 52 to NELIA Policy NF-274 & Endorsement 25 to MAELU Policy NF-131.  
MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/01/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 78pp. 82307:098-82307:176.

### P. Operating license stage documents & correspondence

9501060065 Notification of 950105 meeting w/ util in Rockville, MD to discuss early implementation of 10CFR50.65 of diesel generators & support systems IAW GL 94-01.  
POLICH, T.J. Project Directorate IV-1. 94/12/27. BECKNER, W.D. Project Directorate IV-1. 4pp. 82247:358-82247:361.

9501060126 LAR 94-022 to licenses NPF-87 & NPF-89, incorporating changes to TS to increase spent fuel storage capacity. Rev 0 of "CPSES Fuel Storage Licensing Rept, CPSES Expansion of Spent Fuel Storage Capacity" encl.  
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 94/12/30. Document Control Branch (Document Control Desk). 13pp. 82286:016-82286:234.

-9501060128 Proposed tech specs increasing spent fuel storage capacity. W/ advanced copy of selected pages from Sections 1.2, 1.3 & 9.1 of 1995 updated FSAR.  
\* Texas Utilities Electric Co. (TU Electric). 94/12/30. 43pp. 82286:030-82286:072.

-9501090267 Rev 0 to "CPSES Fuel Storage Licensing Rept, CPSES Expansion of Spent Fuel Storage Capacity."  
\* Texas Utilities Electric Co. (TU Electric). 94/12/09. 162pp. 82286:073-82286:234.

9501240056 Notification of licensee meeting w/ util on 950203 in Glen Rose, TX to discuss plans for fourth refueling outage for unit 1, 1994 accomplishments & 1995 goals.  
BEACH, A.B. Region 4 (Post 820201). 95/01/17. Region 4 (Post 820201). 5pp. 82417:348-82417:352.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501300295 Summary of 950105 meeting w/ util re early implementation of 10CFR50.65 on DG & support sys in accordance w/ GL 94-01. List of presentation matls & attendance list, encl.  
POLICH, T.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. Office of Nuclear Reactor Regulation (Post 941001). 16pp. 82537:026-82537:041.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/ GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

950110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501270001 Insp repts 50-445/94-22 & 50-446/94-22 cancelled.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/19. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 82488:156-82488:159.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501300226 Responds to violations noted in insp repts 50-445/94-23 & 50-446/94-23. Corrective actions: radiation work permit covering spent filter carousel unit was revised.  
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/23. Document Control Branch (Document Control Desk). 10pp. 82552:342-82552:351.

9501310263 Revised response to NRC Bulletin 89-001, Suppl 2, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs."  
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82582:282-82582:284.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200186 Monthly operating repts for Dec 1994 for Comanche Peak Steam Electric Station. W/950113 ltr.  
HUGHES, J., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 94/12/31. 9pp. 82472:310-82472:318.

### S. Reportable occurrences, LERs & related correspondence

9501050235 LER 94-006-00: on 941129, turbine trip/reactor trip due to low cooling water stator flow indication. For each condition set of parameters was selected & examined to confirm or deny condition. W/941229 ltr.  
GULDEMOND, W.G., TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/12/29. 9pp. 82258:106-82258:114.

9501230101 Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN 94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501240362 Special rept on 941222, unit 1 Train A EDG tripped. Caused by internal oil leak of trip device bypassed in emergency operating mode. Trip device replaced w/ new, calibr pressure switch.  
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/12. CALLAN, L.J. Region 4 (Post 820201). 2pp. 82431:360-82431:361.

### DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

9501120304 Rev 20 to CPSES Emergency Plan.  
WOODLAN, D.R., WILKERSON, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/06. 39pp. 82334:222-82334:260.

**9501250072** Revised Emergency Plan Procedures (EPP), including Rev 8 to EPP-112, Rev 13 to EPP-304, Revs 212, 213, 214 & 215 to procedure index & 111, 112 & 113 to form index. W/950116 ltr.  
TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/01/16. 43pp. 82515:077-82515:120.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 870411). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 870411). 94/12/15.  
BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 870411). 94/12/15.  
JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### H. General correspondence

**9501120040** Comment supporting proposed rule 10CFR50.55 & 73 re "Reduction of Reporting Requirements Imposed on NRC Licensees."  
MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 94/12/22. Docketing & Services Branch. 2pp. 82279:206-82279:207.

**9501130151** Comments opposing proposed rule 10CFR50 re shutdown & low power operations for Nuclear Power Reactors.  
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/12/30. Document Control Branch (Document Control Desk). 4pp. 82299:261-82299:264.

**9501190248** Informs that on 950123, TU Electric nuclear corporate offices will be located at listed address.  
TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/01/12. Document Control Branch (Document Control Desk). 1p. 82428:356-82428:356.

#### J. Insurance & indemnity information

**9501110462** Forwards Endorsement 51 to NELIA Policy NF-274, Endorsement 24 to MAELU Policy MF-131, Endorsement 52 to NELIA Policy NF-274 & Endorsement 25 to MAELU Policy MF-131.  
MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/01/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 78pp. 82307:098-82307:176.

#### P. Operating license stage documents & correspondence

**9501060083** Discusses 941208 drop-in visit by Texas Utils w/ Chairman Selin.  
SCHMIDT, W.L. NRC - No Detailed Affiliation Given. 94/12/12. NRC - No Detailed Affiliation Given. 1p. 82259:246-82259:246.

**9501060065** Notification of 950105 meeting w/ util in Rockville, MD to discuss early implementation of 10CFR50.65 of diesel generators & support systems IAW GL 94-01.  
POLICH, T.J. Project Directorate IV-1. 94/12/27. BECKNER, W.D. Project Directorate IV-1. 4pp. 82247:358-82247:361.

**9501060126** LAR 94-022 to licenses NPF-87 & NPF-89, incorporating changes to TS to increase spent fuel storage capacity. Rev 0 of "CPSES Fuel Storage Licensing Rept, CPSES Expansion of Spent Fuel Storage Capacity" encl.  
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 94/12/30. Document Control Branch (Document Control Desk). 13pp. 82286:016-82286:234.

**-9501060128** Proposed tech specs increasing spent fuel storage capacity. W/ advanced copy of selected pages from Sections 1.2, 1.3 & 9.1 of 1995 updated FSAR.  
\* Texas Utilities Electric Co. (TU Electric). 94/12/30. 43pp. 82286:030-82286:072.

**-9501090267** Rev 0 to "CPSES Fuel Storage Licensing Rept, CPSES Expansion of Spent Fuel Storage Capacity."  
\* Texas Utilities Electric Co. (TU Electric). 94/12/09. 162pp. 82286:073-82286:234.

**9501240056** Notification of licensee meeting w/ util on 950203 in Glen Rose, TX to discuss plans for fourth refueling outage for unit 1, 1994 accomplishments & 1995 goals.  
BEACH, A.B. Region 4 (Post 820201). 95/01/17. Region 4 (Post 820201). 5pp. 82417:348-82417:352.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300295** Summary of 950105 meeting w/ util re early implementation of 10CFR50.65 on DG & support sys in accordance w/ GL 94-01. List of presentation matls & attendance list, encl.  
POLICH, T.J. Office of Nuclear Reactor Regulation (Post 870411). 95/01/24. Office of Nuclear Reactor Regulation (Post 870411). 16pp. 82537:026-82537:041.

#### Q. Inspection reports, IE Bulletins & correspondence

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 870411). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501240372** Forwards rev 0 to "Comanche Peak Steam Electric Station, Unit 2, Augmented ISI Plan," in response to 941115 ltr, requesting addl info re interim change request ISI-2R0-001 to CPSES, unit 2.  
WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/01/17. Document Control Branch (Document Control Desk). 6pp. 82430:001-82430:201.

**-9501240376** Rev 0 to "Comanche Peak Steam Electric Station, Unit 2, Augmented ISI Plan."  
\* Texas Utilities Electric Co. (TU Electric). 94/02/16. 194pp. 82430:007-82430:201.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 870411). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501270001** Insp repts 50-445/94-22 & 50-446/94-22 cancelled.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/19. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 82488:156-82488:159.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501300226** Responds to violations noted in insp repts 50-445/94-23 & 50-446/94-23. Corrective actions: radiation work permit covering spent filter carousel unit was revised.  
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/01/23. Document Control Branch (Document Control Desk). 10pp. 82552:342-82552:351.

**9501310263** Revised response to NRC Bulletin 89-001, Suppl 2, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs."  
TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82582:282-82582:284.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/ Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 870411). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200186** Monthly operating repts for Dec 1994 for Comanche Peak Steam Electric Station. W/950113 ltr.  
HUGHES, J., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 94/12/31. 9pp. 82472:310-82472:318.

#### S. Reportable occurrences, LERs & related correspondence

**9501050231** LER 94-022-00: on 941124, labeling error noted leading to inoperability of power range instrumentation due to labeling differences. Cables reinstalled per design. W/941229 ltr.  
ELLIS, S.L., TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 94/12/29. 6pp. 82258:100-82258:105.

**9501230101** Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utils affected by notification informed. Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

## 158 DOCKETED ITEMS

### DOCKET STN-50-454 BYRON STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501050111** Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

**9501120346** Forwards rev 41 to security plan, revising Chapter 3 to reflect update of station organizational structure & App B, establishing age requirement for unarmed security at 18 years of age. Encl withheld (ref 10CFR73.21).  
JOHNSON, J.M. Commonwealth Edison Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82312:352-82312:353.

**9501060111** Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR, D.L. Commonwealth Edison Co. 8pp. 82259:231-82259:239.

**9501240200** Revised EPIPs, including rev 7 to BZP-320-8, rev 2 to BZP-320-9, rev 39 to BZP-600-A1 & rev 36 to BZP-600-A4.W/ 950104 ltr.  
\* Commonwealth Edison Co. 95/01/04. 35pp. 82508:299-82508:333.

**9501190135** Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

**9501300073** Rev 8 to EPIP BZP-100-1, "Supervision of Emergencies, Exercises & Drills." W/950117 ltr.  
\* Commonwealth Edison Co. 95/01/17. 6pp. 82554:314-82554:319.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P.G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

**9501050156** Advises that 940525 rev to quality assurance topical rept consistent w/ requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

**9501040181** Forwards Operating Limits Rept, Rev 1, for cycle 7 per TS 6.9.1.9.  
SIMPKIN, T.W. Commonwealth Edison Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82218:353-82218:356.

**9501040205** "Byron Unit 1 Cycle 7 Operating Limits Rept-FXY Portion," rev 1.  
\* Commonwealth Edison Co. 94/12/28. 2pp. 82218:355-82218:356.

**9501060111** Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR, D.L. Commonwealth Edison Co. 8pp. 82259:231-82259:239.

**9501200232** Forwards amends 67,67,57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively & SE. Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp.  
ASSA, R.R. Project Directorate III-2. 95/01/06. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

**9501200242** Amends 67,67,57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit, increase sample size for inservice insp of SG tube sleeve & adds corrosion insp.  
DICK, G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

**9501200249** Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

**9501190263** Submits schedules for implementation of current order timing mod & surveillance test, per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."  
VONK, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82471:213-82471:214.

**9501190314** Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

**9501200025** Forwards Environ Assessment & Finding of No Significant Impact related to application for amend dtd 941107. Proposed amend would change TS to allow for storage of fuel.  
ASSA, R.R. Project Directorate III-2. 95/01/13. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82378:213-82378:220.

**9501200129** Environ assessment & finding of no significant impact re util 941107 request to revise TS to permit use of higher enriched fuel. No significant non-radiological environ impacts associated w/ proposed action.  
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:216-82378:220.

**9501240154** Forwards correct amends 65 to licenses NPF-37 & NPF-66. Revised TS basis page B 3/4 1-3 was incomplete.  
DICK, G.F. 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82423:246-82423:249.

**9501240159** Corrected amends 65 to licenses NPF-37 & NPF-66, respectively.  
\* Project Directorate III-2. 95/01/19. 1p. 82423:249-82423:249.

**9501250377** Forwards notice of consideration of issuance of amends to facility operating licenses, proposed NSHC determination & opportunity for hearing, re util amend request, dtd 930831, as suppl 940719. Informs notice sent to FR for publication.  
ASSA, R.R. 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 82525:206-82525:218.

**9501250400** Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amends would revise plant TS re CR ventilation sys to increase outage time for CR chiller.  
ASSA, R.R. 95/01/19. 11pp. 82525:208-82525:218.

**9501260210** Notification of 950131 meeting w/ CECO in Rockville, MD to discuss various features of WCAP-14222 as it applies to limited tube support displacements in SGs.  
LYNCH, M.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. RUSSELL, W., MIRAGLIA, F., THADANI, A. NRC - No Detailed Affiliation Given. 4pp. 82508:066-82508:069.

**9501260253** Forwards amends 68 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & safety evaluation. Amends approve use & storage in spent fuel racks of fuel w/ enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR, D.L. Commonwealth Edison Co. 4pp. 82508:137-82508:161.

**9501260256** Amends 68,68,58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, approving use & storage in spent fuel racks of fuel w/ enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 17pp. 82508:141-82508:156.

**9501260259** Safety evaluation supporting amends 68,68,58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:157-82508:161.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300298** Requests confirmation that util be prepared to address NRC Staff concerns at 950113 meeting scheduled by NRR in Rockville, MD re util proposed technical resolution of SG tube defects as ref in WCAP-14222, "Braidwood, Unit 1..."  
LYNCH, M.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/24. FARRAR, D.L. Commonwealth Edison Co. 6pp. 82542:325-82542:330.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. CHASENSKY, T.M., GRAESSER, K.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501040006** Confirms discussion between members of staff to have enforcement conference on 950109 in Lisle, IL to discuss apparent violation of 10CFR50.54(m)(iii) which required SRO present in control room at all times.  
GREENMAN, E.G. Region 3 (Post 820201). 94/12/27. GRAESSER, K. Commonwealth Edison Co. 1p. 82173:295-82173:295.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050126** Forwards insp rept 50-454/94-26 & 50-455/94-26 on 941129-1220. Two apparent violations noted. Enforcement conference scheduled for 950109 to discuss violations.  
GRANT, G.E. Region 3 (Post 820201). 94/12/30. GRAESSER, K. Commonwealth Edison Co. 3pp. 82178:117-82178:127.

**9501050137** Insp repts 50-454/94-26 & 50-455/94-26 on 941129-1220. Violations noted. Major areas inspected: reactive safety insp to review circumstances surrounding failure to have licensed senior operator in control room for 22 m on 941014.  
BURDICK, T.M. Region 3 (Post 820201). 94/12/30. 8pp. 82178:120-82178:127.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Bound-ary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501190042 Forwards insp repts 50-454/94-25 & 50-455/94-25 on 941021- 1215 & notice of violation.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/06. GRAESSER,K.L. Common-wealth Edison Co. 2pp. 82335:156-82335:174.

-9501190047 Notice of violation from insp on 941021-1215. Violation noted initial ap-approval of guideline deviations prior to occurrence was not obtained on 29 separate occasions.  
\* Region 3 (Post 820201). 95/01/06. 1p. 82335:158-82335:158.

-9501190050 Insp repts 50-454/94-25 & 50-455/94-25 on 941021-1215. Violations noted. Major areas inspected: plant operations, plant support, maint & surveillance activities, engineering & technical support & rept review.  
MILLER,L.F. Region 3 (Post 820201). 95/01/06. 16pp. 82335:159-82335:174.

9501200232 Forwards amends 67,67,57 & 57 to licenses NPF-37,NPF-66, NPF-72 & NPF-77, respectively & SE. Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp. ASSA,R.R. Project Directorate III-2. 95/01/06. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

-9501200242 Amends 67,67,57 & 57 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit, increase sample size for inservice insp of SG tube sleeve & adds corrosion insp. DICK,G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

-9501200249 Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66,NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

9501180029 Ack receipt of 941214 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/94-22 & 50-455/94-22.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/11. GRAESSER,K. Commonwealth Edison Co. 1p. 82324:060-82324:060.

9501190106 Forwards enforcement conference repts 50-454/95-02 & 50-455/95-02. Util will be notified of decision re EA based on info presented & discussed EC.  
GRANT,G.E. Region 3 (Post 820201). 95/01/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 82336:084-82336:115.

-9501190109 Enforcement conference repts 50-454/95-02 & 50-455/95-02 on 941129-1220. No weaknesses noted. Major areas discussed: violations & areas of concern re failure to maintain licensed operator in control room w/Unit at power.  
BURDICK,T.M. Region 3 (Post 820201). 95/01/11. 30pp. 82336:086-82336:115.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consoli-dated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consoli-dated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultra-sonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consoli-dated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501240126 Monthly operating repts for Dec 1994 for Byron Nuclear Power Station.W/ 950110 ltr.  
COLGLAZIER,R., SCHWARTZ,G.K. Commonwealth Edison Co. 94/12/31. 14pp. 82513:054-82513:067.

#### S. Reportable occurrences, LERs & related correspondence

9501100299 LER 94-018-00: on 941208, operation of safety injection pump in mode 4 w/ o two modes of isolation from RCS due to personnel error. Counseled individuals in-volved & enhanced procedure BOP SI-5.W/950104 ltr.  
MILNER,B., SCHWARTZ,G.K. Commonwealth Edison Co. 95/01/06. 5pp. 82296:026-82296:030.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Util's affected by notification informed. Util's should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

9501240118 LER 94-019-00: on 941215, missed TS surveillance due to operator not re-cording info. RO involved counseled to maintain proper documentation of surveillance requirements. W/950111 ltr.  
MILNER,B., SCHWARTZ,G.K. Commonwealth Edison Co. 95/01/11. 5pp. 82485:001-82485:005.

#### DOCKET STN-50-455 BYRON STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501120346 Forwards rev 41 to security plan, revising Chapter 3 to reflect update of sta-tion organizational structure & App B, establishing age requirement for unarmed secu-rity at 18 years of age. Encl withheld (ref 10CFR73.21).  
JOHNSON,I.M. Commonwealth Edison Co. 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82312:352-82312:353.

9501060111 Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR,D.L. Commonwealth Edison Co. 8pp. 82259:231-82259:239.

9501240200 Revised EIPs, including rev 7 to BZP-320-8, rev 2 to BZP-320-9, rev 39 to BZP-600-A1 & rev 36 to BZP-600-A4.W/ 950104 ltr.  
\* Commonwealth Edison Co. 95/01/04. 35pp. 82508:299-82508:333.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl.  
BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regula-tion, Director (Post 870411). 34pp. 82562:068-82562:101.

9501300073 Rev 8 to EPIP BZP-100-1, "Supervision of Emergencies, Exercises & Drills." W/950117 ltr.  
\* Commonwealth Edison Co. 95/01/17. 6pp. 82554:314-82554:319.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrica-tion facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effective-ness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power re-actors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/re-quirements of 10CFR50.54(a) & acceptable.  
RING,M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501060111 Discusses licensee response to NRC requests for info re GL-92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR,D.L. Commonwealth Edison Co. 8pp. 82259:231-82259:239.

9501200232 Forwards amends 67,67,57 & 57 to licenses NPF-37,NPF-66, NPF-72 & NPF-77, respectively & SE. Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp. ASSA,R.R. Project Directorate III-2. 95/01/06. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

-9501200242 Amends 67,67,57 & 57 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit, increase sample size for inservice insp of SG tube sleeve & adds corrosion insp. DICK,G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

-9501200249 Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66,NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

9501190263 Submits schedules for implementation of current order timing mod & sur-veillance test, per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & With-drawal of Rod Cluster Assemblies."  
VONK,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Docu-ment Control Desk). 2pp. 82471:213-82471:214.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.



## 160 DOCKETED ITEMS

**950120025** Forwards Environ Assessment & Finding of No Significant Impact related to application for amend dtd 941107. Proposed amend would change TS to allow for storage of fuel.  
ASSA, R.R. Project Directorate III-2. 95/01/13. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82378:213-82378:220.

**-9501200129** Environ assessment & finding of no significant impact re util 941107 request to revise TS to permit use of higher enriched fuel. No significant non-radiological environ impacts associated w/proposed action.  
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:216-82378:220.

**9501200090** Confirms 950105 telcon requesting staff to discontinue its review of topical rept RCLA/P94/04-94/009, "Topical Rept on Methodology, Verification & Application of Computer Program, GAPPIPE," on 940601.  
CHAN, T.L. Mechanical Engineering Branch. 95/01/13. CLOUD, R.L. Robert L. Cloud Associates, Inc. 1p. 82420:341-82420:341.

**9501240154** Forwards correct amends 65 to licenses NPF-37 & NPF-66. Revised TS basis page B 3/4 1-3 was incomplete.  
DICK, G.F. . 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82423:246-82423:249.

**-9501240159** Corrected amends 65 to licenses NPF-37 & NPF-66, respectively.  
\* Project Directorate III-2. 95/01/19. 1p. 82423:249-82423:249.

**9501250377** Forwards notice of consideration of issuance of amends to facility operating licenses, proposed NSHC determination & opportunity for hearing, re util amend request, dtd 930831, as suppl 940719. Informs notice sent to FR for publication.  
ASSA, R.R. . 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 82525:206-82525:218.

**-9501250400** Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amends would revise plant TS re CR ventilation sys to increase outage time for CR chiller.  
ASSA, R.R. . 95/01/19. 11pp. 82525:208-82525:218.

**9501260253** Forwards amends 68 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & safety evaluation. Amends approve use & storage in spent fuel racks of fuel w/enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR, D.L. Commonwealth Edison Co. 4pp. 82508:137-82508:161.

**-9501260256** Amends 68, 68, 58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, approving use & storage in spent fuel racks of fuel w/enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 17pp. 82508:141-82508:156.

**-9501260259** Safety evaluation supporting amends 68, 68, 58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:157-82508:161.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. CHASENSKY, T.M., GRAESSER, K.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

**9501040006** Confirms discussion between members of staff to have enforcement conference on 950109 in Lisle, IL to discuss apparent violation of 10CFR50.54(m)(iii) which required SRO present in control room at all times.  
GREENMAN, E.G. Region 3 (Post 820201). 94/12/27. GRAESSER, K. Commonwealth Edison Co. 1p. 82173:295-82173:295.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:062-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050126** Forwards insp rept 50-454/94-26 & 50-455/94-26 on 941129-1220. Two apparent violations noted. Enforcement conference scheduled for 950109 to discuss violations.  
GRANT, G.E. Region 3 (Post 820201). 94/12/30. GRAESSER, K. Commonwealth Edison Co. 3pp. 82178:117-82178:127.

**-9501050137** Insp repts 50-454/94-26 & 50-455/94-26 on 941129-1220. Violations noted. Major areas inspected: reactive safety insp to review circumstances surrounding failure to have licensed senior operator in control room for 22 m on 941014.  
BURDICK, T.M. Region 3 (Post 820201). 94/12/30. 8pp. 82178:120-82178:127.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190042** Forwards insp repts 50-454/94-25 & 50-455/94-25 on 941021-1215 & notice of violation.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/06. GRAESSER, K.L. Commonwealth Edison Co. 2pp. 82335:156-82335:174.

**-9501190047** Notice of violation from insp on 941021-1215. Violation noted: initial approval of guideline deviations prior to occurrence was not obtained on 29 separate occasions.  
\* Region 3 (Post 820201). 95/01/06. 1p. 82335:158-82335:158.

**-9501190050** Insp repts 50-454/94-25 & 50-455/94-25 on 941021-1215. Violations noted. Major areas inspected: plant operations, plant support, maint & surveillance activities, engineering & technical support & rept review.  
MILLER, L.F. Region 3 (Post 820201). 95/01/06. 16pp. 82335:159-82335:174.

**9501200232** Forwards amends 67, 67, 57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively & SE. Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp.  
ASSA, R.R. Project Directorate III-2. 95/01/06. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

**-9501200242** Amends 67, 67, 57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit, increase sample size for inservice insp of SG tube sleeve & adds corrosion insp.  
DICK, G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

**-9501200249** Safety evaluation supporting amends 67, 67, 57 & 57 to NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

**9501180029** Ack receipt of 941214 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/94-22 & 50-455/94-22.  
GREENMAN, E.G. Region 3 (Post 820201). 95/01/11. GRAESSER, K. Commonwealth Edison Co. 1p. 82324:060-82324:060.

**9501190106** Forwards enforcement conference repts 50-454/95-02 & 50-455/95-02. Util will be notified of decision re EA based on info presented & discussed EC.  
GRANT, G.E. Region 3 (Post 820201). 95/01/11. GRAESSER, K. Commonwealth Edison Co. 2pp. 82336:084-82336:115.

**-9501190109** Enforcement conference repts 50-454/95-02 & 50-455/95-02 on 941129-1220. No weaknesses noted. Major areas discussed: violations & areas of concern re failure to maintain licensed operator in control room w/Unit at power.  
BURDICK, T.M. Region 3 (Post 820201). 95/01/11. 30pp. 82336:086-82336:115.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

**9501240126** Monthly operating repts for Dec 1994 for Byron Nuclear Power Station. W/ 950110 ltr.  
COLGLAZIER, R., SCHWARTZ, G.K. Commonwealth Edison Co. 94/12/31. 14pp. 82513:054-82513:067.

### S. Reportable occurrences, LERs & related correspondence

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utills affected by notification informed. Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501050111** Informs that revs 7C, 7D & 7E to certain sections of Generating Stations Emergency Plan, acceptable. Plan contained generic emergency planning info for all of util nuclear stations.  
CREED, J.R. Region 3 (Post 820201). 94/12/28. WALLACE, M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

**9501060071** Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR, D.L. Commonwealth Edison Co. 8pp. 82259:270-82259:277.

**9501240268** Revised EIPs including Rev 3 to BwZP 1000-2, "Offsite Notifications" & Rev 1 to BwZP 2000-10, "Assembly & Accountability of Personnel."  
\* Commonwealth Edison Co. 95/01/03. 16pp. 82504:310-82504:325.

**9501120349** Forwards rev 34 to security plan, revising Chapter 1, changing CECO definition to ComEd & Chapters 6.9 & 14, reclassifying guard to member of security organization. Encl withheld (ref 10CFR73.21).  
JOHNSON, I.M. Commonwealth Edison Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82312:354-82312:355.

**9501190135** Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. w/ one oversized encl.  
BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

**9501130262** Forwards Rev 2 to "Evacuation Estimates Within Plume Exposure Pathway Emergency Planning Zone for Braidwood Nuclear Generating Station."  
SACCOMANDO, D. Commonwealth Edison Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82363:001-82363:114.

**9501130266** Rev 2 "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone for Braidwood Nuclear Generating Station."  
\* Commonwealth Edison Co. 94/09/30. 112pp. 82363:003-82363:114.

**9501240266** Forwards insp repts 50-456/94-23 & 50-457/94-23 on 941003-1123. Non-cited violations identified.  
CANIANO, R.J. Region 3 (Post 820201). 95/01/18. KAUP, K. Commonwealth Edison Co. 4pp. 82429:305-82429:314.

**9501240277** Insp repts 50-456/94-23 & 50-457/94-23 on 940606-0823. Non-cited violations identified. Major areas inspected: physical security insp re compensatory measures, access control-personnel & followup on previous insp findings.  
CHRISTOFFER, G., CREED, J.R. Region 3 (Post 820201). 95/01/18. 6pp. 82429:309-82429:314.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### P. Operating license stage documents & correspondence

**9501310327** Documents results of 940218 telcon between util & NRC, in which util requested issuance of notice of enforcement discretion from TS 3.0.3 for plants, Units 1 & 2. Submits basis for request re extension of 1 h AOT. W/ encl.  
BERG, S.M. Commonwealth Edison Co. 94/02/18. MARTIN, J.B. Region 3 (Post 820201). 11pp. 82548:031-82548:041.

**9501050156** Advises that 940525 rev to quality assurance topical rept consistent w/ requirements of 10CFR50.54(a) & acceptable.  
RING, M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

**9501060071** Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 930-1 Fire Barriers."  
ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR, D.L. Commonwealth Edison Co. 8pp. 82259:270-82259:277.

**9501200232** Forwards amends 67,67,57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively & SE. Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp.  
ASSA, R.R. Project Directorate III-2. 95/01/06. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

**9501200242** Amends 67,67,57 & 57 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit, increase sample size for inservice insp of SG tube sleeve & adds corrosion insp.  
DICK, G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

**9501200249** Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

**9501190263** Submits schedules for implementation of current order timing mod & surveillance test, per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."  
VONK, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82471:213-82471:214.

**9501190314** Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE, M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

**9501230232** Submits suppl to application for amend to licenses NPF-72 & NPF-77 re main CR ventilation sys.  
SACCOMANDO, D.M. Commonwealth Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 4pp. 82504:096-82504:099.

**9501200025** Forwards Environ Assessment & Finding of No Significant Impact related to application for amend dtd 941107. Proposed amend would change TS to allow for storage of fuel.  
ASSA, R.R. Project Directorate III-2. 95/01/13. FARRAR, D.L. Commonwealth Edison Co. 3pp. 82378:213-82378:220.

**9501200129** Environ assessment & finding of no significant impact re util 941107 request to revise TS to permit use of higher enriched fuel. No significant non-radiological environ impacts associated w/ proposed action.  
SHIRAKI, C.Y. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:216-82378:220.

**9501250328** Forwards notice of consideration of issuance of amends to facility operating licenses, proposed NSHC determination & opportunity for hearing, re util request to change TS to address manual isolation of MCR ventilation sys.  
ASSA, R.R. 95/01/18. FARRAR, D.L. Commonwealth Edison Co. 2pp. 82485:287-82485:296.

**9501250356** Notice of consideration of issuance of amends to licenses NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amends would revise TS by deleting section 4.7.6.e.6 re surveillance options for CR ventilation sys.  
ASSA, R.R. 95/01/18. 8pp. 82485:289-82485:296.

**9501250377** Forwards notice of consideration of issuance of amends to facility operating licenses, proposed NSHC determination & opportunity for hearing, re util amend request, dtd 930831, as suppl 940719. Informs notice sent to FR for publication.  
ASSA, R.R. 95/01/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 82525:206-82525:218.

**9501250400** Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amends would revise plant TS re CR ventilation sys to increase outage time for CR chiller.  
ASSA, R.R. 95/01/19. 11pp. 82525:208-82525:218.

**9501260210** Notification of 950131 meeting w/ CECO in Rockville, MD to discuss various features of WCAP-14222 as it applies to limited tube support displacements in SGs.  
LYNCH, M.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. RUSSELL, W., MIRAGLIA, F., THADANI, A. NRC - No Detailed Affiliation Given. 4pp. 82508:066-82508:069.

**9501260253** Forwards amends 68 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & safety evaluation. Amends approve use & storage in spent fuel racks of fuel w/ enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR, D.L. Commonwealth Edison Co. 4pp. 82508:137-82508:161.

**9501260256** Amends 68,68,58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively, approving use & storage in spent fuel racks of fuel w/ enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK, G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/21. 17pp. 82508:141-82508:156.

**9501260259** Safety evaluation supporting amends 68,68,58 & 58 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:157-82508:161.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M., LACROIX, D.G. Consumers Power Co. KAUP, K.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501050184** Confirms NRC plans to hold enforcement conference meeting on 950109 in Lisle, IL to discuss events on & about 941111 re rod control surveillance & apparent failure to open trip breakers when required by plant TSs.  
GREENMAN, E.G. Region 3 (Post 820201). 94/12/23. KAUP, K. Commonwealth Edison Co. 4pp. 82176:220-82176:223.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501120025** Forwards insp repts 50-456/94-26 & 50-457/94-26 on 941029-1212 & notice of violation.  
MILLER, L.F. Region 3 (Post 820201). 94/12/29. KAUP, K. Commonwealth Edison Co. 2pp. 82279:167-82279:187.

**9501120027** Notice of violation from insp on 941029-1212. Violation noted: licensee failed to properly implement 2BwGP 100-1, "Plant Heatup," step 64.  
\* Region 3 (Post 820201). 94/12/29. 1p. 82279:169-82279:169.

**9501120031** Insp repts 50-456/94-26 & 50-457/94-26 on 941029-1212. Violations noted. Major areas inspected: operational safety, plant support, maint, surveillance & licensee repts.  
MILLER, L.F. Region 3 (Post 820201). 94/12/29. 18pp. 82279:170-82279:187.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

## 162 DOCKETED ITEMS

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501200232 Forwards amends 67,67,57 & 57 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amend lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp. ASSA,R.R. Project Directorate III-2. 95/01/06. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

-9501200242 Amends 67,67,57 & 57 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively, revising TS to lower SG primary to secondary leakage rate limit,increase sample size for inservice insp of SG tube sleeve & adds corrosion insp. DICK,G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

-9501200249 Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66,NPF-72 & NPF-77,respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501250004 Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-22 & 50-457/94-22.  
GREENMAN,E.G. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/17. KAUP,K. Commonwealth Edison Co. 1p. 82432:118-82432:118.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501240266 Forwards insp repts 50-456/94-23 & 50-457/94-23 on 941003-1123.Non-cited violations identified.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/18. KAUP,K. Commonwealth Edison Co. 4pp. 82429:305-82429:314.

-9501240277 Insp repts 50-456/94-23 & 50-457/94-23 on 940606-0823. Noncited violations identified.Major areas inspected: physical security insp re compensatory measures,access control-personnel & followup on previous insp findings.  
CHRISTOFFER,G., CREED,J.R. Region 3 (Post 820201). 95/01/18. 6pp. 82429:309-82429:314.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310148 Forwards response to NRC 940908 ltr transmitting SER on Okonite tape splices,per NRC review of ref Comm Ed responses to NRC unresolved items 50-456/89-18-04 & 50-457/89-18-04.  
SACCOMANDO,D.M. Commonwealth Edison Co. 95/01/26. Office of Nuclear Reactor Regulation (Post 941001). 10pp. 82549:001-82549:015.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200170 Monthly operating rept for Dec 1994 for Braidwood Nuclear Generating Station,W/950105 ltr.  
STANCZAK,P., KOFFRON,K.L. Commonwealth Edison Co. 94/12/31. 10pp. 82472:213-82472:222.

### S. Reportable occurrences, LERs & related correspondence

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utilis affected by notification informed.Utilis should review set-point calculations on all installed Borg- Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

9501050111 Informs that revs 7C,7D & 7E to certain sections of Generating Stations Emergency Plan,acceptable.Plan contained generic emergency planning info for all of util nuclear stations.  
CREED,J.R. Region 3 (Post 820201). 94/12/28. WALLACE,M.J. Commonwealth Edison Co. 2pp. 82178:086-82178:087.

9501060071 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR,D.L. Commonwealth Edison Co. 8pp. 82259:270-82259:277.

9501240268 Revised EIPs,including Rev 3 to BwZP 1000-2, "Offsite Notifications" & Rev 1 to BwZP 2000-10, "Assembly & Accountability of Personnel."  
\* Commonwealth Edison Co. 95/01/03. 16pp. 82504:310-82504:325.

9501120349 Forwards rev 34 to security plan,revising Chapter 1,changing CECo definition to ComEd & Chapters 6,9 & 14,reclassifying guard to member of security organization.Encl withheld (ref 10CFR73.21).  
JOHNSON,I.M. Commonwealth Edison Co. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82312:354-82312:355.

9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF,in accordance w/ NUREG-0737,Suppl 1.Supporting info encl.W/one oversize encl.  
BRONS,J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.

9501130262 Forwards Rev 2 to "Evacuation Estimates Within Plume Exposure Pathway Emergency Planning Zone for Braidwood Nuclear Generating Station."  
SACCOMANDO,D. Commonwealth Edison Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82363:001-82363:114.

-9501130266 Rev 2 "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone for Braidwood Nuclear Generating Station."  
\* Commonwealth Edison Co. 94/09/30. 112pp. 82363:003-82363:114.

9501240266 Forwards insp repts 50-456/94-23 & 50-457/94-23 on 941003-1123.Non-cited violations identified.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/18. KAUP,K. Commonwealth Edison Co. 4pp. 82429:305-82429:314.

-9501240277 Insp repts 50-456/94-23 & 50-457/94-23 on 940606-0823. Noncited violations identified.Major areas inspected: physical security insp re compensatory measures,access control-personnel & followup on previous insp findings.  
CHRISTOFFER,G. Region 3 (Post 820201). 95/01/18. 6pp. 82429:309-82429:314.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9501310327 Documents results of 940218 telcon between util & NRC,in which util requested issuance of notice of enforcement discretion from TS 3.0.3 for plants,Units 1 & 2.Submits basis for request re extension of 1 h AOT.W/encl.  
BERG,S.M. Commonwealth Edison Co. 94/02/18. MARTIN,J.B. Region 3 (Post 820201). 11pp. 82548:031-82548:041.

9501050156 Advises that 940525 rev to quality assurance topical rept consistent w/requirements of 10CFR50.54(a) & acceptable.  
RING,M. Region 3 (Post 820201). 94/12/20. Commonwealth Edison Co. 2pp. 82178:177-82178:178.

9501060071 Discusses licensee response to NRC requests for info re GL 92-08, "Thermo Lag 330-1 Fire Barriers."  
ZIMMERMAN,R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. FARRAR,D.L. Commonwealth Edison Co. 8pp. 82259:270-82259:277.

9501200232 Forwards amends 67,67,57 & 57 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amend lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp. ASSA,R.R. Project Directorate III-2. 95/01/06. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.

-9501200242 Amends 67,67,57 & 57 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively, revising TS to lower SG primary to secondary leakage rate limit,increase sample size for inservice insp of SG tube sleeve & adds corrosion insp. DICK,G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.

-9501200249 Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66,NPF-72 & NPF-77,respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.

9501190263 Submits schedules for implementation of current order timing mod & surveillance test,per NRC 941212 RAI re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."  
VONK,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 2pp. 82471:213-82471:214.

9501190314 Provides views re util progress in resolving several key 1994 performance issues affecting Comm Ed nuclear division, especially evolving role of corporate office in supporting & overseeing site activities.  
WALLACE,M.J. Commonwealth Edison Co. 95/01/11. Document Control Branch (Document Control Desk). 10pp. 82393:348-82393:357.

- 9501230232** Submits suppl to application for amend to licenses NPF-72 & NPF-77 re main CR ventilation sys.  
SACCOMANDO,D.M. Commonwealth Edison Co. 95/01/12. Document Control Branch (Document Control Desk). 4pp. 82504:096-82504:099.
- 9501200025** Forwards Environ Assessment & Finding of No Significant Impact related to application for amend dtd 941107. Proposed amend would change TS to allow for storage of fuel.  
ASSA,R.R. Project Directorate III-2. 95/01/13. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82378:213-82378:220.
- 9501200129** Environ assessment & finding of no significant impact re util 941107 request to revise TS to permit use of higher enriched fuel.No significant non-radiological environ impacts associated w/proposed action.  
SHIRAKI,C.Y. Office of Nuclear Reactor Regulation (Post 941001). 95/01/13. 5pp. 82378:216-82378:220.
- 9501250328** Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing, re util request to change TS to address manual isolation of MCR ventilation sys.  
ASSA,R.R. . 95/01/18. FARRAR,D.L. Commonwealth Edison Co. 2pp. 82485:287-82485:296.
- 9501250356** Notice of consideration of issuance of amends to licenses NPF-72 & NPF-77 & proposed NSCH determination & opportunity for hearing,Amends would revise TS by deleting section 4.7.6.e.6 re surveillance options for CR ventilation sys.  
ASSA,R.R. . 95/01/18. 8pp. 82485:289-82485:296.
- 9501250377** Forwards notice of consideration of issuance of amends to facility operating licenses,proposed NSHC determination & opportunity for hearing," re util amend request,dtd 930831, as suppl 940719,Informs notice sent to FR for publication.  
ASSA,R.R. . 95/01/19. FARRAR,D.L. Commonwealth Edison Co. 2pp. 82525:206-82525:218.
- 9501250400** Notice of consideration of issuance of amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing,Amends would revise plant TS re CR ventilation sys to increase outage time for CR chiller.  
ASSA,R.R. . 95/01/19. 11pp. 82525:208-82525:218.
- 9501260253** Forwards amends 68 & 58 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & safety evaluation,Amends approve use & storage in spent fuel racks of fuel w/enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK,G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. FARRAR,D.L. Commonwealth Edison Co. 4pp. 82508:137-82508:161.
- 9501260256** Amends 68,68,58 & 58 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively,approving use & storage in spent fuel racks of fuel w/enrichment not to exceed nominal 5.0 weight percent U-235.  
DICK,G.F. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 17pp. 82508:141-82508:156.
- 9501260259** Safety evaluation supporting amends 68,68,58 & 58 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 5pp. 82508:157-82508:161.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- 9501310092** Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees.Informs old versions of forms will not be accepted after 950401.  
RING,M.A. Region 3 (Post 820201). 95/01/27. DONNELLY,P.M., LACROIX,D.G. Consumers Power Co. KAUP,K.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9501030170** Forwards insp rept 50-457/94-28 on 941129-1219.Apparent violations being considered for escalated enforcement action.  
GREENMAN,E.G. Region 3 (Post 820201). 94/12/23. KAUP,K. Commonwealth Edison Co. 2pp. 82173:013-82173:031.
- 9501030179** Insp rept 50-457/94-28 on 941129-1219.Apparent violations being considered for escalated enforcement action.Major areas inspected:941111 event of simultaneous withdrawal of Unit control rods in control bank D & shutdown bank B.  
MILLER,L.F. Region 3 (Post 820201). 94/12/23. 17pp. 82173:015-82173:031.
- 9501050184** Confirms NRC plans to hold enforcement conference meeting on 950109 in Lisle,IL to discuss events on & about 941111 re rod control surveillance & apparent failure to open trip breakers when required by plant TSs.  
GREENMAN,E.G. Region 3 (Post 820201). 94/12/23. KAUP,K. Commonwealth Edison Co. 4pp. 82178:220-82178:223.
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9501120025** Forwards insp repts 50-456/94-26 & 50-457/94-26 on 941029-1212 & notice of violation.  
MILLER,L.F. Region 3 (Post 820201). 94/12/29. KAUP,K. Commonwealth Edison Co. 2pp. 82279:167-82279:187.
- 9501120027** Notice of violation from insp on 941029-1212.Violation noted:licensee failed to properly implement 2BwGP 100-1. "Plant Heatup," step 64.  
\* Region 3 (Post 820201). 94/12/29. 1p. 82279:169-82279:169.
- 9501120031** Insp repts 50-456/94-26 & 50-457/94-26 on 941029-1212. Violations noted.Major areas inspected:operational safety, plant support,mairft,surveillance & licensee repts.  
MILLER,L.F. Region 3 (Post 820201). 94/12/29. 18pp. 82279:170-82279:187.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501200232** Forwards amends 67,67,57 & 57 to licenses NPF-37,NPF-66, NPF-72 & NPF-77, respectively & SE.Amends lower SG primary to secondary leakage rate limit increase sample size for inservice insp of SG tube sleeve & adds addl corrosion insp.  
ASSA,R.R. Project Directorate III-2. 95/01/06. FARRAR,D.L. Commonwealth Edison Co. 3pp. 82377:183-82377:224.
- 9501200242** Amends 67,67,57 & 57 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively, revising TS to lower SG primary to secondary leakage rate limit,increase sample size for inservice insp of SG tube sleeve & adds corrosion insp.  
DICK,G.F. Project Directorate III-3. 95/01/06. 32pp. 82377:186-82377:219.
- 9501200249** Safety evaluation supporting amends 67,67,57 & 57 to NPF-37, NPF-66,NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/06. 5pp. 82377:220-82377:224.
- 9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501250004** Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/94-22 & 50-457/94-22.  
GREENMAN,E.G. Division of Reactor Projects I/II (DRPE) Post 941001). 95/01/17. KAUP,K. Commonwealth Edison Co. 1p. 82432:118-82432:118.
- 9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501240266** Forwards insp repts 50-456/94-23 & 50-457/94-23 on 941003-1123.Non-cited violations identified.  
CANIANO,R.J. Region 3 (Post 820201). 95/01/18. KAUP,K. Commonwealth Edison Co. 4pp. 82429:305-82429:314.
- 9501240277** Insp repts 50-456/94-23 & 50-457/94-23 on 940606-0823. Noncited violations identified.Major areas inspected: physical security insp re compensatory measures,access control-personnel & followup on previous insp findings.  
CHRISTOFFER,G., CREED,J.R. Region 3 (Post 820201). 95/01/18. 6pp. 82429:309-82429:314.
- 9501300027** Forwards enforcement conference rept 50-457/95-04.Licensee will be notified by separate correspondence of NRC decision re enforcement action.  
GREENMAN,E.G. Region 3 (Post 820201). 95/01/18. KAUP,K. Commonwealth Edison Co. 2pp. 82511:228-82511:246.
- 9501300040** NRC enforcement conference rept 50-457/95-04.Major areas discussed:violations identified involving failure to comply w/TS 3.10.5.  
MILLER,L.F. Region 3 (Post 820201). 95/01/17. 17pp. 82511:230-82511:246.
- 9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:082-82436:104.
- 9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501260099** Responds to NRC 941222 ltr re violation noted in insp rept 50-457/94-27.Corrective actions:indications that exceeded Code requirements removed,weld repaired,reexamined & determined to be operable.  
KAUP,K.L. Commonwealth Edison Co. 95/01/20. Document Control Branch (Document Control Desk). 4pp. 82523:243-82523:246.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501310148** Forwards response to NRC 940908 ltr transmitting SER on Okonite tape splices,per NRC review of ref Comm Ed responses to NRC unresolved items 50-456/89-18-04 & 50-457/89-18-04.  
SACCOMANDO,D.M. Commonwealth Edison Co. 95/01/26. Office of Nuclear Reactor Regulation (Post 941001). 10pp. 82549:001-82549:015.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- S. Reportable occurrences, LERs & related correspondence**
- 9501170138** Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.
- 9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.

## 164 DOCKETED ITEMS

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utis affected by notification informed. Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET 50-458 RIVER BEND STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9501050460 Discusses response to NRC request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to address technical issues discussed in GL. ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/28. MCGAHA, J.R. Entergy Operations, Inc. 8pp. 82233:051-82233:058.

9501180315 Rev 10 to EIP-2-103, "Emergency Equipment Inventory." W/950106 ltr. SWANZY, K.Y., DERBONNE, D.R., FISICARO, J.J. Entergy Operations, Inc. 95/01/06. 55pp. 82378:296-82378:355.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/ Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501100094 Forwards copy of ltr sent on behalf of util which provided Regional Administrator for Region IV w/ notification that util filed petition for bankruptcy on 941221. RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. RUDEBUSCH, T.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #195 16137. 94/12/23. COTTER, B.P., LAM, P.S., COLE, R.F. Atomic Safety & Licensing Board Panel. 3pp. 82256:127-82256:128.

9501180236 Advises that NRC does not intend to file motion for summary disposition. ZOBLER, M.L. Office of the General Counsel (Post 860701). #195 16208. 95/01/09. COTTER, B.P., LAM, P.S., COLE, R.F. Atomic Safety & Licensing Board Panel. 1p. 82325:304-82325:304.

9501270108 Gulf States Util Co statement of undisputed facts in support of motion for summary disposition. \* Util intends to safely operate plant within requirements of operating license. W/ Certificate of Svc. LEVANWAY, D.E. Gulf States Utilities Co. LEVANWAY, D.E. Wise, Carter, Child & Caraway. LEVANWAY, D.E. Winston & Strawn. #195 16224. 95/01/09. 111pp. 82491:001-82491:111.

9501270111 Notice of change of telephone numbers. \* Informs of change of OGC telephone number prefix as listed, area code & last four digits remain unchanged. W/ Certificate of Svc. ZOBLER, M.L. Office of the General Counsel (Post 860701). #195 16237. 95/01/18. 3pp. 82492:357-82492:359.

9501270079 CAJUN Electric Power Cooperative, Inc answer in opposition to Gulf State Utilities Company motion for summary disposition. W/ Certificate of Svc. PEMBROKE, J.D., RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. PEMBROKE, J.D. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #195 16252. 95/01/23. Atomic Safety & Licensing Board Panel. 43pp. 82490:255-82490:318.

-9501270086 Affidavit of WT Ullrich on behalf of CAJUN Electric Power Cooperative, Inc. \* Affidavit re past performance of & future decommission plans of plant. ULLRICH, W.T. Cajun Electric Power Cooperative, Inc. ULLRICH, W.T. United Energy Services Corp. 95/01/19. 8pp. 82490:302-82490:310.

-9501270096 Affidavit of JM Griffin on behalf of CAJUN Electric Power Cooperative, Inc. \* Affidavit re past performance of & future decommission plans for plant. GRIFFIN, J.M. Cajun Electric Power Cooperative, Inc. GRIFFIN, J.M. United Energy Services Corp. 95/01/19. 8pp. 82490:311-82490:318.

9501270107 CAJUN Electric Power Cooperative, Inc concise statement of matl facts to which genuine issue exists accompanying & supporting answer to Gulf State Utilities Company motion for summary disposition. W/ Certificate of Svc. PEMBROKE, J.D., RUDEBUSCH, T.L. Cajun Electric Power Cooperative, Inc. PEMBROKE, J.D. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #195 16251. 95/01/23. Atomic Safety & Licensing Board Panel. 7pp. 82492:332-82492:338.

9501270130 NRC Staff response in support of GSU motion for summary disposition. \* Requests that Board grant GSU motion. HODGDON, A.P., ZOBLER, M.L. Office of the General Counsel (Post 860701). #195 16253. 95/01/23. Atomic Safety & Licensing Board Panel. 15pp. 82492:160-82492:320.

-9501270141 Affidavit of DL Wiggington in support of "NRC Staff Response in Support of GSU Motion for Summary Disposition." \* Advises that GSU "Motion for Summary Disposition" fairly represents Staff position w/ respect to proceeding. W/ Certificate of Svc. WIGGINGTON, D.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 146pp. 82492:175-82492:320.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9501130209 Forwards Rev 7 to River Bend USAR, including 50.59 summary rept per 10CFR50.59(b)(2) covering period 930301-940706. "River Bend Station Operations QA Manual" also encl. MCGAHA, J.R. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 4pp. 82493:001-82497:065.

-9501130210 Rev 7 to River Bend Station USAR, w/ three oversize drawings. \* Entergy Operations, Inc. 95/01/31. 1,346pp. 82493:005-82496:258.

-9501130211 "River Bend Station Operations QA Manual." \* Entergy Operations, Inc. 95/01/05. 171pp. 82496:259-82497:065.

#### P. Operating license stage documents & correspondence

9501050460 Discusses response to NRC request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Informs that staff will request licensees to take actions to address technical issues discussed in GL. ZIMMERMAN, R.P. Office of Nuclear Reactor Regulation (Post 941001). 94/12/28. MCGAHA, J.R. Entergy Operations, Inc. 8pp. 82233:051-82233:058.

9501050163 Notification of significant licensee meeting w/ util on 950110 to discuss results of licensee site-wide self-assessment. BEACH, A.B. Region 4 (Post 820201). 94/12/30. Region 4 (Post 820201). 4pp. 82178:186-82178:190.

9501130209 Forwards Rev 7 to River Bend USAR, including 50.59 summary rept per 10CFR50.59(b)(2) covering period 930301-940706. "River Bend Station Operations QA Manual" also encl. MCGAHA, J.R. Entergy Operations, Inc. 95/01/05. Document Control Branch (Document Control Desk). 4pp. 82493:001-82497:065.

-9501130211 "River Bend Station Operations QA Manual." \* Entergy Operations, Inc. 95/01/05. 171pp. 82496:259-82497:065.

9501240024 Forwards draft SE Sections 1.0 - 3.5 for conversion to improved STS, per NUREG-1434. Comments on encl draft requested by 950217. O'CONNOR, P.W. 95/01/18. HUTCHINSON, C.R. Entergy Operations, Inc. 104pp. 82436:226-82436:329.

9501240093 Application for amend to license NPF-47 re conversion to TS based on NUREG-1434, "Improved TS Rev 0." MCGAHA, J.R. Entergy Operations, Inc. 95/01/18. Document Control Branch (Document Control Desk). 4pp. 82434:001-82436:068.

-9501240095 Revised pages of proposed tech specs re conversion to TS based on NUREG-1434, "Improved TS Rev 0." \* Entergy Operations, Inc. 95/01/18. 792pp. 82434:005-82436:068.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9501030107 Forwards for review, NRC CI rept re M Holdin allegations of discrimination by util for reporting uncontrolled welding matl & uncertified welders working in protected area at plant. MARSCH, L.B. 94/12/22. RADER, R. Winston & Strawn. 1p. 82177:279-82177:320.

9501030033 Ack receipt of 941209 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/94-19.C/A to be reviewed in future insp. BEACH, A.B. Region 4 (Post 820201). 94/12/23. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 82157:149-82157:167.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501190046 Forwards insp rept 50-458/94-24 on 941114-1213. No violation noted. GWYNN, T.P. Region 4 (Post 820201). 95/01/12. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 82335:193-82335:217.

-9501190049 insp rept 50-458/94-24 on 941114-1213. No violations noted. Major areas inspected: inservice testing program. POWERS, D.A. Region 4 (Post 820201). 95/01/07. 20pp. 82335:198-82335:217.

9501100350 NRC Info Notice 95-002, "Problems W/ GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501250027 Forwards insp rept 50-458/94-17 on 941031-1110 & notice of violation. GWYNN, T.P. Region 4 (Post 820201). 95/01/17. MCGAHA, J.R. Entergy Operations, Inc. 6pp. 82432:283-82432:349.

-9501250031 Notice of violation from insp on 941031-1110. Violation noted: combustible supplies consisting of ventilation sys ductwork & filters, were found to be stored within fuel bldg portion of power block.  
\* Region 4 (Post 820201). 95/01/17. 2pp. 82432:289-82432:290.

-9501250037 Notice of deviation from insp on 941031-1110. Deviation noted: Procedure STP-204-4221, was not revised to incorporate pressure transmitter venting instructions.  
\* Region 4 (Post 820201). 95/01/17. 1p. 82432:291-82432:291.

-9501250038 Insp rept 50-458/94-17 on 941031-1110. Violations noted. Major areas inspected: followup review of findings identified in operational safety team insp conducted at plant & documented in insp rept 50-458/93-25.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/13. 58pp. 82432:292-82432:349.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501270130 NRC Staff response in support of GSU motion for summary disposition.\* Requests that Board grant GSU motion.  
HODGDON, A.P., ZOBLER, M.L. Office of the General Counsel (Post 860701). #195 16253. 95/01/23. Atomic Safety & Licensing Board Panel. 15pp. 82492:160-82492:320.

-9501270141 Affidavit of DL Wiggington in support of "NRC Staff Response in Support of GSU Motion for Summary Disposition."\* Advises that GSU "Motion for Summary Disposition" fairly represents Staff position w/respect to proceeding. W/Certificate of Svc.  
WIGGINGTON, D.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 14pp. 82492:175-82492:320.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501310030 Forwards insp rept 50-458/94-22 on 941120-1231 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 95/01/26. MCGAHA, J.R. Entergy Operations, Inc. 7pp. 82528:069-82528:114.

-9501310034 Notice of violation from insp on 941120-1231. Violation noted: surveillance testing not implemented, maint procedures not adequate to circumstances & channel D reactor protection sys reactor water level transmitter inoperable.  
\* Region 4 (Post 820201). 95/01/26. 4pp. 82528:075-82528:077.

-9501310041 Insp rept 50-458/94-22 on 941120-1231. Violations noted. Major areas inspected: plant operations, maint & surveillance activities, onsite engineering, plant support activities & on-line maint scheduling practices.  
VANDENBURGH, C. Region 4 (Post 820201). 95/01/25. 36pp. 82528:078-82528:114.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230295 Monthly operating rept for Dec 1994 for River Bend Station. W/950113 ltr.  
GLUECK, D.R., FISICARO, J.J. Entergy Operations, Inc. 94/12/31. 6pp. 82497:116-82497:121.

#### S. Reportable occurrences, LERs & related correspondence

9501050269 LER 94-030-00: on 941204, reactor scram resulting from inadvertent MSIV isolation due to failure to follow test procedure. Reinforced mgt expectations re personal accountability & procedure compliance. W/941229 ltr.  
GATES, T.W., FISICARO, J.J. Entergy Operations, Inc. 94/12/29. 6pp. 82258:121-82258:126.

9501050275 LER 94-031-00: on 941003, failure to identify TS non-compliance due to inadequate test procedure. Procedure revised to incorporate acceptance criteria & provide guidance re responsibilities of personnel. W/941230 ltr.  
GATES, T.W., FISICARO, J.J. Entergy Operations, Inc. 94/12/30. 7pp. 82258:127-82258:133.

9501270215 Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17.  
FRATTIANNE, S.A. Coltec Industries, Inc. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.

-9501270237 Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries. Entergy Operations, Inc notified vendor of crack on 940409. Final rept w/recept to cracked puller hole under way in Coltec Engineering Dept.  
FRATTIANNE, S.A. Coltec Industries, Inc. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.

9501200295 LER 94-032-00: on 941214, Division III DG failed due to improper synchronization attempt by operator. Considered disciplinary action for individual involved & continued performance that monitored testing of DG. W/950113 ltr.  
GATES, T.W., FISICARO, J.J. Entergy Operations, Inc. 95/01/13. 9pp. 82436:140-82436:148.

9501310245 Special rept: on 941221, an increase in EDG exhaust noise noticed. Caused by two broken bolts on exhaust manifold. Test terminated & four new bolts installed.  
FISICARO, J.J. Entergy Operations, Inc. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82575:357-82575:359.

#### V. Operator Examinations

9501300331 Notification of permanent job reassignment of senior licensed operators, PG Barker & SJ Finnegan to positions that do not require NRC license, effective 950115.  
FISICARO, J.J. Entergy Operations, Inc. 95/01/20. Document Control Branch (Document Control Desk). 2pp. 82551:325-82551:326.

#### DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

##### A. Application/construction stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

##### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 50-461 CLINTON POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

9501120313 Forwards final exercise rept for 940504 exercise of offsite radiological emergency response plan for plant. Informs no deficiencies discovered & two areas requiring C/A have been attended to. Note IL response plan in effect.  
HEPLER, O.M. Federal Emergency Management Agency. 94/10/07. CALVO, J.A. Division of Radiation Safety & Safeguards (Post 921004). 1p. 82305:243-82305:355.

-9501120320 "Exercise Rept, Clinton Nuclear Power Station Joint Radiological Emergency Preparedness Exercise."  
\* Federal Emergency Management Agency. 94/09/14. 112pp. 82305:244-82305:355.

9501050332 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers," & informs President of company that mfg Thermo-Lag fire barriers charged w/giving false info about fire barrier sys. Need to re-evaluate installed systems.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. PHARES, R.F. Illinois Power Co. 7pp. 82228:235-82228:241.

9501190079 Ack receipt of 941216 ltr in response to NRC 941006 ltr requesting info re RP & physical security concerns at plant. Believes that licensee investigation of concerns sufficient to support util conclusions.  
CANIANO, R.J. Region 3 (Post 820201). 95/01/10. COOK, J. Illinois Power Co. 2pp. 82336:010-82336:019.

-9501190096 Response to NRC 941006 ltr re certain RP & physical security incidents at plant. Informs that although some incidents did occur, no intent made to prevent employees from recording actual dose.  
COOK, J.G. Illinois Power Co. 94/12/16. MARTIN, J.B. Region 3 (Post 820201). 8pp. 82336:012-82336:019.

9501230330 Rev 6 to EPIP AP-10, "Emergency Response Organization Assignments."  
\* Illinois Power Co. 95/01/11. 19pp. 82501:339-82501:357.

9501310171 Describes method by which facility will comply w/ 10CFR73.55(d)(8) requirement to maintain positive access control to containment bldg during refueling or major maint.  
PHARES, R.F. Illinois Power Co. 95/01/17. Document Control Branch (Document Control Desk). 7pp. 82560:349-82560:355.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

#### J. Insurance & indemnity information

9501110343 Submits property damage insurance coverage update, listing breakdown of insurance coverage limits, per approval made in stated board of trustees meeting on 941214, to reduce nuclear property insurance limits, effective 941215.  
PHARES, R.F. Illinois Power Co. 95/01/03. Document Control Branch (Document Control Desk). 1p. 82302:067-82302:067.



## 166 DOCKETED ITEMS

### P. Operating license stage documents & correspondence

9501050332 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers," & informs President of company that mfg Thermo-Lag fire barriers charged w/giving false info about fire barrier sys. Need to re-evaluate installed systems.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28.  
PHARES, R.F. Illinois Power Co. 7pp. 82229:235-82229:241.

9501110485 Expresses appreciation for 941209 ltr in response to 941026 ltr re safety tagging practices & main generator H purity problems at plant.  
CLAYTON, E. Region 3 (Post 820201). 95/01/03. COOK, J. Illinois Power Co. 2pp. 82297:307-82297:308.

9501240024 Forwards draft SE Sections 1.0 - 3.5 for conversion to improved STS, per NUREG-1434. Comments on encl draft requested by 950217.  
O'CONNOR, P.W. 95/01/18. HUTCHINSON, C.R. Entergy Operations, Inc. 104pp. 82436:226-82436:329.

9501260094 Provides suppl/followup to 940808 request to use Code Cases N-498-1, N-416-1 & N-517, in time frame that will support forthcoming refueling outage currently scheduled to begin 950312.  
PHARES, R.F. Illinois Power Co. 95/01/19. Document Control Branch (Document Control Desk). 8pp. 82514:302-82514:309.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310164 Forwards Rev 25 to "IL Power Nuclear Program QA Manual."  
PHARES, R.F. Illinois Power Co. 95/01/26. Document Control Branch (Document Control Desk). 1p. 82547:001-82547:111.

-9501310166 Rev 25 to "IL Power Nuclear Program QA Manual."  
\* Illinois Power Co. 95/01/26. 110pp. 82547:002-82547:111.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informal old versions of forms will not be accepted after 950401.  
RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. SCHWARTZ, G.K., SCHMIDT, T.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501110130 Responds to NRC ltr re violations noted in insp rept 50-461/94-23. Corrective actions: mod was installed on fission product monitor which allows operations personnel to visually verify filter paper movement on shift basis.  
PHARES, R.F. Illinois Power Co. 95/01/06. Document Control Branch (Document Control Desk). 3pp. 82295:349-82295:351.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200118 Monthly operating rept for Dec 1994 for Clinton Power Station, Unit 1.W/950111 ltr.  
HOLLON, M.C., PHARES, R.F. Illinois Power Co. 94/12/31. 5pp. 82476:358-82476:362.

### S. Reportable occurrences, LERs & related correspondence

9501250394 LER 94-009-00: on 941220, operator failed to initiate operability of offsite ac power sources within one h after declaring Div 3 EDG inoperable due to oversight. Event reviewed & findings discussed. W/950113 ltr.  
NEUSCHWANGER, J., COOK, J.G. Illinois Power Co. 95/01/13. 5pp. 82507:177-82507:181.

### DOCKET STN-50-482 WOLF CREEK GENERATING STATION

### F. Security, medical, emergency & fire protection plans

9501060130 Forwards RAI re GL, "Thermo-Lag 330-1 Fire Barriers." Informs president of company that mfg barrier matl charged w/defrauding US about matl effectiveness. Need to re-evaluate Thermo-Lag matl already installed in plants.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 8pp. 82259:210-82259:217.

9501050078 Forwards insp rept 50-482/94-17 on 941205-08. No violations noted.  
COLLINS, S.J. Region 4 (Post 820201). 94/12/30. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 82179:102-82179:124.

-9501050081 Insp rept 50-482/94-17 on 941205-08. No violations noted. Major areas inspected: operational status of EP program including changes to emergency plan & implementing procedures, emergency facilities & equipment.  
MURRAY, B. Region 4 (Post 820201). 94/12/27. 18pp. 82179:107-82179:124.

9501260323 Forwards for info, "Environ Assessment & Finding of No Significant Impact" re 941123 request for exemption from certain requirements of 10CFR73.55. Exemptions re issuance, storage & retrieval of badges worn by plant personnel.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 82513:300-82513:308.

-9501260343 Environ assessment & finding of no significant impact re proposal to allow implementation of hand geometry biometric sys of site access control so photo ID badges can be taken off site.  
QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 5pp. 82513:304-82513:308.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P.G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9501060130 Forwards RAI re GL, "Thermo-Lag 330-1 Fire Barriers." Informs president of company that mfg barrier matl charged w/defrauding US about matl effectiveness. Need to re-evaluate Thermo-Lag matl already installed in plants.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 8pp. 82259:210-82259:217.

9501100290 Forwards amend 82 to license NPF-42 & safety evaluation. Amend revises TS 3.8.1.1 & 3.8.1.2 to increase min volume of fuel required for EDG fuel oil day tanks.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 82282:259-82282:278.

-9501100296 Amend 82 to license NPF-42, revising TS 3.8.1.1 & 3.8.1.2 to increase min volume of fuel oil required for EDG fuel oil day tanks.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. 13pp. 82282:263-82282:275.

-9501100305 Safety evaluation supporting amend 82 to license NPF-42.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 3pp. 82282:276-82282:278.

9501100327 Forwards amend 81 to license NPF-42 & safety evaluation. Amend revises section 6 of TS to reflect changes in WCNOOC organization.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 82283:001-82283:015.

-9501100334 Amend 81 to license NPF-42, revising section 6 of TS to reflect title changes in WCNOOC organization.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. 9pp. 82283:005-82283:013.

-9501100337 Safety evaluation supporting amend 81 to license NPF-42.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/29. 2pp. 82283:014-82283:015.

**9501190175** Forwards amend 83 to license NPF-42 & safety evaluation. Amend changes note 5 of TS 4.3-1 to reflect use of integral bias curves, rather than detector plateau curves, to calibrate source range instrumentation.  
STONE, J.C. Project Directorate IV-2. 95/01/09. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 82367:008-82367:017.

**-9501190179** Amend 83 to license NPF-42, changing note 5 of TS 4.3-1 to reflect use of integral bias curves, rather than detector plateau curves, to calibrate source range instrumentation.  
STONE, J.C. Project Directorate IV-2. 95/01/09. 5pp. 82367:012-82367:015.

**-9501190184** Safety evaluation supporting amend 83 to license NPF-42.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/09. 2pp. 82367:016-82367:017.

**9501200090** Confirms 950105 telcon requesting staff to discontinue its review of topical rept RCLA/P94/04-94/009, "Topical Rept on Methodology, Verification & Application of Computer Program, GAPPIPE," on 940601.  
CHAN, T.L. Mechanical Engineering Branch. 95/01/13. CLOUD, R.L. Robert L. Cloud Associates, Inc. 1p. 82420:341-82420:341.

**9501240048** Notification of licensee meeting w/util on 950202 to discuss licensee accomplishments during refueling outage 7 & various maint related topics.  
BEACH, A.B. Region 4 (Post 820201). 95/01/17. Region 4 (Post 820201). 5pp. 82417:322-82417:326.

**9501300289** Forwards amend 84 to license NPF-42 & safety evaluation. Amend revises TS SR 4.7.1.2.1.c.2, operability testing of AFW pump auto start feature & 4.2.2.2.ESF time response testing of AFW pumps.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 82537:011-82537:025.

**-9501300291** Amend 84 to license NPF-42, revising TS SR 4.7.1.2.1.c.2, operability testing of AFW pump auto start feature & 4.3.2.2.ESF time response testing of AFW pumps.  
STONE, J.C. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 3pp. 82537:015-82537:017.

**-9501300293** Safety evaluation supporting amend 84 to license NPF-42.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. 8pp. 82537:018-82537:025.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501030073** Forwards insp rept 50-482/94-16 on 941114-18. No violations noted.  
COLLINS, S.J. Region 4 (Post 820201). 94/12/27. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 82157:274-82157:287.

**-9501030079** Insp rept 50-482/94-16 on 941114-18. No violations noted. Major areas inspected: radiation protection activities, audits & appraisals, training & qualifications of personnel & facility insps.  
MURRAY, B. Region 4 (Post 820201). 94/12/19. 10pp. 82157:278-82157:287.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9501050151** Summary of 941216 mgt meeting in Arlington, TX that discusses staff evaluations & actions in response to NRC followup insp findings documented in NRC insp rept 50-482/94-13.  
GWYNN, T.P. Region 4 (Post 820201). 94/12/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 21pp. 82178:156-82178:176.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9501050078** Forwards insp rept 50-482/94-17 on 941205-08. No violations noted.  
COLLINS, S.J. Region 4 (Post 820201). 94/12/30. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 82179:102-82179:124.

**-9501050081** Insp rept 50-482/94-17 on 941205-08. No violations noted. Major areas inspected: operational status of EP program including changes to emergency plan & implementing procedures, emergency facilities & equipment.  
MURRAY, B. Region 4 (Post 820201). 94/12/27. 18pp. 82179:107-82179:124.

**9501090136** Responds to NRC 941116 ltr re violations noted in insp rept 50-482/94-12. Corrective actions: performance improvement request 94-1675 initiated to address aspects of operator failure to follow procedure step 4.2.  
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 94/12/30. Document Control Branch (Document Control Desk). 11pp. 82288:325-82288:335.

**9501090153** Forwards response to violations noted in Insp Rept 50-482/94-13. Corrective actions: formal root cause analysis performed to encompass personnel error & procedural aspects of violation.  
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 94/12/30. Document Control Branch (Document Control Desk). 8pp. 82289:318-82289:325.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9501090012** Forwards insp rept 50-482/94-15 on 941106-1217. No violations noted.  
BEACH, A.B. Region 4 (Post 820201). 95/01/04. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 82235:046-82235:067.

**-9501090015** Insp rept 50-482/94-15 on 941106-1217. No violations noted. Major areas inspected: plant status, operational safety verification, maint observations, surveillance observations, onsite engineering & on-line maint.  
CHAMBERLAIN, D.D. Region 4 (Post 820201). 95/01/04. 17pp. 82235:051-82235:067.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boic Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190066** Discusses EC conducted on 941216 re apparent violations associated w/ loss of reactor coolant inventory event that occurred at station on 940817. List of attendees & licensee presentations, encl.  
BEACH, A.B. Region 4 (Post 820201). 95/01/05. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 28pp. 82335:245-82335:272.

**9501110236** Forwards response to 941208 ltr re violations noted in insp rept 50-482/94-11. Corrective actions: revised two surveillance repts w/incorrect software ref to remove specific type of software used.  
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 95/01/06. Document Control Branch (Document Control Desk). 7pp. 82302:223-82302:229.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501270252** Informs NRC has completed review of relief requests 11R-32 through 11R-39 re inservice insp program. Request for relief 11R-32, parts 1, 2 & 3 denied. Forwards SE granting requests for reliefs to 11R-34, 35, 36, 27 & 38.  
QUAY, T.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 82525:269-82525:295.

**-9501270261** SER approving inservice insp program requests for relief 11R-33, 11R-35, 11R-36, 11R-37, 11R-38 & 11R-39.  
\* Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. 21pp. 82525:274-82525:295.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501300132** "NRC Staff Proposes to Fine Wolf Creek \$25,000."  
\* Office of Public Affairs (Post 911117). 95/01/26. 2pp. 82553:043-82553:045.

**9501310335** Forwards "ISI Rept" for seventh refueling outage at WCGS.  
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 95/01/26. Document Control Branch (Document Control Desk). 1p. 82582:001-82582:113.

**-9501310337** "ISI Rept."  
\* Wolf Creek Nuclear Operating Corp. 95/01/26. 111pp. 82582:002-82582:113.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501200190** Monthly operating rept for Dec 1994 for Wolf Creek Generating Station. W/ 950113 ltr.  
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 94/12/31. 7pp. 82478:019-82478:025.

#### S. Reportable occurrences, LERs & related correspondence

**9501120219** LER 94-013-00: on 940917, personnel error resulted in unanticipated loss of reactor coolant level. Manager briefed all operating crews on event. W/950104 ltr.  
FLANNIGAN, R.D., MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/01/04. 8pp. 82343:351-82343:358.

**9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utis affected by notification informed. Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9501050170** Forwards insp rept 50-483/94-13 on 941128-1206 & notice of violation. Violation of concern because previous corrective actions not effective in preventing recurrence.  
CREED, J.R. Region 3 (Post 820201). 94/12/23. SCHNELL, D.F. Union Electric Co. 3pp. 82178:200-82178:213.

**-9501050175** Notice of violation from insp on 941128-1206. Violation noted: security storage container within Security Dept left unlocked & unattended.  
\* Region 3 (Post 820201). 94/12/23. 1p. 82178:203-82178:204.

## 168 DOCKETED ITEMS

—9501050180 Insp rept 50-483/94-13 on 941128-1206. Violations noted. Major areas inspected: physical security including audits, alarm stations & communications, corrective actions & mgt support, protection of safeguards info & security program plans. PIRTLE, G.L. Region 3 (Post 820201). 94/12/23. 9pp. 82178:205-82178:213.

9501050389 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers," & informs that President of company that mfg Thermo-Lag fire barriers charged w/giving false info about fire barrier sys. Need to reevaluate installed sys. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. SCHNELL, D.F. Union Electric Co. 7pp. 82229:145-82229:151.

9501200353 Rev 21 to EPIP-ZZ-00201, "Notifications."  
\* Union Electric Co. 95/01/04. 3pp. 82472:001-82472:003.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025 asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

### P. Operating license stage documents & correspondence

9501060199 Discusses 940909 application for amend to license NPF-30, revising TS 3.8.3.1 by relocating requirement to maintain tie breakers between redundant busses open to Tables 3.3-3 & 4.3-2. Revised TS page 3/4 3-20a encl. SCHNELL, D.F. Union Electric Co. 94/12/22. Document Control Branch (Document Control Desk). 4pp. 82287:349-82287:354.

—9501060203 Proposed TS page 3/4 3-20a, providing revised language to clarify that tie breakers NG0116 & NG0216 may be closed for up to 8 h to repair failed or degraded equipment.  
\* Union Electric Co. 94/12/22. 2pp. 82287:353-82287:354.

9501060205 Submits rev to 941209 proposed change to TS SR 4.8.1.1.2f.7 to remove requirement to perform hot restart within 5 minutes of completing 24 h test & place requirement in separate TS based on conversations between util & NRC. SCHNELL, D.F. Union Electric Co. 94/12/22. Document Control Branch (Document Control Desk). 3pp. 82287:343-82287:348.

—9501060206 Proposed tech specs page 3/4 8-6, deleting use of spec 4.8.1.1.2f.6b) for hot restart test signal & requirement to monitor operating temp for stability.  
\* Union Electric Co. 94/12/22. 3pp. 82287:346-82287:348.

9501050389 Forwards RAI re GL entitled, "Thermo-Lag 330-1 Fire Barriers," & informs that President of company that mfg Thermo-Lag fire barriers charged w/giving false info about fire barrier sys. Need to reevaluate installed sys. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. SCHNELL, D.F. Union Electric Co. 7pp. 82229:145-82229:151.

9501100070 Notification of 950111 meeting w/util in Rockville, MD to discuss licensing status. WHARTON, L.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. NORRHOLM, L.J. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 82269:347-82269:349.

9501100075 Notification of 950110 meeting w/util in Rockville, MD for management meeting w/NRR projects. WHARTON, L.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. NORRHOLM, L.J. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 82269:350-82269:352.

9501240328 Describes plans & schedule developed for implementation of certain requirements to TS re snubber sample plans refueling outage functional test program. NASLUND, C.D. Union Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 2pp. 82431:327-82431:328.

9501250008 Application for amend to license NPF-30 for Callaway Plant. Amend would relocate TS 3.3-2, "Reactor Trip Sys Instrumentation Response Times." SCHNELL, D.F. Union Electric Co. 95/01/19. Document Control Branch (Document Control Desk). 35pp. 82461:324-82461:360.

9501250260 Informs that util will implement current order timing mod & current order surveillance test, as described in listed WOG documents during Refuel 7 (Mar-May 1995) in response to NRC 941215 RAI re GL 93-04. SCHNELL, D.F. Union Electric Co. 95/01/19. Document Control Branch (Document Control Desk). 5pp. 82516:077-82516:081.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

9501310092 Forwards latest editions of forms 396 & 398 to be used for application submittals from licensees. Informs old versions of forms will not be accepted after 950401. RING, M.A. Region 3 (Post 820201). 95/01/27. DONNELLY, P.M. Consumers Power Co. SCHWARTZ, G.K., SCHMIDT, T.L. Commonwealth Edison Co. 7pp. 82529:096-82529:102.

### Q. Inspection reports, IE Bulletins & correspondence

9501050170 Forwards insp rept 50-483/94-13 on 941128-1206 & notice of violation. Violation of concern because previous corrective actions not effective in preventing recurrence. CREED, J.R. Region 3 (Post 820201). 94/12/23. SCHNELL, D.F. Union Electric Co. 3pp. 82178:200-82178:213.

—9501050175 Notice of violation from insp on 941128-1206. Violation noted: security storage container within Security Dept left unlocked & unattended.  
\* Region 3 (Post 820201). 94/12/23. 1p. 82178:203-82178:204.

—9501050180 Insp rept 50-483/94-13 on 941128-1206. Violations noted. Major areas inspected: physical security including audits, alarm stations & communications, corrective actions & mgt support, protection of safeguards info & security program plans. PIRTLE, G.L. Region 3 (Post 820201). 94/12/23. 9pp. 82178:205-82178:213.

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance Due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501240390 Responds to NRC 941206 ltr re violations noted in insp rept 50-483/94-12. Corrective actions: licensee does not believe any specific corrective action required since no violation of regulations occurred. SCHNELL, D.F. Union Electric Co. 95/01/20. Document Control Branch (Document Control Desk). 10pp. 82432:099-82432:108.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment." GRIMES, B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501200192 Monthly operating rept for Dec 1994 for Callaway Unit 1. W/950109 ltr. MCINVALE, J.B., BLOSSER, J.D. Union Electric Co. 94/12/31. 6pp. 82477:356-82477:361.

### S. Reportable occurrences, LERs & related correspondence

9501090287 LER 94-006-00: on 930902, missed TS 4.3.2.2 surveillance of mechanical turbine trip function & subsequent TS 3.0.3 entry due to personnel error. Event will be reviewed w/On-Site Review Committee. W/950105 ltr. BONO, H.D., BLOSSER, J.D. Union Electric Co. 95/01/05. 6pp. 82287:039-82287:044.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utills affected by notification informed. Utills should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9501170064** Second partial response to FOIA request for documents. Record in App D encl & available in PDR. App C,D & F records being made available in PDR. App E & F partially withheld (ref FOIA Exemption 6).  
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/05/09. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 15pp. 82360:242-82361:021.

**-9501170097** Partially deleted notice of violation from insp on 940806-15. Violation noted: licensee decreased effectiveness of both security & contingency in that it revised station procedure OPGP03-SS-0005.  
BEACH, A.B. Region 4 (Post 820201). 91/11/05. 3pp. 82360:270-82360:273.

**-9501170107** Partially deleted insp repts 50-498/91-21 & 50-499/91-21 on 940806-15. Violations noted. Major areas inspected: overall security program at STP commitments found in licensee Physical Security Plan & Contingency Plan.  
TOBIN, W. Region 2 (Post 820201). 91/10/30. 110pp. 82360:274-82361:021.

**9501030062** Forwards errata sheet to licensee security personnel training & qualification plan, rev 16.  
MARTIN, L.E. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 1p. 82260:345-82260:347.

**-9501030067** Corrected ltr forwarding rev 16 of util security personnel training & qualification plan. W/o encl.  
GROTH, J.F. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 82260:346-82260:347.

**9501050287** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. COTTLE, W.T. Houston Lighting & Power Co. 8pp. 82229:227-82229:234.

**9501180206** Advises that 950112 rev 16 to security personnel training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS, S.J. Region 4 (Post 820201). 95/01/12. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 82393:057-82393:064.

**9501310147** Forwards Amend 10 to "Fire Hazards Analysis Rept."  
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82584:001-82584:292.

**-9501310151** Amend 10 to "Fire Hazards Analysis Rept."  
\* Houston Lighting & Power Co. 95/01/23. 35pp. 82584:004-82584:292.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

**9501060022** Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/ encl.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

**9501060099** Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Inform request for plant's shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

**9501050037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

#### P. Operating license stage documents & correspondence

**9501090317** Forwards Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively & SE. Amends revise TS to remove one time amend to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 82282:135-82282:164.

**-9501090320** Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively re changes to TS to remove one time amends to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 25pp. 82282:138-82282:161.

**-9501090324** Safety evaluation supporting Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 3pp. 82282:162-82282:164.

**9501050287** Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/29. COTTLE, W.T. Houston Lighting & Power Co. 8pp. 82229:227-82229:234.

**9501060082** Notification of 950109 meeting w/util in Rockville, MD for presentation of licensee 1995 business plan.  
ALEXION, T.W. Project Directorate IV-1. 94/12/29. BECKNER, W.D. Project Directorate IV-1. 4pp. 82259:247-82259:250.

**9501230179** Requests that NRC withhold from public disclosure, responses to demand for info & notice of violation issued on 941026.  
GUTTERMAN, A.H. Morgan, Lewis & Bockius. 95/01/13. Document Control Branch (Document Control Desk). 3pp. 82497:151-82497:153.

**9501250001** Responds to RAI re GI 93-04. Notifies NRC that current order timing mod will be implemented at plant during refueling outages currently scheduled in 1995 & preventive maint program revised to require new current surveillance test.  
GROTH, J.F. Houston Lighting & Power Co. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82432:114-82432:116.

**9501270016** Notification of licensee meeting w/util on 950221 to discuss surveillance procedure enhancement program & results of recent self evaluation of program.  
BEACH, A.B. Region 4 (Post 820201). 95/01/20. Region 4 (Post 820201). 5pp. 82488:240-82488:244.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300119** Application for amends to licenses NPF-76 & NPF-80, revising TS 3.7.7, 3.8.1.2, 3.8.2.2, 3.8.2.3 & 3.9.12 & adding TSs 3.8.1.3 & 3.8.1.4 to change number of DG required to be operable during Mode 5 & 6.  
GROTH, J.F. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 8pp. 82556:221-82556:258.

**-9501300127** Proposed tech specs revising TS 3.7.7, 3.8.1.2, 3.8.2.3 & 3.9.12 & adding TS 3.8.1.3 & 3.8.1.4 that will change number of DG required to be operable during Mode 5 & 6.  
\* Houston Lighting & Power Co. 95/01/23. 30pp. 82556:229-82556:258.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501060158** First partial response to FOIA request for info. Forwards App A info available in PDR. App B info entirely withheld (See FOIA Exemption 5).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/31. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 82287:020-82287:024.

**-9501060264** Informs that OI policy not to provide transcripts until conclusion of investigation of events surrounding denial of access of alleged at plant by util. Witnesses refuse to be deposed unless OI can guarantee provision of transcripts.  
JENSEN, N. NRC - No Detailed Affiliation Given. 92/06/30. DE PLANQUE, G. Commissioners (Post 750119). 1p. 82287:024-82287:024.

**9501170064** Second partial response to FOIA request for documents. Record in App D encl & available in PDR. App C,D & F records being made available in PDR. App E & F partially withheld (ref FOIA Exemption 6).  
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/05/09. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 15pp. 82360:242-82361:021.

**-9501170097** Partially deleted notice of violation from insp on 940806-15. Violation noted: licensee decreased effectiveness of both security & contingency in that it revised station procedure OPGP03-SS-0005.  
BEACH, A.B. Region 4 (Post 820201). 91/11/05. 3pp. 82360:270-82360:273.

**-9501170107** Partially deleted insp repts 50-498/91-21 & 50-499/91-21 on 940806-15. Violations noted. Major areas inspected: overall security program at STP commitments found in licensee Physical Security Plan & Contingency Plan.  
TOBIN, W. Region 2 (Post 820201). COLLINS, D.M. Region 4 (Post 820201). 91/10/30. 110pp. 82360:274-82361:021.

**9501090317** Forwards Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively & SE. Amends revise TS to remove one time amend to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 82282:135-82282:164.

**-9501090320** Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively re changes to TS to remove one time amends to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 25pp. 82282:138-82282:161.

**-9501090324** Safety evaluation supporting Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 3pp. 82282:162-82282:164.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190113** Notifies that insp repts 50-498/94-28 & 50-499/94-28 have been cancelled & no insp rept will be issued.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 82336:179-82336:182.

**9501200093** Responds to NRC 941201 ltr re violations noted in insp rept 50-498/94-33. Corrective actions: administrative procedure re procedure usage has been revised to include discussion on immediate actions w/respect to off-normal procedures.  
GROTH, J.F. Houston Lighting & Power Co. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82465:348-82465:352.

## 170 DOCKETED ITEMS

9501200053 Responds to NRC insp findings of insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014 re verification of commitments made to GL 89-10, "Safety-Related MOV Testing & Surveillance."  
CLONINGER,T.H. Houston Lighting & Power Co. 95/01/09. Document Control Branch (Document Control Desk). 22pp. 82433:331-82433:352.

9501230199 Notifies licensee of upcoming 950221-24 visit re verification & validation of maintenance rule draft insp procedure.  
BECKNER,W.D. . 95/01/12. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 82392:171-82392:174.

9501240103 Forwards insp repts 50-498/94-26 & 50-499/94-26 on 941031- 1222.No violations,deviations,unresolved items or open items noted.Appropriate licenses have been issued to all 22 applicants who successfully completed all portions of exams.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 82419:001-82419:178.

-9501240127 Insp repts 50-498/94-26 & 50-499/94-26 on 941031-1117.No violations,deviations,unresolved items or open items noted. Major areas inspected:qualifications of applicants for OL at plant,including eligibility administration of exams.  
PELLET,J.L. Region 4 (Post 820201). 95/01/11. 172pp. 82419:006-82419:178.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501190178 Monthly operating repts for Dec 1994 for South TX Project Electric Generating Station Units 1 & 2.W/950112 ltr.  
BERGENDAHL,D.M., MALLEN,F.H., MYERS,L.W. Houston Lighting & Power Co. 94/12/31. 14pp. 82456:326-82456:339.

9501230194 Forwards revised semiannual fitness for duty program performance rept for 940101-0630.  
MARTIN,L.E. Houston Lighting & Power Co. 95/01/12. Document Control Branch (Document Control Desk). 6pp. 82497:081-82497:086.

### S. Reportable occurrences, LERs & related correspondence

9501190282 LER 94-020-00:on 941209,determination made that combined total of 66 breakers potentially out of tolerance.Caused by misinterpretation of acceptance criteria.Molded Case Circuit Breaker Tests procedure revised.W/950109 ltr.  
PINZON,J., CLONINGER,T.H. Houston Lighting & Power Co. 95/01/09. 8pp. 82381:043-82381:050.

### T. Hearing transcripts on non-antitrust matters

9501110423 Discusses 941122 reply to NRC ltr 941024,requesting info re alleged differences between NRC DET rept & testimony provided by Liberty Consulting Group in connection w/ litigation w/City of Austin, TX.  
ROE,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 82297:198-82297:201.

### V. Operator Examinations

9501240103 Forwards insp repts 50-498/94-26 & 50-499/94-26 on 941031- 1222.No violations,deviations,unresolved items or open items noted.Appropriate licenses have been issued to all 22 applicants who successfully completed all portions of exams.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/13. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 82419:001-82419:178.

-9501240127 Insp repts 50-498/94-26 & 50-499/94-26 on 941031-1117.No violations,deviations,unresolved items or open items noted. Major areas inspected:qualifications of applicants for OL at plant,including eligibility administration of exams.  
PELLET,J.L. Region 4 (Post 820201). 95/01/11. 172pp. 82419:006-82419:178.

## DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

### F. Security, medical, emergency & fire protection plans

9501170064 Second partial response to FOIA request for documents.Record in App D encl & available in PDR.App C,D & F records being made available in PDR.App E & F partially withheld (ref FOIA Exemption 6).  
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/05/09. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 15pp. 82360:242-82361:021.

-9501170097 Partially deleted notice of violation from insp on 940806- 15.Violation noted:licensee decreased effectiveness of both security & contingency in that it revised station procedure OPGP03-SS-0005.  
BEACH,A.B. Region 4 (Post 820201). 91/11/05. 3pp. 82360:270-82360:273.

-9501170107 Partially deleted insp repts 50-498/91-21 & 50-499/91-21 on 940806- 15.Violations noted.Major areas inspected:overall security program at STP,commitments found in licensee Physical Security Plan & Contingency Plan.  
TOBIN,W. Region 2 (Post 820201). 91/10/30. 110pp. 82360:274-82361:021.

9501030062 Forwards errata sheet to licensee security personnel training & qualification plan,rev 16.  
MARTIN,L.E. Houston Lighting & Power Co. 94/11/17. Document Control Branch (Document Control Desk). 1p. 82260:345-82260:347.

-9501030067 Corrected ltr forwarding rev 16 of util security personnel training & qualification plan.W/o encl.  
GROTH,J.F. Houston Lighting & Power Co. 94/11/16. Document Control Branch (Document Control Desk). 2pp. 82260:346-82260:347.

9501050287 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. COTTLE,W.T. Houston Lighting & Power Co. 8pp. 82229:227-82229:234.

9501180206 Advises that 950112 rev 16 to security personnel training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/12. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 82393:057-82393:064.

9501310147 Forwards Amend 10 to "Fire Hazards Analysis Rept."  
CLONINGER,T.H. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82584:001-82584:292.

-9501310151 Amend 10 to "Fire Hazards Analysis Rept."  
\* Houston Lighting & Power Co. 95/01/23. 350pp. 82584:004-82584:292.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501060022 Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr,dtd 951025,asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### F. Operating license stage documents & correspondence

9501090317 Forwards Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively & SE.Amends revise TS to remove one time amend to extend insp interval for plant turbine valves.  
ALEXION,T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 82282:135-82282:164.

-9501090320 Amends 67 & 56 to Licenses NPF-76 & NPF-80,respectively re changes to TS to remove one time amends to extend insp interval for plant turbine valves.  
ALEXION,T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 25pp. 82282:138-82282:161.

-9501090324 Safety evaluation supporting Amends 67 & 56 to Licenses NPF-76 & NPF-80,respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 3pp. 82282:162-82282:164.

9501050287 Provides followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). Some of installation parameters discussed in section II of RAI of Dec 1993 cannot be verified by simple walkdowns.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/29. COTTLE,W.T. Houston Lighting & Power Co. 8pp. 82229:227-82229:234.

**9501060082** Notification of 950109 meeting w/util in Rockville, MD for presentation of licensee 1995 business plan.  
ALEXION, T.W. Project Directorate IV-1. 94/12/29. BECKNER, W.D. Project Directorate IV-1. 4pp. 82259:247-82259:250.

**9501230179** Requests that NRC withhold from public disclosure, responses to demand for info & notice of violation issued on 941026.  
GUTTERMAN, A.H. Morgan, Lewis & Bockius. 95/01/13. Document Control Branch (Document Control Desk). 3pp. 82497:151-82497:153.

**9501250001** Responds to RAI re GI 93-04. Notifies NRC that current order timing mod will be implemented at plant during refueling outages currently scheduled in 1995 & preventive maint program revised to require new current surveillance test.  
GROTH, J.F. Houston Lighting & Power Co. 95/01/18. Document Control Branch (Document Control Desk). 3pp. 82432:114-82432:116.

**9501270016** Notification of licensee meeting w/util on 950221 to discuss surveillance procedure enhancement program & results of recent self evaluation of program.  
BEACH, A.B. Region 4 (Post 820201). 95/01/20. Region 4 (Post 820201). 5pp. 82488:240-82488:244.

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

**9501300119** Application for amends to licenses NPF-76 & NPF-80, revising TS 3.7.7, 3.8.1.2, 3.8.2.2, 3.8.2.3 & 3.9.12 & adding TSs 3.8.1.3 & 3.8.1.4 to change number of DG required to be operable during Mode 5 & 6.  
GROTH, J.F. Houston Lighting & Power Co. 95/01/23. Document Control Branch (Document Control Desk). 8pp. 82556:221-82556:258.

**-9501300127** Proposed tech specs revising TS 3.7.7, 3.8.1.2, 3.8.2.3 & 3.9.12 & adding TS 3.8.1.3 & 3.8.1.4 that will change number of DG required to be operable during Mode 5 & 6.  
\* Houston Lighting & Power Co. 95/01/23. 30pp. 82556:229-82556:258.

#### Q. Inspection reports, IE Bulletins & correspondence

**9501060158** First partial response to FOIA request for info. Forwards App A info available in PDR, App B info entirely withheld (See FOIA Exemption 5).  
POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/03/31. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 82287:020-82287:024.

**-9501060264** Informs that OI policy not to provide transcripts until conclusion of investigation of events surrounding denial of access of allegor at plant by util. Witnesses refuses to be deposed unless OI can guarantee provision of transcripts.  
JENSEN, N. NRC - No Detailed Affiliation Given. 92/06/30. DE PLANQUE, G. Commissioners (Post 750119). 1p. 82287:024-82287:024.

**9501170064** Second partial response to FOIA request for documents. Record in App D encl & available in PDR, App C, D & F records being made available in PDR, App E & F partially withheld (ref FOIA Exemption 6).  
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/05/09. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 15pp. 82360:242-82361:021.

**-9501170097** Partially deleted notice of violation from insp on 940806-15. Violation noted: licensee decreased effectiveness of both security & contingency in that it revised station procedure OPGP03-SS-0005.  
BEACH, A.B. Region 4 (Post 820201). 91/11/05. 3pp. 82360:270-82360:273.

**-9501170107** Partially deleted insp repts 50-498/91-21 & 50-499/91-21 on 940806-15. Violations noted: Major areas inspected: overall security program at STP, commitments found in licensee Physical Security Plan & Contingency Plan.  
TOBIN, W. Region 2 (Post 820201). COLLINS, D.M. Region 4 (Post 820201). 91/10/30. 110pp. 82360:274-82361:021.

**9501090317** Forwards Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively & SE Amends revise TS to remove one time amend to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 82282:135-82282:164.

**-9501090320** Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively re changes to TS to remove one time amends to extend insp interval for plant turbine valves.  
ALEXION, T.W. Office of Nuclear Reactor Regulation (Post 941001). 94/12/27. 25pp. 82282:138-82282:161.

**-9501090324** Safety evaluation supporting Amends 67 & 56 to Licenses NPF-76 & NPF-80, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/27. 3pp. 82282:162-82282:164.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

**9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

**9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

**9501190113** Notifies that insp repts 50-498/94-28 & 50-499/94-28 have been cancelled & no insp rept will be issued.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 82336:179-82336:182.

**9501200053** Responds to NRC insp findings of insp repts 50-498/94-32 & 50-499/94-32 on 940926-1014 re verification of commitments made to GL 89-10, "Safety-Related MOV Testing & Surveillance."  
CLONINGER, T.H. Houston Lighting & Power Co. 95/01/09. Document Control Branch (Document Control Desk). 22pp. 82433:331-82433:352.

**9501230199** Notifies licensee of upcoming 950221-24 visit re verification & validation of maintenance rule draft insp procedure.  
BECKNER, W.D. 95/01/12. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 82392:171-82392:174.

**9501240103** Forwards insp repts 50-498/94-26 & 50-499/94-26 on 941031-1222. No violations, deviations, unresolved items or open items noted. Appropriate licenses have been issued to all 22 applicants who successfully completed all portions of exams.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/13. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 82419:001-82419:178.

**-9501240127** Insp repts 50-498/94-26 & 50-499/94-26 on 941031-1117. No violations, deviations, unresolved items or open items noted. Major areas inspected: qualifications of applicants for OL at plant, including eligibility administration of exams.  
PELLET, J.L. Region 4 (Post 820201). 95/01/11. 172pp. 82419:006-82419:178.

**9501100350** NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

**9501110412** NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

**9501120008** NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power."  
GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

**9501120037** NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics."  
GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

**9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment."  
GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

**9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

**9501190178** Monthly operating repts for Dec 1994 for South TX Project Electric Generating Station Units 1 & 2 W/950112 ltr.  
BERGENDAH, D.M., MALLIN, F.H., MYERS, L.W. Houston Lighting & Power Co. 94/12/31. 14pp. 82456:326-82456:339.

**9501230194** Forwards revised semiannual fitness for duty program performance rept for 940101-0630.  
MARTIN, L.E. Houston Lighting & Power Co. 95/01/12. Document Control Branch (Document Control Desk). 6pp. 82497:081-82497:086.

#### T. Hearing transcripts on non-antitrust matters

**9501110423** Discusses 941122 reply to NRC ltr 941024, requesting info re alleged differences between NRC DET rept & testimony provided by Liberty Consulting Group in connection w/ litigation w/City of Austin, TX.  
ROE, J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 82297:198-82297:201.

#### V. Operator Examinations

**9501240103** Forwards insp repts 50-498/94-26 & 50-499/94-26 on 941031-1222. No violations, deviations, unresolved items or open items noted. Appropriate licenses have been issued to all 22 applicants who successfully completed all portions of exams.  
GWYNN, T.P. Region 4 (Post 820201). 95/01/13. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 82419:001-82419:178.

**-9501240127** Insp repts 50-498/94-26 & 50-499/94-26 on 941031-1117. No violations, deviations, unresolved items or open items noted. Major areas inspected: qualifications of applicants for OL at plant, including eligibility administration of exams.  
PELLET, J.L. Region 4 (Post 820201). 95/01/11. 172pp. 82419:006-82419:178.

#### DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

#### A. Application/construction stage documents & correspondence

**9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.



## 172 DOCKETED ITEMS

### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Mail Brought Inside Containment." GRIMES,B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected units informed. Units should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Units affected by notification informed. Units should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

9501050124 Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.

9501120335 Submits results & conclusions of operational safeguards response evaluation conducted by NRC at plant from 941205-08. Overall, security force demonstrated effective contingency response capability. ROE,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 82310:155-82310:157.

9501190123 Forwards SAMP repts 50-528/94-99, 50-529/94-99 & 50-530/94-99 for period of 930601-941130. CALLAN,L.J. Region 4 (Post 820201). 95/01/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.

-9501190127 SAMP repts 50-528/94-99, 50-529/94-99 & 50-530/94-99 for period 930601-941130. \* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.

9501240402 Forwards insp repts 50-528/94-34, 50-529/94-34 & 50-530/94-34 on 941016-1130 & notice of deviation. BEACH,A.B. Region 4 (Post 820201). 95/01/17. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82431:183-82431:218.

-9501240404 Notice of deviation from insp on 941016-1130. Deviation noted: licensee initiated construction of scaffolding in two Unit 2 125-volt dc equipment rooms for fire penetration seal work & did not use PRA to review main work. \* Region 4 (Post 820201). 95/01/17. 2pp. 82431:189-82431:190.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### G. Adjudicatory correspondence

9501030173 Third partial response to FOIA request for info. Forwards App E documents which will be in PDR. App F info entirely withheld (ref Exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.

-9308240156 Forwards TJ Saporito 930512 petition requesting that NRC institute proceeding to modify, suspend or revoke plant OLS & draft ack ltr to petitioner. GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 93/05/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 82167:211-82167:220.

9501230231 Submits petition under 10CFR2.206 requesting administrative public hearing before ASLB & request by petitioner for leave of Board to intervene in proceeding for stated grounds. SAVORITO,T.J. Saporito, T.J. 94/11/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 82423:084-82423:088.

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

9501030173 Third partial response to FOIA request for info. Forwards App E documents which will be in PDR. App F info entirely withheld (ref Exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.

-9501030178 Notices that case 92-ERA-30, "Saporito vs AR Public Svc Co & Atlantic Group," concluded. Requests NRC initiate actions ensuring plant operations consistent w/NRC requirements. SAVORITO,T.J. Saporito, T.J. 92/10/08. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 82167:207-82167:207.

-9501030185 Ack receipt of 920914 ltr re NRC actions on plant safety concerns. Denies request for assistance w/safety concern investigation based on stated reasons. SAVORITO,T.J. Saporito, T.J. 92/10/12. PERKINS,K.E. Region 5 (820201 - 940403). 2pp. 82167:208-82167:209.

-9501030188 responds to 921008 ltr expressing concerns re stated file complaint against util & Atlantic Group. Disposition of whistleblower allegations investigated. SNIJEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 92/11/13. SAVORITO,T.J. Saporito, T.J. 1p. 82167:210-82167:210.

9501130101 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactor proposed rule. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/04. CHILK,S. Office of the Secretary of the Commission. 11pp. 82299:016-82299:026.

### P. Operating license stage documents & correspondence

9501040270 Requests schedular exemption for Unit 1 from requirement of 10CFR50, App J, Section III.D.1.a. Licensee requests exemption be approved by 950401, in order to eliminate performance of Type A test during upcoming Unit 1 refueling outage. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. Document Control Branch (Document Control Desk). 9pp. 82223:313-82223:321.

9501040271 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, revising TS Sections 3.9.6 & 4.9.6.1 re refueling machine overload cut off limit. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82223:306-82223:312.

-9501040272 Proposed TS Sections 3.9.6 & 4.9.6.1 re refueling machine. \* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. 5pp. 82223:308-82223:312.

9501050124 Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.

9501100291 Forwards notice of consideration of issuance of amends to licenses NPF-41,NPF-51 & NPF-74 & proposed NSHC determination & opportunity for hearing on 941031 request re rev to refueling machine overload cutoff limit. TRAN,L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 82282:279-82282:290.

-9501100311 Notice of consideration of issuance of amends to licenses NPF-41,NPF-51 & NPF-74,proposed NSHC determination & opportunity for hearing.Amends change refueling machine overload cutoff limit from less than or equal to 1,556 lb. TRAN,L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 9pp. 82282:282-82282:290.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Safety." PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9501040270 Requests schedular exemption for Unit 1 from requirement of 10CFR50,App J,Section III.D.1.a.Licensee requests exemption be approved by 950401,in order to eliminate performance of Type A test during upcoming Unit 1 refueling outage. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. Document Control Branch (Document Control Desk). 9pp. 82223:313-82223:321.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120340 Submits response to violations noted in Insp Repts 50-528/94-31,50-529/94-31 & 50-530/94-31.Corrective actions: Unit 2 125 volt safety-related batteries tested & degraded cells replaced. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/06. Document Control Branch (Document Control Desk). 32pp. 82334:155-82334:186.

9501180106 Forwards insp repts 50-528/94-35,50-529/94-35 & 50-530/94-35 on 941115-1216 & notice of violation. GWYNN,T.P. Region 4 (Post 820201). 95/01/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82327:099-82327:133.

-9501180115 Notice of violation from insp on 941115-1216.Violation noted:condition rept/disposition request was not initiated in Nov 1993 nor Feb 1994 when licensee personnel identified & discussed applicable condition. \* Region 4 (Post 820201). 95/01/11. 2pp. 82327:105-82327:106.

-9501180121 Insp repts 50-528/94-35,50-529/94-35 & 50-530/94-35 on 941115-1216.Violations noted.Major areas inspected:licensee event rept & two suppl. GWYNN,T.P. Region 4 (Post 820201). 95/01/09. 27pp. 82327:107-82327:133.

9501180244 Confirms 950104 telcon re NRC request for meeting to discuss insp repts 50-528/94-21,50-529/94-21 & 50-530/94-21. GWYNN,T.P. Region 4 (Post 820201). 95/01/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82326:311-82326:315.

9501190015 Notification of licensee meeting w/util on 950126 to discuss SALP. BEACH,A.B. Region 4 (Post 820201). 95/01/12. Region 4 (Post 820201). 4pp. 82335:074-82335:077.

9501190123 Forwards SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period of 930601-941130. CALLAN,L.J. Region 4 (Post 820201). 95/01/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.

-9501190127 SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period 930601-941130. \* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240402 Forwards insp repts 50-528/94-34,50-529/94-34 & 50-530/94-34 on 941016-1130 & notice of deviation. BEACH,A.B. Region 4 (Post 820201). 95/01/17. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82431:183-82431:218.

-9501240404 Notice of deviation from insp on 941016-1130.Deviation noted:licensee initiated construction of scaffolding in two Unit 2 125-volt dc equipment rooms for fire penetration seal work & did not use PRA to review maint work. \* Region 4 (Post 820201). 95/01/17. 2pp. 82431:189-82431:190.

-9501240405 Insp repts 50-528/94-34,50-529/94-34 & 50-530/94-34 on 941016-1130.Deviations noted.Major areas inspected:plant status,onsite response to events,operational safety verification & maint observation. WONG,H.J. Region 4 (Post 820201). 95/01/10. 28pp. 82431:191-82431:218.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

#### R. Periodic operating reports & related correspondence

9501230191 Monthly operating repts for Dec 1994 for PVNGS. W/950111 tr. ECKLUND,B.S., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 16pp. 82497:311-82497:326.

#### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed. Utis should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utis affected by notification informed.Utis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

#### DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9501050124 Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.

9501120335 Submits results & conclusions of operational safeguards response evaluation conducted by NRC at plant from 941205-08.Overall,security force demonstrated effective contingency response capability. ROE,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. STEWART,W.T. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 82310:155-82310:157.

9501190123 Forwards SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period of 930601-941130. CALLAN,L.J. Region 4 (Post 820201). 95/01/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.

-9501190127 SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period 930601-941130. \* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.

9501240402 Forwards insp repts 50-528/94-34,50-529/94-34 & 50-530/94-34 on 941016-1130 & notice of deviation. BEACH,A.B. Region 4 (Post 820201). 95/01/17. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82431:183-82431:218.

-9501240404 Notice of deviation from insp on 941016-1130.Deviation noted:licensee initiated construction of scaffolding in two Unit 2 125-volt dc equipment rooms for fire penetration seal work & did not use PRA to review maint work. \* Region 4 (Post 820201). 95/01/17. 2pp. 82431:189-82431:190.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### G. Adjudicatory correspondence

9501030173 Third partial response to FOIA request for info.Forwards App E documents which will be in PDR.App F info entirely withheld (ref Exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.

## 174 DOCKETED ITEMS

-9308240156 Forwards TJ Saporito 930512 petition requesting that NRC institute proceeding to modify, suspend or revoke plant OLS & draft ack ltr to petitioner. GOLDBERG, J.R. Deputy Assistant General Counsel for Enforcement. 93/05/27. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 82167:211-82167:220.

9501230231 Submits petition under 10CFR2.206 requesting administrative public hearing before ASLB & request by petitioner for leave of Board to intervene in proceeding for stated grounds. SAPORITO, T.J. Saporito, T.J. 94/11/14. THE CHAIRMAN, SELINI, Commissioners (Post 750119). 5pp. 82423:084-82423:088.

9501060022 Responds to ltr, dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl. Request for shutdown denied & indicates problem being addressed. W/encl. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE, P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.

9501060099 Responds to ltr, dtd 951025, asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced. Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON, C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.

9501050037 Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203. Encl withheld. ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

### H. General correspondence

9501030173 Third partial response to FOIA request for info. Forwards App E documents which will be in PDR. App F info entirely withheld (ref Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO, D. National Whistleblower Center. 4pp. 82167:201-82167:220.

-9501030178 Notifies that case 92-ERA-30, "Saporito vs AR Public Svc Co & Atlantic Group," concluded. Requests NRC initiate actions ensuring plant operations consistent w/NRC requirements. SAPORITO, T.J. Saporito, T.J. 92/10/08. TAYLOR, J. Ofc of the Executive Director for Operations. 1p. 82167:207-82167:207.

-9501030185 Ack receipt of 920914 ltr re NRC actions on plant safety concerns. Denies request for assistance w/safety concern investigation based on stated reasons. SAPORITO, T.J. Saporito, T.J. 92/10/12. PERKINS, K.E. Region 5 (820201 - 940403). 2pp. 82167:208-82167:209.

-9501030188 responds to 921008 ltr expressing concerns re stated file complaint against util & Atlantic Group. Disposition of whistleblower allegations investigated. SHNEZKE, J.H. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 92/11/13. SAPORITO, T.J. Saporito, T.J. 1p. 82167:210-82167:210.

9501130101 Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactor proposed rule. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/04. CHILK, S. Office of the Secretary of the Commission. 11pp. 82299:016-82299:026.

### P. Operating license stage documents & correspondence

9501040271 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, revising TS Sections 3.9.6 & 4.9.6.1 re refueling machine overload cut off limit. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82223:306-82223:312.

-9501040272 Proposed TS Sections 3.9.6 & 4.9.6.1 re refueling machine. \* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. 5pp. 82223:308-82223:312.

9501050124 Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f). ZIMMERMAN, R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.

9501100291 Forwards notice of consideration of issuance of amends to licenses NPF-41, NPF-51 & NPF-74 & proposed NSHC determination & opportunity for hearing on 941031 request re rev to refueling machine overload cutoff limit. TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 82282:279-82282:290.

-9501100311 Notice of consideration of issuance of amends to licenses NPF-41, NPF-51 & NPF-74, proposed NSHC determination & opportunity for hearing. Amends change refueling machine overload cutoff limit from less than or equal to 1,556 lb. TRAN, L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 9pp. 82282:282-82282:290.

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES, B.K. 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

### Q. Inspection reports, IE Bulletins & correspondence

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501120340 Submits response to violations noted in Insp Repts 50-528/94-31, 50-529/94-31 & 50-530/94-31. Corrective actions: Unit 2 125 volt safety-related batteries tested & degraded cells replaced. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/06. Document Control Branch (Document Control Desk). 32pp. 82334:155-82334:186.

9501180106 Forwards insp repts 50-528/94-35, 50-529/94-35 & 50-530/94-35 on 941115-1216 & notice of violation. GWYNN, T.P. Region 4 (Post 820201). 95/01/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82327:099-82327:133.

-9501180115 Notice of violation from insp on 941115-1216. Violation noted: condition rept/disposition request was not initiated in Nov 1993 nor Feb 1994 when licensee personnel identified & discussed applicable condition. \* Region 4 (Post 820201). 95/01/11. 2pp. 82327:105-82327:106.

-9501180121 Insp repts 50-528/94-35, 50-529/94-35 & 50-530/94-35 on 941115-1216. Violations noted. Major areas inspected: licensee event rept & two suppl. GWYNN, T.P. Region 4 (Post 820201). 95/01/09. 27pp. 82327:107-82327:133.

9501180244 Confirms 950104 telcon re NRC request for meeting to discuss insp repts 50-528/94-21, 50-529/94-21 & 50-530/94-21. GWYNN, T.P. Region 4 (Post 820201). 95/01/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82326:311-82326:315.

9501190015 Notification of licensee meeting w/util on 950126 to discuss SALP. BEACH, A.B. Region 4 (Post 820201). 95/01/12. Region 4 (Post 820201). 4pp. 82335:074-82335:077.

9501190123 Forwards SALP repts 50-528/94-99, 50-529/94-99 & 50-530/94-99 for period of 930601-941130. CALLAN, L.J. Region 4 (Post 820201). 95/01/12. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.

-9501190127 SALP repts 50-528/94-99, 50-529/94-99 & 50-530/94-99 for period 930601-941130. \* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240402 Forwards insp repts 50-528/94-34, 50-529/94-34 & 50-530/94-34 on 941016-1130 & notice of deviation. BEACH, A.B. Region 4 (Post 820201). 95/01/17. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82431:183-82431:218.

-9501240404 Notice of deviation from insp on 941016-1130. Deviation noted: licensee initiated construction of scaffolding in two Unit 2 125-volt dc equipment rooms for fire penetration seal work & did not use PRA to review maint work. \* Region 4 (Post 820201). 95/01/17. 2pp. 82431:189-82431:190.

-9501240405 Insp repts 50-528/94-34, 50-529/94-34 & 50-530/94-34 on 941016-1130. Deviations noted: major areas inspected; plant status, onsite response to events, operational safety verification & maint observation. WONG, H.J. Region 4 (Post 820201). 95/01/10. 28pp. 82431:191-82431:218.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matl Brought Inside Containment." GRIMES, B.K. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230191 Monthly operating repts for Dec 1994 for PVNGS. W/950111 ltr. ECKLUND, B.S., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 16pp. 82497:311-82497:326.

**S. Reportable occurrences, LERs & related correspondence**

- 9501170138** Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. 4pp. 82339:138-82339:170.
- 9501180221** Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.
- 9501230101** Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.
- 9501230121** Part 21 Rept CFRN 94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utils affected by notification informed.Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate.  
GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

**DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3****F. Security, medical, emergency & fire protection plans**

- 9501050124** Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f).  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.
- 9501120335** Submits results & conclusions of operational safeguards response evaluation conducted by NRC at plant from 941205-08.Overall,security force demonstrated effective contingency response capability.  
ROE,J.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. STEWART,W.T. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 82310:155-82310:157.
- 9501190123** Forwards SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period of 930601-941130.  
CALLAN,L.J. Region 4 (Post 820201). 95/01/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.
- 9501190127** SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period 930601-941130.  
\* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.
- 9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**G. Adjudicatory correspondence**

- 9501030173** Third partial response to FOIA request for info.Forwards App E documents which will be in PDR.App F info entirely withheld (ref Exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.
- 9308240156** Forwards TJ Saporito 930512 petition requesting that NRC institute proceeding to modify,suspend or revoke plant OLS & draft ack ltr to petitioner.  
GOLDBERG,J.P. Deputy Assistant General Counsel for Enforcement. 93/05/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 82167:211-82167:220.
- 9501230231** Submits petition under 10CFR2.206 requesting administrative public hearing before ASLB & request by petitioner for leave of Board to intervene in proceeding for stated grounds.  
SAPORITO,T.J. Saporito, T.J. 94/11/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 82423:084-82423:088.
- 9501060022** Responds to ltr,dtd 941021 requesting immediate shutdown of all nuclear power reactors using Thermo-Lag insulation matl, because of questions re effectiveness of matl.Request for shutdown denied & indicates problem being addressed.W/ encl.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 49pp. 82282:001-82282:052.
- 9501060099** Responds to ltr,dtd 951025 asking NRC to shut down all nuclear power reactors w/Thermo-Lag fire barrier matl until matl replaced.Informs request for plants shutdown denied & notes steps being taken to resolve Thermo-Lag issue.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/15. JOHNSTON,C. Toledo Coalition for Safe Energy. 49pp. 82282:053-82282:104.
- 950105037** Forwards monthly rept for Dec on status of 10CFR2.206 petitions as directed in SRM dtd 940203.Encl withheld.  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 22pp. 82302:267-82302:288.

**H. General correspondence**

- 9501030173** Third partial response to FOIA request for info.Forwards App E documents which will be in PDR.App F info entirely withheld (ref Exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.

- 9501030178** Notifies that case 92-ERA-30, "Saporito vs AR Public Svc Co & Atlantic Group," concluded.Requests NRC initiate actions ensuring plant operations consistent w/NRC requirements.  
SAPORITO,T.J. Saporito, T.J. 92/10/08. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 82167:207-82167:207.
- 9501030185** Ack receipt of 920914 ltr re NRC actions on plant safety concerns.Denies request for assistance w/safety concern investigation based on stated reasons.  
SAPORITO,T.J. Saporito, T.J. 92/10/12. PERKINS,K.E. Region 5 (820201 - 940403). 2pp. 82167:208-82167:209.
- 9501030188** responds to 921008 ltr expressing concerns re stated file complaint against util & Atlantic Group.Disposition of whistleblower allegations investigated.  
SNIJEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 92/11/13. SAPORITO,T.J. Saporito, T.J. 1p. 82167:210-82167:210.
- 9501130101** Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactor proposed rule.  
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/04. CHILK,S. Office of the Secretary of the Commission. 11pp. 82299:016-82299:026.

**P. Operating license stage documents & correspondence**

- 9501040271** Application for amends to Licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.9.6 & 4.9.6.1 re refueling machine overload cut off limit.  
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. Document Control Branch (Document Control Desk). 2pp. 82223:306-82223:312.
- 9501040272** Proposed TS Sections 3.9.6 & 4.9.6.1 re refueling machine.  
\* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/28. 5pp. 82223:308-82223:312.
- 9501050124** Forwards request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," issued per 10CFR50.54(f).  
ZIMMERMAN,R.P. Associate Director for Projects (Post 870411). 94/12/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 82223:322-82223:329.
- 9501100291** Forwards notice of consideration of issuance of amends to licenses NPF-41,NPF-51 & NPF-74 & proposed NSHC determination & opportunity for hearing on 941031 request re rev to refueling machine overload cutoff limit.  
TRAN,L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 82282:278-82282:290.
- 9501100311** Notice of consideration of issuance of amends to licenses NPF-41,NPF-51 & NPF-74,proposed NSHC determination & opportunity for hearing.Amends change refueling machine overload cutoff limit from less than or equal to 1,556 lb.  
TRAN,L.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/03. 9pp. 82282:282-82282:290.
- 9501180270** Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters.  
GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities."  
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.
- 9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuators at Salem."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.
- 9412270314** NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318** Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion."  
GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501120340** Submits response to violations noted in Insp Repts 50-528/94-31,50-529/94-31 & 50-530/94-31.Corrective actions: Unit 2 125 volt safety-related batteries tested & degraded cells replaced.  
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/06. Document Control Branch (Document Control Desk). 32pp. 82334:155-82334:186.
- 9501180106** Forwards insp repts 50-528/94-35,50-529/94-35 & 50-530/94-35 on 941115-1216 & notice of violation.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82327:099-82327:133.
- 9501180115** Notice of violation from insp on 941115-1216.Violation noted:condition rept/disposition request was not initiated in Nov 1993 nor Feb 1994 when licensee personnel identified & discussed applicable condition.  
\* Region 4 (Post 820201). 95/01/11. 2pp. 82327:105-82327:106.
- 9501180121** Insp repts 50-528/94-35,50-529/94-35 & 50-530/94-35 on 941115-1216.Violations noted.Major areas inspected:licensee event rept & two suppl.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/09. 27pp. 82327:107-82327:133.
- 9501180244** Confirms 950104 telcon re NRC request for meeting to discuss insp repts 50-528/94-21,50-529/94-21 & 50-530/94-21.  
GWYNN,T.P. Region 4 (Post 820201). 95/01/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82326:311-82326:315.

## 176 DOCKETED ITEMS

9501190015 Notification of licensee meeting w/util on 950126 to discuss SALP. BEACH,A.B. Region 4 (Post 820201). 95/01/12. Region 4 (Post 820201). 4pp. 82335:074-82335:077.

9501190123 Forwards SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period of 930601-941130. CALLAN,L.J. Region 4 (Post 820201). 95/01/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 82336:118-82336:130.

-9501190127. SALP repts 50-528/94-99,50-529/94-99 & 50-530/94-99 for period 930601-941130. \* Region 4 (Post 820201). 95/01/12. 8pp. 82336:123-82336:130.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

9501240402 Forwards insp repts 50-528/94-34,50-529/94-34 & 50-530/94-34 on 941016-1130 & notice of deviation. BEACH,A.B. Region 4 (Post 820201). 95/01/17. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82431:183-82431:216.

-9501240405 Insp repts 50-528/94-34,50-529/94-34 & 50-530/94-34 on 941016-1130.Deviations noted.Major areas inspected:plant status,onsite response to events,operational safety verification & maint observation. WONG,H.J. Region 4 (Post 820201). 95/01/10. 28pp. 82431:191-82431:218.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501270061 Forwards insp rept 50-530/94-38 on 941212-21 & notice of violation.Violation of NRC concern because violation involved failure to follow procedure in aligning valves to provide makeup flow paths to RCS. BEACH,A.B. Region 4 (Post 820201). 95/01/20. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 6pp. 82490:137-82490:158.

-9501270067 Notice of violation from insp on 941212-21.Violation noted:on 941128,control room operators failed to follow Procedure 430P-3Z16,Step 7.2.15,in that appropriate appendices to align specified RCS flow paths,not completed. \* Region 4 (Post 820201). 95/01/20. 2pp. 82490:143-82490:144.

-9501270072 Insp rept 50-530/94-38 on 941212-21.Violations noted.Major areas inspected:incomplete makeup flow path valve alignment during unit 3 reduced RCS inventory operation on 941128. WONG,H. Region 4 (Post 820201). 95/01/20. 14pp. 82490:145-82490:158.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment." GRIMES,B.K. . 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

### R. Periodic operating reports & related correspondence

9501230191 Monthly operating repts for Dec 1994 for PVNGS. W/950111 ltr. ECKLUND,B.S., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 16pp. 82497:311-82497:326.

### S. Reportable occurrences, LERs & related correspondence

9501230101 Part 21 Rept CFRN 94-03,Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves.Affected utils informed. Utils should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.

9501230121 Part 21 Rept CFRN-94-01,Suppl 1 re 6 inch 150# Borg-Wagner gate valves.Utils affected by notification informed.Utils should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON,D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.

### DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

#### A. Application/construction stage documents & correspondence

9501180270 Administrative Ltr 95-01 to OL or CP holders re change in commercial telephone & facsimile numbers at NRC Headquarters. GRIMES,B.K. . 95/01/23. Consolidated Edison Co. of New York, Inc. 8pp. 82469:264-82469:271.

#### F. Security, medical, emergency & fire protection plans

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET DOCKET UNKNOWN

9501050411 Informs that AECL Technologies has completed review of draft NUREG/CR-6257 & forwards miscellaneous technical & editorial comments for consideration. FLETCHER,M.H. AECL Technologies. 95/01/02. Document Control Branch (Document Control Desk). 3pp. 82247:332-82247:334.

#### DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9501230195 Forwards Rev 2 to "ABWR Design Control Document." Rev of design control document accompanied by list of currently effective pages.List provided as Attachment 2. FOX,J.N. General Electric Co. 95/01/17. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 20pp. 82484:281-82484:346.

-9501230196 Rev 2 to "ABWR Design Control Document." \* General Electric Co. 95/01/17. 45pp. 82484:302-82484:346.

#### DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9501170201 Comments on review of draft NUREG-1512 for proprietary info. LIPARULO,N.J. Westinghouse Electric Corp. 94/12/27. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 1p. 82358:351-82358:351.

9501120079 Responds to 940720 ltr,asking for confirmation of view that Part 170 does not require applicants for design certification under 10CFR52 to pay NRC costs of design certification rulemakings. ROGERS,K.C. Commissioners (Post 750119). 94/12/29. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 82310:194-82310:197.

9501120197 Forwards Rev 2 to "Technical Support Document for Amend to 10CFR51 Considering Severe Accident Under NEPA for Plants of Sys 80+ Design." BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82334:001-82334:099.

-9501120200 Rev 2 to "Technical Support Document for Amend to 10CFR51 Considering Severe Accidents Under NEPA for Plants of Sys 80+ Design." \* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/01/05. 96pp. 82334:003-82334:099.

9501120266 Transcript of 941220 public briefing on progress of design certification review & implementation re C-E Sys 80+ & Westinghouse AP600.Fp 1-35. \* NRC - No Detailed Affiliation Given. 94/12/20. 57pp. 82312:220-82312:277.

#### DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9501230137 Informs that matl transmitted to NJ Liparulo for 941202,Vol 1 of rept "Assessment of ALWR Passive Sys Reliability:Phase 1:Methodology Development & Component Failure Quantification," considered nonproprietary. LIPARULO,N.J. Westinghouse Electric Corp. 94/01/06. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 82497:266-82497:267.

9501060249 Forwards nonproprietary WCAP-14218 & proprietary WCAP-14217, "Core Makeup Tank Test Data Rept." Proprietary WCAP-14217 withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/11/30. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 82284:001-82284:281.

-9501060254 Requests that proprietary WCAP-14217, "Core Makeup Tank Test Data Rept." be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/11/30. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 9pp. 82284:003-82284:011.

-9501060260 Nonproprietary "Core Makeup Tank Test Data Rept." \* Westinghouse Electric Corp. WCAP-14218. 94/11/30. 600pp. 82284:012-82284:281.

9501190221 Forwards WCAP-14216 & WCAP-14215, "AP600 Core Makeup Tank Test Analysis" & request for withholding WCAP-14215 from public disclosure. LIPARULO,N.J. Westinghouse Electric Corp. 94/12/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82393:091-82393:260.

-9501190232 Requests that WCAP-14215, "AP600 Core Makeup Tank Test Analysis" be withheld per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. 94/12/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82393:095-82393:101.

-9501190238 "AP600 Core Makeup Tank Test Analysis." \* Westinghouse Electric Corp. WCAP-14216. 94/12/31. 159pp. 82393:102-82393:260.

9501100318 Recommends approval of encl contractual action for Job Code W6245, "TRAC-PF1/MOD2 Maint." on need of maintaining TRAC-PF1/MOD2 code in order to perform calculations for AP600 design in companion job code L2592. ODAR,F. Reactor & Plant Systems Branch (880717-941217). FIN L-2592. 94/12/14. HODGES,M.W. Division of Systems Research (880717-941217). 3pp. 82282:324-82282:326.

9501170215 Forwards proprietary "AP600 CMT Quick Look Rept for Series 300 Suppl,Nov 1994" & "AP600 CMT Quick Look Rept for Series 500 Matrix Tests,Dec 1994." Proprietary repts withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 94/12/23. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82378:241-82378:251.

- 9501170220 Requests that Quick Look Data Rept For Series 300 suppl, Nov 1994 & Quick Look Data Rept For Series 500 Matrix Tests Dec 1994, be withheld. LIPARULO,N.J. Westinghouse Electric Corp. 94/12/23. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82378:245-82378:251.
- 9501200101 Advises that W has reviewed listed mats for proprietary info. Mats contain no such info. LIPARULO,N.J. Westinghouse Electric Corp. 94/12/27. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 1p. 82471:360-82471:360.
- 9501100048 Notification of 950113 meeting w/Westinghouse in Rockville, MD to discuss regulatory treatment of non-safety sys for AP600,w/focus on RHR sys. ARCHITZEL,R.E. Standardization Project Directorate (PDST) (Post 941001). 95/01/03. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 3pp. 82271:031-82271:034.
- 9501130215 Forwards draft paper, "In-Vessel Coolability & Retention of Core Melt." Westinghouse plans to use paper to support in-vessel retention decomposition event tree analysis provided in Rev 1 of AP600 PRA,W/o encl. LIPARULO,N.J. Westinghouse Electric Corp. 95/01/06. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 1p. 82366:155-82366:155.
- 9501180234 Forwards proprietary "Westinghouse AP600 Long Term Cooling Test At Oregon St Univ Facility Drawings,Piping & Investigation Diagrams." LIPARULO,N.J. Westinghouse Electric Corp. 95/01/12. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82393:080-82393:090.
- 9501180240 Requests that "Westinghouse AP600 Long Term Cooling Test At Oregon St University Facility Drawings,Piping & Instrumentation Diagrams," be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/12. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82393:084-82393:090.
- 9501200113 Notification of 950119 meeting w/util in Rockville,MD to address severe accident issues w/AP600 design. KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/01/12. BORCHARDT,R.W. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 3pp. 82420:342-82420:344.
- 9501230012 Summary of 941115-17 meeting w/Westinghouse in Monroeville, PA re AP600 PCS analysis program. List of attendees & nonproprietary information encl. ARCHITZEL,R. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/12. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 415pp. 82422:001-82422:051.
- 9501240394 Forwards Proprietary PXS-T2R-033, "Quick Look Rept for SPES- 2 Matrix Test S01613 AP600 Program." Rept PXS-T2R-033 withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/12. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82513:017-82513:026.
- 9501240399 Requests that proprietary PXS-T2R-033, "Quick Look Rept for SPES-2 Matrix Test S01613 AP600 Program," be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/12. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82513:020-82513:026.
- 9501260197 Forwards nonproprietary & proprietary presentation mats from 941220 meeting on AP600 test & analysis program. Proprietary presentation mats withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82519:070-82519:178.
- 9501260203 Requests that proprietary presentation from 941220 meeting on AP600 test & analysis program be withheld, per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. 95/01/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 104pp. 82519:074-82519:178.
- 9501260101 Forwards proprietary PXS-T2R-034, "Quick Look Rept for SPES- 2 Matrix Test S01703 AP600 Program." Proprietary PXS-T2R-034 rept withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/16. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82523:170-82523:180.
- 9501260106 Requests that proprietary PXS-T2R-034, "Quick Look Rept for SPES-2 Matrix Test S01703 AP600 Program," be withheld (ref 10CFR2.790). LIPARULO,N.J. Westinghouse Electric Corp. 95/01/16. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82523:174-82523:180.
- 9501250238 Notification of 950125-26 meeting w/Westinghouse in Monroeville,PA to discuss plant sys design for AP600, re flood protection, reactor coolant pressure boundary leakage, pressurizer relief discharge, new & spent fuel storage. KENYON,T.J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/20. RUSSELL,W., MIRAGLIA,F., THADANI,A. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82485:284-82485:286.
- 9501260284 Forwards NRC 941215 ltr re position on 1994 addenda to section III of ASME Code. SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/01/20. LIPARULO,N.J. Westinghouse Electric Corp. 2pp. 82500:005-82500:008.
- 9412230255 Informs of status of NRC evaluations & activities re rev to ASME BPV code, section III rules, for design of class 1,2 & 3 piping systems. Informs that changes to piping rules to be published in 1994 addenda not acceptable to NRC. BECK,JORD,E.S. Office of Nuclear Regulatory Research (860720-941217). RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/15. ARLOTTO,G.A. American Society of Mechanical Engineers. 2pp. 82500:007-82500:008.
- 9501260295 Expresses concern w/delay in important submittals & scheduled meetings re review of AP600 design certification application. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/20. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 82500:001-82500:004.
- 9501310165 Notification of 950207-08 meeting w/licensee in Monroeville, PA to discuss seismic margins analysis & high confidence of low probability of failure values for AP600 design & audit calculation of HCLPF values. SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/01/25. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 3pp. 82561:353-82561:354.
- 9501310174 Notification of 950214-16 meeting w/licensee in Monroeville, PA to discuss TS for AP600 design. Agenda encl. SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/01/25. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 3pp. 82561:355-82561:357.
- 9501310179 Notification of 950214-15 meeting w/licensee in Rockville,MD to discuss & resolve open items in draft SER in area of leak-before-break for AP600 design. Agenda encl. SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/01/25. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 3pp. 82561:358-82561:360.
- 9501310275 Notification of 950125 meeting w/licensee in Rockville,MD to discuss status of AP600 emergency response guidelines. HASSELBERG,F.W. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 5pp. 82562:059-82562:063.
- 9501310150 Notification of meeting w/Westinghouse in Rockville,MD to discuss inservice testing program for AP600 design. Agenda encl. SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/01/26. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 4pp. 82568:252-82568:255.
- 9501310449 Notification of 950210 meeting w/Westinghouse in Rockville,MD to discuss source term related open issues for AP600 design. W/agenda. HASSELBERG,F.W. Standardization Project Directorate (PDST) (Post 941001). 95/01/26. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 4pp. 82568:057-82568:060.
- 9501190269 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Recommends that Commission not release DSEER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/12. KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 82353:001-82358:202.
- 9501190272 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Recommends that Commission not release DSEER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/12. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 82353:003-82353:005.
- 9501190294 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Lists major issues that have global impact on entire review. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/11/30. LIPARULO,N.J. Westinghouse Electric Corp. 2,017pp. 82353:006-82358:202.
- 9501190269 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Recommends that Commission not release DSEER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/12. KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 82353:001-82358:202.
- 9501190272 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Recommends that Commission not release DSEER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/12. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 82353:003-82353:005.
- 9501190294 Forwards draft NUREG-1512 entitled, "DSEER re Certification of AP600 Design." Lists major issues that have global impact on entire review. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/11/30. LIPARULO,N.J. Westinghouse Electric Corp. 2,017pp. 82353:006-82358:202.
- 9501230148 Forwards insp rept 99900404/94-01 on 940830 -0901 at Oregon State University & 941011-14 at SIET SPES-2 & notice of nonconformance. Insp to determine if development & testing activities for AP600 conducted IAW rev 12A WCAP-8370. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 95/01/12. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 82392:097-82392:130.
- 9501230161 Notice of nonconformance from insps on 940830-0901 & 1011-14 at Oregon State Univ & SIET SPES-2 facilities. Nonconformance noted: activities not IAW WCAP-8370, Rev 12A as accepted by NRC re AP600 development & testing. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 2pp. 82392:102-82392:103.
- 9501230166 Insp rept 99900404/94-01 on 940830-0901 & 1011-14 at Oregon State University & SIET SPES-2 sites, respectively to determine if design activities & testing of AP600 development IAW WCAP-8370, Rev 12A as approved by NRC. MCINTYRE,R.P. . 95/01/10. 27pp. 82392:104-82392:130.
- 9501120266 Transcript of 941220 public briefing on progress of design certification review & implementation re C-E Sys 80+ & Westinghouse AP600. Pp 1-35. \* NRC - No Detailed Affiliation Given. 94/12/20. 57pp. 82312:220-82312:277.
- 9501230014 Transcript of 950111 meeting in Rockville,MD of ACRS W Standard Plant Design Subcommittee re AP600 design. Pp 1-294. W/supporting mats encl. \* ACRS - Advisory Committee on Reactor Safeguards. 95/01/11. 434pp. 82486:001-82487:068.

## DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

- 9501270174 Forwards request for addl info on SBWR testing & analysis program re design certification (Q900.95). Informs that addl info on QAP under which GIRAFFE helium tests to be performed (Q900.95) needed to assess tests. MALLOY,M. Standardization Project Directorate (PDST) (Post 941001). 94/11/25. MARRIOTT,P.W. General Electric Co. 4pp. 82523:337-82523:340.



## 178 DOCKETED ITEMS

- 9501270192** Forwards RAI to support review activities re SBWR testing & analysis program concerning design certification. Advises that addl info on matl presented in topical repts re TRACG computer code (Q901.52-Q901.74) needed to approve analyses. MALLOY, M. Standardization Project Directorate (PDST) (Post 941001). 94/11/25. MARRIOTT, P.W. General Electric Co. 8pp. 82523:345-82523:352.
- 9412210146** Provides addl info to suppl three ref ltrs responding to RAI re SBWR Panthers-PCC test facility. W/one oversize proprietary drawing. MARRIOTT, P.W. General Electric Co. 94/12/12. BORCHARDT, R.W. Standardization Project Directorate (Post 920517). 5pp. 82222:354-82222:357.
- 9501200144** Forwards "BWR Vessel & Internals Project Program Plan." BECKHAM, J.T. Southern Nuclear Operating Co. 95/01/13. THADANI, A. Document Control Branch (Document Control Desk). 1p. 82465:333-82465:343.
- 9501200146** "BWR Vessel & Internals Project Program Plan." Southern Nuclear Operating Co. 95/01/31. 10pp. 82465:334-82465:343.
- 9501310048** Forwards response to NRC request for addl info re SBWR PANTHERS-PCC test facility. Encl withheld. QUINN, J.E. General Electric Co. 95/01/18. BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001). 7pp. 82591:332-82591:339.
- 9501240356** Forwards proprietary response to request for addl info on GIRAFFE data. Encl withheld (ref 10CFR2.790). QUINN, J.E. General Electric Co. 95/01/19. BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001). 5pp. 82513:027-82513:032.
- DOCKET 52-005 CANDU 3U AECL TECHNOLOGIES, INC.**
- 9501230001** Summary of 941213 meeting w/AECL & AECLT representatives to discuss results of staff acceptance review on CANDU 3U design certification application & AECLTs intent on continuation of application. List of attendees encl. SCALETTI, D. Advanced Reactors Project Directorate (PDAR) (Post 941001). 95/01/12. Advanced Reactors Project Directorate (PDAR) (Post 941001). 5pp. 82423:100-82423:104.
- 9501190241** Responds to recent ltr from AECL Technologies, Inc dtd 941215 & 941221 re CANDU 3U Design Codes, Stds & application for FDA & design approval. NRR currently in process of developing refined estimate of costs & schedules for CANDU 3U review. MARCUS, G.H. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/13. HINK, A.D. AECL Technologies. 4pp. 82367:036-82367:039.
- DOCKET DOCKET UNKNOWN**
- 9501040033** First partial response to FOIA request for records. App A records encl & available in PDR. Review of records subj to request continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/02/16. SARKISSIAN, K. Affiliation Not Assigned. 18pp. 82530:003-82532:178.
- 9501060252** Discusses insp of licenses 19-04003-01, SMB-0334 & SNM-0417 on 610929. Noncompliance noted: survey not made to determine concentration of tritium in work areas & radiation surveys not conducted in U & thorium storage room. PRICE, E. Atomic Energy Commission (Pre 750119). 62/03/29. MITCHELL, F.W. W.R. Grace & Co. 2pp. 82530:220-82530:222.
- 9501090147** License SNM-0840 for WR Grace & Co, authorizing use of 25 g Pu, 1 kg U-235 & 200 kg U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/08/10. 9pp. 82530:243-82530:251.
- 9501090160** Safeguards Amend SG-1 to license SNM-0840 for WR Grace & Co, incorporating controls for safeguarding of SNM. PAGE, R.G. Atomic Energy Commission (Pre 750119). 70/08/10. 6pp. 82530:252-82530:257.
- 9501090170** Forwards License SNM-0840 & Safeguards Amend SG-1. Advises that encl license does not authorize use of slab collector for particle removal, washing & drying since details of sys not developed to permit complete nuclear safety analysis. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/08/10. ASHBY, G.E. W.R. Grace & Co. 1p. 82530:258-82530:258.
- 9501090184** Forwards renewed license SNM-0840. Advises that license amended to authorize possession & use of 25 g Pu for nuclear fuel development activities. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 67/12/06. GAMMILL, A.M. W.R. Grace & Co. 1p. 82530:259-82530:259.
- 9501090192** License SNM-0840 for WR Grace & Co, authorizing possession of 25 g Pu & 1 kg U-235. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 67/12/06. 2pp. 82530:260-82530:261.
- 9501090198** Forwards license SNM-0840 for WR Grace & Co. Requests that application for renewal of license SNM-0840 be submitted at least 30 days prior to expiration date of license. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/12/14. GIBIAN, T.G. W.R. Grace & Co. 1p. 82530:262-82530:262.
- 9501090203** License SNM-0840 for WR Grace & Co, authorizing possession of 1 kg U-235. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/12/14. 2pp. 82530:263-82530:264.
- 9501090208** Forwards license SNM-0417 for WR Grace & Co, as renewed. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/10/14. GIBIAN, T.G. W.R. Grace & Co. 1p. 82530:265-82530:265.
- 9501090214** Renewed license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/10/14. 1p. 82530:266-82530:266.
- 9501090215** Forwards amended license SNM-0417, expiring 631031. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/09/19. GAGE, W.P. W.R. Grace & Co. 1p. 82530:267-82530:267.
- 9501090218** Amended license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/09/19. 1p. 82530:268-82530:268.
- 9501090220** Forwards license SNM-0417 for WR Grace & Co. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/18. GAGE, W.P. W.R. Grace & Co. 1p. 82530:269-82530:269.
- 9501090222** License SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/18. 1p. 82530:270-82530:272.
- 9501090249** Advises that license SNM-0417 expires on 611031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified by completion of "Certification of Status of SNM Activities Under AEC..." NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 61/08/31. GAGE, W.P. W.R. Grace & Co. 3pp. 82530:273-82530:277.
- 9501090260** Forwards 601004 application for license filed by WR Grace & Co. Classification review of application for restricted data requested prior to placement in PDR. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/12. STRAUSER, W.A. Atomic Energy Commission (Pre 750119). 1p. 82530:278-82530:278.
- 9501090264** Application for amend, renewing license SNM-0417. GAGE, W.P. W.R. Grace & Co. 61/09/21. Atomic Energy Commission (Pre 750119). 2pp. 82530:279-82530:280.
- 9501090269** Submits inventory of nuclear matls stored at Hilltop lab, Curtis Bay & monitoring record of storage room area taken immediately following NRC visit. FITCH, F.T. W.R. Grace & Co. 61/10/06. EPSTEIN, E. Atomic Energy Commission (Pre 750119). 5pp. 82530:281-82530:285.
- 9501090277** Amended license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 61/10/10. 1p. 82530:286-82530:286.
- 9501090282** Application for amend, renewing license SNM-0417 for period of 1 yr. GAGE, W.P. W.R. Grace & Co. 62/09/11. Atomic Energy Commission (Pre 750119). 2pp. 82530:287-82530:288.
- 9501090291** Advises that license SNM-0417, as amended, expires on 621031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified by completion of "Certification of Status of SNM ...." NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/08/28. GAGE, W.P. W.R. Grace & Co. 3pp. 82530:289-82530:291.
- 9501090307** Forwards compliance insp rept of licenses 19-04003-01, SNM-0417 & SMB-0334 on 610929. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 61/11/28. LOWENSTEIN, R. Atomic Energy Commission (Pre 750119). 2pp. 82530:292-82530:293.
- 9501090325** Compliance insp rept of licenses 19-04003-01, SMB-0334 & SNM-0417 on 610929. Insp findings: failure to perform survey or evaluate hazards re storage of U & thorium in storage room & failure to label containers containing U. EPSTEIN, E., KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 61/11/21. 8pp. 82530:294-82530:307.
- 9501100182** Advises that license SNM-0417 expires on 631031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/08/23. GAGE, W.P. W.R. Grace & Co. 1p. 82530:308-82530:308.
- 9501100189** Application for amend, renewing license SNM-0417 for period of 1 yr. GIBIAN, T.G. W.R. Grace & Co. 63/10/02. Atomic Energy Commission (Pre 750119). 2pp. 82530:309-82530:312.
- 9501100201** Discusses licensee intent in presenting 640528 ltr, requesting amend to license SNM-0417, to possess no more than 1,000 g of U on Washington Research Ctr premise, counting total matl which might be received under license. O'LOUGHLIN, W.K. W.R. Grace & Co. 64/06/12. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 1p. 82530:313-82530:313.
- 9501100209** Advises that license SNM-0417, as renewed, expires on 641031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/10/08. W.R. Grace & Co. 1p. 82530:314-82530:314.
- 9501100223** Advises that Items 7 & 8 of license SNM-0417, dtd 631014 amended & Items 11 & 12 added to read as listed. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/06/26. O'LOUGHLIN, W.K. W.R. Grace & Co. 1p. 82530:315-82530:315.
- 9501100226** Notices of insp on 650917 re status of compliance w/10CFR30.40 & 20. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 65/09/08. MOYER, J.W. W.R. Grace & Co. 1p. 82530:316-82530:316.
- 9501100228** Recommends approval of 641028 application for amend to license, authorizing possession of 1 kg U-235, provided DA Nussbaumer include license condition to assure that shipments will be controlled to avoid commingling. LUKE, C.D. Atomic Energy Commission (Pre 750119). 64/11/09. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 82530:317-82530:320.
- 9501100248** Submits addl info re two sections in application for renewal & amend to license SNM-0840 dtd 671004 & amended on 671030. GAMMILL, A.M. W.R. Grace & Co. 67/11/15. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 82530:321-82530:322.

- 9501100256 Requests that pages 6,7,9,15,24,25,26,27 & 36 of application for renewal & amend to license SNM-0840,dtd 671004 be replaced w/encl pages 6,7,7A,9,15,24,25,25A,26,27 & 36. GAMMILL,A.M. W.R. Grace & Co. 67/10/30. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 13pp. 82530:323-82530:334.
- 9501100263 Advises that license SNM-0840 expires on 671130.Renewal should be requested within 30 days of expiration.If renewal not desired,NRC should be notified. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 67/09/29. GIBIAN,T.G. W.R. Grace & Co. 1p. 82530:335-82530:335.
- 9501100270 Safety insp on 680820 of license SNM-0840.Insp findings: no noncompliance noted. EPSTEIN,E. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 68/08/20. 1p. 82530:336-82530:336.
- 9501100278 Responds to 680920 ltr,requesting advice as to whether or not unopened L-3 package could be delivered to carrier for transport by WR Grace & Co.Advises that WR Grace & Co be requested to perform contamination survey of 2R container. MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 68/09/25. BROBST,W.A. Transportation, Dept. of. 2pp. 82530:338-82530:339.
- 9501100287 Requests exemption from compliance w/polybottle requirements of DOT SP-5330,paragraph 2a.Informs that licensee prepared to ship exclusive use of vehicle to minimize handling & to insure against loss or misdirection during transit. HERBST,R.J. W.R. Grace & Co. 68/09/13. Atomic Energy Commission (Pre 750119). 2pp. 82530:340-82530:342.
- 9501100321 Forwards questions re WR Grace & Co submittals dtd 700702 & 09,suppl application dtd 700409,discussed w/WR Grace & Co during 700717 meeting. DUBE,R.J. Atomic Energy Commission (Pre 750119). 70/08/05. Atomic Energy Commission (Pre 750119). 3pp. 82530:345-82530:352.
- 9501100329 Forwards application for renewal & amend to license SNM-0840,authorizing possession & use of 1 kg U-235 & 25 g Pu. GAMMILL,A.M. W.R. Grace & Co. 67/10/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:001-82531:007.
- 9501100339 Reiterates RJ Herbst statement during 691002 telcon re 18 g U-235 being carried as book Physical inventory difference & not inspectable.No criticality insp planned. NILSEN,C.W. Atomic Energy Commission (Pre 750119). 69/10/02. Atomic Energy Commission (Pre 750119). 1p. 82531:008-82531:008.
- 9501100347 Submits personnel exposure & monitoring rept for CY69 per 10CFR20. LOMONTE,J.N. W.R. Grace & Co. 70/01/29. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p. 82531:009-82531:009.
- 9501100268 Discusses operations re WR Grace & Co 700409 application for amend to license to authorize possession & use of 200 kg U-235 for development operations in full size process equipment. DUBE,R.J. Atomic Energy Commission (Pre 750119). 70/07/31. Atomic Energy Commission (Pre 750119). 7pp. 82531:010-82531:016.
- 9501100305 Forwards application for amend to license SNM-0840 to permit addl operations involving enriched U to be performed in connection w/new facility in Bldg 16-A. ASHBY,G.E. W.R. Grace & Co. 70/04/09. MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:017-82531:018.
- 9501100309 Forwards addl copies of paragraph 7.22,7.23 & Table 7.23, requested in May 28 meeting.Requests deletion of listed paragraphs from proprietary section of license application submitted on 700409. TELESKA,D.R. W.R. Grace & Co. 70/06/02. DUBE,R.J. Atomic Energy Commission (Pre 750119). 4pp. 82531:019-82531:022.
- 9501100316 Confirms 700528 & 0604 meetings w/licensee re application dtd 700408.Requests expansion & clarification of demonstration portion of application by submitting info requested in encl. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 70/06/15. ASHBY,G.D. W.R. Grace & Co. 9pp. 82531:023-82531:031.
- 9501100322 Responds to 700615 request for addl info re application dtd 700408.Requests that provisional license be issued for operation per conditions set forth in info previously submitted as suppl herewith & emergency procedure. TELESKA,D.R. W.R. Grace & Co. 70/07/02. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:032-82531:032.
- 9501100328 Requests that encl seven copies of corrected pages 26,56,58 & 59 be incorporated into application for amend to license SNM-0840,W/o encl. TELESKA,D.R. W.R. Grace & Co. 70/07/09. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 5pp. 82531:033-82531:033.
- 9501100374 Submits clarification & revised paragraph 10.5(a),in response to question raised by J Delaney in ref to nuclear safety of drying furnace.Requests that encl seven copies of revised pages be incorporated into application.W/o encl. TELESKA,D.R. W.R. Grace & Co. 70/08/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:034-82531:051.
- 9501100388 Discusses review of WR Grace & Co 700409 application & suppl dtd 700702,09,29 & 0805 for license amend to authorize addl activities w/enriched U. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 70/08/10. Atomic Energy Commission (Pre 750119). 2pp. 82531:052-82531:053.
- 9501100394 Safety insp on 700819-20 of license SNM-0840.Insp findings: no noncompliance noted. BROWNE,W.G. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 70/08/19. 1p. 82531:054-82531:054.
- 9501100403 Forwards insp rept for license SNM-0840 conducted on 700819-20.No noncompliance noted.Advises that no enriched U will be introduced to facility until Oct or Nov of 1970. BROWNE,W.G. Atomic Energy Commission (Pre 750119). 71/02/25. Atomic Energy Commission (Pre 750119). 1p. 82531:055-82531:055.
- 9501100410 Insp rept of license SNM-0840 on 700819-20.No noncompliance noted.Major areas inspected:review of new facility for producing coated UO2 spheres licensed on 700810. BROWNE,W.G., CROCKER,H.W. Atomic Energy Commission (Pre 750119). 71/02/25. 8pp. 82531:056-82531:064.
- 9501100417 Discusses review of descriptive matl furnished w/amend application.Advises that emergency procedure has been revised to comply w/requirements of license & available for insp. TELESKA,D.R. W.R. Grace & Co. 70/09/22. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 19pp. 82531:065-82531:065.
- 9501100422 Discusses WR Grace & Co application for amend dtd 700922, transmitting revised pages,9,10,21,25,26,26A,27,28,32,33,35, 36,37,38,39,41,44 & 59.No objection from point of view of nuclear safety to approval of application. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 70/10/01. Atomic Energy Commission (Pre 750119). 1p. 82531:066-82531:066.
- 9501100427 Application for amend to License SNM-0840,covering safeguards aspects per 10CFR70.22(b). ASHBY,G.E. W.R. Grace & Co. 70/05/04. Atomic Energy Commission (Pre 750119). 2pp. 82531:067-82531:069.
- 9501100434 Requests that all correspondence re license SNM-0840 be forwarded to WR Grace & Co,in order to minimize difficulty in future. TELESKA,D.R. W.R. Grace & Co. 70/10/02. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 82531:070-82531:070.
- 9501100451 Amend 1 to license SNM-0840,incorporating in Item 8,revised pages 9,10,25,26,26A,27,28,32,33,35,36,37,38,41,44 & 59,dtd 700831. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 70/12/08. TELESKA,D.R. W.R. Grace & Co. 1p. 82531:071-82531:071.
- 9501100454 Safety insp on 710223-24 of license SNM-0840.Insp findings: no noncompliance noted. BROWNE,W.G. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 71/02/23. 1p. 82531:072-82531:072.
- 9501100460 Requests temporary suspension of requirements for receipt, handling & possession of U as specified in license SNM-0840 until commencement of operations on enriched U. TELESKA,D.R. W.R. Grace & Co. 71/03/03. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:073-82531:074.
- 9501100468 Submits notification of intended action re WR Grace & Co 710303 application.Advises that no action required. SMITH,R.D. Atomic Energy Commission (Pre 750119). 71/03/15. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:075-82531:075.
- 9501100497 Forwards insp rept for license SNM-0840 conducted on 710223-24.No noncompliance noted. BROWNE,W.G. Atomic Energy Commission (Pre 750119). 71/03/18. Atomic Energy Commission (Pre 750119). 4pp. 82531:076-82531:079.
- 9501100502 Insp rept for license SNM-0840 conducted on 710223-24.No noncompliance noted.Major areas inspected:review of changes in equipment & facilities made as result of depleted U test runs. BROWNE,W.G., SMITH,R.H., CROCKER,H.W. Atomic Energy Commission (Pre 750119). 71/03/19. 9pp. 82531:080-82531:088.
- 9501100506 Advises that since licensee no longer possess SNM at facility,requirements of license SNM-0840 for receipt, handling & possession of matl may be suspended until activities initiated w/exception noted in listed paragraph. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 71/04/07. TELESKA,D.R. W.R. Grace & Co. 1p. 82531:089-82531:089.
- 9501100509 Forwards corrected copies of pages 21 & 59 to 700922 application.Addl pages to 700408 application also encl. TELESKA,D.R. W.R. Grace & Co. 71/04/19. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 82531:090-82531:093.
- 9501100511 Advises that NRC holding in abeyance,effective date for making UF6 receipt measurements. THORNTON,C.D. Atomic Energy Commission (Pre 750119). 71/06/01. ASHBY,G.H. W.R. Grace & Co. 1p. 82531:094-82531:094.
- 9501100514 Requests that licensee furnish detailed description of measurements made on SNM received & shipped at facility, along w/calculational methods by which limits of error determined. THORNTON,C.D. Atomic Energy Commission (Pre 750119). 71/07/15. ASHBY,G.H. W.R. Grace & Co. 2pp. 82531:095-82531:096.
- 9501100508 Advises that sufficient time has elapsed since license amended to incorporate safeguards conditions to have developed procedures &/or facilities for measurement of all receipts of SNM,including UF6. THORNTON,C.D. Atomic Energy Commission (Pre 750119). 71/05/06. ASHBY,G.H. W.R. Grace & Co. 2pp. 82531:097-82531:098.
- 9501100512 Advises that present runs of wet batches will be dried & sized into 10 different products for further development work by research & development group before final process approved. BROWNE,W.G. Atomic Energy Commission (Pre 750119). 71/10/27. Atomic Energy Commission (Pre 750119). 1p. 82531:099-82531:099.
- 9501100517 Informs of plans to receive SNM,under license SNM-0840, approx 720301.Advises that licensee presently operating nuclear development facility on depleted U & plan to complete runs approx Feb 1. TELESKA,D.R. W.R. Grace & Co. 72/01/13. Region I, IE (720101-810228). 1p. 82531:100-82531:100.
- 9501100515 Forwards "Emergency Control Organization Std Operating Procedures" for WR Grace & Co,including "Radiation Emergency Procedures." TELESKA,D.R. W.R. Grace & Co. 72/02/09. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:101-82531:101.
- 9501100516 "Emergency Control Organization Std Operation Procedures." O'LOUGHLIN,N.K. W.R. Grace & Co. 72/02/07. 22pp. 82531:102-82531:123.
- 9501100516 "Emergency Control Organization Radiation Emergency Procedures." \* W.R. Grace & Co. 72/01/25. 20pp. 82531:124-82531:143.

## 180 DOCKETED ITEMS

- 9501120181** Advises that enriched U received at WR Grace & Co, Washington Research Ctr, Bldg 16-A on Mar 9. Informs that matl in storage awaiting isotopic analysis. Insp rept cover sheet for insp conducted 720320-23 encl. TELESKA, D.R. W.R. Grace & Co. 72/03/10. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 19pp. 82531:145-82531:163.
- 9501120186** Discusses insp of license SNM-0840 on 720320-23 & forwards description of noncompliance item. O'REILLY, J.P. Atomic Energy Commission (Pre 750119). 72/04/10. ASHBY, G. W.R. Grace & Co. 1p. 82531:164-82531:164.
- 9501120189** Notice of nonconformance from insp on 720320-23. Nonconformance noted: no green, purple or gray colored tapes at plant & no labeled containers of depleted U in processing area. \* Atomic Energy Commission (Pre 750119). 72/04/10. 1p. 82531:165-82531:165.
- 9501120192** Forwards insp rept 70-456/72-01 on 720320-23. Nonconformance noted. CROCKER, H.W. Atomic Energy Commission (Pre 750119). 72/04/12. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:166-82531:166.
- 9501120193** Insp rept 70-456/72-01 on 720320-23. Nonconformance noted. Major areas inspected: operating procedures & need for tight administrative controls during change over from depleted to enriched U processing discussed. BROWNE, W.G., CROCKER, H.W. Atomic Energy Commission (Pre 750119). 72/04/12. 9pp. 82531:167-82531:175.
- 9501120213** Responds to 720401 ltr re use of effluent treatment sys. Concurrs w/condition added re use of effluent treatment sys. Licensee of belief that nuclear facility of Washington Research Ctr in full compliance w/provisions thereof. TELESKA, D.R. W.R. Grace & Co. 72/04/28. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 1p. 82531:176-82531:176.
- 9501120222** Informs of implication contained in Section II.2.c of CO Insp Rept 72-01, concluding w/ clause "... SL Reese of Nuclear Safety Assoc who acts as consultant for nuclear safety problems on 'as needed' basis." NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 72/05/03. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:177-82531:177.
- 9501120253** Requests that rev for pages 22, 23, 23A, 25, 25A, 25C, 26, 26A & 28, forwarded on 720706 be withheld from public insp per 10CFR72.790(b). TELESKA, D.R. W.R. Grace & Co. 72/07/14. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:187-82531:188.
- 9501120259** Submits corrected pages for inclusion onto 720706 request for amend to license SNM-0840, as approved on 700810. TELESKA, D.R. W.R. Grace & Co. 72/08/16. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 20pp. 82531:189-82531:208.
- 9501120263** Advises that std receiving insp of SNM cannot be completed within 10 days after matl. Requests permission to use AEC 284 as interim receipt for matl received per W Martin ltr of 720811. HERBST, R.J. W.R. Grace & Co. 72/08/23. PAGE Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:209-82531:209.
- 9501120269** Advises that licensee now authorized to use form AEC-284 in lieu of filing copy of form AEC-741, required by 10CFR70.54, to ack receipt of SNM where receipt measurements cannot be completed & reported within 10 days of receipt of matl. PAGE, R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/08/28. HERBST, R.J. W.R. Grace & Co. 1p. 82531:210-82531:210.
- 9501120284** Advises that WR Grace & Co, user of container model - UNC-2400, mfg by United Nuclear corp. DAVIS, H.G. W.R. Grace & Co. 72/09/01. MACDONALD, C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:211-82531:211.
- 9501120296** Notifies of intended action re WR Grace & Co license SNM-0840. Licensing action necessary. R Chitwood will be contacted to coordinate simultaneous licensing action w/div. SMITH, R.D. Atomic Energy Commission (Pre 750119). 72/09/28. CHITWOOD, R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 8pp. 82531:212-82531:219.
- 9501120323** Application for amend, renewing license SNM-0840 for period of five yrs from current expiration date of 721130. ASHBY, G.E. W.R. Grace & Co. 72/10/04. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:220-82531:220.
- 9501120332** Advises that SNM license SNM-0840 expires on 721130. Renewal should be filed within 30 days of expiration. If renewal not desired, certification of status of SNM form should be completed & sent to AEC. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/10/05. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:221-82531:221.
- 9501120336** Notifies of intended action re 721004 application. Advises that licensing action necessary. SMITH, R.D. Atomic Energy Commission (Pre 750119). 72/10/12. CHITWOOD, R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:222-82531:222.
- 9501130015** Forwards SS matl accountability manual for nuclear facility. Advises that manuals in compliance w/license SNM-0840 & replaces accountability manuals previously submitted to AEC. TELESKA, D.R. W.R. Grace & Co. 72/10/19. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:223-82531:223.
- 9501130018** Amend 2 to license SNM-0840, incorporating in Item 8B, revised pages 1, 2, 4, 5, 9, 11, 16, 21, 23, 23A, 25, 25A, 25C, 26, 26A, 28, 29, 33, 36, 36A, 37, 38, 43, 43A, 59, 59A & 59B dtd 720701 & revised pages 3, 6-8, 8A, 10, 10A, 16A, 16B, 16C, 17-20, 20A, 35 & 65 dtd 720809. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/08. TELESKA, D.R. W.R. Grace & Co. 2pp. 82531:224-82531:225.
- 9501130021** Recommends approval of WR Grace & Co application dtd 720706, suppl 0816, for amend to license SNM-0840, to authorize minor process changes & to update organizational & personnel changes. DELANEY, J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/08. CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 1p. 82531:226-82531:226.
- 9501130026** Application for amend to License SNM-0840, incorporating changes in dissolver arrangement, waste solution buildown arrangement & adding inplant storage area for solutions of fissile matl. ASHBY, G.E. W.R. Grace & Co. 72/12/11. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 10pp. 82531:227-82531:228.
- 9501130032** Advises that AEC revising position on receipt measurements of UF6 as listed in response to comments & questions received re compliance w/Condition 3.1. THORNTON, C.D. Atomic Energy Commission (Pre 750119). 71/12/23. ASHBY, G.H. W.R. Grace & Co. 2pp. 82531:229-82531:233.
- 9501130039** Requests comments on encl license condition for monitoring & reporting effluents. Comments requested within 60 days of ltr date. Present implementing schedule calls for first rept 60 days following 730101. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 72/03/24. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:234-82531:240.
- 9501130046** Forwards recent enforcement ltr from Regional Compliance Ofc to WR Grace & Co, for info, w/o encl. ROY, G.W. Atomic Energy Commission (Pre 750119). 72/04/14. NUSSBAUMER, D.A., BUCHANAN, C.R., MALARO, J.C. Atomic Energy Commission (Pre 750119). 1p. 82531:241-82531:252.
- 9501130148** Forwards licensee response to Regional RO Ofc enforcement ltr dtd 720410, for info, w/o encl. ROY, G.W. Atomic Energy Commission (Pre 750119). 72/05/18. CHITWOOD, R.B., MALARO, J.C. Atomic Energy Commission (Pre 750119). 1p. 82531:253-82531:255.
- 9501130162** Advises that WR Grace & Co 720714 ltr, requesting that pages 22-28 be withheld from public insp per 10CFR72.790(b) has been granted by ltr to WR Grace & Co, for reasons cited above. SMILEY, S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/29. Atomic Energy Commission (Pre 750119). 1p. 82531:256-82531:256.
- 9501130173** Advises that AEC withholding from public insp info contained in pages 22, 23, 23A, 25, 25A, 25C, 26, 26A & 28, forwarded w/720706 request for amend. SMILEY, S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/29. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:257-82531:257.
- 9501130225** Insp rept 70-456/72-03 on 721212-14. Violations noted. EPSTEIN, E., CROCKER, H.W., SMITH, R.H. Region I, IE (720101-810228). 73/01/16. 11pp. 82531:260-82531:270.
- 9501130243** Requests authorization to determine & limit personnel exposure to airborne radioactive contamination by sampling respirable size particles only using Natl Environ Instrument Inc, Model C-115 personnel monitor & lapel sampler. HERBST, R.J. W.R. Grace & Co. 72/12/11. Atomic Energy Commission (Pre 750119). 1p. 82531:271-82531:271.
- 9501130251** Forwards listed items. Advises that files for Gulf United Nuclear, Pawling, NY, ASDA Plutonium Storage Facility, WR Grace & Co & major portions of Metals & Control being mailed simultaneously. COOLEY, W.J. Region V, IE (720101-810228). 72/12/15. CROCKER, H.W. Region I, IE (720101-810228). 1p. 82531:272-82531:272.
- 9501130255** Application for amend to License SNM-0840, permitting use of NFS-10 LI type package for shipment of chloride & nitrate solutions of U. ASHBY, G.E. W.R. Grace & Co. 72/12/21. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 10pp. 82531:273-82531:282.
- 9501130261** Ack receipt of 721107 interim rept re exposure of employees to radioactive matl. KRUESI, F.E. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/12/27. ASHBY, G.E. W.R. Grace & Co. 1p. 82531:283-82531:283.
- 9501170077** Advises that DR Telesca of WR Grace & Co notified CO:I that SNM received on 720309 & processing to start 720313. BROWNE, W.G. Region I, IE (720101-810228). 72/03/09. CROCKER, H.W. Region I, IE (720101-810228). 1p. 82531:284-82531:284.
- 9501170083** Advises that DR Telesca of WR Grace & Co called to notify CO:I of imminent start-up of production facility depleted U runs to be completed about 720211. Actual SNM processing to start about 720321. BROWNE, W.G. Region I, IE (720101-810228). 72/01/26. Region I, IE (720101-810228). 1p. 82531:285-82531:285.
- 9501170086** Submits notification of intended action re license SNM-0840. No action required by div. WIRFS, L.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/03. CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 1p. 82531:286-82531:286.
- 9501170099** Discusses insp of license SNM-0840 on 721212-14 & forwards description of violations & safety items. O'REILLY, J.P. Region I, IE (720101-810228). 73/01/16. ASHBY, G.E. W.R. Grace & Co. 2pp. 82531:290-82531:291.
- 9501170105** Notice of violation from insp on 721212-14. Violation noted: fixed contamination in vicinity of dialysis & dissolver unit constantly exceeded action guide 10,000 cpm alpha activity & failure to correct conditions causing high contamination. \* Region I, IE (720101-810228). 73/01/16. 3pp. 82531:292-82531:299.
- 9501170113** Forwards insp rept 70-456/73-01 on 730108. Licensee appears to be making real effort in bringing facility back into compliance in timely manner. CROCKER, H.W. Region I, IE (720101-810228). 73/01/17. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:300-82531:300.
- 9501170117** Mgt meeting rept 70-456/73-01 on 730108. No violations noted. Major areas discussed: methods by which Directorate of Regulatory Operations enforces federal regulations & findings of inspectors during recent insps. CROCKER, H.W., SMITH, R.H., EPSTEIN, E.E. Region I, IE (720101-810228). 73/01/16. 3pp. 82531:301-82531:307.

- 9501170129 Discusses 730108 meeting re insp of license SNM-0840 on 721129-1201 & 12-14. O'REILLY,J.P. Region I, IE (720101-810228). 73/01/17. ASHBY,G.E. W.R. Grace & Co. 2pp. 82531:308-82531:311.
- 9501170136 Discusses insp of license SNM-0840 on 721212-14, revealing seven violations & two safety items. Advises that AEC of belief that unless corrective action taken re violations & safety items noted, serious health hazard will occur. EPSTEIN,E. Region I, IE (720101-810228). 73/01/18. SMITH,R.H. Region I, IE (720101-810228). 1p. 82531:312-82531:312.
- 9501170156 Forwards insp rept 70-0456/72-02 on 721129-30 & 1201. Violations noted. Advises that licensee failure to take proper corrective actions in related matters demonstrates inadequacy of licensee mgt control sys. CROCKER,H.W. Region I, IE (720101-810228). 73/01/18. ROY,G.W. Atomic Energy Commission (Pre 750119). 2pp. 82531:313-82531:314.
- 9501170159 Insp rept 70-0456/72-02 on 721129-30 & 1201. Violations noted. Major areas inspected: licensee action on previously identified enforcement items. COOLEY,W.J., CROCKER,H.W. Region I, IE (720101-810228). 73/01/16. 14pp. 82531:315-82531:328.
- 9501170161 Discusses insp of license SNM-0840 on 721129-30 & 1201 & forwards description of violations & safety items. O'REILLY,J.P. Region I, IE (720101-810228). 73/01/18. ASHBY,G.E. W.R. Grace & Co. 2pp. 82531:329-82531:331.
- 9501170162 Notice of violation from insp on 721129-30 & 1201. Violations noted: approved written procedures & instructions not prepared for liquid waste dilution operation used in preparing fissile solution for shipment. \* Region I, IE (720101-810228). 73/01/18. 3pp. 82531:332-82531:334.
- 9501170164 Responds to 721211 ltr, requesting authorization to determine & limit personnel exposure to airborne radioactive contamination by sampling only respirable size particles using Natl Environ Instruments, Inc Model C-115 monitor. CHITWOOD,R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/31. HERBST,R.J. W.R. Grace & Co. 2pp. 82531:335-82531:338.
- 9501170166 Responds to questions re 721221 request for permission to use SP-5061 packaging for solutions containing chloride. Agrees to limit use of packages to solutions described & not release packages for use w/ different solutions. ASHBY,G.E. W.R. Grace & Co. 73/02/01. MCDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:339-82531:339.
- 9501170167 Amend 3 to license SNM-0840, incorporating in Item 8B, revised pages 23,23A,29,50,55,56,66A & 66B, dtd 721106 & submitted w/ application dtd 721211. CHITWOOD,R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/01. ASHBY,G.E. W.R. Grace & Co. 2pp. 82531:340-82531:342.
- 9501170191 Withdraws request for authorization to determine & limit personnel exposure to airborne radioactivity on basis of air sampling respirable size particles. HERBST,R.J. W.R. Grace & Co. 73/02/05. CHITWOOD,R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:343-82531:343.
- 9501170196 Responds to NRC 730116 ltr re violations noted in insp of license SNM-0840 on 731212-14. Corrective actions: fixed contamination in vicinity of dialysis & dissolver unit decontaminated below action guide 10,000 cpm alpha activity. ASHBY,G.E. W.R. Grace & Co. 73/02/07. O'REILLY,J.P. Region I, IE (720101-810228). 7pp. 82531:344-82531:350.
- 9501170206 Responds to NRC 730118 ltr re violations noted in insp of license SNM-0840 on 721129-30 & 1201. Corrective actions: high airborne concentration incident has been investigated & evaluated by Nuclear Safety Committee. ASHBY,G.E. W.R. Grace & Co. 73/02/08. O'REILLY,J.P. Region I, IE (720101-810228). 5pp. 82531:351-82531:357.
- 9501170214 Recommends approval of WR Grace & Co application for amend to license SNM-0840, incorporating changes in dissolver arrangement waste solution boil-down arrangement & adding implant storage area for solutions of fissile matl. DELANEY,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/01. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:359-82531:361.
- 9501170224 Advises that WR Grace & Co 721211 ltr, requesting that pages 23 & 23A be withheld from public insp per 10CFR2.790(b) has been granted by ltr to WR Grace & Co, for reasons cited above. SMILEY,S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/12. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:358-82531:358.
- 9501170236 Advises that AEC withholding from public insp info contained in pages 23 & 23A of WR Grace & Co 721211 application, per 10CFR2.790(b). SMILEY,S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/13. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:001-82532:002.
- 9501170240 Forwards amend 71-1 to license SNM-0840, authorizing delivery of SNM to carrier for transport in model WRG-10 C1 package. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/16. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:003-82532:003.
- 9501170242 Amend 71-1 to license SNM-0840 for WR Grace & Co, authorizing delivery of SNM to carrier for transport in model WRG-10 C1 package. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/16. 4pp. 82532:004-82532:007.
- 9501170244 Responds to NRC 730116 & 18 ltrs re violations noted in insp of license SNM-0840 on 721129-30, 1201 & 12-14. Corrective actions: all flammable matls removed from areas where fissile matl stored & storage racks secured against displacement. ASHBY,G.E. W.R. Grace & Co. 73/02/28. O'REILLY,J.P. Region I, IE (720101-810228). 3pp. 82532:008-82532:010.
- 9501170247 Ack receipt of 730208 & 28 ltrs informing NRC of steps taken to correct violations noted in insp of license SNM-0840. O'REILLY,J.P. Region I, IE (720101-810228). 73/03/13. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:011-82532:020.
- 9501170250 Summary of 730416 meeting w/ licensee in Room 100 of Woodmont Bldg re termination of license SNM-0840. FREDERICK,E.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/18. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 82532:021-82532:024.
- 9501170252 Insp rept 70-0456/73-02 on 730516-17. Violations noted. Major areas inspected: licensee action on previously identified enforcement items, facility decommissioning activities, decontamination activities & in-plant air sampling. CROCKER,H.W., CARLSON,R.T. Region I, IE (720101-810228). 73/06/06. 10pp. 82532:025-82532:034.
- 9501180284 Discusses insp rept reviewed by NRC Staff to determine adequacy of licensee conformance w/ safeguards amend SG-1 to AEC license SNM-0840 & w/ safeguards requirements of 10CFR70 & 73. MAY,E.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/21. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p. 82532:035-82532:036.
- 9501180288 RO insp rept I-MAPP-76 on 730102-05. BARTZ,H., MARTIN,W.G. Region I, IE (720101-810228). 73/04/27. 11pp. 82532:037-82532:047.
- 9501180299 Discusses insp of license SNM-0840 on 730102-04. Violations noted. Licensee failed to maintain calibr program for scales & balances used for safeguards measurements. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/21. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:048-82532:049.
- 9501180301 Requests registration as user of model UNC 1484. HERBST,R.J. W.R. Grace & Co. 73/05/30. Atomic Energy Commission (Pre 750119). 1p. 82532:050-82532:050.
- 9501180313 Discusses insp of license SNM-0840 on 730516-17 & forwards description of violation. CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:051-82532:052.
- 9501180320 Notice of violation from insp on 730516-17. Violation noted: no insp performed in Mar & Apr 1973, during which time fissile storage operations performed. \* Region I, IE (720101-810228). 73/06/08. 1p. 82532:053-82532:056.
- 9501180325 Responds to NRC ltr re violations noted in insp of license on 730102-04. Corrective actions: calibr of scales & balances used in safeguards measurements completed in Jan 1973. ASHBY,G.E. W.R. Grace & Co. 73/06/11. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 4pp. 82532:057-82532:060.
- 9501180328 Requests registration as user of model RMG-181-I. HERBST,R.J. W.R. Grace & Co. 73/06/29. Atomic Energy Commission (Pre 750119). 1p. 82532:061-82532:061.
- 9501190128 Responds to NRC ltr re violations noted in insp of license SNM-0840 on 730516-17. Corrective actions: Licensee will require insps by nuclear safety committee at least once each month so long as license operative. ASHBY,G.E. W.R. Grace & Co. 73/07/10. CARLSON,R.T. Region I, IE (720101-810228). 2pp. 82532:062-82532:063.
- 9501190133 Ack receipt of 730710 ltr informing NRC of steps taken to correct violations noted in insp of license SNM-0840. Advises that licensee corrective actions will be verified during next insp of licensee program. CARLSON,R.T. Atomic Energy Commission (Pre 750119). 73/07/25. ASHBY,G.E. W.R. Grace & Co. 3pp. 82532:064-82532:066.
- 9501190136 Ack receipt of 730611 ltr informing NRC of steps taken to correct violations noted in insp of license SNM-0840. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/02. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:067-82532:067.
- 9501190144 Requests termination of license SNM-0840, effective 731001. Advises Commission that bldgs & facilities heretofore restricted for exclusive use for work w/ SNM will be released for unrestricted use on 731001. ASHBY,G.E. W.R. Grace & Co. 73/09/19. Atomic Energy Commission (Pre 750119). 2pp. 82532:068-82532:069.
- 9501190153 "Decontamination of WR Grace & Co Nuclear Facility for Decommissioning & Return to Unrestricted Use." \* W.R. Grace & Co. 73/09/30. 55pp. 82532:070-82532:124.
- 9501190170 Submits monthly insp summary rept for insp of license SNM-0840 on 730918-21 covering period 730101-0918. Review performed as closeout insp since licensee has terminated nuclear operation. WOLTER,E. Atomic Energy Commission (Pre 750119). 73/09/25. MARTIN,W.G. Atomic Energy Commission (Pre 750119). 1p. 82532:125-82532:125.
- 9501190177 Forwards amend MPP-1 to license SNM-0840, reflecting organizational changes within AEC & adding new license condition which permits use of Form AEC-284 to ack receipt of nuclear matl. PAGE,R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/27. HERBST,R.J. W.R. Grace & Co. 1p. 82532:126-82532:126.
- 9501190182 Amend MPP-1 to license SNM-0840, incorporating requirements for control & accounting of special nuclear matl. PAGE,R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/27. 6pp. 82532:127-82532:132.
- 9501190190 Discusses WR Grace & Co 730919 ltr, indicating need to release areas formerly utilized for work w/ special nuclear matls for unrestricted use as early as possible. Requests assistance in scheduling insp of facility. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/28. DAVIS,J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p. 82532:133-82532:133.

## 182 DOCKETED ITEMS

- 9501190193 Responds to invoice L-2794-74. Advises that licensee not obligated to pay annual fee for license SNM-0840 for period 731001-740930, since no special nuclear materials have been in licensee possession subsequent to 730930. ASHBY, G.E. W.R. Grace & Co. 73/10/09. Atomic Energy Commission (Pre 750119). 1p. 82532:134-82532:134.
- 9501190219 Forwards insp rept RO-I-MAPP-74-1 on 730918-21. No violations noted. MARTIN, W.G. Region I, IE (720101-810228). 73/10/25. ASHBY, G.E. W.R. Grace & Co. 1p. 82532:135-82532:135.
- 9501190228 RO insp rept RO-I-MAPP-74-1 on 730918-21. No violations noted. Major areas inspected: closeout review of facility. WOLTNER, E., MARTIN, W.G. Region I, IE (720101-810228). 73/10/26. 3pp. 82532:136-82532:138.
- 9501190281 Forwards insp rept 70-0456/73-03 on 731024-25 & 1109. Violation noted. Advises that single isolated area of contamination in excess of acceptable limits found by inspector. NELSON, P.R. Region I, IE (720101-810228). 73/11/15. ASHBY, G.E. W.R. Grace & Co. 2pp. 82532:147-82532:148.
- 9501190290 Insp rept 70-0456/73-03 on 731024-25 & 1109. Violations noted. Major areas inspected: verification of closeout survey for license termination. JERMAN, P.C., KNAPP, P.J. Region I, IE (720101-810228). 73/11/14. 15pp. 82532:149-82532:171.
- 9501190296 Advises that sump tank & pump used to collect lab sink, shower & wash basin drainage in licensee nuclear facility have been disconnected, removed & disposed of by burial at authorized burial site. Forwards smear sample data sheet. HERBST, R.J. W.R. Grace & Co. 73/12/03. Atomic Energy Commission (Pre 750119). 2pp. 82532:172-82532:173.
- 9501190302 Advises that license SNM-0840 terminated, per 730919 application & supplements dtd 731030 & 1203 & 10CFR70. ROUSE, L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/17. ASHBY, G.E. W.R. Grace & Co. 1p. 82532:174-82532:174.
- 9501190312 Forwards invoice L-2794-74, as amended, covering annual fee for period 731001-1217, for license SNM-0840. Informs that annual fee for license SNM-0840 being prorated. MILLER, W.O. Office of Administration (Pre 870413). 74/01/11. ASHBY, G.E. W.R. Grace & Co. 4pp. 82532:175-82532:178.
- 9501310104 Forwards insp rept 70-0456/94-01 on 941104, per Oct 1994 telcon. No radiation levels above background noted in any part of site & smear survey of roof fan indicated no removable contamination. KINNEMAN, J.D. Region 1 (Post 820201). 95/01/25. COSTELLO, R.G. W.R. Grace & Co. 3pp. 82529:161-82529:166.
- 9501310115 Insp rept 70-0456/94-01 on 941104. No violations noted. Major areas inspected: insp & survey at bldg 16 at research ctr. HOLMES, S.W., KINNEMAN, J.D. Region 1 (Post 820201). 95/01/12. 3pp. 82529:164-82529:166.
- ### DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL
- #### DOCKET 70-0008 BATTTELLE COLUMBUS DIV. (BATTTELLE MEMORIAL INSTITUTE),
- 9501120234 Forwards "Director's Decision Under 10CFR2.206," re citizens requests for appropriate action by NRC staff. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/05. KASICH, J.R. House of Rep. 3pp. 82333:314-82333:342.
- 9501120244 Responds to 931228 petition, informing that, for reasons stated in "Director's Decision Under 10CFR2.206," has been granted. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/12/14. WAGNER, T. 1p. 82333:317-82333:342.
- 9501130077 Forwards NRC 941214 ltr to T Wagner & Director's Decision DD-94-11, granting Battelle Permit Opposition Committee 931228 petition under 10CFR2.206. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/05. PRYCE, D. House of Rep. 2pp. 82366:088-82366:112.
- 9501270099 Informs that time provided by NRC regulation enabling Commission to review Director Decision 94-11 expired & that Commission declined to review. W/Certificate of Svc. Served on 950119. HOYLE, J.C. Office of the Secretary of the Commission. #195 16233. 95/01/19. WAGNER, T. Affiliation Not Assigned. 2pp. 82492:330-82492:331.
- #### DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA
- 9501030012 Forwards NRC window request/notification of shipment of Aluminum clad fuel elements to MIT. FOSTER, P.L. Babcock & Wilcox Co. 94/11/01. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. MASNYKE, O. Region 2 (Post 820201). 2pp. 82157:077-82157:078.
- 9501030032 Forwards NRC window shipments of Aluminum clad fuel elements to Univ of Missouri. FOSTER, P.L. Babcock & Wilcox Co. 94/11/01. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. MASNYKE, O. Region 2 (Post 820201). 2pp. 82157:147-82157:148.
- 9501250025 Advises that all procedures completed by 941201, except one, per commitment in 940923 incident investigation rept. OLSEN, A.F. Babcock & Wilcox Co. 94/12/02. Region 2 (Post 820201). 1p. 82518:057-82518:057.
- 9501110072 Forwards insp rept 70-0027/94-23 on 941105-1202. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 94/12/22. CONNER, J.A. Babcock & Wilcox Co. 2pp. 82272:185-82272:195.
- 9501110081 Insp rept 70-0027/94-23 on 941105-1202. No violations or deviations noted. Major areas inspected: review of selected records, interviews w/ personnel, operations & maint, radiation protection, nuclear criticality safety & security. ELLIOTT, M.P., MCALPINE, E.J. Region 2 (Post 820201). 94/12/22. 9pp. 82272:187-82272:195.
- 9501110207 Forwards insp rept 70-0027/94-24 on 941128-1202 & 1207-09 & NOV. Violation of concern because failure to control smoking consumption of food in controlled or change area increases potential for loose contamination ingestion. COLLINS, D.M. Region 2 (Post 820201). 94/12/22. CONNER, J.A. Babcock & Wilcox Co. 4pp. 82271:286-82271:301.
- 9501110212 Notice of violation from insp on 941128-1202 & 1207-09. Violations noted: candy wrappers, sugarless gum wrappers & remnants of consumed cigarettes found inside radiologically controlled area. \* Region 2 (Post 820201). 94/12/22. 2pp. 82271:290-82271:291.
- 9501110218 Insp rept 70-0027/94-24 on 941128-1202 & 1207-09. Violations noted. Major areas inspected: activities in area of radiation protection & criticality safety, staffing, mgt controls, external exposure controls & internal exposure controls. PHARR, E.B., TESTA, E.D., BASSETT, C.H. Region 2 (Post 820201). 94/12/22. 10pp. 82271:292-82271:301.
- 9501030018 Requests deletion of Condition S-6 that clarified use & storage conditions specified in ref 891103 ltr. OLSEN, A.F. Babcock & Wilcox Co. 94/12/23. 1p. 82281:352-82281:352.
- 9501030124 Forwards comments on decommissioning section of B&W application for renewal of license SNM-42. GLENN, J.N. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/23. PIERSON, R. Licensing Branch. 3pp. 82260:211-82260:213.
- 9501130007 Forwards insp rept 70-0027/94-25 on 941128-1202. No violations noted. COLLINS, D.M. Region 2 (Post 820201). 94/12/27. CONNER, J.A. Babcock & Wilcox Co. 2pp. 82298:346-82298:348.
- 9501130008 Partially withheld insp rept 70-0027/94-25 for 941128-1202. No violations noted. Areas inspected: physical security requirements for category I fuel facilities. TILLMAN, A., MCGUIRE, D. Region 2 (Post 820201). 94/12/29. 1p. 82298:348-82298:348.
- 9501130146 Grants one-time exemption from 10CFR73.72(a) for shipment of SNM of moderate strategic significance to Univ of MO, in response to 950104 request. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/04. FOSTER, P.L. Babcock & Wilcox Co. 1p. 82366:235-82366:235.
- 9501110006 Advises that 941223 request for amend to license SNM-42 granted, authorizing deletion of License Condition S-6 & permitting handling & storage of special nuclear matl. Amended license & SER encl. PIERSON, R.C. Licensing Branch. 95/01/06. OLSEN, A.F. Babcock & Wilcox Co. 2pp. 82295:324-82295:338.
- 9501110010 Amend 65 to license SNM-42 for Babcock & Wilcox Co Naval Nuclear Fuel Div. PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/05. 11pp. 82295:326-82295:336.
- 9501110015 SER accepting proposed changes deleting License Condition S-6 & allowing licensee handling & storage of special nuclear matl. \* NRC - No Detailed Affiliation Given. 95/01/06. 2pp. 82295:337-82295:338.
- 9501110476 Responds to 950104 request for exemption from 10CFR73.72 for shipment of SNM of moderate strategic significance to Univ of MO. One-time exemption from 10CFR73.72(a), specific to subj shipment granted. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/09. FOSTER, P.L. Babcock & Wilcox Co. 1p. 82302:085-82302:085.
- 9501130226 Requests technical assistance in reviewing licensee encl ltr dtd 941215 re characterization of U in landfills, W/o encl. PIERSON, R. Licensing Branch. 95/01/11. GLENN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82366:213-82366:213.
- 9501240028 Application for renewal of license SNM-42 for B&W. License amends issued since last application have been incorporated. OLSEN, A.F. Babcock & Wilcox Co. 95/01/11. PIERSON, R.C. Licensing Branch. 428pp. 82475:016-82475:079.
- 9501200120 Forwards Chapter 15, "Process Description," of application for renewal of license SNM-42, W/o encl. OLSEN, A.F. Babcock & Wilcox Co. 95/01/12. PIERSON, R.C. Licensing Branch. 1p. 82472:358-82472:358.
- 9501240290 Requests that util provide written response as outlined re alleged discrimination of employee as result of identifying safety concerns in violation of ERA. Info provided by util will determine status of OL & possible EA. EBNETER, S.D. Region 2 (Post 820201). 95/01/13. HOOKER, E.O. Babcock & Wilcox Co. 3pp. 82437:119-82437:121.
- 9501240243 Discusses insp rept 70-0027/94-24 conducted on 941128-1202 & 1207-09. Informs that typographical error on page 8, paragraph 9 titled, "Exit" has been corrected & position has been expanded to reflect JA Conner concern. Corrected page, encl. COLLINS, D.M. Region 2 (Post 820201). 95/01/18. CONNER, J.A. Babcock & Wilcox Co. 2pp. 82432:109-82432:113.
- 9501250152 Corrected page 8 of insp rept 70-0027/94-24 on 941128-1202 & 1207-09. Paragraph 9, titled "Exit" contained typographical error. \* Region 2 (Post 820201). 95/01/18. 1p. 82432:111-82432:113.
- 9501270167 Responds to NRC ltr re violations in insp rept 70-0027/94-24. Corrective actions: all operators have been trained to use care when placing containers wrapped in plastic on storage units. CONNER, J.A. Babcock & Wilcox Co. 95/01/20. Document Control Branch (Document Control Desk). 4pp. 82541:356-82541:359.



**9501250088** Requests addl info to complete review of fire protection program. FLACK,E.D. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/23. OLSEN,A.F. Babcock & Wilcox Co. 8pp. 82438:192-82438:199.

**9501310347** Submits notification of 950202 meeting w/B&W to discuss renewal of license. EMEIGH,C. NRC - No Detailed Affiliation Given. 95/01/25. NRC - No Detailed Affiliation Given. 1p. 82582:272-82582:272.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**9501310365** Confirms arrangements made on 950119 re meeting to be held at licensee facility on 950202 to discuss addl info needed for 950115 renewal application. PIERSON,R.C. Licensing Branch. 95/01/26. LEE,T.D. Babcock & Wilcox Co. 1p. 82566:360-82566:360.

#### DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

**9501030117** Forwards extensive rev to fundamental nuclear matl control plan for Hematite Plant.Encl withheld. ESKRIDGE,H.E. ASEA Brown Boveri, Inc. 94/12/23. PIERSON,R. Licensing Branch. 1p. 82223:215-82223:215.

**9501190043** Confirms meeting w/CE,NRC & other invited agencies scheduled for 950118 in Lisle,IL to discuss status of licensee operations,proposed increase in possession limits for SNM & other topics of interest. SHEAR,G.L. Region 3 (Post 820201). 95/01/09. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 82335:175-82335:175.

**9501240297** Forwards insp rept 70-0036/94-03 on 941206-08 & notice of violation. SHEAR,G.L. Region 3 (Post 820201). 95/01/19. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 82432:044-82432:056.

**-9501240304** Notice of violation from insp on 941206-08.Violation noted: localized areas within oxide & pelletizing bldg in which individuals not wearing respirators could exceed were not posted w/signs bearing radiation symbol. \* Region 3 (Post 820201). 95/01/19. 1p. 82432:046-82432:046.

**-9501240310** Insp rept 70-0036/94-03 on 941206-08.Violations noted.Major areas inspected:facility requirements specified in NRC regulations,license & license conditions. FRANCE,G.M., JACOBSON,J.M., SHEAR,G.L. Region 3 (Post 820201). 95/01/19. 10pp. 82432:047-82432:056.

**9501310204** Ack receipt of 950111 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0036/94-203. TING,P. Operations Branch. 95/01/24. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 82547:359-82547:359.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 70-0058 MARTIN MARIETTA CORP., BALTIMORE, MD

**9501310046** Forwards insp repts 40-3296/94-01 & 70-0058/94-01 on 941103. No violations noted.Informs that listed sites suitable for unrestricted use. KINNEMAN,J.D. Region 1 (Post 820201). 95/01/25. ALCARESE,J. Martin Marietta Corp. 3pp. 82528:166-82528:174.

**-9501310052** Insp repts 40-3296/94-01 & 70-0058/94-01 on 941103.No violations noted.Major areas inspected:bdgs C & D at Martin-Marietta Middle River facility & bdgs KJ & KC at Martin State Airport. HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/01/23. 6pp. 82528:169-82528:174.

**9501310129** Forwards insp repts 40-3296/94-01 & 70-0058/94-01 on 941103. No violations noted.Informs that listed sites suitable for unrestricted use. KINNEMAN,J.D. Region 1 (Post 820201). 95/01/25. BROOKS,J. Maryland, State of. 3pp. 82529:228-82529:236.

#### DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

**9501040144** Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan. LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN,L.H. Squire, Sanders & Dempsey. KING,R.C. Aluminum Co. of America. ELLMAN,W. 7pp. 82224:001-82224:070.

#### DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

**950130228** Forwards listing of confirmatory survey repts completed to date for B7W,Apollo remediation project,in response to 930728 request. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/09. MURTHA,J.P. House of Rep. 3pp. 82366:156-82366:159.

#### DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

**9501050315** Informs that NFS is revising radiological contingency plan to meet regulatory requirements of 10CFR70.22(i) & 40.31(i). MAXIN,A.M. Nuclear Fuel Services, Inc. 94/12/27. PIERSON,R.C. Licensing Branch. 2pp. 82287:282-82287:283.

**9501060246** Forwards Amend 21 to License SNM-124 & safeguards evaluation rept.Amend issues new Safeguards License Condition SG-4.24, incorporating MC&A commitments for waste treatment process trial test run. PIERSON,R.C. Licensing Branch. 95/01/03. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 82277:327-82277:349.

**-9501060248** Amend 21 to license SNM-124 for Nuclear Fuel Svcs,Inc, issuing new Safeguards License Condition SG-4.24 re MC&A activities. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/03. 18pp. 82277:330-82277:347.

**-9501060251** Safeguards evaluation rept supporting Amend 21 to License SNM-124. \* NRC - No Detailed Affiliation Given. 95/01/03. 2pp. 82277:348-82277:349.

**9501310269** Application for amend to License SNM-0124, revising pages 10, 29 & 44 of chapter 4. MAXIN,A.M. Nuclear Fuel Services, Inc. 95/01/23. PIERSON,R.C. Licensing Branch (870413-881217). 34pp. 82556:295-82556:328.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**9501310362** Returns licensee 941111 ltr w/proposed transportation plan & 941227 ltr w/affidavit,requesting that 941111 submittal be withheld from public disclosure per 10CFR2.790(d)(1) for appropriate 10CFR2.790 markings.W/o encls. PIERSON,R. Licensing Branch. 95/01/26. MAXIN,A.M. Nuclear Assurance Corp. 1p. 82582:269-82582:269.

#### DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

**9501030143** Forwards drawings for Parks shallow land disposal area.W/5 oversize encls. CALDWELL,J.A. Jacobs Engineering Group, Inc. 94/12/19. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 82425:147-82425:149.

**9501130182** Advises that drawings providing info re geologic cross sections through trenches,foundation soils & bedrock in support of Shallow Land Disposal Area remediation proposal being sent on 941219 under separate cover. ROSENTHAL,P.R. Babcock & Wilcox Co. 94/12/19. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82366:136-82366:136.

**9501030204** Forwards FR notice of intent to prepare EIS, to conduct scoping process for EIS & to conduct scoping meeting for decommissioning of B&W Shallow Land Disposal Area in Parks Township,PA. GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82223:197-82223:214.

**-9501030207** FR notice of intent to prepare EIS, to conduct scoping process for EIS & to conduct scoping meeting for decommissioning of B&W Shallow Land Disposal Area in Parks Township,PA. GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. 16pp. 82223:199-82223:214.

**9501060234** Informs that NRC has initiated preparation of EIS re B&W shallow land disposal area in Parks Township near Leechburg. FR notice describing scoping process & NRC intent to prepare EIS encl. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/23. Affiliation Not Assigned. 1p. 82278:328-82278:344.

**9501090108** Invites EPA to participate in scoping process that NRC initiated to prepare EIS re B&W Shallow Land Disposal Area in Parks Township near Leechburg,PA.FR notice describing scoping process & NRC intent to prepare EIS encl. KNAPP,M.R. Division of Waste Management (NMSS 940403). 94/12/23. SANDERSON,R.E. Environmental Protection Agency. 3pp. 82289:305-82289:315.

**9501090223** Extends invitation to CA Duritsa, as representative of PA Dept of Environ Resources Southwest region, to participate in 950112 meeting in Leechburg,PA re decommissioning of Babcock & Wilcox Shallow Land Disposal Area. GREEVES,J.T. Division of Waste Management (NMSS 940403). 94/12/29. DURITSA,C.A. Pennsylvania, Commonwealth of. 6pp. 82288:153-82288:158.

**9501110255** Forwards drafts of irrevocable standby ltr of credit,standby trust agreement & ltr from NRC to licensee for review & consideration. ROSENTHAL,P.R. Babcock & Wilcox Co. 95/01/02. LAMASTRA,M.A. Licensing Branch. 11pp. 82299:351-82299:361.

**9501180180** Memorandum & order (re intervenor request for motion). \* Informs that all aspects of request denied except aspect requesting leave to add info to Section F of intervenor presentation,W/Certificate of Svc.Served on 950103. SMITH,I.W. Atomic Safety & Licensing Board Panel. #195 16171. 95/01/03. Affiliation Not Assigned. 9pp. 82325:204-82325:212.

**9501180258** Initial decision (license renewal). \* Authorizes Director of NMSS, upon findings on all requisite matters not decided in initial decision, to issue to B&W requested renewal of license SNM-0414.W/Certificate of Svc.Served on 950103. SMITH,I.W. Atomic Safety & Licensing Board Panel. #195 16178. 95/01/03. Office of Nuclear Material Safety & Safeguards. 76pp. 82326:001-82326:076.

**9501110247** Informs that licensee currently in process of decontaminating bldg A at Park Township site. HAERTJENS,B.L. Babcock & Wilcox Co. 95/01/04. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 82302:234-82302:236.

**9501250239** Requests technical assistance in reviewing B&W project "Parks Township,Decommissioning Funding Plan" including 950102 ltr & also requests comments & addl info that may be needed. PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/20. GLENN,J. Division of Waste Management (NMSS 940403). 1p. 82439:181-82439:181.



## 184 DOCKETED ITEMS

9501250242 Requests technical assistance in reviewing B&W project "Parks Township,Cleanup Limits,Pu-241" including review of 950104 ltr,proposal for Pu-241 release limits & to provide addl comments.  
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/20.  
GLENN,J. Division of Waste Management (NMSS 940403). 1p. 82439:182-82439:182.

### DOCKET 70-0578 HAWAII, UNIV. OF, HONOLULU, HI

9501300049 Safety insp on 941024 of license SNM-0536.Insp findings: physical inventories of 239-Pu sealed sources contained in visiflux neutron howitzer,were not conducted between listed dates.  
SKOV,D. Walnut Creek Field Ofc, R4 (Post 940404). \* Hawaii, Univ. of, Honolulu, HI. 94/11/18. 1p. 82512:004-82512:004.

### DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9501110168 Proposes alternative set of acceptance criteria for bedrock that is exposed during decontamination process.Analysis summary of hypothetically projected dose due to bedrock contamination encl.  
MCGOVERN,J.J. Cintichem, Inc. 95/01/06. Document Control Branch (Document Control Desk). 14pp. 82297:342-82297:355.

### DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9501030022 Notifies NRC of licensee decision to cease "principal hot cell activities" at hot cell facility located on main site in San Diego,CA.  
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/12/14. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82281:348-82281:350.

9501260238 Application for amend to License SNM-0696,deleting certain currently authorized activities re assembly of fuel bodies into HTGR U reactor fuel elements & incineration of waste & scrap containing SNM.  
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/01/20. PIERSON,R.C. Licensing Branch. 2pp. 82514:355-82514:356.

9501310201 Responds to 941208 TAR re General Atomics evaluation of criticality safety relative to current operations at licensee site subsequent to concerns raised during insp at facility on 940906-09.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/25.  
COLLINS,S.J. Region 4 (Post 820201). 1p. 82556:360-82556:360.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9501030003 Forwards insp rept 70-0754/94-02 on 941101,7-10 & 14 & notice of violation.Violations could have been prevented had adequate attention to detail & mgt oversight been applied.  
COLLINS,S.J. Region 4 (Post 820201). 94/12/20. STIMMELL,G.L. General Electric Co. 3pp. 82157:012-82157:031.

-9501030005 Notice of violation from insp on 941101,07-10 & 14.Violation noted:from 940101-1114,licensee did not perform air sampling sufficient to identify potential hazard in hot cell radiation locks.  
\* Region 4 (Post 820201). 94/12/20. 2pp. 82157:015-82157:016.

-9501030006 Insp rept 70-0754/94-02 on 941101,07-10 & 14.Violations noted.Major areas inspected:radiation protection,emergency preparedness,radioactive waste mgt,environmental protection, waste generator requirements & waste storage.  
WENSLAWSKI,F.A. Region 4 (Post 820201). 94/12/20. 15pp. 82157:017-82157:031.

9501170009 Informs that licensee decided to cancel 941227 notification re irradiated fuel shipment from Baxley,GA to Pleasanton,CA due to postponement for extended period.New notify date will be made when revised shipment date determined.  
KIRKLAND,M.W. General Electric Co. 95/01/11. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 82313:292-82313:292.

### DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9501190058 Requests that NRC provide full consultation w/tribe re announced mutual agreement between NRC & Rhode Island Dept of Environ Mgt concerning delicensing of United Nuclear property.  
THOMAS,M. Narragansett Indian Tribe. 94/12/29. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82379:360-82379:360.

### DOCKET 70-0832 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9501040144 Informs of rulemaking action that could significantly affect NRC regulatory framework for removal of facilities from site decommissioning mgt plan.  
LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WEINSTEIN,L.H. Squire, Sanders & Dempsey. PETRAS,S. Vorys, Sater, Seymour & Pease. WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 7pp. 82224:001-82224:070.

9501100303 Informs of recent rulemaking action that could significantly affect NRC's framework for removal of facilities from site decommissioning mgt plan.  
LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/22. WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 82294:346-82294:347.

### DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9501090091 Responds to 940725 request to be placed on distribution list for NRC correspondence re former Kerr-McGee plutonium plant near Crescent,OK.Recipient placed on distribution list for facility.  
FAUVER,D.N. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/23. HATLEY,E. Affiliation Not Assigned. 1p. 82302:298-82302:298.

9501310125 Forwards insp rept 70-0925/94-01 on 941117-18.No violations noted.  
COLLINS,S.J. Region 4 (Post 820201). 95/01/20. STAUTER,J.C. Kerr-McGee Corp. 7pp. 82529:188-82529:210.

-9501310131 Insp rept 70-0925/94-01 on 941117-18.No violations noted. Major areas inspected:facility status,mgt organization & controls,radiation protection program & followup of previously identified NRC insp findings.  
CAIN,C.L. Region 4 (Post 820201). 95/01/18. 16pp. 82529:195-82529:210.

### DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

9501060213 Reports on lack of significant progress in finding home for surplus mats covered under SNM license.Summary of recent efforts in area encl.  
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 94/12/27. ADAMS,M. Licensing Branch. 6pp. 82284:355-82284:360.

9501240344 Discusses plan to amend License R-37 to transfer bulk of SNM currently under SNM-986 but stored and/or likely to be utilized only at reactor to reactor license.Requests latest source mat license guide to assist in resolution of issue.  
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 95/01/09. ADAMS,M. Licensing Branch. 2pp. 82513:015-82513:016.

9501250366 Forwards Amend 1 to License SNM-986 & SER.Amend reflects compliance w/License Condition 22,which required submittal of revised application that incorporates all previous licensing actions & reflects licensee current operations.  
PIERSON,R.C. Licensing Branch. 95/01/18. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 82516:351-82516:357.

-9501250368 Amend 1 to License SNM-986 for MIT,reflecting compliance w/ License Condition 22,which required submittal of revised application that incorporates all previous licensing actions & reflects licensee current operations.  
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/18. 3pp. 82516:353-82516:355.

-9501250371 SER supporting amend 1 to license SNM-986.  
\* NRC - No Detailed Affiliation Given. 95/01/18. 2pp. 82516:356-82516:357.

### DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9501050120 Expresses regret in informing NRC of need to postpone submittal that was planned for 941231,until 950117.  
MICHELSEN,M.A. ASEA Brown Boveri, Inc. 94/12/22. PIERSON,R.C. Licensing Branch. 1p. 82260:263-82260:263.

9501230198 Informs that WA Williams forwarding request to J Kopotic in DOE Oak Ridge Operations Ofc for appropriate action,in response to 941205 ltr.  
WILLIAMS,W.A. Energy, Dept. of. 94/12/22. PIERSON,R.C. Licensing Branch. 1p. 82497:343-82497:343.

9501110370 Ack receipt of 940811 request for amend for unrestricted release of soils which contain up to 30 pCi/g total U & 941206 ltr that requested to withdraw 940811 amend request.  
PIERSON,R.C. Licensing Branch. 95/01/04. CONCAN,T,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 82347:350-82347:352.

9501300034 Application for amend to License SNM-1067,to revise license for both license renewal & diminished operations.  
MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/01/17. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 74pp. 82554:135-82554:208.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities.  
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

### DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9501130092 Forwards amend 39 to license SNM-1097 & SER.Amend authorizes incorporation of revised radiological contingency & emergency plan,dtd 941202,into license.  
PIERSON,R.C. Licensing Branch. 95/01/10. KLAPPROTH,J.F. General Electric Co. 3pp. 82366:113-82366:120.

-9501130097 Amend 39 to license SNM-1097,authorizing incorporation of revised radiological contingency & emergency plan dtd 941202.  
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/10. 3pp. 82366:116-82366:118.

-9501130100 SER supporting amend 39 to license SNM-1097.  
\* NRC - No Detailed Affiliation Given. 95/01/10. 2pp. 82366:119-82366:120.

9501240184 Discusses insp rept 70-1113/94-12 on 941212-16 & forwards notice of violation.  
COLLINS,D.M. Region 2 (Post 820201). 95/01/13. KIPP,C.P. General Electric Co. 2pp. 82420:187-82420:199.

-9501240188 Notice of violation from insp on 941212-16.Violations noted:licensee failed to have in place approved guidance procedure for performing annual assessment of airborne radioactivity particle size.  
\* Region 2 (Post 820201). 95/01/13. 1p. 82420:189-82420:189.

-9501240190 Insp rept 70-1113/94-12 on 941212-16. Violations noted. Major areas inspected: RP program & review of health physics, organization, staffing, mgt controls, exposure controls & internal exposure controls. PHARR, E.B., MCALPINE, E.J. Region 2 (Post 820201). 95/01/13. 9pp. 82420:190-82420:199.

9501250208 Notification of 950201 meeting w/GE in Rockville, MD to discuss remediation of contaminated calcium fluoride.  
\* NRC - No Detailed Affiliation Given. 95/01/19. NRC - No Detailed Affiliation Given. 1p. 82515:356-82515:356.

9501250210 Notification of 950222 meeting w/GE in Wilmington, NC to discuss licensing dry conversion facility.  
\* NRC - No Detailed Affiliation Given. 95/01/20. NRC - No Detailed Affiliation Given. 1p. 82515:357-82515:357.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9501110157 Forwards insp rept 70-1151/94-07 on 941128-1202. No violations noted. CLINE, W.E. Region 2 (Post 820201). 94/12/27. FICI, J.A. Westinghouse Electric Corp. 2pp. 82296:343-82296:357.

-9501110164 Insp rept 70-1151/94-07 on 941128-1202. No violations noted. Major areas inspected: corrective action tracking sys, independent audit & maint of select equipment used in emergency response training (onsite & offsite). GOODEN, A. Region 3 (Post 820201). 94/12/27. 13pp. 82296:345-82296:357.

9501110375 Expresses appreciation for submittal of draft trip rept re 940419-21, SAIC/NRC visit to Westinghouse nuclear fuel fabrication facility in Columbia, SC. MILSTEIN, R. Regulatory & International Safeguards Branch. 95/01/04. LE, P. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 82347:353-82347:354.

9501300211 Application for amend to License SNM-1107, to incorporate revised site emergency plan changed pages into existing license. REITLER, E. Westinghouse Electric Corp. 95/01/09. KEEGAN, E. Licensing Branch. 5pp. 82555:001-82555:246.

-9501300213 "Site Emergency Plan Revision, Significant Changes," dtd 941231.  
\* Westinghouse Electric Corp. 94/12/31. 239pp. 82555:008-82555:246.

9501260324 Notification of 950201 meeting w/licensee in Rockville, MD to discuss criticality safety program for license renewal.  
\* NRC - No Detailed Affiliation Given. 95/01/18. NRC - No Detailed Affiliation Given. 1p. 82519:360-82519:360.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9501050203 Application for amend to license SNM-1168, to reflect new 10CFR20 requirements. KNAPP, K.S. B&W Fuel Co. 94/12/21. PIERCE, R.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 12pp. 82229:242-82229:253.

9501250276 Requests technical assistance in reviewing project re B&W Fuel Co wet-weather stream area free release. PIERSON, R. Licensing Branch. 95/01/19. GLENN, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 82515:359-82515:359.

9501200194 Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

#### DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9501180006 Requests that NRC provide port approval for Military Ocean Terminal, Sunny Point, Southport, NC for shipments of Foreign Research Reactor Spent Fuel to be returned to Dept of Energy. Route plant will be arranged. OSHINOWO, F. Edlow International Co. 94/06/07. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82324:003-82324:003.

9501180066 Requests that NRC provide licensee w/route plan for transport of irradiated fuel from Military Ocean Terminal in Sunny Point at Southport, NC to Savannah River Site in Aiken, SC. OSHINOWO, F. Edlow International Co. 94/06/21. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 82324:181-82324:183.

9501180018 Provides listed info re port approval request for Military Ocean Terminal, Sunny Point, Southport, NC in response to E Easton 940615 request for addl info. OSHINOWO, F. Edlow International Co. 94/07/01. HAUGHNEY, C. Office of Nuclear Material Safety & Safeguards. 1p. 82324:040-82324:040.

9501090023 Notification of upcoming shipment of U hexafluoride, fissile, gross weight 68,351 kg, enrichment less than 3.96% max. UF<sub>6</sub> contained in nineteen 30B cylinders & PSPs from Houston, TX to Columbia, SC. CANDREY, D. Edlow International Co. 94/09/12. BENNINGTON, G. Division of Safeguards & Transportation (870413-930206). 1p. 82235:169-82235:169.

9501170130 Submits rev to 940912 ltr, making listed notification of upcoming shipment of UF<sub>6</sub> from Russia to Columbia, SC. CARDUJ, D. Edlow International Co. 94/10/20. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 82314:204-82314:204.

9501030023 Requests NRC approval for listed ports for which approval is due to expire 941231. OSHINOWO, F. Edlow International Co. 94/12/23. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82157:122-82157:122.

9501030002 Requests extension of expiration date for Port of Elizabeth, NJ & Port of Newark, NJ. OSHINOWO, F. Edlow International Co. 94/12/28. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82157:011-82157:011.

9501030019 Withdraws 941223 request to have listed ports approved including Port of Baltimore (Dundalk Marine Terminal). OSHINOWO, F. Edlow International Co. 94/12/28. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82157:121-82157:121.

9501050077 Responds to request, dtd 941223, as supplemented 941228, for approval to use ports of Elizabeth & Newark, NJ as transient points for spent fuel. Informal ports meet regulatory requirements of 10CFR73.37 & approval granted. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/30. OSHINOWO, F. Edlow International Co. 1p. 82179:029-82179:029.

#### DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9501270225 Forwards clarifying questions re licensee response to RAI submitted by NRC & updated portions of license renewal application (940912). SWAIN, P.B. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-90-009. 94/11/21. ADAMS, M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 5pp. 82540:340-82540:344.

9501270211 Submits detection limits for U analysis. LAW, M.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/14. TANAKA, K.H. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 12pp. 82540:312-82540:324.

9501060014 Ack receipt of 941216 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1257/94-06 on 941110. COLLINS, S.J. Region 4 (Post 820201). 94/12/27. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 82189:034-82189:045.

9501060231 Forwards Amend 29 to License SNM-1227 & SER. Amend incorporates revs to FNMCP. PIERSON, R.C. Licensing Branch. 94/12/28. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 82277:350-82277:359.

-9501060233 Amend 29 to license SNM-1227 for Siemens Power Corp, incorporating revs to FNMCP. PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/12/27. 5pp. 82277:353-82277:357.

-9501090093 SER supporting Amend 29 to License SNM-1227.  
\* NRC - No Detailed Affiliation Given. 94/12/28. 2pp. 82277:358-82277:359.

9501110047 Summary of 941207 meeting w/Siemens Power Corp in Richland, WA re licensing issues related to nuclear criticality safety. ADAMS, M., KLASKY, M. Licensing Branch. 95/01/04. PIERSON, R.C. Licensing Branch. 4pp. 82295:342-82295:345.

9501230040 Forwards insp rept 70-1257/94-07 on 941212-16. Violations noted. Violations involved failure to meet w/outside agencies as described in Section 3.1 of encl insp rept. COLLINS, S.J. Region 4 (Post 820201). 95/01/13. FEMREITE, B.N. Siemens Corp. 3pp. 82377:145-82377:157.

-9501230044 Insp rept 70-1257/94-07 on 941212-16. Violations noted. Major areas inspected: fire protection, maint & surveillance testing & emergency preparedness. WENSLAWSKI, F.A. Region 4 (Post 820201). 95/01/08. 10pp. 82377:148-82377:157.

9501250376 Forwards Amend 30 to License SNM-1227 & SER. Amend incorporates changes to emergency plan, in accordance w/ 940413 application. PIERSON, R.C. Licensing Branch. 95/01/19. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 82518:037-82518:045.

-9501250381 Amend 30 to License SNM-1227 for Siemens Power Corp, incorporating changes to emergency plan. PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/19. 5pp. 82518:039-82518:043.

-9501250386 SER supporting amend 30 to license SNM-1227.  
\* NRC - No Detailed Affiliation Given. 95/01/19. 2pp. 82518:044-82518:045.

9501270326 Forwards proprietary Rev 27 to EMF-12(P), "Nuclear Matls Safeguards Procedures Description for Fuels Fabrication Plants." Encl withheld (ref 10CFR2.790(d)). NOSS, D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/19. PIERSON, R. Licensing Branch. 2pp. 82575:302-82575:303.

9501250211 Notification of 950127 meeting w/Siemens Power Corp in Rockville, MD to discuss implementation of 10CFR73.67 at Category III facilities.  
\* NRC - No Detailed Affiliation Given. 95/01/20. NRC - No Detailed Affiliation Given. 1p. 82515:358-82515:358.

9501250213 Notification of 950126 meeting w/Siemens Power Corp in Rockville, MD to discuss license issues related to amends & renewal.  
\* NRC - No Detailed Affiliation Given. 95/01/20. NRC - No Detailed Affiliation Given. 1p. 82516:076-82516:076.

9501300011 Confirms arrangements made between LC Maas & CA Hooker on 950113 re mgt meeting to be conducted on 950216. Meeting requested to update NRC on status of significant ongoing programs at Siemens. Agenda for meeting encl. COLLINS, S.J. Region 4 (Post 820201). 95/01/24. FEMREITE, B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 82511:078-82511:081.

## 186 DOCKETED ITEMS

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**9501310354** Forwards RAI re 941123 application for amend to license SNM-1222 to delete requirement for fog deluge sys upstream of final HEPA filter banks & replace requirement w/ requirement for fire screens. ADAMS,M. Licensing Branch. 95/01/26. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 82582:270-82582:271.

### DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

**9501120044** Forwards rev of GE Morris Operation,NEDS-14507, "Physical Security Plan." Withheld. DENIO,L.L. General Electric Co. 94/12/28. GASKIN,C.E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 82310:360-82310:360.

**9501310185** Requests technical assistance of C Gaskin in reviewing GE physical security plan for ISFSI in Morris,IL,submitted by 941228 ltr. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/17. PIERSON,R. Licensing Branch. 1p. 82560:360-82560:360.

### DOCKET 70-1359 IRT CORP., SAN DIEGO, CA

**9501090144** Notice of continued hearing re motion for approval of disclosure statement filed by creditors committee & motion for approval of disclosure statement filed by debtor on 950119. GRAHAM,T.W. Affiliation Not Assigned. GRAHAM,T.W. Affiliation Not Assigned. 94/12/23. 2pp. 82288:360-82288:361.

**9501190045** Forwards insp rept 70-1359/94-02 on 941020-22 & notice of violation.Violation involves failure to comply w/49CFR173.441(a) & (b). CALLAN,L.J. Region 4 (Post 820201). 95/01/06. TERRY,K. IRT Corp. 4pp. 82335:317-82336:009.

**9501190089** Notice of violation from insp on 941020-22 & telcon of 941107,22 & ltr of 941117.Violation noted: on 941027 licensee delivered to common carrier package w/ transport index of 11.Executive use shipment supposed to be used for package. \* Region 4 (Post 820201). 95/01/06. 1p. 82335:321-82335:321.

**9501190097** Insp rept 70-1359/94-02 on 941020-22 & telcon 1122 & 27. Violations noted.Major areas inspected:preparation,loading, & shipment of 12 mixed oxide fuel rods to DOE facility in Richland,WA,SNM storage vault & other selected areas. WENSLAWSKI,F. Region 4 (Post 820201). 95/01/06. 9pp. 82335:322-82336:009.

### DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

**9501030047** Submits advance notification re import shipment of radioactive matl fissile 7,UN 2918,approx 25.311 kgs U enriched to 19.75% U-235 solid metal in eight F51 packagings. MCLAUGHLIN,J. Transnuclear, Inc. 94/11/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:225-82157:226.

**9501030028** Submits advance notification for import shipment of 12 kgs U metal enriched to 19.75% U-235 solid metal,from France as outlined in 10CFR73.74(a)(1)(2).Informs that shipment estimated to arrive at receiving facility on 941216. MCLAUGHLIN,J. Transnuclear, Inc. 94/12/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:145-82157:146.

**9501030034** Submits advance notification to NRC in compliance w/ requirements as outlined in 10CFR73.74(a)(1)(2) for import shipment of U from Countries not party to Convention on Physical Protection of Nuclear Matl.Details listed. MCLAUGHLIN,J. Transnuclear, Inc. 94/12/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:168-82157:169.

**9501030060** Submits advance notification for import shipment of 25 kgs U enriched to 19.75% U-235 solid metal,from France as outlined in 10CFR73.74(a)(1)(2).Informs that shipment estimated to arrive at receiving facility on 941216. MCLAUGHLIN,J. Transnuclear, Inc. 94/12/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:267-82157:268.

### DOCKET 70-1489 GOODYEAR AEROSPACE CORP., AKRON, OH

**9501230176** Final response to FOIA request for documents.Records in App A encl.App B records withheld in part (ref FOIA exemption 6).App C records already available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GRIMMETT,M. Affiliation Not Assigned. 9pp. 82498:003-82498:349.

**9501230202** Forwards application from Goodyear Aerospace for possession & use of normal U source mats & special nuclear mats & payment for application fees & first year license fee. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 73/10/23. SMILEY,S. Atomic Energy Commission, Deputy Director for Fuels & Material (720101-750118). 1p. 82498:012-82498:012.

**9501230209** "Source Matl & Special Nuclear Matl License Application," part 1,general info & license specifications. \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 73/10/31. 56pp. 82498:013-82498:070.

**9501230226** Forwards AEC mats license SNM-1448 authorizing receipt, possession,storage & use of source & special nuclear mats in connection w/research & development of enrichment equipment. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 2pp. 82498:072-82498:073.

**9501230236** License SNM-1448 for Goodyear Aerospace Corp,authorizing licensee to receive & possess source & special nuclear matl in connection w/research & development of U enrichment equipment. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. 2pp. 82498:074-82498:075.

**9501230244** Discusses proposal to issue source & special nuclear matl license to Goodyear Aerospace for their equipment research & development facility.Requests concurrence w/proposed issuing of license.W/o encls. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. BECKER,J. Atomic Energy Commission (Pre 750119). 2pp. 82498:076-82498:077.

**9501230261** Safety evaluation approving application from Goodyear Aerospace Corp for source & special nuclear matl license for use in U enrichment equipment research & development facilities. NIXON,W.A., ROUSE,L.C. Atomic Energy Commission (Pre 750119). 74/01/14. 4pp. 82498:078-82498:081.

**9501230273** Amend 1 to license issued 740114 to Goodyear Aerospace Corp, amending error to SNM number originally assigned.SNM number changed to SNM-1461 from incorrect number of SNM-1448. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/28. 1p. 82498:082-82498:082.

**9501230285** Discusses AEC regulations guarding against loss or diversion of strategically important nuclear matl in interest of natl security.Informs that symbol XGG has been assigned as reporting identification symbol for license SNM-1461. PAGE,R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/12. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:083-82498:083.

**9501230291** Forwards insp findings & licensee ack from insp on 770419-20.Item of non-compliance noted. RIDGWAY,E.R. Region III, IE (720101-810228). 77/04/22. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:084-82498:084.

**9501230306** Safety insp on 770419-20 of license SNM-1461.Insp findings: NRC regulations were not properly posted as required by 10CFR19.11(a). RIDGWAY,K.R. Region III, IE (720101-810228). FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 77/04/28. 1p. 82498:085-82498:085.

**9501230314** Forwards IE circular number 77-14 for info.No written response required. KEPPLER,J.G. Region III, IE (720101-810228). 77/11/28. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:107-82498:111.

**9501230318** Forwards IE Circular number 77-15 for info.No written response required. KEPPLER,J.G. Region III, IE (720101-810228). 78/01/27. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:112-82498:116.

**9501230323** Safety insp on 780412-13 of license SNM-1461.Insp findings: no items of noncompliance or unsafe conditions were found. PECK,C.C. Region III, IE (720101-810228). \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 78/04/17. 1p. 82498:117-82498:117.

**9501230327** Forwards for info IE circular number 78-03.No written response required. KEPPLER,J.G. Region III, IE (720101-810228). 78/05/12. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:126-82498:128.

**9501240139** Forwards IE bulletin number 78-07 which requires action re company fuel cycle facility.Requests notification if any questions arise. KEPPLER,J.G. Region III, IE (720101-810228). 78/06/12. FELDSCHER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:129-82498:137.

**9501240160** Insp rept 70-1489/77-01 on 770419-20.Violations noted.Major areas inspected:initial insp of licensee program requirements & license insp efforts. RIDGWAY,K.R., FISHER,W.L. Region III, IE (720101-810228). 77/04/22. 21pp. 82498:086-82498:106.

**9501240174** Insp rept 70-1489/78-01 on 780412-13.No violations noted. Major areas inspected:health & safety of facilities, procedures & radiation areas. PECK,C.C., FISHER,W.L. Region III, IE (720101-810228). 78/04/18. 8pp. 82498:118-82498:125.

**9501240189** Safety insp on 790322 of license SNM-1461.Insp findings: no items of noncompliance or unsafe conditions were found. PECK,C.C. Region 3 (Post 820201). \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 79/03/22. 1p. 82498:138-82498:138.

**9501240195** Insp rept 70-1489/79-01 on 790322.No violations noted.Major areas inspected:health & safety insp of facilities, personnel & radiation areas. PECK,C.C.,FISHER,W.L. Region III, IE (720101-810228). 79/03/27. 15pp. 82498:139-82498:153.

**9501240201** Discusses Goodyear Aerospace Corp special nuclear matl license SNM-1461.Recommends that Goodyear be reclassified as category E,priority IV from present classification of category A,priority II. PECK,C.C. Region III, IE (720101-810228). 79/04/30. PAGLIARO,J.A. Region III, IE (720101-810228). 2pp. 82498:154-82498:194.

**9501240210** Insp rept 70-1489/82-01 on 820917.Violations noted.Major areas inspected:organization,internal audits,worker instruction & retraining,radiation protection program, instrumentation,mats & facilities. SLAWINSKI,W.J., LASUK,S.R. NRC - No Detailed Affiliation Given. 82/09/24. 14pp. 82498:195-82498:256.

**9501240217** Discusses insp rept for license SNM-1461 on 820917 & forwards notice of violation. SRENIAWSKI,D.J. Region 3 (Post 820201). 82/09/30. GLEGHORN,D. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 2pp. 82498:257-82498:258.

**9501240220** Notice of violation from insp on 820917.Violation noted: environ survey had been performed only once rather than being performed monthly per requirement. SRENIAWSKI,D.J. Region 3 (Post 820201). 82/09/30. 14pp. 82498:259-82498:286.

**DOCKET 70-2872 RS HOLDING, INC., CLEVELAND, OH**

**9501240082** Discusses special safety insp conducted on 940610 & telcon followup, 940610. Insp re failure of technician to perform monthly plating lab contamination surveys in 1993. Informs no NOV will be issued since licensee took prompt action. AXELSON, W.L. Region 3 (Post 820201). 95/01/17. MCLEMORE, D. Reuter-Stokes, Inc. 2pp. 82419:304-82419:305.

**DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN**

**9501190054** Provides revised response to violations noted in insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01. Util will check fire pumps on three diverse points on pump curve. NUNN, D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.

**9501260002** Advises that review of draft FOL NPF-20 complete. Proposed draft FOL does capture all exemptions & license conditions of SNM-1861. PIERSON, R.C. Licensing Branch. 95/01/19. HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82519:235-82519:235.

**DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN**

**9501190054** Provides revised response to violations noted in insp repts 50-390/94-62, 50-391/94-62, 70-2910/94-01 & 70-2928/94-01. Util will check fire pumps on three diverse points on pump curve. NUNN, D.E. Tennessee Valley Authority. 95/01/06. Document Control Branch (Document Control Desk). 5pp. 82394:323-82394:327.

**DOCKET 70-3061 IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY**

**9501100066** Advises that on 900727 licensee required to comply w/ 10CFR70.25 which requires licensees to submit decommissioning funding plan or certificate of financial assurance for decommissioning. Forwards demand for info. BELLAMY, R.R. Region 1 (Post 820201). 94/12/16. KYLES, R. Imaging & Sensing Technology Corp. 2pp. 82255:282-82255:285.

**9501100072** Demand for info on licensee decommissioning funding plan or certification of financial assurance for decommissioning in amount prescribed in 10CFR70.25. BELLAMY, R.R. Region 1 (Post 820201). 94/12/12. 2pp. 82255:284-82255:285.

**DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC**

**9501100120** Applicant third supplemental response to intervenor interrogatories & request for production dtd 940816 re contentions B, I, J, K, Q & W. W/Certificate of Svc. Related correspondence. MCGARRY, J.M. Louisiana Energy Services. MCGARRY, J.M. Winston & Strawn. #195 16160. 94/12/23. Atomic Safety & Licensing Board Panel. 137pp. 82257:137-82257:273.

**9501270134** Forwards Citizens Against Nuclear Trash petition for waiver of 10CFR61.55(a)(3) & 10CFR61.55(a)(6) & for classification of depleted U tails as greater than class C radwaste. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #195 16241. 95/01/18. MOORE, T.S., COLE, R.F., SHON, F.J. Atomic Safety & Licensing Board Panel. 1p. 82492:001-82492:159.

**9501270140** Citizens Against Nuclear Trash petition for waiver of 10CFR61.55(a)(3) & 10CFR61.55(a)(6) & for classification of depleted U tails as greater than class C radwaste. W/Certificate of Svc. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 95/01/17. Atomic Safety & Licensing Board Panel. 158pp. 82492:002-82492:159.

**9501060209** Offers comments on EPA region 6 941025 ltr to NRC re final EIS on licensee project. ARNOLD, W.H. Louisiana Energy Services. 94/12/21. BROWNER, C.M. Environmental Protection Agency. 4pp. 82287:339-82287:342.

**9501100067** Interrogatories & request for production of documents filed by Citizens Against Nuclear Trash & directed to Louisiana Energy Svcs. W/Certificate of Svc. Related correspondence. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. WALKER, N.M. Citizens Against Nuclear Trash. #195 16138. 94/12/22. Louisiana Energy Services. 20pp. 82256:093-82256:112.

**9501100088** Second notice of deposition. Informs that on 950110 Louisiana Energy Svc will take deposition of Intervenor Witness A Makhijani. W/Certificate of Svc. Related Correspondence. MCGARRY, J.M. Louisiana Energy Services. MCGARRY, J.M. Winston & Strawn. #195 16148. 94/12/27. 4pp. 82256:115-82256:118.

**9501120310** Forwards Claiborne Enrichment Ctr license application, safety analysis rept & environ rept. LEROY, P.G. Louisiana Energy Services. 94/12/29. HICKEY, J.W. Fuel Cycle Safety Branch (870729-930206). 46pp. 82334:261-82334:306.

**9501270092** NRC Staff response to 941216 interrogatories & request for production of documents filed by Citizens Against Nuclear Trash & directed to EDO for operations & NRC Staff. W/Certificate of Svc. Related correspondence. HOLLER, E.J., BACHMANN, R.G. Office of the General Counsel (Post 860701). #195 16221. 95/01/13. Citizens Against Nuclear Trash. 49pp. 82511:010-82511:058.

**9501270187** Applicant response to intervenor "941222 interrogatories & request for production of documents filed by Citizens Against Nuclear Trash & directed to Louisiana Energy Svc." W/Certificate of Svc. Related correspondence. MCGARRY, J.M. Louisiana Energy Services. MCGARRY, J.M. Winston & Strawn. #195 16220. 95/01/13. Citizens Against Nuclear Trash. 67pp. 82491:277-82491:341.

**9501270104** NRC Staff motion for summary disposition of contention W. Advises that staff motion for summary disposition should be granted. HOLLER, E. Office of the General Counsel (Post 860701). #195 16226. 95/01/17. Atomic Safety & Licensing Board Panel. 8pp. 82491:342-82491:357.

**9501270105** Statement of mail facts as to which no genuine issue to be heard. HOLLER, E. Office of the General Counsel (Post 860701). 95/01/17. 2pp. 82491:350-82491:351.

**9501270110** Affidavit of YH Faraz in support of NRC Staff for summary disposition of contention W. W/Certificate of Svc. FARAZ, Y.H. Office of Nuclear Material Safety & Safeguards. FARAZ, Y.H. Office of the General Counsel (Post 860701). 95/01/17. 6pp. 82491:352-82491:357.

**9501270098** Forwards affidavit of A Makhijani, which had not been signed in time for filing. CURRAN, D. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #195 16242. 95/01/18. MOORE, T.S. Atomic Safety & Licensing Board Panel. 1p. 82492:321-82492:329.

**9501270100** Affidavit of A Makhijani re construction permit/operating license application for Claiborne Enrichment which relates to applicant cost estimates for disposal of depleted U tails. W/Certificate of Svc. MAKHIJANI, A. Citizens Against Nuclear Trash. MAKHIJANI, A. Institute for Energy & Environmental Research, Heidelberg, Germany. 95/01/18. 8pp. 82492:322-82492:329.

**9501270128** Notice of change of telephone numbers. Informs that prefix 504 changed to 415 effective immediately. W/Certificate of Svc. HOLLER, E.J. Office of the General Counsel (Post 860701). #195 16239. 95/01/18. 3pp. 82511:007-82511:009.

**9501270089** Order. Advises that Board would like views of parties on EPA position & Judge Hoya reasoning of 911231. W/Certificate of Svc. MOORE, T.S., COLE, R.F., SHON, F.J. Atomic Safety & Licensing Board Panel. #195 16240. 95/01/19. Louisiana Energy Services. 18pp. 82490:319-82490:336.

**9501270064** Citizens Against Nuclear Trash notice of withdrawal of contentions. Notices Board & parties of withdrawal of Contentions I & J.6 from litigation in proceeding. CURRAN, D. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #195 16249. 95/01/20. 2pp. 82492:347-82492:348.

**9501270077** Citizens Against Nuclear Trash petition for independent review of adequacy of basis for NRC safety & environ findings. Requests that Board grant intervenor petition in entirety. W/Certificate of Svc. CURRAN, D. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #195 16248. 95/01/20. Atomic Safety & Licensing Board Panel. 11pp. 82490:337-82490:347.

**9501270062** Order (dismissing contentions I & J). Grants Citizen Against Nuclear Trash motion to withdraw previously admitted Contentions. W/Certificate of Svc. MOORE, T.S. Atomic Safety & Licensing Board Panel. #195 16256. 95/01/24. Citizens Against Nuclear Trash. 3pp. 82492:344-82492:346.

**DOCKET 70-3074 COLUMBIA UNIV., NEW YORK, NY**

**9501040024** FOIA request for listed documents, including 920630, 0821, amend 1 to License SNM-1995 issued in mid 1992 & NRC insp rept of Morningside Campus of Columbia Univ in 1993. WOTHERSPOON, P. Affiliation Not Assigned. 94/01/02. RAMMLING, G. Local Public Document Room Branch. 1p. 82231:150-82231:150.

**9501040026** FOIA request for listed documents, including 920630, 0821 & 1207 ltrs & qualifications of D Brenner & H Michael, amend 1 to license SNM-1995 issued in mid 1992 & insp rept of Morningside Campus of Columbia Univ. WOTHERSPOON, P. Affiliation Not Assigned. 94/01/31. POWELL, R.A. Local Public Document Room Branch. 1p. 82231:149-82231:149.

**9501040036** Final response to FOIA request for documents. Records in Apps A & B will be available in PDR. App C records withheld in part (ref FOIA exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. WOTHERSPOON, P. Affiliation Not Assigned. 5pp. 82231:151-82231:202.

**9501040045** Forwards response to 920213 ltr from new RSO N Wotherspoon. Concurs w/ statements & representations contained in encl. CARTER, P.D. Columbia Univ., New York, NY. 92/06/30. COSTELLO, F.M. Region 1 (Post 820201). 2pp. 82231:166-82231:166.

**9501040051** Forwards ltr signed by PD Carter & corrected pages 1, 2, 3 & 4 in response to 920213 ltr addressed to L Lidofsky. Areas to be surveyed & frequency of leak test, discussed. WOTHERSPOON, N. Columbia Univ., New York, NY. 92/06/30. COSTELLO, F.M. Region 1 (Post 820201). 7pp. 82231:167-82231:173.

**9501040054** Partially withheld document informing NRC that effective 920831, L Lidofsky will no longer Chair Radiation Safety Committee. Appropriate amend to license, requested. Curriculum vitae, encl. WOTHERSPOON, N. Columbia Univ., New York, NY. 92/08/21. ARREDONDO, S. Region 1 (Post 820201). 14pp. 82231:174-82231:187.

**9501040078** Partially withheld document informing that effective 921205, D Brenner will replace N Wotherspoon as interim RSO. H Michael will replace D Brenner as permanent RSO, effective 921230. Amend to license indicating change, requested. GREENHOLTZ, L.A. Columbia Univ., New York, NY. 92/12/07. BAGGETT, S. Region 1 (Post 820201). 15pp. 82231:188-82231:202.

**DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)**

**9501060212** Informs that per Energy Policy Act of 1992 & recently issued 10CFR76, licensee preparing for submittal, on or before 950424, two applications for COCs for Portsmouth & Paducah gaseous diffusion plants. Plans for applications format encl. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 94/12/23. HICKEY, J.W. NRC - No Detailed Affiliation Given. 6pp. 82287:333-82287:338.

## 188 DOCKETED ITEMS

9501120180 Submits notification of 950112 meeting w/US Enrichment Corp in Rockville,MD to review status of gaseous diffusion plant certificate activities & coordinate future meetings & actions.  
SAWYER,C.B. Enrichment Branch. 95/01/06. HICHEY,J.W. Enrichment Branch. 2pp. 82331:315-82331:316.

9501270011 Forwards insp rept 70-7001/94-03 on 941025-1212.No violations noted.  
SHEAR,G.L. Region 3 (Post 820201). 95/01/17. JACKSON,D. Energy, Dept. of. 2pp. 82488:204-82488:224.

-9501270014 Insp rept 70-7001/94-03 on 941025-1212.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support.  
SHEAR,G.L. Region 3 (Post 820201). 95/01/11. 19pp. 82488:206-82488:224.

9501250003 Notification of 950124 meeting w/listed attendees in Rockville,MD to discuss quality assurance & chemical safety components of forthcoming application for certification.  
SAWYER,C.B. Enrichment Branch. 95/01/20. HICKEY,J.W. Enrichment Branch. 1p. 82432:117-82432:117.

9501270115 Forwards safety,safeguard observations & chemical safety program insp rept 70-7001/94-03 on 941025-1212.Certain activities appeared to indicate weaknesses in processes for mgt oversight of activities important to safety.  
SHEAR,G.L. Region 3 (Post 820201). 95/01/23. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 2pp. 82490:180-82490:200.

### DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9501060212 Informs that per Energy Policy Act of 1992 & recently issued 10CFR76,licensee preparing for submittal, on or before 950424,two applications for COCs for Portsmouth & Puducah gaseous diffusion plants.Plans for applications format encl.  
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 94/12/23. HICKEY,J.W. NRC - No Detailed Affiliation Given. 6pp. 82287:333-82287:338.

9501120180 Submits notification of 950112 meeting w/US Enrichment Corp in Rockville,MD to review status of gaseous diffusion plant certificate activities & coordinate future meetings & actions.  
SAWYER,C.B. Enrichment Branch. 95/01/06. HICHEY,J.W. Enrichment Branch. 2pp. 82331:315-82331:316.

9501250003 Notification of 950124 meeting w/listed attendees in Rockville,MD to discuss quality assurance & chemical safety components of forthcoming application for certification.  
SAWYER,C.B. Enrichment Branch. 95/01/20. HICKEY,J.W. Enrichment Branch. 1p. 82432:117-82432:117.

### DOCKET DOCKET UNKNOWN

9501050224 Forwards application for approval of model SPEC-150 Type B(U) radioactive mail package per 10CFR71.  
DICHARRY,R.D. Source Production & Equipment Co., Inc. 94/12/27. CHAPPELL,C.R. Transportation Branch (Post 930207). 2pp. 82261:101-82261:189.

-9501050270 Application for certificate of compliance for model SPEC-150.W/proprietary encl.  
\* Source Production & Equipment Co., Inc. 94/12/23. Transportation Branch (Post 930207). 110pp. 82261:103-82261:189.

9501300305 Discusses info re meeting summary 941206.in Rockville,MD at request of Holtec International,Inc re design of Model HI-STAR 100 spent fuel transport cask.  
OSGOOD,N.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82551:321-82551:322.

9501310370 Application for COC 9033 for Models 660 & 660B.QA program encl.Fee paid.  
FINKERBINDER,R. NorCal Testing, Inc. 95/01/23. JANKOVICH,J. Source Containment & Devices Branch (Post 911213). 1p. 82591:329-82591:331.

-9501310391 "NRC QA Program."  
\* NorCal Testing, Inc. 95/01/23. 2pp. 82591:330-82591:331.

9501300262 Forwards QA program for radioactive material package 0802, rev 0.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/26. FINKERBINDER,R. NorCal Testing, Inc. 1p. 82551:323-82551:324.

-9501300263 QA program approval for radioactive matl package:0802,Rev 0.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/26. 1p. 82551:324-82551:324.

### PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

#### DOCKET 71-0001 ANEFCO, INC.

9501180187 Informs that licensee has arranged business locations in manner that will accomplish more prompt & efficient svc for customers.Fee paid.  
MURPHY,J.D. Anefco, Inc. 94/11/12. License Fee & Debt Collection Branch (Post 890827). 1p. 82366:327-82366:327.

9501050292 Requests renewal of QA program 0001,rev 3.Fee paid.  
MURPHY,J.D. Anefco, Inc. 94/12/28. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 82287:286-82287:286.

#### DOCKET 71-0003 SIEMENS NUCLEAR POWER CORP.

9501110492 Forwards Rev 10 to EMF-439, "Siemens Power - Nuclear Div QA Program for Nuclear Fuel Shipping Containers."  
EDGER,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/05. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82307:040-82307:097.

-9501110499 Rev 10 to EMF-439, "Siemens Power Corp - Nuclear Div QA Program for Nuclear Fuel Shipping Containers."  
\* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/05. 56pp. 82307:042-82307:097.

#### DOCKET 71-0018 NUCLEAR ASSURANCE CORP.

9501260134 Informs that effective 950101,NAC Services Inc changed corporate name to NAC Intl,Inc.All correspondence on NAC licenses,approvals & COC should be addressed to listed address.  
STUART,J.F. Nuclear Assurance Corp. 95/01/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82523:214-82523:215.

9501270193 Informs NRC that as of effective 950101,NAC changed name to NAC Intl,Inc.Requests that all correspondence on NAC licenses,approvals & certificates be addressed to GT Tjerstand at listed address.  
STUART,J.F. Nuclear Assurance Corp. 95/01/16. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:299-82540:300.

#### DOCKET 71-0034 AMERICON HOLDING CO., INC.

9501090216 Informs that had QA section (SCDB/IMNS/NMSS) known about termination of radiography license of stated licensees,per 10CFR34,licensees QA program approvals would have been terminated,in response to 941221 & 22 memos.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/05. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 82288:152-82288:152.

#### DOCKET 71-0035 ROCKWELL INTERNATIONAL CORP.

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records.App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300246 Partially withheld paper re hearing requests on renewal of SNM license for Rockwell Intl.  
PLAINE,H.E. Office of the General Counsel (Post 860701). SECY-83-129. 83/04/08. 22pp. 82525:023-82525:044.

#### DOCKET 71-0088 BABCOCK & WILCOX CO.

9501050029 Application for amend to licenses SNM-42 & SNM-778 terminating "QA Program for Radioactive Mail Packages."  
OLSEN,A.F. Babcock & Wilcox Co. 94/12/12. 1p. 82179:074-82179:074.

#### DOCKET 71-0123 HERRON TESTING LABORATORIES, INC.

9501090216 Informs that had QA section (SCDB/IMNS/NMSS) known about termination of radiography license of stated licensees,per 10CFR34,licensees QA program approvals would have been terminated,in response to 941221 & 22 memos.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/05. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 82288:152-82288:152.

#### DOCKET 71-0131 TESTING INSTITUTE OF ALASKA

9501240128 Advises that NRC considers 941028 request for renewal of QA program approval 0131 timely & grants permission to continue to operate using existing QA program until final disposition of matter reached.Requests revised QA program be submitted.  
JANKOVICH,J.P. Transportation Branch (Post 930207). 95/01/18. LOCKMAN,D.M. Testing Institute of Alaska, Inc. 2pp. 82513:068-82513:069.

#### DOCKET 71-0158 X-R-I TESTING OF MICHIGAN

9501060244 Forwards QA program approval for radioactive material package:0158,rev 4.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/04. REDHAGE,L.H. X-Ray Industries, Inc. 1p. 82283:320-82283:321.

-9501060245 QA program approval for radioactive matl package:0158,Rev 4.  
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/04. 1p. 82283:321-82283:321.

#### DOCKET 71-0213 INTERMOUNTAIN TESTING CO.

9501100180 Provides check for \$370.00 to cover fee to reinstate Intermountain Testing Co QA program.  
BOLLERUD,G. Intermountain Testing Co. 94/12/23. JANKOVICH,J.P. NRC - No Detailed Affiliation Given. 1p. 82293:097-82293:097.

9501260014 Forwards QA program approval for radioactive matl package: 0213,rev 4.  
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/19. BOLLERUD,G. Intermountain Testing Co. 1p. 82519:233-82519:234.

-9501260016 QA program approval for radioactive matl package:0213,Rev 4. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. 1p. 82519:234-82519:234.

**DOCKET 71-0230 BABCOCK & WILCOX CO.**

9501050029 Application for amend to licenses SNM-42 & SNM-778 terminating "QA Program for Radioactive Matl Packages." OLSEN,A.F. Babcock & Wilcox Co. 94/12/12. 1p. 82179:074-82179:074.

**DOCKET 71-0236 AMERICAN AIRLINES, INC.**

9501120090 Forwards revised copy of American Airlines QA program (approval 0236) for review. NETHERCUTT,B.W. American Airlines, Inc. 94/12/27. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 82458:348-82458:352.

-9501130192 Revised Nondestructive Testing Manual,General Part 11, "Packaging of Radioactive Matl for Transport 10CFR71." \* American Airlines, Inc. 94/12/27. 4pp. 82458:349-82458:352.

9501250019 Forwards QA program approval for radioactive matl package: 0236,rev 4. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/18. NETHERCUTT,B.W. American Airlines, Inc. 1p. 82518:055-82518:056.

-9501250022 QA program approval for radioactive matl package:0236,Rev 4. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. 1p. 82518:056-82518:056.

**DOCKET 71-0238 AGRICULTURE, DEPT. OF**

9501110471 Confirms 950103 telcon, re QA plan for transporting radioactive materials. Understand that Dept of Agriculture intend to provide, by 950110, info requested in NRC 930611 ltr. Advises that QA program approval expires on 950131. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/04. JENSEN,J. Agriculture, Dept. of. 1p. 82302:081-82302:081.

9501260132 Submits ltr of support for USDA radiation safety program & QA program for radioactive matls packages. FLOWMAN,R.D. Agriculture, Dept. of, Research Center. 95/01/12. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82523:216-82523:216.

9501260348 Responds to 950103 telephone request for addl info re USDA QA program. Info also responds to questions addressed in J Jankovich 930611 ltr. Ltr from RD Flowman, indicating mgt support for QA program encl. JENSEN,J.T. Agriculture, Dept. of, Research Center. 95/01/12. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82523:185-82523:186.

**DOCKET 71-0242 LAW ENGINEERING TESTING CO.**

9501060237 Forwards QA program approval for radioactive material package:0242,rev 4. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/04. RUMRILL,D.A. Law Engineering. 1p. 82278:326-82278:327.

-9501060238 QA program approval for radioactive matl package:0242,Rev 4. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/04. 1p. 82278:327-82278:327.

**DOCKET 71-0254 GENERAL ELECTRIC CO.**

9501120288 Responds to 940812 ltr requesting confirmation of licensee view that 10CFR170 does not require applicants for design certifications under Part 52 to pay NRC cost of rulemakings. Rulemaking should not be regarded as "contested hearing." ROGERS,K.C. Commissioners (Post 750119). 94/12/30. QUIRK,J.F. General Electric Co. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 82322:356-82322:362.

**DOCKET 71-0260 ASTROTECH, INC.**

9501230174 Requests renewal of Astrotech, Inc QA program, package 260, which expires on 950131. Application fee encl. W/o encl. MYKYTA,L. Certified Testing Laboratories, Inc. 94/12/27. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 82499:356-82499:356.

9501270240 Forwards QA program approval for radioactive matl packages: 0260,Rev 4. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/24. MYKYTA,L. Astrotech, Inc. 1p. 82554:053-82554:054.

-9501270243 QA program approval for radioactive matl package:0260,Rev 4. JANKOVICH,J.P. Transportation Branch (Post 930207). 95/01/24. 1p. 82554:054-82554:054.

**DOCKET 71-0263 YUBA HEAT TRANSFER CORP.**

9501100251 Submits check for listed amount as payment for registration fee for 10CFR71 QA program. FEDERLINE,J. Yuba Heat Transfer Corp. 95/01/05. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82294:324-82294:324.

**DOCKET 71-0319 GENERAL TESTING & INSPECTION CO.**

9501170173 Application for renewal of QA program approval for radioactive matl package 0319. KRUEGEL,R.E. General Testing & Inspection Co. 95/01/02. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 2pp. 82378:271-82378:289.

-9501170175 "QA Program Organization Chart for RE Kruegel, General Testing & Insp Co, for Compliance w/10CFR71, App E." \* General Testing & Inspection Co. 95/01/02. 1p. 82378:273-82378:273.

-9501170178 "QA Program of RE Kruegel, General Testing & Insp Co, 34-09037-01, for Compliance w/10CFR71, App E." \* General Testing & Inspection Co. 95/01/02. 9pp. 82378:274-82378:289.

**DOCKET 71-0330 ALLIED INSPECTION SERVICES, INC.**

9501100169 Requests renewal of QA program for radioactive matl package 0330. GRASHAW,T.D. Allied Inspection Services, Inc. 94/12/26. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 82293:244-82293:245.

-9501100171 QA program approval for radioactive matl package:0330,Rev 3. MACDONALD,C.E. NRC - No Detailed Affiliation Given. 90/01/17. 1p. 82293:245-82293:245.

9501250002 Forwards QA program approval for radioactive matl package: 0330,rev 4. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/18. GRASHAW,T.D. Allied Inspection Services, Inc. 1p. 82516:358-82516:359.

-9501250005 QA program approval for radioactive matl package:0330,Rev 4. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. 1p. 82516:359-82516:359.

**DOCKET 71-0341 ENTERGY OPERATIONS, INC.**

9501250011 Forwards QA program approval for radioactive matl package: 0341,rev 6. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/18. MIMS,D.C. Entergy Operations, Inc. 1p. 82518:053-82518:054.

-9501250013 QA program approval for radioactive matl package:0341,Rev 6. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. 1p. 82518:054-82518:054.

**DOCKET 71-0354 ADVANCED MEDICAL SYSTEMS, INC.**

9501060250 Forwards 941129 ltr to Advanced Medical Sys, Inc, giving notification re renewal of QA program approval 0354, in response to 941228 ltr. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/04. CESAR,D. Advanced Medical Systems, Inc. 1p. 82278:345-82278:346.

**DOCKET 71-0524 RADIATION STERILIZERS, INC.**

9412290063 Notifies that QA program approval for radioactive matl package 0524 expires on 950228. Advises that until outstanding debt assessed under annual fee invoice AMO7275-93 paid, QA-0524 will not be renewed. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 94/12/21. FAIRAND,B.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). 1p. 82425:040-82425:040.

9501170200 Application for renewal of QA program approval for radioactive matl package 0524. SMITH,M.A. SteriGenics International (formerly Radiation Sterilizers, Inc.). 95/01/03. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 82358:352-82358:352.

9501270019 Summarizes current status of user fee issue that has been point of dispute between licensee & NRC. LESSY,R.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 95/01/12. CYR,K.D. Office of the General Counsel (Post 860701). 5pp. 82540:267-82540:271.

9501240110 Forwards Sterigenics Intl 950103 ltr requesting renewal of QA program approval & check in said amount for renewal fee. Sterigenics does not address issue of outstanding debt described in recipient 941221 ltr. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/18. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 82513:052-82513:053.

**DOCKET 71-0526 DETROIT EDISON CO.**

9501260037 Forwards QA program approval for radioactive matl package: 0526,rev 3. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/19. MCKEON,R. Detroit Edison Co. 1p. 82519:226-82519:227.

-9501260039 QA program approval for radioactive matl package:0526,Rev 3. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. 1p. 82519:227-82519:227.

**DOCKET 71-0690 INDESERV, INC.**

9501250192 Application for renewal of QA program approval for radioactive matl package:0690, Fee paid. KEASEY,J.P. INDESERV, Inc. 95/01/05. JANKOVICH,J.P. NRC - No Detailed Affiliation Given. 1p. 82515:355-82515:355.

9501270227 Forwards QA approval program for radioactive matl package: 0690,Rev 1. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/24. KEASEY,J.P. INDESERV, Inc. 1p. 82554:055-82554:056.

-9501270229 QA program approval for radioactive matl package:0690,Rev 1. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/24. 1p. 82554:056-82554:056.



## 190 DOCKETED ITEMS

### DOCKET 71-0691 TEI ANALYTICAL SERVICES, INC.

9501250006 Forwards QA program approval for radioactive matl package: 0691,rev 1. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/18. WEISS,G.E. TEI Analytical Services, Inc. (formerly Trans-Eastern Inspection, Inc.). 1p. 82518:051-82518:052.

-9501250007 QA program approval for radioactive matl package:0691,Rev 1. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. 1p. 82518:052-82518:052.

### DOCKET 71-0748 NORTHEAST X-RAY SERVICES, INC.

9501250206 Advises that QA program approval for radioactive matl package:0748 issued to Northeast X-Ray Svc,Inc will be terminated in response to 950112 memo. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/20. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 82438:359-82438:359.

9501300310 Requests termination of QA-0748 due to subsequent closure of business. BENNINGTON,G.M. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/26. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 4pp. 82685:347-82685:350.

### DOCKET 71-0765 WESTEX CO.

9501260349 Responds to 941104 inquiry on behalf of RA Lupo re protest of \$9,900 fee assessed for insp conducted on 940209 of QA program approval:0765. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/22. GALLEGLY,E. House of Rep. 2pp. 82519:309-82519:339.

-9501260354 Forwards 941025 ltr from constituents at Westex Co, protesting fee assessed for insp on 940209 of QA program approval:0765 for review & info, in order to respond to constituents concerns. SOLIS,R. House of Rep. 94/11/04. RATHBUN,D. NRC - No Detailed Affiliation Given. 8pp. 82519:311-82519:339.

### DOCKET 71-0801 MCNDT LEASING, INC.

9501230106 Requests registration as user of Amersham Corp. Model 660(B). MCCAIN,J. Affiliation Not Assigned. 95/01/09. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82497:358-82497:358.

9501230147 Forwards copy of 10CFR71 QA program & application fee. MCCAIN,J. Affiliation Not Assigned. 95/01/10. JANKOVICH,J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82500:357-82500:361.

-9501230153 "McNDT Leasing, Inc 10CFR71 QA Program."  
\* Affiliation Not Assigned. 95/01/10. 4pp. 82500:358-82500:361.

9501260006 Forwards QA program approval for radioactive matl package: 0801,rev 0. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/01/19. MCCAIN,J. Affiliation Not Assigned. 1p. 82523:168-82523:169.

-9501260009 QA program approval for radioactive matl package:0801,Rev 0. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. 1p. 82523:169-82523:169.

### DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9412190009 Responds to NRC request re intentions to discontinue use of packaging w/ high chloride foam that is not in accordance w/NRC certificate of compliance. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 94/12/13. Document Control Branch (Document Control Desk). 3pp. 82075:135-82075:137.

9501180110 Informs that NRC Bulletin 94-002 issued on 941115, notified licensees of corrosion problems caused by high chloride foam in Model NCI-21PF-1 & GE-21PF-1 packagings used for transport of U hexafluoride. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82366:331-82366:331.

### DOCKET 71-5086 MODEL: UNC-2600, UNITED NUCLEAR CORP.

9501170058 Forwards revised drawings for USA/5086/B(U)F shipping container. Revs reflect mods to grip wire assembly. FOSTER,P.L. Babcock & Wilcox Co. 95/01/05. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 82378:254-82378:260.

9501300271 Forwards certificate of compliance 5086,rev 9 for model UNC-2600 package. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/26. SUWALA,M.C. B&W Fuel Co. 1p. 82551:339-82551:342.

-9501300273 Certificate of compliance 5086,rev 9, for model UNC-2600. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/26. 3pp. 82551:340-82551:342.

### DOCKET 71-5362 MODEL: NATICK IRRADIATOR, AGRICULTURE, DEPT. OF

9501110471 Confirms 950103 telcon, re QA plan for transporting radioactive materials. Understand that Dept of Agriculture intend to provide, by 950110, info requested in NRC 930611 ltr. Advises that QA program approval expires on 950131. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/04. JENSEN,J. Agriculture, Dept. of. 1p. 82302:081-82302:081.

### DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9501110481 Requests info re 940715 application, requesting amend to COC 5957, for model BMI-1 package. Add info needed identified in encl. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/09. ROWE,J.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 2pp. 82327:354-82327:355.

### DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9501110165 Forwards certificate of compliance 6078,rev 19, for models 927A1 & 927C1 packages. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/22. MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 82302:163-82302:167.

-9501110170 Certificate of compliance 6078,rev 19, for models 927A1 & 927C1. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/22. 4pp. 82302:164-82302:167.

### DOCKET 71-6280 MODEL: A-0109, J.L. SHEPHERD & ASSOCIATES

9501170149 Forwards certificate of compliance 6280,rev 6, for model A-0109 Irradiator in A-0117 Overpack package. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. SHEPARD,J.L. J.L. Shepherd & Associates. 1p. 82378:265-82378:268.

-9501170152 Certificate of compliance 6280,rev 6, for model A-0117 Irradiator in A-0117 overpack. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. 3pp. 82378:266-82378:268.

### DOCKET 71-9023 MODEL: NLI-10/24, NUCLEAR ASSURANCE CORP.

9501260134 Informs that effective 950101, NAC Services Inc changed corporate name to NAC Int'l, Inc. All correspondence of NAC licenses, approvals & COC should be addressed to listed address. STUART,I.F. Nuclear Assurance Corp. 95/01/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82523:214-82523:215.

### DOCKET 71-9028 MODEL: 684 & 684E, AMERSHAM CORP.

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA. BALESTRACCI,G. General Dynamics Services Co. 94/12/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

### DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.

9501090186 Requests that info identified in encl be provided within 30 days from date of ltr, in connection w/review of 940906 application for amend to COC 9029 for models 676,676E,676A, 676AE,676B & 676BE packages. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/06. ROUGHAN,C. Amersham Corp. 2pp. 82307:033-82307:034.

### DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA. BALESTRACCI,G. General Dynamics Services Co. 94/12/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

### DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9501100260 Requests to become registered user of package USA/9033/B(U). HAULDREN,H.M. Nondestructive Inspection Service. 94/12/15. Office of Nuclear Material Safety & Safeguards. 1p. 82291:326-82291:326.

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA. BALESTRACCI,G. General Dynamics Services Co. 94/12/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

9501230106 Requests registration as user of Amersham Corp. Model 660(B). MCCAIN,J. Affiliation Not Assigned. 95/01/09. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82497:358-82497:358.

9501260024 Requests registration as user of Amersham model 660 package ID USA/9033/B(U), under terms of COC 9033. DUNN,C. Affiliation Not Assigned. 95/01/09. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82523:167-82523:167.

9501310370 Application for COC 9033 for Models 660 & 660B, QA program encl. Fee paid. FINKERBINDER,R. NorCal Testing, Inc. 95/01/23. JANKOVICH,J. Source Containment & Devices Branch (Post 911213). 1p. 82591:329-82591:331.

### DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA. BALESTRACCI,G. General Dynamics Services Co. 94/12/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

9501260126 Informs that addl info requested for model 680 will be provided by 950303 Vendor in process of changing descriptive assembly drawings to CAD sys, which will improve legibility.  
ROUGHAN, C. Amersham Corp. 95/01/17. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82523:238-82523:238.

**DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.**

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA.  
BALESTRACCI, G. General Dynamics Services Co. 94/12/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

**DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,**

9501120096 Forwards certificate of compliance 9056, rev 10, for model SPEC 2-T shipping package, as requested 940621.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/22. DICHARRY, R.D. Source Production & Equipment Co., Inc. 1p. 82330:357-82330:360.

-9501120102 Certificate of compliance 9056, rev 10, for model SPEC-2-T.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/22. 3pp. 82330:358-82330:360.

**DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.**

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA.  
BALESTRACCI, G. General Dynamics Services Co. 94/12/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

**DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.**

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA.  
BALESTRACCI, G. General Dynamics Services Co. 94/12/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

**DOCKET 71-9183 MODEL: NAC-1, NUCLEAR ASSURANCE CORP.**

9501260134 Informs that effective 950101, NAC Services Inc changed corporate name to NAC Intl, Inc. All correspondence of NAC licenses, approvals & COC should be addressed to listed address.  
STUART, I.F. Nuclear Assurance Corp. 95/01/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82523:214-82523:215.

**DOCKET 71-9187 MODEL: 865, AMERSHAM CORP.**

9501100254 Requests to be re-registered as user of equipment listed, under terms of Certificates of Compliance issued to Amersham Corp in Burlington, MA.  
BALESTRACCI, G. General Dynamics Services Co. 94/12/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82291:323-82291:325.

**DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.**

9501050171 Forwards proprietary & nonproprietary versions of "UX-30 Consolidated SAR." Proprietary version withheld.  
TEMUS, C.J. Vectra Technologies, Inc. 94/12/21. CHAPPELL, C.R. Division of Safeguards & Transportation (870413-930206). 1p. 82280:083-82280:265.

-9501050182 Discusses 841024 application for withholding Drawing X-20-235D, Sheets 1-3, Rev A from public disclosure per (10CFR2.790).  
CUNNINGHAM, R.E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/12/18. Nuclear Packaging, Inc. 3pp. 82280:084-82280:088.

-9501050185 Nonproprietary "UX-30 Consolidated SAR."  
\* Vectra Technologies, Inc. 94/12/31. 177pp. 82280:089-82280:265.

9501300267 Requests addl info re 941221 application requesting renewal of COC 9196 for model UX-30 package.  
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/01/26. TEMUS, C.J. Vectra Technologies, Inc. 2pp. 82551:343-82551:344.

**DOCKET 71-9210 MODEL: NUS 10-135, NUS CORP.**

9501090002 Provides info requested in NRC 940727 ltr for 10-135B shipping package. Listed documents encl. W/2 oversize encl.  
RAMSEY, T.B. Scientific Ecology Group, Inc. 94/10/31. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82302:328-82302:360.

-9501100217 Authorizes NRC use of matts marked as proprietary in incorporating 10-135B shipping package info in NRC Directory of Certificates of Compliance for Radioactive Matts Packagings & inclusion of same into NRC public records.  
MCCARTER, J.F. Scientific Ecology Group, Inc. 94/12/20. WITHEE, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82302:329-82302:329.

-9501100218 Authorizes NRC use of matts marked proprietary in incorporating info re Model 10-135B shipping cask in NRC Directory of Certificates of Compliance for Radioactive Matts Packagings.  
MCCARTER, J.F. Scientific Ecology Group, Inc. 94/12/13. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82302:330-82302:330.

-9501090004 Rev 1 to procedure STD-P-02-034, "10-135 Shipping Cask Leak Test."  
RHYNE, L., RAMSEY, T.B., HODGES, L. Scientific Ecology Group, Inc. 94/10/27. 24pp. 82302:331-82302:354.

-9501090008 Rev 2 to SAR STD-R-02-019, "SAR for 10-135 Radwaste Shipping Cask." W/two oversize drawings.  
RHYNE, L., RAMSEY, T.B., HODGES, L. Scientific Ecology Group, Inc. STD-R-02-019 R02. 94/10/27. 6pp. 82302:355-82302:360.

**DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.**

9501120285 Describes clarifications & corrections to COC 9217, including latest revs to container drawings. Revs 3-6 of drawing EMF-306, 175 & Revs 3 & 4 of drawing EMF-304, 306 encl to facilitate NRC review & to complete NRC records.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/19. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 31pp. 82327:202-82327:245.

9501050285 Requests that certificate of compliance 9217 be amended to include revisions of listed package drawings.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/20. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 82287:287-82287:291.

9501120127 Provides addl info re three drawing revs submitted in conjunction w/rev ltr. Drawings encl.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/30. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 82329:283-82329:293.

9501120353 Forwards Revs 6 & 7 of Drawing EMF-306, 175. Pages from handbook pertinent to symbol encl also.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/05. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 82327:246-82327:262.

9501170015 Forwards corrected drawing (rev 9) EMF-306, 175.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/10. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 82476:281-82476:290.

9501170197 Forwards certificate of compliance 9217, rev 3, for model ANF-250 shipping package.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 82458:353-82458:358.

-9501180083 Certificate of compliance 9217, rev 3, for model ANF-250.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. 5pp. 82458:354-82458:358.

**DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.**

9501240301 Forwards Rev 12 to T-88004, "SAR for NAC Legal Weight Truck (LWT) Cask," in response to NRC questions raised during review of NAC 941010 renewal application for COC 9225, re weld design & insp requirements of LWT cask body.  
TJERSLAND, G.T. Nuclear Assurance Corp. 95/01/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82510:073-82510:127.

-9501240306 Rev 12 to "SAR for NAC Legal Weight Truck Cask."  
\* Nuclear Assurance Corp. T-88004 R12. 95/01/31. 50pp. 82510:079-82510:127.

9501260134 Informs that effective 950101, NAC Services Inc changed corporate name to NAC Intl, Inc. All correspondence of NAC licenses, approvals & COC should be addressed to listed address.  
STUART, I.F. Nuclear Assurance Corp. 95/01/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82523:214-82523:215.

**DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.**

9501300280 Forwards certificate of compliance 9233, rev 2 for model TN-RAM package.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/26. MASON, M. Transnuclear, Inc. 1p. 82551:334-82551:338.

-9501300286 Certificate of compliance 9233, rev 2, for model TN-RAM.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/26. 4pp. 82551:335-82551:338.

**DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.**

9501110183 Requests addl info re 941013 application, requesting amend to COC 9234 for model NCI-21PF-1 package.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/22. HOUSHOLDER, W.R. Affiliation Not Assigned. 1p. 82297:356-82297:356.

9501180110 Informs that NRC Bulletin 94-002 issued on 941115, notified licensees of corrosion problems caused by high chloride foam in Model NCI-21PF-1 & GE-21PF-1 packagings used for transport of U hexafluoride.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/11. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 82366:331-82366:331.

**DOCKET 71-9235 MODEL: NAC-STC, NUCLEAR ASSURANCE CORP.**

9501260134 Informs that effective 950101, NAC Services Inc changed corporate name to NAC Intl, Inc. All correspondence of NAC licenses, approvals & COC should be addressed to listed address.  
STUART, I.F. Nuclear Assurance Corp. 95/01/16. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82523:214-82523:215.

## 192 DOCKETED ITEMS

### DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9501060055 Forwards supplemental application to amend COC 9248 for additions to both packaging description & allowed contents sections.  
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/23. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 82282:105-82282:134.

-9501060060 Application for rev to certificate of compliance 9248 for models SP-1 & SP-2 shipping containers.  
EDGAR, J.B., FEUERBACHER, R., REPARAZ, A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/12/23. Transportation Branch (Post 930207). 25pp. 82282:111-82282:134.

9501170209 Requests addl info re 940922 application, requesting amend to COC 9248 for model SP-1 & SP-2 packages.  
CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/12. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 82378:293-82378:295.

### DOCKET 71-9258 MODEL: F-294, NORDION INTERNATIONAL

9501310273 Application for rev to certificate of compliance 9258 for model F-294.  
STIRLING, J. Nordion International, Inc. 95/01/24. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 82566:290-82566:340.

-9501310276 Application for rev to certificate of compliance 9258 for model F-294, Rev 1.  
GRAY, P. Nordion International, Inc. 95/01/23. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 82566:291-82566:291.

-9501310278 "Operating Procedure for Underwater Loading & Preparation for Shipment of F-294 Transport Package from Customer Site A in USA."  
SHAH, V., BURBIDGE, G.A., DEFALCO, G. Nordion International, Inc. 95/01/24. 14pp. 82566:292-82566:305.

-9501310280 Rev A to "Operating Procedure for Underwater Unloading of F-294 Transport Package at Customer Site B in USA."  
SHAH, V., BURBIDGE, G.A., DEFALCO, G. Nordion International, Inc. 95/01/24. 13pp. 82566:306-82566:318.

-9501310283 Rev A to "Preparation for Shipment of Empty F-294 Transport Packaging."  
SHAH, V., BURBIDGE, G.A., DEFALCO, G. Nordion International, Inc. 95/01/24. 22pp. 82566:319-82566:340.

### DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9501260142 Forwards drawings to replace proprietary drawings included w/Type B(U) COC application for SPEC-150 device. W/exception of removal of "proprietary" marking, no rev made to originally submitted drawings.  
DICHARRY, R.D. Source Production & Equipment Co., Inc. 95/01/17. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 82523:211-82523:213.

## LICENSING OF INDEPENDENT SPENT FUEL STORAGE

### DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308

9501120044 Forwards rev of GE Morris Operation, NEDS-14507, "Physical Security Plan." Withheld.  
DENIO, L.L. General Electric Co. 94/12/28. GASKIN, C.E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 82310:360-82310:360.

9501310185 Requests technical assistance of C Gaskin in reviewing GE physical security plan for ISFSI in Morris, IL, submitted by 941228 ltr.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/17. PIERSON, R. Licensing Branch. 1p. 82560:360-82560:360.

### DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281

9501090167 Submits annual update of SAR for SPS ISFSI, comprising of new & revised descriptions, per amend 7 to license SNM-2501 issued 940629, which added TS for use of CASTOR X/33 storage cask & changed operating limits for CASTOR V/21 cask.  
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 94/12/19. Document Control Branch (Document Control Desk). 6pp. 82290:067-82290:302.

-9501090275 Amend 5 to "Sury ISFSI Environ Rept," incorporating CASTOR X/33 changed pages.  
\* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 49pp. 82290:073-82290:121.

-9501090293 Amend 9 to "Sury ISFSI SAR," incorporating CASTOR X/33 changed pages.  
\* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 119pp. 82290:122-82290:240.

-9501090298 Amend 6 to "Sury ISFSI Environ Rept," incorporating CASTOR V/21 changed pages.  
\* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 21pp. 82290:241-82290:261.

-9501090310 Amend 10 to "Sury ISFSI SAR," incorporating CASTOR V/21 changed pages.  
\* Virginia Power (Virginia Electric & Power Co.). 94/07/31. 39pp. 82290:262-82290:302.

### DOCKET 72-0004 DUKE POWER CO., 50-269, 50-270 & 50-287

9501270351 Submits comments on NRC Insp Repts 50-269/94-99, 50-270/94-99 & 50-287/94-99 for SALP rept for period 930502-941029.  
HAMPTON, J.W. Duke Power Co. 95/01/17. Document Control Branch (Document Control Desk). 3pp. 82540:358-82540:360.

### DOCKET 72-0007 CONSUMERS POWER CO., 50-255

9501050336 Discusses adequacy of existing cask unloading procedure.  
HAAS, K.M. Consumers Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82247:337-82247:339.

9501100300 Responds to 941106 ltr re dry cask storage at plant. Informs of intent to hold public meeting near plant to discuss unloading procedures w/interested members of public before making any decisions re adequacy of unloading procedures.  
HANNON, J.N. Office of Nuclear Reactor Regulation (Post 941001). 95/01/04. SINCLAIR, M.P. Affiliation Not Assigned. 4pp. 82282:299-82282:302.

### DOCKET 72-0009 PUBLIC SERVICE CO. OF COLORADO, 50-267

9501050220 Provides update on plans to repower Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery steam generators.  
WAREMBOURG, D.W. Public Service Co. of Colorado. 94/12/19. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82247:341-82247:342.

9501040030 Forwards util second annual update (Rev 2) of Fort St Vrain decommissioning plan.  
WAREMBOURG, D.W. Public Service Co. of Colorado. 94/12/27. Document Control Branch (Document Control Desk). 6pp. 82281:001-82281:347.

-9501040042 "Fort St Vrain Decommissioning Plan."  
\* Public Service Co. of Colorado. 94/12/27. 200pp. 82281:007-82281:347.

9501310093 Revised EPIPs, including issue 4 to DPP 5.2.11, "ERP- Technical Support Ctr" & issue 4 to DPP 5.2.15, "Emergency/ Contingency Plan for Chemical, Petroleum, Hazardous Waste."  
FISHER, M. Public Service Co. of Colorado. 95/01/16. 95pp. 82547:241-82547:336.

### DOCKET 72-0010 NORTHERN STATES POWER CO., 50-282 & 50-306

9501270034 Requests that NRC use encl documentation re ref audit of facility, in preparing evaluation of PX Engineering Co., Inc.  
AVELLAN, J. PX Engineering Co., Inc. 94/12/23. O'CONNOR, S.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 9pp. 82546:001-82546:038.

-9501300016 "Resin Installation Procedure."  
SCRUTON, G.S. PX Engineering Co., Inc. 94/12/19. 12pp. 82546:010-82546:021.

-9501300023 "Calibration of Standard Measuring Devices Used In Production & Quality Control Insp."  
SCRUTON, G. PX Engineering Co., Inc. 94/12/19. 17pp. 82546:022-82546:038.

9501110186 Requests scheduler exemption to submit rept of preoperational test acceptance criteria & test results for plant ISFSI within three days prior to receipt of spent fuel 10CFR72.7.  
ANDERSON, R.O. Northern States Power Co. 95/01/04. Document Control Branch (Document Control Desk). 4pp. 82297:357-82297:360.

9501270027 Submits Transnuclear audit rept E-13610 for audit 94-7 at PX Engineering.  
MASON, M. Transnuclear, Inc. 95/01/05. O'CONNOR, S. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:272-82540:283.

-9501300010 "Audit Rept - TN Audit 94-7"  
CASS, L. Transnuclear, Inc. 94/12/19. 10pp. 82540:274-82540:283.

9501310328 Forwards insp rept 72-0010/94-212 on 941108-1215 & notice of violation.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/25. ANDERSON, R.O. Northern States Power Co. 4pp. 82576:337-82576:358.

-9501310338 Insp rept 72-0010/94-212 on 941108-1215. Violations noted. Major areas inspected: implementation of NRC-approved NSP QA program in providing quality controls for mgt & fabrication activities associated w/TN-40 dry spent fuel storage sys.  
O'CONNOR, S.C., MATULA, T.O. Source Containment & Devices Branch (Post 911213). BROWN, B.W. Idaho National Engineering Laboratory. 95/01/19. 14pp. 82576:342-82576:355.

-9501310342 Notice of violation from insp on 941108-1215. Violation noted: info was not recorded on data record sheets for neutron shield resin pour activity.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/24. 3pp. 82576:356-82576:358.

### DOCKET 72-0011 SACRAMENTO MUNICIPAL UTILITY DISTRICT, 50-312

9501110020 Notification of 950109 meeting w/SMUD in Rockville, MD to discuss Part 72 physical protection of SF.  
GASKIN, C.E. Licensing Branch. 95/01/05. Licensing Branch. 1p. 82295:339-82295:339.

### DOCKET 72-1002 MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.

9501270193 Informs NRC that as of effective 950101, NAC changed name to NAC Intl, Inc. Requests that all correspondence on NAC licenses, approvals & certificates be addressed to GT Tjersland at listed address.  
STUART, I.F. Nuclear Assurance Corp. 95/01/16. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:299-82540:300.

**DOCKET 72-1003 MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.**

**9501270193** Informs NRC that as of effective 950101, NAC changed name to NAC Intl, Inc. Requests that all correspondence on NAC licenses, approvals & certificates be addressed to GT Tjersland at listed address.  
STUART, I.F. Nuclear Assurance Corp. 95/01/16. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:299-82540:300.

**DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM**

**9501260067** Provides summary fabrication schedules for TED NUHOMS hardware.  
SMITH, P. Vectra Technologies, Inc. 95/01/11. GUNDRUM, L. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82519:222-82519:225.

**9501250036** Forwards COC 1004, issued on basis of SAR of cask design, "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel," dtd 941220 & subsequent revs.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. AXLINE, J.W. Vectra Technologies, Inc. AXLINE, J.W. Pacific Nuclear Fuel Services, Inc. 5pp. 82518:058-82518:124.


**-9501250039** Certificate of compliance 1004, for models standardized NUHOMS-24P & NUHOMS-52B.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/23. 62pp. 82518:063-82518:124.

**DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES**

**9501060033** Discusses licensee 941116 submittal of Rev Z of Vol I of SAR for ventilated storage cask sys, dtd Oct 1994. NRC requests that licensee include signed release allowing NRC to place proprietary calculations (per 10CFR2.790(c)) in PDR.  
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/16. MCCONAGHY, W.J. Sierra Nuclear, Inc. 2pp. 82283:255-82283:256.

**9501040267** Registers initial use on 941221, of Pacific Sierra Nuclear Ventilated Storage Cask (VSC) Model VSC-24, Number CVCC-24-005 by providing listed info.  
HAAS, K.M. Consumers Power Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82276:223-82276:224.

**9501050336** Discusses adequacy of existing cask unloading procedure.  
HAAS, K.M. Consumers Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82247:337-82247:339.



## NONDOCKETED ITEMS

### 10CFR COMMISSION MEETING RECORDS

- 9501030102** Staff requirements memo approving order to deny petition for review of LPB-94-137, filed by A Mosbaugh & amend to 10CFR20 & 61 to improve quality of info in LLW shipping manifests.  
HOYLE, J.C. Office of the Secretary of the Commission. M941221B. 94/12/29. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 82175:106-82175:107.
- 9501050402** Transcript of 941220 briefing in Rockville, MD re progress of design certification review & implementation. Pp 1-37.  
\* Commissioners (Post 750119). 94/12/20. 37pp. 82229:060-82229:097.
- 9501050409** Transcript of 941221 public meeting in Rockville, MD re affirmation/discussion & vote. Pp 1-4.  
\* Commissioners (Post 750119). 94/12/21. 6pp. 82229:098-82229:104.
- 9501110420** Staff requirements memo informing of Commissioners approval of publication of notice of proposed rulemaking in FR as requested in SECY-94-283, provided that staff adds supporting discussion for making rule even less prescriptive.  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. CYR, K.D. Office of the General Counsel (Post 860701). 2pp. 82297:196-82297:197.
- 9501120251** Staff requirements memo re SECY-94-293, "SALP."  
HOYLE, J.C. Office of the Secretary of the Commission. 94/12/21. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82310:350-82310:350.
- 9501120254** Transcript of 941221 public briefing by NUMARC on nuclear regulatory review study. Pp 1-77.  
\* NRC - No Detailed Affiliation Given. 94/12/21. 88pp. 82310:198-82310:288.
- 9501120258** Transcript of 941219 DOE public briefing on status of HLW program. Pp 1-50.  
\* NRC - No Detailed Affiliation Given. 94/12/19. 82pp. 82314:206-82314:291.
- 9501120266** Transcript of 941220 public briefing on progress of design certification review & implementation re C-E Sys 80+ & Westinghouse AP600. Pp 1-35.  
\* NRC - No Detailed Affiliation Given. 94/12/20. 57pp. 82312:220-82312:277.
- 9501120271** Staff requirements memo re SECY-94-284, "Impact of DOE Proposed Multi-Purpose Canister Program on NRC Resources."  
HOYLE, J.C. Office of the Secretary of the Commission. 94/12/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 82309:303-82309:306.
- 9501120281** Staff requirements memo re SECY-94-280, "Response to SRM of 930428, which Disapproved Issuance of Advance Notice of Proposed Rulemaking on Potential Impact on Safety of Power Reactor Licensee Ownership Arrangements."  
HOYLE, J.C. Office of the Secretary of the Commission. 94/12/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82309:316-82309:316.
- 9501200088** Transcript of 950112 public meeting in Rockville, MD re briefing by ICRP/NCRP on principles of radiological protection & application in setting limits & constraints for public RS. Pp 1-63. Supporting documentation encl.  
\* Commissioners (Post 750119). 95/01/12. 119pp. 82420:205-82420:326.
- 9501200326** Staff requirements memo re briefing by ICRP/NCRP on principles of radiological protection & their application in setting limits & constraints for public from radiation sources on 950112 in Rockville, MD.  
HOYLE, J.C. Office of the Secretary of the Commission. M950112B. 95/01/18. Office of the Secretary of the Commission. 1p. 82421:358-82421:358.
- 9501230067** Transcript of 950112 briefing on status of activities w/ CNWRA in Rockville, MD. Pp 1-60. Supporting documentation encl.  
\* Commissioners (Post 750119). 95/01/12. 76pp. 82423:108-82423:187.
- 9501260317** Staff requirements memo re request by Commission that staff request to SRM to SECY-94-284 include discussion of NRC & CNWRA programs necessary to support response to DOE program approach.  
HOYLE, J.C. Office of the Secretary of the Commission. M950112A. 95/01/19. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82513:299-82513:299.
- 9501300088** Staff requirements memo re SECY-94-297, "Review of OIG Audit Rept on Limiting Commercial Grade Dedication Insp to Performance Based Approach."  
HOYLE, J.C. Office of the Secretary of the Commission. 94/12/28. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 82542:106-82542:107.
- 9501300094** Staff requirements memo re SECY-94-299 "Plan Issuance of Rev 1 to RG 1.160, "Monitoring Effectiveness of Maint at NPP."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82542:108-82542:108.
- 9501300116** Staff requirements memo re SECY-94-296, "Section 208 Rept to Congress on Abnormal Occurrences for Jul-Sept 1994."  
HOYLE, J.C. Office of the Secretary of the Commission. 94/12/29. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82542:165-82542:165.
- 9501300122** Staff requirements memo re SECY-94-282, "Proposed Amends to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Matls."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 82542:167-82542:168.
- 9501300131** Staff requirements memo re SECY-95-001 "NEI Comment in Response to Suppl Post Promulgation Comment Opportunity on Part 52 Rev."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/10. CORDES, J.F. Solicitor (Post 860701). 1p. 82542:169-82542:169.
- 9501300140** Staff requirements memo re SECY-94-277, "Withdrawal of Advance Notice of Proposed Rulemaking, "Acceptance of Products Purchased for Use in Nuclear Power Plant Structures, Sys & Components."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/10. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82542:201-82542:201.
- 9501300152** Staff requirements memo re SECY-94-300 Proposed Issuance of Final NUREG-1465, "Accident Source Terms for Light-Water NPP."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82542:239-82542:239.
- 9501300202** Staff requirements memo re SECY-94-289, "Contact w/ Presidential Advisory Committee on Human Radiation Experiments & Release of Info on Medical Experiments Involving Human Subjs."  
HOYLE, J.C. Office of the Secretary of the Commission. 95/01/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82537:005-82537:005.

### ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

**9501250212** Transcript of 950118 public meeting in Rockville, MD re Advisory Committee on Nuclear Waste 70th meeting. Pp 1-241. Supporting documentation encl.  
\* Advisory Committee on Nuclear Waste. 95/01/18. 334pp. 82457:026-82457:359.

**9501250229** Transcript of 950119 Advisory Committee on Nuclear Waste 70th meeting in Rockville, MD. Pp 242-446.  
\* Advisory Committee on Nuclear Waste. 95/01/19. 294pp. 82461:001-82461:294.

### ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

**9412300201** Discusses proposed revisions to 10CFR71, packaging & transportation of radioactive material.  
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 82276:214-82276:216.

**9501030071** Advises that ACRS discussed draft RG, DG-1023, "Evaluation of RPVs w/ Chappy Upper Shelf Energy Less than 50 Ft-Lb." during 416th meeting on 941208-10. Comment provided re draft RG.  
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/20. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 82247:070-82247:071.

**9501030076** Advises of ACRS discussion of NRC staff DSER re potential loss of SFPC following LOCA at plant.  
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/19. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 82247:072-82247:074.

**9501030094** Discusses NRC technical training program, including ACRS tour of Technical Training Ctr in Chattanooga, TN.  
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 94/12/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 82247:075-82247:076.

**9501060006** Forwards listed ACRS repts re potential for loss of spent fuel pool cooling following LOCA & revs to NRC part 71 regulation.  
\* Office of Public Affairs (Post 911117). 94/12/21. 1p. 82287:057-82287:065.

**9501130273** Transcript of 950110 ACRS Thermal Hydraulic Phenomena Subcommittee meeting in Rockville, MD. Pp 1-138.  
\* ACRS - Advisory Committee on Reactor Safeguards. 95/01/10. 140pp. 82364:198-82364:337.

**9501230014** Transcript of 950111 meeting in Rockville, MD of ACRS W Standard Plant Design Subcommittee re AP600 design. Pp 1-294. W/supporting mats encl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 95/01/11. 434pp. 82486:001-82487:068.

**9501230019** Transcript of 950112 417th ACRS meeting in Rockville, MD re Committee agenda. Pp 1-154. W/supporting matl encl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 95/01/12. 220pp. 82484:061-82484:280.

**9501230027** Transcript of 950113 417th ACRS meeting in Rockville, MD re Committee agenda. Pp 155-280. W/supporting matl encl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 95/01/13. 187pp. 82478:131-82478:317.

**9501300128** "NRC ACRS to Meet in Rockville, MD on 950209-10."  
\* Office of Public Affairs (Post 911117). 95/01/26. 2pp. 82575:116-82575:117.

**9501300216** "Dr TS Kress Elected ACRS Chairman, Dr RL Seale, Vice President."  
\* Office of Public Affairs (Post 911117). 95/01/27. 2pp. 82553:046-82553:047.

### ADVCM NRC ADVISORY COMMITTEE

**9501110398** Forwards transcript from 941107 meeting re Nuclear Safety Research Review Committee.  
YOUNG, S.F. Office of Nuclear Regulatory Research (Post 941217). 95/01/06. MCKNIGHT, J.C. Office of Information Resources Management (Post 890205). 2pp. 82315:001-82316:223.

**9501110401** Transcript of 941107 meeting in Rockville, MD re NRC Nuclear Safety Research Review Committee. Pp 1-337.  
\* Nuclear Safety Research Review Committee. 94/11/07. 337pp. 82315:003-82315:341.

**9501110404** Transcript of 941108 meeting in Rockville, MD re NRC Research Review Committee. Pp 338-576.  
\* Nuclear Safety Research Review Committee. 94/11/08. 246pp. 82315:342-82316:223.

**9501130060** "NRC Seeks Nominations for ACMUI."  
\* Office of Public Affairs (Post 911117). 95/01/11. 1p. 82507:001-82507:001.

**9501130062** "NRC ACNW to Meet 950118-19."  
\* Office of Public Affairs (Post 911117). 95/01/09. 2pp. 82507:002-82507:003.



## 196 NONDOCKETED ITEMS

9501130069 "NRC Invites Public to Submit Nominations for ACNW."  
\* Office of Public Affairs (Post 911117). 95/01/10. 2pp. 82507:004-82507:005.

9501170174 Summary of 940909 LSSARP meeting in Rockville, MD re status of NRC & DOE activities to LSS since 940414-15 meeting.  
HOYLE, J.C. Licensing Support System Advisory Review Panel (LSSARP). 94/10/13. LEVIN, A.E. Licensing Support System Advisory Review Panel (LSSARP). 17pp. 82323:080-82323:203.

-9501170177 Transcript of 940909 LSS Advisory Review Panel meeting in Rockville, MD. Pp 1-63. Supporting documentation encl.  
\* Licensing Support System Advisory Review Panel (LSSARP). 94/09/09. 107pp. 82323:097-82323:203.

9501250212 Transcript of 950118 public meeting in Rockville, MD re Advisory Committee on Nuclear Waste 70th meeting. Pp 1-241. Supporting documentation encl.  
\* Advisory Committee on Nuclear Waste. 95/01/18. 334pp. 82457:026-82457:359.

9501250229 Transcript of 950119 Advisory Committee on Nuclear Waste 70th meeting in Rockville, MD. Pp 242-446.  
\* Advisory Committee on Nuclear Waste. 95/01/19. 294pp. 82461:001-82461:294.

### COMMISSION NRC COMMISSIONERS

9412300046 Responds to ltr, dtd 941129 forwarding ltr, dtd 941121 from Citizens Resistance at Fermi 2 re NRC findings in 941115 restart SE & info declared proprietary. Informs no new safety issues raised by 941121 ltr & plant restart proceeding.  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 94/12/21. DINGELL, J.D. House of Rep., Energy & Commerce. 3pp. 82536:266-82536:273.

-9412300055 Forwards ltr, dtd 941121, from Citizens Resistance at Fermi 2 re proposed restart of plant. Informs group disagrees w/some findings in 941115 SE of plant. Requests ltr be reviewed for any other info not previously considered.  
DINGELL, J.D. House of Rep., Energy & Commerce. CCS. 94/11/29. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 6pp. 82536:268-82536:273.

9501050406 Responds to appeal of denial of FOIA request for info re criminal penalties. Appeal granted & denied in part as stated & advises that App B items B-1 - B-6 & B-9 may be publicly available.  
CHILK, S.J. Office of the Secretary of the Commission. 94/04/06. LARI, R.G. Newman & Holtzinger. 3pp. 82218:029-82218:046.

-9501050410 Notation vote response sheet approving, w/comment, SECY-91-327 re 10CFR, Chapter I criminal penalties proposed rule.  
REMICK Commissioners (Post 750119). 91/10/31. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82218:032-82218:033.

9501050408 First partial response to FOIA request for documents. Records in App A encl & available in PDR. Records in App B encl & available in PDR. App C records completely withheld (ref FOIA exemption 5).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/30. O'TOOLE, P.E. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 7pp. 82258:165-82258:237.

-9501060137 Notation vote approving w/comment, SECY-89-314, "License Fees Proposed Schedule."  
CURTISS, J.R. Commissioners (Post 750119). 89/11/03. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 82258:217-82258:219.

-9501060139 Notation vote approving, SECY-89-314, "License Fees-Proposed Schedule."  
CARR, K. Commissioners (Post 750119). 89/11/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:220-82258:224.

-9501060152 Notation vote approving SECY-89-314, "License Fees-Proposed Schedule."  
ROGERS, K.C. Commissioners (Post 750119). 89/11/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:225-82258:225.

-9501060155 Affirmation vote approving w/comment SECY-90-141, "License Fees-Final Rule."  
CARR, K.M. Commissioners (Post 750119). 90/05/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:226-82258:227.

-9501060160 Affirmation vote approving SECY-90-141, "License Fees-Final Rule."  
ROBERTS, H. Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:228-82258:228.

-9501060163 Affirmation vote approving SECY-90-141, "License Fees-Final Rule."  
CURTISS, J.R. Commissioners (Post 750119). 90/05/04. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:229-82258:229.

-9501060167 Affirmation vote approving SECY-90-141, "License Fees-Final Rule."  
REMICK, J. Commissioners (Post 750119). 90/04/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:230-82258:230.

-9501060171 Notation vote disapproving w/comment SECY-90-147, "Alternatives for Assessing Matl License Fees Under 10CFR170."  
CARR, K. Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:231-82258:232.

-9501060177 Notation vote disapproving SECY-90-147, "Alternatives for Assessing Matl License Fees Under 10CFR170."  
ROBERTS, H. Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:233-82258:234.

-9501060182 Notation vote approving w/comment SECY-90-147, "Alternatives for Assessing Matl License Fees Under 10CFR170."  
ROGERS, K.C. Commissioners (Post 750119). 90/04/27. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:235-82258:235.

-9501060185 Notation vote approving w/comment SECY-90-147, "Alternatives for Assessing Matl License Fees Under 10CFR170."  
REMICK, J. Commissioners (Post 750119). 90/04/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:236-82258:237.

9501060083 Discusses 941208 drop-in visit by Texas Utils w/Chairman Selin.  
SCHMIDT, W.L. NRC - No Detailed Affiliation Given. 94/12/12. NRC - No Detailed Affiliation Given. 1p. 82259:246-82259:246.

9501060092 Discusses EPA concerns re proposed rescission of 40CFR61, Subpart I. Informs that NRC will proceed to eliminate unnecessary dual regulation between EPA & NRC regulatory programs.  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/12/21. BROWNER, C.M. Environmental Protection Agency. 5pp. 82233:059-82233:063.

9501060132 Summary of 941220 meeting of Chairman Selin w/H Varnus, Goddesman & Zoon of NIH re NRC implementation of 10CFR20 requirements re storage & control of radioactive matl.  
MCCONNELL, K.I. Commissioners (Post 750119). 94/12/20. Commissioners (Post 750119). 1p. 82259:218-82259:218.

9501110379 SECY-94-305 Weekly info rept for wk ending 941216.  
BLAHA, J.L. Assistant for Operations (Post 890205). 94/12/22. 23pp. 82297:118-82297:140.

9501110380 SECY-94-307 Weekly info rept for wk ending 941223.  
BLAHA, J.L. Assistant for Operations (Post 890205). 94/12/28. 17pp. 82297:141-82297:157.

9501110431 Forwards second rept on status of EQ-TAP, discussing completed actions, continuing actions & scheduler changes.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/11/16. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 2pp. 82297:214-82297:241.

-9501110433 "Environmental Qualification Task Action Plan," status rept.  
\* Plant Systems Branch. 94/10/17. 10pp. 82297:216-82297:241.

9501120079 Responds to 940720 ltr, asking for confirmation of view that Part 170 does not require applicants for design certification under 10CFR52 to pay NRC costs of design certification rulemakings.  
ROGERS, K.C. Commissioners (Post 750119). 94/12/29. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 82310:194-82310:197.

9501120196 S-94-29 Remarks by I Selin, Chairman NRC to Electronic Info Exchange Workshop 941207.  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/12/07. 3pp. 82366:333-82366:335.

9501120233 SECY-95-005 Weekly info rept for wk ending 941230.  
BLAHA, J.L. Assistant for Operations (Post 890205). 95/01/06. 7pp. 82305:026-82305:032.

9501120262 Notation vote approving w/comment SECY-94-284, "Impact of DOE Proposed Multi-Purpose Canister Program on NRC Resources."  
DE PLANQUE, E.G. Commissioners (Post 750119). 94/12/12. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82310:351-82310:351.

9501120264 Notation vote approving w/comment, SECY-94-284, "Impact of DOE Proposed Multi-Purpose Canister Program on NRC Resources."  
ROGERS, K.C. Commissioners (Post 750119). 94/12/15. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 82310:352-82310:353.

9501120268 Notation vote approving w/comment, SECY-94-284, "Impact of DOE Proposed Multi-Purpose Canister Program on NRC Resources."  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/12/12. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 82309:300-82309:302.

9501120283 Notation Vote, approving SECY-94-283 re proposed rev to 10CFR50, app J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.  
ROGERS, K.C. Commissioners (Post 750119). 94/12/15. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82307:027-82307:027.

9501120287 Notation vote approving w/comments SECY-94-283 re proposed rev to 10CFR50, app J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/12/12. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82307:028-82307:028.

9501120288 Responds to 940812 ltr requesting confirmation of licensee view that 10CFR170 does not require applicants for design certifications under Part 52 to pay NRC cost of rulemakings. Rulemaking should not be regarded as "contested hearing."  
ROGERS, K.C. Commissioners (Post 750119). 94/12/30. QUIRK, J.F. General Electric Co. LIPARJLO, N.J. Westinghouse Electric Corp. 4pp. 82322:356-82322:362.

9501120292 Notation vote, approving SECY-94-283 re proposed rev to 10CFR50, app J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.  
DE PLANQUE, E.G. Commissioners (Post 750119). 94/12/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82305:360-82305:360.

9501120295 Affirmation vote, approving SECY-94-273, "Final Amends to 10CFR20 & 61 on Low-Level Waste Shipment Manifest Info & Reporting."  
ROGERS, K.C. Commissioners (Post 750119). 94/12/20. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82314:205-82314:205.

9501120299 Affirmation vote, approving SECY-94-273, "Final Amends to 10CFR20 & 61 on Low-Level Waste Shipment Manifest Info & Reporting."  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 94/12/09. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82307:029-82307:029.

9501120305 Affirmation vote response sheet, partly approving & disapproving SECY-94-273, "Final Amends to 10CFR20 & 61 on Low-Level Waste Shipment Manifest Info & Reporting."  
DE PLANQUE, E.G. Commissioners (Post 750119). 94/12/20. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 82307:030-82307:032.

- 9501120324 Forwards Suppl 4 to NUREG-1435. "Status of Safety Issues at Licensed Power Plants," presenting status of action plan requirements at commercial nuclear power plants. ROGERS, K.C. Commissioners (Post 750119). 94/12/29. MARKEY, E.J. House of Rep. 58pp. 82319:001-82319:154.
- 9501120344 Forwards results of evaluation of mgt control & financial sys for FY ending 940930, as required by Federal Managers Financial Integrity Act of 1982. ROGERS, K.C. Commissioners (Post 750119). 94/12/29. CLINTON President of U.S. & Executive Offices. FOLEY, T.S. House of Rep. GORE, A. Senate. 24pp. 82309:336-82309:359.
- 9501170056 Partial 22nd response to FOIA request for info. Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-840714). 94/04/11. GILINSKY, V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.
- 9501170069 Partially deleted memo re apparent cheating at licensed operator requalification program at plant during IE investigation into recent cheating on operator exams. GILINSKY, V. Commissioners (Post 750119). 81/09/30. PALLADINO, BRADFORD, AHEARNE Commissioners (Post 750119). 4pp. 82557:142-82557:145.
- 9501170089 Forwards copy of IE completed rept of investigation, Case Number HQS-81-003 re alleged cheating on OL exams at plant. DIFCKS, W.J. Ofc of the Executive Director for Operations. HQS-81-003. 81/08/14. PALLADINO, GILINSKY, BRADFORD Commissioners (Post 750119). 1p. 82557:146-82557:146.
- 9501230160 Responds to congressman Udall ltr re Applegate FOIA request & believes that proposed reply to 821207 ltr not entirely responsive, particularly to listed questions. Proposes to notify congressman of poor handling of FOIA request. ASSELSTINE, J.K. Commissioners (Post 750119). 94/04/11. PALLADINO, GILINSKY, AHEARNE Commissioners (Post 750119). 5pp. 82557:205-82557:209.
- 9501230163 Concurs w/conclusions re Director of OIA response to Applegate FOIA request & w/suggestion on actions NRC should take. GILINSKY, V. Commissioners (Post 750119). 83/03/03. ASSELSTINE Commissioners (Post 750119). 1p. 82557:210-82557:210.
- 9501230167 Requests that Commission decide immediately whether to take disciplinary action against JJ Cummings & other OIA managers in connection w/Applegate FOIA request re alleged improprieties on OL exams at plant. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 83/06/03. PALLADINO Commissioners (Post 750119). 1p. 82557:211-82557:211.
- 9501230185 Informs of 830616 NRC mgt & personnel meeting re issues raised in 830602 & 830603 memos & status of FOIA procedures in NRC & rights of employees under disciplinary review. PALLADINO, N.J. Commissioners (Post 750119). 83/06/13. GILINSKY, AHEARNE, ROBERTS Commissioners (Post 750119). 1p. 82557:212-82557:212.
- 9501230189 Requests Commission reconsider 830629 action re reconsideration of issuance of admonition per 830629 request of JJ Cummings. PALLADINO, N.J. Commissioners (Post 750119). 83/06/29. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 82557:214-82557:232.
- 9501230216 Forwards copies of ltrs from attorneys representing J Cummings re formal grievance & FOIA request re alleged improprieties during OL exam at plant. PALLADINO, N.J. Commissioners (Post 750119). 84/01/27. GILINSKY, ROBERTS, ASSELSTINE Commissioners (Post 750119). 4pp. 82557:201-82557:204.
- 9501230256 Responds to Commissioner Asseltine memo re handling of Applegate FOIA request by director of OIA & believes that taking action proposed by Commissioner Asseltine would be premature. 830524 Memo & Order issued by US court encl. PALLADINO, N.J. Commissioners (Post 750119). 83/03/14. GILINSKY, AHEARNE, ROBERTS, Commissioners (Post 750119). 10pp. 82557:233-82557:242.
- 9501240224 Requests opportunity to discuss revised draft re encl reconsideration of memo of admonition dtd 830630. Mgt & personnel meeting scheduled for 830628. PALLADINO, N.J. Commissioners (Post 750119). 83/06/28. GILINSKY, AHEARNE, ROBERTS Commissioners (Post 750119). 1p. 82558:013-82558:014.
- 9501260123 Requests that Commission reconsider w/o prejudice to exercise grievance rights per NRC regulations re 830629 action. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 83/06/29. PALLADINO Commissioners (Post 750119). 1p. 82557:213-82557:213.
- 9501260225 Informs that Commission agreed to reconsider issuance of memo of admonition per 830629 request. PALLADINO, N.J. Commissioners (Post 750119). 83/06/30. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 82558:015-82558:016.
- 9501200342 Summary of 941221 meeting w/TVA Chairman of Board, C Crowell re status of TVA plants including decision to stop const of both Bellefonte units & Watts Bar unit 2 & need for upper TVA mgt support at other plants. SCHMIDT, W.L. Commissioners (Post 750119). 94/12/28. Commissioners (Post 750119). 1p. 82421:359-82421:359.
- 9501200355 Transmits appreciation for agreeing to be keynote speaker at NRC black history month program on 950216 in Baltimore, MD. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/01/12. HRABOWSKI, F.A. Maryland, Univ. of, Baltimore, MD. 1p. 82421:360-82421:360.
- 9501240233 Conference paper entitled, "Do We Dispose of our Trash or Trash our Technology The Choice is Ours," for presentation at 16th Annual DOE Low-Level Radwaste Mgt Conference in Phoenix, AZ 941213. DE PLANQUE, E.G. Commissioners (Post 750119). 94/12/13. 9pp. 82485:013-82485:021.
- 9501260095 Forwards summary of actions taken by NRC in response to recommendations re NRC in repts issued by GAO, including progress made on resolving & completing recommendations since summary rept submitted on 931217. ROGERS, K.C. Commissioners (Post 750119). CCS. 94/12/30. BYRD, R.C. Senate, Appropriations. OBEY, D. House of Rep., Appropriations. GLENN, J. Senate, Governmental Affairs. 19pp. 82519:340-82519:359.
- 9501270282 SECY-95-006 Weekly info rept for wk ending 950106. BLAHA, J.L. Assistant for Operations (Post 890205). 95/01/11. 15pp. 82523:277-82523:291.
- 9501300045 Forwards several documents from records of ofc of former Commissioner Curtis for release to PDR & addition to NUDOCs sys. WALKER, S. Office of the Secretary of the Commission, 95/01/19. BLANTON, J. Information & Records Management Branch (Post 890827). 3pp. 82564:055-82566:027.
- 9501300050 Forwards "Guidance for Risk Assessment" from 920804 & 05 meeting of EPA Radiation Advisory Committee. BLAHA, J.L. Assistant for Operations (Post 890205). 92/08/10. CYR, K., VAN CISE, L., GRAY, J. Commissioners (Post 750119). 7pp. 82564:058-82564:064.
- 9501300054 "Guidance for Risk Assessment."  
\* Environmental Protection Agency. 91/11/30. 107pp. 82564:065-82564:141.
- 9310080093 Provides addl info re institutional controls under Superfund, per 930616 commitment. PARLER, W.C. Office of the General Counsel (Post 860701). 93/06/29. CURTISS Commissioners (Post 750119). 6pp. 82564:142-82564:147.
- 9501300061 Forwards ltr to EPA from RM Bernero on justification for separate EPA std for groundwater protection. BLAHA, J.L. Assistant for Operations (Post 890205). 93/03/08. MARTIN, D., COPLANS, S., DRAGONETTE, K. Commissioners (Post 750119). 1p. 82564:148-82564:148.
- 9303310234 Requests EPA position on whether draft stds in 40CFR193 provide substantial reduction of significant radiological risk from commercial low-level radwastes managed or disposed of by NRC or Agreement State licensees. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 93/03/05. OGE, M.T. Environmental Protection Agency. 2pp. 82564:149-82564:150.
- 9501300066 Forwards Natural Resources Defense Council comments on proposed rescission of 40CFR Subpart I for NRC-licensed facilities other than nuclear power reactors. BLAHA, J.L. Assistant for Operations (Post 890205). 93/04/29. MARTIN, D., COPLANS, S., DRAGONETTE, K. Commissioners (Post 750119). 13pp. 82564:151-82564:163.
- 9210020245 Forwards MOU between NRC & EPA re 40CFR61, Subpart 1. MOU documents approach developed by NRC & EPA over past several months for strengthening EPA basis for rescinding Subpart I stds to minimize regulatory duplication. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/09/22. THE CHAIRMAN, SELIN, I., ROGERS Commissioners (Post 750119). 1p. 82564:164-82564:168.
- 9210020246 MOU between EPA & NRC re Clean Air Act stds for radionuclide releases from facilities other than nuclear power reactors licensed by NRC or NRC Agreement states. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. ROSENBERG, W.G. Environmental Protection Agency. 92/09/04. 6pp. 82564:166-82564:168.
- 9501300071 Ack receipt of recent talk on regulatory risk coherence & remarks on draft white paper for Health Physics Society on radiation protection of public. KOCHER, D.C. Oak Ridge National Laboratory. 92/08/19. REMICK, F.J. Commissioners (Post 750119). 6pp. 82564:169-82564:174.
- 9501300074 Forwards NRC comments on EPA proposed drinking water regulations. BLAHA, J.L. Assistant for Operations (Post 890205). 92/04/01. RATHBUN, R., BILHORN, S., DRAGONETTE, K. Commissioners (Post 750119). 1p. 82564:175-82564:175.
- 9204030244 Forwards NRC comments on EPA proposed drinking water regulations for radionuclides (40CFR141 & 40CFR142). Groundwater & surface water protection criteria for enriched & depleted U should be considered. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/03/26. MILLS, W.A. Oak Ridge Associated Universities. 7pp. 82564:176-82564:182.
- 9501300077 Summary of 920305 & 06 meeting of NEA sponsored Reflection Group on Small Probabilities in Nuclear Health & Safety. REMICK, F.J. Commissioners (Post 750119). 92/03/11. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 2pp. 82564:183-82564:184.
- 9501300084 Forwards draft brief paper containing thoughts in preparation for first meeting on Reflection Group on Small Probabilities in Nuclear Health & Safety. REMICK, F.J. Commissioners (Post 750119). 91/12/11. STADIE, K.B. France. 15pp. 82564:185-82564:199.
- 9501300086 Forwards "Rept of CIRRPC Executive Committee Re EPA NESHAP Regulations on Radionuclides for Medical Research Institutions & Radiopharmaceutical Mfgs." TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/10. CARR, ROGERS, CURTISS Commissioners (Post 750119). 1p. 82564:200-82564:200.
- 9501300090 "Rept of CIRRPC Executive Committee Re EPA NESHAP Regulations on Radionuclides for Medical Research Institutions & Radiopharm Mfgs."  
\* President of U.S. & Executive Offices. 90/06/30. 100pp. 82564:201-82564:274.
- 9501300092 Discusses Health Physics Society Std's Committee consideration of regulatory framework for radiation protection of public. FEDERLINE, M. Commissioners (Post 750119). 90/05/16. LOPEZ-OTIN, M., MACDOUGALL, R., KOTRA, J. Commissioners (Post 750119). 30pp. 82564:275-82564:304.
- 8908290160 SECY-89-253 Directs Commission attention to disagreement between EPA & NRC re new guidance in revised draft manual of protective action guides. TAYLOR, J.M. Ofc of the Executive Director for Operations. 89/08/23. 6pp. 82564:305-82564:310.
- 8908080376 Responds to request for comments on May 1989 draft of EPA "Manual for Protective Action Guides & Protective Actions for Nuclear Incidents." Recommendations new EPA guidance be characterized as "draft for comment." MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 89/08/01. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 152pp. 82564:311-82565:153.

## 198 NONDOCKETED ITEMS

-9501300117 "Compendium of Major US Radiation Protection Stds & Guides: Legal & Technical Facts."  
MILLS,W.A., FLACK,D.S., ARSENAULT,F.J. Oak Ridge Associated Universities. 88/07/31. 100pp. 82565:154-82566:023.

-8604230013 Summary of 860305 meeting re control of rulemaking,including timeliness of rulemaking & EDO review of proposed anticipated final rule publication date extension,List of attendees & summary encl.  
STELLO,V. Ofc of the Executive Director for Operations. 86/04/14. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. DENTON,H.R. Office of Nuclear Reactor Regulation. Director (851125-870411). MINOGUE,R.B. Office of Nuclear Regulatory Research, Director (Pre 860720). 4pp. 82566:024-82566:027.

9501300080 Notation vote approving w/comments,SECY-95-001, "NEI Comment in Response to Supplemental 'Post-Promulgation' Comment Opportunity on Part 52 Revs."  
DE PLANQUE,E.G. Commissioners (Post 750119). 95/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:346-82536:346.

9501300108 Notation vote approving SECY-95-001 "NEI Comment in Response to Suppl 'Post Promulgation' Comment Opportunity on Part 52 Rev."  
ROGERS,K.C. Commissioners (Post 750119). 95/01/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82542:109-82542:109.

9501300115 Notation vote approving w/comments,SECY-94-282, "Proposed Amend to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Mats."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:348-82536:348.

9501300121 Notation vote approving SECY-95-001 "NEI Comment in Response to Suppl 'Post Promulgation' Comment Opportunity on Part 52 Rev."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/01/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82542:166-82542:166.

9501300125 Notation vote approving w/comments,SECY-94-282, "Proposed Amend to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Mats."  
ROGERS,K.C. Commissioners (Post 750119). 94/12/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:349-82536:349.

9501300138 Notation vote approving w/comments,SECY-94-282, "Proposed Amend to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Mats."  
DE PLANQUE,E.G. Commissioners (Post 750119). 94/12/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 82536:350-82536:352.

9501300146 Notation vote approving w/comments,SECY-94-289, "Contact w/Presidential Advisory Committee on Human Radiation Experiments & Release of Info on Medical Experiments Involving Human Subjects."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:353-82536:353.

9501300153 Notation vote approving in part & disapproving in part w/ comment SECY-94-260, "Draft Risk Harmonization White Paper."  
DE PLANQUE,E.G. Commissioners (Post 750119). 94/12/08. HOYLE,J.C. Office of the Secretary of the Commission. 15pp. 82542:240-82542:254.

9501300155 Notation vote approving w/comments,SECY-94-289, "Contact w/Presidential Advisory Committee on Human Radiation Experiments & Release of Info On Medical Experiments Involving Human Subjects."  
DE PLANQUE,E.G. Commissioners (Post 750119). 95/01/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:354-82536:354.

9501300156 SECY-95-010 Weekly info rept for wk ending 950113.  
BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/20. 19pp. 82542:255-82542:273.

9501300159 Notation vote approving w/comment SECY-94-260, "Draft Risk Harmonization White Paper."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82542:274-82542:274.

9501300161 Notation vote approving w/comment SECY-94-260, "Draft Risk Harmonization White Paper."  
ROGERS,K.C. Commissioners (Post 750119). 94/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82542:275-82542:275.

9501300163 Notation vote approving w/comments,SECY-94-289, "Contact w/Presidential Advisory Committee on Human Radiation Experiments & Release of Info on Medical Experiments Involving Human Subjects."  
ROGERS,K.C. Commissioners (Post 750119). 94/12/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82536:357-82536:357.

9501310001 Remarks by I Selin,Chairman NRC by telephone to Harvard Electricity Policy Group New Orleans,LA 950126.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/01/26. 6pp. 82575:106-82575:111.

### CONTRACT NRC CONTRACTS AND MODIFICATIONS

9501060093 Ltr contract,definitizing task order 32, "Technical Assistance in Review of Fort Saint Vrain Repowering Natural Gas Hazards Analysis."  
MACE,M.H. Division of Contracts (Post 940714). NRC-02-90-009. 94/12/02. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 82259:244-82259:245.

9501060119 Mod 3,reflecting additions & deletions to list of equipment to be maintained under subj contract to "Data General Equipment Maint."  
HOYT,J. Data General Corp. MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-94-173. 94/12/19. 11pp. 82259:219-82259:230.

9501060174 Ltr contract,mod 1,providing addl funding to task order 3, "Ofc of Personnel Sys Integration Phase II."  
CORWIN,J.B. Division of Contracts (Post 940714). NRC-33-93-196. 94/10/14. JONES,N. 2pp. 82259:171-82259:171.

9501060197 Ltr contract,mod 1,changing due date on deliverable for task order 39, "IPE Review,Internal Events-Front End Only."  
MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 94/12/08. COLINA,I. Science & Engineering Associates, Inc. 2pp. 82259:172-82259:173.

9501060242 Ltr contract,definitizing task order 3, "Acquisition of Technical Assistance to Support Regional Operator Licensing Activities."  
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2261-5. NRC-03-94-035. 94/11/28. VOGEL,A.M. Sonalysts, Inc. 4pp. 82259:198-82259:201.

9501060258 Mod 24,extending contract completion date from 941231 to 950131 at no change to contract estimated cost & fee,to "Short Cracks in Piping & Welds Research Program."  
\* Battelle Memorial Institute. MACE,M. Division of Contracts (Post 940714). 94/12/01. 2pp. 82257:358-82257:359.

9501090272 Ltr contract,mod 1,providing addl funding to task order 1, "Application Development Platforms/Client Server Computing."  
CORWIN,J.B. Division of Contracts (Post 940714). FIN B-8166. NRC-33-93-196. 94/10/14. JONES,N. 2pp. 82260:355-82260:356.

9501090280 Mod 3,providing incremental funding in stated amount,to "Microfiche Services for Source & Drawing Documents."  
\* Microform, Inc. MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-208. 94/12/14. 2pp. 82260:357-82260:360.

9501090341 Mod 7,providing with-in scope change to incorporate addl contract line items to schedule of items for Fujitsu switch after upgrade to release 8 to allow compatibility w/NANP, to "Telephone Switching Systems-Region 3."  
COLLINS,E.J. GTI Corp. MATTIA,M.J. Division of Contracts (Post 940714). 94/12/12. 3pp. 82261:351-82261:353.

9501090344 Mod 4,correcting contract ceiling & deobligation amounts & FIN number for deobligation,adding line items 4 & 5 to base year & reflecting further additions & deletions to list of equipment maintained by vendor, to "Data General..."  
HOYT,J. Data General Corp. MATTIA,M.J. Division of Contracts (Post 940714). 94/12/19. 13pp. 82262:326-82262:338.

9501100006 Mod 2,revising section J.4(f) to extend deliverable period through 951231,to "Individual Plant Exam Submittal Reviews for Internal Events Only (Front-End Sys Analysis)."  
COLINA,I. Science & Engineering Associates, Inc. MACE,M. Division of Contracts (Post 940714). 94/12/08. 2pp. 82271:029-82271:030.

9501100015 Mod 18,raising total funds obligated under contract & contract ceiling amount for reimbursable contract services, basic services,util payments & phase-in phase-out efforts, to "Operation & Maintenance of One White Flint North."  
KENWORTHY,W. Ogden Allied Eastern States Maintenance Corp. FIELDS,J.A. Division of Contracts (Post 940714). NRC-10-92-141. 94/10/18. 3pp. 82275:263-82275:265.

9501100024 Contract: "Operational Support for Office of Comptroller," awarded to Data Flow Corp.  
PANNELL,J.D. Small Business Administration. SOLAIMAN,M. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-2603. 94/11/30. 94pp. 82275:170-82275:262.

9501100034 Mod 4,exercising option year one IAW FAR-52.217-9, to "Nationwide Urine Specimen Collections."  
NEJFELT,H. Tracor Technology Resources, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 94/12/12. 3pp. 82269:355-82269:357.

9501100045 Mod 26,increasing contract ceiling amount & continuing software licenses for software packages listed below from 941001 - 950116, to "Emergency Response Data Sys Implementation."  
MANDEL,J. Halliburton NUS Environmental Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8763. 94/11/23. 2pp. 82269:358-82269:359.

9501100065 Contract: "Technical Assistance in Support of NRC Mobile Non-Destructive Examination Lab" awarded to TET,Inc.Billing instructions & Unclassified Contractor & Grantee Publications in NUREG Series Handbook 3.8 encl.  
THOMPSON,V.J. TET, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2080-5. 94/10/29. 92pp. 82269:252-82269:346.

9501100081 Mod 1,extending period of performance to "Circadian Lighting for Headquarters Operations Officer-NRC Operations Ctr."  
BOKER,T.L. MACE,M.H. Division of Contracts (Post 940714). 94/11/14. 1p. 82275:268-82275:268.

9501100086 Mod 4,adding within scope work under section G.1.V,D "Correlation of Predictions W/Measured Data," to "Hualien SSI Experiment."  
\* City College of New York, New York, NY. MACE,M. Division of Contracts (Post 940714). 94/12/15. 2pp. 82275:266-82275:267.

9501100092 Ltr contract,definitizing task order 40, to "IPE Reviews, Internal Events,Front End Only," Salem 1 & 2.  
MACE,M. Division of Contracts (Post 940714). FIN B-5787. NRC-04-91-066. 94/12/08. COLINA,I. Science & Engineering Associates, Inc. 2pp. 82269:353-82269:354.

### FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9412220269 Sixth partial response to FOIA request for info re NRC investigation OI4-91-019,DOL investigation 91-ERA-037 & NOV & proposed civil penalty.Forwards App O & P documents withheld in entirety,or in part (see FOIA Exemption 7).  
GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 94/02/10. O'MALLEY,S.B. Affiliation Not Assigned. 5pp. 82231:001-82231:148.

-9412220271 Partially deleted investigation rept 4-91-019, "Fort St Vrain:Alleged Intimidation & Harassment."  
GIETL,D.R., WILLIAMSON,E.L., HAYES,B.B. Ofc of Investigations (Post 880201). 92/07/20. 25pp. 82231:010-82231:039.

-9501030215 Partially deleted transcript of interview w/TE Schleiger re investigation of events surrounding alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 6pp. 82231:040-82231:045.

-9501030220 Partially deleted transcript of interview w/DL Blain re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 4pp. 82231:046-82231:049.

- 9501030223 Partially deleted transcript of interview w/EJ O'Donoghue re alleged H&I at plant.  
GIETL,D. Ofc of Investigations (Post 880201). 92/02/11. 4pp. 82231:050-82231:053.
- 9501040028 Partially deleted transcript of interview w/ED Stroud re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 3pp. 82231:054-82231:056.
- 9501040032 Partially deleted transcript of interview w/WE Woodard re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 91/02/13. 5pp. 82231:057-82231:061.
- 9501040034 Partially deleted transcript of interview w/FJ Borst re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 7pp. 82231:062-82231:068.
- 9501040038 Partially deleted transcript of interview w/DR Alps re alleged H&I at plant.  
GIETL,D. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:069-82231:070.
- 9501040039 Partially deleted transcript of interview w/ME Deniston re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:071-82231:072.
- 9501040040 Partially deleted transcript of interview w/CH Fuller re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/19. 75pp. 82231:073-82231:148.
- 9412220271 Partially deleted investigation rept 4-91-019, "Fort St Vrain:Alleged Intimidation & Harassment."  
GIETL,D.R., WILLIAMSON,E.L., HAYES,B.B. Ofc of Investigations (Post 880201). 92/07/20. 25pp. 82231:010-82231:039.
- 9501030215 Partially deleted transcript of interview w/TE Schleiger re investigation of events surrounding alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 6pp. 82231:040-82231:045.
- 9501030220 Partially deleted transcript of interview w/DL Blain re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 4pp. 82231:046-82231:049.
- 9501030223 Partially deleted transcript of interview w/EJ O'Donoghue re alleged H&I at plant.  
GIETL,D. Ofc of Investigations (Post 880201). 92/02/11. 4pp. 82231:050-82231:053.
- 9501040028 Partially deleted transcript of interview w/ED Stroud re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 3pp. 82231:054-82231:056.
- 9501040032 Partially deleted transcript of interview w/WE Woodard re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 91/02/13. 5pp. 82231:057-82231:061.
- 9501040034 Partially deleted transcript of interview w/FJ Borst re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/13. 7pp. 82231:062-82231:068.
- 9501040038 Partially deleted transcript of interview w/DR Alps re alleged H&I at plant.  
GIETL,D. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:069-82231:070.
- 9501040039 Partially deleted transcript of interview w/ME Deniston re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/12. 2pp. 82231:071-82231:072.
- 9501040040 Partially deleted transcript of interview w/CH Fuller re alleged H&I at plant.  
GIETL,D.R. Ofc of Investigations (Post 880201). 92/02/19. 75pp. 82231:073-82231:148.
- 9501030077 FOIA request for listing of all repts published by NRC OI from 800101 to present.  
RHEINGOLD,D. Michigan Daily, Ann Arbor, MI. 94/02/27. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82167:297-82167:297.
- 9501030083 Final response to FOIA request for documents.Records in App A being completely withheld (ref FOIA exemption 7).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/22. RHEINGOLD,D. Michigan Daily, Ann Arbor, MI. 3pp. 82167:298-82167:349.
- 9501030088 "OI Mgt Info Sys Repts Issued for Period 800101-841231."  
Ofc of Investigations (Post 880201). NRC-1251306-008. 94/03/11. 48pp. 82167:301-82167:349.
- 9501030092 Requests cancellation of work on FOIA 94-73 request.  
WILLIAMS,O.G. JRA Associates. OGW-94-030. 94/03/17. REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82167:236-82167:236.
- 9501030095 Final response to FOIA request for documents.Informs that request being closed,per 940317 request.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/23. WILLIAMS,O.G. JRA Associates. 1p. 82167:237-82167:237.
- 9501030099 21st partial response to FOIA request for NRC papers at Hoover Library.Forwards app DD records being made available in PDR & app EE records being partially withheld (ref FOIA Exemptions 4 & 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/04. GILINSKY,V. Affiliation Not Assigned. 4pp. 82180:112-82180:170.
- 9501030114 SECY-83-388 Obtains Commission approval of proposed response to DOE.  
DIRCKS,W.J. Ofc of the Executive Director for Operations. 83/09/20. 32pp. 82180:139-82180:170.
- 9501050177 SECY-82-420 Partially deleted SECY.advising Commission of proposed technology transfer to Peoples Republic of China per 10CFR810.  
DIRCKS,W.J. Ofc of the Executive Director for Operations. 82/10/19. 22pp. 82180:117-82180:138.
- 9501030109 FOIA request for documents re RG1.75 & IEEE std 384.  
REBBAPRAGADA,R. Affiliation Not Assigned. 94/03/03. AGGARWAL,S.K. NRC - No Detailed Affiliation Given. 1p. 82167:221-82167:221.
- 9501030110 Final response to FOIA requests for documents.Records in App A encl & being made available in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/24. REBBAPRAGADA,R. Affiliation Not Assigned. 2pp. 82167:222-82167:235.
- 9501030113 Discusses findings from review of working group disposition of negative ballot comments on P384,draft D-3, "IEEE Std Criteria for Independence of Class 1E Equipment & Circuits."  
AGGARWAL,S.K. Electrical & Mechanical Engineering Branch (870717-941217). 91/07/25. ZAR,M.S. Sargent & Lundy, Inc. 12pp. 82167:224-82167:235.
- 9501030135 FOIA request for listed exhibits associated w/OMB Circular A-11, "Data on Acquisition,Operation & Use of Info Technology Sys for FY95 Budget." Requests that data include FY93-FY95 info.  
CURTIS,K.M. Affiliation Not Assigned. 94/02/28. BROWN,N. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82167:186-82167:186.
- 9501030150 Final response to FOIA request for exhibits associated w/OMB Circular A-11, "Data Acquisition,Operation & Use of Info Technology Sys for FY95 Budget." Forwards app A records released to requester & app B records maintained in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. CURTIS,K.M. Affiliation Not Assigned. 3pp. 82167:187-82167:193.
- 9501030154 Package containing NRC rept on info sys for FY93-FY95.  
\* NRC - No Detailed Affiliation Given. 94/01/26. 4pp. 82167:190-82167:193.
- 9501030173 Third partial response to FOIA request for info.Forwards App E documents which will be in PDR.App F info entirely withheld (ref Exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. COLAPINTO,D. National Whistleblower Center. 4pp. 82167:201-82167:220.
- 9308240156 Forwards TJ Saporito 930512 petition requesting that NRC institute proceeding to modify,suspend or revoke plant OLS & draft ack ltr to petitioner.  
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 93/05/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 82167:211-82167:220.
- 9501030178 Notifies that case 92-ERA-30, "Saporito vs AR Public Svc Co & Atlantic Group," concluded.Requests NRC initiate actions ensuring plant operations consistent w/NRC requirements.  
SAPORITO,T.J. Saporito, T.J. 92/10/08. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 82167:207-82167:207.
- 9501030185 Ack receipt of 920914 ltr re NRC actions on plant safety concerns.Denies request for assistance w/safety concern investigation based on stated reasons.  
SAPORITO,T.J. Saporito, T.J. 92/10/12. PERKINS,K.E. Region 5 (820201 - 940403). 2pp. 82167:208-82167:209.
- 9501030188 responds to 921008 ltr expressing concerns re stated file complaint against util & Atlantic Group.Disposition of whistleblower allegations investigated.  
SNIETZKE,J.H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 92/11/13. SAPORITO,T.J. Saporito, T.J. 1p. 82167:210-82167:210.
- 9501030194 FOIA request for info re radiation use by listed hosp in NY.  
BOUNDS,J. Affiliation Not Assigned. 94/02/04. POWELL,R. NRC - No Detailed Affiliation Given. 2pp. 82167:194-82167:195.
- 9501030200 Final response to FOIA request for info.Forwards AEOD annual rept.Suggests contacting NY Agreement State Radiation Control Program director at listed address.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. BOUNDS,J. Affiliation Not Assigned. 1p. 82167:196-82167:200.
- 9501030203 Excerpt from AEOD annual rept,NUREG-1272,App B re medical misad-ministrations submitted by Agreement State licensees during 1992.  
\* Office for Analysis & Evaluation of Operational Data, Director. 92/12/31. 4pp. 82167:197-82167:200.
- 9501040024 FOIA request for listed documents,including 920630,0821, amend 1 to License SNM-1995 issued in mid 1992 & NRC insp rept of Morningside Campus of Columbia Univ in 1993.  
WOTHERSPOON,P. Affiliation Not Assigned. 94/01/02. RAMMLING,G. Local Public Document Room Branch. 1p. 82231:150-82231:150.
- 9501040025 FOIA request for documents &/or repts re waste disposal practices,contaminants at site,photographs,insp repts, permits,correspondence between owner/operator & NRC as well as AEC,violations notices,directives & remedial repts.  
SARKISSIAN,K. Affiliation Not Assigned. 93/09/08. POWELL,R. NRC - No Detailed Affiliation Given. 2pp. 82530:001-82530:002.
- 9501040026 FOIA request for listed documents,including 920630,0821 & 1207 ltrs & qualifications of D Brenner & H Michael,amend 1 to license SNM-1995 issued in mid 1992 & insp rept of Morningside Campus of Columbia Univ.  
WOTHERSPOON,P. Affiliation Not Assigned. 94/01/31. POWELL,R.A. Local Public Document Room Branch. 1p. 82231:149-82231:149.
- 9501040027 FOIA request for documents re annual field insp rept results for 1983-1993 for Alaska Industrial X-Ray,inc,CTI Alaska,inc & Century Insp,Inc.  
LOCKMAN,D.M. Testing Institute of Alaska, Inc. 94/01/12. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82277:001-82277:001.

## 200 NONDOCKETED ITEMS

- 9501040033** First partial response to FOIA request for records. App A records encl & available in PDR. Review of records subj to request continuing.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/02/16. SARKISSIAN, K. Affiliation Not Assigned. 18pp. 82530:003-82532:178.
- 9501040048** Amend 21 to license 19-04003-01 for WR Grace & Co, revising Conditions 12 & 14 as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/02/07. 1p. 82530:021-82530:021.
- 9501040049** Amend 21 to license 19-04003-01 for WR Grace & Co, revising Condition 12 as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/01/03. 1p. 82530:022-82530:022.
- 9501040053** Amend 20 to license 19-04003-01 for WR Grace & Co, authorizing use of 20 Ci of H-3 & any byproduct matl between Atomic numbers 3 & 83, inclusive not to exceed 10 mCi of each radionuclide, except 40 mCi C-14 & 15 mCi Ni-63.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/07/19. 3pp. 82530:023-82530:025.
- 9501040056** Amend 19 to license 19-04003-01 for WR Grace & Co, revising Condition 12 as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/07/19. 1p. 82530:026-82530:026.
- 9501040058** Amend 18 to license 19-04003-01 for WR Grace & Co, adding 1 mCi of Ba-133, 1 mCi of Eu-152-154 & 1 mCi of Y-91 for lab studies to investigate chemical reactions & study composition of matls.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/05/16. 1p. 82530:027-82530:027.
- 9501040064** Amend 17 to license 19-04003-01 for WR Grace & Co, adding 1 mCi Cs-134, 1 mCi Sr-85 & Sr-89 & 1 mCi Zr-95 & Nb-95 for lab studies to investigate chemical reactions & study composition of matls.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/10/06. 1p. 82530:028-82530:028.
- 9501040066** Amend 16 to license 19-04003-01 for WR Grace & Co, revising Condition 12 as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/06/02. 1p. 82530:029-82530:029.
- 9501040069** Amend 15 to license 19-04003-01 for WR Grace & Co, adding 5 mCi Ni-63 & 10 mCi Ni-63 for lab studies to investigate chemical reactions & study composition of matl & to be used for gas chromatography.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/03/16. 1p. 82530:030-82530:030.
- 9501040073** Amend 14 to license 19-04003-01 for WR Grace & Co, authorizing use of 20 Ci H-3, 40 mCi C-14 & 5 mCi S-35 for lab studies to investigate chemical reactions & study composition of matl.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/02/11. 3pp. 82530:031-82530:033.
- 9501040102** Amend 13 to license 19-04003-01 for WR Grace & Co, adding 10 mCi Pm-147 for lab studies to investigate chemical reactions & study composition of matls.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 65/07/28. 1p. 82530:034-82530:034.
- 9501040106** Amend 12 to license 19-04003-01 for WR Grace & Co, adding 2 mCi Ag-111 for lab studies to investigate chemical reactions & study composition of matls.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 65/06/09. 1p. 82530:035-82530:035.
- 9501040107** Amend 11 to license 19-04003-01 for WR Grace & Co, adding Condition 19 to read as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 64/11/05. 1p. 82530:036-82530:036.
- 9501040110** Amend 10 to license 19-04003-01 for WR Grace & Co, authorizing use of 20 Ci H-3 & 40 mCi C-14 for lab studies to investigate chemical reactions & study composition of matls & preparation of fertilizer compounds.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/08/07. 3pp. 82530:037-82530:039.
- 9501040113** Amend 9 to license 19-04003-01 for WR Grace & Co, revising Condition 17 to read as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/08/07. 1p. 82530:040-82530:040.
- 9501040115** Amend 8 to license 19-04003-01 for WR Grace & Co, revising Conditions 12 & 15 to read as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/03/01. 1p. 82530:041-82530:041.
- 9501040118** Amend 7 to license 19-04003-01 for WR Grace & Co, authorizing use of 10 mCi K-42 for chemical lab tracer studies.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 62/06/22. 1p. 82530:042-82530:042.
- 9501040120** Amend 6 to license 19-04003-01 for WR Grace & Co, revising Condition 16.C to read as listed.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 62/04/26. 1p. 82530:043-82530:043.
- 9501040122** Amend 5 to license 19-04003-01 for WR Grace & Co, revising Condition 14 & Item 4 to read as listed.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 62/02/01. 1p. 82530:044-82530:044.
- 9501040127** Amend 4 to license 19-04003-01 for WR Grace & Co, authorizing use of 40 mCi C-14, 20 Ci H-3, 5 mCi S-35 & 1 mCi Cl-36 to investigate chemical reactions & study composition of matls.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 61/11/18. 3pp. 82530:045-82530:047.
- 9501040130** Amend 3 to license 19-04003-01 for WR Grace & Co, adding 1 source not to exceed 5 mCi Co-60 for calibr of instruments.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 61/08/14. 2pp. 82530:048-82530:049.
- 9501040132** Amend 2 to license 19-04003-01 for WR Grace & Co, revising Condition 15 to read as listed.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 61/05/04. 1p. 82530:050-82530:050.
- 9501040137** Amend 1 to license 19-04003-01 for WR Grace & Co, authorizing use of 40 mCi C-14, 20 Ci H-3, 5 mCi S-35 & 1 mCi Cl-36 to investigate chemical reactions & study composition of matls.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 60/06/14. 1p. 82530:052-82530:052.
- 9501040140** License 19-04003-01 for WR Grace & Co, authorizing use of 10 mCi C-14 as tracers for investigating reaction of urea w/ glucose to form diglucose ureide.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 58/10/30. 1p. 82530:053-82530:053.
- 9501040147** Advises that Commission has entered into agreement w/ State of Maryland whereby State assumed regulatory authority over byproduct matls licensing effective 7/10/10. Requests that future communications be directed to listed organization.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 7/10/10. O'LOUGHLIN, W.K. W.R. Grace & Co. 1p. 82530:054-82530:054.
- 9501040156** Requests concurrence in changing radiological protection officer re licenses 19-04003-01 & 19-04003-06.  
O'LOUGHLIN, W.K. W.R. Grace & Co. 69/01/24. Atomic Energy Commission (Pre 750119). 1p. 82530:055-82530:055.
- 9501040163** Application for amend to licenses 19-04003-01 & 19-04003-06, adding JN Lomonte as radiation protection officer.  
O'LOUGHLIN, W.K. W.R. Grace & Co. 68/12/04. 2pp. 82530:056-82530:057.
- 9501040197** Application for amend to licenses 19-04003-01 & 19-04003-06, adding JN Lomonte as individual user & authorizing transfer of duties of radiological protection officer from JD Moyer to JN Lomonte.  
O'LOUGHLIN, W.K. W.R. Grace & Co. 68/12/04. Atomic Energy Commission (Pre 750119). 1p. 82530:058-82530:058.
- 9501040202** Application for amend, renewing license 19-04003-01.  
MOYER, J.D. W.R. Grace & Co. 68/02/06. 5pp. 82530:059-82530:063.
- 9501040206** Forwards application for renewal of license 19-04003-01, authorizing use of radioisotopes listed under Item 6.  
MOYER, J.D. W.R. Grace & Co. 68/02/06. Atomic Energy Commission (Pre 750119). 1p. 82530:064-82530:064.
- 9501040210** Application for license, authorizing use of all isotopes covered by license 19-04003-01 for research on colloid & surface phenomena.  
BAIRD, J.H. W.R. Grace & Co. 67/07/07. 2pp. 82530:065-82530:066.
- 9501040211** Application for amend to license 19-04003-01, adding AS Patil as authorized user.  
BAIRD, J.H. W.R. Grace & Co. 67/07/07. Atomic Energy Commission (Pre 750119). 1p. 82530:067-82530:067.
- 9501040217** Application for amend to license 19-04003-01, authorizing use of 1 mCi Ba-133, 1 mCi Eu-152-154 & 1 mCi Y-91 for lab studies to investigate chemical reactions & study composition of matls.  
MOYER, J.D. W.R. Grace & Co. 67/05/04. Atomic Energy Commission (Pre 750119). 1p. 82530:068-82530:068.
- 9501040219** Forwards application for amend to license 19-04003-01. Advises that licensee may possess & use Pb-210 w/o authorization from Commission.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/10/06. MOYER, J.D. W.R. Grace & Co. 1p. 82530:069-82530:069.
- 9501040222** Application for amend to license 19-04003-01, authorizing possession & use of 1 mCi Cs-134, 1 mCi Sr-85, 1 mCi Sr-89, 1 mCi Pb-210 & 1 mCi Zr-95/Nb-95 for lab studies to investigate chemical reactions & study composition of matls.  
MOYER, J.D. W.R. Grace & Co. 66/09/26. Atomic Energy Commission (Pre 750119). 1p. 82530:070-82530:070.
- 9501040223** Application for amend to license 19-04003-01, authorizing use of 2 mCi C-14 for organic research.  
BAIRD, J.H. W.R. Grace & Co. 66/05/13. 2pp. 82530:071-82530:072.
- 9501040226** Application for amend to license 19-04003-01, adding CR Morgan as individual user.  
BAIRD, J.H. W.R. Grace & Co. 66/05/16. Atomic Energy Commission (Pre 750119). 1p. 82530:073-82530:073.
- 9501040229** Application for amend to license 19-04003-01, authorizing possession & use of no more than 15 mCi Ni-63.  
MOYER, J.D. W.R. Grace & Co. 66/02/17. Atomic Energy Commission (Pre 750119). 1p. 82530:074-82530:074.
- 9501040230** Application for amend to license 19-04003-01, authorizing use of listed matls to investigate chemical reactions & study composition of matls.  
BAIRD, J.H. W.R. Grace & Co. 66/01/26. 3pp. 82530:075-82530:077.
- 9501040233** Forwards application for renewal of license 19-04003-01, incorporating listed changes.  
BAIRD, J.H. W.R. Grace & Co. 66/01/26. Atomic Energy Commission (Pre 750119). 1p. 82530:078-82530:078.
- 9501040234** Application for amend to license 19-04003-01, authorizing use of 5 mCi Ce-141 & 5 mCi La-140 for chemical tracer studies.  
MOYER, J.D. W.R. Grace & Co. 66/01/25. Atomic Energy Commission (Pre 750119). 1p. 82530:079-82530:079.

- 9501040235 Application for amend to license 19-04003-01,authorizing use 10 mCi Pm-147 for lab investigation of chemical reactions & composition of matls. MOYER,J.D. W.R. Grace & Co. 65/07/16. Atomic Energy Commission (Pre 750119). 1p. 82530:080-82530:080.
- 9501040237 Application for amend to license 19-04003-01,authorizing use of 2 mCi of Ag-111 for investigating chemical reactions & composition of matls. MOYER,J.D. W.R. Grace & Co. 65/05/25. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:081-82530:081.
- 9501040238 Application for amend to license 19-04003-01,authorizing use of no more than 1 mCi C-14 for herbicide residue studies on cotton plants. BAIRD,J.H. W.R. Grace & Co. 64/10/29. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 2pp. 82530:082-82530:083.
- 9501040240 Application for amend,renewing license 19-04003-01. BAIRD,J.H. W.R. Grace & Co. 64/01/16. 3pp. 82530:084-82530:086.
- 9501040241 Forwards application for renewal of license 19-04003-01. BAIRD,J.H. W.R. Grace & Co. 64/01/16. Atomic Energy Commission (Pre 750119). 1p. 82530:087-82530:087.
- 9501040244 Advises that first sentence of item 3 under list of changes in 640116 ltr accompanying application for renewal of license 19-04003-01 should read as stated. BAIRD,J.H. W.R. Grace & Co. 64/01/17. Atomic Energy Commission (Pre 750119). 1p. 82530:088-82530:088.
- 9501040249 Requests permission to dispose of 44 uc C-14 by incineration of triethyl C-14 aluminum dissolved in 5 liters of n-hexane. SHEEHAN,J.D. W.R. Grace & Co. 63/07/24. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:089-82530:089.
- 9501050240 Forwards amend 8 to license 19-04003-01.Advises that designation of JD Sheehan as radiation protection officer acceptable. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/03/01. MITCHELL,F.W. W.R. Grace & Co. 1p. 82530:090-82530:090.
- 9501050245 Application for amend to license 19-04003-01,adding JD Sheehan as individual user. MITCHELL,F.W. W.R. Grace & Co. 63/02/11. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 82530:091-82530:091.
- 9501050250 Application for amend to license 19-04003-01,adding JD Sheehan as individual user. SHEEHAN,J.D., MITCHELL,F.W. W.R. Grace & Co. 63/02/11. 3pp. 82530:092-82530:094.
- 9501050252 Application for amend to license 19-04003-01,authorizing possession of 10 mCi K-42 for use in chemical tracer studies. MOYER,J.D. W.R. Grace & Co. 62/06/11. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 82530:095-82530:095.
- 9501050259 Requests permission to dispose of 100 uCi C-14 by incineration of butyl maleate - C-14 dissolved in 14 gallons of xylene. MOYER,J.D. W.R. Grace & Co. 62/04/10. Atomic Energy Commission (Pre 750119). 1p. 82530:096-82530:096.
- 9501050271 Requests that quantity of 2 mCi C-14 monomer requested during amend 4 to license 19-04003-01 be increased to 10 mCi C-14 monomer. MITCHELL,F.W. W.R. Grace & Co. 62/01/23. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 82530:097-82530:097.
- 9501050284 Application for amend to license 19-04003-01,adding ML Salutsky to list of authorized individual users & authorizing possession of 10 mCi Fe-59. MITCHELL,F.W. W.R. Grace & Co. 61/10/24. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 82530:098-82530:098.
- 9501050289 Application for license,authorizing use of 10 mCi Fe-59 for preparation of fertilizer compounds containing radioactive tracer for use in studies on uptake of iron by plants. MITCHELL,F.W. W.R. Grace & Co. 61/10/24. 2pp. 82530:099-82530:100.
- 9501050297 Application for amend to license 19-04003-01,adding 5 mCi Co-60 to list of licensed matl & authorizing installation of level measuring device at site. MITCHELL,F.W. W.R. Grace & Co. 61/08/02. MASON,J.R. Atomic Energy Commission (Pre 750119). 2pp. 82530:101-82530:102.
- 9501050299 Application for amend to license 19-04003-01,adding DF Hoeg, JJ Godfrey & AD Ketley as individual users. MITCHELL,F.W. W.R. Grace & Co. 61/04/27. MASON,J.R. Atomic Energy Commission (Pre 750119). 2pp. 82530:103-82530:104.
- 9501050301 Application for license,authorizing use of 1 mCi C-14 & 10 mCi H-3 to investigate various chemical reactions & to study composition of products by tracer techniques. MITCHELL,F.W. W.R. Grace & Co. 61/04/27. 2pp. 82530:105-82530:106.
- 9501050303 Application for license,authorizing use of 10 mCi C-14 & 1 Ci H-3 as tracer for investigating polymerization reactions & polymer composition analyses. MITCHELL,F.W. W.R. Grace & Co. 61/04/27. 2pp. 82530:107-82530:108.
- 9501050305 Application for license,authorizing use of 1 mCi C-14 & 10 mCi H-3 to study course of some chemical reactions. MITCHELL,F.W. W.R. Grace & Co. 61/04/27. 2pp. 82530:109-82530:110.
- 9501050330 Forwards application for amend to licenses 19-04003-01, 19-04003-02 & 19-04003-03.Advises that licenses 19-04003-02 & 19-04003-03 cancelled. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 60/06/14. MITCHELL,F.W. W.R. Grace & Co. 1p. 82530:111-82530:111.
- 9501050337 Application for amend to licenses 19-04003-01,19-04003-02 & 19-04003-03,authorizing cancellation of licenses & issuance of new & broader license. MITCHELL,F.W. W.R. Grace & Co. 60/05/20. Atomic Energy Commission (Pre 750119). 1p. 82530:112-82530:112.
- 9501050356 Application for amend to licenses 19-04003-01,19-04003-02 & 19-04003-03,authorizing use of 40 mCi C-14,20 Ci H-3,5 mCi S-35 & 1 mCi Cl-36 to investigate various chemical reactions & to study composition of products by tracer techniques. MITCHELL,F.W. W.R. Grace & Co. 60/05/20. 3pp. 82530:113-82530:115.
- 9501050360 Informs of intent to engage Radiological Svcs Co,Long Island City,NY to handle radioactive disposal problems. STEADMAN,T.R. W.R. Grace & Co. 58/09/02. SIMS,R.W. Atomic Energy Commission (Pre 750119). 1p. 82530:116-82530:116.
- 9501050372 Responds to 580916 ltr re application to handle C-14. STEADMAN,T.R. W.R. Grace & Co. 58/10/15. MILLER,W.O. Atomic Energy Commission (Pre 750119). 1p. 82530:117-82530:117.
- 9501050378 Application for license,authorizing use of 5 mCi C-14 as tracers for investigating reaction of urea w/glucose to form diglucose ureide. STEADMAN,T.R. W.R. Grace & Co. 58/07/25. 3pp. 82530:118-82530:120.
- 9501050384 Requests further clarification as to status of JH Baird as radiation safety officer. MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/09/16. STEADMAN,T.R. W.R. Grace & Co. 1p. 82530:121-82530:121.
- 9501050392 Requests necessary forms in order to apply for license to handle C-14 in connection w/some work in field of organic chemistry. STEADMAN,T.R. W.R. Grace & Co. 58/06/23. Atomic Energy Commission (Pre 750119). 1p. 82530:122-82530:122.
- 9501050434 Amend 1 to license 19-04003-02 for WR Grace & Co,terminating license. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/06/14. 1p. 82530:123-82530:123.
- 9501050438 License 19-04003-02 for WR Grace & Co,authorizing use of 9 mCi C-14 for lab tracer studies to determine carbon impurities in silicon. MASON,J.R. Atomic Energy Commission (Pre 750119). 58/12/02. 2pp. 82530:124-82530:125.
- 9501050450 Forwards "certificate of status" form for completion of records re cancellation of license 19-04003-02. MITCHELL,F.W. W.R. Grace & Co. 60/10/11. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 82530:126-82530:127.
- 9501050454 Expresses appreciation for preliminary review of application for license dtd 580624.Clarifies that license should be issued to WR Grace & Co & certifying officer should be WT Barrett. BARRETT,W.T. W.R. Grace & Co. 58/11/13. MILLER,W.O. Atomic Energy Commission (Pre 750119). 2pp. 82530:128-82530:129.
- 9501050461 Application for license,authorizing use of 1 mCi Amorphous C-14 & 8 mCi n-Pentane C-14 to trace path of carbon impurities in preparation of high purity silicon for electronics industry. BARRETT,W.T. W.R. Grace & Co. 58/06/24. 4pp. 82530:130-82530:133.
- 9501050465 Ack receipt of application for license dtd 580624.Advises that addl info needed in order to continue review of application. MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/08/20. BARRETT,W.T. W.R. Grace & Co. 1p. 82530:134-82530:134.
- 9501060004 Amend 2 to license 19-04003-03 for WR Grace & Co,terminating license,effective 600614. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/06/14. 1p. 82530:135-82530:135.
- 9501060007 Amend 1 to license 19-04003-03 for WR Grace & Co, revising Condition 13 to read as listed. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/01/25. 1p. 82530:136-82530:136.
- 9501060011 License 19-04003-03 for WR Grace & Co,authorizing use of 11 mCi C-14 as tracer for investigating polymerization reactions of ethylene & polymer composition analyses. MASON,J.R. Atomic Energy Commission (Pre 750119). 59/02/02. 1p. 82530:137-82530:138.
- 9501060017 Application for amend to license 19-04003-03,adding JD Moyer as authorized user. MITCHELL,F.W. W.R. Grace & Co. 60/01/14. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:139-82530:139.
- 9501060021 Application for license,authorizing use of 10 mCi C-14 as tracer for investigating polymerization reactions of ethylene & polymer composition analyses. WEBBER,F.X. W.R. Grace & Co. 59/01/14. 2pp. 82530:140-82530:141.
- 9501060027 Advises that waste disposal methods described in licensee 590304 ltr,not specifically provided for within encl 10CFR20.If licensee desires to utilize disposal methods,disposal methods must be reviewed per 10CFR20.302. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 59/03/11. HOEG,D.F. W.R. Grace & Co. 1p. 82530:142-82530:142.
- 9501060038 Responds to 590206 ltr,requesting info re method of waste disposal to be used in disposing of C-14 labeled matls. Informs that disposal methods will conform to recommendation setforth in provisions of 10CFR20,Chapter 1. HOEG,D.F. W.R. Grace & Co. 59/03/04. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:143-82530:143.
- 9501060041 Forwards license 19-04003-03 in response to 590114 application.Requests info re method of waste disposal to be used for disposing of waste byproduct matls. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 59/02/06. HOEG,D.F. W.R. Grace & Co. 1p. 82530:144-82530:144.
- 9501060044 Amend 3 to license 19-04003-04 for WR Grace & Co,amending license in entirety. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/08/06. 2pp. 82530:145-82530:146.
- 9501060061 Amend 2 to license 19-04003-04 for WR Grace & Co, revising Condition 13 to read as listed. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/02/10. 1p. 82530:147-82530:147.



## 202 NONDOCKETED ITEMS

- 9501060064 Amend 1 to license 19-04003-04 for WR Grace & Co, revising Conditions 13, 16.C & Item 4 to read as listed. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/07/31. 1p. 82530:148-82530:148.
- 9501060067 License 19-04003-04 for WR Grace & Co, authorizing use of 1,500 mCi Cs-137 for measuring level of matl in closed vessel. MASON, J.R. Atomic Energy Commission (Pre 750119). 61/08/14. 2pp. 82530:149-82530:150.
- 9501060074 Certificate of disposition of matl: all matl possessed by licensee under license 19-04003-04 transferred to Industrial Nucleonics Corp under license BE-1446. MOYER, J.D. W.R. Grace & Co. 67/04/17. 1p. 82530:151-82530:151.
- 9501060076 Forwards certificate of disposition of matl transferring all matl possessed under license 19-04003-04 to Industrial Nucleonics Corp. MOYER, J.D. W.R. Grace & Co. 67/07/19. Atomic Energy Commission (Pre 750119). 1p. 82530:152-82530:152.
- 9501060080 Application for amend, renewing license 19-04003-04. BAIRD, J.H. W.R. Grace & Co. 65/07/26. 2pp. 82530:153-82530:154.
- 9501060086 Forwards application for amend, renewing license 19-04003-04. BAIRD, J.H. W.R. Grace & Co. 65/07/27. Atomic Energy Commission (Pre 750119). 1p. 82530:155-82530:155.
- 9501060094 Forwards application for amend, renewing license 19-04003-04. Requests that Moyer be approved as radiation protection officer &/or user, replacing Sheehan under licenses 19-04003-04 & 19-04003-05. BAIRD, J.H. W.R. Grace & Co. 64/01/16. Atomic Energy Commission (Pre 750119). 1p. 82530:156-82530:156.
- 9501060096 Application for amend, renewing license 19-04003-04. SHEEHAN, J.D. W.R. Grace & Co. 63/07/09. 2pp. 82530:157-82530:158.
- 9501060097 Forwards application for amend, renewing license 19-04003-04. SHEEHAN, J.D. W.R. Grace & Co. 63/07/10. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:159-82530:159.
- 9501060100 Application for amend, renewing license 19-04003-04. MITCHELL, F.W. W.R. Grace & Co. 61/08/02. 3pp. 82530:160-82530:164.
- 9501060121 Amend 2 to license 19-04003-05 for WR Grace & Co, revising Condition 12 to read as stated. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 64/02/10. 1p. 82530:165-82530:165.
- 9501060125 Amend 1 to license 19-04003-05 for WR Grace & Co, revising Condition 12 to read as stated. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/04/03. 1p. 82530:166-82530:166.
- 9501060131 License 19-04003-05 for WR Grace & Co, authorizing use of 198 Ci Co-60 to be stored in device. BELL, J.M. Atomic Energy Commission (Pre 750119). 63/03/15. 3pp. 82530:167-82530:170.
- 9501060136 Application for amend to license 19-04003-05, transferring responsibility for maintaining source in storage to Sheehan. MITCHELL, F.W. W.R. Grace & Co. 63/03/29. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:171-82530:171.
- 9501060142 Application for amend to license, from use of Co-60 source described in previous ltr to receipt & storage of source until use license may be obtained. MOYER, J.D. W.R. Grace & Co. 63/03/08. BELL, J. Atomic Energy Commission (Pre 750119). 4pp. 82530:172-82530:175.
- 9501060146 Requests listed info in support of JD Moyer request of 621107 for licensing of possession & use of 380 Ci Co-60. BELL, J.M. Atomic Energy Commission (Pre 750119). 63/01/16. MOYER, J.D. W.R. Grace & Co. 2pp. 82530:176-82530:177.
- 9501060147 Application for amend to license 19-04003-01, authorizing possession of 380 Ci Co-60 for use as research tool to study effects of radiation on various matls. MOYER, J.D. W.R. Grace & Co. 62/11/07. Atomic Energy Commission (Pre 750119). 1p. 82530:178-82530:178.
- 9501060172 Amend 3 to license 19-04003-06 for WR Grace & Co, revising Condition 12 as stated. BUCHANAN, C.R. Atomic Energy Commission (Pre 750119). 69/01/15. 1p. 82530:179-82530:179.
- 9501060175 Amend 2 to license 19-04003-06 for WR Grace & Co, amending license in entirety. \* Atomic Energy Commission (Pre 750119). 68/08/30. 2pp. 82530:180-82530:181.
- 9501060178 Amend 1 to license 19-04003-06 for WR Grace & Co, changing expiration date to 680630. HOWELL, D.B. Atomic Energy Commission (Pre 750119). 66/05/23. 1p. 82530:182-82530:182.
- 9501060181 License 19-04003-06 for WR Grace & Co, authorizing use of 198 Ci Co-60. HOWELL, D.B. Atomic Energy Commission (Pre 750119). 65/02/09. 1p. 82530:183-82530:186.
- 9501060186 Forwards application for amend, renewing license 19-04003-06. MOYER, J.D. W.R. Grace & Co. 68/08/05. Atomic Energy Commission (Pre 750119). 1p. 82530:187-82530:187.
- 9501060190 Application for amend, renewing license 19-04003-06. MOYER, J.D. W.R. Grace & Co. 68/08/05. 3pp. 82530:188-82530:190.
- 9501060194 Application for amend, renewing license 19-04003-06. BAIRD, J.H. W.R. Grace & Co. 66/05/12. 2pp. 82530:191-82530:192.
- 9501060196 Application for amend, renewing license 19-04003-05. BAIRD, J.H. W.R. Grace & Co. 65/01/27. 2pp. 82530:193-82530:194.
- 9501060198 Application for amend, renewing license 19-04003-05. BAIRD, J.H. W.R. Grace & Co. 65/01/28. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119). 1p. 82530:195-82530:195.
- 9501060218 Safety insp on 680820 of license SMB-0334. Insp findings: no noncompliance noted. EPSTEIN, E. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 68/08/20. 1p. 82530:196-82530:199.
- 9501060222 Application for amend, renewing license SMB-0334. SANCHEZ, M.G. W.R. Grace & Co. 67/05/26. 7pp. 82530:200-82530:208.
- 9501060224 Forwards license SMB-0334 for WR Grace & Co. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/06/15. FITCH, F.T. W.R. Grace & Co. 1p. 82530:209-82530:211.
- 9501060230 Forwards application for amend, renewing license SMB-0334, authorizing possession of 1,600 lb hydrates, oxides & salts for research & development studies on nuclear fuels. FITCH, F.T. W.R. Grace & Co. 64/05/21. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82530:212-82530:212.
- 9501060240 Application for amend, renewing license SMB-0334. JIHAN, J. W.R. Grace & Co. 64/05/22. 7pp. 82530:213-82530:219.
- 9501060252 Discusses insp of licenses 19-04003-01, SMB-0334 & SNM-0417 on 610929. Noncompliance noted: survey not made to determine concentration of tritium in work areas & radiation surveys not conducted in U & thorium storage room. PRICE, E. Atomic Energy Commission (Pre 750119). 62/03/29. MITCHELL, F.W. W.R. Grace & Co. 2pp. 82530:220-82530:222.
- 9501060259 Submits addl info in support of 610615 request for renewal of license. FITCH, F.T. W.R. Grace & Co. 61/06/26. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 82530:223-82530:226.
- 9501060263 Ack receipt of 610615 application for license. Requests that licensee provide listed info to allow continuation of evaluation of application. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 61/06/21. FITCH, F.T. W.R. Grace & Co. 1p. 82530:227-82530:227.
- 9501090045 Application for amend, renewing license C-4132, for two yr period & permit receipt of 3200 lb of source matl in form of hydrates, oxides or other compounds. FITCH, F.T. W.R. Grace & Co. 61/06/15. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 2pp. 82530:228-82530:229.
- 9501090058 Forwards renewal license C-4132 for WR Grace & Co. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/06/06. FITCH, F.T. W.R. Grace & Co. 1p. 82530:230-82530:230.
- 9501090070 License C-4132 for WR Grace & Co, authorizing possession of 3200 lb source matl for research & development studies. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/07/01. FITCH, F.T. W.R. Grace & Co. 1p. 82530:231-82530:231.
- 9501090074 Application for amend, renewing license C-4132 for WR Grace & Co. FITCH, F.T. W.R. Grace & Co. 60/05/03. JOHNSON, L. Atomic Energy Commission (Pre 750119). 2pp. 82530:232-82530:233.
- 9501090080 Ack receipt of 590610 ltr informing NRC of steps taken to correct deficiencies noted in source matl program. JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/06/19. HURLEY, F.R. W.R. Grace & Co. 1p. 82530:234-82530:234.
- 9501090086 Responds to NRC 590515 ltr re deficiencies noted in insp of license C-4132. Corrective actions: licensee will initiate regular insps of working areas using portable survey meter & will maintain records of survey. HURLEY, F.R. W.R. Grace & Co. 59/06/10. JOHNSON, L. Atomic Energy Commission (Pre 750119). 2pp. 82530:235-82530:237.
- 9501090094 Discusses insp of license C-4132 on 590122. Advises that no surveys made to determine extent of contamination & exposure of personnel to source matl per 10CFR20.201(b). JOHNSON, L. Atomic Energy Commission (Pre 750119). 59/05/15. HURLEY, F.R. W.R. Grace & Co. 1p. 82530:238-82530:238.
- 9501090103 Amend 1 to license C-4132 for WR Grace & Co, authorizing possession of 3200 lb of source matl for research, bench scale & pilot plant development studies. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/01/23. HURLEY, F.R. W.R. Grace & Co. 1p. 82530:239-82530:239.
- 9501090111 Application for license, authorizing possession of refined source matl for bench scale & pilot plant development studies. MESSINA, P. W.R. Grace & Co. 59/01/21. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 82530:240-82530:240.
- 9501090116 License C-4132 for WR Grace & Co, authorizing possession of 1,200 lb of source matl for research. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/06/03. HURLEY, F.R. W.R. Grace & Co. 1p. 82530:241-82530:241.
- 9501090119 Application for license, authorizing possession of 1,200 lb source matl for research studies. HURLEY, F.R. W.R. Grace & Co. 58/05/22. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 82530:242-82530:242.
- 9501090147 License SNM-0840 for WR Grace & Co, authorizing use of 25 g Pu, 1 kg U-235 & 200 kg U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/08/10. 9pp. 82530:243-82530:251.
- 9501090160 Safeguards Amend SG-1 to license SNM-0840 for WR Grace & Co, incorporating controls for safeguarding of SNM. PAGE, R.G. Atomic Energy Commission (Pre 750119). 70/08/10. 6pp. 82530:252-82530:257.

- 9501090170 Forwards License SNM-0840 & Safeguards Amend SG-1. Advises that encl license does not authorize use of slab collector for particle removal, washing & drying since details of sys not developed to permit complete nuclear safety analysis. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/08/10. ASHBY, G.E. W.R. Grace & Co. 1p. 82530:258-82530:258.
- 9501090184 Forwards renewed license SNM-0840. Advises that license amended to authorize possession & use of 25 g Pu for nuclear fuel development activities. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 67/12/06. GAMMILL, A.M. W.R. Grace & Co. 1p. 82530:259-82530:259.
- 9501090192 License SNM-0840 for WR Grace & Co, authorizing possession of 25 g Pu & 1 kg U-235. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 67/12/06. 2pp. 82530:260-82530:261.
- 9501090198 Forwards license SNM-0840 for WR Grace & Co. Requests that application for renewal of license SNM-0840 be submitted at least 30 days prior to expiration date of license. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/12/14. GIBIAN, T.G. W.R. Grace & Co. 1p. 82530:262-82530:262.
- 9501090203 License SNM-0840 for WR Grace & Co, authorizing possession of 1 kg U-235. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 64/12/14. 2pp. 82530:263-82530:264.
- 9501090208 Forwards license SNM-0417 for WR Grace & Co, as renewed. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/10/14. GIBIAN, T.G. W.R. Grace & Co. 1p. 82530:265-82530:265.
- 9501090214 Renewed license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/10/14. 1p. 82530:266-82530:266.
- 9501090215 Forwards amended license SNM-0417, expiring 631031. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/09/19. GAGE, W.P. W.R. Grace & Co. 1p. 82530:267-82530:267.
- 9501090218 Amended license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/09/19. 1p. 82530:268-82530:268.
- 9501090220 Forwards license SNM-0417 for WR Grace & Co. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/18. GAGE, W.P. W.R. Grace & Co. 1p. 82530:269-82530:269.
- 9501090222 License SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/18. 1p. 82530:270-82530:272.
- 9501090249 Advises that license SNM-0417 expires on 611031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified by completion of "Certification of Status of SNM Activities Under AEC...". NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 61/08/31. GAGE, W.P. W.R. Grace & Co. 3pp. 82530:273-82530:277.
- 9501090260 Forwards 601004 application for license filed by WR Grace & Co. Classification review of application for restricted data requested prior to placement in PDR. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/12. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 1p. 82530:278-82530:278.
- 9501090264 Application for amend, renewing license SNM-0417. GAGE, W.P. W.R. Grace & Co. 61/09/21. Atomic Energy Commission (Pre 750119). 2pp. 82530:279-82530:280.
- 9501090269 Submits inventory of nuclear mats stored at Hilltop lab, Curtis Bay & monitoring record of storage room area taken immediately following NRC visit. FITCH, F.T. W.R. Grace & Co. 61/10/06. EPSTEIN, E. Atomic Energy Commission (Pre 750119). 5pp. 82530:281-82530:285.
- 9501090277 Amended license SNM-0417 for WR Grace & Co, authorizing possession of 250 g U-235. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 61/10/10. 1p. 82530:286-82530:286.
- 9501090282 Application for amend, renewing license SNM-0417 for period of 1 yr. GAGE, W.P. W.R. Grace & Co. 62/09/11. Atomic Energy Commission (Pre 750119). 2pp. 82530:287-82530:288.
- 9501090291 Advises that license SNM-0417, as amended, expires on 621031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified by completion of "Certification of Status of SNM...". NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/08/28. GAGE, W.P. W.R. Grace & Co. 3pp. 82530:289-82530:291.
- 9501090307 Forwards compliance insp rept of licenses 19-04003-01, SNM-0417 & SMB-0334 on 610929. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 61/11/28. LOWENSTEIN, R. Atomic Energy Commission (Pre 750119). 2pp. 82530:292-82530:293.
- 9501090325 Compliance insp rept of licenses 19-04003-01, SMB-0334 & SNM-0417 on 610929. Insp findings: failure to perform survey or evaluate hazards re storage of U & thorium in storage room & failure to label containers containing U. EPSTEIN, E., KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 61/11/21. 8pp. 82530:294-82530:307.
- 9501100182 Advises that license SNM-0417 expires on 631031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/08/23. GAGE, W.P. W.R. Grace & Co. 1p. 82530:308-82530:308.
- 9501100189 Application for amend, renewing license SNM-0417 for period of 1 yr. GIBIAN, T.G. W.R. Grace & Co. 63/10/02. Atomic Energy Commission (Pre 750119). 2pp. 82530:309-82530:312.
- 9501100201 Discusses licensee intent in presenting 640528 ltr, requesting amend to license SNM-0417, to possess no more than 1,000 g of U on Washington Research Ctr premise, counting total matl which might be received under license. O'LOUGHLIN, W.K. W.R. Grace & Co. 64/06/12. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 1p. 82530:313-82530:313.
- 9501100209 Advises that license SNM-0417, as renewed expires on 641031. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/10/08. W.R. Grace & Co. 1p. 82530:314-82530:314.
- 9501100223 Advises that Items 7 & 8 of license SNM-0417, dtd 631014 amended & Items 11 & 12 added to read as listed. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/06/26. O'LOUGHLIN, W.K. W.R. Grace & Co. 1p. 82530:315-82530:315.
- 9501100226 Notifies of insp on 650917 re status of compliance w/10CFR30.40 & 20. KIRKMAN, R.W. Atomic Energy Commission (Pre 750119). 65/09/08. MOYER, J.V. W.R. Grace & Co. 1p. 82530:316-82530:316.
- 9501100228 Recommends approval of 641028 application for amend to license, authorizing possession of 1 kg U-235, provided DA Nussbaumer include license condition to assure that shipments will be controlled to avoid commingling. LUKE, C.D. Atomic Energy Commission (Pre 750119). 64/11/09. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 82530:317-82530:320.
- 9501100248 Submits addl info re two sections in application for renewal & amend to license SNM-0840 dtd 671004 & amended on 671030. GAMMILL, A.M. W.R. Grace & Co. 67/11/15. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 82530:321-82530:322.
- 9501100256 Requests that pages 6, 7, 9, 15, 24, 25, 26, 27 & 36 of application for renewal & amend to license SNM-0840, dtd 671004 be replaced w/encl pages 6, 7, 7A, 9, 15, 24, 25, 25A, 26, 27 & 36. GAMMILL, A.M. W.R. Grace & Co. 67/10/30. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 13pp. 82530:323-82530:334.
- 9501100263 Advises that license SNM-0840 expires on 671130. Renewal should be requested within 30 days of expiration. If renewal not desired, NRC should be notified. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 67/09/29. GIBIAN, T.G. W.R. Grace & Co. 1p. 82530:335-82530:335.
- 9501100270 Safety insp on 680820 of license SNM-0840. Insp findings: no noncompliance noted. EPSTEIN, E. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 68/08/20. 1p. 82530:336-82530:336.
- 9501100278 Responds to 680920 ltr, requesting advice as to whether or not unopened L-3 package could be delivered to carrier for transport by WR Grace & Co. Advises that WR Grace & Co be requested to perform contamination survey of 2R container. MCBRIDE, J.A. Atomic Energy Commission (Pre 750119). 68/09/25. BROBST, W.A. Transportation, Dept. of. 2pp. 82530:338-82530:339.
- 9501100287 Requests exemption from compliance w/polybottle requirements of DOT SP-5330, paragraph 2a. Informs that licensee prepared to ship exclusive use of vehicle to minimize handling & to insure against loss or misdirection during transit. HERBST, R.J. W.R. Grace & Co. 68/09/13. Atomic Energy Commission (Pre 750119). 2pp. 82530:340-82530:342.
- 9501100304 Discusses consideration of WR Grace & Co 700409 application for license amend for possession & use of 200 kg of highly enriched U for preparation of coated UO<sub>2</sub> particles re Environ Policy Act. JOHNSON, L. Atomic Energy Commission (Pre 750119). 70/06/03. PRICE, H.L. Atomic Energy Commission (Pre 750119). 2pp. 82530:343-82530:344.
- 9501100321 Forwards questions re WR Grace & Co submittals dtd 700702 & 09, suppl application dtd 700409, discussed w/WR Grace & Co during 700717 meeting. DUBE, R.J. Atomic Energy Commission (Pre 750119). 70/08/05. Atomic Energy Commission (Pre 750119). 3pp. 82530:345-82530:352.
- 9501100329 Forwards application for renewal & amend to license SNM-0840, authorizing possession & use of 1 kg U-235 & 25 g Pu. GAMMILL, A.M. W.R. Grace & Co. 67/10/05. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:001-82531:007.
- 9501100339 Reiterates RJ Herbst statement during 691002 telcon re 18 g U-235 being carried as book Physical inventory difference & not inspectable. No criticality insp planned. NILSEN, C.W. Atomic Energy Commission (Pre 750119). 69/10/02. Atomic Energy Commission (Pre 750119). 1p. 82531:008-82531:008.
- 9501100347 Submits personnel exposure & monitoring rept for CY69 per 10CFR20. LOMONTE, J.N. W.R. Grace & Co. 70/01/29. LOW, L.D. Atomic Energy Commission (Pre 750119). 1p. 82531:009-82531:009.
- 9501100268 Discusses operations re WR Grace & Co 700409 application for amend to license to authorize possession & use of 200 kg U-235 for development operations in full size process equipment. DUBE, R.J. Atomic Energy Commission (Pre 750119). 70/07/31. Atomic Energy Commission (Pre 750119). 7pp. 82531:010-82531:016.
- 9501100305 Forwards application for amend to license SNM-0840 to permit addl operations involving enriched U to be performed in connection w/new facility in Bldg 16-A. ASHBY, G.E. W.R. Grace & Co. 70/04/09. MCBRIDE, J.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:017-82531:018.
- 9501100309 Forwards addl copies of paragraph 7.22, 7.23 & Table 7.23, requested in May 28 meeting. Requests deletion of listed paragraphs from proprietary section of license application submitted on 700409. TELESCA, D.R. W.R. Grace & Co. 70/06/02. DUBE, R.J. Atomic Energy Commission (Pre 750119). 4pp. 82531:019-82531:022.

## 204 NONDOCKETED ITEMS

- 9501110316 Confirms 700528 & 0604 meetings w/licensee re application dtd 700408. Requests expansion & clarification of demonstration portion of application by submitting info requested in encl.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/06/15. ASHBY, G.D. W.R. Grace & Co. 9pp. 82531:023-82531:031.
- 9501110322 Responds to 700615 request for addl info re application dtd 700408. Requests that provisional license be issued for operation per conditions set forth in info previously submitted as suppl herewith & emergency procedure.  
TELESCA, D.R. W.R. Grace & Co. 70/07/02. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:032-82531:032.
- 9501110328 Requests that encl seven copies of corrected pages 26, 56, 58 & 59 be incorporated into application for amend to license SNM-0840. W/o encl.  
TELESCA, D.R. W.R. Grace & Co. 70/07/09. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 5pp. 82531:033-82531:033.
- 9501110374 Submits clarification & revised paragraph 10.5(a), in response to question raised by J Delaney in ref to nuclear safety of drying furnace. Requests that encl seven copies of revised pages be incorporated into application. W/o encl.  
TELESCA, D.R. W.R. Grace & Co. 70/08/05. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:034-82531:051.
- 9501110388 Discusses review of WR Grace & Co 700409 application & suppl dtd 700702, 09, 29 & 0805 for license amend to authorize addl activities w/enriched U.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 70/08/10. Atomic Energy Commission (Pre 750119). 2pp. 82531:052-82531:053.
- 9501110394 Safety insp on 700819-20 of license SNM-0840. Insp findings: no noncompliance noted.  
BROWNE, W.G. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 70/08/19. 1p. 82531:054-82531:054.
- 9501110403 Forwards insp rept for license SNM-0840 conducted on 700819-20. No noncompliance noted. Advises that no enriched U will be introduced to facility until Oct or Nov of 1970.  
BROWNE, W.G. Atomic Energy Commission (Pre 750119). 71/02/25. Atomic Energy Commission (Pre 750119). 1p. 82531:055-82531:055.
- 9501110410 Insp rept of license SNM-0840 on 700819-20. No noncompliance noted. Major areas inspected: review of new facility for producing coated UO2 spheres licensed on 700810.  
BROWNE, W.G., CROCKER, H.W. Atomic Energy Commission (Pre 750119). 71/02/25. 8pp. 82531:056-82531:064.
- 9501110417 Discusses review of descriptive matl furnished w/amend application. Advises that emergency procedure has been revised to comply w/requirements of license & available for insp.  
TELESCA, D.R. W.R. Grace & Co. 70/09/22. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 19pp. 82531:065-82531:065.
- 9501110422 Discusses WR Grace & Co application for amend dtd 700922, transmitting revised pages 9, 10, 21, 25, 26, 26A, 27, 28, 32, 33, 35, 36, 37, 38, 39, 41, 44 & 59. No objection from point of view of nuclear safety to approval of application.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 70/10/01. Atomic Energy Commission (Pre 750119). 1p. 82531:066-82531:066.
- 9501110427 Application for amend to License SNM-0840, covering safeguards aspects per 10CFR70.22(b).  
ASHBY, G.E. W.R. Grace & Co. 70/05/04. Atomic Energy Commission (Pre 750119). 2pp. 82531:067-82531:069.
- 9501110434 Requests that all correspondence re license SNM-0840 be forwarded to WR Grace & Co, in order to minimize difficulty in future.  
TELESCA, D.R. W.R. Grace & Co. 70/10/02. PAGE, R.G. Atomic Energy Commission (Pre 750119). 1p. 82531:070-82531:070.
- 9501110451 Amend 1 to license SNM-0840, incorporating in Item 8, revised pages 9, 10, 25, 26, 26A, 27, 28, 32, 33, 35, 36, 37, 38, 41, 44 & 59, dtd 700831.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 70/12/08. TELESCA, D.R. W.R. Grace & Co. 1p. 82531:071-82531:071.
- 9501110454 Safety insp on 710223-24 of license SNM-0840. Insp findings: no noncompliance noted.  
BROWNE, W.G. Atomic Energy Commission (Pre 750119). \* W.R. Grace & Co. 71/02/23. 1p. 82531:072-82531:072.
- 9501110460 Requests temporary suspension of requirements for receipt, handling & possession of U as specified in license SNM-0840 until commencement of operations on enriched U.  
TELESCA, D.R. W.R. Grace & Co. 71/03/03. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:073-82531:074.
- 9501110468 Submits notification of intended action re WR Grace & Co 710303 application. Advises that no action required.  
SMITH, R.D. Atomic Energy Commission (Pre 750119). 71/03/15. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:075-82531:075.
- 9501110497 Forwards insp rept for license SNM-0840 conducted on 710223-24. No noncompliance noted.  
BROWNE, W.G. Atomic Energy Commission (Pre 750119). 71/03/18. Atomic Energy Commission (Pre 750119). 4pp. 82531:076-82531:079.
- 9501110502 Insp rept for license SNM-0840 conducted on 710223-24. No noncompliance noted. Major areas inspected: review of changes in equipment & facilities made as result of depleted U test runs.  
BROWNE, W.G., SMITH, R.H., CROCKER, H.W. Atomic Energy Commission (Pre 750119). 71/03/19. 9pp. 82531:080-82531:088.
- 9501110506 Advises that since licensee no longer possess SNM at facility, requirements of license SNM-0840 for receipt, handling & possession of matl may be suspended until activities initiated w/exception noted in listed paragraph.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 71/04/07. TELESCA, D.R. W.R. Grace & Co. 1p. 82531:089-82531:089.
- 9501110509 Forwards corrected copies of pages 21 & 59 to 700922 application. Addl pages to 700408 application also encl.  
TELESCA, D.R. W.R. Grace & Co. 71/04/19. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 82531:090-82531:093.
- 9501110511 Advises that NRC holding in abeyance, effective date for making UF6 receipt measurements.  
THORNTON, C.D. Atomic Energy Commission (Pre 750119). 71/06/01. ASHBY, G.H. W.R. Grace & Co. 1p. 82531:094-82531:094.
- 9501110514 Requests that licensee furnish detailed description of measurements made on SNM received & shipped at facility, along w/calculational methods by which limits of error determined.  
THORNTON, C.D. Atomic Energy Commission (Pre 750119). 71/07/15. ASHBY, G.H. W.R. Grace & Co. 2pp. 82531:095-82531:096.
- 9501120108 Advises that sufficient time has elapsed since license amended to incorporate safeguards conditions to have developed procedures &/or facilities for measurement of all receipts of SNM, including UF6.  
THORNTON, C.D. Atomic Energy Commission (Pre 750119). 71/05/06. ASHBY, G.H. W.R. Grace & Co. 2pp. 82531:097-82531:098.
- 9501120112 Advises that present runs of wet batches will be dried & sized into 10 different products for further development work by research & development group before final process approved.  
BROWNE, W.G. Atomic Energy Commission (Pre 750119). 71/10/27. Atomic Energy Commission (Pre 750119). 1p. 82531:099-82531:099.
- 9501120117 Informs of plans to receive SNM, under license SNM-0840, approx 720301. Advises that licensee presently operating nuclear development facility on depleted U & plan to complete runs approx Feb 1.  
TELESCA, D.R. W.R. Grace & Co. 72/01/13. Region I, IE (720101-810228). 1p. 82531:100-82531:100.
- 9501120155 Forwards "Emergency Control Organization Std Operating Procedures" for WR Grace & Co, including "Radiation Emergency Procedures."  
TELESCA, D.R. W.R. Grace & Co. 72/02/09. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:101-82531:101.
- 9501120161 "Emergency Control Organization Std Operation Procedures."  
O'LOUGHLIN, N.K. W.R. Grace & Co. 72/02/07. 22pp. 82531:102-82531:123.
- 9501120163 "Emergency Control Organization Radiation Emergency Procedures."  
\* W.R. Grace & Co. 72/01/25. 20pp. 82531:124-82531:143.
- 9501120172 Informs of receipt of enriched U at Bldg 16-A. Advises that samples of matl being forwarded to Avco, Tulsa, Oklahoma Labs for isotopic analysis.  
TELESCA, D.R. W.R. Grace & Co. 72/03/10. BROWNE, W. Region I, IE (720101-810228). 1p. 82531:144-82531:144.
- 9501120181 Advises that enriched U received at WR Grace & Co, Washington Research Ctr, Bldg 16-A on Mar 9. Informs that matl in storage awaiting isotopic analysis. Insp rept cover sheet for insp conducted 720320-23 encl.  
TELESCA, D.R. W.R. Grace & Co. 72/03/10. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 19pp. 82531:145-82531:163.
- 9501120186 Discusses insp of license SNM-0840 on 720320-23 & forwards description of noncompliance item.  
O'REILLY, J.P. Atomic Energy Commission (Pre 750119). 72/04/10. ASHBY, G. W.R. Grace & Co. 1p. 82531:164-82531:164.
- 9501120189 Notice of nonconformance from insp on 720320-23. Nonconformance noted: no green, purple or gray colored tapes at plant & no labeled containers of depleted U in processing area.  
\* Atomic Energy Commission (Pre 750119). 72/04/10. 1p. 82531:165-82531:165.
- 9501120192 Forwards insp rept 70-456/72-01 on 720320-23. Nonconformance noted.  
CROCKER, H.W. Atomic Energy Commission (Pre 750119). 72/04/12. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:166-82531:166.
- 9501120193 Insp rept 70-456/72-01 on 720320-23. Nonconformance noted. Major areas inspected: operating procedures & need for tight administrative controls during change over from depleted to enriched U processing discussed.  
BROWNE, W.G., CROCKER, H.W. Atomic Energy Commission (Pre 750119). 72/04/12. 9pp. 82531:167-82531:175.
- 9501120213 Responds to 720401 ltr re use of effluent treatment sys. Concurrs w/condition added re use of effluent treatment sys. Licensee of belief that nuclear facility of Washington Research Ctr in full compliance w/provisions thereof.  
TELESCA, D.R. W.R. Grace & Co. 72/04/28. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 1p. 82531:176-82531:176.
- 9501120222 Informs of implication contained in Section II.2.c of CO Insp Rept 72-01, concluding w/clause "... SL Reese of Nuclear Safety Assoc who acts as consultant for nuclear safety problems on 'as needed' basis."  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 72/05/03. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:177-82531:177.
- 9501120225 Ack receipt of 720427 ltr informing NRC of steps taken to correct violations noted in insp of licensed program.  
O'REILLY, J.P. Atomic Energy Commission (Pre 750119). 72/05/09. ASHBY, G.E. W.R. Grace & Co. 3pp. 82531:178-82531:180.
- 9501120236 Responds to NRC 720410 ltr re violations noted in insp of licensed program. Corrective actions: order placed for proper colored tapes on 720323 & received on 720412. Technicians assigned to properly label containers in Bldg 16-A.  
TELESCA, D.R. W.R. Grace & Co. 72/04/27. O'REILLY, J.P. Atomic Energy Commission (Pre 750119). 3pp. 82531:181-82531:183.
- 9501120245 Discusses 720628 telcon w/DR Telesca, stating change in production plans for WR Grace & Co. Informs of DR Telesca intention to use max or min safe limits for procedure & vary actual values in safe range to meet changing requirements.  
BROWNE, W.G. Region I, IE (720101-810228). 72/07/06. Atomic Energy Commission (Pre 750119). 1p. 82531:184-82531:186.
- 9501120253 Requests that rev for pages 22, 23, 23A, 25, 25A, 25C, 26, 26A & 28, forwarded on 720706 be withheld from public insp per 10CFR2.790(b).  
TELESCA, D.R. W.R. Grace & Co. 72/07/14. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 82531:187-82531:188.

- 9501120259 Submits corrected pages for inclusion onto 720706 request for amend to license SNM-0840, as approved on 700810. TELESKA, D.R. W.R. Grace & Co. 72/08/16. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 20pp. 82531:189-82531:208.
- 9501120263 Advises that std receiving insp of SNM cannot be completed within 10 days after mail. Requests permission to use AEC 284 as interim receipt for mail received per W Martin ltr of 720811. HERBST, R.J. W.R. Grace & Co. 72/08/23. PAGE Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:209-82531:209.
- 9501120269 Advises that licensee now authorized to use form AEC-284 in lieu of filing copy of form AEC-741, required by 10CFR70.54, to ack receipt of SNM where receipt measurements cannot be completed & reported within 10 days of receipt of matl. PAGE, R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/08/28. HERBST, R.J. W.R. Grace & Co. 1p. 82531:210-82531:210.
- 9501120284 Advises that WR Grace & Co, user of container model - UNC-2400, mfg by United Nuclear corp. DAVIS, H.G. W.R. Grace & Co. 72/09/01. MACDONALD, C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:211-82531:211.
- 9501120296 Notifies of intended action re WR Grace & Co license SNM-0840. Licensing action necessary. R Chitwood will be contacted to coordinate simultaneous licensing action w/div. SMITH, R.D. Atomic Energy Commission (Pre 750119). 72/09/28. CHITWOOD, R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 8pp. 82531:212-82531:219.
- 9501120323 Application for amend, renewing license SNM-0840 for period of five yrs from current expiration date of 721130. ASHBY, G.E. W.R. Grace & Co. 72/10/04. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:220-82531:220.
- 9501120332 Advises that SNM license SNM-0840 expires on 721130. Renewal should be filed within 30 days of expiration. If renewal not desired, certification of status of SNM form should be completed & sent to AEC. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/10/05. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:221-82531:221.
- 9501120336 Notifies of intended action re 721004 application. Advises that licensing action necessary. SMITH, R.D. Atomic Energy Commission (Pre 750119). 72/10/12. CHITWOOD, R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:222-82531:222.
- 9501130015 Forwards SS matl accountability manual for nuclear facility. Advises that manuals in compliance w/license SNM-0840 & replaces accountability manuals previously submitted to AEC. TELESKA, D.R. W.R. Grace & Co. 72/10/19. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 82531:223-82531:223.
- 9501130018 Amend 2 to license SNM-0840, incorporating in item 8B, revised pages 1, 2, 4, 5, 9, 11-16, 21-23, 23A, 25, 25A, 25C, 26, 26A, 28, 29, 33, 36, 36A, 37, 38, 43, 43A, 59, 59A & 59B dtd 720701 & revised pages 3, 6, 8, 8A, 10, 10A, 16A, 16B, 16C, 17-20, 20A, 35 & 65 dtd 720809. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/08. TELESKA, D.R. W.R. Grace & Co. 2pp. 82531:224-82531:225.
- 9501130021 Recommends approval of WR Grace & Co application dtd 720706, suppl 0816, for amend to license SNM-0840, to authorize minor process changes & to update organizational & personnel changes. DELANEY, J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/08. CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 1p. 82531:226-82531:226.
- 9501130026 Application for amend to License SNM-0840, incorporating changes in dissolver arrangement, waste solution boil-down arrangement & adding implant storage area for solutions of fission matl. ASHBY, G.E. W.R. Grace & Co. 72/12/11. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 10pp. 82531:227-82531:228.
- 9501130032 Advises that AEC revising position on receipt measurements of UF6 as listed in response to comments & questions received re compliance w/Condition 3.1. THORNTON, C.D. Atomic Energy Commission (Pre 750119). 71/12/23. ASHBY, G.H. W.R. Grace & Co. 2pp. 82531:229-82531:233.
- 9501130039 Requests comments on encl license condition for monitoring & reporting effluents. Comments requested within 60 days of ltr date. Present implementing schedule calls for first rept 60 days following 730101. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 72/03/24. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:234-82531:240.
- 9501130046 Forwards recent enforcement ltr from Regional Compliance Ofc to WR Grace & Co, for info. W/o encl. ROY, G.W. Atomic Energy Commission (Pre 750119). 72/04/14. NUSSBAUMER, D.A., BUCHANAN, C.R., MALARO, J.C. Atomic Energy Commission (Pre 750119). 1p. 82531:241-82531:252.
- 9501130148 Forwards licensee response to Regional RO Ofc enforcement ltr dtd 720410, for info. W/o encl. ROY, G.W. Atomic Energy Commission (Pre 750119). 72/05/18. CHITWOOD, R.B., MALARO, J.C. Atomic Energy Commission (Pre 750119). 1p. 82531:253-82531:255.
- 9501130162 Advises that WR Grace & Co 720714 ltr, requesting that pages 22-28 be withheld from public insp per 10CFR2.790(b) has been granted by ltr to WR Grace & Co, for reasons cited above. SMILEY, S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/29. Atomic Energy Commission (Pre 750119). 1p. 82531:256-82531:256.
- 9501130173 Advises that AEC withholding from public insp info contained in pages 22, 23, 23A, 25, 25A, 25C, 26, 26A & 28, forwarded w/720706 request for amend. SMILEY, S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/29. TELESKA, D.R. W.R. Grace & Co. 1p. 82531:257-82531:257.
- 9501130181 Submits samples re reported incident of exposure of personnel to airborne contamination. HERBST, R. W.R. Grace & Co. 72/12/01. COOLEY, W. Region V, IE (720101-810228). 2pp. 82531:258-82531:259.
- 9501130225 Insp rept 70-0456/72-03 on 721212-14. Violations noted. EPSTEIN, E., CROCKER, H.W., SMITH, R.H. Region I, IE (720101-810228). 73/01/16. 11pp. 82531:260-82531:270.
- 9501130243 Requests authorization to determine & limit personnel exposure to airborne radioactive contamination by sampling respirable size particles only using Natl Environ Instrument Inc, Model C-115 personnel monitor & lapel sampler. HERBST, R.J. W.R. Grace & Co. 72/12/11. Atomic Energy Commission (Pre 750119). 1p. 82531:271-82531:271.
- 9501130251 Forwards listed items. Advises that files for Gulf United Nuclear, Pawling, NY, ASDA Plutonium Storage Facility, WR Grace & Co & major portions of Metals & Control being mailed simultaneously. COOLEY, W.J. Region V, IE (720101-810228). 72/12/15. CROCKER, H.W. Region I, IE (720101-810228). 1p. 82531:272-82531:272.
- 9501130255 Application for amend to License SNM-0840, permitting use of NFS-10 LI type package for shipment of chloride & nitrate solutions of U. ASHBY, G.E. W.R. Grace & Co. 72/12/21. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 10pp. 82531:273-82531:282.
- 9501130261 Ack receipt of 721107 interim rept re exposure of employees to radioactive matl. KRUESI, F.E. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/12/27. ASHBY, G.E. W.R. Grace & Co. 1p. 82531:283-82531:283.
- 9501170077 Advises that DR Telesca of WR Grace & Co notified CO:1 that SNM received on 720309 & processing to start 720313. BROWNE, W.G. Region I, IE (720101-810228). 72/03/09. CROCKER, H.W. Region I, IE (720101-810228). 1p. 82531:284-82531:284.
- 9501170083 Advises that DR Telesca of WR Grace & Co called to notify CO:1 of imminent start-up of production facility depleted U runs to be completed about 720211. Actual SNM processing to start about 720321. BROWNE, W.G. Region I, IE (720101-810228). 72/01/26. Region I, IE (720101-810228). 1p. 82531:285-82531:285.
- 9501170086 Submits notification of intended action re license SNM-0840. No action required by div. WIRFS, L.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/03. CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 1p. 82531:286-82531:286.
- 9501170091 Notification of 730108 meeting w/licensee to present WR Grace & Co position & program re corrective actions concerning 721129-1201 & 12-14 insp. CROCKER, H.W. Region I, IE (720101-810228). 73/01/04. O'REILLY, J.P. Region I, IE (720101-810228). 3pp. 82531:287-82531:289.
- 9501170099 Discusses insp of license SNM-0840 on 721212-14 & forwards description of violations & safety items. O'REILLY, J.P. Region I, IE (720101-810228). 73/01/16. ASHBY, G.E. W.R. Grace & Co. 2pp. 82531:290-82531:291.
- 9501170105 Notice of violation from insp on 721212-14. Violation noted: fixed contamination in vicinity of dialysis & dissolver unit constantly exceeded action guide 10,000 cpm alpha activity & failure to correct conditions causing high contamination. \* Region I, IE (720101-810228). 73/01/16. 3pp. 82531:292-82531:299.
- 9501170113 Forwards insp rept 70-0456/73-01 on 730108. Licensee appears to be making real effort in bringing facility back into compliance in timely manner. CROCKER, H.W. Region I, IE (720101-810228). 73/01/17. ROY, G.W. Atomic Energy Commission (Pre 750119). 1p. 82531:300-82531:300.
- 9501170117 Mgt meeting rept 70-0456/73-01 on 730108. No violations noted. Major areas discussed: methods by which Directorate of Regulatory Operations enforces federal regulations & findings of inspectors during recent insps. CROCKER, H.W., SMITH, R.H., EPSTEIN, E.E. Region I, IE (720101-810228). 73/01/16. 3pp. 82531:301-82531:307.
- 9501170129 Discusses 730108 meeting re insp of license SNM-0840 on 721129-1201 & 12-14. O'REILLY, J.P. Region I, IE (720101-810228). 73/01/17. ASHBY, G.E. W.R. Grace & Co. 2pp. 82531:308-82531:311.
- 9501170136 Discusses insp of license SNM-0840 on 721212-14, revealing seven violations & two safety items. Advises that AEC of belief that unless corrective action taken re violations & safety items noted, serious health hazard will occur. EPSTEIN, E. Region I, IE (720101-810228). 73/01/18. SMITH, R.H. Region I, IE (720101-810228). 1p. 82531:312-82531:312.
- 9501170156 Forwards insp rept 70-0456/72-02 on 721129-30 & 1201. Violations noted. Advises that licensee failure to take proper corrective actions in related matters demonstrates inadequacy of licensee mgt control sys. CROCKER, H.W. Region I, IE (720101-810228). 73/01/18. ROY, G.W. Atomic Energy Commission (Pre 750119). 2pp. 82531:313-82531:314.
- 9501170159 Insp rept 70-0456/72-02 on 721129-30 & 1201. Violations noted. Major areas inspected: licensee action on previously identified enforcement items. COOLEY, W.J., CROCKER, H.W. Region I, IE (720101-810228). 73/01/16. 14pp. 82531:315-82531:328.
- 9501170161 Discusses insp of license SNM-0840 on 721129-30 & 1201 & forwards description of violations & safety items. O'REILLY, J.P. Region I, IE (720101-810228). 73/01/18. ASHBY, G.E. W.R. Grace & Co. 2pp. 82531:329-82531:331.
- 9501170162 Notice of violation from insp on 721129-30 & 1201. Violations noted: approved written procedures & instructions not prepared for liquid waste dilution operation used in preparing fission solution for shipment. \* Region I, IE (720101-810228). 73/01/18. 3pp. 82531:332-82531:334.
- 9501170164 Responds to 721211 ltr, requesting authorization to determine & limit personnel exposure to airborne radioactive contamination by sampling only respirable size particles using Natl Environ Instruments, Inc Model C-115 monitor. CHITWOOD, R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/31. HERBST, R.J. W.R. Grace & Co. 2pp. 82531:335-82531:338.

## 206 NONDOCKETED ITEMS

- 9501170166 Responds to questions re 721221 request for permission to use SP-5061 packaging for solutions containing chloride. Agrees to limit use of packages to solutions described & not release packages for use w/different solutions. ASHBY,G.E. W.R. Grace & Co. 73/02/01. MCDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:339-82531:339.
- 9501170187 Amend 3 to license SNM-0840,incorporating in Item 8B, revised pages 23,23A,29,50,55,56,66A & 66B,dtd 721106 & submitted w/ application dtd 721211. CHITWOOD,R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/01. ASHBY,G.E. W.R. Grace & Co. 2pp. 82531:340-82531:342.
- 9501170191 Withdraws request for authorization to determine & limit personnel exposure to airborne radioactivity on basis of air sampling respirable size particles. HERBST,R.J. W.R. Grace & Co. 73/02/05. CHITWOOD,R.B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:343-82531:343.
- 9501170196 Responds to NRC 730116 ltr re violations noted in insp of license SNM-0840 on 731212-14. Corrective actions:fixed contamination in vicinity of dialysis & dissolver unit decontaminated below action guide 10,000 cpm alpha activity. ASHBY,G.E. W.R. Grace & Co. 73/02/07. O'REILLY,J.P. Region I, IE (720101-810228). 7pp. 82531:344-82531:350.
- 9501170206 Responds to NRC 730118 ltr re violations noted in insp of license SNM-0840 on 721129-30 & 1201. Corrective actions: high airborne concentration incident has been investigated & evaluated by Nuclear Safety Committee. ASHBY,G.E. W.R. Grace & Co. 73/02/08. O'REILLY,J.P. Region I, IE (720101-810228). 5pp. 82531:351-82531:357.
- 9501170214 Recommends approval of WR Grace & Co application for amend to license SNM-0840,incorporating changes in dissolver arrangement,waste solution build-down arrangement & adding implant storage area for solutions of fissile matl. DELANEY,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/01. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:359-82531:361.
- 9501170224 Advises that WR Grace & Co 721211 ltr,requesting that pages 23 & 23A be withheld from public insp per 10CFR2.790(b) has been granted by ltr to WR Grace & Co,for reasons cited above. SMILEY,S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/12. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 82531:358-82531:358.
- 9501170236 Advises that AEC withholding from public insp info contained in pages 23 & 23A of WR Grace & Co 721211 application,per 10CFR2.790(b). SMILEY,S.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/13. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:001-82532:002.
- 9501170240 Forwards amend 71-1 to license SNM-0840,authorizing delivery of SNM to carrier for transport in model WRG-10 C1 package. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/16. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:003-82532:003.
- 9501170242 Amend 71-1 to license SNM-0840 for WR Grace & Co,authorizing delivery of SNM to carrier for transport in model WRG-10 C1 package. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/16. 4pp. 82532:004-82532:007.
- 9501170244 Responds to NRC 730116 & 18 ltrs re violations noted in insp of license SNM-0840 on 721129-30,1201 & 12-14. Corrective actions:all flammable matls removed from areas where fissile matl stored & storage racks secured against displacement. ASHBY,G.E. W.R. Grace & Co. 73/02/28. O'REILLY,J.P. Region I, IE (720101-810228). 3pp. 82532:008-82532:010.
- 9501170247 Ack receipt of 730208 & 28 ltrs informing NRC of steps taken to correct violations noted in insp of license SNM-0840. O'REILLY,J.P. Region I, IE (720101-810228). 73/03/13. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:011-82532:020.
- 9501170250 Summary of 730416 meeting w/licensee in Room 100 of Woodmont Bldg re termination of license SNM-0840. FREDERICK,E.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/18. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 82532:021-82532:024.
- 9501170252 Insp rept 70-0456/73-02 on 730516-17. Violations noted. Major areas inspected:licensee action on previously identified enforcement items,facility decommissioning activities, decontamination activities & in-plant air sampling. CROCKER,H.W., CARLSON,R.T. Region I, IE (720101-810228). 73/06/06. 10pp. 82532:025-82532:034.
- 9501180284 Discusses insp rept reviewed by NRC Staff to determine adequacy of licensee conformance w/safeguards amend SG-1 to AEC license SNM-0840 & w/safeguards requirements of 10CFR70 & 73. MAY,E.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/21. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p. 82532:035-82532:036.
- 9501180288 RO insp rept I-MAPP-76 on 730102-05. BARTZ,H., MARTIN,W.G. Region I, IE (720101-810228). 73/04/27. 11pp. 82532:037-82532:047.
- 9501180299 Discusses insp of license SNM-0840 on 730102-04. Violations noted. Licensee failed to maintain calibr program for scales & balances used for safeguards measurements. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/21. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:048-82532:049.
- 9501180301 Requests registration as user of model UNC 1484. HERBST,R.J. W.R. Grace & Co. 73/05/30. Atomic Energy Commission (Pre 750119). 1p. 82532:050-82532:050.
- 9501180313 Discusses insp of license SNM-0840 on 730516-17 & forwards description of violation. CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:051-82532:052.
- 9501180320 Notice of violation from insp on 730516-17. Violation noted: no insp performed in Mar & Apr 1973,during which time fissile storage operations performed. \* Region I, IE (720101-810228). 73/06/08. 1p. 82532:053-82532:056.
- 9501180325 Responds to NRC ltr re violations noted in insp of license on 730102-04. Corrective actions:calibr of scales & balances used in safeguards measurements completed in Jan 1973. ASHBY,G.E. W.R. Grace & Co. 73/06/11. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 4pp. 82532:057-82532:060.
- 9501180328 Requests registration as user of model RMG-181-I. HERBST,R.J. W.R. Grace & Co. 73/06/29. Atomic Energy Commission (Pre 750119). 1p. 82532:061-82532:061.
- 9501190128 Responds to NRC ltr re violations noted in insp of license SNM-0840 on 730516-17. Corrective actions:Licensee will require insps by nuclear safety committee at least once each month so long as license operative. ASHBY,G.E. W.R. Grace & Co. 73/07/10. CARLSON,R.T. Region I, IE (720101-810228). 2pp. 82532:062-82532:063.
- 9501190133 Ack receipt of 730710 ltr informing NRC of steps taken to correct violations noted in insp of license SNM-0840. Advises that licensee corrective actions will be verified during next insp of license program. CARLSON,R.T. Atomic Energy Commission (Pre 750119). 73/07/25. ASHBY,G.E. W.R. Grace & Co. 3pp. 82532:064-82532:066.
- 9501190136 Ack receipt of 730611 ltr informing NRC of steps taken to correct violations noted in insp of license SNM-0840. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/02. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:067-82532:067.
- 9501190144 Requests termination of license SNM-0840,effective 731001. Advises Commission that bldgs & facilities heretofore restricted for exclusive use for work w/ SNM will be released for unrestricted use on 731001. ASHBY,G.E. W.R. Grace & Co. 73/09/19. Atomic Energy Commission (Pre 750119). 2pp. 82532:068-82532:069.
- 9501190153 "Decontamination of WR Grace & Co Nuclear Facility for Decommissioning & Return to Unrestricted Use." \* W.R. Grace & Co. 73/09/30. 55pp. 82532:070-82532:124.
- 9501190170 Submits monthly insp summary rept for insp of license SNM-0840 on 730918-21 covering period 730101-0918. Review performed as closeout insp since licensee has terminated nuclear operation. WOLTNER,E. Atomic Energy Commission (Pre 750119). 73/09/25. MARTIN,W.G. Atomic Energy Commission (Pre 750119). 1p. 82532:125-82532:125.
- 9501190177 Forwards amend MPP-1 to license SNM-0840,reflecting organizational changes within AEC & adding new license condition which permits use of Form AEC-284 to ack receipt of nuclear matl. PAGE,R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/27. HERBST,R.J. W.R. Grace & Co. 1p. 82532:126-82532:126.
- 9501190182 Amend MPP-1 to license SNM-0840,incorporating requirements for control & accounting of special nuclear matl. PAGE,R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/27. 6pp. 82532:127-82532:132.
- 9501190190 Discusses WR Grace & Co 730919 ltr,indicating need to release areas formerly utilized for work w/special nuclear matls for unrestricted use as early as possible. Requests assistance in scheduling insp of facility. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/28. DAVIS,J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p. 82532:133-82532:133.
- 9501190193 Responds to invoice L-2794-74. Advises that licensee not obligated to pay annual fee for license SNM-0840 for period 731001-740930, since no special nuclear matls have been in licensee possession subsequent to 730930. ASHBY,G.E. W.R. Grace & Co. 73/10/09. Atomic Energy Commission (Pre 750119). 1p. 82532:134-82532:134.
- 9501190219 Forwards insp rept RO-I-MAPP-74-1 on 730918-21. No violations noted. MARTIN,W.G. Region I, IE (720101-810228). 73/10/25. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:135-82532:135.
- 9501190228 RO insp rept RO-I-MAPP-74-1 on 730918-21. No violations noted. Major areas inspected:closeout review of facility. WOLTNER,E., MARTIN,W.G. Region I, IE (720101-810228). 73/10/26. 3pp. 82532:136-82532:138.
- 9501190270 Forwards data sheets summarizing addl fixed & removable contamination estimates made re light fixtures & appurtenances near ceiling of 16A nuclear facility. HERBST,R.J. W.R. Grace & Co. 73/10/30. Atomic Energy Commission (Pre 750119). 8pp. 82532:139-82532:146.
- 9501190281 Forwards insp rept 70-0456/73-03 on 731024-25 & 1109. Violation noted. Advises that single isolated area of contamination in excess of acceptable limits found by inspector. NELSON,P.R. Region I, IE (720101-810228). 73/11/15. ASHBY,G.E. W.R. Grace & Co. 2pp. 82532:147-82532:148.
- 9501190290 Insp rept 70-0456/73-03 on 731024-25 & 1109. Violations noted. Major areas inspected:verification of closeout survey for license termination. JERMAN,P.C., KNAPP,P.J. Region I, IE (720101-810228). 73/11/14. 15pp. 82532:149-82532:171.
- 9501190296 Advises that sump tank & pump used to collect lab sink, shower & wash basin drainage in licensee nuclear facility have been disconnected,removed & disposed of by burial at authorized burial site. Forwards smear sample data sheet. HERBST,R.J. W.R. Grace & Co. 73/12/03. Atomic Energy Commission (Pre 750119). 2pp. 82532:172-82532:173.
- 9501190302 Advises that license SNM-0840 terminated,per 730919 application & supplements dtd 731030 & 1203 & 10CFR70. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/17. ASHBY,G.E. W.R. Grace & Co. 1p. 82532:174-82532:174.



-9501190312 Forwards invoice L-2794-74,as amended,covering annual fee for period 731001-1217,for license SNM-0840.Informs that annual fee for license SNM-0840 being prorated.  
MILLER,W.O. Office of Administration (Pre 870413). 74/01/11. ASHBY,G.E. W.R. Grace & Co. 4pp. 82532:175-82532:178.

9501040035 Partial response to FOIA request for documents re field insp reports from 1983-1993 for three Alaska based companies. Records in App A enclosed & available in PDR.App B records withheld in part (ref FOIA exemption 6).  
REED,C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/18. LOCKMAN,D.M. Testing Institute of Alaska, Inc. 5pp. 82277:002-82277:279.

-8401030075 Ack receipt of 831129 ltr informing NRC of steps taken to correct violations noted in IE insp of License 50-16084-01.  
WENSLAWSKI,F.A. Region 5 (820201 - 940403). 83/12/21. MILLER,P.A. Alaska Industrial X-Ray, Inc. (AIX). 1p. 82277:014-82277:014.

-8401030085 Responds to NRC 831110 ltr re violations noted in IE insp of License 50-16084-01.Corrective actions:licensee will request no more than 100 Ci Ir-192 from supplier to ensure quantity does not exceed allowed limit.  
MILLAR,P.A. Alaska Industrial X-Ray, Inc. (AIX). 83/11/29. MARTIN,J.B. Region 5 (820201 - 940403). 6pp. 82277:007-82277:013.

-8511060482 Insp Findings & Licensee Ack on 850819 of License 50-16084-01.Insp findings:incomplete surveys conducted on two sources shipped by mtg.  
PANG,J.F. Region 5 (820201 - 940403). 85/08/26. 1p. 82277:016-82277:016.

-8809150057 Safety insp on 880809 of License 50-19202-01.Insp findings: records of Campbell-Pacific gauges transfer not maintained & documentation re transport performance test not maintained.  
ZURAKOWSKI,P.R. Region 5 (820201 - 940403). 88/08/31. 1p. 82277:035-82277:035.

-8911010013 Safety insp on 890820-22 of License 50-19202-01.Insp findings:failure to post "Caution High Radiation Area" sign of Ir-192 radiograph source at Prudhoe Bay,Alaska.  
ZURAKOWSKI,P.R. Region 5 (820201 - 940403). 89/09/19. 1p. 82277:071-82277:071.

-9010170107 Safety insp on 900912 of License 50-19202-01.Insp findings: circumferential survey of exposure device not completed.  
PANG,J.F. Region 5 (820201 - 940403). 90/09/12. 1p. 82277:111-82277:111.

-9106260014 Safety insp on 910513 of license 50-16084-01.Insp findings: radiographer failed to recharge pocket dosimeter at beginning of shift on several occasions.  
PANG,J.F. Region 5 (820201 - 940403). 91/05/31. 1p. 82277:150-82277:150.

-9209290155 Safety insp on 920812 & 14 of license 50-19202-02.Insp findings:no violations observed.  
PANG,J.F. Region 5 (820201 - 940403). 92/08/17. 1p. 82277:183-82277:183.

-9209290174 Safety insp on 920811 & 18-20 of license 50-19202-01.Insp findings:no violations observed.  
PANG,J.F. Region 5 (820201 - 940403). 92/09/03. 2pp. 82277:184-82277:185.

-9501040041 Informs attempt made on 850718 to inspect activities for license 50-16084-01,but unable to contact licensee.Will reschedule insp for Sept 1985.  
THOMAS,R.D. Region 5 (820201 - 940403). 85/08/07. NRC - No Detailed Affiliation Given. 1p. 82277:015-82277:015.

-9501040050 Insp rept 30-10346/87-01 on 870609.Violations noted.Major areas inspected:mtg meetings,mats insp program, follow-up on previous violations,transportation & radiation protection program.  
ZURAKOWSKI,P.R., THOMAS,R.D. Region 5 (820201 - 940403). 87/07/31. 17pp. 82277:017-82277:033.

-9501040065 Forwards NRC form 591 indicating two violations identified during safety insp of 880809.Requests form be signed & returned within 30 days to show C/A will be taken.  
ZURAKOWSKI,P.R. NRC - No Detailed Affiliation Given. 88/08/31. WATSON,S.N. CTI Group, Inc. 2pp. 82277:034-82277:034.

-9501040072 Insp rept 30-20405/88-01 on 880809.Two violations noted. Major areas inspected:mtg meetings,matt insp program, transportation & radiation protection program.  
ZURAKOWSKI,P.R., THOMAS,R.D. Region 5 (820201 - 940403). 88/09/28. 14pp. 82277:036-82277:049.

-9501040108 Insp rept 30-17129/88-01 on 880808-11.Violations noted. Major areas inspected:mtg meetings,matt insp program, transportation & radiation protection program.  
ZURAKOWSKI,P.R., THOMAS,R.D. Region 5 (820201 - 940403). 89/01/10. 20pp. 82277:050-82277:069.

-9501040126 Forwards NRC form-591 indicating two violations noted in safety insp conducted on 890820-22,for activities authorized by license 50-19202-01.Requests form within 30 days & indication that C/A will be undertaken.  
ZURAKOWSKI,P.R. NRC - No Detailed Affiliation Given. 89/09/19. WATSON,S. CTI Group, Inc. 1p. 82277:070-82277:070.

-9501040143 Insp rept 30-17129/89-01 on 890820-22.Two violations noted. Major areas inspected:mtg meetings,matt insp program, bulletin followup,transportation & radiation protection program.  
ZURAKOWSKI,P.R., THOMAS,R.D. Region 5 (820201 - 940403). 89/10/06. 17pp. 82277:072-82277:088.

-9501040159 Insp rept 30-10346/90-01 on 900521.Violations noted.Major areas inspected:training & retraining of radiography personnel,audits,maint of devices,operating & emergency procedures,inventories,matts & equipment.  
PANG,J.F. Region 5 (820201 - 940403). 90/06/28. 20pp. 82277:091-82277:110.

-9501040176 Safety insp on 900908 of license 50-16084-01.Insp findings: improperly operating survey instrument found to be in use & incomplete surveys of exposure device observed at field site.  
PANG,J.F. Region 5 (820201 - 940403). \* Alaska Industrial X-Ray, Inc. (AIX). 90/09/24. 1p. 82277:112-82277:112.

-9501040185 Insp rept 30-10346/90-02 on 900908.Violations noted.Major areas inspected:field insp of field operations at Prudhoe Bay.  
PANG,J.F., MONTGOMERY,J.L. Region 5 (820201 - 940403). 90/11/15. 18pp. 82277:113-82277:130.

-9501040191 Insp rept 30-17129/90-01 on 900905,10 & 12.Violations noted. Major areas inspected:special; field insp to sites at Prudhoe Bay.Insp included visits to temporary sites at bay.  
PANG,J.F., MONTGOMERY,J.L. Region 5 (820201 - 940403). 90/11/21. 19pp. 82277:131-82277:149.

-9501040199 Insp rept 30-10346/91-01 on 910513.Violations noted.Major areas inspected:operating & emergency procedures,worker training & retraining,audits,facilities,matt & equipment, instrumentation & radiation surveys.  
PANG,J.F., \* Region 5 (820201 - 940403). 91/06/14. 16pp. 82277:151-82277:166.

-9501040213 Insp rept 30-17129/91-01 on 910716,24 & 25.Violations noted. Major areas inspected:operating & emergency procedures, training & retraining of workers,audits,facilities,matt & equipment,instrumentation & radiation surveys.  
MONTGOMERY,J.L., PRENDERGAST,K. Region 5 (820201 - 940403). 91/09/15. 16pp. 82277:167-82277:182.

-9501040221 Insp rept 30-20405/92-01 on 920812-20.No violations noted. Major areas inspected:internal audits,training & retraining of workers,facilities & equipment,radiological protection procedures,matt,transfer of matt & personnel protection.  
PANG,J.F., YUHAS,G.P. Region 5 (820201 - 940403). 92/09/17. 13pp. 82277:186-82277:198.

-9501040232 Insp rept 30-17129/92-01 on 920811,18-20.No violations noted.Major areas inspected:organization,operating & emergency procedures,training & retraining of workers, internal audits,facilities,matt & equipment,etc.  
PANG,J.F., YUHAS,G.P. Region 5 (820201 - 940403). 92/09/18. 16pp. 82277:199-82277:215.

-9501040236 Insp rept 30-10346/93-01 on 930720.No violations noted. Major areas inspected:organization,operating & emergency procedures,training & retraining of workers, internal audits, facilities,matt & equipment & instrumentation.  
YUHAS,G.P. Region 5 (820201 - 940403). 93/08/18. 12pp. 82277:216-82277:227.

-9501040239 Insp rept 30-17129/93-01 on 930713-14,0909-10.Violations noted.Major areas inspected:organization,operating & emergency procedures,training & retraining of workers, internal audits,facilities & matt & equipment.  
PRENDERGAST,K., PRUETT,T., YUHAS,G.P. Region 5 (820201 - 940403). 93/08/20. 13pp. 82277:228-82277:240.

-9501040246 Forwards NRC form-591 indicating three violations identified during safety insp conducted 940713-14 of activities authorized by license 50-19202-01.Requests signature of form & indication that appropriate C/A will be taken.  
PRENDERGAST,K. NRC - No Detailed Affiliation Given. 93/08/24. WATSON,S. CTI Group, Inc. 1p. 82277:241-82277:243.

-9501040253 Insp rept 30-10346/92-01 on 920810.No violations noted.Major areas inspected:organization,operating & emergency procedures,training & retraining of workers, internal audits, facilities,matt & equipment & instrumentation.  
PANG,J.F., YUHAS,G.P. Region 5 (820201 - 940403). 92/09/17. 16pp. 82277:244-82277:259.

-9501040257 Partially withheld insp rept 30-10346/86-01 on 860612. Noncompliance noted.Major areas inspected:training of workers, internal audits, insp & maint of devices,operating & emergency procedures,facilities & equipment.  
PANG,J.F., \* Region 5 (820201 - 940403). 86/06/19. 19pp. 82277:260-82277:278.

-9501040261 Partially withheld memo informing of error noted in paragraph 10.c.(3) re posting of high radiation area signs. Radiographer should have been cited for not posting signs.  
MONTGOMERY,J.L. Region 5 (820201 - 940403). 90/11/30. NRC - No Detailed Affiliation Given. 1p. 82277:279-82277:279.

-9501040266 Forwards NRC form 591 indicating three violations from safety insp on 900521 authorized by license 50-16084-01. Requests return & signature on form & indication that C/A will be undertaken.  
PANG,J.F. NRC - No Detailed Affiliation Given. 90/05/31. MILLAR,P.A. Alaska Industrial X-Ray, Inc. (AIX). 1p. 82277:089-82277:090.

9501040036 Final response to FOIA request for documents.Records in Apps A & B will be available in PDR.App C records withheld in part (ref FOIA exemption 6).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. WOTHERSPOON,P. Affiliation Not Assigned. 5pp. 82231:151-82231:202.

-9501040045 Forwards response to 920213 ltr from new RSO N Wotherspoon. Concurs w/statements & representations contained in encl.  
CARTER,P.D. Columbia Univ., New York, NY. 92/06/30. COSTELLO,F.M. Region 1 (Post 820201). 2pp. 82231:166-82231:166.

-9501040051 Forwards ltr signed by PD Carter & corrected pages 1,2,3 & 4 in response to 920213 ltr addressed to L Lidofsky. Areas to be surveyed & frequency of leak test,discussed.  
WOTHERSPOON,N. Columbia Univ., New York, NY. 115758. 92/06/30. COSTELLO,F.M. Region 1 (Post 820201). 7pp. 82231:167-82231:173.

-9501040054 Partially withheld document informing NRC that effective 920831,L Lidofsky will no longer Chair Radiation Safety Committee.Appropriate amend to license,requested.Curriculum vitae,encl.  
WOTHERSPOON,N. Columbia Univ., New York, NY. 117138. 92/08/21. ARREDONDO,S. Region 1 (Post 820201). 14pp. 82231:174-82231:187.

-9501040078 Partially withheld document informing that effective 921205, D Brenner will replace N Wotherspoon as interim RSO. H Micheal will replace D Brenner as permanent RSO,effective 921230.Amend to license indicating change,requested.  
GREENHOLTZ,L.A. Columbia Univ., New York, NY. 117513. 92/12/07. BAGGETT,S. Region 1 (Post 820201). 15pp. 82231:188-82231:202.



## 208 NONDOCKETED ITEMS

- 9501040045 Forwards response to 920213 ltr from new RSO N Wotherspoon. Concurs w/statements & representations contained in encl. CARTER,P.D. Columbia Univ., New York, NY. 92/06/30. COSTELLO,F.M. Region 1 (Post 820201). 2pp. 82231:166-82231:166.
- 9501040051 Forwards ltr signed by PD Carter & corrected pages 1,2,3 & 4 in response to 920213 ltr addressed to L Lidofsky. Areas to be surveyed & frequency of leak test discussed. WOTHERSPOON,N. Columbia Univ., New York, NY. 115758. 92/06/30. COSTELLO,F.M. Region 1 (Post 820201). 7pp. 82231:167-82231:173.
- 9501040054 Partially withheld document informing NRC that effective 920831, L Lidofsky will no longer Chair Radiation Safety Committee. Appropriate amend to license requested. Curriculum vitae encl. WOTHERSPOON,N. Columbia Univ., New York, NY. 117138. 92/08/21. ARREDONDO,S. Region 1 (Post 820201). 14pp. 82231:174-82231:187.
- 9501040078 Partially withheld document informing that effective 921205, D Brenner will replace N Wotherspoon as interim RSO. H Micheal will replace D Brenner as permanent RSO effective 921230. Amend to license indicating change requested. GREENHOLTZ,L.A. Columbia Univ., New York, NY. 117513. 92/12/07. BAGGETT,S. Region 1 (Post 820201). 15pp. 82231:188-82231:202.
- 9501040057 FOIA request for NRC responses to OMB Circular A-11, Parts 43A, 43B, 43C, 43D & 43E of FY95 Info Technology Budget Submission. KERRIGAN,J.F. Affiliation Not Assigned. 94/02/15. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 82217:131-82217:131.
- 9501040059 Final response to FOIA request for NRC responses to OMB Circular A-11, Parts 43A, 43B, 43C, 43D & 43E of FY95 Info Technology Budget Submission. Forwards app A & B records being made available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. KERRIGAN,J.F. Affiliation Not Assigned. 3pp. 82217:132-82217:138.
- 9501040060 FOIA request for info re NRC FY93-95 summary rept on obligations for major info technology sys & FY94-99 major info technology acquisition plans. MORGAN,M.J. Affiliation Not Assigned. 94/03/04. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82378:065-82378:065.
- 9501040062 FOIA request for documents re contracting officer, winning bidder, contract account & other listed items. ROCK,K. Telos Corp. TFE S94-0088. 94/01/19. WIGGINS,E.J. Division of Contracts & Property Management (890206-940714). 2pp. 82217:146-82217:147.
- 9501040063 Final response to FOIA request for info re NRC FY93-95 summary rept on obligations for major info technology sys & FY94-99 major info technology acquisition plans. Forwards OMB circular A-11 App 43B & C which will be in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. MORGAN,M.J. Affiliation Not Assigned. 1p. 82378:066-82378:069.
- 9501050373 Package containing NRC info technology acquisition plans for microcomputers & svcs for years of 1994-1999.  
\* NRC - No Detailed Affiliation Given. 94/01/26. 3pp. 82378:067-82378:069.
- 9501040070 Final response to FOIA request for documents. Forwards documents listed in App A. REED,C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/18. ROCK,K. Telos Corp. 2pp. 82217:148-82217:226.
- 9501040074 Forwards Data General Corp response to solicitation IRM-93-228. HOYT,J. Data General Corp. IRM-93-228. 93/09/29. DUBOSE Division of Contracts & Property Management (890206-940714). 75pp. 82217:150-82217:224.
- 9501040076 Partially deleted ltr confirming receipt of 931029 ltr & responding to item for discussion re solicitation RS-IRM-93-228. HOYT,J. Data General Corp. 93/11/01. DUBOSE,B.J. Division of Contracts & Property Management (890206-940714). 2pp. 82217:225-82217:226.
- 9501040071 FOIA request for copies of all NRC OI Annual rept to Commission & Congress from 1989 to present. PATTERSON,S.J. Edgar, Newman, Bouknight, and Edgar. 94/03/16. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 82217:144-82217:144.
- 9501040075 Partial response to FOIA request for copies of all NRC OI annual rept to Commission & Congress from 1989 to present. Submits info on how to obtain access to records. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/24. PATTERSON,S.J. Edgar, Newman, Bouknight, and Edgar. 1p. 82217:145-82217:145.
- 9501040134 FOIA request for documents re APR that corresponds to DPA case KMA-93-0041(A). HEINEMAN,L.M. Federal Sources, Inc. 94/03/02. POOL,J. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82188:126-82188:127.
- 9501040146 FOIA request for documents re licensing of Gamma Knife facilities. CYTACKI,E.P. Research Medical Center, Kansas City, MO. 94/01/18. Region 3 (Post 820201). 1p. 82188:136-82188:136.
- 9501040148 Final response to FOIA request for documents re application for NRC licensing of Gamma Knife facilities. Forwards app A documents. Documents also available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/02/28. CYTACKI,E.P. Research Medical Center, Kansas City, MO. 2pp. 82188:137-82188:263.
- 9501040151 Forwards application for license of proposed "Gamma Knife" facility. CLASSIC,K. Mayo Clinic, Rochester, MN. 387115. 89/03/16. MADERA,J. Region 3 (Post 820201). 1p. 82188:139-82188:139.
- 9501040164 Application for license, authorizing licensed matl to be used at St Mary's Hosp. VETTER,R.J. Mayo Clinic, Rochester, MN. 387115. 89/03/15. 106pp. 82188:140-82188:249.
- 9501040166 Requests that addl info needed to complete review re 890315 application & telcon requesting NRC license. FRAZIER,C. Region 3 (Post 820201). 89/08/11. FLEMING,R.W. St. Marys Hosp., Rochester, MN. 4pp. 82188:250-82188:253.
- 9501040167 Responds to comment ltr re St Mary's Hosp license. FLEMING,R.W. St. Marys Hosp., Rochester, MN. 387115. 89/08/15. FRAZIER,C. Region 3 (Post 820201). 9pp. 82188:254-82188:263.
- 9501040153 Final response to FOIA request for documents. Forwards documents listed in App A. Documents will be available in PDR. REED,C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/14. HEINEMAN,L.M. Federal Sources, Inc. 2pp. 82188:123-82188:125.
- 9501040158 Requests exception to use of Washington Interagency Telecommunications Sys for NRC Operations Ctr telecommunications switching svc. CRANFORD,G.F. Office of Information Resources Management (Post 890205). 94/01/19. General Services Administration. 1p. 82188:125-82188:125.
- 9501040157 FOIA request for info re remedial assessment work plan, conceptual decommissioning plan & site characterization rept submitted by Fansteel, Inc. BALDI,M. Rust Engineering Co. 94/02/17. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82188:128-82188:128.
- 9501040160 Final response to FOIA request for info re remedial assessment work plan, conceptual decommissioning plan & site characterization rept submitted by Fansteel, Inc. Listed App A documents already available in PDR. GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 94/03/18. BALDI,M. Rust Engineering Co. 2pp. 82188:129-82188:130.
- 9501040203 FOIA request for documents re licensees in State of MI. TUMMONS,P. Affiliation Not Assigned. 93/09/22. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82217:014-82217:014.
- 9501040208 Final response to FOIA request for documents re NRC OI cases concerning agencies within state of MI issued from 930101 to present. Forwards list in app A. App B documents completely withheld (ref FOIA exemption 7A). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/30. RHEINGOLD,D. Michigan Daily, Ann Arbor, MI. 4pp. 82188:132-82188:135.
- 9501040214 FOIA request for listing of all repts published by NRC OI re agencies within state of Michigan from 930101 to present. RHEINGOLD,D. Michigan Daily, Ann Arbor, MI. 94/02/27. NRC - No Detailed Affiliation Given. 1p. 82188:131-82188:131.
- 9501040215 Final response to FOIA request for documents. Records in App E encl & are available in PDR & App B being made available for PDR. App F records completely withheld (ref FOIA exemption 6). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/04. Affiliation Not Assigned. 5pp. 82217:015-82217:130.
- 9501040220 Forwards draft NOV & proposed imposition of civil penalties of \$15,500 for one severity level III problem & one severity level II violation. MARTIN,J.B. Region 4 (Post 820201). EA-90-196. 90/12/07. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 82217:024-82217:049.
- 9501040225 Forwards matl assist insp rept for Diamond H Testing (30-32202/92-04) w/draft ltr & NOV & rept for Quest Assoc, Inc (30-32481/92-01) w/clear NRC form 591. PATE,R.J. Walnut Creek Field Ofc, R4 (Post 940404). 92/02/24. CAIN,C.L. Walnut Creek Field Ofc, R4 (Post 940404). 26pp. 82217:020-82217:023.
- 9501040227 Safety insp on 920129 of license 11-27411-01. Insp findings: no violations noted. AKOV,D.J. Walnut Creek Field Ofc, R4 (Post 940404). \* Quest Associates, Inc. 92/02/11. 2pp. 82217:050-82217:051.
- 9501040231 Forwards matl assist insp rept 30-32202/93-01 for Diamond H Testing Co w/draft ltr & NOV, conducted on 930125-26 & 0210. YUHAS,G.P. Region 5 (820201 - 940403). 93/03/02. CAIN,C. Region 5 (820201 - 940403). 20pp. 82217:052-82217:130.
- 9501040243 FOIA request for info re notices of enforcement discretion issued since Jan 1993 by NRC & Regions. UNNERSTALL,K. Newman & Holtzinger. 94/01/12. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 8pp. 82177:004-82177:012.
- 9501040252 NRC Insp Manual, Part 9900:10CFR Guidance "10CFR2, App C, Enforcement Discretion."  
\* NRC - No Detailed Affiliation Given. 94/01/12. 8pp. 82177:005-82177:012.
- 9501040251 FOIA request for documents re damaged TMI II reactor at plant. RANCK,M.H. Affiliation Not Assigned. 94/03/04. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82188:102-82188:102.
- 9501040256 Final response to FOIA request for info re notices of enforcement discretion issued since Jan 1993 by NRC & Regions. Forwards App A documents already available in PDR. App B documents encl & being made available to PDR. GRIMSLEY,D. Division of Freedom of Information & Publications Services (890206-940714). 94/03/14. UNNERSTALL,K. Newman & Holtzinger. 6pp. 82177:013-82177:207.
- 9501040262 Confirms verbal granting on 930816 of intent to exercise discretion not to enforce compliance w/TS 3.5.B.4 for period of 930816-0825. Plant would not be in compliance w/TS re operable containment cooling subsystem loops. GREENMAN,E.G. Region 3 (Post 820201). NOED-93-3-003. 93/08/19. DELGEORGE,L.O. Commonwealth Edison Co. 2pp. 82177:191-82177:192.
- 9501040268 Informs of NRC decision not to enforce compliance w/actions required in TS 3.7.b.6 re operability of 4 kV or 480 volt safeguards buses in response to util 930914 request. GREENMAN,E.G. Region 3 (Post 820201). 93/09/15. ANTONY,D.D. Northern States Power Co. 4pp. 82177:193-82177:202.

- 9501040269 Informs that, based on NRC review of util justification, enforcement discretion for 48 h period granted re util 940120 request for NRC not to enforce compliance w/TS 4.0.3 re RPS instrumentation. GREENMAN, E.G. Region 3 (Post 820201). NOED-94-3-002. 94/01/26. MURPHY, W. Commonwealth Edison Co. 4pp. 82177:203-82177:207.
- 9501040258 First partial response to FOIA request for documents. App A documents available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. RANCK, R.H. Affiliation Not Assigned. 14pp. 82188:103-82188:116.
- 9501040263 FOIA request for listed documents re fire barrier mfg Thermo Sciences Inc & product Thermo-Lag-330-1. GUNTER, P. Nuclear Information & Resource Service. 94/03/11. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 3pp. 82188:117-82188:119.
- 9501040265 First partial response to FOIA request for documents re NRC documents pertaining to documents & communications between NRC & licensee on fire barrier mfg, TSI & its product Thermo-Lag 330-1. App A info withheld (ref FOIA exemption 7). POWELL, R.A. Office of Administration (890206-940714). 94/03/30. GUNTER, P. Nuclear Information & Resource Service. 3pp. 82188:120-82188:122.
- 9501050198 Final response to FOIA request for info. Forwards App B records which will be available in PDR. App B info partially withheld (ref FOIA exemption 4). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/09. VETTER, J.L. 3pp. 82217:227-82218:025.
- 9501050205 Application for amend to license 04-18497-04E, noting responsible personnel, requesting exempt release limit variance & revising handling of gems. Requests info withheld from public disclosure. Info partially withheld. DEANE, T. IRT Corp. 92/07/21. LAMASTRA, M.A. Medical, Academic & Commercial Use Safety Branch. 21pp. 82217:231-82217:257.
- 9501050209 Responds to RAI re 900405 license application to import & distribute neutron-irradiated topaz to persons exempt from licensing. Info partially withheld. DEANE, T. IRT Corp. 020667. 90/06/29. JONES, C.G. Medical, Academic & Commercial Use Safety Branch. 25pp. 82217:258-82217:282.
- 9501050216 Responds to RAI re 900405 license application to import & distribute neutron-irradiated topaz to persons exempt from licensing. Info partially deleted. DEANE, T. IRT Corp. 020667. 90/06/01. JONES, C.G. Medical, Academic & Commercial Use Safety Branch. 12pp. 82217:283-82217:294.
- 9501050222 Revised application for license to import & distribute neutron-irradiated gems to persons exempt from licensing. Info partially withheld. PARKS, L.A. IRT Corp. 020667. 89/10/30. JONES, C.G. Medical, Academic & Commercial Use Safety Branch. 100pp. 82217:295-82218:025.
- 9501050323 FOIA request for documents re NRC document SECY 92-043 which commission has decided to exempt from disclosure. HAMILTON, R.A. Day, New London, CT. 94/04/08. INGRAM, F. Office of Public Affairs (Post 911117). 1p. 82231:203-82231:203.
- 9501050339 Final response to FOIA request for documents. Document listed in app A completely withheld (ref FOIA exemption 5). REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/15. HAMILTON, R.A. Day, New London, CT. 3pp. 82231:204-82231:206.
- 9501050388 FOIA request for documents re methodology setting forth fee allocation determinations for regulatory svc provided by NRC to NRC licensed facilities. O'TOOLE, P.E. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 93/11/10. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82258:164-82258:164.
- 9501050400 Appeals denial of FOIA request for info re legal basis for criminal prosecutions of 10CFR50.7 violations. LARI, R.G. Newman & Holtzinger. 94/02/25. Office of the Secretary of the Commission. 3pp. 82218:026-82218:028.
- 9501050406 Responds to appeal of denial of FOIA request for info re criminal penalties. Appeal granted & denied in part as stated & advises that App B items B-1 - B-6 & B-9 may be publicly available. CHILK, S.J. Office of the Secretary of the Commission. 94/04/06. LARI, R.G. Newman & Holtzinger. 3pp. 82218:029-82218:046.
- 9501050410 Notation vote response sheet approving, w/comment, SECY-91-327 re 10CFR Chapter I criminal penalties proposed rule. REMICK, Commissioners (Post 750119). 91/10/31. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82218:032-82218:033.
- 9501050414 Informs of disagreement w/Commission approval of SECY-92-324 re final rule on clarification of statutory authority for purposes of criminal reinforcement. Related info encl. KARMAN, M. NRC - No Detailed Affiliation Given. 92/09/25. ROGERS, Commissioners (Post 750119). 6pp. 82218:034-82218:046.
- 9501050410 Notation vote response sheet approving, w/comment, SECY-91-327 re 10CFR Chapter I criminal penalties proposed rule. REMICK, Commissioners (Post 750119). 91/10/31. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82218:032-82218:033.
- 9501050414 Informs of disagreement w/Commission approval of SECY-92-324 re final rule on clarification of statutory authority for purposes of criminal reinforcement. Related info encl. KARMAN, M. NRC - No Detailed Affiliation Given. 92/09/25. ROGERS, Commissioners (Post 750119). 6pp. 82218:034-82218:046.
- 9501050408 First partial response to FOIA request for documents. Records in App A encl & available in PDR. Records in App B encl & available in PDR. App C records completely withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/30. O'TOOLE, P.E. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 7pp. 82258:165-82258:237.
- 9501050435 Forwards computer listing of all records in regulatory history package AD87-2 re final rule 10CFR52,71,170 & 171 concerning "Revision of Fee Schedules: 100% Fee Recovery." MERRILL, C. Statistica, Inc. 92/02/28. HOLLOWAY, J. Office of the Controller (Post 890205). 22pp. 82258:172-82258:195.
- 9501050446 Forwards printout of all records received & processed in regulatory history package AE20-1 related to 10CFR170 & 171 proposed rule, "Proposed Rev of Fee Schedules." DORSEY, J.L. Division of Information Support Services (Post 890205). 92/08/25. GOLDEN, B.K. Division of Freedom of Information & Publications Services (890206-940714). HOLLOWAY, J.C. Office of the Controller (Post 890205). SMITH, H.I. Information & Records Management Branch (Post 890827). 11pp. 82258:196-82258:206.
- 9501060124 Forwards printout of records received & processed in regulatory history package AE20-2 related to 10CFR170 & 171 final rule "Final Rev of Fee Schedules 100% Fee Recovery, FY92." DORSEY, J.L. Division of Information Support Services (Post 890205). NRC-39-88-211. 92/12/31. GOLDEN, B.K. Freedom of Information & Local Public Document Room Branch. HOLLOWAY, J.C. Office of the Controller (Post 890205). SMITH, H.I. Information & Records Management Branch (Post 890827). 20pp. 82258:207-82258:216.
- 9501060137 Notation vote approving w/comment, SECY-89-314, "License Fees Proposed Schedule." CURTISS, J.R. Commissioners (Post 750119). 89/11/03. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 82258:217-82258:219.
- 9501060139 Notation vote approving, SECY-89-314, "License Fees-Proposed Schedule." CARR, K. Commissioners (Post 750119). 89/11/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:220-82258:224.
- 9501060152 Notation vote approving SECY-89-314, "License Fees-Proposed Schedule." ROGERS, K.C. Commissioners (Post 750119). 89/11/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:225-82258:225.
- 9501060155 Affirmation vote approving w/comment SECY-90-141, "License Fees-Final Rule." CARR, K.M. Commissioners (Post 750119). 90/05/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:226-82258:227.
- 9501060160 Affirmation vote approving SECY-90-141, "License Fees-Final Rule." ROBERTS, H. Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:228-82258:228.
- 9501060163 Affirmation vote approving SECY-90-141, "License Fees-Final Rule." CURTISS, J.R. Commissioners (Post 750119). 90/05/04. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:229-82258:229.
- 9501060167 Affirmation vote approving SECY-90-141, "License Fees-Final Rule." REMICK, J. Commissioners (Post 750119). 90/04/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:230-82258:230.
- 9501060171 Notation vote disapproving w/comment SECY-90-147, "Alternatives for Assessing Mat'l License Fees Under 10CFR170." CARR, K. Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:231-82258:232.
- 9501060177 Notation vote disapproving SECY-90-147, "Alternatives for Assessing Mat'l License Fees Under 10CFR170." ROBERTS, Commissioners (Post 750119). 90/05/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:233-82258:234.
- 9501060182 Notation vote approving w/comment SECY-90-147, "Alternatives for Assessing Mat'l License Fees Under 10CFR170." ROGERS, K.C. Commissioners (Post 750119). 90/04/27. CHILK, S.J. Office of the Secretary of the Commission. 1p. 82258:235-82258:235.
- 9501060185 Notation vote approving w/comment SECY-90-147, "Alternatives for Assessing Mat'l License Fees Under 10CFR170." REMICK, Commissioners (Post 750119). 90/04/30. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82258:236-82258:237.
- 9501060098 Second partial response to FOIA request for documents. Forwards App D documents. App D documents also available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/31. O'TOOLE, P.E. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 2pp. 82231:210-82231:224.
- 9501060108 Informs that on 931118, NRC Transition Oversight Team met w/ state representatives affected by closure of U Recovery Field Ofc & w/U recovery licensees. Breakdown of \$229,900 figure provided per request. Supporting info encl. KNAPP, M.R. Program Management, Policy Development & Analysis Staff (Post 870413). 94/02/04. GIBSON, M.H. Kennecott Corp. 12pp. 82231:213-82231:224.
- 9501060116 Ninth partial response to FOIA request for documents. Releasable portions of record identified in App U encl & placed in PDR (ref FOIA Exemption 7C). App V document withheld in entirety (ref FOIA Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. O'MALLEY, S.B. Affiliation Not Assigned. 4pp. 82231:225-82231:236.
- 9501060120 Partially withheld package consisting of Enforcement Action EA-92-152 summary. \* NRC - No Detailed Affiliation Given. EA-92-152. 94/04/11. 4pp. 82231:233-82231:236.
- 9501060129 Final response to FOIA request for documents. Records in App A & B will be available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/14. SCHUYLER, J.P. E.I. du Pont de Nemours & Co., Inc. 3pp. 82258:244-82258:256.

## 210 NONDOCKETED ITEMS

- 9210230172** Responds to NRC ltr re violations noted during insp of license 29-09814-01. Corrective actions: licensee instructed all radiographers & assistants to properly perform survey & mgt will continue to survey & audit activities frequently. SONI, H.J. Eastern Testing & Inspection, Inc. EA-92-136. 92/10/16. Ofc of Enforcement (Post 870413). 5pp. 82258:249-82258:253.
- 9210280172** Requests remission/mitigation of proposed imposition of civil penalty in amount of \$7,500. Extenuating circumstances played relevant role in causing some alleged violations. Major customer lost due to allegation re safety program. SONI, H.J. Eastern Testing & Inspection, Inc. EA-92-136. 92/10/26. Ofc of Enforcement (Post 870413). 2pp. 82258:254-82258:256.
- 9501090314** Submits actions taken or to be taken prior to any further conduct of industrial radiography re telcon on 920617. COOPER, R.W. Region 1 (Post 820201). CAL-RI-92-10. 92/06/18. SONI, H.J. Eastern Testing & Inspection, Inc. 2pp. 82258:247-82258:248.
- 9501060133** FOIA request for safety record of Eastern Testing & Insp. SCHUYLER, J.P. E.I. du Pont de Nemours & Co., Inc. 93/01/07. POWELL, R. Division of Information & Local Public Document Room Branch. 1p. 82258:243-82258:243.
- 9501060140** Final response to FOIA request for documents. Releasable portions of agency records subj to request identified in App W encl (ref FOIA Exemption 7). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. O'MALLEY, S.B. Affiliation Not Assigned. 3pp. 82231:237-82231:272.
- 9501060144** Partially deleted package consisting of incident rept re unauthorized use of badge & 910401 interoffice memos re QA monitoring conducted in audit areas. \* Public Service Co. of Colorado. 90/04/03. 29pp. 82231:244-82231:272.
- 9501060143** Third partial response to FOIA request for documents. App E records available in PDR. \* Division of Freedom of Information & Publications Services (890206-940714). 94/04/05. O'TOOLE, P. Perkins, Coie (formerly Perkins, Coie, Stone, Olsen & Williams). 2pp. 82231:207-82231:209.
- 9501060158** First partial response to FOIA request for info. Forwards App A info available in PDR. App B info entirely withheld (See FOIA Exemption 5). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/03/31. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 82287:020-82287:024.
- 9501060264** Informs that OI policy not to provide transcripts until conclusion of investigation of events surrounding denial of access of allegor at plant by util. Witnesses refuses to be deposed unless OI can guarantee provision of transcripts. JENSEN, N. NRC - No Detailed Affiliation Given. 92/06/30. DE PLANQUE, G. Commissioners (Post 750119). 1p. 82287:024-82287:024.
- 9501060166** FOIA request for documents re license 04-19644-01. WEATHERS, L.J. Affiliation Not Assigned. 94/02/04. CLAYTON, K. Region 3 (Post 820201). 2pp. 82231:273-82231:274.
- 9501060173** Final response to FOIA request for documents. Forwards Apps A & B documents. App A documents placed in PDR. Portions of App B documents withheld (ref FOIA Exemption 6). POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/13. WEATHERS, L. Affiliation Not Assigned. 4pp. 82231:275-82231:049.
- 8605050157** Application for amend to License 04-19644-01, adding 22 AECL Type C-188 Co-60 sources & increasing source activity to 1,705,741 Ci. Survey results listed. MATES, T.J. SteriGenics International (formerly Radiation Sterilizers, Inc.). 80774. 86/02/14. Materials Licensing Branch. 1p. 82232:072-82233:049.
- 9501060227** FOIA request for further correspondence & repts re repts TAC-M82693, M81264 & M81265 related to ECCS room coolers at facilities. WILLIAMS, O.G. OGW-94-015. 94/02/08. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82278:001-82278:001.
- 9501060232** Responds to FOIA request for documents. Forwards app A records being made available in PDR. Response is partial response. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/15. WILLIAMS, O.G. 2pp. 82278:002-82278:315.
- 9203040098** Discusses review of assessment of ECCS operability w/o room cooler heat removal capacity, per Region III 911018 request. Concludes that isolation of DG cooling water supply to ECCS pump room coolers may constitute unreviewed safety question. MCCracken, C.E. Plant Systems Branch. TAC M81264. 92/02/28. BARRETT, R.J. Project Directorate III-2. 3pp. 82278:030-82278:268.
- 9501060261** SL-7120 R01 "Nuclear Safety-Related, Containment Cooling Svc Water Pump Room Cooler Heat Load Study," for plants. KANE, T.J., CEVIGNEY, S.P. Sargent & Lundy, Inc. 88/07/12. 26pp. 82278:004-82278:029.
- 9501060256** FOIA request for document, SECY 92-043, "Exercise of Discretion not to Enforce Compliance w/License Conditions." RICCIO, J.P. Public Citizen's Critical Mass Energy Project. 94/03/30. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82258:257-82258:258.
- 9501060265** Final response to FOIA request for documents. App A records completely withheld (ref FOIA exemption 5). REED, C.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/15. RICCIO, J.P. Public Citizen's Critical Mass Energy Project. 3pp. 82258:259-82258:261.
- 9501060266** FOIA request for documents re all NRC 741 forms for calendar year 1993 recording shipments of depleted U made abroad. HOUCK, K. Affiliation Not Assigned. 94/03/18. GRIMSLEY, D. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82258:262-82258:262.
- 9501060267** Final response to FOIA request for documents. No records records subj to request located. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. HOUCK, K. Affiliation Not Assigned. 1p. 82258:263-82258:263.
- 9501090279** FOIA request for record of M Biamonte of NRC Insp Team memo to Region I re instrument & controls training. Subj memo was not included in insp exit meeting held on 940315 (50-352/94-09 & 50-353/94-09). HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/03/22. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82258:264-82258:264.
- 9501090284** Final response to FOIA request for document. Forwards App A documents also available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82258:265-82258:268.
- 9501090288** Provides info on instrument & controls technician incident which NRC believes is adequate cause for training insp, as promise in telcon. BIAMONTE, M.A. NRC - No Detailed Affiliation Given. 94/03/15. NRC - No Detailed Affiliation Given. 2pp. 82258:267-82258:268.
- 9501090315** Second final response to FOIA request for documents. App C documents encl & also placed in PDR. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/13. LOCKMAN, D.M. Testing Institute of Alaska, Inc. 3pp. 82258:269-82258:272.
- 8610240302** Forwards Radiation Safety Insp Rept 30-06415/86-02 on 860825 & notice of violation. Response should address issue of controlling access to radiation areas & corrective actions to prevent unauthorized person from entering area. FISHER, W.L. Region 4 (Post 820201). 86/10/17. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 2pp. 82258:273-82258:361.
- 8610240304** Notice of violation from insp on 860825. FISHER, W.L. Region 4 (Post 820201). 86/10/17. 2pp. 82258:275-82258:276.
- 8610240307** Insp Rept 30-06415/86-02 on 860825. Violations noted: failure of persons performing radiography to adequately survey after each radiographic exposure & re-charge pocket dosimeters. RICKETSON, L.T. Region 4 (Post 820201). 86/10/10. 6pp. 82258:277-82258:282.
- 8611250056** Responds to violations noted in Insp 30-06415/86-02. Corrective actions: employees recounseled & retrained re 10CFR34 & add insp checks will be performed to determine if survey meters & dosimeters used properly. CULLINGTON, R.F. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 86/11/11. FISHER, W.L. Region 4 (Post 820201). 1p. 82258:283-82258:283.
- 8701050310** Ack receipt of 861111 ltr responding to violation noted in Insp 30-06415/86-02. Spec of time intervals for add checks & job title of individuals responsible for checks requested within 10 days of receipt of ltr. FISHER, W.L. Region 4 (Post 820201). 86/12/29. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 1p. 82258:284-82258:284.
- 8701160159** Confirms that radiation safety officer in each area of work be responsible for monthly checks to see that dosimeters & survey meters used as prescribed. CULLINGTON, R.F. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 87/01/12. FISHER, W.L. Region 4 (Post 820201). 1p. 82258:285-82258:285.
- 8703030314** Ack receipt of 861111 & 870112 ltrs informing NRC of steps taken to correct violations noted in Insp 30-06415/86-02. FISHER, W.L. Region 4 (Post 820201). 87/02/23. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 1p. 82258:286-82258:286.
- 9203040003** Forwards radiation safety insp rept 30-06415/92-01 on 920213. Violation currently under consideration for escalated enforcement action. Enforcement conference scheduled for 920310 to discuss cause & significance. CALLAN, L.J. Region 4 (Post 820201). EA-92-031. 92/02/21. MCCORKLE, D. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 2pp. 82258:287-82258:293.
- 9203040006** Radiation safety insp rept 30-06415/92-01 on 920213. Violation noted but not cited. Major areas inspected: review of employee exposure incident, licensee subsequent evaluation & corrective actions. CAIN, C.L. Region 4 (Post 820201). 92/02/21. 5pp. 82258:289-82258:293.
- 9203230031** Discusses insp rept 30-06415/92-01 on 920213 & forwards notice of violation. MARTIN, R.D. Region 4 (Post 820201). EA-92-031. 92/03/17. MCCORKLE, D. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 3pp. 82258:296-82258:299.
- 9203230035** Notice of violation from insp on 920213. Violation noted: licensee radiographer did not wear direct reading pocket dosimeter, alarm ratemeter or film badge while conducting radiographic operations. \* Region 4 (Post 820201). EA-92-031. 92/03/17. 1p. 82258:299-82258:299.
- 9204210230** Responds to NRC ltr re violations noted in insp of License 42-08456-02. Corrective actions: assistant radiation safety director sent to job site to perform safety audit. Memo sent to all employees stressing importance of 10CFR34.33(a). MCCORKLE, D.H. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). EA-92-031. 92/04/10. Region 4 (Post 820201). 2pp. 82258:300-82258:301.
- 9205060011** Ack receipt of 920410 ltr informing NRC of steps taken to correct violations noted in insp rept 30-06415/92-01. Draft insp rept encl. CAIN, C.L. Region 4 (Post 820201). EA-92-031. 92/05/01. MCCORKLE, D. Century Inspection, Inc. (formerly Consolidated X-Ray Service Corp. West). 18pp. 82258:302-82258:332.
- 9501090336** Notification of significant licensee meeting on 920310 in Arlington, TX to discuss enforcement conference. CALLAN, L.J. Region 4 (Post 820201). EA-92-031. 92/03/06. Region 4 (Post 820201). 2pp. 82258:294-82258:295.
- 9501090338** Forwards results of field insp performed on 930809 during radiographic operations at facility & NRC Form 591. YUHAS, G.P. Region 5 (820201 - 940403). 93/09/09. CALLAN, L.J. NRC - No Detailed Affiliation Given. 10pp. 82258:333-82258:342.

- 9501090339 Insp Rept 30-06415/93-02 on 931008.No violations noted.Major areas inspected:organization,scope of program & operating emergency procedures. KASNER,L. Region 4 (Post 820201). 93/10/13. 16pp. 82258:343-82258:361.
- 9501130022 FOIA request for documents re WR Grace Washington Research Ctr. SARKISSIAN,K. Affiliation Not Assigned. 93/09/08. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82321:113-82321:114.
- 9501130034 Final response to FOIA request for documents.Records in App B encl & will be available in PDR.App C records partially withheld (ref FOIA exemption 6). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/13. SPENCER,D. Affiliation Not Assigned. 4pp. 82321:115-82322:282.
- 9501130051 Application for amend to License SNM-840,to increase quantity of U-235 in enriched U in possession from 1 kg to 200 kgs. \* W.R. Grace & Co. 70/04/08. Atomic Energy Commission (Pre 750119). 250pp. 82321:119-82322:051.
- 9501130058 Application for amend to license SNM-840,requesting that revised pages be incorporated into application. TELESKA,D.R. W.R. Grace & Co. 70/07/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 28pp. 82322:058-82322:096.
- 9501130076 Application for amend to license SNM-840,requesting incorporation of listed pages,which have been changed for clarity & to update organizational & personnel changes. TELESKA,D.R. W.R. Grace & Co. 72/07/06. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 48pp. 82322:058-82322:155.
- 9501130099 Forwards revised pages 3,4,8,10,15,26,30,31 & 19 of SS Matis Account-ability Manual for nuclear facility & requests that pages be withheld from public insp. HERBST,R.J. W.R. Grace & Co. 73/02/13. CHITWOOD,R.B. Atomic Energy Commission (Pre 750119). 10pp. 82322:156-82322:165.
- 9501130105 Ack receipt of 730213 ltr w/encl Final Rept on Oct 1972 exposure of employees to radioactive matl. KRUESI,F.E. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/07. ASHBY,G.E. W.R. Grace & Co. 1p. 82322:166-82322:166.
- 9501130124 Partially deleted application for license to receive, use & transfer special nuclear matl. GAGE,W.P. W.R. Grace & Co. 60/10/04. Atomic Energy Commission (Pre 750119). 10pp. 82322:167-82322:176.
- 9501130129 Application for amend to License SNM-417,to permit licensee to store larger quantity of special nuclear matl in locked room at Washington Research Ctr w/ o changing quantities of mats designated for processing use. O'LOUGHLIN,W.K. W.R. Grace & Co. 64/05/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 82322:177-82322:180.
- 9501130132 Partially deleted application for renewal of license SNM-417 as amended. GIBIAN,T.G. W.R. Grace & Co. 64/10/28. Atomic Energy Commission (Pre 750119). 7pp. 82322:181-82322:188.
- 9501130145 Application for renewal & amend of License SNM-840 due to expire on 671130. ASHBY,G. W.R. Grace & Co. 67/10/04. Atomic Energy Commission (Pre 750119). 38pp. 82322:189-82322:229.
- 9501130153 Forwards interim rept summarizing measurements & analyses re incident of potential over-exposure to airborne contamination in excess of MPC for restricted areas.Info partially deleted. ASHBY,G.E. W.R. Grace & Co. 72/11/07. Atomic Energy Commission (Pre 750119). 9pp. 82322:230-82322:238.
- 9501130159 Forwards "Final Rept on Incident of Airborne Contamination." Rept partially deleted. ASHBY,G.E. W.R. Grace & Co. 73/02/13. Atomic Energy Commission (Pre 750119). 44pp. 82322:239-82322:282.
- 9501170213 Informs that NRC has not received Matl Status Rept from licensee for rept period ending 700630. PAGE,R.G. Atomic Energy Commission (Pre 750119). 70/09/04. GIBIAN,T.G. W.R. Grace & Co. 1p. 82322:097-82322:097.
- 9501060184 Appeals denial of FOIA request for info re documents as listed in Apps H-J of FOIA 93-265. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 93/12/07. Ofc of the Executive Director for Operations. 1p. 82423:262-82423:263.
- 9501130065 Final response to FOIA request.Forwards app F & G documents.Apps H & J info partially withheld & App I documentation completely withheld (See listed FOIA Exemption 5). POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 93/11/24. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 10pp. 82423:264-82423:273.
- 9501060184 Appeals denial of FOIA request for info re documents as listed in Apps H-J of FOIA 93-265. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 93/12/07. Ofc of the Executive Director for Operations. 1p. 82423:262-82423:263.
- 9501130195 Responds to FOIA request for documents.Grants appeal w/authorization for full disclosure of records identified in DH Grimsley 931124 response to FOIA request,FOIA 93-265. THOMPSON,H.L. Division of Freedom of Information & Publications Services (890206-940714). 94/03/30. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 1p. 82423:274-82424:036.
- 9501130188 Appeals denial of FOIA request for documents as ref in FOIA 93-265 & NRC invoice 4R0043 dtd 931130. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 93/12/07. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82423:275-82423:275.
- 9501130214 Discusses telcons w/ P Rosenbaum of Cameo Diagnostics,Inc on 921211 re receipt of NRC licensed mats at unauthorized location as described. SHANKMAN,S.F. NRC - No Detailed Affiliation Given. 92/12/14. NRC - No Detailed Affiliation Given. 3pp. 82423:276-82423:278.
- 9501130219 Record of telcon w/P Rosenbaum on 930118 re request for amend to License 20-27908-01 concerning physician training in radiation medicine. HENDERSON,P.J. NRC - No Detailed Affiliation Given. 93/01/18. 5pp. 82423:279-82423:283.
- 9501130227 Forwards for review & concurrence proposed EA for violations noted as ref in insp rept 30-29567/92-01 on 921229. Violations noted involve use of licensed matl at unauthorized location despite repeated warnings. MARTIN,T.T. Region 1 (Post 820201). EA-93-005. 93/03/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 82423:284-82423:316.
- 9501130231 Discusses insp rept 30-29567/92-01 on 921229 & apparent violations noted & forwards NOV & proposed imposition of civil penalties in amount listed.Violations involved use of licensed matl at unauthorized location. MARTIN,T.T. Region 1 (Post 820201). EA-93-005. 93/03/01. ROSENBAUM,P. Cameo Diagnostic Centre, Inc., Springfield, MA. 6pp. 82423:317-82423:332.
- 9501130270 Package consisting of documentation supporting EA 92-246 as ref in insp rept 30-29567/92-01 & civil penalties imposed on licensee leading to NRC Order suspending license. \* NRC - No Detailed Affiliation Given. EA-92-246. 93/11/24. 67pp. 82423:333-82424:036.
- 9501130188 Appeals denial of FOIA request for documents as ref in FOIA 93-265 & NRC invoice 4R0043 dtd 931130. ROSENBAUM,P.J. Cameo Diagnostic Centre, Inc., Springfield, MA. 93/12/07. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82423:275-82423:275.
- 9501130197 FOIA request for documents re specific product series or line bid by each offeror solicited for procurement re RS ADM 94 154. PANNUNZIO,N. Haworth, Inc. 94/03/31. MACE,M. Contract Negotiation Branch-2. 1p. 82322:283-82322:283.
- 9501130224 Final response to FOIA request for documents.Lists requested info re RS ADM 94 154. \* Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. PANNUNZIO,N. Haworth, Inc. 1p. 82322:285-82322:285.
- 9501130264 FOIA request for documents re NRC insp repts,including records of violations & documents concerning enforcement actions pertaining to listed NRC licensee. HARNETT,N.D. Affiliation Not Assigned. 94/03/11. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82321:001-82321:002.
- 9501130268 Final response to FOIA request for documents.Records in App A encl & will be available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/18. HARNETT,N.D. Affiliation Not Assigned. 2pp. 82321:003-82321:112.
- 9501130269 Forwards complete radioactive matl tag data base entry & shipment manifest from plant identifying spent fuel cask lifting yoke. WALLACE,J. ALARON Corp. AL-1192-31. 92/11/30. WHITE,D. Region 1 (Post 820201). 8pp. 82321:020-82321:041.
- 9501130274 Forwards "Safety Insp." indicating that no items of non-compliance were found during insp of license 37-20826-01 & 37-20826-02. KIRKWOOD,A.S. Region 1 (Post 820201). 90/11/05. GERLORLS,G. ALARON Corp. 1p. 82321:042-82321:112.
- 9501170056 Partial 22nd response to FOIA request for info.Forwards App FF documents partially withheld & App GG info completely withheld (ref FOIA Exemptions 5,6 & 7). POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/11. GILINSKY,V. Affiliation Not Assigned. 5pp. 82557:001-82558:016.
- 8111170482 Partially deleted IE Investigation Rept HQS-81-004 on 810916-1002.Major areas investigated:alleged improprieties on OL exams at plant. BACI,P.E., SMITH,R.H., MATAKAS,R.A. Enforcement Br,Enforcement & Investigation Staff,IE (Pre 820201). 81/10/14. 54pp. 82557:029-82557:083.
- 8111170496 Partially deleted IE Investigation Rept HQS-81-005 on 811019-22.Areas investigated:alleged improprieties on OL exams at plant. BACI,P.E. Ofc of Inspection & Enforcement, Director (820201-870413). GILBERT,E.C., WARD,W.J. Enforcement Br,Enforcement & Investigation Staff,IE (Pre 820201). 81/10/28. 22pp. 82557:007-82557:028.
- 9501170069 Partially deleted memo re apparent cheating at licensed operator requalification program at plant during IE investigation into recent cheating on operator exams. GILINSKY,V. Commissioners (Post 750119). 81/09/30. PALLADINO, BRADFORD, AHEARNE Commissioners (Post 750119). 4pp. 82557:142-82557:145.
- 9501170089 Forwards copy of IE completed rept of investigation,Case Number HQS-81-003 re alleged cheating on OL exams at plant. DIRCKS,W.J. Ofc of the Executive Director for Operations. HQS-81-003. 81/08/14. PALLADINO, GILINSKY, BRADFORD Commissioners (Post 750119). 1p. 82557:146-82557:146.
- 9501170108 Partially withheld Investigation Rept HQS-81-003.No noncompliance noted.Major areas investigated:allegations re cheating on OL exams at plant. GILBERT,E.C., BACI,P.E., SMITH,R.H. Enforcement & Investigation Staff, IE (Pre 820201). 81/08/11. 54pp. 82557:147-82557:200.
- 9501230117 Partially deleted transcript of statement of BA Wilson re alleged improprieties on OL exams at plant. WILSON,B.A., WARD,W.J. NRC - No Detailed Affiliation Given. 81/09/18. 5pp. 82557:084-82557:088.
- 9501230126 Transcript of statement of PF Collins re alleged improprieties on OL exams at plant. COLLINS,P.F., \* NRC - No Detailed Affiliation Given. 81/09/23. 3pp. 82557:089-82557:091.

## 212 NONDOCKETED ITEMS

- 9501230136 Transcript of statement of RE Maines re alleged improprieties on OL exams at plant.  
MAINES,R.E., WARD,W.J. NRC - No Detailed Affiliation Given. 81/09/17. 3pp. 82557:092-82557:094.
- 9501230140 Statement of transcript of MJ Ross re alleged improprieties on OL exams at plant.  
ROSS,M.J., BACI,P.E. NRC - No Detailed Affiliation Given. 81/09/19. 47pp. 82557:095-82557:141.
- 9501230160 Responds to congressman Udall ltr re Applegate FOIA request & believes that proposed reply to 821207 ltr not entirely responsive,particularly to listed questions.Proposes to notify congressman of poor handling of FOIA request.  
ASSELSTINE,J.K. Commissioners (Post 750119). 94/04/11. PALLADINO, GILINSKY, AHEARNE Commissioners (Post 750119). 5pp. 82557:205-82557:209.
- 9501230163 Concurs w/conclusions re Director of OIA response to Applegate FOIA request & w/suggestion on actions NRC should take.  
GILINSKY,V. Commissioners (Post 750119). 83/03/03. ASSELSTINE Commissioners (Post 750119). 1p. 82557:210-82557:210.
- 9501230167 Requests that Commission decide immediately whether to take disciplinary action against JJ Cummings & other OIA managers in connection w/Applegate FOIA request re alleged improprieties on OL exams at plant.  
CUMMINGS,J.J. Office of Inspector & Auditor (Pre 890417). 83/06/03. PALLADINO Commissioners (Post 750119). 1p. 82557:211-82557:211.
- 9501230185 Informs of 830616 NRC mgt & personnel meeting re issues raised in 830602 & 830603 memos & status of FOIA procedures in NRC & rights of employees under disciplinary review.  
PALLADINO,N.J. Commissioners (Post 750119). 83/06/13. GILINSKY, AHEARNE, ROBERTS Commissioners (Post 750119). 1p. 82557:212-82557:212.
- 9501230189 Requests Commission reconsider 830629 action re reconsideration of issuance of memo of admonition per 830629 request of JJ Cummings.  
PALLADINO,N.J. Commissioners (Post 750119). 83/06/29. CUMMINGS,J.J. Office of Inspector & Auditor (Pre 890417). 1p. 82557:214-82557:232.
- 9501230216 Forwards copies of ltrs from attorneys representing J Cummings re formal grievance & FOIA request re alleged improprieties during OL exam at plant.  
PALLADINO,N.J. Commissioners (Post 750119). 84/01/27. GILINSKY, ROBERTS, ASSELSTINE Commissioners (Post 750119). 4pp. 82557:201-82557:204.
- 9501230256 Responds to Commissioner Asseltine memo re handling of Applegate FOIA request by director of OIA & believes that taking action proposed by Commissioner Asseltine would be premature.830524 Memo & Order issued by US court encl.  
PALLADINO,N.J. Commissioners (Post 750119). 83/03/14. GILINSKY,, AHEARNE,, ROBERTS, Commissioners (Post 750119). 10pp. 82557:233-82557:242.
- 9501230270 Informs of situation arisen in connection w/T Applegate official travel to NRC on 821103-05 & requests assistance in obtaining approval for NRC to reimburse expenses of MG Malsch.  
MALSCH,M.G. Office of the General Counsel (Post 860701). 83/01/07. PUGLISE,A. NRC - No Detailed Affiliation Given. 19pp. 82557:248-82557:274.
- 9501230302 Discusses fraud and waste in federal govt and emphasis all agencies should have in erecting strong program designed to fight problem & requests IG to submit rept on statistics found re fraud & waste in NRC.  
HARPER,E.L. Office of Management & Budget. 81/07/23. HENDRIE,J.M. Commissioners (Post 750119). 4pp. 82557:275-82557:286.
- 9501240177 FOIA request for info re NRC records on admonishment received by J Cummings on 830629,proposed reassignment of J Cummings from position as director of Ofc of Inspector & Auditor & sabbatical taken by J Cummings on 840116.  
SHAW,G.J. Affiliation Not Assigned. 84/01/25. NRC - No Detailed Affiliation Given. 2pp. 82557:287-82557:288.
- 9501240213 Discusses Case File 84A0023 re training of nonlicensed personnel w/ref to mechanical maint technicians.Region II experience from regional assessments reveal that certain utlis do not incorporate use of "qual cards" in plant TS.  
LEWIS,R.C. Region 2 (Post 820201). 84/05/11. BURCH,R.H. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 82557:337-82557:337.
- 9501240219 SECY-80-251 Requests formal Commission views on proposed agreement for cooperation between US & Peru initiated on 800130 & forwarded by DOS to NRC for review & comment on 800204. Paper partially deleted.  
SHEA,J.R. Office of International Programs (Pre 870413). 80/05/15. 4pp. 82557:338-82557:342.
- 9501240223 Forwards copy of proposed agreement for cooperation between US Govt & Peru re peaceful uses of nuclear energy,w/agreed minute,as initiated by agreement representatives on 800630. Requests NRC view on subj agreement by 800314.  
NOSENZO,L.V., HANDYSIDE,H. State, Dept. of. 80/02/06. SHEA NRC - No Detailed Affiliation Given. 30pp. 82557:343-82558:012.
- 9501240224 Requests opportunity to discuss revised draft re encl reconsideration of memo of admonition dtd 830630.Mgt & personnel meeting scheduled for 830628.  
PALLADINO,N.J. Commissioners (Post 750119). 83/06/28. GILINSKY, AHEARNE, ROBERTS Commissioners (Post 750119). 1p. 82558:013-82558:014.
- 9501260123 Requests that Commission reconsider w/o prejudice to exercise grievance rights per NRC regulations re 830629 action.  
CUMMINGS,J.J. Office of Inspector & Auditor (Pre 890417). 83/06/29. PALLADINO Commissioners (Post 750119). 1p. 82557:213-82557:213.
- 9501260225 Informs that Commission agreed to reconsider issuance of memo of admonition per 830629 request.  
PALLADINO,N.J. Commissioners (Post 750119). 83/06/30. CUMMINGS,J.J. Office of Inspector & Auditor (Pre 890417). 1p. 82558:015-82558:016.
- 9501300321 Transcript of interview w/EL Hennington re util administrative training procedure for Mechanical Maint Nonlicensed Training Program at plant.  
BURCH,R.H. Office of Investigations (Pre 860201). 84/03/26. 5pp. 82557:332-82557:336.
- 9501240177 FOIA request for info re NRC records on admonishment received by J Cummings on 830629,proposed reassignment of J Cummings from position as director of Ofc of Inspector & Auditor & sabbatical taken by J Cummings on 840116.  
SHAW,G.J. Affiliation Not Assigned. 84/01/25. NRC - No Detailed Affiliation Given. 2pp. 82557:287-82557:288.
- 9501170064 Second partial response to FOIA request for documents.Record in App D encl & available in PDR.App C,D & F records being made available in PDR.App E & F partially withheld (ref FOIA Exemption 6).  
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/05/09. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 15pp. 82360:242-82361:021.
- 9501170075 Responds to request of 930714,designated TR-93-16,for affidavit in regard to cases pending before DOL & Texas District Court.  
RAFKY,L.M. Office of the General Counsel (Post 860701). 93/07/23. GUTTERMAN,A.H. Newman & Holtzinger. 4pp. 82360:260-82360:263.
- 9501170080 Replies to subpoena for documents served on LL Bush of NRC on 930818,per General Counsel request.  
MULLINS,C.E. Office of the General Counsel (Post 860701). 93/08/20. MINTON,R.Q. Affiliation Not Assigned. 2pp. 82360:264-82360:269.
- 9501170097 Partially deleted notice of violation from insp on 940806-15.Violation noted:licensee decreased effectiveness of both security & contingency in that it revised station procedure OPG03-SS-0005.  
BEACH,A.B. Region 4 (Post 820201). 50-499/91-21. 91/11/05. 3pp. 82360:270-82360:273.
- 9501170107 Partially deleted insp repts 50-498/91-21 & 50-499/91-21 on 940806-15.Violations noted.Major areas inspected:overall security program at STP,commitments found in licensee Physical Security Plan & Contingency Plan.  
TOBIN,W. Region 2 (Post 820201). COLLINS,D.M. Region 4 (Post 820201). 50-499/91-21. 91/10/30. 110pp. 82360:274-82361:021.
- 9501170084 Final response to FOIA request for documents.Mar 1994 insp rept has not yet been written.App A documents already maintained in PDR.  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/06. WOTHERSPOON,P. Affiliation Not Assigned. 2pp. 82322:352-82322:353.
- 9501170093 FOIA request for documents on proposed EA against Oncology Svcs Corp & Radiation Oncology Ctr at Marlton.  
COLKITT,N.L. Oncology Services Corp., Harrisburg & State College, PA. 94/02/11. BROWN,N. NRC - No Detailed Affiliation Given. 1p. 82360:038-82360:038.
- 9501170094 FOIA request for documents re license of New Jersey State Univ for Medicine & Dentistry,1991-1993 on which H Michael listed as RSO for Mar 1991 to Apr 1992, rept of violations & reply of Columbia Univ.  
WOTHERSPOON,P. Affiliation Not Assigned. 94/03/24. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 82322:351-82322:351.
- 9501170106 Final response to FOIA request for documents.App A documents already available in PDR.Forwards App B documents.App C records withheld in part (ref FOIA Exemption 5) & App D records completely withheld (ref FOIA Exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/10. COLKITT,M.L. Oncology Services Corp., Harrisburg & State College, PA. 8pp. 82360:039-82360:241.
- 9204270395 Matls licensing package for license 29-28685-01 for Radiation Oncology Ctr at Marlton.Control:115183.  
JOUSTRAJ,A. Region 1 (Post 820201). 115183. 92/01/17. 2pp. 82360:190-82360:191.
- 9501170112 Requests for second time list of alleged violations identified by NRC re Nov 1992 accident at facility & from & subsequent insps at Exton & Mahoning Valley facilities.  
COLKITT,M.L. Oncology Services Corp., Harrisburg & State College, PA. 94/01/24. HEHL,C.W. Region 1 (Post 820201). 2pp. 82360:047-82360:048.
- 9501170114 Discusses issues of settlement re alleged violations for license 37-28540-01.Inquires where to start & how to proceed in attempt to settle.Requests settlement meeting & list be created to show outstanding severity level violations.  
COLKITT,M.L. Oncology Services Corp., Harrisburg & State College, PA. 94/01/21. ZOBLER,M.L. NRC - No Detailed Affiliation Given. 1p. 82360:049-82360:049.
- 9501170120 Discusses follow-up to settlement conversation of previous week.Ack matter can be settled if licensee agrees to level IV violation,agrees to pay \$1,000 civil penalty & removes Bauer from IRCC license.  
COLKITT,M.L. Oncology Services Corp., Harrisburg & State College, PA. 94/01/21. ZOBLER,M.L. NRC - No Detailed Affiliation Given. 3pp. 82360:050-82360:052.
- 9501170135 Transcript of 930416 Enforcement Conference meeting in King of Prussia,PA re Radiation Oncology at Marlton. Pp 1-10.  
\* Region 1 (Post 820201). 93/04/16. 110pp. 82360:053-82360:173.
- 9501170150 Responds to NRC request for addl info re amend to license 37-28540-01.Addl info listed.  
CUNNINGHAM,D.E. Oncology Services, Inc. CUNNINGHAM,D.E. Harrisburg Cancer Center, Inc., Harrisburg, IL. 91/08/16. JOHANSEN,J. Region 1 (Post 820201). 2pp. 82360:174-82360:175.
- 9501170163 "Quality Mgt Program Plan."  
CUNNINGHAM,D.E. Oncology Services Corp., Harrisburg & State College, PA. 94/05/10. 14pp. 82360:176-82360:189.
- 9501170179 Partially deleted memo approving proposed draft subpoenas re Oncology Svcs Corp.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). 93/02/23. HAYES,B.B. Ofc of Investigations (Post 880201). 2pp. 82360:201-82360:202.
- 9501170184 Discusses & forwards background matl for enforcement conference scheduled 930415 w/Radiation Oncology Center in Marlton,NJ.Concern expressed in areas of RSO lack of knowledge & lack of oversight.  
DWYER,J.P. Region 1 (Post 820201). EA-93-041. 93/04/09. MARTIN,T.T. Region 1 (Post 820201). 2pp. 82360:204-82360:241.
- 9501180346 Partially deleted memo re enforcement conference held on 930414 re Oncology Services Corp.Requests further contact if any further questions.  
HOLODY,D.J. NRC - No Detailed Affiliation Given. 93/11/05. NRC - No Detailed Affiliation Given. 1p. 82360:203-82360:203.



- 9501190142 Application for license,authorizing use of byproduct mats.  
HOROWITZ,C. Radiation Oncology Center at Marlton, Marlton, NJ. 91/07/11. 9pp. 82360:192-82360:200.
- 9501170121 FOIA request for documents re NUREG-CR-5499.  
WILLIAMS,O.G. JRA Associates. OGW-94-035. 94/03/25. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82378:001-82378:002.
- 9501170126 FOIA request for documents re nuclear plant accidents that lost all feed-water ceased ECCS operation.  
SAKAGAMI,T. Affiliation Not Assigned. 94/03/29. NRC - No Detailed Affiliation Given. 1p. 82339:137-82339:137.
- 9501170132 Final response to FOIA request for documents.App A records being made available in PDR.  
\* NRC - No Detailed Affiliation Given. 94/05/06. WILLIAMS,O.G. JRA Associates. 2pp. 82378:003-82378:064.
- 9501170246 NUREG/CR-5499 "Guidance on Relay Chatter Effects."  
HARDY,G.S. Lawrence Livermore National Laboratory. UCID-21929. 90/02/28. NRC - No Detailed Affiliation Given. 59pp. 82378:005-82378:064.
- 9501170138 Final response to FOIA requests for documents.App A documents encl & also available in PDR.  
\* Division of Freedom of Information & Publications Services (890206-940714). 94/05/05. SAKAGAMI,T. Affiliation Not Assigned. App. 82339:138-82339:170.
- 9501180221 Package consisting of event notifications for plants.  
\* NRC - No Detailed Affiliation Given. 94/05/05. 29pp. 82339:142-82339:170.
- 9501170141 FOIA request for documents re communications between NRC & licensees on fire barrier mfg,Thermal Sciences,Inc & product Thermo-Lag 330-1.  
GUNTER,P. Nuclear Information & Resource Service. 94/03/11. GRIMSLEY,D.H. Office of Administration (890206-940714). 3pp. 82339:171-82339:173.
- 9501170143 FOIA request for documents re SECY-92-043, "Exercise of Discretion not to Enforce Compliance W/License Conditions."  
COLAPINTO,D.K. National Whistleblower Center. 94/04/29. Division of Freedom of Information & Publications Services (890206-940714). 3pp. 82327:194-82327:196.
- 9501170146 Second partial response to FOIA request for documents.App B documents already available in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/31. GUNTER,P. Nuclear Information & Resource Service. 37pp. 82339:174-82339:210.
- 9501170154 FOIA request for complete copies of AEC Vanderbilt Univ study of women & offspring that received radioactive matl in 1940 & list of studies of previous AEC experiments conducted by NRC since 1975.  
ROSE,C.H. American Association for Nuclear Cardiology, Inc. 93/12/27. GLENN,J. Medical, Academic & Commercial Use Safety Branch. 1p. 82327:144-82327:144.
- 9501170158 FOIA request for documents re release of documents concerning official analysis of Mihama-2,SGTR incident.  
AIKAWA,K. Japan. 94/03/31. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82327:199-82327:199.
- 9501170160 Final response to FOIA request for documents.Agency record subj to request identified on encl app A.  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. AIKAWA,K. Japan. 2pp. 82327:200-82327:201.
- 9501170169 Informs that 940210 ltr re FOIA fees not received & requests that file will not be closed.  
ROSE,C.H. American Association for Nuclear Cardiology, Inc. 94/03/17. REED,C.A. NRC - No Detailed Affiliation Given. 1p. 82327:143-82327:143.
- 9501170171 Final response to FOIA request for documents.Informs that no agency records subj to request were located.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/06. ROSE,C. American Association for Nuclear Cardiology, Inc. 1p. 82327:142-82327:142.
- 9501170176 FOIA request for documents re first application package (1983) prepared by American Radiolabeled Chemicals,Inc to NRC region III ofc re issue of radioactive matl license.  
LU,R.Q. Affiliation Not Assigned. 94/04/11. NRC - No Detailed Affiliation Given. 1p. 82327:145-82327:145.
- 9501170180 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/03. LU,R.Q. Affiliation Not Assigned. 2pp. 82327:146-82327:193.
- 9501170182 Forwards application for licensee to start new business in radiolabeled chemicals.  
GUPTA,S.K. Affiliation Not Assigned. 83/04/28. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 82327:148-82327:148.
- 9501170188 Application for license,authorizing synthesis of radiolabeled chemicals for commercial distribution.  
GUPTA,S.K. American Radiolabeled Chemicals, Inc. 83/04/28. NRC - No Detailed Affiliation Given. 27pp. 82327:149-82327:175.
- 9501170190 "Guidelines for Bioassay Requirements for Tritium."  
\* Division of Fuel Cycle & Material Safety (Pre 870413). 77/10/19. 9pp. 82327:176-82327:184.
- 9501170193 Discusses 830428 application requesting new byproduct license.Request clarification & addl info to support request.  
HOWE,D.B. Materials Licensing Branch. 83/07/20. GUPTA,S.K. American Radiolabeled Chemicals, Inc. 2pp. 82327:185-82327:186.
- 9501170194 Submits addl info requested in 830720 ltr.  
GUPTA,S.K. American Radiolabeled Chemicals, Inc. 83/07/30. HOWE,D.B. Materials Licensing Branch. 7pp. 82327:187-82327:193.
- 9501170181 Final response to FOIA request for documents.App A documents being totally withheld (ref FOIA exemption 5).  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. COLAPINTO,D.K. National Whistleblower Center. 2pp. 82327:197-82327:198.
- 9501170186 FOIA request for documents re Timex Corp facility in Middlebury,CT.  
RUBINSTEIN,R.D. Affiliation Not Assigned. 94/01/06. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82603:001-82603:001.
- 9501170189 Final response to FOIA request for documents.Records in App A will be available in PDR.  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/26. RUBINSTEIN,R. Affiliation Not Assigned. 9pp. 82603:002-82603:013.
- 9501170198 Application for license,authorizing US Time Corp to use Tritium to enable applicant to evaluate matl for type of application & use.  
SPECHT,A.F. . 62/02/23. 3pp. 82603:011-82603:013.
- 9501170199 License 6-8185-1 for US Time Corp,authorizing use of 25 Ci H-3 for evaluation of hands & dials.  
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/03/07. 2pp. 82603:014-82603:014.
- 9501170202 Forwards application for license submitted in accordance w/ltr dtd 630515 from TW Taylor.  
SPECHT,A.F. . 63/05/22. MILLER,W.O. Atomic Energy Commission (Pre 750119). 1p. 82603:016-82603:016.
- 9501170203 Application for license,authorizing US Time Corp to use Carbon-14 in single light source as exciter.  
SPECHT,A.F. . 63/05/22. 2pp. 82603:017-82603:018.
- 9501170205 Amend 1 to license 06-08185-01 for US Time Corp,authorizing use of 2.5 mCi C-14 as light std.  
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/06/06. 3pp. 82603:019-82603:021.
- 9501170207 Application for license,authorizing US Time Corp to incorporate Carbon-14 into single light source as exciter.  
SPECHT,A.F. . 64/03/10. 2pp. 82603:022-82603:023.
- 9501170210 Advises NRC that samples which had been brought in under original license still being retained by Quality Control Dept for purposes of comparison & info.  
SPECHT,A.F. . 64/03/16. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:024-82603:024.
- 9501170211 Amend 2 to license 06-08185-01 for US Time Corp,authorizing use of 25 mCi H-3 to be used as light std.  
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 64/04/02. 2pp. 82603:025-82603:026.
- 9501170212 Forwards Form AEC-591 which lists items of noncompliance noted during insp of 640610.  
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 64/06/15. BEVERIDGE,R. . 1p. 82603:027-82603:027.
- 9501170216 Safety insp on 640610 of license 06-08185-01.Insp findings: rooms,areas or containers had not been properly posted to indicate presence of radioactive matl.  
\* Atomic Energy Commission (Pre 750119). BRESSON,J.F. . 64/06/10. 1p. 82603:028-82603:028.
- 9501170218 Application for license,authorizing US Time Corp to incorporate Carbon-14 into single light source as exciter.  
SPECHT,A.F. . 66/03/17. 2pp. 82603:029-82603:030.
- 9501170219 Amend 3 to license 06-08185-01 for US Time Corp,amending item 4,by changing expiration date from 660430 to 680430.  
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/04/15. 1p. 82603:031-82603:031.
- 9501170223 Forwards executed "Application for Byproduct Matl License," renewal of license 06-08185-01.  
BARRETT,L.J. . 68/03/25. Atomic Energy Commission (Pre 750119). 1p. 82603:032-82603:032.
- 9501170225 Application for license,authorizing US Time Corp to incorporate use of Carbon-14 into single light source as exciter.  
MARSCHING,R. . 68/03/20. 2pp. 82603:033-82603:034.
- 9501170226 Amend 4 to license 06-08185-01 for US Time Corp,amending item 4,changing expiration date to 730430.  
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 68/04/09. 1p. 82603:035-82603:035.
- 9501170228 Safety insp on 680626 of license 06-08185-01.Insp findings: no noncompliance noted.  
ELLIS,W.P. Atomic Energy Commission (Pre 750119). \* . 68/06/26. 1p. 82603:036-82603:036.
- 9501170232 Informs that effective 690701,corporate name will be changed from US Time Corp to Timex Corp.  
BARRETT,L.J. . 69/04/25. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:037-82603:037.
- 9501170233 Amend 5 to license 08185-01 for Imex Corp,amending items 1 & 2.  
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/05/07. 1p. 82603:038-82603:038.
- 9501170234 Informs that annual rept of import or transfer of byproduct matl,required,per 10CFR32.  
BASSIN,N. Atomic Energy Commission (Pre 750119). 71/08/12. BARRETT,L.J. Timex Corp. 1p. 82603:039-82603:039.



## 214 NONDOCKETED ITEMS

- 9501170235 Requests necessary forms & instructions be forwarded for renewal of license 06-08185-01.  
CLARK,G.N. Timex Corp. 73/03/02. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:040-82603:040.
- 9501170237 Forwards executed "Application for Byproduct Matl License," renewal of license 06-08185-01.  
CLARK,G.N. Timex Corp. 73/03/29. Atomic Energy Commission (Pre 750119). 1p. 82603:041-82603:041.
- 9501170238 Application for license,authorizing Timex Corp to incorporate Carbon-14 into single light source as exciter.  
CLARK,G.N. Timex Corp. 73/03/29. 3pp. 82603:042-82603:044.
- 9501170239 Amend 6 to license 06-08185-01 for Timex Corp,changing expiration date to 780430.  
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/04/30. 1p. 82603:045-82603:045.
- 9501250291 Discusses 620806 telcon between Deacon & NRC re license approving distribution of watches marked w/tritium activated luminous paint.  
BARKER,R.F. Atomic Energy Commission (Pre 750119). 62/08/13. NRC - No Detailed Affiliation Given. 1p. 82603:015-82603:015.
- 9501250296 Requests specific procedures for calibrating tritium monitor,identify individual that will perform calibrations & state pertinent qualifications to perform calibrations be provided,per 770623 ltr.  
COMBS,F. Division of Fuel Cycle & Material Safety (Pre 870413). 77/08/31. WALLACE,P.G. Timex Corp. 2pp. 82603:046-82603:047.
- 9501250304 Certificate of disposition of mats:all mats procured &/or possessed by licensee under license 06-08185-01 have been transferred to Twin City Testing Corp which has license number 278-0897 issued by State of NY.  
CHAPDELAIN,R.W. Timex Corp. 78/04/03. 1p. 82603:048-82603:048.
- 9501250309 Requests that R Denley have available at time of insp on 640506,records called for by foregoing regulations, particularly records contained in 10CFR20.401(a) & (b).  
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 64/05/04. DENLEY,R. Timex Corp. 20pp. 82603:049-82603:069.
- 9501250315 Submits listed info for review in confirmation of 771205 telcon.  
HENRIQUES,M. Timex Corp. 77/12/06. COMBS,F. Division of Fuel Cycle & Material Safety (Pre 870413). 2pp. 82603:070-82603:071.
- 9501250320 Authorizes J Gordon to act on behalf of Timex to perform technical,clerical & liaison functions for & between Timex & NRC re application of Timex to obtain amends on license.  
HENRIQUES,M. Timex Corp. 77/11/30. NRC - No Detailed Affiliation Given. 1p. 82603:072-82603:072.
- 9501250327 Rev 1 to QC procedure QAP-9, "Incoming Receiving & Insp Procedure of Tritium Illuminated LCD Watches."  
CONNOLLY,R.J. Timex Corp. 77/12/06. 5pp. 82603:073-82603:077.
- 9501250329 Rev 1 to QC procedure QAP-11, "Incoming Receiving & Insp Procedure of Tritium Light Source & Back Pan Assemblies."  
CONNOLLY,R.J. Timex Corp. 77/12/06. 3pp. 82603:078-82603:080.
- 9501250335 Application for amend to licenses 06-08185-01,06-08185-02E & 06-08185-03,naming O Peck as radiation protection officer.  
SWIGERT,S.B. Timex Corp. 78/01/05. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 82603:081-82603:081.
- 9501250338 Requests info which describes O Peck training & experience in radiation & radiation safety,duration & location of experience in handling radioactive matl,per 780105 ltr.  
BASSIN,N. Division of Fuel Cycle & Material Safety (Pre 870413). 78/01/30. SWIGERT,S.B. Timex Corp. 1p. 82603:082-82603:082.
- 9501250342 Forwards application for exempt distribution & sale of luminous timepieces & hands & dials.  
SPECHT,A.F. Timex Corp. 62/10/29. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:083-82603:083.
- 9501250350 Application for license,authorizing Timex Corp to use tritium for exempt distribution & sale of luminous timepieces & hands & dials.  
SPECHT,A.F. Timex Corp. 62/10/29. 3pp. 82603:084-82603:086.
- 9501250353 Forwards license 06-08185-02 which authorizes import of certain tritiated hands & dials for sale or distribution to persons exempt from license requirements.  
BUCHANAN,C.R. Division of Fuel Cycle & Material Safety (Pre 870413). 62/11/21. SPECHT,A.F. Timex Corp. 1p. 82603:087-82603:087.
- 9501250357 License 06-08185-02 for US Time Corp,authorizing use of unspecified amount of H-3 for import of hands & dials.  
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 62/11/21. 3pp. 82603:088-82603:090.
- 9501250360 Informs that Certificates satisfactory & contain info required by US Time Corp & Eastern Watch Company licenses.  
BASSIN,N. Atomic Energy Commission (Pre 750119). 63/02/11. SPECHT,A.F. Timex Corp. 13pp. 82603:091-82603:103.
- 9501250365 Amend 1 to license 06-08185-02 for US Time Corp,amending conditions 13.B & 13.D as stated.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/05/09. 3pp. 82603:104-82603:106.
- 9501260082 Informs that NRC has amended Quality Control Procedures to change minimum sample size from 15 pieces to 3 pieces. Amend provides for less restrictive requirement than now specified in license.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/05/09. SPECHT,A.F. Timex Corp. 1p. 82603:107-82603:107.
- 9501260287 Amend 2 to license 06-08185-02 for US Time Corp,amending condition 16 as stated & deleting condition 17.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/08/05. 1p. 82603:108-82603:108.
- 9501260291 Informs that previous reporting requirement has been deleted & license amended to require rept only of total quantity of tritium imported into US,per license.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/08/05. SPECHT,A.F. Timex Corp. 1p. 82603:109-82603:109.
- 9501260303 Application for license,authorizing US Time Corp to use tritium for exempt distribution & sale of luminous timepieces & hands & dials containing tritium.  
SPECHT,A.F. Timex Corp. 63/10/25. 3pp. 82603:110-82603:112.
- 9501260306 Reports for six month period ending 630630 IAW provisions of paragraphs 16 & 17 of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 63/10/30. MILLER,W.O. Atomic Energy Commission (Pre 750119). 1p. 82603:113-82603:113.
- 9501260309 Amend 3 to license 06-08185-02 for US Time Corp,amending items 6A,7A,8A & 9A to read as stated.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/11/07. 1p. 82603:114-82603:114.
- 9501260314 Reports for six month period ending in 631231 IAW provisions of paragraphs 16 & 17 of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 64/02/07. MILLER,W.O. Atomic Energy Commission (Pre 750119). 1p. 82603:115-82603:115.
- 9501260316 Application for license,authorizing US Time Corp to use tritium for exempt distribution & sale of luminous timepieces & hands & dials containing tritium.  
SPECHT,A.F. Timex Corp. 64/03/02. 3pp. 82603:116-82603:118.
- 9501260321 Amend 4 to license 06-08185-02 for US Time Corp,amending items 6A,7A,8A & 9A amended to read as stated.  
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 64/03/26. 1p. 82603:119-82603:119.
- 9501260327 Safety insp on 640506-0610 of license 06-08185-02.Insp findings:licensee failed to maintain records to show that schedules had been met 10 times by one German painters before adopting schedule specified in license condition 13.  
CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). \* Timex Corp. 64/06/29. 7pp. 82603:120-82603:126.
- 9501260329 Amend 5 to license 06-08185-02 for US Time Corp,authorizing unspecified amount of H-3 for import of hands & dials.  
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/07/09. 3pp. 82603:127-82603:129.
- 9501260332 Submits info for six month period ending 640630 IAW reporting requirement of condition 16 of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 64/07/22. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:130-82603:130.
- 9501260334 Forwards listed insp repts for review & EA.  
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 64/09/29. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 5pp. 82603:131-82603:135.
- 9501260336 Forwards NOV to Longines-Wittnauer Watch Com,NM Morris Corp & US Time Corp for concurrence.  
PAGE,R.G. Atomic Energy Commission (Pre 750119). 64/10/23. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 2pp. 82603:136-82603:137.
- 9501260344 Submits info re activities not conducted in full compliance w/conditions of license 06-08185-02.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/11/06. LAHMKUHL,J. Timex Corp. 2pp. 82603:138-82603:139.
- 9501270175 Informs that necessary corrective steps have been taken to be in full compliance w/conditions of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 64/11/13. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 82603:140-82603:141.
- 9501270178 Amend 6 to license 06-08185-02 for US Time Corp,extending expiration date to 651130.  
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 64/11/27. 1p. 82603:142-82603:142.
- 9501270182 Ack receipt of 641113 ltr in response to NOV,w/encl.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/12/04. SPECHT,A.F. Timex Corp. 1p. 82603:143-82603:143.
- 9501270188 Forwards certificate obtained by NRC from listed inspectors.  
RYAN,A.F. Atomic Energy Commission (Pre 750119). 65/01/19. BROCKETT,T.W. Atomic Energy Commission (Pre 750119). 4pp. 82603:144-82603:147.
- 9501270194 Advises as listed for 6 month period ending 641231 IAW reporting requirement of condition 14 of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 65/02/01. BASSIN,N. Atomic Energy Commission (Pre 750119). 2pp. 82603:148-82603:149.
- 9501270199 Advises as listed for 6 month period ending 650630 IAW reporting requirements of condition 14 for license 06-08185-02.  
SPECHT,A.F. Timex Corp. 65/07/23. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:150-82603:150.
- 9501270203 Advises as listed for 6 month period ending 660630 IAW reporting requirements of condition 14 of license 06-08185-02.  
SPECHT,A.F. Timex Corp. 66/10/01. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:151-82603:151.
- 9501270206 Reports importation of 234,140.30 uCi of H-3 tritium during year of 670630,per condition 14 of license 06-08185-02.  
MARSCHING,R. Timex Corp. 67/08/17. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:152-82603:153.
- 9501270212 Informs that total quantity of H-3 which has been imported into US by US Time Corp is 304,373.45 mCi.  
BARRETT,L.J. Timex Corp. 68/07/09. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:154-82603:154.

- 9501270259 Informs that 61,356.69 uCi of H 3 (tritium) has been imported into US by Timex during 680701-690630 period. BARRETT,L.J. Timex Corp. 69/08/05. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:155-82603:155.
- 9501270264 Informs that 312,187.25 uCi of H 3 (tritium) has been imported into US by Timex during 690701-700630. BARRETT,L.J. Timex Corp. 70/07/14. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:156-82603:157.
- 9501270266 Informs that Timex now accumulating data for annual tritium rept. BARRETT,L.J. Timex Corp. 71/08/17. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:158-82603:158.
- 9501270270 Informs that 239,147.32 uCi of H 3 (tritium) has been imported during 700701-710630. BARRETT,L.J. Timex Corp. 71/08/27. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:159-82603:159.
- 9501270277 Ack receipt of 710827 ltr re quantity of tritium imported into US during year ending 710630. Requests number of hands & dials & total quantity of tritium contained within. BASSIN,N. Atomic Energy Commission (Pre 750119). 71/09/07. BARRETT,L.J. Timex Corp. 1p. 82603:160-82603:160.
- 9501270280 Submits total quantity of tritium contained in dials & hands, per 710907 ltr. WATERS,G.M. Timex Corp. 71/09/21. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:161-82603:161.
- 9501270283 Forwards 710907 ltr re addl info needed to complete rept of import on watch dials & hands during year ending 710630. BASSIN,N. Atomic Energy Commission (Pre 750119). 71/11/11. BARRETT,L.J. Timex Corp. 1p. 82603:162-82603:162.
- 9501270288 Ack receipt of 711111 ltr. Informs that Barrett no longer w/company as of 710827. WATERS,G.M. Timex Corp. 71/11/15. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:163-82603:163.
- 9501270294 Informs that info contained in 710921 ltr satisfactory & completes records w/ respect to import of tritium by Timex Corp for year ending 710630. BASSIN,N. Atomic Energy Commission (Pre 750119). 71/11/30. WATERS,E.M. Timex Corp. 1p. 82603:164-82603:164.
- 9501270298 Submits quantity of H-3 (tritium) which has been imported into US by company on watch hands/dials from 710701-720630. CANNY,T.E. Timex Corp. 72/08/15. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:165-82603:165.
- 9501270299 Submits quantity of H-3 (tritium) which has been imported into US by Timex on watch hands/dials from 720701-730620. CANNY,T.E. Timex Corp. 73/07/20. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:166-82603:166.
- 9501270304 Requests that Timex submit revised rept which indicates radioactivity unit for amount of tritium imported. BASSIN,N. Atomic Energy Commission (Pre 750119). 73/08/03. CANNY,T.E. Timex Corp. 1p. 82603:167-82603:167.
- 9501270315 Submits quantity of tritium contained in dials & hands imported for period from 720701-730630 & amended to show unit of radioactivity. CANNY,T.E. Timex Corp. 73/08/07. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:168-82603:168.
- 9501270323 Application for license, authorizing Timex Corp to use tritium for exempt distribution & sale of luminous timepieces & hands & dials containing tritium. CLARK,G.M. Timex Corp. 73/10/01. 2pp. 82603:169-82603:170.
- 9501270325 Submits quantity of H-3 (tritium) which has been imported into US by Timex Corp on watch hands/dials from 730701-740630. CANNY,T.E. Timex Corp. 74/08/13. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 82603:171-82603:171.
- 9501270327 Submits quantity of H-3 (tritium) which has been imported into US by Timex Corp on watch hands/dials from 740701-750630. CANNY,T.E. Timex Corp. 75/07/18. BASSIN,N. NRC - No Detailed Affiliation Given. 1p. 82603:172-82603:172.
- 9501270329 Submits quantity of H-3 (tritium) which has been imported into US by Timex Corp on watch dials/hands from 750701-760630. CANNY,T.E. Timex Corp. 76/08/09. BASSIN,N. NRC - No Detailed Affiliation Given. 1p. 82603:173-82603:173.
- 9501270331 Submits quantity of H-3 (tritium) which has been imported into US by Timex Corp on watch dials/hands from 760701-770630. DONALDSON,J.M. Timex Corp. 77/08/08. BASSIN,N. NRC - No Detailed Affiliation Given. 1p. 82603:174-82603:174.
- 9501270335 Forwards application for license 06-08185-03 on AEC Form 313 for renewal. CLARK,G.N. Timex Corp. 73/09/24. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 82603:175-82603:175.
- 9501270336 Application for amend, renewing license 06-08185-03. CLARK,G.N. Timex Corp. 73/09/24. 3pp. 82603:176-82603:178.
- 9501170192 FOIA request for documents re draft NUREG, "Mgt of Radioactive Matl Safety Programs at Medical Facilities." NICHOLS,D.C. American College of Nuclear Physicians. 94/04/08. Division of Freedom of Information & Publications Services (890206-940714). 4pp. 82392:092-82392:092.
- 9501170195 Final response to FOIA request for documents. Forwards app A records being made available in PDR. REED,C.A. NRC - No Detailed Affiliation Given. 94/05/13. NICHOLS,D.C. American College of Nuclear Physicians. 2pp. 82392:093-82392:096.
- 9501200099 Lists all people who wrote & were consulted on contents of draft NUREG & people who approved document for public distribution for comment. \* NRC - No Detailed Affiliation Given. 94/05/13. 2pp. 82392:095-82392:096.
- 9501170217 Eighth partial response to FOIA request for documents. Forwards app P documents. Documents will be placed in PDR. App Q documents partially withheld (ref FOIA exemption 8). App R documents withheld (ref FOIA exemption 8). POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 93/12/08. HUBBARD,V. Winston & Strawn. 12pp. 82573:001-82573:036.
- 9501170231 Requests results of review & disposition re activities at Unit 2 in 30 days w/ no personal privacy, proprietary or safeguards info. HEHL,C.W. Region 1 (Post 820201). 91/05/31. MROCZKA,E.J. Northeast Nuclear Energy Co. 5pp. 82573:014-82573:130.
- 9501170241 Provides response re issue 2 of RI-91-A-0103. MROCZKA,E.J. Northeast Nuclear Energy Co. MROCZKA,E.J. Northeast Utilities. B13911. 91/08/22. HEHL,C.W. Region 1 (Post 820201). 13pp. 82573:131-82573:162.
- 9501170243 Notification of significant licensee meeting 91-69 w/ util on 910612 to discuss radiation monitoring sys review & associated issues. KELLY,E. Region 1 (Post 820201). 91-69. 91/05/23. Region 1 (Post 820201). 2pp. 82573:163-82573:167.
- 9501170245 Discusses 910515 ltr provided to NRC re employee concerns of improper activities. WENZINGER,E. Region 1 (Post 820201). 91/05/29. Affiliation Not Assigned. 10pp. 82573:168-82573:180.
- 9501170248 Expresses appreciation for informing NRC of results re Table of NU response. WENZINGER,E. Region 1 (Post 820201). 91/10/11. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 82573:181-82573:234.
- 9501170249 Requests result of review & disposition re activities at facility within 30 days w/o personal privacy, proprietary or safeguard info so it can be released to PDR. HEHL,C.W. Region 1 (Post 820201). 91/07/01. MROCZKA,E.J. Northeast Nuclear Energy Co. 7pp. 82573:235-82573:241.
- 9501170253 Discusses terminal strip issue, dtd 910527. SHEDLOSKY,T. NRC - No Detailed Affiliation Given. 91/06/05. STEWART,S. NRC - No Detailed Affiliation Given. 16pp. 82573:242-82573:317.
- 9501170254 Partially deleted ltr re allegation concerning two reactor trips at unit 1. Related info encl. KELLY,G. Region 1 (Post 820201). 91/06/05. Affiliation Not Assigned. 22pp. 82573:318-82574:003.
- 9501170255 Partially withheld ltr responding to concerns noted on 910513, alleging steam generator blowdown radiation inoperable. WENZINGER,E. Region 1 (Post 820201). 91/05/21. Affiliation Not Assigned. 2pp. 82574:004-82574:007.
- 9501170258 Partially deleted memo discussing concerns w/ NRC handling of allegations at unit 2. MARTIN,T. Region 1 (Post 820201). 91/06/07. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 8pp. 82574:008-82574:017.
- 9501170261 Partially deleted ltr informing that NRC has completed review of concerns provided on 910513 re operability of steam generator blowdown radiation monitor. WENZINGER,E. Region 1 (Post 820201). 91/10/09. Affiliation Not Assigned. 2pp. 82574:018-82574:046.
- 9501170264 Partially deleted ltr responding to concern provided on 910722 re dissatisfaction w/ NRC handling of 910513 & previous concerns re frequent defeating of radiation monitor horns at unit. WENZINGER,E. Region 1 (Post 820201). 91/12/10. Affiliation Not Assigned. 6pp. 82574:047-82574:056.
- 9501170265 Partially deleted ltr discussing listed allegations. WENZINGER,E. Region 1 (Post 820201). 91/05/31. Affiliation Not Assigned. 2pp. 82574:057-82574:059.
- 9501170267 Partially deleted ltr responding to concerns provided on 910514 & 17, asserting that error occurred during calibr of clean liquid radiation monitor. WENZINGER,E. Region 1 (Post 820201). 91/12/12. Affiliation Not Assigned. 2pp. 82574:060-82574:063.
- 9501170268 Partially deleted ltr forwarding insp repts 50-245/91-80, 50-336/91-80 & 50-423/91-81. No violations noted. Related info encl. WENZINGER,E.C. Region 1 (Post 820201). 93/12/08. OPEKA,J.F. Northeast Nuclear Energy Co. 26pp. 82574:064-82574:091.
- 9501170269 Partially deleted memo discussing listed allegations. SHEDLOSKY,T. NRC - No Detailed Affiliation Given. 91/06/06. STEWART,S. NRC - No Detailed Affiliation Given. 1p. 82574:092-82574:100.
- 9501180266 Partially deleted ltr responding to concerns provided in May 1991 re radiation monitors & insp 50-336/91-19 noted improvements in reliability of liquid & gaseous radiation monitors. WENZINGER,E. Region 1 (Post 820201). 92/02/03. Affiliation Not Assigned. 2pp. 82574:101-82574:102.
- 9501180273 Partially deleted ltr responding to feedback provided in Jan 1992 re resolution of portal radiation monitor. DOERFLEIN,L.T. Region 1 (Post 820201). 92/06/19. Affiliation Not Assigned. 11pp. 82574:103-82574:144.
- 9501180300 Partially deleted ltr re 910520 telcon, expressing belief of possibility of discriminatory action. WENZINGER,E. Region 1 (Post 820201). 91/07/08. Affiliation Not Assigned. 95pp. 82574:145-82574:207.
- 9501180312 Partially deleted ltr discussing NRC completed followup of concern provided on 910520 re plant. Resolution listed. WENZINGER,E. Region 1 (Post 820201). 92/02/27. Affiliation Not Assigned. 7pp. 82574:208-82574:234.

## 216 NONDOCKETED ITEMS

- 9501180333 Partially deleted ltr re concerns provided on 910522,28-29 & 0603-05 alleging that NU failed to enter TS action statement on radiation monitor. WENZINGER,E. Region 1 (Post 820201). 91/06/21. Affiliation Not Assigned. 34pp. 82574:236-82574:287.
- 9501180339 Partially deleted ltr responding to concerns provided on 910522 re inadequate calibration procedures used for Millstone unit 3 accumulator level transmitters. WENZINGER,E. Region 1 (Post 820201). 92/03/05. Affiliation Not Assigned. 6pp. 82574:288-82574:316.
- 9501180342 Partially deleted ltr responding to concerns provided on 910528 & 30, asserting that unit 2 I&C technician not adequately trained to be "job supervisor," resulting in incorrect safety tagout. WENZINGER,E. Region 1 (Post 820201). 92/03/02. Affiliation Not Assigned. 42pp. 82574:317-82574:024.
- 9501180347 Partially deleted ltr responding to concerns provided on 910529, alleging that locations for jumpers & lifted leads required by procedure 2207 do not agree between procedure steps & terminal board designations. WENZINGER,E. Region 1 (Post 820201). 91/08/14. Affiliation Not Assigned. 4pp. 82575:025-82575:030.
- 9501180348 Partially deleted ltr forwarding results of NU review re 910529 ltr stating that electrical lead locations in procedure incorrect at unit 2. WENZINGER,E. Region 1 (Post 820201). 91/10/25. Affiliation Not Assigned. 2pp. 82575:031-82575:036.
- 9501170229 FOIA request for documents re construction-related contracts awarded at plants from 1988 to present. LEMMERBROCK,K. Affiliation Not Assigned. 94/02/10. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82342:356-82342:356.
- 9501170230 Final response to FOIA request for documents.No records have been located. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/02. LEMMERBROCK,K.B. Affiliation Not Assigned. 1p. 82342:357-82342:357.
- 9501170251 Final response to FOIA request for documents.App B documents being made PDR available. POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/05/11. RANCK,M.H. Affiliation Not Assigned. 2pp. 82381:113-82381:158.
- 8207050048 Requests exemption from certain annual exercise requirements of 10CFR50, App 3, IV.F.1.a. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 5211-82-178. 82/07/27. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 82381:116-82381:117.
- 8308110360 Issues exemption to requirements of 10CFR50.71(e), deleting requirements to periodically update TMI-2 FSAR to reflect changes made during cleanup, in response to 810506 request. Use of technical evaluations acceptable. SNYDER,B.J. TMI Program Office. 83/08/10. HOVEY,G.K. Metropolitan Edison Co. 2pp. 82381:118-82381:143.
- 8601020369 Forwards 851017 ltr transmitting NRC approval of util exemption request from certain record keeping & reporting requirements.Exemption consistent w/goal for safe & expeditious removal of fuel & debris. TRAVERS,W.D. TMI-2 Cleanup Project Directorate. 85/12/23. LEWIS,M.I. Lewis, M. 1p. 82381:144-82381:158.
- 9501200278 FOIA request for listed documents, including Aug 1988 policy memo from Deputy Secretary of State, J Whitehead discussing US policy toward Iraq. BATTLE,J. National Security Archive. 92/05/15. MACHAK,F.M. State, Dept. of. 3pp. 82424:037-82424:039.
- 9501200281 Responds to FOIA request for documents Forwards documents in app. Documents will be available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/03. BATTLE,J. National Security Archive. 2pp. 82424:040-82424:048.
- 9501200287 Recommends that documents numbered 000088,000088A,000088B, 000088C & 000088D be denied in full. MACHAK,F.M. State, Dept. of. 94/02/16. ROBINSON,L.L. NRC - No Detailed Affiliation Given. 1p. 82424:042-82424:042.
- 9501200297 Discusses license application C026011 for proposed export of graphite to Iraq. Requests that encl NRC form 7, "Application for Export License" be completed & returned to NRC. PETERSON,M.R. Office of International Programs (Post 911117). 90/05/24. PAULUS,S. Affiliation Not Assigned. 6pp. 82424:043-82424:048.
- 9501230098 FOIA request for documents re ABWR certification program overview. NAKAGAKI,T. Affiliation Not Assigned. 94/02/07. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82424:107-82424:107.
- 9501230105 FOIA request for documents re Quality Energy Svcs & Tests Corp (QUEST Corp), located at 4140 South Galveston, Tulsa, OK. SHAFFER,A. Affiliation Not Assigned. 94/03/04. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 82558:017-82558:017.
- 9501230111 Final response to FOIA request for documents re Quality Energy Svcs & Tests Corp under license 35-26815-01. App A records encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/28. SHAFFER,A. Affiliation Not Assigned. 2pp. 82558:018-82558:043.
- 8606250369 License 35-26815-01 for QUEST Corp, authorizing 100-Ci Ir-192 sealed sources for use in industrial radiography & replacement of sources. WHITTEN,J.E. Region 4 (Post 820201). 86/05/02. 4pp. 82558:020-82558:023.
- 8910110177 Amend 1 to License 35-26815-01 for QUEST Corp, amending license in entirety. WHITTEN,J.E. Region 4 (Post 820201). 88/10/26. 4pp. 82558:024-82558:027.
- 9010010226 Mat's licensing package for corrected Amend 1 to License 35-26815-01 for QUEST Corp. VASQUEZ,G.M. Region 4 (Post 820201). 90/06/27. 4pp. 82558:028-82558:031.
- 9106120168 Mat's licensing package for amend 2 to license 35-26815-01 for QUEST Corp. Control:463529. CAMPBELL,V.H. Region 4 (Post 820201). 91/04/30. 4pp. 82558:032-82558:040.
- 9501230112 First partial response to FOIA request for documents. App A documents available in PDR & App B documents being made available in PDR. POWELL,R. Division of Information & Publications Services (890206-940714). 94/04/28. Affiliation Not Assigned. 4pp. 82424:108-82424:149.
- 9501230123 Viewgraphs entitled, "ABWR Certification Program Overview" presented at Commission meeting. \* NRC - No Detailed Affiliation Given. 93/06/03. 38pp. 82424:112-82424:149.
- 9501230143 FOIA request for documents re all sources of Co-60 in listed zip codes, including but not limited to users, producers, transporters, distributors, treaters, storers & disposers. ENGLISH,L.K. Northeast Ohio Regional Sewer District. 94/02/24. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82558:044-82558:045.
- 9501230150 Final response to FOIA request for records re all sources of Co-60 in listed zip codes. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/28. ENGLISH,L.K. Northeast Ohio Regional Sewer District. 2pp. 82558:046-82558:060.
- 8608130447 License 34-24720-01 for Eastside Radiology Imaging & Therapy Ctr, Inc, authorizing use of 12,000 Ci Co-60 in Picker Model C8M/80 teletherapy unit for treatment of humans. WHISTON,P.J. Region 3 (Post 820201). 86/07/23. 4pp. 82558:052-82558:055.
- 8702020027 Corrected License 34-24720-01 for Eastside Radiology Imaging & Therapy Ctr, Inc, authorizing use of two sources not containing more than 6,000 Ci Co-60 each for treatment of humans. WHISTON,P.J. Region 3 (Post 820201). 86/10/15. 4pp. 82558:056-82558:059.
- 8707270176 License 34-19607-01 for Terex Corp, authorizing use of Ir-192 & Co-60 in Tech/Ops Model 660 & 446 exposure devices, Model 571 calibr & Model 650 source changer. \* Materials Licensing Branch. 80579. 81/02/18. 3pp. 82558:048-82558:050.
- 8707270187 Amend 1 to License 34-19607-01 for Terex Corp, changing Condition 17 re possession & use of licensed mat'l. Related info encl. BASSIN,N. Materials Licensing Branch. 82/12/07. 1p. 82558:051-82558:051.
- 8901240511 Amend 1 terminating License 34-24720-01 for Eastside Radiology Imaging & Therapy Ctr, Inc. MATSON,E.R. Region 3 (Post 820201). 88/02/02. 1p. 82558:060-82558:060.
- 9501230154 Final response to FOIA request for documents. Encl App A records available in PDR & being partially withheld (ref FOIA Exemption 7). POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/25. Edgar, Newman, Bouknight, and Edgar. 3pp. 82424:150-82424:203.
- 9501230165 SECY-93-161 Provides Commission w/annual rept re results of investigations completed by NRC OI. Info partially withheld. TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/09. 50pp. 82424:154-82424:203.
- 9501230170 FOIA request for documents re Goodyear Aerospace Corp testing facility near Akron, OH & facilities at Wingfoot lake research center. GRIMMETT,M. Affiliation Not Assigned. 94/01/27. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82498:001-82498:002.
- 9501230176 Final response to FOIA request for documents. Records in App A encl. App B records withheld in part (ref FOIA exemption 6). App C records already available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GRIMMETT,M. Affiliation Not Assigned. 9pp. 82498:003-82498:049.
- 9501230202 Forwards application from Goodyear Aerospace for possession & use of normal U source mat's & special nuclear mat's & payment for application fees & first year license fee. FELDSCHEER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 73/10/23. SMILEY,S. Atomic Energy Commission, Deputy Director for Fuels & Material (720101-750118). 1p. 82498:012-82498:012.
- 9501230209 "Source Mat'l & Special Nuclear Mat'l License Application," part 1, general info & license specifications. \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 73/10/31. 56pp. 82498:013-82498:070.
- 9501230220 Transmits check number 15343, which originally accompanied application JP-3 M-54-73 for mat's license & rules re 10CFR170. W/o encls. MILLER,W.O. Atomic Energy Commission (Pre 750119). 73/11/06. FELDSCHEER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:071-82498:071.
- 9501230226 Forwards AEC mat's license SNM-1448 authorizing receipt, possession, storage & use of source & special nuclear mat's in connection w/research & development of enrichment equipment. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. FELDSCHEER,J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 2pp. 82498:072-82498:073.
- 9501230236 License SNM-1448 for Goodyear Aerospace Corp, authorizing licensee to receive & possess source & special nuclear mat'l in connection w/research & development of U enrichment equipment. ROUSE,L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. 2pp. 82498:074-82498:075.

- 9501230244 Discusses proposal to issue source & special nuclear matl license to Goodyear Aerospace for their equipment research & development facility. Requests concurrence w/proposed issuing of license. W/o encls.  
ROUSE, L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/14. BECKER, J. Atomic Energy Commission (Pre 750119). 2pp. 82498:076-82498:077.
- 9501230261 Safety evaluation approving application from Goodyear Aerospace Corp for source & special nuclear matl license for use in U enrichment equipment research & development facilities.  
NIXON, W.A., ROUSE, L.C. Atomic Energy Commission (Pre 750119). 74/01/14. 4pp. 82498:078-82498:081.
- 9501230273 Amend 1 to license issued 740114 to Goodyear Aerospace Corp. amending error to SNM number originally assigned. SNM number changed to SNM-1461 from incorrect number of SNM-1448.  
ROUSE, L.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/28. 1p. 82498:082-82498:082.
- 9501230285 Discusses AEC regulations guarding against loss or diversion of strategically important nuclear matl in interest of natl security. Informs that symbol XGG has been assigned as reporting identification symbol for license SNM-1461.  
PAGE, R.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/12. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:083-82498:083.
- 9501230291 Forwards insp findings & licensee ack from insp on 770419-20. Item of non-compliance noted.  
RIDGWAY, E.F. Region III, IE (720101-810228). 77/04/22. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:084-82498:084.
- 9501230306 Safety insp on 770419-20 of license SNM-1461. Insp findings: NRC regulations were not properly posted as required by 10CFR19.11(a).  
RIDGWAY, K.R. Region III, IE (720101-810228). FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 77/04/28. 1p. 82498:085-82498:085.
- 9501230314 Forwards IE circular number 77-14 for info. No written response required.  
KEPPLER, J.G. Region III, IE (720101-810228). IEC-77-14. 77/11/28. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:107-82498:111.
- 9501230318 Forwards IE Circular number 77-15 for info. No written response required.  
KEPPLER, J.G. Region III, IE (720101-810228). IEC-77-15. 78/01/27. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:112-82498:116.
- 9501230323 Safety insp on 780412-13 of license SNM-1461. Insp findings: no items of noncompliance or unsafe conditions were found.  
PECK, C.C. Region III, IE (720101-810228). \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 78/04/17. 1p. 82498:117-82498:117.
- 9501230327 Forwards for info IE circular number 78-03. No written response required.  
KEPPLER, J.G. Region III, IE (720101-810228). IEC-78-03. 78/05/12. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:126-82498:128.
- 9501240139 Forwards IE bulletin number 78-07 which requires action re company fuel cycle facility. Requests notification if any questions arise.  
KEPPLER, J.G. Region III, IE (720101-810228). IEB-78-07. 78/06/12. FELDSCHER, J.C. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 1p. 82498:129-82498:137.
- 9501240160 Insp rept 70-1489/77-01 on 770419-20. Violations noted. Major areas inspected: initial insp of licensee program requirements & licensee insp efforts.  
RIDGWAY, K.R., FISHER, W.L. Region III, IE (720101-810228). 77/04/22. 21pp. 82498:086-82498:106.
- 9501240174 Insp rept 70-1489/78-01 on 780412-13. No violations noted. Major areas inspected: health & safety of facilities, procedures & radiation areas.  
PECK, C.C., FISHER, W.L. Region III, IE (720101-810228). 78/04/18. 8pp. 82498:118-82498:125.
- 9501240189 Safety insp on 790322 of license SNM-1461. Insp findings: no items of noncompliance or unsafe conditions were found.  
PECK, C.C. Region 3 (Post 820201). \* Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 79/03/22. 1p. 82498:136-82498:138.
- 9501240195 Insp rept 70-1489/79-01 on 790322. No violations noted. Major areas inspected: health & safety insp of facilities, personnel & radiation areas.  
PECK, C.C., FISHER, W.L. Region III, IE (720101-810228). 79/03/27. 15pp. 82498:139-82498:153.
- 9501240201 Discusses Goodyear Aerospace Corp special nuclear matl license SNM-1461. Recommends that Goodyear be reclassified as category E, priority IV from present classification of category A, priority II.  
PECK, C.C. Region III, IE (720101-810228). 79/04/30. PAGLIARO, J.A. Region III, IE (720101-810228). 2pp. 82498:154-82498:194.
- 9501240210 Insp rept 70-1489/82-01 on 820917. Violations noted. Major areas inspected: organization, internal audits, worker instruction & retraining, radiation protection program, instrumentation, matls & facilities.  
SLAWINSKI, W.J., LASUK, S.R. NRC - No Detailed Affiliation Given. 82/09/24. 14pp. 82498:195-82498:256.
- 9501240217 Discusses insp rept for license SNM-1461 on 820917 & forwards notice of violation.  
SRENIAWSKI, D.J. Region 3 (Post 820201). 82/09/30. GLEGHORN, D. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 2pp. 82498:257-82498:258.
- 9501240220 Notice of violation from insp on 820917. Violation noted: environ survey had been performed only once rather than being performed monthly per requirement.  
SRENIAWSKI, D.J. Region 3 (Post 820201). 82/09/30. 14pp. 82498:259-82498:286.
- 9501240374 Transmits draft rept on confirmatory radiological survey of wingfoot lake advanced technology center, Goodyear Aerospace Corp, Akron, OH. W/o encls.  
BERGER, J.D. Oak Ridge Associated Universities. 86/09/19. MALLET, B. Region 3 (Post 820201). 6pp. 82498:287-82498:342.
- 9501240387 Forwards partially withheld confirmatory survey plan for Goodyear Aerospace Corp. as revised. Informs survey time should be three to four days, provided excess equipment removed from area.  
MURPHY, G.L. Oak Ridge Associated Universities. 86/04/24. MALLET, B. Region 3 (Post 820201). 5pp. 82499:343-82499:347.
- 9501240392 Forwards partially withheld list of people assigned to perform confirmatory survey of wingfoot lake advanced technology center on 860512-16.  
AXELSON, W.L. Region 3 (Post 820201). 86/04/30. PFLAUM, J.V. Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.). 2pp. 82499:348-82499:349.
- 9501230251 FOIA request for listed documents re McGean-Rohco, Inc & Chemetron Corp.  
MITCHELL, W. Armstrong, Gordon, Mitchell & Damiani. 94/03/11. NRC - No Detailed Affiliation Given. 2pp. 82424:049-82424:050.
- 9501230253 First partial response to FOIA request for documents. Forwards App A documents. App B documents already available in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/03. MITCHELL, W. Armstrong, Gordon, Mitchell & Damiani. 3pp. 82424:051-82424:106.
- 9501230259 Confirms 930311 telcon between K Lambert & D Ryan authorizing remediation of radiologically contaminated duct work in bldg 65.  
CANIANO, R.J. Region 3 (Post 820201). 93/03/22. GRADE, T.M. Aluminum Co. of America. 8pp. 82424:054-82424:074.
- 9501230267 Requests that higher release limits for U-238 be used as release criteria for future remediation.  
REBMAN, F. Integrated Environmental Services. ESR-4906. 93/06/02. JOHNSON, T. NRC - No Detailed Affiliation Given. 5pp. 82424:075-82424:079.
- 9501230274 Forwards analysis of waste stream matl from ventilation sys remediation.  
REBMAN, F. Integrated Environmental Services. 93/06/04. LAMBERT, K. NRC - No Detailed Affiliation Given. 2pp. 82424:080-82424:081.
- 9501230277 Forwards add sample analysis sheets of Alcoa bldg 65 roof matl.  
REBMAN, F. Integrated Environmental Services. 93/06/04. LAMBERT, K. NRC - No Detailed Affiliation Given. 10pp. 82424:082-82424:100.
- 9501230279 Responds to 930924 request for summarization of surveys conducted by NRC in vicinity of Chemetron Bert Avenue site.  
SHEAR, G.L. Region 3 (Post 820201). 93/09/28. EDWARDS, K.M. Newburgh Heights, OH. 6pp. 82424:101-82424:106.
- 9501240354 FOIA request for info re radiation emissions or nuclear accidents at plant 1980-1993.  
ALTIERI, A.J. Affiliation Not Assigned. 94/01/12. REED, C.A. NRC - No Detailed Affiliation Given. 1p. 82424:204-82424:204.
- 9501240360 Final response to FOIA request for info. Forwards App A info which will be in PDR. NUREG/CR-2907 & NUREG/CR-2850 are already in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/28. ALTIERI, A.J. Affiliation Not Assigned. 2pp. 82424:205-82425:039.
- 9012070156 Discusses review of MA Dept of Public Health leukemia study from 1978-1986.  
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (870411-921003). 90/11/30. THOMPSON, H.L. Dep Exec Dir for Nuc Matls Safety, Safeguards & Operations Support (Post 890205). 76pp. 82424:323-82425:039.
- 9501240364 Safety evaluation supporting amend 12 to license DPR-35.  
\* Office of Nuclear Reactor Regulation, Director. 75/05/23. 3pp. 82424:213-82424:322.
- 9501250050 FOIA request for listed microfiche to review matl on Atlantic Research Corp.  
STIMAX, D. Affiliation Not Assigned. 94/04/26. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82469:282-82469:282.
- 9501250054 FOIA request for listed fiche to review matl on Atlantic Research Corp.  
STIMAX, D. Affiliation Not Assigned. 94/05/09. POOL, M.J. NRC - No Detailed Affiliation Given. 1p. 82469:283-82469:283.
- 9501250058 Final response to FOIA request for info. Forwards info in App A. App A info will be available in PDR.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/10. STIMAX, D. Affiliation Not Assigned. 2pp. 82469:284-82469:319.
- 7912110146 IE Insp Findings & Licensee Ack dtd 791114 of License 45-02808-04. Insp findings: no items of noncompliance or unsafe conditions found.  
BROWN, R.A. Region II, IE (720101-810228). 79/11/14. 1p. 82469:319-82469:319.
- 9006060614 Decision ALAB-594 reducing total amount of civil penalty assessed against licensee. ASLAB finds grounds for partial, but not total mitigation of original penalty.  
BISHOP, C.J. Atomic Safety & Licensing Appeal Panel (Pre 910701). ALAB-594. 80/06/02. 28pp. 82469:289-82469:318.
- 8007110334 Order granting extension until 800716 for Commission to elect whether to review ALAB-594.  
HOYLE, J.C. Office of the Secretary of the Commission. ALAB-594. 80/07/09. Commissioners (Post 750119). 1p. 82469:288-82469:288.
- 8009190648 Notifies of elapsed time for Commission review on own motion in ALAB-594. ASLAB decision is final agency action. Payment of civil penalty is due within 15 days.  
STELLO, V. Office of Inspection & Enforcement (750101-801210). ALAB-594. 80/08/22. RAPHAEL, C. Atlantic Research Corp. 1p. 82469:286-82469:287.
- 9501250074 Second partial response to FOIA request for info. Forwards App C & D info which will be in PDR. App D info partially withheld (ref FOIA exemption 6).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. MITCHELL, W. Armstrong, Gordon, Mitchell & Damiani. 4pp. 82469:320-82469:359.

## 218 NONDOCKETED ITEMS

-9501250087 Draft trip rept on 931014 Chemtron regulator meeting in Cuyahoga Heights, OH. Related info encl. Info partially deleted. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/05/09. AUSTIN, J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 34pp. 82469:326-82469:359.

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records. App HH records partially withheld (ref FOIA exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILINSKY, V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300224 SECY-82-024 Partially withheld paper informing of Appeal Board decision re petition on ALAB-662. FITZGERALD, J.A. Office of the General Counsel (Post 860701). ALAB-662. 82/01/20. 100pp. 82524:258-82524:340.

-9501300234 SECY-82-281 Partially withheld paper re facility psychological impacts- litigation strategy & response to motion on stated stress issue. MALSCH, M.G. Office of the General Counsel (Post 860701). 82/07/02. 7pp. 82524:341-82524:347.

-9501300238 SECY-82-331 Partially withheld paper re review of ALAB-684. TRUBATCH, S.L. Office of the General Counsel (Post 860701). ALAB-684. 82/08/09. 11pp. 82524:348-82524:358.

-9501300244 SECY-83-048 Partially withheld paper re review of ALAB-707. TRUBATCH, S.L. Office of the General Counsel (Post 860701). ALAB-707. 83/02/01. 24pp. 82524:359-82525:022.

-9501300246 SECY-83-129 Partially withheld paper re hearing requests on renewal of SNM license for Rockwell Intl. PLAINE, H.E. Office of the General Counsel (Post 860701). 83/04/08. 22pp. 82525:023-82525:044.

-9501300247 SECY-83-369 Partially withheld paper re review of ALAB-719. FITZGERALD, J.A. Office of the General Counsel (Post 860701). ALAB-719. 83/09/07. 100pp. 82525:045-82525:156.

-9501300248 SECY-83-436 Partially withheld paper re review of ALAB-741. FITZGERALD, J.A. Office of the General Counsel (Post 860701). ALAB-741. 83/10/25. 19pp. 82525:157-82525:175.

-9501300253 SECY-83-455 Partially withheld paper re review of ALAB-746. FITZGERALD, J.A. Office of the General Counsel (Post 860701). ALAB-746. 83/11/07. 18pp. 82525:176-82525:193.

-9501300256 SECY-83-512 Partially withheld paper recommending disposition of Joint Intervenor stay request on fuel loading. MALSCH, M.G. Office of the General Counsel (Post 860701). 83/12/19. 12pp. 82525:194-82525:205.

### GEN TEC IS GENERIC TECHNICAL ISSUES

9412280115 SECY-94-299 Informs Commission that RG1.160 "Monitoring Effectiveness of Maintenance at NPPs," has been revised IAW COMSECY-94-01. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/14. 40pp. 82561:002-82561:036.

9501100110 Forwards SE for BWR Owners Group response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPP.'" WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001). TAC M74965. 94/12/30. ANDERSON, R.O. Northern States Power Co. 3pp. 82303:234-82303:239.

-9501100115 Safety evaluation accepting BWR Owners Group response to GL 89-19. WETZEL, B.A. Office of Nuclear Reactor Regulation (Post 941001). GL-89-19. 94/12/30. 3pp. 82303:237-82303:239.

9501120087 Forwards SE for CEOG response to GL 89-19, "Request for Action Re Resolution of USI A-47, 'Safety Implication of Control Sys in LWR Nuclear Power Plants,' per 10CFR50.54(f)." PATEL, C.P. Project Directorate III-2. TAC M75016. 95/01/03. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 82304:346-82304:355.

-9501120107 SE re CEOG response to GL 89-19, "Request for Action Re Resolution of USI A-47, 'Safety Implication of Control Sys in LWR Nuclear Power Plants.'" Office of Nuclear Reactor Regulation, Director (Post 870411). GL-89-19. 95/01/03. 6pp. 82304:350-82304:355.

9501130229 Discusses 900504 & 941003 ltrs in response to GL 89-19, "Request for Action Related to Resolution of USI A-47, 'Safety Implication of Control Sys in LWR Nuclear Plants.'" EATON, R.B. Project Directorate I-3 (PD1-3) (Post 941001). GL-89-19. 95/01/10. BOULETTE, E.T. Boston Edison Co. 3pp. 82319:318-82319:320.

### I&E INSPECTION AND ENFORCEMENT

9412210186 NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

-9501030167 Advises of recent failure of pool type source down switch in wet storage irradiator facility. Switch failure resulted in machine stopping in safe condition. Correct procedure in subj event is to call Nordion Intl, Inc for instructions. MCKINNON, R.G. Affiliation Not Assigned. 93/11/25. NRC - No Detailed Affiliation Given. 9pp. 82167:091-82167:099.

9412270233 NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-94-055. 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). IEIN-83-68. 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.

9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-80-27. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.

9501050215 PNO-I-94-074A: on 941221, provides update to incident involving I-131 therapy patient who left hosp prior to approval by RSO on 941221. Commonwealth of MA notified & Region I ofc prepared to respond to media inquiries. COSTELLO, F., CAHILL, M. Region 1 (Post 820201). 94/12/29. 2p. 82178:289-82178:290.

9501060005 PNO-IV-94-052: on 941017, ICN Biomedicals, Inc reported to State of CA that employee exceeded extremity exposure limit to right finger. Licensee removed individual from further work detail. Region received notification by D Bunn. HORNER, J. Region 4 (Post 820201). 94/10/18. 1p. 82189:031-82189:031.

9501060008 PNO-IV-94-054: on 941025, patient experienced overexposure. Caused by failure of valve couch. Licensee manually disconnected helmet from unit & removed patient from room. State of CA notified of event. HORNOR, J., PRANGE, B. Region 4 (Post 820201). 94/10/27. 1p. 82189:032-82189:032.

9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.

-9411040188 Forwards draft IN re problems in GE CR2940 contact blocks in medium-voltage circuit breakers. Requests review of draft to ensure technical info correct & desires comments as soon as possible. CHAFFEE, A.E. Office of Nuclear Reactor Regulation (Post 941001). 94/10/25. STRAMBACK, G. General Electric Co. 1p. 82436:081-82436:081.

9501110069 PNO-II-94-055: on 941228, SFP steel liner punctured. Caused by dropped 350 lb core shroud bolt from one foot above pool water surface. Permanent underwater welding repairs expected to commence 950102. State of Georgia has been notified. CAHILL, S.J. Region 2 (Post 820201). 94/12/30. 1p. 82272:184-82272:184.

9501110229 Forwards info re Generic Ltr 94-03, "IGSCC of Core Shroud in BWRs." KUGLER, A.J. . GL-94-03. 95/01/06. Document Control Branch (Document Control Desk). 21pp. 82302:202-82302:222.

9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES, B.K. Office of Nuclear Reactor Regulation (Post 941001). GL-88-17. 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.

9501120008 NRC Info Notice 95-004, "Excessive Cooldown & Depressurization of RCS Following Loss of Offsite Power." GRIMES, B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.

9501120016 PNO-III-94-091: on 941229, consultant informed NRC Region III of high radiation levels at client scrapyard in Chicago, IL. Region offered health physics & equipment assistance. Personnel restricted from area. EPA notified of situation. LYNCH, J., AXELSON, W.L. Region 3 (Post 820201). 94/12/30. 1p. 82279:154-82279:154.

9501120026 PNO-III-94-091B: on 950103, radiation source in soil at scrapyard inadvertently uncovered & moved during preparations for further surveys. No evidence of soil contamination identified. EPA notified. LYNCH, J., AXELSON, W.L. Region 3 (Post 820201). 95/01/04. 1p. 82279:188-82279:188.

9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES, B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.

9501120054 Provides compilation of background mat relevant to encl draft GL 89-04, Suppl 1, "Guidance on Developing Acceptable IST Programs," including CRGR review package & slides used by staff during presentation to CRGR. KUGLER, A.J. Office of Nuclear Reactor Regulation (Post 941001). GL-89-04. 95/01/11. Document Control Branch (Document Control Desk). 27pp. 82433:304-82433:330.

9501120084 PNO-III-94-091A: update re high radiation levels at scrapyard detected on 941230. Scrapyard owner locked facility to prevent access over weekend. LYNCH, J., AXELSON, W.L. Region 3 (Post 820201). 95/01/03. 1p. 82280:059-82280:059.

9501120165 Forwards list of generic communication under development by NRC staff. CHAFFEE, A.E. . 95/01/06. LARHETTE, R.P. Institute of Nuclear Power Operations. 11pp. 82309:289-82309:299.

9501170019 PNO-II-95-002: on 950108, Unit 1 experienced automatic reactor scram on low SG level. Cause of pump overspeed trip not determined. Faulty position indication circuit attributed to failed cable connection. BELISLE, G.A. Region 2 (Post 820201). 95/01/10. 1p. 82313:346-82313:346.

9501170022 PNO-II-95-001: on 950103, truckload of steel plates alarmed installed radiation detectors. Truck isolated & to be retrieved by Ranger Steel on 950106. Region II will coordinate w/State of MS & EPA on followup on event. HOSEY, C.M. Region 2 (Post 820201). 95/01/06. 1p. 82314:025-82314:025.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety-Related Strainers by Matt Brought Inside Containment." GRIMES, B.K. . IEB-93-002. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). IEIN-93-057. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . IEIN-93-057. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). IEIN-93-057. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501190091** NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matt Brought Inside Containment." GRIMES,B.K. . IEIN-93-057. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.
- 9501190192** PNO-III-95-001:on 950109,Troxler 3430 moisture density gauge was damaged.Caused by bulldozer at construction site in Minneapolis,MN.Survey of area was conducted using G-M survey instrument & no contamination was found. MITCHELL,M., JONES,J.D. Region 3 (Post 820201). 95/01/11. 1p. 82336:160-82336:160.
- 9501200008** Comments on proposed generic communications, "Use of NUMARC/ EPRI Rept TR-102348, 'Guidelines on Licensing Digital Upgrade,' in Determining Acceptability of Performing Analog- to-Digital Replacements Under 10CFR50.59." dtd 941018. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52559 00001. 95/01/12. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 5pp. 82351:153-82351:157.
- 9501200026** PNO-I-95-001:on 950110 Region II notified Region I about contaminated package containing unit radiopharm doses of Tc-99m shipped from Mallinckrodt facility in Greenbelt,MD to licensee in Annandale,VA. GORDON,C.Z. Region 1 (Post 820201). 95/01/12. 2pp. 82351:197-82351:198.
- 9501240226** NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.
- 9501250010** PNO-III-95-003:on 950112,IDNS informed Region III ofc that refinery contractor employee may have received radiation overexposure on 950111.Insp & re-actment of incident to be performed.Region III monitoring event. LYNCH,J. Region 3 (Post 820201). 95/01/13. 1p. 82432:124-82432:124.
- 9501250016** PNO-III-95-004:on 950114 IDPH conducted unannounced field insp of Iowa Insp Technologies & ordered licensee to cease activities due to licensee failure to have proper dosimetry calibr survey instruments.Conference scheduled for 950202. LYNCH,J. Region 3 (Post 820201). 95/01/18. 1p. 82432:170-82432:170.
- 9501250034** PNO-III-95-084B:on 941214,temporary restraining order issued to licensee due to plugs in sewers rendering facility foundation drainage sys nonfunctional.Region III evaluating situation & State of Ohio has been informed of situation. GROBE,J. Region 3 (Post 820201). 95/01/17. 2pp. 82432:356-82432:357.
- 9501270144** PNO-III-94-090A:on 950118,startup following turbine generator failure outage occurred.Plans to complete testing static exciter & intends to replace low-pressure turbine during next refueling outage. PHILLIPS,M., GREENMAN,E.G. Region 3 (Post 820201). 95/01/19. 1p. 82490:211-82490:211.
- 9501300007** PNO-I-95-002:on 950120,staff received info concerning automobile which contained radioactively contaminated clothing.Caused by employee who worked at plant & left car at svc station for period of six months to be serviced. NIMITZ,R.L., BORES,R., JOYNER,J. Region 1 (Post 820201). 95/01/20. 2pp. 82511:066-82511:067.
- 9501300017** PNO-I-95-002A:on 950120,received info that automobile,which had reportedly contained radioactivity contaminated clothing had been left at automotive svc station.Licensee indicated data package of survey performed would be available for NRC. NIMITZ,R.L., JOYNER,J. Region 1 (Post 820201). 95/01/23. 2pp. 82511:176-82511:177.
- 9501310010** EN-95-001:on 950110,NOV & proposed imposition of civil penalty in amount of \$2,800 will be issued to Nuclear Scanning Svcs,Inc for deliberate failure to file NRC form 241 when conducting radiographic operations. SANTIAGO,P., GRAY,J. Ofc of Enforcement (Post 870413). EA-94-208. 95/01/05. 1p. 82528:031-82528:031.
- 9501310025** EN-95-002:on 950110,NOV will be issued to individual based on results of investigation conducted by NRC involving deliberate failure by Nuclear Scanning Svcs,Inc to file NRC form 241 when performing nuclear gauging activities. SANTIAGO,P., GRAY,J. Ofc of Enforcement (Post 870413). IA-95-001. 95/01/05. 1p. 82528:060-82528:060.
- 9501310162** Comments on NRC proposed generic communication, "Use of NUMARC/ EPRI Rept TR-102348, 'Guideline on Licensing Digital Upgrades,' in Determining Acceptability of Performing Analog-to-Digital Replacements Under 10CFR50.59." HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR52559 00003. 95/01/20. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82529:278-82529:278.
- 9501310177** Comment on use of NUMARC/EPRI Rept TR-102348, "Guideline on Licensing Digital Upgrades." in determining acceptability of performing analog-to-digital replacements under 10CFR50.59. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 59FR52559 00004. 95/01/24. NRC - No Detailed Affiliation Given. 1p. 82529:293-82529:293.
- 9501100156** Requests delay in starting hearing process until after release from prison on 950315. MCCOOL,D.J. Affiliation Not Assigned. #195 16131. 95-705-03-EA. 94/12/17. Atomic Safety & Licensing Board Panel. 1p. 82257:280-82257:280.
- 9501100288** "Electronic Info Exchange Guidelines." \* Applied Management Systems, Inc. \* Science Applications International Corp. (formerly Science Applications, Inc.). 94/12/23. 165pp. 82296:176-82296:342.
- 9501180008** Memorandum & order (granting request to delay proceeding). \* W/Certificate of Svc.Served on 950109. BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #195 16198. EA. 95/01/09. MCCOOL,D.J. Affiliation Not Assigned. 4pp. 82326:117-82326:120.
- 9501180255** NRC Staff response to request for delay.\* Advises that Staff has no objection to DJ McCool request for delay in hearing proceeding.W/Certificate of Svc. MARCO,C.L. Office of the General Counsel (Post 860701). #195 16181. EA. 95/01/04. Atomic Safety & Licensing Board Panel. 4pp. 82326:113-82326:116.
- 9501230015** Discusses 950118 ltr requesting copy of interview w/client, VJ Polizzi transcribed as part of NRC OI review that resulted in scheduling of an enforcement conference w/client on 950208.Forwards copy of transcript.W/o encl. GRAY,J.R. Ofc of Enforcement (Post 870413). EA-94-239. 95/01/18. BRIGGS,W.H. Affiliation Not Assigned. 2pp. 82377:034-82377:035.
- 9501240018** Requests NRC to grant author another chance to hold an NRC license & advises of flexibility in scheduling meeting w/ NRC. JONES,O.G. Affiliation Not Assigned. 94/12/27. HOWELL,L. NRC - No Detailed Affiliation Given. 6pp. 82513:033-82513:040.
- 9501240087** Discusses 950119 ltr requesting copy of interview w/client, L Reiter transcribed as part of NRC OI review that resulted in scheduling of an enforcement conference w/client on 950208.Forwards copy of transcript.W/o encl. GRAY,J.R. Ofc of Enforcement (Post 870413). EA-94-239. 95/01/19. DOMBY,A.H. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 82419:324-82419:325.
- 9501270031** Notification of licensee meeting w/Jones Insp Svcs on 950131 in Arlington,TX re enforcement conference. COLLINS,S.J. Region 4 (Post 820201). EA-94-138. 95/01/23. Region 4 (Post 820201). 3pp. 82488:319-82488:321.
- 9501270102** Notice of change of telephone numbers.\* Informs that prefix 504 changed to 415 effective immediately.W/Certificate of Svc. MARCO,C.L. Office of the General Counsel (Post 860701). #195 16236. EA. 95/01/18. 3pp. 82491:358-82491:360.
- 9501310070** Extends invitation to attend 950207-05 training manager meeting planned by NRC to discuss status of operator licensing programs from Region I & NRC Headquarters perspectives & inform facilities of planned changes. MEYER,G.W. Region 1 (Post 820201). 95/01/17. JAGGAR,F. Affiliation Not Assigned. 5pp. 82529:001-82529:005.
- 9501310109** Discusses 950118 ltr responding to concerns re counting of water samples collected in & around Wingfoot Lake.Informs that two of three samples not filtered prior to being counted. SHEAR,G.L. Region 3 (Post 820201). 95/01/26. GRIMMETT,M. Affiliation Not Assigned. 1p. 82529:167-82529:167.

## NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

**9412230183** SECY-94-300 Provides Commission w/final rept of NUREG-1465, "Accident Source Terms for Light-Water NPGSS." Informs NRC to issue NUREG-1465 in final form. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/15. 66pp. 82561:037-82561:107.

**9501030200** Final response to FOIA request for info.Forwards AEOD annual rept.Suggests contacting NY Agreement State Radiation Control Program director at listed address. POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. BOUNDS,J. Affiliation Not Assigned. 1p. 82167:196-82167:200.

**-9501030203** Excerpt from AEOD annual rept,NUREG-1272.App B re medical misad-ministrations submitted by Agreement State licensees during 1992. \* Office for Analysis & Evaluation of Operational Data, Director. 92/12/31. 4pp. 82167:197-82167:200.

**9501040117** Comment supporting proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. ABELQUIST,E.W. Oak Ridge Associated Universities. 59FR43200 00035. 94/12/19. Docketing & Services Branch. 4pp. 82174:161-82174:164.

**9501050161** Forwards amend 221 to license DPR-59 & safety evaluation. Amend revises primary containment atmosphere monitoring & drywell to torus differential pressure requirements. CONICELLA,N.F. Project Directorate I-1. TAC M90050. 94/12/28. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 82227:329-82227:348.

**-9501050169** Safety evaluation supporting amend 221 to license DPR-59. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/12/28. 5pp. 82227:344-82227:348.

**9501050304** Requests NRC approval of alternate testing criteria to originally approved by NRC in Section 6.2.4 of NUREG-1137, "Safety Evaluation Rept Related to Operation of Vogtle Electric Generating Plant,Units 1 & 2." MCCOY,C.K. Georgia Power Co. LCV-0538. 94/12/29. Document Control Branch (Document Control Desk). 7pp. 82230:349-82230:355.

## MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

**9412290350** Informs of company name change from Vitco Nuclear Products, Inc to VITCO,Inc. CERAR,P.A. Vitco Nuclear Products, Inc. 94/12/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 82171:213-82171:215.



## 220 NONDOCKETED ITEMS

- 9501050399 Requests that publication of "NRC Iterative Performance Assessment Phase 2: Development of Capabilities for Review of Performance Assessment for High-Level Waste Repository" be submitted for composition as NUREG-1464. FEDERLINE, M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/12/23. OLIU, W.E. Publications Branch (Post 920323). 1p. 82287:056-82287:056.
- 9501050411 Informs that AECL Technologies has completed review of draft NUREG/CR-6257 & forwards miscellaneous technical & editorial comments for consideration. FLETCHER, M.H. AECL Technologies. 95/01/02. Document Control Branch (Document Control Desk). 3pp. 82247:332-82247:334.
- 9501060013 Forwards info requested from Sealed Source Safety Section. W/o encl. RICH, T.W. Source Containment & Devices Branch (Post 911213). 95/01/03. KRAHE, R.C. Affiliation Not Assigned. 1p. 82189:033-82189:033.
- 9501090274 Forwards NUREG-1508, "Draft EIS to Const & Operate Crownpoint U Solution Mining Project, Crownpoint, NM," per 941229 telecon request. W/o encl. PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/04. BELL, E. Environmental Protection Agency. 1p. 82288:183-82288:183.
- 9501090354 Forwards "Guidance Manual... Radiological Surveys in Support of License Termination," NUREG/CR-5849, draft TP on site characterization for decommissioning & "Assessing Environ Availability of U in Soils..." NUREG/CR-6232, W/o encls. TURTIL, R.H. Division of Waste Management (NMSS 940403). 95/01/04. HOLMES, B.A. National Refractories & Minerals Corp. (formerly Kaiser Aluminum & Chemical Corp.). 3pp. 82288:184-82288:186.
- 9501100012 Forwards exam rept 50-213/94-260L on 941114-18. No violations noted. MEYER, G. Region 1 (Post 820201). 94/12/23. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 2pp. 82255:018-82255:209.
- 9501100297 Forwards amends 138 & 108 to licenses NPF-14 & NPF-22 & safety evaluation. Amends revise TS definition of "Core Alteration" to conform to definition approved by staff for current BWR improved TS in NUREG-1433. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. TAC M90073. 95/01/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 82297:048-82297:062.
- 950110395 Amends 138 & 108 to licenses NPF-14 & NPF-22, respectively, revising TS definition of "Core Alteration" to conform to definition approved by staff of current BWR improved TS NUREG-1433. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. NPR-22 A 108. 95/01/03. 8pp. 82297:051-82297:058.
- 950110399 Safety evaluation supporting amends 138 & 108 to licenses NPF-14 & NPF-22, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 4pp. 82297:059-82297:062.
- 950110366 Forwards Safety Evaluation re containment isolation configuration to be used for unit. WILLIAMS, J.F. Office of Nuclear Reactor Regulation (Post 941001). TAC M74606. 95/01/06. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 82302:029-82302:035.
- 950110369 Safety evaluation re NUREG-0737 item II.E.4.2 containment isolation design. Design acceptable. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/06. 6pp. 82302:030-82302:035.
- 950110382 Requests FR publication of notice of extension of public comment period for NUREG-1508, "Draft EIS To Construct & Operate Crownpoint Uranium Solution Mining Project, Crownpoint, NM." FR encl. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/03. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 3pp. 82327:333-82327:339.
- 950110482 Ack receipt of ltr transmitting request to eliminate independent safety engineering group composition requirements for plants. MODES, M.C. Region 1 (Post 820201). 95/01/06. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 82297:292-82297:306.
- 950110486 Submits proposed change to QA Program description for plants. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/11/14. Document Control Branch (Document Control Desk). 13pp. 82297:294-82297:306.
- 9501120324 Forwards Suppl 4 to NUREG-1435, "Status of Safety Issues at Licensed Power Plants," presenting status of action plan requirements at commercial nuclear power plants. ROGERS, K.C. Commissioners (Post 750119). 94/12/29. MARKEY, E.J. House of Rep. 58pp. 82319:001-82319:154.
- 9501130244 NUREG-0750 V40 I01 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES, July-September 1994. \* Division of Freedom of Information & Publications Services (Post 940714). 94/12/31. 33pp. 82314:293-82314:325.
- 9501170121 FOIA request for documents re NUREG-CR-5499. WILLIAMS, O.G. JRA Associates. CGW-94-035. 94/03/25. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 82378:001-82378:002.
- 9501170132 Final response to FOIA request for documents. App A records being made available in PDR. \* NRC - No Detailed Affiliation Given. 94/05/06. WILLIAMS, O.G. JRA Associates. 2pp. 82378:003-82378:064.
- 9501170246 NUREG/CR-5499 "Guidance on Relay Chatter Effects." HARDY, G.S. Lawrence Livermore National Laboratory. UCID-21929. 90/02/28. NRC - No Detailed Affiliation Given. 59pp. 82378:005-82378:064.
- 9501170201 Comments on review of draft NUREG-1512 for proprietary info. LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-94-4383. 94/12/27. BORCHARDT, R.W. Document Control Branch (Document Control Desk). 1p. 82358:351-82358:351.
- 9501180009 Discusses Jan 1994 request for addl info on event that occurred at New York facility. Requests approx time frame for licensee response to request for addl info. LOHAUS, P.H. Office of State Programs (Post 911117). 95/01/11. KULKOWSKI, R.R. New York, State of. 3pp. 82324:348-82324:350.
- 9501180134 NUREG-1272 V08 N01 OFFICE FOR ANALYSIS AND EVALUATION OF OPERATIONAL DATA. 1993 Annual Report - Power Reactors. \* Office for Analysis & Evaluation of Operational Data, Director. 94/12/31. 261pp. 82348:001-82348:261.
- 9501180140 NUREG-0837 V14 N03 NRC TLD DIRECT RADIATION MONITORING NETWORK Progress Report, July-September 1994. STRUCKMEYER, R. Region 1 (Post 820201). 94/12/31. 231pp. 82346:322-82347:190.
- 9501180150 NUREG-0540 V16 N10 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE, October 1-31, 1994. \* Division of Freedom of Information & Publications Services (Post 940714). 94/12/31. 321pp. 82346:001-82346:321.
- 9501180164 NUREG/CR-6258 THE LIQUEFACTION METHOD FOR ASSESSING PALEOSEISMICITY. TUTTLE, M.P. Lamont-Doherty Earth Observatory. FIN G-1999. 94/12/31. Division of Engineering (870413-941217). 47pp. 82348:262-82348:308.
- 9501180194 NUREG/CR-5247 V01 R2 RASCAL VERSION 2.1 USER'S GUIDE. SJOREEN, A.L. Oak Ridge National Laboratory. ATHEY, G.F. Athey Consulting. RAMSDELL, J.V. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN A-9079. ORNL-6820. 94/12/31. Incident Response Branch. 196pp. 82345:001-82345:196.
- 9501180200 NUREG/CR-5247 V02 R2 RASCAL VERSION 2.1 WORKBOOK. ATHEY, G.F. Athey Consulting. SJOREEN, A.L. Oak Ridge National Laboratory. MCKENNA, T.J. Incident Response Branch. FIN E-8211. 94/12/31. Incident Response Branch. 148pp. 82345:197-82345:344.
- 9501180207 NUREG-0940 V13N03P01 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, REACTOR LICENSEES, Quarterly Progress Report, July-September 1994. \* Ofc of Enforcement (Post 870413). 94/12/31. 315pp. 82344:001-82344:315.
- 9501180211 NUREG-0940 V13N03P02 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, MEDICAL LICENSEES, Quarterly Progress Report, July-September 1994. \* Ofc of Enforcement (Post 870413). 94/12/31. 316pp. 82343:001-82343:316.
- 9501180215 NUREG-0940 V13N03P03 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, MATERIAL LICENSEES (NON-MEDICAL), Quarterly Progress Report, July-September 1994. \* Ofc of Enforcement (Post 870413). 94/12/31. 328pp. 82342:001-82342:328.
- 9501180233 NUREG/CR-4918 V07 CONTROL OF WATER INFILTRATION INTO NEAR SURFACE LLW DISPOSAL UNITS, Progress Report On Field Experiments At A Humid Region Site, Beltsville, Maryland. SCHULZ, R.K. California, Univ. of Los Angeles, CA. RIDKY, R.W. Maryland, Univ. of College Park, MD. O'DONNELLE, Waste Management Branch (Post 941217). FIN L-2491. 94/12/31. Division of Regulatory Applications (870413-941217). 34pp. 82341:180-82341:214.
- 9501180287 NUREG/CR-6190 V02 R1 PROTECTION AGAINST MALEVOLENT USE OF VEHICLES AT NUCLEAR POWER PLANTS, Vehicle Barrier System Selection Guidance. NEBUDA, D.T. Army, Dept. of Corps of Engineers. FIN A-0400. 94/12/31. Office of Nuclear Reactor Regulation (Post 941001). 41pp. 82341:215-82341:255.
- 9501180290 NUREG/CR-6190 V01 R1 PROTECTION AGAINST MALEVOLENT USE OF VEHICLES AT NUCLEAR POWER PLANTS, Vehicle Barrier System Selection Guidance For Blast Protection. NEBUDA, D.T. Army, Dept. of Corps of Engineers. FIN A-0400. 94/12/31. Office of Nuclear Reactor Regulation (Post 941001). 20pp. 82341:256-82341:275.
- 9501180295 NUREG/CR-6231 A COMPARISON OF THE RELATIVE IMPORTANCE OF COOPER PRECIPITATES AND POINT DEFECT CLUSTERS IN REACTOR PRESSURE VESSEL EMBRITTLEMENT. STOLLER, R.E. Oak Ridge National Laboratory. FIN L-1098. ORNL-6811. 94/12/31. Division of Engineering (870413-941217). 52pp. 82341:276-82341:326.
- 9501180329 NUREG/CR-6205 VALVE ACTUATOR MOTOR DEGRADATION. KUECK, J.D. Oak Ridge National Laboratory. FIN B-0828. ORNL-6796. 94/12/31. Division of Engineering (870413-941217). 41pp. 82347:191-82347:225.
- 9501180332 NUREG/CR-6303 METHOD FOR PERFORMING DIVERSITY AND DEFENSE-IN-DEPTH ANALYSES OF REACTOR PROTECTION SYSTEMS. PRECKSHOT, G.G. Lawrence Livermore National Laboratory. FIN L-1867. UCRL-ID-119239. 94/12/31. Division of Reactor Controls & Human Factors (Post 921004). 45pp. 82347:226-82347:268.
- 9501180334 NUREG/CR-6075 S01 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION. PILCH, M.M., ALLEN, M.D. Sandia National Laboratories. KNUDSON, D.L. Idaho National Engineering Laboratory. FIN J-6027. SAND93-1535. 94/12/31. Division of Systems Research (880717-941217). 450pp. 82340:001-82341:179.
- 9501190006 Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power plants. Util strongly endorses comments sent separately to NRC by NEI & Westinghouse Owners Group. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 59FR52707 00028. 95/01/06. Docketing & Services Branch. 8pp. 82335:056-82335:063.
- 9501190135 Requests NRC review & approval of proposal to consolidate near-site EOFs into single central EOF, in accordance w/ NUREG-0737, Suppl 1. Supporting info encl. W/one oversize encl. BRONS, J.C. Commonwealth Edison Co. 95/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 34pp. 82562:068-82562:101.
- 9501190200 Discusses licensee 940623 ltr informing NRC of decision to amend commitment w/respect to NUREG-0619, "BWR Feedwater Nozzle & Control Rod Drive Return Line Nozzle Cracking," for plant. BRINKMAN, D.S. Project Directorate I-1 (PD1-1) (Post 941001). TAC M89792. 95/01/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 82367:032-82367:035.

**9501190259** Forwards draft NUREG-1512 entitled, "DSER re Certification of AP600 Design." Recommends that Commission not release DSER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/12. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 82353:001-82358:202.

**-9501190272** Forwards draft NUREG-1512 entitled, "DSER re Certification of AP600 Design." Recommends that Commission not release DSER until Westinghouse notifies staff that document does not contain proprietary info. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/12. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 82353:003-82353:005.

**-9501190294** Forwards draft NUREG-1512 entitled, "DSER re Certification of AP600 Design." Lists major issues that have global impact on entire review. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/11/30. LIPARULO, N.J. Westinghouse Electric Corp. 2,017pp. 82353:006-82358:202.

**9501190286** NUREG/CR-6075 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN ZION. PILCH, M.M. Sandia National Laboratories. YAN, H., THEOFANOUS, T.G. California, Univ. of Santa Barbara, CA. FIN E-6027. SAND93-1535. 94/12/31. Division of Systems Research (880717-941217). 396pp. 82359:001-82360:032.

**9501200126** Discusses review of public comments on draft rept for comment re NUREG-1477, "Voltage-Based Interim Plugging Criteria for DG Tubes, Draft for Comments." STROSNIDER, J. 95/01/10. SHERON, B.W. 10pp. 82470:001-82470:104.

**-9501200134** Forwards technical ltr rept addressing issues discussed in EPRI, W & util responses provided to NRC re draft NUREG-1477. SPANNER, J.C. Battelle Memorial Institute, Pacific Northwest Laboratory. 94/09/06. MURPHY, E. NRC - No Detailed Affiliation Given. 1p. 82470:015-82470:015.

**-9501240234** Forwards staff response to public comments on Chapter 4 of NUREG-1477. DONOGHUE, J. NRC - No Detailed Affiliation Given. 94/12/17. MURPHY, E. NRC - No Detailed Affiliation Given. 1p. 82470:016-82470:016.

**-9501200137** "Technical Ltr Rept on Review of Public Comments on Draft NUREG-1477." SPANNER, J.C., HEASLER, P.G., SIMONEN, F.A. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN E-2029. 94/09/30. Office of Nuclear Reactor Regulation, Director (Post 870411). 87pp. 82470:017-82470:104.

**9501200194** Generic Ltr 95-01 to licensees & applicants for U conversion & fuel fabrication facilities re NRC position on fire protection for fuel cycle facilities. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). IEIN-92-014. 95/01/26. Consolidated Edison Co. of New York, Inc. 14pp. 82605:024-82605:037.

**9501230315** Forwards application for amend to license DPR-40, seeking to amend Spec 2.22 & 3.1 to delete requirements for toxic gas monitoring sys (TGMS). "Analysis to Support Removal of FCS TGMS" & markup TS also encl. GATES, W.G. Omaha Public Power District. LIC-94-0258. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82487:292-82487:348.

**9501240024** Forwards draft SE Sections 1.0 - 3.5 for conversion to improved STS, per NUREG-1434. Comments on encl draft requested by 950217. O'CONNOR, P.W. TAC M88101. 95/01/18. HUTCHINSON, C.R. Entergy Operations, Inc. 104pp. 82436:226-82436:329.

**9501240093** Application for amend to license NPF-47 re conversion to TS based on NUREG-1434. "Improved TS Rev 0." MCGAHA, J.R. Entergy Operations, Inc. RBG-4113. 95/01/18. Document Control Branch (Document Control Desk). 4pp. 82434:001-82436:068.

**-9501240095** Revised pages of proposed tech specs re conversion to TS based on NUREG-1434. "Improved TS Rev 0." \* Entergy Operations, Inc. 95/01/18. 792pp. 82434:005-82436:068.

**9501240204** Application for amends to licenses DPR-50 & DPR-73, to incorporate improvements from STSs for B&W plants (NUREG-1430). BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. C311-94-2154. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82513:099-82513:135.

**-9501240206** Proposed tech specs re incorporation of improvements from STSs for B&W plants (NUREG-1430). \* General Public Utilities Corp. - GPU Service Corp. 95/01/16. 24pp. 82513:112-82513:135.

**9501240261** Comment on draft NUREG/CR-6174, "Revised Analyses of Decommissioning for Ref BWR Power Station." Disposal costs projected for new IL disposal facility would exceed estimated Barnwell costs by at least 50%. KLEBE, M.E. Illinois, State of. 59FR55299 00002. 95/01/18. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 82429:265-82429:267.

**9501240263** Comment on NUREG-1122, rev 1 re technical catalog for nuclear power plant operators who operate PWR reactors. THOMAS, G.S. Duquesne Light Co. 59FR61905 00001. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82429:302-82429:303.

**9501240271** Comment re draft NUREG/CR-6174 "Revised Analyses of Decommissioning for Ref BWR NPP." NUMARC strongly recommends that NRC review public comments provided by rept ref PWR NUREG/CR-5884 & incorporate into PWR & BWR cost estimates. SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55299 00004. 95/01/19. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 82437:093-82437:118.

**-9501240279** Submits comments re draft NUREG/CR-5884 "Revised Analyses of Decommissioning for Ref BWR NPP" & draft NUREG/CR-6054 "Estimating PWR Decommissioning Costs." Nuclear industry supports NRC public decommissioning funding reevaluation. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/02/15. MEYER, D.L. Division of Freedom of Information & Publications Services (890206-940714). 18pp. 82437:097-82437:118.

**9501240272** Comments on draft NUREG/CR-6174, "Revised Analyses of Decommissioning for Ref BWR Power Station." LAGUARDIA, T.S. TLG Engineering, Inc. 59FR55299 00003. 95/01/12. Rules & Directives Review Branch (Post 920323). 52pp. 82431:001-82431:052.

**9501240360** Final response to FOIA request for info. Forwards App A info which will be in PDR, NUREG/CR-2907 & NUREG/CR-2850 are already in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/04/28. ALTIERI, A.J. Affiliation Not Assigned. 2pp. 82424:205-82425:039.

**9501250326** LER 94-013-01: on 941221, identified addl confirmed occurrence of not meeting shift manning requirements of TS 6.2.2.a, sometime in 1987 or 1988. Licensing dept personnel reviewing NUREG-1022 guidelines. W/950120 ltr. AVERSA, L., HOVEY, R.J. Public Service Electric & Gas Co. of New Jersey. 95/01/20. 9pp. 82507:149-82507:157.

**9501260003** Comments on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures. FENECH, R.A. Consumers Power Co. 59FR43200 00057. 95/01/18. Docketing & Services Branch. 3pp. 82481:021-82481:023.

**9501270147** Comment on draft NUREG/CR-6174, "Revised Analysis of Decommissioning for Reference BWR Power Station" re decommissioning of large BWR plant. KNOTTS, J.B. Winston & Strawn. 59FR55299 00005. 95/01/20. WIGGINTON, S.N. Division of Freedom of Information & Publications Services (Post 940714). 8pp. 82490:212-82490:219.

**9501270155** Comment on draft NUREG/CR-6174, "Revised Analysis of Decommissioning for Reference BWR Power Station" re decommissioning of large BWR power stations. LAGUARDIA, T.S. Affiliation Not Assigned. 59FR55299 00007. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82490:225-82490:225.

**9501270162** Comment supporting NUMARC responses to draft NUREG/CR-6174, "Revised Analysis of Decommissioning for Ref BWR Power Station" & NUREG/CR-6270, "Estimating BWR Decommissioning Costs." NAUGHTON, W.F. Commonwealth Edison Co. 59FR55299 00006. 95/01/20. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82490:241-82490:242.

**9501270316** Informs that NRC Staff accepted licensee proposals for more performance based practices for QA audit functions as part of efforts to improve regulatory controls re changes to STS, BWOG-09. GRIMES, C.J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. BUSH, L. Westinghouse Operating Plants Owners Group. SZABO, C. Babcock & Wilcox Operating Plants Owners Group. MANN, B. C-E Operating Plants Owners Group. 4pp. 82523:294-82523:297.

**9501300109** SECY-94-296 Approves final draft of "Rept to Congress on Abnormal Occurrences, Jul-Sept 1994." TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/07. 45pp. 82542:110-82542:164.

**9501300135** Application for amends to licenses DPR-57 & NPF-5, revising TS to improved TS per NUREG-1433. BECKHAM, J.T. Georgia Power Co. HL-4751. 95/01/19. Document Control Branch (Document Control Desk). 7pp. 82567:001-82572:336.

**-9501300148** Proposed tech specs consistent w/NUREG-1433. \* Georgia Power Co. 95/01/19. 2,156pp. 82568:001-82572:336.

**9501300152** Staff requirements memo re SECY-94-300 Proposed Issuance of Final NUREG-1465, "Accident Source Terms for Light-Water NPP." HOYLE, J.C. Office of the Secretary of the Commission. 95/01/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 82542:239-82542:239.

**9501310074** Forwards "Survey of State & Tribal Emergency Response Capabilities for Radiological Transportation Incidents," NUREG/CR-5399, Feb 1990 & "US NRC Info Digest, 1994 Edition," NUREG-1350, Vol 6, Mar 1994, for info. VIRGILIO, R.O. Office of State Programs (Post 911117). 95/01/25. WILLIAMS, T. Environmental Protection Agency. 2pp. 82529:014-82529:015.

**9501310288** Notification of 950208 meeting w/util in Spring City, TN to discuss status, needed actions, schedules & priorities of various licensing issues (ref chapter 1 of NUREG-0847, Watts Bar SER, suppl 14). TAM, P.S. Office of Nuclear Reactor Regulation (Post 941001). TAC M72494. 95/01/25. HEBDON, F.J. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 82562:064-82562:066.

**9501310320** NUREG-1475 ERR Errata to "Applying Statistics," making pen & ink changes to pages listed on encl sheet. LURIE, D. Office of the Controller (Post 890205). MOORE, R.H. Bonneville Power Administration. 95/01/31. 3pp. 82554:355-82554:357.

**ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS**

**9403020090** Summary of 940204 meeting w/AEOD & NRR re potential pressure locking & thermal binding of gate valves at NPP. BROWN, E.J. Reactor Operations Analysis Branch. HANSEN, A.G. Project Directorate III-3. 94/02/10. ROSENTHAL, J.E. Reactor Operations Analysis Branch. HANNON, J.N. Project Directorate III-3. 233pp. 82303:001-82303:233.

**9412210186** NRC Info Notice 94-089, "Equipment Failures At Irradiator Facilities." PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/28. Consolidated Edison Co. of New York, Inc. 9pp. 82167:082-82167:099.

**9412270233** NRC Info Notice 94-090, "Transient Resulting in Reactor Trip & Multiple Safety Injection Sys Actuations at Salem." GRIMES, B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-94-036. 94/12/30. Consolidated Edison Co. of New York, Inc. 11pp. 82179:125-82179:135.

## 222 NONDOCKETED ITEMS

- 9412270314 NRC Info Notice 95-001, "DOT Safety Advisory: High Pressure Aluminum Seamless & Aluminum Composite Hoop-Wrapped Cylinders." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). IEIN-86-024. 95/01/04. Consolidated Edison Co. of New York, Inc. 10pp. 82179:136-82179:145.
- 9412290318 Suppl 3 to NRC Info Notice 86-108, "Degradation of RCS Pressure Boundary Resulting From Boric Acid Corrosion." GRIMES,B.K. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-88-05. 95/01/05. Consolidated Edison Co. of New York, Inc. 13pp. 82217:001-82217:013.
- 9501030035 Forwards 941212 list of NRC personnel assigned as Project Managers for all Title II sites. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/09. FERDINAND,B. Quivira Mining Co. VELASQUEZ,J.R. Affiliation Not Assigned. GRACE,M.P. Grace Pacific Corp. (formerly Grace Brothers, Ltd.). 8pp. 82260:216-82260:233.
- 9501040116 Forwards audit rept entitled, "Review of NRC Implementation of Federal Manager Financial Integrity Act for 1994." Notes that NRC complied w/requirements of act for 1994 & has addressed four mgt control weaknesses identified in 1993. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 94/12/19. THE CHAIRMAN, SELIN,I., DE PLANQUE,E.G. Commissioners (Post 750119). 2pp. 82189:222-82189:233.
- 9501030120 OIG/94A-36 "Ofc of IG,NRC,Review of NRC Implementation of Federal Manager Financial Integrity Act for 1994." WILLIAMS,D.C. Office of the Inspector General (Post 890417). 94/12/19. 13pp. 82189:223-82189:233.
- 9501050338 Forwards copy of Commission biweekly notice of applications & amend to operating licenses involving NSHC,published in FR on 941207 (59FR63112),w/o encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/20. LIEBERMAN,J. Senate. 2pp. 82227:357-82227:358.
- 9501050341 Discusses 941114-15 meeting re NRC review of two LWR designs. THADANI,A.C. . 94/12/27. FRESCURA,G. Organization for Economic Cooperation & Development. 1p. 82233:050-82233:050.
- 9501050381 Responds to 941021 ltr requesting action w/regard to all reactor licensees using Thermo-Lag & treatment of ltr as petition per 10CFR2.206 of FR code.Informs that request denied. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2.206. 94/12/15. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 82229:008-82229:059.
- 9501050478 Forwards for info,1993 occupational dose summary for operating US power plant facilities.Summary includes listing of people receiving doses in each dose range for each plant, average dose per reactor & other figures. HINSON,C.S. . 94/12/20. SPESSARD,R.L. . 24pp. 82257:316-82257:339.
- 9501060085 Informs that NRC will not grant exemption to Part 21 requirements for computer programs.Power Computing Co will no longer be offering program. BLACK,S.C. . 94/12/14. MANNING,K.M. Affiliation Not Assigned. 1p. 82259:158-82259:158.
- 9501060159 Ack receipt of 941121 ltr re J Glenn request that EPA take lead in formulating plan in cooperation w/NRC,CIRRPC & other appropriate agencies, to address inconsistencies,gaps & overlaps in current radiation protection standards. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/09. NICHOLS,M.D. Environmental Protection Agency. 6pp. 82259:168-82259:170.
- 9501060164 Responds to 941027 ltr re issues documented by GAO in "Nuclear Health & Safety:Consensus on Acceptable Radiation Risk to public lacking (RCED-94-190)" rept. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/01. GLENN,J. Senate. 1p. 82259:170-82259:170.
- 9501090077 Forwards final rule to be published in FR that amends 10CFR32, "Specific Domestic Licenses to Mfg or Transfer Certain Items Containing Byproduct Matl," for signature. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/12/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 82235:303-82235:321.
- 9501090083 Forwards notice of final rulemaking to be published in FR. Informs that 10CFR32 establishes licenses for distribution of byproduct matl. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/12/28. SHARP,P.R. House of Rep., Energy & Commerce. LEHMAN,R.H. House of Rep. LIEBERMAN,J. House of Rep., Environment & Public Works. 8pp. 82235:315-82235:321.
- 9501090107 Provides semiannual cost beneficial licensing action status rept,per SECY-94-003. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 82259:286-82259:291.
- 9501100187 General distribution "Review," Vol 3,Number 6,Nov/Dec 1994. \* Institute of Nuclear Power Operations. 94/12/31. 12pp. 82270:350-82270:362.
- 9501100200 General distribution Rev 1 to ACAD 91-017, "Guidelines for Training & Qualification of Engineering Support Personnel." \* Institute of Nuclear Power Operations. \* National Academy for Nuclear Training. 94/12/31. 30pp. 82271:001-82271:028.
- 9501100208 Forwards eighth quarterly rept on status of Thermo-Lag action plan. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/30. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 1p. 82283:086-82283:089.
- 9501100211 "Thermo-Lag Action Plan Eighth Quarterly Status Rept." \* Plant Systems Branch. 94/12/16. 13pp. 82283:087-82283:099.
- 9501100344 Responds to fax re reduction in CAMP membership fees & informs that circumstances exist related to original Bilateral Agreement dtd 930406 & negotiations w/KEMA that prohibit fee reduction for reasons listed. SOLBERG,D.E. Office of Nuclear Regulatory Research (860720-941217). 94/12/14. STOOP,P.M. Netherlands, Govt. of. 2pp. 82303:240-82303:242.
- 9501100345 Requests opportunity to discuss details of total cash contribution to CAMP Program after KEMA participation in order to enable agreement to be made w/ KEMA by end of yr. STOOP,P.M. Netherlands, Govt. of. 94/12/05. CORTEZ,J.L. NRC - No Detailed Affiliation Given. 1p. 82303:242-82303:242.
- 9501100350 NRC Info Notice 95-002, "Problems W/GE CR2940 Contact Blocks in Medium-Voltage Circuit Breakers." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. Consolidated Edison Co. of New York, Inc. 12pp. 82436:069-82436:081.
- 9501110002 Notification of mgt meeting w/DOE in Rockville,MD on 950120 to discuss agency interactions & DOE proposed schedule for multi-purpose canister re certification for storage & transportation. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/06. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82295:322-82295:323.
- 9501110412 NRC Info Notice 95-003, "Loss of Reactor Coolant Inventory & Potential Loss of Emergency Mitigation Functions While in Shutdown Condition." GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). IEIN-91-042. 95/01/18. Consolidated Edison Co. of New York, Inc. 10pp. 82436:082-82436:091.
- 9501110425 Forwards announcement from OECD Nuclear Energy Agency re forthcoming specialist meeting on transient behavior of high burnup fuel in Cadarache,FR on 950912-14. MEYER,R.O. Office of Nuclear Regulatory Research (Post 941217). 94/12/23. BERNA,G.A. Idaho National Engineering Laboratory. 14pp. 82297:202-82297:213.
- 9501120008 NRC Info Notice 95-004, "Excessive Cooledown & Depressurization of RCS Following Loss of Offsite Power." GRIMES,B.K. . 95/01/19. Consolidated Edison Co. of New York, Inc. 13pp. 82436:092-82436:104.
- 9501120037 NRC Info Notice 95-005, "Undervoltage Protection Relay Settings Out of Tolerance due to Test Equipment Harmonics." GRIMES,B.K. . 95/01/20. Consolidated Edison Co. of New York, Inc. 8pp. 82436:105-82436:112.
- 9501120187 Informs that NRC in need of data to be used to validate submodels & computer codes used for environ transport calculations in support of decommissioning & LLW programs. GLENN,J.E. Division of Waste Management (NMSS 940403). 94/12/19. COOL,D.A. Radiation Protection & Health Effects Branch (870413-941217). 1p. 82305:021-82305:021.
- 9501120191 Ack receipt of 941212 postcards addressed to Chairman I Selin & WT Ruse-sell requesting immediate shutdown of all nuclear reactors using Thermo-Lag fire barrier matl.Forwards pamphlet on 2.206 process.W/o encl. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2.206. 95/01/03. LINDE,K. Affiliation Not Assigned. 2pp. 82310:335-82310:336.
- 9501120195 Discusses U contamination found in sludge ash lagoon onsite at Kiski Valley Water Pollution Control Authority & meeting w/NRC on 940929. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/23. KOSSAK,R. Kiski Valley, PA. 4pp. 82333:357-82333:360.
- 9501120232 Informs of cost ineffectiveness of providing routine mailings to general public & that separate mailings limited to principal individuals for which correspondence directly pertains. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/04. LEWIS,M. Affiliation Not Assigned. 1p. 82305:025-82305:025.
- 9501120258 Transcript of 941219 DOE public briefing on status of HLW program.Pp 1-50. \* NRC - No Detailed Affiliation Given. 94/12/19. 82pp. 82314:206-82314:291.
- 9501120313 Forwards final exercise rept for 940504 exercise of offsite radiological emergency response plan for plant.Informs no deficiencies discovered & two areas requiring C/A have been attended to.Note IL response plan in effect. HEPLER,O.M. Federal Emergency Management Agency. 94/10/07. CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). 1p. 82305:243-82305:355.
- 9501120320 "Exercise Rept,Clinton Nuclear Power Station Joint Radiological Emergency Preparedness Exercise." \* Federal Emergency Management Agency. 94/09/14. 112pp. 82305:244-82305:355.
- 9501170170 Forwards FR notice for public meeting on standard TS rev 1, on Jan 30,1995 in Rockville,MD. GRIMES,C.I. . 94/12/29. WIGGINTON,S. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82323:237-82323:240.
- 9501170172 FR notice for public meeting on standard TS rev 1, on 950130 in Rockville,MD. GRIMES,C.I. . 94/12/29. 2pp. 82323:239-82323:240.
- 9501180044 Forwards 941117 ltr transmitting FEMA final rept for 930915 joint exercise offsite radiological emergency response plans for plant.No deficiencies noted. CLINE,W.E. Region 2 (Post 820201). 95/01/10. BECKHAM,J.T. Georgia Power Co. 3pp. 82324:355-82324:357.
- 9501180264 Informs that paper "Adoption of New Design Features for Next Generation Nuclear Reactors" reviewed & that no comments exist in response to 941222 ltr to Chairman. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/11. TONG,L.S. Affiliation Not Assigned. 1p. 82338:122-82338:122.
- 9501180294 Request for OMB review & supporting statement re NRC Forms 542,542A,541,541A,540 & 541A, "Uniform Low-Level Radioactive Waste Manifest Index & Regional Compact Tabulation & Continuation Page." Estimated respondent burden is 260 h. CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0165. 95/01/09. 115pp. 82379:001-82379:123.

9501180302 Forwards latest performance indicator rept re data through Sept 1994. MAYS,S.E. Division of Safety Programs (Post 870413). 95/01/04. SHELTON,B.J. Information & Records Management Branch (Post 890827). 1p. 82337:001-82338:120.

-9501180309 Parts I & II to "Performance Indicators for Operating Commercial Nuclear Power Reactors.Data Through Sept 1994."  
\* Office for Analysis & Evaluation of Operational Data, Director. 95/01/04. 250pp. 82337:002-82338:120.

9501190091 NRC Info Notice 95-006, "Potential Blockage of Safety- Related Strainers by Matl Brought Inside Containment."  
GRIMES,B.K. . IEIN-93-057. 95/01/25. Consolidated Edison Co. of New York, Inc. 11pp. 82436:113-82436:123.

9501230243 Responds to 941116 ltr & provides updated info re 1995-96 Congressional Directory to be published early in 1995.  
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/12/12. CHAMBERS,A.B. Congress, Joint Committee on Printing. 5pp. 82504:100-82504:104.

9501240115 Forwards FEMA correspondence,dtd 941214 notifying state of WI of two deficiencies re plant emergency preparedness exercise conducted on 941206.Ack that C/A to be demonstrated at full participation exercise on 950426.  
MCCORMICK-BARGE Region 3 (Post 820201). 95/01/14. LINK,R. Wisconsin Electric Power Co. 3pp. 82420:076-82420:078.

9501240226 NRC Info Notice 95-008, "Inaccurate Data Obtained W/Clamp-On Ultrasonic Flow Measurement Instruments."  
GRIMES,B.K. Office of Nuclear Reactor Regulation (Post 941001). 95/01/30. Consolidated Edison Co. of New York, Inc. 12pp. 82605:047-82605:058.

9501250168 Forwards computer diskettes containing revised PWR operator computerized generic fundamentals exam bank & BWR operator computerized generic fundamentals exam bank.Instructions for accessing banks also encl.W/o diskettes.  
SUBALUSKY,W.T. National Academy for Nuclear Training. 95/01/12. BOGER,B.A. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82514:290-82514:293.

9501260122 Informs that NRC sent encl proposed amend to Commission rules in 10CFR11 & 25 consistent w/Natl Performance Review initiatives to FR for publication.W/o encl.  
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/12/29. LEHMAN,R.H. House of Rep. SHARP,P. House of Rep., Energy & Commerce. LIEBERMAN,J. Senate, Environment & Public Works. 3pp. 82523:239-82523:242.

9501260154 Informs that NRC sent proposed amends to Commission rules in 10CFR20,30,40,61,70 & 72 to FR for publication.Amend if adopted address situations whereby licensee terminates licensed activities or licensed activities transferred.  
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 94/12/28. LEHMAN,R.H. House of Rep. SHARP,P.R. House of Rep., Energy & Commerce. LIEBERMAN,J.J. Senate, Environment & Public Works. 5pp. 82523:205-82523:210.

9501260361 Forwards ofc ltr number 9.27 re delegation of signature authority in NRC per 941002 reorganization.  
INGRAM,R. Office of Nuclear Reactor Regulation (Post 941001). NRRL-9.27. 95/01/19. Office of Nuclear Reactor Regulation (Post 941001). 17pp. 82513:309-82513:325.

9501270017 Expresses appreciation for time spent at 941213 meeting re functions during routine & emergency conditions & extends invitation to visit Regional Incident Response Ctr & observe activation during future exercise.  
HEHL,C.W. Region 1 (Post 820201). 95/01/18. ELISA,L. Federal Emergency Management Agency. 2pp. 82488:245-82488:246.

9501270081 Responds to 950118 ltr & 950119 telcon re justification for endurance test.Requests addl info as outlined in order to complete review & make determination whether drive cable would meet endurance test of 20,000 cycles w/o failure.  
RICH,T.W. Source Containment & Devices Branch (Post 911213). 95/01/23. KRZANIAK,M. Nordion International, Inc. 2pp. 82490:172-82490:173.

9501270084 Forwards addl documents re potassium iodide that should be placed in PDR.W/o encl.  
ADER,C.E. Severe Accident Issues Branch (880717-941217). 94/12/06. YEATS,E. Public Document Branch. 1p. 82525:296-82525:296.

9501270319 Informs that future technical interaction on plant license renewal activities will be w/R Parkhill,effective immediately.  
BRADY,R.E. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). FIN L-1540. 95/01/17. CHRISTENSEN,J.A. Affiliation Not Assigned. 1p. 82525:323-82525:323.

9501300085 Responds to 941122 ltr re maint rule & staff presentations on periodic verification of operability of MOVs.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). GL-89-10. 95/01/20. SNIJEZEK,J.H. Affiliation Not Assigned. 2pp. 82542:104-82542:105.

9501310035 Expresses appreciation for opportunity to meet w/staff on 941212.Informs of meeting being informative & beneficial to NRC in better understanding FEMA organization & functions during routine & emergency conditions.  
SHANKMAN,S.F. Region 1 (Post 820201). 95/01/20. MEYNINGER,R. Federal Emergency Management Agency. 2pp. 82528:120-82528:121.

9501310074 Forwards "Survey of State & Tribal Emergency Response Capabilities for Radiological Transportation Incidents." NUREG/CR-5399, Feb 1990 & "US NRC Info Digest,1994 Edition." NUREG-1350, Vol 6, Mar 1994, for info.  
VIRGLIO,R.O. Office of State Programs (Post 911117). 95/01/25. WILLIAMS,T. Environmental Protection Agency. 2pp. 82529:014-82529:015.

9501310238 Forwards encl list of notices of enforcement discretion & NRC Insp Manual.W/o encl.  
DEMBEK,S. Project Directorate II-1 (PD2-1) (Post 941001). 95/01/25. LEWIS,M. Lewis, M. 1p. 82562:033-82562:033.

9501310313 Forwards announcement re forthcoming specialist meeting on transient behavior of high burnup fuel.  
MEYER,R.O. Reactor & Plant Systems Branch (Post 941217). 95/01/23. RASHID,Y.R. ANATECH Research Corp. 12pp. 82605:216-82605:226.

9501310323 Discusses 950106 ltr requesting that EPA conduct formal review of draft, "White Paper on Risk Harmonization." Comments on paper requested.  
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 95/01/15. GREENWOOD,M.R., MARTONIK,J.F. Affiliation Not Assigned. BRUSH,P.N. Energy, Dept. of. 3pp. 82577:001-82577:003.

9501310361 Package consisting of Paperwork Reduction Act submission re "Criteria for Agreement State Assumption of Regulatory Authority" & "...Review of Agreement State Radiation Control Programs."  
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/01/26. 68pp. 82558:169-82558:251.

PR PROPOSED RULE

9501040077 Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
JUDD,C.A. Envirocare, Inc. 59FR43200 00034. 94/12/19. Docketing & Services Branch. 1p. 82174:040-82174:040.

9501040079 Comment re proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
CAREY,C. Affiliation Not Assigned. 59FR43200 00042. 94/12/17. Docketing & Services Branch. 5pp. 82173:357-82173:361.

9501040080 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.Urges Commission to reconsider proposed rulemaking on radiological criteria for decommissioning.  
LOYSEN,P. Affiliation Not Assigned. 59FR43200 00039. 94/12/20. Docketing & Services Branch. 1p. 82174:041-82174:041.

9501040081 Comment opposing proposed rule 10CFR50 re shutdown & low power operation for NPP.  
DEWEASE,J.G. Entergy Operations, Inc. 59FR52707 00005. 94/12/21. CHILK,S.J. Office of the Secretary of the Commission. 9pp. 82173:348-82173:356.

9501040082 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
KING,J.O. Affiliation Not Assigned. 59FR43200 00045. 94/12/27. Docketing & Services Branch. 1p. 82174:042-82174:042.

9501040084 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of land & structures.  
MEDDICK,S.L., REMINGTON,S.A. Affiliation Not Assigned. 59FR43200 00027. 94/12/05. Docketing & Services Branch. 3pp. 82174:043-82174:045.

9501040085 Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
HOUSE,W.B. Chem-Nuclear Systems, Inc. 59FR43200 00043. 94/12/20. Docketing & Services Branch. 3pp. 82174:046-82174:048.

9501040086 Comment opposing proposed rule 10CFR61 re land ownership requirements for LLW sites.  
WARREN,J. . 59FR39485 00050. 94/12/16. Docketing & Services Branch. 1p. 82174:049-82174:049.

9501040087 Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
LEWIS,M.I. Affiliation Not Assigned. 59FR43200 00046. 94/12/18. Office of the Secretary of the Commission. 3pp. 82174:050-82174:052.

9501040088 Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.Recommends that NRC abandon "separate regulatory action" approach in favor of integrated analysis approach.  
LOUX,R.R. Nevada, State of. 59FR43200 00040. 94/12/19. Docketing & Services Branch. 11pp. 82174:053-82174:063.

9501040090 Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
LOOMIS,M. Wyoming Mining Association. 59FR43200 00033. 94/12/15. Docketing & Services Branch. 6pp. 82174:065-82174:070.

9501040091 Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
GLEASON,E.J. New York, State of. 59FR43200 00036. 94/12/20. HOYLE Office of the Secretary of the Commission. 5pp. 82174:071-82174:075.

9501040093 Comment re proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
LEVIN,R. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 59FR43200 00044. 94/12/22. Docketing & Services Branch. 7pp. 82174:076-82174:082.

9501040094 Comment supporting proposed rule 10CFR50 re shutdown safety issues.  
PINELLI,R.A. BWR Owners Group. 59FR52707 00006. 94/12/23. Docketing & Services Branch. 31pp. 82174:083-82174:113.

9501040095 Comments on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
BRUCHMANN,G.W. Michigan, State of. 59FR43200 00030. 94/12/15. Office of the Secretary of the Commission. 3pp. 82174:114-82174:116.

9501040096 Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.Recommends that NRC modify proposed rule to require that licensees provide info on waste minimization.  
JONES,R.A. Affiliation Not Assigned. 59FR43200 00041. 94/12/20. Docketing & Services Branch. 6pp. 82174:117-82174:122.

9501040098 Comment supporting proposed rule 10CFR50 re shutdown & low power operations for Nuclear Power Reactors.  
BOHLKE,W.H. Florida Power & Light Co. 59FR52707 00007. 94/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 82174:131-82174:132.

## 224 NONDOCKETED ITEMS

- 9501040099** Forwards revised page to previous comments on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. CAREY,C. Affiliation Not Assigned. 59FR43200. 94/12/20. NRC - No Detailed Affiliation Given. 5pp. 82174:133-82174:137.
- 9501040104** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. MASSEY,B.A. Affiliation Not Assigned. 59FR43200 00031. 94/12/19. Docketing & Services Branch. 6pp. 82174:144-82174:149.
- 9501040105** Comment opposing proposed rules 10CFR20,30,40,51,70 & 72 re radiological criteria for decommissioning of lands & structures. RUPERT,C. Affiliation Not Assigned. 59FR43200 00037. 94/12/16. NRC - No Detailed Affiliation Given. 4pp. 82174:150-82174:153.
- 9501040109** Comments on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. LUMA,A.H. Affiliation Not Assigned. 59FR43200 00032. 94/12/12. Docketing & Services Branch. 1p. 82174:154-82174:154.
- 9501040111** Comment opposing proposed rules 10CFR2,51 & 54 re NPP license renewal. TOSCH,B. New Jersey, State of. 59FR46574 00039. 94/12/06. Document Control Branch (Document Control Desk). 3pp. 82174:155-82174:157.
- 9501040117** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. ABELQUIST,E.W. Oak Ridge Associated Universities. 59FR43200 00035. 94/12/19. Docketing & Services Branch. 4pp. 82174:161-82174:164.
- 9501040119** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. NOSENCHUCK,N. New York, State of. 59FR43200 00028. 94/12/16. HOYLE,J.C. Docketing & Services Branch. 3pp. 82174:165-82174:167.
- 9501040123** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. GOODMAN,M. Mid-Island Radiation Alert. 59FR43200 00029. 94/12/15. Docketing & Services Branch. 1p. 82174:168-82174:168.
- 9501040135** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for NP reactors. Believes that many aspects of PR & impact upon plant outages have not been given sufficient attention to permit implementation w/o hardships. NEWTON,R.A. Westinghouse Operating Plants Owners Group. 59FR52707 00008. 94/12/27. Docketing & Services Branch. 6pp. 82174:172-82174:235.
- 9501040136** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 59FR43200 00038. 94/12/20. Docketing & Services Branch. 2pp. 82174:236-82174:237.
- 9501040142** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for NP reactors. As addressed in previous correspondence, believes NRC Staff analysis flawed & that true cost benefit much larger than backfit criterion listed. HUTCHINSON,J.J. C-E Operating Plants Owners Group. 59FR52707 00009. 94/12/28. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 82174:238-82174:242.
- 9501040152** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for NP reactors. Recently, NP industry focused resources on outage planning & control as result of own interest in reducing number of shutdown events. SIMPKIN,T.W. Commonwealth Edison Co. 59FR52707 00010. 94/12/28. Docketing & Services Branch. 11pp. 82174:243-82174:253.
- 9501090059** Forwards index & documents for regulatory history file AF18-1, re proposed rules 10CFR50,55 & 73, "Reduction of Reporting Requirements Imposed on NRC Licensees." FR encl. Encl available in Central Files. TANIUS,N.S. Office of Nuclear Regulatory Research (Post 941217). AF18-1 001. 94/12/23. LANHAM,D.H. Office of Information Resources Management (Post 890205). 6pp. 82278:316-82278:321.
- 9501110237** Comment on proposed rule 10CFR2 re NRC size stds. Requests that NRC consider evaluating gross receipts of dept within medical facility that utilize svcs of NRC & not overall receipts of licensee. MCCARTNEY,W.H. American College of Nuclear Physicians. CONWAY,J.J. Society of Nuclear Medicine. 59FR61293 00001. 94/12/28. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 82271:303-82271:304.
- 9501120005** Comments on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. ORTCIGER,T.W. Illinois, State of. 59FR3429 00058. 94/11/30. BANGART,R.L. Office of State Programs (Post 911117). 21pp. 82279:009-82279:029.
- 9501120006** Comment supporting proposed rules 10CFR34 & 150 re requirement for both qualified radiographer & assistant radiographer at radiography job site. ROUGHAN,C. Affiliation Not Assigned. 59FR3429 00059. 95/01/04. TROTTIER,C. Docketing & Services Branch. 5pp. 82279:030-82279:034.
- 9501120011** "List of Approved SF Storage Casks: Addition." TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR28496. 94/12/15. 93pp. 82279:037-82279:129.
- 9501120014** Comments on proposal to change proficiency testing portion of NVLAP accreditation program for personnel dosimetry. PLATO,P. Affiliation Not Assigned. 59FR61906 00001. 94/12/24. Docketing & Services Branch. 3pp. 82279:135-82279:137.
- 9501120017** Comment opposing proposed rule 10CFR2 re reexamination of NRC enforcement policy. LEWIS,M.J. Affiliation Not Assigned. 59FR60697 00005. 94/10/02. MYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82279:155-82279:156.
- 9501120018** Comment on proposed rule 10CFR21 re procurement of commercial grade items by nuclear power plant licensees. Supports petition submitted by NUMARC on 930622. NRC & industry should cooperate to preclude misinterpretations. ATKINS,H.L. Duke Power Co. 59FR53372 00004. 95/01/06. Docketing & Services Branch. 2pp. 82279:157-82279:158.
- 9501120019** Comment supporting proposed rule 10CFR50,55 & 73 re reduction of reporting requirements imposed on NRC licensees. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 59FR54843 00007. 94/12/21. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82279:159-82279:160.
- 9501120021** Comment supporting proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. GOODMAN,L.S. Detroit Edison Co. 59FR53372 00005. 95/01/09. Office of the Secretary of the Commission. 2pp. 82279:161-82279:162.
- 9501120029** Comment supporting proposed rule 10CFR2 re policy statement rev. "Policy & Procedure for Enforcement Actions; Policy Statement, Discrimination." BOHLKE,W.H. Florida Power & Light Co. 59FR60697 00003. 94/12/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 82279:189-82279:189.
- 9501120030** Comment on proposed rule 10CFR72 re horizontal modular storage sys to list of approved SF storage casks. Withdraws comments submitted w/940816 ltr due to derogatory statements made toward NRC w/o author full knowledge. OWER,R.E. Ohio, State of. 59FR28496. 94/11/23. Docketing & Services Branch. 2pp. 82279:190-82279:191.
- 9501120032** Comments on proposed rule 10CFR50,52 & 100 re reactor site criteria. Recommends that low population zone requirements be eliminated & replaced by measurable safety std. ADAMS,R. Affiliation Not Assigned. 59FR52255 00001. 94/12/13. Docketing & Services Branch. 3pp. 82279:192-82279:194.
- 9501120033** Comment supporting proposed rule 10CFR50,55 & 73 re "Reduction of Reporting Requirements Imposed on NRC Licensees." BEMIS,P.R. Washington Public Power Supply System. 59FR54843 00006. 94/12/19. Docketing & Services Branch. 1p. 82279:195-82279:195.
- 9501120035** Comment supporting proposed rules 10CFR2,51 & 54 re NPP license renewal. Util of belief that proposed rev reflect positive effort towards establishing regulatory process requirements for continued operation of nuclear facilities. LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 59FR46574 00041. 95/01/03. Docketing & Services Branch. 2pp. 82279:198-82279:199.
- 9501120036** Comments on proposed rule 10CFR50,52 & 100 re reactor site criteria. Requests extended comment period to properly reflect need for availability of draft guidance to support public comment period of 120 days. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255. 94/12/22. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 82279:200-82279:201.
- 9501120038** Comment supporting proposed rule 10CFR21 re alleviating current regulatory problems associated w/procurement & dedication of commercial grade items for nuclear safety-related applications. LINK,B. Wisconsin Electric Power Co. 59FR53372 00002. 94/12/23. Docketing & Services Branch. 3pp. 82279:202-82279:204.
- 9501120040** Comment supporting proposed rule 10CFR50,55 & 73 re "Reduction of Reporting Requirements Imposed on NRC Licensees." MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 59FR54843 00005. 94/12/22. Docketing & Services Branch. 2pp. 82279:206-82279:207.
- 9501120042** Comment supporting proposed rules 10CFR2,51 & 54 re NPP license renewal. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR46574 00042. 94/12/19. Docketing & Services Branch. 1p. 82279:221-82279:221.
- 9501120045** Comment opposing proposed rule 10CFR2 re rev to enforcement policy. REYNOLDS,N.S. Winston & Strawn. 59FR60697 00004. 94/12/29. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 82279:227-82279:232.
- 9501120046** Comments on proposed rules 10CFR50,52 & 100 re reactor site criteria. Believes that 120 day comment period reasonable only when draft regulatory documents also become available for public comment. MUNTZING,L.M. Morgan, Lewis & Bockius. 59FR52255. 95/01/04. CHILK,S.J. Office of the Secretary of the Commission. CHILK,S.J. Docketing & Services Branch. 2pp. 82279:233-82279:234.
- 9501120047** Comment on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. Recommends deletion of requirement to maintain records of estimates of exposure. BECKMAN,W.L. Consumers Power Co. 59FR9429 00060. 94/12/29. Docketing & Services Branch. 5pp. 82279:235-82279:239.
- 9501120053** Comment supporting proposed rule 10CFR21 re change to expand definition of commercial grade items to become more accurate as more vendors drop nuclear programs. HARRINGTON,M. Affiliation Not Assigned. 59FR53372 00003. 95/01/04. Docketing & Services Branch. 2pp. 82279:298-82279:299.
- 9501120071** Comment opposing proposed rules 10CFR20,30,40,50,51,70, & 72 re radiological criteria for decommissioning of lands & structures. LAWS,R.M. Affiliation Not Assigned. 59FR43200 00047. 95/01/09. Docketing & Services Branch. 2pp. 82279:359-82279:360.
- 9501120076** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of land & structures. FLORSHEIM,F.P. Affiliation Not Assigned. 59FR43200 00048. 95/01/06. CHILK Office of the Secretary of the Commission. 1p. 82280:044-82280:044.
- 9501120078** Comment on proposed rule 10CFR2 re whistleblower protection. NRC should delay implementation of rev until public comments considered. EDGAR,G.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). EDGAR,G.L. Florida Power & Light Co. EDGAR,G.L. Texas Utilities Electric Co. (TU Electric). 59FR60697 00001. 94/12/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 82280:045-82280:052.
- 9501120081** Comment opposing proposed rule 10CFR2 on NRC amends to general statement of policy & procedure for EA. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR60697 00002. 94/12/28. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 82280:053-82280:058.



**9501120085** Provides addl comments on proposed rev to 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. NRC should make better use of advice from more experienced state regulatory programs. COLLINS, S.C. Illinois, State of. 59FR9429. 95/01/05. TROTTER, C.A. Office of Nuclear Regulatory Research (Post 941217). 5pp. 82290:060-82280:064.

**9501120171** Forwards public comment on 10CFR54 proposed rulemaking re license renewal. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/06. BLAHA, J.L. Assistant for Operations (Post 890205). 1p. 82305:020-82305:020.

**9501130093** Comment opposing draft final rules 10CFR30,32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Medicine for Medical Use." MARCUS, C.S. California, Univ. of, Los Angeles, CA. 58FR33396. 94/11/04. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 13pp. 82299:001-82299:013.

**9501130094** Comment supporting comments & positions submitted by NUMARC & WOG re proposed rulemaking package 10CFR50, "Shutdown & Low Power Operations for Nuclear Power Reactors." FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 59FR52707 00027. 95/01/03. Docketing & Services Branch. 5pp. 82298:355-82298:359.

**9501130098** Comment supporting proposed rule 10CFR50 re fracture toughness requirements for light water reactor pressure vessels. PARRISH, J.V. Washington Public Power Supply System. 59FR50513 00007. 95/01/05. Docketing & Services Branch. 2pp. 82299:014-82299:015.

**9501130101** Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactor proposed rule. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 59FR52707 00023. 95/01/04. CHILK, S.J. Office of the Secretary of the Commission. 11pp. 82299:016-82299:026.

**9501130104** Comment supporting proposed rule 10CFR50 re fracture toughness requirements for light water reactor pressure vessels. REYNOLDS, N.S. Winston & Strawn. 59FR50513 00004. 95/01/03. Docketing & Services Branch. 4pp. 82299:027-82299:031.

**9501130106** Comment opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactors. Util belief that proposed rule will unnecessarily impact costs & outage duration w/o commensurate increase in protection of public. PARRISH, J.V. Washington Public Power Supply System. 59FR52707 00026. 95/01/05. Docketing & Services Branch. 3pp. 82299:032-82299:034.

**9501130108** Comment on proposed changes to reactor pressure vessel integrity rule 10CFR50. Endorses NEI comments. RUEGER, G.M. Pacific Gas & Electric Co. 59FR50513 00005. 95/01/03. Docketing & Services Branch. 3pp. 82299:035-82299:037.

**9501130109** Comments on proposed rules 10CFR34 & 150 re proposed industrial radiography rules. RATLIFF, R.A. Texas, State of. 59FR9429. 94/12/29. TROTTER, C.A. NRC - No Detailed Affiliation Given. 2pp. 82299:038-82299:039.

**9501130111** Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. Supports comments submitted by NEI & Combustion Engineering Owners Group. DENTON, R.E. Baltimore Gas & Electric Co. 59FR52707 00024. 95/01/04. Docketing & Services Branch. 2pp. 82299:040-82299:041.

**9501130113** Comment supporting proposed rule 10CFR50 re shutdown & low power operations for NP reactors. Expresses concern over basis for PR not recognizing improvements in outage planning, flawed regulatory analysis & unneeded restrictions. SCHROCK, C.A. Wisconsin Public Service Corp. 59FR52707 00019. 95/01/03. Docketing & Services Branch. 7pp. 82299:042-82299:048.

**9501130114** Comment opposing proposed rule 10CFR50 re shutdown & low-power operations for nuclear power reactors. STETZ, J.P. Centenor Service Co. 59FR52707 00025. 95/01/04. Document Control Branch (Document Control Desk). 3pp. 82299:049-82299:051.

**9501130116** Comments on proposed rules 10CFR34 & 150 re mandatory radiographer certification. SCROGGS, A.C. Washington, State of. 59FR9429 00061. 94/12/29. GLENN, J.E. Office of Nuclear Material Safety & Safeguards. 2pp. 82299:052-82299:053.

**9501130118** Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels. Proposed rule should be revised prior to issuance to contain only requirements essential to regulate reactor pressure vessel embrittlement. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55901 00003. 95/01/03. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 82299:054-82299:088.

**9501130121** Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis, as PR will extend refueling outages at all plants. ANDERSEN, R.O. Northern States Power Co. 59FR52707 00020. 94/12/30. Docketing & Services Branch. 2pp. 82299:089-82299:090.

**9501130121** Comment re proposed rule 10CFR50 re low power operations for NP reactors. Util believes that PR will have higher impact than described in regulatory analysis, as PR will extend refueling outages at all plants. ANDERSEN, R.O. Northern States Power Co. 59FR52707 00020. 94/12/30. Office of the Secretary of the Commission. 2pp. 82299:089-82299:090.

**9501130122** Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels. Endorses NEI comments & recommendations. BOHLKE, W.H. Florida Power & Light Co. 59FR50513 00006. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 82299:091-82299:092.

**9501130123** Proposed rules 10CFR20,30,40,61,70 & 72 re recordkeeping requirements. Proposed rules would require licensees to transfer certain records when licensee activities terminated or activities transferred to another licensee. MILHOAN, J.L. Ofc of the Executive Director for Operations. 59FR66814. 94/12/12. 23pp. 82299:093-82299:115.

**9501130125** Correction to final rules 10CFR30,32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use." Action corrects language in preamble to reflect regulatory text & remove obsolete cross-ref. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 58FR33396. 94/12/13. 2pp. 82299:116-82299:117.

**9501130126** Comments opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactors. SANFORD, M.O. Tennessee Valley Authority. 59FR52707 00012. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82299:118-82299:118.

**9501130130** Comment opposing proposed rule 10CFR21 re dedication process & definition of "commercial grade item," issues of significance for industry & would appreciate NRC careful consideration of listed comments. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR53372 00006. 95/01/09. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 82299:132-82299:136.

**9501130133** Rev to final rules 10CFR30,32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use." Action necessary following reconsideration by NRC re info to be included on labels for radioactive drugs. THOMPSON, H.L. Ofc of the Executive Director for Operations. 58FR33396. 94/12/28. 13pp. 82299:119-82299:131.

**9501130134** Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels. Endorses NEI comments. Agrees w/NEI that intent of data scatter credibility criterion (c)(2)(i)(C) needs to be defined. DENTON, R.E. Baltimore Gas & Electric Co. 59FR50513 00002. 95/01/03. HOYLE, J.C. Office of the Secretary of the Commission. 4pp. 82299:137-82299:140.

**9501130136** Comments opposing proposed rule 10CFR50 re shutdown & low power operation for nuclear power reactor. WIDELL, R.C. Florida Power Corp. 59FR52707 00013. 94/12/29. HOYLE, J.C. Office of the Secretary of the Commission. 8pp. 82299:141-82299:147.

**9501130137** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for NP reactors. Proposed changes would impose significant burden on licensees since plant mods, procedures & TS would need to be changed & implemented. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR52707 00021. 95/01/03. CHILK, S.J. Office of the Secretary of the Commission. CHILK, S.J. Docketing & Services Branch. 2pp. 82299:148-82299:149.

**9501130138** Comment supporting proposed rule to amend 10CFR21 on procurement of commercial grade items by NPP licensees. SILBERG, J.E. Shaw, Pittman, Potts & Trowbridge. 59FR53372 00007. 95/01/09. Docketing & Services Branch. 3pp. 82299:150-82299:152.

**9501130141** Final rule 10CFR30,32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use," providing authorized users greater discretion to prepare radioactive drugs w/byproduct matl. HOYLE, J.C. Office of the Secretary of the Commission. 58FR33396. 94/11/25. 99pp. 82299:153-82299:251.

**9501130142** Comment opposing proposed rule 10CFR50 re shutdown & low power operations. Believes that PR totally unnecessary & represents addl regulatory burden not fully cost justified. TAYLOR, G.J. South Carolina Electric & Gas Co. 59FR52707 00022. 95/01/03. Docketing & Services Branch. 3pp. 82299:252-82299:254.

**9501130150** Comment supporting proposed rule 10CFR50 re fracture toughness requirements for light water reactor pressure vessels. HIATT, S.L. Ohio Citizens for Responsible Energy. 59FR50513 00001. 94/12/29. NRC - No Detailed Affiliation Given. 6pp. 82299:255-82299:260.

**9501130151** Comments opposing proposed rule 10CFR50 re shutdown & low power operations for Nuclear Power Reactors. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 59FR52707 00014. 94/12/30. Document Control Branch (Document Control Desk). 4pp. 82299:261-82299:264.

**9501130157** Comment supporting proposed rule 10CFR50 re shutdown & lower power operations for nuclear reactors. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 59FR52707 00011. 94/12/27. Docketing & Services Branch. 5pp. 82299:265-82299:269.

**9501130158** Ack ltr dtd 941104 commenting on proposed rule 10CFR30,32 & 35, "Preparation, Transfer for Commercial Distribution & Use of Byproduct Matl for Medical Use." Comments identified two changes put into language of final rule. TSE, A.N. Office of Nuclear Regulatory Research (860720-941217). 58FR33396. 94/11/22. MARCUS, C.S. Univ. of California, Los Angeles, School of Medicine, Los Angeles, CA. 1p. 82299:270-82299:270.

**9501130160** Comment opposing proposed rule 10CFR50 re shutdown & low power operation for Nuclear Power Reactors. RUEGER, G.M. Pacific Gas & Electric Co. 59FR52707 00015. 94/12/30. Docketing & Services Branch. 335pp. 82298:008-82298:342.

**9501130172** Comment supporting proposed rule 10CFR50 re "Shutdown & Low-Power Operations for Nuclear Power Plants." STENGER, D.F. Winston & Strawn. 59FR52707 00016. 95/01/03. Docketing & Services Branch. 11pp. 82299:271-82299:281.

**9501130177** Comment supporting proposed rule 10CFR50 re "Shutdown & Low-Power Operations for Nuclear Power Reactors." MECREY, R.C. Rochester Gas & Electric Corp. 59FR52707 00017. 95/01/03. Docketing & Services Branch. 9pp. 82299:282-82299:290.

**9501130180** Comment supporting proposed rule 10CFR50 re "Shutdown & Low-Power Operations for Power Reactors." HIATT, S.L. Ohio Citizens for Responsible Energy. 59FR52707 00018. 95/01/03. Docketing & Services Branch. 2pp. 82299:291-82299:292.

**9501180174** Comment on potential mod of NRC medical therapy regulations. Informs that error tolerance for overdose different than underdose. SCHUBERT, E.S., LAM, W. Medical Center of Delaware, Newark, DE (formerly Wilmington Medical Center). 59FR5068 00004. 94/12/27. NRC - No Detailed Affiliation Given. 5pp. 82326:221-82326:225.



## 226 NONDOCKETED ITEMS

- 9501190001** Comment opposing proposed rule 10CFR50 re shutdown & low power operations for nuclear power reactors. Util concurs w/ comments of Westinghouse & NEI. THOMAS, G.S. Duquesne Light Co. 59FR52707 00030. 95/01/11. Docketing & Services Branch. 1p. 82335:001-82335:001.
- 9501190002** Comment opposing proposed rule amending 10CFR21 to clarify & add flexibility to process of procuring commercial grade items for safety-related svc by NPP licensees. BOULETTE, E.T. Boston Edison Co. 59FR53372 00010. 95/01/09. Docketing & Services Branch. 3pp. 82335:002-82335:004.
- 9501190004** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. FERDINAND, B. Rio Algom Mining Corp. 59FR43200 00049. 95/01/17. Docketing & Services Branch. 44pp. 82335:005-82335:050.
- 9501190005** Comment supporting proposed rule 10CFR50 re shutdown & low power operations for NP reactors. All util outages currently controlled by defense in depth philosophy implemented by operations & work control group. JONBLE, D. Detroit Edison Co. 59FR52707 00029. 95/01/11. Docketing & Services Branch. 5pp. 82335:051-82335:055.
- 9501190006** Comment on proposed rule 10CFR50 re shutdown & low-power operations for nuclear power plants. Util strongly endorses comments sent separately to NRC by NEI & Westinghouse Owners Group. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 59FR52707 00028. 95/01/06. Docketing & Services Branch. 8pp. 82335:056-82335:063.
- 9501190008** Comment on proposed rule 10CFR21 re procurement of commercial grade items by nuclear power plant licensees. Util endorses NEI comments & recommendations. BOHLKE, W.H. Florida Power & Light Co. 59FR53372 00011. 95/01/09. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 82335:066-82335:066.
- 9501190010** Proposed rule 10CFR50, "Shutdown & Low-Power Operations For Nuclear Power Reactor." NRC has granted thirty day comment period extension. HOYLE, J.C. Office of the Secretary of the Commission. 59FR52707. 95/01/11. 2pp. 82335:067-82335:068.
- 9501190011** Comment on proposed rule 10CFR21 re procurement of commercial grade items by NPP licensees. Endorses NEI comments submitted to NRC. DEWEASE, J.G. Entergy Operations, Inc. 59FR53372 00013. 95/01/13. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 82336:183-82336:184.
- 9501190013** Comment supporting proposed rule 10CFR50 re shutdown & low power operations for nuclear power reactors. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 59FR52707 00031. 95/01/13. Docketing & Services Branch. 2pp. 82335:070-82335:071.
- 9501190014** Comment opposing proposed rule 10CFR2 re amend to NRC size stds under regulatory flexibility act. BRYAN, D.C. RTI, Inc. (formerly Radiation Technology, Inc.). 59FR61293 00002. 95/01/05. WIGGINTON, S.N. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82335:072-82335:073.
- 9501190020** Comment supporting proposed rule 10CFR21 re broadening current definition of commercial grade items. WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 59FR53372 00008. 95/01/09. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 82335:079-82335:083.
- 9501190021** Comment on proposed rule 10CFR21 re "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees." NRC proposed definition of commercial grade item should not replace new definition proposed by NEI. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR53372 00012. 95/01/09. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82335:084-82335:085.
- 9501190095** Comment supporting proposed rule 10CFR21 re inter-utility transfer. TAYLOR, G.J. South Carolina Electric & Gas Co. 59FR53372 00009. 95/01/09. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82336:033-82336:034.
- 9501190107** Comment supporting proposed rule 10CFR20 re frequency of medical exam. GEIGER, W.S. Affiliation Not Assigned. 59FR47565 00012. 94/11/11. Docketing & Services Branch. 1p. 82336:116-82336:116.
- 9501190118** Comment supporting proposed rules 10CFR20,21,30,35,40,50,70, 72 & 73 re enhanced public access to info as part of coherent policy to protect important documentary info from loss. RUPERT, C. Affiliation Not Assigned. 59FR66814 00001. 95/01/11. Docketing & Services Branch. 1p. 82336:117-82336:117.
- 9501230016** Comment on proposed rule 10CFR35. Overdoses should be treated more seriously & have consequences concerning regions not part of prescription. KLINS, E.E. Affiliation Not Assigned. 59FR55068 00005. 95/01/18. NRC - No Detailed Affiliation Given. 2pp. 82377:036-82377:037.
- 9501230023** Final rule 10CFR72, "Notification of Events," amending regulations to revise licensee reporting requirements re notification of events at ISFSIs & MRS installations. TAYLOR, J.M. Ofc of the Executive Director for Operations. 58FR48004. 94/11/30. 17pp. 82377:117-82377:133.
- 9501230024** Comment on application of PRA implementation plan. Advises that no hope should be held that PRA implementation plan could be implemented efficiently by NRC w/existing procurement methods. MORRIS, C. Affiliation Not Assigned. 59FR63389 00003. 95/01/19. Rules & Directives Review Branch (Post 920323). 3pp. 82377:134-82377:136.
- 9501230247** Discusses encl final amend sent to FR for publication per 10CFR72. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 94/12/12. LIEBERMAN, J.I. Senate, Environment & Public Works. SHARP, P.R. House of Rep., Energy & Commerce. LEHMAN, R.H. House of Rep. 4pp. 82503:303-82503:323.
- 9501240255** Comment on proposed rule 10CFR50 re shutdown & low power operations. Util concerned that proposed rule will not only increase refueling outage duration, but will also increase complexity during outages. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 59FR52707 00032. 95/01/05. Docketing & Services Branch. 6pp. 82429:255-82429:260.
- 9501240270** Comment supporting proposed rule 10CFR50 re fracture toughness requirements for light water reactor pressure vessels. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 59FR50513 00008. 95/01/12. Docketing & Services Branch. 2pp. 82429:355-82429:356.
- 9501240288** Comment on proposed rules 10CFR20,30,40,61,70 & 72 re termination or transfer of licensed activities: recordkeeping requirements. Proposed rule overly broad & impacts have not been properly evaluated. QUILLIN, R.M. Colorado, State of. 59FR66814 00002. 95/01/18. Docketing & Services Branch. 5pp. 82430:356-82430:360.
- 9501240294** Comment supporting proposed rule 10CFR21 to add flexibility to process of procuring commercial grade items for safety-related applications. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 59FR53372 00014. 95/01/12. Docketing & Services Branch. 2pp. 82431:277-82431:278.
- 9501240300** Comment on proposed rules 10CFR34 & 150 re regulation of industrial radiography. Definition for "Certifying entity" & all refs to "certification" of radiographers should be deleted from regulations. ALDRICH, R. New York, State of. 59FR9429 00062. 95/01/12. GLENN, J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 82431:285-82431:291.
- 9501260003** Comments on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. FENECH, R.A. Consumers Power Co. 59FR43200 00057. 95/01/18. Docketing & Services Branch. 3pp. 82481:021-82481:023.
- 9501260004** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. VEILUVA, M. Western States Legal Foundation (WSLF). 59FR43200 00059. 95/01/20. NRC - No Detailed Affiliation Given. 13pp. 82481:024-82481:036.
- 9501260005** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. GREEN, S.A. Westinghouse Electric Corp. 59FR43200 00069. 95/01/19. Docketing & Services Branch. 6pp. 82481:037-82481:042.
- 9501260013** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. GULBERSON, D.G. Fuel Cycle Facilities Forum. 59FR43200 00063. 95/01/19. Docketing & Services Branch. 40pp. 82465:008-82465:047.
- 9501260020** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Suggests that text of rule be modified in listed manner to clearly enunciate Commission policy. BARKER, U.H. Atlantic Richfield Co. (ARCO). 59FR43200 00061. 95/01/19. Docketing & Services Branch. 10pp. 82464:339-82464:348.
- 9501260021** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. MARIOTTE, M. Affiliation Not Assigned. 59FR43200 00070. 95/01/19. Docketing & Services Branch. 4pp. 82481:045-82481:048.
- 9501260025** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Requests that NRC significantly modify proposed decommissioning criteria & seek & evaluate further comments. GILCHRIST, J.E. American Mining Congress. 59FR43200 00064. 95/01/20. HOYLE, J.C. Office of the Secretary of the Commission. 95pp. 82465:099-82465:194.
- 9501260032** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Company concerned proposal cannot achieve stated goals & needs to be modified. EVES, C.S. Sheldalloy Metallurgical Corp. 59FR43200 00062. 95/01/19. Office of the Secretary of the Commission. 27pp. 82465:050-82465:076.
- 9501260035** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Believes rule will be deemed arbitrary, capricious & inconsistent w/existing law if not revised. TORRINI, R.E. Woodward-Clyde Consultants, Inc. 59FR43200 00058. 95/01/19. Docketing & Services Branch. 7pp. 82464:349-82464:355.
- 9501260036** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. SILBERBERG, M. Affiliation Not Assigned. 59FR43200 00071. 95/01/19. Docketing & Services Branch. 3pp. 82536:235-82536:250.
- 9501310227** "Strategic Process for Bldg Trust & Credibility in LLW Institutions Through Informed Public Participation & Scientific Review," presented at 16th Annual DOE Low Level Radwaste Mgt Conference in Phoenix, AZ. SILBERBERG, M. Affiliation Not Assigned. 59FR43200. 94/12/31. 13pp. 82536:238-82536:250.
- 9501260040** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. \* Bedford, PA. 59FR43200 00078. 95/01/19. Office of the Secretary of the Commission. 2pp. 82464:356-82464:357.
- 9501260041** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Urges significant rev of proposal & reassurance for further public comment. ESTREICHER, H. Kerr-McGee Corp. 59FR43200 00065. 95/01/20. Commissioners (Post 750119). 73pp. 82464:267-82464:338.
- 9501260046** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Proposes that NRC consider incorporating listed rev into proposal before issuing final rule. HORIN, W.A. Winston & Strawn. 59FR43200 00079. 95/01/20. HOYLE, J.C. Docketing & Services Branch. 20pp. 82465:077-82465:096.

- 9501260049** Comments on PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Exemption petitions should be granted not only in "orphan sites" cases but also to sites w/no viable operator.  
KAY, M. Dow Chemical Co. 59FR43200 00075. 95/01/20. NRC - No Detailed Affiliation Given. 8pp. 82481:087-82481:094.
- 9501260054** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
WALTAR, A.E. American Nuclear Society. 59FR43200 00050. 95/01/13. HOYLE, J.C. Office of the Secretary of the Commission. 8pp. 82481:095-82481:102.
- 9501260059** Comment opposing PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Believes that proposed stds represent blatant assault on health to general public.  
WEIZENBAUM, R. Affiliation Not Assigned. 59FR43200 00076. 95/01/23. NRC - No Detailed Affiliation Given. 4pp. 82481:103-82481:106.
- 9501260068** Comment opposing PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Criteria for release from NRC control should be based on return of site to preexisting radiation levels.  
\* Pennsylvania, Commonwealth of. 59FR43200 00077. 95/01/19. Office of the Secretary of the Commission. 2pp. 82481:113-82481:114.
- 9501260072** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Urges Commission to revise proposed rule in accordance w/FCFF comments.  
ELLIS, J. Sequoyah Fuels Corp. 59FR43200 00080. 95/01/20. Docketing & Services Branch. 2pp. 82465:283-82465:284.
- 9501260078** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
PEARSON, C.E. Affiliation Not Assigned. 59FR43200 00055. 95/01/16. Docketing & Services Branch. 6pp. 82481:107-82481:112.
- 9501260080** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Each site decommissioning must be preceded by both full EIS & completed site decommissioning plan.  
JOHNSRUJ, J.H. Environmental Coalition on Nuclear Power. 59FR43200 00056. 95/01/10. Office of the Secretary of the Commission. 38pp. 82465:195-82465:233.
- 9501260083** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
\* Sierra Club Legal Defense Fund, Inc. 59FR43200 00066. 95/01/11. Office of the Secretary of the Commission. 3pp. 82481:115-82481:117.
- 9501260085** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Proposed rule would establish site release dose limit of 15 mrem/yr for residual radioactivity.  
GRANT, J.M. Connecticut Yankee Atomic Power Co. 59FR43200 00072. 95/01/20. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 82465:234-82465:239.
- 9501260092** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
MINGST, B.C. Affiliation Not Assigned. 59FR43200 00067. 95/01/16. Docketing & Services Branch. 9pp. 82481:343-82481:351.
- 9501260104** Comment supporting proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
WALLACE, M.J. Commonwealth Edison Co. 59FR43200 00068. 95/01/18. CHILK, S.J. Office of the Secretary of the Commission. 12pp. 82481:320-82481:331.
- 9501260105** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Single dose limit applied across all pathways provides adequate protection of public health & safety.  
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR43200 00073. 95/01/20. HOYLE, J.C. Office of the Secretary of the Commission. 27pp. 82465:240-82465:266.
- 9501260113** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Emphasizes position on proposed decommissioning limit of 15 mrem TEDE.  
ORTCIGER, T.W. Illinois, State of. 59FR43200 00074. 95/01/20. Docketing & Services Branch. 7pp. 82465:267-82465:273.
- 9501260135** Comments on PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Urges Commission to revise PR per recommendations of Fuel Cycle Facilities Forum.  
ZEFF, D.W. Babcock & Wilcox Co. 59FR43200 00060. 95/01/19. Docketing & Services Branch. 2pp. 82481:352-82481:353.
- 9501260157** Comments on PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Agrees w/proposal to use dose stds for determining extent to which sites must be remediated at time of decommissioning.  
DORUFF, M.A. Affiliation Not Assigned. 59FR43200 00051. 95/01/16. Docketing & Services Branch. 7pp. 82481:332-82481:338.
- 9501260167** Comments on PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Draft regulations fundamentally deficient specifically due to failure to integrate risks from nonradioactive matls.  
\* Institute for Energy & Environmental Research, Heidelberg, Germany. 59FR43200 00052. 95/01/18. NRC - No Detailed Affiliation Given. 12pp. 82481:308-82481:319.
- 9501260176** Comment opposing PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Proposed radiological criteria of 0.15 mSv/yr distinguishable from background not supportable, impractical.  
DAM, A.S. Affiliation Not Assigned. 59FR43200 00053. 95/01/16. Docketing & Services Branch. 4pp. 82481:339-82481:342.
- 9501260186** Comments on PRs 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Supports appropriate regulation of NORM containing matls that protect public from actual risk of exposures above background level.  
MILETI, S.S., KLETTER, M.J. E.I. du Pont de Nemours & Co., Inc. 59FR43200 00054. 95/01/16. Docketing & Services Branch. 5pp. 82481:249-82481:307.
- 9501270013** Comment opposing proposed rule re use of probabilistic risk assessment methods in nuclear regulatory activities.  
MARCUS, C.S. California, Univ. of, Los Angeles, CA. MARCUS, C.S. Affiliation Not Assigned. 59FR63389 00001. 95/01/12. Docketing & Services Branch. 3pp. 82488:225-82488:227.
- 9501270026** Comment supporting proposed rule 10CFR20 re frequency which medical examinations required to ensure safe use of respiratory protection equipment.  
RATLIFF, R.A. Texas, State of. 59FR47565 00013. 95/01/17. Docketing & Services Branch. 1p. 82488:318-82488:318.
- 9501270035** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Encourages Commission to continue developing more inclusive process for sake of mutual education.  
HUGHES, L. Native Americans for a Clean Environment. 59FR43200 00081. 95/01/23. Docketing & Services Branch. 20pp. 82488:322-82488:341.
- 9501270056** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Concludes that requirement of soil cleanup to 15 mrem/yr not consistent w/ALARA principle.  
POTTER, T., MORTON, H. Affiliation Not Assigned. 59FR43200 00082. 95/01/24. Docketing & Services Branch. 76pp. 82490:056-82490:132.
- 9501270065** Proposed policy statement re use of probabilistic risk assessment in nuclear regulatory activities. Proposed policy statement will improve regulatory process through improved risk-effective safety decision-making.  
HOLAHAN, G.M. Office of Nuclear Reactor Regulation (Post 941001). 59FR63389. 94/12/01. 13pp. 82490:159-82490:171.
- 9501270097** Comment opposing proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Informs that proposed rule flawed in that limits based on presumed hypothesis that lacks credibility.  
RANSOHOFF, J.A. Neutron Products, Inc. 59FR43200 00083. 95/01/23. Docketing & Services Branch. 5pp. 82490:174-82490:178.
- 9501270153** Comment on proposed changes in regulations of radiopharm therapy.  
MCCORMICK, V. William Beaumont Hosp., Royal Oak, MI. 59FR55068 00006. 95/01/17. Rules & Directives Review Branch (Post 920323). 2pp. 82490:223-82490:224.
- 9501310083** Comment on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. NUREG should provide more discussion & analysis on likely range of total costs.  
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 59FR43200 00001. 95/01/19. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82529:075-82529:076.
- 9501310340** Forwards regulatory history re proposed rule 10CFR21 "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees."  
AU, M.L. Regulation Development Branch (Post 941217). AF01-1 001. 95/01/26. LANHAM, D.H. Office of Information Resources Management (Post 890205). 7pp. 82579:001-82580:027.
- 9406170168** Informs of proposal to amend regulations under 10CFR21 in response to petition for rulemaking from NUMARC & forwards preliminary draft of proposed rule.  
MORRIS, B.M. Division of Regulatory Applications (870413-941217). AF01-1 033. 94/04/14. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 22pp. 82579:262-82579:283.
- 9407220151** Requests ACRS review of encl FR notice re proposed amends to 10CFR21, "Procurement of Commercial Grade Items By Nuclear Power Plant Licensees."  
BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217). AF01-1 036. 94/06/07. LARKINS, J.T. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 82579:350-82579:351.
- 9407220161** Forwards for review & concurrence proposed FR notice on 10CFR21, "Procurement of Commercial Grade Items By Nuclear Power Plant Licensees."  
HELTEMES, C.J. Office of Nuclear Regulatory Research (860720-941217). AF01-1 034. 94/06/07. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 42pp. 82579:284-82579:324.
- 9501310353** Forwards marked-up copy of proposed rule "Reporting of Defects & Failures to Comply." Discusses proposed changes to rule.  
LESAR, M.T. Rules & Directives Review Branch (Post 920323). AF01-1 030. 94/04/06. AU, M.L. Office of Nuclear Regulatory Research (860720-941217). 22pp. 82579:237-82579:258.
- 9501310359** Discusses Paperwork Reduction Act status of proposed rule "10CFR21, Reporting of Defects & Failures to Comply."  
SHELTON, B.J. Information & Records Management Branch (Post 890827). AF01-1 031. 94/04/07. BAHADUR, S. Regulation Development Branch (870413-941217). 1p. 82579:259-82580:259.
- 9501310364** Requests comment & concurrence on proposed rule "Reporting of Defects & Failures to Comply."  
SHELTON, B.J. Information & Records Management Branch (Post 890827). AF01-1 032. 94/04/07. LESAR, M.T. Rules & Directives Review Branch (Post 920323). 2pp. 82579:260-82579:261.
- 9501310376** Discusses and forwards CRGR review of proposed amends to 10CFR21 "Procurement of commercial Grade Items by Nuclear Power Plant Licensees."  
BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217). AF01-1 035. 94/06/07. JORDAN, E.L. Committee to Review Generic Requirements. 25pp. 82579:325-82580:349.
- 9501310388** Concurs, subject to attached comments, w/proposed rule "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees."  
MEYER, D.L. Office of Administration (890206-940714). AF01-1 037. 92/06/13. HELTEMES, C.J. Office of Nuclear Regulatory Research (860720-941217). 23pp. 82579:325-82580:023.
- 9501310392** Concurs w/Part 21 proposed rule re procurement of commercial grade items.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. AF01-1 038. 94/06/22. HELTEMES, C.J. Office of Nuclear Regulatory Research (860720-941217). 19pp. 82580:043-82580:042.
- 9501310408** Concurs w/Part 21 proposed rule re procurement of commercial grade items.  
GRAY, J.R. Ofc of Enforcement (Post 870413). AF01-1 039. 94/06/28. HELTEMES, C.J. Office of Nuclear Regulatory Research (860720-941217). 9pp. 82580:043-82580:050.

## 228 NONDOCKETED ITEMS

- 9501310418 Forwards comments on proposed rule "Procurement of Commercial Grade Items by Nuclear Plant Licensees" 10CFR21. Concurs in issuance of FR notice.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). AF01-1 040. 94/06/29. HELTEMES,C.J. Office of Nuclear Regulatory Research (860720-941217). 43pp. 82580:051-82580:093.
- 9501310423 Advises ACRS decided to review proposed final version of amends to 10CFR21 "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees" after reconciliation of public comments.  
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. AF01-1 041. 94/07/13. BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). 1p. 82580:094-82580:094.
- 9501310431 Requests reconurrence on proposed rule "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees" 10CFR21.  
FELD,S. Regulation Development Branch (870413-941217). AF01-1 042. 94/09/07. CWALINA,G. Vendor Inspection Branch. 76pp. 82580:095-82580:169.
- 9501310434 Forwards proposed rule "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees" for signature.  
BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). AF01-1 043. 94/10/04. TAYLOR,J.M. Ofc of the Executive Director for Operations. 56pp. 82580:170-82580:226.
- 9501310440 Requests implementation of action by EDO re proposed amends to 10CFR21, "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees."  
BAHADUR,S. Regulation Development Branch (870413-941217). AF01-1 044. 94/10/12. WIGGINTON,S.N. Rules & Directives Review Branch (Post 920323). 2pp. 82580:227-82580:228.
- 9501310448 Federal Register Notice re proposal to amend 10CFR21 to clarify & add flexibility to process of procuring commercial grade items for safety-related service by nuclear power plant licensees.Draft Congressional ltr package encl.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF01-1 045. 94/10/07. 35pp. 82580:229-82580:263.
- 9501310453 Forwards Congressional ltrs prepared for FR notice re "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees." W/o encls.  
LESAR,M.T. Rules & Directives Review Branch (Post 920323). AF01-1 046. 94/10/13. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 1p. 82580:264-82580:267.

### PRESS PRESS RELEASES

- 9501060006 Forwards listed ACRS repts re potential for loss of spent fuel pool cooling following LOCA & revs to NRC part 71 regulation.  
\* Office of Public Affairs (Post 911117). 94/12/21. 1p. 82287:057-82287:065.
- 9501060009 "NRC Amends Regulations to Add Addl Fuel Storage Cask Design to Approved List."  
\* Office of Public Affairs (Post 911117). 94/12/23. 1p. 82283:359-82283:359.
- 9501120198 "NRC ACRS to Meet in Rockville,MD 950112-14."  
\* Office of Public Affairs (Post 911117). 95/01/03. 2pp. 82366:336-82366:337.
- 9501120199 "NRC Licensing Board Sets Vogtle Hearing for 950109 in Atlanta,GA."  
\* Office of Public Affairs (Post 911117). 95/01/05. 1p. 82344:358-82344:358.
- 9501120201 "NRC Proposes Regulations on Recordkeeping Requirements."  
\* Office of Public Affairs (Post 911117). 95/01/05. 1p. 82343:350-82343:350.
- 9501130060 "NRC Seeks Nominations for ACMUI."  
\* Office of Public Affairs (Post 911117). 95/01/11. 1p. 82507:001-82507:001.
- 9501130062 "NRC ACNW to Meet 950118-19."  
\* Office of Public Affairs (Post 911117). 95/01/09. 2pp. 82507:002-82507:003.
- 9501130069 "NRC Invites Public to Submit Nominations for ACNW."  
\* Office of Public Affairs (Post 911117). 95/01/10. 2pp. 82507:004-82507:005.
- 9501230108 "NRC Extends Comment Period on Draft EIS on Proposed NM Project."  
\* Office of Public Affairs (Post 911117). 95/01/13. 1p. 82469:275-82469:275.
- 9501240232 "NRC Selects Public Affairs Officers in King of Prussia,PA & Atlanta,GA."  
\* Office of Public Affairs (Post 911117). 95/01/17. 1p. 82485:012-82485:012.
- 9501300128 "NRC ACRS to Meet in Rockville,MD on 950209-10."  
\* Office of Public Affairs (Post 911117). 95/01/26. 2pp. 82575:116-82575:117.
- 9501300132 "NRC Staff Proposes to Fine Wolf Creek \$25,000."  
\* Office of Public Affairs (Post 911117). 95/01/26. 2pp. 82553:043-82553:045.
- 9501300216 "Dr TS Kress Elected ACRS Chairman,Dr RL Seale,Vice President."  
\* Office of Public Affairs (Post 911117). 95/01/27. 2pp. 82553:046-82553:047.

### PRM PETITION FOR RULEMAKING

- 9501040097 Comment opposing petition for rulemaking PRM-9-2 re NRC allowing licensees to withhold public access to licensee held info.  
HIATT,S.L. Ohio Citizens for Responsible Energy. 59FR30308. 94/12/13. NRC - No Detailed Affiliation Given. 8pp. 82174:123-82174:130.
- 9501040101 Comment supporting petition for rulemaking PRM-150-3 re requirement that Agreement States notify NRC of action to adopt,amend or repeal regulations & publish proposed rulemakings in FR.  
BAKER,B.W. Amersham Holdings, Inc. 59FR50706 00016. 94/12/21. Docketing & Services Branch. 2pp. 82174:142-82174:143.
- 9501110023 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients.  
RUBIN,M. Affiliation Not Assigned. 59FR61831 00001. 94/12/12. Docketing & Services Branch. 1p. 82272:249-82272:249.

- 9501110077 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients.  
DE BEASSE,J. Affiliation Not Assigned. 59FR61831 00002. 94/12/12. Docketing & Services Branch. 1p. 82272:334-82272:334.
- 9501110171 Comment supporting petition for rulemaking PRM-35-12 re urea breath test being made more accessible to patients.  
PAMBIANCO,D.J. Affiliation Not Assigned. 59FR61831 00007. 94/12/15. Docketing & Services Branch. 1p. 82273:114-82273:114.
- 9501110179 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to millions of patients.  
PATTISON,P.C. . PATTISON,P.C. Affiliation Not Assigned. 59FR91831 00015. 94/12/28. Docketing & Services Branch. 1p. 82271:253-82271:253.
- 9501110189 Comment supporting petition for rulemaking PRM 35-12 re making urea breath test more accessible to patients.  
GRAIFMAN,J., GRAIFMAN,R. Affiliation Not Assigned. 59FR61831 00016. 94/12/25. Docketing & Services Branch. 1p. 82274:168-82274:168.
- 9501110200 Notice of receipt of petition for rulemaking re correction to portion of notice.  
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 94/12/13. 2pp. 82274:169-82274:170.
- 9501110216 Comment supporting petition for rulemaking PRM-35-12 re general licensing of C-14 Urea breath test for H pylori.  
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 59FR61831 00017. 94/12/24. Docketing & Services Branch. 1p. 82274:205-82274:205.
- 9501110217 Comment supporting petition for rulemaking PRM-35-12 re Urea Breath Test.  
FISH,M.B. Affiliation Not Assigned. 59FR61831 00009. 94/12/21. Document Control Branch (Document Control Desk). 2pp. 82274:206-82274:207.
- 9501110223 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients.Strongly encourages NRC to accept PRM & allow test to be distributed under general licensing &/or exempt status.  
CHEY,W.D. Michigan, Univ. of, Hosp., Ann Arbor, MI. CHEY,W.D. Affiliation Not Assigned. 59FR61831 00008. 94/12/16. Docketing & Services Branch. 1p. 82271:302-82271:302.
- 9501110240 Comment opposing petition for rulemaking PRM-35-12 re C-14 urea breath test.  
HEINE,K.J. . 59FR61831 00010. 94/12/20. Docketing & Services Branch. 1p. 82274:245-82274:245.
- 9501110252 Comment on petition for rulemaking PRM 35-12.Product poses little risk to patients & radiation workers performing test.  
SINGH,A. Missouri, Univ. of, Columbia, MO. SINGH,A. Affiliation Not Assigned. 59FR61831 00014. 94/12/23. Docketing & Services Branch. 2pp. 82274:260-82274:261.
- 9501110258 Comment supporting petition for rulemaking PRM-35-12 re manufacturing of C14-urea.  
DOYLE,T.E. Virginia, Univ. of, Charlottesville, VA. DOYLE,T.E. Affiliation Not Assigned. 59FR61831 00005. 94/12/15. Docketing & Services Branch. 1p. 82271:308-82271:308.
- 9501110264 Comment supporting petition for rulemaking PRM-35-12 re C-14 labeled urea breath test.  
STUBBS,J.B. . STUBBS,J.B. Affiliation Not Assigned. 59FR61831 00013. 94/12/26. Docketing & Services Branch. 1p. 82274:300-82274:300.
- 9501110269 Comment supporting petition for rulemaking PRM-35-12 re use of Carbon 14 urea breath test as noninvasive diagnostic tool of primary infection of Helicobacter Pylori infection. Breath test distributed under exempt status beneficial.  
PEURA,D.A. Virginia, Univ. of, Charlottesville, VA. 59FR61831 00004. 94/12/15. Docketing & Services Branch. 2pp. 82273:160-82273:161.
- 9501110272 Comment on petition for rulemaking PRM-35-12 re manufacturing of C14-urea.Clean Water Fund believes medical uses should be restricted to short-lived isotopes,because of disposal problems presented by long-lived isotopes.  
RUPERT,C. Affiliation Not Assigned. 59FR61831 00006. 94/12/12. Docketing & Services Branch. 1p. 82271:309-82271:309.
- 9501110285 Comment supporting petition for rulemaking PRM-35-12 re proposal to allow C Urea breath test to be distributed to physicians under exempt status.  
RICHARDS,R. Affiliation Not Assigned. 59FR61831 00011. 94/12/15. Docketing & Services Branch. 1p. 82274:325-82274:325.
- 9501110288 Comment supporting petition for rulemaking PRM-35-12 re use of Carbon 14 urea breath test in diagnosis of Helicobacter Pylori infection.Radiation hazard minimal,yet widespread use beneficial & inexpensive to patients.  
DYE,K.R. Affiliation Not Assigned. 59FR61831 00004. 94/12/19. Docketing & Services Branch. 2pp. 82273:162-82273:163.
- 9501110293 Comment supporting petition for rulemaking PRM-35-12 re proposal to allow 14C Urea breath test to be distributed to physicians under exempt status.  
BANK,S. Affiliation Not Assigned. 59FR61831 00012. 94/12/22. Docketing & Services Branch. 1p. 82274:326-82274:326.
- 9501120034 Comment supporting petition for rulemaking PRM-35-12 re urea breath tests.  
BAILEY,L.D. Affiliation Not Assigned. 59FR61831 00018. 94/12/19. Docketing & Services Branch. 2pp. 82279:196-82279:197.
- 9501120039 Comment supporting petition for rulemaking PRM-35-12 re urea breath tests.  
ANTON,P.A. California, Univ. of, Los Angeles, CA. 59FR61831 00019. 94/12/31. Docketing & Services Branch. 1p. 82279:205-82279:205.
- 9501190012 Comment supporting petition for rulemaking PRM-35-12 re making C Urea Breath Test more accessible to patients.  
BRADFORD,L.D. Affiliation Not Assigned. 59FR61831 00020. 95/01/05. Docketing & Services Branch. 1p. 82335:069-82335:069.

- 9501190016 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients. Advises that 14C-urea breath test be distributed under general license &/or exempt status. ZUHOSKI, C. Affiliation Not Assigned. 59FR61831 00022. 95/01/11. Docketing & Services Branch. 2pp. 82336:185-82336:186.
- 9501190017 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients. YEN, C. California, Univ. of, San Francisco, CA. 59FR61831 00028. 95/01/03. Docketing & Services Branch. 1p. 82335:078-82335:078.
- 9501190019 Comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients. Urges approval of petition, thus making C urea breath test more accessible to patients throughout country. PHILLIPS, S. Affiliation Not Assigned. 59FR61831 00025. 95/01/05. Docketing & Services Branch. 1p. 82336:187-82336:187.
- 9501190023 Undated comment supporting petition for rulemaking PRM-35-12 re making urea breath test more accessible to patients. BRUNER, L.N. Affiliation Not Assigned. 59FR61831 00026. 95/01/12. Docketing & Services Branch. 2pp. 82335:093-82335:094.
- 9501190025 Comment supporting petition for rulemaking PRM-35-12 re allowing use of Carbon 14 Breath Test to physicians under exempt status to be used as noninvasive, inexpensive method in diagnosis of H.Pylori in connection w/gastric disease. COATES, L.M. Affiliation Not Assigned. 59FR61831 00023. 95/01/11. Docketing & Services Branch. 1p. 82335:095-82335:095.
- 9501190030 Comment supporting petition for rulemaking PRM-35-12 re 14C-Urea breath test administration under general license or w/exempt status. MARSHALL, B.L. Affiliation Not Assigned. 59FR61831 00021. 95/01/11. Docketing & Services Branch. 2pp. 82335:314-82335:315.
- 9501190031 Comment supporting petition for rulemaking PRM-35-12 re distribution of 14C-Urea breath test under general license &/or exempt status. \* Affiliation Not Assigned. 59FR61831 00029. 95/01/17. Docketing & Services Branch. 1p. 82335:132-82335:132.
- 9501190037 Comment supporting petition for rulemaking PRM-35-12 re making 14C-Urea breath test more available to physicians w/general licenses. TODISCO, P. Affiliation Not Assigned. 59FR61831 00024. 95/01/05. Docketing & Services Branch. 1p. 82335:316-82335:316.
- 9501190038 Comment supporting petition for rulemaking PRM-35-12 re accessibility of 14C Urea Breath test to patients throughout USA. \* Affiliation Not Assigned. 59FR61831 00027. 95/01/05. Docketing & Services Branch. 1p. 82335:152-82335:152.
- 9501240237 Comment supporting proposed petition for rulemaking PRM-35-12 re C Urea Breath Test. MOSEN, D.W. Affiliation Not Assigned. 59FR61831 00031. 94/12/12. Docketing & Services Branch. 1p. 82429:229-82429:229.
- 9501240245 Comment on petition for rulemaking PRM-35-12 re urea breath test. Author believes that 14C-Urea breath test should be distributed under general license &/or exempt status. MOSEN, L. Affiliation Not Assigned. 59FR61831 00034. 95/01/19. Docketing & Services Branch. 2pp. 82429:242-82429:243.
- 9501240258 Comment supporting petition for rulemaking PRM-35-12 re innovative use of radionuclides. THOMPSON, J.J. Utah, Univ. of, Salt Lake City, UT. 59FR61831 00032. 95/01/06. Office of Administration, Director (Post 940714). 1p. 82429:262-82429:262.
- 9501240259 Comment supporting petition for rulemaking PRM-35-12 re 14C-urea breath test distributed under general license. DAVENPORT, K.J. Affiliation Not Assigned. 59FR61831 00033. 95/01/19. Docketing & Services Branch. 2pp. 82429:263-82429:264.
- 9501240335 Comment supporting proposed petition for rulemaking PRM-35-12 re C-14 Urea Breath Test. \* Affiliation Not Assigned. 59FR61831 00030. 95/01/05. Docketing & Services Branch. 1p. 82431:339-82431:339.
- 9501310002 Forwards PRM-35-12 requesting NRC to amend 10CFR35 & unsigned, undated FR notice of receipt of PRM. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 94/12/02. SHARP, P.R. House of Rep., Energy & Commerce. LIEBERMAN, J. Senate, Environment & Public Works. LEHMAN, R.H. House of Rep. 8pp. 82562:341-82562:353.

**PROJ PROJECTS - PREDOCKET LICENSING**

- 9501050336 Discusses adequacy of existing cask unloading procedure. HAAS, K.M. Consumers Power Co. 94/12/29. Document Control Branch (Document Control Desk). 3pp. 82247:337-82247:339.
- 9501060033 Discusses licensee 941116 submittal of Rev Z of Vol I of SAR for ventilated storage cask sys. dtd Oct 1994. NRC requests that licensee include signed release allowing NRC to place proprietary calculations (per 10CFR2.790(c)) in PDR. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/12/16. MCCONAGHY, W.J. Sierra Nuclear, Inc. 2pp. 82263:255-82263:256.
- 9501060215 Forwards DOE responses to Coalition on West Valley Nuclear Wastes comments re EIS being prepared for clean-up & closure of West Valley Demonstration Project & Western NY Nuclear Svc Center. PROVENCHER, R.B. Energy, Dept. of. 94/12/29. VAUGHAN, R.C. Coalition on West Valley Nuclear Wastes. 17pp. 82287:293-82287:309.
- 9501060220 Forwards draft Test Result Rept WVNS-TR-70-025, "Waste Form Qualification Rept: WVDP Stabilized Thorex Wash Cement-Waste" & draft B of PCP WVNS-PCP-005, "PCP for Cement Solidification of Decontaminated Thorex Wash Liquid..." ROWLAND, T.J. Energy, Dept. of. 94/12/21. COMFORT, G.C. NRC - No Detailed Affiliation Given. 3pp. 82273:164-82273:268.

- 9501060229 WVNS-TR-70-025 DRFT Draft "Waste Form Qualification Rept: WVDP Stabilized Thorex Wash Cement-Waste." DALTON, W.J. West Valley Nuclear Services Co., Inc. 94/12/05. 102pp. 82273:167-82273:268.
- 9501060279 Forwards TN Drawing 1049-70-6, Rev 2. Drawing should have been attached to TN Itr E-13519, dtd 941107, addressing questions on TN-32 cask. MASON, M. Transnuclear, Inc. E-13614. 95/01/03. STRURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82280:352-82280:354.
- 9501120067 Advises that listing provided by DOE consistent w/ requirements identified in West Valley Demonstration Project Act & agreements made in NRC/DOE MOU. COMFORT, G.C. Licensing Branch. 95/01/03. PIERSON, R.C. Licensing Branch. 5pp. 82329:345-82329:348.
- 9501120113 Ack receipt of 941011 Itr & five TERs encl & authorizes NRC to remove "Applied Technology" distribution restriction from listed documents. CHERNOCK, W.P. Energy, Dept. of. 94/12/13. DONOHEW, J. Advanced Reactors Project Directorate (PDR) (Post 941001). 1p. 82331:304-82331:304.
- 9501120210 Informs review completed of Itr, dtd 941206 re proposed review schedule for topical reports to be filed by B&WOG in 1995. NRC will assign high priority to review of B&WOG topical reports. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. CRONBERGER, D.K. Babcock & Wilcox Operating Plants Owners Group. 2pp. 82305:358-82305:359.
- 9501130117 Forwards Rev 2, Draft D of WVNS-SAR-003, "SAR for Vitrification Operations & High-Level Waste Interim Storage." WVNS-SAR-003 comment & response packages also encl. ROWLAND, T.J. Energy, Dept. of. 94/12/28. COMFORT, G. NRC - No Detailed Affiliation Given. 249pp. 82387:001-82390:119.
- 9501130128 WVNS-SAR-003 R02 DRF Rev 2, Draft D of "SAR for Vitrification Sys Operations & High-Level Waste Interim Storage." DAMEROW, F.W., LAWRENCE, R.E., HUMPHREY, R.A. West Valley Nuclear Services Co., Inc. 94/03/28. 1,200pp. 82387:256-82390:119.
- 9501130267 Provides info for vitrification facility NRC readiness notebook, including updated P&IDs & general arrangement drawing lists & drawings. ROWLAND, T.J. Energy, Dept. of. 94/12/15. COMFORT, G.C. NRC - No Detailed Affiliation Given. 44pp. 82390:120-82390:178.
- 9501170026 Submits DOE final response to Coalition comments. PROVENCHER, R.B. Energy, Dept. of. 95/01/03. VAUGHAN, R.C., MCGOLDRICK, K. Coalition on West Valley Nuclear Wastes. 16pp. 82392:307-82392:322.
- 9501170034 Provides NRC w/DOE best forward-looking estimate to enable NRC to request budget & FTEs & coordinate & implement technical reviews in support of West Valley mission. ROWLAND, T.J. Energy, Dept. of. 94/12/21. COMFORT, G.C. NRC - No Detailed Affiliation Given. 6pp. 82392:356-82392:361.
- 9501170046 Advises that project ofc has completed readiness assessment for phase 1 of transfer sys for pretreatment of THOREX. ROWLAND, T.J. Energy, Dept. of. 94/12/14. POULSON, W.G. West Valley Nuclear Services Co., Inc. 1p. 82358:349-82358:349.
- 9501250036 Forwards COC 1004, issued on basis of SAR for cask design, "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel," dtd 941220 & subsequent revs. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/18. AXLINE, J.W. Vectra Technologies, Inc. AXLINE, J.W. Pacific Nuclear Fuel Services, Inc. 5pp. 82518:058-82518:124.
- 9501250039 Certificate of compliance 1004, for models standardized NUHOMS-24P & NUHOMS-52B. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/23. 62pp. 82518:063-82518:124.
- 9501250095 Forwards summary of 941205-07 meeting w/util in Buffalo, NY re review of SAR for Vitrification Operations & High-Level Waste Interim Storage, Rev 2. List of attendees encl. COMFORT, G.C. Licensing Branch. 95/01/20. PIERSON, R.C. Licensing Branch. 11pp. 82438:236-82438:245.
- 9501250147 Forwards comments on "Review & Evaluation of Recent Publications Bearing on Fuels Sections of Draft MHTGR PSER." HERCZEG, J.W. Energy, Dept. of. 95/01/18. Document Control Branch (Document Control Desk). 22pp. 82438:332-82438:355.
- 9501260067 Provides summary fabrication schedules for TED NUHOMS hardware. SMITH, P. Vectra Technologies, Inc. 95/01/11. GUNDRUM, L. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82519:222-82519:225.
- 9501270193 Informs NRC that as of effective 950101, NAC changed name to NAC Intl, Inc. Requests that all correspondence on NAC licenses, approvals & certificates be addressed to GT Tjersland at listed address. STUART, I.F. Nuclear Assurance Corp. IFS/95/012/EDS. 95/01/16. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 82540:299-82540:300.
- 9501310261 Forwards 950123 facsimile providing proposed table of contents for PANTHERS-PCC thermal hydraulic test program. WILSON, J.H. Standardization Project Directorate (PDST) (Post 941001). 95/01/26. MCKNIGHT, J. Document Control Branch (Document Control Desk). 4pp. 82547:341-82547:344.

**PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE**

- 9501030017 Forwards error notice received from former software supplier. Lists former customers not notified due to unknown current addresses. ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 94/12/20. Document Control Branch (Document Control Desk). 4pp. 82223:024-82223:028.

## 230 NONDOCKETED ITEMS

- 9501040170** Submits followup to 940418 Part 21 re investigation w/ respect to Jan 1994 incident at Prairie Island Generating Plant involving Crane design gate valves. MCCULLOUGH, H. Crane Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:238-82260:238.
- 9501040173** Submits followup to 940516 Part 21 re investigation to determine data supplied in Mid-80 used by Nuclear Utilis to set torque switches in motor operated valves. MCCULLOUGH, H. Crane Co. 94/12/28. Document Control Branch (Document Control Desk). 1p. 82260:239-82260:239.
- 9501100229** Interim Part 21 rept re Model 899 drive cable connector pulled off drive cable. Customer states no unusual occurrences w/equipment. ROUGHAN, C. Amersham Corp. 95/01/03. Document Control Branch (Document Control Desk). 3pp. 82291:308-82291:310.
- 9501110144** Forwards GTICES Program Rept Form 94.29 & corrections to 94.26, 94.27 & 94.28, in ref to NRC 920812 ltr & 10CFR21. Listed former customers not notified because of unknown current addresses. ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/01/03. Document Control Branch (Document Control Desk). 7pp. 82295:352-82295:358.
- 9501120162** Part 21 rept re update on SYLGAED 170 silicone elastomer, SYGARD 170 silicone fast cure elastomer & Dow Corning 96-081 RTV adhesive/sealant. SCHROEDER, R.M. Dow Corning Corp. 95/01/06. Document Control Branch (Document Control Desk). 2pp. 82330:355-82330:356.
- 9501130115** LER 94-018-00: on 941209, safeguards equipment cabinet (SEC) 1A declared inoperable due to sequencing problem & TS 3.0.3 entered. Root cause analysis will be performed. Rept also intended to satisfy requirements of 10CFR21.W/950104 ltr. PASTVA, M.J., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey. 95/01/04. 8pp. 82366:338-82366:345.
- 9501130161** Part 21 rept, determined that Bechtel Power Corp analysis of long-term cooling phase of LOCA did not model heat transfer from RCS metal components to RCS coolant. Util asked C-E to provide new mass & energy transfer data. DENTON, R.E. Baltimore Gas & Electric Co. 95/01/10. Document Control Branch (Document Control Desk). 4pp. 82363:353-82363:356.
- 9501200336** Final rept to 940516 Part 21 evaluations re analytical support requested by companies utilizing Crane valves w/ motor operators, in response to GL 85-03. MCCULLOUGH, H. Crane Co. GL-85-03. 95/01/12. Document Control Branch (Document Control Desk). 5pp. 82476:352-82476:357.
- 9501230101** Part 21 Rept CFRN 94-03, Suppl 1 re 6 inch 900# motor operated Borg-Wagner Y-globe valves. Affected utilis informed. Utilis should review set-point calculations on all installed Borg-Wagner Y-globe valves. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:288-82497:292.
- 9501230121** Part 21 Rept CFRN-94-01, Suppl 1 re 6 inch 150# Borg-Wagner gate valves. Utilis affected by notification informed. Utilis should review set-point calculations on all installed Borg-Wagner gate valves & make corrective actions as appropriate. GIBSON, D.A. BW/IP International, Inc. (formerly Byron Jackson Pump Division). CFRN-94-01. 95/01/10. Document Control Branch (Document Control Desk). 5pp. 82497:293-82497:297.
- 9501250044** Forwards ANSYS Class 3 Error Repts 94-65, 94-66, 94-67, 94-68, 94-69, 94-70 & 94-71. ANSYS QA notice QA94-11 & Class 3 error rept summaries for rev 5.0A & rev 5.1, per 10CFR21. AMBE, P. Boeing Computer Services Co. (div. of Boeing Co.). G-1151-RSO-95-0. 95/01/16. Document Control Branch (Document Control Desk). 31pp. 82433:226-82433:256.
- 9501270185** Part 21 rept re update on SLYGARD 170 silicone elastomer, SLYGARD 170 silicone fast cure elastomer & DOW CORNING 96-081 RTV adhesive/sealant. Next update will occur no later than 950407 to provide progress rept on testing. SCHROEDER, R.M. Dow Corning Corp. 95/01/23. Document Control Branch (Document Control Desk). 4pp. 82540:295-82540:298.
- 9501270196** Potential part 21 rept re Crane design gate valves involved in Jan 1994 incident at PINGP. Vendor will assess situation to determine course of action upon receipt of addl input from balance of plants supplied valves. HORNYAK, R.F. Crane Co. 94/08/30. Document Control Branch (Document Control Desk). 5pp. 82540:301-82540:311.
- 9501270215** Forwards Part 21 notices issued in 1994, in light of recent release of Administrative Ltr 94-17. FRATIANNI, S.A. Coltec Industries, Inc. AL-94-17. 95/01/10. Document Control Branch (Document Control Desk). 1p. 82554:057-82554:064.
- 9501270231** Part 21 Rept 94-001 re seismic qualification for diesel fuel oil day tank, transfer pump control switch & foot valve. Shake test w/item installed in fluid filled tube recommended for porcelain displacer of switch. FRATIANNI, S.A. Coltec Industries, Inc. 94-001. 94/04/20. Document Control Branch (Document Control Desk). 1p. 82554:058-82554:058.
- 9501270237** Interim Part 21 Rept 94-002A re air start distributor cam mfg by Coltec Industries. Entergy Operations, Inc notified vendor of crack on 940409. Final rept w/respect to cracked puller hole under way in Coltec Engineering Dept. FRATIANNI, S.A. Coltec Industries, Inc. 94-002A. 94/06/01. Document Control Branch (Document Control Desk). 1p. 82554:059-82554:063.
- 9501270241** Interim Part 21 Rept 94-004 re PECO 940825 notification that OP 38TD8-1/8 lube oil pump drive bracket mfg by Fairbank Morse Engine Div displayed abnormal ware & pitting. Investigation of nature & extent of problem under way. FRATIANNI, S.A. Coltec Industries, Inc. 94-004. 94/10/28. Document Control Branch (Document Control Desk). 1p. 82554:064-82554:064.
- 9501310290** Requests exemption from Part 21 reporting requirements for enclosed listed programs. MANNING, K.M. Power Computing Co. 94/11/28. SPRAUL, J. NRC - No Detailed Affiliation Given. 13pp. 82580:338-82580:350.
- 9501310429** Part 21 rept re potential for failure of 3300 MFD capacitors. Nuthern recommended utilis inspect installed capacitors. STARR, F. Thermo Electron Corp. QA-1-95-1006. 95/01/23. Document Control Branch (Document Control Desk). 6pp. 82575:351-82575:356.
- ### QA999 QUALITY ASSURANCE INSPECTIONS
- 9412290184** Ack receipt of petition dtd 941121 filed w/EDO requesting that NRC take action re Rosemount Nuclear Instruments, Inc & informs that certain requests denied & that request for NRC to take "prompt & vigorous" action still under review. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 2.206. 94/12/22. BLANCH, P.M. Affiliation Not Assigned. 5pp. 82287:001-82287:008.
- 9501050426** Requests stated enforcement actions per 10CFR2.206 re potential for Rosemount safety related transmitters to be defective & possibly cause failure to operate properly in temperatures below 70 F. BLANCH, P.M. Affiliation Not Assigned. 2.206. 94/11/21. TAYLOR, J.M. Ofc of the Executive Director for Operations. 3pp. 82287:006-82287:008.
- 9501030017** Forwards error notice received from former software supplier. Lists former customers not notified due to unknown current addresses. ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 94/12/20. Document Control Branch (Document Control Desk). 4pp. 82233:024-82233:028.
- 9501090017** Forwards insp repts 99900002/94-01 & 99900102/94-01 on 941003-07 & notice of nonconformance. GALLO, R.M. 94/12/29. ALLEN, D.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 82235:093-82235:140.
- 9501090026** Notice of nonconformance from insp on 941003-07. Nonconformance noted: licensee failed in listed instances to implement established procedures for verifying or checking adequacy of design. \* 99900102/94-01. 94/12/29. 6pp. 82235:096-82235:101.
- 9501090035** Insp rept 99900002/94-01 & 99900102/94-01 on 941003-07. Nonconformance noted: Major areas inspected: technical documentation, procedures & representative records. MATTHEWS, S.M., CWALINA, G.C., GALLO, R.M. 99900102/94-01. 94/12/28. 40pp. 82235:102-82235:140.
- 9501090048** Forwards insp rept 99901076/94-01 on 941129-1201 & notice of nonconformance. GALLO, R.M. Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. AKERS, S. Cardinal Industrial Products Corp. 2pp. 82235:270-82235:289.
- 9501090055** Notice of nonconformance from insp on 941129-1201. Nonconformance noted: licensee had not implemented measures for review, evaluation & disposition of matl accepted based, in part. \* Office of Nuclear Reactor Regulation (Post 941001). 94/12/30. 1p. 82235:272-82235:272.
- 9501090065** Insp rept 99901076/94-01 on 941129-1201. Nonconformance noted: Major areas inspected: review & evaluation of licensee QA program & implementation in selected areas such as control of purchased matl & svcs. POTAPOVS, U., CWALINA, G.C. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. 17pp. 82235:273-82235:289.
- 9501100281** Forwards responses to NRC 941205 ltr re violations noted in insp rept 99901281/94-01. Corrective actions: QA procedure 15.1, "Control of Nonconforming Items," has been revised. TATE, J.M. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). TATE, J.M. ASEA Brown Boveri, Inc. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82291:327-82291:332.
- 9501110144** Forwards GTICES Program Rept Form 94.29 & corrections to 94.26, 94.27 & 94.28, in ref to NRC 920812 ltr & 10CFR21. Listed former customers not notified because of unknown current addresses. ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/01/03. Document Control Branch (Document Control Desk). 7pp. 82295:352-82295:358.
- 9501190199** Informs that NRR Staff to be conducting insp of GIRAFFE test program at Toshiba Nuclear Engineering Lab in Kawasaki City, Japan on 950223-0301. Insp to involve observation of test activities & review of QA program & controls. BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001). 95/01/13. MARRIOTT, P.W. General Electric Co. 2pp. 82367:030-82367:031.
- 9501200060** Confirms upcoming NRC insp of Girard Development Co Inc, Rancho Cordova, CA on 950124 & 5 per 950105 telcon. Insp will review selected portions of 10CFR50, App B. Quality assurance program & implementation. GALLO, R.M. 95/01/09. GIRARD, D. 2pp. 82420:329-82420:330.
- 9501230148** Forwards insp rept 99900404/94-01 on 940830 -0901 at Oregon State University & 941011-14 at SIET SPES-2 & notice of nonconformance. Insp to determine if development & testing activities for AP600 conducted IAW rev 12A WCAP-8370. BORCHARDT, R.W. Standardization Project Directorate (PDST) (Post 941001). 95/01/12. LIPARULO, N.J. Westinghouse Electric Corp. 5pp. 82392:097-82392:130.
- 9501230161** Notice of nonconformance from insps on 940830-0901 & 1011-14 at Oregon State Univ & SIET SPES-2 facilities. Nonconformance noted: activities not IAW WCAP-8370, Rev 12A as accepted by NRC re AP600 development & testing. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/12. 2pp. 82392:102-82392:103.
- 9501230166** Insp rept 99900404/94-01 on 940830-0901 & 1011-14 at Oregon State University & SIET SPES-2 sites, respectively to determine if design activities & testing of AP600 development IAW WCAP-8370, Rev 12A as approved by NRC. MCINTYRE, R.P. 95/01/10. 27pp. 82392:104-82392:130.
- 9501240075** Confirms 950118 telcon between J Petrosino & K Ewald re insp concerning implementation of Rosemount QA program & compliance w/10CFR21 in Eden Prairie, MN plant on 950123-27. GALLO, R.M. 95/01/18. EWALD, K. Rosemount, Inc. 1p. 82417:360-82417:360.



9501240081 Confirms 950117 telcon between KR Naidu & T Brewington re insp concerning implementation of QA program in Huntersville,AL facility on 950125. GALLO,R.M. . 95/01/18. HYTER,S. Wyle Laboratories. 1p. 82419:303-82419:303.

9501260017 Addresses licensee 950105 & 13 ltrs to NRC re NOV, nonconformance & unresolved items issued on 941205 w/NRC insp rept 99901281/94-01. GALLO,R.M. . 95/01/19. TATE,J.M. Affiliation Not Assigned. 2pp. 82481:043-82481:044.

9501270050 Confirms upcoming NRC insp of Mackson,Inc on 950215-17 per 950118 telcon.Insp will review portions of 10CFR50,App B QA program & implementation. GALLO,R.M. . 95/01/23. BLACKWELL,W. Affiliation Not Assigned. 1p. 82490:051-82490:051.

9501270075 Informs that time provided by NRC regulation that Commission may act to review Director's Decision expired.W/Certificate of Svc.Served on 950120. HOYLE,J.C. Office of the Secretary of the Commission. #195 16245. 2.206. 95/01/20. BLANCH,P.M. Affiliation Not Assigned. 2pp. 82492:349-82492:350.

9501270083 Responds to NRC 940105 ltr re violation & nonconformances noted in insp rept 99901281/94-01.Corrective actions:ABB Service,Inc procedure for evaluating & reporting defects being rewritten.Vendor does not agree w/basis for NOV. TATE,J.M. ASEA Brown Boveri, Inc. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82541:342-82541:347.

9501270090 Forwards organization chart & document re job descriptions & qualifications.to address unresolved items of insp rept 99901281/94-01.W/o encl. TATE,J.M. ASEA Brown Boveri, Inc. 95/01/13. GALLO,R.M. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82540:288-82540:288.

9501270273 Responds to 950106 & 10 ltrs to DM Shapiro requesting NRC to issue supplement to IN 92-66. SPESSARD,R.L. Office of Nuclear Reactor Regulation (Post 941001). IEIN-92-066. 95/01/19. MCBRIDE,M.F. LeBoeuf, Lamb, Leiby & MacRae. 2pp. 82525:318-82525:322.

-9501270286 Responds to 940223 ltr requesting that NRR issue supplement to NRC IN 92-66. GRIMES,B.K. . IEIN-92-066. 94/03/31. MCBRIDE,M.F. LeBoeuf, Lamb, Leiby & MacRae. 1p. 82525:322-82525:322.

REG CERT REGISTRY CERTIFICATE

9501100007 Forwards ANSI & ISO stds for use & for distribution to States.W/o encls. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). SSD-2. 95/01/05. LOHAUS,P. Office of State Programs (Post 911117). 1p. 82255:361-82255:361.

9501100013 Forwards marked up copy of draft sealed source & device certificate providing NRC w/Amersham Model 934 radiography camera & comments on deficiency findings.Proposed format for technical repts acceptable.W/o encl. RICH,T.W. Source Containment & Devices Branch (Post 911213). SSD-7. 95/01/05. ROTH,D.R. Jupiter Corp. (formerly Jupiter Associates, Inc.). 1p. 82256:014-82256:014.

9501100043 Forwards listing of sealed source & device pending cases. BAER,R.L. Source Containment & Devices Branch (Post 911213). SSD-1. 95/01/06. BELLAMY,R.R. Region 1 (Post 820201). COLLINS,D.M. Region 2 (Post 820201). CANIANO,R.J. Region 3 (Post 820201). 16pp. 82255:254-82255:268.

9501200015 Forwards two copies of SwRI draft rept on results & conclusions of exam of several Travler Electronic Lab gauges received from Ohio DOT. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). SSD-2. 95/01/18. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 82351:172-82351:174.

9501250051 Ack receipt of 940321 ltr for amend to license 20-15525-02E & device registration. KIMBERLY,S. Office of the Controller (Post 890205). 021624. 94/06/11. MCGANN,W.J. . 2pp. 82433:277-82433:278.

9501250059 Refers to 941116 ltr requesting amend to device registration certificate NR-657-D-101-G.Informs that fee required prior to adding smoke detectors to license. MITCHELL,L. License Fee & Debt Collection Branch (Post 890827). NR-657-D-101-G. 95/01/18. BABINEC,S.F. Universal Security Instruments, Inc. 1p. 82433:284-82433:285.

9501250102 Informs that custom user for attached registration sheet for device model TT155 changed to Commercial Resins Co based on listed info.Advises that licensee must request & obtain amend to certificate before changes or mods. RANDALL,K. Source Containment & Devices Branch (Post 911213). NR-242-D-102-S. 95/01/13. WHEELER,C. Commercial Resins Co. 4pp. 82438:279-82438:307.

9501260007 Forwards application & requests review to determine what further actions,if any required,per 950104 telcon.W/o encl. BROADDUS,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). SSD-93-44. 95/01/23. BEATTY,D. Theratronics International, Ltd. 1p. 82464:360-82464:360.

9501310082 Transmits State Agreements Program technical info re sealed source & device registry certificates. LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-015. 95/01/25. General. 3pp. 82529:046-82529:074.

REGG REGULATORY GUIDES

9412280115 SECY-94-299 Informs Commission that RG1.160 "Monitoring Effectiveness of Maintenance at NPPs," has been revised IAW COMSECY-94-01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/14. 40pp. 82561:002-82561:036.

9501030109 FOIA request for documents re RG1.75 & IEEE std 384. REBBAPRAGADA,R. Affiliation Not Assigned. 94/03/03. AGGARWAL,S.K. NRC - No Detailed Affiliation Given. 1p. 82167:221-82167:221.

9501110324 Responds to 941005 request for relief from provisions of ASME boiler & pressure vessel code, "Rules for Inservice Insp of Nuclear Power Components," & evaluation contained in Safety Evaluation. MILANO,P.D. Project Directorate II-1 (PD2-1) (Post 941001). TAC M90571. 95/01/03. ANDERSON,R.A. Carolina Power & Light Co. 2pp. 82297:100-82297:105.

-9501110330 Safety evaluation supporting code case N-416-1 alternative to required hydrostatic pressure test (ref ASME Code Case N-416-1). \* Office of Nuclear Reactor Regulation, Director (Post 870411). 95/01/03. 3pp. 82297:102-82297:105.

9501110498 Rev 3 to Reg Guide 05.052,Task DG-5004, "Standard Format & Content of Licensee Physical Protection Plan for Strategic SNM at Fixed Sites (other than nuclear power plant)." \* Office of Nuclear Regulatory Research (860720-941217). 94/12/31. 12pp. 82302:017-82302:028.

9501130118 Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels.Proposed rule should be revised prior to issuance to contain only requirements essential to regulate reactor pressure vessel embrittlement. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55901 00003. 95/01/03. HOYLE,J.C. Office of the Secretary of the Commission. 33pp. 82299:054-82299:088.

9501170256 Responds to ltr,dtd 941206,requesting approval to use ASME Code Case N-416-1 beginning w/unit 2 cycle 8 refueling outage & ending w/code case incorporation into reg guide 1.147.Forwards SE approving of util request. QUAY,T.R. Project Directorate IV-2. TAC M91085. 95/01/11. RAY,H.B. Southern California Edison Co. GUILLES,E.A. San Diego Gas & Electric Co. 2pp. 82338:145-82338:150.

-9501170259 SER approving util request to use ASME Code Case N-416-1 as alternative to required hydrostatic pressure tests for plants.Code Case to be used during next refueling outage & up to incorporation into reg guide 1.147. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 4pp. 82338:147-82338:150.

9501180091 Comment on draft reg guide DG-0005,second proposed rev 2 to reg guide 10.5.Agrees that guidance needs to be developed & reissued in that rev 1 to reg guide 10.5 inadequate. COLLINS,S.C. Illinois, State of. 59FR54928 00001. 95/01/06. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 82324:250-82324:256.

9501180224 Comment on draft RG DG-0005, "Applications for Licenses of Broad Scope." SKIERKOWSKI,P. Oklahoma, Univ. of, Norman, OK. 59FR54928 00002. 95/01/06. Division of Freedom of Information & Publications Services (890206-940714). 77pp. 82327:009-82327:085.

9501180324 Forwards safety evaluation granting util 940803 request for proposed alternative (Code Case N-498-1) to ASME Boiler & Pressure Vessel Code for inservice insp program. BUTLER,W.R. Project Directorate I-3 (PD1-3) (Post 941001). TAC M90160. 95/01/12. CROSS,J.E. Duquesne Light Co. 3pp. 82352:133-82352:140.

9501200143 "For comment" issue of draft rev 1 to reg guide 08.029,task DG-8012, "Instruction Concerning Risks from Occupational Rad Exposure." \* Office of Nuclear Regulatory Research (860720-941217). 94/12/31. 36pp. 82421:312-82421:347.

9501260153 Provides notification that power ascension test procedures & power escalation test procedures being made available,per FSAR chapter 14.2.11 & Reg Guide 1.68,rev 2,app B.List of procedures provided to NRC on 950118 encl. NUNN,D.E. Tennessee Valley Authority. 95/01/20. Document Control Branch (Document Control Desk). 3pp. 82514:330-82514:332.

9501260235 Discusses 941205-12 site visit to review implementation of maint rule 10CFR50.65 & forwards detailed findings. EATON,R.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/19. BOULETTE,E.T. Boston Edison Co. 16pp. 82500:009-82500:025.

9501260385 Forwards Safety Evaluation re ASME Code Case N-498-1.NRC finds that use of ASME authorized for requested class 3 sys. Case authorized until such time as Code Case published in future rev of Reg Guide 1.147. MILANO,P.D. Project Directorate II-1 (PD2-1) (Post 941001). TAC M90569. 95/01/23. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 82514:005-82514:013.

-9501260386 Safety evaluation re ASME Code Case N-498-1.Licensee proposed alternative to use Code Case N-498-1 authorized until such time ac Code Case published in future rev of reg guide 1.147. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. 6pp. 82514:008-82514:013.

9501270103 Comment on draft reg guide DG-0005, "Applications for Licensing of Broad Scope." Advises that all lab glassware & other equipment should be monitored & controlled or released as appropriate. QUILLIN,R.M. Colorado, State of. 59FR55141 00004. 95/01/10. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82490:179-82490:179.

9501270149 Comments on proposed DG-1027, "Draft RG,Format & Content of Thermal Annealing of Reactor Pressure Vessels." HALL,C.W. American Society of Mechanical Engineers. 59FR55860 00002. 95/01/23. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 82490:220-82490:222.

9501300094 Staff requirements memo re SECY-94-299 "Plan Issuance of Rev 1 to RG 1.160, "Monitoring Effectiveness of Maint at NPP." HOYLE,J.C. Office of the Secretary of the Commission. 95/01/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 82542:108-82542:108.

9501300137 Rev 1 to reg guide 1.160, "Monitoring Effectiveness of Maint at Nuclear Power Plants." \* Office of Nuclear Regulatory Research (860720-941217). 95/01/31. 4pp. 82536:342-82536:345.



## 232 NONDOCKETED ITEMS

**9501310173** Comment on draft reg guide, DG-8014 re instructions for prenatal radiation exposure. Concludes draft guide does not serve any useful function for medical licenses.  
MARCUS, C.S. California, Univ. of Los Angeles, Medical School. 59FR54479 00003. 95/01/18. Office of the Secretary of the Commission. 3pp. 82529:289-82529:291.

### REVIEW GRP NRC RESEARCH REVIEW GROUPS

**9501060107** Notification of 950112 meeting w/NEI in Rockville, MD to discuss proposed rev to NPP License Renewal Rule, 10CFR54.  
JACKSON, C.P. Associate Director for Advanced Reactors & License Renewal (Post 910918). 94/12/28. NEWBERRY, S.F. Associate Director for Advanced Reactors & License Renewal (Post 910918). 1p. 82259:243-82259:243.

**9501090322** Commends for 941006 ltr sent to NEI re planning & scheduling of preventive maint during power operations.  
SNIJEZEK, J.H. Affiliation Not Assigned. 94/11/22. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82259:343-82259:344.

**9501120036** Comments on proposed rule 10CFR50.52 & 100 re reactor site criteria. Requests extended comment period to properly reflect need for availability of draft guidance to support public comment period of 120 days.  
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255. 94/12/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 82279:200-82279:201.

**9501120081** Comment opposing proposed rule 10CFR2 on NRC amends to general statement of policy & procedure for EA.  
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR60697 00002. 94/12/28. HOYLE, J.C. Office of the Secretary of the Commission. 6pp. 82280:053-82280:058.

**9501120254** Transcript of 941221 public briefing by NUMARC on nuclear regulatory review study, Pp 1-77.  
\* NRC - No Detailed Affiliation Given. 94/12/21. 88pp. 82310:198-82310:288.

**9501130118** Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels. Proposed rule should be revised prior to issuance to contain only requirements essential to regulate reactor pressure vessel embrittlement.  
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55901 00003. 95/01/03. HOYLE, J.C. Office of the Secretary of the Commission. 33pp. 82299:054-82299:088.

**9501130130** Comment opposing proposed rule 10CFR21 re dedication process & definition of "commercial grade item," issues of significance for industry & would appreciate NRC careful consideration of listed comments.  
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR53372 00006. 95/01/09. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 82299:132-82299:136.

**9501130254** Requests that computer model be provided to staff to allow NRC to continue review of EPRI MOV Performance Prediction Methodology by 950113.  
WESSMAN, R.H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 82319:339-82319:339.

**9501180349** Forwards for response, comments on EPRI TR-103227 (April 94), "EPRI MOV Performance Prediction Program Globe Valve Model Rept."  
WESSMAN, R.H. Materials & Chemical Engineering Branch. 95/01/11. CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 82378:167-82378:170.

**9501190384** Notification of 950124 meeting w/NEI in Rockville, MD to discuss NEI policy paper on simplification of emergency planning.  
WILSON, J.H. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/01/12. BORCHARDT, R.W. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 3pp. 82367:052-82367:054.

**9501200008** Comments on proposed generic communications. "Use of NUMARC/EPRI Rept TR-102348, 'Guidelines on Licensing Digital Upgrade,' in Determining Acceptability of Performing Analog-to-Digital Replacements Under 10CFR50.59," dtd 941018.  
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52559 00001. 95/01/12. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 5pp. 82351:153-82351:157.

**9501200076** Summarizes 941212 meeting w/NEI to exchange info on documentation of industry rept technical info w/o draft NUREG rept.  
NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/19. WALTERS, D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 82421:361-82421:361.

**9501200321** Notification of 950201 meeting w/regulatory commitment tracking group in Las Vegas, NV to participate in regulatory commitment tracking group workshop panel discussions addressing NRC/NEI pilot program on commitment mgmt.  
IMBRO, E.V. 95/01/12. ZIMMERMAN, R.P. Associate Director for Projects (ADPR) (Post 941001). 2pp. 82420:327-82420:328.

**9501240271** Comment re draft NUREG/CR-6174 "Revised Analyses of Decommissioning for Ref BWR NPP." NUMARC strongly recommends that NRC review public comments provided for by rept ref PWR NUREG/CR-5884 & incorporate into PWR & BWR cost estimates.  
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR55299 00004. 95/01/19. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 82437:093-82437:118.

**9501240279** Submits comments re draft NUREG/CR-5884 "Revised Analyses of Decommissioning for Ref PWR NPP" & draft NUREG/CR-6054 "Estimating PWR Decommissioning Costs." Nuclear industry supports NRC public decommissioning funding reevaluation.  
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/02/15. MEYER, D.L. Division of Freedom of Information & Publications Services (890206-940714). 18pp. 82437:097-82437:118.

**9501260105** Comment on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures. Single dose limit applied across all pathways provides adequate protection of public health & safety.  
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR43200 00073. 95/01/20. HOYLE, J.C. Office of the Secretary of the Commission. 27pp. 82465:240-82465:266.

**9501260305** Notification of 950125 meeting w/NEI in Rockville, MD to discuss draft NEI PSA Applications Guide.  
HSIA, A.H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/17. BUTCHER, E.J. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82508:181-82508:181.

**9501270101** Notification of 940125 meeting w/NEI & industry representatives to discuss status of generic ltr on voltage based repair criteria & steam generator rulemaking effort.  
REED, T.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. RUSSELL, W., GRIMES, B., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 2pp. 82525:219-82525:220.

**9501310162** Comments on NRC proposed generic communication, "Use of NUMARC/EPRI rept TR-102348, 'Guideline on Licensing Digital Upgrades,' in Determining Acceptability of Performing Analog-to-Digital Replacements Under 10CFR50.59."  
HUNGER, G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 59FR52559 00003. 95/01/20. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82529:278-82529:278.

**9501310177** Comment on use of NUMARC/EPRI rept TR-102348, "Guideline on Licensing Digital Upgrades," in determining acceptability of performing analog-to-digital replacements under 10CFR50.59.  
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 59FR52559 00004. 95/01/24. NRC - No Detailed Affiliation Given. 1p. 82529:293-82529:293.

**9501310296** Expresses concern re NRC ltrs to licensees requesting extensive info as means to independently verify performance of Thermo-Lag fire barriers in light of recent indictment of mfg.  
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/17. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 82580:354-82580:359.

**9501310303** Forwards draft rev H to "PSA Applications Guide."  
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/01/17. THADANI, A.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82580:268-82580:337.

**9501310306** Draft Rev H to "PSA Applications Guide."  
TRUE, D., FLEMING, K., PARRY, G. Electric Power Research Institute. 95/01/17. 75pp. 82580:270-82580:337.

**9501310340** Forwards regulatory history re proposed rule 10CFR21 "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees."  
AU, M.L. Regulation Development Branch (Post 941217). AF01-1 001. 95/01/26. LANHAM, D.H. Office of Information Resources Management (Post 890205). 7pp. 82579:001-82580:267.

**9501310376** Discusses and forwards CRGR review of proposed amends to 10CFR21 "Procurement of commercial Grade items by Nuclear Power Plant Licensees."  
BECKJORD, E.S. Office of Nuclear Regulatory Research (860720-941217). AF01-1 035. 94/06/07. JORDAN, E.L. Committee to Review Generic Requirements. 25pp. 82579:325-82579:349.

### SECY POSITION PAPERS BEFORE THE COMMISSION

**8201070268** SECY-81-544 Regards util petition for reconsideration of denial of request for significant changes determination (antitrust).  
MALSCH, M.G. Office of the General Counsel (Post 860701). 81/09/14. 75pp. 82524:060-82524:257.

**9412230183** SECY-94-300 Provides Commission w/final rept of NUREG-1465, "Accident Source Terms for Light-Water NPGSS." Informs NRC to issue NUREG-1465 in final form.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/15. 66pp. 82561:037-82561:107.

**9412270217** SECY-94-297 Informs Commission of staff current approach for procurement insp of NPP licenses & requests Commission approval to notify appropriate Congressional contacts of NRC insp policy in area.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/12. 39pp. 82561:108-82561:139.

**9412280115** SECY-94-299 Informs Commission that RG1.160 "Monitoring Effectiveness of Maintenance at NPPs," has been revised IAW COMSECY-94-01.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/14. 40pp. 82561:002-82561:036.

**9412300021** SECY-94-304 Informs Commission of NRC staff efforts to improve responsiveness to public & requests approval to issue rept for public comment.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/21. 93pp. 82308:001-82308:093.

**9412300038** SECY-94-302 Informs Commission of NRC Staff positions pertaining to source term related technical & licensing issues & staff methodologies for using NRC positions in LWR design certification reviews.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/19. 37pp. 82308:094-82308:125.

**9501030099** 21st partial response to FOIA request for NRC papers at Hoover Library. Forwards app DD records being made available in PDR & app EE records being partially withheld (ref FOIA Exemptions 4 & 5).  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/04. GILINSKY, V. Affiliation Not Assigned. 4pp. 82180:112-82180:170.

-9501050177 SECY-82-420 Partially deleted SECY,advising Commission of proposed technology transfer to Peoples Republic of China per 10CFR810.  
DIRCKS,W.J. Ofc of the Executive Director for Operations. 82/10/19. 22pp. 82180:117-82180:138.

-9501030114 SECY-83-388 Obtains Commission approval of proposed response to DOE.  
DIRCKS,W.J. Ofc of the Executive Director for Operations. 83/09/20. 32pp. 82180:139-82180:170.

9501050427 SECY-94-306 Informs Commission of status of NRR licensing action & of NRR progress in meeting licensing inventory age goals.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/22. 6pp. 82308:126-82308:131.

9501110379 SECY-94-305 Weekly info rept for wk ending 941216.  
BLAHA,J.L. Assistant for Operations (Post 890205). 94/12/22. 23pp. 82297:118-82297:140.

9501110380 SECY-94-307 Weekly info rept for wk ending 941223.  
BLAHA,J.L. Assistant for Operations (Post 890205). 94/12/28. 17pp. 82297:141-82297:157.

9501120233 SECY-95-005 Weekly info rept for wk ending 941230.  
BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/06. 7pp. 82305:026-82305:032.

9501120250 SECY-95-004 Informs Commission of status re implementation of plan for closure of severe accident issues,IPE process & status of severe accident research.Notes implementation of plans should be completed well before Dec 1998.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/04. 51pp. 82536:191-82536:234.

9501120256 SECY-94-293 Informs Commission of status of new SALP program one yr after implementation & intent to implement minor changes to program.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/02. 24pp. 82310:289-82310:312.

9501120274 SECY-94-284 Requests Commission approval for staff to forward encl ltr to DE Dreyfus.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/23. 9pp. 82309:307-82309:315.

9501130144 SECY-94-280 Responds to Commission request for addl info re staff proposal for advance notice of proposed rulemaking.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/18. 82pp. 82319:208-82319:288.

9501130147 SECY-94-273 Requests approval to publish final amends to 10CFR20 & 61 that improve both quality of info contained in low-level waste shipment manifest info & reporting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/08. 159pp. 82320:001-82320:173.

9501240219 SECY-80-251 Requests formal Commission views on proposed agreement for cooperation between US & Peru initiated on 800130 & forwarded by DOS to NRC for review & comment on 800204. Paper partially deleted.  
SHEA,J.R. Office of International Programs (Pre 870413). 80/05/15. 4pp. 82557:338-82557:342.

9501230154 Final response to FOIA request for documents.Encl App A records available in PDR & being partially withheld (ref FOIA Exemption 7).  
POWELL,R. Division of Freedom of Information & Publications Services (890206-940714). 94/04/25. Edgar, Newman, Bouknight, and Edgar. 3pp. 82424:150-82424:203.

-9501230165 SECY-93-161 Provides Commission w/annual rept re results of investigations completed by NRC OI.Info partially withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/06/09. 50pp. 82424:154-82424:203.

9501270282 SECY-95-006 Weekly info rept for wk ending 950106.  
BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/11. 15pp. 82523:277-82523:291.

9501300045 Forwards several documents from records of ofc of former Commissioner Curtiss for release to PDR & addition to NUJOCs sys.  
WALKER,S. Office of the Secretary of the Commission. 95/01/19. BLANTON,J. Information & Records Management Branch (Post 890827). 3pp. 82564:055-82566:027.

-8908290160 SECY-89-253 Directs Commission attention to disagreement between EPA & NRC re new guidance in revised draft manual of protective action guides.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 89/08/23. 6pp. 82564:305-82564:310.

9501300109 SECY-94-296 Approves final draft of "Rept to Congress on Abnormal Occurrences,Jul-Sept 1994."  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/07. 45pp. 82542:110-82542:164.

9501300134 SECY-94-282 Requests Commission approval to publish notice of proposed rulemaking in FR.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/22. 28pp. 82542:170-82542:197.

9501300144 SECY-95-001 Obtains Commission approval to publish in FR response to NEI "post-promulgation" comment.  
CORDRES,J.F. Solicitor (Post 860701). 95/01/04. 23pp. 82542:202-82542:224.

9501300147 SECY-94-277 Requests Commission approval to publish withdrawal of ANPR, "Acceptance of Products Purchased for use in Nuclear Power Plant Structures, Sys & Components."  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/14. 14pp. 82542:225-82542:238.

9501300156 SECY-95-010 Weekly info rept for wk ending 950113.  
BLAHA,J.L. Assistant for Operations (Post 890205). 95/01/20. 19pp. 82542:255-82542:273.

9501300168 SECY-94-260 Provides Commission w/draft, "White Paper on Risk Harmonization," in response to Section D of Mar 1992 MOU between EPA & NRC.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/18. 29pp. 82542:276-82542:304.

9501300176 SECY-94-289 Informs Commission re Presidential Advisory Committee on Human Radiation Experiments & release of info on medical experiments involving human subjects.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/11/30. 46pp. 82536:296-82536:339.

9501300214 Twenty-first partial response to FOIA request for info. Forwards App HH records.App HH records partially withheld (ref FOIA exemption 5).  
POWELL,R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/05/09. GILLINSKY,V. Affiliation Not Assigned. 4pp. 82524:001-82525:205.

-9501300224 SECY-82-024 Partially withheld paper informing of Appeal Board decision re petition on ALAB-662.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). ALAB-662. 82/01/20. 100pp. 82524:258-82524:340.

-9501300234 SECY-82-281 Partially withheld paper re facility psychological impacts- litigation strategy & response to motion on stated stress issue.  
MALSCHE,M.G. Office of the General Counsel (Post 860701). 82/07/02. 7pp. 82524:341-82524:347.

-9501300238 SECY-82-331 Partially withheld paper re review of ALAB-684.  
TRUBATCH,S.L. Office of the General Counsel (Post 860701). ALAB-684. 82/08/09. 11pp. 82524:348-82524:358.

-9501300244 SECY-83-048 Partially withheld paper re review of ALAB-707.  
TRUBATCH,S.L. Office of the General Counsel (Post 860701). ALAB-707. 83/02/01. 24pp. 82524:359-82525:022.

-9501300246 SECY-83-129 Partially withheld paper re hearing requests on renewal of SNM license for Rockwell Intl.  
PLAINE,H.E. Office of the General Counsel (Post 860701). 83/04/08. 22pp. 82525:023-82525:044.

-9501300247 SECY-83-369 Partially withheld paper re review of ALAB-719.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). ALAB-719. 83/09/07. 100pp. 82525:045-82525:156.

-9501300248 SECY-83-436 Partially withheld paper re review of ALAB-741.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). ALAB-741. 83/10/25. 19pp. 82525:157-82525:175.

-9501300253 SECY-83-455 Partially withheld paper re review of ALAB-746.  
FITZGERALD,J.A. Office of the General Counsel (Post 860701). ALAB-746. 83/11/07. 18pp. 82525:176-82525:193.

-9501300256 SECY-83-512 Partially withheld paper recommending disposition of Joint Intervenor stay request on fuel loading.  
MALSCHE,M.G. Office of the General Counsel (Post 860701). 83/12/19. 12pp. 82525:194-82525:205.

SPEECHES SPEECHES

9501060016 S-94-22 Remarks by I Selin,Chairman US NRC before Natl Academy of Sciences,Inst of Medicine Committee for Review & Evaluation of Medical Use Program of NRC Washington,DC 941013.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/10/13. 4pp. 82287:075-82287:078.

9501060018 S-94-23 Introductory remarks by I Selin,Chairman US NRC at all employee meeting Rockville,MD 941018.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/10/18. 7pp. 82287:079-82287:085.

9501060020 S-94-25 Remarks by I Selin,Chairman,US NRC before ANS winter meeting Sheraton-Washington Washington,DC 941114.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/11/14. 11p. 82287:086-82287:096.

9501060023 S-94-27 Remarks by I Selin,Chairman US NRC before NRC Workshop on Site Characterization for Decommissioning 941129, Decommissioning:Progress & Continuing Challenges.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/11/29. 8pp. 82287:097-82287:104.

9501060028 S-94-26 Remarks by ES Beckjord,Director Ofc of Nuclear Regulatory Research US NRC at 22nd Water Reactor Safety Info Meeting Bethesda,MD 941026.  
BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). 94/10/26. 12pp. 82287:105-82287:116.

9501060030 S-94-24 Remarks by I Selin,Chairman US NRC to Second ANS Workshop on Safety of Soviet-Designed Nuclear Power Plants Washington, DC 941112.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/11/12. 6pp. 82287:117-82287:122.

9501060034 S-94-28 Remarks by Dr EG de Planque,Commissioner,US NRC before NRC Workshop on Site Characterization for Decommissioning Rockville,MD 941129.  
DE PLANQUE,E.G. Commissioners (Post 750119). 94/11/29. 10pp. 82287:123-82287:132.

9501120196 S-94-29 Remarks by I Selin,Chairman NRC to Electronic Info Exchange Workshop 941207.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/12/07. 3pp. 82366:333-82366:335.

9501240233 Conference paper entitled, "Do We Dispose of our Trash or Trash our Technology The Choice is Ours," for presentation at 16th Annual DOE Low-Level Radwaste Mgt Conference in Phoenix,AZ 941213.  
DE PLANQUE,E.G. Commissioners (Post 750119). 94/12/13. 9pp. 82485:013-82485:021.

## 234 NONDOCKETED ITEMS

**9501310001** Remarks by I Selin, Chairman NRC by telephone to Harvard Electricity Policy Group New Orleans, LA 950126.  
THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 95/01/26. 6pp. 82575:106-82575:111.

### STATE PROG STATE PROGRAMS

**9501030027** Informs of shipment of solid irradiated nuclear reactor fuel in IF-303 & IF-304 series shipping casks from Brunswick nuclear project to Harris nuclear project.  
COWAN, J.P. Carolina Power & Light Co. 94/12/19. STROUD, T.C. North Carolina, State of. 3pp. 82157:142-82157:144.

**9501030049** Transmits results of NRC 940418-22 review of State of NC radiation control program re State program for performing sealed source & device product evaluations. Informs that State programs for regulations of agreement matls adequate.  
BANGART, R.L. Office of State Programs (Post 911117). 94/12/28. HOWES, J.B. North Carolina, State of. 16pp. 82157:227-82157:243.

**9501030059** Provides info re shipment of irradiated nuclear reactor fuel by util, to Harris nuclear project.  
COWAN, J.P. Carolina Power & Light Co. 94/12/09. STROUD, T.C. North Carolina, State of. 3pp. 82157:264-82157:266.

**9501030075** Transmits State Agreements program info consisting of technical info on device registry certificate.  
LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-188. 94/12/29. General. 19pp. 82157:288-82157:306.

**9501030126** Forwards discharge monitoring rept for plant containing info required in Permit NJ0005622 for month of Nov.  
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/22. CAPORALE, G. New Jersey, State of. 5pp. 82189:282-82189:300.

**-9501030128** "Discharge Monitoring Rept for plant," dtd Nov 1994.  
QUINN, R.F., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 94/11/30. 14pp. 82189:287-82189:300.

**9501030186** Forwards summaries of results of NRC review & evaluation of IL RCP, concluded on 940722. Concludes IL program for regulating agreement matls adequate to protect public health & safety. Requests responses to some findings in summaries.  
BANGART, R.L. Office of State Programs (Post 911117). 94/12/28. ORTCIGER, T.M. Illinois, State of. 39pp. 82173:172-82173:210.

**9501030200** Final response to FOIA request for info. Forwards AEOD annual rept. Suggests contacting NY Agreement State Radiation Control Program director at listed address.  
POWELL, R.A. Division of Freedom of Information & Publications Services (890206-940714). 94/03/17. BOUNDS, J. Affiliation Not Assigned. 1p. 82167:196-82167:200.

**-9501030203** Excerpt from AEOD annual rept, NUREG-1272, App B re medical misad- ministrations submitted by Agreement State licensees during 1992.  
\* Office for Analysis & Evaluation of Operational Data, Director. 92/12/31. 4pp. 82167:197-82167:200.

**9501040022** Transmits results of NRC review & evaluation of Texas radiation control program conducted by R Doda on 940311.  
BANGART, R.L. Office of State Programs (Post 911117). 94/12/28. SMITH, D.R., PEARSON, D. Texas, State of. 47pp. 82173:298-82173:344.

**9501040031** Submits list of issues for comment as result of NRC review of proposed rule changes. Suggests that licensee delete footnote 3 in WAC 246-235-150.  
LOHAUS, P.H. Office of State Programs (Post 911117). 94/12/27. FRAZEE, T.C. Washington, State of. 36pp. 82174:001-82174:039.

**9501040088** Comment on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures. Recommends that NRC abandon "separate regulatory action" approach in favor of integrated analysis approach.  
LOUX, R.R. Nevada, State of. 59FR43200 00040. 94/12/19. Docketing & Services Branch. 11pp. 82174:053-82174:063.

**9501040089** Comment opposing draft policy statement on Agreement State adequacy & compatibility.  
WARREN, J. Affiliation Not Assigned. 59FR37269 00042. 94/12/16. Docketing & Services Branch. 1p. 82174:064-82174:064.

**9501040091** Comment supporting proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
GLEASON, E.J. New York, State of. 59FR43200 00036. 94/12/20. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 82174:071-82174:075.

**9501040095** Comments on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
BRUCHMANN, G.W. Michigan, State of. 59FR43200 00030. 94/12/15. Office of the Secretary of the Commission. 3pp. 82174:114-82174:116.

**9501040100** Comment on compatibility of Agreement States program w/USNRC Programs.  
ROUGHAN, C. Amersham Corp. 59FR37269 00044. 94/12/21. Office of the Secretary of the Commission. 4pp. 82174:138-82174:141.

**9501040101** Comment supporting petition for rulemaking PRM-150-3 re requirement that Agreement States notify NRC of action to adopt, amend or repeal regulations & publish proposed rulemakings in FR.  
BAKER, B.W. Amersham Holdings, Inc. 59FR50706 00016. 94/12/21. Docketing & Services Branch. 2pp. 82174:142-82174:143.

**9501040111** Comment opposing proposed rules 10CFR2.51 & 54 re NPP license renewal.  
TOSCH, B. New Jersey, State of. 59FR46574 00039. 94/12/06. Document Control Branch (Document Control Desk). 3pp. 82174:155-82174:157.

**9501040112** Comment on draft policy statement re adequacy & compatibility for NRC & Agreement State Radiation Control Programs necessary to protect public health & safety.  
WASCOM, R.L. Louisiana, State of. 59FR37269 00043. 94/12/19. Docketing & Services Branch. 3pp. 82174:158-82174:160.

**9501040119** Comment on proposed rules 10CFR20.30,40,50,51,70 & 72 re radiological criteria for decommissioning of lands & structures.  
NOSENCHUCK, N. New York, State of. 59FR43200 00028. 94/12/16. HOYLE, J.C. Docketing & Services Branch. 3pp. 82174:165-82174:167.

**9501040124** Comment re draft policy statement on Agreement State program. Believes that "one way street" exists between NRC & States, contrary to agreement that NRC will be compatible w/States.  
WASCOM, R.L. Louisiana, State of. 59FR40058 00015. 94/12/19. Docketing & Services Branch. 3pp. 82174:169-82174:171.

**9501050458** Requests addl info re current site conditions & proposed reclamation plan re Atlas Minerals U Mill Tailings site.  
SINCLAIR, W.J. Utah, State of. 94/12/19. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82276:347-82276:348.

**9501050473** Discusses State of UT 941115, response & comments re Atlas proposed study of CO river water quality & Biota, position statement.  
SINCLAIR, W.J. Utah, State of. 94/12/21. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82276:345-82276:346.

**9501060005** PNO-IV-94-052 on 941017, ICN Biomedicals, Inc reported to State of CA that employee exceeded extremity exposure limit to right finger. Licensee removed individual from further work detail. Region received notification by D Bunn.  
HORNER, J. Region 4 (Post 820201). 94/10/18. 1p. 82189:031-82189:031.

**9501060008** PNO-IV-94-054 on 941025, patient experienced overexposure. Caused by failure of valve couch. Licensee manually disconnected helmet from unit & removed patient from room. State of CA notified of event.  
HORNOR, J., PRANGE, B. Region 4 (Post 820201). 94/10/27. 1p. 82189:032-82189:032.

**9501060035** Forwards documentation addressing return of regulatory authority to NRC by States of New Mexico & Idaho & granting of funds by NRC for Agreement State Program.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/03. RIGGLE, J. George Mason Univ., Fairfax, VA. 2pp. 82189:096-82189:188.

**-9501060052** Requests that NRC provide funds necessary for assumption of Agreement State Program & initial implementation in response to meeting held in Oklahoma City, OK on 931109.  
COLEMAN, M.S. Oklahoma, State of. 94/01/03. BANGART, R. Office of State Programs (Post 911117). 2pp. 82189:186-82189:188.

**9501060087** Responds to 941206 request for info or data indicating that excursion at monitor well CM-15 controlled. Well CM-15 went on excursion status on 940909. Injection activities shut down in wells C-17 & C-19 to assist in controlling excursion.  
KEARNEY, W.F. Power Resources Corp. 94/12/20. CHANCELLOR, R. Wyoming, State of. 4pp. 82288:148-82288:151.

**9501060148** Forwards Pathfinder Mines Corp annual rept for Ruth ISL Project. Permit to Mine 631, per requirements of WS 35-11-411(a). No const. development or reclamation activities scheduled for coming yr. 1995.W/1 oversize encl.  
WICHERS, D.L. Pathfinder Mines Corp. 94/12/16. GIURGEVICH, B. Wyoming, State of. 9pp. 82302:289-82302:297.

**9501060165** Forwards Umetco Minerals Corp document entitled, "Response to DOE Contractor Comments on Naturita Tailings Disposal at Uravan" state of CO transmittal tr dtd 941201, per protocol agreed to during Oct telcon between stated participants.  
WOODWORTH, L.A. Energy, Dept. of. 94/12/16. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 82280:266-82280:351.

**9501060257** Requests that state of WY forwards info or concerns re effects of Energy Fuels Nuclear Inc, proposed mining project on sensitive species, as well as listing & regulations pertaining to protection of species of plants or animals.  
GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/11/22. Wyoming, State of. 3pp. 82273:357-82273:359.

**9501090011** Responds to 941129 ltr re proposed elimination of environmental monitoring portion of State Cooperative Agreement Program. Program will be funded for an addl yr.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/03. LIPOTI, J. New Jersey, State of. 3pp. 82235:040-82235:045.

**-9501090013** Expresses deep concern w/proposed cutback in environmental radiological verification monitoring program in environs of major nuclear facilities.  
LIPOTI, J. New Jersey, State of. 94/11/29. BANGART, R.L. Office of State Programs (Post 911117). 3pp. 82235:043-82235:045.

**9501090014** Informs that NRC amended regulations to add Standardized NUHOMS Horizontal Sys to list of approved spent fuel storage casks. Forwards FR notice which includes final rule info.  
BANGART, R.L. Office of State Programs (Post 911117). SP-94-186. 94/12/30. General. 25pp. 82235:068-82235:092.

**9501090018** Forwards sealed source & device registry certificates provided for addition to catalogues.  
LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-187. 94/12/27. General. 11pp. 82235:141-82235:151.

**9501090022** Responds to ltr, dtd 941123, re NRC proposed elimination of environmental monitoring of state cooperative agreement program. Informs NRC to fund environmental monitoring programs through Dec 1995.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/03. SMITH, D.R. Texas, State of. 3pp. 82235:164-82235:168.

**-9501090028** Discusses NRC plan to reduce environmental surveillance/ monitoring contracts w/ TX. Expresses concern that such action will reduce TX ability to protect public health & environ. Requests NRC to reconsider plan reductions.  
SMITH, D.R. Texas, State of. 94/11/23. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 82235:167-82235:168.

**9501090024** Forwards pre-publication copy of FR notice revising final rule on radiopharm- acy which will reduce regulatory burden & uncertainty for commercial mfgs & distrib- utors of radiopharm for human use.  
LOHAUS, P.H. Office of State Programs (Post 911117). SP-94-189. 94/12/30. General. 15pp. 82235:170-82235:184.

- 9501090031** Responds to 941129 ltr re proposed elimination of environ monitoring portion of State Cooperative Agreement Program. NRC decided to fund program for addl yr through Dec 1995.  
BANGART,R.L. Office of State Programs (Post 911117). 95/01/03. GRAHAM,L. Maine, State of. 3pp. 82235:324-82235:328.
- 9501090038** Expresses apologies for delay in answering NRC 941007 ltr re visit to radiation control program as part of mid-yr review follow up. Extension requested in answering rept details & concern re elimination of NRC program funding.  
GRAHAM,L. Maine, State of. 94/11/29. BANGART,R. Office of State Programs (Post 911117). 2pp. 82235:327-82235:328.
- 9501090044** Responds to 941107 ltr to Chairman Selin re proposed elimination of environ monitoring portion of State Cooperative Agreement Program. NRC to fund program for addl yr through Dec 1995.  
BANGART,R.L. Office of State Programs (Post 911117). 95/01/03. TEFFT,D.E. . 3pp. 82235:329-82235:333.
- 9501090052** Requests support in seeking continuation of NRC State Cooperative Agreement for Radiation Monitoring Program around NPPs. Bases for request as listed include public perception & State validation of results.  
TEFFT,D.E. . 94/11/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 82235:332-82235:333.
- 9501090071** Forwards info re estimates of plutonium to be disposed at Ward Valley, CA low-level radwaste disposal facility.  
LOHAUS,P.H. Office of State Programs (Post 911117). SP-94-185. 94/12/30. General. 2pp. 82245:217-82245:247.
- 9501090327** Discusses draft environ impact statement values for plutonium concentrations in NPP decontamination waste streams.  
CAMPBELL,A.C. Division of Waste Management (NMSS 940403). 94/12/05. KENNEDY,J. Division of Waste Management (NMSS 940403). 11pp. 82245:221-82245:231.
- 9501090331** Responds to 941110 ltr re amount of Pu-239 projected for disposal in Ward Valley, CA low-level radwaste disposal facility.  
KNAPP,M.R. Division of Waste Management (NMSS 940403). 94/11/23. ALTERMAN,I. National Research Council. 6pp. 82245:232-82245:238.
- 9501090333** Discusses issues re Ward Valley, CA low level radwaste site.  
ALTERMAN,I.B. National Research Council. 94/11/10. LOHAUS,P. Office of State Programs (Post 911117). 9pp. 82245:239-82245:247.
- 9501090112** Confirms 941221 telcon re NRC visit to review Tennessee Radiation Control Program for Agreement materials.  
WOODRUFF,R.L. NRC - No Detailed Affiliation Given. 94/12/22. MOBLEY,M.H. Tennessee, State of. 1p. 82235:323-82235:323.
- 9501090223** Extends invitation to CA Duritsa, as representative of PA Dept of Environ Resources Southwest region, to participate in 950112 meeting in Leechburg, PA re decommissioning of Babcock & Wilcox Shallow Land Disposal Area.  
GREEVES,J.T. Division of Waste Management (NMSS 940403). 94/12/29. DURITSA,C.A. Pennsylvania, Commonwealth of. 6pp. 82288:153-82288:158.
- 9501100219** Submits follow up to telephone notification re excursion of total suspended solids limitations at plant outfall 181.  
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/01/03. COOK,C.S. Virginia, Commonwealth of. 2pp. 82291:301-82291:302.
- 9501100237** Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 940929 License Change Request LCR 94-25 re instrumentation from Tech Specs & has no comments.  
TOSCH,K. New Jersey, State of. 94/12/27. Document Control Branch (Document Control Desk). 2pp. 82291:319-82291:320.
- 9501100240** Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 940929 License Change Request LCR 94-18 re instrumentation from Tech Specs & has no comments.  
TOSCH,K. New Jersey, State of. 94/12/27. Document Control Branch (Document Control Desk). 2pp. 82291:321-82291:322.
- 9501100258** Requests that sodium bromide be approved as permanent treatment compound for control of algae in cooling towers at Catawba Nuclear Station.  
CARTER,J.S. Duke Power Co. 95/01/04. ELEAZER,T.M. South Carolina, State of. 3pp. 82294:325-82294:327.
- 9501100003** Responds to recent inquiry re NRC proposed elimination of environ monitoring portion of State Cooperative Agreement Program. Informs that NRC decided to fund environ monitoring program for addl yr through Dec 1995.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/27. CHAPMAN,J. House of Rep. 5pp. 82274:001-82274:005.
- 9501110326** Forwards "Final Closure/Post-Closure Plan Bert Avenue Site." Drawing index encl.  
KOH,B. Chemetron Corp. 94/12/05. PARKER,J.L. Ohio, State of. 1p. 82311:001-82311:219.
- 9501120001** Responds to recent inquiry re NRC proposed elimination of environ monitoring portion of State Cooperative Agreement Program. Informs that NRC decided to fund environ monitoring program for addl yr through Dec 1995.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/28. FIELDS,J. House of Rep. 5pp. 82536:259-82536:265.
- 9501120002** Requests clarification re issue of Measurx Corp labeling devices w/nominal activity equal to max activity rated for particular device design & distributed to general licensees. Response requested by 950203.  
LOHAUS,P.H. Office of State Programs (Post 911117). 95/01/09. BAILEY,E.D. California, State of. 2pp. 82279:003-82279:005.
- 9501120005** Comments on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.  
ORTCIGER,T.W. Illinois, State of. 59FR9429 00058. 94/11/30. BANGART,R.L. Office of State Programs (Post 911117). 21pp. 82279:009-82279:029.
- 9501120012** Responds to 941219 ltr to D Rathbun re NRC proposed elimination of environmental monitoring portion of State Cooperative Agreement Program. NRC decided to fund environ monitoring program for addl year through Dec 1995.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/28. FROST,M. House of Rep. 2pp. 82279:130-82279:134.
- 9501120022** Responds to correspondence from Commission of TX Dept of Health re possible reduction of funding for environmental surveillance/monitoring contracts. W/ encl.  
FROST,M. House of Rep. 94/12/19. RATHBURN,D. Office of Congressional Affairs (Post 911117). 3pp. 82279:132-82279:134.
- 9501120023** Comment on "NRC Adequacy & Compatibility for NRC & Agreement State Radiation Control Programs Necessary to Protect Public Health & Safety; Draft Statement of Policy."  
WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 59FR37269 00045. 94/12/27. Docketing & Services Branch. 3pp. 82279:163-82279:165.
- 9501120030** Comment on proposed rule 10CFR72 re horizontal modular storage sys to list of approved SF storage casks. Withdraws comments submitted w/940816 ltr due to derogatory statements made toward NRC w/o author full knowledge.  
OWER,R.E. Ohio, State of. 59FR28496. 94/11/23. Docketing & Services Branch. 2pp. 82279:190-82279:191.
- 9501120043** Responds to 941223 ltr to I Selin re review of CA Agreement State Program. CA program will likely be adequate & compatible & equivalent of clean state will be established.  
BANGART,R.L. Office of State Programs (Post 911117). 95/01/09. BELSHE,S.K. California, State of. 3pp. 82279:222-82279:226.
- 9501120049** Ack receipt of 941014 ltr re review of CA Agreement State Program. Suggests that NRC & Dept of Health Svcs avoid unnecessary time & effort of addressing old, outdated issues irrelevant to present conditions.  
BELSHE,S.K. California, State of. 94/12/23. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 82279:225-82279:226.
- 9501120060** Transmits State Agreements Program Info SP-95-002 re notification for 2-wk health physics technology course scheduled for 950313-27 in Chattanooga, TN. Brief description from training syllabus encl.  
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-002. 95/01/06. General. 11pp. 82279:301-82279:311.
- 9501120085** Provides addl comments on proposed rev to 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. NRC should make better use of advice from more experienced state regulatory programs.  
COLLINS,S.C. Illinois, State of. 59FR9429. 95/01/05. TROTTIER,C.A. Office of Nuclear Regulatory Research (Post 941217). 5pp. 82280:060-82280:064.
- 9501120261** Discusses U Resources, Inc preparation of comprehensive EIS for const & operation of U Solution Mining Project in Crownpoint, NM.  
HOWES,G. New Mexico, State of. 94/12/29. Division of Waste Management (NMSS 940403). 1p. 82334:350-82334:351.
- 9501120294** Provides info re nitrate contamination at UNC Church Rock site.  
TRUJILLO,D.M. New Mexico, State of. 94/12/19. GHOSE,S. Environmental Protection Agency. 31pp. 82329:302-82329:332.
- 9501120321** Requests complete environ impact statement for Hydro Resources, Inc proposal for solution U mining in Crownpoint & Church Rock, AZ.  
REITZ,A. New Mexico, State of. 95/01/12. Division of Waste Management (NMSS 940403). 1p. 82329:333-82329:334.
- 9501120327** Forwards resolution from Eastern Navajo Health Board in respect to agency request for comments.  
VICE,J. New Mexico, State of. 95/01/06. Division of Waste Management (NMSS 940403). 4pp. 82329:335-82329:338.
- 9501130005** Responds to 941220 ltr re results of NRC review & evaluation of Utah radiation control program. Informs that land ownership issue satisfactorily resolved.  
BANGART,R.L. Office of State Programs (Post 911117). 2.206. 95/01/10. SINCLAIR,W.J. Utah, State of. 2pp. 82298:343-82298:345.
- 9501130010** Ack receipt of NRC program review & evaluation under existing Agreement State Review process. Requests tape or transcript of Mgt Review Board meeting on 941007 to help in response to program review.  
SINCLAIR,W.J. Utah, State of. 94/12/20. BANGART,R.L. Office of State Programs (Post 911117). 1p. 82298:345-82298:345.
- 9501130109** Comments on proposed rules 10CFR34 & 150 re proposed industrial radiography rules.  
RATLIFF,R.A. Texas, State of. 59FR9429. 94/12/29. TROTTIER,C.A. NRC - No Detailed Affiliation Given. 2pp. 82299:038-82299:039.
- 9501130116** Comments on proposed rules 10CFR34 & 150 re mandatory radiographer certification.  
SCROGGS,A.C. Washington, State of. 59FR9429 00061. 94/12/29. GLENN,J.E. Office of Nuclear Material Safety & Safeguards. 2pp. 82299:052-82299:053.
- 9501130152** Forwards response to notice of violation & proposed imposition of civil penalty noted in insp of general license granted by 10CFR150.20(a). Corrective actions: licensee will reassign RSO responsibilities at higher mgt level by 950701.  
STEWART,W.H. Johnson Yokogawa Corp. (formerly Yokogawa of America). EA-94-219. 95/01/09. Ofc of Enforcement (Post 870413). 3pp. 82363:357-82363:359.
- 9501130183** Forwards rept on 1993 & 1994 annual insps of Igaray-Christensen ISL operations, conducted on 930922 & 940907, respectively.  
MOONEY,G. Wyoming, State of. 94/12/30. WICHERS,D. COGEMA, Inc. 23pp. 82366:179-82366:201.
- 9501170004** Forwards sealed source & device registry certificates.  
SOLLENBERGER,D. NRC - No Detailed Affiliation Given. SP-95-003. 95/01/09. General. 2pp. 82313:266-82313:266.
- 9501170011** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 6711. Certificate: IL-136-S-338-S.  
PERRERO,D. Illinois, State of. IL-136-S-338-S. 94/12/23. 7pp. 82313:268-82313:283.
- 9501170078** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models SIH-24 & AIB-10. Certificate: NR-355-D-105-E.  
BAGGETT,S. NRC - No Detailed Affiliation Given. NR-355-D-105-E. 94/12/23. 3pp. 82313:284-82313:286.

## 236 NONDOCKETED ITEMS

- 9501170022** PNO-II-95-001: on 950103, truckload of steel plates alarmed installed radiation detectors. Truck isolated & to be retrieved by Ranger Steel on 950106. Region II will coordinate w/ State of MS & EPA on followup on event.  
HOSEY, C.M. Region 2 (Post 820201). 95/01/06. 1p. 82314:025-82314:025.
- 9501180009** Discusses Jan 1994 request for addl info on event that occurred at New York facility. Requests approx time frame for licensee response to request for addl info.  
LOHAUS, P.H. Office of State Programs (Post 911117). 95/01/11. KULIKOWSKI, R.R. New York, State of. 3pp. 82324:348-82324:350.
- 9501180038** Responds to 941209 ltr re NRC participation in CRCPD & discusses emphasis put on AEA mail issues. Suggests that future planning committee activities & other CRCPD meetings & activities hold discussions on AEA mails.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/12. FLATER, D.A. Iowa, State of. 3pp. 82324:069-82324:072.
- 9501180057** Discusses 941116-18 CRCPD meeting held in Frankfort, KY & NRC failure to attend. Expresses concern re NRC/OSP interest in working w/CRCPD.  
FLATER, D.A. Iowa, State of. 94/12/09. BANGART, R.L. Office of State Programs (Post 911117). 1p. 82324:072-82324:072.
- 9501180091** Comment on draft reg guide DG-0005, second proposed rev 2 to reg guide 10.5. Agrees that guidance needs to be developed & reissued in that rev 1 to reg guide 10.5 inadequate.  
COLLINS, S.C. Illinois, State of. 59FR54928 00001. 95/01/06. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 82324:250-82324:256.
- 9501180186** Forwards info re results of review & evaluation of New Hampshire radiation control program in conjunction w/ pilot integrated mail performance evaluation program.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/10. DANIELSON, C.E. New Hampshire, State of. 36pp. 82326:234-82326:269.
- 9501190007** Comment opposing draft policy statement on Agreement State adequacy & compatibility.  
HARDER, R.C. Kansas, State of. 59FR37269 00047. 95/01/05. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 82335:064-82335:065.
- 9501190101** Schedules transcribed EC to be conducted at office in Arlington, TX. Provides summary of violation that NRC expects O Jones to be prepared to discuss during conference. Ack receipt of 941227 ltr.  
CALLAN, L.J. Region 4 (Post 820201). EA-94-138. 94/01/12. JONES, O.G. 49pp. 82336:035-82336:063.
- 9501190140** Discusses insp rept 15000042/94-07 on 941129 & forwards notice of violation. Violations involves failure of individuals working at temporary jobsite to use all personal monitoring equipment required under Agreement State license.  
COLLINS, S.J. Region 4 (Post 820201). 95/01/12. LOESER, M. X-Ray Equipment Co. 4pp. 82336:131-82336:136.
- 9501190143** Notice of violation from insp on 941129. Violations noted: on 941129, license personnel working at field job in Tulsa, OK, involving source exchange for teletherapy unit did not use wrist dosimeters.  
\* Region 4 (Post 820201). 95/01/12. 2pp. 82336:135-82336:136.
- 9501190390** Notification of 950118 meeting w/DOE in Las Vegas, NV to discuss DOE items of mutual interest re QA w/DOE & State of NV. Meeting agenda encl.  
GARCIA, A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/09. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82392:076-82392:080.
- 9501200038** Ack receipt of 941128 ltr informing State of steps taken to correct items of noncompliance & recommendations noted during insp of WA State Radioactive ML WN-1019-2 on 941010-12.  
ELSEN, M.J. Washington, State of. 94/12/13. GAYNOR, R.K. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:338-82471:338.
- 9501200042** Responds to 941212 ltr requesting permission to conditionally qualify P Jones as radiological control & safety technician to perform incoming & outgoing shipment surveys. Request approved.  
ELSEN, M.J. Washington, State of. 94/12/19. LEDOUX, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:339-82471:339.
- 9501200049** Responds to 941116 ltr requesting variance to license condition 73(C) re completion of required audit. Request approved.  
ELSEN, M.J. Washington, State of. 94/12/21. PALMER, A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 82471:340-82471:340.
- 9501200051** Requests concurrence & comments to encl final rev to Parts A,D & J of suggested state regulation for control of radiation which incorporate revised 10CFR20. Response needed by 950201.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/17. CYR, K.D. Office of the General Counsel (Post 860701). BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 15pp. 82351:210-82352:069.
- 9501200056** Responds to 920804 memo, requesting review & concurrence on rev to Parts A,D & J of SSRRC which incorporate rev to 10CFR20. Concurs w/latest rev to SSRRC, provided Part J revised to reflect comment contained in encl.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/09/15. KAMMERER, C. Office of State Programs (Post 911117). 2pp. 82351:225-82351:226.
- 9209030192** Concurs w/changes that incorporate revs to 10CFR20, w/encl minor comments, per 920804 request.  
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (870411-921003). 92/08/24. KAMMERER, C. Office of State Programs (Post 911117). 2pp. 82351:227-82351:228.
- 9212030458** Discusses review of rev to suggested state regulations implementing revised 10CFR20.  
CAMERON, F.X. Office of the General Counsel (Post 860701). 92/10/22. KAMMERER, C. Office of State Programs (Post 911117). 2pp. 82351:229-82351:230.
- 9501200068** Forwards comments on rev to suggested state regulations implementing revised 10CFR20, per 920804 request. Advises that if implemented, State Regulations would be compatible w/ revised 10CFR20.20.10001-20.2401.  
BECK, JORD, E.S. Office of Nuclear Regulatory Research (860720-941217). 92/09/11. KAMMERER, C.C. Office of State Programs (Post 911117). 207pp. 82351:231-82352:069.
- 9501200193** Provides written notification of US Ecology Richland stds manual of operational air sample in excess of location, date, analysis & result.  
LEDoux, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/11/07. ROBERTSON, G. Washington, State of. 1p. 82471:347-82471:347.
- 9501200197** Submits written notice of US Ecology Richland Facility stds manual of operational air sample in excess of location, date, analysis & result.  
LEDoux, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/09/20. ROBERTSON, G. Washington, State of. 1p. 82471:348-82471:349.
- 9501200200** Informs that review of manifest for waste handled indicated most restrictive isotope present to be U-233.  
LEDoux, M.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 94/10/19. ROBERTSON, G. Washington, State of. 1p. 82471:350-82471:350.
- 9501200204** Responds to 941215 submittal of revs to Richland Operational Procedures & informs that procedures acceptable & may be issued.  
ELSEN, M.J. Washington, State of. 94/12/21. LEDoux, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 2pp. 82471:355-82471:356.
- 9501200289** Discusses insp conducted by Dept of Health, Division of Radiation Protection on 941010-12, of activities authorized by State of WA Radioactive Mails license WN-1019-2, amend 19.  
ROBERTSON, G. Washington, State of. 94/11/02. GAYNOR, R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 3pp. 82471:357-82471:359.
- 9501200362** "Wastewater Rept for Dec 1994 for Davis-Besse Nuclear Power Station, Unit 1." W/950110 ltr.  
WOOD, J.K. Toledo Edison Co. 94/12/31. 8pp. 82472:245-82472:252.
- 9501230052** Documents results of NRC review of draft revs to State of NM Radiation Protection Regulations per 940912 & 941208 submittals. Tentative finding offered that revised draft regulations compatible w/equivalent regulations of NRC.  
LOHAUS, P.H. Office of State Programs (Post 911117). 95/01/09. FLOYD, W.M. New Mexico, State of. 2pp. 82377:158-82377:159.
- 9501230155** NPDES discharge rept for month of Dec 1994. W/950112 ltr.  
STRATMAN, R.A. Centerior Energy. PY-CEI/OEPA-021. 94/12/31. 5pp. 82497:279-82497:283.
- 9501240145** Comments on licensee 941118 application for amends to licenses DPR-70 & DPR-75, revising reactivity control sys TS for boron flow paths & CPs, by reducing min number of operable CPs required for boron addition in Mode 4.  
TOSCH, K. New Jersey, State of. LCR 93-19. 95/01/12. Document Control Branch (Document Control Desk). 2pp. 82512:359-82512:360.
- 9501240252** Comment requesting extension to comment period on proposed amend by util to change TS to allow use of addl 45 existing spent fuel storage locations in spent fuel pool.  
TOSCH, K.W. New Jersey, State of. 59FR65542 00001. 95/01/12. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 82429:253-82429:254.
- 9501240261** Comment on draft NUREG/CR-6174, "Revised Analyses of Decommissioning for Ref BWR Power Station." Disposal costs projected for new IL disposal facility would exceed estimated Barmwell costs by at least 50%.  
KLEBE, M.E. Illinois, State of. 59FR55299 00002. 95/01/18. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 82429:265-82429:267.
- 9501240288** Comment on proposed rules 10CFR20.30, 40, 61.70 & 72 re termination or transfer of licensed activities; recordkeeping requirements. Proposed rule overly broad & impacts have not been properly evaluated.  
QUILLIN, R.M. Colorado, State of. 59FR66814 00002. 95/01/18. Docketing & Services Branch. 5pp. 82430:356-82430:360.
- 9501240300** Comment on proposed rules 10CFR34 & 150 re regulation of industrial radiography. Definition for "Certifying entity" & all refs to "certification" of radiographers should be deleted from regulations.  
ALDRICH, R. New York, State of. 59FR9429 00062. 95/01/12. GLENN, J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 82431:285-82431:291.
- 9501240305** Responds to violations noted in insp of license. Corrective actions: use of reporting sys for svc work & issuance of wrist badges added to sys.  
LOESER, M.W. X-Ray Equipment Co. 95/01/18. Document Control Branch (Document Control Desk). 2pp. 82431:311-82431:313.
- 9501240351** Requests approval to use listed chemical additives in revising water treatment program at plant to optimize treatment for corrosion, scaling, slime & fouling.  
FIELDS, J.S. Pennsylvania Power & Light Co. PLE-18383. 95/01/17. SWERDON, P.M. Pennsylvania, Commonwealth of. 3pp. 82437:353-82437:355.
- 9501240367** Submits comments re protected plant & animal species that may be affected by license application for in-situ U project near Reno Junction, WY. Except for certain species & animals as listed, all species protected by State of WY statute.  
COLLINS, T.C. Wyoming, State of. 94/12/21. GILLEN, D.M. Division of Waste Management (NMSS 940403). 69pp. 82438:001-82438:073.
- 9501250009** Informs that Tremetrics, Inc & Perkin Elmer Corp mfgs of radiation detectors (Ni-63) & will properly dispose of detectors. Forwards certification of disposition of matts.  
\* New Mexico, State of. 95/01/17. HERNANDEZ, C. Region 4 (Post 820201). 1p. 82432:119-82432:123.
- 9501250020** Certificate of disposition of matts: all RAM disposed of through States of NM & AZ.  
\* New Mexico, State of. 95/01/17. 4pp. 82432:120-82432:123.
- 9501250010** PNO-III-95-003: on 950112, DNS informed Region III ofc that refinery contractor employee may have received radiation overexposure on 950111. Insp & reenactment of incident to be performed. Region III monitoring event.  
LYNCH, J. Region 3 (Post 820201). 95/01/13. 1p. 82432:124-82432:124.



- 9501250015 Discusses licensee 931123 application for amend to Reno Creek ISL project, Permit 479. Requests response to encl technical review comments resulting from review.  
MOONEY, G. Wyoming, State of. 95/01/10. WETZ, T.V. Energy Fuels Nuclear, Inc. 40pp. 82432:128-82432:169.
- 9501250016 PNO-III-95-004: on 950114 IDPH conducted unannounced field insp of Iowa Insp Technologies & ordered licensee to cease activities due to licensee failure to have proper dosimetry calibr survey instruments. Conference scheduled for 950202.  
LYNCH, J. Region 3 (Post 820201). 95/01/18. 1p. 82432:170-82432:170.
- 9501250030 Forwards NRC review of DOE responses to comments on radiological & engineering assessment for Old Clifton Landfill. Concludes that DOE not yet clearly demonstrated compliance w/40CFR192.22(a).  
GILLEN, D.M. Division of Waste Management (NMSS 940403). 95/01/20. CORMIER, C.A. New Mexico, State of. 4pp. 82432:351-82432:355.
- 9501250085 Forwards amend 19 to license R-95 & SE. Amend deletes requirement for daily measurement of gross radioactivity in secondary coolant sys from TS.  
MENDONCA, M.M. 95/01/19. TEHANT, Rhode Island, State of. 3pp. 82485:242-82485:250.
- 9501260027 Discusses 941212 ltr, from Louisiana Dept of Environ Quality to RD Dichary of Source Production & Equipment Co, indicating that state of California notified of investigation re IR-100 apparent lack of compliance.  
MYERS, J. Office of State Programs (Post 911117). 95/01/24. NRC - No Detailed Affiliation Given. 2pp. 82465:048-82465:049.
- 9501260028 Forwards draft rept on aerial radiation survey conducted as part of joint NRC/State of MD insp of Neutron Products, Inc facility in Nov 1993.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/20. DACEK, N. Montgomery County, MD. 2pp. 82481:049-82481:083.
- 9501260047 Draft, "Aerial Radiological Survey of Neutron Products Co & Surrounding Area." Nov 1993.  
\* EG&G Energy Measurements. UC-702. 94/10/31. 33pp. 82481:052-82481:083.
- 9501260033 Forwards minutes of Albuquerque meeting between EPA, NRC, NM Environ Dept & Navajo Superfund Program, held on 941116 at UNC Churchrock site in Gallup, NM.  
GHOSE, S.K. Environmental Protection Agency. 94/12/30. TRUJILLO, D. New Mexico, State of. 5pp. 82519:228-82519:232.
- 9501260042 Forwards draft minutes of final fourth Mgt Review Board meeting on 941027.  
SCHNEIDER, K.N. Office of State Programs (Post 911117). 95/01/24. THOMPSON, H. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). BANGART, R. Office of State Programs (Post 911117). BERNERO, R. Office of Nuclear Material Safety & Safeguards. 7pp. 82465:001-82465:007.
- 9501260060 Informs of upcoming shipment of irradiated nuclear fuel from Brunswick nuclear project to Harris nuclear project in State of NC. Nuclear fuel to be shipped in IF-303 & IF-304 type casks by rail.  
COWAN, J.P. Carolina Power & Light Co. 95/01/20. STROUD, T.C. North Carolina, State of. 3pp. 82465:276-82465:278.
- 9501260113 Comment on proposed rules 10CFR20.30, 40, 50, 51, 70 & 72 re radiological criteria for decommissioning of lands & structures. Emphasizes position on proposed decommissioning limit of 15 mrem TEDE.  
ORTCIGER, T.W. Illinois, State of. 59FR43200 00074. 95/01/20. Docketing & Services Branch. 7pp. 82465:267-82465:273.
- 9501260170 "Discharge Plan - 169 Semiannual Rept 2nd Half 1994." W/ 950115 ltr. LUTHIGER, P. Quivira Mining Co. 94/12/31. OHRBOM, R. New Mexico, State of. 6pp. 82523:197-82523:202.
- 9501260181 "Quarterly Hazardous Waste Rept - General Info." for fourth quarter of 1994. W/ 950113 ltr.  
BELLES, T.D. Pennsylvania Power & Light Co. PLES-5687. 94/12/31. 5pp. 82514:333-82514:337.
- 9501260219 Provides comments re Shieldalloy work plan for determining characteristics of slag at Cambridge, OH facility. Plan does not contain enough technical data to support proposed sampling & analysis work.  
OWEN, R.E. Ohio, State of. 95/01/19. NELSON, R.A. NRC - No Detailed Affiliation Given. 2pp. 82514:353-82514:354.
- 9501260228 Forwards Vols 1 & 2 of technical memo, "Historical Data Evaluation SCA/Hartley & Hartley Landfill Bay County, MI." Document summarizes environ monitoring data obtained during period from 1985 to 1993, per 1984 Amend to Consent Order.  
OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/01/13. PARROTT, J. NRC - No Detailed Affiliation Given. HARTMAN, M. Michigan, State of. 2pp. 82538:001-82538:005.
- 9501270026 Comment supporting proposed rule 10CFR20 re frequency which medical examinations required to ensure safe use of respiratory protection equipment.  
RATLIFF, R.A. Texas, State of. 59FR47565 00013. 95/01/17. Docketing & Services Branch. 1p. 82488:318-82488:318.
- 9501270060 Informs that request for reciprocity denied re 950115 submittal concerning request for general license under reciprocity w/respect to activities related to Agreement State licenses & requirements of 10CFR150.20 & 71.12(c).  
GROBE, J.A. Region 3 (Post 820201). 95/01/23. MCCAIN, J. Affiliation Not Assigned. 2pp. 82490:133-82490:136.
- 9501270071 Notice of violation of requirements of 10CFR71.12 & 10CFR150.20(b)(1) re transport of licensed mail & filing of proposed activities w/ NRC, respectively. Violation noted: licensed mail transported w/o approved QA program.  
Region 3 (Post 820201). 95/01/23. 2pp. 82490:135-82490:136.
- 9501270103 Comment on draft reg guide DG-0005, "Applications for Licensing of Broad Scope." Advises that all lab glassware & other equipment should be monitored & controlled or released as appropriate.  
QUILLIN, R.M. Colorado, State of. 59FR55141 00004. 95/01/10. Division of Freedom of Information & Publications Services (890206-940714). 1p. 82490:179-82490:179.
- 9501270121 Informs MO Leavitt that time provided by NRC regulation within which Commission may act to review DD-94-10 in docket, has expired. W/Certificate of Svc. Served on 950119.  
HOYLE, J.C. Office of the Secretary of the Commission. #195 16234. 2.206. 95/01/19. LEAVITT, M.O. Utah, State of. 2pp. 82511:001-82511:002.
- 9501270131 NPDES discharge monitoring rept for Dec 1994 for Pilgrim Nuclear Power Station. W/950119 ltr.  
SCHMELING, L.L., ROTHERT, W.C. Boston Edison Co. BECO 5.95.002. 94/12/31. 10pp. 82525:352-82525:361.
- 9501270143 Comment approving final environ statement re operation of plant.  
BROWN, C.W. Tennessee, State of. 59FR63832 00003. 95/01/17. FLANDERS, S. Rules & Directives Review Branch (Post 920323). 1p. 82490:210-82490:210.
- 9501270218 Requests that monitoring frequency of chlorine analyzer be changed to include grab sampling in lieu of continuous monitoring & that grab sampling be conducted per conditions defined footnote "r." Evaluation of subj analyzer encl.  
BLAKE, J.W. Power Authority of the State of New York (New York Power Authority). 94/01/19. STIEDLE, W. New York, State of. 15pp. 82540:325-82540:339.
- 9501300012 Discusses licensing, use & closure of U mills that have potential to affect public health & environ in Utah. Urges State of Colorado not to allow add waste to be accepted at Uravan facility.  
BROWN, M.R. Utah, State of. 95/01/04. ROMER, R. Utah, State of. 4pp. 82511:082-82511:085.
- 9501300014 Forwards draft rept "Aerial Radiological Survey of Neutron Products Co & Surrounding Area" for Nov 1993.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/12. MORELLA, C.A. House of Rep. Cpp. 82511:086-82511:121.
- 9501300028 EGG-11265-1081 Draft, "Aerial Radiological Survey of Neutron Products Co & Surrounding Area, Nov 1993."  
\* EG&G Energy Measurements. UC-702. 94/10/31. 30pp. 82511:090-82511:121.
- 9501300022 Forwards preliminary draft rept, "Aerial Radiological Survey of Neutron Products Co & Surrounding Area," conducted as part of joint NRC - State of Maryland insp of NPI facility in Nov 1993.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/01/12. SARBANES, P.S. Senate. 4pp. 82511:188-82511:223.
- 9501300030 Transmits results of NRC review & evaluation of Nebraska radiation control program. Informs that NRC determined that Nebraska program for regulation of agreement mats. adequate to protect health/safety & compatible w/regulatory program.  
BANGART, R.L. Office of State Programs (Post 911117). 95/01/20. HORTON, M.B. Nebraska, State of. 34pp. 82511:324-82511:357.
- 9501300032 Discusses draft Environ Justice Implementation Plan & Presidential Executive Order 12898 re federal actions addressing draft plan. NRC current regulations preclude adverse effects from licensed activities to public.  
MARCUS, C.S. California, Univ. of. Los Angeles, CA. 95/01/09. LOPEZ-OTIN, M. NRC - No Detailed Affiliation Given. 4pp. 82512:008-82512:017.
- 9501300055 Confirms 950119 discussion between Batavia & Autry re South Carolina Radiation Control Program in Columbia on 950313-24. Bureau of Radiological Health review scheduled for wk of 950313-17.  
WOODRUFF, R.L. Region 2 (Post 820201). 95/01/20. BATAVIA, M. South Carolina, State of. 28pp. 82512:028-82512:055.
- 9501300056 Forwards special rept entitled, "Origin of Calcite-Silica Deposits at Trench 14 & Busted Butte & Methodologies Used to Determine Their Origin."  
JOHNSON, C.A. Nevada, State of. HLWR. 95/01/10. KNAPP, M. Division of Waste Management (NMSS 940403). 2pp. 82560:038-82560:282.
- 9501300082 Forwards sealed source & device registry certificates for addition to catalogs for technical info purposes.  
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-012. 95/01/19. General. 3pp. 82512:079-82512:091.
- 9501300107 Amended Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of Gauge Source for model CPN-131. Certificate: CA-208-S-101-S.  
\* California, State of. CA-208-S-101-S. 95/01/09. 3pp. 82512:082-82512:084.
- 9501300118 Registry of Radioactive Sealed Sources & Devices. Safety Evaluation of Sealed Source for models NES-260 & NES-8260. Certificate: MA-476-S-175-S.  
SAVASTANO, A., O'CONNELL, T.F. Massachusetts, Commonwealth of. MA-476-S-175-S. 95/01/08. 7pp. 82512:085-82512:091.
- 9501300087 Provides comments on Draft Environmental Justice Implementation Plan.  
HIATT, S.L. Ohio Citizens for Responsible Energy. 94/12/29. LOPEZ-OTIN, M. Office of State Programs (Post 911117). 2pp. 82512:094-82512:095.
- 9501300091 Transcript of 941213 radiography workshop in Houston, TX. Pp 1-161.  
\* Office of State Programs (Post 911117). NRC-69. 94/12/13. 163pp. 82526:001-82527:203.
- 9501300095 Transcript of 941214 radiology workshop in Houston, TX. Pp 162-467.  
\* Office of State Programs (Post 911117). NRC-69. 94/12/14. 309pp. 82526:164-82527:111.
- 9501300099 Transcript of 941215 radiography workshop in Houston, TX. Pp 468-557.  
\* Office of State Programs (Post 911117). NRC-69. 94/12/15. 92pp. 82527:112-82527:203.
- 9501310010 EN-95-001: on 950110, NOV & proposed imposition of civil penalty in amount of \$2,800 will be issued to Nuclear Scanning Svcs, Inc for deliberate failure to file NRC form 241 when conducting radiographic operations.  
SANTIAGO, P., GRAY, J. Ofc of Enforcement (Post 870413). EA-94-208. 95/01/05. 1p. 82528:031-82528:031.
- 9501310040 Expresses appreciation for opportunity to meet on 941212. Meeting beneficial in better understanding organizations functions during routine & emergency conditions. Extends invitation to visit region I or NRC Headquarters IRC.  
SHANKMAN, S.F. Region 1 (Post 820201). 95/01/19. MULLEN, T.J. New York, NY. 2pp. 82528:164-82528:165.



## 238 NONDOCKETED ITEMS

**9501310059** Forwards listed SS&D sys rept & guidance documents used to evaluate sealed sources & devices.  
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-005. 95/01/12. General. 3pp. 82528:226-82528:228.

**9501310082** Transmits State Agreements Program technical info re sealed source & device registry certificates.  
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-015. 95/01/25. General. 3pp. 82529:046-82529:074.

**-9501310094** Amend to Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of beta backscatter thickness gauge for model GM-1. Certificate: IL-235-D-101-G.  
\* Illinois, State of. IL-235-D-101-G. 95/01/11. 6pp. 82529:049-82529:054.

**-9501310101** Corrected pages 1-1/10/95 to Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of gamma indicator device for crawler control pot model. Certificate: NR-242-D-101-S.  
\* NRC - No Detailed Affiliation Given. NR-242-D-101-S. 84/10/18. 2pp. 82529:055-82529:056.

**-9501310113** Amended pages 1-9 to Registry of Radioactive Sealed Sources & Devices, SE of gamma gauge for Gamma 101-P Carton Inspector. Certificate: CA-533-D-105-G.  
WESLEY,D., \* California, State of. CA-533-D-105-G. 87/04/30. 9pp. 82529:057-82529:065.

**-9501310121** Amended pages 1-9 to Registry of Radioactive Sealed Sources & Devices, SE of gamma gauge for Gamma 101P-SHG Inspector. Certificate: CA-533-D-107-B.  
WESLEY,D., \* California, State of. CA-533-D-107-B. 94/09/26. 9pp. 82529:066-82529:074.

**9501310097** Informs of three 1995 investigation workshops being planned as promised at Jul 1994 Agreement State Manager Workshop. Lists dates & locations of scheduled events.  
BANGART,R.L. Office of State Programs (Post 911117). SP-95-011. 95/01/25. General. 6pp. 82529:109-82529:114.

**9501310135** Submits notification re stationary source permit to construct & operate an EDG.  
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/01/25. CLAYTON,G.L. Virginia, Commonwealth of. 6pp. 82575:331-82575:338.

**9501310142** Informs review completed of draft application submitted by state of PA & notes addl info needed. Forwards list of questions & comments re application, procedure & summary of procedural steps required to conclude agreement.  
LOHAUS,P.H. Office of State Programs (Post 911117). 95/01/26. DORNISFE,W.P. Pennsylvania, Commonwealth of. 31pp. 82529:240-82529:271.

**9501310145** Ack receipt of 950106 ltr re proposed elimination of environ monitoring portion of State Cooperative Agreement Program & informs that NRC will fund monitoring portion of program through Dec 1995. FRN to be issued requesting comments.  
BANGART,R.L. Office of State Programs (Post 911117). 95/01/26. FLETCHER,R. Affiliation Not Assigned. 2pp. 82529:272-82529:275.

**-9501310161** Expresses appreciation for postponing proposed cutback in Environ Radiological Verification Monitoring Program of major NPPs. Considers cutback of program to be example of how federal govt withdrawal of svcs burdens states to take over.  
FLETCHER,R. Affiliation Not Assigned. 95/01/06. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 82529:274-82529:275.

**9501310168** Forwards list of Agreement States contacts requested on 941219.  
KERR,K.J. Office of State Programs (Post 911117). 95/01/26. FRANCIS,T. Affiliation Not Assigned. 10pp. 82529:279-82529:288.

**9501310178** Suggests that meeting between state of UT & NRC be held to examine docket file re groundwater characterization & assessment for Atlas Corp Moab, UT U mill site, in response to state of UT 941219 request.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/17. SINCLAIR,W.J. Utah, State of. 4pp. 82560:356-82560:359.

**9501310307** Responds to violation noted during insp of facility. Corrective actions: Form 241 filed in June 1994 & Jan 1995. RSO reviewed 10CFR30.10 & 10CFR150.20 & map showing current NRC agreement states posted on bulletin board.  
FOX,G.D. Nuclear Scanning. 95/01/23. Document Control Branch (Document Control Desk). 1p. 82582:273-82582:273.

### TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

**9501030105** Forwards nonproprietary WCAP-13838-A & proprietary Rev 1 to WCAP-13803-A. "Generic Assessment of Asymmetric Rod Cluster Control Assembly Withdrawal." Proprietary Rev 1 to WCAP-13803-A withheld (ref 10CFR2.790).  
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-94-104. 94/12/22. THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82260:005-82260:173.

**-9501030112** Requests that proprietary Rev 1 to WCAP-13803-A, "Generic Assessment of Asymmetric Rod Cluster Control Assembly Withdrawal" be withheld (ref 10CFR2.790).  
LIPARULO,N.J. Westinghouse Electric Corp. CAW-94-765. 94/12/19. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 82260:007-82260:015.

**-9501030115** WCAP-13838-A Nonproprietary "Generic Assessment of Asymmetric Rod Cluster Control Assembly Withdrawal."  
HUEGEL,D.S., JOHANSEN,B.J., OLSON,C.A. Westinghouse Electric Corp. 94/11/30. 157pp. 82260:016-82260:173.

**9501040194** TS change request NPF-38-161 to license NPF-38, modifying requirement to perform MTC test near end of each cycle. "Analysis of Moderator Temp Coefficients in Support of Change in TS EOC Negative MTC Limit" ercl.  
BARKHURST,R.P. Entergy Operations, Inc. W3F1-94-0131. 94/12/09. Document Control Branch (Document Control Desk). 8pp. 82275:269-82275:356.

**-9501090348** CE NPSD-911 "Analysis of Moderator Temp Coefficients in Support of Change in TS of EOC Negative MTC Limit."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).  
\* ASEA Brown Boveri, Inc. 93/05/31. 72pp. 82275:285-82275:356.

**9501050322** Informs that matl in 930831 ltr from JH Taylor to RC Jones not considered "Proprietary."  
TAYLOR,J.H. Babcock & Wilcox Co. JHT/93-255. 93/10/07. JONES,R.C. Reactor Systems Branch. 1p. 82247:340-82247:340.

**9501050479** Withdraws TVA previous request for exemption from certain requirements of 10CFR50.60, Westinghouse WCAP-14176, "Watts Bar Unit 1 Heatup & Cooldown Limit Curves for Normal Operation" & Rev 2 of Watts Bar Unit 1 PT limit rept encl.  
NUNN,D.E. Tennessee Valley Authority. 94/12/23. Document Control Branch (Document Control Desk). 2pp. 82276:225-82276:318.

**-9501050484** WCAP-14176 Nonproprietary "Watts Bar Unit 1 Heatup & Cooldown Limit Curves for Normal Operation."  
MALONE,M.J. Westinghouse Electric Corp. 94/09/30. 20pp. 82276:227-82276:246.

**9501060104** Forwards proprietary rept NEDE-32417P, "GE12 Compliance W/ Amend 22 of NEDE-24011-P-A (GESTAR II)." GE performed analyses to demonstrate that no change to exclusion zone for GE12 needed. Rept withheld (ref 10CFR2.790).  
KLAPPROTH,J.F. General Electric Co. JFK95-001. 95/01/03. JONES,R.C. Reactor Systems Branch. 6pp. 82287:327-82287:332.

**9501060235** "EPRI/NUS Equipment Qualification Data Bank, 1994 Technical Meeting, Public Meeting on Environmental Qualification of Electrical Equipment, NRC Task Action Plan" in Clearwater Beach, FL on 941109.  
\* NUS Corp. \* Electric Power Research Institute. 94/12/07. 21pp. 82259:176-82259:197.

**9501060249** Forwards nonproprietary WCAP-14218 & proprietary WCAP-14217, "Core Makeup Tank Test Data Rept." Proprietary WCAP-14217 withheld (ref 10CFR2.790).  
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-94-4350. 94/11/30. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 82284:001-82284:281.

**-9501060254** Requests that proprietary WCAP-14217, "Core Makeup Tank Test Data Rept." be withheld (ref 10CFR2.790).  
LIPARULO,N.J. Westinghouse Electric Corp. AW-94-758. 94/11/30. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 9pp. 82284:003-82284:011.

**-9501060260** WCAP-14218 Nonproprietary "Core Makeup Tank Test Data Rept."  
\* Westinghouse Electric Corp. 94/11/30. 600pp. 82284:012-82284:281.

**9501090039** Informs of completion of fuel licensing qualification prescribed by Amend 22 to GESTAR-II for GE-12 fuel design.  
KLAPPROTH,J.F. General Electric Co. MFN-161-94. 94/12/31. JONES,R.C. Reactor Systems Branch. 1p. 82288:359-82288:359.

**9501100107** Forwards copy of licensing topical rept, "BWR Emergency Core Cooling Sys Evaluation Model: Code Sensitivity for SVEA-96 Fuel," CENPD-283-NP (non-proprietary).  
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-001. 95/01/05. Document Control Branch (Document Control Desk). 6pp. 82293:270-82293:315.

**-9501100113** CENPD-283-NP "BWR Emergency Core Cooling Sys Evaluation Model: Code Sensitivity for SVEA-96 Fuel."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).  
\* ASEA Brown Boveri, Inc. 93/03/31. 39pp. 82293:278-82293:315.

**9501100145** Forwards WCAP-12794, rev 2 & WCAP-12795, rev 2 in response to request for background info re TS change 171 on heatup & cooldown limit curve expiration date extension.  
LINK,B. Wisconsin Electric Power Co. NRC-95-001. 95/01/05. Document Control Branch (Document Control Desk). 2pp. 82292:001-82292:096.

**-9501100148** WCAP-12794 R02 "Reactor Cavity Neutron Measurement Program for WEPC Point Beach Unit 1."  
ANDERSON,S.L. Wisconsin Electric Power Co. 92/12/31. 226pp. 82292:004-82292:229.

**-9501100152** WCAP-12795 R02 "Reactor Cavity Neutron Measurement Program for WEPC Point Beach Unit 2."  
ANDERSON,S.L. Wisconsin Electric Power Co. 92/09/30. 231pp. 82292:230-82292:096.

**9501100413** Provides info on relevant design aspects of BWR core plates & top guides & impact that recently discovered outer ring cracking could have on safety performance of components. Proprietary info also encl. Proprietary info withheld.  
TERRY,C. Affiliation Not Assigned. 95/01/03. Document Control Branch (Document Control Desk). 11pp. 82307:177-82307:187.

**9501100443** Forwards attached rept entitled "BWR Core Shroud Insp & Evaluation Guidelines." Rept contains generic insp strategy & flaw evaluation methodology to assess structural integrity of core shroud.  
TERRY,C. Niagara Mohawk Power Corp. TERRY,C. Affiliation Not Assigned. 94/09/02. BRINKMAN,D.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 82303:243-82303:310.

**-9501100456** Draft, "BWR Core Shroud Insp & Flaw Evaluation Guidelines."  
CAINE,T.A., MEHTA,H.S. General Electric Co. DRF 137-0010-07. 94/09/30. 66pp. 82303:245-82303:310.

**9501100455** Requests addl info re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies, 10CFR50.54(f)."  
MOZAFARI,B. Project Directorate II-1 (PD2-1) (Post 941001). TAC M86862. 95/01/06. HINNANT,C.S. Carolina Power & Light Co. 3pp. 82297:263-82297:265.

**9501120210** Informs review completed of ltr, dtd 941206 re proposed review schedule for topical reports to be filed by B&WOG in 1995. NRC will assign high priority to review of B&WOG topical reports.  
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 94/12/29. CRONBERGER,D.K. Babcock & Wilcox Operating Plants Owners Group. 2pp. 82305:358-82305:359.

9501130073 Requests addl info re GL 92-01,rev 1, "Reactor Vessel Structural Integrity," & confirmation of plant-specific applicability of topical rept,NEDC-32205,rev 1. HALL,J.R. Project Directorate IV-1, TAC M83455. 95/01/09. HORN,G.R. Nebraska Public Power District. 9pp. 82319:178-82319:186.

9501130083 Forwards addl info requested in NRC 941121 ltr re util 940722 proposed license amend to allow facility to operate at uprated power of 3,467 MWT,Rev 1 to GE rept NEDC-32015, "...Fatigue Evaluation Power Uprate..." also encl. TERRY,C.D. Niagara Mohawk Power Corp. NMP2L 1518. 95/01/03. Document Control Branch (Document Control Desk). 10pp. 82364:338-82364:362.

-9501130085 NEDC-32015 R01 "Nine Mile Point 2 Fatigue Evaluation Power Uprate Operating Conditions," rev 1. DIAS,K.F. FAYNSHTEIN,K., STEVENS,G.L. General Electric Co. 94/09/13. 15pp. 82364:348-82364:362.

9501130212 Forwards proprietary Topical Rept BAW-10199P, "BWU Critical Heat Flux Correlations," Topical Rept BAW-10199P withheld (ref 10CFR2.790). TAYLOR,J.H. Babcock & Wilcox Co. JHT/94-188. 94/12/16. Document Control Branch (Document Control Desk). 8pp. 82392:207-82392:214.

9501130254 Requests that computer model be provided to staff to allow NRC to continue review of EPRI MOV Performance Prediction Methodology by 950113. WESSMAN,R.H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 82319:339-82319:339.

9501130280 Forwards application for amend to Licenses DPR-42 & DPR-60, changing TS 4.12, "SG Tube Surveillance," to incorporate revised acceptance critia for SG tubes w/degradation in tubesheet roll expansion region,Proprietary rept encl. WADLEY,M. Northern States Power Co. 95/01/09. Document Control Branch (Document Control Desk). 2pp. 82426:022-82426:162.

-9501130284 Application for amends to Licenses DPR-42 & DPR-60,changing TS 4.12, "Steam Generator Tube Surveillance," to incorporate revised acceptance criteria for steam generator tubes w/ degradation in tubesheet roll expansion region. WADLEY,M. Northern States Power Co. 95/01/09. 19pp. 82426:025-82426:043.

-9501130286 Proposed Tech Specs 4.12 re steam generator surveillance. \* Northern States Power Co. 95/01/09. 10pp. 82426:044-82426:053.

-9501130287 WCAP-14226 Non-proprietary WCAP-14226, "F" & "L" Tube Plugging Criteria for Tubes w/Degradation in Tubesheet Roll Expansion Region of Prairie Island Units 1 & 2 Steam Generators." \* Westinghouse Electric Corp. SC-94-11-007. 94/12/31. 110pp. 82426:054-82426:162.

9501170082 Summary of 941214 meeting w/BWROG representatives to discuss MSIV leakage control sys.List of attendees & BWROG presentation materials encl. PERCH,R.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/09. THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 18pp. 82323:241-82323:258.

9501170148 Notification of 950208 meeting w/Gothics user group,EPRI & vendor in Rockville,MD for Gothic software package workshop. BARRETT,R.J. . TAC M15005. 95/01/04. HOLAHAN,G.M. . 2pp. 82323:232-82323:233.

9501170266 Inform of 950125 NRC mgt meeting w/BWROG in Rockville,MD re current BWROG topics & status of open items. PERCH,R.L. . 95/01/11. THADANI,A.C. . 3pp. 82327:134-82327:136.

9501180147 Forwards safety evaluation of util 940826 amend request CR-175 to revise TS 15.4.2, "Inservice Insp of Safety Class Components" & notice of denial.Probability of detection of cracks too great to demonstrate that criteria would be met. NORRHOLM,L.J. Project Directorate III-3. TAC M90244. 95/01/11. LINK,R.E. Wisconsin Electric Power Co. 4pp. 82341:327-82341:344.

-9501180160 Safety evaluation denying util 940826 amend request CR-175 to revise TS 15.4.22, "Inservice Insp of Safety Class Components." \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/11. 11pp. 82341:331-82341:341.

-9501180167 Notice of denial of amend to Licenses DPR-24 & DPR-27 & opportunity for hearing on 940826 request to revise TS 15.4.2, "Inservice Insp of Safety Class Components," as described in WCAP-14157. NORRHOLM,L.J. Project Directorate III-3. 95/01/11. 3pp. 82341:342-82341:344.

9501180262 Forwards topical rept evaluation of NEDC-31951P, "Implementation of Improved Water Chemistry & Technical Basis for Revised Piping Insp Schedules." Rept acceptable for ref,subj to listed mods & that revised rept resubmitted. SHERON,B.W. Division of Engineering (Post 921004). 95/01/10. PINELLI,R.A. BWR Owners Group. PINELLI,R.A. General Public Utilities Corp. - GPU Service Corp. 4pp. 82536:275-82536:289.

-9501180266 Topical rept evaluation of NEDC-31951P, "Implementation of Improved Water Chemistry & Technical Basis for Revised Insp Schedules." Rept acceptable for ref,provided that listed mods be made. \* Office of Nuclear Reactor Regulation (Post 941001). 95/01/10. 11pp. 82536:279-82536:289.

9501180349 Forwards for response,comments on EPRI TR-103227 (April 94), "EPRI MOV Performance Prediction Program Globe Valve Model Rept." WESSMAN,R.H. Materials & Chemical Engineering Branch. 95/01/11. CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 82378:167-82378:170.

9501190105 Submits design details of Pilgrim core shroud stabilizer sys for NRC review.Partially proprietary documentation provides assumptions,methodology,analyses & conclusions that that support implementation of core shroud repair. BOULETTE,E.T. Boston Edison Co. BECO LTR 95-004. 95/01/16. Document Control Branch (Document Control Desk). 20pp. 82471:125-82471:199.

9501190206 Summary of 941130 & 1201 meeting w/EPRI re MOV performance prediction program.Attendance list encl. SCARBROUGH,T.G. Mechanical Engineering Branch. TAC M88898. 95/01/12. Mechanical Engineering Branch. 8pp. 82352:197-82352:205.

9501190221 Forwards WCAP-14216 & WCAP-14215, "AP600 Core Makeup Tank Test Analysis" & request for withholding WCAP-14215 from public disclosure. LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-94-4351. 94/12/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 4pp. 82393:091-82393:260.

-9501190232 Requests that WCAP-14215, "AP600 Core Makeup Tank Test Analysis" be withheld per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. AW-94-759. 94/12/13. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 7pp. 82393:095-82393:101.

-9501190238 WCAP-14216 "AP600 Core Makeup Tank Test Analysis." \* Westinghouse Electric Corp. 94/12/31. 159pp. 82393:102-82393:260.

9501190258 Notification of 950120 Westinghouse outage optimization workshop in Orlando,FL to discuss outage optimization w/util executives. HSIA,A.H. . 95/01/12. BUTCHER,E.J. . 3pp. 82352:206-82352:208.

9501200015 Forwards two copies of SwRI draft rept on results & conclusions of exam of several Troxler Electronic Lab gauges received from Ohio DOT. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). SSD-2. 95/01/18. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 82351:172-82351:174.

9501200123 Summary of 941201 public meeting w/ASME operations & maint committee to discuss proposed rev of ASME OM code to address periodic verification of capability of safety related MOV to perform their design basis safety functions. SCARBROUGH,T. Office of Nuclear Reactor Regulation (Post 941001). GL-89-10. 95/01/12. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 82420:348-82420:351.

9501200171 Notification of 950126 meeting w/BWROG in Rockville,MD to discuss ACRS ATWS/EPG issues. ULSEST,P.P. . 95/01/10. JONES,R.C. . 2pp. 82420:356-82420:357.

9501200219 Approves affidavit dtd Oct 7,1994 & license amend application requesting Combustion Engineering final rept CEN-618-P,rev 00, "SG Tube Repair Using Leak Tight Sleeves," be marked as proprietary. TROTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). TAC M91119. 95/01/13. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 82377:179-82377:182.

9501200327 SEA 94-695-02-A:1 "Verification of Results of Proprietary Computer Codes for Analysis of Spent Fuel Storage Racks," final rept dtd 941018. DUNHAM,R.S., RASHID,Y.R., WONG,F. Science & Engineering Associates, Inc. NRC-03-93-030. 94/10/18. NRC - No Detailed Affiliation Given. 92pp. 82421:220-82421:311.

9501230069 Forwards papers related to ECCS condensation model used in WCAP-10054-P,Addendum 2 changes to Westinghouse small break ECCS evaluation model using NOTRUMP code. LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4385. 95/01/11. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 17pp. 82497:193-82497:210.

9501230234 Application for amends to licenses DPR-57 & NFP-5,proposing changes to TS, to allow plant to operate at uprated power level of 2558 MWL,Also,forwards proprietary "Power Uprate SAR for E I Hatch Plant Units 1 & 2." BECKHAM,J.T. Georgia Power Co. HL-4724. 95/01/13. Document Control Branch (Document Control Desk). 31pp. 82503:225-82503:302.

9501230248 Provides comments re BWR OG TR NEDC-32264, "Application of Probabilistic Safety Assessment to GL 89-10 Implementation," rev 1. THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). GL-89-10. 95/01/13. PINELLI,R.A. BWR Owners Group. PINELLI,R.A. General Public Utilities Corp. - GPU Service Corp. 3pp. 82485:209-82485:211.

9501230299 Forwards proprietary responses to request for addl info on WCAP-13749, "Safety Evaluation Supporting Conditional Exemption of Most Negative EOL Moderator Temp Coefficient Measurement." Responses withheld. LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4384. 95/01/16. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82497:079-82497:080.

-9501230310 Requests that proprietary responses to request for addl info on WCAP-13749, "Safety Evaluation Supporting Conditional Exemption of Most Negative EOL Moderator Temp Coefficient Measurement," be withheld (ref 10CFR2.790(b)). LIPARULO,N.J. Westinghouse Electric Corp. AW-94-771. 95/01/16. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82497:080-82497:080.

9501240101 Notification of 950124 meeting w/BWROG in Bethesda,MD to discuss potentially clogged strainers in BWR suppression pools. LYNCH,M.D. . 95/01/18. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 3pp. 82423:220-82423:222.

9501250339 Forwards nonproprietary version of "Brunswick Steam Electric Plant,Unit 1 Feedwater Nozzle Fracture Mechanics Analysis," NEDC-30634,Rev 1,Requests that copies of document originally submitted by util 941028 ltr be destroyed. LOPRIORE,R.P. Carolina Power & Light Co. BSEP 95-0012. 95/01/16. Document Control Branch (Document Control Desk). 3pp. 82516:182-82516:226.

-9501250349 NEDC-30634 R01 Nonproprietary Rev 1 to "Brunswick Steam Electric Plant,Unit 1 Feedwater Nozzle Fracture Mechanics Analysis." STEVENS,G.L. General Electric Co. 91/05/31. 42pp. 82518:185-82518:226.

9501260210 Notification of 950131 meeting w/CECO in Rockville,MD to discuss various features of WCAP-14222 as it applies to limited tube support displacements in SGS. LYNCH,M.D. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 82508:066-82508:069.

9501260292 Submits for clarification purposes,addresses where correspondence addressed to B&W Nuclear Technologies & B&W Fuel Company should be sent. TAYLOR,J.H. Babcock & Wilcox Co. JHT/94-8. 95/01/16. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82513:286-82513:287.

## 240 NONDOCKETED ITEMS

- 9501270158 Notification of 950127 meeting w/Westinghouse Owners Group in Rockville,MD to discuss WOG topics & status of open items. PERCH,R.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. RUSSELL,W., MIRAGLIA,F., ZIMMERMAN,R. NRC - No Detailed Affiliation Given. 2pp. 82523:319-82523:320.
- 9501270244 Notification of 950131 meeting w/Dow Corning Representatives in Rockville,MD to discuss issues concerning products manufactured by Dow Corning used for construction of fire barrier penetration seals. MCCracken,C.E. Office of Nuclear Reactor Regulation (Post 941001). 95/01/18. HOLAHAN,G.M. Office of Nuclear Reactor Regulation (Post 941001). 1p. 82525:268-82525:268.
- 9501270291 Informs of 950126 meeting w/Westinghouse in Rockville,MD re best estimate LOCA evaluation model. ORR,F.R. Office of Nuclear Reactor Regulation (Post 941001). 95/01/19. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 82523:292-82523:293.
- 9501300142 Forwards XN-NF-82-49(P)(A) & (NP)(A),rev 1,suppl 1, "Exxon Nuclear Co Evaluation Model Revised EXEM PWR Small Break Model." Proprietary rept withheld. COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:95:007. 95/01/06. Document Control Branch (Document Control Desk). 1p. 82553:093-82553:251.
- 9501300145 XN-NF-82-49(NP)(A)R1 "Exxon Nuclear Co Evaluation Model Revised EXEM PWR Small Break Model," suppl 1. \* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/01/31. 15pp. 82553:094-82553:251.
- 9501300185 Tech Specs Change Request to license DPR-20 addressing required settings & allowable "as found" & "as left" tolerances for primary & secondary safety valves. HAAS,K.M. Consumers Power Co. 95/01/13. Document Control Branch (Document Control Desk). 12pp. 82587:063-82587:107.
- 9502010248 EMF-93-086(NP) Non-Proprietary "Palisades Loss Of Load Analysis." COLE,S.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 94/10/19. 22pp. 82587:085-82587:107.
- 9501300217 Forwards comparison of MOV ranking results from BWR plants in NEDC 32264. MCALLUM,T. Southern Nuclear Operating Co. 95/01/05. HANSEN,A. NRC - No Detailed Affiliation Given. 3pp. 82554:336-82554:338.
- 9501310013 Forwards mod design documents & core shroud insp plan info in response to GL 94-03, "IGSCC of Core Shrouds in BWRs." SCHRAGE,J.L. Commonwealth Edison Co. 95/01/16. Document Control Branch (Document Control Desk). 13pp. 82576:116-82576:199.
- 9501310026 GENE-771-71-1094 R01 "Quad Cities Units 1 & 2 Shroud Repair Seismic Analysis." TSAI,N.C., SCHRAG,M.R., KING,L.W. General Electric Co. 95/01/05. 20pp. 82576:179-82576:199.
- 9501310060 Extends invitation to attend Training Manager meeting on 950207-08 in King of Prussia,PA to discuss status of operator licensing programs from region I & NRC headquarters perspectives. MEYER,G.W. Region 1 (Post 820201). 95/01/17. MORGAN,M. Battelle Memorial Institute, Pacific Northwest Laboratory. 5pp. 82528:229-82528:233.
- 9501310155 Advises that WCAP-14118,Rev 1, "Structural Integrity Evaluation of Reactor Vessel Upper Head Penetrations to Support Continued Operation:DC Cook Unit 2," marked as proprietary,will be withheld from public disclosure. HICKMAN,J.B. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 82561:345-82561:347.
- 9501310162 Comments on NRC proposed generic communication, "Use of NUMARC/EPRI rept TR-102348, "Guideline on Licensing Digital Upgrades," in Determining Acceptability of Performing Analog-to-Digital Replacements Under 10CFR50.59." HUNGER,G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 59FR52559 00003. 95/01/20. Division of Freedom of Information & Publications Services (Post 940714). 1p. 82529:278-82529:278.
- 9501310177 Comment on use of NUMARC/EPRI rept TR-102348, "Guideline on Licensing Digital Upgrades," in determining acceptability of performing analog-to-digital replacements under 10CFR50.59. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 59FR52559 00004. 95/01/24. NRC - No Detailed Affiliation Given. 1p. 82529:293-82529:293.
- 9501310217 Forwards Rev 1 to WCAP-14042, "Kewaunee Weld Drop Weight Test Program Results," in response to NRC request in order to review util 940824 application for amend to license DPR-43. STEINHARDT,C.R. Wisconsin Public Service Corp. 95/01/23. Document Control Branch (Document Control Desk). 3pp. 82547:112-82547:154.
- 9501310220 WCAP-14042 R01 Rev 1 to "Kewaunee Weld Drop Weight Test Program Results." PEZZE,C.M., KIM,C., RISHL,R.D. Westinghouse Electric Corp. 95/01/23. 40pp. 82547:115-82547:154.
- 9501310293 Confirms 950117 telcon re misunderstanding of 950105 telcon & desire for staff to continue review of topical rept RLCA/P94/04-94/009. "Topical Rept on Methodology, Verification & Applications of Computer Program GAPPPE." CHAN,T.L. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. CLOUD,R.L. Robert L. Cloud Associates, Inc. 1p. 82562:067-82562:067.
- 9501310463 Transmits correction of typos,including correction of typo in Encl 3 of 941206 submittal of Topical Rept NEDO-32205-A, "Equivalent Margin Analysis - Plant Applicability Verification Form - Quad Cities Station," per GL 92-01. SCHRAGE,J.L. Commonwealth Edison Co. GL-92-01. 95/01/25. Document Control Branch (Document Control Desk). 3pp. 82582:210-82582:214.
- 9501310464 NEDO-32205-A R01 Correction to Encl 3, "Equivalent Margin Analysis Plant Applicability Verification Form" of topical rept NEDO-32205-A,Rev 1. \* General Electric Co. 95/01/25. 2pp. 82582:213-82582:214.

## WASTE MGT NUCLEAR WASTE MANAGEMENT

- 9501030055 Discusses 940920 SRM re ways to provide access to Yucca Mountain repository. Several accomplishments of NMSS/DWM listed. TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 94/12/23. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 5pp. 82247:065-82247:069.
- 9501040133 Issues corrective action requests YM-95-020 through YM-95-022 resulting from Yucca Mountain QA Div Audit YM-ARP-95-04. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. HAYES,L.R. Nevada, State of. 13pp. 82245:323-82245:334.
- 9501040139 Informs of verification of corrective action & closure of corrective action request YM-94-049 resulting from Yucca Mountain QA Div Audit YMP-94-06 of US Geological Survey. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. HAYES,L.R. Nevada, State of. 5pp. 82287:025-82287:029.
- 9501040161 Forwards "Audit Rept Of CRWMS M & O,Vienna,VA." HORTON,D.G. Energy, Dept. of. HLWR. 94/12/28. ROBERSTON,R.L. TRW Environmental Safety Systems, Inc. 2pp. 82245:335-82245:345.
- 9501040168 HQ-ARP-95-03 "Audit Rept Of CRWMS M & O,Vienna,VA." LENTZ,F.H., HORTON,D.G. Energy, Dept. of. HLWR. 94/12/28. 9pp. 82245:337-82245:345.
- 9501040177 Submits fulfillment of requirements of Major Milestone 5702-221-510, "License Application Review Plan Development Rept FY94." PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/12/02. MEEHAN,B. Division of Contracts & Property Management (890206-940714). 3pp. 82287:030-82287:032.
- 9501040184 Determined results satisfactory to corrective action request YM-94-068 resulting from Yucca Mountain QA Div Audit YMP-94-01. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/28. FOUST,L.D. Nevada, State of. 6pp. 82246:001-82246:006.
- 9501040207 Determined results satisfactory to corrective action request YM-94-055 resulting from audit HQ-94-02. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. FOUST,L.D. Nevada, State of. 4pp. 82246:012-82246:015.
- 9501040216 Determined amended response to corrective action request YM-94-040, resulting from Yucca Mountain QA Div Audit YMP-94-05,satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. FOUST,L.D. Nevada, State of. 9pp. 82246:016-82246:024.
- 9501050159 Forwards summary of 941207 NRC/DOE technical exchange on substantially complete containment & waste package design. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/12/28. MILNER,R.A. Energy, Dept. of. 2pp. 82234:001-82234:202.
- 9501050164 Summary of 941207 NRC/DOE technical exchange in Rockville,MD on substantially complete containment & waste package design. DANCER,D.M. Engineering & Geosciences Branch (NMSS 940403). BUNTON,P. Energy, Dept. of. HLWR. 94/12/27. Engineering & Geosciences Branch (NMSS 940403). 20pp. 82234:003-82234:202.
- 9501050168 Determines results to corrective action request YM-94-056 satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 82258:031-82258:038.
- 9501050173 Determines results of corrective action request YM-94-053 unsatisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 11pp. 82258:039-82258:049.
- 9501050181 Determines results to corrective action request YM-94-064 satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 82222:347-82222:353.
- 9501050188 Determines amended response to corrective action request YM-94-091 satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. SHEPHARD,L.E. Sandia National Laboratories. 20pp. 82258:050-82258:069.
- 9501050196 Determines results to corrective action request YM-94-06 satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/27. HAYES,L.R. TRW Environmental Safety Systems, Inc. 6pp. 82258:079-82258:084.
- 9501050265 Forwards Rev 7 to SNL Yucca Mountain Site Characterization Project QA Implementing Procedure (QAIP) QAIP 1-2, "Organization" & SNL QA requirements & description implementation matrix for DOE/RW-033P,Rev 1. KOUTS,C.A. Energy, Dept. of. HLWR. 94/11/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82222:182-82222:320.
- 9501050274 Rev 7 to QA Implementing Procedure (QAIP) QAIP 1-2, "Organization." \* Sandia National Laboratories. HLWR. 94/08/24. 10pp. 82222:185-82222:194.
- 9501050293 QA requirements & description implementation matrix for DOE/RW-033P,Rev 1. \* Energy, Dept. of. HLWR. 94/07/18. 126pp. 82222:195-82222:320.
- 9501050320 Forwards Rev 4 to LLNL Quality Procedure 033-YMP-OP-1.0, "Organization" & QARD implementation matrix defining QARD requirements applying to LLNL scope of work. KOUTS,C.A. Energy, Dept. of. HLWR. 94/11/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82230:001-82230:128.
- 9501050328 Rev 4 to LLNL Quality Procedure 033-YMP-OP-1.0, "Organization." HAMATIR,E. Energy, Dept. of. HLWR. 94/09/22. 124pp. 82230:005-82230:128.
- 9501050326 Addresses NRC questions re status of open boreholes at Title I disposal site in Spook,WY. VIRGONA,J.E. Energy, Dept. of. 94/12/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82260:252-82260:252.

95011050377 Informs that Yucca Mountain QA Division has accepted Los Alamos responses to YMQAD review comments re QA requirements & implementation matrix. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/22. CANEPA,J.A. Los Alamos National Laboratory. 2pp. 82307:359-82307:360.

95011050399 Requests that publication of "NRC Iterative Performance Assessment Phase 2:Development of Capabilities for Review of Performance Assessment for High-Level Waste Repository" be submitted for composition as NUREG-1464. FEDERLINE,M.V. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 94/12/23. OLIU,W.E. Publications Branch (Post 920323). 1p. 82287:056-82287:056.

95011060015 Forwards final version of perpetual easement,which provides processing site access for UMTRA Riverton site. PAPE,J.M. Energy, Dept. of. 94/12/20. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82283:253-82283:254.

95011060050 "Generic Dose Assessment for Disposal of Incinerator Ash in Landfill." \* Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/30. 53pp. 82283:257-82283:309.

95011060057 Informs that "Plan for Technical Review of Waste Packages Containing Multi-Purpose Canisters," dtd Dec 1994, transmitted 941216 fulfills requirements of EBS Program Element Intermediate Milestone 20-5702-541-521-510. INTERRANTE,C.G. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/12/23. NAIR,P.K. Southwest Research Institute. 2pp. 82280:355-82280:356.

95011060165 Forwards Umetco Minerals Corp document entitled, "Response to DOE Contractor Comments on Naturita Tailings Disposal at Uravan" state of CO transmittal ltr dtd 941201,per protocol agreed to during Oct telcon between stated participants. WOODWORTH,L.A. Energy, Dept. of. 94/12/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 82280:266-82280:351.

-95011060170 "Response to DOE Contractor Comments on Naturita Tailings Disposal at Uravan." \* UMETCO Minerals Corp. 94/11/17. 83pp. 82280:271-82280:351.

95011060192 Forwards Study Plan 8.3.1.15.1.4,Rev 0, "Lab Determination of Mechanical Properties of Fractures." W/o encl. BROCOUM,S.J. Energy, Dept. of. HLWR. 94/12/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82287:150-82287:152.

95011060200 Forwards Civilian Radwaste Mgt Sys Mgt & Operating Contractor,EG&G Energy Measurements,Inc,LLNL,LANL,SNL & USGS monthly status repts,W/o encls. BROCOUM,S.J. Energy, Dept. of. HLWR. 94/12/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82287:153-82287:155.

95011060281 Forwards Rev 0,Review A to "Maybell,CO Remedial Action Insp Plan." BOSILJEVAC,F. Energy, Dept. of. 94/12/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82273:340-82273:355.

-95011060284 Rev 0,Review A to "Maybell,CO Remedial Action Insp Plan." MARTZ,S.D. MK-Ferguson Co. 93/06/25. 15pp. 82273:342-82273:355.

95011100231 Responds to request for change of date of audit YM-ARP-95-07 of LLNL. HORTON,D.G. Energy, Dept. of. HLWR. 95/01/05. CLARKE,W.L. Lawrence Livermore National Laboratory. 2pp. 82296:007-82296:009.

95011100324 Informs that except for revised completion date,amended response acceptable to CAR YM-94-062. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 82296:080-82296:080.

95011100333 Forwards "Plan for Technical Review of Waste Packages Containing Multi-Purpose Canisters." NAIR,P.K. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/12/14. INTERRANTE,C. NRC - No Detailed Affiliation Given. 2pp. 82296:031-82296:079.

-95011100335 "Plan for Technical Review of Waste Packages Containing Multi-Purpose Canisters." TSCHOEPE,E., NAIR,P.K. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 94/12/31. NRC - No Detailed Affiliation Given. 47pp. 82296:033-82296:079.

95011100340 Informs request for extension of corrective actions due date accepted. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/05. HAYES,L.R. Interior, Dept. of, Geological Survey. 2pp. 82296:081-82296:081.

95011100355 Advises that delay of 30 to 45 days past originally proposed schedule date should be expected re release of an SER for vitrification operations & HLW interim storage. COMFORT,G.C. Licensing Branch. 95/01/05. ROWLAND,T.J. Energy, Dept. of. 2pp. 82295:340-82295:341.

9501110210 Forwards 1994 annual insp rept for Burrell Vicinity Property in Burrell,PA. VIRGONA,J.E. Energy, Dept. of. 95/01/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82329:229-82329:282.

-9501110221 DOE/ID/12584-206 "1994 Annual Insp of Burrell,PA,UMTRA Project Disposal Site, Dec 1994." W/one oversize drawing. WAUGH,W.J. Energy, Dept. of. 94/12/31. 57pp. 82329:231-82329:282.

9501110219 Forwards "DOE OCRWM Ofc of QA Audit Rept of SAIC Las Vegas, NV,Audit YM-ARP-95-05,941212-15." HORTON,D.G. Energy, Dept. of. HLWR. 95/01/05. VOEGELE,M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 82302:172-82302:186.

-9501110224 YM-ARP-95-05 "DOE OCRWM Ofc of QA Audit Rept of SAIC,Las Vegas,NV,Audit YM-ARP-95-05,941212-15." MASLAR,S.R., HORTON,D.G. Energy, Dept. of. HLWR. 95/01/04. 13pp. 82302:174-82302:186.

9501110234 Advises that DWM received DOE document YMP-CM-0023, "Repository Design Requirements Document." DELLAGATTI,M. Division of Waste Management (NMSS 940403). HLWR. 95/01/06. FRIDLEY,S. NRC - No Detailed Affiliation Given. 2pp. 82296:082-82296:083.

9501110270 Provides suggested topics for planned NRC training on application of revised 10CFR20 regulations to U recovery facilities. LOOMIS,M. Wyoming Mining Association. 94/12/06. GREEVES,J. Division of Waste Management (NMSS 940403). 2pp. 82302:063-82302:064.

9501110276 Forwards "CNWRA Program Manager Periodic Rept on Activities of Ctr for Nuclear Waste Regulatory Analysis for Fiscal Reporting Period 941126-1223 PMPR 95-03." PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/01/06. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 82347:269-82347:341.

-9501110284 PMPR 95-03 "CNWRA Program Manager Periodic Rept on Activities of Ctr for Nuclear Waste Regulatory Analysis for Fiscal Reporting Period 941126-1223 PMPR 95-03." \* Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/06. NRC - No Detailed Affiliation Given. 73pp. 82347:270-82347:341.

9501120028 Responds to DOE request for recommendations on potential uses for & technologies that could facilitate long-term mgt of depleted UF6 stored at Paducah,KY & Portsmouth,OH gaseous diffusion plants. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 95/01/03. BRADLEY,C.E. Energy, Dept. of. 3pp. 82331:358-82331:360.

9501120080 Informs that YMQAD staff has verified corrective actions to CAR YM-94-067 & determined results to be unsatisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/29. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 82343:342-82343:349.

9501120094 Forwards review key for QA program plan,rev 5,for UMTRA project. BOSILJEVAC,F. Energy, Dept. of. 94/12/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82331:200-82331:284.

-9501120100 "UMTRA Project Ofc QA Program Plan Review Key 5,Nov 1993." \* Energy, Dept. of. 93/11/30. 92pp. 82331:202-82331:284.

9501120095 Informs that amended response has been determined to be satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/29. SHEPARD,L.E. Sandia National Laboratories. 24pp. 82344:316-82344:337.

9501120101 Informs that amended response to CAR has been determined to be satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 94/12/29. FOUST,L.D. TRW Environmental Safety Systems, Inc. 20pp. 82344:338-82344:357.

9501120156 Requests assistance from organizations in preparing for & participating in workshop expected to last about eight hr. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/12/29. COOL,D. Radiation Protection & Health Effects Branch (870413-941217). ANDERSON,R. Technical Training Center. CAIN,C. Region 4 (Post 820201). 1p. 82333:282-82333:313.

-9501120168 Informs that Umetco will send group listed on attached page for 10CFR20 training at date & location chosen by NRC, pending resolution of schedule conflicts. HAMRICK,J.S. UMETCO Minerals Corp. 94/07/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82333:301-82333:313.

9501120350 Forwards page missing re responses to CDPHE review comments on bentonite testing & radon flux rifle cover design. ARP,S. Energy, Dept. of. 95/01/06. MULLINS,A. NRC - No Detailed Affiliation Given. 2pp. 82348:309-82348:310.

9501120363 Forwards Rev 0 to DOE/AL/62350-176, "Slope & Bank Erosional Stability of Canonsburg,PA,UMTRA Disposal Site." ABRAMS,M.F. Energy, Dept. of. 95/01/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 21pp. 82334:100-82334:154.

-9501120364 DOE/AL/62350-176 R00 "Slope & Bank Erosional Stability of Canonsburg,PA,UMTRA Disposal Site." \* Energy, Dept. of. 94/12/19. 38pp. 82334:123-82334:154.

9501130275 Forwards DOE documents acquired during 941114-18 visit to Yucca Mountain site,for entry into PDR. LEFEVRE,H. Office of Nuclear Material Safety & Safeguards. HLWR. 95/01/11. FRIDLEY,S. Document Control Branch (Document Control Desk). 3pp. 82425:156-82426:021.

-9501130276 "Geologic Mapping of Ramps,MTL Drifts & Alcoves." work plan. GIRDLEY,W.A. Energy, Dept. of. HLWR. 94/08/10. 15pp. 82425:159-82425:173.

-9501130277 "Perched-Water Testing in Ramps,MTL Drifts & Alcoves." work plan. GIRDLEY,W.A. Energy, Dept. of. SOEDER,D.J. Interior, Dept. of, Geological Survey. HLWR. 94/08/25. 13pp. 82425:174-82425:186.

-9501130278 "Consolidated Sampling in Ramps,MTL Drifts & Alcoves." work plan. \* Energy, Dept. of. HLWR. 94/09/07. 14pp. 82425:187-82425:200.

-9501130279 "Const Monitoring in Ramps,MTL Drifts & Alcoves." work plan. GIRDLEY,W.A. Energy, Dept. of. HLWR. 94/08/10. 39pp. 82425:201-82425:265.

-9501130281 YMP/JP 92-20C "Consolidation Sampling in Ramps,MTL Drifts & Alcoves." \* Energy, Dept. of. HLWR. 94/08/31. 66pp. 82425:266-82425:330.

-9501130282 Rev 2 to Test Planning Package TPP 92-10, "Geologic Mapping of Exploratory Studies Facility." OLIVER,R., HAYES,L., SPENCE,R.E. Energy, Dept. of. HLWR. 94/08/04. 13pp. 82425:331-82425:343.

-9501130283 Rev 2 to Test Planning Package TPP 92-11, "Perched-Water Testing in Exploratory Studies Facility." OLIVER,R., HAYES,L., SPENCE,R. Energy, Dept. of. HLWR. 94/08/17. 12pp. 82425:344-82425:355.

-9501130285 Rev 2 to Test Planning Package TPP 92-14, "Consolidated Sampling in Exploratory Studies Facility." W/30 oversize drawings. \* Energy, Dept. of. HLWR. 94/08/31. 26pp. 82425:356-82426:021.

## 242 NONDOCKETED ITEMS

- 9501170183** Forwards rept re annual evaluation of Ofc of Civilian Radwaste Mgt & other QA organizations for FY94.  
HORTON,D.G. Energy, Dept. of. HLWR. 95/01/05. DREYFUS,D.A. Energy, Dept. of. 2pp. 82392:026-82392:056.
- 9501170185** "DOE,Ofc of Civilian Radwaste Mgt,Ofc of QA,Annual Evaluation of OCRWM & Other Affected Organizations QA Programs,FY94."  
HORTON,D.G. Energy, Dept. of. HLWR. 95/01/05. 29pp. 82392:028-82392:056.
- 9501180111** Trip rept of 941020-21 visit to Lawrence Berkeley Lab, Berkeley,CA, re Advanced Light Source Users' Association annual mtg.  
PABALAN,R.T. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/28. Center for Nuclear Waste Regulatory Analyses. 23pp. 82379:145-82379:167.
- 9501180114** Discusses programmatic review of three papers for presentation at Fifth Annual Intl Symposium of Natl Council on Sys Engineering.  
WASTLER,S.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/12/23. SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 1p. 82393:079-82393:079.
- 9501180119** Trip rept of 941107-09 visit to Las Vegas & Yucca Mountain site,NV re NRC/DOE Technical Mtg on ESF Design & Construction Update & Exchange on Field Heater Experiments Associated w/Coupled THMC Processes.  
GHOSH,A., CHOWDBURY,A.H., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/01/06. Center for Nuclear Waste Regulatory Analyses. 19pp. 82379:168-82379:186.
- 9501180123** Trip rept of 941021 visit to Las Vegas,NV, re ACNW Working Group Meeting On Uses & Limitations Of Groundwater Dating Methods.  
PICKETT,D.A., TURNER,D.R., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/18. Center for Nuclear Waste Regulatory Analyses. 9pp. 82379:187-82379:195.
- 9501180132** Trip rept of 940912-15 visit to Burlington,VT, re Chapman Conference On Aqueous Phase & Multiphase Transport In Fractured Rock.  
GREEN,R.T., BACA,R., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/28. Center for Nuclear Waste Regulatory Analyses. 5pp. 82476:347-82476:351.
- 9501180141** Trip rept of 941017-21 visit to Paris,France re Fifth Workshop Of DECOVALEX.  
AHOLA,M.P., CHOWDHURY,A.H., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/28. Center for Nuclear Waste Regulatory Analyses. 22pp. 82379:196-82379:217.
- 9501180148** Responds to 941114 ltr,forwarding review draft of waste mgt programmatic environ impact statement for comment.  
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/01/06. DECOURCY,D. Energy, Dept. of. 1p. 82366:330-82366:330.
- 9501180208** Informs that staff has verified corrective action to CAR YM-94-054 & determined results to be satisfactory.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 82392:065-82392:071.
- 9501190148** Trip rept of 940919-20 visit to Rockville,MD re Workshop On Rock Mechanics Issues In Repository Design & Performance Assessment.  
MANTEUFFEL,R.D., CHOWDBURY,A., BACA,R.G. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/10/19. Center for Nuclear Waste Regulatory Analyses. 8pp. 82470:333-82470:337.
- 9501190155** Trip rept of 940822-0902 visit to Akrotiri,Santorini,Greece re field research at Akrotiri Natural Analog Site.  
MURPHY,W.M., GREEN,R.T., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/10/19. Center for Nuclear Waste Regulatory Analyses. 6pp. 82470:328-82470:332.
- 9501190181** Forwards comments in response to Oct 1994 draft of Science Advisory Board rept entitled "Future Issues in Environ Radiation," commending Board for demonstrating leadership & insight developing futures rept.  
GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/04. KOYOONJIAN,K. Environmental Protection Agency. 7pp. 82471:203-82471:209.
- 9501190274** Trip rept of 940912-16 visit to Meriden,CT re Genie-PC Sys Operation,Canberra Industries Short Course.  
BERTETTI,P., PRIKRYL,J., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/09/27. Center for Nuclear Waste Regulatory Analyses. 6pp. 82470:322-82470:327.
- 9501190386** Notification of 950119 meeting w/DOE in Las Vegas,NV to discuss DOE isolation demonstration strategy.  
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82456:323-82456:325.
- 9501190387** Forwards minutes of 941012 QA meeting in Las Vegas,NV.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/06. MILNER,R.A. Energy, Dept. of. 5pp. 82381:057-82381:112.
- 9501190390** Notification of 950118 meeting w/DOE in Las Vegas,NV to discuss DOE items of mutual interest re QA w/DOE & State of NV.Meeting agenda encl.  
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82392:078-82392:080.
- 9501190391** Notification of 950124 meeting w/DOE in Rockville,MD to discuss bi-monthly Exploratory Studies Facility.  
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82421:006-82421:007.
- 9501190392** Notification of 950117 videoconference meeting w/DOE in Washington,DC & Las Vegas,NV to discuss DOE isolation demonstration strategy.  
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/04. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82421:008-82421:010.
- 9501190394** Notification of 950126 technical exchange videoconference w/ DOE in Washington,DC & Las Vegas,NV to discuss seismic hazard assessment & seismic design.  
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/01/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 82421:011-82421:014.
- 9501190395** Forwards "NRC Observation Audit Rept 95-01 of DOE OCRWM Audit HQ-95-01 of Civilian Radwaste Mgt Sys My & Operating Contractor."  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/12/29. MILNER,R.A. Energy, Dept. of. 3pp. 82392:081-82392:091.
- 9501190396** 95-01 "NRC Observation Audit Rept 95-01 of DOE OCRWM Audit HQ-95-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor."  
SPRAUL,J.G., JOHNSON,R.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). TRBOVICH,T.C. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/12/16. 7pp. 82392:085-82392:091.
- 9501190397** Lists NRC understanding of DOE TR, "Methodology to Assess Fault Displacement & Vibratory Ground Motion Hazards at Yucca Mountain," based on S Brocoun 941109 ltr & 950105 telcon.  
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/01/12. MILNER,R.A. Energy, Dept. of. 3pp. 82469:272-82469:274.
- 9501190399** Forwards minutes of 940831 NRC-DOE meeting in Las Vegas,NV on design control/QA for exploratory studies facility at Yucca Mountain.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/12/20. MILNER,R.A. Energy, Dept. of. 88pp. 82421:015-82421:102.
- 9501190400** Forwards "NRC Observation Audit Rept 94-10 of DOE OCRWM Audit YMP-94-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Design Package 2C Activities." Audit YMP-94-01 conducted from 940725-29 in Las Vegas,NV.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/12/12. MILNER,R.A. Energy, Dept. of. 3pp. 82421:103-82421:116.
- 9501190401** 94-10 "NRC Observation Audit Rept 94-10 of DOE OCRWM Audit YMP-94-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Design Package 2C Activities."  
BELKE,W.L., SPRAUL,J.G., JOHNSON,R.L. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/11/10. 11pp. 82421:106-82421:116.
- 9501190403** Forwards "NRC Observation Audit Rept 94-11 of DOE OCRWM Audit YMP-94-09 of SNL." Audit YMP-94-09 conducted from 940829-0902 at SNL offices & lab in Albuquerque,NM to evaluate effective of SNL QA program.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 94/12/16. MILNER,R.A. Energy, Dept. of. 3pp. 82421:117-82421:133.
- 9501190405** 94-11 "NRC Observation Audit Rept 94-11 of DOE OCRWM Audit YMP-94-09 of SNL."  
BUCKLEY,J., SPRAUL,J.G. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). JAGANNATH,B. Engineering & Geosciences Branch (NMSS 940403). HLWR. 94/12/12. 14pp. 82421:120-82421:133.
- 9501200028** Advises NRC of corrected criterion on page 2-29 of subject topical rept.Corrected page encl.  
VANCE,J.N. Vance & Associates. 95/01/06. HOGG,R. NRC - No Detailed Affiliation Given. 2pp. 82471:336-82471:337.
- 9501200114** Forwards surveillance record YMP-SR-95-013 conducted by Yucca Mountain QA Div at Civilian Radioactive Waste Mgt Sys M&O facilities in Las Vegas,NV.941205-23.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/11. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 82421:151-82421:161.
- 9501200128** Responds to 941215 ltr to Chairman Selin,raising concerns re NRC review of reclamation plans for U mill tailings sites. Staff in consultation w/Commission re recipient concerns. When completed,NRC will provide detailed response.  
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 95/01/10. LOOMIS,M. Wyoming Mining Association. 4pp. 82471:341-82471:344.
- 9501200130** Trip rept of 941011-14 visit to Paris,France re Attendance at GEOVAL-94.  
SAGAR,B., WITTMAYER,G. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/07. Center for Nuclear Waste Regulatory Analyses. 84pp. 82428:264-82428:342.
- 9501230080** Requests EPA review of encl draft, "White Paper on Risk Harmonization."  
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 95/01/06. PAGE,S.D. Environmental Protection Agency. 3pp. 82497:211-82497:236.
- 9501230086** Draft, "White Paper on Risk Harmonization,Jan 1995."  
\* NRC - No Detailed Affiliation Given. 95/01/06. 22pp. 82497:214-82497:235.
- 9501230092** Staff requirements memo re Commission approval of forwarding ltr to EPA w/revs to draft White Paper,SECY-94-260.  
HOYLE,J.C. Office of the Secretary of the Commission. 95/01/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 82497:236-82497:236.
- 9501230157** Trip rept of 940812 visit to Austin,TX to keep staff abreast of infiltration characterization methodology,as well as to examine possibility of collaborating on developing site characterization methodology.  
STOTHOFF,S., WITTMAYER,G., BAGTZOGLOU,R. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/09/14. Center for Nuclear Waste Regulatory Analyses. 4pp. 82497:089-82497:092.
- 9501230169** Trip rept of 940911-22 visit to Santa Fe,NM re participation in 6th Commission of European Communities Natural Analogue Working Group meeting,Agenda & list of participants encl.  
PEARCY,E.C., MURPHY,W.M., PICKETT,D.A. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/10/17. Center for Nuclear Waste Regulatory Analyses. 23pp. 82497:093-82497:115.



**9501230177** Provides status of corrective action requests issued by OCRWM Ofc of QA & requests that NRC review reported info for required action & rept any discrepancies to Ofc of QA.  
HORTON,D.G. Environmental Protection Agency, HLWR. 95/01/10. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 18pp. 82421:201-82421:219.

**9501230215** Advises that review of drain sys design for Falls City site complete.Design acceptable.  
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/01/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82504:109-82504:110.

**9501230280** Trip rept of 940909-16 visit to Yucca Mountain Region,NV re field studies of basaltic volcanoes around Sleeping Butte,NV & eastern part of NV test site.  
HILL,B.E. CONNOR,C.B., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/11/11. Center for Nuclear Waste Regulatory Analyses. 7pp. 82478:351-82478:359.

**9501230283** Trip rept of 94103-06 visit to Rosemount,IL to present paper entitled, "Relationship Between External & Chemistry Inside Crevices of Type 304L Stainless Steel & Alloy 825," at intl symposium on localized dissolution.  
DIJUN,D.S., NAIR,P., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/10/20. Center for Nuclear Waste Regulatory Analyses. 5pp. 82481:354-82481:358.

**9501230290** Trip rept of 941021-1101 visits to Kyoto,Tono Mine,Tokai & Yokohama,Japan to attend workshop on encapsulation technologies sponsored by US Nuclear Waste Technical Review Board & Swedish Natl Council for Nuclear Waste.  
SRIDHAR,N., LICHTNER,P.C., NAIR,P. Center for Nuclear Waste Regulatory Analyses. HLWR. 94/12/07. Center for Nuclear Waste Regulatory Analyses. 31pp. 82478:318-82478:350.

**9501250045** Requests additional information in support of DOE "Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River,Utah."  
GILLEN,D.M. Division of Waste Management (NMSS 940403). 95/01/17. CORMIER,C.A. Energy, Dept. of. 2pp. 82432:358-82432:359.

**9501250138** Forwards "DOE OCRWM Ofc of QA Audit Rept of USGS in Denver, CO,Audit YM-ARP-95-04 on 941206-10."  
HORTON,D.G. Energy, Dept. of. HLWR. 95/01/13. HAYES,L.R. Interior, Dept. of, Geological Survey. 2pp. 82507:024-82507:046.

**-9501250140** YM-ARP-95-04 "DOE OCRWM Ofc of QA Audit Rept of USGS in Denver,CO,Audit YM-ARP-95-04 on 941206-10."  
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 95/01/12. 21pp. 82507:026-82507:046.

**9501250150** Informs that DOE verified C/A to corrective action request YM-94-046 & determined results to be unsatisfactory.Response from USGS indicating new completion date for rev of USGS quality mgt procedures required within 10 working days.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/13. HAYES,L.R. Interior, Dept. of, Geological Survey. 9pp. 82507:013-82507:021.

**9501250173** Requests that encl copy of Los Alamos QA Requirement Description Implementation Matrix for DOE/RW-0333P,Rev 1 & associated info be transmitted to NRC,W/o encl.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/13. MILNER,R.A. Energy, Dept. of. 2pp. 82507:022-82507:023.

**9501250269** Concurs that DOE performed remedial action at Riverton site in accordance w/approved plans & specs,w/exception of selection & performance of groundwater cleanup program.NRC "Final Completion Review Rept for Remedial Action..." encl.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/10. CORMIER,C.A. Energy, Dept. of. 4pp. 82514:101-82514:123.

**-9501250273** "Final Completion Review Rept for Remedial Action at Riverton,WY U Mill Tailings Remedial Action Project Processing Site."  
\* Division of Waste Management (NMSS 940403). 94/12/31. 19pp. 82514:105-82514:123.

**9501250390** Forwards "DOE OCRWM Ofc of QA Audit Rept of CRWMS M&O Vienna,VA,Audit HQ-ARP-95-02,941115-18."  
CLARK,R.W. Energy, Dept. of. HLWR. 95/01/17. ROBERTSON,R.L. TRW Environmental Safety Systems, Inc. 2pp. 82507:047-82507:056.

**-9501250393** HQ-ARP-95-02 "DOE OCRWM Ofc of QA Audit Rept of CRWMS M&O Vienna,VA, Audit HQ-ARP-95-02,941115-18."  
COUTIER,W.R., HORTON,D.G. Energy, Dept. of. HLWR. 95/01/17. 8pp. 82507:049-82507:056.

**9501250411** Determines that amended response to Corrective Action Request YM-94-099 resulting from Yucca Mountain QA Div Audit YMP-94-099 of SNL satisfactory.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/17. SHEPHARD,L.E. Sandia National Laboratories. 9pp. 82507:057-82507:065.

**9501250430** Determines that corrective action to Corrective Action Request (CAR) YM-94-060 resulting from Yucca Mountain QA Div Audit YMP-94-07 of DOE/Headquarters QA Div satisfactory.CAR considered closed.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/18. HORTON,D.G., CLARK,R.W. Energy, Dept. of. 5pp. 82507:066-82507:070.

**9501250433** Determines that corrective action to Corrective Action Request (CAR) YM-94-080 resulting from Yucca Mountain QA Div Audit YMP-YM-94-08 of LANL satisfactory.CAR considered closed.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/17. CANEPA,J.A. Los Alamos National Laboratory. 5pp. 82507:071-82507:075.

**9501250440** Advises that amended response to Corrective Action Request YM-94-043 resulting from Yucca Mountain QA Div Audit YMP-94-06 of USGS satisfactory.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/17. HAYES,L.R. Interior, Dept. of, Geological Survey. 8pp. 82507:076-82507:083.

**9501250444** Advises that amended responses to Corrective Action Request (CAR) YM-94-065 & CAR YM-94-072 resulting from Yucca Mountain QA Div Audit YMP-94-01 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor unsatisfactory.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/17. FOST,L.D. TRW Environmental Safety Systems, Inc. 123pp. 82515:121-82515:246.

**9501250448** Forwards Yucca Mountain Site Characterization Ofc policy for Exploratory Studies Facility (ESF) tunnel access as requested during ESF technical meeting in Las Vegas,NV on 941107.Technical Control Procedure TC-580-SP-0001 also encl.  
MILNER,R.A. Energy, Dept. of. 95/01/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 82507:084-82507:102.

**-9501250450** Rev 2 to Technical Control Procedure TC-580-SP-0001, "Exploratory Studies Facility (ESF) Tunnel Access Control."  
\* Reynolds Electrical & Engineering Co., Inc. HLWR. 94/08/25. 13pp. 82507:090-82507:102.

**9501260164** Notification of 950207 meeting w/licensee in Rockville,MD to discuss agenda for upcoming 950314-16,general U industry meeting,workshop w/NRC & other U recovery issues.  
LAMBERT,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/23. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82523:203-82523:204.

**9501260172** Submits suggested topics for planned NRC training on application of revised 10CFR20 regulations to U recovery facilities.10CFR20 workshop scheduled for 950316, followed by two-day workshop U industry on 950314 & 15 in Denver,CO.  
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/20. LOOMIS,M. Wyoming Mining Association. 2pp. 82523:195-82523:196.

**9501260269** Forwards record of surveillance YMP-SR-95-014 conducted by Yucca Mountain QA Div at Nye County facilities at Yucca Mountain site,NV,941109.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/19. NELSON,R.M. Energy, Dept. of. 5pp. 82513:185-82513:189.

**9501260315** Forwards rept, "Observation of DOE OCRWM QA Audit HQ-ARP-95-03 of Civilian Radwaste Mgt Sys & Operating Contractor (M&O) Control of Development/Rev Process for Technical Documents."  
MABRITO,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/01/12. SPRAUL,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 82519:238-82519:249.

**-9501260319** "Observation of DOE OCRWM QA Audit HQ-ARP-95-03 of Civilian Radwaste Mgt Sys & Operating Contractor (M&O) Control of Development/Rev Process for Technical Documents."  
MABRITO,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/01/31. Division of Waste Management (NMSS 940403). 11pp. 82519:239-82519:249.

**9501260380** Requests that NRC address existing suppl std applications previously submitted without further delays tied to post-UMTRA planning.  
CORMIER,C.A. Energy, Dept. of. 95/01/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 82523:181-82523:183.

**9501270209** Clarifies process for providing not-readily-available references w/semiannual site characterization progress repts & proposes to modify process for transmitting list of not-readily-available refs rather than refs themselves.  
BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/01/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82575:077-82575:078.

**9501270239** Forwards "Civilian Radwaste Mgt Sys Mgt & Operating Contractor," monthly summary rept for Nov 1994.LLNL,LANL & SNL monthly status repts also encl.  
BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/01/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 82553:252-82553:252.

**-9501270242** "Civilian Radwaste Mgt Sys Mgt & Operating Contractor," monthly summary rept for Nov 1994.  
\* TRW Environmental Safety Systems, Inc. HLWR. 94/11/30. 163pp. 82553:254-82553:252.

**9501270342** Informs that rept entitled, "Near-Field Liquid-Vapor Transport in Partially Saturated High-Level Nuclear Waste Repository," acceptably meets requirements of Intermediate Milestone 5702-723-450.  
MCCARTIN,T. Division of Waste Management (NMSS 940403). HLWR. 95/01/19. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 82553:001-82553:001.

**9501270347** Requests that NASA agree to reimburse NRC for costs incurred supporting INRP safety evaluations.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 95/01/09. GOLDIN,D.S. National Aeronautics & Space Administration. 6pp. 82553:002-82553:007.

**9501300056** Forwards special rept entitled, "Origin of Calcite-Silica Deposits at Trench 14 & Busted Butte & Methodologies Used to Determine Their Origin."  
JOHNSON,C.A. Nevada, State of. HLWR. 95/01/10. KNAPP,M. Division of Waste Management (NMSS 940403). 2pp. 82560:038-82560:282.

**-9501300065** "Review of DOE Rept: 'Origin of Calcite-Silica Deposits at Trench 14 & Busted Butte & Methodologies Used to Determine Their Origin.'"  
\* Technology & Resource Assessment Corp. 94/11/30. 243pp. 82560:040-82560:282.

**9501300208** Provides detailed description of probabilistic volcanic hazard analysis project currently being included in latest rev to Study Plan 8.3.1.8.1.1, "Probability of Magmatic Disruption of Repository."  
BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/01/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 82553:048-82553:058.

**9501300311** Verifies Corrective Action & Closure of Corrective Action Request YM-94-091 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/23. SHEPHARD,L.E. Sandia National Laboratories. 21pp. 82575:118-82575:138.

**9501300313** Verifies Corrective Action & Closure of Corrective Action Request YM-94-098 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs.  
SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/23. SHEPHARD,L.E. Sandia National Laboratories. 4pp. 82575:139-82575:143.



## 244 NONDOCKETED ITEMS

**9501300315** Verifies Corrective Action & Closure of Corrective Action Request YM-94-097 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/23. SHEPHARD,L.E. Sandia National Laboratories. 4pp. 82575:144-82575:147.

**9501300317** Verifies Corrective Action & Closure of Corrective Action Request YM-94-094 resulting from Yucca Mountain QA Div Audit YMP-94-09 of Sandia Natl Labs. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/23. SHEPHARD,L.E. Sandia National Laboratories. 4pp. 82575:148-82575:151.

**9501300319** Forwards of Surveillance Record YMP-SR-95-010 resulting from Yucca Mountain QA Div Surveillance of US Geological Survey. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/20. HAYES,L.R. Interior, Dept. of, Geological Survey. 14pp. 82575:152-82575:164.

**9501300322** Forwards Issuance of Surveillance Record YMP-SR-95-005 resulting from Yucca Mountain QA Div Surveillance of Civilian Radwaste Mgt Sys Mgt & Operating Contractor Mined Geological Disposal Sys Design Organization. SPENCE,R.E. Energy, Dept. of. HLWR. 95/01/20. FOUST,L.D. TRW Environmental Safety Systems, Inc. 20pp. 82553:014-82553:035.

**9501310128** Transmits Oct 1986 reclamation for Quivira Mining Co Ambrosia Lake site except for oversize drawings,per request, W/o encl. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/01/13. SLATNICK,J. Interior, Dept. of, Bureau of Mines. 1p. 82566:249-82566:249.

**9501310295** Forwards Vols I,II & III of "Civilian Radwaste Mgt Program Plan." MILNER,R.A. Energy, Dept. of. HLWR. 95/01/12. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 82581:001-82581:358.

**-9501310302** Vols I,II & III of "Civilian Radwaste Mgt Program Plan."  
\* Energy, Dept. of. HLWR. 94/12/19. 300pp. 82581:004-82581:358.

**9501310438** Trip rept of 941212 & 13 visit to Palo Alto,CA re performance assessment for Yucca Mountain repository w/ regard to hydrology & transport issues. CODELL,R. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/01/25. AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). 125pp. 82562:226-82562:340.

### XPORTLIC EXPORT AND IMPORT LICENSES

**9501030011** Provides advance notice of export shipment of special nuclear matl of low strategic significance,per 10CFR73.73. HOLDEN,D.W. General Electric Co. 94/11/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:075-82157:076.

**9501030013** Provides required notification of delivery at receiving facility for shipment of special nuclear matl of low strategic significance. HOLDEN,D.W. General Electric Co. 94/12/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 82157:079-82157:079.

**9501030036** Provides third rev of advance notification of export shipment of 24.70 kgs U-235 to arrive in Sweden on 941223. HOLDEN,D.W. General Electric Co. 94/12/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 82157:170-82157:172.

**9501030038** Submits updated info re advance notification of export shipment,in accordance w/requirements for implementation of Convention of Physical Protection of Nuclear Matl. HEHR,W. Braunkohle Transport USA, Inc. 94/11/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:173-82157:174.

**9501030043** Submits info re advance notification of export shipment,in accordance w/requirements for implementation of Convention of Physical Protection of Nuclear Matl. HEHR,W. Braunkohle Transport USA, Inc. 94/11/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 82157:214-82157:215.

**9501030066** Provides listed shipping info,per 10CFR73.73. ASAMI,K. 94/11/04. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 82157:269-82157:273.

**9501030089** Provides info re shipment of 80 drums on 20 pallets,each drum containing two pails, to Canada-US.  
\* Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. 94/11/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 82157:307-82157:307.

**9501030158** Requests Executive Branch views re application for amend to export license to increase quantity for exportation by 60,000 kg & change one of freight forwarders. HAUBER,R.D. Office of International Programs (Post 911117). 94/12/28. DELABARRE,R. State, Dept. of. 1p. 82175:114-82175:114.

**9501030189** Forwards application for export license for high-enriched U for isotopic dilution analyses of absolute concentrations of U in rock & mineral samples for geochronological purposes in Italy,W/o encl. HAUBER,R.D. Office of International Programs (Post 911117). 94/12/28. DEDIK,T. Energy, Dept. of. 1p. 82175:115-82175:115.

**9501030219** License for United States Enrichment Corp,to export 884 kg U-235,contained in 22,100 kg U enriched to 4.0 w/o max as UF<sub>6</sub> to England. HAUBER,R.D. Office of International Programs (Post 911117). 94/12/28. 2pp. 82175:131-82175:132.

**9501050395** Certifies that transfer of 22,100 kg U authorized by XSNM-2846 will be used IAW terms & conditions of Addl Agreement for Cooperation. DE BLOCK,M.J. European Communities, Commission of. 94/12/22. DEDIK,T. Office of International Programs (Post 911117). 1p. 82229:152-82229:152.

**9501050423** Amend 14 to license for GE,extending expiration date to 960807 & increasing dollar value & updating intermediate consignee info. HAUBER,R.D. Office of International Programs (Post 911117). 94/12/30. 1p. 82188:264-82188:264.

**9501090010** Submits notification of listed upcoming shipment,per requirements from implementation of convention on physical protection of nuclear matl & 870326 NRC final rule. CADREY,D. Edlow International Co. URENCO-OB-2. 94/10/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 82235:039-82235:039.

**9501090097** Notices of shipment of U hexafluoride,fissile to Japan on 941102.  
\* Edlow International Co. 94/10/03. COOK,J. Office of Nuclear Material Safety & Safeguards. 1p. 82235:322-82235:322.

**9501090099** Application for license to export natural & enriched UF<sub>6</sub> to Japan. COLFORD Mitsui & Co. (USA), Inc. MBK-H1-R16. 94/12/22. 2pp. 82259:285-82259:285.

**9501110007** Submits notification of upcoming shipment of U hexafluoride fissile to Japan on 941006. AUMULLER,J.N. Edlow International Co. KLK-86. 94/08/19. COOK,J. Office of Nuclear Material Safety & Safeguards. 1p. 82272:224-82272:224.

**9501110308** Forwards application for license to export nuclear material 30 g U,to Japan,End users statement encl. JEANS,J. Energy, Dept. of. 94/12/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 2pp. 82297:063-82297:066.

**-9501110314** Application for license to export 30 g U,containing 28 g CRM 116 U,enriched 20%,to Japan. JEANS,J. Energy, Dept. of. 95-004. 94/12/19. 2pp. 82297:065-82297:066.

**9501120091** Amend 7 to license for GE to export components & associated equipment listed in 10CFR110 App A for two BWRs w/power levels of 2,894 megawatts thermal to Taiwan. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/03. 1p. 82310:320-82310:320.

**9501120103** Application for license to export natural U Th as CANAL slag fluidizer.  
\* Shieldalloy Metallurgical Corp. 94/12/20. 10pp. 82310:321-82310:330.

**9501170262** Transmits two applications for export licenses.Application, XSNM-2849 for export of highly-enriched U to Japan for use in instruments.Application,XSNM-2850 for export of low-enriched U for use as reload fuel in Japan.W/o encls. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/13. DELABARRE,R. State, Dept. of. 1p. 82338:144-82338:144.

**9501180235** Forwards repts which list all NRC export cases which had been completed,received or pending during months of Nov & Dec 1994. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/12. DELABARRE,R. State, Dept. of. 12pp. 82343:317-82343:328.

**9501180272** Application for license to export 56,989 kg UF<sub>6</sub> to Japan.  
\* Mitsubishi International Corp. HSA-7450-00. 94/12/22. 1p. 82338:121-82338:121.

**9501180275** Forwards application for license to export 20.10 kg U & 63.05 kg of natural thorium for use as steelmaking additive, to Trinidad,W/o encl. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/13. DELABARRE,R. State, Dept. of. 1p. 82341:345-82341:345.

**9501180281** Forwards application for license to export byproduct mats in planar & point sources containing micuries of Co-60, Cs-137 & Eu-152 to Republic of Korea. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/11. DELABARRE,R. State, Dept. of. 1p. 82341:346-82341:350.

**-9501180286** License for DOE to export 45 uCi Cs-137,4 uCi Co-60 & 1 uCi Eu-152 to Republic of Korea. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/12. 1p. 82341:347-82341:347.

**-9501180292** Grants exemption to 15-day waiting period for export license authorizing shipment of byproduct mats to Korea on urgent basis. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/12. Office of International Programs (Post 911117). 1p. 82341:348-82341:348.

**-9501180303** Forwards Executive Branch position re export license XB-1289.Recommends that license be issued. STRATFORD,R.K. Energy, Dept. of. 95/01/12. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 82341:349-82341:349.

**-9501180307** Application for license to export Ce-137,Co-60 & Eu-152 to Korea. HART,T. Energy, Dept. of. 95/01/11. 1p. 82341:350-82341:350.

**9501180337** Confirms that items listed in attachments to said note 969 will be held subj to agreement upon entry into Japan. KRITENBRINK,D. U.S. Embassies. 94/12/14. Japan. 5pp. 82338:136-82338:140.

**9501190253** Recommends that license be issued to permit exports to Czech Republic & reexports to Bulgaria & Romania,per 941214 request. STRATFORD,R.K. State, Dept. of. 95/01/09. STOIBER,C.R. Office of International Programs (Post 911117). 3pp. 82367:040-82367:042.

**9501200275** Amend 5 to license for Nuclear Metals,Inc to export 500,000 kgs of depleted U in form of metal & to extend date from 941231 to 991231. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/17. 1p. 82420:358-82420:358.

**9501200304** Certifies that terms & conditions of addl agreement for cooperation of 600725,as amended will apply to matl mentioned in application for export license XSNM-2848:5,000 mg of U enriched to 98.64% in U-235. DE BLOCK,M.J. European Communities, Commission of. AG/2656. 95/01/11. DEDIK,T. Energy, Dept. of. 1p. 82420:359-82420:359.

**9501200318** License for Imaging & Sensing Technology to export 500 incore detector components for assembly into incore detectors & for subsequent installation in VVER NPP in Bulgaria,Czech Republic & Romania. HAUBER,R.D. Office of International Programs (Post 911117). 95/01/18. 1p. 82420:360-82420:360.

9501240161 Forwards application for license to export 5,000 mg U, enriched to 98.64% in U-235 to Italy.  
BOYD,L.W. Energy, Dept. of. 94/12/14. WRIGHT,B.L. Office of International Programs (Post 911117). 2pp. 82456:317-82456:320.

-9501240166 Application for license to export 5,000 mg U-235,98.64% enriched,as oxide powder,to Italy.  
BOYD,L.W. Energy, Dept. of. 45-0203. 94/12/06. 1p. 82456:320-82456:320.

9501260052 Submits advance notification of Category I shipment of listed mats from Nuclear Fuel Svcs,Erwin,TN to COGEMA, Pierrelatte,France.  
MCLAUGHLIN,J. Transnuclear, Inc. TNY-94060-6. 94/06/02. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 82465:097-82465:098.

9501260058 Submits advance notification of Category I shipment of listed mats from Nuclear Fuel Svcs,Erwin,TN to COGEMA, Pierrelatte,France.  
MCLAUGHLIN,J. Transnuclear, Inc. TNY-94059-6. 94/05/04. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 82465:274-82465:275.

9501260061 Submits advance notification of Category I shipment of listed mats from Nuclear Fuel Svcs,Erwin,TN to COGEMA, Pierrelatte,France.  
MCLAUGHLIN,J. Transnuclear, Inc. TNY-94047-6. 94/04/13. COOK,J. NRC - No Detailed Affiliation Given. 2pp. 82465:279-82465:280.

9501260063 Submits advance notification of Category I shipment of listed mats from Nuclear Fuel Svcs,Erwin,TN to COGEMA, Pierrelatte,France.  
MCLAUGHLIN,J. Transnuclear, Inc. TNY-94014-6. 94/02/16. COOK,J. NRC - No Detailed Affiliation Given. 2pp. 82465:281-82465:282.

9501300079 Application for license to export 13,736 kg U,containing 533 kg U-235 to Japan.  
\* Marubeni America Corp. JJ5792. 95/01/04. 1p. 82536:340-82536:341.

-9501300093 Forwards application fee for license to export nuclear matt.  
SAITO,A. . 95/01/13. WRIGHT,B. Assistant Director for Export/Import & International Safeguards. 1p. 82536:341-82536:341.


9501300157 Transmits application for export license for export of low-enriched U for use as reload fuel at NPGS in Japan. Requests assurance from govt of Japan.W/o encl.  
HAUBER,R.D. Office of International Programs (Post 911117). 95/01/24. DELABARRE,R. State, Dept. of. 1p. 82536:355-82536:355.

9501300169 Transmits application for export license to export natural U as UF6 for enrichment,conversion & fabrication for ultimate use as reactor fuel for NPGS in Japan.Requests assurances from govt of Japan.W/o encl.  
HAUBER,R.D. Office of International Programs (Post 911117). 95/01/24. DELABARRE,R. State, Dept. of. 1p. 82536:356-82536:356.

9501300192 License for US Enrichment Corp.to export 306 g U,enriched to 19.8 w/o max.as UF6,containing 60.6 g U-235 to Austria.  
HAUBER,R.D. Assistant Director for Export/Import & International Safeguards. 95/01/24. 2pp. 82537:001-82537:002.

9501300200 License for Department of Energy to export 5,000 mg U, enriched to 98.64 w/o maximum,as oxide powder containing 4,932 mg U-235 to Italy.  
HAUBER,R.D. Assistant Director for Export/Import & International Safeguards. 45-0203. 95/01/24. 2pp. 82537:003-82537:004.

9501300264 Informs that Executive Branch recommends that license be issued,per 941122 ltr requesting views of branch as to whether issuance of export license meets applicable criteria of Atomic Energy Act of 1954.  
STRATFORD,R.J.K State, Dept. of. 95/01/19. STOIBER,C.R. Office of International Programs (Post 911117). 2pp. 82542:320-82542:321.



## PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
ABBOTT, R.B.	9501200187	50-220	R	ANDERSON, R.O.	9501170074	50-282	F	AXELSON, W.L.	9501120026	I&E
ABBOTT, R.B.	9501250185	50-220	S	ANDERSON, R.O.	9501230120	50-263	R	AXELSON, W.L.	9501120084	I&E
ABELQUIST, E.W.	9501040117	PR		ANDERSON, R.O.	9501240092	50-263	P	AXELSON, W.L.	9501240036	50-346 Q
ABELQUIST, E.W.	9501110289	40-501		ANDERSON, R.O.	9501250188	50-282	F	AXELSON, W.L.	9501240082	70-2872
ABELQUIST, E.W.	9501110294*	40-501		ANDERSON, R.O.	9501250370	50-306	S	AXELSON, W.L.	9501240090	50-315 Q
ABLES, D.	9501250422	50-416	F	ANDERSON, S.L.	9501100148*	50-266	P	AXELSON, W.L.	9501240108	50-10 W
ABRAHAM, P.M.	9501230090*	50-413	P	ANDERSON, S.L.	9501100152*	50-266	P	AXELSON, W.L.	9501240333	50-186 Q
ABRAMS, M.F.	9501120363	WASTE MGT		ANDERSON, T.	9501200039	50-390	D	AXELSON, W.L.	9501240392*	FOIA
ADAMS, A.	9501030155	50-146	P	ANG, W.P.	9501250048*	50-313	Q	BACA, R.	9501180132	WASTE MGT
ADAMS, A.	9501230063	50-163	P	ANTON, P.A.	9501120039	PRM		BACA, R.G.	9501190148	WASTE MGT
ADAMS, A.	9501230287	50-62	P	ARCHITZEL, R.	9501230012	52-3		BACHMANN, R.G.	9501270092	70-3070
ADAMS, A.	9501240218	50-131	P	ARCHITZEL, R.E.	9501100048	52-3		BACI, P.E.	8111170482*	50-289 Q
ADAMS, A.	9501270272	50-131	P	ARENDO, J.W.	9501200112*	40-*****		BACI, P.E.	8111170496*	50-289 Q
ADAMS, M.	9501110047	70-1257		ARNOLD, C.	9501310262	40-2384		BACI, P.E.	9501170108*	50-289 Q
ADAMS, M.	9501310354	70-1257		ARNOLD, W.H.	9501060209	70-3070		BACI, P.E.	9501230140*	50-289 T
ADAMS, R.	9501120032	PR		ARP, S.	9501120350	WASTE MGT		BAER, R.L.	9501100043	REG CERT
ADER, C.E.	9501270084	ORG		ARSENAULT, F.J.	9501300117*	COMMISSION		BAGGETT, S.	9501170078*	STATE PRO G
ADNEY, R.J.	9501180205	50-327	S	ASAMI, K.	9501030066	XPORTLIC		BAGGETT, S.L.	9501100007	REG CERT
ADNEY, R.J.	9501200021	50-327	S	ASHBY, G.	9501130145*	FOIA		BAGTZOGLU, R.	9501230157	WASTE MGT
AGGARWAL, S.K.	9501030113*	FOIA		ASHBY, G.E.	9501110305*	70-*****		BAHADUR, S.	9501310440*	PR
AHMANN, R.J.	9409200229*	50-321	P	ASHBY, G.E.	9501110427*	70-*****		BAILEY, I.D.	9501120034	PRM
AHMANN, R.J.	9409200236*	50-321	P	ASHBY, G.E.	9501120323*	70-*****		BAILEY, S.J.	9501200167	50-309 R
AHMANN, R.J.	9409200239*	50-321	P	ASHBY, G.E.	9501130026*	70-*****		BAIRD, J.H.	9501040210*	FOIA
AHOLA, M.P.	9501180141	WASTE MGT		ASHBY, G.E.	9501130153*	FOIA		BAIRD, J.H.	9501040211*	FOIA
AIKAWA, K.	9501170158	FOIA		ASHBY, G.E.	9501130159*	FOIA		BAIRD, J.H.	9501040223*	FOIA
AITKEN, P.C.	9501130072	50-254	R	ASHBY, G.E.	9501130255*	70-*****		BAIRD, J.H.	9501040226*	FOIA
AITKEN, P.C.	9501240183	50-254	R	ASHBY, G.E.	9501170166*	70-*****		BAIRD, J.H.	9501040230*	FOIA
AKOV, D.J.	9501040227*	FOIA		ASHBY, G.E.	9501170196*	70-*****		BAIRD, J.H.	9501040233*	FOIA
ALDRICH, R.	9501240300	PR		ASHBY, G.E.	9501170206*	70-*****		BAIRD, J.H.	9501040238*	FOIA
ALEXION, T.W.	9501060082	50-498	P	ASHBY, G.E.	9501170244*	70-*****		BAIRD, J.H.	9501040240*	FOIA
ALEXION, T.W.	9501090317	50-498	P	ASHBY, G.E.	9501180325*	70-*****		BAIRD, J.H.	9501040241*	FOIA
ALEXION, T.W.	9501090320*	50-498	P	ASHBY, G.E.	9501190128*	70-*****		BAIRD, J.H.	9501040244*	FOIA
ALEXION, T.W.	9501180276*	50-313	P	ASHBY, G.E.	9501190144*	70-*****		BAIRD, J.H.	9501060080*	FOIA
ALFORD, A.	9501260086	50-298	S	ASHBY, G.E.	9501190193*	70-*****		BAIRD, J.H.	9501060086*	FOIA
ALLEN, M.D.	9501180334	50-295	P	ASMUSSEN, K.E.	9501030022	70-734		BAIRD, J.H.	9501060094*	FOIA
ALLENSPACH, F.R.	9501100123*	50-424	T	ASSA, R.R.	9501260238	70-734		BAIRD, J.H.	9501060194*	FOIA
ALTERMAN, I.B.	9501090333*	STATE PRO G		ASSA, R.R.	9501200025	50-454	P	BAIRD, J.H.	9501060196*	FOIA
ALTIERI, A.J.	9501240354	50-293	P	ASSA, R.R.	9501200232	50-454	P	BAIRD, J.H.	9501060198*	FOIA
AMARASOORIYA, W.	9501310132*	50-266	P	ASSA, R.R.	9501250328	50-456	P	BAJRASZEWSKI, J.	9501200024*	50-327 S
AMBE, P.	9501250044	PT21		ASSA, R.R.	9501250356*	50-456	P	BAJWA, S.S.	9501270292*	50-131 P
ANDERSEN, J.W.	9501100224	50-245	P	ASSA, R.R.	9501250377	50-454	P	BAKER, B.W.	9501040101	PRM
ANDERSEN, J.W.	9501120351	50-245	P	ASSA, R.R.	9501250400*	50-454	P	BAKER, S.J.	9501100131	40-1162
ANDERSEN, J.W.	9501130029	50-245	P	ASSELSTINE, J.K.	9501230160*	50-358	H	BAKER, S.J.	9501240104	40-1162
ANDERSEN, R.O.	9501130121	50-263	H	ASTWOOD, H.	9501120195	ORG		BALDI, M.	9501040157	40-7580
ANDERSEN, R.O.	9501130121	50-263	H	ATHEY, G.F.	9501180194	NUREG		BALDWIN, R.S.	9501240045*	50-327 V
ANDERSON, C.J.	9501050057	50-352	P	ATHEY, G.F.	9501180200	NUREG		BALESTRACCI, G.	9501100254	71-9032
ANDERSON, C.J.	9501180001	50-277	Q	ATKINS, H.L.	9501120018	PR		BALL, R.S.	9501230311	50-387 R
ANDERSON, C.J.	9501180003*	50-277	Q	AU, M.L.	9501310340	PR		BANGART, R.L.	9501030049	STATE PRO G
ANDERSON, C.J.	9501180061	50-277	Q	AUMULLER, J.N.	9501110007	XPORTLIC		BANGART, R.L.	9501030186	STATE PRO G
ANDERSON, C.J.	9501270043	50-352	Q	AUSTIN, S.W.	9501050218	50-260	S	BANGART, R.L.	9501040022	STATE PRO G
ANDERSON, C.J.	9501270055*	50-352	Q	AVELLAN, J.	9501270034	50-282	Y	BANGART, R.L.	9501060035	STATE PRO G
ANDERSON, M.L.	9501180171	50-305	R	AVERSA, L.	9501100243	50-354	S	BANGART, R.L.	9501090011	STATE PRO G
ANDERSON, R.A.	9501050094	50-324	I	AVERSA, L.	9501200014	50-354	S	BANGART, R.L.	9501090014	STATE PRO G
ANDERSON, R.A.	9501260103	50-324	P	AVERSA, L.	9501250326	50-354	S	BANGART, R.L.	9501090022	STATE PRO G
ANDERSON, R.A.	9501310270	50-324	P	AXELRAD, M.	9501100111	40-8027		BANGART, R.L.	9501090031	STATE PRO G
ANDERSON, R.O.	9501060112	50-282	P	AXELRAD, M.	9501100111	40-8027		BANGART, R.L.	9501090044	STATE PRO G
ANDERSON, R.O.	9501100184	50-282	R	AXELRAD, M.	9501180213	40-8027		BANGART, R.L.	9501120043	STATE PRO G
ANDERSON, R.O.	9501100197	50-263	H	AXELRAD, M.	9501180213	40-8027		BANGART, R.L.	9501130005	STATE PRO G
ANDERSON, R.O.	9501110186	50-282	Y	AXELSON, W.L.	9501120016	I&E		BANGART, R.L.	9501180038	STATE PRO G

248 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BANGART, R.L.	9501180186	STATE PRO G	BECKER, T.S.	9501230193	50-382 R	BLAHA, J.L.	9501120233	COMMISSION
BANGART, R.L.	9501200051	STATE PRO G	BECKHAM, J.T.	9409200218	50-321 P	BLAHA, J.L.	9501270282	COMMISSION
BANGART, R.L.	9501260028	STATE PRO G	BECKHAM, J.T.	9501040259	50-321 Q	BLAHA, J.L.	9501300050*	COMMISSION
BANGART, R.L.	9501300030	STATE PRO G	BECKHAM, J.T.	9501190073	50-366 S	BLAHA, J.L.	9501300061*	COMMISSION
BANGART, R.L.	9501310097	STATE PRO G	BECKHAM, J.T.	9501190260	50-321 Q	BLAHA, J.L.	9501300066*	COMMISSION
BANGART, R.L.	9501310145	STATE PRO G	BECKHAM, J.T.	9501200144	52-4	BLAHA, J.L.	9501300074*	COMMISSION
BANK, S.	9501110293	PRM	BECKHAM, J.T.	9501200180	50-321 R	BLAHA, J.L.	9501300156	COMMISSION
BARBIERI, R.	9501300048	50-219 S	BECKHAM, J.T.	9501230234	50-321 P	BLAKE, E.L.	9501180257	50-424 G
BARBOUR, J.	9501310089*	50-369 Q	BECKHAM, J.T.	9501230292	50-321 P	BLAKE, E.L.	9501180257	50-424 G
BARKER, R.F.	9501250291*	FOIA	BECKHAM, J.T.	9501250062	50-366 S	BLAKE, J.	9501170031*	50-369 Q
BARKER, U.H.	9501260020	PR	BECKHAM, J.T.	9501270371	50-321 Q	BLAKE, J.J.	9501240035*	50-413 Q
BARKHURST, R.P.	9501040194	50-382 P	BECKHAM, J.T.	9501300135	50-321 P	BLAKE, J.W.	9501270218	50-286 P
BARKHURST, R.P.	9501250453	50-382 P	BECKHAM, J.T.	9501300209	50-321 P	BLANCH, P.M.	9501050426*	QA999
BARR, K.	9501110060*	50-327 Q	BECKJORD, E.S.	9407220151*	PR	BLIND, A.A.	9501060210	50-315 S
BARRETT, L.J.	9501170223*	FOIA	BECKJORD, E.S.	9412230255*	52-3	BLIND, A.A.	9501060211	50-316 S
BARRETT, L.J.	9501170232*	FOIA	BECKJORD, E.S.	9501060028	SPEECHES	BLIND, A.A.	9501190159	50-316 R
BARRETT, L.J.	9501270212*	FOIA	BECKJORD, E.S.	9501200668*	STATE PRO G	BLIND, A.A.	9501190167	50-315 R
BARRETT, L.J.	9501270259*	FOIA	BECKJORD, E.S.	9501310376*	PR	BLIND, A.A.	9501250142	50-315 S
BARRETT, L.J.	9501270264*	FOIA	BECKJORD, E.S.	9501310434*	PR	BLOCH, P.B.	9501060226	50-424 T
BARRETT, L.J.	9501270266*	FOIA	BECKMAN, W.L.	9501120047	PR	BLOCH, P.B.	9501100168	50-424 G
BARRETT, L.J.	9501270270*	FOIA	BECKNER, W.D.	9501110436	50-313 Q	BLOCH, P.B.	9501100235	50-424 T
BARRETT, R.J.	9501170148	TOPREP	BECKNER, W.D.	9501120355*	50-298 Q	BLOCH, P.B.	9501100266	50-424 T
BARRETT, W.T.	9501050454*	FOIA	BECKNER, W.D.	9501230199	50-498 P	BLOCH, P.B.	9501110190	50-424 T
BARRETT, W.T.	9501050461*	FOIA	BEDE, B.C.	9501060262	27-48	BLOCH, P.B.	9501130202	50-424 T
BARTON, J.J.	9501050149	50-219 P	BEINECKE, P.J.	9501190158*	50-295 Q	BLOCH, P.B.	9501130271	50-424 T
BARTON, J.J.	9501050430	50-219 P	BELANGER, J.L.	9501240098*	50-315 Q	BLOCH, P.B.	9501180250	50-424 G
BARTON, J.J.	9501200294	50-219 R	BELISLE, G.A.	9501120064*	50-338 Q	BLOCH, P.B.	9501200231	50-424 T
BARTON, J.J.	9501200300	50-219 F	BELISLE, G.A.	9501170019	50-280 S	BLOCH, P.B.	9501270082	50-424 T
BARTON, J.J.	9501240350	50-219 F	BELISLE, G.A.	9501240105	50-280 Q	BLOCH, P.B.	9501270113	50-237 G
BARTON, J.J.	9501300048	50-219 S	BELKE, W.L.	9501190401*	WASTE MGT	BLOCKEY-O'BRIEN	9501060095	50-160 P
BARTZ, H.	9501180288*	70-*****	BELL, J.M.	9501060131*	FOIA	BLOISE, F.	9501250388	50-286 S
BASSETT, C.H.	9501110218	70-27	BELL, J.M.	9501060146*	FOIA	BLOOM, S.	9501100312	50-285 P
BASSETT, C.H.	9501240047*	50-160 Q	BELL, M.J.	9501030129	40-299	BLOOM, S.D.	9501100316*	50-285 P
BASSIN, N.	8707270187*	FOIA	BELL, M.J.	9501100140	40-8905	BLOSSER, J.D.	9501090287	50-483 S
BASSIN, N.	9501170233*	FOIA	BELL, M.J.	9501190397	WASTE MGT	BLOSSER, J.D.	9501200192	50-483 S
BASSIN, N.	9501170234*	FOIA	BELL, M.J.	9501230181	40-8903	BLOUGH, A.R.	9501110073	50-245 P
BASSIN, N.	9501250338*	FOIA	BELL, M.J.	9501230215	WASTE MGT	BLUBAUGH, R.E.	9501050466	40-3453 S
BASSIN, N.	9501250360*	FOIA	BELL, M.J.	9501050159	WASTE MGT	BLUBAUGH, R.E.	9501090051	40-3453 S
BASSIN, N.	9501260329*	FOIA	BELLAMY, R.R.	9501100066	70-3061	BLUBAUGH, R.E.	9501090105	40-3453 S
BASSIN, N.	9501270277*	FOIA	BELLAMY, R.R.	9501100072*	70-3061	BLUBAUGH, R.E.	9501260130	40-3453 S
BASSIN, N.	9501270283*	FOIA	BELLES, T.D.	9501260181	50-387 R	BOGER, B.A.	9501170050*	50-269 Q
BASSIN, N.	9501270294*	FOIA	BELSHE, S.K.	9501120049	STATE PRO G	BOGER, B.A.	9501190385	50-160 V
BASSIN, N.	9501270304*	FOIA	BEMIS, P.R.	9501120033	PR	BOHLKE, W.H.	9501040098	PR
BATEMAN, W.H.	9501030187*	50-261 P	BENES, G.G.	9501240034	50-373 P	BOHLKE, W.H.	9501120029	50-335 H
BATEMAN, W.H.	9501060053*	50-261 P	BENES, G.G.	9501310207	50-373 P	BOHLKE, W.H.	9501130122	50-335 H
BATEMAN, W.H.	9501060077*	50-348 P	BENJAMIN, M.J.	9501110311*	27-47	BOHLKE, W.H.	9501190008	PR
BATEMAN, W.H.	9501110405*	50-261 P	BENJAMIN, M.J.	9501110313*	27-47	BOHLKE, W.H.	9501270137	50-335 P
BATEMAN, W.H.	9501200152*	50-400 P	BENJAMIN, M.J.	9501110317*	27-47	BOKER, T.L.	9501100081	CONTRACT
BATTLE, J.	9501200278	FOIA	BENNINGTON, G.M.	9501300310	71-748	BOLDT, G.L.	9501050130	50-302 S
BAUMAN, S.	9501130198	40-8948	BERND, H.N.	9501100332	50-424 P	BOLDT, G.L.	9501130237	50-302 S
BAX, R.L.	9501270349	50-237 P	BERG, S.M.	9501310327	50-456 P	BOLDT, G.L.	9501130259	50-302 H
BEACH, A.B.	9501030010	50-397 Q	BERGENDAHL, D.M.	9501190178	50-498 R	BOLDT, G.L.	9501200121	50-302 R
BEACH, A.B.	9501030026	50-298 Q	BERGER, J.D.	9501240374*	FOIA	BOLDT, G.L.	9501240383	50-302 Q
BEACH, A.B.	9501030033	50-458 Q	BERKOW, H.	9501270150	50-424 P	BOLDT, G.L.	9501250047	50-302 F
BEACH, A.B.	9501030041	50-313 Q	BERKOW, H.N.	9501030039	50-414 Q	BOLDT, G.L.	9501250205	50-302 S
BEACH, A.B.	9501030054	50-298 P	BERKOW, H.N.	9501050436	50-370 P	BOLDT, G.L.	9501250276	50-302 S
BEACH, A.B.	9501050163	50-458 P	BERKOW, H.N.	9501100262*	50-269 P	BOLDT, G.L.	9501270340	50-302 Q
BEACH, A.B.	9501050194	50-382 Q	BERKOW, H.N.	9501120132*	50-286 P	BOLDT, G.L.	9501300243	50-302 S
BEACH, A.B.	9501060001	50-275 Q	BERKOW, H.N.	9501130084	50-369 P	BOLLERUD, G.	9501100180	71-213 S
BEACH, A.B.	9501090006	50-285 Q	BERKOW, H.N.	9501200031*	50-369 P	BOLLWERK, G.P.	9501180008	MISC
BEACH, A.B.	9501090012	50-482 Q	BERKOW, H.N.	9501240178*	50-424 P	BONO, H.D.	9501090287	50-483 S
BEACH, A.B.	9501090029	50-313 Q	BERKOW, H.N.	9501260065	50-270 Q	BONSER, B.R.	9501240148*	50-424 Q
BEACH, A.B.	9501130001	50-298 Q	BERKOW, H.N.	9501260281*	50-424 P	BORCHARDT, R.W.	9501190199	QA999
BEACH, A.B.	9501170097*	50-498 Q	BERKOW, H.N.	9501270168*	50-413 P	BORCHARDT, R.W.	9501230148	52-3
BEACH, A.B.	9501190015	50-528 Q	BERLES, B.W.	9501200292	50-255 R	BORES, R.	9501240029*	50-309 Q
BEACH, A.B.	9501190022	50-298 P	BERLOW, H.N.	9501240202*	50-424 P	BORES, R.	9501240068*	50-443 Q
BEACH, A.B.	9501190028	50-298 P	BERNERO, R.M.	9204030244*	COMMISSION	BORES, R.	9501300007	50-352 S
BEACH, A.B.	9501190051	50-285 P	BERNERO, R.M.	9210020246*	COMMISSION	BORES, R.J.	9501110034*	50-387 Q
BEACH, A.B.	9501190066	50-482 Q	BERNERO, R.M.	9303310234*	COMMISSION	BORES, R.J.	9501240052*	50-245 Q
BEACH, A.B.	9501190076	50-298 Q	BERNERO, R.M.	9501090077	ORG	BOSILJEVAC, F.	9501060281	WASTE MGT
BEACH, A.B.	9501240048	50-482 P	BERNERO, R.M.	9501120028	WASTE MGT	BOSILJEVAC, F.	9501120094	WASTE MGT
BEACH, A.B.	9501240056	50-445 P	BERNERO, R.M.	9501120244*	70-8	BOUCHARD, G.H.	9501040192	50-245 S
BEACH, A.B.	9501240239	50-382 Q	BERNERO, R.M.	9501200056*	STATE PRO G	BOUKNIGHT, J.A.	9501230119	50-389 M
BEACH, A.B.	9501240402	50-528 Q	BERNERO, R.M.	9501200128	WASTE MGT	BOULETTE, E.T.	9501040103	50-293 S
BEACH, A.B.	9501270002	50-275 P	BERNERO, R.M.	9501230080	WASTE MGT	BOULETTE, E.T.	9501040141	50-293 Q
BEACH, A.B.	9501270005	50-382 P	BERNERO, R.M.	9501310323	ORG	BOULETTE, E.T.	9501130120	50-293 P
BEACH, A.B.	9501270016	50-498 P	BERNERO, R.M.	9501310392*	PR	BOULETTE, E.T.	9501190002	PR
BEACH, A.B.	9501270041	50-313 Q	BERNHARD, R.	9501110134*	50-416 Q	BOULETTE, E.T.	9501190105	50-293 P
BEACH, A.B.	9501270042	50-397 P	BERTETTI, P.	9501190274	WASTE MGT	BOUNDS, J.	9501030194	FOIA
BEACH, A.B.	9501270061	50-530 Q	BHATIA, R.	9501110414*	50-219 Q	BOURASSA, M.D.	9501040128	50-155 S
BEACH, A.B.	9501310030	50-458 Q	BIAMONTE, M.A.	9501090288*	50-352 Q	BOURASSA, M.D.	9501240124	50-155 S
BEACH, B.A.	9501030042	50-313 Q	BIELBY, M.	9501120048*	50-331 Q	BOURASSA, M.D.	9501310228	50-155 S
BEARDSLEE, C.D.	9501110005*	50-272 Q	BIRNIE, P.	9501060046*	50-213 G	BOWEN, J.R.	9501270370	50-139 S
BEARDSLEE, C.D.	9501110122*	50-271 Q	BISHOP, C.J.	8006060614*	FOIA	BOWLING, M.L.	9501100061	50-280 F
BEASLEY, J.B.	9501050391	50-424 F	BLACHLY, T.	9501110472	40-8027	BOWLING, M.L.	9501120019	PR
BEASLEY, J.B.	9501240287	50-424 R	BLACK, S.C.	9501060085	ORG	BOWLING, M.L.	9501180216	50-338 R
BECHHOEFER, C.	9501180017	50-160 G	BLAHA, J.L.	9501110379	COMMISSION	BOWLING, M.L.	9501230301	50-280 R
BECHHOEFER, C.	9501180189	50-160 G	BLAHA, J.L.	9501110380	COMMISSION	BOWLING, M.L.	9501240270	PR

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BOWLING, M.L.	9501240294	PR	BRUCHMANN, G.W.	9501040095	PR	CANNY, T.E.	9501270325*	FOIA
BOWLING, M.L.	9501310177	I&E	BRUNER, L.N.	9501190023	PRM	CANNY, T.E.	9501270327*	FOIA
BOYCE, R.W.	9501090043	50-352	BRYAN, D.C.	9501190014	PR	CANNY, T.E.	9501270329*	FOIA
BOYCE, R.W.	9501230045	50-352	BRYANT, J.	9501190157	50-373	CANTRELL, F.	9501110134*	50-416
BOYCE, R.W.	9501310239	50-353	BUCH, W.H.	9501170167	50-213	CANTRELL, F.	9501240329	50-395
BOYD, L.W.	9501240161	XPORTLIC	BUCHANAN, C.R.	9501060172*	FOIA	CANTRELL, F.S.	9501170017*	50-348
BOYD, L.W.	9501240166*	XPORTLIC	BUCHANAN, C.R.	9501170211*	FOIA	CANTRELL, F.S.	9501240077*	50-395
BOYER, R.P.	9501230090*	50-413	BUCHANAN, C.R.	9501250353*	FOIA	CAPRA, R.A.	9501100280*	50-254
BRADFORD, L.D.	9501190012	PRM	BUCHANAN, C.R.	9501250357*	FOIA	CAPRA, R.A.	9501190333*	50-237
BRADLEY, B.	9501240191*	50-219	BUCHANAN, C.R.	9501260321*	FOIA	CAPRA, R.A.	9501260244	50-373
BRADY, J.B.	9501110031*	50-390	BUCHANAN, C.R.	9501270178*	FOIA	CARDUY, D.	9501170130	70-1252
BRADY, R.E.	9501270319	ORG	BUCKLEY, J.	9501190405*	WASTE MGT	CAREY, C.	9501040079	PR
BRESSON, J.F.	9501170216*	FOIA	BUNTON, P.	9501050164*	WASTE MGT	CAREY, C.	9501040099	PR
BRIGL, D.	9501120257	50-265	BURBIDGE, G.A.	9501310278*	71-9258	CARLSON, R.T.	9501170252*	70-*****
BRINKMAN, C.B.	9501120197	52-2	BURBIDGE, G.A.	9501310280*	71-9258	CARLSON, R.T.	9501180313*	70-*****
BRINKMAN, D.S.	9501090321	50-220	BURBIDGE, G.A.	9501310283*	71-9258	CARLSON, R.T.	9501190133*	70-*****
BRINKMAN, D.S.	9501190166	50-220	BURCH, R.H.	9501300321*	50-416	CARNS, N.S.	9501110236*	50-482
BRINKMAN, D.S.	9501190200	50-220	BURDICK, T.M.	9501050137*	50-454	CARNS, N.S.	9501190013	PR
BRINKMAN, D.S.	9501240254	50-410	BURDICK, T.M.	9501190109*	50-454	CARNS, N.S.	9501310335	50-482
BRINKMAN, D.S.	9501250424	50-220	BURGESS, B.L.	9501120068*	50-373	CAROCGIO, C.J.	9501240240	50-410
BRINKMAN, D.S.	9501260087	50-220	BURGESS, B.L.	9501300019	50-341	CARPENTER, C.E.	9501230249	50-333
BRINKMAN, D.S.	9501270112	50-410	BURGESS, B.L.	9501300021*	50-341	CARPENTER, C.E.	9501260111	50-333
BRINKMAN, D.S.	9501310152	50-220	BURGESS, S.D.	9501300111*	50-295	CARPENTER, J.H.	9501060226	50-424
BRINKMAN, R.E.	9501040048*	FOIA	BURGESS, S.D.	9501310055*	50-346	CARPENTER, J.H.	9501020235	50-424
BRINKMAN, R.E.	9501040049*	FOIA	BURNETT, R.F.	9412270314	50-3	CARPENTER, J.H.	9501110190	50-424
BRINKMAN, R.E.	9501040053*	FOIA	BURNETT, R.F.	9501200194	50-3	CARPENTER, J.H.	9501130202	50-424
BRINKMAN, R.E.	9501040056*	FOIA	BURNETT, R.F.	9501310201	70-734	CARPENTER, J.H.	9501130271	50-424
BRINKMAN, R.E.	9501040058*	FOIA	BURNS, R.	9501040055*	50-3	CARR, K.	9501060139*	FOIA
BRINKMAN, R.E.	9501040064*	FOIA	BURSKI, R.F.	9501030153	50-382	CARR, K.	9501060171*	FOIA
BRINKMAN, R.E.	9501040066*	FOIA	BURSKI, R.F.	9501090102	50-382	CARR, K.M.	9501060155*	FOIA
BRINKMAN, R.E.	9501040069*	FOIA	BURSKI, R.F.	9501090110	50-382	CARRION, R.P.	9501240123*	50-324
BRINKMAN, R.E.	9501040073*	FOIA	BURSKI, R.F.	9501190180	50-382	CARROLL, G.	9501270047	50-180
BRINKMAN, R.E.	9501040102*	FOIA	BURSKI, R.F.	9501230193	50-382	CARROLL, G.	9501270208	50-180
BRINKMAN, R.E.	9501040106*	FOIA	BURTON, W.R.	9409200234*	50-321	CARTER, J.S.	9501100258	50-413
BRINKMAN, R.E.	9501040107*	FOIA	BUTLER, W.R.	9501170125*	50-412	CARTER, P.D.	9501040045*	70-3074
BRINKMAN, R.E.	9501040110*	FOIA	BUTLER, W.R.	9501180324	50-334	CARUSO, J.	9501110181*	50-410
BRINKMAN, R.E.	9501040113*	FOIA	BUTLER, W.R.	9501260152*	50-309	CASE, M.J.	9501050166*	50-333
BRINKMAN, R.E.	9501040115*	FOIA	BYKOSKIL, M.	9501030195	40-7455	CASE, M.J.	9501090326*	50-220
BRINKMAN, R.E.	9501040118*	FOIA	BYRAM, R.G.	9501030149	50-387	CASE, M.J.	9501120074	50-286
BRINKMAN, R.E.	9501040120*	FOIA	BYRAM, R.G.	9501040149	50-387	CASE, M.J.	9501120128	50-286
BRINKMAN, R.E.	9501040147*	FOIA	BYRAM, R.G.	9501040155	50-387	CASE, M.J.	9501200048*	50-286
BRINKMAN, R.E.	9501040219*	FOIA	BYRAM, R.G.	9501050116	50-387	CASE, M.J.	9501200071	50-220
BRINKMAN, R.E.	9501050240*	FOIA	BYRAM, R.G.	9501050308	50-387	CASE, M.J.	9501230062*	50-286
BRINKMAN, R.E.	9501050330*	FOIA	BYRAM, R.G.	9501120141	50-387	CASE, M.J.	9501230074*	50-286
BRINKMAN, R.E.	9501060027*	FOIA	BYRAM, R.G.	9501230311	50-387	CASE, M.J.	9501240143*	50-333
BRINKMAN, R.E.	9501060041*	FOIA	BYRAM, R.G.	9501240080	50-387	CASE, M.J.	9501240257*	50-410
BRINKMAN, R.E.	9501060044*	FOIA	BYRAM, R.G.	9501250256	50-387	CASE, M.J.	9501250143*	50-317
BRINKMAN, R.E.	9501060061*	FOIA	BYRAM, R.G.	9501260274	50-387	CASE, M.J.	9501270117*	50-410
BRINKMAN, R.E.	9501060064*	FOIA	BYRAM, R.G.	9501310321	50-387	CASE, M.J.	9501270338*	50-286
BRINKMAN, R.E.	9501060121*	FOIA	CADREY, D.	9501090010	XPORTLIC	CASS, L.	9501300010*	50-282
BRINKMAN, R.E.	9501060125*	FOIA	CAHILL, M.	9501050215	30-239	CASTO, C.	9501030168*	50-327
BRINKMAN, R.E.	9501170205*	FOIA	CAHILL, S.J.	9501110069	50-321	CASTO, C.	9501170068*	50-348
BRINKMAN, R.E.	9501170219*	FOIA	CAHILL, W.J.	9501250255	50-333	CASTO, C.	9501240319*	50-259
BRINKMAN, R.E.	9501170226*	FOIA	CAIN, C.L.	9203040006*	FOIA	CASTO, C.A.	9501110096	50-327
BRINKMAN, R.E.	9501170239*	FOIA	CAIN, C.L.	9205060011*	FOIA	CASTO, C.A.	9501170012	50-395
BROADDUS, D.A.	9501260007	REG CERT	CAIN, C.L.	9501190034*	50-267	CASTO, C.A.	9501170021	50-369
BROCCOLO, E.A.	9501190211	50-295	CAIN, C.L.	9501310131*	70-925	CASTO, C.A.	9501170025	50-259
BROCCOLO, E.A.	9501230305	50-295	CAINE, T.A.	9501110456*	TOPREP	CASTO, C.A.	9501170035*	50-259
BROCCOLO, E.A.	9501270353	50-304	CALDWELL, B.F.	9501050451	50-369	CASTO, C.A.	9501170038	50-302
BROCKMAN, K.E.	9501100103*	50-424	CALDWELL, J.A.	9501030143	70-364	CASTO, C.A.	9501170066	50-348
BROCOUM, S.J.	9501060192	WASTE MGT	CALLAN, L.J.	9203040003*	FOIA	CASTO, C.A.	9501170124	50-321
BROCOUM, S.J.	9501060200	WASTE MGT	CALLAN, L.J.	9501090336*	FOIA	CASTO, C.A.	9501240030	50-413
BROCOUM, S.J.	9501270209	WASTE MGT	CALLAN, L.J.	9501130016	50-361	CASTO, C.A.	9501240250	50-259
BROCOUM, S.J.	9501270239	WASTE MGT	CALLAN, L.J.	9501190045	70-1359	CASTO, C.A.	9501240316	50-259
BROCOUM, S.J.	9501300208	WASTE MGT	CALLAN, L.J.	9501190101	STATE PRO G	CASTO, C.A.	9501250012	50-327
BRONS, J.C.	9501190135	50-10	CALLAN, L.J.	9501190123	50-528	CELIS, C.	9409200229*	50-321
BROTT, N.K.	9501250080	50-255	CALVERT, C.	9501090057*	50-272	CERAR, P.A.	9412290350	MISC
BROUGHTON, T.G.	9501030072	50-289	CAMERON, F.X.	9212030458*	STATE PRO G	CEVIGNEY, S.P.	9501060261*	50-237
BROUGHTON, T.G.	9501100022	50-289	CAMPBELL, A.C.	9501090327*	STATE PRO G	CHAFFEE, A.E.	9411040188*	I&E
BROUGHTON, T.G.	9501200202	50-289	CAMPBELL, V.H.	9106120168*	FOIA	CHAFFEE, A.E.	9501120165	I&E
BROUGHTON, T.G.	9501240204	50-289	CAMPITELLI, A.T.	9501230257	40-9027	CHAMBERLAIN, D.D.	9501090015*	50-482
BROWN, B.W.	9501130096*	50-369	CANDREY, D.	9501090023	70-1252	CHAN, T.L.	9501200090	50-369
BROWN, B.W.	9501310338*	50-282	CANIANO, R.J.	9501050051	50-10	CHAN, T.L.	9501310293	TOPREP
BROWN, C.W.	9501270143	50-390	CANIANO, R.J.	9501050097	50-255	CHANDRA, V.	9501050243*	50-272
BROWN, E.J.	9403020090	ORG	CANIANO, R.J.	9501050115	50-255	CHANDRA, V.	9501050249*	50-272
BROWN, M.R.	9501300012	STATE PRO G	CANIANO, R.J.	9501050157	50-255	CHAPDELAIN, R.W.	9501250304*	FOIA
BROWN, R.A.	7912110146*	FOIA	CANIANO, R.J.	9501050162	50-341	CHAPPELL, C.R.	9501090186	71-9029
BROWNE, W.G.	9501110394*	70-*****	CANIANO, R.J.	9501050172	50-266	CHAPPELL, C.R.	9501110165	71-6078
BROWNE, W.G.	9501110403*	70-*****	CANIANO, R.J.	9501110071	50-10	CHAPPELL, C.R.	9501110170*	71-6078
BROWNE, W.G.	9501110410*	70-*****	CANIANO, R.J.	9501110095	50-255	CHAPPELL, C.R.	9501110183	71-9234
BROWNE, W.G.	9501110454*	70-*****	CANIANO, R.J.	9501190079	50-461	CHAPPELL, C.R.	9501110471	71-236
BROWNE, W.G.	9501110497*	70-*****	CANIANO, R.J.	9501230259*	FOIA	CHAPPELL, C.R.	9501110481	71-5957
BROWNE, W.G.	9501110502*	70-*****	CANIANO, R.J.	9501240078	50-373	CHAPPELL, C.R.	9501120096	71-9056
BROWNE, W.G.	9501120112*	70-*****	CANIANO, R.J.	9501240266	50-456	CHAPPELL, C.R.	9501120102*	71-9056
BROWNE, W.G.	9501120193*	70-*****	CANNON, R.L.	9501040103	50-293	CHAPPELL, C.R.	9501170149	71-6280
BROWNE, W.G.	9501120245*	FOIA	CANNY, T.E.	9501270298*	FOIA	CHAPPELL, C.R.	9501170152*	71-6280
BROWNE, W.G.	9501170077*	70-*****	CANNY, T.E.	9501270299*	FOIA	CHAPPELL, C.R.	9501170197	71-9217
BROWNE, W.G.	9501170083*	70-*****	CANNY, T.E.	9501270315*	FOIA	CHAPPELL, C.R.	9501170209	71-9248



250 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CHAPPELL,C.R.	9501180083*	71-9217	CLINE,W.E.	9501310027	50-261 F	CONICELLA,N.F.	9501200043	50-286 P
CHAPPELL,C.R.	9501300267	71-9196	CLINE,W.E.	9501310130	50-302 F	CONICELLA,N.F.	9501230061	50-286 P
CHAPPELL,C.R.	9501300271	71-5086	CLONINGER,T.H.	950190282	50-498 S	CONICELLA,N.F.	9501230072	50-286 P
CHAPPELL,C.R.	9501300273*	71-5086	CLONINGER,T.H.	9501200053	50-498 Q	CONICELLA,N.F.	9501230073	50-286 P
CHAPPELL,C.R.	9501300280	71-9233	CLONINGER,T.H.	9501310147	50-498 F	CONICELLA,N.F.	9501240140	50-333 P
CHAPPELL,C.R.	9501300286*	71-9233	CLOUD,P.D.	9501310311	40-8838	CONICELLA,N.F.	9501270330	50-286 P
CHARNLEY,J.E.	9409200222*	50-321 P	CLOUD,P.D.	9501050475	50-284 V	CONNOR,J.A.	9501270167	70-27
CHARNLEY,J.E.	9409200226*	50-321 P	COATES,L.M.	950190025	PRM	CONNOLLY,R.J.	9501250327*	FOIA
CHARNLEY,J.E.	9409200234*	50-321 P	CODELL,R.	9501310438	WASTE MGT	CONNOLLY,R.J.	9501250328*	FOIA
CHARNLEY,J.E.	9409200242*	50-321 P	COGILL,C.J.	9501300062	50-333 Q	CONNOR,C.B.	9501230280	WASTE MGT
CHARNLEY,J.E.	9409200250*	50-321 P	COLACCINO,J.	9501110191*	50-266 Q	CONWAY,J.J.	9501110237	PR
CHASE,G.	9501060154	40-8452	COLAPURTO,D.K.	9501170143	FOIA	CONWAY,J.T.	9501230070	50-410 S
CHASE,G.	9501060154	40-8452	COLBURN,T.	9501310111	50-341 P	COOK,J.G.	9501190096*	50-461 F
CHASE,G.	9501110175	40-8452	COLE,R.F.	9501270089	70-3070	COOK,J.G.	9501250394	50-461 S
CHERNOCK,W.P.	9501120113	PROJ	COLE,S.E.	9502010248*	50-255 P	COOLEY,W.J.	9501130251*	70-*****
CHERNOFF,H.K.	9501030160	50-344 P	COLEMAN,D.E.	9501200187	50-220 R	COOLEY,W.J.	9501170159*	70-*****
CHEUNG,L.	9501090064*	50-245 Q	COLEMAN,M.S.	9501060052*	STATE PROJ G	COOPER,R.	9501110149	50-412 P
CHEUNG,L.	9501180227*	50-317 Q	COLEMAN,J.L.	9501310073*	50-390 Q	COOPER,R.W.	9501090314*	FOIA
CHEY,W.D.	9501110223	PRM	COLFORD	9501090099	XPORLTIC	COOPER,R.W.	9501240026	50-247 Q
CHI,L.L.	9501120144*	50-277 P	COLGLAZIER,R.	9501240126	50-454 R	COOPER,R.W.	9501240264	50-336 P
CHILDS,W.V.	9501040250	50-333 S	COLINA,I.	9501100006	CONTRACT	COPELAND,R.A.	9501300142	TOPREP
CHILK,S.J.	9501050406	FOIA	COLKITT,M.L.	9501170112*	FOIA	CORDES,J.F.	9501300144	SECY
CHITWOOD,R.B.	9501120332*	70-*****	COLKITT,M.L.	9501170114*	FOIA	CORE,D.	9409200244*	50-321 P
CHITWOOD,R.B.	9501170187*	70-*****	COLKITT,M.L.	9501170120*	FOIA	CORMIER,C.A.	9501260380	WASTE MGT
CHOE,H.	9501230296*	50-321 P	COLKITT,N.L.	9501170093	FOIA	CORWIN,J.B.	9501090272	CONTRACT
CHOU,R.C.	9501170035*	50-259 Q	COLLINS,D.M.	9501040129	50-348 F	COSTELLO,F.	9501050215	30-239
CHOWDBURY,A.	9501190148	WASTE MGT	COLLINS,D.M.	9501040131	50-416 F	COTTER,B.P.	9501180136	40-8968
CHOWDBURY,A.H.	9501180119	WASTE MGT	COLLINS,D.M.	9501040218	50-269 F	COTTER,B.P.	9501270091	40-8968
CHRISTENSEN,H.	9501180141	WASTE MGT	COLLINS,D.M.	9501050256	50-369 Q	COUTIER,W.R.	9501250393*	WASTE MGT
CHRISTENSEN,H.	9501040023	50-416 Q	COLLINS,D.M.	9501110072	70-27	COWAN,J.	9501040200	50-324 Q
CHRISTENSEN,H.	9501110078	50-324 Q	COLLINS,D.M.	9501110207	70-27	COWAN,J.	9501260045	50-325 S
CHRISTENSEN,H.	9501110112	50-324 Q	COLLINS,D.M.	9501110283*	27-47	COWAN,J.P.	9501030027	50-324 F
CHRISTENSEN,H.	9501110119	50-324 Q	COLLINS,D.M.	9501170107*	50-498 Q	COWAN,J.P.	9501030059	50-324 F
CHRISTENSEN,H.	9501110124	50-416 Q	COLLINS,D.M.	9501240025	50-369 F	COWAN,J.P.	9501050281	50-324 P
CHRISTENSEN,H.	9501110457	50-261 Q	COLLINS,D.M.	9501240043	50-160 Q	COWAN,J.P.	9501260060	50-324 F
CHRISTENSEN,H.	9501110459*	50-261 Q	COLLINS,D.M.	9501240053	50-348 F	COWGILL,C.J.	9501110102	50-247 Q
CHRISTENSEN,H.	9501170005	50-395 Q	COLLINS,D.M.	9501240073	50-321 F	COWGILL,C.J.	9501110233	50-220 Q
CHRISTENSEN,H.	9501170013	50-348 Q	COLLINS,D.M.	9501240184	70-1113 Q	COWGILL,C.J.	9501240269	50-220 Q
CHRISTENSEN,H.	9501170111	50-400 Q	COLLINS,D.M.	9501240243	70-27	COWGILL,C.J.	9501240280	50-317 Q
CHRISTENSEN,H.	9501240066	50-395 Q	COLLINS,D.M.	9501240326	50-321 F	COWGILL,C.J.	9501300067*	50-333 Q
CHRISTENSEN,H.	9501240358	50-400 Q	COLLINS,D.M.	9501240349	50-416 Q	COWGILL,C.J.	9501310100	50-286 Q
CHRISTENSEN,H.	9501300018	50-324 P	COLLINS,D.M.	9501240407	50-259 Q	COWGILL,C.J.	9501310103*	50-286 Q
CHRISTENSEN,H.	9501300025	50-261 P	COLLINS,D.M.	9501250415	50-259 Q	CRAFT,F.R.	9501120143	40-8903
CHRISTENSEN,H.	9501310050	50-324 Q	COLLINS,E.J.	9501090341	CONTRACT	CRAFT,F.R.	9501170221	40-8903
CHRISTENSEN,H.	9501310056*	50-324 Q	COLLINS,P.F.	9501230126*	50-289 T	CRAIG,K.	9501200141*	40-9027
CHRISTENSEN,H.	9501310127	50-261 Q	COLLINS,S.C.	9501120085	PR	CRAIG,K.A.	9501230262	40-9027
CHRISTENSEN,H.	9501310146*	50-261 Q	COLLINS,S.C.	9501180091	REGGD	CRANFORD,G.F.	9501040158*	FOIA
CHRISTOFFER,G.	9501240277*	50-456 Q	COLLINS,S.J.	9501030009	70-754 Q	CRANFORD,G.F.	9501180294	ORG
CIALKOWSKI,M.J.	9501200142	50-373 R	COLLINS,S.J.	9501030015	50-313 Q	CRANFORD,G.F.	9501310361	ORG
CIMORELLI,S.S.	9409200223*	50-321 P	COLLINS,S.J.	9501030015	50-285 F	CREED,J.R.	9501050111	50-10 F
CIRANGLE,E.	9501180256*	40-*****	COLLINS,S.J.	9501030050	50-275 Q	CREED,J.R.	9501050147	50-155 F
CIRANGLE,E.	9501180260*	40-*****	COLLINS,S.J.	9501030073	50-482 Q	CREED,J.R.	9501050170	50-483 Q
CLARK,C.R.	9501130107	50-29 P	COLLINS,S.J.	9501050065	50-313 Q	CREED,J.R.	9501050174	50-341 F
CLARK,G.M.	9501270323*	FOIA	COLLINS,S.J.	9501050078	50-482 Q	CREED,J.R.	9501240098*	50-315 Q
CLARK,G.N.	9501170235*	FOIA	COLLINS,S.J.	9501060014	70-1257	CREED,J.R.	9501240277*	50-456 Q
CLARK,G.N.	9501170237*	FOIA	COLLINS,S.J.	9501090003	50-382 Q	CRISTNOT,E.F.	9501110126*	50-321 Q
CLARK,G.N.	9501270335*	FOIA	COLLINS,S.J.	9501180153	50-313 F	CRLENJAK,R.V.	9501110033	50-269 Q
CLARK,G.N.	9501270336*	FOIA	COLLINS,S.J.	9501180162	50-397 F	CRLENJAK,R.V.	9501170003	50-269 Q
CLARK,P.R.	9501240325*	50-146 P	COLLINS,S.J.	9501180206	50-498 F	CRLENJAK,R.V.	9501170057	50-369 Q
CLARK,R.W.	9501250390	WASTE MGT	COLLINS,S.J.	9501190026	50-133 S	CRLENJAK,R.V.	9501170059*	50-369 Q
CLASSIC,K.	9501040151*	FOIA	COLLINS,S.J.	9501190027	50-267 Q	CRLENJAK,R.V.	9501240002	50-424 Q
CLAYTON,B.	9501110485	50-461 P	COLLINS,S.J.	9501190035	50-298 Q	CRLENJAK,R.V.	9501240136	50-424 Q
CLAYTON,B.	9501120063	50-373 Q	COLLINS,S.J.	9501190053	50-313 Q	CRLENJAK,R.V.	9501240322	50-321 Q
CLAYTON,B.	9501120068*	50-373 Q	COLLINS,S.J.	9501190140	STATE PROJ G	CROCKER,H.W.	9501110410*	70-*****
CLEVELAND,R.S.	9501260327*	FOIA	COLLINS,S.J.	9501200020	40-8027	CROCKER,H.W.	9501110502*	70-*****
CLIFFORD,J.W.	9501130250	50-397 P	COLLINS,S.J.	9501230021	50-313 Q	CROCKER,H.W.	9501120192*	70-*****
CLIFFORD,J.W.	9501130256*	50-397 P	COLLINS,S.J.	9501230040	70-1257	CROCKER,H.W.	9501120193*	70-*****
CLIFFORD,J.W.	9501200119	50-397 P	COLLINS,S.J.	9501270031	MISC	CROCKER,H.W.	9501130225*	70-*****
CLIFFORD,J.W.	9501300284	50-397 P	COLLINS,S.J.	9501270048	50-298 Q	CROCKER,H.W.	9501170091*	FOIA
CLINE,W.E.	9501110044	50-321 Q	COLLINS,S.J.	9501300011	70-1257	CROCKER,H.W.	9501170113*	70-*****
CLINE,W.E.	9501110055	50-327 F	COLLINS,S.J.	9501310047	50-298 Q	CROCKER,H.W.	9501170117*	70-*****
CLINE,W.E.	9501110068	50-259 F	COLLINS,S.J.	9501310125	70-925	CROCKER,H.W.	9501170156*	70-*****
CLINE,W.E.	9501110157	70-1151 F	COMBS,F.	9501240367	40-9024	CROCKER,H.W.	9501170159*	70-*****
CLINE,W.E.	9501180044	50-321 F	COMFORT,G.C.	9501250296*	FOIA	CROCKER,H.W.	9501170252*	70-*****
CLINE,W.E.	9501180080	50-335 F	COMFORT,G.C.	9501030140	40-7102	CROTEAU,R.P.	9501030064	50-250 P
CLINE,W.E.	9501180128	50-250 F	COMFORT,G.C.	9501110035	WASTE MGT	CROTEAU,R.P.	9501050349	50-250 P
CLINE,W.E.	9501240005	50-327 Q	COMFORT,G.C.	9501120067	PROJ	CROTEAU,R.P.	9501130189	50-250 P
CLINE,W.E.	9501240054	50-259 Q	COMFORT,G.C.	9501250095	PROJ	CROTEAU,R.P.	9501170096	50-250 P
CLINE,W.E.	9501240072	50-321 Q	COMFORT,G.C.	9501250352	40-7102	CROTEAU,R.P.	9501180319	50-250 P
CLINE,W.E.	9501240076	50-269 Q	CONDREY,D.	9501260001	40-7102	CROWLEY,B.R.	9501240117*	50-390 Q
CLINE,W.E.	9501240111	50-369 F	CONGEL,F.J.	9501110159	40-8576	CRUSE,C.H.	9501230144	50-317 R
CLINE,W.E.	9501240120	50-324 Q	CONGEL,F.J.	9012070156*	50-293 P	CRUTCHFIELD,D.	9501120171	PR
			CONGEL,F.J.	9209030192*	STATE PROJ G	CRUTCHFIELD,D.	9501180264	ORG
			CONICELLA,N.F.	9501030201	50-286 P	CRUTCHFIELD,D.	9501260295	52-3
			CONICELLA,N.F.	9501050161	50-333 P	CRUTCHFIELD,D.	9501260304	50-219 P
			CONICELLA,N.F.	9501050204	50-333 P	CULLINGTON,R.F.	8611250056*	FOIA
			CONICELLA,N.F.	9501050317	50-333 P	CULLINGTON,R.F.	8701160159*	FOIA

PERSONAL AUTHOR INDEX 251

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CUMMINGS,J.J.	9501230167*	FOIA	DELANEY,J.C.	9501090103*	40-2810	DURR,J.P.	9501110199	50-289 Q
CUMMINGS,J.J.	9501260123*	FOIA	DELANEY,J.C.	9501090116*	40-2810	DURR,J.P.	9501110220	50-245 Q
CUNNINGHAM,D.E.	9501170150*	FOIA	DELANEY,J.C.	9501090220*	70-*****	DURR,J.P.	9501170049	50-213 Q
CUNNINGHAM,D.E.	9501170150*	FOIA	DELANEY,J.C.	9501090222*	70-*****	DURR,J.P.	9501180092	50-289 Q
CUNNINGHAM,D.E.	9501170163*	FOIA	DELANEY,J.C.	9501090260*	70-*****	DURR,J.P.	9501240291	50-245 P
CUNNINGHAM,R.E.	9501050182*	71-9196	DELANEY,J.C.	9501110388*	70-*****	DURR,J.P.	9501300015	50-245 Q
CUNNINGHAM,R.E.	9501250365*	FOIA	DELANEY,J.C.	9501110422*	70-*****	DWYER,J.P.	9501170184*	FOIA
CUNNINGHAM,R.E.	9501260082*	FOIA	DELANEY,J.C.	9501130021*	70-*****	DYCKMAN,J.G.	9501190114*	50-293 P
CUNNINGHAM,R.E.	9501260287*	FOIA	DELANEY,J.C.	9501170214*	70-*****	DYE,K.R.	9501110288	PRM
CUNNINGHAM,R.E.	9501260291*	FOIA	DELANEY,J.C.	9501190268*	40-*****	EATON,R.B.	9501130229	50-293 P
CUNNINGHAM,R.E.	9501260309*	FOIA	DELANEY,J.C.	9501190371*	40-*****	EATON,R.B.	9501260235	50-293 P
CURRAN,D.	9501270064	70-3070	DELEZENSKI,J.	9501250307	50-312	EBELING-KONING	9501100107	TOPREP
CURRAN,D.	9501270064	70-3070	DELLA RATTI,A.	9501270051*	50-219	EBELING-KONING	9501100107	TOPREP
CURRAN,D.	9501270077	70-3070	DELLIGATTI,M.	9501110234	WASTE MGT	EBNETER,S.D.	9501100101*	50-424 G
CURRAN,D.	9501270077	70-3070	DEMBEK,S.	9501310238	ORG	EBNETER,S.D.	9501100121*	50-424 T
CURRAN,D.	9501270098	70-3070	DENIO,L.L.	9501120044	70-1308	EBNETER,S.D.	9501100310*	50-390 Q
CURRAN,D.	9501270098	70-3070	DENTON,H.R.	9501260307*	50-424	EBNETER,S.D.	9501200669	50-302 A
CURRAN,D.	9501270134	70-3070	DENTON,R.E.	9501040138	50-317	EBNETER,S.D.	9501240062	50-302 Q
CURRAN,D.	9501270140*	70-3070	DENTON,R.E.	9501110329	50-318	EBNETER,S.D.	9501240083	50-335 P
CURTIS,K.M.	9501030135	FOIA	DENTON,R.E.	9501130111	50-317	EBNETER,S.D.	9501240094	50-390 A
CURTISS,J.	9501260279	40-8907	DENTON,R.E.	9501130134	PR	EBNETER,S.D.	9501240247	50-250 Q
CURTISS,J.R.	9501060137*	FOIA	DENTON,R.E.	9501130161	50-317	EBNETER,S.D.	9501240290	70-27
CURTISS,J.R.	9501060163*	FOIA	DENTON,R.E.	9501130179	50-317	ECKERT,G.C.	9501050189	50-237 S
CWALINA,G.C.	9501090035*	QA999	DENTON,R.E.	9501240248	50-317	ECKERT,L.	9501110034*	50-387 Q
CWALINA,G.C.	9501090065*	QA999	DERBONNE,D.R.	9501180315	50-458	ECKLUND,B.S.	9501230191	50-528 R
CYGAN,J.	9501230305	50-295 R	DESAI,B.B.	9501240033*	50-250	ECONOMOS,N.	9501170031*	50-369 Q
CYTACKI,E.P.	9501040146	FOIA	DESAI,B.B.	9501240047*	50-160	EDELMAUN,P.G.	9501200294	50-219 R
D'ANTONIO,J.M.	9501100020	50-213 V	DEWEASE,J.G.	9501040081	PR	EDGAR,G.L.	9501120078	PR
DACIMO,F.R.	9501170101	50-213 S	DEWEASE,J.G.	9501190011	PR	EDGAR,G.L.	9501120078	PR
DACIMO,F.R.	9501230110	50-213 R	DIAS,K.P.	9501130085*	50-410	EDGAR,G.L.	9501120078	PR
DACIMO,F.R.	9501230129	50-213 S	DICHARRY,R.D.	9501050224	71-*****	EDGAR,G.L.	9501120078	PR
DACIMO,F.R.	9501240323	50-213 S	DICHARRY,R.D.	9501260142	71-9263	EDGAR,G.L.	9501120078	PR
DACIMO,F.R.	9501310122	50-213 T	DICK,G.F.	9501200242	50-454	EDGAR,G.L.	9501120078	PR
DAHLBERG,A.W.	9501100126*	50-424 T	DICK,G.F.	9501240154	50-454	EDGAR,G.L.	9501120078	PR
DAHLBERG,K.A.	9501050429	50-410 S	DICK,G.F.	9501260253	50-454	EDGAR,J.B.	9501050285	71-9217
DAHLBERG,K.A.	9501230070	50-410 S	DICK,G.F.	9501260256*	50-454	EDGAR,J.B.	9501060055	71-9248
DAHLBERG,K.A.	9501240240	50-410 R	DICKARD,R.A.	9501230089	50-413	EDGAR,J.B.	9501060060*	71-9248
DALTON,W.J.	9501060229*	PROJ	DINGELL,J.D.	9412300055*	50-341	EDGAR,J.B.	9501120127	71-9217
DAM,A.S.	9501260176	PR	DIRCKS,W.J.	9501030114	FOIA	EDGAR,J.B.	9501120285	71-9217
DAMEROW,F.W.	9501130128*	PROJ	DIRCKS,W.J.	9501050177*	FOIA	EDGAR,J.B.	9501120353	71-9217
DANCER,D.M.	9501050164*	WASTE MGT	DIRCKS,W.J.	9501170089*	50-289	EDGAR,J.B.	9501170015	71-9217
DANDOIS,D.B.	9412290063	71-524	DOERFLEIN,L.T.	9501110242*	50-220	EDGER,J.B.	9501110492	71-3
DANKMYER,B.K.	9501300020	40-8778	DOERFLEIN,L.T.	9501110106*	50-247	EDISON,G.E.	9501120114	50-334 P
DAO,T.V.	9501200121	50-302 R	DOERFLEIN,L.T.	9501180273	FOIA	EDISON,G.E.	9501170122	50-412 P
DARBY,J.L.	9501310106*	50-266 P	DOERFLEIN,L.T.	9501240273*	50-220	EDISON,G.E.	9501200030	50-334 P
DARLING,J.L.	9501300160*	50-361 R	DOERFLEIN,L.T.	9501240295*	50-317	EDWARDS,G.D.	9501060180	50-277 P
DAVENPORT,K.J.	9501240259	PRM	DOHERTY,J.F.	9501130184	50-29	EGAN,D.M.	9501200294	50-219 P
DAVIS,C.P.	9501240345	40-9024	DOLCE,K.	9501110097*	40-8869	EHRHARDT,F.J.	9501300111*	50-295 R
DAVIS,H.G.	9501120284*	70-*****	DOLCE,K.	9501180225*	40-2298	ELBERFELD,C.R.	9501230060	50-440 Q
DAVIS,J.G.	9501190136*	70-*****	DONALDSON,J.M.	9501270331*	FOIA	ELLIOTT,D.	9501090021*	50-312 S
DAWES,G.W.	9501250149	40-8778	DONNELLY,P.M.	9501040128	50-155	ELLIOTT,M.P.	9501110081*	70-27
DE BEASSE,J.	9501110077	PRM	DONNELLY,P.M.	9501120147	50-155	ELLIOTT,W.L.	9501310421*	50-390 A
DE BLOCK,M.J.	9501050395	XPORTLIC	DONNELLY,P.M.	9501230187	50-155	ELLIS,D.	9501250422	50-416 F
DE BLOCK,M.J.	9501200304	XPORTLIC	DONNELLY,P.M.	9501240124	50-155	ELLIS,J.	9501260072	PR
DE PLANQUE,E.G.	9501060034	SPEECHES	DONNELLY,P.M.	9501310228	50-155 S	ELLIS,J.H.	9501060216	40-8027
DE PLANQUE,E.G.	9501120292	COMMISSION	DONNELLY,P.M.	9501310240	50-155 Q	ELLIS,J.H.	9501130193	40-8027 S
DE PLANQUE,E.G.	9501120305	COMMISSION	DONOGHUE,J.	9501240234*	NUREG	ELLIS,S.L.	9501050231	50-446
DE PLANQUE,E.G.	9501240233	SPEECHES	DORMAN,D.H.	9501110464	50-271	ELLIS,W.P.	9501170228*	FOIA
DE PLANQUE,E.G.	9501300080	COMMISSION	DORRSON,J.	9501250279	40-3453	ELLSWORTH,M.	9501190303	50-374 S
DE PLANQUE,E.G.	9501300138	COMMISSION	DORSEY,J.L.	9501050446*	FOIA	ELSEN,M.J.	9501200038	27-48
DE PLANQUE,E.G.	9501300155	COMMISSION	DORSEY,J.L.	9501060124*	FOIA	ELSEN,M.J.	9501200042	27-48
DE PLANQUE,E.G.	9501120262	COMMISSION	DORUFF,M.A.	9501260157	PR	ELSEN,M.J.	9501200049	27-48
DE PLANQUE,E.G.	9501300153	COMMISSION	DOYLE,T.E.	9501110258	PRM	ELSEN,M.J.	9501200204	27-48
DEAN,R.M.	9501180283*	50-361	DOYLE,T.E.	9501110258	PRM	EMBREE,D.G.	9501170123	50-397 R
DEANE,T.	9501050205*	FOIA	DRAGOUNT.	9501110014*	50-57	EMEIGH,C.	9501310347	70-27
DEANE,T.	9501050209*	FOIA	DRAGOUNT.	9501240299*	50-223	EMMONS,K.	9501230110	50-213 R
DEANE,T.	9501050216*	FOIA	DRENDEL,D.B.	9409200229*	50-321	ENGLISH,L.K.	9501230143	FOIA
DEBARBA,E.A.	9501040189	50-245 F	DRENDEL,D.B.	9409200239*	50-321	EPSTEIN,E.	9501060218*	40-2810
DEBARBA,E.A.	9501040242	50-245 F	DREWS,M.A.	9501120149*	50-277	EPSTEIN,E.	9501090325*	40-2810
DEBARBA,E.A.	9501040242	50-243 P	DROMERICK,A.W.	9501050412	50-219	EPSTEIN,E.	9501100270*	70-*****
DEBARBA,E.A.	9501050107	50-213 P	DROMERICK,A.W.	9501050467	50-219 P	EPSTEIN,E.	9501130225*	70-*****
DEBARBA,E.A.	9501050107	50-213 P	DROMERICK,A.W.	9501090263	50-219 P	EPSTEIN,E.	9501170136*	70-*****
DEBARBA,E.A.	9501190242	50-245 P	DU PONT,S.	9501310452	40-8907	EPSTEIN,E.E.	9501170117*	70-*****
DEBARBA,E.A.	9501190279	50-213 P	DUBE,R.J.	9501100321*	70-*****	ERBES,J.G.	9409200236*	50-321 P
DEBARBA,E.A.	9501190279	50-213 P	DUBE,R.J.	9501110268*	70-*****	ERESIAN,W.J.	9501120146	50-199 V
DEBARBA,E.A.	9501190279	50-213 P	DUGGAN,W.P.	9501240289	50-199 V	ERNST,J.P.	9501240342*	50-186 Q
DEBEY,T.M.	9501250081	50-274 R	DUGSTAD,D.	9501100184	50-282	ERNSTES,M.E.	9501170060*	50-302 Q
DECAMP,W.	9501120255*	50-219 G	DUNCAN,S.M.	9501100195	40-8027	ESKRIDGE,H.E.	9501030117	70-36
DECKER,T.R.	9501110048*	50-321 Q	DUNCAN,S.M.	9501100195	40-8027	ESTREICHER,H.	9501260041	PR
DECKER,T.R.	9501240058*	50-259 Q	DUNCAN,S.M.	9501180145	40-8027	EUBANK,T.	9501240235	50-275 R
DECKER,T.R.	9501240123*	50-324 Q	DUNCAN,S.M.	9501180145	40-8027	EVERHART,D.	9501110161*	40-341
DEESE,R.J.	9501090062	50-369 S	DUNHAM,R.S.	9501200327	TOPREP	EVES,C.S.	9412300007	40-7102
DEESE,R.J.	9501240381	50-369 S	DUNLOP,A.	9501110191*	50-266	EVES,C.S.	9501260032	PR
DEFALCO,G.	9501310278*	71-9258	DUNN,C.	9501260024	71-9033	FAIRTILE,M.B.	9501060047	50-29 P
DEFALCO,G.	9501310280*	71-9258	DUNN,D.S.	9501230283	WASTE MGT	FAIRTILE,M.B.	9501060103	50-29 P
DEFALCO,G.	9501310283*	71-9258	DURR,J.P.	9501110103	50-219 Q	FANISH,P.	9501230090*	50-413 P
DELANEY,J.C.	9501090058*	40-2810	DURR,J.P.	9501110155	50-219 Q	FARAZ,Y.H.	9501270110*	70-3070
DELANEY,J.C.	9501090070*	40-2810	DURR,J.P.	9501110195	50-245 Q	FARAZ,Y.H.	9501270110*	70-3070

252 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FARBER, M.J.	9501030197	50-305	FLETCHER, R.	9501310161*	STATE PRO G	GIBSON, D.A.	9501230121	50-10 S
FARBER, M.J.	9501030211*	50-305	FLOREK, D.	9501240070*	50-220 V	GIECK, T.E.	9501190108	40-299
FARBER, M.J.	9501120070	50-266	FLORESHEIM, F.P.	9501120076	PR	GIETL, D.	9501030223*	50-267 T
FARBER, M.J.	9501120073*	50-266	FORBES, D.B.	9501110107*	50-369 Q	GIETL, D.	9501040038*	50-267 T
FARLEY, J.M.	9501100159*	50-424 T	FORBES, M.	9501190252	50-29 P	GIETL, D.R.	9412220271*	50-267 Q
FARNHOLTZ, T.R.	9501240077*	50-395 Q	FORD, K.W.	9501240050	50-62 S	GIETL, D.R.	9501030215*	50-267 T
FAUVER, D.N.	9501090091	70-925	FORD, K.W.	9501240050	50-62 S	GIETL, D.R.	9501030220*	50-267 T
FAW, R.E.	9501240324	50-188 R	FORTIN, A.	9501310016*	50-254 P	GIETL, D.R.	9501040028*	50-267 T
FAYNSHTEIN, K.	9501130085*	50-410 P	FORTIN, A.	9501310018*	50-254 P	GIETL, D.R.	9501040032*	50-267 T
FEDERLINE, J.	9501100251	71-263	FORTIN, A.	9501310021*	50-254 P	GIETL, D.R.	9501040034*	50-267 T
FEDERLINE, M.	9501300092*	COMMISSION	FOSTER, M.	9501230142	50-397 I	GIETL, D.R.	9501040039*	50-267 T
FEDERLINE, M.V.	9501050389	WASTE MGT	FOSTER, P.L.	9501030012	70-27 T	GIETL, D.R.	9501040040*	50-267 T
FEIGE, E.J.	9501130096*	50-369 S	FOSTER, P.L.	9501030032	70-27 T	GILBERT, E.C.	8111170496*	50-289 Q
FEIGENBAUM, T.C.	9501050202	50-443 P	FOSTER, P.L.	9501170058	71-5086	GILBERT, E.C.	9501170108*	50-289 Q
FEIGENBAUM, T.C.	9501050286	50-443 S	FOWLKES, R.M.	9501110520	50-395 S	GILCHRIST, J.E.	9501260025	PR
FEIGENBAUM, T.C.	9501050313	50-443 P	FOWLKES, R.M.	9501240251	50-395 F	GILINSKY, V.	9501170069*	50-289 V
FEIGENBAUM, T.C.	9501050351	50-443 P	FOX, G.D.	9501310307	STATE PRO G	GILINSKY, V.	9501230163*	FOIA
FEIGENBAUM, T.C.	9501130157	50-443 H	FOX, J.N.	9501230195	52-1	GILLEN, D.M.	9501060241	40-9024
FEIGENBAUM, T.C.	9501170145	50-443 Q	FRANCE, G.M.	9501240310	70-36	GILLEN, D.M.	9501060257	STATE PRO G
FEIGENBAUM, T.C.	9501240003	50-443 R	FRANTZ, S.G.	9501050480	50-288 R	GILLEN, D.M.	9501090068	40-8084
FEIGENBAUM, T.C.	9501240152	50-443 P	FRANZ, J.F.	9501030037	50-331 F	GILLEN, D.M.	9501250030	STATE PRO G
FEIGENBAUM, T.C.	9501250148	50-443 S	FRANZ, J.F.	9501030087	50-331 P	GILLEN, D.M.	9501250045	WASTE MGT
FEIGENBAUM, T.C.	9501310099	50-443 P	FRIATIANNE, S.A.	9501270215	50-171 S	GILLEN, D.M.	9501250132	40-3453
FEIGENBAUM, T.C.	9501310102	50-443 P	FRIATIANNE, S.A.	9501270231*	50-171 S	GILLEN, D.M.	9501310128	WASTE MGT
FELD, S.	9501310431*	PR	FRIATIANNE, S.A.	9501270237*	50-171 S	GILLEY, S.D.	9501180205	50-327 S
FELDMAN, L.	9501110196*	40-1650	FRIATIANNE, S.A.	9501270241*	50-171 S	GIPSON, D.R.	9501030097	50-341 P
FELDSCHER, J.C.	9501230202*	70-1489	FRAZIER, C.	9501040166*	FOIA	GIPSON, D.R.	9501190267	50-341 P
FELDSCHER, J.C.	9501230306*	70-1489	FREDERICK, E.J.	9501170250*	70-*****	GIPSON, D.R.	9501200181	50-341 R
FENECH, R.A.	9501040187	50-255 K	FREDRICKSON, P.	9501110031*	50-390 Q	GIPSON, D.R.	9501250289	50-341 S
FENECH, R.A.	9501240400	50-255 P	FREDRICKSON, P.	9501240117*	50-390 Q	GIRARD, E.	9501170042*	50-302 Q
FENECH, R.A.	9501260003	PR	FREDRICKSON, P.	9501240129*	50-390 Q	GIRARD, E.	9501170068*	50-348 Q
FERNANDIN, B.	9501190004	PR	FREDRICKSON, P.	9501310073*	50-390 Q	GIRDLEY, W.A.	9501130276*	WASTE MGT
FEUERBACHER, R.	9501060060*	71-9248	FREEMAN, D.W.	9501260077	50-186 F	GIRDLEY, W.A.	9501130277*	WASTE MGT
FIELDS, J.A.	9501100015	CONTRACT	FRENCH, R.A.	9501050020	50-255 P	GIRDLEY, W.A.	9501130279*	WASTE MGT
FIELDS, J.S.	9501240351	50-387 P	FREW, B.D.	9409200250*	50-321 P	GIRE, P.J.	9501130265	50-255 S
FIELDS, M.B.	9501190191	50-361 P	FRIJOUF, J.A.	9501050130	50-302 S	GLEASON, E.J.	9501040091	PR
FILLION, P.	9501170133*	50-321 Q	FRIJOUF, J.A.	9501250205	50-302 S	GLEASON, J.P.	9501100117	40-8027
FINKEL, A.	9501180227*	50-317 Q	FRIJOUF, J.A.	9501250278	50-302 S	GLEASON, J.P.	9501180139	40-8027
FINKERBINDER, R.	9501310370	71-*****	FRIJOUF, J.A.	9501300243	50-302 S	GLEASON, J.P.	9501180249	40-8027
FISH, M.B.	9501110217	PRM	FROST, M.	9501120022*	STATE PRO G	GLEASON, J.P.	9501200224	40-*****
FISHER, M.	9501310093	50-267 F	FUJIMOTO, W.H.	9501240235	50-275 R	GLENN, J.E.	9501030127	40-9027
FISHER, M.J.	9501190018	50-267 W	FURIA, J.	9501110178*	50-333 Q	GLENN, J.E.	9501030130	27-47
FISHER, M.J.	9501190117	50-267 F	GAGE, W.P.	9501090264*	70-*****	GLENN, J.E.	9501030204	70-364
FISHER, M.J.	9501260211	50-267 W	GAGE, W.P.	9501090282*	70-*****	GLENN, J.E.	9501030207*	70-364
FISHER, M.J.	9501270357	50-267 W	GAGE, W.P.	9501130124*	FOIA	GLENN, J.E.	9501030214	40-8838
FISHER, W.L.	8610240302*	FOIA	GALBRAITH, S.G.	9501130096*	50-369 P	GLENN, J.E.	9501040255*	40-9027
FISHER, W.L.	8610240304*	FOIA	GALLO, R.	9501050228*	50-390 Q	GLENN, J.E.	9501120187	ORG
FISHER, W.L.	8701050310*	FOIA	GALLO, R.M.	9501090017	QA999	GLENN, J.E.	9501190181	WASTE MGT
FISHER, W.L.	8703030314*	FOIA	GALLO, R.M.	9501090035	QA999	GLENN, J.E.	9501200168	40-8778
FISHER, W.L.	9501240160*	70-1489	GALLO, R.M.	9501090048	QA999	GLENN, J.N.	9501030124	70-27
FISHER, W.L.	9501240174*	70-1489	GALLO, R.M.	9501200060	QA999	GLUECK, D.R.	9501230295	50-458 R
FISHER, W.L.	9501240195*	70-1489	GALLO, R.M.	9501240075	QA999	GODLEY, R.C.	9501310126	50-298 S
FISCARO, J.J.	9501050269	50-458 S	GALLO, R.M.	9501240081	QA999	GOLDBERG, J.H.	9501190063	50-335 Q
FISCARO, J.J.	9501050275	50-458 S	GALLO, R.M.	9501260017	QA999	GOLDBERG, J.R.	9308240156*	50-528 G
FISCARO, J.J.	9501200295	50-458 S	GALLO, R.M.	9501270050	QA999	GOLDBERG, J.R.	9501120260*	50-219 G
FISCARO, J.J.	9501230295	50-458 S	GAMBERONI, M.	9501120089	50-255 P	GOOD, B.	9501240338*	50-146 P
FISCARO, J.J.	9501300331	50-458 R	GAMBERONI, M.	9501120209	50-255 P	GOOD, B.	9501240341*	50-146 P
FISCARO, J.J.	9501310245	50-458 V	GAMBERONI, M.	9501310098	50-255 P	GOODEN, A.	9501110164*	70-1151
FISCARO, J.J.	9501180315	50-458 S	GAMBERONI, M.K.	9501130066	50-255 P	GOODMAN, L.S.	9501120021	50-341 H
FISCIARO, J.J.	9501100245	50-458 F	GAMMILL, A.M.	9501100248*	70-*****	GOODMAN, M.	9501040123	PR
FITCH, F.T.	9501060230*	40-2810	GAMMILL, A.M.	9501100256*	70-*****	GORDON, C.Z.	9501200026	I&E
FITCH, F.T.	9501060259*	40-2810	GAMMILL, A.M.	9501100329*	70-*****	GORDON, C.Z.	9501090038*	STATE PRO G
FITCH, F.T.	9501060455*	40-2810	GARCIA, A.	9501190386	WASTE MGT	GRAHAM, L.	9501090144	70-1359
FITCH, F.T.	9501090074*	40-2810	GARCIA, A.	9501190390	WASTE MGT	GRAHAM, T.W.	9501090144	70-1359
FITCH, F.T.	9501090269*	70-*****	GARCIA, A.	9501190391	WASTE MGT	GRAIFMAN, J.	9501110189	PRM
FITZGERALD, C.M.	9501180229	40-7982	GARCIA, A.	9501190392	WASTE MGT	GRANT, G.E.	9501050126	50-454 Q
FITZGERALD, J.A.	9501170179*	FOIA	GARCIA, A.	9501190394	WASTE MGT	GRANT, G.E.	9501190106	50-454 Q
FITZGERALD, J.A.	9501300224*	50-376 A	GARDNER, R.N.	9501110180	50-266 Q	GRANT, J.M.	9501260085	PR
FITZGERALD, J.A.	9501300247*	50-266 P	GARDNER, R.N.	9501110191*	50-266 Q	GRASHAW, T.D.	9501100169	71-330
FITZGERALD, J.A.	9501300248*	50-338 F	GARRITY, J.	9501109179	40-7102	GRAY, E.H.	9501110090*	50-286 Q
FITZGERALD, J.A.	9501300253*	50-312 P	GASKIN, C.E.	9501110020	50-312 Y	GRAY, J.	9501310010	I&E
FITZPATRICK, E.	9501060183	50-315 F	GATES, T.W.	9501050269	50-458 S	GRAY, J.	9501310025	I&E
FITZPATRICK, E.	9501060187	50-315 F	GATES, T.W.	9501050275	50-458 S	GRAY, J.R.	9501230015	MISC
FITZPATRICK, E.	9501090278	50-316 P	GATES, T.W.	9501200295	50-458 S	GRAY, J.R.	9501240087	MISC
FITZPATRICK, E.	9501130094	PR	GATES, W.G.	9501230315	50-285 S	GRAY, J.R.	9501300052	50-245 G
FITZPATRICK, E.	9501230218	50-315 P	GAUL, W.	9501230317*	50-285 P	GRAY, J.R.	9501310408*	PR
FITZPATRICK, E.	9501250266	50-315 Q	GEDDIE, E.M.	9501110449	40-341 P	GRAY, P.	9501310276*	71-9258
FITZPATRICK, E.	9501300215	50-315 P	GEIGER, W.S.	9501190247*	50-269 P	GRECA, N.D.	9501110017*	50-219 Q
FLACK, D.S.	9501300117*	COMMISSION	GHOSE, S.K.	9501190107	PR	GREEN, R.T.	9501180132	WASTE MGT
FLACK, E.D.	9501250088	70-27	GHOSH, A.	9501260033	40-8907	GREEN, R.T.	9501190155	WASTE MGT
FLAGG, R.	9501060115	50-333 R	GIBIAN, T.G.	9501180119	WASTE MGT	GREEN, S.A.	9501260005	PR
FLANDERS, S.C.	9501300139	50-390 A	GIBIAN, T.G.	9501100189*	70-*****	GREENHOLTZ, L.A.	9501040078*	70-3074
FLANNIGAN, R.D.	9501120219	50-482 S	GIBIAN, T.G.	9501130132*	FOIA	GREENMAN, E.G.	9501030170	50-457 Q
FLATER, D.A.	9501180057*	STATE PRO G	GIBSON, A.F.	9501110064	50-413 Q	GREENMAN, E.G.	9501040006	50-454 Q
FLEMING, K.	9501310306*	REVIEW GR P	GIBSON, A.F.	9501170016	50-269 Q	GREENMAN, E.G.	9501040262*	FOIA
FLEMING, R.F.	9501240142	50-2 Q	GIBSON, A.F.	9501170037	50-369 V	GREENMAN, E.G.	9501040268*	FOIA
FLEMING, R.W.	9501040167*	52-*****	GIBSON, D.A.	9501240122	50-259 P	GREENMAN, E.G.	9501040269*	FOIA
FLETCHER, M.H.	9501050411	52-*****		9501230101	50-313 S	GREENMAN, E.G.	9501050184	50-456 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
GREENMAN,E.G.	9501120024	50-315	P	HAAS,K.M.	9501050241	50-255	S	HAUBER,R.D.	9501050423	XPORTLIC
GREENMAN,E.G.	9501180029	50-454	Q	HAAS,K.M.	9501050336	50-255	Y	HAUBER,R.D.	9501120091	XPORTLIC
GREENMAN,E.G.	9501190042	50-454	Q	HAAS,K.M.	9501130242	50-255	Q	HAUBER,R.D.	9501170262	XPORTLIC
GREENMAN,E.G.	9501190052	50-254	Q	HAAS,K.M.	9501130265	50-255	S	HAUBER,R.D.	9501180235	XPORTLIC
GREENMAN,E.G.	9501190068	50-341	Q	HAAS,K.M.	9501240406	50-255	Q	HAUBER,R.D.	9501180275	XPORTLIC
GREENMAN,E.G.	9501240353	50-255	Q	HAAS,K.M.	9501300185	50-255	P	HAUBER,R.D.	9501180281	XPORTLIC
GREENMAN,E.G.	9501240357	50-315	Q	HAAS,K.M.	9501300210	50-255	P	HAUBER,R.D.	9501180286*	XPORTLIC
GREENMAN,E.G.	9501250004	50-456	Q	HAAS,K.M.	9501310186	50-255	P	HAUBER,R.D.	9501180292*	XPORTLIC
GREENMAN,E.G.	9501270144	50-341	S	HAAS,P.M.	9501310144*	50-266	P	HAUBER,R.D.	9501200275	XPORTLIC
GREENMAN,E.G.	9501300003	50-237	Q	HADDER,A.W.	9501310135	50-338	P	HAUBER,R.D.	9501200318	XPORTLIC
GREENMAN,E.G.	9501300027	50-457	Q	HAERTJENS,B.L.	9501110247	70-364	Q	HAUBER,R.D.	9501300157	XPORTLIC
GREENMAN,E.G.	9501300229	50-237	P	HAGAN,J.J.	9501030126	50-272	R	HAUBER,R.D.	9501300169	XPORTLIC
GREENMAN,E.G.	9501300124	50-331	P	HAGAN,J.J.	9501030128*	50-272	R	HAUBER,R.D.	9501300192	XPORTLIC
GREEVES,J.T.	9501090223	70-364	P	HAGAN,J.J.	9501040273	50-272	P	HAUBER,R.D.	9501300200	XPORTLIC
GREEVES,J.T.	9501180148	WASTE MGT	Q	HAGAN,J.J.	9501050085	50-311	Q	HAUGHNEY,C.J.	9501050077	70-1252
GREGER,L.R.	9501030196	50-440	Q	HAGAN,J.J.	9501050201	50-272	P	HAUGHNEY,C.J.	9501060033	72-1007
GREGER,L.R.	9501030202*	50-440	Q	HAGAN,J.J.	9501050254	50-311	Q	HAUGHNEY,C.J.	9501110476	70-207
GREGG,H.	9501270010*	50-309	Q	HAGAN,J.J.	9501050445	50-272	Q	HAUGHNEY,C.J.	9501130146	70-27
GREGG,H.I.	9501110061*	50-219	Q	HAGAN,J.J.	9501050483	50-272	Q	HAUGHNEY,C.J.	9501180110	71-4909
GRIFFIN,J.M.	9501270096*	50-458	G	HAGAN,J.J.	9501230203	50-354	P	HAUGHNEY,C.J.	9501250036	72-1004
GRIFFIN,J.M.	9501270096*	50-458	G	HAGAN,J.J.	9501250130	50-272	Q	HAUGHNEY,C.J.	9501250039*	72-1004
GRIMES,B.K.	9501300053	50-3	Q	HAGAN,J.J.	9501250259	50-354	P	HAUGHNEY,C.J.	9501310185	70-1308
GRIMES,B.K.	9412270314	50-3	Q	HAGAN,J.J.	9501270116	50-354	P	HAUGHNEY,C.J.	9501310328	50-282
GRIMES,B.K.	9412290318	50-3	Q	HAGAN,J.J.	9501270124	50-354	P	HAUGHNEY,C.J.	9501310342*	50-282
GRIMES,B.K.	9501100350	50-3	Q	HAGEMAN,R.C.	9501190264*	40-*****	Q	HAULDREN,H.M.	9501100260	71-9033
GRIMES,B.K.	9501110412	50-3	Q	HAGEMAN,R.C.	9501190278*	40-*****	Q	HAYES,B.B.	9412220271*	50-267
GRIMES,B.K.	9501120008	50-3	Q	HAGUE,R.L.	9501050141*	50-341	Q	HAYES,K.R.	9501200161	50-318
GRIMES,B.K.	9501120037	50-3	Q	HAIRSTON,W.G.	9501100154*	50-424	T	HAYES,L.	9501130282*	WASTE MGT
GRIMES,B.K.	9501180270	50-3	P	HALL,C.W.	9501270149	REGGD	Q	HAYES,L.	9501130283*	WASTE MGT
GRIMES,B.K.	9501190091	50-277	Q	HALL,J.R.	9501120352	50-298	P	HAYNES,H.F.	9501060141	50-336
GRIMES,B.K.	9501190091	50-3	Q	HALL,J.R.	9501130073	50-298	P	HEASLER,P.G.	9501200137*	NUREG
GRIMES,B.K.	9501240226	50-3	Q	HALL,J.R.	9501310413	50-298	P	HEBDON,F.J.	9501110244*	50-327
GRIMES,B.K.	9501270286*	QA999	Q	HALL,J.R.	9501310424*	50-298	P	HEBDON,F.J.	9501110261*	50-327
GRIMES,C.I.	9501170170	ORG	Q	HALTIWANGER,J.	9501240186	50-395	R	HEBDON,F.J.	9501240226	50-390
GRIMES,C.I.	9501170172*	ORG	Q	HAMATI,R.E.	9501050328*	WASTE MGT	Q	HEBDON,F.J.	9501300193*	50-327
GRIMES,C.I.	9501190374	50-390	A	HAMILTON,R.A.	9501050323	FOIA	Q	HEBERT,J.R.	9501050132	50-309
GRIMES,C.I.	9501270316	NUREG	Q	HAMPTON,J.W.	9501090270	50-269	Q	HEBERT,J.R.	9501100211	50-309
GRIMMETT,M.	9501230170	FOIA	P	HAMPTON,J.W.	9501090357	50-269	P	HEBERT,J.R.	9501180163	50-309
GRIMSLEY,D.	9412220269	50-267	T	HAMPTON,J.W.	9501120278	50-269	F	HEBERT,J.R.	9501200167	50-309
GRIMSLEY,D.	9501040160	40-7580	F	HAMPTON,J.W.	9501120290*	50-269	F	HEBERT,J.R.	9501250123	50-309
GRIMSLEY,D.	9501040256	FOIA	Q	HAMPTON,J.W.	9501180173	50-269	F	HEBERT,J.R.	9501270334	50-309
GROBE,J.	9501250034	30-16055	S	HAMPTON,J.W.	9501190229	50-270	S	HEBERT,J.R.	9501300206	50-309
GROBE,J.A.	9501270060	STATE PRO G	Q	HAMPTON,J.W.	9501190262	50-269	Q	HEBERT,M.A.	9501050229	40-8027
GROSSI,R.J.	9501050459	50-443	P	HAMPTON,J.W.	9501200363	50-269	P	HEHL,C.W.	9501110075	50-244
GROTH,J.F.	9501030067*	50-498	F	HAMPTON,J.W.	9501240194	50-269	S	HEHL,C.W.	9501170231*	50-336
GROTH,J.F.	9501200093	50-498	Q	HAMPTON,J.W.	9501270351	50-269	Q	HEHL,C.W.	9501170249*	50-336
GROTH,J.F.	9501250001	50-498	P	HAMPTON,J.W.	9501270356	50-269	Q	HEHL,C.W.	9501270017	ORG
GROTH,J.F.	9501300119	50-498	P	HAMPTON,J.W.	9501300044	50-269	Q	HEHR,W.	9501030038	XPORTLIC
GULBERSON,D.G.	9501280013	PR	Q	HAMRICK,J.S.	9501120168*	WASTE MGT	Q	HEHR,W.	9501030043	XPORTLIC
GULDEMOND,W.G.	9501050235	50-445	S	HANDYSIDE,H.	9501240223*	FOIA	Q	HEINE,K.J.	9501110240	PRM
GUNDRUM,L.L.	9501260187	50-346	P	HANKINS,B.R.	9501050418	40-299	Q	HEINEMAN,L.M.	9501040134	FOIA
GUNDRUM,L.L.	9501260196*	50-346	P	HANNA,S.R.	9501110196*	40-1650	Q	HELLER,R.	9501230289	50-272
GUNNELL,S.E.G.	9501180023	50-160	G	HANNON,J.N.	9501090346*	50-315	P	HELLER,R.	9501230308	50-311
GUNTER,P.	9501040263	FOIA	Q	HANNON,J.N.	9501100147*	50-315	P	HELLSTROM,G.W.	9501240384	40-8989
GUNTER,P.	9501120255*	50-219	G	HANNON,J.N.	9501100238*	50-315	P	HELLSTROM,G.W.	9501240391	40-8989
GUNTER,P.	9501170141	FOIA	Q	HANNON,J.N.	9501100249*	50-282	P	HELLSTROM,G.W.	9501260369	40-8989
GUPTA,S.K.	9501190211	50-295	S	HANNON,J.N.	9501100300	50-255	Y	HELTMEIS,C.J.	9407220161*	PR
GUPTA,S.K.	9501170182*	FOIA	Q	HANNON,J.N.	9501190164	50-282	P	HELWIG,D.R.	9501130218*	50-352
GUPTA,S.K.	9501170188*	FOIA	Q	HANNON,J.N.	9501260377*	50-282	P	HELWIG,D.R.	9501270324	50-352
GUPTA,S.K.	9501170194*	FOIA	Q	HANSEN,A.G.	9403020090	ORG	Q	HENDERSON,L.	9501030037	50-331
GURJALA,N.S.	9501300171*	50-361	P	HANSEN,A.G.	9501260233	50-266	P	HENDERSON,L.	9501100167	50-331
GUTTERMAN,A.H.	9501230179	50-498	P	HANSEN,A.G.	9501260237*	50-266	P	HENDERSON,P.J.	9501130219*	FOIA
GUZMAN,J.G.	9501310055*	50-346	Q	HANSEN,A.G.	9501260382	50-266	Q	HENRIQUES,M.	9501250315*	FOIA
GWYNN,T.P.	9501030008	50-298	Q	HANSEN,A.G.	9501310067	50-266	P	HENRIQUES,M.	9501250320*	FOIA
GWYNN,T.P.	9501030016	50-313	Q	HAQUE,M.W.	9501190149	40-6659	Q	HEPLER,O.M.	9501120313	50-461
GWYNN,T.P.	9501030046	50-275	Q	HARDER,R.C.	9501190007	STATE PRO G	Q	HERBST,R.	9501130181*	FOIA
GWYNN,T.P.	9501050151	50-482	Q	HARDGROVE,T.W.	9501030093	40-2259	Q	HERBST,R.J.	9501100287*	70-*****
GWYNN,T.P.	9501060031	50-313	P	HARDY,G.S.	9501170246*	FOIA	Q	HERBST,R.J.	9501120263*	70-*****
GWYNN,T.P.	9501090019	50-397	P	HARIZI,P.	9501190114*	50-293	P	HERBST,R.J.	9501130098*	FOIA
GWYNN,T.P.	9501180106	50-528	Q	HARIZI,P.D.	9501190111*	50-293	P	HERBST,R.J.	9501130243*	70-*****
GWYNN,T.P.	9501180121*	50-528	Q	HARMON,D.F.	9501130176*	40-*****	Q	HERBST,R.J.	9501170191*	70-*****
GWYNN,T.P.	9501180152	50-362	Q	HARNETT,N.D.	9501130264	FOIA	Q	HERBST,R.J.	9501180301*	70-*****
GWYNN,T.P.	9501180159	50-397	Q	HARPER,E.L.	9501230302*	FOIA	Q	HERBST,R.J.	9501180328*	70-*****
GWYNN,T.P.	9501180244	50-528	Q	HARRELL,P.H.	9501030029*	50-298	Q	HERBST,R.J.	9501190270*	FOIA
GWYNN,T.P.	9501190029	50-397	Q	HARRINGTON,M.	9501120053	PR	Q	HERBST,R.J.	9501190296*	70-*****
GWYNN,T.P.	9501190046	50-458	Q	HARRIS,D.N.	9501040192	50-245	S	HERCZEG,J.W.	9501250147	PROJ
GWYNN,T.P.	9501190113	50-498	Q	HARRIS,D.N.	9501120004	50-245	S	HERNAN,R.W.	9501230002	50-289
GWYNN,T.P.	9501230022	50-382	Q	HARRIS,D.N.	9501240198	50-245	S	HERNAN,R.W.	9501270191	50-298
GWYNN,T.P.	9501240103	50-498	Q	HARRIS,D.N.	9501270344	50-245	S	HERRON,J.T.	9501200017	50-298
GWYNN,T.P.	9501250017	50-313	Q	HARRIS,R.H.	9501110090*	50-286	Q	HERRON,J.T.	9501200124	50-298
GWYNN,T.P.	9501250027	50-458	Q	HARRISON,F.	9501200175	50-324	R	HERRON,J.T.	9501240193	50-298
GWYNN,T.P.	9501250038*	50-458	Q	HART,T.	9501180307*	XPORTLIC	Q	HERRON,J.T.	9501260086	50-298
GWYNN,T.P.	9501250046	50-313	Q	HASS,K.M.	9501250114	50-255	S	HEYSEK,W.G.	9501200202	50-289
GWYNN,T.P.	9501250090	50-397	P	HASSELBERG,F.W.	9501310275	52-3	Q	HIATT,S.L.	9501040097	PRM
GWYNN,T.P.	9501270001	50-445	Q	HASSELBERG,F.W.	9501310449	52-3	Q	HIATT,S.L.	9501130150	PR
HAAG,R.C.	9501240077*	50-395	Y	HAUBER,R.D.	9501030158	XPORTLIC	Q	HIATT,S.L.	9501130180	PR
HAAS,K.M.	9501040267	50-255	Q	HAUBER,R.D.	9501030189	XPORTLIC	Q	HIATT,S.L.	9501300087	STATE PRO G
HAAS,K.M.	9501050121	50-255	P	HAUBER,R.D.	9501030219	XPORTLIC	Q	HICKMAN,J.B.	9501090343	50-315

254 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
HICKMAN, J.B.	9501100139	50-315	P	HOPKINS, P.C.	9501240148*	50-424	Q	HULL, J.T.	9501180246	50-424	G
HICKMAN, J.B.	9501100225	50-315	P	HOPPER, G.T.	9501110166*	50-259	Q	HULTSCH, R.A.	9501110211	50-186	F
HICKMAN, J.B.	9501120105	50-315	P	HORN, W.A.	9501260046	PR		HULTSCH, R.A.	9501250233	50-186	F
HICKMAN, J.B.	9501310124	50-315	F	HORN, A.J.	9501200017	50-298	S	HUMPHREY, C.A.	9501120204*	50-390	A
HICKMAN, J.B.	9501310155	50-316	P	HORN, A.J.	9501200124	50-298	S	HUMPHREY, C.A.	9501120205*	50-390	A
HILAND, P.	9501190059*	50-254	Q	HORN, G.R.	9501030085	50-298	P	HUMPHREY, C.A.	9501120206*	50-390	A
HILHEBRAND, J.E.	9501240318	50-146	P	HORN, G.R.	9501030110	50-298	P	HUMPHREY, C.A.	9501120208*	50-390	A
HILL, B.E.	9501230280	WASTE MGT		HORN, G.R.	9501040114	50-298	Q	HUMPHREY, C.A.	9501120212*	50-390	A
HILL, L.M.	9501170063	50-286	R	HORN, G.R.	9501100207	50-298	P	HUMPHREY, C.A.	9501120217*	50-390	A
HILL, L.M.	9501240169	50-286	R	HORN, G.R.	9501100232	50-298	P	HUMPHREY, C.A.	9501120221*	50-390	A
HILL, L.M.	9501250073	50-286	Q	HORN, G.R.	9501260384	50-298	Q	HUMPHREY, R.A.	9501130128*	PROJ	
HILL, L.M.	9501250388	50-286	S	HORN, G.R.	9501310169	50-298	P	HUNGER, G.A.	9501030141	50-352	P
HILL, L.M.	9501310346	50-286	R	HORN, G.R.	9501060005	I&E		HUNGER, G.A.	9501050382	50-277	P
HILL, R.D.	9501180133	50-364	R	HORN, G.R.	9501060008	I&E		HUNGER, G.A.	9501050390	50-277	P
HILL, R.D.	9501200188	50-348	S	HORN, G.R.	9501270196	50-259	S	HUNGER, G.A.	9501050394	50-277	Q
HILL, R.D.	9501250057	50-364	S	HOROWITZ, C.	9501190142*	FOIA		HUNGER, G.A.	9501060091	50-277	F
HILL, R.D.	9501310225	50-364	S	HORTON, D.G.	9501040161	WASTE MGT		HUNGER, G.A.	9501090279	50-352	Q
HILL, W.J.	9501060153	50-263	Q	HORTON, D.G.	9501040168*	WASTE MGT		HUNGER, G.A.	9501110486*	50-277	P
HILL, W.J.	9501060157	50-263	Q	HORTON, D.G.	9501100231	WASTE MGT		HUNGER, G.A.	9501120042	PR	
HILL, W.J.	9501240119	50-263	P	HORTON, D.G.	9501110219	WASTE MGT		HUNGER, G.A.	9501120130	50-352	P
HILL, W.J.	9501300133	50-263	Q	HORTON, D.G.	9501110224*	WASTE MGT		HUNGER, G.A.	9501120140	50-277	P
HILL, W.J.	9501310459	50-263	Q	HORTON, D.G.	9501110224*	WASTE MGT		HUNGER, G.A.	9501120160	50-352	P
HINNANT, C.S.	9501050476	50-261	Q	HORTON, D.G.	9501170183	WASTE MGT		HUNGER, G.A.	9501130137	PR	
HINSON, C.S.	9501050478	ORG		HORTON, D.G.	9501230177	WASTE MGT		HUNGER, G.A.	9501180155	50-272	H
HODGDON, A.P.	9501270130	50-458	G	HORTON, D.G.	9501250138	WASTE MGT		HUNGER, G.A.	9501190021	PR	
HODGES, L.	9501090004*	71-9210		HORTON, D.G.	9501250140*	WASTE MGT		HUNGER, G.A.	9501190347	50-353	P
HODGES, L.	9501090008*	71-9210		HORTON, D.G.	9501250393*	WASTE MGT		HUNGER, G.A.	9501200282	50-277	F
HOEG, D.F.	9501060038*	FOIA		HOSEY, C.M.	9501170022	I&E		HUNGER, G.A.	9501240106	50-277	P
HOFFMAN, G.L.	9501030100*	40-2259		HOUCK, K.	9501060266	FOIA		HUNGER, G.A.	9501240180	50-277	P
HOGG, R.C.	9501030210	40-6940		HOUGHTALING, J.	9501030142	50-382	S	HUNGER, G.A.	9501240265	50-277	P
HOGG, R.C.	9501200131	40-9027		HOUSE, W.B.	9501040085	PR		HUNGER, G.A.	9501310083	PR	
HOGG, R.C.	9501230190	27-48		HOUSE, W.B.	9501110274	27-47		HUNGER, G.A.	9501310162	I&E	
HOLAHAN, G.M.	9501270065	PR		HOUSE, W.B.	9501110281*	27-47		HUNSTAD, A.A.	9501250370	50-306	S
HOLBROOK, B.L.	9501110126	50-321	Q	HOUSE, W.B.	9501120188	27-47		HURLEY, F.R.	9501090086*	40-2810	
HOLDEBRAND, J.E.	9501240321*	50-146	P	HOVEY, R.J.	9501100243	50-354	S	HURLEY, F.R.	9501090119*	40-2810	
HOLDEN, D.W.	9501030011	XPORTLIC		HOVEY, R.J.	9501200014	50-354	S	HURST, G.	9501110313*	27-47	
HOLDEN, D.W.	9501030013	XPORTLIC		HOVEY, R.J.	9501250118	50-354	S	HURST, G.E.	9501110311*	27-47	
HOLDEN, D.W.	9501030036	XPORTLIC		HOVEY, R.J.	9501250199	50-354	R	HUSTON, R.W.	9501030183	50-390	F
HOLLAND, P.G.	9501200189	50-10	R	HOVEY, R.J.	9501250326	50-354	S	HUTCHINSON, C.	9501250200	50-416	P
HOLLAND, P.G.	9501300041	50-10	R	HOVEY, R.J.	9501310451	50-354	R	HUTCHINSON, C.R.	9501060106	50-416	P
HOLLAND, W.E.	9501110057*	50-327	Q	HOWE, D.B.	9501170193*	FOIA		HUTCHINSON, C.R.	9501180193	50-416	F
HOLLER, E.	9501270104	70-3070		HOWELL, D.B.	9501060178*	FOIA		HUTCHINSON, C.R.	9501190332	50-416	P
HOLLER, E.	9501270105*	70-3070		HOWELL, D.B.	9501060181*	FOIA		HUTCHINSON, C.R.	9501230288	50-416	R
HOLLER, E.J.	9501270092	70-3070		HOWES, G.	9501120261	40-8968		HUTCHINSON, C.R.	9501250422	50-416	F
HOLLER, E.J.	9501270128	70-3070		HOYLE, J.C.	8007110334	FOIA		HUTCHINSON, J.J.	9501040142	PR	
HOLLOMON, T.J.	9501200145	50-327	R	HOYLE, J.C.	9501030102	10CFR		IMBRO, E.V.	9501200321	REVIEW GR	P
HOLLON, M.C.	9501200118	50-461	R	HOYLE, J.C.	9501100191	50-424	G	INGRAM, C.D.	9501190247*	50-269	P
HOLM, R.L.	9501050242	50-151	P	HOYLE, J.C.	9501110420	10CFR		INGRAM, F.	9501270306*	50-295	G
HOLM, R.L.	9501270109	50-151	P	HOYLE, J.C.	9501120251	10CFR		INGRAM, R.	9501260361	ORG	
HOLMES, R.	9501250029	50-333	P	HOYLE, J.C.	9501120271	10CFR		INTERANTE, C.G.	9501060057	WASTE MGT	
HOLMES, S.W.	9501310052*	40-3296		HOYLE, J.C.	9501120281	10CFR		JABBOUR, K.N.	9501200078	50-321	P
HOLMES, S.W.	9501310115*	70-*****		HOYLE, J.C.	9501130141	PR		JABBOUR, K.N.	9501250066	50-321	P
HOLODY, D.J.	9501180346*	FOIA		HOYLE, J.C.	9501170174	ADVCM		JACKSON, C.P.	9501060107	REVIEW GR	P
HOLONICH, J.J.	9501030035	ORG		HOYLE, J.C.	9501180158	50-275	G	JACOBS, J.L.	9501120144*	50-275	P
HOLONICH, J.J.	9501090115	40-8907		HOYLE, J.C.	9501180188	40-8027		JACOBSON, J.M.	9501110203	50-299	Q
HOLONICH, J.J.	9501090168	40-3453		HOYLE, J.C.	9501190010	PR		JACOBSON, J.M.	9501240310*	70-36	Q
HOLONICH, J.J.	9501090231	40-3453		HOYLE, J.C.	9501200326	10CFR		JACOBSON, J.M.	9501310036	50-346	Q
HOLONICH, J.J.	9501090247	40-8943		HOYLE, J.C.	9501230092*	WASTE MGT		JACOBSON, J.M.	9501310055*	50-346	Q
HOLONICH, J.J.	9501090257	40-8452		HOYLE, J.C.	9501260317	10CFR		JAGANNATH, B.	9501190405*	WASTE MGT	
HOLONICH, J.J.	9501090261*	40-8452		HOYLE, J.C.	9501270075	QA999		JANG, J.C.	9501110014*	50-57	Q
HOLONICH, J.J.	9501110356	40-8943		HOYLE, J.C.	9501270099	70-8		JANG, J.C.	9501110114*	50-286	Q
HOLONICH, J.J.	9501110360*	40-8943		HOYLE, J.C.	9501270121	40-8681		JANISSE, J.D.	9501190159	50-316	R
HOLONICH, J.J.	9501110368	40-8084		HOYLE, J.C.	9501300088	10CFR		JANISSE, J.D.	9501190163*	50-315	R
HOLONICH, J.J.	9501110373*	40-8084		HOYLE, J.C.	9501300094	10CFR		JANISSE, J.D.	9501190174*	50-315	R
HOLONICH, J.J.	9501110382	40-8948		HOYLE, J.C.	9501300116	10CFR		JANKOVICH, J.P.	9501060237	71-242	
HOLONICH, J.J.	9501120115*	40-8948		HOYLE, J.C.	9501300122	10CFR		JANKOVICH, J.P.	9501060238*	71-242	
HOLONICH, J.J.	9501120156	WASTE MGT		HOYLE, J.C.	9501300131	10CFR		JANKOVICH, J.P.	9501060244	71-158	
HOLONICH, J.J.	9501190131	40-8981		HOYLE, J.C.	9501300140	10CFR		JANKOVICH, J.P.	9501060245*	71-158	
HOLONICH, J.J.	9501190138*	40-8981		HOYLE, J.C.	9501300152	10CFR		JANKOVICH, J.P.	9501060250	71-354	
HOLONICH, J.J.	9501190152	40-3453		HOYLE, J.C.	9501300202	10CFR		JANKOVICH, J.P.	9501090216	71-34	
HOLONICH, J.J.	9501190387	WASTE MGT		HOYT, J.	9501040074*	FOIA		JANKOVICH, J.P.	9501240110	71-524	
HOLONICH, J.J.	9501190395	WASTE MGT		HOYT, J.	9501040076*	FOIA		JANKOVICH, J.P.	9501240128	71-131	
HOLONICH, J.J.	9501190399	WASTE MGT		HOYT, J.	9501060119	CONTRACT		JANKOVICH, J.P.	9501250002	71-330	
HOLONICH, J.J.	9501190400	WASTE MGT		HOYT, J.	9501090344	CONTRACT		JANKOVICH, J.P.	9501250005*	71-330	
HOLONICH, J.J.	9501190403	WASTE MGT		HSIA, A.H.	9501190258	TOPREP		JANKOVICH, J.P.	9501250006	71-691	
HOLONICH, J.J.	9501250159	40-8502		HUDSON, G.	9501260305	REVIEW GR	P	JANKOVICH, J.P.	9501250007*	71-691	
HOLONICH, J.J.	9501250217*	40-8502		HUDSON, G.	9501120173	50-263	F	JANKOVICH, J.P.	9501250011	71-341	
HOLONICH, J.J.	9501250269	WASTE MGT		HUDSPETH, J.B.	9501190130	50-348	F	JANKOVICH, J.P.	9501250013*	71-341	
HOLONICH, J.J.	9501260172	WASTE MGT		HUDSPETH, J.B.	9501240253	50-348	F	JANKOVICH, J.P.	9501250019	71-236	
HOLONICH, J.J.	9501310178	40-3453		HUDSPETH, J.B.	9501310458	50-348	F	JANKOVICH, J.P.	9501250022*	71-236	
HOLT, B.J.	9501180093	40-8155		HUEGEL, D.S.	9501030115*	TOPREP		JANKOVICH, J.P.	9501250206	71-748	
HOM, S.R.	9501180212	40-8027		HUGHES, E.M.	9501190271	50-317	P	JANKOVICH, J.P.	9501260006	71-801	
HOOD, D.S.	9501100123*	50-424	T	HUGHES, J.	9501200186	50-445	R	JANKOVICH, J.P.	9501260009*	71-801	
HOOPER, G.L.	9501200173	50-424	R	HUGHES, L.	9501270035	PR		JANKOVICH, J.P.	9501260014	71-213	
HOPKINS, J.B.	9501090332	50-440	P	HUGHEY, C.	9501110134*	50-416	Q	JANKOVICH, J.P.	9501260016*	71-213	
HOPKINS, J.B.	9501270269	50-440	P	HUKILL, H.D.	8207050048*	50-289	F	JANKOVICH, J.P.	9501260037	71-526	
HOPKINS, J.B.	9501270278*	50-440	P	HULL, J.T.	9501100095	50-424	G	JANKOVICH, J.P.	9501260039*	71-526	
HOPKINS, J.B.	9501300175	50-440	P	HULL, J.T.	9501100112	50-424	T	JANKOVICH, J.P.	9501270227	71-690	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JANKOVICH, J.P.	9501270229*	71-690	JOYNER, J.H.	9501110109	50-286 Q	KING, L.W.	9501310026*	50-254 P
JANKOVICH, J.P.	9501270240*	71-260	JOYNER, J.H.	9501110114*	50-286 Q	KINNEMAN, J.D.	9501180252	40-*****
JANKOVICH, J.P.	9501270243*	71-260	JOYNER, J.H.	9501110158	50-272 F	KINNEMAN, J.D.	9501310046	40-3296
JANKOVICH, J.P.	9501300262	71-*****	JOYNER, J.H.	9501110162	50-333 Q	KINNEMAN, J.D.	9501310052*	40-3296
JANKOVICH, J.P.	9501300263*	71-*****	JOYNER, J.H.	9501110192	50-272 Q	KINNEMAN, J.D.	9501310104	70-*****
JAUDON, J.P.	9501110022	50-390 Q	JOYNER, J.H.	9501110201	50-352 Q	KINNEMAN, J.D.	9501310115*	70-*****
JAUDON, J.P.	9501110065	50-348 Q	JOYNER, J.H.	9501110235	50-443 Q	KINNEMAN, J.D.	9501310129	40-3296
JAUDON, J.P.	9501110367	50-390 Q	JOYNER, J.H.	9501180047	50-245 Q	KIRKLAND, M.W.	9501170009	70-754
JAUDON, J.P.	9501170018	50-390 A	JOYNER, J.H.	9501180075	50-166 Q	KIRKMAN, R.W.	9501090307*	40-2810
JAUDON, J.P.	9501170032	50-390 Q	JOYNER, J.H.	9501180131	50-244 Q	KIRKMAN, R.W.	9501090325*	40-2810
JAUDON, J.P.	9501170095	50-390 Q	JOYNER, J.H.	9501200005	50-245 Q	KIRKMAN, R.W.	9501100226*	40-2810
JAUDON, J.P.	9501180016	50-390 Q	JOYNER, J.H.	9501200045	50-97 Q	KIRKMAN, R.W.	9501170212*	FOIA
JAUDON, J.P.	9501180090	50-390 Q	JOYNER, J.H.	9501240022	50-309 Q	KIRKMAN, R.W.	9501250309*	FOIA
JAUDON, J.P.	9501240006	50-390 Q	JOYNER, J.H.	9501240042	50-245 Q	KIRKMAN, R.W.	9501260334*	FOIA
JAUDON, J.P.	9501240011	50-438 A	JOYNER, J.H.	9501240044	50-271 Q	KIRKWOOD, A.S.	9501130274*	FOIA
JAUDON, J.P.	9501240014	50-390 Q	JOYNER, J.H.	9501240060	50-443 Q	KIRSCH, D.F.	9501030014*	50-397 Q
JAUDON, J.P.	9501240015	50-390 Q	JOYNER, J.H.	9501240296	50-223 Q	KIRSCH, D.F.	9501060003*	50-275 Q
JAUDON, J.P.	9501240019	50-438 A	JOYNER, J.H.	9501270015	50-219 Q	KLAPPROTH, J.F.	9501060104	TOPREP
JAUDON, J.P.	9501240039	50-390 A	JOYNER, J.H.	9501310037	50-213 F	KLAPPROTH, J.F.	9501090039	TOPREP
JAUDON, J.P.	9501240099	50-390 A	JOYNER, J.H.	9501110021	50-387 Q	KLASKY, M.	9501110047	70-1257
JAUDON, J.P.	9501240112	50-390 Q	JUDD, C.A.	9501040077	PR	KLEBE, M.E.	9501240261	NUREG
JAUDON, J.P.	9501240125	50-390 Q	JULIAN, C.	950110372*	50-390 Q	KLEINSORGE, W.P.	9501240035*	50-413 Q
JAUDON, J.P.	9501240162	50-390 Q	JULIAN, C.	9501250405*	50-390 Q	KLEINSORGE, W.P.	9501240077*	50-395 Q
JAUDON, J.P.	9501250398	50-390 Q	JULIAN, C.A.	9501170040*	50-390 Q	KLETTER, M.J.	9501260186	PR
JAUDON, J.P.	9501310066	50-390 Q	KALMAN, G.	9501050385	50-313 P	KLINE, W.R.	9501190114*	50-293 P
JAUDON, J.P.	9501310075	50-390 Q	KALMAN, G.	9501180271	50-313 P	KLINS, E.E.	9501230016	PR
JEANS, J.	9501110308	XPORTLIC	KALMAN, G.	9501200212	50-368 Q	KLONOWSKI, J.	9501130112	40-8968
JEANS, J.	9501110314*	XPORTLIC	KALMAN, G.	9501200214*	50-368 P	KNAPP, K.S.	9501050203	70-1201
JEFFREY, W.J.	9501200149	50-277 R	KANE, T.J.	9501060261*	50-237 P	KNAPP, M.R.	9501060108*	FOIA
JENKS, D.W.	9501190342*	40-*****	KANTER, J.L.	9501230051*	50-352 S	KNAPP, M.R.	9501090108	40-8902
JENKS, D.W.	9501190355*	40-*****	KANTNER, J.L.	9501310239	50-353 S	KNAPP, M.R.	9501090331*	STATE PRO G
JENKS, D.W.	9501190404*	40-*****	KARAM, R.A.	9501110505	50-160 Q	KNAPP, P.J.	9501190290*	70-*****
JENKS, D.W.	9501200035*	40-*****	KARAM, R.A.	9501240236	50-160 P	KNODE, R.	9501310266	40-8943
JENKS, D.W.	9501200047*	40-*****	KAREM, R.A.	9501180278	50-160 P	KNORR, J.E.	9501230297	50-250 R
JENSEN, J.T.	9501260348	71-238	KARMAN, M.	9501050414*	FOIA	KNORR, J.E.	9501310304	50-250 S
JENSEN, N.	9501060264*	50-498 Q	KASNER, L.	9501090339*	FOIA	KNOTTS, J.B.	9501270147	NUREG
JERMAN, P.C.	9501190290*	70-*****	KAUF, K.L.	9501260099	50-457 Q	KNUDSON, D.L.	9501180334	50-295 P
JEZIK, R.M.	9501190278*	40-*****	KAY, M.	9501260049	PR	KNUTH, D.F.	9501180299*	70-*****
JIHAN, J.	9501060240*	40-2810	KEARNEY, W.F.	9501060087	40-8857	KOCHER, D.C.	9501300071*	COMMISSION
JOHANSEN, B.J.	9501030115*	TOPREP	KEARSLEY, E.E.	9501310260	50-170 H	KOFRON, K.L.	9501200170	50-456 R
JOHNSON, C.A.	9501300056	WASTE MGT	KEASEY, J.P.	9501250192	71-690 Q	KOH, B.	9501110302	40-8724
JOHNSON, I.M.	9501120346	50-454 F	KEATEN, R.A.	9501030082	50-219 P	KOH, B.	9501110326	40-8724
JOHNSON, I.M.	9501120349	50-456 F	KEATEN, R.W.	9501050129	50-289 P	KOH, B.	9501250127	40-8724
JOHNSON, I.M.	9501300104	50-295 F	KEATEN, R.W.	9501050283	50-219 P	KOHN, M.D.	9501100076	50-424 G
JOHNSON, J.R.	9404140042*	50-269 Q	KEATEN, R.W.	9501100230	50-219 P	KOHN, M.D.	9501100076	50-424 G
JOHNSON, L.	9501090080*	40-2810	KEIMIG, R.	9501110214*	50-352 Q	KOHN, M.D.	9501100105	50-424 G
JOHNSON, L.	9501090094*	40-2810	KEIMIG, R.R.	9501110243*	50-443 Q	KOHN, M.D.	9501100105	50-424 G
JOHNSON, L.	9501100304*	FOIA	KEIMIG, R.R.	9501180081*	50-166 Q	KOHN, M.D.	9501100144*	50-424 G
JOHNSON, L.	9501180259*	40-*****	KELLEY, S.J.	9501230332	50-352 R	KOHN, M.D.	9501100144*	50-424 G
JOHNSON, L.	9501190310*	40-*****	KELLOGG, E.A.	9501260128	50-400 F	KOHN, M.D.	9501100157	50-424 G
JOHNSON, R.L.	9501190396*	WASTE MGT	KELLOGG, P.	9501170040*	50-390 Q	KOHN, M.D.	9501100157	50-424 G
JOHNSON, R.L.	9501190401*	WASTE MGT	KELLY, E.	9501120066	50-272 Q	KOHN, M.D.	9501100178	50-424 G
JOHNSON, T.C.	9501030144	40-8724	KELLY, E.	9501170243*	50-245 P	KOHN, M.D.	9501100178	50-424 G
JOHNSON, T.C.	9501060239	40-1650	KELLY, E.	9501270010*	50-309 Q	KOHN, M.D.	9501180172	50-424 G
JOHNSON, T.C.	9501090236	40-8724	KELLY, E.M.	9501090032	50-352 Q	KOHN, M.D.	9501180242	50-424 G
JOHNSON, T.C.	9501250087*	40-8724	KELLY, E.M.	9501090037*	50-352 Q	KOHN, M.D.	9501180242	50-424 G
JOHNSON, T.P.	9501240033*	50-250 Q	KELLY, E.M.	9501110045	50-219 Q	KOHN, S.M.	9501180237	50-424 G
JOHNSON, W.D.	9501090009*	50-285 Q	KELLY, E.M.	9501110061*	50-219 Q	KOHN, S.M.	9501180237	50-424 G
JOHNSRUD, J.H.	9501260080	PR	KELLY, E.M.	9501110197	50-443 Q	KOLLROSS, T.	9501270359	50-374 S
JOHNSTON, C.	9501060113*	50-213 G	KELLY, E.M.	9501110205*	50-443 Q	KORONA, B.E.	9501240088*	50-271 Q
JOHNSTON, J.R.	9501120147	50-155 R	KELLY, E.M.	9501200077	50-309 Q	KOUDELKA, M.B.	9501110478	50-266 R
JOINER, J.E.	9501100104	50-424 G	KELLY, E.M.	9501240085	50-271 Q	KOUTS, C.A.	9501050265	WASTE MGT
JOINER, J.E.	9501100104	50-424 G	KELLY, E.M.	9501240088*	50-271 Q	KOUTS, C.A.	9501050320	WASTE MGT
JONDLE, D.	9501190005	50-341 H	KELLY, G.	9501170254*	50-245 S	KRAFT, E.S.	9501050333	50-254 Q
JONES, D.R.	9501230296*	50-321 P	KELLY, G.B.	9501050135	50-331 P	KRAFT, E.S.	9501240398	50-254 Q
JONES, D.T.	9501170085	50-334 R	KELLY, G.B.	9501090312	50-331 P	KRAFT, E.S.	9501310156	50-265 P
JONES, D.W.	9501110048*	50-321 Q	KELLY, G.B.	9501100220	50-331 P	KRAUSE, E.A.	9501240193	50-298 R
JONES, D.W.	9501240058*	50-259 Q	KELLY, G.B.	9501130204	50-331 P	KRESS, T.S.	9412300201	ACRS
JONES, J.D.	9501190192	30-11193	KELLY, G.B.	9501310381	50-331 P	KRESS, T.S.	9501030071	ACRS
JONES, M.L.	9501060207	40-8968	KENDRICK, E.D.	9501300111*	50-295 Q	KRESS, T.S.	9501030076	50-387 O
JONES, M.L.	9501060269	40-8968	KENRECK, S.A.	9409200226*	50-321 P	KRESS, T.S.	9501030094	ACRS
JONES, O.G.	9501240018	MISC	KENWORTHY, W.	9501100015	CONTRACT	KRICH, R.M.	9501040178	50-261 P
JONES, R.A.	9501040096	PR	KENYON, T.J.	9501200113	52-3	KRICH, R.M.	9501100261	50-261 Q
JONES, R.C.	9412120041*	50-269 Q	KEPPLER, J.G.	9501250238	52-3	KRICH, R.M.	9501120328	50-261 F
JONES, T.	9501300143*	50-263 Q	KEPPLER, J.G.	9501230314*	70-1489	KRICH, R.M.	9501130037	50-261 V
JORDAN, M.	9501120048*	50-331 Q	KEPPLER, J.G.	9501230318*	70-1489	KRICH, R.M.	9501170128	50-261 R
JOUSTRA, J.A.	9204270395*	FOIA	KEPPLER, J.G.	9501230327*	70-1489	KRICH, R.M.	9501270221	50-261 V
JOYCE, T.P.	9501050027	50-10 W	KEPPLER, J.G.	9501240139*	70-1489	KRICH, R.M.	9501300035	50-261 P
JOYCE, T.P.	9501050189	50-237 S	KERR, K.J.	9501310168	STATE PRO G	KRICH, R.M.	9501300057	50-261 R
JOYCE, T.P.	9501060117	50-237 S	KERRIGAN, J.F.	9501040057	FOIA	KRICH, R.M.	9501300069	50-261 F
JOYCE, T.P.	9501060134	50-237 S	KESSLER, P.	9501230301	50-280 R	KRIEGER, R.W.	9501240242	50-206 F
JOYCE, T.P.	9501170072	50-10 O	KIM, C.	9501310220*	50-305 P	KRIEGER, R.W.	9501250380	50-361 S
JOYCE, T.P.	9501200067	50-249 S	KIM, J.	9501300172*	50-361 P	KRIEGER, R.W.	9501260352	50-206 F
JOYCE, T.P.	9501310212	50-10 Q	KIMBERLY, S.	9501250051	REG CERT	KRITENBRINK, D.	9501180337	XPORTLIC
JOYNER, J.	9501300007	50-352 S	KING, E.B.	9501240055*	50-271 Q	KROPP, W.J.	9501030190	50-255 Q
JOYNER, J.	9501300017	50-352 S	KING, E.B.	9501270051*	50-219 Q	KROPP, W.J.	9501030193*	50-255 Q
JOYNER, J.H.	9501110009	50-57 O	KING, J.O.	9501040082	PR	KROPP, W.J.	9501120050	50-315 Q
JOYNER, J.H.	9501110012	50-387 Q	KING, L.P.	9501170040*	50-390 Q	KROPP, W.J.	9501120058*	50-315 Q



256 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
KROPP,W.J.	9501240359*	50-255	Q	LENTZ,J.J.	9501100295	40-861	LOHAUS,P.H.	9501230052	STATE PRO G
KRUEGEL,R.E.	9501170173	71-319		LENTZ,J.J.	9501100303	40-1020	LOHAUS,P.H.	9501300082	STATE PRO G
KRUESI,F.E.	9501130105*	FOIA		LENTZ,J.J.	9501110082	40-*****	LOHAUS,P.H.	9501310059	STATE PRO G
KRUESI,F.E.	9501130261*	70-*****		LENTZ,J.J.	9501190041	40-*****	LOHAUS,P.H.	9501310082	STATE PRO G
KUECK,J.D.	9501180329	NUREG		LENTZ,J.J.	9501190134	40-*****	LOHAUS,P.H.	9501310142	STATE PRO G
KUGLER,A.J.	9501110229	I&E		LEROY,P.G.	9501120310	70-3070	LOHMANN,M.E.	9501190158*	50-295
KUGLER,A.J.	9501120054	I&E		LESAR,M.T.	9501110200	PRM	LOHMEIER,A.	9501200063*	50-352
KURTH,M.	9501190209	40-*****		LESAR,M.T.	9501130125	PR	LOMONTE,J.N.	9501100347*	40-2810
LABARGE,D.E.	9501030080	50-327	P	LESAR,M.T.	9501310353*	PR	LONG,L.B.	9501100138*	50-424
LABARGE,D.E.	9501110239	50-327	P	LESAR,M.T.	9501310453*	PR	LONG,R.L.	9501090313	50-289
LABARGE,D.E.	9501110256	50-327	P	LESSER,M.	9501180077	50-327	LOOMIS,M.	9501040090	PR
LABARGE,D.E.	9501300190	50-327	P	LESSER,M.S.	9501110057*	50-327	LOOMIS,M.	9501110270	WASTE MGT
LABRUNA,S.	9501050237	50-272	P	LESSER,M.S.	9501110377	50-327	LOPEZ,M.O.	9409200244*	50-321
LABRUNA,S.	9501120035	PR		LESSER,M.S.	9501110383*	50-327	LOPRIORE,R.P.	9501040245	50-324
LABRUNA,S.	9501250076	50-272	P	LESSER,M.S.	9501170020	50-327	LOPRIORE,R.P.	9501100349	50-324
LABRUNA,S.	9501250083	50-272	P	LESSER,M.S.	9501240096	50-259	LOPRIORE,R.P.	9501250339	50-325
LAGUARDIA,T.S.	9501240272	NUREG		LESSER,M.S.	9501240102*	50-259	LOUCKS,L.E.	9501190247*	50-269
LAGUARDIA,T.S.	9501270155	NUREG		LESSER,M.S.	9501240366	50-259	LOUGHEED,V.P.	9501300024*	50-341
LAKE,L.F.	9501050090*	50-311	Q	LESSY,R.P.	9501270019	71-524	LOUX,R.R.	9501040088	PR
LAM,W.	9501180174	PR		LESSY,R.P.	9501270019	71-524	LOYSEN,P.	9501040080	PR
LAMASTRA,M.	9501260001	40-7102		LEVANWAY,D.E.	9501270108	50-458	LU,R.Q.	9501170176	FOIA
LAMBERSKI,J.	9501100100	50-424	G	LEVANWAY,D.E.	9501270108	50-458	LUKE,C.D.	9501100228	70-*****
LAMBERSKI,J.	9501100100	50-424	G	LEVANWAY,D.E.	9501270108	50-458	LUM,A.H.	9501040109	PR
LAMBERSKI,J.	9501100108	50-424	T	LEVIN,R.	9501040093	PR	LURIE,D.	9501310320	NUREG
LAMBERSKI,J.	9501100108	50-424	T	LEVIN,R.	9501110474	40-7455	LUSHER,J.	9501110243*	50-443
LAMBERSKI,J.	9501100114	50-424	T	LEVINE,J.M.	9501230191	50-528	LUTHIGER,P.	9501110465	40-8905
LAMBERSKI,J.	9501100119	50-424	G	LEVIS,W.	9501200175	50-324	LUTHIGER,P.	9501260170	40-8905
LAMBERSKI,J.	9501100128	50-424	G	LEWIS,D.R.	9501180157	50-424	LUTZI,P.J.	9501060141	50-336
LAMBERSKI,J.	9501100128	50-424	G	LEWIS,D.R.	9501180157	50-424	LUTZI,P.J.	9501120009	50-336
LAMBERSKI,J.	9501100161	50-424	G	LEWIS,D.R.	9501180157	50-424	LUTZI,P.J.	9501270247	50-336
LAMBERSKI,J.	9501100161	50-424	G	LEWIS,M.I.	9501040087	PR	LYNCH,J.	9501120016	I&E
LAMBERSKI,J.	9501180168	50-424	G	LEWIS,M.I.	9501120017	PR	LYNCH,J.	9501120026	I&E
LAMBERSKI,J.	9501180197	50-424	G	LEWIS,R.C.	9501240213*	50-416	LYNCH,J.	9501120084	I&E
LAMBERSKI,J.	9501180204	50-424	G	LEWIS,A.	9409200242*	50-321	LYNCH,J.	9501250010	I&E
LAMBERSKI,J.	9501180251	50-424	G	LICHTNER,P.C.	9501230290	WASTE MGT	LYNCH,J.	9501250016	I&E
LAMBERT,J.	9501260164	WASTE MGT		LIMROTH,D.F.	9501110202*	50-272	LYNCH,M.D.	9501240101	TOPREP
LANDIS,K.D.	9501240033*	50-250	Q	LIN,S.D.	9501230288	50-416	LYNCH,M.D.	9501260210	50-454
LANDIS,K.D.	9501300071*	50-335	Q	LINK,B.	9501100145	50-266	LYNCH,M.D.	9501300298	50-454
LANDRUM,L.H.	9501190342*	40-*****		LINK,B.	9501120038	PR	LYONS,D.W.	9501250199	50-354
LANGSTAFF,R.A.	9501120068*	50-373	Q	LINK,B.	9501120039	50-266	LYONS,P.J.	9501190102	40-299
LANGSTAFF,R.A.	9501300024*	50-341	Q	LINK,B.	9501190092	50-266	LYSTER,M.D.	9501050316	50-10
LANKSBURY,R.D.	9501030175	50-331	Q	LINK,B.	9501190098	50-266	MABRITO,B.	9501260315	WASTE MGT
LANKSBURY,R.D.	9501030180*	50-331	Q	LINK,B.	9501250151	50-266	MABRITO,B.	9501260319*	WASTE MGT
LANKSBURY,R.D.	9501050061	50-346	Q	LINK,B.	9501310105	50-301	MACDONALD,C.E.	9501100171*	71-330
LANKSBURY,R.D.	9501050076*	50-346	Q	LINVILLE,J.	9501180085	50-293	MACDONALD,C.E.	9501170240*	70-*****
LANKSBURY,R.D.	9501300141*	50-331	P	LINVILLE,J.C.	9501110228	50-334	MACDONALD,C.E.	9501170242*	70-*****
LANZISERA,P.	9501110161*	40-341	Q	LINVILLE,J.C.	9501180013	50-271	MACE,M.	9501060197	50-285
LARI,R.G.	9501050400	FOIA		LINVILLE,J.C.	9501180161	50-334	MACE,M.	9501060258	CONTRACT
LARKINS,J.T.	9501310423*	PR		LINVILLE,J.C.	9501180176	50-244	MACE,M.	9501100006	CONTRACT
LARSON,C.L.	9501120149*	50-277	P	LINVILLE,J.C.	9501270020	50-309	MACE,M.	9501100086	CONTRACT
LASUK,S.R.	9501240210*	70-1489		LIPARULO,N.J.	9501030112*	TOPREP	MACE,M.	9501100092	50-272
LAUDEMANN,M.J.	9501110294*	40-501		LIPARULO,N.J.	9501060249	52-3	MACE,M.H.	9501060093	50-267
LAUHLIN,J.	9501110243*	50-443	Q	LIPARULO,N.J.	9501060254*	52-3	MACE,M.H.	9501100081	CONTRACT
LAW,M.A.	9501270211	70-1257		LIPARULO,N.J.	9501130215	52-3	MACHAK,F.M.	9501200287*	FOIA
LAWRENCE,R.E.	9501130128*	PROJ		LIPARULO,N.J.	9501170201	52-2	MACHON,R.D.	9501050218	50-260
LAWS,R.M.	9501120071	PR		LIPARULO,N.J.	9501170215	52-3	MACHON,R.D.	9501050262	50-259
LAWYER,L.L.	9501110166*	50-259	Q	LIPARULO,N.J.	9501170220*	52-3	MACHON,R.D.	9501100164	50-259
LAWYER,L.L.	9501170043*	50-369	V	LIPARULO,N.J.	9501180234	52-3	MACHON,R.D.	9501110341	50-259
LAWYER,L.L.	9501170060	50-302	V	LIPARULO,N.J.	9501180240	52-3	MACHON,R.D.	9501260265	50-296
LAWYER,L.L.	9501240045*	50-327	V	LIPARULO,N.J.	9501190221	52-3	MACHON,R.D.	9501260376	50-259
LAWYER,L.L.	9501240051*	50-269	Q	LIPARULO,N.J.	9501190232*	52-3	MADDEN,J.J.	9501120252	50-295
LAYFIELD,R.L.	9501060224*	40-2810		LIPARULO,N.J.	9501200101	52-3	MAIER,W.	9501110214*	50-352
LAYFIELD,R.L.	9501090184*	70-*****		LIPARULO,N.J.	9501230069	TOPREP	MAIER,W.	9501110243*	50-443
LAYFIELD,R.L.	9501090192*	70-*****		LIPARULO,N.J.	9501230137	52-3	MAINES,R.E.	9501230136*	50-289
LAYFIELD,R.L.	9501090198*	70-*****		LIPARULO,N.J.	9501230299	TOPREP	MAKHIJANI,A.	9501270100*	70-3070
LAYFIELD,R.L.	9501090203*	70-*****		LIPARULO,N.J.	9501230310*	TOPREP	MAKHIJANI,A.	9501270100*	70-3070
LAYTON,M.	9501090082	40-8968		LIPARULO,N.J.	9501240394	52-3	MALICH,P.J.	9501240375	40-341
LAZARUS,W.J.	9501110230	50-334	Q	LIPARULO,N.J.	9501240399*	52-3	MALLEN,F.H.	9501190178	50-498
LAZARUS,W.J.	9501180184*	50-244	Q	LIPARULO,N.J.	9501260101	52-3	MALLOY,M.	9501270174	52-4
LAZARUS,W.J.	9501270023*	50-309	Q	LIPARULO,N.J.	9501260106*	52-3	MALLOY,M.	9501270192	52-4
LE,N.B.	9501090337	50-400	P	LIPARULO,N.J.	9501260197	52-3	MALONE,M.J.	9501050484*	50-390
LE,N.B.	9501200150	50-400	P	LIPARULO,N.J.	9501260203*	52-3	MALSCH,M.G.	8201070268	50-395
LEDOUX,M.R.	9501200193	27-48		LIPOTI,J.	9501090013*	STATE PRO G	MALSCH,M.G.	9501230270*	FOIA
LEDOUX,M.R.	9501200197	27-48		LITVIN,D.A.	9501060156	40-8904	MALSCH,M.G.	9501300234*	50-289
LEDOUX,M.R.	9501200200	27-48		LOCHBAUM,D.	9501300301*	50-387	MALSCH,M.G.	9501300256*	50-275
LEE,C.Q.	9501190080*	50-390	A	LOCHBAUM,D.	9501300302*	50-387	MANDEL,J.	9501100045	CONTRACT
LEE,D.	9501110307*	27-47		LOCHBAUM,D.A.	9501100056*	50-387	MANGAN,P.C.	9501250142	50-315
LEFEVRE,H.	9501130275	WASTE MGT		LOCHBAUM,D.A.	9501240313	50-387	MANNING,K.M.	9501310290	PT21
LEISURE,M.K.	9501260271	50-346	P	LOCKMAN,D.W.	9501040027	FOIA	MANTEUFEL,R.D.	9501190148	WASTE MGT
LEMMERBROCK,K.	9501170229	50-220	P	LOESER,M.M.	9501240305	STATE PRO G	MARCH-LEUBA,J.	9501090283*	50-219
LENAHAN,J.J.	9501170035*	50-259	Q	LOHAUS,P.H.	9501030075	STATE PRO G	MARCO,C.L.	9501100109	40-8027
LENRAD,K.L.	9501030146	50-255	F	LOHAUS,P.H.	9501040031	STATE PRO G	MARCO,C.L.	9501100122	40-8027
LENTZ,F.H.	9501040168*	WASTE MGT		LOHAUS,P.H.	9501090018	STATE PRO G	MARCO,C.L.	9501180255	MISC
LENTZ,J.J.	9501040144	40-501		LOHAUS,P.H.	9501090024	STATE PRO G	MARCO,C.L.	9501270102	MISC
LENTZ,J.J.	9501100264	40-861		LOHAUS,P.H.	9501090071	STATE PRO G	MARCUS,C.S.	9501310173	REGGD
LENTZ,J.J.	9501100276	40-861		LOHAUS,P.H.	9501120002	STATE PRO G	MARCUS,C.S.	9501130093	PR
LENTZ,J.J.	9501100284	40-*****		LOHAUS,P.H.	9501120060	STATE PRO G	MARCUS,C.S.	9501270013	PR
LENTZ,J.J.	9501100292	40-501		LOHAUS,P.H.	9501180009	STATE PRO G	MARCUS,C.S.	9501270013	PR

PERSONAL AUTHOR INDEX 257

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MARCUS,C.S.	9501300032	STATE PRO G	MAXWELL,G.F.	9501110271*	50-369 Q	MCLAUGHLIN,J.	9501030034	70-1426
MARCUS,G.H.	9501190241	52-5	MAY,E.L.	9501180284*	70-*****	MCLAUGHLIN,J.	9501030047	70-1426
MARIOTTE,M.	9501260021	PR	MAYNARD,O.L.	9501090136	50-482 Q	MCLAUGHLIN,J.	9501030060	70-1426
MARLOW,T.A.	9501270204	50-244 F	MAYNARD,O.L.	9501090153	50-482 Q	MCLAUGHLIN,J.	9501260052	XPORTLIC
MARRIOTT,P.W.	9412210146	52-4	MAYNARD,O.L.	9501120219	50-482 S	MCLAUGHLIN,J.	9501260058	XPORTLIC
MARSCH,L.B.	9501030107	50-458 Q	MAYNARD,O.L.	9501200190	50-482 R	MCLAUGHLIN,J.	9501260061	XPORTLIC
MARSCHING,R.	9501190225*	FOIA	MAYS,S.E.	9501180302	ORG	MCLAUGHLIN,J.	9501260063	XPORTLIC
MARSCHING,R.	9501270206*	FOIA	MCALLUM,T.	9501300217	TOPREP	MCMEEKIN,T.C.	9501090041	50-369 S
MARSH,L.B.	9501310154*	50-220 P	MCALPINE,E.J.	9501110081*	70-27 Q	MCMEEKIN,T.C.	9501090062	50-369 Q
MARSH,L.B.	9501310197	50-333 P	MCALPINE,E.J.	9501110218*	70-27 Q	MCMEEKIN,T.C.	9501090090	50-369 Q
MARSH,W.	9501040121	50-361 P	MCALPINE,E.J.	9501240047*	50-160 Q	MCMEEKIN,T.C.	9501100008	50-370 P
MARSH,W.C.	9501190202	50-206 F	MCALPINE,E.J.	9501240190*	70-1113 Q	MCMEEKIN,T.C.	9501110504	50-369 P
MARSH,W.C.	9501190222	50-361 S	MCBRIDE,G.	9501110196*	40-1650 Q	MCMEEKIN,T.C.	9501200073	50-369 P
MARSH,W.C.	9501260114	50-361 Q	MCCBRIDE,J.A.	9501100278*	70-*****	MCMEEKIN,T.C.	9501240164	50-369 Q
MARSH,W.C.	9501260120	50-361 P	MCCABE,E.C.	9501110202*	50-272 Q	MCMEEKIN,T.C.	9501240298	50-369 R
MARSH,W.C.	9501260308	50-361 P	MCCAIN,J.	9501230106	71-801	MCMEEKIN,T.C.	9501240381	50-369 S
MARSH,W.C.	9501300158	50-361 R	MCCAIN,J.	9501230147	71-801	MCMEEKIN,T.C.	9501250052	50-369 Q
MARSH,W.C.	9501300166	50-206 F	MCCANDLESS,R.J.	9501120149*	50-277 P	MCMEEKIN,T.C.	9501300236	50-369 Q
MARSH,W.C.	9501300167	50-361 P	MCCANN,G.M.	9501310120	40-8948	MCMEEKIN,T.C.	9501310087	50-369 Q
MARSHALL,B.L.	9501190030	PRM	MCCARTER,J.F.	9501100217*	71-9210	MCMEEKIN,T.C.	9501310140	50-369 P
MARSHALL,B.M.	9501100219	50-280 P	MCCARTER,J.F.	9501100218*	71-9210	MCNABB,W.A.	9501200037	50-390 D
MARSHALL,C.	9501120066	50-272 P	MCCARTIN,T.	9501270342	WASTE MGT	MCNEIL,D.R.	9501120068*	50-373 Q
MARSHALL,J.S.	9501110462	50-445 J	MCCARTNEY,W.H.	9501110237	PR	MCTIGUE,W.J.	9501310259	50-272 P
MARSHALL,J.S.	9501120040	PR	MCCONNELL,K.I.	9501060132	COMMISSION	MCWHORTER,R.D.	9501120064*	50-338 Q
MARTIN,J.B.	9501040220*	FOIA	MCCOOL,D.J.	9501100156	MISC	MECREDY,R.C.	9501040154	50-244 Q
MARTIN,J.B.	9501120051	50-373 Q	MCCORKLE,D.H.	9204210230*	FOIA	MECREDY,R.C.	9501110040*	50-244 P
MARTIN,J.B.	9501120055	50-254 Q	MCCORMICK,J.W.	9501050128	50-341 Q	MECREDY,R.C.	9501130177	50-244 P
MARTIN,L.E.	9501030062	50-498 F	MCCORMICK,V.	9501270153	PR	MECREDY,R.C.	9501230212	50-244 P
MARTIN,L.E.	9501230194	50-498 R	MCCORMICK-BARGE	9501050141*	50-341 Q	MEDDICK,S.L.	9501040084	PR
MARTIN,R.D.	9203290031*	FOIA	MCCORMICK-BARGE	9501240115	50-266 F	MEGEHEE,M.H.	9501002227	50-344 R
MARTIN,R.E.	9501090347	50-369 P	MCCOY,C.K.	9501040169	50-425 P	MEHTA,H.S.	9501110456*	TOPREP
MARTIN,R.E.	9501270159	50-413 P	MCCOY,C.K.	9501040186	50-424 Q	MEISNER,M.J.	9501170168	50-415 Q
MARTIN,T.T.	9501110139	50-272 Q	MCCOY,C.K.	9501040198	50-424 P	MELLEN,L.S.	9501170040*	50-390 Q
MARTIN,T.T.	9501130227*	FOIA	MCCOY,C.K.	9501050304	50-424 P	MELTON,M.	9501060019*	50-254 S
MARTIN,T.T.	9501130231*	FOIA	MCCOY,C.K.	9501050307	50-424 P	MENDIOLA,A.J.	9501230268	50-134 V
MARTIN,T.T.	9501170258*	50-336 Q	MCCOY,C.K.	9501050312	50-424 P	MENDONCA,M.M.	9501110439	50-252 F
MARTIN,T.T.	9501300009	50-244 Q	MCCOY,C.K.	9501100150*	50-424 T	MENDONCA,M.M.	9501250085	50-193 P
MARTIN,W.G.	9501180288*	70-*****	MCCOY,C.K.	9501100352	50-424 P	MERRILL,C.	9501050435*	FOIA
MARTIN,W.G.	9501190219*	70-*****	MCCOY,C.K.	9501200173	50-424 R	MERRILL,N.	9501240129*	50-390 Q
MARTIN,W.G.	9501190228*	70-*****	MCCOY,C.K.	9501230266	50-424 F	MERSCHOFF,E.W.	9501030177	50-395 P
MARTZ,S.D.	9501060284*	WASTE MGT	MCCOY,C.K.	9501230321	50-424 Q	MERSCHOFF,E.W.	9501030181	50-369 P
MASLAR,S.R.	9501110224*	WASTE MGT	MCCOY,C.K.	9501300325	50-424 P	MERSCHOFF,E.W.	9501110046	50-327 P
MASNIK,M.T.	9501270339	50-320 P	MCCRACKEN,C.E.	9203040098*	50-237 P	MERSCHOFF,E.W.	9501110079	50-261 Q
MASNYK,O.M.	9501250420*	50-259 Q	MCCRACKEN,C.E.	9501270244	TOPREP	MERSCHOFF,E.W.	9501110117	50-400 Q
MASON,J.R.	9501040122*	FOIA	MCCRACKEN,D.S.	9501170101	50-213 S	MERSCHOFF,E.W.	9501110147	50-327 P
MASON,J.R.	9501040127*	FOIA	MCCULLOUGH,H.	9501040170	50-282 S	MERSCHOFF,E.W.	9501110254	50-335 P
MASON,J.R.	9501040130*	FOIA	MCCULLOUGH,H.	9501040173	PT21	MERSCHOFF,E.W.	9501170002	50-400 P
MASON,J.R.	9501040132*	FOIA	MCCULLOUGH,H.	9501200336	PT21	MERSCHOFF,E.W.	9501170033	50-269 Q
MASON,J.R.	9501040137*	FOIA	MCDANIEL,G.	9501230175*	40-8948	MERSCHOFF,E.W.	9501240061	50-400 P
MASON,J.R.	9501040140*	FOIA	MCDAVITT,D.F.	9501250179	50-29 F	MERSCHOFF,E.W.	9501240079	50-413 Q
MASON,J.R.	9501050434*	FOIA	MCDONALD,D.G.	9501250126	50-317 P	MERSCHOFF,E.W.	9501310119	50-328 P
MASON,J.R.	9501050438*	FOIA	MCDONALD,D.G.	9501250136	50-317 P	MESSINA,P.	9501090111*	40-2810
MASON,J.R.	9501060004*	FOIA	MCDONALD,R.P.	9501100136*	50-424 T	MEYER,D.L.	9501310388*	PR
MASON,J.R.	9501060007*	FOIA	MCGAHA,J.R.	9501130209	50-458 K	MEYER,G.	9501100012	50-213 V
MASON,J.R.	9501060011*	FOIA	MCGAHA,J.R.	9501240093	50-458 P	MEYER,G.	9501110088*	50-245 V
MASON,J.R.	9501060067*	FOIA	MCGARRY,J.M.	9501100088	70-3070	MEYER,G.W.	9501310014	50-213 V
MASON,J.R.	9501170199*	FOIA	MCGARRY,J.M.	9501100088	70-3070	MEYER,G.W.	9501050064	50-317 Q
MASON,M.	9501060279	PROJ	MCGARRY,J.M.	9501100120	70-3070	MEYER,G.W.	9501050068*	50-317 Q
MASON,M.	9501270027	50-282 Y	MCGARRY,J.M.	9501100120	70-3070	MEYER,G.W.	9501110083	50-245 V
MASSE,F.	9501060213	70-938	MCGARRY,J.M.	9501270187	70-3070	MEYER,G.W.	9501110132	50-317 V
MASSE,F.	9501240344	70-938	MCGARRY,J.M.	9501270187	70-3070	MEYER,G.W.	9501110167	50-410 V
MASSEY,B.A.	9501040104	PR	MCGOVERN,J.F.	9501110168	70-687	MEYER,G.W.	9501110181*	50-410 V
MATAKAS,R.A.	8111170482*	50-289 Q	MCGOWAN,J.F.	9501260045	50-325 S	MEYER,G.W.	9501180046	50-271 V
MATES,T.J.	8606050157*	FOIA	MCGUIRE,D.	9501050119*	50-324 Q	MEYER,G.W.	9501240064	50-220 V
MATHEWS,D.	9501230104	50-302 Q	MCGUIRE,D.	9501050267*	50-369 Q	MEYER,G.W.	9501240070*	50-220 V
MATSON,E.R.	8901240511*	FOIA	MCGUIRE,D.	9501130008*	70-27 Q	MEYER,G.W.	9501310003	50-443 V
MATTHEWS,D.B.	9501030068*	50-250 P	MCGUIRE,D.	9501240352*	50-416 Q	MEYER,G.W.	9501310004	50-272 V
MATTHEWS,D.B.	9501050359*	50-250 P	MCGUIRE,D.R.	9501050079*	50-338 Q	MEYER,G.W.	9501310005	50-289 V
MATTHEWS,D.B.	9501130194*	50-250 P	MCGUIRE,D.R.	9501250420*	50-259 Q	MEYER,G.W.	9501310006	50-387 V
MATTHEWS,D.B.	9501240167*	50-335 P	MCINTYRE,R.P.	9501230166*	52-3 S	MEYER,G.W.	9501310008	50-309 V
MATTHEWS,D.B.	9501240212	50-338 P	MCINVALLE,J.B.	9501200192	50-483 R	MEYER,G.W.	9501310009	50-220 V
MATTHEWS,S.M.	9501090035*	QA999	MCKAGUE,H.L.	9501180123	WASTE MGT	MEYER,G.W.	9501310012	50-293 V
MATTHEWS,T.C.	9501190183	50-285 R	MCKAGUE,H.L.	9501190155	WASTE MGT	MEYER,G.W.	9501310015	50-333 V
MATTIA,M.J.	9501060119	CONTRACT	MCKAGUE,H.L.	9501190274	WASTE MGT	MEYER,G.W.	9501310017	50-244 V
MATTIA,M.J.	9501090280	CONTRACT	MCKAGUE,H.L.	9501230280	WASTE MGT	MEYER,G.W.	9501310020	50-271 V
MATTIA,M.J.	9501090341	CONTRACT	MCKEE,P.F.	9501060059	50-336 Q	MEYER,G.W.	9501310024	50-317 V
MATTIA,M.J.	9501090344	CONTRACT	MCKEE,P.F.	9501090266*	50-219 V	MEYER,G.W.	9501310029	50-219 V
MATTIA,M.J.	9501100024	CONTRACT	MCKEE,P.F.	9501110331*	50-423 P	MEYER,G.W.	9501310032	50-286 V
MATTIA,M.J.	9501100045	CONTRACT	MCKEE,P.F.	9501120354*	50-245 P	MEYER,G.W.	9501310033	50-334 V
MATULA,T.O.	9501310338*	50-282 Y	MCKEE,P.F.	9501130038*	50-245 P	MEYER,G.W.	9501310039	50-247 V
MAUDLIN,R.L.	9501250140*	WASTE MGT	MCKEE,P.F.	9501170027*	50-423 P	MEYER,G.W.	9501310049	50-277 V
MAXFIELD,G.	9501240334	50-301 Q	MCKEE,P.F.	9501170090*	50-423 P	MEYER,G.W.	9501310060	TOPREP
MAXFIELD,G.J.	9501090027	50-266 F	MCKEE,P.F.	9501200001	50-245 P	MEYER,G.W.	9501310070	MISC
MAXFIELD,G.J.	9501110478	50-266 R	MCKEE,P.F.	9501260379	50-213 P	MEYER,G.W.	9501310095	50-245 V
MAXFIELD,G.J.	9501190093	50-266 F	MCKENNA,T.	9501180194	NUREG	MEYER,R.O.	9501110425	ORG
MAXIN,A.M.	9501050315	70-143	MCKENNA,T.G.	9501180200	NUREG	MEYER,R.O.	9501310313	ORG
MAXIN,A.M.	9501310269	70-143	MCKINNON,R.J.	9501030167*	I&E	MICHEL,T.G.	9501060150	40-2259
MAXWELL,G.	9501170059*	50-369 Q	MCLAUGHLIN,J.	9501030028	70-1426	MICHELSEN,M.A.	9501050120	70-1100

258 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MICHELSSEN, M.A.	9501300034	70-1100	MOORE, K.	9501240183	50-254 R	NAKAGAKI, T.	9501230098	FOIA
MIHALIK, D.R.	9501060187	50-315	MOORE, R.H.	9501310320	NUREG	NARBUT, P.P.	9501050228*	50-390 Q
MIKA, S.L.	9501270353	50-304	MOORE, T.S.	9501270062	70-3070	NARDONE, P.E.	9501170145	50-443 R
MILANO, P.D.	9501090353	50-324	MOORE, T.S.	9501270089	70-3070	NASLUND, C.D.	9501240328	50-483 P
MILANO, P.D.	9501110324	50-324	MORALES, E.M.	9501250160	40-8907	NAUGHTON, W.F.	9501270162	NUREG
MILANO, P.D.	9501170157	50-324	MORETTI, E.J.	9501190234*	40-*****	NEBUDA, D.T.	9501180287	NUREG
MILANO, P.D.	9501260385	50-324	MORETTI, E.J.	9501190388*	40-*****	NEBUDA, D.T.	9501180290	NUREG
MILETI, S.S.	9501260186	PR	MOREY, D.	9501180133	50-364 S	NEJFELT, H.	9501100034	CONTRACT
MILHOAN, J.L.	9501130123	PR	MOREY, D.	9501200188	50-348 R	NELSON, P.R.	9501190281*	70-*****
MILLAR, P.A.	8401030085*	30-10346	MOREY, D.	9501200235	50-348 P	NELSON, R.A.	9501030140	40-7102
MILLER, D.B.	9501060141	50-336 S	MOREY, D.	9501230171	50-348 P	NELSON, R.A.	9501030216	40-8948
MILLER, D.B.	9501120004	50-245 S	MOREY, D.	9501250057	50-364 S	NELSON, R.A.	9501040172	40-8948
MILLER, D.B.	9501200009	50-336 S	MOREY, D.O.	9501060210	50-315 S	NELSON, R.A.	9501190186	40-8948
MILLER, D.B.	9501230114	50-245 R	MORGAN, C.	9501060060*	50-390 A	NELSON, R.A.	9501190196	40-8948
MILLER, D.B.	9501240198	50-245 S	MORGAN, M.J.	9501040068	FOIA	NELSON, R.A.	9501230172	40-8948
MILLER, D.B.	9501270247	50-336 S	MORGAN, M.J.	9501170017*	50-348 Q	NERSESE, V.	9501200029	50-369 P
MILLER, D.B.	9501270344	50-245 S	MORRIS, B.M.	9406170168*	PR	NESSEN, P.	9501100082*	40-341
MILLER, K.J.	9501250133	50-313 S	MORRIS, C.	9501230024	50-313 S	NETHERCUTT, B.W.	9501200090	71-236
MILLER, L.F.	9501030179*	50-457 Q	MORRIS, P.B.	9501110311*	27-47	NETTLES, K.W.	9501040150	50-395 F
MILLER, L.F.	9501120025	50-456 Q	MORRISON, J.M.	9501230308	50-311 R	NEUMAN, G.A.	9501200195	50-440 R
MILLER, L.F.	9501120031*	50-456 Q	MORTON, H.	9501270056	PR	NEUSCHWANGER, J.	9501250394	50-461 S
MILLER, L.F.	9501190050*	50-454 Q	MOSEN, D.W.	9501240237	PRM	NEWBERRY, S.F.	9501120232	ORG
MILLER, L.F.	9501300040*	50-457 QQ	MOSEN, L.	9501240245	PRM	NEWBERRY, S.F.	9501200076	REVIEW GR P
MILLER, M.S.	9501310071*	50-335 Q	MOSLEY, K.	9501300172*	50-361 P	NEWBURGH, G.	9501230114	50-245 R
MILLER, M.T.	9501050165	40-7102	MOY, D.T.	9501090037*	50-352 Q	NEWTON, R.A.	9501030105	TOPREP
MILLER, W.O.	9501050384*	FOIA	MOYER, J.D.	9501040202*	FOIA	NEWTON, R.A.	9501040135	PR
MILLER, W.O.	9501050465*	FOIA	MOYER, J.D.	9501040206*	FOIA	NEWTON, T.H.	9501060122	50-20 S
MILLER, W.O.	9501190312*	70-*****	MOYER, J.D.	9501040217*	FOIA	NICHOLS, D.C.	9501170192	FOIA
MILLER, W.O.	9501230220*	FOIA	MOYER, J.D.	9501040222*	FOIA	NICHOLS, J.A.	9501050090*	50-311 Q
MILLS, W.A.	9501300117*	COMMISSION	MOYER, J.D.	9501040229*	FOIA	NICHOLSON, L.	9501050113	50-423 Q
MILNER, B.	9501100299	50-454 S	MOYER, J.D.	9501040234*	FOIA	NICHOLSON, L.E.	9501170051*	50-213 Q
MILNER, B.	9501240118	50-454 S	MOYER, J.D.	9501040235*	FOIA	NICHOLSON, L.E.	9501300036*	50-245 Q
MILNER, R.A.	9501250448	WASTE MGT	MOYER, J.D.	9501040237*	FOIA	NICK, J.	9501240068*	50-443 Q
MILNER, R.A.	9501310295	WASTE MGT	MOYER, J.D.	9501050252*	FOIA	NICOLLS, S.	9501090016	50-312 F
MILSTEIN, R.	9501110375	70-1151	MOYER, J.D.	9501050259*	FOIA	NILSEN, C.W.	9501100339*	70-*****
MIMS, D.C.	9501040145	50-313 P	MOYER, J.D.	9501060074*	FOIA	NIMITZ, R.L.	9501240052*	50-245 Q
MIMS, D.C.	9501190064*	50-313 Q	MOYER, J.D.	9501060076*	FOIA	NIMITZ, R.L.	9501300007	50-352 S
MIMS, D.C.	9501190295	50-368 R	MOYER, J.D.	9501060142*	FOIA	NIMITZ, R.L.	9501300017	50-352 S
MIMS, D.C.	9501200161	50-313 P	MOYER, J.D.	9501060147*	FOIA	NIXON, W.A.	9501230261*	70-1489 Q
MIMS, D.C.	9501230223	50-313 R	MOYER, J.D.	9501060186*	FOIA	NOONAN, T.P.	9501040260	50-334 Q
MIMS, D.C.	9501250133	50-313 S	MOYER, J.D.	9501060190*	FOIA	NOONAN, T.P.	9501090033	50-412 P
MINGST, B.C.	9501260092	PR	MOZAFARI, B.	9501030176	50-261 P	NOONAN, T.P.	9501170085	50-334 R
MINNITTE, S.F.	9501190284	40-341	MOZAFARI, B.	9501110455	50-261 P	NOONAN, T.P.	9501300150	50-334 R
MINS, D.C.	9501110513	50-313 Q	MOZAFARI, B.L.	9501060049	50-261 P	NORDIN, R.A.	9501180097	50-160 Q
MITCHELL, F.W.	9501050245*	FOIA	MOZAFARI, B.L.	9501110400	50-261 P	NORKIN, D.	9501050228*	50-390 G
MITCHELL, F.W.	9501050250*	FOIA	MOZAFARI, B.L.	9501120357	50-261 P	NORRHOLM, L.J.	9501050138*	50-331 P
MITCHELL, F.W.	9501050271*	FOIA	MROCKZKA, E.J.	9501170241*	50-336 P	NORRHOLM, L.J.	9501090334*	50-440 P
MITCHELL, F.W.	9501050284*	FOIA	MROCKZKA, E.J.	9501170241*	50-336 P	NORRHOLM, L.J.	9501130206*	50-341 P
MITCHELL, F.W.	9501050289*	FOIA	MUELLER, J.H.	9501170204	50-298 P	NORRHOLM, L.J.	9501180147	50-266 P
MITCHELL, F.W.	9501050297*	FOIA	MUELLER, J.H.	9501240275	50-298 P	NORRHOLM, L.J.	9501180167*	50-266 P
MITCHELL, F.W.	9501050299*	FOIA	MUELLER, J.H.	9501300201	50-298 Q	NORRIS, J.A.	9501240158	50-335 P
MITCHELL, F.W.	9501050301*	FOIA	MUELLER, J.H.	9501310193	50-298 F	NOSENCHUCK, N.	9501040119	PR
MITCHELL, F.W.	9501050303*	FOIA	MUELLER, J.M.	9501130135	50-298 Q	NOSENCHUCK, N.	9501240223*	FOIA
MITCHELL, F.W.	9501050305*	FOIA	MUELLER, F.E.	9501240348*	50-146 P	NOSS, D.L.	9501270326	70-1257
MITCHELL, F.W.	9501050337*	FOIA	MULDER, R.U.	9501110216	PRM	NUNN, D.E.	9501050248	50-390 Q
MITCHELL, F.W.	9501050356*	FOIA	MULLINS, C.E.	9501170080*	FOIA	NUNN, D.E.	9501050253	50-390 Q
MITCHELL, F.W.	9501050450*	FOIA	MUNTZ, J.A.	9501230332	50-352 R	NUNN, D.E.	9501050431	50-390 A
MITCHELL, F.W.	9501060017*	FOIA	MUNTZING, L.M.	9501120046	PR	NUNN, D.E.	9501050479	50-390 A
MITCHELL, F.W.	9501060100*	FOIA	MURIEL, L.	9501300170*	50-361 P	NUNN, D.E.	9501120202	50-390 A
MITCHELL, F.W.	9501060136*	FOIA	MURLEY, T.E.	8908080376*	COMMISSION	NUNN, D.E.	9501130165	50-390 Q
MITCHELL, L.	9501250059	REG CERT	MURPHY, G.L.	9501240387*	FOIA	NUNN, D.E.	9501130175	50-390 Q
MITCHELL, M.	9501190192	30-11193	MURPHY, J.D.	9501050292	71-1	NUNN, D.E.	9501130186	50-390 Q
MITCHELL, M.H.	9501030146	50-255 F	MURPHY, J.D.	9501180187	71-1	NUNN, D.E.	9501130190	50-390 A
MITCHELL, M.H.	9501030148	50-255 F	MURPHY, T.D.	9501060226	50-424 T	NUNN, D.E.	9501190054	50-390 Q
MITCHELL, M.H.	9501050178	50-255 F	MURPHY, T.D.	9501100235	50-424 T	NUNN, D.E.	9501190062	50-390 Q
MITCHELL, M.H.	9501050192	50-255 F	MURPHY, T.D.	9501100266	50-424 T	NUNN, D.E.	9501190074	50-390 A
MITCHELL, W.	9501230251	40-8724	MURPHY, T.D.	9501110190	50-424 T	NUNN, D.E.	9501200205	50-390 A
MODES, M.C.	9501110001	50-272 Q	MURPHY, T.D.	9501130202	50-424 T	NUNN, D.E.	9501200208	50-390 A
MODES, M.C.	9501110005*	50-272 Q	MURPHY, T.D.	9501130271	50-424 T	NUNN, D.E.	9501230065	50-390 Q
MODES, M.C.	9501110024	50-352 P	MURPHY, T.D.	9501200231	50-424 T	NUNN, D.E.	9501260153	50-390 A
MODES, M.C.	9501110032	50-244 P	MURPHY, W.M.	9501190155	WASTE MGT	NUNN, D.E.	9501270040	50-390 Q
MODES, M.C.	9501110084	50-286 Q	MURPHY, W.M.	9501230169	WASTE MGT	NUNN, D.E.	9501270045	50-390 Q
MODES, M.C.	9501110115	50-271 Q	MURRAY, B.	9501030053*	50-275 Q	NUNN, D.E.	9501270054	50-390 Q
MODES, M.C.	9501110122*	50-271 Q	MURRAY, B.	9501030079*	50-482 Q	NUNN, D.E.	9501270059	50-390 Q
MODES, M.C.	9501110222	50-277 P	MURRAY, B.	9501050070*	50-313 Q	NUNN, D.E.	9501270066	50-390 Q
MODES, M.C.	9501110482	50-277 P	MURRAY, B.	9501050081*	50-482 Q	NUNN, D.E.	9501270073	50-390 Q
MODES, M.C.	9501200061	50-352 Q	MURRAY, B.	9501090005*	50-382 Q	NUNN, D.E.	9501310410	50-390 A
MODES, M.C.	9501200063*	50-352 Q	MURRAY, B.	9501190039*	50-298 Q	NUSSBAUMER, D.A.	9501060263*	40-2810
MODES, M.C.	9501270003	50-244 P	MURRAY, B.	9501310062*	50-298 Q	NUSSBAUMER, D.A.	9501090147*	70-*****
MODES, M.C.	9501270004*	50-244 P	MURRAY, B.	9501230028*	50-313 Q	NUSSBAUMER, D.A.	9501090170*	70-*****
MODES, M.C.	9501110482	50-277 P	MURRAY, B.	9501050081*	50-482 Q	NUSSBAUMER, D.A.	9501090208*	70-*****
MODES, M.C.	9501200061	50-352 Q	MURRAY, B.	9501090005*	50-382 Q	NUSSBAUMER, D.A.	9501090214*	70-*****
MODES, M.C.	9501200063*	50-352 Q	MURRAY, B.	9501190039*	50-298 Q	NUSSBAUMER, D.A.	9501090215*	70-*****
MODES, M.C.	9501270003	50-244 P	MURRAY, B.	9501310062*	50-298 Q	NUSSBAUMER, D.A.	9501090218*	70-*****
MODES, M.C.	9501270004*	50-244 P	MURRAY, B.	9501230028*	50-313 Q	NUSSBAUMER, D.A.	9501090249*	70-*****
MODES, M.C.	9501270157	50-277 P	MYERS, H.R.	9501100273*	50-309 H	NUSSBAUMER, D.A.	9501090208*	70-*****
MOHUNDRO, M.	9501110307*	27-47	MYERS, J.	9501260027	STATE PRO G	NUSSBAUMER, D.A.	9501090214*	70-*****
MONTGOMERY, J.L.	9501040185*	30-10346	MYERS, L.W.	9501190178	50-498 R	NUSSBAUMER, D.A.	9501090215*	70-*****
MONTGOMERY, J.L.	9501040191*	30-17129	MYKYTA, L.	9501230174	71-260	NUSSBAUMER, D.A.	9501090218*	70-*****
MONTGOMERY, J.L.	9501040213*	30-17129	NAIR, P.	9501230283	WASTE MGT	NUSSBAUMER, D.A.	9501090249*	70-*****
MONTGOMERY, J.L.	9501040261*	30-10346	NAIR, P.K.	9501230290	WASTE MGT	NUSSBAUMER, D.A.	9501090277*	70-*****
MOONEY, G.	9501130183	40-8502	NAIR, P.K.	9501100333	WASTE MGT	NUSSBAUMER, D.A.	9501090291*	70-*****
MOONEY, G.	9501250015	40-9024	NAIR, P.K.	9501100335*	WASTE MGT	NUSSBAUMER, D.A.	9501100182*	70-*****

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NUSSBAUMER,D.A.	9501100209*	70-*****	ORDERS,W.T.	9501310146*	50-261 Q	PATRICK,W.C.	9501110276	WASTE MGT
NUSSBAUMER,D.A.	9501100223*	70-*****	ORDORF,D.	9501300150	50-334 R	PATTERSON,C.A.	9501110119*	50-324 Q
NUSSBAUMER,D.A.	9501100263*	70-*****	ORLANDO,D.A.	9501030137	40-341	PATTERSON,C.A.	9501310056*	50-324 Q
NUSSBAUMER,D.A.	9501110316*	70-*****	ORLANDO,D.A.	9501230184	40-341	PATTERSON,S.J.	9501040071	FOIA
NUSSBAUMER,D.A.	9501110451*	70-*****	ORLANDO,D.A.	9501230207	40-341	PATTERSON,T.L.	9501030139	50-285 J
NUSSBAUMER,D.A.	9501110506*	70-*****	ORLANDO,T.	9501240169	50-286 R	PATTERSON,T.L.	9501040083	50-285 R
NUSSBAUMER,D.A.	9501120222*	70-*****	ORR,F.R.	9501270291	TOPREP	PATTERSON,T.L.	9501190183	50-285 R
NUSSBAUMER,D.A.	9501190383*	40-*****	ORR,R.S.	9501030017	QA999	PATTERSON,T.L.	9501200080	50-285 F
O'CONNELL,T.F.	9501300118*	STATE PRO G	ORR,R.S.	9501110144	QA999	PATTERSON,T.L.	9501230182	50-285 F
O'CONNOR,P.W.	9501120360	50-416 P	ORTCIGER,T.W.	9501120005	PR	PATTERSON,T.L.	9501240386	50-285 F
O'CONNOR,P.W.	9501120361*	50-416 P	ORTCIGER,T.W.	9501260113	PR	PATTERSON,T.L.	9501300120	50-285 P
O'CONNOR,P.W.	9501240024	50-416 P	OSGOOD,N.L.	9501300305	71-*****	PATTERSON,T.L.	9501310272	50-285 P
O'CONNOR,S.C.	9501310338*	50-282 Y	OSHINOWO,F.	9501030002	70-1252	PATTISON,P.C.	9501110179	PRM
O'CONNOR,W.J.	9501040228	50-346 F	OSHINOWO,F.	9501030019	70-1252	PATTISON,P.C.	9501110179	PRM
O'DONNELL,E.	9501180233	NUREG	OSHINOWO,F.	9501030023	70-1252	PAUL,R.	9501050141*	50-341 Q
O'HANLON,J.P.	9412230001	50-280 P	OSHINOWO,F.	9501180006	70-1252	PAULSON,O.A.	9501310256	40-8584
O'HANLON,J.P.	9501040183	50-280 P	OSHINOWO,F.	9501180018	70-1252	PAULSON,O.A.	9501310314	40-8584
O'HANLON,J.P.	9501050239	50-338 F	OSHINOWO,F.	9501180066	70-1252	PAUSTAIN,H.H.	9501230120	50-263 R
O'HANLON,J.P.	9501090145	50-338 Q	OWEN,R.E.	9501260219	40-8948	PAYNE,A.T.	9501110294*	40-501
O'HANLON,J.P.	9501090167	50-280 Y	OWER,R.E.	9501120030	PR	PAYNE,D.C.	9501240051*	50-269 Q
O'HANLON,J.P.	9501130131	50-338 Q	PABALAN,R.T.	9501180111	WASTE MGT	PEARCE,L.W.	9501060012	50-254 S
O'HANLON,J.P.	9501170081	50-338 F	PAGE,R.G.	9501200160*	70-*****	PEARCE,L.W.	950120257	50-265 S
O'HANLON,J.P.	9501190006	PR	PAGE,R.G.	9501120269*	70-*****	PEARCE,L.W.	9501180103	50-254 V
O'HANLON,J.P.	9501240074	50-338 S	PAGE,R.G.	9501170213*	FOIA	PEARCY,E.C.	9501230169	WASTE MGT
O'HANLON,J.P.	9501240131	50-280 P	PAGE,R.G.	9501190177*	70-*****	PEARSON,C.E.	9501260078	PR
O'LOUGHLIN,N.K.	9501120161*	70-*****	PAGE,R.G.	9501190182*	70-*****	PECK,C.C.	9501230323*	70-1489
O'LOUGHLIN,W.K.	9501040156*	FOIA	PAGE,R.G.	9501190393*	40-*****	PECK,C.C.	9501240174*	70-1489
O'LOUGHLIN,W.K.	9501040163*	FOIA	PAGE,R.G.	9501200057*	40-*****	PECK,C.C.	9501240189*	70-1489
O'LOUGHLIN,W.K.	9501040197*	FOIA	PAGE,R.G.	9501230285*	70-1489	PECK,C.C.	9501240195*	70-1489
O'LOUGHLIN,W.K.	9501100201*	70-*****	PAGE,R.G.	9501260336*	FOIA	PECK,C.C.	9501240201*	70-1489
O'LOUGHLIN,W.K.	9501130129*	FOIA	PALLADINO,N.J.	9501230185*	50-289 V	PEEBLES,T.A.	9501110140	50-259 Q
O'NEIL,J.	9501060134	50-237 S	PALLADINO,N.J.	9501230189*	FOIA	PEEBLES,T.A.	9501170023*	50-269 Q
O'REILLY,J.P.	9501120186*	70-*****	PALLADINO,N.J.	9501230216*	FOIA	PEEBLES,T.A.	9501170028	50-327 V
O'REILLY,J.P.	9501120225*	FOIA	PALLADINO,N.J.	9501230256*	FOIA	PEEBLES,T.A.	9501170052	50-413 Q
O'REILLY,J.P.	9501170099*	70-*****	PALLADINO,N.J.	9501240224*	FOIA	PEEBLES,T.A.	9501170055	50-302 Q
O'REILLY,J.P.	9501170129*	70-*****	PALLADINO,N.J.	9501260225*	FOIA	PEEBLES,T.A.	9501170073	50-250 Q
O'REILLY,J.P.	9501170161*	70-*****	PAMBIANCO,D.J.	9501110171	PRM	PEEBLES,T.A.	9501240020	50-369 Q
O'REILLY,J.P.	9501170247*	70-*****	PANDE,R.	9501050243*	50-272 P	PEEBLES,T.A.	9501240032	50-327 V
O'TOOLE,P.E.	9501050388	FOIA	PANDE,R.P.	9501050249*	50-272 P	PEEBLES,T.A.	9501240037	50-269 Q
O'HANLON,J.P.	9501040190	50-280 F	PANG,J.F.	8511060482*	30-10346 P	PEEBLES,T.A.	9501240063	50-338 Q
ODAR,F.	9501100318	52-3	PANG,J.F.	9010170107*	30-17129	PEEBLES,T.A.	9501240097	50-280 V
OGLE,C.R.	9501310146*	50-261 Q	PANG,J.F.	9106260014*	30-10346	PEGG,W.D.	9501310055*	50-346 Q
OGLE,R.A.	9501260228	40-9022	PANG,J.F.	9209290155*	30-20405	PELLET,J.L.	9501240127*	50-498 Q
OHLGREN	9501190299*	40-*****	PANG,J.F.	9209290174*	30-17129	PEMBROKE,J.D.	9501270079	50-458 G
OHLGREN,H.A.	9501190261*	40-*****	PANG,J.F.	9501040159*	30-10346	PEMBROKE,J.D.	9501270079	50-458 G
OHLGREN,H.A.	9501190266*	40-*****	PANG,J.F.	9501040176*	30-10346	PEMBROKE,J.D.	9501270107	50-458 G
OHLGREN,H.A.	9501190327*	40-*****	PANG,J.F.	9501040185*	30-10346	PEMBROKE,J.D.	9501270107	50-458 G
OHLGREN,H.A.	9501190342*	40-*****	PANG,J.F.	9501040191*	30-17129	PENDERGAST,J.M.	9501190267	50-341 S
OLIVER,R.	9501130282*	WASTE MGT	PANG,J.F.	9501040199*	30-10346	PENROD,K.L.	9501050178	50-255 F
OLIVER,R.	9501130283*	WASTE MGT	PANG,J.F.	9501040221*	30-20405	PERCH,R.L.	9501170082	TOPREP
OLSEN,A.F.	9501030018	70-27	PANG,J.F.	9501040232*	30-17129	PERCH,R.L.	9501170266	TOPREP
OLSEN,A.F.	9501050029	71-88	PANG,J.F.	9501040253*	30-10346	PERCH,R.L.	9501270158	TOPREP
OLSEN,A.F.	9501200120	70-27	PANG,J.F.	9501040257*	30-10346	PERCIVAL,A.M.	9501190119	50-346 F
OLSEN,A.F.	9501240028	70-27	PANG,J.F.	9501040266*	30-10346	PERGERSON,B.	9501120194	50-324 P
OLSEN,A.F.	9501250025	70-27	PANG,S.	9409200224*	50-321 P	PERKINS,K.E.	9501230020	50-275 Q
OLSEN,C.	9501230301	50-280 R	PANNELL,J.D.	9501100024	CONTRACT	PERRERO,D.	9501170011*	STATE PRO G
OLSEN,W.	9501110243*	50-443 Q	PANNUNZIO,N.	9501130197	FOIA	PERSON,L.S.	9501030131	40-8778
OLSHAN,L.M.	9501050376	50-272 P	PAOLINO,R.J.	9501110061*	50-219 Q	PESCHEL,J.M.	9501050202	50-443 S
OLSHAN,L.N.	9501050346	50-272 P	PAPE,J.M.	9501060015	WASTE MGT	PESCHEL,J.M.	9501050286	50-443 S
OLSHAN,L.N.	9501110359	50-272 P	PAPERIELLO,C.J.	9412210186	50-3 Q	PESCHEL,J.M.	9501250148	50-443 S
OLSHAN,L.N.	9501110490	50-272 P	PAPERIELLO,C.J.	9501200015	REG CERT	PETER,K.D.	9501120104	40-8027
OLSHAN,L.N.	9501310252	50-272 P	PARK,J.R.	9501090274	40-8968	PETERSON,D.L.	9501030148	50-255 F
OLSON,C.A.	9501030115*	TOPREP	PARKER,B.A.	9501110107*	50-369 Q	PETERSON,M.R.	9501200297*	FOIA
OPEKA,J.F.	9501050481	50-213 Q	PARKER,B.A.	9501240008*	50-327 Q	PETERSON,S.R.	9501100244	50-282 P
OPEKA,J.F.	9501050481	50-213 Q	PARKS,L.A.	9501050222*	FOIA	PETERSON,S.R.	9501260375	50-282 P
OPEKA,J.F.	9501120120	50-213 F	PARLER,W.C.	9310080093*	COMMISSION	PETSCHAUER,F.	9501130166	50-322 R
OPEKA,J.F.	9501120120	50-213 F	PARRISH,J.V.	9501040180	50-397 P	PETSCHAUER,F.	9501240284	50-322 W
OPEKA,J.F.	9501120120	50-213 F	PARRISH,J.V.	9501050367	50-397 P	PETSCHAUER,F.	9501250028	50-322 R
OPEKA,J.F.	9501190224	50-423 P	PARRISH,J.V.	9501060208	50-397 Q	PEURA,D.A.	9501110269	PRM
OPEKA,J.F.	9501190224	50-423 P	PARRISH,J.V.	9501130091	50-397 Q	PEZZE,C.M.	9501310220*	50-305 P
OPEKA,J.F.	9501190321	50-423 P	PARRISH,J.V.	9501130098	PR	PHAM,S.	9501300171*	50-361 P
OPEKA,J.F.	9501190321	50-423 P	PARRISH,J.V.	9501130106	PR	PHARES,R.F.	9501110130	50-461 Q
OPEKA,J.F.	9501190377	50-336 P	PARRISH,J.V.	9501180170*	50-397 Q	PHARES,R.F.	9501110343	50-461 J
OPEKA,J.F.	9501230329	50-336 P	PARRISH,J.V.	9501230206	50-397 Q	PHARES,R.F.	9501200118	50-461 R
OPEKA,J.F.	9501230329	50-336 P	PARRISH,J.V.	9501240163	50-397 P	PHARES,R.F.	9501260094	50-461 P
OPEKA,J.F.	9501240255	50-213 H	PARRISH,J.V.	9501310123	50-397 Q	PHARES,R.F.	9501310164	50-461 P
OPEKA,J.F.	9501240255	50-213 H	PARRY,G.	9501310306*	REVIEW GR P	PHARES,R.F.	9501310171	50-461 F
OPEKA,J.F.	9501240347	50-423 P	PASTVA,M.J.	9501190115	50-272 S	PHARR,E.B.	9501110218*	70-27
OPEKA,J.F.	9501250258	50-213 P	PASTVA,M.J.	9501270226	50-311 S	PHARR,E.B.	9501240190*	70-1113
OPEKA,J.F.	9501250262	50-245 P	PATE,J.D.	9501240278	40-8102	PHILLIPS,J.J.	9501240317	50-131 R
OPEKA,J.F.	9501250262	50-245 P	PATE,R.J.	9501040225*	FOIA	PHILLIPS,M.	9501270144	50-341 S
OPEKA,J.F.	9501250317	50-213 P	PATELA.	9501300170*	50-361 P	PHILLIPS,M.P.	950120015	50-263 Q
OPEKA,J.F.	9501250317	50-213 P	PATEL,C.P.	9501120087	50-382 P	PHILLIPS,M.P.	950120020*	50-263 Q
OPEKA,J.F.	9501260320	50-423 P	PATEL,C.P.	9501190169	50-382 P	PHILLIPS,M.P.	9501120061	50-155 Q
OPEKA,J.F.	9501260320	50-423 P	PATEL,C.P.	9501230213	50-382 F	PHILLIPS,M.P.	9501120065*	50-155 Q
OPEKA,J.F.	9501260326	50-423 P	PATEL,C.P.	9501270219	50-382 P	PHILLIPS,M.P.	9501190078*	50-341 Q
OPEKA,J.F.	9501260326	50-423 P	PATEL,C.P.	9501270222*	50-382 P	PHILLIPS,M.P.	9501240016	50-263 Q
ORDERS,W.T.	9501110459*	50-261 Q	PATRICK,W.C.	9501040177	WASTE MGT	PHILLIPS,S.	9501190019	PRM

260 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PIAZZA,F.	9501230144	50-317 R	POWELL,R.A.	9501040036	70-3074	RAGLAND,R.C.	9501110034*	50-387 Q
PICKETT,D.A.	9501180123	WASTE MGT	POWELL,R.A.	9501040059	FOIA	RAGLAND,R.C.	9501240029*	50-309 Q
PICKETT,D.A.	9501230169	WASTE MGT	POWELL,R.A.	9501040063	FOIA	RAINEY,G.R.	9501170208	50-277 R
PIERCE,K.G.	9501180243	50-237 G	POWELL,R.A.	9501040075	FOIA	RAINEY,G.R.	9501200149	50-277 R
PIERSON,R.	9501190226	70-27	POWELL,R.A.	9501040148	FOIA	RAINEY,G.R.	9501230180	50-277 F
PIERSON,R.	9501250239	70-364	POWELL,R.A.	9501040208	FOIA	RAINEY,G.R.	9501270200	50-277 Q
PIERSON,R.	9501250242	70-364	POWELL,R.A.	9501040215	FOIA	RAMSDELL,J.V.	9501180194	NUREG
PIERSON,R.	9501250276	70-1201	POWELL,R.A.	9501040265	FOIA	RAMSEY,T.B.	9501090002	71-9210
PIERSON,R.	9501310362	70-143	POWELL,R.A.	9501050198	FOIA	RAMSEY,T.B.	9501090004*	71-9210
PIERSON,R.C.	9501060231	70-1257	POWELL,R.A.	9501050408	FOIA	RAMSEY,T.B.	9501090008*	71-9210
PIERSON,R.C.	9501060233*	70-1257	POWELL,R.A.	9501060232	50-237 P	RANCK,M.H.	9501040251	50-289 P
PIERSON,R.C.	9501060246	70-143	POWELL,R.A.	9501130034	FOIA	RANDALL,K.	9501250102	REG CERT
PIERSON,R.C.	9501060248*	70-143	POWELL,R.A.	9501130298	50-266 P	RANGE,D.M.	9501270234	40-8102
PIERSON,R.C.	9501110006	70-27	POWELL,R.A.	9501170056	50-289 Q	RANKIN,W.R.	9501110107*	50-369 Q
PIERSON,R.C.	9501110010*	70-27	POWELL,R.A.	9501170064	50-498 Q	RANKIN,W.R.	9501240008*	50-327 Q
PIERSON,R.C.	95011100370	70-1100	POWELL,R.A.	9501170106	FOIA	RANSOHOFF,J.A.	9501270097	PR
PIERSON,R.C.	9501130092	70-1113	POWELL,R.A.	9501170146	FOIA	RASHID,Y.R.	9501200327	TOPREP
PIERSON,R.C.	9501130097*	70-1113	POWELL,R.A.	9501170171	FOIA	RASIN,W.H.	9501120081	PR
PIERSON,R.C.	9501250366	70-938	POWELL,R.A.	9501170180	FOIA	RASIN,W.H.	9501200008	I&E
PIERSON,R.C.	9501250368*	70-938	POWELL,R.A.	9501170189	FOIA	RASIN,W.H.	9501310296	REVIEW GR P
PIERSON,R.C.	9501250376	70-1257	POWELL,R.A.	9501170230	FOIA	RASIN,W.H.	9501310303	REVIEW GR P
PIERSON,R.C.	9501250381*	70-1257	POWELL,R.A.	9501200281	FOIA	RATHBUN,D.K.	9501090083*	ORG
PIERSON,R.C.	9501260002	70-2910	POWELL,R.A.	9501230111	FOIA	RATHBUN,D.K.	9501230243	ORG
PIERSON,R.C.	9501310365	70-27	POWELL,R.A.	9501230150	FOIA	RATHBUN,D.K.	9501230247	PR
PIET,P.L.	9501100002	50-237 F	POWELL,R.A.	9501230176	70-1489	RATHBUN,D.K.	9501240155	50-341 U
PIET,P.L.	9501240332	50-237 V	POWELL,R.A.	9501230253	40-8724	RATHBUN,D.K.	9501260122	ORG
PIET,P.L.	9501240363	50-237 Q	POWELL,R.A.	9501240360	50-293 P	RATHBUN,D.K.	9501260154	ORG
PIET,P.L.	9501250253	50-237 P	POWELL,R.A.	9501250058	FOIA	RATHBUN,D.K.	9501310002	PRM
PIET,P.L.	9501310181	50-237 P	POWELL,R.A.	9501250074	40-8724	RATLIFF,R.A.	9501130109	PR
PILCH,M.M.	9501180334	50-295 P	POWELL,R.A.	9501300214	FOIA	RATLIFF,R.A.	9501270026	PR
PILCH,M.M.	9501190286	50-295 P	POWERS,D.A.	9501190049*	50-458 Q	RAY,D.J.	9501190157	50-373 S
PINELLI,R.A.	9501040094	PR	PRANGE,B.	9501060008	I&E	RAY,D.J.	9501190303	50-374 S
PINZON,J.	9501120022	50-498 S	PRECKSHOT,G.G.	9501180332	NUREG	RAY,D.J.	9501200142	50-373 S
PIRTLE,G.L.	9501050180*	50-483 Q	PRELL,J.A.	9501050068*	50-317 Q	RAY,D.J.	9501270359	50-374 S
PLAINE,H.E.	9501300246*	71-35	PRENDERGAST,K.	9501040213*	30-17129	RAY,D.J.	9501300198	50-374 S
PLATO,P.	9501120014	PR	PRENDERGAST,K.	9501040239*	30-17129	REBBAPRAGADA,R.	9501030109	FOIA
PLOWMAN,R.D.	9501260132	71-238	PRENDERGAST,K.	9501040246*	30-17129	REBMAN,N.F.	9501230267*	FOIA
PLUNKETT,T.F.	9501030020	50-250 R	PREVATTE,D.C.	9501100056*	50-387 H	REBMAN,N.F.	9501230274*	FOIA
PLUNKETT,T.F.	9501050324	50-250 P	PREVATTE,D.C.	9501240313	50-387 H	REBMAN,N.F.	9501230277*	FOIA
PLUNKETT,T.F.	9501170053	50-250 F	PREVATTE,R.L.	9501310071*	50-335 Q	RECKLEY,W.D.	9501230348	50-373 P
PLUNKETT,T.F.	9501230297	50-250 P	PRICE,E.	9501060252*	40-2810	RECKLEY,W.D.	9501300279	50-373 P
PLUNKETT,T.F.	9501270171	50-250 P	PRICE,E.R.	9501190398*	40-*****	RECKMAN,B.J.	9501240348*	50-146 P
PLUNKETT,T.F.	9501310202	50-250 F	PRICE,E.R.	9501200027*	40-*****	REDEKER,S.J.	9501190162	50-312 P
PLUNKETT,T.F.	9501310304	50-250 S	PRICE,E.R.	9501260344*	FOIA	REED,A.	9501300110	50-247 R
PLOCH,T.J.	9501060065	50-445 S	PRICE,E.R.	9501270182*	FOIA	REED,C.A.	9501040035	30-10346
POLICH,T.J.	9501300295	50-445 P	PRICE,H.L.	9501200065*	40-*****	REED,C.A.	9501040070	FOIA
POSUSNY,C.	9501030157	50-387 P	PRICE,T.	9501110307*	27-47	REED,C.A.	9501040153	FOIA
POSUSNY,C.	9501030192	50-387 P	PRIEST,D.N.	9501120204*	50-390 A	REED,C.A.	9501040258	FOIA
POSUSNY,C.	9501030208*	50-387 P	PRIEST,D.N.	9501120205*	50-390 A	REED,C.A.	9501050339	FOIA
POSUSNY,C.	9501050325	50-387 P	PRIEST,D.N.	9501120206*	50-390 A	REED,C.A.	9501060129	FOIA
POSUSNY,C.	9501100315*	50-352 P	PRIEST,D.N.	9501120208*	50-390 A	REED,C.A.	9501060265	FOIA
POSUSNY,C.	9501110131	50-387 P	PRIEST,D.N.	9501120217*	50-390 A	REED,C.A.	9501170195	FOIA
POSUSNY,C.	9501110297	50-387 P	PRIEST,D.N.	9501120221*	50-390 A	REED,T.A.	9501270101	REVIEW GR P
POSUSNY,C.	9501110479	50-387 P	PRISHT,D.N.	9501120212*	50-390 A	REHN,D.L.	9501090185	50-413 Q
POSUSNY,C.	9501230275	50-387 P	PRIKRYL,J.	9501190274	WASTE MGT	REHN,D.L.	9501110118	50-413 Q
POSUSNY,C.	9501310112	50-387 P	PRIVIDY,L.	9501110205*	50-443 Q	REHN,D.L.	9501230081	50-413 P
POSUSNY,C.	9501310206	50-387 P	PROVENCHER,R.B.	9501060215	PROJ	REHN,D.L.	9501250164	50-413 P
POSUSNY,C.	9501310249	50-387 P	PROVENCHER,R.B.	9501170026	PROJ	REHN,D.L.	9501250171	50-413 P
POSTAR,M.R.	9501310251*	50-387 P	PRUETT,T.	9501040239*	30-17129	REHN,D.L.	9501310435	50-369 P
POTAPOVS,U.	9501090065*	QA999	PRUSSMAN,S.	9501170063	50-286 S	REID,B.W.	9501260365	40-8027
POTTER,M.D.	9501310023*	50-254 P	PULSIFER,R.M.	9501100271	50-254 P	REID,D.A.	9501050345	50-271 P
POTTER,T.	9501270056	PR	PULSIFER,R.M.	9501180317	50-254 P	REID,D.A.	9501200138	50-271 R
POWELL,E.W.	9501200112*	40-*****	PUNCHES,J.R.	9409200222*	50-321 P	REID,D.A.	9501230322	50-271 K
POWELL,R.	9501060098	FOIA	QUAY,T.R.	9501170256	50-361 P	REILLY,F.K.	9501130140	40-341
POWELL,R.	9501060116	50-267 Q	QUAY,T.R.	9501260343*	50-482 F	REISENWEAVER,D.	9501200141*	40-9027
POWELL,R.	9501060140	50-267 W	QUAY,T.R.	9501270252	50-482 Q	REITLER,E.	9501300211	70-1151
POWELL,R.	9501060158	50-498 Q	QUENNOZ,S.M.	9501100227	50-344 R	REITZ,A.	9501120321	40-8968
POWELL,R.	9501060173	FOIA	QUENNOZ,S.M.	9501170116	50-344 F	REITZ,A.E.	9501130041	40-8968
POWELL,R.	9501060267	FOIA	QUENNOZ,S.M.	9501270322	50-334 P	REMICK	9501050410*	FOIA
POWELL,R.	9501090284	50-352 Q	QUENNOZ,S.M.	9501310189	50-344 P	REMICK	9501060185*	FOIA
POWELL,R.	9501090315	FOIA	QUERIO,R.E.	9501050362	50-373 P	REMICK,F.J.	9501300077*	COMMISSION
POWELL,R.	9501130065	FOIA	QUERIO,R.E.	9501300232	50-373 V	REMICK,F.J.	9501300084*	COMMISSION
POWELL,R.	9501170084	FOIA	QUILLIN,R.M.	9501240288	PR	REMICK,J.	9501060167*	FOIA
POWELL,R.	9501170160	FOIA	QUILLIN,R.M.	9501270103	REGGD	REMINGTON,S.A.	9501040084	PR
POWELL,R.	9501170181	FOIA	QUINN,J.E.	9501240356	52-4	REPARAZ,A.	9501060060*	71-9248
POWELL,R.	9501170217	50-245 P	QUINN,J.E.	9501310048	52-4 R	REYES,R.J.	9501200063*	50-352 Q
POWELL,R.	9501170251	50-289 F	QUINN,R.F.	9501030128*	50-272 R	REYNOLDS,N.S.	9501120045	PR
POWELL,R.	9501230112	FOIA	QUINN,S.E.	9501030132	50-247 P	REYNOLDS,N.S.	9501130104	FOIA
POWELL,R.	9501230154	FOIA	QUINN,S.E.	9501060168	50-247 F	RHEINGOLD,D.	9501030077	FOIA
POWELL,R.A.	9501030083	FOIA	QUINN,S.E.	9501110206	50-247 P	RHEINGOLD,D.	9501040214	FOIA
POWELL,R.A.	9501030095	FOIA	QUINN,S.E.	9501130232	50-247 P	RHYNE,L.	9501090004*	71-9210
POWELL,R.A.	9501030099	FOIA	QUINN,S.E.	9501230059	50-247 Q	RHYNE,L.	9501090008*	71-9210
POWELL,R.A.	9501030110	FOIA	QUINN,S.E.	9501250316	50-247 P	RICCIO,J.P.	9501060256	FOIA
POWELL,R.A.	9501030150	FOIA	QUINN,S.E.	9501300110	50-247 R	RICH,T.W.	9501060013	NUREG
POWELL,R.A.	9501030173	50-528 H	QUINN,S.E.	9501300228	50-3 P	RICH,T.W.	9501100013	REG CERT
POWELL,R.A.	9501030200	FOIA	RADDATZ,M.G.	9501310386	50-344 P	RICH,T.W.	9501270081	ORG
POWELL,R.A.	9501040033	70-*****	RAFKY,L.M.	9501170075*	FOIA	RICHARDS,R.	9501110285	PRM
			RAGHAVAN,L.	9501270210	50-302 P	RICHARDS,S.A.	9501110242	50-160 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RICHINGS,H.	9501310235	50-271	ROSS,T.M.	9501170017*	50-348	SAGAR,B.	9501180132	WASTE MGT
RICKER,J.	9501300143*	50-263	ROTHERT,W.C.	9501270131	50-293	SAGAR,B.	9501180141	WASTE MGT
RICKETSON,L.T.	8610240307*	FOIA	ROUGHAN,C.	9501040100	STATE PRO G	SAGAR,B.	9501200130	WASTE MGT
RIDGEWAY,K.R.	9501230306*	70-1489	ROUGHAN,C.	9501100229	PT21	SAGAR,B.	9501230283	WASTE MGT
RIDGEWAY,K.R.	9501240160*	70-1489	ROUGHAN,C.	9501120006	PR	SAGER,D.A.	9501100001	50-335 F
RIDGWAY,E.R.	9501230291*	70-1489	ROUGHAN,C.	9501260126	71-9035	SAGER,D.A.	9501200347	50-389 S
RIDKY,R.W.	9501180233	NUREG	ROUSE,L.C.	9501190190*	70-*****	SAGER,D.A.	9501240238	50-335 S
RINALDI,F.	9501030161	50-352	ROUSE,L.C.	9501190302*	70-*****	SAGER,D.A.	9501250115	50-335 F
RINALDI,F.	9501060275	50-352	ROUSE,L.C.	9501230226*	70-1489	SAGER,D.A.	9501310191	50-335 P
RINALDI,F.	9501100313	50-352	ROUSE,L.C.	9501230236*	70-1489	SAITO,A.	9501300093*	XPORTLIC
RINALDI,F.	9501260117	50-352	ROUSE,L.C.	9501230244*	70-1489	SAKAGAMI,T.	9501170126	FOIA
RINALDI,F.	9501260268	50-352	ROUSE,L.C.	9501230261*	70-1489	SALAS,P.	9501050419	50-259 P
RINALDI,F.	9501310231	50-352	ROUSE,L.C.	9501230273*	70-1489	SALAS,P.	9501100166	50-260 Q
RING,M.	9501050156	50-237	ROWLAND,T.J.	9501060220	PROJ	SALAS,P.	9501100242	50-259 P
RING,M.A.	9501120041	50-331	ROWLAND,T.J.	9501130117	PROJ	SALAS,P.	9501190259	50-260 P
RING,M.A.	9501190033	50-315	ROWLAND,T.J.	9501130267	PROJ	SALAS,P.	9501260267	50-259 P
RING,M.A.	9501180230	50-282	ROWLAND,T.J.	9501170034	PROJ	SALLADE,L.	9501180105*	40-8155
RING,M.A.	9501190161	50-346	ROWLAND,T.J.	9501170046	PROJ	SALLADE,L.	9501180117*	40-8155
RING,M.A.	9501300105	50-295	ROY,G.W.	9501130046*	70-*****	SALMON,H.P.	9501040250	50-333 S
RING,M.A.	9501300111*	50-295	ROY,G.W.	9501130148*	70-*****	SALMON,H.P.	9501060115	50-333 R
RING,M.A.	9501310092	50-155	RUBIN,M.	9501110023	PRM	SALMON,H.P.	9501110250	50-333 F
RISHEL,R.D.	9501310220*	50-305	RUBINSTEIN,R.D.	9501170186	FOIA	SANCHEZ,M.G.	9501060222*	40-2810
ROBERTS	9501080177*	FOIA	RUDEBUSCH,T.L.	9501100094	50-458	SANDBERG,E.	9501030100*	40-2259
ROBERTS,H.	9501080160*	FOIA	RUDEBUSCH,T.L.	9501100094	50-458	SANFORD,M.O.	9501050327	50-259 F
ROBERTS,W.L.	9501050241	50-255	RUDEBUSCH,T.L.	9501270079	50-458	SANFORD,M.O.	9501130126	50-327 H
ROBERTS,W.L.	9501250114	50-255	RUDEBUSCH,T.L.	9501270079	50-458	SANTIAGO,P.	9501310010	I&E
ROBERTSON,G.	9501200289	27-48	RUDEBUSCH,T.L.	9501270107	50-458	SANTIAGO,P.	9501310025	I&E
ROBINSON,L.L.	9501100125*	50-424	RUDISAILS,	9501110111*	50-327	SAPORITO,T.J.	9501030178*	50-528
ROBINSON,W.R.	9501040174	50-400	RUEGER,G.M.	9501040204	50-275	SAPORITO,T.J.	9501030185*	50-528 H
ROBINSON,W.R.	9501040193	50-400	RUEGER,G.M.	9501050067	50-275	SAPORITO,T.J.	9501230231	50-528 G
ROBINSON,W.R.	9501040264	50-400	RUEGER,G.M.	9501050091	50-323	SARKISSIAN,K.	9501040025	FOIA
ROBINSON,W.R.	9501050306	50-400	RUEGER,G.M.	9501050364	50-133	SARKISSIAN,K.	9501130022	FOIA
ROBINSON,W.R.	9501090046	50-400	RUEGER,G.M.	9501050470	50-275	SARTOR,W.M.	9501110060*	50-327 Q
ROBINSON,W.R.	9501090129	50-400	RUEGER,G.M.	9501090330	50-275	SAVASTANO,A.	9501300118*	STATE PRO G
ROBINSON,W.R.	9501170067	50-400	RUEGER,G.M.	9501130108	50-275	SAWYER,C.B.	9501120180	70-7001
ROBINSON,W.R.	9501240340	50-400	RUEGER,G.M.	9501130160	50-275	SAWYER,C.B.	9501250003	70-7001
ROBINSON,W.R.	9501250069	50-400	RUEGER,G.M.	9501130235	50-133	SAYLOR,H.F.	9501200112*	40-*****
ROBINSON,W.R.	9501250135	50-400	RUEGER,G.M.	9501190032*	50-133	SCALETTI,D.	9501230001	52-5
ROBINSON,W.R.	9501250194	50-400	RUEGER,G.M.	9501190176	50-275	SCARBOROUGH,J.	9501170128	50-261 R
ROBINSON,W.R.	9501250237	50-400	RUEGER,G.M.	9501230326	50-275	SCARBOROUGH,T.	9501200123	TOPREP
ROBINSON,W.R.	9501250408	50-400	RUEGER,G.M.	9501240059	50-275	SCARBROUGH,T.G.	9501190206	TOPREP
ROBINSON,W.R.	9501260128	50-400	RUEGER,G.M.	9501240274	50-323	SCHAEFER,K.T.	9501230296*	50-321 P
ROBINSON,W.R.	9501260139	50-400	RUEGER,G.M.	9501250067	50-323	SCHIERMAN,S.L.	9501270198	40-8681
ROCK,K.	9501040062	FOIA	RUEGER,G.M.	9501270216	50-275	SCHIERMAN,S.L.	9501270236	40-8681
RODABAUGH,J.F.	9409200222*	50-321	RUEGER,G.M.	9501310208	50-323	SCHIN,R.P.	9501310071*	50-335 Q
RODABAUGH,J.F.	9409200223*	50-321	RULAND,W.	9501090064*	50-245	SCHMEISER,T.	9501030030	50-3 R
RODABAUGH,J.F.	9409200224*	50-321	RULAND,W.H.	9501090042	50-272	SCHMEISER,T.	9501040061*	50-3 R
RODABAUGH,J.F.	9409200250*	50-321	RULAND,W.H.	9501090057*	50-272	SCHMELING,L.L.	9501270131	50-293 R
RODGERS,R.C.	9501050211	50-245	RULAND,W.H.	9501090061	50-245	SCHMIDT,W.L.	9501060083	50-446 P
ROE,J.W.	9501110423	50-498	RULAND,W.H.	9501110017*	50-219	SCHMIDT,W.L.	9501200342	50-260 P
ROE,J.W.	9501120335	50-528	RULAND,W.H.	9501110409	50-219	SCHMITT,J.F.	9501240271	NUREG
ROE,J.W.	9501190300	50-237	RULAND,W.H.	9501110414*	50-219	SCHMITT,J.F.	9501260105	PR
ROE,J.W.	9501190313*	50-237	RULAND,W.H.	9501180218	50-317	SCHNEIDER,K.N.	9501260042	STATE PRO G
ROGERS,J.A.	9501240238	50-335	RULAND,W.H.	9501180227*	50-317	SCHNELL,D.F.	9501060199	50-483 P
ROGERS,K.C.	9501060152*	FOIA	RULAND,W.H.	9501240040	50-247	SCHNELL,D.F.	9501060205	50-483 P
ROGERS,K.C.	9501060182*	FOIA	RUPERT,W.M.	9501110484	40-7604	SCHNELL,D.F.	9501240390	50-483 Q
ROGERS,K.C.	9501120079	52-2	RUPERT,C.	9501040105	PR	SCHNELL,D.F.	9501250008	50-483 P
ROGERS,K.C.	9501120264	COMMISSION	RUPERT,C.	9501110272	PRM	SCHNELL,D.F.	9501250260	50-483 P
ROGERS,K.C.	9501120283	COMMISSION	RUPERT,C.	9501190118	PR	SCHOLLL	9501110017*	50-219 Q
ROGERS,K.C.	9501120288	71-254	RUPERT,W.M.	9501120072	40-7604	SCHRADER,D.	9501270184	40-8968
ROGERS,K.C.	9501120295	COMMISSION	RUSSELL,W.T.	9412230255*	52-3	SCHRAG,M.R.	9501310026*	50-254 P
ROGERS,K.C.	9501120324	COMMISSION	RUSSELL,W.T.	9412290184	QA999	SCHRAGE,J.L.	9501310013	50-254 P
ROGERS,K.C.	9501120344	COMMISSION	RUSSELL,W.T.	9501050338	ORG	SCHRAGE,J.L.	9501310463	50-254 P
ROGERS,K.C.	9501260095	COMMISSION	RUSSELL,W.T.	9501050381	ORG	SCHROCK,C.A.	9501130113	PR
ROGERS,K.C.	9501300108	COMMISSION	RUSSELL,W.T.	9501060022	50-213	SCHROCK,C.A.	9501130253	50-305 P
ROGERS,K.C.	9501300125	COMMISSION	RUSSELL,W.T.	9501060037	50-361	SCHROCK,C.A.	9501180171	50-305 R
ROGERS,K.C.	9501300161	COMMISSION	RUSSELL,W.T.	9501060099	50-213	SCHROCK,C.A.	9501190265	50-305 F
ROGERS,K.C.	9501300163	COMMISSION	RUSSELL,W.T.	9501090107	ORG	SCHROCK,C.A.	9501250128	50-305 P
ROGERS,S.	9501250237	50-400	RUSSELL,W.T.	9501090292*	50-295	SCHROCK,C.A.	9501310170	50-305 P
ROGERS,W.G.	9501170023*	50-269	RUSSELL,W.T.	9501100259	50-309	SCHROCK,C.A.	9501310287	50-305 J
ROGGE,J.	9501110104*	50-219	RUSSELL,W.T.	9501100346	50-289	SCHROCK,C.A.	9501310456	50-305 F
ROGGE,J.	9501180076	50-219	RUSSELL,W.T.	9501120129	50-219	SCHROEDER,G.	9501050210*	50-272 P
ROGGE,J.F.	9501100123*	50-424	RUSSELL,W.T.	9501120158*	50-219	SCHROEDER,R.M.	9501120162	PT21
ROGGE,J.F.	9501180094*	50-289	RUSSELL,W.T.	9501120191	ORG	SCHROEDER,R.M.	9501270185	PT21
ROONEY,V.L.	9501110323	50-423	RUSSELL,W.T.	9501120210	PROJ	SCHUBERT,E.S.	9501180174	PR
ROONEY,V.L.	9501170014	50-423	RUSSELL,W.T.	9501180277	50-361	SCHULZ,R.K.	9501180233	NUREG
ROONEY,V.L.	9501170087	50-423	RUSSELL,W.T.	9501190294*	52-3	SCHUYLER,J.P.	9501060133	FOIA
ROSE,C.H.	9501170154	FOIA	RUSSELL,W.T.	9501300085	ORG	SCHWARTZ,G.K.	9501100299	50-454 S
ROSE,C.H.	9501170169	FOIA	RUSSELL,W.T.	9501300100	50-390	SCHWARTZ,G.K.	9501240118	50-454 S
ROSENBAUM,P.J.	9501060184	FOIA	RUSSELL,W.T.	9501310356	50-390	SCHWARTZ,G.K.	9501240126	50-454 R
ROSENBAUM,P.J.	9501130188*	FOIA	RUSSELL,W.T.	9501310418	PR	SCOTT,M.A.	9501170017*	50-348 Q
ROSENBERG,W.G.	9210020246*	COMMISSION	RYAN,A.F.	9501270188*	FOIA	SCROGGS,A.C.	9501130116	PR
ROSENBLUM,R.M.	9501050193	50-361	RYDER,T.S.	9501050100	50-387	SCRUTON,G.S.	9501300023*	50-282 Y
ROSENBLUM,R.M.	9501110419	50-361	RYLEY,M.	9501230110	50-213	SCRUTON,G.S.	9501300016*	50-282 Y
ROSENBLUM,R.M.	9501270008	50-361	SACCOMANDO,D.	9501130262	50-456	SELIN,I.	9412300046	50-341 H
ROSENTHAL,P.R.	9501110255	70-364	SACCOMANDO,D.M.	9501230232	50-456	SELIN,I.	9501060016	SPEECHES
ROSENTHAL,P.R.	9501130182	70-364	SACCOMANDO,D.M.	9501310148	50-456	SELIN,I.	9501060018	SPEECHES
ROSS,M.J.	9501230140*	50-289	SAGAR,B.	9501180119	WASTE MGT	SELIN,I.	9501060020	SPEECHES



262 PERSONAL AUTHOR INDEX


AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SELIN, I.	9501060023	SPEECHES	SIES, J.A.	9409200239*	50-321 P	SPECHT, A.F.	9501270203*	FOIA
SELIN, I.	9501060030	SPEECHES	SIES, J.A.	9409200242*	50-321 P	SPEISER, M.A.	9501090196*	40-7102
SELIN, I.	9501060092	COMMISSION	SILBERBERG, M.	9501260036	PR	SPEISER, M.A.	9501090196*	40-7102
SELIN, I.	9501060164*	ORG	SILBERBERG, M.	9501310227*	PR	SPENCE, R.E.	9501130283*	WASTE MGT
SELIN, I.	9501120196	SPEECHES	SILBERG, J.E.	9501130138	PR	SPENCE, R.E.	9501040133	WASTE MGT
SELIN, I.	9501120268	COMMISSION	SILK, D.	9501110243*	50-443 Q	SPENCE, R.E.	9501040139	WASTE MGT
SELIN, I.	9501120287	COMMISSION	SILK, D.M.	9501180081*	50-166 Q	SPENCE, R.E.	9501040184	WASTE MGT
SELIN, I.	9501120299	COMMISSION	SIMMONS, K.L.	9501200067	50-249 S	SPENCE, R.E.	9501040207	WASTE MGT
SELIN, I.	9501200355	COMMISSION	SIMONEN, F.A.	9501200137*	NUREG	SPENCE, R.E.	9501040216	WASTE MGT
SELIN, I.	9501300115	COMMISSION	SIMPKIN, T.W.	9501040152	PR	SPENCE, R.E.	9501050168	WASTE MGT
SELIN, I.	9501300121	COMMISSION	SIMPKIN, T.W.	9501040181	50-454 P	SPENCE, R.E.	9501050173	WASTE MGT
SELIN, I.	9501300146	COMMISSION	SINCLAIR, W.J.	9501050458	40-3453	SPENCE, R.E.	9501050181	WASTE MGT
SELIN, I.	9501300159	COMMISSION	SINCLAIR, W.J.	9501050473	40-3453	SPENCE, R.E.	9501050188	WASTE MGT
SELIN, I.	9501310001	SPEECHES	SINCLAIR, W.J.	9501130010*	STATE PRO G	SPENCE, R.E.	9501050196	WASTE MGT
SHABAN, W.E.	9501240173*	50-369 Q	SINGH, A.	9501110252	PRM	SPENCE, R.E.	9501050377	WASTE MGT
SHACKELFORD, J.	9501120064*	50-338 Q	SINGH, A.	9501110252	PRM	SPENCE, R.E.	9501100324	WASTE MGT
SHAFFER, W.D.	9501110076	50-237 Q	SINKULE, M.	9501110121	50-321 Q	SPENCE, R.E.	9501100340	WASTE MGT
SHAFFER, W.D.	9501240065	50-254 Q	SINKULE, M.V.	9501040014	50-369 P	SPENCE, R.E.	9501120080	WASTE MGT
SHAFFER, A.	9501230105	FOIA	SINKULE, M.V.	9501110257	50-369 Q	SPENCE, R.E.	9501120095	WASTE MGT
SHAH, V.	9501310278*	71-9258	SINKULE, M.V.	9501110271*	71-9258 Q	SPENCE, R.E.	9501120101	WASTE MGT
SHAH, V.	9501310280*	71-9258	SISCO, C.	9501110088*	50-245 V	SPENCE, R.E.	9501130282*	WASTE MGT
SHAH, V.	9501310283*	71-9258	SISK, D.P.	9501050091	50-323 S	SPENCE, R.E.	9501180208	WASTE MGT
SHANBAKY, M.M.	9501100077	40-341	SISK, D.P.	9501190176	50-275 S	SPENCE, R.E.	9501200114	WASTE MGT
SHANBAKY, M.M.	9501100082*	40-341	SISK, D.P.	9501250067	50-323 S	SPENCE, R.E.	9501250150	WASTE MGT
SHANBAKY, M.M.	9501110087	40-8869	SISK, D.P.	9501310208	50-323 S	SPENCE, R.E.	9501250173	WASTE MGT
SHANBAKY, M.M.	9501110097*	40-8869	SJOREEN, A.L.	9501180194	NUREG	SPENCE, R.E.	9501250411	WASTE MGT
SHANBAKY, M.M.	9501110152	40-341	SJOREEN, A.L.	9501180200	NUREG	SPENCE, R.E.	9501250430	WASTE MGT
SHANBAKY, M.M.	9501110161*	40-341	SKIERKOWSKI, P.	9501180224	REGGD	SPENCE, R.E.	9501250433	WASTE MGT
SHANBAKY, M.M.	9501180220	40-2298	SKINNER, P.	9501240148*	50-424 Q	SPENCE, R.E.	9501250440	WASTE MGT
SHANBAKY, M.M.	9501180225*	40-2298	SKINNER, P.H.	9501110126*	50-321 Q	SPENCE, R.E.	9501250444	WASTE MGT
SHANKMAN, S.F.	9501130214*	FOIA	SKINNER, S.M.	9501230175*	40-8948	SPENCE, R.E.	9501260269	WASTE MGT
SHANKMAN, S.F.	9501310035	ORG	SKIPPER, M.	9501260079	50-261 F	SPENCE, R.E.	9501300311	WASTE MGT
SHANKMAN, S.F.	9501310040	STATE PRO G	SKOV, D.	9501300049	70-578	SPENCE, R.E.	9501300313	WASTE MGT
SHAW, G.J.	9501240177*	FOIA	SLAWINSKI, W.J.	9501240210*	70-1489	SPENCE, R.E.	9501300315	WASTE MGT
SHEA, J.R.	9501240219*	FOIA	SMILEY, S.H.	9501130039*	70-*****	SPENCE, R.E.	9501300317	WASTE MGT
SHEA, J.W.	9501100052	50-387 H	SMILEY, S.H.	9501130162*	70-*****	SPENCE, R.E.	9501300319	WASTE MGT
SHEA, J.W.	9501260089	50-387 G	SMILEY, S.H.	9501130173*	70-*****	SPENCE, R.E.	9501300322	WASTE MGT
SHEA, J.W.	9501260163	50-387 S	SMILEY, S.H.	9501170224*	70-*****	SPENCER, K.M.	9501270224*	50-302 P
SHEA, J.W.	9501270151	50-277 P	SMILEY, S.H.	9501170236*	70-*****	SPENCER, K.M.	9501270224*	50-302 P
SHEA, J.W.	9501310108	50-277 P	SMITH, D.R.	9501090028*	STATE PRO G	SPESSARD, R.L.	9501270273	QA999
SHEA, J.W.	9501310158	50-277 P	SMITH, G.C.	9501240055*	50-271 Q	SPRAUL, J.G.	9501190396*	WASTE MGT
SHEA, J.W.	9501310188*	50-277 P	SMITH, G.O.	9501170123	50-397 R	SPRAUL, J.G.	9501190401*	WASTE MGT
SHEAR, G.L.	9501190043	70-36	SMITH, I.W.	9501180180	70-364	SPRAUL, J.G.	9501190405*	WASTE MGT
SHEAR, G.L.	9501190083	40-8724	SMITH, I.W.	9501180258	70-364	SRENIAWSKI, D.J.	9501240217*	70-1489
SHEAR, G.L.	9501230279*	40-8724	SMITH, J.	9501120190*	27-47	SRENIAWSKI, D.J.	9501240220*	70-1489
SHEAR, G.L.	9501240297	70-36	SMITH, M.A.	9501170200	71-524	SRIDHAR, B.N.	9409200223*	50-321 P
SHEAR, G.L.	9501240310*	70-36	SMITH, P.	9501260067	72-1004	SRIDHAR, B.N.	9501230290	WASTE MGT
SHEAR, G.L.	9501270011	70-7001	SMITH, R.D.	9501110468*	70-*****	STALL, J.A.	9501100245	50-338 S
SHEAR, G.L.	9501270014*	70-7001	SMITH, R.D.	9501120296*	70-*****	STALL, J.A.	9501180216	50-338 R
SHEAR, G.L.	9501270115	70-7001	SMITH, R.D.	9501120336*	70-*****	STAMPS, D.W.	9501180334	50-295 P
SHEAR, G.L.	9501310109	MISC	SMITH, R.H.	8111170482*	50-289 Q	STANCZAK, P.	9501200170	50-456 R
SHEDLOSKY, T.	9501170253*	FOIA	SMITH, R.H.	9501110502*	70-*****	STANG, J.F.	9501120122	50-237 P
SHEDLOSKY, T.	9501170269*	50-336 P	SMITH, R.H.	9501130225*	70-*****	STANG, J.F.	9501120124*	50-237 P
SHEEHAN, J.D.	9501040249*	FOIA	SMITH, R.H.	9501170108*	50-289 Q	STANLEY, H.G.	9501050100	50-387 S
SHEEHAN, J.D.	9501050250*	FOIA	SMITH, R.H.	9501170117*	70-*****	STANSBERRY, H.W.	9501120204*	50-390 A
SHEEHAN, J.D.	9501060096*	FOIA	SMITH, T.R.	9501200183	50-259 R	STANSBERRY, H.W.	9501120205*	50-390 A
SHEEHAN, J.D.	9501060097*	FOIA	SNIEZEK, J.H.	9501030188*	50-528 H	STANSBERRY, H.W.	9501120206*	50-390 A
SHELL, R.H.	9501110516	50-327 P	SNIEZEK, J.H.	9501090322	REVIEW GR P	STANSBERRY, H.W.	9501120208*	50-390 A
SHELL, R.H.	9501170119	50-327 F	SNYDER, B.J.	8308110360*	50-320 P	STANSBERRY, H.W.	9501120212*	50-390 A
SHELL, R.H.	9501200145	50-327 R	SOEDER, D.J.	9501130277*	WASTE MGT	STANSBERRY, H.W.	9501120217*	50-390 A
SHELL, R.H.	9501260374	50-327 P	SOKOLSKY, D.	9501050067	50-275 S	STANSBERRY, H.W.	9501120221*	50-390 A
SHELTON, B.J.	9501310359*	PR	SOLAIMAN, M.	9501100024	CONTRACT	STARKE, R.S.	9501030142	50-382 S
SHELTON, B.J.	9501310364*	PR	SOLBERG, D.E.	9501100344	ORG	STARRE, F.	9501310429	50-213 S
SHELTON, D.C.	9501310149	50-440 Q	SOLIS, R.	9501260354*	71-765	STEADMAN, T.R.	9501050360*	FOIA
SHELTON, D.C.	9501310445	50-440 V	SOLLENBERGER, D.	9501170004	STATE PRO G	STEADMAN, T.R.	9501050372*	FOIA
SHEMBARGER, K.M.	9501260284	52-3	SONI, H.J.	9210230172*	FOIA	STEADMAN, T.R.	9501050378*	FOIA
SHEMBARGER, K.M.	9501310150	52-3	SONI, H.J.	9210280172*	FOIA	STEADMAN, T.R.	9501050392*	FOIA
SHEMBARGER, K.M.	9501310165	52-3	SOZZI, G.L.	9501120144*	50-277 P	STEINHARDT, C.R.	9501200288	50-305 P
SHEMBARGER, K.M.	9501310174	52-3	SPANNER, J.C.	9501200134*	NUREG	STEINHARDT, C.R.	9501240337	50-305 P
SHEMBARGER, K.M.	9501310179	52-3	SPANNER, J.C.	9501200137*	NUREG	STEINHARDT, C.R.	9501310217	50-305 P
SHEPHERD, M.F.	9501270213	50-244 P	SPARKS, S.E.	9501110383*	50-327 Q	STEINHAUER, P.	9501050210*	50-272 P
SHERON, B.W.	9501180262	TOPREP	SPARLING, D.K.	9501240137	40-8681	STELLO, V.	8009190648*	FOIA
SHIELDS, W.J.	9501170045	40-8948	SPECHT, A.F.	9501170198*	FOIA	STELLO, V.	8604230013*	COMMISSION
SHIRAKI, C.Y.	9501200129*	50-454 P	SPECHT, A.F.	9501170202*	FOIA	STENGER, D.F.	9501130172	PR
SHON, F.J.	9501270089	70-3070	SPECHT, A.F.	9501170203*	FOIA	STEPHENSON, J.	9501060272	50-302 F
SHORTRIDGE, R.B.	9501240058*	50-259 R	SPECHT, A.F.	9501170207*	FOIA	STEPHENSON, J.D.	9501050186	50-302 F
SHRIVER, T.D.	9501200183	50-259 R	SPECHT, A.F.	9501170210*	FOIA	STEPHENSON, J.D.	9501250047	50-302 F
SHROCK, C.A.	9501060161	50-305 Q	SPECHT, A.F.	9501170218*	FOIA	STETZ, J.P.	9501130114	50-346 H
SHUMAKER, D.P.	9501050210*	50-272 P	SPECHT, A.F.	9501250342*	FOIA	STEVENS, G.L.	9501130085*	50-410 P
SHYMLOCK, M.	9501110111*	50-327 Q	SPECHT, A.F.	9501250350*	FOIA	STEVENS, G.L.	9501250349*	50-325 P
SHYMLOCK, M.	9501170133*	50-321 Q	SPECHT, A.F.	9501260303*	FOIA	STEVENS, L.K.	9501100146*	50-424 G
SHYMLOCK, M.B.	9501030162	50-327 Q	SPECHT, A.F.	9501260306*	FOIA	STEWART, W.H.	9501130152	STATE PRO G
SIEGEL, B.L.	9501060073	50-348 P	SPECHT, A.F.	9501260314*	FOIA	STEWART, W.L.	9501040270	50-528 P
SIEGEL, B.L.	9501120359*	50-261 P	SPECHT, A.F.	9501260316*	FOIA	STEWART, W.L.	9501040271	50-528 P
SIEGEL, B.L.	9501300183	50-364 P	SPECHT, A.F.	9501260332*	FOIA	STEWART, W.L.	9501120340	50-528 Q
SIENKIEWICZ, S.	9501050090*	50-311 Q	SPECHT, A.F.	9501270175*	FOIA	STEWART, W.L.	9501130101	50-528 H
SIES, J.A.	9409200226*	50-321 P	SPECHT, A.F.	9501270194*	FOIA	STILL, J.	9501110313*	27-47
SIES, J.A.	9409200234*	50-321 P	SPECHT, A.F.	9501270199*	FOIA	STILL, J.	9501120190*	27-47

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STILL,J.J.	950110317*	27-47	TAYLOR,J.M.	9412220041	50-219 H	THADANI,A.C.	9501050341	ORG
STIMAX,D.	9501250050	FOIA	TAYLOR,J.M.	9412230183	SECY	THADANI,A.C.	9501120277	50-416 P
STIMAX,D.	9501250054	FOIA	TAYLOR,J.M.	9412270217	SECY	THADANI,A.C.	9501230248	TOPREP
STOHR,J.P.	9501050112	50-275 R	TAYLOR,J.M.	9412280115	SECY	THARP,J.W.	9501110188	40-1650
STOHR,J.P.	9501130273	71-9258	TAYLOR,J.M.	9412300021	SECY	THE CHAIRMAN	9412300046	50-341 H
STOBAUGH,D.	9501190086	50-10	TAYLOR,J.M.	9412300038	SECY	THE CHAIRMAN	9501060016	SPEECHES
STOBIERSKI,J.J.	9501190252	50-29	TAYLOR,J.M.	9501030055	WASTE MGT	THE CHAIRMAN	9501060018	SPEECHES
STOHR,J.P.	9501050066	50-338	TAYLOR,J.M.	9501050427	SECY	THE CHAIRMAN	9501060020	SPEECHES
STOHR,J.P.	9501050112	50-324	TAYLOR,J.M.	9501060159	ORG	THE CHAIRMAN	9501060023	SPEECHES
STOHR,J.P.	9501110093	50-369	TAYLOR,J.M.	9501060276	50-295 H	THE CHAIRMAN	9501060030	SPEECHES
STOLLER,R.E.	9501180295	NUREG	TAYLOR,J.M.	9501090273	50-295 G	THE CHAIRMAN	9501060092	COMMISSION N
STOLZ,J.F.	9501030166*	50-352	TAYLOR,J.M.	9501100208	ORG	THE CHAIRMAN	9501060164*	ORG
STOLZ,J.F.	9501050331*	50-387	TAYLOR,J.M.	9501100307*	50-390 A	THE CHAIRMAN	9501120196	SPEECHES
STOLZ,J.F.	9501050353*	50-272	TAYLOR,J.M.	9501110003	STATE PRO G	THE CHAIRMAN	9501120268	COMMISSION N
STOLZ,J.F.	9501050383*	50-272	TAYLOR,J.M.	9501110431	COMMISSION	THE CHAIRMAN	9501120287	COMMISSION N
STOLZ,J.F.	9501110141*	50-387	TAYLOR,J.M.	9501110441	50-29 H	THE CHAIRMAN	9501120299	COMMISSION N
STOLZ,J.F.	9501110395*	50-387	TAYLOR,J.M.	9501110446	50-206 H	THE CHAIRMAN	9501120355	COMMISSION N
STOLZ,J.F.	9501110493*	50-272	TAYLOR,J.M.	9501120001	STATE PRO G	THE CHAIRMAN	9501300115	COMMISSION N
STOLZ,J.F.	9501180269	50-387	TAYLOR,J.M.	9501120011	PR	THE CHAIRMAN	9501300121	COMMISSION N
STOLZ,J.F.	9501260138*	50-352	TAYLOR,J.M.	9501120012	STATE PRO G	THE CHAIRMAN	9501300146	COMMISSION N
STOLZ,J.F.	9501260273*	50-352	TAYLOR,J.M.	9501120234	70-8	THE CHAIRMAN	9501300159	COMMISSION N
STOLZ,J.F.	9501130116*	50-387	TAYLOR,J.M.	9501120250	SECY	THE CHAIRMAN	9501310001	SPEECHES
STOLZ,J.F.	9501310213*	50-387	TAYLOR,J.M.	9501120256	SECY	THEOFANOUS,T.G.	9501190286	50-295 F
STOLZ,J.F.	9501310241*	50-352	TAYLOR,J.M.	9501120274	SECY	THIELMANN,J.R.	9501250080	50-255 P
STONE,B.J.	9501200181	50-341	TAYLOR,J.M.	9501130077	70-8	THOMAS,C.R.	9501120077	50-282 P
STONE,J.C.	9501100290	50-482	TAYLOR,J.M.	9501130144	SECY	THOMAS,C.R.	9501260367	50-282 Q
STONE,J.C.	9501100296*	50-482	TAYLOR,J.M.	9501130147	SECY	THOMAS,G.S.	9501110089	50-334 Q
STONE,J.C.	9501100327	50-482	TAYLOR,J.M.	9501130228	70-135	THOMAS,G.S.	9501170070	50-334 F
STONE,J.C.	9501100334*	50-482	TAYLOR,J.M.	9501190269	52-3	THOMAS,G.S.	9501180166	50-334 V
STONE,J.C.	9501190175	50-482	TAYLOR,J.M.	9501190272*	52-3	THOMAS,G.S.	9501190001	PR
STONE,J.C.	9501190179*	50-482	TAYLOR,J.M.	9501230023	PR	THOMAS,G.S.	9501190069	50-334 H
STONE,J.C.	9501260323	50-482	TAYLOR,J.M.	9501230165*	FOIA	THOMAS,G.S.	9501230200	50-334 P
STONE,J.C.	9501300289	50-482	TAYLOR,J.M.	9501240134	50-295 G	THOMAS,G.S.	9501230313	50-334 F
STONE,J.C.	9501300291*	50-482	TAYLOR,J.M.	9501260349	71-765	THOMAS,G.S.	9501240263	50-334 H
STOOP,P.M.	9501100345*	ORG	TAYLOR,J.M.	9501270287	50-295 G	THOMAS,M.	9501030168*	50-327 Q
STORY,H.L.	9501190024*	50-267 W	TAYLOR,J.M.	9501270347	WASTE MGT	THOMAS,M.	9501190058	70-820
STOTHOFF,S.	9501230157	WASTE MGT	TAYLOR,J.M.	9501300014	STATE PRO G	THOMAS,R.D.	9501040041*	30-10346
STRATFORD,R.J.	9501190253	XPORTLIC	TAYLOR,J.M.	9501300022	STATE PRO G	THOMAS,R.D.	9501040050*	30-10346
STRATFORD,R.J.K.	9501300264	XPORTLIC	TAYLOR,J.M.	9501300066*	COMMISSION	THOMAS,R.D.	9501040072*	30-20405
STRATFORD,R.K.	9501180303*	XPORTLIC	TAYLOR,J.M.	9501300109	SECY	THOMAS,R.D.	9501040108*	30-17129
STRATMAN,R.A.	9501050329	50-441	TAYLOR,J.M.	9501300134	SECY	THOMAS,R.D.	9501040143*	30-17129
STRATMAN,R.A.	9501060070	50-440	TAYLOR,J.M.	9501300147	SECY	THOMPSON,D.	9501050119*	50-324 Q
STRATMAN,R.A.	9501060162	50-440	TAYLOR,J.M.	9501300168	SECY	THOMPSON,D.	9501240352*	50-416 Q
STRATMAN,R.A.	9501200195	50-440	TAYLOR,J.M.	9501300176	SECY	THOMPSON,H.L.	9501130133	PR
STRATMAN,R.A.	9501230060	50-440	TAYLOR,J.M.	9501310448*	PR	THOMPSON,H.L.	9501130195	FOIA
STRATMAN,R.A.	9501230155	50-440	TAYLOR,P.A.	9501110372*	50-390 Q	THOMPSON,J.J.	9501240258	PRM
STRATMAN,R.A.	9501230341	50-440	TAYLOR,J.M.	9501110134*	50-416 Q	THOMPSON,V.J.	9501100065	CONTRACT
STRATTON,L.	9501050267*	50-369	TEFFT,D.E.	9501090052*	STATE PRO G	THOMSON,F.X.	9501230229	50-272 P
STRIEBEL,M.	9501190252	50-29	TELESCA,D.R.	9501110309*	70-*****	THORNTON,C.D.	9501110511*	70-*****
STROSNIDER,J.	9501200126	NUREG	TELESCA,D.R.	9501110322*	70-*****	THORNTON,C.D.	9501110514*	70-*****
STRUCKMEYER,R.	9501180140	NUREG	TELESCA,D.R.	9501110328*	70-*****	THORNTON,C.D.	9501120108*	70-*****
STUART,I.F.	9501260134	71-18	TELESCA,D.R.	9501110374*	70-*****	THORNTON,C.D.	9501130032*	70-*****
STUART,I.F.	9501270193	71-18	TELESCA,D.R.	9501110417*	70-*****	TIDWELL,T.W.	9501200180	50-321 R
STUBBS,J.B.	9501110264	PRM	TELESCA,D.R.	9501110434*	70-*****	TILLMAN,A.	9501130008*	70-727
STUBBS,J.B.	9501110264	PRM	TELESCA,D.R.	9501110460*	70-*****	TILLMAN,A.	9501250405*	50-390 Q
STURZ,F.C.	9501110002	ORG	TELESCA,D.R.	9501110509*	70-*****	TING,P.	9501310204	70-36
SUBALUSKY,W.T.	9501250168	ORG	TELESCA,D.R.	9501120117*	70-*****	TIPPS,S.B.	9501190073	50-366 S
SUMMERS,J.C.	9501130115	50-272	TELESCA,D.R.	9501120155*	70-*****	TIPTON,T.E.	9501120036	PR
SUMMERS,J.C.	9501230289	50-272	TELESCA,D.R.	9501120172*	FOIA	TIPTON,T.E.	9501130118	PR
SUMMERS,J.C.	9501240192	50-311	TELESCA,D.R.	9501120181*	70-*****	TIPTON,T.E.	9501130130	PR
SUMMERS,J.C.	9501270226	50-311	TELESCA,D.R.	9501120213*	70-*****	TIPTON,T.E.	9501240279*	NUREG
SWAIN,P.B.	9501270225	70-1257	TELESCA,D.R.	9501120236*	FOIA	TJERSLAND,G.T.	9501240301	71-9225
SWANZY,K.Y.	9501180315	50-458	TELESCA,D.R.	9501120253*	70-*****	TOBIN,W.	9501170107*	50-498 Q
SWEET,K.J.	9501250185	50-220	TELESCA,D.R.	9501120259*	70-*****	TOBIN,W.J.	9501050079*	50-338 Q
SWIGERT,S.B.	9501250335*	FOIA	TELESCA,D.R.	9501130015*	70-*****	TODACHEENE,G.B.	9501270228	40-8968
SYKES,K.W.	9501200189	50-10	TELESCA,D.R.	9501130058*	FOIA	TODISCO,P.	9501190037	PRM
SYLVIA,B.R.	9501170079	50-410	TELESCA,D.R.	9501130076*	FOIA	TORRINI,R.E.	9501260035	PR
SYLVIA,B.R.	9501170098	50-410	TEMUS,C.J.	9501050171	71-9196	TOSCH,B.	9501040111	PR
TADIOS,E.L.	9501180334	50-295	TERRY,C.	9501110413	TOPREP	TOSCH,K.	9501100237	50-272 P
TAM,P.S.	9501120343	50-390	TERRY,C.	9501110443	TOPREP	TOSCH,K.	9501100240	50-354 P
TAM,P.S.	9501250169	50-390	TERRY,C.	9501110443	TOPREP	TOSCH,K.	9501230145	50-272 P
TAM,P.S.	9501310288	50-390	TERRY,C.D.	9501050109	50-220	TOSCH,K.	9501240145	50-272 P
TANIOUS,N.S.	9501090059	PR	TERRY,C.D.	9501050118*	50-220	TOSCH,K.W.	9501240252	50-219 P
TATE,J.M.	9501100281	QA999	TERRY,C.D.	9501130083	50-410	TOWNSEND,G.	9501310122	50-213 S
TATE,J.M.	9501100281	QA999	TERRY,C.D.	9501190198	50-220	TOWNSEND,G.R.	9501230129	50-213 S
TATE,J.M.	9501270083	QA999	TERRY,C.D.	9501190357	50-220	TRACY,H.T.	9501040125	50-29 P
TATE,J.M.	9501270090	QA999	TERRY,C.D.	9501190367	50-220	TRAN,L.N.	9501100291	50-528 P
TAYLOR,D.R.	9501120064*	50-338	TERRY,C.D.	9501230331	50-410	TRAN,L.N.	9501100311*	50-528 P
TAYLOR,G.J.	9501110520	50-395	TERRY,C.L.	9501050231	50-446	TRAPP,J.M.	9501180004	50-293 F
TAYLOR,G.J.	9501130142	50-395	TERRY,C.L.	9501050235	50-445	TRAPP,J.M.	9501180014*	50-271 Q
TAYLOR,G.J.	9501190095	50-395	TERRY,C.L.	9501060126	50-445	TRAPP,J.M.	9501180089*	50-293 Q
TAYLOR,G.J.	9501240186	50-395	TERRY,C.L.	9501130151	50-445	TRAYERS,W.D.	8601020369*	50-320 P
TAYLOR,G.J.	9501310160	50-395	TERRY,C.L.	9501190248	50-445	TRBOVICH,T.C.	9501190396*	WASTE MGT
TAYLOR,J.H.	9501050322	TOPREP	TERRY,C.L.	9501240362	50-445	TREMBLAY,L.A.	9501060127	50-271 P
TAYLOR,J.H.	9501130212	TOPREP	TERRY,C.L.	9501250072	50-445	TREMBLAY,L.A.	9501060189	50-271 P
TAYLOR,J.H.	9501260292	TOPREP	TERRY,C.L.	9501300226	50-445	TREMBLAY,L.A.	9501060202	50-271 P
TAYLOR,J.M.	8908290160*	COMMISSION	TERRY,C.L.	9501310263	50-445	TREMBLAY,L.A.	9501300154	50-271 R
TAYLOR,J.M.	9210020245*	COMMISSION	TESTA,E.D.	9501110218*	70-27	TROCINE,L.	9501240033*	50-250 Q

264 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
TROTTIER,E.H.	9501200219	50-309	P	WANCZYK,R.J.	9501190145	50-271	S	WICHERS,D.L.	9501060148	40-8981
TROTTIER,E.H.	9501260146	50-309	P	WANCZYK,R.J.	9501310330	50-271	S	WICHERS,D.L.	9501060149	40-8981
TROVATO,J.L.	9409200236*	50-321	P	WANG,A.B.	9501170036	50-3	P	WICHERS,D.L.	9501230186	40-8502
TRUBATCH,S.L.	9501300238*	50-329	A	WARD,W.J.	8111170496*	50-289	Q	WIDAY,J.A.	9501180196	50-244
TRUBATCH,S.L.	9501300244*	50-341	F	WARD,W.J.	9501230117*	50-289	T	WIDAY,J.A.	9501270204	50-244
TRUE,D.	9501310306*	REVIEW GR	P	WARD,W.J.	9501230136*	50-289	T	WIDELL,R.C.	9501130136	50-302
TRUJILLO,D.M.	9501120294	40-8907		WAREMBOURG,D.W.	9501040030	50-267	W	WIDMANN,M.T.	9501240148*	50-424
TSAIN,C.	9501310025*	50-254	P	WAREMBOURG,D.W.	9501050220	50-267	Y	WIEN,L.A.	9501050424	50-268
TSCHOEPE,E.	9501100335*	WASTE MGT		WARREN,J.	9501040086	PR		WIENS,L.A.	9501100252	50-269
TSE,A.N.	9501130158	PR		WARREN,J.	9501040089	STATE PRO	G	WIENS,L.A.	9501120106	50-287
TUCKMAN,M.S.	9501180323	50-269	P	WASCOM,R.L.	9501040112	STATE PRO	G	WIENS,L.A.	9501200036	50-269
TUCKMAN,M.S.	9501190340	50-369	P	WASCOM,R.L.	9501040124	STATE PRO	G	WIGGINGTON,D.L.	9501270141*	50-458
TUCKMAN,M.S.	9501230208	50-369	P	WASTLER,S.L.	9501180114	WASTE MGT		WIGGINS,E.J.	9501060242	CONTRACT
TUCKMAN,M.S.	9501240084	50-269	P	WATERS,G.M.	9501270280*	FOIA		WIGGINS,E.J.	9501100034	CONTRACT
TUETKEN,R.P.	9501190156	50-295	Q	WATERS,G.M.	9501270286*	FOIA		WIGGINS,E.J.	9501100065	CONTRACT
TUETKEN,R.P.	9501230053	50-295	Q	WAUGH,W.J.	9501110221*	40-6500		WIGGINS,J.T.	9501090047	50-334
TUMMONS,P.	9501040203	FOIA		WEATHERS,L.J.	9501060166	FOIA		WIGGINS,J.T.	9501110016	50-219
TURK,S.E.	9501100170	40-8968		WEBER,G.A.	9501060211	50-316	S	WIGGINS,J.T.	9501270007	50-309
TURK,S.E.	9501270195	40-8968		WEBER,M.F.	9501060234	70-364		WIGGINS,J.T.	9501310090	50-272
TURNER,D.R.	9501180123	WASTE MGT		WEBER,R.L.	9501200110	50-369	R	WILKERSON,C.L.	9501120304	50-445
TURTIL,R.H.	9501090354	40-2377		WEBER,R.L.	9501200153	50-269	R	WILKIE,L.V.	9501190229	50-270
TUTTLE,M.P.	9501180164	NUREG		WEBER,R.L.	9501200158	50-413	R	WILKIE,L.V.	9501240194	50-269
UDY,A.C.	9501180201*	50-220	OO	WEIN,L.A.	9501190389	50-269	F	WILLETTE,R.E.	9501240156*	50-443
UDY,A.C.	9501180201*	50-220	OO	WEISS,S.H.	9501240221*	50-131	P	WILLIAMS,A.L.	9501200292	50-255
ULLRICH,B.	9501180225*	40-2298		WEISS,S.H.	9501250091*	50-193	P	WILLIAMS,A.L.	9501030120*	ORG
ULLRICH,W.T.	9501270086*	50-458	GG	WEITZE,B.	9409200224*	50-321	P	WILLIAMS,D.C.	9501040116	ORG
ULLRICH,W.T.	9501270086*	50-458	GG	WEIZENBAUM,R.	9501260059	PR		WILLIAMS,F.J.	9501310219	50-247
ULSES,T.P.	9501200171	TOPREP		WENSLAWSKI,F.	9501190097*	70-1359		WILLIAMS,J.F.	9501130156	40-*****
UNNERSTALL,K.	9501040243	FOIA		WENSLAWSKI,F.A.	8401030075*	30-10346		WILLIAMS,J.F.	9501030090*	50-327
UNTER,S.L.	9501100109	40-8027		WENSLAWSKI,F.A.	9501030066*	70-754		WILLIAMS,J.F.	9501103066	50-259
UTTAL,S.L.	9501180212	40-8027		WENSLAWSKI,F.A.	9501230007	40-8107		WILLIAMS,J.F.	9501120116	50-259
VAN DOORN,P.K.	9501110372*	50-390	Q	WENSLAWSKI,F.A.	9501230010*	40-8107		WILLIAMS,J.F.	9501230107	50-259
VANCE,J.N.	9501200028	WASTE MGT		WENSLAWSKI,F.A.	9501230044*	70-1257		WILLIAMS,J.F.	9501260188	50-259
VANDENBURGH,C.	9501050207*	50-382	OO	WENZINGER,E.	9501170245*	FOIA		WILLIAMS,O.G.	9501120111	40-8027
VANDENBURGH,C.	9501090036*	50-313	OO	WENZINGER,E.	9501170248*	50-336	P	WILLIAMS,O.G.	9501030092	FOIA
VANDENBURGH,C.	9501310041*	50-458	OO	WENZINGER,E.	9501170255*	FOIA		WILLIAMS,O.G.	9501060227	50-237
VARGA,S.A.	9501050217	50-390		WENZINGER,E.	9501170261*	FOIA		WILLIAMS,O.G.	9501170121	FOIA
VARGA,S.A.	9501060277*	50-352		WENZINGER,E.	9501170261*	50-336	P	WILLIAMS,O.G.	9501230093*	50-269
VARGA,S.A.	9501120183	50-302		WENZINGER,E.	9501170265*	50-245	P	WILLIAMS,R.A.	9501230116*	50-413
VASELIN,J.	9501300042	40-8502		WENZINGER,E.	9501170267*	50-336	P	WILLIAMS,R.A.	9501230124*	50-369
VASQUEZ,G.M.	9010010226*	FOIA		WENZINGER,E.	9501180268*	50-336	Q	WILLIAMS,W.A.	9501230198	70-1100
VELUVA,M.	9501260004	PR		WENZINGER,E.	9501180300*	FOIA		WILLIAMSON,E.L.	9412220271*	50-267
VELASQUEZ,J.R.	9501060255	40-8907		WENZINGER,E.	9501180312*	50-245	P	WILLOUGHBY,P.R.	9501100214	50-309
VELASQUEZ,J.R.	9501240203	40-8907		WENZINGER,E.	9501180333*	FOIA		WILMOTH,M.J.	9501100078	50-424
VERELLI,D.M.	9501120003	50-335	Q	WENZINGER,E.	9501180339*	50-423	P	WILMOTH,M.J.	9501100078	50-424
VERNESTSON,W.	9501300221	50-83	F	WENZINGER,E.	9501180342*	50-336	P	WILMOTH,M.J.	9501100089*	50-424
VERRELLI,D.M.	9501110028	50-280		WENZINGER,E.	9501180347*	50-336	P	WILMOTH,M.J.	9501100089*	50-424
VERRELLI,D.M.	9501120052	50-338		WENZINGER,E.	9501180348*	50-336	P	WILMOTH,M.J.	9501100129	50-424
VERRELLI,D.M.	9501240027	50-250		WENZINGER,E.C.	9501170268*	50-245	Q	WILMOTH,M.J.	9501180048	50-424
VERRELLI,D.M.	9501250055	50-280		WERBER,F.X.	9501060021*	FOIA		WILMOTH,M.J.	9501180048	50-424
VERRELLI,D.M.	9501310065	50-335	Q	WERD,W.J.	8111170482*	FOIA		WILMOTH,M.J.	9501180149	50-424
VERTER,R.J.	9501040164*	FOIA		WERT,L.D.	9501240102*	50-259	Q	WILMOTH,M.J.	9501180149	50-424
VICE,J.	9501120327	40-8968		WESLEY,D.	9501310113*	STATE PRO	G	WILSON,B.A.	9501230117*	50-289
VIK,M.	9501300143*	50-263	S	WESLEY,D.	9501310121*	STATE PRO	G	WILSON,D.	9501200147	50-331
VINCENT,R.A.	9501090239	50-255	OO	WESSMAN,R.H.	9501130254	REVIEW GR	P	WILSON,J.H.	9501190384	REVIEW GR
VIRGILIO,R.O.	9501310074	ORG		WESSMAN,R.H.	9501180349	REVIEW GR	P	WILSON,J.H.	9501310261	PROJ
VIRGONA,J.E.	9501050326	WASTE MGT		WESTERMAN,T.F.	9501030024*	50-313	Q	WILSON,W.	9501180263*	40-*****
VIRGONA,J.E.	9501110210	40-6500		WESTERMAN,T.F.	9501230032*	50-382	Q	WILTSEE,F.	9501240192	50-311
VITKUS,T.J.	9501110304	50-322	W	WETZEL,B.A.	9501100110	50-263	P	WIRFS,L.F.	9501170086*	70-*****
VITKUS,T.J.	9501130187	50-322	W	WETZEL,B.A.	9501100115*	50-263	P	WISEMAN,G.	9501240319*	50-259
VITKUS,T.J.	9501130191*	50-322	W	WHARTON,L.R.	9501100070	50-483	P	WISSINK,R.G.	9501120023	STATE PRO
VONK,M.J.	9501190263	50-295	P	WHARTON,L.R.	9501100075	50-483	P	WITTMAYER,G.	9501200130	WASTE MGT
WADE,M.C.	9501120119	40-8948		WHEELER,L.L.	9501100320	50-424	P	WITTMAYER,G.	9501230157	WASTE MGT
WADE,M.C.	9501130207	40-8948		WHEELER,L.L.	9501200156	50-424	P	WOLF,G.	9501200198	50-346
WADLEY,M.	9501130280	50-282	P	WHEELER,L.L.	9501240176	50-424	P	WOLTNER,E.	9501190170*	70-*****
WADLEY,M.	9501130284*	50-282	P	WHEELER,L.L.	9501240179	50-424	P	WOLTNER,E.	9501190228*	70-*****
WADLEY,M.	9501190304	50-282	P	WHEELER,L.L.	9501260272	50-424	P	WONG,F.	9501200327	TOPREP
WADLEY,M.	9501190308*	50-282	P	WHEELER,L.L.	9501260297	50-424	P	WONG,H.	9501270072*	50-530
WADLEY,M.D.	9501050266	50-282	Q	WHEELER,L.L.	9501270146	50-424	P	WONG,H.J.	9501240405*	50-528
WADLEY,M.D.	9501050335	50-282	P	WHEELER,L.L.	9501310183	50-424	P	WOOD,J.K.	9501130119	50-346
WADLEY,M.D.	9501200307	50-282	P	WHEELER,L.L.	9501310190*	50-424	P	WOOD,J.K.	9501200198	50-346
WADLEY,M.D.	9501200311*	50-282	P	WHISTON,P.J.	8608130447*	FOIA		WOOD,J.K.	9501200362	50-346
WADLEY,M.D.	9501230328	50-282	P	WHISTON,P.J.	8702020027*	FOIA		WOODARD,C.P.	9501310225	50-364
WALDEN,J.V.	9501180196	50-244	R	WHITE,D.	9501100082*	40-341	P	WOODHEAD,C.P.	9501270087	50-237
WALKER,N.M.	9501100067	70-3070		WHITE,J.	9501120066	70-3070	P	WOODLAN,D.R.	9501120304	50-445
WALKER,N.M.	9501100067	70-3070		WHITE,J.	9501310088*	50-387	Q	WOODLAN,D.R.	9501190020	PR
WALKER,R.D.	9501060126	50-445	P	WHITE,J.R.	9501110204	50-354	Q	WOODLAN,D.R.	9501190248	50-445
WALKER,R.D.	9501200186	50-445	R	WHITE,J.R.	9501110209*	50-354	Q	WOODLAN,D.R.	9501240372	50-446
WALKER,R.D.	9501310263	50-445	Q	WHITE,J.R.	9501120007	50-272	Q	WOODLAN,D.R.	9501250072	50-445
WALKER,S.	9501300045	COMMISSION		WHITE,J.R.	9501240302	50-272	Q	WOODRUFF,R.L.	9501090112	STATE PRO
WALLACE,J.J.	9501130269*	50-266	P	WHITE,J.R.	9501240308*	50-272	Q	WOODRUFF,R.L.	9501300055	STATE PRO
WALLACE,M.J.	9501190314	50-10	W	WHITE,J.R.	9501270006	50-387	Q	WOODWARD,R.	9501200147	50-331
WALLACE,M.J.	9501260104	PR		WHITE,J.R.	9501270009	50-272	Q	WOODWORTH,L.A.	9501060165	WASTE MGT
WALLIN,G.A.	9501200138	50-271	R	WHITE,J.R.	9501310080	50-387	Q	WOOLLEY,R.L.	9412190009	71-4909
WALTAR,A.E.	9501260054	PR		WHITTE,M.S.	9501190295	50-368	R	WOOLLEY,R.L.	9501060212	70-7001
WALTON,G.A.	9501240171*	50-390	Q	WHITTAKER,M.S.	9501110317*	27-47		WOTHERSPOON,N.	9501040051*	70-3074
WANCZYK,R.J.	9501040175	50-271	S	WHITTEN,J.E.	8606250369*	FOIA		WOTHERSPOON,N.	9501040054*	70-3074
WANCZYK,R.J.	9501100265	50-271	S	WHITTEN,J.E.	8910110177*	FOIA		WOTHERSPOON,P.	9501040024	70-3074

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
WOTHERSPOON,P.	9501040026	70-3074	YUHAS,G.P.	9501040231*	FOIA	ZIMMERMAN,R.P.	9501060111	50-454	P
WOTHERSPOON,P.	9501170094	FOIA	YUHAS,G.P.	9501040232*	30-17129	ZIMMERMAN,R.P.	9501060130	50-482	P
WRIGHT,R.W.	9501170017*	50-348	YUHAS,G.P.	9501040236*	30-10346	ZIMMERMAN,R.P.	9501060138	50-397	P
WRIGHT,T.	9501100143*	50-424	YUHAS,G.P.	9501040239*	30-17129	ZIMMERMAN,R.P.	9501090300	50-255	P
WYMER,S.F.	9501100173	50-255	YUHAS,G.P.	9501040253*	30-10346	ZIMMERMAN,R.P.	9501090323	50-282	P
WYMER,S.F.	9501100176	50-255	YUHAS,G.P.	9501090338*	FOIA	ZIMMERMAN,R.P.	9501100116	50-219	P
WYMER,S.F.	9501100179	50-255	ZAWACKI,J.	9501120190*	27-47	ZIMMERMAN,R.P.	9501100124	50-289	P
WYMER,S.F.	9501100183	50-255	ZEFF,D.W.	9501260135	PR	ZIMMERMAN,R.P.	9501100141	50-424	P
WYMER,S.F.	9501100193	50-255	ZIEGLER,R.S.	9501040136	PR	ZIMMERMAN,R.P.	9501100285	50-277	P
WYMER,S.F.	9501100194	50-255	ZIEGLER,R.S.	9501120177	40-8902	ZIMMERMAN,R.P.	9501100294	50-315	P
WYMER,S.F.	9501100199	50-255	ZIEGLER,R.S.	9501130087	40-8902	ZIMMERMAN,R.P.	9501100351	50-213	P
WYMER,S.F.	9501100203	50-255	ZIEGLER,R.S.	9501250024	40-8902	ZIMMERMAN,R.P.	9501110340	50-321	P
WYMER,S.F.	9501100206	50-255	ZIMMERMAN,R.P.	9501050037	50-206	ZIMMERMAN,R.P.	9501110470	50-387	P
WYMER,S.F.	9501170137	50-255	ZIMMERMAN,R.P.	9501050124	50-528	ZOBLER,M.L.	9501180236	50-458	G
WYMER,S.L.	9501250080	50-255	ZIMMERMAN,R.P.	9501050158	50-416	ZOBLER,M.L.	9501270111	50-458	G
YAN,H.	9501190286	50-295	ZIMMERMAN,R.P.	9501050260	50-382	ZUHOSKI,C.	9501190016	PRM	
YATES,K.	9501060117	50-237	ZIMMERMAN,R.P.	9501050287	50-498	ZURAKOWSKI,P.R.	8809150057*	30-17129	
YELVERTON,J.W.	9501110515	50-313	ZIMMERMAN,R.P.	9501050332	50-461	ZURAKOWSKI,P.R.	8911010013*	30-17159	
YEN,C.	9501190017	PRM	ZIMMERMAN,R.P.	9501050340	50-302	ZURAKOWSKI,P.R.	9501040050*	30-10346	
YOUNG,K.D.	9501300245	50-331	ZIMMERMAN,R.P.	9501050350	50-280	ZURAKOWSKI,P.R.	9501040065*	30-20405	
YOUNG,L.	9501130168*	40-*****	ZIMMERMAN,R.P.	9501050370	50-335	ZURAKOWSKI,P.R.	9501040072*	30-20405	
YOUNG,M.A.	9501100087	50-424	ZIMMERMAN,R.P.	9501050389	50-483	ZURAKOWSKI,P.R.	9501040106*	30-17129	
YOUNG,S.F.	9501110398	ADVCM	ZIMMERMAN,R.P.	9501050460	50-458	ZURAKOWSKI,P.R.	9501040126*	30-17129	
YUHAS,G.P.	9501040221*	30-20405	ZIMMERMAN,R.P.	9501060071	50-456	ZURAKOWSKI,P.R.	9501040143*	30-17129	



## CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9501090348*	50-382	Institute Armstrong, Gordon, Mitchell & Damiani Army, Dept. of Army, Dept. of, Corps of Engineers	9501230251	40-8724	
	9501100107	TOPREP		9501310311	40-8838	
	9501100113*	TOPREP		9501120111	40-8027	
	9501100281	QA999		9501180287	NUREG	
AECL Technologies ALARON Corp. AMAX Specialty Metals Corp. (subs. of AMAX, Inc.)	9501120197	52-2	Athey Consulting	9501180290	NUREG	
	9501120200*	52-2		9501180194	NUREG	
	9501050411	52-*****		9501180200	NUREG	
	9501130269*	50-266		9501040136	PR	
ASEA Brown Boveri, Inc.	9501180105*	40-8155	Atlantic Richfield Co. (ARCO)	9501120177	40-8902	
	9501180117*	40-8155		9501130087	40-8902	
	9501030117	70-36		9501250024	40-8902	
	9501050120	70-1100		9501250035*	40-8902	
Agriculture, Dept. of, Research Center Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld)	9501090348*	50-382	Atlas Corp.	9501260020	PR	
	9501100107	TOPREP		9501050466	40-3453	
	9501100113*	TOPREP		9501090051	40-3453	
	9501100281	QA999		9501090105	40-3453	
Alaska Industrial X-Ray, Inc. (AIX)	9501270083	QA999	B&W Fuel Co.	9501260130	40-3453	
	9501270090	QA999		9501050203	70-1201	
	9501300034	70-1100		B. Koh & Associates, Inc. BP Chemicals International	9501110136	40-*****
	9501260132	71-238			9501110484	40-7604
9501260348	71-238	9501120072	40-7604			
9501270019	71-524	9501230101	50-313			
Alliant Techsystems, Inc. Allied Inspection Services, Inc. American Airlines, Inc.	8401030085*	30-10346	BW/IP International, Inc. (formerly Byro Jackson Pump Division)	9501230101	50-313	
	9501040176*	30-10346		9501230101	50-313	
	9501180229	40-7982		9501230101	50-313	
	9501100169	71-330		9501230101	50-313	
American Association for Nuclear Cardiology, Inc.	9501120090	71-236	9501230101	50-313		
	9501130192*	71-236	9501230101	50-313		
	9501170154	FOIA	9501230101	50-313		
	9501170169	FOIA	9501230101	50-313		
American College of Nuclear Physicians	9501110237	PR	9501230101	50-313		
	9501170192	FOIA	9501230101	50-313		
	9501130156	40-*****	9501230101	50-313		
	9501130168*	40-*****	9501230101	50-313		
American Ecology Corp.	9501230263	27-48	9501230101	50-313		
	9501230264*	27-48	9501230101	50-313		
	9501230265*	27-48	9501230121	50-10		
	9501060187	50-315	9501230121	50-10		
American Electric Power Service Corp. American Mining Congress American Nuclear Society American Radiolabeled Chemicals, Inc.	9501260025	PR	9501230121	50-10		
	9501260054	PR	9501230121	50-10		
	9501170188*	FOIA	9501230121	50-10		
	9501170194*	FOIA	9501230121	50-10		
American Society of Mechanical Engineers Amersham Corp.	9501270149	REGGD	9501230121	50-10		
	9501040100	STATE PRO	9501230121	50-10		
	9501100229	PT21	9501230121	50-10		
	9501260126	71-9035	9501230121	50-10		
Amersham Holdings, Inc. Anefco, Inc.	9501040101	PRM	9501230121	50-10		
	9501050292	71-1	9501230121	50-10		
	9501180187	71-1	9501230121	50-10		
	9501260182	40-341	9501230121	50-10		
Anne Arundel County, MD Applied Management Systems, Inc.	9501100288	MISC	9501230121	50-10		
	9501190080*	50-390	9501230121	50-10		
	9501040270	50-528	9501230121	50-10		
	9501040271	50-528	9501040094	PR		
Aptech Engineering Services Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9501040271	50-528	BWR Owners Group Babcock & Wilcox Co.	9501030012	70-27	
	9501040271	50-528		9501030018	70-27	
	9501040271	50-528		9501030032	70-27	
	9501040272*	50-528		9501050029	71-88	
	9501040272*	50-528		9501050322	TOPREP	
	9501040272*	50-528		9501110247	70-364	
	9501120340	50-528		9501110255	70-364	
	9501130101	50-528		9501130182	70-364	
	9501230191	50-528		9501130212	TOPREP	
	9501310260	50-170		9501170058	71-5086	
Armed Forces Radiobiological Research						



268 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501200120	70-27		9501050281	50-324
	9501240028	70-27		9501050308	50-400
	9501250025	70-27		9501050476	50-261
	9501260135	PR		9501090046	50-400
	9501260292	TOPREP		9501090129	50-400
Baltimore Gas & Electric Co.	9501270167	70-27		9501100261	50-261
	9501040138	50-317	Q	9501100349	50-324
	9501110329	50-318	P	9501110488	50-324
	9501130111	50-317	H	9501110488	50-324
	9501130111	50-317	H	9501120194	50-324
	9501130134	PR		9501120194	50-324
	9501130161	50-317	S	9501120328	50-261
	9501130161	50-317	S	9501120331*	50-261
	9501130179	50-317	R	9501120337*	50-261
	9501130185*	50-317	R	9501130037	50-261
	9501230144	50-317	R	9501170067	50-400
	9501230307	50-317	F	9501170128	50-261
	9501240141	50-317	F	9501200175	50-324
	9501240141	50-317	F	9501240340	50-400
	9501240248	50-317	P	9501250069	50-400
	9501240248	50-317	P	9501250135	50-400
	9501240373	50-317	Q	9501250194	50-400
	9501240373	50-317	Q	9501250237	50-400
Battelle Memorial Institute	9501060258	CONTRACT		9501250339	50-325
Battelle Memorial Institute, Pacific	9501180194	NUREG		9501250408	50-400
Northwest Laboratory				9501260045	50-325
	9501200134*	NUREG		9501260060	50-324
	9501200137*	NUREG		9501260079	50-261
Bear Creek Uranium Co.	9501060154	40-8452		9501260103	50-324
	9501110175	40-8452		9501260128	50-400
Bechtel Power Corp.	9501190271	50-317	P	9501260139	50-400
Bedford, PA	9501260040	PR		9501260147*	50-400
Boeing Computer Services Co. (div. of Boeing Co.)	9501030017	QA999		9501270221	50-261
	9501110144	QA999		9501300035	50-261
				9501300057	50-261
Bonneville Power Administration	9501250044	PT21		9501300069	50-261
Boston Edison Co.	9501310320	NUREG		9501310270	50-324
	9501040103	50-293	S	9501040177	WASTE MGT
	9501040141	50-293	Q		
	9501130120	50-293	P	9501100333	WASTE MGT
	9501130139*	50-293	P	9501100335*	WASTE MGT
	9501190002	PR		9501110276	WASTE MGT
	9501190105	50-293	P	9501110284*	WASTE MGT
	9501190111*	50-293	P	9501180111	WASTE MGT
	9501190114*	50-293	P	9501180119	WASTE MGT
	9501270131	50-293	R	9501180123	WASTE MGT
Braunkohle Transport USA, Inc.	9501030038	XPORTLIC		9501180132	WASTE MGT
	9501030043	XPORTLIC		9501180141	WASTE MGT
C-E Operating Plants Owners Group	9501040142	PR		9501190148	WASTE MGT
COGEMA, Inc.	9501230186	40-8502		9501190155	WASTE MGT
Cabot Corp.	9501230257	40-9027		9501190274	WASTE MGT
Cajun Electric Power Cooperative, Inc.	9501100094	50-458	G	9501190396*	WASTE MGT
	9501270079	50-458	G	9501200130	WASTE MGT
	9501270086*	50-458	G	9501230157	WASTE MGT
	9501270096*	50-458	G	9501230169	WASTE MGT
	9501270107	50-458	G	9501230280	WASTE MGT
California, State of	9501120049*	STATE PRO	G	9501230283	WASTE MGT
	9501300107*	STATE PRO	G	9501230290	WASTE MGT
	9501310113*	STATE PRO	G	9501260315	WASTE MGT
	9501310121*	STATE PRO	G	9501260319*	WASTE MGT
California, Univ. of, Los Angeles, CA	9501120039	PRM		9501040228	50-346
	9501130093	PR		9501050329	50-441
	9501180233	NUREG		9501060070	50-440
	9501270013	PR		9501060162	50-440
	9501300032	STATE PRO	G	9501190084	50-346
California, Univ. of, Los Angeles, Medical School	9501310173	REGGD		9501200195	50-440
California, Univ. of, San Francisco, CA	9501190017	PRM		9501230054	50-346
California, Univ. of, Santa Barbara, CA	9501190286	50-295	P	9501230060	50-440
Cameco (formerly Eldorado Nuclear,	9501030069	XPORTLIC		9501230155	50-440
				9501250341	50-440
Ltd./Eldorado Resources, Ltd.				9501260271	50-346
Cameo Diagnostic Centre, Inc., Springfie ld, MA	9501060184	FOIA		9501310149	50-440
	9501130188*	FOIA		9501310445	50-440
Canonie Environmental Services, Inc.	9501240231*	40-8907		9501130114	50-346
				8611250056*	FOIA
	9501310452	40-8907		9501260271	50-346
Carolina Power & Light Co.	9501030027	50-324	F	9501310149	50-440
	9501030059	50-324	F	9501310445	50-440
	9501040174	50-400	P	9501130114	50-346
	9501040178	50-261	P	8611250056*	FOIA
	9501040179*	50-261	P	9501160159*	FOIA
	9501040193	50-400	P	9204210230*	FOIA
	9501040195*	50-400	P	9501230174	71-260
	9501040200	50-324	Q	9501040085	PR
	9501040245	50-324	R	9501110274	27-47
	9501040245	50-324	R	9501110281*	27-47
	9501040248*	50-324	R	9501110298*	27-47
	9501040264	50-400	P	9501110307*	27-47
	9501050094	50-324	I	9501110311*	27-47
				9501110313*	27-47
				9501110317*	27-47
				9501120188	27-47
				9501120190*	27-47

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Chemetron Corp.	9501110302	40-8724		9501230305	50-295	R
	9501110306*	40-8724		9501240034	50-373	P
	9501110326	40-8724		9501240034	50-373	P
Cintichem, Inc.	9501250127	40-8724		9501240041*	50-373	P
	9501110168	70-687		9501240041*	50-373	P
Citizens Against Nuclear Trash	9501100067	70-3070		9501240118	50-454	S
	9501270064	70-3070		9501240126	50-454	R
	9501270077	70-3070		9501240183	50-254	R
	9501270098	70-3070		9501240200	50-454	F
	9501270100*	70-3070		9501240268	50-456	F
City College of New York, New York, NY Colorado, State of	9501100086	CONTRACT		9501240332	50-237	V
	9501240288	PR		9501240332	50-237	V
	9501270103	REGGD		9501240363	50-237	Q
Coltec Industries, Inc.	9501270215	50-171		9501240363	50-237	Q
	9501270231*	50-171		9501240398	50-254	Q
Columbia Univ., New York, NY	9501270237*	50-171		9501250043	50-237	P
	9501270241*	50-171		9501250043	50-237	P
	9501040045*	70-3074		9501250084	50-10	F
	9501040051*	70-3074		9501250253	50-237	P
	9501040054*	70-3074		9501250402	50-237	F
Commonwealth Edison Co.	9501040078*	70-3074		9501250402	50-237	F
	9501040152	PR		9501260099	50-457	Q
	9501040181	50-454		9501260104	PR	
	9501040205*	50-454		9501270162	NUREG	
	9501050027	50-10		9501270349	50-237	P
	9501050031*	50-10		9501270349	50-237	P
	9501050189	50-237		9501270353	50-304	S
	9501050316	50-10		9501270359	50-374	S
	9501050333	50-254		9501300041	50-10	W
	9501050362	50-373		9501300073	50-454	F
	9501060012	50-254		9501300104	50-295	F
	9501060019*	50-254		9501300110	50-247	F
	9501060117	50-237		9501300198	50-374	S
	9501060134	50-237		9501300232	50-373	V
	9501100002	50-237		9501310013	50-254	P
9501100299	50-454	9501310148	50-456	Q		
9501120252	50-295	9501310156	50-265	P		
9501120257	50-265	9501310167*	50-265	P		
9501120346	50-454	9501310181	50-237	P		
9501120349	50-456	9501310207	50-373	P		
9501120349	50-456	9501310212	50-10	Q		
9501130072	50-254	9501310327	50-456	P		
9501130262	50-456	9501310461	50-373	F		
9501130266*	50-456	9501310463	50-254	P		
9501170072	50-10	9501310144*	50-286	P		
9501170151	50-10	Concord Associates, Inc.				
9501180103	50-254	Connecticut Yankee Atomic Power Co.	9501050107	50-213	P	
9501180103	50-254	9501120120	50-213	F		
9501190086	50-10	9501120120	50-213	F		
9501190086	50-10	9501170101	50-213	T		
9501190086	50-10	9501170167	50-213	T		
9501190086	50-10	9501190279	50-213	P		
9501190135	50-10	9501190279	50-213	P		
9501190135	50-10	9501190279	50-213	P		
9501190135	50-10	9501190279	50-213	P		
9501190156	50-295	9501190285*	50-213	P		
9501190156	50-295	9501190285*	50-213	P		
9501190157	50-373	9501190285*	50-213	P		
9501190158*	50-295	9501190285*	50-213	P		
9501190158*	50-295	9501230110	50-213	S		
9501190211	50-295	9501230129	50-213	S		
9501190263	50-295	9501240255	50-213	H		
9501190263	50-295	9501240323	50-213	S		
9501190263	50-295	9501250258	50-213	P		
9501190263	50-295	9501250317	50-213	P		
9501190263	50-295	9501260085	PR			
9501190263	50-295	9501310122	50-213	S		
9501190292	50-373	9501030030	50-3	R		
9501190303	50-374	9501030132	50-247	P		
9501190314	50-10	9501030134*	50-247	P		
9501190314	50-10	9501040055*	50-3	R		
9501190314	50-10	9501040055*	50-3	R		
9501190314	50-10	9501040061*	50-3	R		
9501190314	50-10	9501060168	50-247	F		
9501190314	50-10	9501110206	50-247	P		
9501190314	50-10	9501130232	50-247	P		
9501190314	50-10	9501130234*	50-247	P		
9501190314	50-10	9501230059	50-247	Q		
9501190314	50-10	9501250316	50-247	P		
9501190314	50-10	9501250319*	50-247	P		
9501200067	50-249	9501300228	50-3	P		
9501200070	50-10	9501030146	50-255	F		
9501200070	50-10	9501030148	50-255	F		
9501200070	50-10	9501040128	50-155	S		
9501200142	50-373	9501040187	50-255	K		
9501200170	50-456	9501040188*	50-255	K		
9501200189	50-10	9501040267	50-255	Y		
9501200189	50-10	9501040267	50-255	Y		
9501230053	50-295	9501050020	50-255	P		
9501230232	50-456	9501050121	50-255	P		

270 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501050125*	50-255		9501180323	50-269
	9501050178	50-255		9501180323	50-269
	9501050192	50-255		9501180323	50-269
	9501050241	50-255		9501180323	50-269
	9501050336	50-255		9501180323	50-269
	9501090050	50-255		9501190229	50-270
	9501090054	50-255		9501190247*	50-269
	9501090239	50-255		9501190262	50-269
	9501100173	50-255		9501190262	50-269
	9501100176	50-255		9501190262	50-269
	9501100179	50-255		9501190340	50-369
	9501100183	50-255		9501190340	50-369
	9501100183	50-255		9501190340	50-369
	9501100184	50-255		9501190340	50-369
	9501100199	50-255		9501200073	50-369
	9501100203	50-255		9501200110	50-369
	9501100206	50-255		9501200153	50-269
	9501120047	PR		9501200158	50-413
	9501120086	50-255		9501200363	50-269
	9501120088	50-255		9501200363	50-269
	9501120092	50-255		9501200363	50-269
	9501120093	50-255		9501200364*	50-269
	9501120097	50-255		9501200364*	50-269
	9501120147	50-155		9501200364*	50-269
	9501130242	50-255		9501230081	50-413
	9501130265	50-255		9501230089*	50-413
	9501170131	50-255		9501230090*	50-413
	9501170137	50-255		9501230093*	50-269
	9501170140	50-255		9501230102*	50-269
	9501200292	50-255		9501230116*	50-413
	9501230187	50-155		9501230118*	50-413
	9501240124	50-155		9501230124*	50-369
	9501240400	50-255		9501230124*	50-369
	9501240403	50-255		9501230130*	50-369
	9501240406	50-255		9501230208	50-369
	9501250080	50-255		9501230208	50-369
	9501250105*	50-255		9501230210*	50-369
	9501250114	50-255		9501230210*	50-369
	9501260003	PR		9501240084	50-269
	9501300185	50-255		9501240084	50-269
	9501300187*	50-255		9501240084	50-269
	9501300210	50-255		9501240084	50-269
	9501300212*	50-255		9501240084	50-269
	9501310186	50-255		9501240084	50-269
	9501310228	50-155		9501240084	50-269
	9501310240	50-155		9501240086*	50-269
Crane Co.	9501040170	50-282		9501240086*	50-269
	9501040173	PT21		9501240086*	50-269
	9501200336	PT21		9501240086*	50-269
	9501270196	50-259		9501240086*	50-269
	9501110332*	40-8724		9501240086*	50-269
Dames & Moore	9501040074*	FOIA		9501240086*	50-269
Data General Corp.	9501040076*	FOIA		9501240164	50-369
	9501060119	CONTRACT		9501240173*	50-369
	9501090344	CONTRACT		9501240173*	50-369
	9501050323	FOIA		9501240194	50-269
Day, New London, CT	9501130140	40-341		9501240298	50-369
Defense, Dept. of, Defense Logistics Agency	9501240317	50-131		9501240298	50-369
Dept. of Veterans Affairs Medical Center				9501240307*	50-369
Omaha, NE (formerly Veterans Admin. Me				9501240381	50-369
	9501030097	50-341		9501250052	50-369
Detroit Edison Co.	9501120021	50-341		9501250164	50-413
	9501190005	50-341		9501250164	50-413
	9501190267	50-341		9501250171	50-413
	9501200181	50-341		9501270351	50-269
	9501250289	50-341		9501270356	50-269
Dow Chemical Co.	9501260049	PR		9501270356	50-269
Dow Corning Corp.	9501120162	PT21		9501270356	50-269
	9501270185	PT21		9501300044	50-269
Duke Power Co.	9501050451	50-369		9501300044	50-269
	9501090041	50-369		9501300044	50-269
	9501090062	50-369		9501300236	50-369
	9501090090	50-369		9501310087	50-369
	9501090185	50-413		9501310089*	50-369
	9501090270	50-269		9501310140	50-369
	9501090270	50-269		9501310140	50-369
	9501090270	50-269		9501310143*	50-369
	9501090357	50-269		9501310143*	50-369
	9501100008	50-370		9501310435	50-369
	9501100258	50-413		9501310435	50-369
	9501110118	50-413		9501310435	50-369
	9501110123*	50-413		9501310435	50-369
	9501110504	50-369		9501310441*	50-369
	9501120018	PR		9501310441*	50-369
	9501120278	50-269		9501310441*	50-369
	9501120290*	50-269		9501310441*	50-369
	9501180173	50-269		9501100094	50-458
	9501180173	50-269	Duncan, Weinberg, Miller & Pembroke, P.C		
	9501180173	50-269	(formerly Duncan, Weinberg & Miller)		
	9501180173	50-269		9501270079	50-458

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		
Duquesne Light Co.	9501270107	50-458	G O P O P		9501130267	PROJ		
	9501040260	50-334			9501130276*	WASTE MGT		
	9501090033	50-412			9501130277*	WASTE MGT		
	9501110089	50-334			9501130278*	WASTE MGT		
	9501170070	50-334			9501130279*	WASTE MGT		
	9501170070	50-334	F R R V		9501130281*	WASTE MGT		
	9501170085	50-334			9501130282*	WASTE MGT		
	9501170085	50-334			9501130283*	WASTE MGT		
	9501180166	50-334			9501130285*	WASTE MGT		
	9501190001	PR			9501170026	PROJ		
	9501190069	50-334	H P P F F		9501170034	PROJ		
	9501230200	50-334			9501170046	PROJ		
	9501230200	50-334			9501170183	WASTE MGT		
	9501230313	50-334			9501170185*	WASTE MGT		
	9501230313	50-334			9501180208	WASTE MGT		
9501240263	50-334	H H H	9501180303*	XPORTLIC				
9501240263	50-334		9501180307*	XPORTLIC				
9501300150	50-334		9501200114	WASTE MGT				
9501060133	FOIA		9501230198	70-1100				
9501260186	PR		9501240161	XPORTLIC				
E.I. du Pont de Nemours & Co., Inc.	9501260047*	STATE PRO	G O G		9501240166*	XPORTLIC		
	9501300028*	STATE PRO			9501250138	WASTE MGT		
EG&G Energy Measurements	9501180201*	50-220	P O G		9501250140*	WASTE MGT		
	ERIN Engineering & Research, Inc.	9501260100*			50-298	9501250147		PROJ
	Eastern Testing & Inspection, Inc.	9210230172*			FOIA	9501250150		WASTE MGT
		9210280172*			FOIA	9501250173		WASTE MGT
Edgar, Newman, Bouknight, and Edgar Edlow International Co.	9501040071	FOIA			9501250390	WASTE MGT		
	9501030002	70-1252			9501250393*	WASTE MGT		
	9501030019	70-1252			9501250411	WASTE MGT		
	9501030023	70-1252			9501250430	WASTE MGT		
	9501090010	XPORTLIC			9501250433	WASTE MGT		
	9501090023	70-1252			9501250440	WASTE MGT		
	9501090097	XPORTLIC			9501250444	WASTE MGT		
	9501110007	XPORTLIC			9501250448	WASTE MGT		
	9501110159	40-8576			9501260269	WASTE MGT		
	9501170130	70-1252			9501260380	WASTE MGT		
	9501180006	70-1252			9501270209	WASTE MGT		
	9501180018	70-1252			9501270239	WASTE MGT		
	9501180066	70-1252			9501300208	WASTE MGT		
	9501060235	TOPREP			9501300311	WASTE MGT		
	Electric Power Research Institute	9501310306*			REVIEW GR	P		
9501240127		40-8681	9501300315	WASTE MGT				
9501270198		40-8681	9501300317	WASTE MGT				
9501270236		40-8681	9501300319	WASTE MGT				
Energy Fuels Nuclear, Inc.	9501040133	WASTE MGT			9501300322	WASTE MGT		
Energy, Dept. of	9501040139	WASTE MGT			9501310295	WASTE MGT		
	9501040161	WASTE MGT			9501310302*	WASTE MGT		
	9501040168*	WASTE MGT			9501030142	50-382		
	9501040184	WASTE MGT			9501030153	50-382		
	9501040207	WASTE MGT			9501040081	PR		
	9501040216	WASTE MGT			9501040145	50-313		
	9501050164*	WASTE MGT			9501040194	50-382		
	9501050168	WASTE MGT			9501040196*	50-382		
	9501050173	WASTE MGT			9501040254*	50-382		
	9501050181	WASTE MGT			9501050183	50-313		
	9501050188	WASTE MGT			9501050269	50-458		
	9501050196	WASTE MGT			9501050275	50-458		
	9501050265	WASTE MGT			9501060106	50-416		
	9501050293*	WASTE MGT			9501060109*	50-416		
	9501050320	WASTE MGT	9501090102	50-382				
9501050326	WASTE MGT	9501090110	50-382					
9501050328*	WASTE MGT	9501110513	50-313					
9501050377	WASTE MGT	9501110515	50-313					
9501060015	WASTE MGT	9501130209	50-458					
9501060165	WASTE MGT	9501130210*	50-458					
9501060192	WASTE MGT	9501130211*	50-458					
9501060200	WASTE MGT	9501170168	50-416					
9501060215	PROJ	9501180193	50-416					
9501060220	PROJ	9501180315	50-458					
9501060281	WASTE MGT	9501190011	PR					
9501100231	WASTE MGT	9501190064*	50-313					
9501100324	WASTE MGT	9501190180	50-382					
9501100340	WASTE MGT	9501190295	50-368					
9501110210	40-6500	9501190332	50-416					
9501110219	WASTE MGT	9501200161	50-313					
9501110221*	40-6500	9501200295	50-458					
9501110224*	WASTE MGT	9501230193	50-382					
9501110308	XPORTLIC	9501230223	50-313					
9501110314*	XPORTLIC	9501230225*	50-313					
9501120080	WASTE MGT	9501230268	50-416					
9501120094	WASTE MGT	9501230295	50-458					
9501120095	WASTE MGT	9501240093	50-458					
9501120100*	WASTE MGT	9501240095*	50-458					
9501120101	WASTE MGT	9501250089	50-313					
9501120113	PROJ	9501250133	50-313					
9501120350	WASTE MGT	9501250200	50-416					
9501120363	WASTE MGT	9501250422	50-416					
9501120364*	WASTE MGT	9501250453	50-382					
9501130117	PROJ	9501250455*	50-382					
Entergy Operations, Inc.	9501040133	WASTE MGT			9501040145	50-313		
	9501040161	WASTE MGT			9501040194	50-382		
	9501040168*	WASTE MGT			9501040196*	50-382		
	9501040184	WASTE MGT			9501040254*	50-382		
	9501040207	WASTE MGT			9501050183	50-313		
	9501040216	WASTE MGT			9501050269	50-458		
	9501050164*	WASTE MGT			9501050275	50-458		
	9501050168	WASTE MGT			9501060106	50-416		
	9501050173	WASTE MGT			9501060109*	50-416		
	9501050181	WASTE MGT			9501090102	50-382		
	9501050188	WASTE MGT			9501090110	50-382		
	9501050196	WASTE MGT			9501110513	50-313		
	9501050265	WASTE MGT			9501110515	50-313		
	9501050293*	WASTE MGT			9501130209	50-458		
	9501050320	WASTE MGT			9501130210*	50-458		
9501050326	WASTE MGT	9501130211*	50-458					
9501050328*	WASTE MGT	9501170168	50-416					
9501050377	WASTE MGT	9501180193	50-416					
9501060015	WASTE MGT	9501180315	50-458					
9501060165	WASTE MGT	9501190011	PR					
9501060192	WASTE MGT	9501190064*	50-313					
9501060200	WASTE MGT	9501190180	50-382					
9501060215	PROJ	9501190295	50-368					
9501060220	PROJ	9501190332	50-416					
9501060281	WASTE MGT	9501200161	50-313					
9501100231	WASTE MGT	9501200295	50-458					
9501100324	WASTE MGT	9501230193	50-382					
9501100340	WASTE MGT	9501230223	50-313					
9501110210	40-6500	9501230225*	50-313					
9501110219	WASTE MGT	9501230268	50-416					
9501110221*	40-6500	9501230295	50-458					
9501110224*	WASTE MGT	9501240093	50-458					
9501110308	XPORTLIC	9501240095*	50-458					
9501110314*	XPORTLIC	9501250089	50-313					
9501120080	WASTE MGT	9501250133	50-313					
9501120094	WASTE MGT	9501250200	50-416					
9501120095	WASTE MGT	9501250422	50-416					
9501120100*	WASTE MGT	9501250453	50-382					
9501120101	WASTE MGT	9501250455*	50-382					
9501120113	PROJ							

272 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Envirocare of Utah, Inc. Envirocare, Inc.	9501300331	50-458		9409200244*	50-321
	9501310245	50-458		9409200250*	50-321
	9501260369	40-8989		9412210146	52-4
	9501040077	PR		9501030011	XPORTLIC
	9501240384	40-8989		9501030013	XPORTLIC
Environmental Coalition on Nuclear Power Environmental Protection Agency	9501240391	40-8989		9501030036	XPORTLIC
	9501240395*	40-8989		9501060104	TOPREP
	9501240397*	40-8989		9501090039	TOPREP
	9501260080	PR		9501110456*	TOPREP
	9210020246*	COMMISSIO	N	9501120044	70-1308
	9501050229	40-8027		9501120144*	50-277
9501230145	50-272	P	9501120144*	50-277	
9501230177	WASTE MGT		9501120149*	50-277	
9501260033	40-8907		9501120149*	50-277	
9501300054*	COMMISSIO	N	9501130085*	50-410	
European Communities, Commission of	9501050395	XPORTLIC		9501170009	70-754
	9501200304	XPORTLIC		9501230195	52-1
	9501270234	40-8102		9501230196*	52-1
Exxon Coal USA, Inc. (formerly Carter Mining Co.) Exxon Corp.	9501240278	40-8102		9501230296*	50-321
				9501240356	52-4
Federal Emergency Management Agency	9501240282*	40-8102		9501250349*	50-325
	9501120313	50-461	F	9501310016*	50-254
	9501120320*	50-461	F	9501310016*	50-254
	9501040134	FOIA	R	9501310018*	50-254
Federal Sources, Inc. Florida Power & Light Co.	9501030020	50-250		9501310018*	50-254
	9501040098	PR		9501310021*	50-254
9501050324	50-250	P	9501310023*	50-254	
9501100001	50-335	F	9501310023*	50-254	
9501120029	50-335	H	9501310026*	50-254	
9501120078	PR		9501310048	52-4	
9501130122	50-335	H	9501310464*	50-254	
9501170053	50-250	F	8207050048*	50-289	
9501190008	PR		9501030072	50-289	
9501190063	50-335	O	9501030082	50-219	
9501200347	50-389	S	9501040043*	50-289	
9501230297	50-250	R	9501040046*	50-289	
9501240238	50-335		9501050129	50-289	
9501240383	50-302	Q	9501050131*	50-289	
9501240389*	50-302	F	9501050149	50-219	
9501250115	50-335		9501050155*	50-219	
9501250205	50-302	S	9501050283	50-219	
9501250278	50-302	S	9501050430	50-219	
9501270137	50-335	P	9501090313	50-289	
9501270171	50-250	P	9501100202	50-289	
9501270171	50-250	P	9501100230	50-219	
9501270177*	50-250	P	9501200202	50-289	
9501270177*	50-250	P	9501200294	50-219	
9501270179*	50-250	P	9501200300	50-219	
9501310191	50-335	P	9501240204	50-289	
9501310191	50-335	P	9501240204	50-289	
9501310198*	50-335	P	9501240206*	50-289	
9501310198*	50-335	P	9501240206*	50-289	
9501310202	50-250	F	9501240325*	50-146	
9501310304	50-250	S	9501240331*	50-146	
9501050130	50-302	S	9501240336*	50-146	
9501050186	50-302	F	9501240350	50-219	
9501060272	50-302	F	9501300048	50-219	
9501130136	50-302	H	9501170173	71-319	
9501130237	50-302	P	9501170175*	71-319	
9501130259	50-302	H	9501170178*	71-319	
9501200121	50-302	R	9501110505	50-160	
9501250047	50-302	F	9501180278	50-160	
9501270340	50-302	Q	9501240236	50-160	
9501300243	50-302	S	9501240236	50-160	
9501300221	50-83	F	9501240241*	50-160	
9501300223*	50-83	F	9409200218	50-321	
9501240050	50-62	S	9501040169	50-425	
9501190252	50-29	P	9501040171*	50-425	
9501260013	PR		9501040186	50-424	
9501060046*	50-213	G	9501040186	50-424	
Nuclear Power GTI Corp.	9501090341	CONTRACT		9501040198	50-424
	9501110196*	40-1650		9501040198	50-424
	9501030022	70-734		9501040201*	50-424
GZA GeoEnvironmental, Inc. (formerly Goldberg-Zoino & Associates, Inc. & General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9501100195	40-8027		9501040201*	50-424
	9501180145	40-8027		9501040259	50-321
	9501260238	70-734		9501050304	50-424
	9501100254	71-9032		9501050304	50-424
	9409200222*	50-321	P	9501050307	50-424
9409200223*	50-321	P	9501050307	50-424	
9409200224*	50-321	P	9501050312	50-424	
9409200226*	50-321	P	9501050312	50-424	
9409200229*	50-321	P	9501050314*	50-424	
9409200234*	50-321	P	9501050314*	50-424	
9409200236*	50-321	P	9501050314*	50-424	
9409200239*	50-321	P	9501050391	50-424	
9409200242*	50-321	P	9501050391	50-424	
9501100076	50-424	G	9501100076	50-424	
9501100100	50-424	G	9501100100	50-424	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501100104	50-424		9501270098	70-3070
	9501100104	50-424		9501270134	70-3070
	9501100105	50-424		9501270140*	70-3070
	9501100105	50-424	Harrisburg Cancer Center, Inc., Harrisburg, IL	9501170150*	FOIA
	9501100108	50-424			
	9501100108	50-424		9501300049	70-578
	9501100119	50-424	Hawaii, Univ. of, Honolulu, HI	9501130197	FOIA
	9501100119	50-424	Haworth, Inc.	9501120143	40-8903
	9501100126*	50-424	Homestake Mining Co.	9501170221	40-8903
	9501100126*	50-424	House of Rep.	9501120022*	STATE PRO G
	9501100128	50-424		9501260354*	71-765
	9501100128	50-424	House of Rep., Energy & Commerce	9412300055*	50-341
	9501100136*	50-424	Houston Lighting & Power Co.	9501030062	50-498
	9501100136*	50-424		9501030067*	50-498
	9501100143*	50-424		9501120078	PR
	9501100143*	50-424		9501190178	50-498
	9501100146*	50-424		9501190282	50-498
	9501100146*	50-424		9501200053	50-498
	9501100150*	50-424		9501200093	50-498
	9501100150*	50-424		9501230194	50-498
	9501100154*	50-424		9501250001	50-498
	9501100154*	50-424		9501300119	50-498
	9501100157	50-424		9501300119	50-498
	9501100157	50-424		9501300127*	50-498
	9501100159*	50-424		9501300127*	50-498
	9501100159*	50-424		9501310147	50-498
	9501100161	50-424		9501310147	50-498
	9501100161	50-424		9501310151*	50-498
	9501100165	50-424		9501310151*	50-498
	9501100165	50-424	Hydro-Engineering	9501030100*	40-2259
	9501100352	50-424		9501060150	40-2259
	9501100352	50-424	IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9501030037	50-331
	9501100353*	50-424		9501030087	50-331
	9501100353*	50-424		9501100167	50-331
	9501180149	50-424		9501120078	PR
	9501180157	50-424		9501200147	50-331
	9501180157	50-424		9501300245	50-331
	9501180172	50-424	INDESERV, Inc.	9501250192	71-690
	9501180172	50-424	IRT Corp.	9501050205*	FOIA
	9501180257	50-424		9501050209*	FOIA
	9501180257	50-424		9501050216*	FOIA
	9501190073	50-366		9501050222*	FOIA
	9501190260	50-321	IT Corp.	9501250156*	40-8778
	9501200173	50-424	Idaho National Engineering Laboratory	9501130096*	50-369
	9501200173	50-424		9501180201*	50-220
	9501200180	50-321		9501180334	50-295
	9501230234	50-321		9501180334	50-295
	9501230234	50-321		9501270224*	50-302
	9501230235	50-424		9501310338*	50-282
	9501230235	50-424		9501050475	50-284
	9501230239*	50-321	Idaho State Univ., Pocatello, ID	9501110130	50-461
	9501230239*	50-321	Illinois Power Co.	9501110343	50-461
	9501230239*	50-321		9501120078	PR
	9501230266	50-424		9501190096*	50-461
	9501230266	50-424		9501200118	50-461
	9501230292	50-321		9501230330	50-461
	9501230292	50-321		9501250394	50-461
	9501230321	50-424		9501260094	50-461
	9501230325*	50-424		9501310164	50-461
	9501240287	50-424		9501310166*	50-461
	9501240287	50-424		9501310171	50-461
	9501240293*	50-424	Illinois, State of	9501120005	PR
	9501240293*	50-424		9501120085	PR
	9501250062	50-366		9501170011*	STATE PRO G
	9501270371	50-321		9501180091	REGGD
	9501270372*	50-321		9501240261	NUREG
	9501300135	50-321		9501260113	PR
	9501300135	50-321		9501310094*	STATE PRO G
	9501300148*	50-321	Illinois, Univ. of, Urbana, IL	9501050242	50-151
	9501300148*	50-321		9501270109	50-151
	9501300209	50-321		9501300006*	50-151
	9501300209	50-321		9501060183	50-315
	9501300325	50-424	Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9501060210	50-315
	9501300325	50-424		9501060211	50-316
	9501300326*	50-424		9501090278	50-316
Georgians Against Nuclear Energy	9501300326*	50-424		9501130094	PR
	9501270047	50-160		9501190159	50-316
Goodyear Aerospace Corp. (subs. of Goodyear Tire & Rubber Co.)	9501270208	50-160		9501190163*	50-315
	9501230202*	70-1489		9501190167	50-315
	9501230209*	70-1489		9501190174*	50-315
	9501230306*	70-1489		9501230218	50-315
	9501230323*	70-1489		9501230218	50-315
Gulf States Utilities Co.	9501240189*	70-1489		9501250142	50-315
	9501270108	50-458		9501250266	50-315
	9501100045	CONTRACT		9501250266	50-315
Halliburton NUS Environmental Corp. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9501270064	70-3070		9501300215	50-315
	9501270077	70-3070	Institute for Energy & Environmental	9501260167	PR



274 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Research, Heidelberg, Germany	9501270100*	70-3070		Michigan Daily, Ann Arbor, MI	9501030077	FOIA	
Institute of Nuclear Power Operations	9501100187	ORG		Michigan, State of	9501040214	FOIA	
Integrated Environmental Services	9501100200	ORG		Michigan, Univ. of, Ann Arbor, MI	9501040095	PR	
	9501230267*	FOIA		Michigan, Univ. of, Hosp., Ann Arbor, MI	9501240142	50-2	Q
	9501230274*	FOIA			9501110223	PRM	
Interior, Dept. of	9501230277*	FOIA		Microform, Inc.	9501090280	CONTRACT	
Interior, Dept. of, Fish & Wildlife Service	9501250081	50-274	R	Mid-Island Radiation Alert	9501040123	PR	
	9501240345	40-9024		Minnesota Mining & Manufacturing Co. (3M Co.)	9501120023	STATE PRO	G
Interior, Dept. of, Geological Survey	9501120104	40-8027		Missouri, Univ. of, Columbia, MO	9501110211	50-186	F
Intermountain Testing Co.	9501130277*	WASTE MGT			9501110252	PRM	
Iowa, State of	9501100180	71-213			9501240342*	50-186	Q
J.L. Shepherd & Associates	9501180057*	STATE PRO	G	Missouri, Univ. of, Rolla, MO	9501250233	50-186	P
	9501270213	50-244	P	Mitsubishi International Corp.	9501260077	50-186	F
JRA Associates	9501030092	FOIA			9501180272	XPORTLIC	
Jacobs Engineering Group, Inc.	9501170121	FOIA		Mitsui & Co. (USA), Inc.	9501090099	XPORTLIC	
Japan	9501030143	70-364		Molycorp, Inc.	9501250149	40-8778	
Johnson Yokogawa Corp. (formerly Yokogawa of America)	9501170158	FOIA		Morgan, Lewis & Bockius	9501100111	40-8027	
Kansas State Univ., Manhattan, KS	9501130152	STATE PRO	G		9501120046	PR	
Kansas, State of	9501240324	50-188	R		9501120078	PR	
Kennecott Corp.	9501190007	STATE PRO	G	NUS Corp.	9501180213	40-8027	
	9501060156	40-8904			9501230179	50-498	P
	9501310256	40-8584		Narragansett Indian Tribe	9501060235	TOPREP	
	9501310258*	40-8584			9501240348*	50-146	P
Kerr-McGee Corp.	9501310314	40-8584			9501190058	70-820	
Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9501260041	PR		National Academy for Nuclear Training	9501100200	ORG	
	9501100076	50-424	G	National Research Council	9501250168	ORG	
	9501100078	50-424	G	National Security Archive	9501090333*	STATE PRO	G
	9501100078	50-424	G	National Whistleblower Center	9501200278	FOIA	
	9501100089*	50-424	G		9501170143	FOIA	
	9501100089*	50-424	G	Native Americans for a Clean Environment	9501270035	PR	
	9501100105	50-424	G	Navajo Nation	9501260279	40-8907	
	9501100105	50-424	G	Nebraska Public Power District	9501030085	50-298	P
	9501100129	50-424	G		9501030101	50-298	P
	9501100129	50-424	G		9501040114	50-298	Q
	9501100144*	50-424	G		9501100207	50-298	P
	9501100144*	50-424	G		9501100232	50-298	P
	9501100157	50-424	G		9501130135	50-298	Q
	9501100157	50-424	G		9501170204	50-298	P
	9501100178	50-424	G		9501200017	50-298	S
	9501180048	50-424	G		9501200124	50-298	S
	9501180149	50-424	G		9501240193	50-298	FR
	9501180237	50-424	G		9501240275	50-298	P
	9501180237	50-424	G		9501260086	50-298	P
	9501180242	50-424	G		9501260093*	50-298	S
	9501180242	50-424	G		9501260384	50-298	Q
Lamont-Doherty Earth Observatory	9501180164	NUREG			9501300201	50-298	Q
Lawrence Livermore National Laboratory	9501170246*	FOIA		Netherlands, Govt. of	9501301126	50-298	S
Long Island Power Authority	9501180332	NUREG		Neutron Products, Inc.	9501310169	50-298	PF
	9501130166	50-322	R	Nevada, State of	95012001193	50-298	P
	9501130169*	50-322	R		9501100345*	ORG	
	9501240284	50-322	W	New Jersey, State of	9501270097	PR	
	9501250028	50-322	R		9501040088	PR	
Louisiana Energy Services	9501250033*	50-322	R		9501300056	WASTE MGT	
	9501060209	70-3070			9501040111	PR	
	9501100088	70-3070			9501090013*	STATE PRO	G
	9501100120	70-3070			9501100237	50-272	P
	9501120310	70-3070			9501100240	50-354	P
Louisiana, State of	9501270187	70-3070			9501240145	50-272	P
	9501040112	STATE PRO	G		9501240252	50-219	P
	9501040124	STATE PRO	G	New Mexico, State of	9501120261	40-8968	
MK-Ferguson Co.	9501060284*	WASTE MGT			9501120294	40-8907	
Maine Yankee Atomic Power Co.	9501050132	50-309	P		9501120321	40-8968	
	9501100214	50-309	S		9501120327	40-8968	
	9501180163	50-309	P		9501250009	STATE PRO	G
	9501180165*	50-309	P		9501250020*	STATE PRO	G
	9501200167	50-309	R	New York, State of	9501040091	PR	
	9501250123	50-309	F		9501040119	PR	
	9501250355	50-309	F		9501240300	PR	
	9501270334	50-309	Q	Newman & Holtzinger	9501040243	FOIA	
	9501300206	50-309	P		9501050400	FOIA	
Maine, State of	9501090038*	STATE PRO	G	Niagara Mohawk Power Corp.	9501050109	50-220	P
	9501240289	50-199	V		9501050118*	50-220	P
Manhattan College, Riverdale, NY	9501300079	XPORTLIC			9501050127*	50-220	P
Marubeni America Corp.	9501180233	NUREG			9501050429	50-410	S
Maryland, Univ. of, College Park, MD	9501060122	50-20	S		9501110443	TOPREP	
Massachusetts Institute of Technology, Cambridge, MA	9501060213	70-938			9501130083	50-410	P
	9501240344	70-938			9501170079	50-410	P
Massachusetts, Commonwealth of	9501300118*	STATE PRO	G		9501170088*	50-410	P
Mayo Clinic, Rochester, MN	9501040151*	FOIA			9501170098	50-410	P
	9501040164*	FOIA			9501170102*	50-410	P
	9501100195	40-8027			9501190198	50-220	P
Mays & Valentine	9501180145	40-8027			9501190357	50-220	P
Medical Center of Delaware, Newark, DE (formerly Wilmington Medical Center)	9501180174	PR			9501190367	50-220	P
					9501200187	50-220	R
					9501230070	50-410	S
					9501230331	50-410	P
					9501240240	50-410	R
					9501250185	50-220	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Nondestructive Inspection Service NorCal Testing, Inc.	9501100260	71-9033		9501130280	50-282
	9501310370	71-*****		9501130284*	50-282
	9501310370	71-*****		9501130284*	50-282
	9501310391*	71-*****		9501130286*	50-282
Nordion International, Inc.	9501310273	71-9258		9501130286*	50-282
	9501310276*	71-9258		9501170074	50-282
	9501310278*	71-9258		9501170074	50-282
	9501310280*	71-9258		9501190304	50-282
	9501310283*	71-9258		9501190304	50-282
North Atlantic Energy Service Corp. (NAESCO)	9501050202	50-443	S	9501190308*	50-282
	9501050286	50-443	S	9501190317*	50-282
	9501050313	50-443	P	9501190317*	50-282
	9501050351	50-443	P	9501200307	50-282
	9501050354*	50-443	P	9501200307	50-282
	9501050459	50-443	P	9501200311*	50-282
	9501130157	50-443	H	9501200311*	50-282
	9501170145	50-443	R	9501200316*	50-282
	9501240003	50-443	Q	9501200316*	50-282
	9501240152	50-443	P	9501230120	50-263
	9501250148	50-443	S	9501230328	50-282
	9501310099	50-443	P	9501230328	50-282
	9501310102	50-443	P	9501240092	50-263
Northeast Nuclear Energy Co.	9501310107*	50-443	P	9501240100*	50-263
	9501040189	50-245	F	9501240119	50-263
	9501040189	50-245	F	9501250188	50-282
	9501040192	50-245	S	9501250370	50-306
	9501040242	50-423	P	9501300133	50-263
	9501040247*	50-423	P	9501300143*	50-263
	9501050211	50-245	F	9501310459	50-263
	9501050481	50-213	Q	9501240301	71-9225
	9501060141	50-336	S	9501240306*	71-9225
	9501120004	50-245	S	9501260134	71-18
	9501120009	50-336	S	9501260134	71-18
	9501120120	50-213	F	9501260134	71-18
	9501170241*	50-336	P	9501270193	71-18
	9501190224	50-423	P	9501270193	71-18
	9501190227*	50-423	P	9501120036	PR
	9501190242	50-245	P	9501120081	PR
	9501190279	50-213	P	9501130118	PR
	9501190279	50-213	P	9501130130	PR
	9501190321	50-423	P	9501200008	I&E
	9501190328*	50-423	P	9501240271	NUREG
	9501190377	50-396	P	9501240279*	NUREG
	9501200069	50-245	F	9501260105	PR
	9501230114	50-245	R	9501310296	REVIEW GR
	9501230329	50-336	P	9501310303	REVIEW GR
	9501240198	50-245	S	9501503015	70-143
	9501240255	50-213	H	9501310269	70-143
	9501240255	50-213	H	9501040263	FOIA
	9501240347	50-423	P	9501120255*	50-219
	9501250262	50-245	P	9501170141	FOIA
	9501260320	50-423	P	9501310307	STATE PRO
	9501260326	50-423	P	9501040117	PR
	9501260330*	50-423	P	9501110289	40-501
	9501270247	50-336	S	9501110294*	40-501
Northeast Ohio Regional Sewer District Northeast Utilities	9501270344	50-245	S	9501110304	50-322
	9501230143	FOIA		9501110310*	50-322
	9501040189	50-245	F	9501120119	40-8948
	9501050107	50-213	P	9501130187	50-322
	9501170241*	50-336	P	9501130191*	50-322
	9501190224	50-423	P	9501240374*	FOIA
	9501250321*	50-213	P	9501240387*	FOIA
Northeast Utilities Service Co.	9501050110*	50-213	P	9501300117*	COMMISSIO
	9501050481	50-213	Q	9501090283*	50-219
	9501120120	50-213	F	9501130207	40-8948
	9501190279	50-213	P	9501180194	NUREG
	9501190321	50-423	P	9501180200	NUREG
	9501230329	50-336	P	9501180295	NUREG
	9501250262	50-245	P	9501180329	NUREG
	9501250317	50-213	P	9501300071*	COMMISSIO
	9501260320	50-423	P	9501230302*	FOIA
	9501260326	50-423	P	9501100015	CONTRACT
Northern States Power Co.	9501050266	50-282	Q	9501040097	PRM
	9501050335	50-282	P	9501130150	PR
	9501060112	50-282	P	9501130180	PR
	9501060112	50-282	P	9501300087	STATE PRO
	9501060153	50-263	Q	9501120030	PR
	9501060157	50-263	Q	9501260219	40-8948
	9501100184	50-282	R	9501060052*	STATE PRO
	9501100197	50-263	H	9501180224	REGGD
	9501110186	50-282	Y	9501030139	50-285
	9501120173	50-263	F	9501040083	50-285
	9501130121	50-263	H	9501040083	50-285
	9501130121	50-263	H	9501040092*	50-285
	9501130121	50-263	H	9501190183	50-285
	9501130121	50-263	H	9501200080	50-285
	9501130260	50-282	P	9501230182	50-285
				9501230182	50-285

276 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501230315	50-285		9501130160	50-275
	9501230317*	50-285		9501130235	50-133
	9501230319*	50-285		9501130236*	50-133
	9501230320*	50-285		9501190032*	50-133
	9501240386	50-285		9501190176	50-275
	9501300120	50-285		9501230326	50-275
	9501300123*	50-285		9501240059	50-275
	9501310272	50-285		9501240235	50-275
Oncology Services Corp., Harrisburg & State College, PA	9501170093	FOIA		9501240274	50-323
				9501250067	50-323
	9501170112*	FOIA		9501270216	50-275
	9501170114*	FOIA		9501270216	50-275
	9501170120*	FOIA		9501270322	50-334
	9501170163*	FOIA		9501310208	50-323
Oncology Services, Inc.	9501170150*	FOIA	Pathfinder Mines Corp.	9501030093	40-2259
PECO Energy Co., (formerly Philadelphia Electric Co.)	9501030141	50-352		9501060148	40-8981
				9501060149	40-8981
	9501050382	50-277		9501030149	50-387
	9501050390	50-277	Pennsylvania Power & Light Co.	9501030149	50-387
	9501050390	50-277		9501040149	50-387
	9501050394	50-277		9501040149	50-387
	9501050394	50-277		9501040155	50-387
	9501060091	50-277		9501050100	50-387
	9501060091	50-277		9501050116	50-387
	9501060180	50-277		9501050116	50-387
	9501090043	50-352		9501050308	50-387
	9501090279	50-352		9501050308	50-387
	9501110486*	50-277		9501050309*	50-387
	9501120042	PR		9501050311*	50-387
	9501120130	50-352		9501120141	50-387
	9501120140	50-277		9501230311	50-387
	9501120160	50-352		9501230311	50-387
	9501120160	50-352		9501240080	50-387
	9501130137	PR		9501240351	50-387
	9501130218	50-352		9501250256	50-387
	9501170208	50-277		9501260181	50-387
	9501170208	50-277		9501260181	50-387
	9501180155	50-272		9501260274	50-387
	9501190021	PR		9501310321	50-387
	9501190347	50-353	Pennsylvania, Commonwealth of	9501260068	PR
	9501200149	50-277		9501050388	FOIA
	9501200282	50-277			
	9501200282	50-277		9501030160	50-344
	9501230045	50-352		9501170116	50-344
	9501230051*	50-352		9501310189	50-344
	9501230180	50-277		9501310192*	50-344
	9501230180	50-277		9501310199*	50-344
	9501230332	50-352		9501040250	50-333
	9501240106	50-277			
	9501240106	50-277	Power Authority of the State of New York (New York Power Authority)	9501060115	50-333
	9501240113*	50-277		9501060270	50-286
	9501240113*	50-277		9501110250	50-333
	9501240180	50-277		9501170063	50-286
	9501240180	50-277		9501240169	50-286
	9501240182*	50-277		9501250029	50-333
	9501240182*	50-277		9501250073	50-286
	9501240265	50-277		9501250249	50-286
	9501240265	50-277		9501250255	50-333
	9501270200	50-277		9501250388	50-286
	9501270201*	50-277		9501270218	50-286
	9501270324	50-352		9501310346	50-286
	9501310083	PR		9501310290	PT21
	9501310162	I&E	Power Computing Co.	9501060087	40-8857
	9501310239	50-353	Power Resources Corp.	9501300090*	COMMISSIO
PTI Services, Inc.	9501170045	40-8948	President of U.S. & Executive Offices	9501240050	50-62
			Pro-Technics International (formerly		
			ProTechnics, Inc.)		
PX Engineering Co., Inc.	9501170048*	40-8948	Public Citizen's Critical Mass Energy	9501060256	FOIA
	9501270034	50-282	Project		
	9501300016*	50-282	Public Service Co. of Colorado	9501040030	50-267
	9501300016*	50-282		9501040030	50-267
	9501300023*	50-282			
	9501300023*	50-282		9501040042*	50-267
	9501040204	50-275		9501040042*	50-267
	9501040204	50-275		9501050220	50-267
	9501050067	50-275		9501060144*	50-267
	9501050091	50-323		9501190018	50-267
	9501050364	50-133		9501190117	50-267
	9501050368*	50-133		9501190120*	50-267
	9501050369*	50-133		9501260211	50-267
	9501050470	50-275		9501270357	50-267
	9501050470	50-275		9501310093	50-267
	9501090330	50-275		9501030126	50-272
	9501090330	50-275	Public Service Electric & Gas Co. of New Jersey	9501030126	50-272
	9501090342*	50-275		9501030128*	50-272
	9501090342*	50-275		9501040273	50-272
	9501090345*	50-275			
	9501090345*	50-275		9501040273	50-272
	9501100227	50-344		9501050085	50-311
	9501130108	50-275		9501050090*	50-311
	9501130160	50-275		9501050099*	50-324

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501050201	50-272		9501090004*	71-9210
	9501050210*	50-272		9501090008*	71-9210
	9501050237	50-272		9501100217*	71-9210
	9501050237	50-272		9501100218*	71-9210
	9501050243*	50-272		9501190024*	50-267 W
	9501050249*	50-272	Seafirst Bank	9501230142	50-397 I
	9501050254	50-311	Senate	9501240191*	50-219 H
	9501050445	50-272		9501310262	40-2384
	9501050483	50-272	Sequoyah Fuels Corp.	9501060216	40-8027
	9501050483	50-272		9501100111	40-8027
	9501100243	50-354		9501110472	40-8027
	9501120035	PR		9501130193	40-8027
	9501130115	50-272		9501180213	40-8027
	9501200014	50-354		9501260072	PR
	9501230203	50-354		9501260365	40-8027
	9501230205*	50-354	Shaw, Pittman, Potts & Trowbridge	9501130138	PR
	9501230229	50-272		9501180157	50-424
	9501230289	50-272		9501180257	50-424
	9501230308	50-311	Shieldalloy Metallurgical Corp.	9412300007	40-7102
	9501240192	50-311		9501040001*	40-7102
	9501250075	50-354		9501040002*	40-7102
	9501250076	50-272		9501040003*	40-7102
	9501250076	50-272		9501040004*	40-7102
	9501250078	50-272		9501040005*	40-7102
	9501250083	50-272		9501040007*	40-7102
	9501250083	50-272		9501040009*	40-7102
	9501250118	50-354		9501040010*	40-7102
	9501250130	50-272		9501040011*	40-7102
	9501250199	50-354		9501040012*	40-7102
	9501250259	50-354		9501040013*	40-7102
	9501250261*	50-354		9501040015*	40-7102
	9501250326	50-354		9501040016*	40-7102
	9501270116	50-354		9501040017*	40-7102
	9501270122*	50-354		9501040018*	40-7102
	9501270124	50-354		9501040019*	40-7102
	9501270127*	50-354		9501040020*	40-7102
	9501270226	50-311		9501040021*	40-7102
	9501310259	50-272		9501120103	XPORTLIC
	9501310451	50-354		9501260032	PR
Quest Associates, Inc.	9501040227*	FOIA	Siemens Power Corp. (formerly Siemens	9501050285	71-9217
			Nuclear Power Corp., Advanced Nuclear		
Quivira Mining Co.	9501110465	40-8905		9501060055	71-9248
	9501260170	40-8905		9501060060*	71-9248
RTI, Inc. (formerly Radiation Technology Inc.)	9501190014	PR		9501110492	71-3
RUST Environment & Infrastructure, Inc.	9501260228	40-9022		9501110499*	71-3
(formerly SEC Donohue)				9501120127	71-9217
Radiation Oncology Center at Marlton, Marlton, NJ	9501260229*	40-9022		9501120285	71-9217
Reed College, Portland, OR	9501190142*	FOIA		9501120353	71-9217
	9501050480	50-288	R	9501170015	71-9217
Research Medical Center, Kansas City, MO	9501040146	FOIA		9501270211	70-1257
Reynolds Electrical & Engineering Co., Inc.	9501250450*	WASTE MGT		9501270326	70-1257
Rio Algom Mining Corp.	9501190004	PR		9501300142	TOPREP
Roberts & Schaffer Resource Service, Inc.	9501270362	40-8681	Sierra Club Legal Defense Fund, Inc.	9501300145*	TOPREP
				9502010248*	50-255
Rochester Gas & Electric Corp.	9501040154	50-244		9501100067	70-3070
	9501110040*	50-244		9501260083	PR
	9501130177	50-244	Small Business Administration	9501100024	CONTRACT
	9501180196	50-244	Society of Nuclear Medicine	9501110237	PR
	9501230212	50-244	Source Production & Equipment Co., Inc.	9501050224	71-*****
				9501050270*	71-*****
	9501270204	50-244		9501260142	71-9263
Rust Engineering Co.	9501040157	40-7580	South Carolina Electric & Gas Co.	9501040150	50-395
SCIENTECH, Inc.	9501240375	40-341		9501040274*	50-272
Sacramento Municipal Utility District	9501310132*	50-266		9501110520	50-395
	9501090016	50-312		9501130142	50-395
	9501090021*	50-312		9501190095	50-395
	9501190162	50-312		9501240186	50-395
	9501190165*	50-312		9501240251	50-395
Sandia National Laboratories	9501250307	50-312		9501310160	50-395
	9501050274*	WASTE MGT	Southern California Edison Co.	9501040121	50-361
	9501180334	50-295		9501050193	50-361
	9501180334	50-295		9501050193	50-361
	9501190286	50-295		9501050195*	50-361
	9501190286	50-295		9501050195*	50-361
Saporito, T.J.	9501030178*	50-528		9501110419	50-361
	9501030185*	50-528		9501110419	50-361
	9501230231	50-528		9501120078	PR
Sargent & Lundy, Inc.	9501060261*	50-237		9501190202	50-206
Saxton Nuclear Experimental Corp.	9501240318	50-146		9501190202	50-206
	9501240321*	50-146		9501190202	50-206
	9501240338*	50-146		9501190205*	50-206
	9501240341*	50-146		9501190205*	50-206
Science & Engineering Associates, Inc.	9501100006	CONTRACT		9501190205*	50-206
	9501200327	TOPREP		9501190222	50-361
	9501310106*	50-266		9501190222	50-361
Science Applications International Corp. (formerly Science Applications, Inc.)	9501100288	MISC		9501240242	50-206
	9501270225	70-1257		9501250380	50-361
Scientific Ecology Group, Inc.	9501090002	71-9210		9501260114	50-361
				9501260114	50-361



CORPORATE SOURCE INDEX 279

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501250320*	FOIA	Union Pacific Corp.	9501060154	40-8452
	9501250327*	FOIA	United Energy Services Corp.	9501270086*	50-458 G
	9501250329*	FOIA		9501270096*	50-458 G
	9501250335*	FOIA	United Nuclear Corp. (subs. of UNC, Inc.	9501060255	40-8907
	9501250342*	FOIA		9501240230	40-8907
	9501250350*	FOIA		9501250160	40-8907
	9501260303*	FOIA		9501300020	40-8778
	9501260306*	FOIA		9501300021*	40-8778
	9501260314*	FOIA	United States Enrichment Corp. (USEC)	9412190009	71-4909
	9501260316*	FOIA		9501060212	70-7001
	9501260327*	FOIA	Utah, State of	9501050458	40-3453
	9501260332*	FOIA		9501050473	40-3453
	9501270175*	FOIA		9501130010*	STATE PRO G
	9501270194*	FOIA		9501300012	STATE PRO G
	9501270199*	FOIA	Utah, Univ. of, Salt Lake City, UT	9501240258	PRM
	9501270203*	FOIA	Vance & Associates	9501200028	WASTE MGT
	9501270206*	FOIA	Vectra Technologies, Inc.	9501050171	71-9196
	9501270212*	FOIA		9501050185*	71-9196
	9501270259*	FOIA		9501260067	72-1004
	9501270264*	FOIA	Vermont Yankee Nuclear Power Corp.	9501040175	50-271 S
	9501270266*	FOIA		9501050345	50-271 P
	9501270270*	FOIA		9501060127	50-271 P
	9501270280*	FOIA		9501060189	50-271 P
	9501270288*	FOIA		9501060202	50-271 P
	9501270298*	FOIA		9501100265	50-271 S
	9501270299*	FOIA		9501190145	50-271 S
	9501270315*	FOIA		9501200138	50-271 S
	9501270323*	FOIA		9501230322	50-271 K
	9501270325*	FOIA		9501300154	50-271 P
	9501270327*	FOIA		9501310330	50-271 S
	9501270329*	FOIA	Virginia Power (Virginia Electric & Powe Co.)	9412230001	50-280 P
	9501270331*	FOIA		9501040183	50-280 P
	9501270335*	FOIA		9412230007*	50-280 P
	9501270336*	FOIA		9501040183	50-280 O
Toledo Coalition for Safe Energy	9501060113*	50-213 G		9501040190	50-280 F
Toledo Edison Co.	9501130119	50-346 P		9501040190	50-280 F
	9501200198	50-346 R		9501050239	50-338 F
	9501200362	50-346 R		9501090145	50-338 O
Tracor Technology Resources, Inc.	9501100034	CONTRACT		9501090167	50-280 Y
Transco Products, Inc.	9501050344*	50-282 P		9501090171*	50-338 O
Transnuclear, Inc.	9501030028	70-1426		9501090275*	50-280 Y
	9501030034	70-1426		9501090275*	50-280 Y
	9501030047	70-1426		9501090275*	50-280 Y
	9501030060	70-1426		9501090275*	50-280 Y
	9501060279	PROJ		9501090293*	50-280 Y
	9501260052	XPORTLIC		9501090293*	50-280 Y
	9501260058	XPORTLIC		9501090293*	50-280 Y
	9501260061	XPORTLIC		9501090298*	50-280 Y
	9501260063	XPORTLIC		9501090298*	50-280 Y
	9501270027	50-282 Y		9501090298*	50-280 Y
	9501300010*	50-282 Y		9501090310*	50-280 Y
	9501100100	50-424 G		9501090310*	50-280 Y
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9501100104	50-424 G		9501100061	50-280 P
	9501100104	50-424 G		9501100219	50-280 P
	9501100108	50-424 T		9501100245	50-338 S
	9501100114	50-424 T		9501120019	PR
	9501100114	50-424 T		9501130131	50-338 O
	9501100128	50-424 G		9501130131	50-338 O
	9501100128	50-424 G		9501170081	50-338 F
	9501100161	50-424 G		9501180216	50-338 R
	9501180157	50-424 G		9501190006	PR
	9501180168	50-424 G		9501230301	50-280 S
	9501180168	50-424 G		9501240074	50-338 S
	9501180204	50-424 G		9501240074	50-338 S
	9501180251	50-424 G		9501240131	50-280 P
	9501180251	50-424 G		9501240131	50-280 P
U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.)	9501060262	27-48		9501240131	50-280 P
	9501200193	27-48		9501240270	PR
	9501200197	27-48		9501240294	PR
	9501200200	27-48		9501310135	50-338 P
U.S. Embassies	9501180337	XPORTLIC	Virginia, Univ. of, Charlottesville, VA	9501310177	I&E
UMETCO Minerals Corp.	9501050418	40-299		9501110216	PRM
	9501060170*	WASTE MGT		9501110258	PRM
	9501120168*	WASTE MGT		9501110269	PRM
	9501190102	40-299	Vitco Nuclear Products, Inc.	9412290350	MISC
	9501190108	40-299	W.R. Grace & Co.	9501040156*	FOIA
Union Electric Co.	9501060199	50-483 P		9501040163*	FOIA
	9501060203*	50-483 P		9501040197*	FOIA
	9501060205	50-483 P		9501040202*	FOIA
	9501060206*	50-483 P		9501040206*	FOIA
	9501090287	50-483 S		9501040210*	FOIA
	9501200192	50-483 F		9501040211*	FOIA
	9501200353	50-483 F		9501040217*	FOIA
	9501240328	50-483 P		9501040222*	FOIA
	9501240390	50-483 O		9501040223*	FOIA
	9501250008	50-483 P		9501040226*	FOIA
	9501250260	50-483 P		9501040229*	FOIA
				9501040230*	FOIA




280 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9501040233*	FOIA		9501120213*	70-*****
	9501040234*	FOIA		9501120236*	FOIA
	9501040235*	FOIA		9501120253*	70-*****
	9501040237*	FOIA		9501120259*	70-*****
	9501040238*	FOIA		9501120263*	70-*****
	9501040240*	FOIA		9501120284*	70-*****
	9501040241*	FOIA		9501120323*	70-*****
	9501040244*	FOIA		9501130015*	70-*****
	9501040249*	FOIA		9501130026*	70-*****
	9501050245*	FOIA		9501130051*	FOIA
	9501050250*	FOIA		9501130058*	FOIA
	9501050252*	FOIA		9501130076*	FOIA
	9501050259*	FOIA		9501130099*	FOIA
	9501050271*	FOIA		9501130124*	FOIA
	9501050284*	FOIA		9501130129*	FOIA
	9501050289*	FOIA		9501130132*	FOIA
	9501050297*	FOIA		9501130145*	FOIA
	9501050299*	FOIA		9501130153*	FOIA
	9501050301*	FOIA		9501130159*	FOIA
	9501050303*	FOIA		9501130181*	FOIA
	9501050305*	FOIA		9501130243*	70-*****
	9501050337*	FOIA		9501130255*	70-*****
	9501050356*	FOIA		9501170166*	70-*****
	9501050360*	FOIA		9501170191*	70-*****
	9501050372*	FOIA		9501170196*	70-*****
	9501050378*	FOIA		9501170206*	70-*****
	9501050392*	FOIA		9501170244*	70-*****
	9501050450*	FOIA		9501180301*	70-*****
	9501050454*	FOIA		9501180325*	70-*****
	9501050461*	FOIA		9501180328*	70-*****
	9501060017*	FOIA		9501190128*	70-*****
	9501060021*	FOIA		9501190144*	70-*****
	9501060038*	FOIA		9501190153*	70-*****
	9501060074*	FOIA		9501190193*	70-*****
	9501060076*	FOIA		9501190270*	FOIA
	9501060080*	FOIA		9501190296*	70-*****
	9501060086*	FOIA	Washington Public Power Supply System	9501040180	50-397
	9501060094*	FOIA		9501040182*	50-397
	9501060096*	FOIA		9501050367	50-397
	9501060097*	FOIA		9501050371*	50-397
	9501060100*	FOIA		9501050375*	50-397
	9501060136*	FOIA		9501050379*	50-397
	9501060142*	FOIA		9501060208	50-397
	9501060147*	FOIA		9501120033	PR
	9501060186*	FOIA		9501130091	50-397
	9501060190*	FOIA		9501130098	PR
	9501060194*	FOIA		9501130103*	50-397
	9501060196*	FOIA		9501130106	PR
	9501060198*	FOIA		9501170123	50-397
	9501060218*	40-2810		9501180170*	50-397
	9501060222*	40-2810		9501180306	50-397
	9501060230*	40-2810		9501230206	50-397
	9501060240*	40-2810		9501240163	50-397
	9501060259*	40-2810		9501310123	50-397
	9501090045*	40-2810	Washington, State of	9501130116	PR
	9501090074*	40-2810		9501200038	27-48
	9501090086*	40-2810		9501200042	27-48
	9501090111*	40-2810		9501200049	27-48
	9501090119*	40-2810		9501200204	27-48
	9501090264*	70-*****		9501200289	27-48
	9501090269*	70-*****	Washington, Univ. of, Seattle, WA	9501270370	50-139
	9501090282*	70-*****	West Valley Nuclear Services Co., Inc.	9501060229*	PROJ
	9501100189*	70-*****		9501130128*	PROJ
	9501100201*	70-*****	Western Nuclear, Inc.	9501100131	40-1162
	9501100248*	70-*****		9501100134*	40-1162
	9501100256*	70-*****		9501240104	40-1162
	9501100270*	70-*****	Western States Legal Foundation (WSLF)	9501260004	PR
	9501100270*	70-*****	Westinghouse Electric Corp.	9501030112*	TOPREP
	9501100287*	70-*****		9501030115*	TOPREP
	9501100329*	70-*****		9501050484*	50-390
	9501100347*	40-2810		9501060249	52-3
	9501110305*	70-*****		9501060254*	52-3
	9501110309*	70-*****		9501060260*	52-3
	9501110322*	70-*****		9501130215	52-3
	9501110328*	70-*****		9501130287*	50-282
	9501110374*	70-*****		9501170201	52-2
	9501110394*	70-*****		9501170215	52-3
	9501110417*	70-*****		9501170220*	52-3
	9501110427*	70-*****		9501180234	52-3
	9501110434*	70-*****		9501180240*	52-3
	9501110454*	70-*****		9501190221	52-3
	9501110460*	70-*****		9501190232*	52-3
	9501110509*	70-*****		9501190238*	52-3
	9501120117*	70-*****		9501200101	52-3
	9501120155*	70-*****		9501230069	TOPREP
	9501120161*	70-*****		9501230137	52-3
	9501120163*	70-*****		9501230299	TOPREP
	9501120172*	FOIA		9501230310*	TOPREP
	9501120181*	70-*****		9501240394	52-3

## CORPORATE SOURCE INDEX 281

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9501240399*	52-3			9501190115*	50-266	P
	9501260005	PR			9501190115*	50-266	P
	9501260101	52-3			9501240334	50-301	Q
	9501260106*	52-3			9501250151	50-266	P
	9501260197	52-3			9501250151	50-266	P
	9501260203*	52-3			9501250157*	50-266	P
	9501300211	70-1151			9501250157*	50-266	P
	9501300213*	70-1151			9501310105	50-301	P
	9501310220*	50-305	P	Wisconsin Public Service Corp.	9501060161	50-305	Q
Westinghouse Operating Plants Owners Group	9501030105	TOPREP			9501130113	PR	
	9501040135	PR			9501130253	50-305	P
Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.)	9501040093	PR			9501180171	50-305	R
	9501110474	40-7455			9501190265	50-305	F
	9501270153	PR			9501200288	50-305	P
William Beaumont Hosp., Royal Oak, MI Winston & Strawn	9501100088	70-3070			9501240337	50-305	P
	9501100120	70-3070			9501250128	50-305	P
	9501120045	PR			9501310170	50-305	P
	9501130104	PR			9501310217	50-305	P
	9501130172	PR			9501310287	50-305	J
	9501260046	PR			9501310456	50-305	F
	9501270108	50-458	G	Wise, Carter, Child & Caraway Wolf Creek Nuclear Operating Corp.	9501270108	50-458	G
	9501270147	NUREG			9501090136	50-482	Q
	9501270187	70-3070			9501090153	50-482	Q
Wisconsin Electric Power Co.	9501090027	50-266	F		9501110236	50-482	Q
	9501090030*	50-266	F		9501120219	50-482	S
	9501100145	50-266	P		9501190013	PR	
	9501100148*	50-266	P		9501200190	50-482	R
	9501100152*	50-266	P	Woodward-Clyde Consultants, Inc.	9501310335	50-482	Q
	9501110478	50-266	R		9501310337*	50-482	Q
	9501120038	PR			9501260035	PR	
	9501120339	50-266	P	Wyman-Gordon Co.	9501110188	40-1650	
	9501190092	50-266	P	Wyoming Mineral Corp.	9501300042	40-8502	
	9501190092	50-266	P	Wyoming Mining Association	9501040090	PR	
	9501190093	50-266	F	Wyoming, State of	9501110270	WASTE MGT	
	9501190093	50-266	F		9501130183	40-8502	
	9501190098	50-266	P		9501240367	40-9024	
	9501190098	50-266	P	X-Ray Equipment Co.	9501250015	40-9024	
	9501190098	50-266	P	Yankee Atomic Electric Co.	9501240305	STATE PRO	G
	9501190099*	50-266	F		9501040125	50-29	P
	9501190099*	50-266	F		9501130107	50-29	P
	9501190099*	50-266	F		9501170155*	50-29	P
	9501190103*	50-266	F		9501250179	50-29	F
	9501190103*	50-266	F	Yuba Heat Transfer Corp.	9501100251	71-263	



## REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
11960-97185	9501120212*	50-390	A GL-86-10	NUREG/CR-6303	9501180332	NUREG	UCRL-ID-119239
11960-97186	9501120221*	50-390	A GL-86-10	NUS-TM-EP-11	9501240348*	50-146	P
11960-97187	9501120217*	50-390	A GL-86-10	OIG/94A-36	9501030120*	ORG	
11960-97257	9501120204*	50-390	A GL-86-10	ORNL/NRC/LTR-92/14	9501090283*	50-219	P
11960-97258	9501120205*	50-390	A GL-86-10	PGE-1061	9501310192*	50-344	P
11960-97259	9501120208*	50-390	A GL-86-10	PMPR 95-03	9501110284*	WASTE MGT	HLWR
11960-97260	9501120206*	50-390	A GL-86-10	RE-020-NP	9501120149*	50-277	P
25A5594 R00	9409200242*	50-321	P	S-94-22	9501060016	SPEECHES	
25A5615 R00	9501310023*	50-254	P	S-94-23	9501060018	SPEECHES	
25A5668 R02	9501310016*	50-254	P	S-94-24	9501060030	SPEECHES	
25A5669 R02	9501310018*	50-254	P	S-94-25	9501060020	SPEECHES	
25A5670 R02	9501310021*	50-254	P	S-94-26	9501060028	SPEECHES	
94-10	9501190401*	WASTE MGT	HLWR	S-94-27	9501060023	SPEECHES	
94-11	9501190405*	WASTE MGT	HLWR	S-94-28	9501060034	SPEECHES	
95-01	9501190396*	WASTE MGT	HLWR	S-94-29	9501120196	SPEECHES	
AES 93081991-1Q-3C	9501190080*	50-390	A IEB-88-008	S-C-FP-NEE-0936 R00	9501050210*	50-272	P
C122-93-01-01 R05	9501260100*	50-298	P	S-C-RC-MDC-1358 R00	9501050243*	50-272	P
CA/TR-93-019-23	9501310144*	50-266	P	S-C-RC-MDC-1413 R00	9501050248*	50-272	P
CE NPSP-911	9501090348*	50-382	P	SEA 92-553-022-A.3	9501310106*	50-266	P
CENPD-283-NP	9501100113*	TOPREP		SEA 94-695-02-A.1	9501200327	TOPREP	
CNC-1535.00-00-0007	9501230090*	50-413	P	SECY-80-251	9501240219*	FOIA	
DOE/AL/62350-176 R00	9501120364*	WASTE MGT		SECY-81-544	8201070268	50-395	M
DOE/ID/12584-206	9501110221*	40-6500	P	SECY-82-024	9501300224*	50-376	A ALAB-662
DRF A00-05834/6	9501230296*	50-321	P	SECY-82-281	9501300234*	50-289	P
E4C-082 R01	9501300170*	50-361	P	SECY-82-331	9501300238*	50-329	A ALAB-684
E4C-090 R01	9501300171*	50-361	P	SECY-82-420	9501050177*	FOIA	
E4C-098 R00	9501300172*	50-361	P	SECY-83-048	9501300244*	50-341	F ALAB-707
EA-RDS-94-02 R03	9501250105*	50-255	P	SECY-83-129	9501300246*	71-35	
EGG-11265-1081	9501300028*	STATE PRO	G UC-702	SECY-83-369	9501300247*	50-266	P ALAB-719
EGG-DNSP-10919	9501120011*	50-220	Q IEB-90-001	SECY-83-388	9501030114*	FOIA	
EGG-MS-11198	9501130096*	50-369	P	SECY-83-436	9501300248*	50-338	F ALAB-741
EMF-93-086(NP)	9502010248*	50-255	P	SECY-83-455	9501300253*	50-312	F ALAB-746
GENE-771-39-0794 R00	9409200223*	50-321	P	SECY-83-512	9501300256*	50-275	P
GENE-771-42-0894 R00	9409200222*	50-321	P	SECY-89-253	8908290160*	COMMISSIO	N
GENE-771-48-0894 R00	9409200224*	50-321	P	SECY-93-161	9501230165*	FOIA	
GENE-771-71-1094 R01	9501310026*	50-254	P	SECY-94-260	9501300168	SECY	
HQ-ARP-95-02	9501250393*	WASTE MGT	HLWR	SECY-94-273	9501130147	SECY	
HQ-ARP-95-03	9501040168*	WASTE MGT	HLWR	SECY-94-277	9501300147	SECY	
INEL-94-0256	9501270224*	50-302	P TAC M88674	SECY-94-280	9501130144	SECY	
MDE-87-0485-1-NP	9501120144*	50-277	P	SECY-94-282	9501300134	SECY	
MFB-001 R04	9501250321*	50-213	P	SECY-94-284	9501120274	SECY	
N3-68-4001 APP A	9501060068*	50-390	A	SECY-94-289	9501300176	SECY	
NEDC 94-071 R04	9501260093*	50-298	P	SECY-94-293	9501120256	SECY	
NEDC-30634 R01	9501250349*	50-325	P	SECY-94-296	9501300109	SECY	
NEDC-32015 R01	9501130085*	50-410	P	SECY-94-297	9412270217	SECY	
NEDO-32205-A R01	9501310464*	50-254	P	SECY-94-299	9412280115	SECY	
NF-TR-95-01	9501270179*	50-250	P	SECY-94-300	9412230183	SECY	
NUREG-0540 V16 N10	9501180150	NUREG		SECY-94-302	9412300038	SECY	
NUREG-0750 V40 I01	9501130244*	NUREG		SECY-94-304	9412300021	SECY	
NUREG-0837 V14 N03	9501180140	NUREG		SECY-94-305	9501110379	COMMISSIO	N
NUREG-0940 V13N03P01	9501180207	NUREG		SECY-94-306	9501050427	SECY	
NUREG-0940 V13N03P02	9501180211	NUREG		SECY-94-307	9501110380	COMMISSIO	N
NUREG-0940 V13N03P03	9501180215	NUREG		SECY-95-001	9501300144	SECY	
NUREG-1272 V08 N01	9501180134	NUREG		SECY-95-004	9501120250	SECY	
NUREG-1475 ERR	9501310320	NUREG		SECY-95-005	9501120233	COMMISSIO	N
NUREG/CR-4918 V07	9501180233	NUREG		SECY-95-006	9501270282	COMMISSIO	N
NUREG/CR-5247 V01 R2	9501180194	NUREG	ORNL-6820	SECY-95-010	9501300156	COMMISSIO	N
NUREG/CR-5247 V02 R2	9501180200	NUREG		SL-7120 R01	9501060261*	50-237	P
NUREG/CR-5499	9501170246*	FOIA	UCID-21929	STD-R-02-019 R02	9501090008*	71-9210	
NUREG/CR-6075	9501190286	50-295	P SAND93-1535	T-88004 R12	9501240306*	71-9225	
NUREG/CR-6075 S01	9501180334	50-295	P SAND93-1535	WCAP-12794 R02	9501100148*	50-266	P
NUREG/CR-6190 V01 R1	9501180290	NUREG		WCAP-12795 R02	9501100152*	50-266	P
NUREG/CR-6190 V02 R1	9501180287	NUREG		WCAP-13838-A	9501030115*	TOPREP	
NUREG/CR-6205	9501180329	NUREG	ORNL-6796	WCAP-14042 R01	9501310220*	50-305	P
NUREG/CR-6231	9501180295	NUREG	ORNL-6811	WCAP-14176	9501050484*	50-390	A
NUREG/CR-6258	9501180164	NUREG		WCAP-14216	9501190238*	52-3	

284 REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
WCAP-14218	9501060260*	52-3		XN-NF-82-49(NP)(A)R1	9501300145*	TOPREP	
WCAP-14226	9501130287*	50-282	P SC-94-11-007	YM-ARP-95-04	9501250140*	WASTE MGT	HLWR
WVNS-SAR-003 R02 DRF	9501130128*	PROJ		YM-ARP-95-05	9501110224*	WASTE MGT	HLWR
WVNS-TR-70-025 DRFT	9501060229*	PROJ		YMP/JP 92-20C	9501130281*	WASTE MGT	HLWR

## CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7912110146	9501250058	94/05/10	FOIA	9407220161	9501310340	95/01/26	PR
8006060614	9501250058	94/05/10	FOIA	9409200222	9409200218	94/09/02	50-321 P
8007110334	9501250058	94/05/10	FOIA	9409200223	9409200218	94/09/02	50-321 P
8009190648	9501250058	94/05/10	FOIA	9409200224	9409200218	94/09/02	50-321 P
8111170482	9501170056	94/04/11	50-289 Q	9409200226	9409200218	94/09/02	50-321 P
8111170496	9501170056	94/04/11	50-289 Q	9409200229	9409200218	94/09/02	50-321 P
8207050048	9501170251	94/05/11	50-289 F	9409200234	9409200218	94/09/02	50-321 P
8308110360	9501170251	94/05/11	50-320 P	9409200236	9409200218	94/09/02	50-321 P
8401030075	9501040035	94/03/18	30-10346	9409200239	9409200218	94/09/02	50-321 P
8401030085	9501040035	94/03/18	30-10346	9409200242	9409200218	94/09/02	50-321 P
8511060482	9501040035	94/03/18	30-10346	9409200244	9409200218	94/09/02	50-321 P
8601020369	9501170251	94/05/11	50-320 P	9409200250	9409200218	94/09/02	50-321 P
8604230013	9501300045	95/01/19	COMMISSIO N	9411040188	9501100350	95/01/17	I&E
8605050157	9501060173	94/04/13	FOIA	9412120041	9501170033	95/01/06	50-269 Q
8606250369	9501230111	94/04/28	FOIA	9412220271	9412220269	94/02/10	50-267 Q
8608130447	9501230150	94/04/28	FOIA	9412230007	9412230001	94/12/14	50-280 P
8610240302	9501090315	94/04/13	FOIA	9412230255	9501260284	95/01/20	52-3
8610240304	9501090315	94/04/13	FOIA	9412300055	9412300046	94/12/21	50-341 H
8610240307	9501090315	94/04/13	FOIA	9501030005	9501030003	94/12/20	70-754
8611250056	9501090315	94/04/13	FOIA	9501030006	9501030003	94/12/20	70-754
8701050310	9501090315	94/04/13	FOIA	9501030014	9501030010	94/12/23	50-397 Q
8701160159	9501090315	94/04/13	FOIA	9501030021	9501030016	94/12/23	50-313 Q
8702020027	9501230150	94/04/28	FOIA	9501030024	9501030016	94/12/23	50-313 Q
8703030314	9501090315	94/04/13	FOIA	9501030029	9501030026	94/12/23	50-298 Q
8707270176	9501230150	94/04/28	FOIA	9501030044	9501030039	94/12/27	50-414 Q
8707270187	9501230150	94/04/28	FOIA	9501030053	9501030050	94/12/27	50-275 Q
8809150057	9501040035	94/03/18	30-17129	9501030067	9501030062	94/11/17	50-498 F
8901240511	9501230150	94/04/28	FOIA	9501030068	9501030064	94/12/28	50-250 P
8908080376	9501300045	95/01/19	COMMISSIO N	9501030069	9501030064	94/12/28	50-250 P
8908290160	9501300045	95/01/19	COMMISSIO N	9501030079	9501030073	94/12/27	50-482 Q
8910110177	9501230111	94/04/28	FOIA	9501030088	9501030083	94/03/22	FOIA
8911010013	9501040035	94/03/18	30-17159	9501030090	9501030080	94/12/22	50-327 P
9010010226	9501230111	94/04/28	FOIA	9501030100	9501030093	94/12/22	40-2259
9010170107	9501040035	94/03/18	30-17129	9501030112	9501030105	94/12/22	TOPREP
9012070156	9501240360	94/04/28	50-293 P	9501030113	9501030110	94/03/24	FOIA
9106120188	9501230111	94/04/28	FOIA	9501030114	9501030099	94/03/04	FOIA
9106260014	9501040035	94/03/18	30-10346	9501030115	9501030105	94/12/22	TOPREP
9203040003	9501090315	94/04/13	FOIA	9501030120	9501040116	94/12/19	ORG
9203040006	9501090315	94/04/13	FOIA	9501030128	9501030126	94/12/22	50-272 R
9203040098	9501060232	94/03/15	50-237 P	9501030134	9501030132	94/12/20	50-247 P
9203230031	9501090315	94/04/13	FOIA	9501030154	9501030150	94/03/17	FOIA
9203230035	9501090315	94/04/13	FOIA	9501030164	9501030157	94/12/15	50-387 P
9204030244	9501300045	95/01/19	COMMISSIO N	9501030166	9501030161	94/12/19	50-352 P
9204210230	9501090315	94/04/13	FOIA	9501030167	9412210186	94/12/28	I&E
9204270395	9501170106	94/05/10	FOIA	9501030168	9501030162	94/12/23	50-327 P
9205060011	9501090315	94/04/13	FOIA	9501030171	9501030161	94/12/19	50-352 P
9209030192	9501200051	95/01/17	STATE PRO G	9501030178	9501030173	94/03/17	50-528 H
9209290155	9501040035	94/03/18	30-20405	9501030179	9501030170	94/12/23	50-457 Q
9209290174	9501040035	94/03/18	30-17129	9501030180	9501030175	94/12/16	50-331 Q
9210020245	9501300045	95/01/19	COMMISSIO N	9501030182	9501030176	94/12/22	50-261 P
9210020246	9501300045	95/01/19	COMMISSIO N	9501030185	9501030173	94/03/17	50-528 H
9210230172	9501060128	94/03/14	FOIA	9501030187	9501030176	94/12/22	50-261 H
9210280172	9501060128	94/03/14	FOIA	9501030188	9501030173	94/03/17	50-528 H
9212030458	9501200051	95/01/17	STATE PRO G	9501030193	9501030190	94/12/14	50-255 H
9303310234	9501300045	95/01/19	COMMISSIO N	9501030198	9501030196	94/12/22	50-440 Q
9308240156	9501030173	94/03/17	50-528 G	9501030202	9501030196	94/12/22	50-440 Q
9310080093	9501300045	95/01/19	COMMISSIO N	9501030203	9501030200	94/03/17	FOIA
9404140042	9501170039	95/01/06	50-269 Q	9501030207	9501030204	94/12/22	70-364 Q
9406170168	9501310340	95/01/26	PR	9501030208	9501030192	94/12/20	50-387 P
9407220151	9501310340	95/01/26	PR	9501030211	9501030197	94/12/14	50-305 Q



286 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501030215	9412220269	94/02/10	50-267 T	9501040195	9501040193	94/12/19	50-400 P
9501030220	9412220269	94/02/10	50-267 T	9501040196	9501040194	94/12/09	50-382 P
9501030223	9412220269	94/02/10	50-267 T	9501040197	9501040033	94/02/16	FOIA
9501030224	9501030183	94/09/09	50-390 F	9501040199	9501040035	94/03/18	30-10346
9501040001	9412300007	94/12/22	40-7102	9501040201	9501040198	94/12/27	50-424 P
9501040002	9412300007	94/12/22	40-7102	9501040202	9501040033	94/02/16	FOIA
9501040003	9412300007	94/12/22	40-7102	9501040205	9501040181	94/12/28	50-454 P
9501040004	9412300007	94/12/22	40-7102	9501040206	9501040033	94/02/16	FOIA
9501040005	9412300007	94/12/22	40-7102	9501040210	9501040033	94/02/16	FOIA
9501040007	9412300007	94/12/22	40-7102	9501040211	9501040033	94/02/16	FOIA
9501040009	9412300007	94/12/22	40-7102	9501040213	9501040035	94/03/18	30-17129
9501040010	9412300007	94/12/22	40-7102	9501040217	9501040033	94/02/16	FOIA
9501040011	9412300007	94/12/22	40-7102	9501040219	9501040033	94/02/16	FOIA
9501040012	9412300007	94/12/22	40-7102	9501040220	9501040215	94/03/04	FOIA
9501040013	9412300007	94/12/22	40-7102	9501040221	9501040035	94/03/18	30-20405
9501040015	9412300007	94/12/22	40-7102	9501040222	9501040033	94/02/16	FOIA
9501040016	9412300007	94/12/22	40-7102	9501040223	9501040033	94/02/16	FOIA
9501040017	9412300007	94/12/22	40-7102	9501040225	9501040215	94/03/04	FOIA
9501040018	9412300007	94/12/22	40-7102	9501040226	9501040033	94/02/16	FOIA
9501040019	9412300007	94/12/22	40-7102	9501040227	9501040215	94/03/04	FOIA
9501040020	9412300007	94/12/22	40-7102	9501040229	9501040033	94/02/16	FOIA
9501040021	9412300007	94/12/22	40-7102	9501040230	9501040033	94/02/16	FOIA
9501040026	9412220269	94/02/10	50-267 T	9501040231	9501040215	94/03/04	FOIA
9501040032	9412220269	94/02/10	50-267 T	9501040232	9501040035	94/03/18	30-17129
9501040034	9412220269	94/02/10	50-267 T	9501040233	9501040033	94/02/16	FOIA
9501040038	9412220269	94/02/10	50-267 T	9501040234	9501040033	94/02/16	FOIA
9501040039	9412220269	94/02/10	50-267 T	9501040235	9501040033	94/02/16	FOIA
9501040040	9412220269	94/02/10	50-267 T	9501040236	9501040035	94/03/18	30-10346
9501040041	9501040035	94/03/18	30-10346	9501040237	9501040033	94/02/16	FOIA
9501040042	9501040030	94/12/27	50-267 W	9501040238	9501040033	94/02/16	FOIA
9501040043	9501030072	94/12/23	50-289 P	9501040239	9501040035	94/03/18	30-17129
9501040045	9501040036	94/03/17	70-3074 P	9501040240	9501040033	94/02/16	FOIA
9501040046	9501030072	94/12/23	50-289 P	9501040241	9501040033	94/02/16	FOIA
9501040048	9501040033	94/02/16	FOIA	9501040244	9501040033	94/02/16	FOIA
9501040049	9501040033	94/02/16	FOIA	9501040246	9501040035	94/03/18	30-17129
9501040050	9501040035	94/03/18	30-10346	9501040247	9501040242	94/12/23	50-423 P
9501040051	9501040036	94/03/17	70-3074 R	9501040248	9501040245	94/12/29	50-324 R
9501040053	9501040033	94/02/16	FOIA	9501040249	9501040033	94/02/16	FOIA
9501040054	9501040036	94/03/17	70-3074 R	9501040252	9501040243	94/01/12	FOIA
9501040055	9501030030	94/12/21	50-3 R	9501040253	9501040035	94/03/18	30-10346
9501040056	9501040033	94/02/16	FOIA	9501040254	9501030153	94/12/29	50-382 P
9501040058	9501040033	94/02/16	FOIA	9501040255	9501030127	94/12/22	40-9027
9501040061	9501030030	94/12/21	50-3 R	9501040257	9501040035	94/03/18	30-10346
9501040064	9501040033	94/02/16	FOIA	9501040261	9501040035	94/03/18	30-10346
9501040065	9501040035	94/03/18	30-20405	9501040262	9501040256	94/03/14	FOIA
9501040066	9501040033	94/02/16	FOIA	9501040266	9501040035	94/03/18	30-10346
9501040069	9501040033	94/02/16	FOIA	9501040268	9501040256	94/03/14	FOIA
9501040072	9501040035	94/03/18	30-20405	9501040269	9501040256	94/03/14	FOIA
9501040073	9501040033	94/02/16	FOIA	9501040272	9501040271	94/12/28	50-528 P
9501040074	9501040070	94/03/18	FOIA	9501040274	9501040273	94/12/23	50-272 P
9501040076	9501040070	94/03/18	FOIA	9501050031	9501050027	94/12/21	50-10 W
9501040078	9501040036	94/03/17	70-3074 R	9501050068	9501050064	94/12/16	50-317 Q
9501040092	9501040033	94/12/20	50-285 R	9501050070	9501050065	94/12/30	50-313 Q
9501040102	9501040033	94/02/16	FOIA	9501050071	9501050061	94/12/28	50-346 Q
9501040106	9501040033	94/02/16	FOIA	9501050076	9501050061	94/12/28	50-346 Q
9501040107	9501040033	94/02/16	FOIA	9501050079	9501050066	94/12/29	50-338 Q
9501040108	9501040035	94/03/18	30-17129	9501050081	9501050078	94/12/30	50-482 Q
9501040110	9501040033	94/02/16	FOIA	9501050090	9501050085	94/12/28	50-311 Q
9501040113	9501040033	94/02/16	FOIA	9501050099	9501050094	94/12/14	50-324 I
9501040115	9501040033	94/02/16	FOIA	9501050110	9501050107	94/12/27	50-213 P
9501040118	9501040033	94/02/16	FOIA	9501050118	9501050109	94/12/23	50-220 P
9501040120	9501040033	94/02/16	FOIA	9501050119	9501050112	94/12/21	50-324 Q
9501040122	9501040033	94/02/16	FOIA	9501050125	9501050121	94/12/29	50-255 P
9501040126	9501040035	94/03/18	30-17129	9501050127	9501050109	94/12/23	50-220 P
9501040127	9501040033	94/02/16	FOIA	9501050131	9501050129	94/12/29	50-289 P
9501040130	9501040033	94/02/16	FOIA	9501050137	9501050126	94/12/30	50-454 Q
9501040132	9501040033	94/02/16	FOIA	9501050138	9501050135	94/12/29	50-331 P
9501040137	9501040033	94/02/16	FOIA	9501050141	9501050128	94/12/23	50-341 Q
9501040140	9501040033	94/02/16	FOIA	9501050142	9501050135	94/12/29	50-331 P
9501040143	9501040035	94/03/18	30-17129	9501050155	9501050149	94/12/23	50-219 P
9501040147	9501040033	94/02/16	FOIA	9501050164	9501050159	94/12/28	WASTE MGT
9501040151	9501040148	94/02/28	FOIA	9501050166	9501050161	94/12/28	50-333 P
9501040156	9501040033	94/02/16	FOIA	9501050169	9501050161	94/12/28	50-333 P
9501040158	9501040153	94/03/14	FOIA	9501050175	9501050170	94/12/23	50-483 Q
9501040159	9501040035	94/03/18	30-10346	9501050177	9501030099	94/03/04	FOIA
9501040163	9501040033	94/02/16	FOIA	9501050180	9501050170	94/12/23	50-483 Q
9501040164	9501040148	94/02/28	FOIA	9501050182	9501050171	94/12/21	71-9196
9501040166	9501040148	94/02/28	FOIA	9501050185	9501050171	94/12/21	71-9196
9501040167	9501040148	94/02/28	FOIA	9501050195	9501050193	95/01/03	50-361 P
9501040168	9501040161	94/12/28	WASTE MGT	9501050205	9501050198	94/03/09	FOIA
9501040171	9501040169	94/12/28	50-425 P	9501050207	9501050194	94/12/30	50-382 Q
9501040176	9501040035	94/03/18	30-10346	9501050209	9501050198	94/03/09	FOIA
9501040179	9501040178	94/12/27	50-261 P	9501050210	9501050201	94/12/29	50-272 P
9501040182	9501040180	94/12/29	50-397 P	9501050216	9501050198	94/03/09	FOIA
9501040185	9501040035	94/03/18	30-10346	9501050222	9501050198	94/03/09	FOIA
9501040188	9501040187	94/12/22	50-255 K	9501050228	9501050217	94/12/28	50-390 Q
9501040191	9501040035	94/03/18	30-17129	9501050240	9501040033	94/02/16	FOIA

**CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 287**

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501050243	9501050237	94/12/22	50-272 P	9501060086	9501040033	94/02/16	FOIA
9501050245	9501040033	94/02/16	FOIA	9501060089	9501060059	94/12/30	FOIA 50-336 Q
9501050249	9501050237	94/12/22	50-272 P	9501060094	9501040033	94/02/16	FOIA
9501050250	9501040033	94/02/16	FOIA	9501060096	9501040033	94/02/16	FOIA
9501050252	9501040033	94/02/16	FOIA	9501060097	9501040033	94/02/16	FOIA
9501050259	9501040033	94/02/16	FOIA	9501060100	9501040033	94/02/16	FOIA
9501050267	9501050256	94/12/28	50-369 Q	9501060108	9501060098	94/03/31	FOIA
9501050270	9501050224	94/12/27	71-*****	9501060109	9501060106	94/11/09	50-416 P
9501050271	9501040033	94/02/16	FOIA	9501060113	9501060099	94/12/15	50-213 G
9501050274	9501050265	94/11/23	WASTE MGT	9501060120	9501060116	94/04/11	50-267 Q
9501050284	9501040033	94/02/16	FOIA	9501060121	9501040033	94/02/16	FOIA
9501050289	9501040033	94/02/16	FOIA	9501060124	9501050408	94/03/30	FOIA
9501050293	9501050265	94/11/23	WASTE MGT	9501060125	9501040033	94/02/16	FOIA
9501050297	9501040033	94/02/16	FOIA	9501060128	9501060126	94/12/30	50-445 P
9501050299	9501040033	94/02/16	FOIA	9501060131	9501040033	94/02/16	FOIA
9501050301	9501040033	94/02/16	FOIA	9501060136	9501040033	94/02/16	FOIA
9501050303	9501040033	94/02/16	FOIA	9501060137	9501050408	94/03/30	FOIA
9501050305	9501040033	94/02/16	FOIA	9501060139	9501050408	94/03/30	FOIA
9501050309	9501050308	94/12/29	50-387 Q	9501060142	9501040033	94/02/16	FOIA
9501050311	9501050308	94/12/29	50-387 Q	9501060144	9501060140	94/04/11	50-267 W
9501050314	9501050312	94/12/29	50-424 P	9501060146	9501040033	94/02/16	FOIA
9501050328	9501050320	94/11/23	WASTE MGT	9501060147	9501040033	94/02/16	FOIA
9501050330	9501040033	94/02/16	FOIA	9501060152	9501050408	94/03/30	FOIA
9501050331	9501050325	94/12/20	50-387 P	9501060155	9501050408	94/03/30	FOIA
9501050334	9501050325	94/12/20	50-387 P	9501060160	9501050408	94/03/30	FOIA
9501050337	9501040033	94/02/16	FOIA	9501060163	9501050408	94/03/30	FOIA
9501050344	9501050335	94/12/21	50-282 P	9501060164	9501060159	94/12/09	FOIA ORG
9501050353	9501050346	94/12/12	50-272 P	9501060167	9501050408	94/03/30	FOIA
9501050354	9501050351	94/12/27	50-443 P	9501060170	9501060165	94/12/16	WASTE MGT
9501050356	9501040033	94/02/16	FOIA	9501060171	9501050408	94/03/30	FOIA
9501050358	9501050346	94/12/12	50-272 P	9501060172	9501040033	94/02/16	FOIA
9501050359	9501050349	94/12/28	50-250 P	9501060175	9501040033	94/02/16	FOIA
9501050360	9501040033	94/02/16	FOIA	9501060177	9501050408	94/03/30	FOIA
9501050363	9501050349	94/12/28	50-250 P	9501060178	9501040033	94/02/16	FOIA
9501050368	9501050364	94/12/30	50-133 Q	9501060181	9501040033	94/02/16	FOIA
9501050369	9501050364	94/12/30	50-133 Q	9501060182	9501050408	94/03/30	FOIA
9501050371	9501050367	94/12/29	50-397 P	9501060185	9501050408	94/03/30	FOIA
9501050372	9501040033	94/02/16	FOIA	9501060186	9501040033	94/02/16	FOIA
9501050373	9501040062	94/03/15	FOIA	9501060190	9501040033	94/02/16	FOIA
9501050375	9501050367	94/12/29	50-397 P	9501060194	9501040033	94/02/16	FOIA
9501050378	9501040033	94/02/16	FOIA	9501060196	9501040033	94/02/16	FOIA
9501050379	9501050367	94/12/29	50-397 P	9501060198	9501040033	94/02/16	FOIA
9501050383	9501050376	94/12/14	50-272 P	9501060203	9501060199	94/12/22	50-483 P
9501050384	9501040033	94/02/16	FOIA	9501060206	9501060205	94/12/22	50-483 P
9501050387	9501050376	94/12/14	50-272 P	9501060218	9501040033	94/02/16	40-2810
9501050392	9501040033	94/02/16	FOIA	9501060222	9501040033	94/02/16	40-2810
9501050401	9501050385	94/12/20	50-313 P	9501060224	9501040033	94/02/16	40-2810
9501050404	9501050385	94/12/20	50-313 P	9501060229	9501060220	94/12/21	PRCJ
9501050410	9501050406	94/04/06	FOIA	9501060230	9501040033	94/02/16	40-2810
9501050414	9501050406	94/04/06	FOIA	9501060233	9501060231	94/12/28	70-1257
9501050426	9412290184	94/12/22	QA999	9501060238	9501060237	95/01/04	71-242
9501050434	9501040033	94/02/16	FOIA	9501060240	9501040033	94/02/16	40-2810
9501050435	9501050408	94/03/30	FOIA	9501060245	9501060244	95/01/04	71-158
9501050438	9501040033	94/02/16	FOIA	9501060248	9501060246	95/01/03	70-143
9501050444	9501050436	94/12/28	50-370 P	9501060251	9501060246	95/01/03	70-143
9501050446	9501050408	94/03/30	FOIA	9501060252	9501040033	94/02/16	40-2810
9501050450	9501040033	94/02/16	FOIA	9501060254	9501060249	94/11/30	52-3
9501050454	9501040033	94/02/16	FOIA	9501060259	9501040033	94/02/16	40-2810
9501050461	9501040033	94/02/16	FOIA	9501060260	9501060249	94/11/30	52-3
9501050465	9501040033	94/02/16	FOIA	9501060261	9501060232	94/03/15	50-237 P
9501050484	9501050479	94/12/23	50-390 A	9501060263	9501040033	94/02/16	40-2810
9501060002	9501060001	94/12/30	50-275 Q	9501060264	9501060158	94/03/31	50-498 P
9501060003	9501060001	94/12/30	50-275 Q	9501060277	9501060275	94/12/22	50-352
9501060004	9501040033	94/02/16	FOIA	9501060284	9501060281	94/12/14	WASTE MGT
9501060007	9501040033	94/02/16	FOIA	9501090004	9501090002	94/10/31	71-9210
9501060011	9501040033	94/02/16	FOIA	9501090005	9501090003	95/01/05	50-382 Q
9501060017	9501040033	94/02/16	FOIA	9501090008	9501090002	94/10/31	71-9210
9501060019	9501060012	94/12/22	50-254 S	9501090009	9501090006	95/01/03	50-285 Q
9501060021	9501040033	94/02/16	FOIA	9501090013	9501090011	95/01/03	STATE PRO G
9501060027	9501040033	94/02/16	FOIA	9501090015	9501090012	95/01/04	50-482 Q
9501060038	9501040033	94/02/16	FOIA	9501090021	9501090016	94/10/27	50-312 F
9501060041	9501040033	94/02/16	FOIA	9501090026	9501090017	94/12/29	QA999
9501060044	9501040033	94/02/16	FOIA	9501090028	9501090022	95/01/03	STATE PRO G
9501060046	9501060022	94/12/15	50-213 G	9501090030	9501090027	95/01/04	50-266 F
9501060052	9501060035	95/01/03	STATE PRO G	9501090034	9501090029	95/01/04	50-313 Q
9501060053	9501060049	94/12/28	50-261 P	9501090035	9501090017	94/12/29	QA999
9501060054	9501060049	94/12/28	50-261 P	9501090036	9501090029	95/01/04	50-313 Q
9501060060	9501060055	94/12/23	71-9248	9501090037	9501090032	94/12/20	50-352 Q
9501060061	9501040033	94/02/16	FOIA	9501090038	9501090031	95/01/03	STATE PRO G
9501060064	9501040033	94/02/16	FOIA	9501090045	9501040033	94/02/16	40-2810
9501060067	9501040033	94/02/16	FOIA	9501090052	9501090044	95/01/03	STATE PRO G
9501060068	9501050479	94/12/23	50-390 A	9501090055	9501090048	94/12/30	QA999
9501060074	9501040033	94/02/16	FOIA	9501090057	9501090042	94/12/21	50-272 Q
9501060076	9501040033	94/02/16	FOIA	9501090058	9501040033	94/02/16	40-2810
9501060077	9501060073	94/12/28	50-348 P	9501090064	9501090061	94/12/20	50-245 Q
9501060079	9501060073	94/12/28	50-348 P	9501090065	9501090048	94/12/30	QA999
9501060080	9501040033	94/02/16	FOIA	9501090070	9501040033	94/02/16	40-2810

288 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501090074	9501040033	94/02/16	40-2810	9501100150	9501100108	94/12/27	50-424 T
9501090080	9501040033	94/02/16	40-2810	9501100151	9501100139	95/01/05	50-315 P
9501090083	9501090077	94/12/28	ORG	9501100152	9501100145	95/01/05	50-266 P
9501090086	9501040033	94/02/16	40-2810	9501100154	9501100108	94/12/27	50-424 T
9501090093	9501060231	94/12/28	70-1257	9501100159	9501100108	94/12/27	50-424 T
9501090094	9501040033	94/02/16	40-2810	9501100171	9501100169	94/12/26	71-330
9501090103	9501040033	94/02/16	40-2810	9501100182	9501040033	94/02/16	70-*****
9501090111	9501040033	94/02/16	40-2810	9501100189	9501040033	94/02/16	70-*****
9501090116	9501040033	94/02/16	40-2810	9501100201	9501040033	94/02/16	70-*****
9501090119	9501040033	94/02/16	40-2810	9501100209	9501040033	94/02/16	70-*****
9501090147	9501040033	94/02/16	70-*****	9501100211	9501100208	94/12/30	ORG
9501090160	9501040033	94/02/16	70-*****	9501100217	9501090002	94/10/31	71-9210
9501090170	9501040033	94/02/16	70-*****	9501100218	9501090002	94/10/31	71-9210
9501090171	9501090145	94/12/29	50-338 Q	9501100223	9501040033	94/02/16	70-*****
9501090184	9501040033	94/02/16	70-*****	9501100226	9501040033	94/02/16	40-2810
9501090192	9501040033	94/02/16	70-*****	9501100228	9501040033	94/02/16	70-*****
9501090196	9501090179	94/12/30	40-7102	9501100238	9501100225	95/01/05	50-315 P
9501090198	9501040033	94/02/16	70-*****	9501100241	9501100225	95/01/05	50-315 P
9501090203	9501040033	94/02/16	70-*****	9501100248	9501040033	94/02/16	70-*****
9501090208	9501040033	94/02/16	70-*****	9501100249	9501100244	95/01/05	50-282 P
9501090214	9501040033	94/02/16	70-*****	9501100250	9501100224	95/01/04	50-245 P
9501090215	9501040033	94/02/16	70-*****	9501100253	9501100242	95/01/04	50-259 P
9501090218	9501040033	94/02/16	70-*****	9501100255	9501100244	95/01/05	50-282 P
9501090220	9501040033	94/02/16	70-*****	9501100256	9501040033	94/02/16	70-*****
9501090222	9501040033	94/02/16	70-*****	9501100262	9501100252	95/01/04	50-269 P
9501090249	9501040033	94/02/16	70-*****	9501100263	9501040033	94/02/16	70-*****
9501090260	9501040033	94/02/16	70-*****	9501100268	9501100252	95/01/04	50-269 P
9501090261	9501090257	94/12/29	40-8452	9501100270	9501040033	94/02/16	70-*****
9501090264	9501040033	94/02/16	70-*****	9501100273	9501100259	95/01/05	50-309 H
9501090266	9501090263	94/12/29	50-219 P	9501100278	9501040033	94/02/16	70-*****
9501090267	9501060126	94/12/30	50-445 P	9501100280	9501100271	95/01/04	50-254 P
9501090269	9501040033	94/02/16	70-*****	9501100287	9501040033	94/02/16	70-*****
9501090271	9501090263	94/12/29	50-219 P	9501100296	9501100290	94/12/29	50-482 P
9501090275	9501090167	94/12/19	50-280 Y	9501100304	9501040033	94/02/16	FOIA
9501090277	9501040033	94/02/16	70-*****	9501100305	9501100290	94/12/29	50-482 P
9501090282	9501040033	94/02/16	70-*****	9501100307	9501120343	95/01/09	50-390 A
9501090283	9501090263	94/12/29	50-219 P	9501100310	9501120343	95/01/09	50-390 A
9501090288	9501090284	94/04/11	50-352 Q	9501100311	9501100291	95/01/03	50-528 P
9501090291	9501040033	94/02/16	70-*****	9501100315	9501100313	94/12/15	50-352 P
9501090292	9501090273	94/12/30	50-295 G	9501100316	9501100312	94/12/29	50-285 P
9501090293	9501090167	94/12/19	50-280 Y	9501100319	9501100312	94/12/29	70-*****
9501090296	9501090263	94/12/29	50-219 P	9501100321	9501040033	94/02/16	70-*****
9501090298	9501090167	94/12/19	50-280 Y	9501100329	9501040033	94/02/16	70-*****
9501090307	9501040033	94/02/16	40-2810	9501100332	9501100320	95/01/05	50-424 P
9501090310	9501090167	94/12/19	50-280 Y	9501100334	9501100327	94/12/29	50-482 P
9501090314	9501060129	94/03/14	FOIA	9501100335	9501100333	94/12/14	WASTE MGT
9501090320	9501090317	94/12/27	50-498 P	9501100337	9501100327	94/12/29	50-482 P
9501090324	9501090317	94/12/27	50-498 P	9501100338	9501100320	95/01/05	50-424 P
9501090325	9501040033	94/02/16	40-2810	9501100339	9501040033	94/02/16	70-*****
9501090326	9501090321	94/12/29	50-220 P	9501100345	9501100344	94/12/14	ORG
9501090327	9501090071	94/12/30	STATE PRO G	9501100347	9501040033	94/02/16	40-2810
9501090329	9501090321	94/12/29	50-220 P	9501100353	9501100352	95/01/03	50-424 P
9501090331	9501090071	94/12/30	STATE PRO G	9501110005	9501110001	94/12/22	50-272 Q
9501090333	9501090071	94/12/30	STATE PRO G	9501110010	9501110006	95/01/06	70-27
9501090334	9501090332	94/12/30	50-440 P	9501110014	9501110009	94/12/22	50-57 Q
9501090336	9501090315	94/04/13	FOIA	9501110015	9501110006	95/01/06	70-27
9501090338	9501090315	94/04/13	FOIA	9501110017	9501110016	94/12/22	50-219 Q
9501090339	9501090315	94/04/13	FOIA	9501110029	9501110021	94/12/22	50-387 Q
9501090342	9501090330	94/12/30	50-275 P	9501110031	9501110022	95/01/03	50-390 Q
9501090345	9501090330	94/12/30	50-275 P	9501110034	9501110021	94/12/22	50-387 Q
9501090346	9501090343	94/12/30	50-315 P	9501110040	9501110032	95/01/04	50-244 P
9501090348	9501040194	94/12/09	50-382 P	9501110048	9501110044	94/12/30	50-321 Q
9501090349	9501090343	94/12/30	50-315 P	9501110051	9501110046	94/12/30	50-327 Q
9501090355	9501090353	95/01/03	50-324 P	9501110057	9501110046	94/12/30	50-327 Q
9501100020	9501100012	94/12/23	50-213 V	9501110060	9501110055	94/12/29	50-327 Q
9501100056	9501100052	94/12/29	50-387 H	9501110061	9501110045	94/12/22	50-219 Q
9501100072	9501100066	94/12/16	70-3061	9501110081	9501110072	94/12/22	70-27
9501100082	9501100077	94/12/12	40-341	9501110088	9501110083	94/12/23	50-245 V
9501100089	9501100078	94/12/23	50-424 G	9501110090	9501110084	95/01/04	50-286 Q
9501100101	9501100087	94/12/29	50-424 G	9501110097	9501110087	94/12/27	40-8869
9501100103	9501100087	94/12/29	50-424 G	9501110100	9501110093	95/01/03	50-369 Q
9501100113	9501100107	95/01/05	TOPREP	9501110101	9501110096	94/12/23	50-327 Q
9501100115	9501100110	94/12/30	50-263 P	9501110104	9501110103	94/12/30	50-219 Q
9501100121	9501100114	94/12/29	50-424 T	9501110106	9501110102	94/12/23	50-247 Q
9501100123	9501100112	94/12/28	50-424 T	9501110107	9501110093	95/01/03	50-369 Q
9501100125	9501100114	94/12/29	50-424 T	9501110111	9501110096	94/12/23	50-327 Q
9501100126	9501100108	94/12/27	50-424 T	9501110114	9501110109	95/01/03	50-286 Q
9501100130	9501100114	94/12/29	50-424 T	9501110119	9501110112	94/12/28	50-324 Q
9501100133	9501100114	94/12/29	50-424 T	9501110122	9501110115	94/12/29	50-271 Q
9501100134	9501100131	94/12/15	40-1162	9501110123	9501110118	94/12/29	50-413 Q
9501100136	9501100108	94/12/27	50-424 T	9501110126	9501110121	94/12/28	50-321 Q
9501100138	9501100128	94/12/29	50-424 G	9501110134	9501110124	95/01/03	50-416 Q
9501100143	9501100128	94/12/29	50-424 G	9501110141	9501110131	94/12/22	50-387 P
9501100144	9501100129	94/12/23	50-424 G	9501110145	9501110139	95/01/03	50-272 Q
9501100146	9501100128	94/12/29	50-424 G	9501110154	9501110131	94/12/22	50-387 P
9501100147	9501100139	95/01/05	50-315 P	9501110156	9501110140	94/12/23	50-259 Q
9501100148	9501100145	95/01/05	50-266 P	9501110161	9501110152	94/12/19	40-341

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 289

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501110164	9501110157	94/12/27	70-1151	9501110509	9501040033	94/02/16	70-*****
9501110166	9501110140	94/12/23	50-259	9501110511	9501040033	94/02/16	70-*****
9501110169	9501110162	94/12/22	50-333	9501110514	9501040033	94/02/16	70-*****
9501110170	9501110165	94/12/22	71-6078	9501110518	9501110516	95/01/03	50-327 P
9501110178	9501110162	94/12/22	50-333	9501120020	9501120015	94/12/30	50-263 Q
9501110181	9501110167	94/12/23	50-410	9501120022	9501120012	94/12/29	STATE PRO G
9501110191	9501110180	95/01/06	50-266	9501120027	9501120025	94/02/28	50-456 Q
9501110196	9501110188	94/12/13	40-1650	9501120031	9501120025	94/12/29	50-456 Q
9501110202	9501110192	95/01/03	50-272	9501120048	9501120041	95/01/06	50-331 Q
9501110205	9501110197	94/12/23	50-443	9501120049	9501120043	95/01/09	STATE PRO G
9501110209	9501110204	94/12/23	50-354	9501120057	9501120051	94/12/29	50-373 Q
9501110212	9501110207	94/12/22	70-27	9501120058	9501120050	95/01/05	50-315 Q
9501110214	9501110201	94/12/23	50-352	9501120062	9501120061	95/01/04	50-155 Q
9501110218	9501110207	94/12/22	70-27	9501120064	9501120052	95/01/06	50-338 Q
9501110221	9501110210	95/01/03	40-6500	9501120065	9501120061	95/01/04	50-155 Q
9501110224	9501110219	95/01/05	WASTE MGT	9501120068	9501120063	95/01/03	50-373 Q
9501110230	9501110228	94/12/28	50-334	9501120073	9501120070	95/01/06	50-266 Q
9501110242	9501110233	94/12/23	50-220	9501120075	9501120074	95/01/05	50-333 P
9501110243	9501110235	94/12/23	50-443	9501120089	9501120089	95/01/09	50-255 P
9501110244	9501110239	95/01/03	50-327	9501120100	9501120094	94/12/14	WASTE MGT
9501110249	9501110239	95/01/03	50-327	9501120102	9501120096	94/12/22	71-9056
9501110261	9501110256	94/12/27	50-327	9501120107	9501120087	95/01/03	50-382 P
9501110262	9501110257	94/12/30	50-369	9501120108	9501040033	94/02/16	70-*****
9501110265	9501110256	94/12/27	50-327	9501120112	9501040033	94/02/16	70-*****
9501110268	9501040033	94/02/16	70-*****	9501120115	9501110362	95/01/03	40-8948
9501110271	9501110257	94/12/30	50-369	9501120117	9501040033	94/02/16	70-*****
9501110281	9501110274	94/11/03	27-47	9501120121	9501120116	95/01/09	50-259 P
9501110283	9501110274	94/11/03	27-47	9501120124	9501120122	95/01/09	50-237 P
9501110284	9501110276	95/01/06	WASTE MGT	9501120132	9501120128	95/01/05	50-286 P
9501110294	9501110289	94/12/15	40-501	9501120144	9501120140	95/01/05	50-277 P
9501110298	9501110274	94/11/03	27-47	9501120149	9501120140	95/01/05	50-277 P
9501110305	9501040033	94/02/16	70-*****	9501120155	9501040033	94/02/16	70-*****
9501110306	9501110302	94/12/19	40-8724	9501120158	9501120158	95/01/03	50-219 G
9501110307	9501110274	94/11/03	27-47	9501120161	9501040033	94/02/16	70-*****
9501110309	9501040033	94/02/16	70-*****	9501120163	9501040033	94/02/16	70-*****
9501110310	9501110304	94/10/25	50-322	9501120168	9501120156	94/12/29	WASTE MGT
9501110311	9501110274	94/11/03	27-47	9501120172	9501040033	94/02/16	FOIA
9501110313	9501110274	94/11/03	27-47	9501120181	9501040033	94/02/16	70-*****
9501110314	9501110308	94/12/21	XPORTLIC	9501120182	9501120177	94/12/21	40-8902
9501110316	9501040033	94/02/16	70-*****	9501120186	9501040033	94/02/16	70-*****
9501110317	9501110274	94/11/03	27-47	9501120189	9501040033	94/02/16	70-*****
9501110322	9501040033	94/02/16	70-*****	9501120190	9501120188	95/01/06	27-47
9501110328	9501040033	94/02/16	70-*****	9501120192	9501040033	94/02/16	70-*****
9501110330	9501110324	95/01/03	50-324	9501120193	9501040033	94/02/16	70-*****
9501110331	9501110323	94/12/29	50-423	9501120200	9501120197	95/01/06	52-2
9501110332	9501110326	94/12/05	40-8724	9501120204	9501120202	94/12/23	50-390 A
9501110334	9501110323	94/12/29	50-423	9501120205	9501120202	94/12/23	50-390 A
9501110360	9501110356	94/12/23	40-8943	9501120206	9501120202	94/12/23	50-390 A
9501110369	9501110366	95/01/06	50-259	9501120208	9501120202	94/12/23	50-390 A
9501110372	9501110367	94/12/23	50-390	9501120212	9501120202	94/12/23	50-390 A
9501110373	9501110368	94/12/30	40-8084	9501120213	9501040033	94/02/16	70-*****
9501110374	9501040033	94/02/16	70-*****	9501120217	9501120202	94/12/23	50-390 A
9501110383	9501110377	94/12/27	50-327	9501120221	9501120202	94/12/23	50-390 A
9501110388	9501040033	94/02/16	70-*****	9501120222	9501040033	94/02/16	70-*****
9501110394	9501040033	94/02/16	70-*****	9501120225	9501040033	94/02/16	FOIA
9501110395	9501110297	95/01/03	50-387	9501120236	9501040033	94/02/16	FOIA
9501110399	9501110297	95/01/03	50-387	9501120244	9501120234	95/01/05	70-8
9501110401	9501110398	95/01/06	ADVCM	9501120245	9501040033	94/02/16	FOIA
9501110403	9501040033	94/02/16	70-*****	9501120253	9501040033	94/02/16	70-*****
9501110404	9501110398	95/01/06	ADVCM	9501120255	9501120129	95/01/03	50-219 G
9501110405	9501110400	95/01/05	50-261	9501120259	9501040033	94/02/16	70-*****
9501110407	9501110400	95/01/05	50-261	9501120260	9501120129	95/01/03	50-219 G
9501110410	9501040033	94/02/16	70-*****	9501120263	9501040033	94/02/16	70-*****
9501110414	9501110409	94/12/28	50-219	9501120269	9501040033	94/02/16	70-*****
9501110417	9501040033	94/02/16	70-*****	9501120284	9501040033	94/02/16	70-*****
9501110422	9501040033	94/02/16	70-*****	9501120290	9501120278	94/12/20	50-269 F
9501110427	9501040033	94/02/16	70-*****	9501120296	9501040033	94/02/16	70-*****
9501110433	9501110431	94/11/16	COMMISSIO	9501120320	9501120313	94/10/07	50-461 F
9501110434	9501040033	94/02/16	70-*****	9501120323	9501040033	94/02/16	70-*****
9501110451	9501040033	94/02/16	70-*****	9501120331	9501120328	95/01/09	50-261 F
9501110453	9501110436	95/01/04	50-313	9501120332	9501040033	94/02/16	70-*****
9501110454	9501040033	94/02/16	70-*****	9501120336	9501040033	94/02/16	70-*****
9501110456	9501110443	94/09/02	TOPREP	9501120337	9501120328	95/01/09	50-261 F
9501110458	9501110457	94/12/29	50-261	9501120354	9501120351	95/01/09	50-245 P
9501110459	9501110457	94/12/29	50-261	9501120355	9501120352	94/12/27	50-298 P
9501110460	9501040033	94/02/16	70-*****	9501120356	9501120351	95/01/09	50-245 P
9501110461	9501110436	95/01/04	50-313	9501120358	9501120357	94/12/28	50-261 P
9501110467	9501110464	95/01/05	50-271	9501120361	9501120360	95/01/04	50-416 P
9501110468	9501040033	94/02/16	70-*****	9501120362	9501120360	95/01/04	50-416 P
9501110483	9501110479	94/12/29	50-387	9501120364	9501120363	95/01/03	WASTE MGT
9501110486	9501110482	95/01/06	50-277	9501130008	9501130007	94/12/27	70-27
9501110493	9501110480	94/12/27	50-272	9501130010	9501130005	95/01/10	STATE PRO G
9501110495	9501110480	94/12/27	50-272	9501130015	9501040033	94/02/16	70-*****
9501110497	9501040033	94/02/16	70-*****	9501130018	9501040033	94/02/16	70-*****
9501110499	9501110492	95/01/05	71-3	9501130021	9501040033	94/02/16	70-*****
9501110502	9501040033	94/02/16	70-*****	9501130026	9501040033	94/02/16	70-*****
9501110506	9501040033	94/02/16	70-*****	9501130032	9501040033	94/02/16	70-*****

290 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501130038	9501130029	95/01/10	50-245 P	9501170075	9501170064	94/05/09	FOIA
9501130039	9501040033	94/02/16	70-*****	9501170077	9501040033	94/02/16	70-*****
9501130044	9501130029	95/01/10	50-245 P	9501170078	9501170004	95/01/09	STATE PRO G
9501130046	9501040033	94/02/16	70-*****	9501170080	9501170064	94/05/09	FOIA
9501130051	9501130034	94/04/13	FOIA	9501170083	9501040033	94/02/16	70-*****
9501130058	9501130034	94/04/13	FOIA	9501170086	9501040033	94/02/16	70-*****
9501130076	9501130034	94/04/13	FOIA	9501170088	9501170079	95/01/06	50-410 P
9501130079	9501130066	95/01/10	50-255 P	9501170089	9501170056	94/04/11	50-289 O
9501130085	9501130083	95/01/03	50-410 P	9501170090	9501170087	95/01/03	50-423 P
9501130088	9501130084	95/01/09	50-369 P	9501170091	9501040033	94/02/16	FOIA
9501130096	9501130084	95/01/09	50-369 P	9501170092	9501170087	95/01/03	50-423 P
9501130097	9501130092	95/01/10	70-1113	9501170097	9501170064	94/05/09	50-498 Q
9501130099	9501130034	94/04/13	FOIA	9501170099	9501040033	94/02/16	70-*****
9501130100	9501130092	95/01/10	70-1113	9501170102	9501170098	95/01/06	50-410 P
9501130103	9501130091	94/12/27	50-397 Q	9501170105	9501040033	94/02/16	70-*****
9501130105	9501130034	94/04/13	FOIA	9501170107	9501170064	94/05/09	50-498 Q
9501130124	9501130034	94/04/13	FOIA	9501170108	9501170056	94/04/11	50-289 Q
9501130128	9501130117	94/12/28	PROJ	9501170112	9501170106	94/05/10	FOIA
9501130129	9501130034	94/04/13	FOIA	9501170113	9501040033	94/02/16	70-*****
9501130132	9501130034	94/04/13	FOIA	9501170114	9501170106	94/05/10	FOIA
9501130139	9501130120	95/01/09	50-293 P	9501170117	9501040033	94/02/16	70-*****
9501130145	9501130034	94/04/13	FOIA	9501170120	9501170106	94/05/10	FOIA
9501130148	9501040033	94/02/16	70-*****	9501170125	9501170122	95/01/05	50-412 P
9501130153	9501130034	94/04/13	FOIA	9501170127	9501170122	95/01/05	50-412 P
9501130159	9501130034	94/04/13	FOIA	9501170129	9501040033	94/02/16	70-*****
9501130162	9501040033	94/02/16	70-*****	9501170133	9501170124	95/01/06	50-321 Q
9501130168	9501130156	94/06/08	40-*****	9501170135	9501170106	94/05/10	FOIA
9501130169	9501130166	95/01/11	50-322 R	9501170136	9501040033	94/02/16	70-*****
9501130173	9501040033	94/02/16	70-*****	9501170150	9501170106	94/05/10	FOIA
9501130176	9501130156	94/06/08	40-*****	9501170152	9501170149	95/01/11	71-6280
9501130181	9501040033	94/02/16	FOIA	9501170155	9501130107	95/01/06	50-29 P
9501130185	9501130179	95/01/10	50-317 R	9501170156	9501040033	94/02/16	70-*****
9501130188	9501130195	94/03/30	FOIA	9501170159	9501040033	94/02/16	70-*****
9501130191	9501130187	94/10/20	50-322 W	9501170161	9501040033	94/02/16	70-*****
9501130192	9501120090	94/12/27	71-236	9501170162	9501040033	94/02/16	70-*****
9501130194	9501130189	95/01/11	50-250 P	9501170163	9501170106	94/05/10	FOIA
9501130196	9501130189	95/01/11	50-250 P	9501170164	9501040033	94/02/16	70-*****
9501130206	9501130204	95/01/06	50-331 P	9501170166	9501040033	94/02/16	70-*****
9501130208	9501130204	95/01/06	50-331 P	9501170172	9501170170	94/12/29	ORG
9501130210	9501130209	95/01/05	50-458 K	9501170175	9501170173	95/01/02	71-319
9501130211	9501130209	95/01/05	50-458 K	9501170177	9501170174	94/10/13	ADVCM
9501130214	9501130195	94/03/30	FOIA	9501170178	9501170173	95/01/02	71-319
9501130219	9501130195	94/03/30	FOIA	9501170179	9501170106	94/05/10	FOIA
9501130225	9501040033	94/02/16	70-*****	9501170182	9501170180	94/05/03	FOIA
9501130227	9501130195	94/03/30	FOIA	9501170184	9501170106	94/05/10	FOIA
9501130231	9501130195	94/03/30	FOIA	9501170185	9501170183	95/01/05	WASTE MGT
9501130234	9501130232	95/01/04	50-247 P	9501170187	9501040033	94/02/16	70-*****
9501130236	9501130235	95/01/06	50-133 P	9501170188	9501170180	94/05/03	FOIA
9501130243	9501040033	94/02/16	70-*****	9501170190	9501170180	94/05/03	FOIA
9501130251	9501040033	94/02/16	70-*****	9501170191	9501040033	94/02/16	70-*****
9501130255	9501040033	94/02/16	70-*****	9501170193	9501170180	94/05/03	FOIA
9501130256	9501130250	95/01/05	50-397 P	9501170194	9501170180	94/05/03	FOIA
9501130258	9501130250	95/01/05	50-397 P	9501170196	9501040033	94/02/16	70-*****
9501130261	9501040033	94/02/16	70-*****	9501170198	9501170189	94/04/26	FOIA
9501130266	9501130262	95/01/10	50-456 F	9501170199	9501170189	94/04/26	FOIA
9501130269	9501130268	94/04/18	50-266 P	9501170202	9501170189	94/04/26	FOIA
9501130270	9501130195	94/03/30	FOIA	9501170203	9501170189	94/04/26	FOIA
9501130274	9501130268	94/04/18	FOIA	9501170205	9501170189	94/04/26	FOIA
9501130276	9501130275	95/01/11	WASTE MGT	9501170206	9501040033	94/02/16	70-*****
9501130277	9501130275	95/01/11	WASTE MGT	9501170207	9501170189	94/04/26	FOIA
9501130278	9501130275	95/01/11	WASTE MGT	9501170210	9501170189	94/04/26	FOIA
9501130279	9501130275	95/01/11	WASTE MGT	9501170211	9501170189	94/04/26	FOIA
9501130281	9501130275	95/01/11	WASTE MGT	9501170212	9501170189	94/04/26	FOIA
9501130282	9501130275	95/01/11	WASTE MGT	9501170213	9501130034	94/04/13	FOIA
9501130283	9501130275	95/01/11	WASTE MGT	9501170214	9501040033	94/02/16	70-*****
9501130284	9501130280	95/01/09	50-282 P	9501170216	9501170189	94/04/26	FOIA
9501130285	9501130275	95/01/11	WASTE MGT	9501170218	9501170189	94/04/26	FOIA
9501130286	9501130280	95/01/09	50-282 P	9501170219	9501170189	94/04/26	FOIA
9501130287	9501130280	95/01/09	50-282 P	9501170220	9501170215	94/12/23	52-3
9501170011	9501170004	95/01/09	STATE PRO G	9501170223	9501170189	94/04/26	FOIA
9501170017	9501170013	95/01/06	50-348 Q	9501170224	9501040033	94/02/16	70-*****
9501170023	9501170016	95/01/06	50-269 Q	9501170225	9501170189	94/04/26	FOIA
9501170024	9501170021	95/01/06	50-369 Q	9501170226	9501170189	94/04/26	FOIA
9501170027	9501170014	95/01/10	50-423 P	9501170228	9501170189	94/04/26	FOIA
9501170030	9501170014	95/01/10	50-423 P	9501170231	9501170217	93/12/08	50-336 P
9501170031	9501170021	95/01/06	50-369 Q	9501170232	9501170189	94/04/26	FOIA
9501170035	9501170025	95/01/06	50-259 Q	9501170233	9501170189	94/04/26	FOIA
9501170040	9501170032	95/01/09	50-390 Q	9501170234	9501170189	94/04/26	FOIA
9501170042	9501170038	95/01/06	50-302 Q	9501170235	9501170189	94/04/26	FOIA
9501170043	9501170037	95/01/06	50-369 V	9501170236	9501040033	94/02/16	70-*****
9501170048	9501170045	95/01/05	40-8948	9501170237	9501170189	94/04/26	FOIA
9501170050	9501170033	95/01/06	50-269 Q	9501170238	9501170189	94/04/26	FOIA
9501170051	9501170049	95/01/09	50-213 Q	9501170239	9501170189	94/04/26	FOIA
9501170059	9501170057	95/01/06	50-369 Q	9501170240	9501040033	94/02/16	70-*****
9501170060	9501170055	95/01/06	50-302 Q	9501170241	9501170217	93/12/08	50-336 P
9501170068	9501170066	95/01/06	50-348 Q	9501170242	9501040033	94/02/16	70-*****
9501170069	9501170056	94/04/11	50-289 V	9501170243	9501170217	93/12/08	50-245 P

**CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 291**

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501170244	9501040033	94/02/16	70-*****	9501190078	9501190068	95/01/11	50-341 Q
9501170245	9501170217	93/12/08	FOIA	9501190080	9501190074	95/01/10	50-390 A
9501170246	9501170132	94/05/06	FOIA	9501190087	9501190083	95/01/13	40-8724 A
9501170247	9501040033	94/02/16	70-*****	9501190089	9501190045	95/01/06	70-1359
9501170248	9501170217	93/12/08	50-336 P	9501190096	9501190079	95/01/10	50-461 F
9501170249	9501170217	93/12/08	50-336 P	9501190097	9501190045	95/01/06	70-1359
9501170250	9501040033	94/02/16	70-*****	9501190099	9501190093	95/01/09	50-266 F
9501170252	9501040033	94/02/16	70-*****	9501190103	9501190093	95/01/09	50-266 F
9501170253	9501170217	93/12/08	FOIA	9501190109	9501190106	95/01/11	50-454 Q
9501170254	9501170217	93/12/08	50-245 S	9501190111	9501190105	95/01/16	50-293 P
9501170255	9501170217	93/12/08	FOIA	9501190114	9501190105	95/01/16	50-293 P
9501170258	9501170217	93/12/08	50-336 Q	9501190115	9501190098	95/01/13	50-266 P
9501170259	9501170256	95/01/11	50-361 P	9501190120	9501190117	95/01/05	50-267 F
9501170261	9501170217	93/12/08	FOIA	9501190127	9501190123	95/01/12	50-528 Q
9501170264	9501170217	93/12/08	50-336 P	9501190128	9501040033	94/02/16	70-*****
9501170265	9501170217	93/12/08	50-245 P	9501190133	9501040033	94/02/16	70-*****
9501170267	9501170217	93/12/08	50-336 P	9501190136	9501040033	94/02/16	70-*****
9501170268	9501170217	93/12/08	50-245 Q	9501190138	9501190131	95/01/06	40-8981
9501170269	9501170217	93/12/08	50-336 P	9501190142	9501170106	94/05/10	FOIA
9501180003	9501180001	95/01/11	50-277 Q	9501190143	9501190140	95/01/12	STATE PRO G
9501180014	9501180013	95/01/06	50-271 Q	9501190144	9501040033	94/02/16	70-*****
9501180057	9501180038	95/01/12	STATE PRO G	9501190153	9501040033	94/02/16	70-*****
9501180081	9501180075	95/01/06	50-166 Q	9501190158	9501190156	95/01/13	50-295 Q
9501180083	9501170197	95/01/11	71-9217	9501190163	9501190167	95/01/11	50-315 R
9501180089	9501180085	95/01/10	50-293 Q	9501190165	9501190162	95/01/06	50-312 P
9501180094	9501180092	95/01/10	50-289 Q	9501190170	9501040033	94/02/16	70-*****
9501180095	9501180090	95/01/10	50-390 Q	9501190174	9501190167	95/01/11	50-315 R
9501180105	9501180093	95/01/10	40-8155	9501190177	9501040033	94/02/16	70-*****
9501180115	9501180106	95/01/11	50-528 Q	9501190179	9501190175	95/01/09	50-482 P
9501180117	9501180093	95/01/10	40-8155	9501190182	9501040033	94/02/16	70-*****
9501180121	9501180106	95/01/11	50-528 Q	9501190184	9501190175	95/01/09	50-482 P
9501180160	9501180147	95/01/11	50-266 P	9501190190	9501040033	94/02/16	70-*****
9501180165	9501180163	95/01/13	50-309 P	9501190193	9501040033	94/02/16	70-*****
9501180167	9501180147	95/01/11	50-266 P	9501190205	9501190202	95/01/12	50-206 F
9501180170	9501180159	95/01/06	50-397 Q	9501190213	9501190191	95/01/10	50-361 P
9501180181	9501180176	95/01/10	50-244 Q	9501190219	9501040033	94/02/16	70-*****
9501180183	9501180172	95/01/10	50-424 G	9501190227	9501190224	95/01/10	50-423 P
9501180184	9501180176	95/01/10	50-244 Q	9501190228	9501040033	94/02/16	70-*****
9501180201	9501260087	95/01/18	50-220 Q	9501190232	9501190221	94/12/13	52-3
9501180221	9501170138	94/05/05	50-265 S	9501190234	9501190209	95/01/12	40-*****
9501180222	9501180218	95/01/11	50-317 Q	9501190238	9501190221	94/12/13	52-3
9501180225	9501180220	95/01/10	40-2298	9501190247	9501180323	95/01/05	50-269 P
9501180227	9501180218	95/01/11	50-317 Q	9501190261	9501190209	95/01/12	40-*****
9501180240	9501180234	95/01/12	52-3	9501190264	9501190209	95/01/12	40-*****
9501180256	9501180252	95/01/05	40-*****	9501190266	9501190209	95/01/12	40-*****
9501180259	9501180252	95/01/05	40-*****	9501190268	9501190209	95/01/12	40-*****
9501180260	9501180252	95/01/05	40-*****	9501190270	9501040033	94/02/16	FOIA
9501180263	9501180252	95/01/05	40-*****	9501190272	9501190269	94/12/12	52-3
9501180265	9501180252	95/01/05	40-*****	9501190278	9501190209	95/01/12	40-*****
9501180266	9501180262	95/01/10	TOPREP	9501190281	9501040033	94/02/16	70-*****
9501180268	9501170217	93/12/08	50-336 Q	9501190285	9501190279	95/01/12	50-213 P
9501180273	9501170217	93/12/08	FOIA	9501190290	9501040033	94/02/16	70-*****
9501180274	9501180269	95/01/09	50-387 Q	9501190294	9501190269	94/12/12	52-3
9501180276	9501180271	95/01/10	50-313 P	9501190296	9501040033	94/02/16	70-*****
9501180283	9501180277	95/01/12	50-361 G	9501190299	9501190209	95/01/12	40-*****
9501180284	9501040033	94/02/16	70-*****	9501190302	9501040033	94/02/16	70-*****
9501180286	9501180281	95/01/11	XPORTLIC	9501190308	9501190304	95/01/13	50-282 P
9501180288	9501040033	94/02/16	70-*****	9501190310	9501190209	95/01/12	40-*****
9501180292	9501180281	95/01/11	XPORTLIC	9501190312	9501040033	94/02/16	70-*****
9501180299	9501040033	94/02/16	70-*****	9501190313	9501190300	95/01/13	50-237 P
9501180300	9501170217	93/12/08	FOIA	9501190317	9501190304	95/01/13	50-282 P
9501180301	9501040033	94/02/16	70-*****	9501190327	9501190209	95/01/12	40-*****
9501180303	9501180281	95/01/11	XPORTLIC	9501190328	9501190321	95/01/10	50-423 P
9501180307	9501180281	95/01/11	XPORTLIC	9501190333	9501190300	95/01/13	50-237 P
9501180309	9501180302	95/01/04	ORG	9501190342	9501190209	95/01/12	40-*****
9501180312	9501170217	93/12/08	50-245 P	9501190355	9501190209	95/01/12	40-*****
9501180313	9501040033	94/02/16	70-*****	9501190371	9501190209	95/01/12	40-*****
9501180320	9501040033	94/02/16	70-*****	9501190383	9501190209	95/01/12	40-*****
9501180325	9501040033	94/02/16	70-*****	9501190388	9501190209	95/01/12	40-*****
9501180327	9501180324	95/01/12	50-334 Q	9501190393	9501190209	95/01/12	40-*****
9501180328	9501040033	94/02/16	70-*****	9501190396	9501190395	94/12/29	WASTE MGT
9501180333	9501170217	93/12/08	FOIA	9501190398	9501190209	95/01/12	40-*****
9501180339	9501170217	93/12/08	50-423 P	9501190401	9501190400	94/12/12	WASTE MGT
9501180342	9501170217	93/12/08	50-336 P	9501190404	9501190209	95/01/12	40-*****
9501180346	9501170106	94/05/10	FOIA	9501190405	9501190403	94/12/16	WASTE MGT
9501180347	9501170217	93/12/08	50-336 P	9501200002	9501200001	95/01/11	50-245 P
9501180348	9501170217	93/12/08	50-336 P	9501200024	9501200021	95/01/12	50-327 S
9501190024	9501190018	95/01/11	50-267 W	9501200027	9501190209	95/01/12	40-*****
9501190032	9501190026	95/01/06	50-133 S	9501200031	9501200029	95/01/12	50-369 P
9501190034	9501190027	95/01/12	50-267 Q	9501200033	9501200029	95/01/12	50-369 P
9501190039	9501190035	95/01/13	50-298 Q	9501200035	9501190209	95/01/12	40-*****
9501190047	9501190042	95/01/06	50-454 Q	9501200047	9501190209	95/01/12	40-*****
9501190049	9501190046	95/01/12	50-458 Q	9501200048	9501200043	95/01/13	50-286 P
9501190050	9501190042	95/01/06	50-454 Q	9501200056	9501200051	95/01/17	STATE PRO G
9501190059	9501190052	95/01/09	50-254 Q	9501200057	9501190209	95/01/12	40-*****
9501190064	9501190053	95/01/13	50-313 Q	9501200063	9501200061	95/01/11	50-352 Q
9501190077	9501190068	95/01/11	50-341 Q	9501200065	9501190209	95/01/12	40-*****



292 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501200068	9501200051	95/01/17	STATE PRO G	9501230296	9501230292	95/01/13	50-321 P
9501200075	9501200071	95/01/13	50-220 P	9501230302	9501170056	94/04/11	FOIA
9501200099	9501170195	94/05/13	FOIA	9501230306	9501230176	94/05/09	70-1489
9501200112	9501190209	95/01/12	40-*****	9501230310	9501230299	95/01/16	TOPREP
9501200129	9501200025	95/01/13	50-454 P	9501230314	9501230176	94/05/09	70-1489
9501200134	9501200126	95/01/10	NUREG	9501230317	9501230315	95/01/09	50-285 P
9501200137	9501200126	95/01/10	NUREG	9501230318	9501230176	94/05/09	70-1489
9501200141	9501200131	95/01/10	40-9027	9501230319	9501230315	95/01/09	50-285 P
9501200146	9501200144	95/01/13	52-4	9501230320	9501230315	95/01/09	50-285 P
9501200152	9501200150	95/01/12	50-400 P	9501230323	9501230176	94/05/09	70-1489
9501200155	9501200150	95/01/12	50-400 P	9501230325	9501230321	95/01/10	50-424 Q
9501200160	9501200156	95/01/10	50-424 P	9501230327	9501230176	94/05/09	70-1489
9501200214	9501200212	95/01/05	50-368 P	9501240008	9501240005	95/01/12	50-327 Q
9501200217	9501200212	95/01/05	50-368 P	9501240029	9501240022	95/01/13	50-309 Q
9501200239	9501200235	95/01/09	50-348 P	9501240033	9501240027	95/01/13	50-250 Q
9501200242	9501200232	95/01/06	50-454 P	9501240035	9501240030	95/01/12	50-413 Q
9501200249	9501200232	95/01/06	50-454 P	9501240038	9501240032	95/01/11	50-327 V
9501200287	9501200281	94/05/03	FOIA	9501240041	9501240034	95/01/13	50-373 P
9501200297	9501200281	94/05/03	FOIA	9501240045	9501240032	95/01/11	50-327 V
9501200311	9501200307	95/01/10	50-282 P	9501240046	9501240037	95/01/13	50-269 Q
9501200316	9501200307	95/01/10	50-282 P	9501240047	9501240043	95/01/13	50-160 Q
9501200364	9501200363	95/01/09	50-269 P	9501240051	9501240037	95/01/13	50-269 Q
9501230010	9501230010	95/01/13	40-8107	9501240052	9501240042	95/01/13	50-245 Q
9501230028	9501230021	95/01/13	50-313 Q	9501240055	9501240044	95/01/13	50-271 Q
9501230029	9501230022	95/01/13	50-382 Q	9501240058	9501240054	95/01/13	50-259 Q
9501230032	9501230022	95/01/13	50-382 Q	9501240067	9501240066	95/01/11	50-395 Q
9501230044	9501230040	95/01/13	70-1257	9501240068	9501240060	95/01/13	50-443 Q
9501230051	9501230045	95/01/06	50-352 S	9501240070	9501240064	95/01/12	50-220 Q
9501230062	9501230061	95/01/17	50-286 P	9501240077	9501240066	95/01/11	50-395 Q
9501230064	9501230061	95/01/17	50-286 P	9501240086	9501240084	95/01/12	50-269 P
9501230074	9501230072	95/01/13	50-286 P	9501240088	9501240085	95/01/17	50-271 Q
9501230075	9501230072	95/01/13	50-286 P	9501240095	9501240093	95/01/18	50-458 P
9501230077	9501230073	95/01/18	50-286 P	9501240098	9501240090	95/01/13	50-315 P
9501230086	9501230080	95/01/06	WASTE MGT	9501240100	9501240092	95/01/09	50-263 Q
9501230089	9501230081	94/12/29	50-413 P	9501240102	9501240096	95/01/11	50-259 Q
9501230090	9501230081	94/12/29	50-413 P	9501240113	9501240106	95/01/13	50-277 P
9501230092	9501230080	95/01/06	WASTE MGT	9501240114	9501240112	95/01/11	50-390 Q
9501230093	9501200153	95/01/13	50-269 R	9501240117	9501240117	95/01/11	56-390 Q
9501230102	9501200153	95/01/13	50-269 R	9501240123	9501240120	95/01/11	50-324 Q
9501230109	9501230107	95/01/13	50-259 P	9501240127	9501240103	95/01/13	50-498 Q
9501230116	9501200158	95/01/13	50-413 R	9501240129	9501240125	95/01/13	50-390 Q
9501230117	9501170056	94/04/11	50-289 T	9501240139	9501230176	94/05/09	70-1489
9501230118	9501200158	95/01/13	50-413 R	9501240143	9501240140	95/01/18	50-333 P
9501230123	9501230112	94/04/28	FOIA	9501240148	9501240136	95/01/12	50-424 P
9501230124	9501200110	95/01/13	50-369 R	9501240149	9501240140	95/01/18	50-333 P
9501230126	9501170056	94/04/11	50-289 T	9501240156	9501240152	95/01/11	50-443 P
9501230130	9501200110	95/01/13	50-369 R	9501240159	9501240154	95/01/19	50-454 P
9501230136	9501170056	94/04/11	50-289 T	9501240160	9501230176	94/05/09	70-1489
9501230140	9501170056	94/04/11	50-289 T	9501240166	9501240161	94/12/14	XPORTLIC
9501230153	9501230147	95/01/10	71-801	9501240167	9501240158	95/01/18	50-335 P
9501230160	9501170056	94/04/11	50-358 H	9501240168	9501240158	95/01/18	50-335 P
9501230161	9501230148	95/01/12	52-3	9501240170	9501240155	94/12/15	50-341 U
9501230163	9501170056	94/04/11	FOIA	9501240171	9501240162	95/01/13	50-390 U
9501230165	9501230154	94/04/25	FOIA	9501240173	9501240164	95/01/04	50-369 Q
9501230166	9501230148	95/01/12	52-3	9501240174	9501230176	94/05/09	70-1489
9501230167	9501170056	94/04/11	FOIA	9501240177	9501170056	94/04/11	FOIA
9501230175	9501230172	95/01/09	40-8948	9501240178	9501240176	95/01/12	50-424 P
9501230185	9501170056	94/04/11	50-289 V	9501240181	9501240176	95/01/12	50-424 P
9501230189	9501170056	94/04/11	FOIA	9501240182	9501240180	95/01/13	50-277 P
9501230196	9501230195	95/01/17	52-1	9501240188	9501240184	95/01/13	70-1113 P
9501230202	9501230176	94/05/09	70-1489	9501240189	9501230176	94/05/09	70-1489
9501230205	9501230203	95/01/11	50-354 P	9501240190	9501240184	95/01/13	70-1113 Q
9501230209	9501230176	94/05/09	70-1489	9501240191	9412220041	94/12/16	50-219 H
9501230210	9501230208	95/01/10	50-369 P	9501240195	9501230176	94/05/09	70-1489
9501230211	9501230207	95/01/12	40-341	9501240201	9501230176	94/05/09	70-1489
9501230216	9501170056	94/04/11	FOIA	9501240202	9501240179	95/01/11	50-424 P
9501230219	9501230213	95/01/17	50-382 F	9501240203	9501240179	95/01/11	50-424 P
9501230220	9501230176	94/05/09	FOIA	9501240206	9501240204	95/01/16	50-289 P
9501230225	9501230223	95/01/17	50-313 P	9501240210	9501230176	94/05/09	70-1489
9501230226	9501230176	94/05/09	70-1489	9501240213	9501170056	94/04/11	50-416 Q
9501230236	9501230176	94/05/09	70-1489	9501240216	9501240212	95/01/18	50-338 P
9501230239	9501230234	95/01/13	50-321 P	9501240217	9501230176	94/05/09	70-1489
9501230244	9501230176	94/05/09	70-1489	9501240219	9501170056	94/04/11	FOIA
9501230254	9501230249	95/01/18	50-333 P	9501240220	9501230176	94/05/09	70-1489
9501230256	9501170056	94/04/11	FOIA	9501240221	9501240218	95/01/18	50-131 P
9501230259	9501230253	94/05/03	FOIA	9501240223	9501170056	94/04/11	FOIA
9501230261	9501230176	94/05/09	70-1489	9501240224	9501170056	94/04/11	FOIA
9501230264	9501230253	95/01/03	27-48	9501240231	9501240230	95/01/17	40-8907
9501230265	9501230263	95/01/03	27-48	9501240234	9501200126	95/01/10	NUREG
9501230267	9501230253	94/05/03	FOIA	9501240241	9501240236	95/01/19	50-160 P
9501230270	9501170056	94/04/11	FOIA	9501240257	9501240254	95/01/18	50-410 P
9501230273	9501230176	94/05/09	70-1489	9501240260	9501240254	95/01/18	50-410 P
9501230274	9501230253	94/05/03	FOIA	9501240273	9501240269	95/01/13	50-220 Q
9501230277	9501230253	94/05/03	FOIA	9501240277	9501240266	95/01/18	50-456 Q
9501230279	9501230253	94/05/03	40-8724	9501240279	9501240271	95/01/19	NUREG
9501230285	9501230176	94/05/09	70-1489	9501240282	9501240278	95/01/11	40-8102
9501230291	9501230176	94/05/09	70-1489	9501240285	9501240280	95/01/17	50-317 Q

**CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 293**

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501240293	9501240287	95/01/16	50-424 R	9501260016	9501260014	95/01/19	71-213
9501240295	9501240280	95/01/17	50-317 Q	9501260039	9501260037	95/01/19	71-526
9501240299	9501240296	95/01/12	50-223 Q	9501260047	9501260028	95/01/20	STATE PRO G
9501240304	9501240297	95/01/19	70-36	9501260073	9501260065	95/01/03	50-270
9501240306	9501240301	95/01/16	71-9225	9501260082	9501170189	94/04/26	FOIA Q
9501240307	9501240298	95/01/18	50-369 R	9501260093	9501240275	95/01/19	50-298 P
9501240308	9501240302	95/01/17	50-272 Q	9501260096	9501260087	95/01/18	50-220 Q
9501240310	9501240297	95/01/19	70-36	9501260100	9501240275	95/01/19	50-298 P
9501240319	9501240316	95/01/17	50-259 Q	9501260106	9501260101	95/01/16	52-3
9501240321	9501240318	95/01/12	50-146 P	9501260123	9501170056	94/04/11	FOIA
9501240325	9501240318	95/01/12	50-146 P	9501260138	9501260117	95/01/20	50-352 P
9501240331	9501240318	95/01/12	50-146 P	9501260143	9501260117	95/01/20	50-352 P
9501240336	9501240318	95/01/12	50-146 P	9501260147	9501260139	95/01/19	50-400 P
9501240338	9501240318	95/01/12	50-146 P	9501260152	9501260146	95/01/17	50-309 P
9501240341	9501240318	95/01/12	50-146 P	9501260156	9501260146	95/01/17	50-309 P
9501240342	9501240333	95/01/18	50-186 Q	9501260196	9501260187	95/01/17	50-346 P
9501240348	9501240318	95/01/12	50-146 P	9501260200	9501260187	95/01/17	50-346 P
9501240352	9501240349	95/01/19	50-416 Q	9501260203	9501260197	95/01/13	52-3
9501240359	9501240353	95/01/18	50-255 Q	9501260225	9501170056	94/04/11	FOIA
9501240364	9501240360	94/04/28	50-293 P	9501260229	9501260228	95/01/13	40-9022
9501240374	9501230176	94/05/09	FOIA	9501260237	9501260233	95/01/18	50-266 P
9501240376	9501240372	95/01/17	50-446 Q	9501260239	9501260233	95/01/18	50-266 P
9501240387	9501230176	94/05/09	FOIA	9501260249	9501260244	95/01/20	50-373 P
9501240389	9501240383	95/01/18	50-302 Q	9501260256	9501260253	95/01/20	50-454 P
9501240392	9501230176	94/05/09	FOIA	9501260259	9501260253	95/01/20	50-454 P
9501240395	9501240391	95/01/12	40-8989	9501260273	9501260268	95/01/19	50-352 P
9501240397	9501240391	95/01/12	40-8989	9501260275	9501260268	95/01/19	50-352 P
9501240399	9501240394	95/01/12	52-3	9501260281	9501260272	95/01/20	50-424 P
9501240404	9501240402	95/01/17	50-528 Q	9501260285	9501260272	95/01/20	50-424 P
9501240405	9501240402	95/01/17	50-528 Q	9501260287	9501170189	94/04/26	FOIA
9501250005	9501250002	95/01/18	71-330	9501260291	9501170189	94/04/26	FOIA
9501250007	9501250006	95/01/18	71-691	9501260303	9501170189	94/04/26	FOIA
9501250013	9501250011	95/01/18	71-341	9501260306	9501170189	94/04/26	FOIA
9501250020	9501250009	95/01/17	STATE PRO G	9501260307	9501260297	95/01/20	50-424 P
9501250022	9501250019	95/01/18	71-236	9501260309	9501170189	94/04/26	FOIA
9501250031	9501250027	95/01/17	50-458 Q	9501260313	9501260297	95/01/20	50-424 P
9501250033	9501250028	95/01/20	50-322 R	9501260314	9501170189	94/04/26	FOIA
9501250035	9501250024	95/01/17	40-8902	9501260316	9501170189	94/04/26	FOIA
9501250037	9501250027	95/01/17	50-458 Q	9501260319	9501260315	95/01/12	WASTE MGT
9501250038	9501250027	95/01/17	50-458 Q	9501260321	9501170189	94/04/26	FOIA
9501250039	9501250036	95/01/18	72-1004	9501260327	9501170189	94/04/26	FOIA
9501250048	9501250046	95/01/13	50-313 Q	9501260329	9501170189	94/04/26	FOIA
9501250067	9501250074	94/05/09	40-8724	9501260330	9501260326	95/01/18	50-423 P
9501250091	9501250085	95/01/19	50-193 P	9501260332	9501170189	94/04/26	FOIA
9501250097	9501250085	95/01/19	50-193 P	9501260334	9501170189	94/04/26	FOIA
9501250105	9501240403	95/01/13	50-255 P	9501260336	9501170189	94/04/26	FOIA
9501250140	9501250138	95/01/13	WASTE MGT	9501260343	9501260323	95/01/18	50-482 F
9501250143	9501250136	95/01/11	50-317 P	9501260344	9501170189	94/04/26	FOIA
9501250146	9501250136	95/01/11	50-317 P	9501260349	9501260349	94/12/22	71-765
9501250152	9501240243	95/01/18	70-27	9501260377	9501260375	95/01/11	50-282 P
9501250156	9501250149	95/01/11	40-8778	9501260378	9501260375	95/01/11	50-282 P
9501250157	9501250151	95/01/12	50-266 P	9501260381	9501260379	95/01/18	50-213 P
9501250217	9501250159	95/01/13	40-8502	9501260386	9501260385	95/01/23	50-324 P
9501250261	9501250259	95/01/13	50-354 P	9501270004	9501270003	95/01/09	50-244 P
9501250273	9501250269	95/01/10	WASTE MGT	9501270010	9501270007	95/01/18	50-309 Q
9501250291	9501170189	94/04/26	FOIA	9501270012	9501270008	95/01/19	50-361 P
9501250296	9501170189	94/04/26	FOIA	9501270014	9501270011	95/01/17	70-7001 P
9501250304	9501170189	94/04/26	FOIA	9501270023	9501270020	95/01/19	50-309 Q
9501250309	9501170189	94/04/26	FOIA	9501270030	9501270015	95/01/06	50-219 Q
9501250315	9501170189	94/04/26	FOIA	9501270051	9501270015	95/01/06	50-219 Q
9501250319	9501250316	95/01/12	50-247 P	9501270055	9501270043	95/01/19	50-352 Q
9501250320	9501170189	94/04/26	FOIA	9501270067	9501270061	95/01/20	50-530 Q
9501250321	9501250317	95/01/19	50-213 P	9501270071	9501270060	95/01/23	STATE PRO G
9501250327	9501170189	94/04/26	FOIA	9501270072	9501270061	95/01/20	50-530 G
9501250329	9501170189	94/04/26	FOIA	9501270086	9501270079	95/01/23	50-458 G
9501250335	9501170189	94/04/26	FOIA	9501270096	9501270079	95/01/23	50-458 G
9501250338	9501170189	94/04/26	FOIA	9501270100	9501270098	95/01/18	70-3070 P
9501250342	9501170189	94/04/26	FOIA	9501270105	9501270104	95/01/17	70-3070 P
9501250349	9501250339	95/01/16	50-325 P	9501270110	9501270104	95/01/17	70-3070 P
9501250350	9501170189	94/04/26	FOIA	9501270117	9501270112	95/01/20	50-410 P
9501250353	9501170189	94/04/26	FOIA	9501270118	9501270112	95/01/20	50-410 P
9501250356	9501250328	95/01/18	50-456 P	9501270122	9501270116	95/01/20	50-354 P
9501250357	9501170189	94/04/26	FOIA	9501270127	9501270124	95/01/20	50-354 P
9501250360	9501170189	94/04/26	FOIA	9501270140	9501270134	95/01/18	70-3070 P
9501250365	9501170189	94/04/26	FOIA	9501270141	9501270130	95/01/23	50-458 G
9501250368	9501250366	95/01/18	70-938	9501270150	9501270146	95/01/23	50-424 P
9501250371	9501250366	95/01/18	70-938	9501270152	9501270146	95/01/23	50-424 P
9501250381	9501250376	95/01/19	70-1257	9501270168	9501270159	95/01/20	50-413 P
9501250386	9501250376	95/01/19	70-1257	9501270169	9501270159	95/01/20	50-413 P
9501250393	9501250390	95/01/17	WASTE MGT	9501270175	9501170189	94/04/26	FOIA
9501250400	9501250377	95/01/19	50-454 P	9501270177	9501270171	95/01/17	50-250 P
9501250405	9501250398	95/01/13	50-390 Q	9501270178	9501170189	94/04/26	FOIA
9501250420	9501250415	95/01/11	50-259 Q	9501270179	9501270171	95/01/17	50-250 P
9501250437	9501250424	95/01/13	50-220 P	9501270182	9501170189	94/04/26	FOIA
9501250450	9501250448	95/01/10	WASTE MGT	9501270188	9501170189	94/04/26	FOIA
9501250455	9501250453	95/01/19	50-382 P	9501270194	9501170189	94/04/26	FOIA
9501260009	9501260006	95/01/19	71-801	9501270199	9501170189	94/04/26	FOIA

294 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501270201	9501270200	95/01/17	50-277 Q	9501300223	9501300221	95/01/20	50-83 F
9501270203	9501170189	94/04/26	FOIA	9501300224	9501300214	94/05/09	50-376 A
9501270206	9501170189	94/04/26	FOIA	9501300234	9501300214	94/05/09	50-289 P
9501270212	9501170189	94/04/26	FOIA	9501300238	9501300214	94/05/09	50-329 A
9501270222	9501270219	95/01/23	50-382 P	9501300244	9501300214	94/05/09	50-341 F
9501270224	9501270210	95/01/20	50-302 P	9501300246	9501300214	94/05/09	71-35 P
9501270229	9501270227	95/01/24	71-690	9501300247	9501300214	94/05/09	50-266 P
9501270231	9501270215	95/01/10	50-171 S	9501300248	9501300214	94/05/09	50-338 F
9501270237	9501270215	95/01/10	50-171 S	9501300253	9501300214	94/05/09	50-312 P
9501270241	9501270215	95/01/10	50-171 S	9501300256	9501300214	94/05/09	50-275 P
9501270242	9501270239	95/01/18	WASTE MGT	9501300263	9501300262	95/01/26	71-*****
9501270243	9501270240	95/01/24	71-260	9501300273	9501300271	95/01/26	71-5086
9501270259	9501170189	94/04/26	FOIA	9501300286	9501300280	95/01/26	71-9233
9501270261	9501270252	95/01/19	50-482 Q	9501300291	9501300289	95/01/20	50-482 P
9501270264	9501170189	94/04/26	FOIA	9501300293	9501300289	95/01/20	50-482 P
9501270266	9501170189	94/04/26	FOIA	9501300301	9501260163	95/01/17	50-387 S
9501270270	9501170189	94/04/26	FOIA	9501300302	9501260163	95/01/17	50-387 S
9501270277	9501170189	94/04/26	FOIA	9501300321	9501170056	94/04/11	50-416 S
9501270278	9501270269	95/01/20	50-440 P	9501300326	9501300325	95/01/20	50-424 P
9501270280	9501170189	94/04/26	FOIA	9501310016	9501310013	95/01/16	50-254 P
9501270283	9501170189	94/04/26	FOIA	9501310018	9501310013	95/01/16	50-254 P
9501270286	9501270273	95/01/19	QA999	9501310021	9501310013	95/01/16	50-254 P
9501270288	9501170189	94/04/26	FOIA	9501310023	9501310013	95/01/16	50-254 P
9501270289	9501270269	95/01/20	50-440 P	9501310026	9501310013	95/01/16	50-254 P
9501270292	9501270272	95/01/20	50-131 P	9501310034	9501310030	95/01/26	50-458 Q
9501270294	9501170189	94/04/26	FOIA	9501310041	9501310030	95/01/26	50-458 Q
9501270298	9501170189	94/04/26	FOIA	9501310043	9501310036	95/01/24	50-346 Q
9501270299	9501170189	94/04/26	FOIA	9501310052	9501310046	95/01/25	40-3296
9501270304	9501170189	94/04/26	FOIA	9501310054	9501310047	95/01/20	50-298 Q
9501270306	9501270287	95/01/18	50-295 G	9501310055	9501310036	95/01/24	50-346 Q
9501270315	9501170189	94/04/26	FOIA	9501310056	9501310050	95/01/20	50-324 Q
9501270323	9501170189	94/04/26	FOIA	9501310062	9501310047	95/01/20	50-298 Q
9501270325	9501170189	94/04/26	FOIA	9501310071	9501310065	95/01/20	50-335 Q
9501270327	9501170189	94/04/26	FOIA	9501310073	9501310066	95/01/23	50-390 Q
9501270329	9501170189	94/04/26	FOIA	9501310088	9501310080	95/01/25	50-387 Q
9501270331	9501170189	94/04/26	FOIA	9501310089	9501310087	95/01/26	50-369 Q
9501270335	9501170189	94/04/26	FOIA	9501310094	9501310082	95/01/25	STATE PRO G
9501270336	9501170189	94/04/26	FOIA	9501310101	9501310082	95/01/25	STATE PRO G
9501270338	9501270330	95/01/13	50-286 P	9501310103	9501310100	95/01/25	50-286 Q
9501270341	9501270330	95/01/13	50-286 P	9501310106	9501310067	95/01/26	50-266 Q
9501270372	9501270371	95/01/19	50-321 Q	9501310107	9501310102	95/01/25	50-443 P
9501300006	9501270109	95/01/20	50-151 P	9501310113	9501310082	95/01/25	STATE PRO G
9501300010	9501270027	95/01/05	50-282 Y	9501310115	9501310104	95/01/25	70-*****
9501300013	9501300009	95/01/13	50-244 Q	9501310116	9501310112	95/01/09	50-387 P
9501300016	9501270034	94/12/23	50-282 Y	9501310117	9501310112	95/01/09	50-387 P
9501300021	9501300020	95/01/19	40-8778	9501310118	9501310111	95/01/24	50-341 P
9501300023	9501270034	94/12/23	50-282 Y	9501310121	9501310082	95/01/25	STATE PRO G
9501300024	9501300019	95/01/23	50-341 Q	9501310131	9501310125	95/01/20	70-925
9501300028	9501300014	95/01/12	STATE PRO Q	9501310132	9501310067	95/01/26	50-266 P
9501300031	9501300015	95/01/20	50-245 Q	9501310136	9501310127	95/01/20	50-261 P
9501300036	9501300015	95/01/20	50-245 Q	9501310141	9501310124	95/01/24	50-315 F
9501300040	9501300027	95/01/18	50-457 Q	9501310143	9501310140	95/01/18	50-369 P
9501300050	9501300045	95/01/19	COMMISSIO N	9501310144	9501310067	95/01/26	50-266 P
9501300054	9501300045	95/01/19	COMMISSIO N	9501310146	9501310127	95/01/20	50-261 F
9501300061	9501300045	95/01/19	COMMISSIO N	9501310151	9501310147	95/01/23	50-498 Q
9501300065	9501300056	95/01/10	WASTE MGT	9501310154	9501310152	95/01/25	50-220 P
9501300066	9501300045	95/01/19	COMMISSIO N	9501310157	9501310152	95/01/25	50-220 P
9501300067	9501300062	95/01/20	50-333 Q	9501310161	9501310145	95/01/26	STATE PRO G
9501300071	9501300045	95/01/19	COMMISSIO N	9501310166	9501310164	95/01/26	50-461 P
9501300074	9501300045	95/01/19	COMMISSIO N	9501310167	9501310156	95/01/20	50-265 P
9501300077	9501300045	95/01/19	COMMISSIO N	9501310188	9501310158	95/01/09	50-277 P
9501300084	9501300045	95/01/19	COMMISSIO N	9501310190	9501310183	95/01/24	50-424 P
9501300086	9501300045	95/01/19	COMMISSIO N	9501310192	9501310189	95/01/26	50-344 P
9501300090	9501300045	95/01/19	COMMISSIO N	9501310198	9501310191	95/01/20	50-335 P
9501300092	9501300045	95/01/19	COMMISSIO N	9501310199	9501310189	95/01/26	50-344 P
9501300093	9501300079	95/01/04	XPORTLIC	9501310213	9501310206	95/01/09	50-387 P
9501300107	9501300082	95/01/19	STATE PRO G	9501310220	9501310217	95/01/23	50-305 P
9501300111	9501300105	95/01/20	50-295 Q	9501310221	9501310206	95/01/09	50-387 P
9501300117	9501300045	95/01/19	COMMISSIO G	9501310227	9501260036	95/01/19	PR P
9501300118	9501300082	95/01/19	STATE PRO G	9501310241	9501310231	95/01/24	50-352 P
9501300123	9501300120	95/01/20	50-285 P	9501310251	9501310249	95/01/09	50-387 P
9501300127	9501300119	95/01/23	50-498 P	9501310253	9501310252	95/01/17	50-272 P
9501300141	9501300124	95/01/20	50-331 P	9501310258	9501310256	95/01/18	40-8584
9501300143	9501300133	95/01/20	50-263 Q	9501310276	9501310273	95/01/24	71-9258
9501300145	9501300142	95/01/06	TOPREP	9501310278	9501310273	95/01/24	71-9258
9501300148	9501300135	95/01/19	50-321 P	9501310280	9501310273	95/01/24	71-9258
9501300160	9501300158	95/01/13	50-361 F	9501310302	9501310295	95/01/12	WASTE MGT
9501300162	9501300158	95/01/13	50-361 F	9501310306	9501310303	95/01/17	REVIEW GR P
9501300170	9501300167	95/01/18	50-361 P	9501310316	9501300175	95/01/24	50-440 P
9501300172	9501300167	95/01/18	50-361 P	9501310337	9501310335	95/01/26	50-482 Q
9501300178	9501300175	95/01/24	50-440 P	9501310338	9501310328	95/01/25	50-282 Y
9501300187	9501300185	95/01/13	50-255 P	9501310342	9501310328	95/01/25	50-282 Y
9501300193	9501300190	95/01/24	50-327 P	9501310353	9501310340	95/01/26	PR
9501300195	9501300190	95/01/24	50-327 P	9501310359	9501310340	95/01/26	PR
9501300212	9501300210	95/01/23	50-255 P	9501310364	9501310340	95/01/26	PR
9501300213	9501300211	95/01/09	70-1151	9501310376	9501310340	95/01/26	PR

**CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 295**

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9501310384	9501310381	95/01/24	50-331 Q	9501310427	9501310413	95/01/25	50-298 P
9501310388	9501310340	95/01/26	PR	9501310431	9501310340	95/01/26	PR
9501310391	9501310370	95/01/23	71-*****	9501310434	9501310340	95/01/26	PR
9501310392	9501310340	95/01/26	PR	9501310440	9501310340	95/01/26	PR
9501310408	9501310340	95/01/26	PR	9501310441	9501310435	95/01/18	50-369 P
9501310418	9501310340	95/01/26	PR	9501310448	9501310340	95/01/26	PR
9501310421	9501310410	95/01/20	50-390 A	9501310453	9501310340	95/01/26	PR
9501310423	9501310340	95/01/26	PR	9501310464	9501310463	95/01/25	50-254 P
9501310424	9501310413	95/01/25	50-298 P	9502010248	9501300185	95/01/13	50-255 P

---

# APPENDIX A

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

---

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

- |                                                                  |                                                                                                 |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 19. Safety Evaluation Reports (SERs) on specific generic issues. | 21. Backup technical documents (e.g., topical reports) submitted in support of the application. |
|                                                                  | 22. Proposed equipment failure/instructions.                                                    |
| 20. Reports of site visits.                                      | 23. NRC's changes in internal organizational structure.                                         |

---

### B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

---

- All related correspondence is filed in Category A.
- |                                                                                                                                       |                                            |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report). | 2. Amendments and changes to the PSAR.     |
|                                                                                                                                       | 3. Transmittal and acknowledgment letters. |
|                                                                                                                                       | 4. Certificates of service to the PSAR.    |

---

### C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

---

- |                                                                                 |                                                                                                    |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| 1. Environmental Report (ER) submitted by the utility.                          | 6. Federal Register notices citing the availability of items 1 and 2.                              |
| 2. Amendments and supplements to the ER.                                        | 7. Correspondence relating to the review of ER.                                                    |
| 3. Transmittal and acknowledgment letters.                                      | 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. |
| 4. Information on scheduling of submittal or review of ER.                      | 9. Correspondence relating to certification of pollution control devices.                          |
| 5. NRC questions, requests for additional information, and applicant responses. | NOTE: Other environmental documents are filed in Categories A, D, P, or R.                         |



---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

---

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.</li> <li>2. Supplements to the DES and FES.</li> <li>3. Correspondence relating to the DES and FES.</li> <li>4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.</li> <li>5. Transmittal and acknowledgment letters.</li> <li>6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.</li> </ol> | <ol style="list-style-type: none"> <li>7. Backup technical documents submitted in connection with above.</li> <li>8. Federal Register notices citing availability of items 1 and 2.</li> <li>9. Reports of site visits to obtain information for the DES or FES.</li> <li>10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.</li> </ol> <p>NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
- 

### E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

---

- |                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.</li> <li>2. Supplements to the SER.</li> <li>3. Correspondence relating to the SER and supplements.</li> <li>4. Federal Register notices citing availability of items 1 and 2.</li> <li>5. Information on scheduling of SER submittals and review.</li> </ol> | <ol style="list-style-type: none"> <li>6. Requests for additional information for use in preparing SER; responses to such requests.</li> <li>7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.</li> <li>8. Transmittal and acknowledgment letters.</li> </ol> <p>NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.</p> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

---

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

---

### G. LEGAL AND ADJUDICATORY CORRESPONDENCE

---

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### H. GENERAL CORRESPONDENCE

---

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

---

### I. FINANCIAL INFORMATION

---

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

---

### J. INSURANCE AND INDEMNITY INFORMATION

---

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

---

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
  2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
  3. Amendments and changes to the FSAR and USAR.
  4. Federal Register notices citing availability of the FSAR and amendments.
  5. Transmittal and acknowledgment letters.
  6. Certificates of service to the FSAR and USAR.
- NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

---

### L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

---

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

---

### M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

---

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

---

### N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

---

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

---

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

---

### P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

---

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

---

**DEFINITIONS OF DOCKET 50 CATEGORIES**


---

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>12. Owner's group meeting announcements and reports.</p> <p>13. Quality assurance information.</p> <p>14. Environmental matters (technical).</p> <p>15. Seismic qualification review team (SQRT) reports and related correspondence.</p> <p>16. Emergency core cooling system documents.</p> <p>17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.</p> <p>18. Correspondence regarding expansion of spent fuel storage pool.</p> | <p>19. Start-up test reports.</p> <p>20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i></p> <p>21. SERs on specific generic issues.</p> <p>22. Proposed equipment failure/instructions.</p> <p>23. Inservice testing (not inspections).</p> <p>24. Reports of site visits.</p> <p>25. Application to voluntarily surrender license, dismantle, and dispose of component parts.</p> <p>26. Changes in NRC's internal organizational structure.</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

**Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE**


---

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. Inspection reports.</p> <p>2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.</p> <p>3. Responses by applicant to IE correspondence.</p> <p>4. Applicant's determination of proprietary nature of Inspection Reports.</p> <p>5. Letters concerning areas of noncompliance.</p> <p>6. Pre-service and in-service inspections and procedures.</p> | <p>7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).</p> <p>8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.</p> <p>9. Health physics inspections/appraisals.</p> <p>10. Emergency preparedness inspections/appraisals.</p> <p>11. Inspections and related correspondence from the International Atomic Energy Agency.</p> <p>12. Systematic Assessment of Licensee Performance (SALP).</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports.

14. Notice of significant licensee meetings.

15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16.

NOTE: For IE Bulletins and Information Notices, see I&E file series.

---

### R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

---

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports.

4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed.

---

### S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

---

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports.

4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNS).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1-7.

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

NOTE: For PNOs and PNSs, see I&E file series.

---

### T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

---

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

- |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.</li> <li>2. Testimony and statements submitted to ASLB and ASLAB.</li> <li>3. Commission meeting transcripts.</li> </ol> | <ol style="list-style-type: none"> <li>4. NRC staff briefings to the Commission.</li> <li>5. Statements and written testimony submitted at Commission meeting or hearings.</li> <li>6. Transcripts of utility briefs to NRC staff.</li> <li>7. Corrections to above items.</li> </ol> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

---

### U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

---

- |                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.</li> <li>2. Information supplied for the record of Congressional hearings.</li> <li>3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.</li> </ol> | <ol style="list-style-type: none"> <li>4. Correspondence to or from State Legislative bodies.</li> </ol> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

---

### V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

---

- |                                                                                                                                                                         |                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Information bearing on licensing operators and shift engineers.</li> <li>2. Power plant examination summary sheet.</li> </ol> | <ol style="list-style-type: none"> <li>3. Correspondence pertaining to operator examinations.</li> </ol> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

---

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

- |                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Order granting authority to dismantle/decommission.</li> <li>2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental</li> </ol> | <p>Report on Dismantling, Safety Analysis Report on Decommissioning.</p> <ol style="list-style-type: none"> <li>3. Documents relating to disposal of radioactive material and decontamination of the site.</li> <li>4. Other correspondence relating to decommissioning.</li> <li>5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.</li> </ol> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

### X. ONSITE STORAGE OF LOW-LEVEL WASTE

---

- |                                                                                                                                                                                                                             |                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.</li> <li>2. All related correspondence and reports.</li> </ol> | <p>NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.</p> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

### Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

---

- |                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)</li> </ol> | <ol style="list-style-type: none"> <li>2. All related correspondence and reports to the above.</li> </ol> <p>NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## APPENDIX B

---

### DEFINITIONS OF NONDOCKETED CATEGORIES

---

#### 10 CFR—Commission Meeting Records

---

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

---

#### ACRS—Advisory Committee on Reactor Safeguards

---

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

ings related to both facility license applications and safety-related matters.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

---

### ADVCM—NRC Advisory Committees

---

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
  2. Meeting announcements; description of meeting agenda.
  3. Minutes and verbatim transcripts of committee meetings.
  4. Committee-generated reports, memoranda, and correspondence that are publicly available.
  5. Committee-related correspondence.
- 

### COMMISSION—NRC Commissioner Correspondence

---

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

---

### CONTRACT—NRC Contracts and Modifications

---

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

- |                                                                                                                                                                 |                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance. | 2. Contractual documents and modifications to contracts. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
- 

### FOIA—Freedom of Information Act Requests and Appeals

---

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).

2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.

3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
- 

### GEN TECH IS—Generic Technical Issues

---

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC dis-

cussing methodologies, analyses, the program and technical aspects of issues.

3. Meeting notifications and minutes.
  4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
- 

### I&E—Inspection and Enforcement Issuances

---

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

- |                                                                                                                                                   |                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.                     | Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.                                                        |
| 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. | 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. |
| 6. Preliminary Notifications of Safeguards Events or                                                                                              | NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.                                                |

---

### MISC—Public Document Miscellaneous

---

Contains documents about topics not included in the scope of the other non-docketed categories.

---

### NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

---

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

- |                                                                                                                                                     |                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| 1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.                                                  | 6. Management and program analysis reports.                                                               |
| 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. | 7. Statistical analyses that are of interest to the staff, the industry, and the public.                  |
| 3. Action and review plans, as well as guidance, for meeting NRC requirements.                                                                      | 8. Administrative reports that are of interest to the staff, the industry, and the public.                |
| 4. Task force reports on specific topics.                                                                                                           | 9. Correspondence from industry, government, and the public commenting on reports.                        |
| 5. Proceeding of conferences and workshops.                                                                                                         | 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. |
- NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.



---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### ORG—Organization File

---

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

---

### PR—Proposed Rule

---

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### PRM—Petition for Rulemaking

---

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

---

### PROJ—Projects

---

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

#### A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

#### B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

### M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

### Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

---

## PT 21 – 10 CFR Part 21 Deficiency Reports

---

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

---

## QA 999 – Quality Assurance Inspections

---

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### REGGD – Regulatory Guides

---

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

---

### RES – Research and Technical Assistance Reports

---

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
  - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

---

### REVIEW GRP—Research Review Groups

---

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

3. Research plans and predicted results of major experiments and presentations by research contractors.
  4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
  5. Internal memoranda relating to topics under discussion.
  6. Correspondence related to items 1 through 5.
- 

### RM—Rulemakings

---

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
  4. Hearing Board orders and rulings.
  5. Technical reports submitted as evidence in the proceedings.
  6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
- 

### SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

---

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

---

### STATE PROG—State Programs

---

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
  - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
  - b. NRC review of Agreement State radiation control program.

c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### TOPREP – Topical and Vendor Reports and Correspondence

---

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

---

### WASH – AEC-Issued Formal Reports and Correspondence

---

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

---

### WM – Waste Management Documents

---

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
  - a. Technical high-level waste site precicensing documentation.

- b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
- c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.