Hennepin County's Experience with Heavy-Duty Ethanol Vehicles

*Trucking Research Institute
Alexandria, Virginia
and
Hennepin County Central Mobile Equipment Division
Hopkins, Minnesota*

NREL Technical Monitor: Mike Frailey

Alternative Fuels Hotline: 1-800-423-1DOE
Alternative Fuels Data Center World Wide Web Site: <http://www.afdc.doe.gov>

National Renewable Energy Laboratory
1617 Cole Boulevard
Golden, Colorado 80401-3393
A national laboratory of the
U.S. Department of Energy
Managed by the Midwest Research Institute
For the U.S. Department of Energy
Under Contract No. DE-AC36-83CH10093

MASTER

Prepared under Subcontract Number ZAZ-3-12223-01-107183
January 1998

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

A handwritten signature in dark ink, appearing to be "JF", is located in the bottom right corner of the page.

This publication was reproduced from the best available camera-ready copy submitted by the subcontractor and received no editorial review at NREL.

NOTICE

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available to DOE and DOE contractors from:
Office of Scientific and Technical Information (OSTI)
P.O. Box 62
Oak Ridge, TN 37831
Prices available by calling (423) 576-8401

Available to the public from:
National Technical Information Service (NTIS)
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161
(703) 487-4650

Printed on paper containing at least 50% wastepaper, including 20% postconsumer waste

DISCLAIMER

**Portions of this document may be illegible
electronic image products. Images are
produced from the best available original
document.**

Executive Summary

From November 1993 to October 1996, Hennepin County, which includes Minneapolis, Minnesota, field-tested two heavy-duty snowplow/road maintenance trucks fueled by ethanol. The overall objective of this program was to collect data from original equipment manufacturer (OEM) alternative fuel heavy-duty trucks, along with comparable data from a similarly configured diesel-powered vehicle, to establish economic, emissions, performance, and durability data for the alternative fuel technology. The U.S. Department of Energy (DOE) provided funding for the project through the National Renewable Energy Laboratory (NREL) and the American Trucking Association (ATA) Foundation's Trucking Research Institute (TRI). This is the second of three ethanol demonstrations that NREL has funded. The first demonstration took place in Decatur, Illinois, at Archer Daniels Midland (ADM) Trucking, Incorporated. Applicable data from the ADM report also appear in this report.

The two trucks, International Paystar models F5070, were equipped with a U.S. emissions-certified Detroit Diesel Corporation (DDC) model 6V-92TA ethanol engine. The engine is rated at 300 horsepower and is fueled by E95, a fuel composed of 95% anhydrous ethanol and 5% light hydrocarbon denaturant. These ethanol trucks, along with an identical third truck equipped with a U.S. emissions-certified DDC 6V-92TA diesel engine, were operated year round to maintain the Hennepin county roads. In winter, the trucks were run in 8-hour shifts plowing and hauling snow from urban and suburban roads. For the rest of the year, the three trucks were used to repair and maintain these same roads.

As a result of this project, a considerable amount of data was collected on E95 fuel use, as well as maintenance, repair, emissions, and operational characteristics. Maintenance and repair costs of the E95 trucks were considerably higher primarily due to fuel filter and fuel pump issues. From an emissions standpoint, the E95 trucks emitted less particulate matter and fewer oxides of nitrogen but more carbon monoxide and hydrocarbons. Overall, the E95 trucks operated as well as the diesel, as long as the fuel filters were changed frequently.

This project was a success in that E95, a domestically produced fuel from a renewable energy source, was used in a heavy-duty truck application and performed the same rigorous tasks as the diesel counterparts. The drawbacks to E95 as a heavy-duty fuel take the form of higher operational costs, higher fuel costs, shorter range, and the lack of over-the-road infrastructure.

Contents

Introduction	1
Background	2
Engines	4
E95 Ethanol Fuel	6
Data Collection	8
Fuel Economy: E95 versus Diesel	8
Fuel Cost: E95 versus Diesel	9
E95 Availability	0
Maintenance and Repair Data	11
Driver Opinion	15
Oil Sampling	15
Operational Data	15
Safety	16
Emissions	16
Conclusions	17
Appendix 1. Collection Form to Gather Data: Driver Option	1-1
Appendix 2. Map of Demonstration Area	2-1
Appendix 3. Specifications for E95 Ethanol Fuel	3-1
Appendix 4. Maintenance Costs by Truck System and Year	4-1
Appendix 5. Repair History by Truck System	5-1
Appendix 6. Oil Analysis Results	6-1
Appendix 7. Summary of Emissions Testing	7-1
Appendix 8. Details of Emissions Testing	8-1

List of Tables

Table 1. Comparison of Properties of Potential Diesel Fuel Components	7
Table 2. Repair Costs by Year and System	12
Table 3. Total Maintenance Cost by System	12

List of Figures

Figure 1. Average Fuel Economy	8
Figure 2. Fuel Economy by Year	9
Figure 3. Total Maintenance Cost by Truck	10
Figure 4. Total Maintenance Cost per Mile	12
Figure 5. Total Maintenance Cost by System	13

Introduction

The American transportation sector uses more than 30% of all the energy consumed annually in this country. Conventional hydrocarbon fuels, primarily gasoline and diesel fuel, represent the current sources of energy for transportation. Naturally occurring hydrocarbon reserves, however, exist in finite quantities and are very limited in geographic extent. Proven worldwide hydrocarbon reserves are being depleted faster than they are being discovered, and more than 50% of the petroleum used for energy in America each year is imported.

Heavy-duty trucks and urban transit buses account for a significant portion of the U.S. transportation sector. For the most part, these vehicles are powered by compression-ignition diesel fuel engines, which typically emit high levels of oxides of nitrogen (NO_x) and black particulate smoke during operation. The black smoke is not only unsightly, but has proven to be carcinogenic.

Ethanol, also known as ethyl alcohol, is a renewable energy resource generated by biologically fermenting simple glucose sugars. At this time, the ethanol industry in the United States has an annual production capacity of approximately 1.6 billion gallons. Although ethanol can be made from a wide variety of feedstocks, corn is generally used to produce ethanol in this country because of its abundance and relatively low price considering the amount of ethanol that it yields.

Ethanol has been successfully used as an additive in gasoline for many years. This fuel formulation, also called "gasohol," is composed of 90% unleaded gasoline and 10% ethanol. In this application, ethanol can be considered a petroleum extender, an octane enhancer, and an oxygenate additive to gasoline.

From an emissions standpoint, numerous studies have shown that gasoline blended with 10% ethanol reduces carbon monoxide (CO) emissions from internal combustion engines by as much as 25%. Ethanol-blended gasolines are being used in many of the nation's cities currently in nonattainment for CO levels. Until recently, very little was known, however, about emissions from vehicles designed to operate on higher percentage blends of ethanol fuel.

Until the 1990s, the use of high-percentage blends of ethanol fuels for transportation was very limited. Henry Ford was the first American automobile manufacturer to see the potential of ethanol as a fuel in the early 1900s. Many of his early Model A automobiles were capable of operating on ethanol fuel rather than gasoline. Since then, only a few isolated testing programs (most performed by vehicle and engine manufacturers and containing proprietary information) have been designed to test, demonstrate, and evaluate the use of ethanol as a viable alternative transportation fuel in light-, medium-, and heavy-duty vehicles.

The overall objective of this project was to demonstrate and collect data on the use of a high-percentage ethanol blend of fuel in a heavy-duty truck application. This project also represents the first public demonstration of the use of ethanol fuels as a viable alternative to conventional diesel fuel in a heavy-duty snowplow/road maintenance application.

Background

It is an impressive sight to see a 60,000-pound snowplow rolling back a layer of snow in a perfect arc to the roadside. Snowplowing is an extremely demanding assignment that can test the limit of a heavy-duty truck design. Snowplow/maintenance trucks work as part bulldozer and part dump truck, often in extreme cold, loaded to their capacity, cutting through ice and snow. Hennepin County in Minneapolis, Minnesota, offers a perfect cold weather environment for testing alternative fuel heavy-duty trucks.

Hennepin County is an urban county of a little more than 1 million people; it makes up about half the Minneapolis/St. Paul metropolitan area. The city of Minneapolis is the county seat. The county has largely typical midwestern topography with a mix of flat farmland, lakeshore, and moderate rolling hills. Much of the county road system comprises multi-lane city streets with curb and gutter, medians, center islands, multiple turn lanes, and traffic control devices. A small portion of the system remains essentially rural with two-way roads, unpaved shoulders, and little in the way of traffic control other than an occasional stop sign.

In 1993, the county began field-testing two ethanol-powered trucks with an identically specified diesel control truck. The county vehicle numbers were 3221, 3228, and 3220, respectively. For the remainder of this report, we will refer to them as ethanol #1, ethanol #2, and diesel control, respectively. The demonstration ran for 3 years from November 1993 through October 1996. The trucks were used by the Department of Public Works Division of Road and Bridge Maintenance Operations. To ensure uniformity and consistency in reporting data from drivers, we asked for volunteer drivers who were willing to stay with the trucks for the full 3 years of the study. We were fortunate that long-term, experienced, and proficient drivers volunteered for the project. Collectively, the three drivers have 62 years of experience driving heavy-duty trucks. They provided weekly data on the performance of the trucks and on the fuel usage. The drivers completed a standard form provided by the ATA, shown in Appendix 1.

All the heavy-duty trucks owned by Hennepin County are used to maintain the county's highway system. This system includes about 600 miles of roads with about 1600 lane-miles.

The Class 8 dump trucks are equipped in the winter with a 12-ft reversible front plow, a 10-ft underbody scraper blade, and a tailgate spreader.

The trucks are International Paystar 5000, model F5070, with the following specifications:

GVWR	49,500	Transmission: Fuller RTX11708LL
Wheelbase	188 in.	8 speed w/double low
Cab-to-Axle	120 in.	14.56:1 max. reduction
Front Axle	18,000 & set back	
Rear Axle	38,000 4.78 ratio	Body: 15-ft Aluminum
Engine	6V-92TA DDEC	Telescopic Hoist
	300 h.p. @ 2,100 rpm	Engine Power Take Off (PTO)
	50 ft. lb. torque @ 1,300 rpm	

This configuration is standard for county dump trucks, and this truck is the workhorse of the county fleet. The three Navistar trucks were purchased with non-U.S. emissions-certified DDC 6V-92TA diesel engines. Navistar, the chassis OEM, did not offer the ethanol or diesel versions of the DDC 6V-92TA with U.S. emissions certification as a commercial option. Consequently all three trucks were repowered with U.S.-emissions-certified 6V-92TA engines by the local DDC dealer; two with the ethanol version and one with the diesel.

All the heavy-duty trucks owned by Hennepin County are purchased primarily for the snowplowing function. The complete snow and ice control operation is essential to maintaining a transportation network in Minnesota. The typical winter duty cycle consists of snowplowing, snow removal, and ice control. For this reason, the county road system is divided into segments so that one truck can plow the full segment in one 8-hour shift. One truck and driver are assigned to each of these segments or routes. The routes for the three trucks in this demonstration project were:

- Diesel control—The most rural route in the project. At least half the route consisted of two-lane roads with no curb and gutter. The remainder of the route was a mix of two-lane roads without curb and gutter, and two-lane or four-lane suburban streets with curb and gutter.
- Ethanol #1—All urban streets, four lanes with both right and left turn lanes, traffic signals, and curb and gutter.
- Ethanol #2—Mostly urban streets, four lanes with turn lanes, traffic signal, curb and gutter. Some sections are two lanes with no curb and gutter.

Appendix 2 contains a map of Hennepin County and these routes.

In a standard duty cycle, the drivers are called to start plowing at 2:45 a.m. The driver loads his truck and begins to plow, clearing the main road lanes first and then spending the rest of the 8-hour shift plowing the shoulders or clearing the roadway full width to the curbs and any turn lanes. The beauty of the dump truck, of course, is that the driver can spread salt/sand mix or salt to control ice while he is plowing. Subsequent shifts will either repeat this cycle, or move into more intensive clean-up plowing, either on an early start or during regular work hours.

Other typical winter work cycles include hauling materials from one location to another. Salt, for example, is frequently moved from the county's main supply, at the department's headquarters, to the outlying truck stations so those facilities have adequate quantities for their snow removal activities. When there is no snow, the drivers may begin by patrolling their assigned routes looking for icy spots and salting them. When the plowing and salting is done, the drivers will often assist with Public Works projects, which generally entail hauling aggregates, street sweepings, dirt, trees and brush, broken and removed concrete, construction refuse, gravel fill, and snow.

Later in the winter, when the snow has narrowed the streets, the trucks help in joint city/county operations to make the streets more passable. A city identifies the street most in need of widening, and provides a grader, an operator, and other laborers. The grader cuts out the snow/ice that has accumulated at the road edge and forms it into a windrow. The county provides a large loader-mounted snow blower and several tandem-axle dump trucks. The blower moves down the windrow and blows the snow into the dump bodies of the trucks. One truck follows another, pulling under the blower shoot as soon as the lead truck is loaded and out of the way. The combined operation efficiently widens the streets. The trucks then haul and dump the snow in a city-designated storage area.

The winter weather during the 3-year project is described below.

1993-94	Total snowfall: 55.7 inches Average temperature: 12.4 degrees F Temperature range: -26 to 34 degrees F
1994-95	Total snowfall: 29.6 inches Average temperature: 22.6 degrees F Temperature range: -5 to 38 degrees F
1995-96	Total snowfall: 55.5 inches Average temperature: 16.7 degrees F Temperature range: -16 to 36 degrees F

In the summer, these trucks become essential tools in the county's paving and pavement maintenance programs. As a rule, the county contracts most major road work except for bituminous overlay and seal coat programs, which are completed by county employees and equipment. In this operation trucks make continuous rounds to haul millings (created during resurfacing process) to a disposal site, deliver hot asphalt to the paver, or take seal coat chips to the seal coating operation.

The summer and winter work cycles described above were consistent throughout the demonstration and were performed by the diesel control and ethanol trucks alike.

Engines

The DDC Model 6V-92TA (with the TA denoting turbocharged and aftercooled) powerplant was selected as the engine for the two ethanol trucks. The 6V-92TA alcohol fuel engine is a vee-configuration, six cylinder, two-cycle motor capable of producing up to 300 horsepower. The methanol version of the engine was first developed in 1986 and emissions certified (by the U.S. Environmental Protection Agency [EPA] and the California Air Resources Board [CARB]) in 1991 for use in urban transit buses in California. DDC's previous experiences with the methanol 6V-92TA engine aided the development and subsequent emissions certification of the ethanol -- 6V-0-92TA in 1992. DDC considered both alcohol engines and standard production engines.

DDC selected the 6V-92TA engine to develop as an alcohol fuel engine for at least two reasons: (1) the 6V-92TA diesel engine was used in about 80% of the urban transit buses currently on the road, and (2) the two-cycle engine was easier to convert to alcohol fuel than a four-cycle engine. A two-cycle engine removes combustion products close to the bottom of the piston stroke by means of a blower that pushes out the exhaust gases (called "scavenging"). Scavenging causes mixing of hot exhaust gases with the new fuel mixture to be combusted. The presence of these hot exhaust gases in the cylinder raises the fuel temperature, making compression ignition of low-cetane-number fuels (such as ethanol) possible. As a result, two-cycle engines have a distinct advantage over four-cycle engines in compression igniting fuel with high auto-ignition temperatures.

DDC also modified some of the components on the ethanol 6V-92TA engines. The first of these major modifications was to the Detroit Diesel Electronic Controls (referred to as DDEC II), which contains the electronic control module (ECM) and the electronic unit (fuel) injectors (EUI). The ECM is the on-board computer for the engine that controls various engine operations under continuously varying conditions to optimize performance, fuel economy, and emissions. The ECM receives electronic signals from the truck's driver in addition to engine-mounted sensors. The electronic hardware in the ECM contains a PROM (Programmable Read Only Memory) encoded with the specific engine performance characteristics (such as horsepower rating, torque curve, and maximum engine speed. To use ethanol fuel, the ECM must be specifically programmed for ethanol fuel at the factory or by a DDC field engineer.

The second part of the DDEC II unit, the EUI, contains an electronically controlled solenoid valve that meters and times fuel input to the cylinders. Because ethanol contains only about 60% of the energy of diesel fuel per unit volume, more ethanol fuel is required to generate the same amount of power in the engine. This is accomplished by using two larger (relative to diesel) ethanol-resistant fuel pumps and by increasing the diameter of the holes in the injector tip. The EUI can then inject the proper amount of ethanol fuel into the cylinder at the right time without reducing the engine performance.

Next, the bypass air system was modified. This system provides the correct metering and mixing of retained hot exhaust gases and fresh air in order to achieve the proper ethanol compression-ignition temperature. The bypass air system is controlled by the DDEC II unit and changes system settings based on changes in engine operating conditions.

The ethanol 6V-92TA engines also use a glow plug system that has been modified for use with the DDEC II system. The glow plugs are electronically heated and are used to help start the engine. The glow plugs remain on (heated) for 1 minute prior to starting the engine and remain on until the engine coolant reaches normal operating temperature.

Another major modification to the ethanol engine is an increased compression ratio compared to the conventional diesel version. The ethanol engine has a compression ratio of 23:1 compared to 18:1 for the diesel. This increase is needed to ensure complete combustion of the ethanol fuel in the cylinder and to maximize engine performance and torque.

Finally, the fuel systems of the two ethanol trucks were modified. Because ethanol is more corrosive to certain metal, plastic, and rubber parts, stainless-steel fuel tanks and fuel lines were added.

E95 Ethanol Fuel

Ethanol (also called ethyl alcohol) is an oxygenated hydrocarbon with the chemical formula of C_2H_5OH . Ethanol is a by-product of the fermentation of simple glucose sugar by yeasts. Anhydrous ethanol contains 76,000 Btu of energy per gallon. Energy contents and other properties of ethanol are compared to other fuels in Table 1.

The "proof" of an alcohol is defined as twice the percentage of alcohol in the solution. For example, a mixture of 90% pure ethanol and 10% water is referred to as "180-proof" ethanol.

For all practical purposes, there are two types of industrial-grade ethanol: anhydrous and hydrated. Anhydrous ethanol is defined as at least 99.5% pure ethanol, with less than 0.5% water by volume. Anhydrous ethanol is also called "200 proof" ethanol or gasoline grade ethanol, as this is the concentration of ethanol blended with gasoline to make "gasohol." Hydrated ethanol is any other ethanol blend containing more than 0.5% water by volume. In either case, fuel-grade ethanol must be denatured with 2% to 5% denaturant to make it unfit for human consumption. Otherwise, it is highly taxed by the U.S. Department of Treasury, Bureau of Alcohol, Tobacco, and Firearms (ATF) as beverage-grade alcohol. Some of the denaturants commonly used include methanol, benzene, toluene, natural gasoline, kerosene, and unleaded gasoline.

The cetane number, also found in Table 1, is a measure of the ease (or difficulty) by which a fuel can be compression ignited. Fuels with high cetane numbers have low autoignition temperatures and short ignition delay times. Ethanol has a low cetane number, less than 5, compared to 40 to 55 for diesel fuel. This indicates that the alcohol fuels have higher autoignition temperatures relative to diesel fuel. This is reflected in the autoignition temperatures of ~600 degrees F for diesel fuel and 793 degrees F for ethanol. Hence, the requirement of glow plugs to autoignite the E95 fuel in the 6V-92TA engines.

Diesel fuel is a complex mixture of hydrocarbons, and the composition can vary from "batch to batch." Because of this variation, the energy content of #2 diesel fuel is assumed to average about 127,000 Btu per gallon (Btu/gal).

The fuel formulation used in the two 6V-92TA truck engines in this project is a blend of 95% anhydrous ethanol and 5% denaturant. This fuel is called E95, but it can also be called E(d)-100, with the "d" standing for denatured. For consistency, the term E95 will be used throughout this report whenever 95% anhydrous ethanol and 5% denaturant fuel is discussed.

DDC supplied an E95 fuel specification for use with its 6V-92TA engines (shown in Appendix 3), which includes an optional lubrication additive called "Lubrizol". One problem encountered with using ethanol fuels is that they do not have the inherent lubricating properties

Table 1. Comparison of Properties of Potential Diesel Fuel Components*

Property	DF-2 Diesel	Fischer-Tropsch	Bio-diesel	Gasoline	CNG	Propane HD-5 ^h	Methanol	Ethanol	Methylal	Dimethyl ether	Diethyl ether
Formula	Hydrocarbons ~C ₁₀ - ~C ₂₁	Principally C _n H _{2n+2}	Various oils and esters	Hydrocarbons C ₄ - C ₉	Principally CH ₄	Principally C ₃ H ₈	CH ₃ OH	C ₂ H ₅ OH	CH ₃ OCH ₂ OCH ₃	CH ₃ OCH ₃	C ₂ H ₅ OC ₂ H ₅
Boiling Point, °F	370 - 650	350 - 670	360 - 640	80 - 437	n.a.	n.a.	149	172	107	-13	94
Reid Vapor Pressure, psi @ 100°F	<0.2	n.a	n.a	8 - 15	n.a.	170	4.6	2.3	12.2 ^c	116	16.0
Cetane Number	40 - 55	>74	>48	13 - 17	low	low	low	<5 ^b	49	>55	>125 ^a
Autoignition Temperature, °F	~600	~600	-	495	990	870	867	793	459	662	320
Stoichiometric Air/Fuel Ratio, Wt./Wt.	15.0	15.2	13.8	14.5	16.4	15.7	6.45	9.0	7.1	8.9	11.1
Flammability Limits, Vol. %: Rich	7.6	-	-	6.0	13.9	9.5	36.9	19.0	14.9 ^c	27.0 ^d	9.5 36.0 ^d
Flammability Limits, Vol. %: Lean	1.4	-	-	1.0	5.0	2.4	7.3	4.3	3.3 ^c	3.4 ^d	1.9 ^d
Lower Heating Value, Btu/lb	18,200	18,600	16,500	18,500	20,750	19,940	8,570	11,500	10,200	12,100	14,600
Lower Heating Value, Btu/gal	128,700	121,300	120,910	115,400		83,900	56,800	76,000	73,000	66,600	86,500
Lower Heating Value, Btu/SCF					1,033						
Viscosity, centipoise at (temp)°F	40(68)	2.1(100)	3.5(100)	3.4 (68)	-	-	0.59 (68)	1.19(68)	-	-	0.23(68)
Specific Gravity @ 60°F	0.860	0.783	0.880	0.750	-	0.506	0.796	0.794	0.86	0.66	0.714
Density, lb/gal	7.079	6.520	7.328	6.246	-	4.21	6.629	6.612	7.16	5.50	5.946
Note (See below)	e	h	b	e	f	h	e	e	c	b	b

* Table compiled by N.R. Sefer, Southwest Research Institute.

- a. Inferred from ignition delay
- b. Recent measurement at Southwest Research Institute
- c. Naegeli, D. W. ,and Weatherford, W. D. Jr. "Practical Ignition Limits for Low Molecular Weight Alcohols," Fuel 68, 45 (1989)
- d. NFPA 325 M, *Fire Hazard Properties of Flammable Liquids, Gases, Volatile Solids* (1977), Copyright 1977 National Fire Protection Association, Inc., Batterymarch Park, Quincy, MA 02269
- e. Table on gasoline and gasohol from *Alcohols and Ethers*, API Publication 4261, second edition, (July 1988).
- f. Liss, W.E., et al., "Variability of Natural Gas Composition in the US", GRI 92/0123, (March 1992).
- g. *Alternative Fuels Special Report, Diesel Progress, Engines and Drives*, (December 1993).
- h. Composition information from ASTM D 1635 Standard Specification for LPG. Calculations after *Perry's Chemical Engineers' Handbook*, 6th ed., (1984).

of petroleum-based fuels. To ensure upper cylinder lubrication, an additive developed in California for the methanol buses, Lubrizol, is added to fuel in very low concentrations. The recommended amount of Lubrizol is 0.06%, by volume, in the fuel mixture. Hennepin County was able to contract an E95 fuel supplier and confirm the DDC recommended fuel specifications, including the specified amount of Lubrizol.

Data Collection

The overall objective of this program was to collect data from OEM alternative fuel heavy-duty trucks, along with comparable data from a similarly configured diesel-powered vehicle to establish emissions, performance, and durability data for alternative fuel technology. The data were collected from drivers and mechanics on paper forms provided by TRI, and then forwarded to NREL. TRI compiled the data and entered the information into NREL's Alternative Fuels Data Center (AFDC) via modem.

Fuel Economy: E95 versus Diesel

Assuming #2 diesel fuel contains about 127,000 Btu/gal and E95 fuel contains 78,000 Btu/gal, the ethanol trucks should travel about 60% of the distance the diesel trucks travel on a gallon of fuel, if the trucks have the same thermal efficiency. On a volume basis, the average fuel economy over the project was 4.6, 2.6, and 2.2 miles per gallon (mpg) for the diesel control, ethanol #1, and ethanol #2, respectively (shown in Figure 1). The ethanol trucks traveled about 48% to 57% of the distance traveled by the diesel trucks. This indicates that the thermal efficiency of the ethanol trucks was somewhat less than that of the diesel truck. Although plowing snow represents only a fraction of the miles driven in a month, it is not unusual to see the overall fuel economy of a truck drop by one or two miles per gallon in the winter months. Both ethanol trucks dropped to 1 mpg at some time during the project.

Figure 1. Average Fuel Economy

Fuel Cost: E95 versus Diesel

The cost of ethanol fuel is high, about twice as much as diesel. In the beginning of the project, diesel cost the county \$0.80/gallon and ethanol \$1.40/gallon. At the project end, diesel cost \$0.90/gallon and ethanol cost \$1.80/gallon. The county cost is a delivered price for bulk purchases and includes a state fuel tax of \$0.20/gallon. The county does not pay federal fuel tax. The most comprehensive picture of fuel costs is illustrated in the comparison of fuel cost per mile by year (shown in Figure 2). This graph indicates that, from 1994 on, the E95 fuel cost was three to four times more (per mile) than the diesel fuel cost.

Application of the alcohol tax credit can greatly reduce the cost of ethanol and the operation costs of a fleet of ethanol vehicles. Congress developed the alcohol fuel credit in response to the energy crisis of the late 1970s and early 1980s. The intent was to foster growth of the alcohol industry by subsidizing non-petroleum-based alcohol used as fuel so the cost for the end user would be comparable to traditional hydrocarbon fuels. The tax credit is accomplished in two ways: (1) by granting a \$0.054 per gallon partial excise tax exemption for 10% alcohol blended fuels (gasohol) and (2) by allowing a \$0.54 per gallon income tax credit for ethanol used as a fuel. The income tax credit is available to taxpayers who: (1) "produce" or blend an alcohol mixture, or (2) sell or use for business 100% straight alcohol placed in the vehicle's fuel supply tank by the taxpayer. Because E95 fuel is composed of 95% ethanol and 5% denaturant, 95% of the \$0.54 (or \$0.513 per gallon E95) per gallon tax credit can be taken. However, because Hennepin County is a state agency and exempt from federal taxes, it cannot file for the alcohol tax credit.

Figure 2. Fuel Cost per Mile by Year

E95 Availability

Minneapolis-St. Paul is a major metropolitan center in the agricultural Midwest. The area has a history of supporting ethanol production and its use as an automotive fuel. There has been a long-standing promotion of gasohol, a 10% blend of ethanol and unleaded gasoline. The county has used gasohol in its automotive fleet since 1983. In addition, the cities are also a moderate nonattainment area for carbon monoxide and the Clean Air Act requires that this area use an oxygenated fuel during winter months. For this application, ethanol has been the oxygenate of choice. These factors have combined to produce plentiful supplies of ethanol in the metropolitan area.

The county bid this fuel the same as all other bulk fuel purchases and never experienced any delays in delivery. The supplier was able to provide E95 that met the manufacturer's specification, as shown in Appendix 3, with the recommended additive "Lubrizol" (part no. 23509970). The Lubrizol is added to the fuel as a detergent, to eliminate lube oil contamination of injectors, and to increase fuel lubricity. The county is convinced it did not have any maintenance problems that resulted from poor fuel quality.

Maintenance and Repair Data

The total maintenance and repair cost for the diesel control truck was \$21,549 as opposed to \$26,101 and \$22,512 for ethanol #1 and ethanol #2, respectively (shown in Figure 3). The higher costs for the ethanol trucks were evident in each year throughout the project except in 1996 (shown in Table 2). The higher cost for the diesel control in 1996 was primarily due to component replacement costs, which is directly related to the difference in accumulated mileage.

Figure 3. Total Maintenance Cost by Truck

The usage of the three trucks did vary more than intended. The mileage on the three trucks at end of the project was 81,861 for the diesel control, 61,002 for ethanol #1, and 32,526 for ethanol #2. The reason for the unexpected variance was that we had, for consistency, assigned specific drivers to each vehicle for the duration of the test. The lesser availability of one of the drivers during the project caused a difference in truck usage. To factor in the difference in accumulated mileage, the total maintenance cost per mile was charted for the three trucks. Over the life of the project, the costs per mile were \$0.26, \$0.43, and \$0.69 for the diesel control, ethanol #1, and ethanol #2, respectively (shown in Figure 4).

Table 2. Repair Costs by Year and System

	1993 Repair Costs			1994 Repair Costs		
	Diesel control	ethanol #1	ethanol #2	diesel control	ethanol #1	ethanol #2
Cab/Body	0.00	21.50	215.02	47.95	1,431.63	448.42
PM'S	180.51	0.00	0.00	379.26	401.91	329.32
Chassis GRP	553.23	918.30	75.25	198.66	645.41	556.18
Drive Train	0.00	0.00	0.00	258.00	64.50	96.75
Electrical	0.00	0.00	0.00	1,406.97	803.65	1,352.35
Power Plant	62.09	807.94	402.08	488.00	2,157.12	1,905.16
Accessories	187.22	260.66	238.00	1,865.73	2,802.66	2,630.36
Special Appl.	78.81	238.14	143.31	0.00	129.00	0.00
Hydraulics	107.50	0.00	21.50	190.36	374.11	237.95
Misc. Work	4,256.39	4,312.27	4,526.91	1,061.75	778.20	1,055.20
Misc.-New Prep	377.17	0.00	0.00			
Total-Prep	1,546.53	2,246.54	1,095.16			
Total	5,425.75	6,558.81	5,622.07	5,896.68	9,588.19	8,611.69

	1995 Repair Costs			1996 Repair Costs		
	Diesel control	ethanol #1	ethanol #2	diesel control	ethanol #1	ethanol #2
Cab/Body	630.26	383.74	270.95	1,008.75	671.06	577.01
PM'S	401.21	570.29	519.43	187.22	232.50	239.65
Chassis GRP	1,425.38	299.11	451.47	2,102.76	2,165.10	183.88
Drive Train	68.55	64.50	86.00	21.50	296.64	21.50
Electrical	745.04	1,491.89	1,289.03	1,293.96	799.17	912.92
Power Plant	983.16	1,615.15	384.22	1,411.54	1,197.77	1,775.22
Accessories	534.36	781.25	630.67	1,058.95	680.97	601.00
Special Appl.	0.00	179.34	53.75	32.25	64.50	251.18
Hydraulics	343.15	103.24	334.71	654.25	560.87	643.37
Misc. Work	704.99	1,079.91	2,325.26	498.90	1,028.81	1,253.76
Total	5,836.10	6,568.42	6,345.49	8,270.08	7,697.39	6,459.49

Figure 4. Total Maintenance Cost per Mile

To determine whether these costs resulted from the alternative fuel, the repair costs were broken down by truck systems. Table 3 shows the total maintenance cost by truck system. The detailed components that make up these systems can be seen in Appendix 4, which details repair costs by system and year. The most expensive systems for the 3 vehicles were chassis, for the diesel control, and power plant for both ethanol #1 and ethanol #2. Power plant maintenance and repair ranked number 4 for the diesel control. This can also be seen graphically in Figure 5.

Table 3. Total Maintenance Cost by Systems

	diesel control	ethanol #1	Ethanol #2
Cab /Body	1,686.96	2,507.93	1,511.40
PM'S	1,148.20	1,204.70	948.36
Chassis GRP	4,280.03	4,027.92	1,406.82
Drive Train	348.05	425.64	204.25
Electrical	3,445.97	3,094.71	3,554.30
Power Plant	2,944.79	5,777.98	4,466.68
Accessories	3,646.26	4,525.54	4,100.03
Special Appl.	111.06	610.98	448.24
Hydraulics	1,295.26	1,038.22	1,237.53
Misc.-New Prep	2,642.81	2,886.92	4,634.22
Total	21,549.39	26,100.54	22,511.83

The difference in maintenance and repair costs between the diesel control and the ethanol trucks is mainly attributable to the E95 fuel. Most of the components that are unique to the ethanol trucks are in the power plant system. The few remaining ethanol-specific components are categorized in cab/body or electrical and are insignificant relative to the non-ethanol component costs that make up those systems.

Most of the power plant repairs on the ethanol trucks were fuel system repairs. Both the primary and secondary fuel filters had to be replaced frequently. The fuel filters for the ethanol engines are much less porous than the diesel fuel filters to stop fine dirt from damaging the injectors and cylinders. The DDC 6V-92TA ethanol engine requires a 10- micron primary and a 1-micron secondary filter, where the DDC 6V-92TA diesel engine only requires a 40-micron primary and 5-micron secondary filter. Because of the smaller porosity, ethanol filters tend to clog more frequently from dirt and debris that enter the fuel system in the normal course of operation. The finer filters are required because ethanol does not have the lubricating properties inherent to petroleum-based fuels. Consequently, engines that burn ethanol are far less tolerant of impurities. We replaced the filters once each year on the diesel truck compared to eight or nine times for the ethanol trucks. Although the primary ethanol filter price came down \$72 during the project, the ethanol filters, primary and secondary, were still \$107 more expensive than the diesel filters. In the end, the primary and secondary ethanol filters cost \$73 and \$50, respectively. The diesel primary and secondary cost \$8 each. The total costs for fuel filter replacements were \$48, \$1,843, and \$1,667, for the diesel control, ethanol #1, and ethanol #2, respectively.

Figure 5. Total Maintenance Cost by Systems

The ethanol trucks also experienced fuel pump and fuel sending unit problems. Ethanol fuel pumps differ from diesel fuel pumps. They need to deliver almost twice as much fuel as a diesel fuel pump as a result of the lower heating value of ethanol. They also require special alcohol-resistant components. Both ethanol trucks required fuel pump replacements during the project. The fuel pump was replaced under warranty on ethanol #1 and the county replaced the fuel pump on ethanol #2. The total bill for this one repair was \$1,229, making it one of the more expensive repairs. Both trucks also had recurring problems with the fuel sending units and other miscellaneous fuel system repairs. In total, fuel system repair costs for the ethanol trucks were \$2,782 and \$2,623, compared to \$205 for the diesel truck. These costs account for most of the difference in repair costs for the three trucks.

Both ethanol trucks also had recurring problems with the electronic engine controls, but the problem was particularly troublesome on ethanol #2. The self-diagnostic codes (instrument panel warning system) repeatedly displayed false alarms for the cooling system and crankcase oil pressure. The county referred these problems to the dealer because they developed while the trucks were under warranty. The initial response from the dealer was that these were indeed false codes and the ECM was reset. When the false codes reoccurred, the dealer thought the problem was caused by bad sensors or a programming glitch with the ECM. Neither of these possibilities developed into a permanent fix and eventually the drivers came to just ignore the warnings.

In 1996, the last year of the project, both ethanol trucks started to require glow plug replacement. Glow plug replacement at this mileage is premature relative to diesel engines. Ethanol #1 had three glow plugs replaced at a total cost of \$324.56 and ethanol #2 had four glow plugs replaced at a total cost of \$332.97.

Although it is not being attributed to E95, it should be noted that ethanol #1 had a catastrophic engine failure at the end of the project. A cylinder head gasket failure allowed antifreeze into the cylinder. According to the engine dealer, the failure of the head gasket could have been caused by a gasket material failure, incorrect cylinder liner height, or incorrect head bolt torque. Although none of these failures can be discounted, the most likely cause is a failure or flaw in the gasket material. We do not believe the failure was fuel related.

Also worth noting, the new vehicle preparation costs are not included in these repair figures. These costs—\$3,879, \$4,312, and, \$4,527 for the diesel control, ethanol #1, and ethanol #2, respectively—are part of the cost of placing a truck in service and are not related to the alternative fuel. Mounting snow control equipment is quite labor intensive and staff time accounts for most of these costs. Because the preparation costs overstate the cost of repairs in the “miscellaneous” category, they were not included in the repair cost analysis.

The complete repair history for all trucks, arranged chronologically and by truck systems, is given in Appendix 5.

Driver Opinion

The fuel delivery system problems were the most troublesome to the drivers. As the fuel filters began to clog, drivers noted hard starting, stalling, hesitation, and cutting in and out. The more clogged the filters became, the more frequently the problems occurred. Sometimes the trucks would stall in traffic, creating a tense situation for the driver.

Fuel range was also a problem for the drivers. The drivers frequently expressed concern about having enough fuel to complete their routes. Although neither of the E95 trucks ever ran out of fuel, the drivers retained a level of nervousness about the short range, especially during the winter months.

The electronic problems were mildly annoying. The recurring false codes weakened the credibility of the diagnostic instrumentation and frequent trips to the engine dealer disrupted the normal work cycle. In the end, the drivers ignored the error messages.

Finally, the drivers reported a lack of power in the ethanol trucks. During the most strenuous assignments, such as hauling sand or aggregate on a grade, the drivers contended that the ethanol trucks had less power than the diesel. However, it should be noted that the county did not quantitatively substantiate these opinions.

Overall, when asked, the drivers stated they would not pick the ethanol trucks if given a choice of which truck to drive.

Oil Sampling

The county has been using oil analysis on its heavy equipment for about 20 years, and has had good luck in extending the oil change interval and in detecting engine problems early. The oil analysis for the ethanol trucks went smoothly with no abnormalities in all instances but one. The last oil sample on ethanol #1 revealed serious problems. However, by the time we received the results, the engine had already failed. As indicated previously, a head gasket failure allowed antifreeze into one of the cylinders causing the failure. Oil analysis results are shown in Appendix 6.

Operational Data

Hennepin County has considerable experience with alcohol fuels including storage and dispensing systems. We have used gasohol since 1983, and experienced all the early system problems inherent with alcohol fuels. In 1986, the county replaced the storage tanks as well as the pumping equipment. Gasohol had been in these tanks exclusively until the E95 demonstration when the county converted one tank solely to E95. This demonstration project lasted 3 years, and we did not have any of the fuel dispensing problems that we had experienced in the early

days of gasohol use. We did not replace any storage or pumping components throughout the project term, nor were there any reports from employees of any problems related to the E95.

Ethanol fuel is as easy to use as any conventional petroleum fuel. For Hennepin County, the conversion could not have been easier. There were no capital costs and no lengthy construction or installation projects. In fact, from the drivers' point of view, the larger fuel tank, fill time, and different fuel smell are the only differences they noticed at the pump.

In terms of cold weather fueling, E95 performed better than diesel. The county has experienced, during extreme cold weather, some gelling problems when fueling with diesel, which was not evident with E95. Hennepin County did not experience any cold starting problems with E95 because all the snow plow units were stored in heated garages.

Safety

The county did not experience any safety incidents with E95. Because it is not extremely toxic even in the denatured state (95% ethyl alcohol, 5% unleaded gasoline), it does not require any precautions beyond those needed for gasoline.

Emissions

West Virginia University (WVU) tested the emissions of the trucks twice during the project. The WVU transportable heavy-duty truck dynamometer was brought on site to test the emissions of the ethanol trucks as well as the diesel control truck.

The data generally show that oxides of nitrogen are slightly lower for the ethanol vehicles than for the diesel vehicle, and that particulate matter levels are significantly lower for ethanol. The diesel emissions levels remained consistent from year to year, and offered lower carbon monoxide emissions than the ethanol trucks, whereas the carbon monoxide emissions from ethanol #2 rose by a factor of three between 1994 and 1995. It is possible that catalytic converter efficiency had degraded on this vehicle, because hydrocarbon emissions also rose. Although the diesel vehicle had lower hydrocarbon emissions than the ethanol vehicles, it was evident that unburned ethanol was present as a significant fraction of the total hydrocarbon emissions of the ethanol vehicles. However, because oxides of nitrogen and particulate matter may be considered the emissions of concern for the heavy-duty fleet, the ethanol-powered vehicles have an advantage over their diesel counterparts relative to emissions. The complete WVU test results and summary are in Appendices 7 and 8.

Conclusions

This project was successful in several ways. First, a heavy-duty engine was developed and emissions certified to run on a high percentage blend of ethanol, a domestically produced and renewable fuel, for use in urban transit buses and over-the-road trucks. To date, the DDC 6V-92TA is the only alcohol fuel engine that can make this claim. Second, the ethanol trucks successfully performed the same rigorous duties as the diesel control trucks in a demanding vocation and harsh winter environment. Third, with some refinement, ethanol engines could prove to be as reliable and durable as their diesel counterparts. From a functional standpoint, the fuel filter clogging issue was the only significant barrier from the fleet administrator and the drivers' viewpoint. Fourth and finally, although E95 trucks emitted more hydrocarbons and carbon monoxide than the diesel trucks, the oxides of nitrogen and particulate matter, the emissions of concern for heavy-duty vehicles, were reduced.

The real hurdles for the widespread use of high percentage blends of ethanol are fuel costs, vehicle range, and infrastructure. Although exact fuel costs will vary by region and tax status, the E95 cost more than three times as much as diesel #2 (on an equivalent energy basis) in this demonstration. The vehicle range was an issue, even in this application where the vehicles covered a relatively small area. With this in mind, over-the-road travel would be impossible without an extensive fueling infrastructure.

Appendix 1
Collection Form to Gather Data: Driver Option

Appendix 1: Data Collection Form to Gather Driver Option

Vehicle Weekly Log Sheet

Operator: _____

Week of _____

Mileage (_____) _____ - _____

Fuel Cost Per Gallon _____

Organization: _____

Vehicle ID # _____

License # _____

Data Collection for Week

Beginning (Monday): _____ / _____ /1993

SIDE 2

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Starting Odometer Reading:							
Ending Odometer Reading:							

Please evaluate the performance of your vehicle by responding to the performance categories listed in the table below.

Responses are: S = Superior; ✓ = No Problem; A = Mildly Annoying; T = Very Troublesome

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Hard to Start							
Stalled After Starting							
Stalled in Traffic							
Idle Quality							
Acceleration Quality							
Hesitation, Coughing							
Lack of Power							

Regardless of severity, if any problem occurred, describe the type of driving (e.g., city, freeway), time of occurrence, and approximate weather condition (temp./moisture) for each problem occurrence.

Fuel Added		Oil Added		Maintenance Performed? Yes _____ No _____ If yes, Date _____ Type of Maintenance: _____
# Gallons	Odometer	# Qts.	Odometer	
Monday				<div style="text-align: right;"> ☐ Scheduled ☐ Unscheduled </div>
Tuesday				
Wednesday				
Thursday				
Friday				
Saturday				
Sunday				

Appendix 2
Map of Demonstration Area

HENNEPIN COUNTY

MINNESOTA

ALTERNATE FUEL DEMONSTRATION

Appendix 3
Specifications for E95 Ethanol Fuel

SPECIFICATIONS FOR E95 ETHANOL FUEL
Interstate Detroit Diesel, Inc.

Specification	Value	Test Method
Ethanol	92 vol. % (min.)	ASTM D 3545-90
Denatured fuel ethanol	98 vol. % (min.)	1
Other alcohols and others	2 mass % (max.)	ASTM D 4815-89
Hydrocarbons gasoline or diesel fuel derived	5 mass % (max.)	ASTM D 4815-89, and then subtract concentration of alcohols, ethers, and water from 100 to obtain percent hydrocarbons.
Acidity as acetic acid	0.007 mass % (max.)	ASTM D 1613-85
Total chlorine as chloride	0.0004 mass % (max.)	ASTM D 3120-87 modified for organic chlorides, and ASTM 2988-86.
Copper	0.07 mg/l (max.)	ASTM D 1688-90 as modified in ASTM D 4806-88.
Lead	2 mg/l (max.)	ASTM D 3237-90
Phosphorus	0.2 mg/l (max.)	ASTM D 3231-89
Sulfur	0.01 mass % (max.)	ASTM D 3120-87
Gum, heptane washed	5 mg/liter (max.)	ASTM D 381-86
Total particulates	5 mg/l (max.)	ASTM D 2276-89
Water content	0.5 mass % (max.)	ASTM E 203-75
Appearance	Free of turbidity suspended matter and sediment	Visually determined at 15 degrees C by Proc. A of ASTM D 4176-86

Option: 0.06% (8 oz. per 100 gal) Lubrizol, Part #23509970

1 Must meet and ASTM D 4806-88 specification for denatured fuel ethanol, except the denaturant must be representative of unleaded gasoline that is commercially available blended at a maximum of 4 to 5 parts gasoline to 100 parts by volume fuel ethanol (including water) to form the denatured fuel ethanol. The final blend specifications for E-100 fuel take precedence over the ASTM D 4806-88 specification.

Appendix 4
Maintenance Costs by Truck System and Year

Repair Detail, Truck Number 3221

	1993	1994	1995	1996	TOTAL
CAB/BODY/MISC					
01 Climate cnt'l		53.75			53.75
02 Cab fixtures	21.50		56.81	150.23	228.54
03 gauges/instru		1,119.88		284.33	1,404.21
04 Glass					0.00
07 body		258.00	326.93	236.50	821.43
Total All Years	21.50	1,431.63	383.74	671.06	2,507.93
CHASSIS GROUP					
11 Axle, front, nondriv					0.00
12 Axle, rear, nondriv					0.00
13 Brake assm	571.09	360.75		649.89	1,581.73
14 Frame assm					0.00
15 Steering System					0.00
16 Suspension system				462.25	462.25
17 Tires		43.00	249.79	1,052.96	1,345.75
18 Wheel/rim	347.21	241.66	49.32		638.19
19 Track system					0.00
Total All Years	918.30	645.41	299.11	2,165.10	4,027.92
DRIVE TRAIN GROUP					
21 Axle, front driven					0.00
22 Axle, rear driven					0.00
23 Clutch assembly		64.50		64.50	129.00
24 Driveshaft assm					0.00
26 Transmiss, manual			64.50	232.14	296.64
Total All Years	0.00	64.50	64.50	296.64	425.64
ELECTRICAL					
31 Charging			107.50	212.39	319.89
32 Cranking		265.43	540.33		805.76
33 Ignition			107.50	217.06	324.56
34 Lighting		538.22	736.56	369.72	1,644.50
Total All Years	0.00	803.65	1,491.89	799.17	3,094.71
POWER PLANT					
41 Intake			413.87	118.25	532.12
42 Cooling		974.71	60.76	94.88	1,130.35
43 Exhaust		91.64	73.72	110.22	275.58
44 Fuel	764.94	951.02	699.65	366.35	2,781.96
45 Engine	43.00	139.75	367.15	277.33	827.23
46 Emissions Control				230.74	230.74
Total All Years	807.94	2,157.12	1,615.15	1,197.77	5,777.98
PMA		358.91	409.04	189.50	957.45
PMB		43.00	161.25	43.00	247.25
Total All Years	0.00	401.91	570.29	232.50	1,204.70

Repair Detail, Truck Number 3228

	1993	1994	1995	1996	TOTAL
CAB/BODY/MISC					
01 Climate cnt'l		118.69			118.69
02 Cab fixtures		77.92	43.00	86.00	206.92
03 gauges/instru		251.81	227.95	134.53	614.29
04 Glass					0.00
07 body	215.02			356.48	571.50
Total All Years	215.02	448.42	270.95	577.01	1,511.40
CHASSIS GROUP					
11 Axle, front, nondriv			140.04	43.00	183.04
12 Axle, rear, nondriv					0.00
13 Brake assm	75.25	389.77	97.85	140.88	703.75
14 Frame assm					0.00
15 Steering System					0.00
16 Suspension system					0.00
17 Tires			353.62		353.62
18 Wheel/rim		166.41			166.41
19 Track system					0.00
Total All Years	75.25	556.18	591.51	183.88	1,406.82
DRIVE TRAIN GROUP					
21 Axle, front driven					0.00
22 Axle, rear driven		96.75			96.75
23 Clutch assembly				21.50	21.50
24 Driveshaft assm					0.00
26 Transmiss, manual			86.00		86.00
Total All Years	0.00	96.75	86.00	21.50	204.25
ELECTRICAL					
31 Charging		391.40	86.00	37.28	514.68
32 Cranking		379.53	303.83	223.77	907.13
33 Ignition				347.88	347.88
34 Lighting		581.42	899.20	303.99	1,784.61
Total All Years	0.00	1,352.35	1,289.03	912.92	3,554.30
POWER PLANT					
41 Intake				121.41	121.41
42 Cooling	21.50	350.39	30.38	248.73	651.00
43 Exhaust		127.47		423.96	551.43
44 Fuel	344.88	943.55	353.84	981.12	2,623.39
45 Engine		483.75			483.75
46 Emissions Control	35.70				35.70
Total All Years	402.08	1,905.16	384.22	1,775.22	4,466.68
PMA		135.82	185.89	153.65	475.36
PMB		193.50	193.50	86.00	473.00
Total All Years	0.00	329.32	379.39	239.65	948.36

	1993	1994	1995	1996	TOTAL
51 Access general	51.83	2,021.77	392.71	86.00	2,552.31
52 Access electric	43.00	565.59	205.71	439.75	1,254.05
54 Snow equip	98.05	21.50	32.25	75.25	227.05
55 Lift systems		21.50			21.50
56 PTO systems					0.00
59 Veh coupling sys	45.12				45.12
Total All Years	238.00	2,630.36	630.67	601.00	4,100.03
SPECIAL APPLICAT					
61 Buckets					0.00
62 Blades					0.00
63 Brooms					0.00
64 Cables					0.00
65 Heating units					0.00
66 Special quip	143.31		53.75	251.18	448.24
Total All Years	143.31	0.00	53.75	251.18	448.24
HYDRAULICS					
71 Hydraulic pump					0.00
72 Hydraulic cylinder					0.00
73 Lines		150.50	220.72	335.88	707.10
74 Valves	21.50			290.25	311.75
75 Motors					0.00
76 Couplings			86.00		86.00
77 Tank assm		87.45	27.99	17.24	132.68
78 Auxiliary					0.00
Total All Years	21.50	237.95	334.71	643.37	1,237.53
MISC EQUIP/WORK					
91 Misc Tank					0.00
92 Misc cutting equip					0.00
98 Misc inside work	4,526.91	1,055.20	876.01	864.40	7,322.52
99 Outside vendor			1,449.25	389.36	1,838.61
9830 New veh Prep	4526.91				
Total All Yrs-Veh Prep	0.00	1,055.20	2,325.26	1,253.76	4,634.22
Total All Years					9,161.13
GRAND TOTAL					22,511.83

	1993	1994	1995	1996	TOTAL
CAB/BODY/MISC					
01 Climate cnt'l	0.00		142.50		142.50
02 Cab fixtures	0.00		23.16	310.00	333.16
03 gauges/instru	0.00		142.91	602.00	744.91
04 Glass					0.00
07 body	0.00	47.95	321.69	96.75	466.39
Total All Years	0.00	47.95	630.26	1,008.75	1,686.96
CHASSIS GROUP					
11 Axle, front, nondriv	0.00			21.50	21.50
12 Axle, rear, nondriv	0.00				0.00
13 Brake assm	206.02		692.79	179.02	1,077.83
14 Frame assm	0.00				0.00
15 Steering System	0.00				0.00
16 Suspension system	0.00			881.40	881.40
17 Tires	0.00	43.00	732.59	1,020.84	1,796.43
18 Wheel/rim	347.21	155.66			502.87
19 Track system	0.00				0.00
Total All Years	553.23	198.66	1,425.38	2,102.76	4,280.03
DRIVE TRAIN GROUP					
21 Axle, front driven					0.00
22 Axle, rear driven		43.00			43.00
23 Clutch assembly		129.00	53.75	21.50	204.25
24 Driveshaft assm					0.00
26 Transmiss, manual		86.00	14.80		100.80
Total All Years	0.00	258.00	68.55	21.50	348.05
ELECTRICAL					
31 Charging				193.31	193.31
32 Cranking		213.44		421.33	634.77
33 Ignition		86.00			86.00
34 Lighting		1,107.53	745.04	679.32	2,531.89
Total All Years	0.00	1,406.97	745.04	1,293.96	3,445.97
POWER PLANT					
41 Intake		161.38			161.38
42 Cooling		250.00	924.72	1,276.85	2,451.57
43 Exhaust	62.09		21.50		83.59
44 Fuel		33.62	36.94	134.69	205.25
45 Engine		43.00			43.00
46 Emissions Control					0.00
Total All Years	62.09	488.00	983.16	1,411.54	2,944.79
PMA	180.51	335.36	368.96	165.72	1,050.55
PMB		43.90	32.25	21.50	97.65
Total All Years	180.51	379.26	401.21	187.22	1,148.20

	1993	1994	1995	1996	TOTAL
ACCESSORIES GRP					
51 Access general	75.25	1,425.74	324.68	627.43	2,453.10
52 Access electric	66.85	375.49	209.68	388.52	1,040.54
54 Snow equip	0.00	64.50		43.00	107.50
55 Lift systems	0.00				0.00
56 PTO systems	0.00				0.00
59 Veh Coupling Sys	45.12				45.12
Total All Years	187.22	1,865.73	534.36	1,058.95	3,646.26
SPECIAL APPLICAT					
61 Buckets	0.00				0.00
62 Blades	0.00				0.00
63 Brooms	0.00				0.00
64 Cables	0.00				0.00
65 Heating units	0.00				0.00
66 Special quip	78.81			32.25	111.06
Total All Years	78.81	0.00	0.00	32.25	111.06
HYDRAULICS					
71 Hydraulic pump					0.00
72 Hydraulic cylinder					0.00
73 Lines			87.42	565.50	652.92
74 Valves	107.50	136.61	139.75		383.86
75 Motors					0.00
76 Couplings			24.74		24.74
77 Tank assm		53.75	91.24	88.75	233.74
78 Auxiliary					0.00
Total All Years	107.50	190.36	343.15	654.25	1,295.26
MISC EQUIP/WORK					
91 Misc Tank				21.50	21.50
92 Misc cutting equip					0.00
98 Misc inside work	4,256.39	1,061.75	704.99	477.40	6,500.53
99 Outside vendor					0.00
9830 New veh prep	3,879.22				
Total All Yrs-Veh Prep	377.17	1,061.75	704.99	498.90	2,642.81
Total All Years					6,522.03
			GRAND TOTAL		21,549.39

Appendix 5
Repair History by Truck System

SYNCSORT 3.6ARI TPF2B US PATENTS: 4210961,5117495, OTHER PAT. PEND. (C) SYNCSORT INC. 1993 DATE=96/324 TIME=14.59.13
HENNEPIN COUNTY INFORMATION SERVICES ESA 5.2.2 CPU MODEL 3090

PARMLIST :

SORT SIZE=E0002804,FIELDS=(01,04,CH,A,067,04,CH,A,05,01,CH,A,091,04,CH,A,067,08,
ZD,A)

RECORD TYPE=F,LENGTH=00148

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 1

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
FINAL TOTALS				195,736.07	32,767.73	61,878.56	290,382.36

2,804 RECORDS TOTALED

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 17

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
	ENDYR TOTAL			4,740.75	269.48	1,343.51	6,353.74
	UNIT TOTAL			19,136.75	1,655.75	6,246.24	27,038.74

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 16

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
7301R	HYD LINE, PRESSURE	259106	1996/03/20	322.50	13.38	.00	335.88
REPAIR TYPE TOTAL				322.50	13.38	.00	335.88
REPAIR SUB GROUP TOTAL				322.50	13.38	.00	335.88
74010	HYDRAULIC VALVE	257703	1996/01/30	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
74760	CABLE, CONTL LEVER	257703	1996/01/30	75.25	.00	.00	75.25
74760	CABLE, CONTL LEVER	256305	1996/07/02	172.00	.00	.00	172.00
REPAIR TYPE TOTAL				247.25	.00	.00	247.25
REPAIR SUB GROUP TOTAL				290.25	.00	.00	290.25
7721R	HYD TANK FILTER	262379	1996/08/21	10.75	6.49	.00	17.24
REPAIR TYPE TOTAL				10.75	6.49	.00	17.24
REPAIR SUB GROUP TOTAL				10.75	6.49	.00	17.24
REPAIR GROUP TOTAL				623.50	19.87	.00	643.37
98200	GENERAL GREASING	M08225	1996/02/08	96.75	.88	.00	97.63
98200	GENERAL GREASING	M08407	1996/03/14	86.00	.88	.00	86.88
98200	GENERAL GREASING	M08607	1996/04/26	86.00	.88	.00	86.88
98200	GENERAL GREASING	M09175	1996/09/19	86.00	.88	.00	86.88
98200	GENERAL GREASING	M09298	1996/10/29	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				440.75	4.40	.00	445.15
9860I	TRUCK INSPECTION	262379	1996/08/21	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
98900	DIAGNOSTIC ELECTRIC	257310	1996/01/23	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
98950	DIAGNOSTIC MECHANICL	257310	1996/01/23	64.50	.00	.00	64.50
9895I	DIAGNOSTIC MECHANICL	261019	1996/06/14	21.50	.00	.00	21.50
9895I	DIAGNOSTIC MECHANICL	263344	1996/09/17	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				150.50	.00	.00	150.50
REPAIR SUB GROUP TOTAL				763.25	4.40	.00	767.65
99400	POWER PLANT GROUP	259385	1996/04/03	.00	.00	389.36	389.36
REPAIR TYPE TOTAL				.00	.00	389.36	389.36
REPAIR SUB GROUP TOTAL				.00	.00	389.36	389.36
REPAIR GROUP TOTAL				763.25	4.40	389.36	1,157.01
PM/MINUS PM TOTAL				4,515.00	258.50	1,297.59	6,071.09

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4411R	FILTER, SECONDARY	259385	1996/04/03	.00	.00	46.92	46.92
4411R	FILTER, SECONDARY	262379	1996/08/21	21.50	.00	145.42	166.92
REPAIR TYPE TOTAL				21.50	.00	192.34	213.84
4415I	FUEL LINES	257194	1996/02/06	118.25	.00	.00	118.25
REPAIR TYPE TOTAL				118.25	.00	.00	118.25
44800	ELECTRONIC CONTROLS	257194	1996/02/06	193.50	14.43	.00	207.93
REPAIR TYPE TOTAL				193.50	14.43	.00	207.93
REPAIR SUB GROUP TOTAL				580.50	21.89	378.73	981.12
REPAIR GROUP TOTAL				1,096.50	86.81	591.91	1,775.22
5102R	MUD FLAP(S)	262481	1996/08/15	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
51100	TARPALIN ASSEMBLY	263644	1996/09/26	21.50	.00	.00	21.50
51100	TARPALIN ASSEMBLY	263919	1996/10/21	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00
52400	BOX SHAKER	257194	1996/02/06	96.75	.63	.00	97.38
REPAIR TYPE TOTAL				96.75	.63	.00	97.38
52510	MISC WIRING	258020	1996/02/16	225.75	.00	19.87	245.62
52510	MISC WIRING	263344	1996/09/17	96.75	.00	.00	96.75
REPAIR TYPE TOTAL				322.50	.00	19.87	342.37
REPAIR SUB GROUP TOTAL				419.25	.63	19.87	439.75
54020	SNOW PLOW BLADE	257310	1996/01/23	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				75.25	.00	.00	75.25
REPAIR GROUP TOTAL				580.50	.63	19.87	601.00
66000	SP EQUIP ACCESSORIES	260236	1996/05/07	161.25	5.15	.00	166.40
66000	SP EQUIP ACCESSORIES	252154	1996/07/02	.00	.00	20.28	20.28
6600L	SP EQUIP ACCESSORIES	262523	1996/08/15	21.50	.00	.00	21.50
66000	SP EQUIP ACCESSORIES	264085	1996/10/23	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				225.75	5.15	20.28	251.18
REPAIR SUB GROUP TOTAL				225.75	5.15	20.28	251.18
REPAIR GROUP TOTAL				225.75	5.15	20.28	251.18

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
34500	SANDER/WORK LAMP	257860	1996/02/06	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
34700	FUSES, LIGHT(S)	258720	1996/03/11	43.00	1.47	.00	44.47
REPAIR TYPE TOTAL				43.00	1.47	.00	44.47
3485R	FLASHER UNIT	260369	1996/05/14	21.50	12.68	.00	34.18
REPAIR TYPE TOTAL				21.50	12.68	.00	34.18
REPAIR SUB GROUP TOTAL				182.75	78.00	43.24	303.99
REPAIR GROUP TOTAL				612.75	119.02	181.15	912.92
41300	SUPERCHARGER	257310	1996/01/23	86.00	.00	35.41	121.41
REPAIR TYPE TOTAL				86.00	.00	35.41	121.41
REPAIR SUB GROUP TOTAL				86.00	.00	35.41	121.41
42000	COOLING SYSTEM	260369	1996/05/14	64.50	.00	.00	64.50
42000	COOLING SYSTEM	262379	1996/08/21	.00	.00	7.96	7.96
REPAIR TYPE TOTAL				64.50	.00	7.96	72.46
42010	RADIATOR	262379	1996/08/21	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
4212R	COOLANT FILTER	262379	1996/08/21	10.75	8.88	.00	19.63
REPAIR TYPE TOTAL				10.75	8.88	.00	19.63
4231R	WATER PUMP BELT	262379	1996/08/21	64.50	.00	49.14	113.64
REPAIR TYPE TOTAL				64.50	.00	49.14	113.64
REPAIR SUB GROUP TOTAL				182.75	8.88	57.10	248.73
4302R	EXT MANIFOLD GASKET	258766	1996/03/28	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
4320R	EXHAUST TUBING	262379	1996/08/21	204.25	56.04	120.67	380.96
REPAIR TYPE TOTAL				204.25	56.04	120.67	380.96
REPAIR SUB GROUP TOTAL				247.25	56.04	120.67	423.96
44000	FUEL SYSTEM	257310	1996/01/23	129.00	7.46	.00	136.46
44000	FUEL SYSTEM	259385	1996/04/03	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				193.50	7.46	.00	200.96
4410R	FILTER, PRIMARY	257194	1996/02/06	32.25	.00	63.97	96.22
4410R	FILTER, PRIMARY	259385	1996/04/03	.00	.00	72.71	72.71
4410R	FILTER, PRIMARY	262379	1996/08/21	21.50	.00	49.71	71.21
REPAIR TYPE TOTAL				53.75	.00	186.39	240.14

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR GROUP TOTAL				107.50	13.56	10.82	131.68
2300L	CLUTCH ASSEMBLY	262379	1996/08/21	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
REPAIR GROUP TOTAL				21.50	.00	.00	21.50
3107R	ALTERNATOR BELT	262379	1996/08/21	21.50	.00	15.78	37.28
REPAIR TYPE TOTAL				21.50	.00	15.78	37.28
REPAIR SUB GROUP TOTAL				21.50	.00	15.78	37.28
3201R	BATTERY	261019	1996/06/14	43.00	41.02	.00	84.02
3201I	BATTERY	261846	1996/07/26	118.25	.00	.00	118.25
REPAIR TYPE TOTAL				161.25	41.02	.00	202.27
3240R	STARTER SWITCH	263344	1996/09/17	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				182.75	41.02	.00	223.77
3325R	GLOW PLUG(S)	258020	1996/02/16	43.00	.00	25.77	68.77
3325R	GLOW PLUG(S)	258766	1996/03/28	96.75	.00	81.45	178.20
3325O	GLOW PLUG(S)	258766	1996/03/28	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				225.75	.00	107.22	332.97
3335R	IGNITION SWITCH	263344	1996/09/17	.00	.00	14.91	14.91
REPAIR TYPE TOTAL				.00	.00	14.91	14.91
REPAIR SUB GROUP TOTAL				225.75	.00	122.13	347.88
3401R	HEADLAMP	257860	1996/02/06	21.50	12.36	.00	33.86
REPAIR TYPE TOTAL				21.50	12.36	.00	33.86
3410O	STOPLAMP	261839	1996/07/19	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
3420R	TAIL/PARK LAMP	261839	1996/07/19	.00	8.67	.00	8.67
REPAIR TYPE TOTAL				.00	8.67	.00	8.67
3430R	CLEARANCE/MARKER LMP	261839	1996/07/19	.00	1.82	.00	1.82
REPAIR TYPE TOTAL				.00	1.82	.00	1.82
3433O	MISC. LAMPS	257194	1996/02/06	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
3440O	STROBE LAMP	258835	1996/03/11	43.00	41.00	43.24	127.24
REPAIR TYPE TOTAL				43.00	41.00	43.24	127.24

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 12

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
1115L PMA		258351	1996/02/23	96.75	10.98	45.92	153.65
REPAIR TYPE TOTAL				96.75	10.98	45.92	153.65
1120L PMB		262379	1996/08/21	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				225.75	10.98	45.92	282.65
REPAIR GROUP TOTAL				225.75	10.98	45.92	282.65
PM/MINUS PM TOTAL				225.75	10.98	45.92	282.65
02150 MIRROR, EXTERNAL		257310	1996/01/23	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
02850 W/SHIELD WASHER ASSM		257194	1996/02/06	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00
03260 FUEL GG SENDER UNIT		257667	1996/01/30	21.50	.00	.00	21.50
0326R FUEL GG SENDER UNIT		258020	1996/02/16	43.00	.00	24.32	67.32
0326R FUEL GG SENDER UNIT		263344	1996/09/17	21.50	.00	24.21	45.71
REPAIR TYPE TOTAL				86.00	.00	48.53	134.53
REPAIR SUB GROUP TOTAL				86.00	.00	48.53	134.53
07450 TAILGATE		262215	1996/08/06	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
07960 DUMP BODY CAB SHIELD		263492	1996/09/20	96.75	.00	.00	96.75
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
0797R DMPBODY SPILL SHIELD		252154	1996/07/02	161.25	9.06	35.67	205.98
REPAIR TYPE TOTAL				161.25	9.06	35.67	205.98
REPAIR SUB GROUP TOTAL				311.75	9.06	35.67	356.48
REPAIR GROUP TOTAL				483.75	9.06	84.20	577.01
13000 BRAKE SYSTEM		259388	1996/04/03	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
13500 AIR COMPRESSOR		262379	1996/08/21	64.50	13.56	.00	78.06
REPAIR TYPE TOTAL				64.50	13.56	.00	78.06
13600 AIR SUPPLY TANKS		259388	1996/04/03	.00	.00	10.82	10.82
REPAIR TYPE TOTAL				.00	.00	10.82	10.82
REPAIR SUB GROUP TOTAL				107.50	13.56	10.82	131.88

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
76010	QUICK DISCONNECT	252229	1995/06/19	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00
7721R	HYD TANK FILTER	253218	1995/08/17	21.50	6.49	.00	27.99
REPAIR TYPE TOTAL				21.50	6.49	.00	27.99
REPAIR SUB GROUP TOTAL				21.50	6.49	.00	27.99
REPAIR GROUP TOTAL				290.25	44.46	.00	334.71
98200	GENERAL GREASING	M06620	1995/01/27	118.25	.87	.00	119.12
98200	GENERAL GREASING	M06945	1995/03/29	64.50	.87	.00	65.37
98200	GENERAL GREASING	M07397	1995/07/24	64.50	.88	.00	65.38
98200	GENERAL GREASING	M07634	1995/09/18	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07770	1995/10/20	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07964	1995/12/07	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				505.25	5.26	.00	510.51
9860I	TRUCK INSPECTION	253218	1995/08/17	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
9890I	DIAGNOSTIC ELECTRIC	253188	1995/08/07	193.50	.00	.00	193.50
REPAIR TYPE TOTAL				193.50	.00	.00	193.50
9895I	DIAGNOSTIC MECHANICL	252311	1995/07/24	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				870.75	5.26	.00	876.01
99400	POWER PLANT GROUP	252311	1995/07/24	.00	.00	1,229.05	1,229.05
99400	POWER PLANT GROUP	253462	1995/08/21	.00	.00	.00	.00
99400	POWER PLANT GROUP	253750	1995/08/28	.00	.00	164.30	164.30
REPAIR TYPE TOTAL				.00	.00	1,393.35	1,393.35
9990L	TOWING	251306	1995/05/19	.00	.00	.00	.00
99900	TOWING	M07160	1995/05/25	.00	.00	55.90	55.90
REPAIR TYPE TOTAL				.00	.00	55.90	55.90
REPAIR SUB GROUP TOTAL				.00	.00	1,449.25	1,449.25
REPAIR GROUP TOTAL				870.75	5.26	1,449.25	2,325.26
PM/MINUS PM TOTAL				3,354.00	619.05	1,853.01	5,826.06
ENDYR TOTAL				3,762.50	630.02	1,952.97	6,345.49
11100	WET TYPE HUB ASSEMB.	258020	1996/02/16	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00

Fuel Pump

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4411R	FILTER, SECONDARY	256349	1995/12/15	.00	.00	49.71	49.71
REPAIR TYPE TOTAL				.00	.00	49.71	49.71
REPAIR SUB GROUP TOTAL				86.00	.00	267.84	353.84
45000	ENGINE	251306	1995/05/19	.00	.00	.00	.00
REPAIR TYPE TOTAL				.00	.00	.00	.00
REPAIR SUB GROUP TOTAL				.00	.00	.00	.00
REPAIR GROUP TOTAL				107.50	8.88	267.84	384.22
51000	ACCESSORIES, GENERAL	255142	1995/10/30	.00	.00	58.62	58.62
REPAIR TYPE TOTAL				.00	.00	58.62	58.62
51100	TARPALIN ASSEMBLY	255142	1995/10/30	247.25	.84	.00	248.09
51100	TARPALIN ASSEMBLY	256244	1995/12/12	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				333.25	.84	.00	334.09
REPAIR SUB GROUP TOTAL				333.25	.84	58.62	392.71
52250	2-WAY RADIO	253836	1995/09/01	161.25	.00	.00	161.25
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
5251R	MISC WIRING	253554	1995/08/21	43.00	1.46	.00	44.46
REPAIR TYPE TOTAL				43.00	1.46	.00	44.46
REPAIR SUB GROUP TOTAL				204.25	1.46	.00	205.71
54020	SNOW PLOW BLADE	249305	1995/02/21	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
REPAIR SUB GROUP TOTAL				32.25	.00	.00	32.25
REPAIR GROUP TOTAL				569.75	2.30	58.62	630.67
66000	SP EQUIP ACCESSORIES	256662	1995/12/28	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
REPAIR SUB GROUP TOTAL				53.75	.00	.00	53.75
REPAIR GROUP TOTAL				53.75	.00	.00	53.75
7301R	HYD LINE, PRESSURE	248113	1995/01/12	129.00	33.65	.00	162.65
REPAIR TYPE TOTAL				129.00	33.65	.00	162.65
73500	HYD LINE, MISC.	248278	1995/01/23	53.75	4.32	.00	58.07
REPAIR TYPE TOTAL				53.75	4.32	.00	58.07
REPAIR SUB GROUP TOTAL				182.75	37.97	.00	220.72

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
3201R	BATTERY	252960	1995/07/24	139.75	164.08	.00	303.83
REPAIR TYPE TOTAL				139.75	164.08	.00	303.83
REPAIR SUB GROUP TOTAL				139.75	164.08	.00	303.83
3401R	HEADLAMP	253218	1995/08/17	21.50	12.36	.00	33.86
REPAIR TYPE TOTAL				21.50	12.36	.00	33.86
34100	STOPLAMP	253836	1995/09/01	139.75	.00	.00	139.75
REPAIR TYPE TOTAL				139.75	.00	.00	139.75
34150	URNSIGNAL LAMP	250658	1995/04/18	193.50	7.93	.00	201.43
REPAIR TYPE TOTAL				193.50	7.93	.00	201.43
3420R	TAIL/PARK LAMP	251427	1995/05/12	.00	.00	8.30	8.30
34200	TAIL/PARK LAMP	251427	1995/05/12	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	8.30	40.55
34300	CLEARANCE/MARKER LMP	248090	1995/01/12	10.75	.00	.00	10.75
34300	CLEARANCE/MARKER LMP	252311	1995/07/24	21.50	.00	.00	21.50
34300	CLEARANCE/MARKER LMP	253280	1995/08/07	43.00	.00	.00	43.00
34300	CLEARANCE/MARKER LMP	256514	1995/12/19	43.00	1.95	.00	44.95
REPAIR TYPE TOTAL				118.25	1.95	.00	120.20
34330	MISC. LAMPS	248404	1995/01/23	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
34400	STROBE LAMP	248113	1995/01/12	193.50	.00	.00	193.50
34400	STROBE LAMP	253218	1995/08/17	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				258.00	.00	.00	258.00
34500	SANDER/WORK LAMP	249795	1995/03/10	43.00	6.36	.00	49.36
REPAIR TYPE TOTAL				43.00	6.36	.00	49.36
3455R	LAMP SWITCH(S)	253836	1995/09/01	.00	.00	13.05	13.05
REPAIR TYPE TOTAL				.00	.00	13.05	13.05
REPAIR SUB GROUP TOTAL				849.25	28.60	21.35	899.20
REPAIR GROUP TOTAL				1,075.00	192.68	21.35	1,289.03
4212R	COOLANT FILTER	253218	1995/08/17	21.50	8.88	.00	30.38
REPAIR TYPE TOTAL				21.50	8.88	.00	30.38
REPAIR SUB GROUP TOTAL				21.50	8.88	.00	30.38
4410R	FILTER, PRIMARY	252050	1995/06/12	21.50	.00	145.42	166.92
4410R	FILTER, PRIMARY	256349	1995/12/15	.00	.00	72.71	72.71
44100	FILTER, PRIMARY	256349	1995/12/15	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				86.00	.00	218.13	304.13

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 8

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				408.50	10.97	99.96	519.43
REPAIR GROUP TOTAL				408.50	10.97	99.96	519.43
PM/MINUS PM TOTAL				408.50	10.97	99.96	519.43
02150	MIRROR, EXTERNAL	252960	1995/07/24	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
03250	FUEL GAUGE	248597	1995/01/30	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
0326R	FUEL GG SENDER UNIT	248597	1995/01/30	.00	.00	28.90	28.90
0326R	FUEL GG SENDER UNIT	253836	1995/09/01	64.50	.00	27.05	91.55
0326I	FUEL GG SENDER UNIT	253836	1995/09/01	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				86.00	.00	55.95	141.95
REPAIR SUB GROUP TOTAL				172.00	.00	55.95	227.95
REPAIR GROUP TOTAL				215.00	.00	55.95	270.95
13850	SPRING PARKING BRAKE	256547	1995/12/19	32.25	65.60	.00	97.85
REPAIR TYPE TOTAL				32.25	65.60	.00	97.85
REPAIR SUB GROUP TOTAL				32.25	65.60	.00	97.85
1702R	TIRE, WORN	249930	1995/03/14	53.75	299.87	.00	353.62
REPAIR TYPE TOTAL				53.75	299.87	.00	353.62
REPAIR SUB GROUP TOTAL				53.75	299.87	.00	353.62
REPAIR GROUP TOTAL				86.00	365.47	.00	451.47
26000	TRANSMISSION, MANUAL	249305	1995/02/21	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00
REPAIR GROUP TOTAL				86.00	.00	.00	86.00
3100I	CHARGING SYSTEM	253218	1995/08/17	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
31300	ELECTRICAL GROUND	253218	1995/08/17	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
7720R	HYD TANK FILTER ASSM	244659	1994/08/30	86.00	1.45	.00	87.45
REPAIR TYPE TOTAL				86.00	1.45	.00	87.45
REPAIR SUB GROUP TOTAL				86.00	1.45	.00	87.45
REPAIR GROUP TOTAL				236.50	1.45	.00	237.95
98000	MISC INSIDE WORK	M05302	1994/02/25	.00	.00	2.56	2.56
REPAIR TYPE TOTAL				.00	.00	2.56	2.56
98020	STEAMING	243887	1994/08/01	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
98200	GENERAL GREASING	M04995	1994/01/06	124.50	.80	.00	125.30
98200	GENERAL GREASING	M05570	1994/04/14	64.50	.80	.00	65.30
98200	GENERAL GREASING	M05684	1994/05/18	53.75	.80	.00	54.55
98200	GENERAL GREASING	M06071	1994/09/19	86.00	.80	5.12	91.92
98200	GENERAL GREASING	M06247	1994/11/04	107.50	.80	.00	108.30
98200	GENERAL GREASING	M06449	1994/12/14	96.75	.80	4.47	102.02
REPAIR TYPE TOTAL				533.00	4.80	9.59	547.39
9860I	TRUCK INSPECTION	244659	1994/08/30	397.75	.00	.00	397.75
REPAIR TYPE TOTAL				397.75	.00	.00	397.75
9895I	DIAGNOSTIC MECHANICL	244924	1994/09/21	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				1,038.25	4.80	12.15	1,055.20
9940L	POWER PLANT GROUP	245814	1994/09/30	.00	.00	.00	.00
REPAIR TYPE TOTAL				.00	.00	.00	.00
REPAIR SUB GROUP TOTAL				.00	.00	.00	.00
REPAIR GROUP TOTAL				1,038.25	4.80	12.15	1,055.20
PM/MINUS PM TOTAL				6,129.25	369.08	1,784.04	8,282.37
ENDYR TOTAL				6,430.25	397.40	1,784.04	8,611.69
11100	WET TYPE HUB ASSEMB.	253435	1995/08/17	86.00	.00	.00	86.00
1110R	WET TYPE HUB ASSEMB.	253435	1995/08/17	.00	.00	54.04	54.04
REPAIR TYPE TOTAL				86.00	.00	54.04	140.04
1115L	PMA	249505	1995/03/01	129.00	10.97	45.92	185.89
REPAIR TYPE TOTAL				129.00	10.97	45.92	185.89
1120L	PMB	253218	1995/08/17	193.50	.00	.00	193.50
REPAIR TYPE TOTAL				193.50	.00	.00	193.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				526.75	.00	416.80	943.55
45000	ENGINE	239488	1994/02/14	172.00	.00	.00	172.00
REPAIR TYPE TOTAL				172.00	.00	.00	172.00
45010	BLOCK & CRANKCASE	244192	1994/08/04	311.75	.00	.00	311.75
REPAIR TYPE TOTAL				311.75	.00	.00	311.75
REPAIR SUB GROUP TOTAL				483.75	.00	.00	483.75
REPAIR GROUP TOTAL				1,354.50	93.16	457.50	1,905.16
51000	ACCESSORIES, GENERAL	240995	1994/04/12	892.25	8.06	.00	900.31
51001	ACCESSORIES, GENERAL	240995	1994/04/12	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				967.50	8.06	.00	975.56
51050	AIR HORN ASSEMBLY	240078	1994/03/01	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
5110R	TARPALIN ASSEMBLY	240995	1994/04/12	.00	.00	852.72	852.72
51100	TARPALIN ASSEMBLY	242235	1994/05/26	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	852.72	895.72
5115R	W/WASHER BLADES	239112	1994/02/04	32.25	.00	53.74	85.99
REPAIR TYPE TOTAL				32.25	.00	53.74	85.99
REPAIR SUB GROUP TOTAL				1,107.25	8.06	906.46	2,021.77
5244R	BOX SPRAY PUMP	243727	1994/08/01	419.25	34.43	111.91	565.59
REPAIR TYPE TOTAL				419.25	34.43	111.91	565.59
REPAIR SUB GROUP TOTAL				419.25	34.43	111.91	565.59
5407R	RUBBING BLOCKS	239112	1994/02/04	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
55500	DUMPBODY LIFT ASSM	244659	1994/08/30	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
REPAIR GROUP TOTAL				1,569.50	42.49	1,018.37	2,630.36
73010	HYD LINE, PRESSURE	244611	1994/08/23	75.25	.00	.00	75.25
73010	HYD LINE, PRESSURE	246798	1994/11/10	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				150.50	.00	.00	150.50
REPAIR SUB GROUP TOTAL				150.50	.00	.00	150.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
34300	CLEARANCE/MARKER LMP	239303	1994/02/04	43.00	.00	.00	43.00
3430R	CLEARANCE/MARKER LMP	242235	1994/05/26	32.25	10.41	.00	42.66
34300	CLEARANCE/MARKER LMP	247325	1994/12/02	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				139.75	10.41	.00	150.16
34500	SANDER/WORK LAMP	247880	1994/12/21	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				537.50	30.77	13.15	581.42
REPAIR GROUP TOTAL				920.00	189.05	243.30	1,352.35
4200I	COOLING SYSTEM	246298	1994/10/20	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
42040	RAD HOSE, LOWER	240078	1994/03/01	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
4212R	COOLANT FILTER	244659	1994/08/30	161.25	62.44	40.70	264.39
REPAIR TYPE TOTAL				161.25	62.44	40.70	264.39
REPAIR SUB GROUP TOTAL				247.25	62.44	40.70	350.39
4300I	EXHAUST SYSTEM	243348	1994/06/30	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
4320R	EXHAUST TUBING	243348	1994/06/30	75.25	30.72	.00	105.97
REPAIR TYPE TOTAL				75.25	30.72	.00	105.97
REPAIR SUB GROUP TOTAL				96.75	30.72	.00	127.47
4400I	FUEL SYSTEM	238856	1994/01/25	118.25	.00	.00	118.25
44000	FUEL SYSTEM	240995	1994/04/12	43.00	.00	.00	43.00
4400I	FUEL SYSTEM	245814	1994/09/30	.00	.00	.00	.00
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
4410R	FILTER, PRIMARY	238856	1994/01/25	21.50	.00	76.26	97.76
4410R	FILTER, PRIMARY	239133	1994/02/04	32.25	.00	145.42	177.67
4410R	FILTER, PRIMARY	243091	1994/06/30	64.50	.00	.00	64.50
44100	FILTER, PRIMARY	247793	1994/12/20	.00	.00	145.41	145.41
4410R	FILTER, PRIMARY	247793	1994/12/20	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				182.75	.00	367.09	549.84
4411I	FILTER, SECONDARY	238856	1994/01/25	21.50	.00	.00	21.50
4411R	FILTER, SECONDARY	239133	1994/02/04	43.00	.00	49.71	92.71
REPAIR TYPE TOTAL				64.50	.00	49.71	114.21
44800	ELECTRONIC CONTROLS	243091	1994/06/30	118.25	.00	.00	118.25
REPAIR TYPE TOTAL				118.25	.00	.00	118.25

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
13850	SPRING PARKING BRAKE	244659	1994/08/30	236.50	3.24	.00	239.74
REPAIR TYPE TOTAL				236.50	3.24	.00	239.74
REPAIR SUB GROUP TOTAL				376.25	13.52	.00	389.77
18010	RIM	246718	1994/11/08	139.75	.00	26.66	166.41
REPAIR TYPE TOTAL				139.75	.00	26.66	166.41
REPAIR SUB GROUP TOTAL				139.75	.00	26.66	166.41
REPAIR GROUP TOTAL				516.00	13.52	26.66	556.18
22010	HOUSING, REAR AXLE	244659	1994/08/30	96.75	.00	.00	96.75
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
REPAIR SUB GROUP TOTAL				96.75	.00	.00	96.75
REPAIR GROUP TOTAL				96.75	.00	.00	96.75
31001	CHARGING SYSTEM	244408	1994/08/18	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
3101R	ALTERNATOR	244408	1994/08/18	118.25	.00	230.15	348.40
REPAIR TYPE TOTAL				118.25	.00	230.15	348.40
REPAIR SUB GROUP TOTAL				161.25	.00	230.15	391.40
32010	BATTERY	238880	1994/01/25	62.25	73.98	.00	136.23
3201R	BATTERY	243727	1994/08/01	75.25	82.04	.00	157.29
REPAIR TYPE TOTAL				137.50	156.02	.00	293.52
32020	BATTERY CABLE	238880	1994/01/25	63.00	1.68	.00	64.68
REPAIR TYPE TOTAL				63.00	1.68	.00	64.68
32060	BATTERY HOLDDOWNS	238880	1994/01/25	20.75	.58	.00	21.33
REPAIR TYPE TOTAL				20.75	.58	.00	21.33
REPAIR SUB GROUP TOTAL				221.25	158.28	.00	379.53
34000	LIGHTING SYSTEM	243887	1994/08/01	43.00	.33	.00	43.33
REPAIR TYPE TOTAL				43.00	.33	.00	43.33
34010	HEADLAMP	247167	1994/11/29	21.50	10.87	.00	32.37
REPAIR TYPE TOTAL				21.50	10.87	.00	32.37
34100	STOPLAMP	238259	1994/01/11	96.75	.00	13.15	109.90
REPAIR TYPE TOTAL				96.75	.00	13.15	109.90
34250	BACKUP LAMP	246726	1994/11/10	150.50	9.16	.00	159.66
REPAIR TYPE TOTAL				150.50	9.16	.00	159.66

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR GROUP TOTAL				3,278.75	350.27	897.89	4,526.91
PM/MINUS PM TOTAL				4,106.50	358.85	1,156.72	5,622.07
ENDYR TOTAL				4,106.50	358.85	1,156.72	5,622.07
1115L PMA		240078	1994/03/01	107.50	28.32	.00	135.82
REPAIR TYPE TOTAL				107.50	28.32	.00	135.82
1120L PMB		244659	1994/08/30	193.50	.00	.00	193.50
REPAIR TYPE TOTAL				193.50	.00	.00	193.50
REPAIR SUB GROUP TOTAL				301.00	28.32	.00	329.32
REPAIR GROUP TOTAL				301.00	28.32	.00	329.32
PM/MINUS PM TOTAL				301.00	28.32	.00	329.32
0150L HEATER ASSEMBLY		238635	1994/01/24	118.25	.00	.00	118.25
0150R HEATER ASSEMBLY		238880	1994/01/25	.00	.44	.00	.44
REPAIR TYPE TOTAL				118.25	.44	.00	118.69
REPAIR SUB GROUP TOTAL				118.25	.44	.00	118.69
0215R MIRROR, EXTERNAL		243254	1994/06/30	32.25	12.98	.00	45.23
REPAIR TYPE TOTAL				32.25	12.98	.00	45.23
0217R MIRROR, EXT CONVEX		243722	1994/07/18	21.50	11.19	.00	32.69
REPAIR TYPE TOTAL				21.50	11.19	.00	32.69
REPAIR SUB GROUP TOTAL				53.75	24.17	.00	77.92
0326R FUEL GG SENDER UNIT		242924	1994/06/21	.00	.00	26.06	26.06
0326O FUEL GG SENDER UNIT		242924	1994/06/21	150.50	.00	.00	150.50
0326I FUEL GG SENDER UNIT		247167	1994/11/29	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				193.50	.00	26.06	219.56
0333O LOW AIR PRESS LIGHT		247093	1994/11/23	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
REPAIR SUB GROUP TOTAL				225.75	.00	26.06	251.81
REPAIR GROUP TOTAL				397.75	24.61	26.06	448.42
1300O BRAKE SYSTEM		240995	1994/04/12	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
1361O AIR SUPPLY LINES		243196	1994/06/24	86.00	10.28	.00	96.28
REPAIR TYPE TOTAL				86.00	10.28	.00	96.28

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 2

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
46100	CATALYTIC CONVERTER	236516	1993/11/08	32.25	3.45	.00	35.70
REPAIR TYPE TOTAL				32.25	3.45	.00	35.70
REPAIR SUB GROUP TOTAL				32.25	3.45	.00	35.70
REPAIR GROUP TOTAL				215.00	3.45	183.63	402.08
51050	AIR HORN ASSEMBLY	238090	1993/12/24	43.00	.00	8.83	51.83
REPAIR TYPE TOTAL				43.00	.00	8.83	51.83
REPAIR SUB GROUP TOTAL				43.00	.00	8.83	51.83
52000	ACCESSORY, ELECTRIC	236707	1993/11/08	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
54340	SANDER HYD LINES	236855	1993/11/17	96.75	1.30	.00	98.05
REPAIR TYPE TOTAL				96.75	1.30	.00	98.05
REPAIR SUB GROUP TOTAL				96.75	1.30	.00	98.05
5910R	PINTLE HOOK	231149	1993/09/21	.00	.00	45.12	45.12
REPAIR TYPE TOTAL				.00	.00	45.12	45.12
REPAIR SUB GROUP TOTAL				.00	.00	45.12	45.12
REPAIR GROUP TOTAL				182.75	1.30	53.95	238.00
66000	SP EQUIP ACCESSORIES	237742	1993/12/14	139.75	3.56	.00	143.31
REPAIR TYPE TOTAL				139.75	3.56	.00	143.31
REPAIR SUB GROUP TOTAL				139.75	3.56	.00	143.31
REPAIR GROUP TOTAL				139.75	3.56	.00	143.31
7476L	CABLE, CONTL LEVER	238122	1993/12/28	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
REPAIR GROUP TOTAL				21.50	.00	.00	21.50
9830R	NEW VEHICLE PREP.	231149	1993/09/21	.00	.00	212.69	212.69
9830O	NEW VEHICLE PREP.	231149	1993/09/21	3,182.00	350.27	.00	3,532.27
9830I	NEW VEHICLE PREP.	231149	1993/09/21	.00	.00	271.20	271.20
9830O	NEW VEHICLE PREP.	235741	1993/10/01	96.75	.00	414.00	510.75
REPAIR TYPE TOTAL				3,278.75	350.27	897.89	4,526.91
REPAIR SUB GROUP TOTAL				3,278.75	350.27	897.89	4,526.91

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE

1

VEHICLE 3228 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
13500	AIR COMPRESSOR	262421	0000/00/00	.00	.00	9.00	9.00
REPAIR TYPE TOTAL				.00	.00	9.00	9.00
REPAIR SUB GROUP TOTAL				.00	.00	9.00	9.00
REPAIR GROUP TOTAL				.00	.00	9.00	9.00
98951	DIAGNOSTIC MECHANICL	262421	0000/00/00	96.75	.00	.00	96.75
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
REPAIR SUB GROUP TOTAL				96.75	.00	.00	96.75
REPAIR GROUP TOTAL				96.75	.00	.00	96.75
PM/MINUS PM TOTAL				96.75	.00	9.00	105.75
ENDYR TOTAL				96.75	.00	9.00	105.75
07380	ENGINE COVER(S)	238122	1993/12/28	118.25	.27	21.25	139.77
REPAIR TYPE TOTAL				118.25	.27	21.25	139.77
07470	TAILGATE LATCH ASSM	231149	1993/09/21	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				193.50	.27	21.25	215.02
REPAIR GROUP TOTAL				193.50	.27	21.25	215.02
13610	AIR SUPPLY LINES	236516	1993/11/08	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				75.25	.00	.00	75.25
REPAIR GROUP TOTAL				75.25	.00	.00	75.25
42040	RAD HOSE, LOWER	238122	1993/12/28	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
4410R	FILTER, PRIMARY	237390	1993/12/03	10.75	.00	183.63	194.38
REPAIR TYPE TOTAL				10.75	.00	183.63	194.38
4411R	FILTER, SECONDARY	237390	1993/12/03	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
44200	FUEL PUMP	236855	1993/11/17	139.75	.00	.00	139.75
REPAIR TYPE TOTAL				139.75	.00	.00	139.75
REPAIR SUB GROUP TOTAL				161.25	.00	183.63	344.88

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 18

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
98901	DIAGNOSTIC ELECTRIC	256804	1996/02/23	64.50	.00	.00	64.50
98901	DIAGNOSTIC ELECTRIC	263390	1996/09/17	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
98951	DIAGNOSTIC MECHANICAL	260537	1996/05/17	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				677.25	5.28	19.68	702.21
99100	CHASSIS GROUP	263556	1996/09/26	.00	.00	197.60	197.60
REPAIR TYPE TOTAL				.00	.00	197.60	197.60
REPAIR SUB GROUP TOTAL				.00	.00	197.60	197.60
REPAIR GROUP TOTAL				677.25	5.28	217.28	899.81
PM/MINUS PM TOTAL				5,031.00	1,222.70	1,082.19	7,335.89
ENDYR TOTAL				5,203.00	1,237.28	1,128.11	7,568.39
UNIT TOTAL				22,631.78	2,316.70	5,464.33	30,412.81

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
51100	TARPALIN ASSEMBLY	259063	1996/03/20	43.00	.00	.00	43.00
51100	TARPALIN ASSEMBLY	263390	1996/09/17	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				268.75	.98	.00	269.73
REPAIR SUB GROUP TOTAL				419.25	.98	153.24	573.47
52250	2-WAY RADIO	262270	1996/08/08	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
52400	BOX SHAKER	261425	1996/07/02	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				107.50	.00	.00	107.50
REPAIR GROUP TOTAL				526.75	.98	153.24	680.97
66000	SP EQUIP ACCESSORIES	261972	1996/07/26	43.00	.00	.00	43.00
66000	SP EQUIP ACCESSORIES	263556	1996/09/26	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				64.50	.00	.00	64.50
REPAIR GROUP TOTAL				64.50	.00	.00	64.50
71100	HYD PUMP	259528	1996/05/02	.00	.00	274.88	274.88
7110R	HYD PUMP	259528	1996/05/02	236.50	.00	.00	236.50
7110I	HYD PUMP	259528	1996/05/02	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				258.00	.00	274.88	532.88
REPAIR SUB GROUP TOTAL				258.00	.00	274.88	532.88
7721R	HYD TANK FILTER	262381	1996/09/03	21.50	6.49	.00	27.99
REPAIR TYPE TOTAL				21.50	6.49	.00	27.99
REPAIR SUB GROUP TOTAL				21.50	6.49	.00	27.99
REPAIR GROUP TOTAL				279.50	6.49	274.88	560.87
98200	GENERAL GREASING	M08136	1996/01/25	86.00	.88	.00	86.88
98200	GENERAL GREASING	M08222	1996/02/07	86.00	.88	.00	86.88
98200	GENERAL GREASING	M08432	1996/03/15	86.00	.88	9.84	96.72
98200	GENERAL GREASING	M08484	1996/04/03	86.00	.88	.00	86.88
98200	GENERAL GREASING	M08720	1996/05/23	86.00	.88	9.84	96.72
98200	GENERAL GREASING	M09046	1996/08/15	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				516.00	5.28	19.68	540.96
9860I	TRUCK INSPECTION	262381	1996/09/03	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4320R	EXHAUST TUBING	262164	1996/07/31	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
4350R	CLAMPS	262164	1996/07/31	10.75	15.36	.00	26.11
REPAIR TYPE TOTAL				10.75	15.36	.00	26.11
REPAIR SUB GROUP TOTAL				86.00	15.36	8.86	110.22
4410R	FILTER, PRIMARY	257539	1996/01/26	64.50	.00	63.97	128.47
4410R	FILTER, PRIMARY	259063	1996/03/20	53.75	.00	72.71	126.46
4410R	FILTER, PRIMARY	261897	1996/07/23	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				150.50	.00	136.68	287.18
4411R	FILTER, SECONDARY	259063	1996/03/20	.00	.00	46.92	46.92
4411R	FILTER, SECONDARY	261897	1996/07/23	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	46.92	79.17
REPAIR SUB GROUP TOTAL				182.75	.00	183.60	366.35
4500I	ENGINE	259085	1996/03/20	43.00	.00	.00	43.00
4500I	ENGINE	259528	1996/05/02	75.25	.00	.00	75.25
4500I	ENGINE	263316	1996/09/12	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
45700	VENTILATING SYSTEM	263316	1996/09/12	43.00	3.37	.00	46.37
REPAIR TYPE TOTAL				43.00	3.37	.00	46.37
45750	VALVE COVER GASKET	262270	1996/08/08	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
4584R	SEALS, MISC.	257664	1996/02/29	.00	.00	26.71	26.71
REPAIR TYPE TOTAL				.00	.00	26.71	26.71
REPAIR SUB GROUP TOTAL				247.25	3.37	26.71	277.33
4632R	PCV VALVE	257539	1996/01/26	204.25	2.12	24.37	230.74
REPAIR TYPE TOTAL				204.25	2.12	24.37	230.74
REPAIR SUB GROUP TOTAL				204.25	2.12	24.37	230.74
REPAIR GROUP TOTAL				924.50	29.73	243.54	1,197.77
51000	ACCESSORIES, GENERAL	258435	1996/02/28	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
5102R	MUD FLAP(S)	261972	1996/07/26	129.00	.00	153.24	282.24
REPAIR TYPE TOTAL				129.00	.00	153.24	282.24
51100	TARPALIN ASSEMBLY	259045	1996/03/18	182.75	.98	.00	183.73

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				193.50	.00	18.89	212.39
3325R	GLOW PLUG(S)	257664	1996/02/29	75.25	.00	25.77	101.02
3325R	GLOW PLUG(S)	258677	1996/03/28	43.00	.00	.00	43.00
3325R	GLOW PLUG(S)	262381	1996/09/03	.00	.00	25.77	25.77
3325R	GLOW PLUG(S)	263390	1996/09/17	21.50	.00	25.77	47.27
REPAIR TYPE TOTAL				139.75	.00	77.31	217.06
REPAIR SUB GROUP TOTAL				139.75	.00	77.31	217.06
3415R	TURN SIGNAL LAMP	259528	1996/05/02	.00	.00	22.55	22.55
REPAIR TYPE TOTAL				.00	.00	22.55	22.55
34200	TAIL/PARK LAMP	257446	1996/01/23	75.25	.00	.00	75.25
34200	TAIL/PARK LAMP	259528	1996/05/02	53.75	1.34	.00	55.09
REPAIR TYPE TOTAL				129.00	1.34	.00	130.34
34300	CLEARANCE/MARKER LMP	257664	1996/02/29	43.00	.00	.00	43.00
34300	CLEARANCE/MARKER LMP	258695	1996/03/05	21.50	1.83	.00	23.33
3430R	CLEARANCE/MARKER LMP	259528	1996/05/02	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				150.50	1.83	.00	152.33
3432R	SPOTLIGHT LAMP	257539	1996/01/26	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				344.00	3.17	22.55	369.72
REPAIR GROUP TOTAL				677.25	3.17	118.75	799.17
41300	SUPERCHARGER	257664	1996/02/29	75.25	.00	.00	75.25
4130I	SUPERCHARGER	258677	1996/03/28	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				118.25	.00	.00	118.25
REPAIR SUB GROUP TOTAL				118.25	.00	.00	118.25
4204L	RAD HOSE, LOWER	257342	1996/01/23	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
42110	ANTIFREEZE	263316	1996/09/12	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
4212R	COOLANT FILTER	262381	1996/09/03	21.50	8.88	.00	30.38
REPAIR TYPE TOTAL				21.50	8.88	.00	30.38
REPAIR SUB GROUP TOTAL				86.00	8.88	.00	94.88
4302R	EXT MANIFOLD GASKET	258677	1996/03/28	53.75	.00	8.86	62.61
REPAIR TYPE TOTAL				53.75	.00	8.86	62.61

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
13000	BRAKE SYSTEM	259231	1996/04/03	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
13500	AIR COMPRESSOR	257664	1996/02/29	75.25	13.56	9.00	97.81
REPAIR TYPE TOTAL				75.25	13.56	9.00	97.81
13550	AIR DRYER ASSEMBLY	257664	1996/02/29	43.00	.00	11.28	54.28
REPAIR TYPE TOTAL				43.00	.00	11.28	54.28
13850	SPRING PARKING BRAKE	258435	1996/02/28	43.00	.00	.00	43.00
1385R	SPRING PARKING BRAKE	260785	1996/05/31	107.50	65.60	.00	173.10
1385R	SPRING PARKING BRAKE	262381	1996/09/03	64.50	131.20	.00	195.70
REPAIR TYPE TOTAL				215.00	196.80	.00	411.80
REPAIR SUB GROUP TOTAL				419.25	210.36	20.28	649.89
1670R	REAR SPRING ASSEMBLY	263556	1996/09/26	462.25	.00	.00	462.25
REPAIR TYPE TOTAL				462.25	.00	.00	462.25
REPAIR SUB GROUP TOTAL				462.25	.00	.00	462.25
1702R	TIRE, WORN	263556	1996/09/26	129.00	923.96	.00	1,052.96
REPAIR TYPE TOTAL				129.00	923.96	.00	1,052.96
REPAIR SUB GROUP TOTAL				129.00	923.96	.00	1,052.96
REPAIR GROUP TOTAL				1,010.50	1,134.32	20.28	2,165.10
2300L	CLUTCH ASSEMBLY	262381	1996/09/03	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
2301L	PRESSURE PLATE	257664	1996/02/29	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				64.50	.00	.00	64.50
26000	TRANSMISSION, MANUAL	257664	1996/02/29	64.50	.00	6.39	70.89
REPAIR TYPE TOTAL				64.50	.00	6.39	70.89
26020	TRANS REAR HOUSING	257664	1996/02/29	161.25	.00	.00	161.25
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
REPAIR SUB GROUP TOTAL				225.75	.00	6.39	232.14
REPAIR GROUP TOTAL				290.25	.00	6.39	296.64
3107R	ALTERNATOR BELT	259085	1996/03/20	129.00	.00	18.89	147.89
3107L	ALTERNATOR BELT	258677	1996/03/28	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				193.50	.00	18.89	212.39

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
ENDYR TOTAL				5,349.63	442.19	776.60	6,568.42
1115L	PMA	258695	1996/03/05	.00	3.60	.00	3.60
1115L	PMA	263556	1996/09/26	129.00	10.98	45.92	185.90
REPAIR TYPE TOTAL				129.00	14.58	45.92	189.50
1120L	PMB	262381	1996/09/03	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				172.00	14.58	45.92	232.50
REPAIR GROUP TOTAL				172.00	14.58	45.92	232.50
PM/MINUS PM TOTAL				172.00	14.58	45.92	232.50
0215R	MIRROR, EXTERNAL	256804	1996/02/23	21.50	.00	.00	21.50
0215O	MIRROR, EXTERNAL	256804	1996/02/23	.00	13.81	.00	13.81
0215R	MIRROR, EXTERNAL	257664	1996/02/29	43.00	13.81	.00	56.81
0215R	MIRROR, EXTERNAL	262501	1996/08/15	43.00	15.11	.00	58.11
REPAIR TYPE TOTAL				107.50	42.73	.00	150.23
REPAIR SUB GROUP TOTAL				107.50	42.73	.00	150.23
0300O	GAUGES/INSTRUMENTS	259989	1996/04/29	107.50	.00	.00	107.50
REPAIR TYPE TOTAL				107.50	.00	.00	107.50
0326R	FUEL GG SENDER UNIT	261109	1996/06/14	21.50	.00	26.82	48.32
0326I	FUEL GG SENDER UNIT	261109	1996/06/14	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				43.00	.00	26.82	69.82
0340I	SPEEDOMETER	261109	1996/06/14	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
0344R	SPEDOMETR SENDR UNIT	261109	1996/06/14	43.00	.00	21.01	64.01
REPAIR TYPE TOTAL				43.00	.00	21.01	64.01
REPAIR SUB GROUP TOTAL				236.50	.00	47.83	284.33
0795O	DUMP BODY	258950	1996/03/14	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
0797O	DMPBODY SPILL SHIELD	262569	1996/08/21	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
0798O	DUMP BODY TAILGATE	259063	1996/03/20	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				236.50	.00	.00	236.50
REPAIR GROUP TOTAL				580.50	42.73	47.83	671.06

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				118.25	.00	61.09	179.34
REPAIR GROUP TOTAL				118.25	.00	61.09	179.34
7301L	HYD LINE, PRESSURE	256395	1995/12/15	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
7601R	QUICK DISCONNECT	252342	1995/06/22	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
7721R	HYD TANK FILTER	253217	1995/08/17	32.25	6.49	.00	38.74
REPAIR TYPE TOTAL				32.25	6.49	.00	38.74
REPAIR SUB GROUP TOTAL				32.25	6.49	.00	38.74
REPAIR GROUP TOTAL				96.75	6.49	.00	103.24
98200	GENERAL GREASING	M06595	1995/01/18	107.50	1.74	6.56	115.80
98200	GENERAL GREASING	M06919	1995/03/15	86.00	.87	4.92	91.79
98200	GENERAL GREASING	M07392	1995/07/21	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07632	1995/09/18	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07773	1995/10/24	86.00	21.60	.00	107.60
98200	GENERAL GREASING	M07962	1995/12/07	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				537.50	26.85	11.48	575.83
9860I	TRUCK INSPECTION	253217	1995/08/17	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
9890I	DIAGNOSTIC ELECTRIC	254670	1995/10/16	193.50	.00	.00	193.50
REPAIR TYPE TOTAL				193.50	.00	.00	193.50
9895I	DIAGNOSTIC MECHANICL	248654	1995/01/25	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				881.50	26.85	11.48	919.83
99400	POWER PLANT GROUP	253475	1995/08/21	.00	.00	.00	.00
99400	POWER PLANT GROUP	254670	1995/10/16	.00	.00	160.08	160.08
REPAIR TYPE TOTAL				.00	.00	160.08	160.08
REPAIR SUB GROUP TOTAL				.00	.00	160.08	160.08
REPAIR GROUP TOTAL				881.50	26.85	171.56	1,079.91
PM/MINUS PM TOTAL				4,894.69	420.24	683.20	5,998.13

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4566R	OIL FILLER/DIPSTICK	251777	1995/06/02	10.75	.00	12.88	23.63
4566R	OIL FILLER/DIPSTICK	254670	1995/10/16	10.75	.00	13.29	24.04
REPAIR TYPE TOTAL				21.50	.00	26.17	47.67
45700	VENTILATING SYSTEM	250538	1995/04/14	107.50	1.21	5.02	113.73
REPAIR TYPE TOTAL				107.50	1.21	5.02	113.73
4575R	VALVE COVER GASKET	251777	1995/06/02	10.75	.00	6.48	17.23
4575R	VALVE COVER GASKET	254670	1995/10/16	.00	.00	13.36	13.36
REPAIR TYPE TOTAL				10.75	.00	19.84	30.59
REPAIR SUB GROUP TOTAL				279.50	1.21	86.44	367.15
REPAIR GROUP TOTAL				1,247.00	63.58	304.57	1,615.15
51100	TARPALIN ASSEMBLY	248761	1995/02/03	172.00	.00	.00	172.00
51100	TARPALIN ASSEMBLY	250173	1995/03/24	21.50	.00	.00	21.50
51100	TARPALIN ASSEMBLY	252049	1995/06/12	21.50	.00	.00	21.50
51100	TARPALIN ASSEMBLY	253458	1995/08/21	43.00	.00	.00	43.00
51100	TARPALIN ASSEMBLY	254378	1995/09/22	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				268.75	.00	.00	268.75
5115R	W/WASHER BLADES	256054	1995/11/30	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				290.25	.00	.00	290.25
5221R	RADIO,AM/FM	252440	1995/08/07	.00	.00	104.00	104.00
52210	RADIO,AM/FM	252440	1995/08/07	161.25	.00	.00	161.25
REPAIR TYPE TOTAL				161.25	.00	104.00	265.25
52400	BOX SHAKER	253458	1995/08/21	75.25	.00	.00	75.25
52400	BOX SHAKER	253526	1995/08/21	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
52440	BOX SPRAY PUMP	252113	1995/06/15	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				344.00	.00	104.00	448.00
54100	SNOW PLOW FRAME	256704	1995/12/28	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
REPAIR GROUP TOTAL				677.25	.00	104.00	781.25
66000	SP EQUIP ACCESSORIES	252153	1995/06/19	.00	.00	20.28	20.28
66000	SP EQUIP ACCESSORIES	252440	1995/08/07	118.25	.00	40.81	159.06
REPAIR TYPE TOTAL				118.25	.00	61.09	179.34

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4101R	FILTER, PRIMARY	250538	1995/04/14	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
41300	SUPERCHARGER	250538	1995/04/14	96.75	.00	.00	96.75
4130I	SUPERCHARGER	254670	1995/10/16	86.00	.00	.00	86.00
41300	SUPERCHARGER	254670	1995/10/16	139.75	.00	.00	139.75
REPAIR TYPE TOTAL				322.50	.00	.00	322.50
REPAIR SUB GROUP TOTAL				408.50	5.37	.00	413.87
4200I	COOLING SYSTEM	252964	1995/07/24	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
4212R	COOLANT FILTER	253217	1995/08/17	32.25	8.88	.00	41.13
4212R	COOLANT FILTER	253475	1995/08/21	.00	8.88	.00	8.88
REPAIR TYPE TOTAL				32.25	17.76	.00	50.01
REPAIR SUB GROUP TOTAL				43.00	17.76	.00	60.76
4300I	EXHAUST SYSTEM	254378	1995/09/22	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
43110	TAIL PIPE	254378	1995/09/22	32.25	30.72	.00	62.97
REPAIR TYPE TOTAL				32.25	30.72	.00	62.97
REPAIR SUB GROUP TOTAL				43.00	30.72	.00	73.72
4410R	FILTER, PRIMARY	249418	1995/02/27	86.00	.00	.00	86.00
4410R	FILTER, PRIMARY	252144	1995/06/15	53.75	.00	.00	53.75
4410R	FILTER, PRIMARY	254552	1995/10/03	43.00	.00	72.71	115.71
4410R	FILTER, PRIMARY	256288	1995/12/15	64.50	.00	72.71	137.21
REPAIR TYPE TOTAL				247.25	.00	145.42	392.67
4411R	FILTER, SECONDARY	256288	1995/12/15	.00	.00	72.71	72.71
REPAIR TYPE TOTAL				.00	.00	72.71	72.71
4415R	FUEL LINES	255670	1995/11/16	150.50	8.52	.00	159.02
REPAIR TYPE TOTAL				150.50	8.52	.00	159.02
4420I	FUEL PUMP	254670	1995/10/16	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				473.00	8.52	218.13	699.65
4500I	ENGINE	251777	1995/06/02	32.25	.00	.00	32.25
45000	ENGINE	254670	1995/10/16	64.50	.00	35.41	99.91
REPAIR TYPE TOTAL				96.75	.00	35.41	132.16
45620	OIL FILTER ASSEMBLY	255927	1995/11/28	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
3101I	ALTERNATOR	254552	1995/10/03	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
3107L	ALTERNATOR BELT	252914	1995/07/20	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				107.50	.00	.00	107.50
3201R	BATTERY	252813	1995/07/14	161.25	164.08	.00	325.33
3201I	BATTERY	254552	1995/10/03	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				236.50	164.08	.00	400.58
3202O	BATTERY CABLE	254552	1995/10/03	53.75	.00	.00	53.75
3202O	BATTERY CABLE	254670	1995/10/16	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				139.75	.00	.00	139.75
REPAIR SUB GROUP TOTAL				376.25	164.08	.00	540.33
3325I	GLOW PLUG(S)	253458	1995/08/21	107.50	.00	.00	107.50
REPAIR TYPE TOTAL				107.50	.00	.00	107.50
REPAIR SUB GROUP TOTAL				107.50	.00	.00	107.50
3401O	HEADLAMP	256769	1995/12/28	21.50	.00	.00	21.50
3401O	HEADLAMP	256716	1995/12/28	53.75	12.36	.00	66.11
REPAIR TYPE TOTAL				75.25	12.36	.00	87.61
3415O	TURN SIGNAL LAMP	250657	1995/04/18	311.75	8.88	.00	320.63
3415R	TURN SIGNAL LAMP	256716	1995/12/28	.00	.34	.00	.34
REPAIR TYPE TOTAL				311.75	9.22	.00	320.97
3430O	CLEARANCE/MARKER LMP	250538	1995/04/14	10.75	.00	.00	10.75
3430O	CLEARANCE/MARKER LMP	255697	1995/11/16	21.50	12.79	.00	34.29
3430O	CLEARANCE/MARKER LMP	255927	1995/11/28	21.50	1.95	.00	23.45
3430O	CLEARANCE/MARKER LMP	255901	1995/11/28	86.00	1.49	.00	87.49
REPAIR TYPE TOTAL				139.75	16.23	.00	155.98
3433O	MISC. LAMPS	256654	1995/12/19	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
3440O	STROBE LAMP	249853	1995/03/10	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				698.75	37.81	.00	736.56
REPAIR GROUP TOTAL				1,290.00	201.89	.00	1,491.89
4100I	INTAKE SYSTEM	250538	1995/04/14	64.50	5.37	.00	69.87
REPAIR TYPE TOTAL				64.50	5.37	.00	69.87

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
ENDYR TOTAL				7,185.75	356.54	2,045.90	9,588.19
1115L	PMA	250538	1995/04/14	118.25	10.97	44.20	173.42
1115L	PMA	256654	1995/12/19	175.44	10.98	49.20	235.62
REPAIR TYPE TOTAL				293.69	21.95	93.40	409.04
1120L	PMB	253217	1995/08/17	161.25	.00	.00	161.25
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
REPAIR SUB GROUP TOTAL				454.94	21.95	93.40	570.29
REPAIR GROUP TOTAL				454.94	21.95	93.40	570.29
PM/MINUS PM TOTAL				454.94	21.95	93.40	570.29
0215R	MIRROR, EXTERNAL	254552	1995/10/03	43.00	13.81	.00	56.81
REPAIR TYPE TOTAL				43.00	13.81	.00	56.81
REPAIR SUB GROUP TOTAL				43.00	13.81	.00	56.81
07300	HOOD	256769	1995/12/28	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
0797R	DMPBODY SPILL SHIELD	252153	1995/06/19	215.00	11.77	35.66	262.43
REPAIR TYPE TOTAL				215.00	11.77	35.66	262.43
REPAIR SUB GROUP TOTAL				279.50	11.77	35.66	326.93
REPAIR GROUP TOTAL				322.50	25.58	35.66	383.74
17010	TIRE, FLAT	253019	1995/07/26	86.00	.00	.00	86.00
1701R	TIRE, FLAT	254019	1995/09/15	67.94	95.85	.00	163.79
REPAIR TYPE TOTAL				153.94	95.85	.00	249.79
REPAIR SUB GROUP TOTAL				153.94	95.85	.00	249.79
1821R	LUG NUTS	256113	1995/12/05	43.00	.00	6.32	49.32
REPAIR TYPE TOTAL				43.00	.00	6.32	49.32
REPAIR SUB GROUP TOTAL				43.00	.00	6.32	49.32
REPAIR GROUP TOTAL				196.94	95.85	6.32	299.11
26000	TRANSMISSION, MANUAL	255927	1995/11/28	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				64.50	.00	.00	64.50
REPAIR GROUP TOTAL				64.50	.00	.00	64.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR GROUP TOTAL				129.00	.00	.00	129.00
7301O	HYD LINE, PRESSURE	242859	1994/06/15	86.00	.00	.00	86.00
7301I	HYD LINE, PRESSURE	246436	1994/10/28	21.50	.00	.00	21.50
7301O	HYD LINE, PRESSURE	246436	1994/10/28	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				172.00	.00	.00	172.00
REPAIR SUB GROUP TOTAL				172.00	.00	.00	172.00
7601O	QUICK DISCONNECT	243006	1994/06/21	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
7720R	HYD TANK FILTER ASSM	244783	1994/09/14	118.25	1.94	.00	120.19
REPAIR TYPE TOTAL				118.25	1.94	.00	120.19
7721R	HYD TANK FILTER	245913	1994/10/05	32.25	6.67	.00	38.92
REPAIR TYPE TOTAL				32.25	6.67	.00	38.92
REPAIR SUB GROUP TOTAL				150.50	8.61	.00	159.11
REPAIR GROUP TOTAL				365.50	8.61	.00	374.11
9820O	GENERAL GREASING	M05296	1994/02/22	86.00	.80	2.56	89.36
9820O	GENERAL GREASING	M05443	1994/03/15	86.00	.80	2.56	89.36
9820O	GENERAL GREASING	M05661	1994/05/11	107.50	.80	1.28	109.58
9820O	GENERAL GREASING	M05986	1994/08/20	64.50	.80	7.92	73.22
9820O	GENERAL GREASING	M06025	1994/09/08	96.75	.80	.00	97.55
9820O	GENERAL GREASING	M06448	1994/12/14	86.00	.80	5.96	92.76
REPAIR TYPE TOTAL				526.75	4.80	20.28	551.83
9860I	TRUCK INSPECTION	244783	1994/09/14	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
9895I	DIAGNOSTIC MECHANICL	245913	1994/10/05	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				569.75	4.80	20.28	594.83
9940O	POWER PLANT GROUP	239868	1994/03/09	.00	.00	.00	.00
9940O	POWER PLANT GROUP	240844	1994/04/04	.00	.00	183.37	183.37
REPAIR TYPE TOTAL				.00	.00	183.37	183.37
REPAIR SUB GROUP TOTAL				.00	.00	183.37	183.37
REPAIR GROUP TOTAL				569.75	4.80	203.65	778.20
PM/MINUS PM TOTAL				6,874.00	334.12	1,978.16	9,186.28

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
44200	FUEL PUMP	242400	1994/06/01	139.75	.93	.00	140.68
REPAIR TYPE TOTAL				139.75	.93	.00	140.68
REPAIR SUB GROUP TOTAL				473.00	.93	477.09	951.02
45001	ENGINE	247777	1994/12/30	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
45200	VALVETRAIN ASSEMBLY	244660	1994/08/26	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				139.75	.00	.00	139.75
REPAIR GROUP TOTAL				1,575.75	62.06	519.31	2,157.12
51000	ACCESSORIES, GENERAL	240994	1994/04/12	569.75	3.62	.00	573.37
REPAIR TYPE TOTAL				569.75	3.62	.00	573.37
51021	MUD FLAP(S)	243006	1994/06/21	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
5105R	AIR HORN ASSEMBLY	243583	1994/07/12	258.00	.00	64.76	322.76
REPAIR TYPE TOTAL				258.00	.00	64.76	322.76
5110R	TARPALIN ASSEMBLY	240994	1994/04/12	.00	.00	852.71	852.71
51100	TARPALIN ASSEMBLY	246026	1994/10/10	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	852.71	895.71
REPAIR SUB GROUP TOTAL				881.50	3.62	917.47	1,802.59
5244R	BOX SPRAY PUMP	243726	1994/07/29	645.00	22.07	182.50	849.57
REPAIR TYPE TOTAL				645.00	22.07	182.50	849.57
REPAIR SUB GROUP TOTAL				645.00	22.07	182.50	849.57
54050	SNOW PLOW LIFT CYLIN	246993	1994/11/22	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
54220	UNDERBODY PLOW RAM	246993	1994/11/22	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
REPAIR SUB GROUP TOTAL				150.50	.00	.00	150.50
REPAIR GROUP TOTAL				1,677.00	25.69	1,099.97	2,802.66
66000	SP EQUIP ACCESSORIES	243006	1994/06/21	86.00	.00	.00	86.00
66000	SP EQUIP ACCESSORIES	247224	1994/12/01	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
REPAIR SUB GROUP TOTAL				129.00	.00	.00	129.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR GROUP TOTAL				579.00	224.65	.00	803.65
4200I	COOLING SYSTEM	245792	1994/09/29	75.25	.00	.00	75.25
4200I	COOLING SYSTEM	246495	1994/10/31	53.75	.00	.00	53.75
42000	COOLING SYSTEM	246495	1994/10/31	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				150.50	.00	.00	150.50
42040	RAD HOSE, LOWER	246495	1994/10/31	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
4205R	RAD HOSE CLAMP	245792	1994/09/29	86.00	.00	4.22	90.22
4205L	RAD HOSE CLAMP	245792	1994/09/29	32.25	.00	.00	32.25
4205R	RAD HOSE CLAMP	246495	1994/10/31	.00	.00	38.00	38.00
REPAIR TYPE TOTAL				118.25	.00	42.22	160.47
4212R	COOLANT FILTER	244783	1994/09/14	53.75	44.74	.00	98.49
REPAIR TYPE TOTAL				53.75	44.74	.00	98.49
42260	FAN CLUTCH	238557	1994/01/24	60.00	.00	.00	60.00
42260	FAN CLUTCH	244660	1994/08/26	75.25	.00	.00	75.25
42260	FAN CLUTCH	244783	1994/09/14	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				167.50	.00	.00	167.50
4230R	WATER PUMP	246522	1994/11/17	225.75	.00	.00	225.75
4230I	WATER PUMP	246522	1994/11/17	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				301.00	.00	.00	301.00
42310	WATER PUMP BELT	239135	1994/02/04	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
REPAIR SUB GROUP TOTAL				887.75	44.74	42.22	974.71
43500	CLAMPS	248025	1994/12/30	75.25	16.39	.00	91.64
REPAIR TYPE TOTAL				75.25	16.39	.00	91.64
REPAIR SUB GROUP TOTAL				75.25	16.39	.00	91.64
44010	TANK, DIESEL	238696	1994/01/25	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
4410R	FILTER, PRIMARY	238220	1994/01/10	64.50	.00	145.42	209.92
4410R	FILTER, PRIMARY	241536	1994/04/25	21.50	.00	.00	21.50
4410R	FILTER, PRIMARY	243006	1994/06/21	64.50	.00	136.54	201.04
4410R	FILTER, PRIMARY	246263	1994/10/20	43.00	.00	145.42	188.42
4410R	FILTER, PRIMARY	247515	1994/12/12	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				247.25	.00	427.38	674.63
4411R	FILTER, SECONDARY	238696	1994/01/25	.00	.00	49.71	49.71
REPAIR TYPE TOTAL				.00	.00	49.71	49.71

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
17010	TIRE, FLAT	246993	1994/11/22	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
18010	RIM	246522	1994/11/17	215.00	.00	26.66	241.66
REPAIR TYPE TOTAL				215.00	.00	26.66	241.66
REPAIR SUB GROUP TOTAL				215.00	.00	26.66	241.66
REPAIR GROUP TOTAL				559.00	4.24	82.17	645.41
2300L	CLUTCH ASSEMBLY	244783	1994/09/14	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				64.50	.00	.00	64.50
REPAIR GROUP TOTAL				64.50	.00	.00	64.50
32010	BATTERY	238879	1994/01/25	21.50	66.42	.00	87.92
3201R	BATTERY	247777	1994/12/30	10.75	70.04	.00	80.79
REPAIR TYPE TOTAL				32.25	136.46	.00	168.71
32020	BATTERY CABLE	238879	1994/01/25	43.00	9.24	.00	52.24
REPAIR TYPE TOTAL				43.00	9.24	.00	52.24
32060	BATTERY HOLDDOWNS	238879	1994/01/25	43.00	1.48	.00	44.48
REPAIR TYPE TOTAL				43.00	1.48	.00	44.48
REPAIR SUB GROUP TOTAL				118.25	147.18	.00	265.43
3401L	HEADLAMP	238557	1994/01/24	20.00	.00	.00	20.00
3401R	HEADLAMP	247185	1994/11/29	32.25	10.87	.00	43.12
REPAIR TYPE TOTAL				52.25	10.87	.00	63.12
34150	TURN SIGNAL LAMP	239274	1994/03/29	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
34300	CLEARANCE/MARKER LMP	240567	1994/03/18	21.50	.00	.00	21.50
3430R	CLEARANCE/MARKER LMP	243006	1994/06/21	64.50	10.41	.00	74.91
REPAIR TYPE TOTAL				86.00	10.41	.00	96.41
34400	STROBE LAMP	247224	1994/12/01	139.75	37.80	.00	177.55
REPAIR TYPE TOTAL				139.75	37.80	.00	177.55
3450R	SANDER/WORK LAMP	246757	1994/11/10	86.00	9.16	.00	95.16
3450R	SANDER/WORK LAMP	247127	1994/11/29	53.75	9.23	.00	62.98
REPAIR TYPE TOTAL				139.75	18.39	.00	158.14
REPAIR SUB GROUP TOTAL				460.75	77.47	.00	538.22

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				311.75	22.42	67.74	401.91
REPAIR GROUP TOTAL				311.75	22.42	67.74	401.91
PM/MINUS PM TOTAL				311.75	22.42	67.74	401.91
01530	HEATER SHUTOFF VALVE	242292	1994/05/23	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
REPAIR SUB GROUP TOTAL				53.75	.00	.00	53.75
0300R	GAUGES/INSTRUMENTS	240614	1994/05/04	731.00	4.07	17.98	753.05
REPAIR TYPE TOTAL				731.00	4.07	17.98	753.05
03250	FUEL GAUGE	239117	1994/02/14	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
0326R	FUEL GG SENDER UNIT	239117	1994/02/14	.00	.00	26.18	26.18
03260	FUEL GG SENDER UNIT	242400	1994/06/01	182.75	.00	.00	182.75
0326R	FUEL GG SENDER UNIT	242400	1994/06/01	.00	.00	28.90	28.90
REPAIR TYPE TOTAL				182.75	.00	55.08	237.83
REPAIR SUB GROUP TOTAL				1,042.75	4.07	73.06	1,119.88
07120	DOOR LATCH ASSEMBLY	247674	1994/12/19	161.25	.00	.00	161.25
REPAIR TYPE TOTAL				161.25	.00	.00	161.25
07380	ENGINE COVER(S)	239274	1994/03/29	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
07980	DUMP BODY TAILGATE	246263	1994/10/20	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				258.00	.00	.00	258.00
REPAIR GROUP TOTAL				1,354.50	4.07	73.06	1,431.63
13350	BRAKE, POWER ASSIST	239274	1994/03/29	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
13500	AIR COMPRESSOR	239077	1994/02/01	139.75	4.24	.00	143.99
REPAIR TYPE TOTAL				139.75	4.24	.00	143.99
13520	AIR COMPR FILTER	239517	1994/02/14	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
13550	AIR DRYER ASSEMBLY	239517	1994/02/14	.00	.00	55.51	55.51
REPAIR TYPE TOTAL				.00	.00	55.51	55.51
REPAIR SUB GROUP TOTAL				301.00	4.24	55.51	360.75

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
51050	AIR HORN ASSEMBLY	236740	1993/11/12	21.50	.00	.00	21.50
51050	AIR HORN ASSEMBLY	237426	1993/12/03	53.75	.54	.00	54.29
51050	AIR HORN ASSEMBLY	238027	1993/12/22	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				118.25	.54	.00	118.79
REPAIR SUB GROUP TOTAL				118.25	.54	.00	118.79
52000	ACCESSORY, ELECTRIC	236706	1993/11/17	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
52300	RADIO ANTENNA	236740	1993/11/12	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				96.75	.00	.00	96.75
5910R	PINTLE HOOK	231148	1993/09/28	.00	.00	45.12	45.12
REPAIR TYPE TOTAL				.00	.00	45.12	45.12
REPAIR SUB GROUP TOTAL				.00	.00	45.12	45.12
REPAIR GROUP TOTAL				215.00	.54	45.12	260.66
66000	SP EQUIP ACCESSORIES	237741	1993/12/22	225.75	3.56	8.83	238.14
REPAIR TYPE TOTAL				225.75	3.56	8.83	238.14
REPAIR SUB GROUP TOTAL				225.75	3.56	8.83	238.14
REPAIR GROUP TOTAL				225.75	3.56	8.83	238.14
98300	NEW VEHICLE PREP.	231148	1993/09/28	3,033.65	274.44	243.73	3,551.82
9830I	NEW VEHICLE PREP.	231148	1993/09/28	.00	.00	271.20	271.20
98300	NEW VEHICLE PREP.	235740	1993/10/01	75.25	.00	97.65	172.90
98300	NEW VEHICLE PREP.	236740	1993/11/12	.00	.00	316.35	316.35
REPAIR TYPE TOTAL				3,108.90	274.44	928.93	4,312.27
REPAIR SUB GROUP TOTAL				3,108.90	274.44	928.93	4,312.27
REPAIR GROUP TOTAL				3,108.90	274.44	928.93	4,312.27
PM/MINUS PM TOTAL				4,764.40	280.69	1,513.72	6,558.81
ENDYR TOTAL				4,764.40	280.69	1,513.72	6,558.81
1115L	PMA	238557	1994/01/24	150.50	11.52	20.48	182.50
1115L	PMA	239517	1994/02/14	.00	.00	2.56	2.56
1115L	PMA	246757	1994/11/10	118.25	10.90	44.70	173.85
REPAIR TYPE TOTAL				268.75	22.42	67.74	358.91
1120L	PMB	244783	1994/09/14	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3221 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
9895I	DIAGNOSTIC MECHANICL	263658	0000/00/00	129.00	.00	.00	129.00
REPAIR TYPE TOTAL				129.00	.00	.00	129.00
REPAIR SUB GROUP TOTAL				129.00	.00	.00	129.00
REPAIR GROUP TOTAL				129.00	.00	.00	129.00
PM/MINUS PM TOTAL				129.00	.00	.00	129.00
ENDYR TOTAL				129.00	.00	.00	129.00
0215L	MIRROR, EXTERNAL	237464	1993/12/06	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
REPAIR GROUP TOTAL				21.50	.00	.00	21.50
13610	AIR SUPPLY LINES	236515	1993/10/29	419.25	.00	.00	419.25
13610	AIR SUPPLY LINES	237426	1993/12/03	150.50	1.34	.00	151.84
REPAIR TYPE TOTAL				569.75	1.34	.00	571.09
REPAIR SUB GROUP TOTAL				569.75	1.34	.00	571.09
1800R	WHEEL/RIM	236706	1993/11/17	.00	.00	347.21	347.21
REPAIR TYPE TOTAL				.00	.00	347.21	347.21
REPAIR SUB GROUP TOTAL				.00	.00	347.21	347.21
REPAIR GROUP TOTAL				569.75	1.34	347.21	918.30
4400L	FUEL SYSTEM	237279	1993/12/03	53.75	.00	.00	53.75
4400I	FUEL SYSTEM	237542	1993/12/09	.00	.00	.00	.00
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
4410R	FILTER, PRIMARY	237319	1993/12/03	.00	.00	183.63	183.63
REPAIR TYPE TOTAL				.00	.00	183.63	183.63
44150	FUEL LINES	237319	1993/12/03	301.00	.00	.00	301.00
44150	FUEL LINES	237348	1993/12/03	225.75	.81	.00	226.56
REPAIR TYPE TOTAL				526.75	.81	.00	527.56
REPAIR SUB GROUP TOTAL				580.50	.81	183.63	764.94
4500I	ENGINE	237426	1993/12/03	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
REPAIR GROUP TOTAL				623.50	.81	183.63	807.94

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 16

VEHICLE 3220 INT' ETHANOL TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
	UNIT TOTAL			17,443.19	3,041.69	4,943.73	25,428.61

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 15

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
66000	SP EQUIP ACCESSORIES	263446	1996/09/19	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
REPAIR SUB GROUP TOTAL				32.25	.00	.00	32.25
REPAIR GROUP TOTAL				32.25	.00	.00	32.25
73010	HYD LINE, PRESSURE	258825	1996/03/11	279.50	52.19	.00	331.69
73010	HYD LINE, PRESSURE	258898	1996/03/14	43.00	.00	.00	43.00
73010	HYD LINE, PRESSURE	259226	1996/03/29	86.00	29.56	.00	115.56
REPAIR TYPE TOTAL				408.50	81.75	.00	490.25
73100	HYD LINE, RETURN	259015	1996/03/18	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				483.75	81.75	.00	565.50
7721R	HYD TANK FILTER	262383	1996/09/20	21.50	6.49	.00	27.99
REPAIR TYPE TOTAL				21.50	6.49	.00	27.99
7725L	HYDRAULIC FLUID	259020	1996/03/18	43.00	17.76	.00	60.76
REPAIR TYPE TOTAL				43.00	17.76	.00	60.76
REPAIR SUB GROUP TOTAL				64.50	24.25	.00	88.75
REPAIR GROUP TOTAL				548.25	106.00	.00	654.25
91320	AUX AIR CYLINDER	262734	1996/08/26	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
98200	GENERAL GREASING	M08223	1996/02/08	86.00	.88	.00	86.88
98200	GENERAL GREASING	M08408	1996/03/14	86.00	.88	.00	86.88
98200	GENERAL GREASING	M09047	1996/08/15	86.00	.88	.00	86.88
98200	GENERAL GREASING	M09176	1996/09/20	86.00	.88	.00	86.88
98200	GENERAL GREASING	M09297	1996/10/28	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				430.00	4.40	.00	434.40
9860I	TRUCK INSPECTION	262383	1996/09/20	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				473.00	4.40	.00	477.40
REPAIR GROUP TOTAL				494.50	4.40	.00	498.90
PM/MINUS PM TOTAL				5,657.94	1,538.77	864.65	8,061.36
ENDYR TOTAL				5,829.94	1,549.75	890.39	8,270.08

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4200I	COOLING SYSTEM	264342	1996/11/05	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
4212R	COOLANT FILTER	262383	1996/09/20	21.50	8.88	.00	30.38
REPAIR TYPE TOTAL				21.50	8.88	.00	30.38
4226R	FAN CLUTCH	263529	1996/10/31	311.75	.00	.00	311.75
4226O	FAN CLUTCH	263529	1996/10/31	236.50	1.64	567.58	805.72
4226I	FAN CLUTCH	263529	1996/10/31	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				612.75	1.64	567.58	1,181.97
4231L	WATER PUMP BELT	262383	1996/09/20	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				698.75	10.52	567.58	1,276.85
4410R	FILTER, PRIMARY	259316	1996/03/29	118.25	.00	.00	118.25
4410R	FILTER, PRIMARY	262383	1996/09/20	.00	.00	8.22	8.22
REPAIR TYPE TOTAL				118.25	.00	8.22	126.47
4411R	FILTER, SECONDARY	262383	1996/09/20	.00	.00	8.22	8.22
REPAIR TYPE TOTAL				.00	.00	8.22	8.22
REPAIR SUB GROUP TOTAL				118.25	.00	16.44	134.69
REPAIR GROUP TOTAL				817.00	10.52	584.02	1,411.54
5100O	ACCESSORIES, GENERAL	258681	1996/03/18	408.50	3.09	.00	411.59
REPAIR TYPE TOTAL				408.50	3.09	.00	411.59
5110O	TARPALIN ASSEMBLY	261055	1996/06/14	215.00	.84	.00	215.84
REPAIR TYPE TOTAL				215.00	.84	.00	215.84
REPAIR SUB GROUP TOTAL				623.50	3.93	.00	627.43
5240O	BOX SHAKER	258610	1996/02/29	86.00	105.00	.00	191.00
5240O	BOX SHAKER	260747	1996/05/30	161.25	36.27	.00	197.52
REPAIR TYPE TOTAL				247.25	141.27	.00	388.52
REPAIR SUB GROUP TOTAL				247.25	141.27	.00	388.52
5410O	SNOW PLOW FRAME	256942	1996/01/10	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
REPAIR GROUP TOTAL				913.75	145.20	.00	1,058.95
6600L	SP EQUIP ACCESSORIES	262522	1996/08/15	21.50	.00	.00	21.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
3107R	ALTERNATOR BELT	263660	1996/10/09	107.50	.00	10.56	118.06
REPAIR TYPE TOTAL				107.50	.00	10.56	118.06
31200	WIRES	260975	1996/06/07	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
REPAIR SUB GROUP TOTAL				182.75	.00	10.56	193.31
3201R	BATTERY	263916	1996/10/21	75.25	346.08	.00	421.33
REPAIR TYPE TOTAL				75.25	346.08	.00	421.33
REPAIR SUB GROUP TOTAL				75.25	346.08	.00	421.33
34000	LIGHTING SYSTEM	261426	1996/07/02	107.50	13.00	.00	120.50
REPAIR TYPE TOTAL				107.50	13.00	.00	120.50
3401R	HEADLAMP	256887	1996/01/05	10.75	12.36	.00	23.11
34010	HEADLAMP	256942	1996/01/10	21.50	12.36	.00	33.86
REPAIR TYPE TOTAL				32.25	24.72	.00	56.97
34100	STOPLAMP	259084	1996/03/20	64.50	.00	.00	64.50
34100	STOPLAMP	262855	1996/09/03	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				107.50	.00	.00	107.50
34150	TURN SIGNAL LAMP	262855	1996/09/03	107.50	12.97	.00	120.47
34150	TURN SIGNAL LAMP	262860	1996/09/10	.00	1.76	.00	1.76
REPAIR TYPE TOTAL				107.50	14.73	.00	122.23
34300	CLEARANCE/MARKER LMP	258560	1996/02/29	43.00	.00	.00	43.00
34300	CLEARANCE/MARKER LMP	259431	1996/04/03	21.50	1.83	.00	23.33
34300	CLEARANCE/MARKER LMP	261107	1996/06/14	43.00	1.82	.00	44.82
REPAIR TYPE TOTAL				107.50	3.65	.00	111.15
34310	INTERIOR/DASH LAMP	259046	1996/03/20	21.50	.80	.00	22.30
34310	INTERIOR/DASH LAMP	260283	1996/06/07	21.50	.93	.00	22.43
REPAIR TYPE TOTAL				43.00	1.73	.00	44.73
34400	STROBE LAMP	257464	1996/01/23	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
34500	SANDER/WORK LAMP	264574	1996/11/08	53.75	9.68	.00	63.43
REPAIR TYPE TOTAL				53.75	9.68	.00	63.43
3455R	LAMP SWITCH(S)	259084	1996/03/20	.00	.00	9.81	9.81
REPAIR TYPE TOTAL				.00	.00	9.81	9.81
REPAIR SUB GROUP TOTAL				602.00	67.51	9.81	679.32
REPAIR GROUP TOTAL				860.00	413.59	20.37	1,293.96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
07950	DUMP BODY	262822	1996/08/28	96.75	.00	.00	96.75
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
REPAIR SUB GROUP TOTAL				96.75	.00	.00	96.75
REPAIR GROUP TOTAL				967.50	41.25	.00	1,008.75
1310L	REAR BRAKE SHOES/PAD	264342	1996/11/05	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
13230	BRAKE LINES	261426	1996/07/02	43.00	1.52	.00	44.52
REPAIR TYPE TOTAL				43.00	1.52	.00	44.52
1365R	AIR VALVES	264342	1996/11/05	86.00	13.56	.00	99.56
REPAIR TYPE TOTAL				86.00	13.56	.00	99.56
1380R	SLACK ADJUSTERS	263529	1996/10/31	.00	.00	13.44	13.44
REPAIR TYPE TOTAL				.00	.00	13.44	13.44
REPAIR SUB GROUP TOTAL				150.50	15.08	13.44	179.02
1620R	SPRING	264342	1996/11/05	.00	.00	246.82	246.82
REPAIR TYPE TOTAL				.00	.00	246.82	246.82
1660R	SHOCK, REAR	264342	1996/11/05	634.25	.33	.00	634.58
REPAIR TYPE TOTAL				634.25	.33	.00	634.58
REPAIR SUB GROUP TOTAL				634.25	.33	246.82	881.40
17010	TIRE, FLAT	264342	1996/11/05	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
1702R	TIRE, WORN	258095	1996/02/09	153.94	802.40	.00	956.34
REPAIR TYPE TOTAL				153.94	802.40	.00	956.34
REPAIR SUB GROUP TOTAL				218.44	802.40	.00	1,020.84
REPAIR GROUP TOTAL				1,003.19	817.81	260.26	2,081.26
2301L	PRESSURE PLATE	260283	1996/06/07	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
REPAIR GROUP TOTAL				21.50	.00	.00	21.50
3101L	ALTERNATOR	262383	1996/09/20	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
9895I	DIAGNOSTIC MECHANICL	251266	1995/06/12	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				688.00	6.13	10.86	704.99
REPAIR GROUP TOTAL				688.00	6.13	10.86	704.99
PM/MINUS PM TOTAL				3,375.50	959.74	1,099.65	5,434.89
ENDYR TOTAL				3,687.25	980.82	1,168.03	5,836.10
1110R	WET TYPE HUB ASSEMB.	263529	1996/10/31	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
1115L	PMA	260753	1996/05/30	129.00	10.98	25.74	165.72
REPAIR TYPE TOTAL				129.00	10.98	25.74	165.72
1120L	PMB	262383	1996/09/20	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				172.00	10.98	25.74	208.72
REPAIR GROUP TOTAL				172.00	10.98	25.74	208.72
PM/MINUS PM TOTAL				172.00	10.98	25.74	208.72
0215R	MIRROR, EXTERNAL	257464	1996/01/23	64.50	13.81	.00	78.31
0215R	MIRROR, EXTERNAL	257648	1996/01/30	10.75	13.81	.00	24.56
0215O	MIRROR, EXTERNAL	261497	1996/07/03	53.75	.82	.00	54.57
0215I	MIRROR, EXTERNAL	261865	1996/07/23	107.50	.00	.00	107.50
REPAIR TYPE TOTAL				236.50	28.44	.00	264.94
0217R	MIRROR, EXT CONVEX	261603	1996/07/03	32.25	12.81	.00	45.06
REPAIR TYPE TOTAL				32.25	12.81	.00	45.06
REPAIR SUB GROUP TOTAL				268.75	41.25	.00	310.00
0300O	GAUGES/INSTRUMENTS	260283	1996/06/07	236.50	.00	.00	236.50
REPAIR TYPE TOTAL				236.50	.00	.00	236.50
0340O	SPEEDOMETER	259020	1996/03/18	86.00	.00	.00	86.00
0340O	SPEEDOMETER	259046	1996/03/20	139.75	.00	.00	139.75
REPAIR TYPE TOTAL				225.75	.00	.00	225.75
0350O	TACHOMETER	259020	1996/03/18	96.75	.00	.00	96.75
0350O	TACHOMETER	259046	1996/03/20	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				139.75	.00	.00	139.75
REPAIR SUB GROUP TOTAL				602.00	.00	.00	602.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
52400	BOX SHAKER	252989	1995/07/26	107.50	7.43	.00	114.93
REPAIR TYPE TOTAL				107.50	7.43	.00	114.93
52440	BOX SPRAY PUMP	242973	1995/02/02	86.00	8.75	.00	94.75
REPAIR TYPE TOTAL				86.00	8.75	.00	94.75
REPAIR SUB GROUP TOTAL				193.50	16.18	.00	209.68
REPAIR GROUP TOTAL				440.75	16.18	77.43	534.36
73010	HYD LINE, PRESSURE	251190	1995/05/03	86.00	1.42	.00	87.42
REPAIR TYPE TOTAL				86.00	1.42	.00	87.42
REPAIR SUB GROUP TOTAL				86.00	1.42	.00	87.42
74001	HYDRAULIC VALVES	255966	1995/11/30	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
74010	HYDRAULIC VALVE	256084	1995/12/07	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				139.75	.00	.00	139.75
76010	QUICK DISCONNECT	242973	1995/02/02	21.50	3.24	.00	24.74
REPAIR TYPE TOTAL				21.50	3.24	.00	24.74
REPAIR SUB GROUP TOTAL				21.50	3.24	.00	24.74
7721R	HYD TANK FILTER	253215	1995/08/21	10.75	6.49	.00	17.24
REPAIR TYPE TOTAL				10.75	6.49	.00	17.24
7725L	HYDRAULIC FLUID	251190	1995/05/03	.00	29.60	.00	29.60
7725L	HYDRAULIC FLUID	255966	1995/11/30	.00	44.40	.00	44.40
REPAIR TYPE TOTAL				.00	74.00	.00	74.00
REPAIR SUB GROUP TOTAL				10.75	80.49	.00	91.24
REPAIR GROUP TOTAL				258.00	85.15	.00	343.15
98200	GENERAL GREASING	M06599	1995/01/19	86.00	.87	.00	86.87
98200	GENERAL GREASING	M06920	1995/03/15	107.50	.87	4.92	113.29
98200	GENERAL GREASING	M07085	1995/04/26	86.00	.87	.00	86.87
98200	GENERAL GREASING	M07393	1995/07/21	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07547	1995/08/24	86.00	.88	5.94	92.82
98200	GENERAL GREASING	M07633	1995/09/18	86.00	.88	.00	86.88
98200	GENERAL GREASING	M07963	1995/12/07	86.00	.88	.00	86.88
REPAIR TYPE TOTAL				623.50	6.13	10.86	640.49
98601	TRUCK INSPECTION	253215	1995/08/21	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
34500	SANDER/WORK LAMP	249176	1995/02/14	10.75	.00	.00	10.75
REPAIR TYPE TOTAL				10.75	.00	.00	10.75
REPAIR SUB GROUP TOTAL				698.75	46.29	.00	745.04
REPAIR GROUP TOTAL				698.75	46.29	.00	745.04
4200I	COOLING SYSTEM	248571	1995/01/25	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
4212R	COOLANT FILTER	253215	1995/08/21	10.75	8.88	.00	19.63
REPAIR TYPE TOTAL				10.75	8.88	.00	19.63
4226R	FAN CLUTCH	250685	1995/06/12	86.00	.66	753.93	840.59
REPAIR TYPE TOTAL				86.00	.66	753.93	840.59
REPAIR SUB GROUP TOTAL				161.25	9.54	753.93	924.72
43500	CLAMPS	254394	1995/09/22	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				21.50	.00	.00	21.50
4410R	FILTER, PRIMARY	253215	1995/08/21	10.75	.00	7.72	18.47
REPAIR TYPE TOTAL				10.75	.00	7.72	18.47
4411R	FILTER, SECONDARY	253215	1995/08/21	10.75	.00	7.72	18.47
REPAIR TYPE TOTAL				10.75	.00	7.72	18.47
REPAIR SUB GROUP TOTAL				21.50	.00	15.44	36.94
REPAIR GROUP TOTAL				204.25	9.54	769.37	983.16
51000	ACCESSORIES, GENERAL	254427	1995/09/26	.00	.00	58.62	58.62
REPAIR TYPE TOTAL				.00	.00	58.62	58.62
5102R	MUD FLAP(S)	242973	1995/02/02	32.25	.00	.00	32.25
5102R	MUD FLAP(S)	253215	1995/08/21	32.25	.00	.00	32.25
5102R	MUD FLAP(S)	256216	1995/12/07	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				107.50	.00	.00	107.50
51100	TARPALIN ASSEMBLY	248131	1995/01/12	75.25	.00	.00	75.25
51100	TARPALIN ASSEMBLY	254427	1995/09/26	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				96.75	.00	.00	96.75
5115R	W/WASHER BLADES	249363	1995/02/27	43.00	.00	18.81	61.81
REPAIR TYPE TOTAL				43.00	.00	18.81	61.81
REPAIR SUB GROUP TOTAL				247.25	.00	77.43	324.68

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
17010	TIRE, FLAT	250061	1995/03/17	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
1702R	TIRE, WORN	253774	1995/08/28	75.25	592.84	.00	668.09
REPAIR TYPE TOTAL				75.25	592.84	.00	668.09
REPAIR SUB GROUP TOTAL				139.75	592.84	.00	732.59
REPAIR GROUP TOTAL				516.00	748.14	161.24	1,425.38
2301L	PRESSURE PLATE	253707	1995/08/28	32.25	.00	.00	32.25
2301L	PRESSURE PLATE	256461	1995/12/15	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
REPAIR SUB GROUP TOTAL				53.75	.00	.00	53.75
2791L	TRANSMISSION FLUID	255091	1995/10/25	.00	14.80	.00	14.80
REPAIR TYPE TOTAL				.00	14.80	.00	14.80
REPAIR SUB GROUP TOTAL				.00	14.80	.00	14.80
REPAIR GROUP TOTAL				53.75	14.80	.00	68.55
3401R	HEADLAMP	249176	1995/02/14	10.75	11.00	.00	21.75
34010	HEADLAMP	255544	1995/11/14	43.00	12.36	.00	55.36
REPAIR TYPE TOTAL				53.75	23.36	.00	77.11
34150	URNSIGNAL LAMP	250656	1995/04/20	204.25	.00	.00	204.25
34150	URNSIGNAL LAMP	251266	1995/06/12	32.25	8.29	.00	40.54
REPAIR TYPE TOTAL				236.50	8.29	.00	244.79
34200	TAIL/PARK LAMP	251266	1995/06/12	.00	.00	.00	.00
REPAIR TYPE TOTAL				.00	.00	.00	.00
34300	CLEARANCE/MARKER LMP	242973	1995/02/02	86.00	2.28	.00	88.28
3430R	CLEARANCE/MARKER LMP	242973	1995/02/02	.00	10.41	.00	10.41
34300	CLEARANCE/MARKER LMP	250394	1995/04/04	75.25	.00	.00	75.25
34300	CLEARANCE/MARKER LMP	252675	1995/07/10	43.00	.00	.00	43.00
34300	CLEARANCE/MARKER LMP	252810	1995/07/14	32.25	.00	.00	32.25
34300	CLEARANCE/MARKER LMP	254394	1995/09/22	32.25	.00	.00	32.25
34300	CLEARANCE/MARKER LMP	256753	1995/12/28	21.50	1.95	.00	23.45
REPAIR TYPE TOTAL				290.25	14.64	.00	304.89
34330	MISC. LAMPS	254394	1995/09/22	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
34400	STROBE LAMP	248213	1995/01/12	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
	PM/MINUS PM TOTAL			311.75	21.08	68.38	401.21
01410	HOSE CLAMPS/FITTINGS	253215	1995/08/21	64.50	.55	.00	65.05
	REPAIR TYPE TOTAL			64.50	.55	.00	65.05
01530	HEATER SHUTOFF VALVE	251266	1995/06/12	75.25	2.20	.00	77.45
	REPAIR TYPE TOTAL			75.25	2.20	.00	77.45
	REPAIR SUB GROUP TOTAL			139.75	2.75	.00	142.50
0215R	MIRROR, EXTERNAL	253035	1995/07/28	10.75	12.41	.00	23.16
	REPAIR TYPE TOTAL			10.75	12.41	.00	23.16
	REPAIR SUB GROUP TOTAL			10.75	12.41	.00	23.16
0330R	AIR PRESSURE GAUGE	255945	1995/11/30	.00	.00	56.91	56.91
03300	AIR PRESSURE GAUGE	255945	1995/11/30	86.00	.00	.00	86.00
	REPAIR TYPE TOTAL			86.00	.00	56.91	142.91
	REPAIR SUB GROUP TOTAL			86.00	.00	56.91	142.91
07120	DOOR LATCH ASSEMBLY	249988	1995/03/16	43.00	.00	.00	43.00
	REPAIR TYPE TOTAL			43.00	.00	.00	43.00
0797R	DMPBODY SPILL SHIELD	251778	1995/06/12	193.50	18.35	23.84	235.69
	REPAIR TYPE TOTAL			193.50	18.35	23.84	235.69
0799R	PAINTING	251778	1995/06/12	43.00	.00	.00	43.00
	REPAIR TYPE TOTAL			43.00	.00	.00	43.00
	REPAIR SUB GROUP TOTAL			279.50	18.35	23.84	321.69
	REPAIR GROUP TOTAL			516.00	33.51	80.75	630.26
13500	AIR COMPRESSOR	250952	1995/04/26	86.00	13.98	.00	99.98
	REPAIR TYPE TOTAL			86.00	13.98	.00	99.98
13550	AIR DRYER ASSEMBLY	250685	1995/06/12	43.00	.00	25.07	68.07
13551	AIR DRYER ASSEMBLY	250685	1995/06/12	21.50	.00	.00	21.50
	REPAIR TYPE TOTAL			64.50	.00	25.07	89.57
13800	SLACK ADJUSTERS	255091	1995/10/25	75.25	.00	.00	75.25
	REPAIR TYPE TOTAL			75.25	.00	.00	75.25
1385R	SPRING PARKING BRAKE	251910	1995/06/02	150.50	141.32	136.17	427.99
	REPAIR TYPE TOTAL			150.50	141.32	136.17	427.99
	REPAIR SUB GROUP TOTAL			376.25	155.30	161.24	692.79

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
REPAIR SUB GROUP TOTAL				129.00	3.75	3.86	136.61
7721R	HYD TANK FILTER	244649	1994/08/24	53.75	.00	.00	53.75
REPAIR TYPE TOTAL				53.75	.00	.00	53.75
REPAIR SUB GROUP TOTAL				53.75	.00	.00	53.75
REPAIR GROUP TOTAL				182.75	3.75	3.86	190.36
98000	MISC INSIDE WORK	M05306	1994/03/01	.00	.00	2.56	2.56
REPAIR TYPE TOTAL				.00	.00	2.56	2.56
98200	GENERAL GREASING	M05155	1994/01/21	86.00	.80	.00	86.80
98200	GENERAL GREASING	M05440	1994/03/15	107.50	.80	.00	108.30
98200	GENERAL GREASING	M05605	1994/04/29	118.25	3.44	.00	121.69
98200	GENERAL GREASING	M05660	1994/05/10	107.50	.80	1.28	109.58
98200	GENERAL GREASING	M05706	1994/06/01	64.50	2.81	.00	67.31
98200	GENERAL GREASING	M05980	1994/08/16	64.50	.00	20.40	84.90
98200	GENERAL GREASING	M05983	1994/08/17	64.50	.80	.00	65.30
98200	GENERAL GREASING	M06317	1994/11/09	139.75	11.84	.00	151.59
98200	GENERAL GREASING	M06447	1994/12/14	86.00	.80	4.92	91.72
REPAIR TYPE TOTAL				838.50	22.09	26.60	887.19
9860I	TRUCK INSPECTION	244649	1994/08/24	172.00	.00	.00	172.00
REPAIR TYPE TOTAL				172.00	.00	.00	172.00
REPAIR SUB GROUP TOTAL				1,010.50	22.09	29.16	1,061.75
99500	ACCESSORIES GROUP	244761	1994/09/14	.00	.00	.00	.00
REPAIR TYPE TOTAL				.00	.00	.00	.00
REPAIR SUB GROUP TOTAL				.00	.00	.00	.00
REPAIR GROUP TOTAL				1,010.50	22.09	29.16	1,061.75
PM/MINUS PM TOTAL				4,181.75	186.99	1,148.68	5,517.42
ENDYR TOTAL				4,504.25	227.11	1,165.32	5,896.68
1115L	PMA	250328	1995/03/29	107.50	10.10	42.64	160.24
1115L	PMA	255091	1995/10/25	172.00	10.98	25.74	208.72
REPAIR TYPE TOTAL				279.50	21.08	68.38	368.96
1120L	PMB	253215	1995/08/21	32.25	.00	.00	32.25
REPAIR TYPE TOTAL				32.25	.00	.00	32.25
REPAIR SUB GROUP TOTAL				311.75	21.08	68.38	401.21
REPAIR GROUP TOTAL				311.75	21.08	68.38	401.21

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
4212R	COOLANT FILTER	244649	1994/08/24	118.25	48.05	40.70	207.00
REPAIR TYPE TOTAL				118.25	48.05	40.70	207.00
REPAIR SUB GROUP TOTAL				161.25	48.05	40.70	250.00
4410R	FILTER, PRIMARY	244649	1994/08/24	10.75	.00	4.69	15.44
REPAIR TYPE TOTAL				10.75	.00	4.69	15.44
4411R	FILTER, SECONDARY	244649	1994/08/24	10.75	.00	7.43	18.18
REPAIR TYPE TOTAL				10.75	.00	7.43	18.18
REPAIR SUB GROUP TOTAL				21.50	.00	12.12	33.62
4562I	OIL FILTER ASSEMBLY	247663	1994/12/19	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
REPAIR GROUP TOTAL				376.25	48.05	63.70	488.00
51000	ACCESSORIES, GENERAL	240993	1994/04/12	526.75	.00	.00	526.75
51000	ACCESSORIES, GENERAL	243064	1994/06/21	43.00	3.27	.00	46.27
REPAIR TYPE TOTAL				569.75	3.27	.00	573.02
5110R	TARPALIN ASSEMBLY	240993	1994/04/12	.00	.00	852.72	852.72
REPAIR TYPE TOTAL				.00	.00	852.72	852.72
REPAIR SUB GROUP TOTAL				569.75	3.27	852.72	1,425.74
5221O	RADIO, AM/FM	244712	1994/09/22	64.50	.00	104.00	168.50
5221O	RADIO, AM/FM	245791	1994/10/17	182.75	.00	.00	182.75
REPAIR TYPE TOTAL				247.25	.00	104.00	351.25
5250O	MISC SWITCHES	246233	1994/10/19	.00	.00	24.24	24.24
REPAIR TYPE TOTAL				.00	.00	24.24	24.24
REPAIR SUB GROUP TOTAL				247.25	.00	128.24	375.49
5410O	SNOW PLOW FRAME	239230	1994/02/04	64.50	.00	.00	64.50
REPAIR TYPE TOTAL				64.50	.00	.00	64.50
REPAIR SUB GROUP TOTAL				64.50	.00	.00	64.50
REPAIR GROUP TOTAL				881.50	3.27	980.96	1,865.73
7476R	CABLE, CONT'L LEVER	243876	1994/07/29	64.50	.00	.00	64.50
7476O	CABLE, CONT'L LEVER	243876	1994/07/29	.00	1.90	3.86	5.76
7476O	CABLE, CONT'L LEVER	243998	1994/07/29	64.50	1.85	.00	66.35
REPAIR TYPE TOTAL				129.00	3.75	3.86	136.61

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
34010	HEADLAMP	239025	1994/02/01	118.25	.00	.00	118.25
REPAIR TYPE TOTAL				118.25	.00	.00	118.25
34100	STOPLAMP	245198	1994/09/14	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
3425R	BACKUP LAMP	246763	1994/11/10	.00	9.16	.00	9.16
REPAIR TYPE TOTAL				.00	9.16	.00	9.16
3430R	CLEARANCE/MARKER LMP	238204	1994/01/10	53.75	.00	22.75	76.50
34300	CLEARANCE/MARKER LMP	240079	1994/03/03	21.50	.00	.00	21.50
34300	CLEARANCE/MARKER LMP	240921	1994/04/04	64.50	.00	.00	64.50
34300	CLEARANCE/MARKER LMP	243876	1994/07/29	193.50	.00	.00	193.50
34300	CLEARANCE/MARKER LMP	245791	1994/10/17	96.75	.00	.00	96.75
3430R	CLEARANCE/MARKER LMP	247734	1994/12/19	21.50	2.05	11.76	35.31
REPAIR TYPE TOTAL				451.50	2.05	34.51	488.06
34340	FLOOD LAMPS	243876	1994/07/29	.00	.00	9.83	9.83
REPAIR TYPE TOTAL				.00	.00	9.83	9.83
34400	STROBE LAMP	239065	1994/02/01	32.25	.00	.00	32.25
34400	STROBE LAMP	239479	1994/02/14	172.00	.00	.00	172.00
34400	STROBE LAMP	239384	1994/02/14	21.50	.00	.00	21.50
34400	STROBE LAMP	247806	1994/12/20	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				311.75	.00	.00	311.75
3450R	SANDER/WORK LAMP	246763	1994/11/10	75.25	.00	.00	75.25
3450R	SANDER/WORK LAMP	246876	1994/11/16	43.00	9.23	.00	52.23
REPAIR TYPE TOTAL				118.25	9.23	.00	127.48
3455R	LAMP SWITCH(S)	243876	1994/07/29	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
REPAIR SUB GROUP TOTAL				1,042.75	20.44	44.34	1,107.53
REPAIR GROUP TOTAL				1,268.50	94.13	44.34	1,406.97
41000	INTAKE SYSTEM	240427	1994/03/11	139.75	.00	.00	139.75
REPAIR TYPE TOTAL				139.75	.00	.00	139.75
41460	INTAKE DUCTING, AC	240079	1994/03/03	10.75	.00	.00	10.75
41460	INTAKE DUCTING, AC	240427	1994/03/11	.00	.00	10.88	10.88
REPAIR TYPE TOTAL				10.75	.00	10.88	21.63
REPAIR SUB GROUP TOTAL				150.50	.00	10.88	161.38
42010	RADIATOR	240079	1994/03/03	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 3

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
17010	TIRE, FLAT	245567	1994/09/21	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
18010	RIM	246763	1994/11/10	129.00	.00	26.66	155.66
REPAIR TYPE TOTAL				129.00	.00	26.66	155.66
REPAIR SUB GROUP TOTAL				129.00	.00	26.66	155.66
REPAIR GROUP TOTAL				172.00	.00	26.66	198.66
22070	GASKET, AXLE SHAFT	246020	1994/10/10	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
REPAIR SUB GROUP TOTAL				43.00	.00	.00	43.00
2300L	CLUTCH ASSEMBLY	244649	1994/08/24	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				43.00	.00	.00	43.00
2301L	PRESSURE PLATE	242282	1994/05/23	43.00	.00	.00	43.00
2301L	PRESSURE PLATE	247663	1994/12/19	43.00	.00	.00	43.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				129.00	.00	.00	129.00
2787L	LINKAGE	244096	1994/08/01	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00
REPAIR GROUP TOTAL				258.00	.00	.00	258.00
32010	BATTERY	238878	1994/01/25	21.50	66.42	.00	87.92
REPAIR TYPE TOTAL				21.50	66.42	.00	87.92
32020	BATTERY CABLE	238878	1994/01/25	64.50	6.54	.00	71.04
REPAIR TYPE TOTAL				64.50	6.54	.00	71.04
32060	BATTERY HOLDOWNS	238878	1994/01/25	53.75	.73	.00	54.48
REPAIR TYPE TOTAL				53.75	.73	.00	54.48
REPAIR SUB GROUP TOTAL				139.75	73.69	.00	213.44
33350	IGNITION SWITCH	246233	1994/10/19	86.00	.00	.00	86.00
REPAIR TYPE TOTAL				86.00	.00	.00	86.00
REPAIR SUB GROUP TOTAL				86.00	.00	.00	86.00

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
66000	SP EQUIP ACCESSORIES	237740	1993/12/21	75.25	.00	.00	75.25
6600R	SP EQUIP ACCESSORIES	237740	1993/12/21	.00	3.56	.00	3.56
REPAIR TYPE TOTAL				75.25	3.56	.00	78.81
REPAIR SUB GROUP TOTAL				75.25	3.56	.00	78.81
REPAIR GROUP TOTAL				75.25	3.56	.00	78.81
74000	HYDRAULIC VALVES	236759	1993/11/19	107.50	.00	.00	107.50
REPAIR TYPE TOTAL				107.50	.00	.00	107.50
REPAIR SUB GROUP TOTAL				107.50	.00	.00	107.50
REPAIR GROUP TOTAL				107.50	.00	.00	107.50
9830I	NEW VEHICLE PREP.	231147	1993/09/17	.00	.00	271.20	271.20
9830O	NEW VEHICLE PREP.	231147	1993/09/17	2,655.25	266.59	207.69	3,129.53
9830O	NEW VEHICLE PREP.	235739	1993/10/01	64.50	.00	413.99	478.49
REPAIR TYPE TOTAL				2,719.75	266.59	892.88	3,879.22
9850O	SEASONAL PREP	231147	1993/09/17	75.25	.00	301.92	377.17
REPAIR TYPE TOTAL				75.25	.00	301.92	377.17
REPAIR SUB GROUP TOTAL				2,795.00	266.59	1,194.80	4,256.39
REPAIR GROUP TOTAL				2,795.00	266.59	1,194.80	4,256.39
PM/MINUS PM TOTAL				3,278.75	272.50	1,693.99	5,245.24
ENDYR TOTAL				3,421.75	284.01	1,719.99	5,425.75
1115L	PMA	240079	1994/03/03	193.50	28.32	.00	221.82
1115L	PMA	245567	1994/09/21	86.00	10.90	16.64	113.54
REPAIR TYPE TOTAL				279.50	39.22	16.64	335.36
1120L	PMB	244649	1994/08/24	43.00	.90	.00	43.90
REPAIR TYPE TOTAL				43.00	.90	.00	43.90
REPAIR SUB GROUP TOTAL				322.50	40.12	16.64	379.26
REPAIR GROUP TOTAL				322.50	40.12	16.64	379.26
PM/MINUS PM TOTAL				322.50	40.12	16.64	379.26
0787R	MISC DECAL(S)	245137	1994/09/14	32.25	15.70	.00	47.95
REPAIR TYPE TOTAL				32.25	15.70	.00	47.95
REPAIR SUB GROUP TOTAL				32.25	15.70	.00	47.95
REPAIR GROUP TOTAL				32.25	15.70	.00	47.95

11/19/96

HENNEPIN COUNTY EQUIPMENT MANAGEMENT SYSTEM
WORK ORDER COST HISTORY

PAGE 1

VEHICLE 3220 INT' EXPBASE TANDEM AXLE

REPAIR CODE	DESCRIPTION	WORK ORDER	WO COMPLETED	LABOR COST	PARTS COST	OUTSIDE COST	TOTAL COST
1115L PMA		238003	1993/12/22	143.00	11.51	26.00	180.51
REPAIR TYPE TOTAL				143.00	11.51	26.00	180.51
REPAIR SUB GROUP TOTAL				143.00	11.51	26.00	180.51
REPAIR GROUP TOTAL				143.00	11.51	26.00	180.51
PM/MINUS PM TOTAL				143.00	11.51	26.00	180.51
13600 AIR SUPPLY TANKS		236872	1993/11/17	96.75	.00	30.24	126.99
REPAIR TYPE TOTAL				96.75	.00	30.24	126.99
1365R AIR VALVES		231147	1993/09/17	64.50	.00	14.53	79.03
REPAIR TYPE TOTAL				64.50	.00	14.53	79.03
REPAIR SUB GROUP TOTAL				161.25	.00	44.77	206.02
1800R WHEEL/RIM		236759	1993/11/19	.00	.00	347.21	347.21
REPAIR TYPE TOTAL				.00	.00	347.21	347.21
REPAIR SUB GROUP TOTAL				.00	.00	347.21	347.21
REPAIR GROUP TOTAL				161.25	.00	391.98	553.23
4320R EXHAUST TUBING		231147	1993/09/17	.00	.00	62.09	62.09
REPAIR TYPE TOTAL				.00	.00	62.09	62.09
REPAIR SUB GROUP TOTAL				.00	.00	62.09	62.09
REPAIR GROUP TOTAL				.00	.00	62.09	62.09
51050 AIR HORN ASSEMBLY		238026	1993/12/22	75.25	.00	.00	75.25
REPAIR TYPE TOTAL				75.25	.00	.00	75.25
REPAIR SUB GROUP TOTAL				75.25	.00	.00	75.25
52000 ACCESSORY, ELECTRIC		236705	1993/11/12	21.50	.00	.00	21.50
REPAIR TYPE TOTAL				21.50	.00	.00	21.50
52250 2-WAY RADIO		236759	1993/11/19	43.00	2.35	.00	45.35
REPAIR TYPE TOTAL				43.00	2.35	.00	45.35
REPAIR SUB GROUP TOTAL				64.50	2.35	.00	66.85
5910R PINTLE HOOK		231147	1993/09/17	.00	.00	45.12	45.12
REPAIR TYPE TOTAL				.00	.00	45.12	45.12
REPAIR SUB GROUP TOTAL				.00	.00	45.12	45.12
REPAIR GROUP TOTAL				139.75	2.35	45.12	187.22

Appendix 6
Oil Analysis Results

Summary of All Oil Analyses

Unit #	Miles at sample	Pass/Fail	Was oil changed?
3220	37065	Pass	
	40485	Fail	Yes
	48880	Pass	
	57112	Pass	Yes
	65403	Pass	
	69405	Pass	
	72051	Pass	
	81301	Pass	
	87817	Fail	Yes
3221	28992	Fail	Yes
	35381	Pass	
	41029	Pass	
	45090	Fail	Yes
	50681	Pass	
	58347	Pass	
	60715	Fail	Yes
3228	21564	Pass	
	26740	Fail	Yes
	29638	Pass	
	32803	Pass	

ZIEGLER

ZIEGLER OIL ANALYSIS LAB
901 WEST 94TH STREET
MINNEAPOLIS, MN 55420-4299
(612) 888-4121 - (800) 352-2812

S.O.S

SCHEDULED OIL SAMPLING WEAR ANALYSIS REPORT

Sample For: HENNEPIN CTY HIGHWAY DEPT
JIM ALLEN
320 WASHINGTON AVE. S.
HOPKINS, MN. 55343

Serial #: 4A32254
Compartment: Diesel Engine
Unit #: 3220
Model #:

Sample #: 96120446
Date Received: 12/03/96
Oil Brand: Caterpillar
Oil Blend: Diesel Engine 0
Oil Weight: 15W40

DETROIT 6V92

CURRENT SAMPLE INFORMATION						WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM	Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water	
	Oil	Filter																				
12/02/96	Y	Y		87817		15	128	4	2	8	28	9	2	23	180	65	93	65	N	N	N	

Interpretation

The analysis of the oil sample taken from your Diesel Engine indicates that Iron and Lead are slightly high; Soot is high. When the MILES/HOURS ON OIL data are unknown, we use the full oil change interval to analyze the sample. If your HOURS ON OIL reading is known please call us, we will reinterpret your results.

Recommendation

Continue to monitor compartment by sampling at recommended intervals. Be sure to fill out labels as complete as possible!

TRENDING SAMPLE INFORMATION						WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM	Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water	
	Oil	Filter																				
12/02/96	Y	Y		87817		15	128	4	2	8	28	9	2	23	180	65	93	65	N	N	N	
9/20/96	N	N		81301	9250	10	65	3	1	6	14	6	1	11	160	28	64	29	N	N	N	
8/12/96	N	N		72051	6441	8	43	2	1	5	9	8	1	7	132	16	55	16	N	N	N	
CURRENT SAMPLE IS INCLUDED IN TRENDING										SEE REVERSE SIDE FOR TEST EXPLANATIONS												

THIS ANALYSIS IS INTENDED AS AN AID IN PREDICTING MECHANICAL WEAR, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AGAINST FAILURE OF THIS COMPONENT

Form 3051 (REV 2/96)

HENNEPIN COUNTY
JIM ALLEN
320 WASHINGTON AVENUE
HOPKINS MN 55343

ANALYSTS, INC.

2450 HASSELL ROAD
HOFFMAN ESTATES, IL 60195
(847) 884-7877
(800) 222-0071

STATUS WAS
Abnormal ON 29-MAR-96

UNIT ID 3220
COMPONENT ENGINE
COMP REF NO 249112
P.O. REF NO JCC-4-14245-01

WORKSITE	UNIT MANUFACTURER	OIL TYPE
	INTN'L HARVESTER 5000	MOBIL DELVAC SAE 40
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
DIESEL ENGINE	DETROIT DIESEL 6V92	4A32254

MAINTENANCE RECOMMENDATIONS FOR LAB NO 0832 Reported on 05-APR-96

ANALYSIS INDICATES ABNORMAL LUBRICANT CONDITIONS! VISCOSITY is HIGH for the reported oil type/grade. CHANGE the OIL and FILTER(s) if not already performed. CHECK for proper operating temperatures. RESAMPLE at the next scheduled interval.

EVAL ID:
1289

SPECTROCHEMICAL ANALYSIS IN PARTS PER MILLION BY WEIGHT

LAB NO.	AL	CA	CO	CR	CU	FE	IN	NI	NO	PN	SA	SE	SI	SO	VA	W	ZN	OTHER	SAMPLE DRAIN
8148	101	6	<1	2	23	16	21	<1	<1	11	20	9	<10	<5	1050	1185	355	<10 1324	<1 <1 19-OCT-95
6334	74	3	<1	<1	18	13	20	<1	<1	6	5	7	<10	<5	1097	1175	81	<10 1427	22 <1 07-FEB-96
0832	93	6	2	<1	28	17	24	<1	<1	7	2	8	<10	<5	979	1112	74	<10 1218	<1 <1 29-MAR-96

SAMPLE INFORMATION

PHYSICAL TEST RESULTS

LAB NO.	TEST	RESULT	FUEL	LEM	WATER	VIS @	SAE	TAN	TBN
			XVOL	XSDOT	% HCL	100°C	GRADE		
8148	57112 0	45453 0	<.5	1.71	<.05	19.1	50	3.37	6.51
6334	65403	8291.0	<.5	1.00	<.05	19.4	50	2.08	5.11
0832	89405 0	8300 0	<.5	1.21	<.05	19.7	50	2.41	5.05

HENNEPIN COUNTY
JIM ALLEN
320 WASHINGTON AVENUE
HOPKINS MN 55343

ANALYSTS, INC.

2450 HASSELL ROAD
HOFFMAN ESTATES, IL 60195
(708) 884-7977
(800) 222-0071

STATUS: PAS
Normal Oil 11-JUL-95

UNIT ID: 3220-D
COMPONENT: ENGINE
COMP REF ID: 218864
P.O. NUMBER: JCC-4-14245-01

WORKSITE	UNIT MANUFACTURER	OIL TYPE
HENNEPIN UNIV	INT'L HARVESTER PAYSTAR 5000	MOBIL DELVAC 1200 SERIES SAE 40
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
DIESEL ENGINE	DETROIT DIESEL 4-71	4A32254

MAINTENANCE RECOMMENDATIONS FOR LAB NO. 2357 Reported on 27-JUL-95 From: NATIONAL RENEWABLE ENERGY LABORATORIES GOLDEN, CO

ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. If still in service, the oil is suitable for continued use. RESAMPLE at the next scheduled interval.

EVAL ID: # 1314		SPECTROCHEMICAL ANALYSIS IN PARTS PER MILLION BY WEIGHT																				SAMPLE DRAWN	
LAB NO.		COB	CHROMIUM	COBALT	IRON	LEAD	MANGANESE	NICKEL	SILICON	SODIUM	SULFUR	TANTALUM	TUNGSTEN	Vanadium	ZINC	ALUMINUM	BORON	CHLORINE	COPPER	FLUORINE	PHOSPHORUS		
3836		77	4	<1	4	10	9	14	<1	<1	12	26	10	<10	<5	1278	1272	469	<10	1211	<1	<1	20-JAN-95
3816		102	6	2	2	17	11	230	<1	<1	15	26	10	<10	<5	1117	1322	439	<10	1184	<1	1	15-MAR-95
2357		71	5	1	2	13	8	11	<1	<1	11	24	9	<10	<5	1059	1226	464	<10	1091	<1	<1	11-JUL-95

SAMPLE INFORMATION				PHYSICAL TEST RESULTS				
LAB NO.	TEST	RESULT	UNIT	FUEL	LEM	WATER	VIS CS	SAE
				XVOL	XSGOT	% VOL	100°C	GRADE
6836	37065.0	11127	0	<5	1.03	<0.5	17.2	50
6816	40485.0	14547	0	<5	1.19	<0.5	18.1	50
2357	40080.0	7390	0	<5	0.92	<0.5	15.0	40

ZIEGLER

ZIEGLER OIL ANALYSIS LAB
901 WEST 94TH STREET
MINNEAPOLIS, MN 55420-4299
(612) 888-4121 - (800) 352-2812

S.O.S

SCHEDULED OIL SAMPLING WEAR ANALYSIS REPORT

ACTION

Sample For: HENNEPIN CTY HIGHWAY DEPT
JIM ALLEN
320 WASHINGTON AVENUE S
HOPKINS MN 55343-8496

Serial #: 06VF200396
Compartment: Diesel Engine
Unit #: 3221
Model #:

Sample #: 96094334
Date Received: 9/23/96
Oil Brand: Caterpillar
Oil Blend: Diesel Engine 0
Oil Weight: 15W40

DETROIT 6V92

CURRENT SAMPLE INFORMATION						WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM		Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water
	Oil	Filter																				
9/19/96	U	U		60715	15625	65	39	1	1	10	92	251	1	12		23	7	4	1	P	N	T

Interpretation

The analysis of the oil sample taken from your Diesel Engine indicates that Copper and Sodium are high; Lead is extremely high. This oil sample tests positive for water and antifreeze contamination. Oil sample has a trace of water contamination.

Recommendation

Antifreeze in the oil requires attention to prevent a possible failure. Also suggest cutting oil filter open, pulling out pleats and checking for metal pieces. Condensation possible cause of water in this compartment, oil may not be warm enough to evaporate moisture.

TRENDING SAMPLE INFORMATION						WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM		Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water
	Oil	Filter																				
9/19/96	U	U		60715	15625	65	39	1	1	10	92	251	1	12		23	7	4	1	P	N	T
8/15/96	N	N		58347	13257	12	35	1	1	9	27	48	1	5		33	10	23	1	N	N	N

CURRENT SAMPLE IS INCLUDED IN TRENDING

SEE REVERSE SIDE FOR TEST EXPLANATIONS

THIS ANALYSIS IS INTENDED AS AN AID IN PREDICTING MECHANICAL WEAR, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AGAINST FAILURE OF THIS COMPONENT

Form 5051 (Rev. 2/96)

HENNEPIN COUNTY
JIM ALLEN
323 WASHINGTON AVENUE
HOPKINS MN 55343

ANALYSTS, INC.

2450 HASSELL ROAD
HOFFMAN ESTATES, IL 60195
(708) 894-7877
(800) 222-3071

STATUS WAS

Normal Oil 21-JUL-95

UNIT ID 3221
COMPONENT ENGINE
ENGINE SERIAL 224632
OIL GRADE JCC-4-14245-01

LAB SITE	UNIT MANUFACTURER	OIL TYPE
HENNEPIN COUNTY	INT'L HARVESTER DAYSTAR 5000	MOBIL DELVAC SAE 40
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
DIESEL ENGINE	DETROIT DIESEL 6V92	06VF260396

3358 Reported on 27-JUL-95 From : NATIONAL RENEWABLE ENERGY LABORATORIES GOLDEN, CO

ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. If still in service, the oil is suitable for continued use. RESAMPLE at the next scheduled interval.

EVAL ID:

1314

SPECTROCHEMICAL ANALYSIS IN PARTS PER MILLION BY WEIGHT

LAB NO.

LAB NO.	34	2	5	(1)	41.	15	11	(1)	2	20	3	7	(10)	(5)	509	603	50	(10)	324	(1)	2	15-MAR-95
8011																						
0765	34	2	(1)	1	43.	14	9	(1)	(1)	19	2	3	(10)	(5)	523	618	34	(10)	941	3	(1)	11-APR-95
2358	59	2	(1)	1	29	23	12	(1)	(1)	15	2	11	(10)	(5)	492	615	27	(10)	687	3	(1)	21-JUL-95

SAMPLE INFORMATION

PHYSICAL TEST RESULTS

LAB NO.	APEL	LEM	WATER	VIS OS	SAE	TAN	TEN
	XVOL	ASOCT	X VOL	100°C	GRADE		
8011 28992.0, 8891.0	1.5	0.04	(.05)	15.8	40	2.52	2.02
0765 28869 8765.0	1.5	0.04	(.05)	14.3	40	2.02	2.36
2358 35351.0, 5672.0	(.5)	(.01)	(.05)	16.0	40	2.30	2.19

HENNEPIN COUNTY
JIM ALLEN
320 WASHINGTON AVENUE
HOPKINS MN 55343

ANALYSTS, INC.

2450 HASSELL ROAD
HOFFMAN ESTATES, IL 60195
(847) 884-7877
(800) 222-6071

Normal 15-MAR-96

3221
ENGINE
249113
JCC-4-14245-01

COMPONENT TYPE	UNIT MANUFACTURER	UNIT TYPE
ALCOHOL FUELED ENGINE	INTN'L HARVESTER PAYSTAR 5000	MOBIL DELVAC SAE 40
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
	DETROIT DIESEL 6V92	06VF200396
MAINTENANCE RECOMMENDATIONS FOR LAB NO. 1092 Reported on 22-MAR-96		

ANALYSIS INDICATES COMPONENT & LUBRICANT CONDITIONS ARE ACCEPTABLE. If still in service, the oil is suitable for continued use. RESAMPLE at the next scheduled interval.

EVAL ID: 1328		SPECTROCHEMICAL ANALYSIS IN PARTS PER MILLION BY WEIGHT																				SAMPLE DATE
LAB NO.	IRON	COBALT	COPPER	LEAD	ALUMINUM	SI	CA	CHROMIUM	FE	FLUORINE	BARIUM	BRONZE	STRONTIUM	PHOSPHORUS	MOLYBDENUM	ANTHRACENE	ZN	CHLORINE	SELENIUM	NI	THIOPHENE	
149	66	2	<1	<1	46	19	16	<1	<1	14	2	12	<10	<5	520	573	41	<10	662	4	<1	23-OCT-95
1494	94	4	1	5	59	18	17	0.1	<1	17	2	16	13	<5	478	256	30	<10	694	7	2	21-DEC-95
1092	44	2	4	<1	29	24	4	<1	<1	12	<1	52	<10	<5	571	646	25	<10	1411	5	<1	15-MAR-96

SAMPLE INFORMATION				PHYSICAL TEST RESULTS						
LAB NO	TIME UNT	TIME HRS	OIL ADD	T/S XVOL	WATER % VOL	VIS CS 100°C	SAE GRADE	TAN	TBN	
149	41029.0	11130.0		2.0	<.05	16.1	40	2.36	3.93	
1494	45090.0	15221.0		0.1	<.05	17.7	50	2.52	1.69	
1092	50681.0	55911.0		0.5	<.05	16.0	40	2.24	1.96	

DEFINITION OF TERMS: ANALYSTS, INC. HAS A QUALITY MANAGEMENT SYSTEM IN PLACE. ALL TESTS ARE PERFORMED IN ACCORDANCE WITH THE ASTM METHOD. THE RESULTS ARE REPORTED IN THE MANNER SHOWN. THE RESULTS ARE NOT TO BE USED FOR ANY OTHER PURPOSE. THE RESULTS ARE NOT TO BE USED FOR ANY OTHER PURPOSE. THE RESULTS ARE NOT TO BE USED FOR ANY OTHER PURPOSE.

FOR LEGEND AND EXPLANATION OF PHYSICAL
PROPERTIES TESTS PLEASE SEE PT. 8 OF SAE J300
OR A TEST NOT RECOMMENDED

ZIEGLER OIL ANALYSIS LAB
301 WEST 34TH STREET
MINNEAPOLIS, MN 55420-4299
(612) 888-4121 - (800) 352-2812

9-0-8

SCHEDULED OIL SAMPLING
WEAR ANALYSIS REPORT

Sample For: HENNEPIN CTY HIGHWAY DEPT
JIM ALLEN
320 WASHINGTON AVENUE S
HOPKINS MN 55343-8496

Serial #: 06V200397
Compartment: Diesel Engine
Unit #: 3228
Model #:

Sample #: 96103208
Date Received: 10/15/96
Oil Brand: Shell
Oil Blend: Rotella T
Oil Weight: 15W40

CURRENT SAMPLE INFORMATION					WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM	Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water
	Oil	Filter																			
10/03/96	N	N		32803	5559	24	47	2	1	10	20	38	4	10	40	25	29	16	N	N	N

Interpretation

The analysis of the oil sample taken from your Diesel Engine indicates that Copper and Lead are slightly high.

Recommendation

Continue to monitor compartment by sampling at recommended intervals.

TRENDING SAMPLE INFORMATION					WEAR METALS ANALYSIS										INFRARED ANALYSIS PERCENT OF ALLOWABLE				PHYSICAL TESTS		
DATE SAMPLE TAKEN	CHANGED		QUARTS OIL ADDED	HOURS ON METER	HOURS ON OIL	CU Copper PPM	FE Iron PPM	CR Chromium PPM	AL Aluminum PPM	SI Silicon PPM	PB Lead PPM	NA Sodium PPM	MO Molybdenum PPM	SN Tin PPM	Soot %	Sulfation %	Oxidation %	Nitration %	Anti- Freeze	Fuel Dilution	Water
	Oil	Filter																			
10/03/96	N	N		32803	5559	24	47	2	1	10	20	38	4	10	40	25	29	16	N	N	N
4/29/96	N	N		29638	2394	20	31	1	1	7	10	35	1	5	14	14	19	5	N	N	N

CURRENT SAMPLE IS INCLUDED IN TRENDING

SEE REVERSE SIDE FOR TEST EXPLANATIONS

THIS ANALYSIS IS INTENDED AS AN AID IN PREDICTING MECHANICAL WEAR, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AGAINST FAILURE OF THIS COMPONENT.

Form 3051 (REV 2-95)

HENNEPIN COUNTY
JIM ALLEN
380 WASHINGTON AVENUE
HOPKINS MN 55343

ANALYSTS, INC.

2450 HASSELL ROAD
HOFFMAN ESTATES, IL 60195
(847) 884-7977
(800) 222-0071

STATUS WAS

Abnormal ON 08-FEB-96

UNIT ID: 3228
COMPONENT: ENGINE
COMP REF NO 249114
PO REF NO JCC-4-14245-01

WORKSITE	UNIT MANUFACTURER	OIL TYPE
	INTN'L HARVESTER PAYSTAR 500	MOBIL DELVAC SAE 40
COMPONENT TYPE	COMPONENT MANUFACTURER AND MODEL	COMPONENT SERIAL NUMBER
ALCOHOL FUELED ENGINE	DETROIT DIESEL 6V92	06VF200397

MAINTENANCE RECOMMENDATIONS FOR LAB NO 6335 Reported on 12-FEB-96

ANALYSIS INDICATES ABNORMAL COMPONENT CONDITIONS! Bearing overlay wear. CHANGE the OIL and FILTER(s) if not already performed. CHECK for proper start-up and operating oil pressures. RESAMPLE at 1/2 normal interval.

EVAL ID:
1289

SPECTROCHEMICAL ANALYSIS IN PARTS PER MILLION BY WEIGHT

LAB NO.	IRON	CHROMIUM	NICKEL	ALUMINUM	LEAD	COPPER	IN	SILICON	TITANIUM	STRON	BOHRN	SODIUM	POTASSIUM	ANTHRACENE	PHOSPHORUS	ZINC	CADMIUM	BARUM	MAGNESIUM	ALUMINUM	VANADIUM	SAMPLE DRAWN
8150	47	2	<1	1	31	31	17	<1	<1	17	2	11	<10	<5	507	628	41	<10	932	<1	<1	20-OCT-95
6335	76	2	2	<1	54	25	21	<1	<1	12	<1	41	<10	<5	550	624	59	<10	797	<1	<1	08-FEB-96

SAMPLE INFORMATION				PHYSICAL TEST RESULTS					
LAB NO	WHR UNIT	WHR OIL	OIL ADD	T/S	WATER	VIS CS	SAE	TAN	TBN
				%VOL	% VOL	100°C	GRADE		
8150	21564.0	5441.0		0.5	< 0.5	15.7	40	3.09	2.81
6335	26740	10615.0		2.0	< 0.5	15.5	40	1.40	2.69

ANALYSTS, INC. IS NOT RESPONSIBLE FOR THE RESULTS OF THIS ANALYSIS IF THE SAMPLE IS NOT REPRESENTATIVE OF THE ENTIRE BATCH. THE ANALYSTS, INC. IS NOT RESPONSIBLE FOR THE RESULTS OF THIS ANALYSIS IF THE SAMPLE IS NOT REPRESENTATIVE OF THE ENTIRE BATCH. THE ANALYSTS, INC. IS NOT RESPONSIBLE FOR THE RESULTS OF THIS ANALYSIS IF THE SAMPLE IS NOT REPRESENTATIVE OF THE ENTIRE BATCH.

FOR LEGEND AND EXPLANATION OF PHYSICAL PROPERTIES TESTS PLEASE SEE REVERSE SIDE. N/A = TEST NOT PERFORMED.

Appendix 7
Summary of Emissions Testing

Emissions Testing of Hennepin County Snowplows

Nigel Clark, WVU, October 2, 1997

Two ethanol powered and one diesel powered snowplows were subjected to emissions testing by the West Virginia University Transportable Heavy-Duty Emissions Testing Laboratories. The Transportable Laboratories were originally constructed to satisfy the need to gather data on emissions from heavy-duty vehicles without the need to remove engines from the vehicles for testing. The laboratories are transportable to permit testing at the site of truck operation and to ensure that tested vehicles were out of service for as short a time as possible. The laboratory facility arrives on the test site pulled on two trailers, one being a box trailer containing equipment for emissions measurement, data acquisition and control, and the other, a flat bed semi-trailer carrying the power absorber unit. The flat bed is lowered to the ground to provide a chassis dynamometer platform.

The vehicle to be tested is driven onto the flat bed and the wheels of the vehicle are positioned on rollers set in the bed. The outer wheels of the dual wheel set on each side of the vehicle are connected to the drive shafts of the dynamometer units located on each side of the vehicle. Each dynamometer unit consists of speed increasing gearboxes with a power absorber and a flywheel set. The flywheel sets consist of a series of selectable discs to allow simulation of vehicle inertia. During the test cycle, torque cells and speed transducers in the power absorber drive train measure the actual vehicle load and speed.

The full exhaust from the tail pipe of the test vehicle was ducted to a 45 cm diameter dilution tunnel on top of the emissions trailer. The exhaust was mixed with dilution air and the flow was controlled using a blower with critical flow venturis. Heated sampling probes sent diluted exhaust to a number of different gas analysis instruments, via heated lines. Levels of carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), and hydrocarbons (HC) were measured continuously. A bulk measurement of particulate matter (PM) was obtained using 70 mm filters weighed after conditioning for temperature and humidity in an environmental chamber. Levels of alcohol and aldehydes were determined using impingers and cartridges, respectively, with subsequent laboratory analysis.

The Hennepin County snowplows had 10-speed unsynchronized transmissions and as such would have had difficulty in following the Central Business District speed-time test schedule that is commonly used for automatic transit buses. The bulk of the testing was therefore undertaken using the West Virginia University 5-peak truck cycle, which has a total distance of 5 miles, a time of 900 seconds, and five peaks, at 20, 25, 30, 35, and 40 miles per hour.

The plows were tested in March and April of 1994, and again in May of 1995. Table 1 provides the vehicle mileage at the time of testing.

Table 2 provides emissions data gathered in 1994, while Table 3 provides 1995 initial and repeat run data.

The hydrocarbons reported for the vehicles are direct readings from the flame ionization detector

(FID) of the HC analyzer, which is calibrated using propane. A more representative indication of the hydrocarbon emissions for ethanol vehicles is often expressed as the "organic material hydrocarbon equivalent" (OMHCE), which is calculated as follows to correct for species and to exclude weight of oxygen in the species, with suitable background corrections.

$$\text{OMHCE} = (\text{FIDHC}) - 0.768 (\text{CH}_3\text{OH}) + 0.4621 (\text{HCHO}) = 0.6298 (\text{CH}_3\text{CHO}) + 0.6023 (\text{C}_2\text{H}_5\text{OH}),$$

where $\text{C}_2\text{H}_5\text{OH}$ is ethanol, HCHO is formaldehyde, CH_3CHO is acetaldehyde, and CH_3OH is methanol. In essence, the FID reading is corrected for the calibration with respect to ethanol ($\text{C}_2\text{H}_5\text{OH}$), which is independently measured using impingers, and is increased by the level of formaldehyde (HCHO) and acetaldehyde (CH_3CHO) measured using cartridges, since these two species do not register with the FID.

The data generally show that oxides of nitrogen are slightly lower for the ethanol vehicles than the diesel vehicle, and that particulate matter levels are significantly lower for ethanol. The diesel emissions levels remained consistent from year to year, and offered lower carbon monoxide emissions than the ethanol trucks, whereas the carbon monoxide emissions from one vehicle (3228) rose by a factor of three between 1994 and 1995. It is possible that catalytic converter efficiency had degraded on this vehicle, because hydrocarbon emissions also rose. The diesel vehicle had lower hydrocarbon emissions than the ethanol vehicles and it was evident that unburned ethanol was present in the exhaust of the ethanol vehicles as a significant fraction of the total hydrocarbon emissions. However, since oxides of nitrogen and particulate matter may be considered the emissions of concern for the heavy-duty fleet, one must conclude that the ethanol powered vehicles offered a solution to emissions inventory reduction.

Table 1. Mileage as Received for the Three Snowplows

Unit No.	1994	1995
HC - 3221 Ethanol	8842	30,353
HC - 3228 Ethanol	5175	17,170
HC - 3220 Diesel	12,409	43,806

Table 2. Data from 5-Peak Cycle Runs Gathered in 1994

WVU Sequence #	Unit	CO	NO ₂	PM	FIDHC	OMHCE	HCHO	C ₂ H ₅ OH	CH ₃ CHO
261	HC-3221 Ethanol	7.4	12.3	0.30	4.98	4.33	0.11	2.41	0.56
259	HC-3228 Ethanol	9.0	14.8	0.45	5.69	5.21	0.15	3.37	0.66
258	HC-3220 Diesel	4.3	13.2	0.83	1.35	---	---	---	---

Table 3. Data from 5-Peak Cycle Runs Gathered in 1995

WVU Sequence #	Unit	CO	NO ₂	PM	FIDHC	OMHCE	HCHO	C ₂ H ₅ OH	CH ₃ CHO
431	HC- 3221Ethanol	5.1	11.8	0.35	3.86	2.81	0.08	0.62	0.43
434	HC-3228 Ethanol	26.2	12.0	0.56	7.07	6.73	0.29	3.74	1.88
436	HC-3220 Diesel	4.6	13.3	0.85	1.50	---	---	---	---
453	HC-3221 Repeat	7.7	11.3	0.39	4.02	2.88	0.08	0.74	0.54
454	HC-3228 Repeat	31.2	11.7	0.56	7.17	6.86	0.26	4.33	1.57
460	HC-3220 Repeat	5.8	13.0	0.88	1.38	---	---	---	---

Appendix 8
Details of Emissions Testing

WEST VIRGINIA UNIVERSITY
Transportable Heavy Duty Vehicle Emissions
Testing Laboratory

Test Results Report

Test Date: March, 1994 and May, 1995
Test Vehicles: Snow Plow 3220, 3221 and 3228
Fuel Type: E100 and Diesel
Engine Type: DDC 6V-92TA

Submitted to
Hennepin County

Department of Mechanical & Aerospace Engineering
West Virginia University
Morgantown, WV 26506-6106
Phone: (304) 293-3111
January 28, 1996

Contents

- Part I. Test Driving Cycles
- Part II. Test Circumstances
- Part III. Test Results
- Part IV. Emissions Comparison of Ethanol vs. Diesel

Part I

Test Driving Cycles

Three cycles were used for the tests: CBD cycle and Truck-CBD cycle and WVU-Truck cycle. The descriptions of the Cycles are as follows:

<u>Cycle Name</u>	<u>Descriptions of Test Cycles</u>
CBD	<p>It is abbreviated from the Central Business District (CBD) phase of the Transit Coach Design Operation Profile Duty Cycle. It was developed by the Federal Transit Administration (FTA) and it was included in SAE Recommended Practice, SAE J1376 JUL82.</p> <p>The driving pattern in this cycle is a general representation of transit vehicle operation in a downtown business district. The cycle consists of fourteen identical segments. Each segment includes 10 seconds of acceleration, 18.5 seconds of 20 mph cruise, 4.5 seconds of deceleration and 7 seconds of idle. The total driving distance is 2 miles.</p>
Truck-CBD	<p>This cycle was modified from the Central Business District (CBD) cycle and was designed for heavy-duty truck testing. It was developed by West Virginia University faculty in 1992.</p> <p>The driving pattern in this cycle is a general representation of trucks operating in a downtown business district. The cycle consists of fourteen identical segments. The maximum speed of this cycle is 20 mph. The total duration of this cycle is 850 seconds. Each segment includes 30 seconds of acceleration, 5 seconds of 20 mph cruise, 15 seconds of deceleration and 10 seconds of idle. The total driving distance is 2.18 miles.</p>
WVU-Truck	<p>It is abbreviated from the West Virginia University Truck cycle. It was developed by West Virginia University faculty in 1994. More information can be found in SAE paper 951016.</p> <p>This cycle is designed for general truck chassis testing. The cycle consists of five segments. Each segment includes an acceleration to a certain speed and then keep this speed for a period and then a deceleration to idle. The acceleration and deceleration are constants for all 5 segments. The five constant speeds for the five segments are 20, 25, 30, 35, and 40 mph. The duration of this cycle is 900 seconds and the total driving distance is 5 miles.</p>

CBD Cycle

Truck-CBD Cycle

WVU-Truck Cycle (5-Peak Truck Cycle)

Part II

Test Circumstances

Eighteen tests were conducted for Hennepin County trucks. In order to obtain vehicle emissions data with various driving conditions, Each vehicle was tested with three driving cycles. The following tables show the general information of each test.

1. Tests for Truck 3220

Test ID	WVU Reference Number	Test Cycle	Test Date	Fuel	Vehicle Model Year
257	HC-3220-JA	CBD	03/28/94	Diesel	1993
435	HC-3220-D1-TCBD	Truck-CBD	05/10/95	Diesel	1993
248	HC-3220-D2	WVU-Truck	03/18/94	Diesel	1993
258	HC-3220-JA-TRK	WVU-Truck	03/28/94	Diesel	1993
436	HC-3220-D1-TRK	WVU-Truck	05/09/95	Diesel	1993
453	HC-3220-D1-TRK-R	WVU-Truck	05/20/95	Diesel	1993

2. Tests for Truck 3221

Test ID	WVU Reference Number	Test Cycle	Test Date	Fuel	Vehicle Model Year
262	HC-3221-E100	CBD	03/30/94	Ethanol	1993
432	HC-3221-E100-TCBD	Truck-CBD	05/05/95	Ethanol	1993
250	HC-3221-E100	WVU-Truck	03/19/94	Ethanol	1993
261	HC-3221-E100-TRK	WVU-Truck	03/30/94	Ethanol	1993
431	HC-3221-E100-TRK	WVU-Truck	05/05/95	Ethanol	1993
454	HC-3221-E100-TRK-R	WVU-Truck	05/21/95	Ethanol	1993

3. Tests for Truck 3228

Test ID	WVU Reference Number	Test Cycle	Test Date	Fuel	Vehicle Model Year
260	HC-3228-E100	CBD	03/29/94	Ethanol	1993
433	HC-3228-E100-TCBD	Truck-CBD	05/06/95	Ethanol	1993
251	HC-3228-E100	WVU-Truck	03/21/94	Ethanol	1993
259	HC-3228-E100-TRK	WVU-Truck	03/29/94	Ethanol	1993
434	HC-3228-E100-TRK	WVU-Truck	05/06/95	Ethanol	1993
460	HC-3228-E100-TRK-R	WVU-Truck	05/23/95	Ethanol	1993

Part III

Test Results

Eighteen sheets of the test results are included in this part. This contains vehicle and engine information, vehicle emissions rates and fuel economy of each individual run. Explanations of the emissions constituents are also included. The WVU Transportable Heavy-Duty Vehicle Emissions Testing Laboratory can simulate the on-road operation of the tested vehicle. The trucks driven on the chassis dynamometer were under the actual driving conditions which include the vehicle's inertial resistance, tire rolling resistance and air resistance on road. The actual driving speed was measured and the driving distance of each test run was calculated. Emissions data were based on 10-hz continuous measurements during the test runs. The mass of each pollutant was calculated from integration of the instantaneous concentration over the whole test cycle. The reported emissions rate is the emissions constituent mass over the actual driving distance of the test run. The test results are the summary of the data obtained from several repeat runs conducted for each test set-up.

Description of component codes

CO: carbon monoxide
 CO₂: carbon dioxide
 NO_x: oxides of nitrogen
 FIDHC: total hydrocarbon measured by HFID. For CNG vehicles, unburned methane is included. For alcohol vehicles, unburned methanol or ethanol and formaldehyde are included.
 PM: particulate matter
 CH₃OH: unburned methanol
 C₂H₅OH: unburned ethanol
 HCHO: formaldehyde
 CH₃CHO: acetaldehyde
 RHC: calculated residual hydrocarbon for alcohol fueled vehicles. The amount (in gram/mile) of RHC can be calculated from the concentration (in ppm) of C_{RHC} which is obtained from the following equation:

$$C_{RHC} = C_{FIDHC} - r_1 \times C_{CH_3OH} \quad \text{for methanol or}$$

$$C_{RHC} = C_{FIDHC} - r_2 \times C_{C_2H_5OH} - r_3 \times C_{CH_3CHO} \quad \text{for ethanol}$$

C_{FIDHC} represents the measured concentration (in ppm) by Heated FID

r₁, r₂, r₃ are the HFID response factors to methanol, ethanol and acetaldehyde, respectively. For the WVU lab,

r₁ = 0.73, r₂ = 0.73, r₃ = 0.473 from the HFID calibration

C_{CH₃OH} and C_{C₂H₅OH} represent the measured concentration (in ppm) of methanol and ethanol, respectively.

OMHCE: calculated amount (in gram/mile) of organic material hydrocarbon equivalent. Two different equations with methanol and ethanol are used as following:

For methanol:

$$OMHCE = RHC + \frac{13.8756}{32.042} \times Meth_{mass} + \frac{13.8756}{30.0262} \times Form_{mass}$$

For ethanol:

$$OMHCE = RHC + \frac{13.8756}{23.034} \times Eth_{mass} + \frac{13.8756}{30.0262} \times Form_{mass} + \frac{13.8756}{22.03} \times Acet_{mass}$$

where, Meth_{mass}: unburned methanol emissions in gram/mile;
 Eth_{mass}: unburned ethanol emissions in gram/mile;
 Form_{mass}: unburned formaldehyde emissions in gram/mile;
 Acet_{mass}: unburned acetaldehyde emissions in gram/mile.

MPG: calculated fuel economy (in mile/gallon).

BTU: calculated fuel energy used by the vehicle.

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 257

WVU Test Reference Number HC-3220-JA

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38568
Odometer Reading (mile)	Not Available
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	JETA
Primary Fuel Sample ID	N-WV-1152
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	CBD
Test Date	3/28/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
257- 1	17.2	20.1	2.35	2.55	4273	2.22	56720
257- 2	19.7	20.8	2.10	2.78	4368	2.17	57966
257- 3	18.2	20.8	2.33	2.72	4461	2.13	59106
257- 4	21.1	21.2	2.02	2.81	4537	2.09	60287
Average	19.0	20.7	2.20	2.72	4409	2.15	58520
Std. Dev.	1.7	0.4	0.17	0.12	114	0.06	1529
CV %	8.93	2.11	7.62	4.35	2.59	2.62	2.61

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 435

WVU Test Reference Number HC-3220-D1-TCBD

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	43806
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	D1
Primary Fuel Sample ID	95-04
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	Truck-CBD
Test Date	5/10/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
435- 1	11.0	22.0	2.56	1.92	4096	2.34	53867
435- 2		21.9	2.92	1.94	3929	2.44	51654
435- 3	13.8	22.8	2.83	2.33	4200	2.28	55295
435- 4	13.7	22.3	2.78	2.40	4088	2.34	53823
435- 5		22.2	2.70	2.32	4124	2.32	54308
435- 6	10.1	21.2	2.96	1.86	4068	2.36	53491
435- 7	10.8	21.0	2.84	2.13	4053	2.36	53310
Average	11.9	21.9	2.80	2.13	4080	2.35	53678
Std. Dev.	1.8	0.6	0.14	0.23	82	0.05	1106
CV %	14.81	2.86	4.83	10.57	2.01	2.08	2.06

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 248

WVU Test Reference Number HC-3220-D2

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272 3225
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	27721
Odometer Reading (mile)	12409
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	D2
Primary Fuel Sample ID	N-WV-1148
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	3/18/94

Emissions Results (g/mile)

Fuel Economy

Test #	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
248- 1	4.7	15.9	1.26	0.81	2423	4.16	31237
248- 2	4.4	14.5	1.29	0.68	2287	4.40	29524
248- 3	3.2	14.5	1.18	0.61	2027	4.97	26157
248- 4	4.9	15.0	1.20	0.81	1955	5.14	25282
248- 5	3.6	14.0	1.27	0.65	1982	5.08	25591
248- 6	3.4	14.4	1.24	0.58	1926	5.22	24885
Average	4.1	14.7	1.24	0.69	2100	4.83	27113
Std. Dev.	0.7	0.7	0.04	0.10	205	0.44	2622
CV %	17.85	4.50	3.63	14.27	9.75	9.09	9.67

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 258

WVU Test Reference Number HC-3220-JA-TRK

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38568
Odometer Reading (mile)	Not Available
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	JETA
Primary Fuel Sample ID	N-WV-1152
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	3/28/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
258-1	4.3	13.1	1.40	0.85	2451	3.90	32334
258-2	4.1	13.7	1.40	0.84	2397	3.98	31631
258-3	4.8	13.1	1.25	0.83	2279	4.19	30041
258-4	3.9	12.6	1.31	0.78	2317	4.13	30533
Average	4.3	13.1	1.34	0.82	2361	4.05	31135
Std. Dev.	0.4	0.4	0.07	0.03	77	0.13	1040
CV %	9.33	3.26	5.51	4.02	3.28	3.33	3.34

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 436

WVU Test Reference Number HC-3220-D1-5PK

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	43751
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	D1
Primary Fuel Sample ID	95-04
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	5/9/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
436- 1	5.2	13.9	1.43	0.90	2529	3.79	33219
436- 2	4.4	13.5	1.55	0.78	2525	3.80	33158
436- 3	4.5	13.2	1.50	0.85	2529	3.79	33204
436- 4	4.3	13.2	1.52	0.86	2504	3.83	32870
436- 5	4.6	12.6	1.50	0.86	2475	3.88	32506
Average	4.6	13.3	1.50	0.85	2512	3.82	32992
Std. Dev.	0.4	0.5	0.04	0.04	23	0.04	306
CV %	7.67	3.58	2.96	5.08	0.93	0.93	0.93

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 453

WVU Test Reference Number HC-3220-D1-5PK-R

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT1PC069272
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	34499
Odometer Reading (mile)	44349
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF199374
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	D1
Primary Fuel Sample ID	95-04
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	5/20/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
453- 1	5.7	13.4	1.39	0.79	2411	3.98	31686
453- 2	5.6	13.1	1.39	0.88	2380	4.03	31281
453- 3	6.1	12.9	1.30	0.94	2351	4.08	30908
453- 4	5.8	12.8	1.45	0.91	2319	4.13	30492
Average	5.8	13.0	1.38	0.88	2366	4.05	31092
Std. Dev.	0.2	0.3	0.06	0.07	39	0.07	511
CV %	3.34	2.27	4.59	7.48	1.66	1.64	1.64

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 262

WVU Test Reference Number HC-3221-E100

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDTVXPC069271 3221
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38422
Odometer Reading (mile)	8859
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	N-WV-1154
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	CBD
Test Date	3/30/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/mile
262-1	82.6	13.1	11.90	1.05	4427	1.24	61231
262-2	87.3	13.1	12.29	1.10	4367	1.25	60823
262-3	86.6	13.9	12.52	1.13	4462	1.23	61849
Average	85.5	13.4	12.24	1.09	4419	1.24	61301
Std. Dev.	2.5	0.5	0.31	0.04	48	0.01	516
CV %	2.95	3.59	2.54	3.53	1.08	0.84	0.84

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 432

WVU Test Reference Number HC-3221-E100-TCBD

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVTXPC069271 3221
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	30373
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	N/A
Test Cycle	Truck-CBD
Test Date	5/5/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
432-1		14.3	6.49	0.58	3687	1.53	49596
432-2	10.2	13.9	6.02	0.66	3797	1.49	50990
432-3	9.1	14.0	5.50	0.67	3804	1.49	51040
432-4	10.9	13.8	5.30	0.73	3796	1.49	50964
432-5	10.3	13.8		0.73	3796	1.50	50809
432-6	8.6	14.1	7.74	0.78	3699	1.53	49687
Average	9.8	14.0	6.21	0.69	3763	1.50	50514
Std. Dev.	1.0	0.2	0.97	0.07	55	0.02	681
CV %	9.83	1.54	15.68	10.39	1.45	1.36	1.35

Test ID	C2H5OH	HCHO	CH3CHO	RHC	OMHC
432-1	0.81	0.18			
432-2	0.79	0.15	0.91		4.45
432-3	0.69	0.14	0.92		4.09
432-4	0.61	0.15	0.82		3.90
432-5	0.65	0.14	0.80		
432-6	0.67	0.14	0.78		5.37
Average	0.70	0.15	0.85		4.45
Std. Dev.	0.08	0.01	0.07		0.65
CV%	11.40	10.07	7.74		14.67

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 250

WVU Test Reference Number HC-3221-E100

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVTXPC069271
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	27672
Odometer Reading (mile)	8842
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	N-WV-1154
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	3/19/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/mile
250- 1	8.8	11.1	4.13	0.10	1975	2.83	26823
250- 2	8.0	10.9	4.06	0.11	1939	2.89	26327
250- 3	8.2	10.9	3.76	0.11	1896	2.95	25733
250- 4	11.3	10.9	3.98	0.13	1869	2.99	25432
250- 5	8.2	10.8	3.76	0.09	1890	2.97	25614
Average	8.9	10.9	3.94	0.11	1914	2.93	25986
Std. Dev.	1.4	0.1	0.17	0.01	43	0.06	576
CV %	15.42	0.93	4.36	12.35	2.23	2.19	2.22

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 261

WVU Test Reference Number HC-3221-E100-TRK

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVTPC069271
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38422
Odometer Reading (mile)	Not Available
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	N-WV-1154
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	3/30/94

Emissions Results (g/mile)

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
261-1	8.3	12.2	4.97	0.32	2493	2.26	33664
261-2	6.2	12.5	5.10	0.30	2432	2.32	32805
261-3	6.7	12.3	4.87	0.29	2405	2.34	32416
261-4		12.4	4.97	0.29	2347	2.40	31616
261-5	8.1	12.1	4.93	0.28	2367	2.38	31949
Average	7.3	12.3	4.97	0.30	2409	2.34	32490
Std. Dev.	1.0	0.2	0.08	0.02	58	0.06	797
CV %	13.76	1.30	1.70	5.45	2.39	2.43	2.45

Fuel Economy

Test ID	C2H5OH	HCHO	CH3CHO	RHC	OMHC
261-1	2.48	0.11	0.50		4.31
261-2	2.54	0.12	0.61		4.49
261-3	2.42	0.10	0.52		4.25
261-4	2.45	0.11	0.60		4.36
261-5	2.12	0.12	0.59		4.21
Average	2.40	0.11	0.56		4.32
Std. Dev.	0.16	0.01	0.05		0.11
CV%	6.87	7.43	8.72		2.52

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 431

WVU Test Reference Number HC-3221-E100-5PK

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVTXPC069271
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	30353
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axles	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	N/A
Test Cycle	WVU-Trk
Test Date	5/5/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
431-1		12.1	4.32	0.42	2444	2.31	32920
431-2		12.0	4.12	0.39	2353	2.40	31667
431-3		11.7	4.13	0.37	2341	2.41	31477
431-4	5.9	11.7	3.92	0.37	2363	2.40	31732
431-5	5.7	11.7	3.73	0.39	2363	2.40	31721
431-6	6.4	11.8	3.54	0.31	2311	2.45	31037
431-7	4.2	11.8	3.51	0.32	2295	2.47	30772
431-8	4.6	11.6	3.72	0.30	2279	2.49	30574
431-9	3.6	11.9	3.71	0.31	2343	2.42	31403
Average	5.1	11.8	3.86	0.35	2344	2.42	31478
Std. Dev.	1.1	0.2	0.28	0.04	48	0.05	685
CV %	21.37	1.32	7.28	12.08	2.06	2.15	2.18

Test ID	C2H5OH	HCHO	CH3CHO	RHC	OMHC
431-1	0.59	0.08	0.22		2.97
431-2	0.66	0.09	0.37		2.96
431-3	0.61	0.08	0.41		2.96
431-4	0.55	0.08	0.42		2.82
431-5	0.66	0.08	0.45		2.76
431-6	0.66	0.07	0.45		2.64
431-7	0.58	0.07	0.50		2.62
431-8	0.64	0.08	0.53		2.78
431-9	0.62	0.08	0.48		2.74
Average	0.62	0.08	0.43		2.81
Std. Dev.	0.04	0.01	0.09		0.13

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 454

WVU Test Reference Number HC-3221-E100-5PK-R

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDTVXPC069271
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	31054
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 10-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200396
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	5/21/95

Emissions Results (g/mile)

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
454-1	8.9	11.6	4.30	0.44	2596	2.18	34908
454-2	7.9	11.4	4.00	0.37	2530	2.24	33999
454-3	8.4	11.2	4.12	0.35	2500	2.26	33613
454-4	6.0	11.2	3.85	0.42	2471	2.29	33171
454-5	7.3	11.0	3.81	0.36	2445	2.31	32847
Average	7.7	11.3	4.02	0.39	2508	2.26	33707
Std. Dev.	1.1	0.2	0.20	0.04	58	0.05	801
CV %	14.29	2.01	5.04	10.01	2.33	2.35	2.38

Fuel Economy

Test ID	C2H5OH	HCHO	CH3CHO	RHC	OMHC
454-1	0.78	0.09	0.45		3.15
454-2	0.82	0.09	0.51		3.01
454-3	0.81	0.08	0.47		3.07
454-4	0.82	0.09	0.56		2.94
454-5	0.74	0.08	0.54		2.88
Average	0.80	0.08	0.51		3.01
Std. Dev.	0.03	0.00	0.05		0.11
CV%	4.25	3.08	9.15		3.53

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 260

WVU Test Reference Number HC-3228-E100

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDVT8PC069270
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38422
Odometer Reading (mile)	5367
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 9-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200397
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	N-WV-1154
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	CBD
Test Date	3/29/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/mile
260- 1	92.8	15.1	15.38	0.87	4570	1.19	63744
260- 2	82.2	15.2	12.89	0.89	4647	1.18	64248
260- 3	84.6	15.3	11.66	1.06	4792	1.15	66103
260- 4	73.3	15.3	13.15	0.89	4725	1.16	65375
Average	83.2	15.2	13.27	0.93	4684	1.17	64867
Std. Dev.	8.0	0.1	1.55	0.09	96	0.02	1069
CV %	9.62	0.78	11.67	9.45	2.05	1.65	1.65

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 251

WVU Test Reference Number HC-3228-E100

Fleet Owner Full Name Hennepin County
Fleet Address 320 Washington Ave.
Fleet Address (City, State, Zip Code) Hopkins, MN 55343
Vehicle Type Snow Plow
Vehicle ID Number (VIN) 2HTTGDDVT8PC069270
Vehicle Manufacturer NVSTR
Vehicle Model Year 1993
Gross Vehicle Weight (GVW) (lb) 55020
Vehicle Total Curb Weight (lb) 27510
Vehicle Simulated Weight (lb) 27672
Odometer Reading (mile) 5175
Vehicle Transmission Type Manual
Vehicle Transmission Configuration Fuller RTX-11708LL 9-Spd
Number Of Axes 3

Engine Type DDC 6V-92TA DDEC II
Engine ID Number 06VF200397
Engine Displacement (liter) 9.05
Number Of Cylinders 6
Engine Rated Power (hp) 277

Primary Fuel E100
Primary Fuel Sample ID N-WV-1154
Secondary Fuel Not Applicable
Secondary Fuel Sample ID Not Applicable

Particulate Trap Manufacturer Not Applicable
Catalytic Converter Manufacturer ACDELCO

Test Cycle WVU-Trk
Test Date 3/21/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/mile
251-1		14.0	4.96	0.24	2160	2.59	29355
251-2	8.5	14.0	5.04	0.25	2164	2.59	29298
251-3	4.4	13.0	4.76	0.22	2140	2.63	28881
251-4	6.1	12.7	4.27	0.21	1965	2.86	26580
251-5	4.1	12.7	4.78	0.20	1939	2.90	26230
251-6	3.9	13.4	4.49	0.21	1940	2.90	26180
251-7	4.3	12.6	4.33	0.22	1956	2.87	26439
Average	5.2	13.2	4.66	0.22	2038	2.76	27566
Std. Dev.	1.8	0.6	0.31	0.02	110	0.15	1521
CV %	34.47	4.55	6.55	7.54	5.40	5.44	5.52

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 433

WVU Test Reference Number HC-3228-E100-TCBD

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDDVT8PC069270
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	17170
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 9-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200397
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	N/A
Test Cycle	Truck-CBD
Test Date	5/6/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
433- 1	122.7	15.2	17.58	1.35	4112	1.31	57940
433- 2	121.5	15.0	16.94	1.44	4119	1.31	57976
433- 3	113.5	14.6	15.38	1.56	4156	1.30	58254
433- 4	111.7	14.6	16.57	1.42	4115	1.32	57713
433- 5	111.5	14.8	16.12	1.38	4168	1.30	58401
Average	116.2	14.8	16.52	1.43	4134	1.31	58057
Std. Dev.	5.5	0.3	0.83	0.08	26	0.01	272
CV %	4.70	1.84	5.02	5.77	0.63	0.47	0.47

Test ID	C2H6/CO	HCHO	CH3CHO	RHC	OMHC
433- 1	6.53	0.88	3.88		15.38
433- 2	5.51	0.90	3.48		14.42
433- 3	5.50	0.84	3.31		13.37
433- 4	5.50	0.89	3.44		14.17
433- 5	5.51	0.86	3.38		13.86
Average	5.71	0.88	3.50		14.24
Std. Dev.	0.46	0.02	0.23		0.75
CV%	8.01	2.85	6.44		5.26

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 434

WVU Test Reference Number HC-3228-E100-5PK

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDTV8PC069270
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	17200
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 9-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200397
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	5/6/95

Emissions Results (g/mile)

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
434-1	28.1	12.2	7.23	0.60	2474	2.25	33801
434-2	25.7	12.1	6.80	0.54	2422	2.30	33059
434-3	26.3	12.0	6.95	0.58	2457	2.27	33538
434-4	24.8	11.9	7.30	0.55	2482	2.25	33849
Average	26.2	12.0	7.07	0.56	2459	2.26	33562
Std. Dev.	1.4	0.1	0.24	0.03	27	0.02	362
CV %	5.22	1.18	3.33	4.90	1.09	1.09	1.08

Fuel Economy

Test ID	C2H6OH	HCHO	CH3CHO	RHC	OMHC
434-1	3.40	0.27	1.84		6.68
434-2	4.27	0.26	1.85		6.75
434-3	3.45	0.29	1.94		6.57
434-4	3.86	0.28	1.88		6.92
Average	3.74	0.28	1.88		6.73
Std. Dev.	0.41	0.01	0.04		0.14
CV%	10.83	3.75	2.21		2.14

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 259

WVU Test Reference Number HC-3228-E100-TRK

Fleet Owner Full Name Hennepin County
Fleet Address 320 Washington Ave.
Fleet Address (City, State, Zip Code) Hopkins, MN 55343
Vehicle Type Snow Plow
Vehicle ID Number (VIN) 2HTTG DVT8PC069270
Vehicle Manufacturer NVSTR
Vehicle Model Year 1993
Gross Vehicle Weight (GVW) (lb) 55020
Vehicle Total Curb Weight (lb) 27510
Vehicle Simulated Weight (lb) 38422
Odometer Reading (mile) 5349
Vehicle Transmission Type Manual
Vehicle Transmission Configuration Fuller RTX-11708LL 9-Spd
Number Of Axes 3
Engine Type DDC 6V-92TA DDEC II
Engine ID Number 06VF200397
Engine Displacement (liter) 9.05
Number Of Cylinders 6
Engine Rated Power (hp) 277
Primary Fuel E100
Primary Fuel Sample ID N-WV-1154
Secondary Fuel Not Applicable
Secondary Fuel Sample ID Not Applicable
Particulate Trap Manufacturer Not Applicable
Catalytic Converter Manufacturer Not Applicable
Test Cycle WVU-Trk
Test Date 3/29/94

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/mile
259- 1		13.7	5.63	0.30	2508	2.23	34006
259- 2		14.9	6.73	0.32	2506	2.24	33870
259- 3	10.3	14.4	5.47	0.58	2750	2.05	37128
259- 4	7.9	15.9	5.67	0.65	2934	1.92	39576
259- 5	7.3	14.8	5.51	0.44	2545	2.21	34354
259- 6	10.3	15.2	5.15	0.52	3081	1.83	41564
259- 7	9.0	14.2	5.57	0.34	2750	2.04	37177
Average	9.0	14.7	5.68	0.45	2725	2.08	36811
Std. Dev.	1.4	0.7	0.49	0.14	223	0.16	2973
CV %	15.39	4.77	8.72	30.06	8.20	7.85	8.08

WVU Transportable Heavy Duty Vehicle Emissions Testing Laboratory

Department of Mechanical and aerospace Engineering, West Virginia University, Morgantown, WV 26506

Tel: (304) 293-3111 FAX: (304) 293-8832

Test Sequence Number: 460

WVU Test Reference Number HC-3228-E100-5PK-R

Fleet Owner Full Name	Hennepin County
Fleet Address	320 Washington Ave.
Fleet Address (City, State, Zip Code)	Hopkins, MN 55343
Vehicle Type	Snow Plow
Vehicle ID Number (VIN)	2HTTGDTV8PC069270
Vehicle Manufacturer	NVSTR
Vehicle Model Year	1993
Gross Vehicle Weight (GVW) (lb)	55020
Vehicle Total Curb Weight (lb)	27510
Vehicle Simulated Weight (lb)	38575
Odometer Reading (mile)	17603
Vehicle Transmission Type	Manual
Vehicle Transmission Configuration	Fuller RTX-11708LL 9-Spd
Number Of Axes	3
Engine Type	DDC 6V-92TA DDEC II
Engine ID Number	06VF200397
Engine Displacement (liter)	9.05
Number Of Cylinders	6
Engine Rated Power (hp)	277
Primary Fuel	E100
Primary Fuel Sample ID	95-03
Secondary Fuel	Not Applicable
Secondary Fuel Sample ID	Not Applicable
Particulate Trap Manufacturer	Not Applicable
Catalytic Converter Manufacturer	Not Applicable
Test Cycle	WVU-Trk
Test Date	5/23/95

Emissions Results (g/mile)

Fuel Economy

Test ID	CO	NOx	HC	PM	CO2	MPG	BTU/Mile
460- 1	34.7	12.1	8.41	0.64	2643	2.10	36246
460- 2	32.6	12.2	7.87	0.56	2526	2.19	34632
460- 3	32.0	11.7	7.61	0.52	2582	2.15	35354
460- 4	30.2	11.6	7.34	0.57	2590	2.15	35415
460- 5	28.3	11.5	7.11	0.51	2529	2.20	34554
460- 6	29.1	11.4	7.17	0.54	2474	2.25	33839
Average	31.2	11.7	7.59	0.56	2557	2.17	35007
Std. Dev.	2.4	0.3	0.49	0.04	60	0.05	840
CV %	7.64	2.74	6.52	8.03	2.33	2.40	2.40

Test ID	C2H5OH	HCHO	CH3CHO	RHC	OMHC
460- 1	4.74	0.26	1.57		7.77
460- 2	4.74	0.26	1.54		7.42
460- 3	4.49	0.24	1.34		7.07
460- 4	4.78	0.22	1.37		7.02
460- 5	4.54	0.24	1.48		6.85
460- 6	4.33	0.26	1.57		6.86
Average	4.60	0.25	1.48		7.16
Std. Dev.	0.18	0.01	0.10		0.36
CV%	3.88	5.99	6.90		5.04

Part IV

Emissions Comparison of Ethanol vs. Diesel

Six-page figures are provided in this package. The figures in 5 page are the components of emissions in 3 different driving cycles and in the 2-year tests. One page contains the tested fuel economy for the 3 trucks. The average values were plotted in the figures.

Hennepin County Comparison of Particulate Matter (PM) Emissions for Diesel and Ethanol
Fueled Vehicles For Different Test Cycles

1/29/96

Vehicle 3220 = Diesel

Vehicle 3221 = Ethanol

Vehicle 3228 = Ethanol

Hennepin County Comparison of Oxides of Nitrogen (NOx) Emissions for Diesel and Ethanol
Fueled Vehicles For Different Test Cycles

1/29/96

Vehicle 3220 = Diesel

Vehicle 3221 = Ethanol

Vehicle 3228 = Ethanol

Hennepin County Comparison of Carbon Monoxide (CO) Emissions for Diesel and Ethanol
Fueled Vehicles For Different Test Cycles

1/29/96

Vehicle 3220 = Diesel

Vehicle 3221 = Ethanol

Vehicle 3228 = Ethanol

Vehicle 3220 = Diesel

Vehicle 3221 = Ethanol

Vehicle 3228 = Ethanol

Hennepin County Comparison of Carbon Dioxide (CO2) Emissions for Diesel and Ethanol
Fueled Vehicles For Different Test Cycles

1/29/96

Vehicle 3220 = Diesel

Vehicle 3221 = Ethanol

Vehicle 3228 = Ethanol

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE January 1998		3. REPORT TYPE AND DATES COVERED Subcontract report	
4. TITLE AND SUBTITLE Hennepin County's Experience with Heavy-Duty Ethanol Vehicles				5. FUNDING NUMBERS (C) ZAZ-3-12223-01-107183 (TA) FU803330	
6. AUTHOR(S) Trucking Research Institute and Hennepin County Central					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Trucking Research Institute 2200 Mill Road Alexandria, VA 22314-4677 Hennepin County Central 20 Washington Avenue Hopkins, MN 55343				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Renewable Energy Laboratory 1617 Cole Boulevard Golden, CO 80401-3393				10. SPONSORING/MONITORING AGENCY REPORT NUMBER NREL/SR-540-22726	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION/AVAILABILITY STATEMENT National Technical Information Service U.S. Department of Commerce 285 Port Royal Road Springfield, VA 22161				12b. DISTRIBUTION CODE UC-1504	
13. ABSTRACT (Maximum 200 words) Hennepin County, Minnesota, field-tested two heavy-duty snowplow/road maintenance trucks fueled by ethanol. The objective of this program was to collect data from original equipment manufacturer alternative fuel heavy-duty trucks, along with comparable data from a similarly configured diesel-powered vehicle, to establish economic, emissions, performance, and durability data for the alternative fuel technology. A considerable amount of data was collected, and project participants called the project a success.					
14. SUBJECT TERMS Alternative fuels, ethanol, heavy-duty vehicles				15. NUMBER OF PAGES 86	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT		

DN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102