DOE/OR/22002--T1

AN INVENTORY OF WETLANDS IN THE EAST FORK POPLAR CREEK FLOODPLAIN
ANDERSON AND ROANE COUNTIES, TENNESSEE

Prepared By:

U. S. Army Corps of Engineers
Nashville District
Nashville, Tennessee

For:

U. S. Department of Energy
Environmental Restoration Division
Oak Ridge, Tennessee

DECEMBER 1992

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

APPROVED FOR RELEASE OR
PUBLICATION. INTEL. PROP. GP.,
OFC. OF CHIEF COUNSEL, DOE/ORO
By E. Delon Date Jan 12, 98

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible electronic image products. Images are produced from the best available original document.

ABSTRACT

An inventory of wetlands within the floodplain of East Fork Poplar Creek (EFPC) in Anderson and Roane Counties, Tennessee was conducted during October, 1991 through May, 1992 for the U. S. Department of Energy (DOE) by the U. S. Army Corps of Engineers, Nashville District. About 15 miles of EFPC channel and 500 acres of its floodplain are contaminated with mercury and other contaminants released from the Y-12 Plant on the DOE Oak Ridge Reservation. The wetland inventory will serve as baseline information for DOE's remedial action planning and National Environmental Policy Act compliance efforts related to the contamination. In order to provide broad wetland determinations beyond which future wetland definitions are unlikely to expand, the 1989 *Federal Manual for Identifying And Delineating Jurisdictional Wetlands* was utilized. Using the manual's methodology in a contaminated system under the approved health and safety plan presented some unique problems, resulting in intrusive sampling for field indicators of hydric soils being accomplished separately from observation of other criteria. Beginning with wetland areas identified on National Wetland Inventory Maps, the entire floodplain was examined for presence of wetland criteria, and 17 wetlands were identified ranging from 0.01 to 2.81 acres in size. The majority of wetlands identified were sized under 1 acre. Some of the wetlands identified were not delineated on the National Wetland Inventory Maps, and much of the wetland area delineated on the maps did not meet the criteria under the 1989 manual.

CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
OBJECTIVES.....	1
METHODS AND PROCEDURES.....	2
RESULTS.....	5
General.....	5
Detailed Descriptions.....	6
DISCUSSION.....	16
ACKNOWLEDGEMENTS.....	18
REFERENCES.....	19

APPENDICES

Appendix

1. Glossary of Wetland Terms.
2. Routine Onsite Method, Plant Community Assessment Procedure
3. Wetland Maps.
4. Field Data Forms.

AN INVENTORY OF WETLANDS IN THE EAST FORK POPLAR CREEK FLOODPLAIN ANDERSON AND ROANE COUNTIES, TENNESSEE

INTRODUCTION.

East Fork Poplar Creek (EFPC) is located in Anderson and Roane counties of eastern Tennessee approximately 20 miles northwest of Knoxville. EFPC originates from the east end of the Y-12 Plant on the Oak Ridge DOE (Department of Energy) Reservation, passes through the city of Oak Ridge and rural Roane County, re-enters the Oak Ridge Reservation, and empties into Poplar Creek, which in turn flows into the Clinch River. The total length of EFPC is about 15 miles. The creek and approximately 500 acres of its floodplain have been contaminated as a result of process operational upsets and accidental releases at the Y-12 Plant. Mercury was used at Y-12 to separate different isotopes of lithium. Prior to 1982, an estimated 239,000 lbs. of mercury were released from the Y-12 Plant to EFPC, and mercury is the major contaminant found in EFPC and its floodplain. To a lesser extent other heavy metals, radionuclides, and some organic compounds have also been found in EFPC and its floodplain soils. DOE is studying appropriate remediation to deal with the contaminated areas.

Remediation measures considered by DOE can potentially impact various environmental resources, including wetlands, in the EFPC floodplain. Wetlands are sensitive environmental resources that have been extensively impacted Nation-wide over the years to the point that they now receive special consideration in project planning and in regulatory reviews. President Bush announced a goal of "no net loss" of the Nations remaining wetlands, and Executive Order 11990 (Protection of Wetlands) from the Carter administration remains in effect. DOE regulations regarding wetlands are under 10 CFR 1022, which implements the above Executive Order and Executive Order 11988 (Floodplain Management). In order to develop baseline information for use in remediation planning and the National Environmental Policy Act (NEPA) process, DOE requested the Nashville District Corps of Engineers to inventory wetlands within the EFPC floodplain.

OBJECTIVES.

Generally stated, the objective of this investigation is to identify and characterize the wetlands within the EFPC floodplain so that the effects on wetlands of remedial action plans for the contamination may be assessed. The information developed will be used for planning purposes, including preparation of a feasibility study and an Environmental Impact Statement, and to facilitate compliance with

intensive and least costly of the onsite methods. The plant community assessment procedure under the Routine Onsite Method was used as presented in the manual (see Appendix 2), except that the sequence for hydric soil and wetland hydrology determinations was generally modified to deal with season/timing constraints. Under that procedure, establishment of the hydrophytic vegetation criterion is the initial determination, based on visual estimation of the dominant plant species for each vegetative stratum in the area being observed.

All onsite investigations were accomplished in accordance with the health and safety plan procedures developed by Radian/Lee Wan Associates. Prior to entering the site, all personnel performing onsite investigations were required to successfully complete appropriate training under OSHA 29 CFR 1910.120, and additional site-specific training. The above personnel were also placed under medical surveillance to document any occupational exposure to contaminants. Strict adherence to the buddy system was required during all onsite activities, and an escort furnished by Science Applications International Corporation (SAIC) accompanied the Corps investigators in the field at all times. Level D clothing including coveralls, rubber boots, and safety glasses was sufficient for routine onsite observations and thermoluminescent dosimeters were worn as the primary means of determining exposure to ionizing radiation. However, during intrusive sampling to identify hydric soils, additional personal protective equipment including Tyvek coveralls and latex gloves were required. The probe holes and soil samples were monitored with a Jerome mercury vapor sniffer and a Geiger counter. Should an unacceptable level of mercury vapor have been detected, all personnel would have left the sample site immediately, returning to complete the observation after donning a full-face or half-face respirator complete with a cartridge affording protection from mercury vapor. Decontamination procedures were followed as required. Personal protective equipment and monitoring personnel, when required, were provided by Radian/Lee Wan Associates.

To initiate the inventory, National Wetlands Inventory maps, soil surveys, and any other available, pertinent information was studied for a preliminary indication of the likely location of wetlands in the EFPC floodplain. Based on suspected location of the wetlands, field work and access were planned. A field crew, guided by the SAIC escort, began visiting each potential wetland site in October, 1991 to identify those with field indicators of the three technical criteria for classification as wetlands (wetland hydrology, hydric soils, and hydrophytic vegetation). Also, the entire floodplain was reconnoitered for potential wetland sites not apparent through offsite investigations. Because of the impending leaf fall and the more stringent health and safety procedures required for intrusive

In the Roane County portion of the study area, the lack of a recent soil survey (most recent survey published in 1942) was a handicap for determining whether the hydric soil criterion was met. Many of the wetlands in that portion of the study area are developing wetlands lacking strong hydric soil indicators, and best judgement with consideration to the strength of the other wetland criteria was utilized in determining whether the soil criterion is met. Thus, some soils determinations in that area are somewhat subject to disagreement.

Finally, the most serious problem encountered was conversion of data from the SAIC CADD system to the Corps CADD system and the resultant delay in acquiring good maps for use in the field. The conversion problem was eventually rectified to the point that the mapping could be used for the inventory, but anomalies still exist on the mapping in the Corps CADD system. Further, details of the contours in the mapping seem, often, to disagree with the topography observed in the field. For this reason, several of the wetlands delineated on the base maps include illogical contours.

RESULTS

General. A total of 17 wetlands were identified as meeting all three criteria of the 1989 *Federal Manual for Identifying and Delineating Jurisdictional Wetlands*. The wetlands ranged in size from 0.01 acre to 2.81 acres, with the overwhelming majority under 1 acre. The number and acreage of wetlands meeting the criteria of the 1989 manual is substantially less than those identified on the National Wetlands Inventory maps of the area. This reduction was contrary to the expectations of the investigators, but is understandable upon considering that the National Wetland Inventory maps are based on remote sensing and are vegetation driven with little or no means of considering hydrology and soil parameters. The National Wetland Inventory maps identified almost all of the EFPC floodplain forest as wetland, but only the sites identified below meet the criteria for wetland hydrology and hydric soils. Attainment of the hydric soil criteria was generally the hardest determination to make, since field indicators were often quite subtle and, the only reliable county soil survey indicated only marginal hydric soils (hydric, if ponded) for the area it covered (Anderson County only). The lack of conspicuous field indicators for hydric soil at sites strongly meeting the other two parameters may be due to human alteration of the hydrology and sedimentation causing sites to change to or from wetland. It is also possible that the soil discoloration at some of the areas with higher contamination levels may have masked the soil colors normally indicative of hydric soils. Particularly where soils were concerned,

<u>Sample 1</u>	<u>Sample 2*</u>	<u>Sample 3</u>
0"-3" 10YR 4/3	10.5" 2.5YR 3/2	0"-4" 10YR 3/3
3"-5" 10YR 3/4		4"-8" 5YR 4/6
>5" 5YR 3/2		mottles 2.5YR 5/2
		>8" 5YR 4/2

*Sample 2 was taken from the same area as Sample 1, as soils were too wet for extraction of a full probe.

Mile 14, Left Bank. This tiny (0.01 acre) man made wetland is located on the left (descending) bank across EFPC from Lane Chrysler/Plymouth and south of Wells AN E2 and AN E1. The basic conditions for development of the wetland were created by a drastic alteration of topography resulting from removal of fill material. A constant sheet flow of spring water provides the wetland hydrology, and the ground surface is inundated to a depth of about 3" in places. The thin soil layer of 2"-3" above parent material is probably the result of sediment deposit. The soil matrix color is 10R 4/2 on the Munsell Chart, and there is a strong sulphur smell when the soil is disturbed. Both indicate reducing conditions and are reasonable indicators that the hydric soil criterion is met in a newly created wetland. Dominant plant species on the site are soft rush (*Juncus effusus*) and common cattail (*Typha latifolia*) with indicator statuses of Facultative Wet+ (FACW+) and Obligate (OBL), respectively.

Transect N-33468, Left Bank. Forested wetland extends from the base of the steep slope defining the western boundary of the EFPC floodplain along a small water course which empties into EFPC. It appears that fill material pushed over the slope has possibly encroached on the area somewhat. The wetland area is 0.57 acre in size. The hydrology of the area is derived from groundwater seepage as well as runoff from the uplands. The area is inundated only following flood events but normally has an aquic moisture regime or saturated soils. Free water immediately filled probe holes to within 5 inches of the surface in February and to within 2 inches of the surface in April and May. The dominant vegetation on the site is rather evenly distributed with 2 species in each of the tree, sapling, and shrub strata, and 1 species in the herbaceous stratum. Dominant plant species are swamp chestnut oak (*Quercus michauxii*), sweetgum (*Liquidambar styraciflua*) (tree and sapling strata), American hornbeam (*Carpinus caroliniana*), spicebush (*Lindera benzoin*), green ash (*Fraxinus pennsylvanica*), and an unidentified grass. Even assuming the indicator status of the unidentified grass as upland, 86% of the dominant plant species have indicator statuses of Facultative (FAC) or wetter. As in most of the upper EFPC floodplain, the Anderson County Soil Survey indicates that the soil

8"-11.5"	10YR 4/3 matrix
	5YR 5/8 streaks
11.5"-13"	10YR 4/2 matrix
	10YR 5/8 streaks

Transect N34452: E-06, Right Bank. A 0.85 acre area of forested wetland is situated in the floodplain forest on the right bank near the Holiday Inn and the New K-Mart store. It appears that the wetland area may have been larger before encroachment by fill for commercial development. The area is adjacent to a small water course which empties into EFPC from the east. The hydrology of the area is derived from surface runoff. There are slight variations in elevation throughout the area, and much of the area is inundated to depths of 2-3 inches through a normal spring. On portions that are not inundated, there is an aquatic moisture regime, and free water immediately filled probe holes to within less than 2 inches of the surface throughout April and into early May. The dominant vegetation on the site is distributed among the strata, with most species occurring in the shrub and sapling strata. Dominant plant species are green ash (tree and sapling strata), sweetgum (tree and sapling strata), box elder, privet (*Ligustrum spp.*), honeysuckle (*Lonicera japonica*), white heath aster, and an unidentified grass. Even without considering the unidentified grass a hydric species, 55% of the dominant plant species have an indicator status of FAC or wetter. According to the Anderson County Soil Survey, Newark, a hydric soil when ponded, continues through this area. The aquatic moisture regime which is usually an indicator of hydric soil, is the only other evidence in support of hydric soil at the site. Soil probe samples revealed no low chromas or other hydric soil indicators. However, this investigator believes that the ponding and aquatic moisture regime on Newark soil are sufficient indicators that the hydric soil criterion is met.

Transect E58069: N-16, Right Bank. A 0.09 acre wetland is developing in and about a poorly drained pocket across the street from Robertsville Baptist Church and adjacent to Robertsville Jr. High School. Inundation and saturation in this area appear to occur throughout most of the year, and probably results from construction of the adjacent roadways. The inundated portion of the site has a water depth of up to 8 inches, and free water immediately filled probe holes to within 1 inch of the surface during March and May sampling visits. The dominant vegetation on the site is in the shrub and herbaceous strata. Dominant plant species are black willow, button bush (*Cephalanthus occidentalis*), sedge (*Cyperus spp.*), cattail, soft rush, creeping Jenny (*Lysimachia nummularia*), and jewel weed (*Impatiens capensis*). All of the dominant plant species have an indicator status of FACW or OBL. According to the Anderson County Soil Survey, the soil at the site is Hamblen. However, construction activities have probably resulted in the

0"-4" 10YR 3/3
4"-9" 10YR 4/3
9"-18" 10YR 4/2

Efforts to sample soils further out into the saturation zone were unsuccessful because the soils were too wet for extraction in the probe. Investigators were able to note, however, a Munsell coloration of 10YR 3/2 at 0"-3" depths.

Transects E53804 and E53476, Left Bank. A narrow linear wetland of about 0.91 acre parallels the base of the valley slope in the left bank floodplain opposite approximate EFPC Miles 10.9 - 11.0. The source of hydrology for the area was unclear to the investigators, but groundwater is probably involved along with surface runoff and retained floodwaters. SAIC personnel reported that the area remains saturated from late winter through, at least, early summer. The aquic moisture regime was apparent during late February, and free water immediately filled probe holes to within 2 inches of the surface. The area is a young forest with vegetation occupying the tree, shrub, sapling, and herbaceous strata. The dominant plant species are green ash (tree and sapling strata), box elder, silky dogwood, ground ivy, and creeping Jenny. Indicator statuses of the dominant vegetation are 83% FACW and FACW+. According to the Anderson County Soil Survey, Newark, a hydric soil when ponded, continues through this area. The aquic moisture regime, which is usually an indicator of hydric soil, and the presence of mottles in the 11"-18" layer are sufficient evidence to support meeting the hydric soil criterion. The black layer associated with the mercury contamination was encountered, and the high levels of mercury may have influenced the Munsell Soil Chart color readings. The Munsell colors are as follows.

0"-7" 10YR 3/3
7"-11" Black contaminated layer
11"-18" 10YR 4/4 matrix
10YR 4/2 mottles

The soil and hydrology criteria may be considered rather marginally attained, and other investigators may reasonably disagree that all three wetland criteria are met at this area.

Transect E43306, Right Bank. A 2.81 acre young forested wetland occupies a basin formed around an unnamed forked tributary entering EFPC at approximate Mile 8.2, right bank in a corner of the Oak Ridge Sportsmen's Association (ORSA) property. The hydrology of the area is derived from a continuous spring flow and by surface runoff. The basin floor has an intricate topography, with lower areas normally inundated to 1 - 5 inch depths. Areas of the floor not inundated are normally saturated, and free water immediately filled

growing season, similar hydrology is present for sufficient duration to meet the hydrology criterion. Dominant vegetation occupies the tree, sapling, and herbaceous strata, and 66% or more is FAC or wetter. Dominant plant species are sycamore, green ash, elm (*Ulmus spp.*), honeysuckle, white heath aster, and an unidentified grass. As previously mentioned, the soil survey for Roane county is so outdated (1942) as to be useless for hydric soil determinations. However, the following Munsell Chart colorations and hydric soil indicators support a conclusion that the hydric soil criterion is met.

Sample 1.

13"-14" 10YR 4/3 matrix
oxidized root channels
mottling
iron or manganese nodules.

Sample 2.

1"-2" 10YR 4/2 matrix
16"-18" 10YR 4/2 matrix
5YR 2/1 nodules

Due to limited accessibility, evidence supporting the soil and hydrology criteria might be considered rather marginal, and other investigators may reasonably disagree that all three wetland criteria are met at this area.

Transect 30674, Left Bank. An old channel bendway, possibly cut off when the turnpike was constructed lies south of the turnpike and just east of Transect 30674. The size of this permanently flooded area is 0.45 acre. The dominant plant species is duckweed (*Lemna spp.*), which has an indicator status of OBL. It was not necessary to characterize the soils since the area is permanently inundated, and hydric soils may be assumed.

Transect E20339, Right Bank. This wetland area has formed around a backwater intrusion at approximate EFPC Mile 0.6. The entire site including standing water/mud flat is approximately 0.68 acre in size. Backwater from Watts Bar Reservoir and spring water flow are the primary sources of the site's hydrology, and zones of shallow inundation and soil saturation both occur under normal conditions. Free water immediately filled probe holes to within less than 2 inches of the surface. Immediately adjacent to the fluctuation zone is a band approximately 5 feet wide and consisting almost entirely of creeping Jenny and smartweed (*Polygonum spp.*). Above this band is a thick community of dominant plant species consisting of black willow, silky dogwood, and honeysuckle. All of the dominants in both communities have indicator statuses of FAC or wetter. While soil survey information is not available, there are sufficient field indicators that the hydric soil criterion is met. There is an aquic moisture regime present and organic material is abundant in the soil down to about 6.5 inches. There are mottles in the upper soil layer, and the Munsell chroma is 2 below 3.5 inches. Typical

soil. Munsell soil colorations noted at the site are as follows.

0"-3.5" 10YR 4/3
3.5"-11" 10YR 4/3 matrix
7.5YR 4/4 mottles

Soils were too wet to extract a full probe tube. Based on the aquatic moisture regime, organic material in the soil, and hydrophytic vegetation present, and changes due to tailwater influence at the site it was concluded that the hydric soil criterion is met at the site.

Transect E19682, Left Bank. A wetland area has formed around a backwater intrusion just downstream of Mile 0.3. The entire site including standing water/mud flat is approximately 0.39 acre in size. Backwater from Watts Bar Reservoir is the primary source of the site's hydrology, and inundation of a few inches or saturation within less than 2 inches to 4 inches of the surface occurs as the normal condition. Above the unvegetated backwater fluctuation zone, are four plant communities. Taken in order of decreasing site wetness, indicator statuses of dominant plant species are 100% OBL, 60% FAC or wetter, 83% FACW or wetter, and 75% FAC or wetter. The community in the edge of the inundation zone is 100% button bush. The community adjacent to the inundation zone is all herbaceous and the dominant species are smartweed, creeping Jenny, bedstraw (*Galium spp.*), jewel weed, and an unknown grass. The third community has shrub and herbaceous strata and its dominant species are box elder, dogwood, button bush, creeping Jenny, jewel weed and an unidentified grass. The outermost community added a tree stratum and dominant species are green ash, sycamore, box elder, dogwood, creeping Jenny, smartweed, and two unidentified grasses. At the outermost zone, soils were quite moist, but no free water was readily apparent in probe holes and the hydrology criterion is probably not met. Soils supporting the other communities did not have classic Munsell hydric colorations, but included mottled layers and iron/manganese concretions. Because those soils are typically saturated, support hydric vegetation, and are part of a system developing due to influence of the tailwaters, the hydric soil criterion was considered met, nevertheless. Munsell colorations observed at the site are as follows.

Button bush community:

0"-4" 10YR 3/3
4"-10" 10YR 4/3 matrix
7.5YR 4/4 mottles
iron/manganese concretions noted.
10"-16" 2.5YR 5/4

facilitate DOE compliance with Executive Order 11990 (Protection of Wetlands), Executive Order 11988 (Floodplain Management), DOE regulations under 10 CFR 1022, and NEPA. At such time as site specific proposals for remedial action plans are finalized, detailed wetland delineations may be completed under the appropriate contemporary methodology for jurisdictional delineation. Nevertheless, it is timely to present some general considerations concerning regulatory jurisdiction for the EFPC wetlands. The legal opinion currently held by the Corps of Engineers and the Environmental Protection Agency is that Congress did not intend for Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) response actions to be subject to Section 404 of the Clean Water Act or Section 10 of the Rivers and Harbors Act. Thus, the Corps does not conduct permit reviews for actual CERCLA clean-up actions. However, support activities for CERCLA responses (access roads, staging areas, etc.) are subject to normal permit requirements. Since policies and legal opinions are subject to change, it is recommended that DOE coordinate any remedial action plans with the Nashville District Corps of Engineers, Regulatory Branch (615/736-5181). Other activities involving deposition of dredged or fill material into any of the EFPC wetlands that are determined to be jurisdictional will require a full permit review.

As mentioned, the National Wetland Inventory maps identified almost all of the EFPC floodplain forest as wetland, but only the sites identified in this inventory meet all the wetland criteria. However, many areas from the National Wetland Inventory not meeting all the wetland criteria are environmentally valuable areas, if contamination levels are ignored. Such areas are moist floodplain forests and are highly productive for wildlife purposes, although the desirability of providing wildlife habitat in significantly contaminated areas is debatable. These floodplain forests perform other functions of wetlands such as floodwater attenuation and sediment retention. Particularly notable in this regard are the wide forested floodplain off South Illinois Avenue (EFPC Miles 13.3 - 13.95), the forested area adjacent to the Robertsville Jr High School athletic field, and wide forested floodplain areas on either side of EFPC between its mouth and the confluence of Bear Creek (EFPC Miles 0 - 1.5). A variety of wildlife including deer (*Odocoileus virginianus*), wild turkeys (*Meleagris gallopavo*), great blue herons (*Ardea herodias*) and wood ducks (*Aix sponsa*) were sighted in some of these areas during sampling activities.

Relatively flat floodplain forest areas may hold some opportunity for wetland development or mitigation efforts, since the hydrophytic vegetation criterion is already met at these sites, and the floodplain often slopes slightly away from the streambank. All that is needed to develop or expand wetlands at some of these sites is the addition of sufficient hydrology. For example, weirs might be

REFERENCES

Beal, E.O. 1977. A manual of marsh and aquatic vascular plants of North Carolina with habitat data. The North Carolina Agricultural Experiment Station. Raleigh, NC. Tech. Bul. No. 247. 298 pp.

Corps of Engineers, Department of the Army. 1991. Regulatory guidance letters issued by the Corps of Engineers; notice. Federal Register. 56(14) January 22, 1991:2408-2409.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Fish and Wildlife Service. Washington, D.C. Publ. No. FWS/OBS-79/31. 103 pp.

Kollmorgen Corporation. 1975. Munsell soil color charts. Macbeth Division of Kollmorgen Corp., Baltimore MD.

Federal Interagency Committee For Wetland Delineation. 1989. Federal manual for identifying and delineating jurisdictional wetlands. U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, and U.S.D.A. Soil Conservation Service, Washington, D.C. Cooperative technical publication. 76 pp. plus appendices.

Fernald, M.L. 1970. Gray's manual of botany. D. Van Nostrand Co., New York, NY.

Gleason, H.A. 1952. The new Britton and Brown illustrated flora of the northeastern United States and adjacent Canada. Three Vols. 3rd Edition. Hafner Press. New York, NY. Vol I-482pp; Vol II-655 pp; Vol III-595 pp.

Godfrey, R.K. and J.W. Wooten. 1979. Aquatic and wetland plants of southeastern United States. Monocotyledons. University of Georgia Press. Athens, GA. 712 pp.

Lee Wan & Associates. 1990. Environmental restoration program technical support contractor East Fork Poplar Creek Phase Ia Sampling health and safety plan. U.S. Department of Energy, Oak Ridge Operations. DOE/OR-935RI. LWA/90-009.

Money maker, R.H. 1981. Soil survey of Anderson County, Tennessee. U.S.D.A. Soil Conservation Service and Tennessee Agricultural Experiment Station. Nashville, TN. 165 pp. plus maps.

Reed, P.B., Jr. 1988. National list of plant species that occur in wetlands: national summary. U.S. Fish and Wildlife Service.

APPENDIX 1

GLOSSARY OF WETLAND TERMS

Source: Federal Interagency Committee For Wetland Delineation. 1989.
Federal manual for identifying and delineating jurisdictional wetlands. U.S.
Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and
Wildlife Service, and U.S.D.A. Soil Conservation Service, Washington, D.C.
Cooperative technical publication. 76 pp. plus appendices.

Glossary

Adaptation - The condition of showing fitness for a particular environment, as applied to characteristics of a structure, function, or entire organism; a modification of a species that makes it more fit for reproduction and/or existence under the conditions of its environment.

Adventitious roots - Roots found on plant stems in positions where roots normally do not occur.

Aerenchymous tissue (Aerenchyma) - A type of plant tissue in which cells are unusually large, resulting in large air spaces in the plant organ; such tissues are often referred to as spongy and usually provide increased buoyancy.

Aerobic - A condition in which molecular oxygen is a part of the environment.

Alfisols - Soils having significantly more clay in the B-horizon than in the A-horizon and high base status.

Anaerobic - A condition in which molecular oxygen is absent (or effectively so) from the environment.

Annual - Occurring yearly or, as in annual plants, living for only one year.

Aqualfs - Soils with an aquic or peraquic moisture regime and having clay accumulating in the B-horizon; wet Alfisols.

Aquepts - Soils with an aquic or peraquic moisture regime and lacking distinct soil horizons in the subsoil; wet Entisols.

Aquepts - Soils with an aquic moisture regime and showing some soil development in the B-horizon; wet Inceptisols.

Aquic moisture regime - A moisture condition associated with a seasonal reducing environment that is virtually free of dissolved oxygen because the soil is saturated by ground water or by water of the capillary fringe, as in soils in Aquic suborders and Aquic subgroups.

Aquods - Soils having an accumulation of iron, aluminum, and organic matter in the B-horizon in addition to having an aquic moisture regime; wet Spodosols.

Areal cover - A measure of dominance that defines the degree to which above ground portions of plants cover the ground surface; it is possible for the total areal cover for all strata combined in a community or for single stratum to exceed 100 percent because: 1) most plant communities consist of two or more vegetative strata; 2) areal cover is estimated by vegetative layer; and 3) foliage within a single layer may overlap.

Disturbed condition - As used herein, this term refers to areas in which indicators of one or more characteristics (vegetation, soil, and/or hydrology) have been sufficiently altered by man's activities or natural events so as to make it more difficult to recognize whether or not the wetland identification criteria are met.

Artificial wetlands - Wetlands created by the activities of man, either purposefully or accidentally.

Basal area - The cross-sectional area of a tree trunk measured in square inches, square centimeters, etc.; basal area is normally measured at 4.5 feet above ground level and is used as a measure of dominance; the most commonly used tool for measuring basal area is a diameter tape or a D-tape (then convert to basal area).

Criteria - Technical requirements upon which a judgment or decision may be based.

Deepwater habitat - Any open water area in which the mean water depth exceeds 6.6 feet at mean low water in nontidal and freshwater tidal areas, or is below extreme low water at spring tides in salt and brackish tidal areas, or the maximum depth of emerging vegetation, whichever is greater.

Density - The number of individuals per unit area.

Detritus - Fragments of plant parts found on the soil surface or in water; when fused together by algae or soil particles, this detritus is an indicator that the soil surface was recently inundated.

Diameter at breast height (dbh) - The width of a plant stem (e.g., tree trunk) as measured at 4.5 feet above the ground surface.

Dike - An embankment (usually of earth) constructed to keep water in or out of a given area.

Disturbed area - An area where vegetation, soil, and/or hydrology have been significantly altered, thereby making a wetland determination difficult.

Dominance - As used herein, refers to the spatial extent of a species; commonly the most abundant species in each vegetation stratum that, when ranked in descending order of abundance and cumulatively totaled, immediately exceeds 50 percent of the total dominance measure (e.g., areal cover or basal area) for the stratum, plus any additional species comprising 20 percent or more of the total dominance measure for the stratum.

Dominance measure - The means or method by which dominance is established, including areal coverage and basal area; the total dominance measure is the sum total of the dominance measure values for all species comprising a given stratum.

Dominance threshold number - The number at which 50 percent of the total dominance measure for a given stratum is represented by one or more plant species when ranked in descending order of abundance (i.e., from most to least abundant); when this number is immediately exceeded, the dominant species for the stratum are realized.

Dominant species - For each stratum, dominant species are those that, when ranked in descending rank order and cumulatively totaled, immediately exceed 50 percent of the total dominance measure (i.e., the dominance threshold number), plus any additional species comprising 20 percent or more of the total dominance measure for the stratum.

Drained, effectively - A condition where ground or surface water has been removed by artificial means to the point that an area no longer meets the wetland hydrology criterion.

Drift line - An accumulation of water-carried debris along a contour or at the base of vegetation that provides direct evidence of prior inundation and often indicates the directional flow of flood waters.

Duff - The matted, partly decomposed, organic surface layer of forested soils.

Duration (of inundation or soil saturation) - The length of time that water stands above the soil surface (inundation), or that water fills most soil pores near the soil surface; as used herein, "duration" refers to a period during the growing season.

Entisols - Soils of slight or recent development; common along rivers and floodplains.

Growing season - The portion of the year when soil temperatures are above biologic zero (41° F) as defined by "Soil Taxonomy;" the following growing season months are assumed for each of the soil temperature regimes: (1) thermic (February-October); (2) mesic (March-October); (3) frigid (May-September); (4) cryic (June-August); (5) pergelic (July-August); (6) isohyperthermic (January-December); (7) hyperthermic (February-December), (8) isothermic (January-December) and (9) isomesic (January-December).

Hardpan - A very dense soil layer caused by compaction or cementation of soil particles by organic matter, silica, sesquioxides, or calcium carbonate, for example.

Hemists - Organic soils (mucky peats and peaty mucks) in which plant remains show a fair amount of decomposition; between one-third and two-thirds of the fibers are still visible upon rubbing the material between the fingers.

Herb - Nonwoody (herbaceous) plants including graminoids (grass and grasslike plants), forbs, ferns, fern allies, and nonwoody vines; for the purposes of this manual, seedlings of woody plants that are less than three feet in height are also considered herbs.

Herb stratum - Any vegetative layer of a plant community that is composed predominantly of herbs.

Histic epipedon - A 8- to 16-inch soil layer at or near the surface that is saturated for 30 consecutive days or more during the growing season in most years and contains a minimum of 20 percent organic matter when no clay is present or a minimum of 30 percent of organic matter when 60 percent or more clay is present; generally a thin horizon of peat or muck if the soil has not been plowed.

Histosols - An order in "Soil Taxonomy" (Soil Survey Staff 1975) composed of organic soils (mucks and peats) that have organic soil materials in more than half of the upper 32 inches or that are of any thickness if overlying rock.

Horizon - A distinct layer of soil, more or less parallel with the soil surface, having similar properties such as color, texture, and permeability; the soil profile is subdivided into the following major horizons: A-horizon, characterized by an accumulation of organic material; B-horizon, characterized by relative accumulation of clay, iron, organic matter, or aluminum; and the C-horizon, the undisturbed and unaltered parent material. (*Note:* Some soils have an E-horizon, characterized by leaching of organic and other material.)

Hue - A characteristic of color related to one of the main spectral colors (red, yellow, green, blue, or purple), or various combinations of these principle colors; one of the three variables of color; each color chart in the Munsell Soil Color Charts (Kollmorgen Corporation 1975) represents a specific hue.

Hydric soil - A soil that is saturated, flooded, or ponded long enough during the growing season to develop anaerobic conditions in the upper part.

Hydrology - The science dealing with the properties, distribution, and circulation of water.

Hydrophyte - Any macrophyte that grows in water or on a substrate that is at least periodically deficient in oxygen as a result of excessive water content; plants typically found in wetlands and other aquatic habitats.

Hydrophytic vegetation - Plant life growing in water or on a substrate that is at least periodically deficient in oxygen as a result of excessive water content.

Hypertrophied lenticels - An exaggerated (oversized) pore on the stem of woody plants through which gases are exchanged between the plant and the atmosphere; serving to increase oxygen to plant roots during periods of inundation or soil saturation.

Nonwetland - Any area that has sufficiently dry conditions that hydrophytic vegetation, hydric soils, and/or wetland hydrology are lacking; it includes upland as well as former wetlands that are effectively drained.

Normal circumstances - Refers to the soil and hydrology conditions that are normally present, without regard to whether the vegetation has been removed.

Obligate wetland species - A plant species that is nearly always found in wetlands; its frequency of occurrence in wetlands is 99% or more.

Offsite determination method - A technique for making a wetland determination in the office.

Onsite determination method - A technique for making a wetland determination in the field.

Organic soil - See Histosols.

Overbank flooding - Any situation in which inundation occurs as a result of the water level of a river or stream rising above bank level.

Oxidation-reduction process - A complex of biochemical reactions in soil that influences the valence state of elements and their ions found in the soil; long periods of soil saturation during the growing season tend to elicit anaerobic conditions that shift the overall process to a reducing condition.

Oxidized rhizospheres - Oxidized channels and soil surrounding living roots and rhizomes of hydrophytic plants.

Parent material - The unconsolidated and more or less weathered mineral or organic matter from which the soil profile is developed.

Pedogenic - Related to soil-building processes occurring within the soil.

Peraquic moisture regime - A soil condition in which reducing conditions always occur due to the presence of ground water at or near the soil surface.

Perennial (plant) - Living for many years.

Periodically - Used herein, to define detectable regular or irregular saturated soil conditions or inundation, resulting from ponding of ground water, precipitation, overland flow, stream flooding, or tidal influences that occur(s) with hours, days, weeks, months, or even years between events.

Permanently flooded - A water regime condition where standing water covers the land surface throughout the year (but may be absent during extreme droughts).

Permeability - The quality of the soil that enables water to move downward through the profile, measured as the number of inches per hour that water moves downward through the saturated soil.

Phase, soil - A subdivision of a series based on features such as slope, surface texture, stoniness, and thickness.

Physiological adaptation - A peculiarity of the basic physical and chemical activities that occur in cells and tissues of a species, which results in it being better fitted to its environment (e.g., ability to absorb nutrients under low oxygen tensions).

Plant community - The plant populations existing in a shared habitat or environment.

Sample plot - As used herein, an observation point at which a wetland determination is made.

Sapling - Woody vegetation between 0.4 and 5.0 inches in diameter at breast height and greater than or equal to 20 feet in height, exclusive of woody vines.

Saprists - Organic soils (mucks) in which most of the plant material is decomposed and the original constituents cannot be recognized; less than one-third of the fibers remain visible upon rubbing the material between the fingers.

Saturated - A condition in which all easily drained voids (pores) between soil particles are temporarily or permanently filled with water; significant saturation during the growing season is considered to be usually one week or more.

Seedling - A young tree that is generally less than 3 feet high.

Shrub - Woody vegetation usually greater than 3 feet but less than 20 feet tall, including multi-stemmed, bushy shrubs and small trees and saplings. (*Note:* Woody seedlings less than 3 feet tall are considered part of the herbaceous layer.)

Soil - Unconsolidated material on the earth's surface that supports or is capable of supporting plants out-of-doors.

Soil horizon - A layer of soil or soil material approximately parallel to the land surface and differing from adjacent genetically related layers in physical, chemical, and biological properties or characteristics (e.g., color, structure, and texture).

Soil matrix - The portion of a given soil having the dominant color; in most cases, the matrix will be the portion of the soil having more than 50 percent of the same color.

Soil permeability - The ease with which gases, liquids, or plant roots penetrate or pass through a layer of soil.

Soil phase - A subdivision of a soil series having features (e.g., slope, surface texture, and stoniness) that affect the use and management of the soil, but which do not vary sufficiently to differentiate it as a separate series.

Soil pore - An area within soil occupied by either air or water, resulting from the arrangement of individual soil particles or peds.

Soil profile - A vertical section of the soil through all its horizons and extending into the parent material.

Soil series - A group of soils having horizons similar in differentiating characteristics and arrangements in the soil profile, except for texture of the surface layer.

Soil structure - The combination or arrangement of primary soil particles into secondary particles, units, or peds.

Soil surface - The upper limits of the soil profile; for mineral soils, the upper limits of the highest mineral horizon (A-horizon); for organic soils, the upper limit of undecomposed organic matter.

Soil texture - The relative proportions of the various sizes of particles (silt, sand and clay) in a soil.

Somewhat poorly drained - A condition in which water is removed slowly enough that the soil is wet for significant periods during the growing season.

Vegetation unit - A patch, grouping, or zone of plants evident in overall plant cover, which appears distinct from other such units because of the vegetation's structure and floristic composition; a given unit is typically topographically distinct and typically has a rather uniform soil, except possibly for relatively dry microsites (e.g., tree bases, old tree stumps, mosquito ditch spoil piles, and small earth hummocks) in an otherwise wet area or relatively wet microsites (e.g., small depressions) in an otherwise dry area.

Very long duration (flooding) - A duration class in which inundation for a single event is greater than 1 month.

Vertisols - Shrinking and swelling dark clay soils; most common in Texas.

Very poorly drained - A condition in which water is removed from the soil so slowly that free water remains at or on the surface during most of the growing season.

Water mark - A line on vegetation or other upright structures that represents the maximum height reached in an inundation event.

Water table - The zone of saturation at the highest average depth during the wettest season; it is at least six inches thick and persists in the soil for more than a few weeks.

Wetlands - As used herein, areas that under normal circumstances have hydrophytic vegetation, hydric soils, and wetland hydrology.

Wetland boundary - The point on the ground at which a shift from wetlands to nonwetlands occurs.

Wetland determination - The process by which an area is identified as a wetland or nonwetland.

Wetland hydrology - In general terms, permanent or periodic inundation or prolonged soil saturation sufficient to create anaerobic conditions in the soil.

Wetland indicator status - The exclusiveness with which a plant species occurs in wetlands; the different indicator categories (i.e., facultative species, and obligate wetland species) are defined elsewhere in this glossary.

Wooded swamp - A wetland dominated by trees; a forested wetland.

Zone of influence - The area contiguous to a ditch, channel, or other drainage structure that is directly affected by it.

APPENDIX 2

ROUTINE ONSITE METHOD, PLANT COMMUNITY ASSESSMENT PROCEDURE

Source: Federal Interagency Committee For Wetland Delineation. 1989.
Federal manual for identifying and delineating jurisdictional wetlands. U.S.
Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and
Wildlife Service, and U.S.D.A. Soil Conservation Service, Washington, D.C.
Cooperative technical publication. 76 pp. plus appendices.

then the entire project area is a wetland. If only a portion of the project area is wetland, then the wetland-nonwetland boundary must be established. Proceed to Step 11.

Step 11. *Determine the wetland-nonwetland boundary.* Where a base map or annotated photo was prepared, mark each plant community type on the map or photo with a "W" if wetland or an "N" if nonwetland. Combine all "W" types into a single mapping unit, if possible, and all "N" types into another mapping unit. On the map or photo, the wetland boundary will be represented by the interface of these mapping units. If flagging the boundary on the ground, the boundary is established by determining the location where hydrophytic vegetation and hydric soils give way to nonhydrophytic vegetation and nonhydric soils. This will often require sampling a few more holes to better define the limits of the hydric soils and thereby establish the limits of hydrophytic vegetation.

Intermediate-level Onsite Determination Method

4.12. On occasion, a more rigorous sampling method is required than the routine method to determine whether hydrophytic vegetation is present at a given site, especially where the boundary between wetland and nonwetland is gradual or indistinct. This circumstance requires more intensive sampling of vegetation and soils than presented in the routine determination method. This method also may be used for areas greater than five acres in size or other areas that are highly diverse in vegetation.

4.13. The intermediate-level onsite determination method has been developed to provide for more intensive vegetation sampling than the routine method. Two optional approaches are presented: (1) quadrat transect sampling procedure, and (2) vegetation unit sampling procedure. The former procedure involves establishing transects within the project area and sampling plant communities along the transect within sample quadrats, with soils and hydrology also assessed as needed in each sample plot. In contrast, the vegetation unit sampling procedure offers a different approach for analyzing the vegetation. First, vegetation units are designated in the project area and then a meander survey is conducted in each unit where visual estimates of percent areal coverage by plant species are made. Soil

and hydrology observations also are made as necessary. Boundaries between wetland and nonwetland are established by examining the transitional gradient between them.

4.14. The following steps should be completed:

Step 1. *Locate the limits of the project area in the field and conduct a general reconnaissance of the area.* Previously the project boundary should have been determined on aerial photos or maps. Now appropriate ground reference points need to be located to insure that sampling will be conducted in the proper area. In examining the project area, were any significantly disturbed areas observed? If YES, identify their limits for they should be evaluated separately for wetland determination purposes (usually after evaluating undisturbed areas). Refer to the section on disturbed areas (p. 50) to evaluate the altered characteristic(s) (i.e., vegetation, soils, or hydrology); then return to this method to continue evaluating the characteristics not altered. Keep in mind that if at any time during this determination, one or more of these three characteristics is found to have been significantly altered, the disturbed areas procedures should be followed. If the area is not significantly disturbed, proceed with Step 2.

Step 2. *Decide how to analyze plant communities within the project area: (1) by selecting representative plant communities (vegetation units), or (2) by sampling along a transect.* Discrete vegetation units may be identified on aerial photographs, topographic and other maps, and/or by field inspection. These units will be evaluated for hydrophytic vegetation and also for hydric soils and wetland hydrology, as necessary. *If the vegetation unit approach is selected, proceed to Step 3.* An alternative approach is to establish transects for identifying plant communities, sampling vegetation and evaluating other criteria, as appropriate. *If the transect approach is chosen, proceed to Step 4.*

Step 3. *Identifying vegetation units for sampling.* Vegetation units are identified by examining aerial photographs, topographic maps, NWI maps, or other materials or, by direct field inspection. All of the different vegetation units present in the project area should be identified. The subject area should be traversed and different vegetation units specifically located prior to conducting the sampling.

APPENDIX 3
WETLAND MAPS

EAST FORK

<p>LEGEND</p> <p> Wetland Area</p>	<p>100' 0 100'</p> <p> </p>
---	---

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 27 of 28

US Army Corps
of Engineers
Nashville District

EAST FORK

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 28 of 28

US Army Corps
of Engineers
Mobile District

EAST FORK

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Index

US Army Corps
of Engineers
Nashville District

PARCEL SY.
VACANT
118

DOE PROPERTY
Y-12 PLANT

EAST FORK

LEGEND

Wetland Area

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 1 of 28

US Army Corps
of Engineers
Memphis District

100' 0 100'

Wetland Area

LEGEND

EAST FORK

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 2 of 28

US Army Corps
of Engineers
Knoxville District

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 8 of 28

US Army Corps
of Engineers
Newville District

PARCEL 564

EAST FORK

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 9 of 28

US Army Corps
of Engineers
Nashville District

EAST FORK

LEGEND

Wetland Area

100' 0 100'

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 13 of 28

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 14 of 28

US Army Corps
of Engineers
Mobile District

POPLAR CREEK

EAST FORK I

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 20 of 28

US Army Corps
of Engineers
Mobile District

EAST FORK

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 27 of 28

US Army Corps
of Engineers
Mobile District

EAST FORK

LEGEND

Wetland Area

100' 0 100'

POPLAR CREEK

TITLE

East Fork Poplar Creek
Wetland Areas
Sheet 28 of 28

US Army Corps
of Engineers
Nashville District

APPENDIX 4

FIELD DATA FORMS

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hebrick, Cross, Groton et. al. Date: 10/22/91, 2/20/92
 Project/Site: EEPC below V-12 State: IN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: See back
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back) but Cutover 25 years ago

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back) hydrology affected by road, levee.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>25% Sycamore</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>80 Alder</u>	<u>FACW</u>	<u>Sh</u>	13. _____	_____	_____
4. <u>85 Purple Grass?</u>	<u>?</u>	<u>h</u>	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 75%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: A+ least 75% = dominant species are FACW -
or water

SOILS

Series/phase: Newark Subgroup: 2 Fine - silty, mixed, mesic
Aeric Fluvaquents
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Mastic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: See Back Mottle Colors: _____
 Other hydric soil indicators: Aquic Moisture Regime
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Matrix Color indicator and aquic moisture regime are present.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: < 2" 20 Feb. 92
 List other field evidence of surface inundation or soil saturation.
Subtle water stains, soil saturation both visits
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Saturation observed even during dry portion of the year

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Immediately below Y-12 dike and culvert. Small, obvious wetland. This data from upstream end.

2/20/92: Hedrick, Gorton, & Lee Wan Personnel

Soil Colors:

First Sample

0" - 3"	10YR 4/3
3" - 5"	10YR 3/4
> 5"	5YR 3/2

2nd Sample

$\pm 10\frac{1}{2}"$ 2 $\frac{1}{2}$ Y 3/2

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Grotan Date: 10/22/92, 2/20/92
 Project/Site: FFPC, 10/10/1 Y-12 State: Ind County: Anderson
 Applicant: DOE Plant Community #/Name: Scrub shrub, see back
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?
 Yes ☐ No ☒ (If no, explain on back) previously cleared.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☒ No ☐ (If yes, explain on back) old fills have affected hydrology.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Black Willow</u>	<u>OBL</u>	<u>Sap</u>	11. _____	_____	_____
2. <u>20% Sycamore</u>	<u>FACW</u>	<u>Sap</u>	12. _____	_____	_____
3. <u>40% Alder (Alnus)</u>	<u>FACW</u>	<u>Sh</u>	13. _____	_____	_____
4. <u>20% Green Ash</u>	<u>FACW</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>20% Black Willow</u>	<u>OBL</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>50% Aster P.</u>	<u>FAC</u>	<u>h</u>	16. _____	_____	_____
7. <u>30% Leersia J.</u>	<u>FACW</u>	<u>h</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 80%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: More than 50% of dominants are FACW or wetter.

SOILS

Series/phase: Newark Subgroup: 2 See sheet 1
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ (ponded)
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☐
 Matrix Color: See back Mottle Colors: See back
 Other hydric soil indicators: Aquic moisture regime, oxidized root channels.
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Newark is hydric when aquic moisture regime present: Coloration and oxidized root channels support hydric site classification.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: up to 6"
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: < 3" at highest elevations (2/20/92)
 List other field evidence of surface inundation or soil saturation: Direct observation wet/inundated through April and in October.
 Is the wetland hydrology criterion met? Yes ☒ No ☐ Sulphur smell.
 Rationale: Observed long term saturation/inundation. Sulphur smell in turned soil.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All 3 criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Below Y-12 levee and culvert and next to
car wash.

2/20/92: Hedrick, Grotton, & Lee Wan Personnel.

Soil Colors:

0" - 4" 10YR 3/3

4" - 8" Matrix 5YR 4/6
Mottles 2.5Y 5/2

> 8" 5Y 4/2

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Groton et. al. Date: 10/22/91, 2/20/92
 Project/Site: EEPC see back State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: Perched Emergent Wetland
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Fill has been removed - topography
 Yes ☐ No ☒ (If no, explain on back) drastically modified.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Juncus effusus</u>	<u>FACW+</u>	<u>h</u>	11. _____	_____	_____
2. <u>20 Typha latifolia</u>	<u>OBL</u>	<u>h</u>	12. _____	_____	_____
3. _____	_____	_____	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: 100% of dominant species are FACW+ or OBL.

SOILS

Series/phase: N/A - Developing Subgroup: Thin soil layer. 2-3" to parent material.
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: 10R/2 Mottle Colors: _____
 Other hydric soil indicators: Sulphur smell
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Limited soil at site displays reducing characteristics.
 Indicators seem reasonable for newly created wetland.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: to 3"
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: N/A
 List other field evidence of surface inundation or soil saturation:
Constant flow of groundwater across area.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Constant flow across area observed over long term.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: Newly created wetland - Strong indicators for hydrology and vegetation. Indicators for soil seem reasonable.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Across creek from Lane Chrysler/Plymouth.
SW of Wells AN E2 & 1.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Grotton, Cross et al Date: 10/22/91, 2/20/92
 Project/Site: EFPC below Y-12 - see back State: IN County: ANDERSON
 Applicant/Owner: DOE Plant Community #/Name: NWI PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?
 Yes ☒ No ☐ (If no, explain on back) but oil sheen on creek water.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☐ No ☒ (If yes, explain on back) but cutover in past.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>30% Boxelder</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>30% Sycamore</u>	<u>FACW</u>	<u>I</u>	12. _____	_____	_____
3. <u>30 Green Ash</u>	<u>FACW</u>	<u>I</u>	13. _____	_____	_____
4. <u>40 Purple Grass</u>	<u>?</u>	<u>h</u>	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 75%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: more than 50% of dominant species are FAC or wetter

SOILS

Series/phase: Newark Subgroup:² see sheet 1.
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ (ponded)
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: NONE
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: NO hydric soil indicators observed 2/20/92

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation.
Cray fish mounds near channel.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: NO inundation, saturation for any length of time even during wet period.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: N-33140 W-00

2/20/92: Hendrick, Gorton, Radian/Lee Wan Personnel.

Probe samples displayed no hydric soil indicators.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Cross, Grotan et.al. Date: 10/22/91, 2/20/92
 Project/Site: EFPC, Transect N-33468 State: TN County: Anderson
 Applicant/Client: DOE Plant Community #/Name: NW1 Mapped PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>20 Sycamore</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>40 Box elder</u>	<u>FACW</u>	<u>Sap</u>	12. _____	_____	_____
3. <u>40 Iron wood</u>	<u>FAC</u>	<u>Sap</u>	13. _____	_____	_____
4. <u>100 Box elder</u>	<u>FACW</u>	<u>Shrub</u>	14. _____	_____	_____
5. <u>20 White Grass</u>	<u>?</u>	<u>H</u>	15. _____	_____	_____
6. <u>20 Dioscorea</u>	<u>NL</u>	<u>H</u>	16. _____	_____	_____
7. <u>betatus</u>	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 66%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: more than 50% of dominant species FAC or better.

SOILS

Series/phase: Newark Subgroup: 2 see sheet 1
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ (ponded)
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: no hydric soil indicators observed

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: None apparent.
 List other field evidence of surface inundation or soil saturation. Crayfish mounds, braided channels shallow roots.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Despite low-lying appearance, area is well drained.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: East side of EFPC.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick Cross, Grotol et al. Date: 10/22/91, 2/20/92
 Project/Site: EEPC-N-33468 - See back State: IN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWI - PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Swamp chestnut oak</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>35 Sweetgum</u>	<u>FAC+</u>	<u>T</u>	12. _____	_____	_____
3. <u>40 Carya</u>	<u>FAC</u>	<u>Sap</u>	13. _____	_____	_____
4. <u>35 Sweetgum</u>	<u>FAC+</u>	<u>Sap</u>	14. _____	_____	_____
5. <u>30 Spice bush</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>10 Green Ash</u>	<u>FACW</u>	<u>Sh</u>	16. _____	_____	_____
7. <u>70 White Grass</u>	<u>?</u>	<u>h</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 86%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: Greater than 80% of dominants FAC or better.

SOILS

Series/phase: Newark Subgroup: See Sr. 1
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ (ponded)
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☐
 Matrix Color: See back Mottle Colors: See back
 Other hydric soil indicators: Have no history of being
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: _____

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: 5" in Feb., < 2" in late April
 List other field evidence of surface inundation or soil saturation.
Grass mounds, braided drainage. Soil saturation observed.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Soil saturation was observed for sufficient duration during the growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: About Midway across western flood plain.

2/20/92 Hedrick, Groton, Radian/ Lee Wan Personnel

Soil Probe Results

1" - 4.5" 10YR 3/3
4.5" - 9.5" Highly Contaminated Layer - Black
9.5" - 13.5" Highly Mottled.
Matrix: 10YR 5/6
Mottles: 10YR 4/2
Streaks along root channels: 5YR 5/6
13.5" - 15" 10YR 4/2

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Gorton et al. Date: 10/22/91, 3/20/92
 Project/Site: EFPL - N 33806 ; W-02 State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NW1 PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 40% Sycamore	FACW-	T	11. 40 Dioscorea batatas	NL	h
2. 30 Swamp Chest. Oak	FACW-	T	12. 20 White Grass	?	h
3. 15 Buckeye	FAC	SAP	13.		
4. 15 Swamp Chest Oak	FACW-	SAP	14.		
5. 15 Sweetgum	FAC+	SAP	15.		
6. 10 Y. Poplar	FAC	SAP	16.		
7. 15 Spice Bush	FACW	Sh	17.		
8. 15 Paw Paw	FAC	Sh	18.		
9. 10 Giant Cane	FACW	Sh	19.		
10. 5 E. Juncus	FAC-	Sh	20.		

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 75%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: More than 50% of dominant species FAC or water

SOILS

Series/phase: Newark Subgroup:² _____
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined _____
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒ (ponded)
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: No hydric indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation.
Crayfish mounds, braided drainage
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Subsequent observations during wet period (3/20, 4/22) revealed that hydrology probably not present

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hejrick, Grotton, Cross, et al. Date: 2/20/92
 Project/Site: N330010: W-12, near well ANDY State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWE FEG'K
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>45% Sycamore</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>40 Sulfur gum</u>	<u>FAC+</u>	<u>T</u>	12. _____	_____	_____
3. <u>60 Box Elder</u>	<u>FACW</u>	<u>S</u>	13. _____	_____	_____
4. <u>20 Red Maple</u>	<u>FAC</u>	<u>S</u>	14. _____	_____	_____
5. <u>50 Spice bush</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>20% Black Alder</u>	<u>FACW</u>	<u>Sh</u>	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: All 45% dominants are FAC or better.

SOILS

Series/phase: Neotoma Subgroup:² _____
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ If ponded.
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☐
 Matrix Color: see back Mottle Colors: _____
 Other hydric soil indicators: Aquic moisture regime.
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Chroma 5 - with mottles. Aquic moisture regime N
Neotoma soil.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: +c 2" deep
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: < 1"
 List other field evidence of surface inundation or soil saturation.

Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Aquic moisture regime and inundation observed over long term

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soils:

0" - 3 1/2" 10YR 3/4

3 1/2" - 5" 10YR 3/2 matrix

5YR 5/8 mottles

Jerome detected some Mercury

5" - 8" 10YR 4/2 matrix

5YR 5/8 mottles

8" - 11 1/2" 10YR 4/3 matrix

5YR 5/8 streaks

11 1/2" - 13" 10YR 4/2 matrix

10YR 5/8 streaks.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Cross Grotal et al Date: 10/22/91, 2/20/92
 Project/Site: FFPL N34124: E-00 State: IN County: ANDERSON
 Applicant/Owner: DOE Plant Community #/Name: NWI PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (if yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>60% Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>20 Sugar-Maple</u>	<u>FACU</u>	<u>T</u>	12. _____	_____	_____
3. <u>20 Sycamore</u>	<u>FACW</u>	<u>T</u>	13. _____	_____	_____
4. <u>80 Sugar-Maple</u>	<u>FACU</u>	<u>Sap</u>	14. _____	_____	_____
5. <u>60 Sugar-Maple</u>	<u>FACU</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>20 Paw Paw</u>	<u>FAC</u>	<u>Sh</u>	16. _____	_____	_____
7. <u>90 Dioscorea b.</u>	<u>NL</u>	<u>H</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 50% w/o herb layer

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: No indicator available for dominant species in herb layer.
Only 50% FAC or better in community layer.

SOILS

Series/phase: Newark Subgroup: 2

Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: No indicators observed.

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: No hydric soil indicators were observed.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation: Crayfish mounds, shallow roots. Braided drainage.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: No inundation or saturation during wet spring period.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are not met. Vegetation is at best periodic.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

4/24/92

Field Investigator(s): Hedrick, Groton, Cross et al Date: 10/22/91, 2/20/92
 Project/Site: FFPL N 34452 : EAG State: TN County: Anderson
 Applicant/Owner: State Plant Community #/Name: NWI PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>70% Green Ash</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>20 Sweet gum</u>	<u>FAC+</u>	<u>-I</u>	12. _____	_____	_____
3. <u>50 G. Ash</u>	<u>FACW</u>	<u>SAP</u>	13. _____	_____	_____
4. <u>20 Boxelder</u>	<u>FACW</u>	<u>SAP</u>	14. _____	_____	_____
5. <u>20 Sweet gum</u>	<u>FAC+</u>	<u>SAP</u>	15. _____	_____	_____
6. <u>20 Ligustrum</u>	<u>NI</u>	<u>Sh</u>	16. _____	_____	_____
7. <u>30 Lonicera sp.</u>	<u>FAC-</u>	<u>Sh</u>	17. _____	_____	_____
8. <u>60 White Gr. Clematis?</u>	<u>_____</u>	<u>H</u>	18. _____	_____	_____
9. <u>20 Aster pilosus</u>	<u>FAC-</u>	<u>H</u>	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 55

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 75% of dominant species are FAC or wetter.

SOILS

Series/phase: Newark Subgroup: 2 Sec Page 1
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ (Approved)
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: Aquic moisture regime
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Aquic Moisture Regime (Fluvaquent) present 2/20 - 4/24.
Fluvaquents are hydric with aquic moisture regime present.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: 2/20, 4/24.
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: < 2" 2/20 & 4/24
 List other field evidence of surface inundation or soil saturation:
Crayfish mounds, braided channels, shallow roots.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Directly observed during normal spring.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria present.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Cross, Gorton et al Date: 10/22/91, 2/20/92, 3/20/92
 Project/Site: EFPL N34781-E-00 State: IN County: Anderson
 Applicant/Owner: DOE Plant Community s/Name: NW1 PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 40% Green Ash	FACW	T	11. _____	_____	_____
2. 30 Sycamore	FACW	T	12. _____	_____	_____
3. 20 Boxelder	FACW	S=0	13. _____	_____	_____
4. 30 G. Ash	FACW	S=0	14. _____	_____	_____
5. 20 Buckeye	_____	S=0	15. _____	_____	_____
6. 20 Spice Bush	FACW	Sh	16. _____	_____	_____
7. 10 Privet	NI	Sh	17. _____	_____	_____
8. 60 Purple Grass	?	H	18. _____	_____	_____
9. 30 Dioscorea nut	ALL	H	19. _____	_____	_____
10. 50 Hackberry	FAC	H	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 75

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 75% or more of dominant species are FAC or wetter.

SOILS

Series/phase: Almarok Subgroup: 2
 Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ ponded
 Is the soil a Histosol? Yes ☐ No ☐ Histic epipedon present? Yes ☐ No ☐
 Is the soil: Mottled? Yes ☐ No ☐ Gleyed? Yes ☐ No ☐
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: No hydric indicators or aquatic moisture regime observed.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation: Crayfish mounds. Reports of flooding during growing season
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Obviously floods, but duration too short to meet hydrology criterion.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Grotton et. al Date: 10/22/91, 2/20/92, 3/20/92
 Project/Site: EEPC - see Back State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWI PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 50% Green Ash	FACW	I	11. _____	_____	_____
2. 20 Boxelder	FACW	I	12. _____	_____	_____
3. 20 Hackberry	FACW	I	13. _____	_____	_____
4. 20 Boxelder	FACW	SAP	14. _____	_____	_____
5. 20 Hackberry	FACW	SAP	15. _____	_____	_____
6. 10 Privet	NE	Sh	16. _____	_____	_____
7. 60 Glehoma h.	FACW	H	17. _____	_____	_____
8. 30 Lysimachia num.	FACW	H	18. _____	_____	_____
9. 20 Aster pilosus	FAC	H	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or EAC 87.5 (75% FACW)

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: More than 50% of dominants are FAC or WTL.

SOILS

Series/phase: Hamble Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epiedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: None
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: Soil is not a hydric soil indicator.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: Only during February visit
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation. Water marks, Crayfish mounds.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Soil is moist but not inundated or saturated for sufficient duration during the growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Hydrology and soil criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Adjacent to Robertsville Jr. High. Downstream of
E 58069; N-16.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hadrick, Cross, Grotas et al Date: 5/20/92
 Project: DOE E 58049: N-16 State: TN County: Anderson
 Applicant/Owner: DOE Plant Community s/Name: Small emergent wetland
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? By Robertsville Baptist Church.

Yes ☐ No ☒ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>20% Willow</u>	<u>OBL</u>	<u>Sh</u>	11. _____	_____	_____
2. <u>10 Button Bush</u>	<u>OBL</u>	<u>Sh</u>	12. _____	_____	_____
3. <u>50 Cyperus sp</u>	<u>OBL</u>	<u>H</u>	13. _____	_____	_____
4. <u>10 C. sp.</u>	<u>OBL</u>	<u>H</u>	14. _____	_____	_____
5. <u>10 Soft rush</u>	<u>FACW</u>	<u>H</u>	15. _____	_____	_____
6. <u>20 Creeping No. sp.</u>	<u>FACW</u>	<u>H</u>	16. _____	_____	_____
7. <u>20 Jewelweeb</u>	<u>FACW</u>	<u>H</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: All of the dominant species are FACW or OBL.

SOILS

Series/phase: Hampden

Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined _____

Is the soil a Histosol? Yes ☐ No ☒ Histic epiedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: 50% 2-5 Mottle Colors: _____

Other hydric soil indicators: Oxidized root channels

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: This is a newly created wetland. Based on soil chroma of 1, oxidized root channels and streaks indicators for vegetation and hydrology criteria, soil is considered hydric.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: +0.8"

Is the soil saturated? Yes ☒ No ☐ ON margins.

Depth to free-standing water in pit/soil probe hole: 1" on margins

List other field evidence of surface inundation or soil saturation.

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Surface inundation, saturation appears to be present throughout most of year.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐

Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Disturbance : Wetland is formed in and about
road ditch accross from church.

Soil Sampling

0"-6" 10YR 3/3

6"-12" 10YR 4/1 matrix

Root channels 5YR 4/6

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Cross, Grotton Date: 10/23/91, 2/20/91
 Project/Site: EEPC upstream of F-55 Unit N-02 State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWI PFO1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☐ No ☒ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Indicator			Indicator		
Dominant Plant Species	Status	Stratum	Dominant Plant Species	Status	Stratum
1. <u>100% Boxelder</u>	<u>FACW</u>	<u>Sap</u>	11. _____	_____	_____
2. <u>70 Glehnia h.</u>	<u>FACU</u>	<u>h</u>	12. _____	_____	_____
3. _____	_____	_____	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 50

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: Percentage of dominants that are FAC or wetter do not exceed 50%.

SOILS

Series/phase: Newark

Subgroup:² _____

Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐ if ponded.

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Clayed? Yes ☐ No ☒

Matrix Color: Not recorded Mottle Colors: _____

Other hydric soil indicators: None

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: No hydric indicators or moisture regime present.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation. Spiny projections on base of Boxellers. Elevation: appear favorable for flooding

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Area floods but duration is too short to meet criterion.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Hydric soils and hydrology criteria are not met. Although vascularized, vegetated criterion is not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Alterations/Modifications at Site: Turnpike fill has altered flows. Sewer line installation and past clearing have altered vegetation. Grazing was a factor in the past.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

3/20/92, 4/23/92

Field Investigator(s): Hedrick, Cross, Gorton et al Date: 10/23/91, 2/20/92
 Project/Site: EFPC ES4788: N-08 downstream State: TN County: Anderson
 Applicant/Owner: DOE Plant Community s/Name: Mapped PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back) Old road fill and sewerline

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>70% Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>20 Boxelder</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>60 Green Ash</u>	<u>FACW</u>	<u>Sap</u>	13. _____	_____	_____
4. <u>30 Boxelder</u>	<u>FACW</u>	<u>Sap</u>	14. _____	_____	_____
5. <u>60 Glehoma h</u>	<u>FACW</u>	<u>H</u>	15. _____	_____	_____
6. <u>20 Aster pilosus</u>	<u>FAC-</u>	<u>H</u>	16. _____	_____	_____
7. <u>20 Aster gl</u>	<u>FACW</u>	<u>H</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 85.7

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: More than 50% of dominant species are FAC or wetter (71% FACW)

SOILS

Series/phase: Neotack Subgroup: 2

Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☒ Plastic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: See back Mottle Colors: _____

Other hydric soil indicators: Much organic matter mixed throughout

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: Aquic moisture regime present even though colors are marginal

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☒ No ☐ Feb. thru April. < 1"

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation.

Grayish mounds

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Aquic moisture regime observed 2/20 through 4/23.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐

Rationale for jurisdictional decision: All three criteria are present.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Swale between sewerline and turnpike.

Soil Observations.

Edge of woods adjacent to sewerline.

0"-4" 10YR 3/3

4"-9" 10YR 4/3

9"-18" 10YR 4/2

10 yards inside woods.

Too wet to retain much of sample in probe.

0"-3" 10YR 3/2

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Grotton et al Date: 10/23/91, 2/20/92
 Project/Site: EPFC E54700, N (downstream) State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWE PFO1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back) Grazing, sewerline, and road fill for Turnpike

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>45% Green Ash</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>25 Box elder</u>	<u>FACW</u>	<u>I</u>	12. _____	_____	_____
3. <u>25 Willow</u>	<u>OBL</u>	<u>I</u>	13. _____	_____	_____
4. <u>25 Sycamore</u>	<u>FACW</u>	<u>SAP</u>	14. _____	_____	_____
5. <u>20 S. Dogwood</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>10 Boerhaavia</u>	<u>FACW</u>	<u>H</u>	16. _____	_____	_____
7. <u>Cylindropuntia</u>	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 100% of dominant species are FACW or wetter

SOILS

Series/phase: flcwork Subgroup: 2

Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☐ Gleyed? Yes ☐ No ☒

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: aquic moisture regime stick in probe

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: Newark is hydric when ponded.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: 2/20 - 4/24

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation.

Adventitious roots, water marks, moss around tree trunks.

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Observed to be inundated for more than the prescribed duration during the growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☐

Rationale for jurisdictional decision: _____

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

B-2* This area is apparently lower and meanders within area described on sheet 13.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Grotol et al. Date: 10/23/91, 2/21/92
Project/Site: EEFL E53804 & E53476 State: IN County: Anderson
Applicant/Owner: DOE Plant Community #/Name: PFOIA
Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?
Yes ☒ No ☐ (If no, explain on back)
Has the vegetation, soils, and/or hydrology been significantly disturbed?
Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>80% Green Ash</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>40 Boxelder</u>	<u>FACW</u>	<u>S.O</u>	12. _____	_____	_____
3. <u>20 Green Ash</u>	<u>FACW</u>	<u>S.O</u>	13. _____	_____	_____
4. <u>20 Silky Dogwood</u>	<u>FACW+</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>70 Ground Ivy</u>	<u>FACU</u>	<u>H</u>	15. _____	_____	_____
6. <u>30 Creeping Jenny</u>	<u>FACW+</u>	<u>H</u>	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 83%
Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
Rationale: 83% of the dominant vegetation is FACW.

SOILS

Series/phase: Newark Subgroup:² _____
Is the soil on the hydric soils list? Yes ☒ No ☐ Undetermined _____
Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒ (Ponded)
Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
Matrix Color: Sol. back Mottle Colors: _____
Other hydric soil indicators: Aquic moisture regime.
Is the hydric soil criterion met? Yes ☒ No ☐
Rationale: Newark is hydric when aquic moisture regime is present. Contamination may have masked soil colors.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
Is the soil saturated? Yes ☒ No ☐
Depth to free-standing water in pit/soil probe hole: 2" during Feb. sampling.
List other field evidence of surface inundation or soil saturation: Area appears to be saturated most of year. Possible seep.
Is the wetland hydrology criterion met? Yes ☒ No ☐
Rationale: Area has aquic moisture regime much of year.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
Rationale for jurisdictional decision: All three criteria present.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.
² Classification according to "Soil Taxonomy."

Location: Left bank - Observations recorded at 2 transects.
for edge, narrow wetland

Soil Samples 2/21/92

0"-7" 10YR 3/3

7"-11" Black contaminated layer

11"-18" Matrix: 10YR 4/4

Mottles: 10YR 4/2

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Groves et al Date: 10/23/91, 3/20/92
 Project/Site: Behind Fire Hall State: TN County: Anderson
 Applicant/Owner: D.E. Plant Community #/Name: NW1E PFC1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☐ No ☒ (If no, explain on back) Grazed

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>60% Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>20% Box Elder</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>30% Green Ash</u>	<u>FACW</u>	<u>SAP</u>	13. _____	_____	_____
4. <u>2% Box Elder</u>	<u>FACW</u>	<u>SAP</u>	14. _____	_____	_____
5. <u>4% Aster sp.</u>	<u>FACW</u>	<u>H</u>	15. _____	_____	_____
6. <u>3% Aster sp.</u>	<u>FACW</u>	<u>H</u>	16. _____	_____	_____
7. <u>20% Int. grass</u>	<u>F</u>	<u>H</u>	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 66%

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: More than 50% of the dominants are FACW.

SOILS

Series/phase: Hambrook Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined _____

Is the soil a Histosol? Yes ☐ No ☐ Histic epipedon present? Yes ☐ No ☐

Is the soil: Mottled? Yes ☐ No ☐ Gleyed? Yes ☐ No ☐

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: _____

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: Hambrook is not considered a hydric soil and there are no other indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation. _____

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: After observation, don't believe area is wet for sufficient duration.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Graton et al Date: 10/24/91, 2/21/92
 Project/Site: E 39692 N-04 R.B. State: TX County: ANDERSON
 Applicant/Owner: DDP Plant Community #/Name: NWE PFC1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species		Indicator	Stratum	Dominant Plant Species		Indicator	Stratum
		Status				Status	
1.	50% <u>Sycamore</u>	<u>FACW</u>	<u>T</u>	11.			
2.	20 <u>Box Elder</u>	<u>FACW</u>	<u>T</u>	12.			
3.	20 <u>Box Elder</u>	<u>FACW</u>	<u>T</u>	13.			
4.	20 <u>Hackberry</u>	<u>FACW</u>	<u>Sh</u>	14.			
5.	90 <u>White Birch</u>	<u>FACW</u>	<u>H</u>	15.			
6.	20 <u>Green Ash</u>	<u>FACW</u>	<u>H</u>	16.			
7.	20 <u>Alder</u>	<u>FACW</u>	<u>H</u>	17.			
8.				18.			
9.				19.			
10.				20.			

Percent of dominant species that are OBL, FACW, and/or FAC 71%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: More than 50% of the dominants are FAC or FACW.

SOILS

Series/phase: Humboldt

Subgroup: 2

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: Mottle Colors:

Other hydric soil indicators:

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: Soil is not on hydric soil list and displays no hydric indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth:

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole:

List other field evidence of surface inundation or soil saturation. Draft lines.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Hydrology not there for sufficient duration.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Grafton Cross et al. Date: 10/24/91, 2/21/92
 Project/Site: #50405 Downstream E 3904h-35-06 State: TN County: Anderson
 Applicant/Owner: DOE Plant Community #/Name: NWE PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>50% Boxelder</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>25 Sugar Maple</u>	<u>FACW</u>	<u>I</u>	12. _____	_____	_____
3. <u>25 Green Ash</u>	<u>FACW</u>	<u>T</u>	13. _____	_____	_____
4. <u>50 Red</u>	<u>FACW</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>45 Pecan</u>	<u>NT</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>61 Aster</u>	<u>FAC</u>	<u>H</u>	16. _____	_____	_____
7. <u>30 Rose</u>	<u>FACW</u>	<u>H</u>	17. _____	_____	_____
8. <u>20 Cornus</u>	<u>FACW</u>	<u>H</u>	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 75%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 75% are FACW dominants are FACW.

SOILS

Series/phase: Hambler Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☐ Histic epipedon present? Yes ☐ No ☐

Is the soil: Mottled? Yes ☐ No ☐ Gleyed? Yes ☐ No ☐

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: _____

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: Soil is not on hydric list and no hydric indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation.

Crackling mounds; drift lines.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Soil well drained.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are

not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Cross, Groton, et al Date: 10/24/91, 2/21/92
 Project/Site: E 37400: S200 State: TN County: Randolph
 Applicant/Owner: DCE Plant Community #/Name: NW1 PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 70% <u>Sycamore</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>Black cherry</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>Pr. V.</u>	<u>N</u>	<u>S</u>	13. _____	_____	_____
4. <u>Honey</u>	<u>FACW</u>	<u>N</u>	14. _____	_____	_____
5. <u>...</u>	<u>FACW</u>	<u>N</u>	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 60%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 60% of the dominant species are FACW.

SOILS

Series/phase: Hampton

Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☒

Undetermined _____

Is the soil a Histosol? Yes ☐ No ☐

Histic epipedon present? Yes ☐ No ☐

Is the soil: Mottled? Yes ☐ No ☐

Gleyed? Yes ☐ No ☐

Matrix Color: _____

Mottle Colors: _____

Other hydric soil indicators: _____

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: Soil is not on hydric list and no hydric indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒

Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation. Drift line.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Area floods but duration is not sufficient.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Gorton, Cross Date: 10/25/91
 Project/Site: EFPC See back State: TN County: Roane
 Applicant/Owner: DOE Plant Community #/Name: Bend Cutoff
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>70% Duckweed</u>	<u>OBL</u>	<u>H</u>	11. _____	_____	_____
2. _____	_____	_____	12. _____	_____	_____
3. _____	_____	_____	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: The dominant species is OBL.

SOILS

Series/phase: NA Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☐ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☐ Histic epipedon present? Yes ☐ No ☐

Is the soil: Mottled? Yes ☐ No ☐ Gleyed? Yes ☐ No ☐

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: _____

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: Hydric soil criterion can be assumed to be met if both vegetation and hydrology criteria are met.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: up to 8"

Is the soil saturated? Yes ☐ No ☐

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation. _____

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Area is permanently ponded.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐

Rationale for jurisdictional decision: Vegetation and hydrology criteria are met.

Soil criterion is assumed. Vegetation and hydrology are obligate.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Across turnpike from EFPC. East of
transect 30674.

Disturbance: Area is a creek bendway cut off when
the Turnpike was constructed. Culvert
at the lower end is somewhat plugged.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Groton, et. al. Date: 10/28/91, 5/20/92
 Project/Site: UPSR/04 E23930 LB State: TX County: Koehn
 Applicant/Owner: DCE Plant Community #/Name: NWI PEGIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>50% Box Elder</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>3% Sycamore</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>2% Walnut</u>	<u>FACW</u>	<u>T</u>	13. _____	_____	_____
4. <u>2% S. Deciduous</u>	<u>FACW</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>3% Aster</u>	<u>FAC</u>	<u>H</u>	15. _____	_____	_____
6. <u>2% S. grass</u>	<u>FAC</u>	<u>H</u>	16. _____	_____	_____
7. <u>2% Smartweed</u>	<u>FACW</u>	<u>H</u>	17. _____	_____	_____
8. <u>2% C. i. i. i.</u>	<u>FACW</u>	<u>H</u>	18. _____	_____	_____
9. <u>2% U. i. i. i.</u>	<u>FACW</u>	<u>H</u>	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: 100% of the dominant species are FAC or FACW

SOILS

Series/phase: Unknown Subgroup:² _____
 Is the soil on the hydric soil list? Yes ☐ No ☒ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: No hydric indicators could be found in soil
Sample

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation. Big drift line. Remains moist.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Area floods but does not have sufficient hydrology for wetland.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Groton, et al Date: 10/28/91, 4/23/92
 Project/Site: E 21652 see back. State: TN County: Randolph
 Applicant/Owner: DOE Plant Community #/Name: NWE PFO1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☒ No ☐ (If yes, explain on back) Back water influence from Metton Hill.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>50% Green Ash</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>30 Boxelder</u>	<u>FACW</u>	<u>I</u>	12. _____	_____	_____
3. <u>(1 big Willow)</u>	<u>OBL</u>	<u>I</u>	13. _____	_____	_____
4. <u>50 OG-Ash</u>	<u>FACW</u>	<u>SAP</u>	14. _____	_____	_____
5. <u>30 Boxelder</u>	<u>FACW</u>	<u>SAP</u>	15. _____	_____	_____
6. <u>4 Dogwood</u>	<u>FACW</u>	<u>SAP</u>	16. _____	_____	_____
7. <u>20 Blackberry</u>	<u>FACW</u>	<u>Sh</u>	17. _____	_____	_____
8. <u>4 Sm. Vicia</u>	<u>FACW</u>	<u>H</u>	18. _____	_____	_____
9. <u>20 Aster</u>	<u>FAC</u>	<u>H</u>	19. _____	_____	_____
10. <u>20 Creeping V. sp.</u>	<u>FACW</u>	<u>H</u>	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 90%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: 70% of the dominant vegetation is FAC

or wetland

SOILS

Series/phase: UNKNOWN

Subgroup: 2

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒

Matrix Color: See back Mottle Colors: See back

Other hydric soil indicators: stained root channels

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: Indicators not strong enough to support hydric criterion without soil survey information or laboratory hydrology.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒

Depth to free-standing water in pit/soil probe hole: N/A

List other field evidence of surface inundation or soil saturation. Drift line. Topography.

Soil observed to stay moist.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Duration of soil saturation is too brief.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Hydrology criterion is not met and soils are doubtful.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Location: Left bank above where EFPC turns along access road.

Soils: Clay content apparent.

0" - 5 1/2"	— 10YR 4/3
5 1/2" - 8"	— 10YR 4/4
8" - 16"	— 10YR 5/3 with some mottles.
<hr/>	
0" - 2 1/2"	— 10YR 4/3 -
2 1/2" - 3"	— 10YR 4/3 matrix
	10YR 5/2 mottles
8" - 16"	— 10YR 4/4 Matrix
	5YR 7/2 stains along root channels.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Groten, et al Date: 10/29/91, 4/23/92
 Project/Site: EFPL E21353 LB State: TN County: Knox
 Applicant/Owner: DOE Plant Community #/Name: NWE PFC1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>RO2 Sycamore</u>	<u>FACW</u>	<u>I</u>	11. _____	_____	_____
2. <u>20 Green Ash</u>	<u>FACW</u>	<u>I</u>	12. _____	_____	_____
3. <u>RC Boxelder</u>	<u>FACW</u>	<u>Sap</u>	13. _____	_____	_____
4. <u>25 Sycamore</u>	<u>FACW</u>	<u>Sap</u>	14. _____	_____	_____
5. <u>FC S. Ironwood</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>25 Hickory</u>	<u>FACW</u>	<u>Sh</u>	16. _____	_____	_____
7. <u>20 Privet</u>	<u>NE</u>	<u>Sh</u>	17. _____	_____	_____
8. <u>45 Aster</u>	<u>FAC</u>	<u>h</u>	18. _____	_____	_____
9. <u>35 Smartweed</u>	<u>FAC-UB</u>	<u>h</u>	19. _____	_____	_____
10. <u>2C JNK grass</u>	<u>?</u>	<u>h</u>	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 70%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: At least 70% of the dominant species are FAC or wetter.

SOILS

Series/phase: UNKNOWN Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☐ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Hist. epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: See back Mottle Colors: See back
 Other hydric soil indicators: iron stains
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Colors and mottles are there although not strong. Call is subject to argument.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒ moist NA
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation: Drift line, Topography, Crawfish mo.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: While area stays moist, saturation could not be observed at sufficient duration.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Hydrology criterion is not met and soil criterion is subject to argument.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soils:

0" - 4" — 10YR 4/3
4" - 10" — 10YR 4/3 Matrix
10YR 4/2 Mottles
10" - 17" — 10YR 5/2 Matrix
7.5YR 4/4 Mottles
iron stains present

0" - 2½" — 10YR 3/3
2½" - 7" — 10YR 4/3 Matrix
10YR 4/2 Mottles
7" - 13½" — 10YR 4/3 Matrix
7.5YR 4/4 Mottles.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Groton, et al Date: 10/29/91, 4/23/92
 Project/Site: EFPC upstream of E20011 LB State: IA County: Boone
 Applicant/Owner: DOE Plant Community #/Name: NW1E PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Hydrology influenced by
 Yes ☒ No ☐ (If no, explain on back) Melton Hill Backwater.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Sycamore</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>30 G. Ash</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>20 Boxelder</u>	<u>FACW</u>	<u>T</u>	13. _____	_____	_____
4. <u>40 Sycamors</u>	<u>FACW</u>	<u>Sap</u>	14. _____	_____	_____
5. <u>20 Boxelder</u>	<u>FACW</u>	<u>Sap</u>	15. _____	_____	_____
6. <u>40 C. discolor</u>	<u>FACW</u>	<u>Sh</u>	16. _____	_____	_____
7. <u>20 Boxelder</u>	<u>FACW</u>	<u>Sh</u>	17. _____	_____	_____
8. <u>45 Smartweed</u>	<u>FACW</u>	<u>H</u>	18. _____	_____	_____
9. <u>40 Aster</u>	<u>FACW</u>	<u>H</u>	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 89%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: 89% is - the dominant vegetation is FAC or
united

SOILS

Series/phase: UNKNOWN Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: 300 Black Mottle Colors: 300 Black
 Other hydric soil indicators: 300 Black
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Area is high deposition during floods, and a developed wetland.
Thus, better criterion is not hydric soils are not strictly.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation.
Influenced by fluctuations from Reservoir tailwaters.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Melton Hill tailwater keeps the area saturated during
the growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All 3 criteria are met although soil indicat
are not strictly because of high deposition/development.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Scils: Contain a lot of organic matter.

0"-4" - 10YR 4/3

4"-13" - 10YR 4/3 Matrix

7YR 4/4 Mottles

10"-16" - 10YR 5/3

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Grotel et al. Date: 10/29/91, 4/23/92
 Project/Site: EEPC E 19682 LB State: IN County: Boone
 Agency/Owner: DOE Plant Community #/Name: Hardwoods Layer
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Backwater fluctuations from
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed? Melton Hill Reservoir.
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Sm. wood</u>	<u>FAC-OBL</u>	<u>H</u>	11. _____	_____	_____
2. <u>40 Unknown Grass</u>	<u>?</u>	<u>H</u>	12. _____	_____	_____
3. <u>30 C. sp. in. Tm.</u>	<u>FAC+</u>	<u>H</u>	13. _____	_____	_____
4. <u>20 Grass in. T</u>	<u>FAC</u>	<u>H</u>	14. _____	_____	_____
5. <u>20 Empetrum sp.</u>	<u>FAC</u>	<u>H</u>	15. _____	_____	_____
6. <u>(Small wood)</u>	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: 100% of species are FAC or FACW. Vegetation is FAC -
wetland.

SOILS

Series/phase: Unknown Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: see back Mottle Colors: see back
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Soil is ~~acidic~~ ^{hydric} and supports ^{hydric} vegetation. ~~Developing~~
Active - wetland with clear lack of ~~hydric~~ ^{hydric} in water.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: < 2"
 List other field evidence of surface inundation or soil saturation.
Direct observation in Melton Hill Backwater.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Direct observation of saturation due to backwater
fluctuations.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met although
soil criterion is ~~not~~ ^{not} to ~~be~~ ^{be} ~~used~~ ^{used} ~~in~~ ⁱⁿ ~~the~~ ^{the} ~~decision~~ ^{decision}.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Seals:

0' - 4' - 10 YR 3/3

4' - 7' - 10 YR 4/3 matrix

5 YR 4/8 mottles

7' - 10.5' - 10 YR 4/3 matrix

5 YR 5/6 mottles

10.5' - 15.5' - 10 YR 4/4

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick Groton et al. Date: 10/29/91, 4/23/92
 Project/Site: E FOL at E 196 B2 LB State: TN County: Roane
 Applicant/Owner: DOE Plant Community #/Name: Backwater Intruded Zone
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Hydrology is influenced by
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed? backwater from reservoir.
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>20% Button Bush</u>	<u>OBL</u>	<u>Sh</u>	11. _____	_____	_____
2. _____	_____	_____	12. _____	_____	_____
3. _____	_____	_____	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or EAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: The dominant vegetation is OBL.

SOILS

Series/phase: UNKNOWN Subgroup:² _____
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: See back Mottle Colors: See back
 Other hydric soil indicators: Iron and Manganese concentrations at 4"-16".
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Sufficient indicators are present despite coloration. Where vegetation is all obligate, hydric soils are assumed.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: few inches
 Is the soil saturated? Yes ☒ No ☐ Daily fluctuation from Melton Hill backwater
 Depth to free-standing water in pit/soil probe hole: N/A
 List other field evidence of surface inundation or soil saturation.

Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: The area is inundated/saturated by backwater fluctuation from Melton Hill Reservoir.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soils

6-4"	10 YR 3/3	—
4"-10"	10 YR 4/3	Matrix
	7.5 YR 4/4	mottles
10"-16"	2.5 Y 5/4	with iron & manganese concretions

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Gerton, et al. Date: 10/29/91, 4/23/92
 Project/Site: FERC E-196R2 LB State: TX County: Roberts
 Applicant/Owner: DOF Plant Community #/Name: Shrub Border
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Backwater influence from
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed? Milton Hill Reservoir.
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Beckler</u>	<u>FACW</u>	<u>Sh</u>	11. _____	_____	_____
2. <u>10 Deadwood</u>	<u>FACW</u>	<u>Sh</u>	12. _____	_____	_____
3. <u>20 Buttonbush</u>	<u>OBL</u>	<u>Sh</u>	13. _____	_____	_____
4. <u>95 C. cap.</u>	<u>FACWT</u>	<u>H</u>	14. _____	_____	_____
5. <u>20 Ironwood</u>	<u>FACW</u>	<u>H</u>	15. _____	_____	_____
6. <u>20 Tall Grass</u>	<u>?</u>	<u>+</u>	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC R3%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: All 100% R3% of the dominant species are FACW or water.

SOILS

Series/phase: unknown Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: Same as 25b Mottle Colors: Same as 25b
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Same as 25b

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐ quite wet, though not to surface.
 Depth to free-standing water in pit/soil probe hole: 311 41
 List other field evidence of surface inundation or soil saturation: Wettest indic. to periphery.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Soil is wet enough to be aquatic moisture regime.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met, all three soils and hydrology are subject to aquic moisture.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick Grotzel, et al. Date: 10/29/91, 4/23/92
 Project/Site: EEPL E 19682 LB State: IN County: Madison
 Applicant/Owner: DOE Plant Community #/Name: Forested Barter
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Backwater from Melted Hill
 Yes ☒ No ☐ (If no, explain on back) influences soil moisture.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>40% Green Ash</u>	<u>FACW</u>		11. _____		
2. <u>30 Sycamore</u>	<u>FACW</u>		12. _____		
3. <u>20 Blackdog</u>	<u>FACW</u>		13. _____		
4. <u>15 Ironwood</u>	<u>FACW</u>		14. _____		
5. <u>40 new gold Fern</u>	<u>FACW</u>		15. _____		
6. <u>30 Smartweed</u>	<u>FACW</u>		16. _____		
7. <u>30 Tall Grass</u>	<u>?</u>		17. _____		
8. <u>20 Unknown Grass</u>	<u>?</u>		18. _____		
9. _____			19. _____		
10. _____			20. _____		

Percent of dominant species that are OBL, FACW, and/or FAC 75%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: At least 75% of the dominant vegetation is FAC or wetter.

SOILS

Series/phase: UNKNOWN Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: Same as 25b Mottle Colors: Same as 25b
 Other hydric soil indicators: Iron and manganese concentrations.
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: Hydric soil indicators are weak and there is no overlying water to indicate a developing wetland.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: none apparent.
 List other field evidence of surface inundation or soil saturation:
Greenish mounds. Disturbed lines, minor buttressing of trees.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Soil is quite moist, but don't believe the hydrology is there for sufficient duration.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria not quite met.
This project represents the upland boundary of the area 25 a-d.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Grotton, et al Date: 10/29/91, 4/23/92
 Project/Site: E 20339: N-14 RB State: TN County: Roane
 Applicant/Owner: _____ Plant Community #/Name: Backwater Intrusion
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Backwater fluctuation from
 Yes ☒ No ☐ (If no, explain on back) Melton Hill Reservoir.
 Has the vegetation, soils, and/or hydrology been significantly disturbed?
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

VEGETATION							
Dominant Plant Species		Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum	
1.	30% Green Ash	FACW	T	11.	80 Privet (one side)	NP	Sh
2.	20 Sycamore	FACW	T	12.	90 Cressida Jenny	FACW	H
3.	25 Button Bush	OBL	Sh	13.	25 Tall reeds	?	H
4.	40 Cressida Jenny	FACW	H	14.	20 short grass	?	H
5.	30 Tall reeds	?	H	15.			
6.	20 Unknown tree	?	H	16.			
7.	40 Green Ash	FACW	T	17.			
8.	10 Box elder	FACW	T	18.			
9.	20 Button Bush	OBL	Sh	19.			
10.	40 Downwood	FACW	Sh	20.			

Percent of dominant species that are OBL, FACW, and/or FAC 66% / 63%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: More than 50% of the dominants are FACW or wetter.

SOILS

Series/phase: UNKNOWN Subgroup:² _____
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: see back Mottle Colors: see back
 Other hydric soil indicators: Aquic moisture regime. Black organic material present.
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Although coloration absent - indicates hydric soil, aquic moisture regime and hydric vegetation are present. Believe this is a delineated wetland.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐ This is border of mud flat.
 Depth to free-standing water in pit/soil probe hole: about 4"
 List other field evidence of surface inundation or soil saturation. Observed influence by backwater from reservoir. Spring discharges into upper end.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Back water from reservoir and discharge from spring keeps the area wet.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soil Coloration:

C - 3 1/2" - 10YR 4/3

3 1/2" - 11" - 10YR 4/3 matrix

7.5YR 4/4 mottles

Black organic matter mixed into soil.

Soil too wet to extract a full probe.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Groted, et al. Date: 10/29/91, 4/23/92
 Project/Site: Upstream of E 20339 State: Tx County: Reade
 Applicant/Owner: DOE Plant Community #/Name: Scrub shrub intrusion
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Backwater intrusion from
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed? Milton Hill Reservoir.
 Yes ☒ No ☐ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 20% <u>Creeping Juniper</u>	<u>FACW</u>	<u>H</u>	11. _____	_____	_____
2. 40% <u>Smartweed</u>	<u>FAC-OBL</u>	<u>H</u>	12. _____	_____	_____
3. 10% <u>Willow</u>	<u>OBL</u>	<u>I</u>	13. _____	_____	_____
4. 20% <u>Drawn</u>	<u>FACW</u>	<u>Sh</u>	14. _____	_____	_____
5. 40% <u>Hickory</u>	<u>FAC</u>	<u>Sh</u>	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100% / 100%
 Is the hydrophytic vegetation criterion met? Yes ☒ No ☐
 Rationale: All of the dominant vegetation is FAC or wetter.

SOILS

Series/phase: UNKNOWN Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☐
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: See back Mottle Colors: See back
 Other hydric soil indicators: lots of organic matter in top 2 layers
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Chroma of 2 below 3.5" Presence of mottles. Lots of organic matter.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: about 2"
 List other field evidence of surface inundation or soil saturation:
Silt on leaves. Adjacent to fluctuation zone - Spring fed.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Area observed to remain wet.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): He Drick, Grotton Date: 10/29/91, 4/24/92
 Project/Site: Well down stream of E 21323RB State: TN County: Kearney
 Applicant/Owner: DOE Plant Community #/Name: NW1 PFOIA
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back) Backwater from reservoir,

VEGETATION

Dominant Plant Species			Dominant Plant Species		
	Indicator Status	Stratum		Indicator Status	Stratum
1. <u>40% Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>20 Sycamore</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>20 Red Oak</u>	<u>FACW</u>	<u>Cap</u>	13. _____	_____	_____
4. <u>20 White Oak</u>	<u>NE</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>20 Yellow Birch</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. <u>40 White Pine</u>	<u>F</u>	<u>H</u>	16. _____	_____	_____
7. <u>40 Aster</u>	<u>FACW</u>	<u>H</u>	17. _____	_____	_____
8. <u>20 Smooth Birch</u>	<u>FACW</u>	<u>H</u>	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC ≥ 62%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: At least 62% of dominant vegetation is FAC or FACW.

SOILS

Series/phase: UNDI-100N

Subgroup: 2

Is the soil on the hydric soils list? Yes ☐ No ☐ Undetermined ☒

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: See back

Mottle Colors: _____

Other hydric soil indicators: _____

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: No strong indicators.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒ but moist.

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation.

Drift mounds. Grass first mounds.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Too well drained. Floods, but does not hold water sufficient duration.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soil Series:

0 - 4 1/2" 10 YR 3/3

4 1/2" - 10 1/2" 10 YR 4/3

10 1/2" - 15" 10 YR 4/2

If hydrology were altered, this could develop into
Wetland.

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Gorton Date: 10/29/91 4/24/92
 Project/Site: E 200 yds. downstream E 21652 RB State: TN County: Rock Hill
 Applicant/Owner: D&E Plant Community #/Name: NWI PFC1A
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. 40% Sycamore	FACW	T	11. _____	_____	_____
2. 4% Box elder	FACW	T	12. _____	_____	_____
3. 20 Green Ash	FACW	T	13. _____	_____	_____
4. 10 Private	RIE	Sh	14. _____	_____	_____
5. 20 Green Ash	FACW	H	15. _____	_____	_____
6. 5% Aster	FAC	H	16. _____	_____	_____
7. 20 UNK. Grass	?	H	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 50%

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: Only 50% of the dominants can be documented as FAC or FACW.

SOILS

Series/phase: Unknown Subgroup: 2

Is the soil on the hydric soils list? Yes ☐ No ☐ Undetermined ☐

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒

Matrix Color: _____ Mottle Colors: _____

Other hydric soil indicators: None

Is the hydric soil criterion met? Yes ☐ No ☒

Rationale: No hydric indicators apparent.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☐ No ☒ quite moist.

Depth to free-standing water in pit/soil probe hole: _____

List other field evidence of surface inundation or soil saturation: Drift lines. Topography.

Is the wetland hydrology criterion met? Yes ☐ No ☒

Rationale: Area remains moist but is too well drained to meet hydrology criterion.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒

Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

Vegetation is doubt full.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Gorton et al Date: 10/29/91, 4/23/92
 Project/Site: JUST downstream - F19355 State: TN County: Roane
 Applicant/Owner: DOE Plant Community #/Name: Mud Flat / herb / shrub
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back) backwater influence.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>10%</u> <u>Butterbush</u>	<u>OBL</u>	<u>SH</u>	11. _____	_____	_____
2. <u>40%</u> <u>Cyperus cuspidatus</u>	<u>FACW</u>	<u>H</u>	12. _____	_____	_____
3. <u>10</u> <u>Smart rush</u>	<u>FACW</u>	<u>H</u>	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: All dominants are FACW or OBL.

SOILS

Series/phase: UNKNOWN

Subgroup:² _____

Is the soil on the hydric soils list? Yes ☐ No ☐ Undetermined ☒

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☐

Matrix Color: See back Mottle Colors: _____

Other hydric soil indicators: Sulfur odor, concentrations, leaves never > 7.5"

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: Colors, concentrations, organic material. Soil is assumed hydric when all vegetation FACW OBL and the boundary is abrupt.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☒ No ☐

Depth to free-standing water in pit/soil probe hole: Very wet in top 10"

List other field evidence of surface inundation or soil saturation.

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Fluctuation of reservoir keeps area saturated throughout growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐

Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soils:

Concretions in lower layer. Order when soil disturbed.
Leaves organic matter in upper 7.5".

0" - 4" 10 YR 3/3

4" - 7.5" 10 YR 4/3 matrix
5 YR 5/6 mottles

7.5" - 10" 10 YR 4/3 matrix
7.5 YR 4/4 mottles

10" - 10' Iron concretions $\pm$ 13.5'
Gray along root channels 10 YR 4/1

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Gorton, et al Date: 10/29/91, 4/23/92
 Project/Site: just upstream - E 19355 State: TN County: Kearf
 Applicant/Owner: JOE Plant Community #/Name: Shrub fringe
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back) backwater influence.

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>85% Dogwood</u>	<u>FACW</u>	<u>Sh</u>	11. _____	_____	_____
2. _____	_____	_____	12. _____	_____	_____
3. _____	_____	_____	13. _____	_____	_____
4. _____	_____	_____	14. _____	_____	_____
5. _____	_____	_____	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: Dominant are all FACW.

SOILS

Series/phase: UNKNOWN Subgroup: 2

Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒

Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒

Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒

Matrix Color: see back Mottle Colors: _____

Other hydric soil indicators: Much organic matter, oxidized area.

Is the hydric soil criterion met? Yes ☒ No ☐

Rationale: Based on indicators, ATSS Soil can be assumed hydric when all indicators are FACW and/or OBL and the known is atyp.

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____

Is the soil saturated? Yes ☒ No ☐

Depth to free-standing water in pit/soil probe hole: very wet in top 10"

List other field evidence of surface inundation or soil saturation.

Is the wetland hydrology criterion met? Yes ☒ No ☐

Rationale: Hydrology observed. Reservoir fluctuation keeps area wet throughout growing season.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐

Rationale for jurisdictional decision: ALL three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Soils:

0"-8.0" 10YR 3/3 matrix, much organic material.

7.5YR 5/8 oxidized areas

8"-12." 10YR 4/3 matrix
5YR 3/4 mottles

12"-16.5" 10YR 4/3

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Gerton, Cress Date: 11/21/91
 Project/Site: E 40353: 4x57 State: TN County: Rock
 Applicant/Owner: DCE Plant Community #/Name: NWFPF01H
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☒ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>RC Box elder</u>	<u>FAC</u>	<u>T</u>	11. _____	_____	_____
2. <u>LG Privet</u>	<u>NE</u>	<u>SH</u>	12. _____	_____	_____
3. <u>25 Int. Grass</u>	<u>?</u>	<u>H</u>	13. _____	_____	_____
4. <u>15 Green Grass</u>	<u>FACW</u>	<u>H</u>	14. _____	_____	_____
5. <u>11 Grass</u>	<u>FAC</u>	<u>H</u>	15. _____	_____	_____
6. <u>15 Dune Grass</u>	<u>FACW</u>	<u>H</u>	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100

Is the hydrophytic vegetation criterion met? Yes ☐ No ☒

Rationale: Yes. Soils are FAC or wetter.

SOILS

Series/phase: Unknown Subgroup: 2
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☐ No ☒ Gleyed? Yes ☐ No ☒
 Matrix Color: _____ Mottle Colors: _____
 Other hydric soil indicators: _____
 Is the hydric soil criterion met? Yes ☐ No ☒
 Rationale: No hydric field indicators could be found

HYDROLOGY

Is the ground surface inundated? Yes ☐ No ☒ Surface water depth: _____
 Is the soil saturated? Yes ☐ No ☒
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation: Spongy soil, Drift lines, Depressions that look like they could retain water.
 Is the wetland hydrology criterion met? Yes ☐ No ☒
 Rationale: Observed after flood event. Does not have sufficient duration of saturation to meet criterion.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☐ No ☒
 Rationale for jurisdictional decision: Soil and hydrology criteria are not met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

**DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹**

Field Investigator(s): Hedrick, Grotton, Cross Date: 11/21/91
 Project/Site: FLB. Int. E 40024 & Gum Hollow Rd State: TN County: Roane
 Applicant/Owner: DNE Plant Community #/Name: FOREST
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community?

Yes ☐ No ☐ (If no, explain on back)

Has the vegetation, soils, and/or hydrology been significantly disturbed?

Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>50% Sycamore</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>20 Green Ash</u>	<u>FACW</u>	<u>T</u>	12. _____	_____	_____
3. <u>15 ELM</u>	<u>FAC</u>	<u>S</u>	13. _____	_____	_____
4. <u>25 Hicory</u>	<u>FAC</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>5 UNK. Grass</u>	<u>FAC</u>	<u>H</u>	15. _____	_____	_____
6. <u>5 Aster sp.</u>	<u>FAC</u>	<u>H</u>	16. _____	_____	_____
7. _____	_____	_____	17. _____	_____	_____
8. _____	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 66 %

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: At least 66% of the dominant vegetation is FAC or better.

SOILS

Series/phase: Unknown Subgroup:² _____
 Is the soil on the hydric soil list? Yes ☐ No ☐ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: Red Brown Mottle Colors: _____
 Other hydric soil indicators: Oxidized root channels, iron or manganese nodules
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Field indicators: soil mottles, iron or manganese nodules.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: _____
 Is the soil saturated? Yes ☒ No ☐ for week or more following big rain event.
 Depth to free-standing water in pit/soil probe hole: _____
 List other field evidence of surface inundation or soil saturation: Dry line - No herbaceous longer in lower elevations. Skids only from EFRC.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Direct observation of hydrology after flood event.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are present, although soils may be subject to argument.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Coil:

10 μF $\frac{E}{3}$ but too saturated for accurate
reading.

DATA FORM
ROUTINE ONSITE DETERMINATION METHOD¹

Field Investigator(s): Hedrick, Grotton Date: 12-6-91
 Project/Site: N.E. Corner of ORSA Property State: IN County: Roane
 Applicant/Owner: DOE Plant Community #/Name: Scrub Scrub
 Note: If a more detailed site description is necessary, use the back of data form or a field notebook.

Do normal environmental conditions exist at the plant community? Some influence from turnpike
 Yes ☒ No ☐ (If no, explain on back)
 Has the vegetation, soils, and/or hydrology been significantly disturbed? but system still intact.
 Yes ☐ No ☒ (If yes, explain on back)

VEGETATION

Dominant Plant Species	Indicator Status	Stratum	Dominant Plant Species	Indicator Status	Stratum
1. <u>10 Green Ash</u>	<u>FACW</u>	<u>T</u>	11. _____	_____	_____
2. <u>15 Green Ash</u>	<u>FACW</u>	<u>-S</u>	12. _____	_____	_____
3. <u>35 Button Bush</u>	<u>OBL</u>	<u>Sh</u>	13. _____	_____	_____
4. <u>30 Dogwood</u>	<u>FACW</u>	<u>Sh</u>	14. _____	_____	_____
5. <u>20 Green Ash</u>	<u>FACW</u>	<u>Sh</u>	15. _____	_____	_____
6. _____	_____	_____	16. _____	_____	_____
7. <u>Vigorous herb layer, but all</u>	_____	_____	17. _____	_____	_____
8. <u>Indicants not easy to identify</u>	_____	_____	18. _____	_____	_____
9. _____	_____	_____	19. _____	_____	_____
10. _____	_____	_____	20. _____	_____	_____

Percent of dominant species that are OBL, FACW, and/or FAC 100%

Is the hydrophytic vegetation criterion met? Yes ☒ No ☐

Rationale: All dominants are FACW or OBL.

SOILS

Series/phase: UNKNOWN Subgroup:² _____
 Is the soil on the hydric soils list? Yes ☐ No ☒ Undetermined ☒
 Is the soil a Histosol? Yes ☐ No ☒ Histic epipedon present? Yes ☐ No ☒
 Is the soil: Mottled? Yes ☒ No ☐ Gleyed? Yes ☐ No ☒
 Matrix Color: See back. Mottle Colors: _____
 Other hydric soil indicators: Aquic moisture regime.
 Is the hydric soil criterion met? Yes ☒ No ☐
 Rationale: Displays mottling, chroma of 2, and aquic moisture regime.
Assumed hydric when all dominants FACW/OBL and boundary is abrupt.

HYDROLOGY

Is the ground surface inundated? Yes ☒ No ☐ Surface water depth: 1"-5" variable
 Is the soil saturated? Yes ☒ No ☐
 Depth to free-standing water in pit/soil probe hole: to surface
 List other field evidence of surface inundation or soil saturation. Fed by multiple springs.
 Is the wetland hydrology criterion met? Yes ☒ No ☐
 Rationale: Spring runoff fen. Long term inundation/saturation obvious.

JURISDICTIONAL DETERMINATION AND RATIONALE

Is the plant community a wetland? Yes ☒ No ☐
 Rationale for jurisdictional decision: All three criteria are met.

¹ This data form can be used for the Hydric Soil Assessment Procedure and the Plant Community Assessment Procedure.

² Classification according to "Soil Taxonomy."

Enrich:

Surface layer silty clay lam.
10 YR 3/3 with mottling.

at 5"

10 YR 4/3

10 YR 5/2 streaks

7.5 YR 4/4 streaks

at 8" - strong clay.

7.5 YR 4/2 matrix

10 YR 5/2 streaks