11

DOE/OR/22007--711

August 18, 1993

Ms. Lynn A. Kszos, Aquatic Toxicologist
Environmental Sciences Division
Oak Ridge National Laboratory
P. O. Box 2008, MS-6351
Oak Ridge, Tennessee 37831-6351

Dear Lynn:

Enclosed is a copy of the report presenting results of TVA toxicity testing during the Clinch River - Environmental Restoration Program (CR-ERP) Study, July 22-29, 1993. Attachments to the report include Chain of Custody Forms - Originals (I), Toxicity Test Bench Sheets and Statistical Analyses (II), and Reference Toxicant Test Information (III). Exposure of fathead minnows and daphnids to water column samples collected from Clinch River Mile 19.0 and Mile 22.0 on July 21, 23, and 26 resulted in no toxicity to test organisms.

Please call me (205-729-3340) if you have questions or comments regarding the report or conductance of the study.

Sincerely,

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED *ph*

Jennifer Moses, Unit Supervisor
Aquatic Research Laboratory

JM:DTH

Enclosures

cc: J. D. Milligan, HB 2C-C
D. C. Wade, OSA 1B-M (w/enclosures)
Files, WR, HB 2C-C (w/enclosures)

MASTER

Prepared by Jennifer Moses

PLARC501-1738

APPROVED FOR RELEASE OR
PUBLICATION. INTEL. PROP. GP.,
OFC. OF CHIEF COUNSEL, DOE/ORO
By SK Dillon Date 11/21/97

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

**Portions of this document may be illegible
electronic image products. Images are
produced from the best available original
document.**

STANDARD REPORT FORM

STATIC RENEWAL TESTS USING PIMEPHALES PROMELAS (FATHEAD MINNOWS) AND CERIODAPHNIA DUBIA (DAPHNIDS)

Test Title: Clinch River - Environmental Restoration Program (CR-ERP)
Study, Ambient Water Toxicity

Principal Investigator: Cynthia L. Russell

Starting Date: July 22, 1993

Ending Date: July 29, 1993

1.0 EXECUTIVE SUMMARY

Clinch River - Environmental Restoration Program (CR-ERP) personnel and Tennessee Valley Authority (TVA) personnel conducted a study during the week of July 22-29, 1993, as described in the Statement of Work (SOW) document. [1] The organisms specified for testing were larval fathead minnows, Pimephales promelas, and the daphnid, Ceriodaphnia dubia. Surface water samples were collected by TVA Field Engineering personnel from Clinch River Mile 19.0 and Mile 22.0 on July 21, 23, and 26. Samples were split and provided to the CR-ERP and TVA toxicology laboratories for testing.

Exposure of test organisms to these samples resulted in no toxicity (survival, growth, or reproduction) to either species in testing conducted by TVA.

2.0 SAMPLE COLLECTION/TREATMENTS

- 2.1 Test Sample Identification (Chemical/Effluent/Elutriate, etc.): Samples were collected for biomonitoring at the following two sites: Clinch River Mile 19.0, downstream of the mouth of White Oak Creek and upstream of Grubb Island, and Clinch River Mile 22.0, downstream of Melton Hill Dam and upstream of White Oak Creek. Clinch River samples were collected at approximately mid-channel.
- 2.2 Control and/or Dilution Water: Laboratory culture medium consisting of moderately hard reconstituted water was used as control and dilution water for toxicity tests. The water used for daphnid testing was enriched with 10 percent filtered Tennessee River water and selenium as described in Section 3.2.2.
- 2.3 Sample Dates and Times: Test samples were collected on July 21, 23, and 26, 1993. Collection times were between 0900 and 1200 CDT.

- 2.4 Sampling Method: All samples were collected using an Isco peristaltic pump with the inlet tubing lowered to approximately 1.0-1.5 meters below the surface. Pumping rate was approximately two liters per minute. A 20 L composite was collected at each station and partitioned (split) according to the workplan for shipping to the TVA Aquatic Research Laboratory (ARL) at Browns Ferry Nuclear Plant site or direct transfer to ORNL (DOE) personnel in the field.
- 2.5 Pertinent Site Conditions: Weather conditions were clear and sunny during sampling on July 21, 23, and 26.
- 2.6 Sample Storage/Handling: All samples were placed on ice in ice chests after partitioning. Zero headspace was established in each container by filling full and expressing any air bubbles before sealing. Samples remained on ice until shipped or transferred directly to ORNL (DOE) personnel. Excess composite sample was discarded. Samples were stored in refrigerators at $4^{\circ}\text{C} \pm 1^{\circ}\text{C}$ after arrival at the Aquatic Research Laboratory (ARL).
- 2.7 Sample Transport: Samples collected on July 21, 23, and 26 were transported to Browns Ferry Nuclear Plant by overnight TVA mail courier. Personnel from ARL picked up samples from the mailroom and transported them to ARL.
- 2.8 Sample Pretreatment: Sample temperature was raised to 25°C in a warm water bath and samples were aerated as necessary to bring DO levels down to near 100 percent saturation. Adequate water for use in test initiation or daily renewal was filtered through a 100 μm nylon mesh filter into 2000 mL beakers, and appropriate dilutions were prepared where applicable.
- 2.9 Test Treatments: Samples from Clinch River Mile 19.0 and Mile 22.0 were tested at 100 percent (undiluted) and diluted to 50 percent using the appropriate culture media.

3.0 TEST ORGANISMS/CULTURING CONDITIONS

3.1 Species: Pimephales promelas, Fathead minnow

3.1.1 Source: ARL inhouse culture

3.1.2 Culture Water: Culture medium consisted of 50 percent dechlorinated tap water and 50 percent moderately hard reconstituted water. Dechlorination was achieved by activated carbon filtration and verified by DPD titration. Reagents for reconstituted water were added to reverse osmosis product water.

Both waters were passed through a pack column degasser to bring dissolved gases to saturation. Culture medium was continuously aerated to help ensure aseptic conditions. Total hardness was approximately 95 mg/L as CaCO_3 .

3.1.3 Temperature of Culture: $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$

3.1.4 General Maintenance: Adult fathead minnows are maintained in glass aquaria in a flow through recirculating system. Flow rate to aquaria used for spawning is one aquarium volume per hour.

Approximately 20 percent of the water volume is replaced twice weekly. Adults are fed three times daily. Sexually mature fish are placed in 21-L glass aquaria (one male, four females) and reproduction is checked and recorded daily. Spawns are removed from aquaria and incubated in 1-L glass beakers under aeration to the proper stage of development for the target test.

Fish health is monitored regularly and corrective action is taken if necessary. Spawning frequency from individual aquaria is tracked and sexually spent individuals are replaced as necessary. Every 4-6 months a group of the same age fish from at least three spawns is reared to adults for replacement spawners.

3.1.5 Spawn Date: July 17, 1993

3.1.6 Hatch Date/Time: July 21, 1993/1015 CDT - July 22, 1993/0645 CDT

3.1.7 Culture/Acclimation Water: Moderately hard reconstituted water

3.1.8 Acclimation Temperature: $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$

3.1.9 Mean Dry Weight at Start of Test: 0.06 mg

3.1.10 Diseases and Treatment: None.

3.1.11 Food and Feeding: Larvae were fed brine shrimp (Artemia) nauplii <24-h old twice daily beginning after hatching to ensure food availability if larvae began feeding prior to test initiation.

3.2 Species: Ceriodaphnia dubia, daphnids

3.2.1 Source: Inhouse culture, TVA, Aquatic Research Laboratory

3.2.2 Culture Water: Moderately hard reconstituted water containing 10 percent filtered Tennessee River water and 1.0 ppb selenium. [2] Total hardness was approximately 95 mg CaCO_3/L .

3.2.3 Temperature of Culture: $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$

3.2.4 General Maintenance: Adults used to produce neonates for test initiation are selected as neonates from broods as described below on 2 or 3 consecutive days 6-10 days prior to test initiation. (Adults up to 14 days old may be used for neonate production.) These animals are raised individually (a brood may be raised as a group until Day 3 at which time animals are transferred to

individual cups), and a record is made of their reproduction. Their fourth brood is generally the second brood with 8 or more young and is the earliest brood used for test initiation.

Mass cultures may also be maintained in 8-L glass battery jars in light and temperature controlled incubators. New cultures are started weekly (7-10 days) with approximately 50 neonates. These neonates are selected from the third or fourth brood of the adult, from broods containing 8 or more young.

- 3.2.5 Food and Feeding: Food used for Ceriodaphnia cultures and this study was obtained from a commercial source (Aquastar) and consists of YCT and Selenastrum prepared according to EPA requirements. Individual animals contained in cups with 15 mL medium were fed 0.1 mL food and algae at renewal.

4.0 TEST METHODS

- 4.1 Fathead Minnow (Pimephales promelas) Larval Survival and Growth Test, EPA Test Method 1000.0. [3]
- 4.1.1 Modification/Amendments to Method 1000.0:
- 4.1.1.1 A 100-micron mesh nylon screen was used to filter samples rather than a 60-micron mesh as described in EPA methods.
- 4.1.1.2 The Clinch River Mile 19.0 sample storage temperature on Day 6 and the Clinch River Mile 22.0 sample storage temperature on Day 1 were below the prescribed $4^{\circ}\text{C} \pm 1^{\circ}$. These temperatures were 2.8°C and 2.5°C , respectively. Temperatures of samples received on ice ranged from 1.7°C to 3.7°C .
- 4.1.2 Date/Time Test Initiated: July 22, 1993/1010 CDT
- 4.1.3 Date/Time Test Terminated: July 29, 1993/0930 CDT
- 4.1.4 Test Chamber: 600-mL borosilicate glass beakers
Volume per chamber: 350 mL
- 4.1.5 Number of Test Organisms per Chamber: 10
- 4.1.6 Number of Replicates per Treatment: 4
- 4.1.7 Dilution Water/Control Water: Moderately hard reconstituted water
- 4.1.8 Renewal Period: 24-h
- 4.1.9 Test Temperature: $25.0^{\circ}\text{C} \pm 1^{\circ}\text{C}$
- 4.1.10 Feeding Regime During Test: Fathead minnow larvae were fed brine shrimp (Artemia) nauplii <24-h old 3 times daily ad libitum.

4.1.11 Physical and Chemical Parameters Measured: Parameters measured daily (initially) on test solutions and control waters were temperature (temperature was adjusted to equal "final" temperature before renewal), DO, pH and conductivity. In addition, alkalinity, hardness, and total residual chlorine were measured on each new sample at the time of first use (7/22, 7/24 and 7/27).

Final measurements taken daily before renewal were temperature and DO in every test beaker and pH and conductivity in one replicate per treatment. Mean values and ranges are reported in section 6.3.

4.1.12 Statistics:

Revised statistical procedures contained in the second edition of EPA's short-term chronic toxicity methods require a decision process for testing statistical assumptions before selecting a specific test method to determine toxicity endpoints. [3] Decision processes followed for testing survival and sublethal (growth) effects are shown in sections 6.1.2.2 and 6.1.3.1. Based on tests for normal distribution and homogenous variance of data, the statistical test used for endpoint determination of survival data was Steel's Many-one Rank Test and for growth data was Dunnett's Test.

4.2 Ceriodaphnia Survival and Reproduction Test, EPA Test Method 1002.0. [3]

4.2.1 Modifications/Deviations to Method 1002.0:

4.2.1.1 Enriched culture medium (see Section 3.2.2.).

4.2.1.2 A 100-micron mesh nylon screen was used to filter samples rather than a 60-micron mesh as described in EPA methods.

4.2.1.3 The Clinch River Mile 19.0 sample storage temperature on Day 6 and the Clinch River Mile 22.0 sample storage temperature on Day 1 were below the prescribed $4^{\circ}\text{C} \pm 1^{\circ}$. These temperatures were 2.8°C and 2.5°C , respectively. Temperatures of samples received on ice ranged from 1.7°C to 3.7°C .

4.2.2 Date/Time Test Initiated: July 22, 1993/1045 CDT

4.2.3 Date/Time Test Terminated: July 29, 1993/1000 CDT

4.2.4 Test Chamber: 1-ounce plastic cups (Plastics, Inc., #P.I.-1)
Volume per Chamber: 15 mL

4.2.5 Number of test organisms per chamber: 1

4.2.6 Number of replicates per treatment: 10

- 4.2.7 Dilution Water/Control Water: Enriched moderately hard reconstituted water
- 4.2.8 Renewal Period: 24 hours
- 4.2.9 Test Temperature: $25.0^{\circ}\text{C} \pm 1^{\circ}\text{C}$
- 4.2.10 Feeding Regime During Test: Each organism was fed 0.1 mL of prepared food and algae concentrate daily (added to renewal water before introduction of test organism).
- 4.2.11 Physical and Chemical Parameters Measured: Parameters measured daily ("initial") on test solutions and control waters were temperature (temperature was adjusted to equal "final" temperature before renewal), DO, pH and conductivity. In addition, alkalinity, hardness, and total residual chlorine were measured on each new sample at the time of first use (7/22, 7/24, and 7/27).
- "Final" measurements of temperature were made in 10 randomly selected cups when the tray was removed from the incubator. DO and pH were measured daily in 1 cup per treatment following renewal. Mean values and ranges are reported in section 6.3.
- 4.2.12 Statistics:

Revised statistical procedures contained in the second edition of EPA's short-term chronic toxicity methods require decision process for testing statistical assumptions before selecting a specific statistical test to determine toxicity endpoints. [3] Fisher's Exact Test was used to evaluate Ceriodaphnia survival effects during the study. Statistical evaluation of daphnid reproduction was not required because all treatment values were greater than the control.

5.0 QUALITY ASSURANCE

- 5.1 Toxicity Test Methods: All phases of the study including, but not limited to, sample collection, handling and storage; glassware preparation; test organism culturing/acquisition and acclimation; test organism handling during test; and maintaining appropriate test conditions were conducted according to the protocol as described in this report and EPA/600/4-89/001. [3] Any known deviations were noted during the study and are reported herein.
- 5.2 Physical and Chemical Methods
- 5.2.1 Reagents, Titrants, Buffers, etc.: All chemicals were certified products used before expiration dates (where applicable). All ARL chemicals are recorded in a bound Laboratory Chemical Logbook and specific chemicals used were documented on a chemical record sheet contained in the study notebook.

- 5.2.2 Instruments: All identification, service, calibration, and standardization information pertaining to ARL laboratory instruments is contained in bound Laboratory Instrument Logbooks and specific instruments used were documented on an instrument record sheet contained in the study notebook.
- 5.2.3 Temperature was measured using glass mercury thermometers. The instrument was standardized and inspected with readings made according to TVA procedure DS-42.11. [4]
- 5.2.4 Dissolved oxygen was measured using a YSI Model 57 oxygen meter. The instrument was standardized (using the Winkler method) and readings were taken according to TVA procedures S&F DS-43.6 and DS-42.4, respectively. [4]
- 5.2.5 The pH was measured using an Orion Model SA250 meter equipped with an Orion Ross combination electrode. The instrument was standardized and readings were made according to TVA procedures DS-43.7 and DS-42.8, respectively. [4]
- 5.2.6 Conductance was measured using a YSI Model 32 SCT meter. The instrument was standardized and readings were taken according to TVA procedures DS-43.3 and DS-42.3, respectively. [4]
- 5.2.7 Alkalinity was measured by titration of 100 mL samples with 0.02 N H₂SO₄ to an end point of 4.5 according to TVA procedure DS-42.1. [4]
- 5.2.8 Hardness was determined by titration of 50 mL samples with EDTA to a colorimetric endpoint using an indicator (Instructions provided by Reagent Manufacturer [Calgon]), Schwarzenbach Method.
- 5.2.9 Total residual chlorine (TRC) was determined using the DPD Titrimetric Method according to TVA procedure DS-42.9, Rev. 0. [4]
- 5.3 Reference Toxicant Tests
- 5.3.1 Test Type: Fish - 7-day chronic (NOEC)
- Daphnids - 7-day chronic (NOEC)
- 5.3.2 Standard Toxicants Used:
- Copper Sulfate Reference Toxicant Solution - fish and daphnids
Source/Brand: EPA
- 5.3.3 Dilution Water Used: Moderately hard reconstituted water (enriched for daphnids) - fish and daphnid chronic.
- 5.3.4 Statistics: Chronic Test, FH Survival/Growth and Ceriodaphnia Reproduction, NOEC - Dunnett's Test or Steel's Many-one Rank Test, EPA Bootstrap Procedure - IC₂₅
- Ceriodaphnia Survival - Fisher's Exact Test

6.0 RESULTS

6.1 Fathead Minnow Larval Survival and Growth Test

6.1.1 Summary of Results: No survival or growth effects were demonstrated in fathead minnows exposed to Clinch River Mile 19.0 or Mile 22.0 samples during the CR-ERP Ambient Water Toxicity Study conducted from July 22-29, 1993.

6.1.2 Results, Survival Data:

6.1.2.1 Daily Percent Survival Summary for Fathead Minnow Larval Survival Test, CR-ERP Study, July 22-29, 1993.

Treatment	Total Daily % Survival						
	Day 1	2	3	4	5	6	7
Medium	100	100	100	100	100	100	100
CRM 19.0-50%	100	100	100	100	100	100	100
CRM 19.0-100%	100	100	100	100	100	100	100
CRM 22.0-50%	100	100	100	100	100	100	100
CRM 22.0-100%	100	100	100	100	100	98	98

6.1.2.2 Statistical Decision Process for Determining Toxicity Endpoints for 7-Day Survival of Fathead Minnows, CR-ERP Study, July 22-29, 1993.

* Test requires 4 replicates/treatment

** Levene's Test used due to variance equal to zero for one or more treatments.

6.1.2.3 Analysis of Survival Data Using Steel's Many-one Rank Test for Fathead Minnow 7-Day Larval Survival Test, CR-ERP Study, July 22-29, 1993.

Group	Survival (%) Data										Mean	S*
	Replicate											
	1	2	3	4	5	6	7	8	9	10		
Medium	100	100	100	100							100	
CRM 19.0-50%	100	100	100	100							100	
CRM 19.0-100%	100	100	100	100							100	
CRM 22.0-50%	100	100	100	100							100	
CRM 22.0-100%	100	100	90	100							98	

Steel's Many-one Rank Test			
Treatment	Replicates	Critical Rank Sum	Rank Sum*
CRM 19.0-50%	4	10	18.0
CRM 19.0-100%	4	10	18.0
CRM 22.0-50%	4	10	18.0
CRM 22.0-100%	4	10	16.0

*Values less than or equal to the Critical Rank Sum are significantly less than the control (Medium).

6.1.3 Results, Growth Data:

6.1.3.1 Statistical Decision Process for Determining Toxicity Endpoints for 7-Day Growth of Fathead Minnows, CR-ERP Study, July 22-29, 1993.

* Test requires 4 replicates/treatment

6.1.3.2 Analysis of Dry Weight (mg) Data Using Dunnett's Test for Fathead Minnow 7-Day Larval Growth Test, CR-ERP Study, July 22-29, 1993.

No transformation applied before data analysis. For this set of data, the minimum significant difference is 0.09.

This represents an 18.42% decrease in dry weight, mg.

T = 2.36 Alpha = 0.05 (one-tailed test)

Treatment	Growth Data (mg)										Mean	S*
	Replicate											
	1	2	3	4	5	6	7	8	9	10		
Medium	0.43	0.55	0.43	0.47							0.47	
CRM 19.0-50%	0.47	0.42	0.48	0.53							0.47	
CRM 19.0-100%	0.49	0.54	0.39	0.43							0.46	
CRM 22.0-50%	0.43	0.53	0.46	0.44							0.47	
CRM 22.0-100%	0.48	0.38	0.45	0.42							0.43	

*Values significantly less than the control (Medium). EMS = 0.003.

6.2 Ceriodaphnia Survival and Reproduction Test

6.2.1 Summary of Results: No survival or reproduction effects were demonstrated in daphnids exposed to Clinch River Mile 19.0 or Mile 22.0 samples during the CR-ERP Ambient Water Toxicity Study conducted from July 22-29, 1993.

6.2.2 Results, Survival Data:

6.2.2.1 Daily percent survival summary for Ceriodaphnia Survival Test, CR-ERP Study, July 22-29, 1993.

Treatment	Total Daily % Survival					
	1	2	3	4	5	6
Medium	100	100	100	100	100	100
CRM 19.0-50%	100	100	100	100	100	100
CRM 19.0-100%	100	100	100	100	100	100
CRM 22.0-50%	100	100	100	100	100	100
CRM 22.0-100%	100	100	100	100	100	100

6.2.3 Results, Reproduction Data:

6.2.3.1 Statistical Decision Process for Determining Toxicity Endpoints for 7-Day (3-Brood) Reproduction of Ceriodaphnia, CR-ERP Study, July 22-29, 1993.

Not applicable.

6.2.3.2 Reproduction (# young/female/7 days) Data for Ceriodaphnia (7-Day)
Reproduction Test, CR-ERP Study, July 22-29, 1993.

Treatment	Reproduction (# young/female/7 days) Data										Mean	S*
	Replicate											
	1	2	3	4	5	6	7	8	9	10		
Medium	17	22	20	21	20	21	18	21	16	14	19.00	
CRM 19.0-50%	17	16	22	20	20	21	22	21	24	18	20.10	
CRM 19.0-100%	18	21	17	41	18	19	25	23	20	13	21.50	
CRM 22.0-50%	19	19	21	24	23	22	25	22	18	19	21.20	
CRM 22.0-100%	22	25	24	27	21	19	33	22	16	22	23.10	
TR	18	18	19	23	24	22	22	22	9	14	19.10	

*Indicates values significantly less than control (TR).

6.3 Physical/Chemical Parameters

6.3.1 Overall Test Temperature

6.3.1.1 Fathead Minnow: 24.9°C (24.5°-25.2°C)

6.3.1.2 Ceriodaphnia: 25.3°C (25.1°-25.6°C)

6.3.2 Water chemistry summary for CR-ERP Study, July 22-29, 1993.

See: Appendix A Water Chemistry Mean Values and Ranges
for Fathead Minnow and Ceriodaphnia Tests,
CR-ERP Study, July 22-29, 1993

6.4 Reference Toxicant Tests

6.4.1 Summary of Results:

Reference toxicant tests conducted prior to CR-ERP Study showed chronic results consistent with ARL control chart ranges for fathead minnows and daphnids.

6.4.2 Fathead Minnows

6.4.2.1 Date/Time of Most Recent Test:
July 6, 1993/1055 CDT to July 13, 1993/1000 CDT

6.4.2.2 LOEC: 0.02 mg Cu/L
NOEC: 0.008 mg Cu/L
IC₂₅: 0.012 mg Cu/L

6.4.2.3 Control Chart Information:

Number of standard tests completed by laboratory: 45

LOEC Range: 0.008-0.02 mg Cu/L (one concentration increment)
NOEC Range: 0.003-0.008 mg Cu/L (one concentration increment)
IC₂₅ Range: 0.004-0.012 mg Cu/L

6.4.3 Ceriodaphnia

6.4.3.1 Date/Time of most recent test:

July 12, 1993/0935 CDT to July 18, 1993/1028 CDT

6.4.3.2 LOEC: 0.05 mg Cu/L
NOEC: 0.02 mg Cu/L
IC₂₅: 0.026 mg Cu/L

6.4.3.3 Control Chart Information:

Number of standard tests completed by laboratory: 43

LOEC Range: 0.008-0.05 mg Cu/L (two concentration increments)
NOEC Range: 0.003-0.02 mg Cu/L (two concentration increments)
IC₂₅ Range: 0.011-0.030 mg Cu/L

7.0 CONCLUSION

Tests conducted using Clinch River Mile 19.0 and Mile 22.0 samples collected on July 21, 23, and 26 showed no toxicity (survival, growth, or reproduction effects) to fathead minnows or Ceriodaphnia.

8.0 REFERENCES

1. Phipps, T. L., and L. A. Kszos, Statement of Work, Environmental Sciences Division, Biomonitoring Group, Oak Ridge National Laboratory (April 1993, revised June 1993).
2. Weber, C. I. (ed.), Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms, EPA/600/4-90/027 (September 1991).
3. Weber, C. I., W. H. Peltier, T. J. Norberg-King, W. B. Horning, F. A. Kessler, J. R. Menkdick, T. W. Neiheisel, P. A. Lewis, D. J. Klemm, Q. H. Pickering, F. L. Robinson, J. M. Lazorchak, L. J. Wymer, and R. W. Freyberg. Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms. EPA/600/4-89/001 (March 1989) and EPA/600/4-89/001a (September 1989).
4. Field Operations Natural Resource Engineering Procedures Manual, Vol. 1, Division of Natural Resource Operations, Tennessee Valley Authority.

PLARC501-1739

Appendix A

Water Chemistry Mean Values and Ranges for Fathead Minnow and Ceriodaphnia Tests,
CR-ERP Study, July 22-29, 1993

Source	Temperature		Dissolved Oxygen			pH			Conductivity		Alk	Hardness	Chlorine
	Fish	Cerio	Initial	Final Fish	Final Cerio	Initial	Final Fish	Final Cerio	Initial	Final Fish	Initial	Initial	Initial
	(°C)	(°C)	(mg/L)	(mg/L)	(mg/L)	(S.U.)	(S.U.)	(S.U.)	(µmhos)	(µmhos)	*	*	(mg/L)
CRM 19.0-50% w/F. Medium [†]	24.9 (24.5-25.2)	-	8.4 (8.3-8.4)	6.0 (5.2-6.5)	-	7.9 (7.7-8.1)	7.8 (7.7-7.9)	-	304 (298-308)	307 (301-312)	-	-	-
CRM 19.0-50% w/E. Medium [‡]	-	25.3 (25.1-25.6)	8.3 (8.3-8.4)	-	7.4 (7.3-7.5)	7.9 (7.8-8.1)	-	8.1 (8.1-8.2)	294 (289-296)	-	-	-	-
CRM 19.0-100%	24.9 (24.5-25.2)	25.3 (25.1-25.6)	8.3 (8.3-8.4)	6.0 (5.6-6.5)	7.4 (7.3-7.5)	7.7 (7.5-7.9)	7.9 (7.8-7.9)	8.2 (8.2-8.3)	270 (268-276)	273 (270-280)	105 (104-105)	123.7 (121.4-128.3)	<0.1 (<0.1-<0.1)
CRM 22.0-50% w/F. Medium [†]	24.9 (24.8-25.1)	-	8.3 (8.3-8.4)	6.0 (5.3-6.5)	-	7.9 (7.7-8.1)	7.8 (7.7-7.8)	-	302 (298-306)	306 (300-311)	-	-	-
CRM 22.0-50% w/E. Medium [‡]	-	25.3 (25.1-25.6)	8.3 (8.3-8.4)	-	7.4 (7.3-7.4)	8.0 (7.8-8.1)	-	8.2 (8.1-8.2)	293 (291-294)	-	-	-	-
CRM 22.0-100%	24.9 (24.6-25.2)	25.3 (25.1-25.6)	8.3 (8.3-8.4)	6.1 (5.5-6.5)	7.4 (7.2-7.4)	7.8 (7.5-8.1)	7.9 (7.9-8.0)	8.3 (8.2-8.4)	269 (267-270)	271 (270-273)	106 (105-108)	124.3 (123.1-124.8)	<0.1 (<0.1-<0.1)
Fish Medium [†]	24.8 (24.5-25.1)	-	8.3 (8.2-8.3)	6.3 (5.9-6.7)	-	8.2 (8.1-8.3)	7.8 (7.8-7.9)	-	342 (335-348)	344 (335-350)	-	-	-
Enriched Medium [‡]	-	25.3 (25.1-25.6)	8.3 (8.2-8.3)	-	7.4 (7.3-7.5)	8.2 (8.1-8.3)	-	8.0 (7.9-8.1)	324 (320-328)	-	-	-	-
TR	-	25.3 (25.1-25.6)	6.9 (6.6-7.4)	-	7.4 (7.2-7.5)	7.9 (7.6-8.2)	-	8.0 (7.9-8.1)	160 (156-162)	-	53 (50-55)	61.6 (59.9-66.7)	<0.1 (<0.1-<0.1)

*mg/L as CaCO3

[†]Fathead Minnow Test

[‡]Ceriodaphnia Test

PLARC501-1740

ATTACHMENT I

**CR-ERP AMBIENT WATER TOXICITY STUDY
Chain-of-Custody Forms - Originals**

TVA $\rightarrow$ B. Ferry

DOCUMENT ID:

TVA → B. Ferry

TUL 23 '99 13:38 ORNL-ENVIRON. SCIEN. #6155768143

DOCUMENT ID:

TV A $\rightarrow$ B. Ferry

FCOC Rev. 4 01JUL93

DOCUMENT ID:

ATTACHMENT II

CR-ERP AMBIENT WATER TOXICITY STUDY
Toxicity Test Bench Sheets and Statistical Analyses

ARL CHRONIC TOXICITY TEST MASTER CHECKLIST Study: DOE

Date Issued: 7-19-93 To: DRH From: Jm

1. Test organism availability: FH Minnows-T.L.* ✓ C.U.† ✓ Date Jm
Daphnids - T.L. ✓ C.U. ✓ Date (6-22-93)
2. Sample Collection Coordination: Date 7-19 By Jm With L. Graser
T. Phipps
3. Glassware availability: T.L. OK Tech. EEF Date 7-21-93
4. Glassware prep. complete: Date 7-21-93 By OK
5. Data Sheet prep. complete: Date 7-22-93 By OK
6. Test organism availability verification: FH-OK? ✓ Daphnids-OK? OK
7. FH Minnow acclimation:
Day 1 2
By W/A
8. Test Initiation: FH-Date/Time 7/22/93/10:10 Daphnid-Date/Time 7-22-93/10:45
FH Sample, By: OK

9. Test Renewal: Day #:	0	1	2	3	4	5	6	7
Log Samples - T.L.	<u>OK</u>	<u>N/A</u>	<u>OK</u>	<u>N/A</u>	<u>N/A</u>	<u>OK</u>	<u>N/A</u>	<u>N/A</u>
T.M.*	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Initial Chem. - T.L.	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>N/A</u>
T.M.	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>N/A</u>
Final Chem. - T.L.	<u>N/A</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>
T.M.	<u>N/A</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>OK</u>
F.H. - T.L.	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>
T.M.	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>TS</u>	<u>OK</u>
Daphnid - T.L.	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>	<u>OK</u>
T.M.	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

10. Test Termination: FH-Date/Time 7-29-93/9:30 Daphnid-Date/Time 7-29-93/10:00
Clean-up, By: _____

11. Weigh Fish: Date 7-30-93 By OK

12. Run Stats: Date 07-30-93 By OK

13. Report Prep.: Date 08-09-93 By OK

14. Report Final: Date 8-18-93 By Jm Approved: DCW

*Team Leader

†Culture Unit

‡Team Member

CHRONIC STUDY (FATHEAD MINNOW) RECORD SHEET

Study DOE July 93
 Beginning Date/Time 7-22-93 / 10:10
 Ending Date/Time 7-29-93 9:30
 Personnel QH
 Control/Dilution Water F-med

Sample ID	Sample #	Used	Sample ID	Sample #	Used
1. CRM 19	2008	7-22-93	1. CRM 22	2010	7-22-93
2. CRM 19	2008	7-23-93	2. CRM 22	2010	7-23-93
3. CRM 19	2037	7-24-93	3. CRM 22	2037	7-24-93
4. CRM 19	2037	7-25-93	4. CRM 22	2037	7-25-93
5. CRM 19	2037	7-26-93	5. CRM 22	2037	7-26-93
6. CRM 19	2066	7-27-93	6. CRM 22	2068	7-27-93
7. CRM 19	2066	7-28-93	7. CRM 22	2068	7-28-93

Test Treatment Identification:

1. CRM 19 50%
2. CRM 19 100%
3. CRM 22 50%
4. CRM 22 100%
5. F-med
6. _____
7. _____
8. _____

Spawn Date	Tile #	Hatch Date/Time to Date/Time
07-17-93	10, 13, 21, 22, 23, 25, 28	07-21-93 / 1015
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Test # _____
 LOEC > 100%
 NOEC > 100%
 Notes:

H 7/21 AF 1015
 BF 0645 7:2

7/17 Hs 10, 13, 21, 22, 23, 25, 28

FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Page 1 of 1

Study DOE July 93

Personnel

H. W. W. W.

Beginning Date/Time 7-22-93/10:10

Ending Date/Time 07-29-93/0930

Russell, Susan

-- Number Alive --

Treatment	Rep	- Day -						
		1	2	3	4	5	6	7
CRM 19 50%	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	DNH	DH	DH	DH	DH	DH	DH
CRM 19 100%	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	DH	DH	DH	DH	DH	DH	DH
CRM 22 50%	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	DNH/TS	DH/TS	DH/TS	DNH/TS	DH	DH/TS	DH/TS
CRM 22 100%	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10*	9**	9
	4	10	10	10	10	10	10	10
	By:	TS	TS	TS	TS	Cur	TS	Cur
F med	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	TS	TS	TS	TS	Cur	TS	Cur
	1							
	2							
	3							
	4							
	By:							

Notes:

* two fish that have been released but are unable to move. stuck in mouth/gill area. Cur

** one of the two mentioned above died.

Fed- Time/By:

06:30/CH 06:45/CH 06:45/CH 06:45/CH 06:30/CH 06:30/CH
10:15/TS 9:56/CH 09:30/CH 09:45/TS 9:55/TS 10:00/CH 09:55/TS
15:32/CH 15:30/CH 15:30/CH 15:45/CH 15:39/CH 15:33/CH

Dilution Water ID:

(PLARC501-257) Reviewed By: 1402 1402 1404 1404 1407 1408 1410
1402 DH DH DH DH DH DH

Cindy Brown 07/22/93

Analysis of Survival

DOE #2

Starting Date: 07/22/93

Survival (%) Data

Treatment	Replicate										Mean
	1	2	3	4	5	6	7	8	9	10	
MEDIUM	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
CRM19 50%	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
CRM19 100%	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
crm22 50%	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
crm22 100%	1.00	1.00	0.90	1.00	.	.	.	.	.	.	0.98

Steel's Many-One Rank Test

Treatment	No. of Replicates	Critical Rank Sum	Rank Sum*
RM19 50%	4	10	18
RM19 100%	4	10	18
rm22 50%	4	10	18
rm22 100%	4	10	16

* Values less than Critical Rank Sum significantly less than the control (MEDIUM).

FATHEAD DRY WEIGHT RECORD SHEET

Page 1 of 1

Study/Date DOE July 93

Personnel OH

Pans: Date/Time of Drying 7-29-93/7:00-8:00

Fish: Date/Time of Drying 7-30-93/7:45-9:45

Pans: Date/Time of Weighing 7-29-93/11:30-1:00

Fish: Date/Time of Weighing 7-30-93/10:15-

Sample ID	Tare Wt.	Tare + Fish Wt.	Fish Wt.	# Fish	Mean Wt.	Mean Wt. Difference
Initial	1. 1.03860	1.03921		10		
	2. 1.06234	1.02684		10		
	3. 1.03834	1.03890		10		
	4. 1.05305	1.05369		10		
Initial Mean Wt.						
19-50g	1. 1.03689	1.04162		10		
	2. 1.04474	1.04893		10		
	3. 1.03336	1.03811		10		
	4. 1.12182	1.12661		9.10		
19-100g	1. 1.03410	1.03903		10		
	2. 1.11456	1.11943		10		
	3. 1.08257	1.08645		10		
	4. 1.11070	1.11502		10		
22-50g	1. 1.05444	1.05870		10		
	2. 1.02072	1.02400		10		
	3. 1.04893	1.05353		10		
	4. 1.05134	1.05570		10		
22-100g	1. 1.07163	1.07646		10		
	2. 1.06815	1.07193		10		
	3. 1.10938	1.11345		9		
	4. 1.04756	1.05177		10		
Fwed	1. 1.06745	1.07176		10		
	2. 1.03263	1.03813		10		
	3. 1.08797	1.09230		10		
	4. 1.10916	1.11388		10		
1.						
2.						
3.						
4.						

Notes:

Reviewed By: CW 07-30-93

FATHREAD DRY WEIGHT RECORD SHEET

Page 1 of 1

Study/Date DOE July 93 RWT.

Personnel OK

Pans: Date/Time of Drying 7-30-93

Fish: Date/Time of Drying 7-30-93

Pans: Date/Time of Weighing 7-30-93

Fish: Date/Time of Weighing 7-30-93

Sample ID	Tare Wt.	Tare + Fish Wt.	Fish Wt.	# Fish	Mean Wt.	Mean Wt. Difference
1.						
Initial 2. ✓	0.99854	0.99915	0.00061	10	0.00061	
3.						
4.						
Initial Mean Wt.						
1.						
2.						
3.						
4.						
CPM 19.0 2. ✓	1.01396	1.01931	0.00535	10	0.00535	
100% 3. ✓	1.02484	1.02869	0.00385	10	0.00385	
4.						
1.						
2.						
3.						
4.						
1.						
2.						
3.						
4.						
1.						
2.						
3.						
4.						
1.						
2.						
3.						
4.						

Notes:

Reviewed By: cue

FATHEAD DRY WEIGHT RECORD SHEET

Study/Date: DOE #2

Personnel: DRH

Pans:Date/Time of Drying: 07-29-93/0700

Fish:Date/Time of Drying: 07-30-93/0745

Pans:Date/Time of Weighing: 07-29-93/1130

Fish:Date/Time of Weighing: 07-30-93/1015

Sample ID	Tare Wt.	Tare + Fish Wt.	Fish Wt.	# Fish	Mean Wt. grams	Mean Wt. Difference	Mean Wt. mg
1.	1.03860	1.03921	0.00061	10	0.000061	-	-
Initial	0.99854	0.99915	0.00061	10	0.000061	-	-
2.	1.06234	1.02684	-0.03550	10	-0.003550	-	-
3.	1.03834	1.03890	0.00056	10	0.000056	-	-
4.	1.05305	1.05369	0.00064	10	0.000064	-	-

Notes:

Initial	-0.0008422
Mean Wt.	0.000061

	1.	1.06745	1.07176	0.00431	10	0.000431	0.001273	0.431
MEDIUM	2.	1.03263	1.03813	0.00550	10	0.000550	0.001392	0.550
	3.	1.08797	1.09230	0.00433	10	0.000433	0.001275	0.433
	4.	1.10916	1.11388	0.00472	10	0.000472	0.001314	0.472

	1.	1.03689	1.04162	0.00473	10	0.000473	0.001315	0.473
CRH 19.0	2.	1.04474	1.04893	0.00419	10	0.000419	0.001261	0.419
50%	3.	1.03336	1.03811	0.00475	10	0.000475	0.001317	0.475
	4.	1.12182	1.12661	0.00479	9	0.000532	0.001374	0.532

	1.	1.03410	1.03903	0.00493	10	0.000493	0.001335	0.493
CRH 19.0	2.	1.11456	1.11993	0.00537	10	0.000537	0.001379	0.537
100%	3.	1.08257	1.08645	0.00388	10	0.000388	0.001230	0.388

	4.	1.11070	1.11502	0.00432	10	0.000432	0.001274	0.432
=====								
	1.	1.05444	1.05870	0.00426	10	0.000426	0.001268	0.426
=====								
CRM 22	2.	1.02072	1.02600	0.00528	10	0.000528	0.001370	0.528
50%	=====							
	3.	1.04893	1.05353	0.00460	10	0.000460	0.001302	0.460
=====								
	4.	1.05134	1.05570	0.00436	10	0.000436	0.001278	0.436
=====								
	1.	1.07163	1.07646	0.00483	10	0.000483	0.001325	0.483
=====								
CRM 22	2.	1.06815	1.07193	0.00378	10	0.000378	0.001220	0.378
100%	=====							
	3.	1.10938	1.11345	0.00407	9	0.000452	0.001294	0.452
=====								
	4.	1.04756	1.05177	0.00421	10	0.000421	0.001263	0.421
=====								

Reviewed By: Russell

07-30-93 CRK

(1) 30.13
(12)

Analysis of 7-day Larval Growth Test

DOE #2

Starting Date: 07/22/93

Analysis of Dry Weight (mg) Data Dunnett's Test

No transformation applied before data analysis.

For this set of data, the minimum significant difference is 0.09

This represents a 18.42 % reduction in Dry Weight (mg).

T = 2.36 ALPHA = 0.05

Dry Weight (mg) Data

TREATMENT	Replicate										MEAN	S
	1	2	3	4	5	6	7	8	9	10		
MEDIUM	0.43	0.55	0.43	0.47	.	.	.	.	.	.	0.47	
2 CRM1950%	0.47	0.42	0.48	0.53	.	.	.	.	.	.	0.47	
3 CRM19100%	0.49	0.54	0.39	0.43	.	.	.	.	.	.	0.46	
4 CRM22 50%	0.43	0.53	0.46	0.44	.	.	.	.	.	.	0.47	
5 CRM22 100%	0.48	0.38	0.45	0.42	.	.	.	.	.	.	0.43	

Asterisk (*) indicates values significantly less than control (MEDIUM).

Analysis of Variance

Source	DF	Sum OF Sq.	Mean Sq.	Calc F	F(0.05)
Among	4	0.004	0.001	0.410	0.7975
Within	15	0.040	0.003		
Total	19	0.000			

DOE #2	072293 MINS	1 MEDIUM	10.00	10.00	10.00	10.00
	INITIAL NUMBER		10.00	10.00	10.00	10.00
DOE #2	072293 MINS	2 CRM19 50%	10.00	10.00	10.00	10.00
	INITIAL NUMBER		10.00	10.00	10.00	10.00
DOE #2	072293 MINS	3 CRM19 100%	10.00	10.00	10.00	10.00
	INITIAL NUMBER		10.00	10.00	10.00	10.00
DOE #2	072293 MINS	4 crm22 50%	10.00	10.00	10.00	10.00
	INITIAL NUMBER		10.00	10.00	10.00	10.00
DOE #2	072293 MINS	5 crm22 100%	10.00	10.00	9.00	10.00
	INITIAL NUMBER		10.00	10.00	10.00	10.00

DOE #2	072293	MING	1	MEDIUM	0.43	0.55	0.43	0.47
DOE #2	072293	MING	2	CRM1950%	0.47	0.42	0.48	0.53
DOE #2	072293	MING	3	CRM19100%	0.49	0.54	0.39	0.43
DOE #2	072293	MING	4	CRM22 50%	0.43	0.53	0.46	0.44
DOE #2	072293	MING	5	CRM22 100%	0.48	0.38	0.45	0.42

CHRONIC STUDY (C. dubia) RECORD SHEET

Study DOE July 93
 Beginning Date/Time 7-22-93 / 9:10:45
 Ending Date/Time 7-29-93 / 10:00 AM
 Personnel DN
 Control/Dilution Water C-med

Sample ID	Sample #	Used	Sample ID	Sample #	Used
1. CRM 19	2008	7-22-93	1. CRM 22	2010	7-22-93
2. CRM 19	2008	7-23-93	2. CRM 22	2010	7-23-93
3. CRM 19	2037	7-24-93	3. CRM 22	2039	7-24-93
4. CRM 19	2037	7-25-93	4. CRM 22	2039	7-25-93
5. CRM 19	2037	7-26-93	5. CRM 22	2039	7-26-93
6. CRM 19	2066	7-27-93	6. CRM 22	2068	7-27-93
7. CRM 19	2066	7-28-93	7. CRM 22	2068	7-28-93
8. _____	_____	_____	8. _____	_____	_____

Test Treatment Identification:

- CRM 19.0 50%
- CRM 19.0 100%
- CRM 22.0 50%
- CRM 22.0 100%
- TR
- C-med
- _____
- _____

Released From:

Date 7-21-93 Time 10:00pm

To:

Date 7-22-93 Time 6:00 AM

Test # _____
 LOEC > 100%
 NOEC > 100%
 Notes:

Treatment	By Rep.	Number of Young/Day								Total Young
		1	2	3	4	5	6	7	8	
① CRM 19 50%	1	C	0	0	3	6	0	8		17
	2			0	3	6	0	7		16
	3			0	3	8	0	11		22
	4			0	4	8	8	0		20
	5			0	3	8	9	0		20
	6			0	4	7	10	0		21
	7			0	4	8	10	0		22
	8			0	4	8	0	9		21
	9	✓	✓	0	5	9	6	10		24
	10			0	4	7	7	0		18
② CRM 19 100%	1	0	0	0	3	5	0	9		18
	2			0	4	7	0	10		21
	3			0	0	4	6	7		17
	4			0	4	8	13	16		41
	5			0	3	6	9	0		18
	6			0	3	6	10	0		19
	7			0	4	7	14	0		25
	8			0	4	8	0	11		23
	9			0	3	8	9	0		20
	10	✓	✓	0	2	5	0	6		13
③ CRM 22 50%	1	0	0	0	3	6	10	0		19
	2			0	4	6	0	9		19
	3			0	4	8	9	0		21
	4			0	3	9	12	0		24
	5			0	4	8	11	0		23
	6			0	4	7	11	0		22
	7			0	4	9	12	0		25
	8			0	5	8	9	0		22
	9			0	3	7	0	8		18
	10	✓	✓	0	3	7	0	9		19
④ CRM 22 100%	1	0	0	0	4	7	0	11		22
	2			0	5	8	0	12		25
	3			0	4	8	0	12		24
	4			0	4	9	14	0		27
	5			0	3	6	12	0		21
	6			0	2	7	10	0		19
	7			0	4	7	10	12		26
	8			0	3	8	0	11		22
	9	✓	✓	0	0	6	0	10		16
	10			0	4	7	0	10		22

Chow ID#: AS-5 AS-5 AS-5 AS-5 AS-6 AS-6 AS-6

Algae ID#: AS-4 AS-4 AS-5 AS-5 AS-5 AS-5 AS-5

Dilution Water ID#: 1399 1399 1400 1400 1400 1405 1405

Reviewed By: SH SH DH DH OH OH

Notes:

PLARC501-310

Study: DOF July 93 CERIODAPHNIA SURVIVAL AND REPRODUCTION TEST Page 2 of 1
 Beginning Date: 7-22-93 Time: 1045 Personnel: _____
 Ending Date: 8-24-93 Time: 1000

Number of Young/Day

Treatment	By Rep.	DH 1	DH 2	DH 3	DH 4	DH 5	DH 6	DH 7	DH 8	Total Young
⑤ 7R	1	0	0	0	4	6	8	0		18
	2	0	0	0	4	6	0	8		18
	3	0	0	0	2	10	10	0		19
	4	0	0	0	3	8	12	0		23
	5	0	0	0	4	9	11	0		24
	6	0	0	0	3	7	12	0		22
	7	0	0	0	2	9	11	0		22
	8	0	0	0	3	8	0	11		22
	9	0	0	0	2	0	3	4		9
	10	0	0	0	3	4	0	7		14
⑥ C-med	1	0	0	0	3	8	0	8		17
	2	0	0	0	3	7	0	12		22
	3	0	0	0	3	7	0	10		20
	4	0	0	0	3	8	10	0		21
	5	0	0	0	3	7	10	0		20
	6	0	0	0	3	8	0	10		21
	7	0	0	0	4	6	8	0		18
	8	0	0	0	3	7	0	11		21
	9	0	0	0	3	5	0	8		16
	10	0	0	0	3	4	0	7		14
	1									
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									
	10									
	1									
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									
	10									

0 1 2 3 4 5 6 7 8

Chow ID#: _____

Algae ID#: _____

Dilution Water ID#: _____

Reviewed By: CR CR CR CR CR CR _____

Notes:

PLARC501-310

CR

CERIODAPHNIA RANDOMIZATION

Study DOE July 93Personnel IONBeginning Date 7-22-93Ending Date 7-29-93

		Treatment											
Rep	10	2	4	7	3	5	6	1					
	9	2	3	5	6	7	1	4					
	8	3	7	1	6	4	5	2					
	7	4	3	5	7	1	6	2					
	6	7	2	5	4	6	3	1					
	5	6	1	3	2	7	5	4					
	4	2	5	4	6	3	1	7					
	3	5	6	1	3	2	7	4					
	2	3	2	7	1	6	5	4					
	1	7	1	5	2	4	6	3					

Treatment Identification:

Notes:

1. CRM 190 50%2. CRM 190 100%3. CRM 220 50%4. CRM 220 100%5. TR6. C-med7. Temp

8. _____

9. _____

10. _____

CHENOBIOTINLA DRUG RECORD SHEET

Page No. 1 of 1
 Submitted: 30/12/24
 Reviewed By: LK/1/2/24

မြတ်ဗျာဏ်
 မြတ်ဗျာဏ်

Row 14 (Brood/Number Young)

10	4	5	0	11	13	15
9	4	7	0	10	13	12
8	4	6	10	0	15	10-5 16
7	4	5	11	0	13	10-5 17
6	4	7	12	0	13	10-5 15
5	4	7	10	0	16	10-5 16
4	4	5	10	0	15	A B
3	3	6	11	0	14	10-5 14
2	4	5	11	0	13	
1	5	7	12	0	8	10-5 16
Duy	4 III	5 ⁺	6 III	7 III	8 III	10-5 14

Q09- F-4-7¹

How B (Brood/Number Young)

10	2	8	11	0	13	15
9	5	8	13	0	12	16
8	4	6	0	6	8	8
7	4	7	13	0	14	10-9
6	3	6	3	0	13	15
5	2	5	11	0	13	12
4	2	8	10	0	13	13
3	4	5	11/3	0	11	12
2	5	7	11	0	11	10-6
1	3	8	11	0	12	11-3
day	4 th	5 th	6 th	7 th	15	10-6
					8 th	12

1209-F-2-7th

How 2 (Good/Number Young).

10	0	2	10	0	13	10-8	11
9	4	5	12	0	12	10-6	15
U	4	7	11	0	11	10-8	14
7	4	8	12	0	16	10-8	15
6	3	6	9	0	10	10-8	16
5	3	6	12	0	11	10-8	14
4	3	6	10	0	14	10-8	11
3	4	7	12	0	14	10-8	12
2	4	7	10	0	14	10-8	12
1	4	8	0	12	14	10-8	12
day	4m	5m	6m	7m	8m	9m	

1209 F-10-7th

Day-Date--Time--Temp--Hed--Food-Algae Day--Date--Time--Temp--Hed--Food-Algae

0	7-13-23	11.20	23.5	1382	AS-3	AS-3	1							
1	7-14	1300	15.2	1392	AS-3	AS-3	0	7-21	1645	26.3	1399	AS-5	AS-4	
2	7-15	900	15.3	1392	AS-3	AS-3	9	7-22	1230	26.3	1399	AS-5	AS-4	
3	7-16	940	15.3	1392	AS-3	AS-3	10							
4	7-17	815	15.0	1393	AS-4	AS-3	11							
5	7-18	830	25.0	1353	AS-4	S11-4	12							
6	7-19	900	15.2	1396	AS-4	AS-4	13							
7	7-20	930	15.2	1395	AS-4	AS-4	14							

1218

1. Q^s on 3rd DAY - (A-F)

10-6 = 10:00 pm 7-21-93 to 6:00 11-7-22-93

† = Young present in brood cup at 3 days or more than one brood present in individual cup at removal.

Figure 1

Batch 101 1219 CERIODAPHNIA BROOD RECORD SHEET
 Date 7-13-93
 Tray A2

Page No. 1 of 1
 Petriplate 5121/DRH
 Reviewed By: DRH/JM

Brood bottles
 #12345678910

Row D (Brood/Number Young)

10	4	0	1	10	11	0									
9	2	0	1	12	5	15									
8	4	6	0	12	18	13									
7	0	2	3	6	7	0									
6	4	0	4	12	13	13									
5	4	4	0	10	13	12									
4	5	0	7	11	16	14									
3	0	7	0	10	9	13									
2	3	0	6	11	12	13									
1	4	0	4	11	6	0									
Day	4TH	5TH	6TH	7TH	8TH	9TH									

Row E (Brood/Number Young)

10	5	6	0	9	9	12									
9	5	8	0	10	19	10 15									
8	5	6	0	11	15	10 13									
7	3	6	0	11	13	10 10									
6	4	6	0	11	15	11 3									
5	0	4	6	0	110	8									
4	2	6	0	10	13	10 15									
3	4	5	0	10	16	10 15									
2	0	6	9	13	0	11 2									
1	4	6	0	11	113	15									
Day	4TH	5TH	6TH	7TH	8TH	9TH									

Row F (Brood/Number Young)

10	4	6	0	10	110	9									
9	3	5	0	11	12	13									
8	4	5	0	10	11	10 14									
7	4	6	0	11	13	13									
6	4	2	0	11	110	10									
5	2	4	0	7	11	15									
4	3	6	0	9	112	16									
3	4	6	0	10	10	10 16									
2	4	7	0	9	12	10 14									
1	4	5	0	9	11	16									
Day	4TH	5TH	6TH	7TH	8TH	9TH									

Day	Date	Time	Temp	Mod	Food	Algae	Day	Date	Time	Temp	Mod	Food	Algae
0	7-13	11:20	23.5	1382	AS-3	AS-3	1						
1	7-14	1300	25.2	1392	AS-3	AS-3	8	7-21	1045	24.3	1399	AS-5	AS-4
2	7-15	900	25.3	1392	AS-3	AS-3	9	7-22	1150	23.8	1399	AS-5	AS-4
3	7-16	940	26.3	1392	AS-3	AS-3	10						
4	7-17	815	26.1	1393	AS-4	AS-3	11						
5	7-18	8:30	25.0	1313	AS-4	AS-4	12						
6	7-19	910	25.2	1395	AS-4	AS-4	13						
7	7-20	930	25.2	1395	AS-4	AS-4	14						

1219
 # 0's on 3rd day - (A-F) J

10-6 = 10:00 pm 7-21-93 to 6:00 pm 7-22-93

* Young present in brood cup at 3 days or more than one brood present in individual cup at release.

(100/11)

INITIAL CHEMISTRY

Study DOE July 93Personnel Beginning Date 7-22-93Date 7/22/93Ending Date 7-28-93
CP 08-09-93Pharmacy
Sgt. 22

By	DH	CH	CH	CH	CH	D/L	Cu	C ⁴⁺	Cu	Wt	Cu
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x1.0
CRM19-50% C		25.4	8.4	7.8	289						
CRM19-50% F		25.1	8.4	7.7	298						
CRM19-100% 2008	3.7	25.2	8.4	7.5	271	7.1	121.4	10.5	10.5	<0.1	10.1
200 0:07 CRM22-50% C		25.5	8.6 8.3	7.7 7.9	291						
20 0:02 CRM22-50% F		25.1	8.6 8.3	7.6 7.8	298						
20 0:03 CRM22-100% 2010	2.1	25.1	8.6 8.3	7.4 7.7	270	7.3	124.8	10.8	10.3	<0.1	10.1
TR Cerio only	29.9	25.3	7.4	7.7	156	3.5	59.9	5.3	5.3		
F-med 1402	22.7	25.3	8.3	8.1	335						
C-med 1359	22.8	25.4	8.3	8.1	320						

NOTES:

PLARC501-252

Reviewed By: CH

INITIAL CHEMISTRY

Study DOE July 93Date 7-23-93Personnel Haraway
SeskeBeginning Date 7-22-93Ending Date 7-28-93
07-01-93

By	ON	ON	ON	ON	ON	TS	Cur	TS	Cur		
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
CRM19-50% C		25.2	8.4	7.9	295						
CRM19-50% F		25.4	8.4	7.8	302						
44 7:46 CRM19-100% 2008	3.5	25.3	7.6 8.3	7.6 7.7	270						
CRM22 50% C		25.4	8.4	7.8	294						
44 7:46 CRM22 50% F		25.5	8.6 8.3	7.7 7.8	301						
44 7:46 CRM22 100% 2010	2.5	25.3	8.7 8.3	7.5 7.6	270						
TR Cerio only	28.9	25.0	7.0	7.6	161	3.5	59.9	5.2	50		
F-med 1402	23.1	25.2	8.2	8.2	336						
C-med 1359	22.6	25.4	8.2	8.2	323						

NOTES:

PLARC501-252

Reviewed By: QH

INITIAL CHEMISTRY

Study DOE July 93Date 7-24-93Personnel S. S. S. S.Beginning Date 7-22-93Ending Date 07-24-93

By	DH	DH	DH	DH	DH	TS	Cu	Ti	Cu	TS	Cu
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
CRM19-50% C		25.4	8.3	7.8	296			10.4			
CRM19-50% F		25.4	8.4	7.7	305						
101 8:04 CRM19-100% 2037	2.1	25.4	8.6 8.3	7.5 7.6	268	7.1	121.4	10.4	104	<0.1	20.1
101 3:07 CRM22 50% C		25.5	8.5 8.3	8.0 8.1	294						
101 5:06 CRM22 50% F		25.4	8.4 8.3	8.0 8.1	304						
101 8:06 CRM22 100% 2039	1.7	25.2	8.7 8.3	7.9 8.0	267	7.2	123.1	10.5	105	<0.1	20.1
TR Cerio only	30.4	25.2	6.6	8.0	161	36	61.6	5.4	54	20.1	20.1
F-med 1404	23.4	25.4	8.2	8.3	346						
C-med 1400	23.6	25.5	8.2	8.3	326						

NOTES:

PLARC501-252

Reviewed By: S. S. S. S.

INITIAL CHEMISTRY

Study DOE July 93Personnel DNBeginning Date 7-22-93Date 7-25-93Ending Date 07-29-93

By	DN	DN	DN	DN	DN	TS	Cur	TS	Cur		
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
⁵⁵ / ₇₅₇ CRM19-50% C		25.5	8.6 8.3	7.8 8.0	294						
⁵⁵ / ₈₀₀ CRM19 50% F		25.5	8.7 8.3	7.7 7.9	305						
⁵⁵ / ₅₀₁ CRM19-100% 2037	3.0	25.4	8.9 8.4	7.5 7.7	270						
⁵⁵ / ₇ CRM22 50% C		25.4	8.6 8.3	8.1 8.1	291						
⁵⁵ / ₈₀₁ CRM22 50% F		25.5	8.8 8.3	8.0 8.1	306						
⁵⁵ / ₀₂ CRM22 100% 2039	3.1	25.2	8.9 8.3	7.9 8.0	268						
TR Cerio only	30.7	25.3	7.0	8.2	160	3.5	59.9	5.0	50		
F-med 1404	22.4	25.4	8.3	8.2	347						
C-med 1400	22.6	25.3	8.2	8.3	326						

NOTES:

PLARC501-252

Reviewed By: DN

INITIAL CHEMISTRY

Study DOE July 93Personnel GOLBeginning Date 7-22-93Date 7-26-93Ending Date 07-24-93

By	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
757 800 CRM19-50% C		25.4	8.8 8.3	7.8 8.0	296						
757 803 CRM19-50% F		25.4	9.1 8.4 8.3	7.7 8.0	308						
757 806 CRM19-100% ²⁰³⁷	42	25.3	9.6 8.3	7.5 7.9	268						
757 807 CRM22-50% C		25.3	9.0 8.4	8.0 8.1	294						
757 803 CRM22-50% F		25.2	9.1 8.3	8.0 8.1	304						
757 806 CRM22-100% ²⁰³⁹	3.7	25.0	9.7 8.3	7.8 8.1	268						
TR cerio only	30.7	25.2	6.6	7.9	162	3.7	63.3	5.4	5.1		
F-med 1407	22.5	25.2	8.3	8.2	348						
C-med 1407	22.4	25.4	8.3	8.2	328						

NOTES:

PLARC501-252

Reviewed By: GOL

INITIAL CHEMISTRY

Study DOE July 93Date 7-27-93Personnel HanniganBeginning Date 7-22-93ThomsonEnding Date 07-29-93

By	DH	DH	TH	TH	DH	Cor	Cor	DH	Cor	Cor	Cor
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
CRM19-50% C		25.4	8.3	7.9	294						
CRM19 50% F		25.3	8.4	7.3	304						
CRM19 ²⁰⁶⁶ 100% ^{2.5}	2.5	25.4	8.4	7.6	270	7.5 *	128.3	10.5	10.5	40.1	40.1
CRM22 50% C		25.4	8.4	7.8	294						
CRM22 50% F		25.4	8.4	7.7	303						
CRM22 ²⁰⁶⁸ 100% ^{2.1}	2.1	25.2	8.4	7.5	268	7.3	124.8	10.5	10.5	40.1	40.1
TR Cerio only	30.2	25.4	6.6	8.1	162	3.9	66.7	5.3	5.3		
F-med 1408	23.0	25.4	8.3	8.2	340						
C-med 1405	22.5	25.3	8.3	8.2	321						

NOTES: *rechecked Cor

PLARC501-252

Reviewed By: Wtf

INITIAL CHEMISTRY

Page 7 of 7

Study DOE July 93Date 7-28-93Personnel DTT
TSBeginning Date 7-22-93Ending Date 7-29-93

By	DTT	DTT	DTT	DTT	DTT	TS	CHE	DTT	CHE		
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
2/7.54 CRM19-50% C		25.5	8.7 8.3	7.9 8.1	295						
2/7.57 CRM19-50% F		25.3	8.8 8.3	7.8 8.1	305						
2/7.59 CRM19-100% C	2.8	25.3	9.0 8.3	7.6 7.9	276						
2/7.54 CRM22-50% C		25.3	8.7 8.3	7.8 8.1	291						
2/57 CRM22-50% F		25.1	8.9 8.3	7.7 8.0	301						
2/5.59 CRM22-100% C	3.2	25.0	9.2 8.3	7.5 7.9	269						
TR Cerio only	24.8	25.4	7.0	8.0	161	3.5	59.9	5.5	55		
F-med 1410	21.8	25.3	8.3	8.2	342						
C-med 1405	21.5	25.5	8.3	8.2	326						

NOTES:

PLARC501-252

Reviewed By: CHE

FINAL CHEMISTRY

Page 1 of 2

Study DOE July 93
Beginning Date 7-22-93
Ending Date 7-29-93

Date 7-23-93

Personnel OTH

Sample ID	By	Fish				
		Rep.	Temp.	DO	pH	Cond.
CRM 19 50%	1		25.2	6.4	7.8	
	2		25.1	6.2		301
	3		25.1	6.5		
	4		25.1	6.4		
CRM 19 100%	1		25.1	6.4	7.9	
	2		25.1	6.5		273
	3		25.1	6.4		
	4		25.2	6.4		
CRM 22 50%	1		25.0	6.3	7.8	
	2		25.0	6.2		300
	3		25.0	6.3		
	4		25.0	6.5		
CRM 22 100%	1		25.1	6.5	8.0	
	2		25.0	6.4		271
	3		25.2	6.3		
	4		25.0	6.4		
F-med	1		25.0	6.6	7.8	
	2		25.1	6.7		335
	3		25.0	6.6		
	4		25.1	6.7		
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

NOTES:

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.5	CRM 19 50%	7.3	8.1
25.4	CRM 19 100%	7.3	8.2
25.4	CRM 22 50%	7.3	8.1
25.3	CRM 22 100%	7.2	8.2
25.3	7P	7.2	7.9
25.4	C-med	7.3	7.9
25.3			
25.2			
25.2			
25.1			

Reviewed By: OTH
PLARC501-255

FINAL CHEMISTRY

Page 2 of 7

Study DOE July 93
 Beginning Date 7-22-93
 Ending Date 7-29-93

Date 7/24/93

Personnel SAL
TS

Sample ID	By	Fish			
		Rep.	Temp.	DO	pH
CRM 19 50%	1		24.8	7.8	
	2		24.9	5.8	7.8
	3		24.8	6.0	
	4		24.8	6.1	304
CRM 19 100%	1		25.0	5.6	
	2		24.9	5.6	7.9
	3		24.8	5.9	
	4		24.8	6.0	273
CRM 22 50%	1		24.8	6.0	
	2		24.9	5.5	7.7
	3		24.8	5.7	
	4		24.8	6.5	304
CRM 22 100%	1		24.6	6.2	
	2		24.8	6.2	7.9
	3		24.9	6.0	
	4		24.9	5.9	272
F-med	1		24.5	6.0	
	2		24.8	6.4	7.8
	3		24.9	6.3	
	4		24.8	6.4	337
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.5	① CRM 19 50%	7.3	8.2
25.3	② CRM 19 100%	7.3	8.3
25.4	③ CRM 22 50%	7.3	8.2
25.4	④ CRM 22 100%	7.3	8.3
25.4	⑤ T.R.	7.2	8.0
25.5	⑥ C-med.	7.3	8.0
25.3			
25.4			
25.3			
25.3			

NOTES:

Reviewed By: SAL
 PLARC501-255

FINAL CHEMISTRY

Page 3 of 7Study DOE July 93Beginning Date 7-22-93Ending Date 07-29-93Date 7/25/93Personnel JCH
JH

Sample ID	By Rep.	Fish			
		DOH	SOH	POH	PH
		Temp.	DO	pH	Cond.
CRM 19 50%	1	24.8	6.4		
	2	24.8	6.3		
	3	25.0	6.3	7.8	
	4	25.0	6.1		310
CRM 19 100%	1	24.9	6.2		
	2	24.9	6.0		
	3	25.0	6.0	7.9	
	4	25.0	5.9		271
CRM 22 50%	1	24.9	5.8		
	2	24.9	6.2		
	3	25.1	5.5	7.8	
	4	25.0	5.8		310
CRM 22 100%	1	25.0	5.5		
	2	25.1	5.6		
	3	24.9	6.0	8.0	
	4	24.7	6.0		272
F-med	1	24.9	6.0		
	2	24.9	6.2		
	3	24.9	6.4	7.9	
	4	24.8	6.1		34.8
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

NOTES:

Ceriodaphnia			
DOH	SOH	POH	PH
Temp.	Sample ID	DO	pH
25.2	CRM 19 50%	7.5	8.2
25.4	CRM 19 100%	7.5	8.3
25.3	CRM 22 50%	7.4	8.2
25.4	CRM 22 100%	7.4	8.4
25.4	7.2	7.5	8.1
25.5	C-med-	7.5	8.1
25.6			
25.5			
25.5			
25.4			

Reviewed By: JCH
PLARC501-255

FINAL CHEMISTRY

Page 4 of 7

Study DOE July 93
Beginning Date 7-22-93
Ending Date 07-29-93

Date 7/26/93

Personnel Harman
Swales

Sample ID	By	Fish				
		Temp.	DO	pH	Cond.	
	Rep.					
CRM 19 50%	1	25.1	6.2		308	
	2	25.2	5.2			
	3	25.1	6.0			
	4	24.9	6.0	7.8		
CRM 19 100%	1	24.5	6.2		374 TS	
	2	25.1	6.2		275	
	3	25.0	6.0			
	4	25.0	5.8	7.8		
CRM 22 50%	1	24.9	6.0		308	
	2	25.1	5.7			
	3	24.9	6.0			
	4	25.0	6.1	7.8		
CRM 22 100%	1	25.1	6.1		270	
	2	24.8	6.2			
	3	25.0	6.0			
	4	25.1	5.9	7.9		
F-med	1	24.8	6.7		350	
	2	24.9	6.5			
	3	24.9	6.4			
	4	24.7	6.4	7.8		
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.3	CRM 19 50%	7.4	8.1
25.2	CRM 19 100%	7.4	8.3
25.4	CRM 22 50%	7.4	8.2
25.4	CRM 22 100%	7.4	8.3
25.5	TR	7.4	8.0
25.4	C-med	7.4	8.0
25.4			
25.5			
25.4			
25.4			

NOTES:

Reviewed By: 116
PLARC501-255

FINAL CHEMISTRY

Page 3 of 7

Study DOE July 93

Beginning Date 7-22-93

Ending Date 07-29-93

Date 07-27-93

Personnel H. G. G. G.
H. G. G. G.

Sample ID	By	Fish			
		DH	LH	DH	DH
	Rep.	Temp.	DO	pH	Cond.
CRM 19 50%	1	24.8	6.0	7.8	
	2	25.1	5.6		310
	3	24.9	5.8		
	4	24.5	6.0		
CRM 19 100%	1	25.1	5.8	7.9	
	2	25.1	5.8		272
	3	24.9	5.6		
	4	24.8	5.6		
CRM 22 50%	1	24.9	5.3	7.7	
	2	25.0	5.4		311
	3	25.0	5.8		
	4	24.8	6.2		
CRM 22 100%	1	25.0	5.9	7.9	
	2	24.9	5.8		271
	3	24.9	5.8		
	4	24.8	6.2		
F-med	1	24.9	6.1	7.8	
	2	24.9	6.1		350
	3	24.6	6.3		
	4	24.7	6.3		
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

NOTES:

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.5	CRM 19 50%	8.74	8.1
25.4	CRM 19 100%	7.4	8.2
25.4	CRM 22 50%	7.4	8.1
25.5	CRM 22 100%	7.4	8.2
25.4	TR	7.4	8.0
25.3	C-med	7.4	8.0
25.4			
25.5			
25.5			
25.4			

Reviewed By: C. G. G.
PLARC501-255

FINAL CHEMISTRY

Page 6 of 7

Study DOE July 93
Beginning Date 7-22-93
Ending Date 07-29-93

Date 7/28/93

Personnel Jft
T.S.

Sample ID	By	Fish			
		ION	OR	OR	OR
	Rep.	Temp.	DO	pH	Cond.
CRM 19 5080	1	25.1	5.5		
	2	25.0	5.5	7.7	
	3	24.8	5.9		305
	4	24.9	5.8		
CRM 19 1008	1	25.0	5.9		
	2	24.9	5.9	7.9	
	3	24.9	6.0		270
	4	24.9	6.0		
CRM 22 508	1	24.8	5.9		
	2	24.9	5.8	7.8	
	3	24.9	5.9		306
	4	24.9	5.8		
CRM 22 1008	1	25.0	5.6		
	2	24.9	6.0	7.9	
	3	24.8	5.6		273
	4	24.9	6.1		
F-med	1	24.9	5.9		
	2	24.7	6.1	7.8	
	3	24.7	6.1		346
	4	24.8	6.1		
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

Ceriodaphnia			
ION	ION	OR	OR
Temp.	Sample ID	DO	pH
25.1	CRM 19 508	7.5	8.1
25.1	CRM 19 1008	7.5	8.2
25.3	CRM 22 508	7.4	8.2
25.2	CRM 22 1008	7.4	8.2
25.2	T.P.	7.4	7.9
25.4	C-med-	7.4	8.0
25.3			
25.3			
25.2			
25.1			

NOTES:

Reviewed By:
PLARC501-255

OK

FINAL CHEMISTRY

Page 7 of 7

Study DOE July 93
Beginning Date 7-22-93
Ending Date 7-29-93

Date 7-29-93

Personnel GAH
CLP

Sample ID	By	Fish			
		DH	DH	DH	DH
	Rep.	Temp.	DO	pH	Cond.
CRM 19 50%	1	25.0	6.2		
	2	24.6	6.2		
	3	24.7	6.2	7.9	
	4	24.7	6.3		312
CRM 19 100%	1	24.9	6.0		
	2	24.7	6.1		
	3	24.9	6.0	7.9	
	4	24.9	5.8		280
CRM 22 50%	1	24.9	6.2		
	2	25.0	6.3		
	3	24.9	6.1	7.8	
	4	24.8	6.4		305
CRM 22 100%	1	24.9	6.3		
	2	24.8	6.5		
	3	24.9	6.4	8.0	
	4	24.8	6.4		271
F-med	1	24.8	6.3		
	2	24.7	6.4		
	3	24.7	6.6	7.8	
	4	24.7	6.7		345
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

NOTES:

Ceriodaphnia			
DH	Temp.	Sample ID	pH
25.1	74	CRM 19 50%	8.1
25.1	74	CRM 19 100%	8.2
25.3	74	CRM 22 50%	8.1
25.4	74	CRM 22 100%	8.2
25.4	74	TR	7.9
25.5	74	C-med	8.0
25.4			
25.3			
25.2			
25.1			

Reviewed By: GAH
PLARC501-255

INITIAL CHEMISTRY

MEDIUM (FISH)

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	22.7	25.3	8.3	8.1	335	---	---	---	---	---
1	21.1	25.2	8.2	8.2	336	---	---	---	---	---
2	21.4	25.4	8.2	8.3	346	---	---	---	---	---
3	22.3	25.4	8.3	8.2	347	---	---	---	---	---
4	22.5	25.2	8.3	8.2	348	---	---	---	---	---
5	22.0	25.4	8.3	8.2	340	---	---	---	---	---
6	21.8	25.3	8.3	8.2	342	---	---	---	---	---
MEAN	22.7	25.3	8.3	8.2	342	0.0	0	---	---	---
MIN	21.1	25.2	8.2	8.1	335	0.0	0	---	---	---
MAX	22.5	25.4	8.3	8.3	348	0.0	0	---	---	---

CRM 22.0 100% W/F-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	22.1	25.1	8.3	7.7	335	---	---	---	---	---
1	22.5	25.3	8.3	7.6	336	---	---	---	---	---
2	1.7	25.2	8.3	7.9	347	---	---	---	---	---
3	3.1	25.2	8.3	8.0	347	---	---	---	---	---
4	3.7	25.0	8.3	8.1	348	---	---	---	---	---
5	2.1	25.2	8.4	7.5	347	---	---	---	---	---
6	1.2	25.0	8.3	7.9	347	---	---	---	---	---
MEAN	2.6	25.1	8.3	7.8	342	---	---	---	---	---
MIN	1.7	25.0	8.3	7.5	347	---	---	---	---	---
MAX	3.7	25.3	8.4	8.1	348	---	---	---	---	---

CRM 19.0 50% W/F-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	---	25.1	8.4	7.7	298	---	---	---	---	---
1	---	25.4	8.4	7.8	302	---	---	---	---	---
2	---	25.4	8.4	7.7	305	---	---	---	---	---
3	---	25.5	8.3	7.9	305	---	---	---	---	---
4	---	25.4	8.3	8.0	308	---	---	---	---	---
5	---	25.3	8.4	7.8	304	---	---	---	---	---
6	---	25.3	8.3	8.1	305	---	---	---	---	---
MEAN	0.0	25.3	8.4	7.9	304	0.0	0	---	---	---
MIN	0.0	25.1	8.3	7.7	298	0.0	0	---	---	---
MAX	0.0	25.5	8.4	8.1	308	0.0	0	---	---	---

MEDIUM (CRIO)

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	22.8	25.4	8.3	8.1	306	---	---	---	---	---
1	22.6	25.4	8.2	8.2	307	---	---	---	---	---
2	23.6	25.5	8.2	8.3	307	---	---	---	---	---
3	22.6	25.3	8.2	8.1	307	---	---	---	---	---
4	22.4	25.4	8.3	8.2	308	---	---	---	---	---
5	22.5	25.3	8.3	8.2	307	---	---	---	---	---
6	21.5	25.5	8.3	8.2	306	---	---	---	---	---
MEAN	22.6	25.4	8.3	8.2	307	---	---	---	---	---
MIN	21.5	25.3	8.2	8.1	306	---	---	---	---	---
MAX	23.6	25.5	8.3	8.3	308	---	---	---	---	---

CRM 19.0 100% W/F-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	3.3	25.2	8.4	7.5	271	121.4	105	---	---	---
1	3.5	25.3	8.3	7.7	270	---	---	---	---	---
2	3.1	25.4	8.3	7.6	268	121.4	104	---	---	---
3	3.7	25.4	8.4	7.7	270	---	---	---	---	---
4	4.2	25.3	8.3	7.9	268	---	---	---	---	---
5	2.5	25.4	8.4	7.6	270	128.3	105	---	---	---
6	2.8	25.3	8.3	7.9	276	---	---	---	---	---
MEAN	3.1	25.3	8.3	7.7	270	123.7	105	---	---	---
MIN	2.1	25.2	8.3	7.5	268	121.4	104	---	---	---
MAX	4.2	25.4	8.4	7.9	276	128.3	105	---	---	---

CRM 19.0 50% W/C-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	---	25.4	8.4	7.8	270	---	---	---	---	---
1	---	25.2	8.4	7.9	270	---	---	---	---	---
2	---	25.4	8.3	7.8	270	---	---	---	---	---
3	---	25.5	8.3	8.0	270	---	---	---	---	---
4	---	25.4	8.3	8.0	270	---	---	---	---	---
5	---	25.4	8.3	7.9	270	---	---	---	---	---
6	---	25.5	8.3	8.1	270	---	---	---	---	---
MEAN	0.0	25.4	8.3	7.9	270	---	---	---	---	---
MIN	0.0	25.2	8.3	7.8	270	---	---	---	---	---
MAX	0.0	25.5	8.4	8.1	270	---	---	---	---	---

CRM 22.0 50% W/F-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	---	25.1	8.3	7.8	298	---	---	---	---	---
1	---	25.5	8.3	7.8	301	---	---	---	---	---
2	---	25.4	8.3	8.1	304	---	---	---	---	---
3	---	25.5	8.3	8.1	306	---	---	---	---	---
4	---	25.2	8.3	8.1	304	---	---	---	---	---
5	---	25.4	8.4	7.7	303	---	---	---	---	---
6	---	25.1	8.3	8.0	301	---	---	---	---	---
MEAN	0.0	25.3	8.3	7.9	302	0.0	0	---	---	---
MIN	0.0	25.1	8.3	7.7	298	0.0	0	---	---	---
MAX	0.0	25.5	8.4	8.1	306	0.0	0	---	---	---

CRM 22.0 50% W/C-MEDIUM

DAY	INITIAL		WARMED		DO	PH	COND	HARD	ALK	CHLORINE
	TEMP	TEMP	TEMP	TEMP						
0	---	25.5	8.3	7.9	291	---	---	---	---	---
1	---	25.4	8.4	7.8	291	---	---	---	---	---
2	---	25.5	8.3	8.1	294	---	---	---	---	---
3	---	25.4	8.3	8.1	291	---	---	---	---	---
4	---	25.3	8.4	8.1	291	---	---	---	---	---
5	---	25.4	8.4	7.8	294	---	---	---	---	---
6	---	25.3	8.3	8.1	291	---	---	---	---	---
MEAN	0.0	25.4	8.3	8.0	291	---	---	---	---	---
MIN	0.0	25.3	8.3	7.8	291	---	---	---	---	---
MAX	0.0	25.5	8.4	8.1	294	---	---	---	---	---

TR

INITIAL		WARMED						
DAY	TEMP	TEMP	DO	pH	COND	HARD	ALK	CHLORIDE
1	29.9	25.3	7.4	7.7	156	59.9	50	10.1
2	28.9	25.0	7.0	7.6	161	59.9	50	10.1
3	30.4	25.2	6.6	8.0	161	61.6	54	10.1
4	30.7	25.3	7.0	8.2	160	59.9	50	10.1
5	30.7	25.2	6.6	7.9	162	63.3	54	10.1
6	30.2	25.4	6.6	8.1	162	66.7	51	10.1
7	29.8	25.4	7.0	8.0	161	59.9	50	10.1
MEAN	30.1	25.3	6.9	7.9	160	61.6	51	10.1
MIN	28.9	25.0	6.6	7.6	156	59.9	50	10.1
MAX	30.7	25.4	7.4	8.2	162	66.7	55	10.1

F I S H F I N A L

CRM 19.0 50% W/F-MEDIUM

CRM 19.0 100%

CRM 22.0 50% W/F-MEDIUM

DAY	TEMP	DO	pH	COND
1	25.1	6.4	7.8	101
2	24.8	6.1	7.8	304
3	24.9	6.3	7.8	310
4	25.1	6.2	7.8	310
5	24.9	6.0	7.8	310
6	24.8	5.9	7.7	305
7	24.7	6.2	7.9	312
MEAN	24.9	6.0	7.8	307
MIN	24.5	5.2	7.7	301
MAX	25.2	6.5	7.9	312

DAY	TEMP	DO	pH	COND
1	25.1	6.4	7.9	273
2	24.9	6.1	7.9	273
3	24.9	6.2	7.9	271
4	24.9	6.2	7.9	275
5	24.9	6.0	7.8	272
6	24.8	5.9	7.9	270
7	24.7	6.1	7.9	280
MEAN	24.9	6.0	7.9	273
MIN	24.5	5.6	7.8	270
MAX	25.2	6.5	7.9	280

DAY	TEMP	DO	pH	COND
1	25.0	6.4	7.9	273
2	24.8	6.1	7.9	273
3	24.9	6.2	7.9	271
4	24.9	6.2	7.9	275
5	24.9	6.0	7.8	272
6	24.8	5.9	7.9	270
7	24.7	6.1	7.9	280
MEAN	24.9	6.0	7.9	273
MIN	24.8	5.6	7.8	270
MAX	25.1	6.5	7.9	280

CRM 22.0 100%

MEDIUM

DAY	TEMP	DO	pH	COND
1	25.1	6.5	8.0	271
2	24.8	6.2	7.9	272
3	24.9	6.3	8.0	272
4	24.7	6.1	7.9	270
5	24.9	6.2	7.9	271

DAY	TEMP	DO	pH	COND
1	25.0	6.6	7.8	335
2	24.8	6.4	7.8	337
3	24.9	6.5	7.9	348
4	24.8	6.4	7.8	350
5	24.7	6.3	7.8	350

Project Instrument Record Sheet

Project Study DOE July 93

Beginning Date 7-22-93

Ending Date 7-29-93

DO Meter

Model YSI Model 57

TVA Tag 557673

Calibration Date 4-28-93

pH Meter(s)

Model ORION SA250

TVA Tag SN 8147

Calibration Date 4-30-93

Model ORION 407A

TVA Tag 557674

Calibration Date 4-14-93

Conductivity Meter

Model YSI Model 32

TVA Tag 543389

Calibration Date 2-8-93

Thermometer(s)

Model Ertco SAMM CT-40

TVA Tag M-205 / 3331

Calibration Date 5-20-93

Model Ertco SAMM CT-40

TVA Tag M-254 SN-4516

Calibration Date 12-8-92

PROJECT REAGENT RECORD SHEET

Project/Study: DOE July 93
 Personnel: OH

Beginning Date: 7-22-93
 Ending Date: 7-29-93

WINKLER TITRATION METHOD

Alkaline-Iodide-Azide:

Brand Fisher
 Lot # 910067-24
 Exp. Feb 93

Manganous Sulfate:

Brand Fisher
 Lot # 910067-24
 Exp. April 93

Sodium Thiosulfate:

Brand RICCM
 Lot # H267
 Exp. April 94

Sulfuric Acid:

Brand Fisher
 Lot # 854507
 Exp. Indef.

Thyodene:

Brand Fisher
 Lot # 912254
 Exp. Indef.

pH BUFFER SOLUTIONS

pH 4:

Brand Spectrum
 Lot # HH150
 Exp. Sept 93

pH 7:

Brand Mallinckrodt
 Lot # 0098 K1AW
 Exp. 6-94

pH 10:

Brand Mallinckrodt
 Lot # 0099 KJXJ
 Exp. 12-93

pH _____:

Brand N/A
 Lot # _____
 Exp. _____

CONDUCTIVITY STANDARD SOLUTIONS

200 μ mhos:

Brand Beckman
 Lot # J322C
 Exp. 11-94

720 μ mhos:

Brand Beckman
 Lot # E052H
 Exp. 5-94

_____ μ mhos:

Brand N/A
 Lot # _____
 Exp. _____

ALKALINITY TITRATION

Sulfuric Acid Solution N/50:

Brand Mallinckrodt
 Lot # H366 KHKJ
 Exp. Indef.

HARDNESS TITRATION

Hardness Titrating Solution:

Brand Calgon
 Lot # R337700
 Exp. Indef.

Hardness Indicator:

Brand Calgon
 Lot # 01E93
 Exp. Indef.

Hardness Buffer Solution:

Brand Calgon
 Lot # 266663
 Exp. Indef.

CHLORINE TITRATION

DPD Powder Pillows:

Brand Hach
 Lot # 03CM
 Exp. Indef.

Potassium Iodide:

Brand Fisher
 Lot # 863184A
 Exp. Indef.

FAS:

Brand RICCM
 Lot # E238
 Exp. 8-20-93

ATTACHMENT III

CR-ERP AMBIENT WATER TOXICITY STUDY
Reference Toxicant Test Information

Chronic Reference Toxicant Test

Fathead Minnows - ARL

Test #	Date	Survival		Growth		IC25	Corrective Action Taken
		LOEC	NOEC	LOEC	NOEC		
1	01/18/90	0.05	0.02	<0.008	0.008		
2	02/08/90	0.02	0.008	<0.008	0.008		
3	02/21/90	0.125	0.05	0.02	0.008		
4	03/07/90	0.05	0.02	0.008	0.003		
5	03/28/90	0.05	0.02	0.008	0.003		
6	04/23/90	0.05	0.02	0.02	0.008		
7	05/10/90	0.05	0.02	0.02	0.008		
8	06/06/90	0.05	0.02	0.02	0.008		
9	07/09/90	0.05	0.02	0.02	0.008		
10	08/02/90	0.05	0.02	0.008	0.003		
11	09/06/90	0.05	0.02	0.02	0.008		
12	10/10/90	0.05	0.02	0.008	0.003		
13	10/31/90	0.02	0.008	0.008	0.003		
14	11/27/90	0.05	0.02	0.02	0.008		
15	01/03/91	0.05	0.02	0.008	0.003		
16	02/06/91	0.125	0.05	0.02	0.008		
17	02/28/91	0.05	0.02	0.008	0.003		
18	03/25/91	0.05	0.02	0.008	0.003		
19	05/02/91	0.02	0.008	0.008	0.003		
20	05/30/91	0.02	0.008	0.008	0.003		
21	07/12/91	0.05	0.02	0.008	0.003		
22	08/02/91	0.05	0.02	0.008	0.003		
23	09/03/91	0.05	0.02	0.008	0.003		
24	10/02/91	0.02	0.008	0.008	0.003		
25	10/30/91	<0.05	0.05	0.008	0.003		
26	12/02/91	0.05	0.02	0.008	0.003		
27	01/09/92	0.05	0.02	0.02	0.008	0.0109	
28	01/29/92	0.05	0.02	0.008	0.003	0.0089	
29	02/27/92	0.05	0.02	0.008	0.003	0.0067	
30	04/06/92	0.02	0.008	0.008	0.003	0.0059	
31	04/30/92	0.02	0.008	0.008	0.003	0.0085	
32	05/27/92	0.05	0.02	0.02	0.008	0.01	*0.003 was significant
33	07/07/92	0.02	0.008	0.008	0.003	0.0059	
34	07/28/92	0.05	0.02	0.008	0.003	0.0078	
35	08/27/92	0.02	0.008	0.008	0.003	0.0061	
36	09/29/92*	0.02	0.008	0.008	0.003	0.0061	* started using less than
37	10/27/92*	0.02	0.008	0.008	0.003	0.006	24hr old fish
38	12/01/92*	0.05	0.02	0.008	0.003	0.0068	
39	01/05/93*	0.02	0.008	0.008	0.003	0.0056	
40	01/26/93*	0.008	0.003	0.008	0.003	0.0039	
41	02/24/93*	0.02	0.008	0.008	0.003	0.0052	
42	03/23/93*	0.05	0.02	0.008	0.003	0.0056	
43	04/26/93*	0.02	0.008	0.008	0.003	0.0055	
44	06/01/93*	0.05	0.02	0.008	0.003	0.0074	
45	07/06/93**	0.05	0.02	0.02	0.008	0.0119	**fish were 24hrs & 53mins
Mean=		0.04	0.018	Mean=	0.011	0.004	0.0071

Chronic Reference Toxicant Record Sheet

Study July Reflex #45
 Test Organism Fathead
 Beginning Date/Time 07-06-93 / 1053
 Ending Date/Time 07-13-93 / 1000
 Personnel Kinard, Russell

Toxicant Cu
 Source EPA
 Lot # 188
 Concentration 50 mg/mL

Stock Concentration(s) Control, 0.3, 0.9, 24, 6.0, 15.0 mg/L
 Test Concentrations Control, 0.001, 0.003, 0.008, 0.02, 0.05
 Dilution Water Fish medium

Spawn Date	Tile #	Hatch Date
<u>07-01-93</u>	<u>18, 19, 21, 22, 10, 11</u>	<u>07-05-93 At 1000, Bet 0700 on 07-06-93</u>
<u>07-01-93</u>	<u>12, 14</u>	<u>"</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Test # 45
 NOEC 0.008
 LOEC 0.02

Notes:

fish used were 24 hr 53 mins old.
 CUE
 07-06-93

$IC_{25} = 0.0119$

A 7/5 AF 1000
 BF 0700 7/6

7/1 #18, 19

7/1 #21, 22

7/1 #10, 11

7/1 #12, 14

FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

Study: Reflex #45

Beginning Date/Time 07-06-93/1053

Ending Date/Time 07-13-93/1000

Personnel

Page 1 of 1

Kinard

Russell

-- Number Alive --

Treatment	Rep	- Day -						
		1	2	3	4	5	6	7
Control	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	CUR	CUR	CUR	CUR	CUR	CUR	CUR
0.001	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	CUR	CUR	CUR	CUR	CUR	CUR	CUR
0.003	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	GK/CUR	GKK	CUR	CUR	CUR	CUR	CUR
0.008	1	10	10	10	10	10	10	10
	2	10	10	10	10	10	10	10
	3	10	10	10	10	10	10	10
	4	10	10	10	10	10	10	10
	By:	GK/CUR	GKK	CUR	GKK	GKK	GKK	GKK
0.02	1	10	10	10	10	8	8	8
	2	10	10	10	10	10	10	10
	3	10	10	10	10	9	8	8
	4	10	10	10	10	10	10	10
	By:	GKK	GKK	JM/10	GKK	GKK	GKK	GKK
0.05	1	9	8	7	7	7	7	6
	2	10	10	9	8	8	8	8
	3	10	10	10	9	7	5	5
	4	10	10	10	9	9	8	7
	By:	GKK	GKK	JM	GKK	GKK	GKK	GKK

Notes:

Fed- Time/By:

0 1 2 3 4 5 6
0615/CUR 0610/CUR 0600/CUR 0640/04 0645/04 0620/CUR
1107/GKK 1130/GKK 1150/GKK 1120/15 1100/GKK 1100/GKK 1115/CUR
1507/CUR 1600/04 1530/04 1550/04 1530/04

Dilution Water ID: 1373 1377 1373-1377 1379 1379 1385 1385
 (PLARC501-257) Reviewed By: CUR CUR CUR CUR CUR CUR CUR

Analysis of Survival

REFTOX #45

Starting Date: 07/06/93

Survival (%) Data

Treatment	Replicate										Mean
	1	2	3	4	5	6	7	8	9	10	
CONTROL	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
0.001	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
0.003	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
0.008	1.00	1.00	1.00	1.00	.	.	.	.	.	.	1.00
0.02	0.80	1.00	0.80	1.00	.	.	.	.	.	.	0.90
0.05	0.60	0.80	0.50	0.70	.	.	.	.	.	.	0.65

Steel's Many-One Rank Test

Treatment	No. of Replicates	Critical Rank Sum	Rank Sum*
0.001	4	10	18
0.003	4	10	18
0.008	4	10	18
0.02	4	10	14
0.05	4	10	10 *

* Values less than Critical Rank Sum significantly less than the control (CONTROL).

Analysis of 7-day Larval Growth Test

REFTOX #45

Starting Date: 07/06/93

Analysis of Dry Weight (mg) Data Dunnett's Test

No transformation applied before data analysis.

For this set of data, the minimum significant difference is 0.03

This represents a 8.00 % reduction in Dry Weight (mg).

T = 2.36 ALPHA = 0.05

Dry Weight (mg) Data

TREATMENT	Replicate										MEAN	S
	1	2	3	4	5	6	7	8	9	10		
1 CONTROL	0.45	0.40	0.42	0.41	.	.	.	.	.	.	0.42	
2 0.001	0.48	0.47	0.49	0.46	.	.	.	.	.	.	0.47	
3 0.003	0.49	0.49	0.52	0.54	.	.	.	.	.	.	0.51	
4 0.008	0.43	0.45	0.42	0.47	.	.	.	.	.	.	0.44	
5 0.02	0.18	0.15	0.15	0.14	.	.	.	.	.	.	0.16	*

Asterisk (*) indicates values significantly less than control (CONTROL).

Analysis of Variance

Source	DF	Sum OF Sq.	Mean Sq.	Calc F	F(0.05)
Among	4	0.320	0.080	197.420	0.0001
Within	15	0.006	0.000		
Total	19	0.000			

THE NUMBER OF RESAMPLES IS 80

*** LISTING OF GROUP CONCENTRATIONS (% EFF.) AND RESPONSE MEANS ***

CONC. (%EFF)	RESPONSE MEAN	MEAN AFTER POOLING
.000	.421	.468
.001	.474	.468
.003	.508	.468
.008	.444	.444
.020	.154	.154
.050	.087	.087

THE LINEAR INTERPOLATION ESTIMATE OF THE TOTAL IMPACT CONCENTRATION
FROM THE INPUT SAMPLE IS .0119.

.050	.087	.087
------	------	------

THE LINEAR INTERPOLATION ESTIMATE OF THE TOTAL IMPACT CONCENTRATION
FROM THE INPUT SAMPLE IS .0119.

* BOOTSTRAP PROCEDURE TO ESTIMATE VARIABILITY *
* OF THE ESTIMATED ICp *

THE MEAN OF THE BOOTSTRAP ESTIMATES IS .0118.

THE STANDARD DEVIATION OF THE BOOTSTRAP ESTIMATES IS .0003.

AN EMPIRICAL 95.0% CONFIDENCE INTERVAL FOR THE
BOOTSTRAP ESTIMATE IS (.0112, .0124).

C:\BOOTSTRP>

Chronic Reference Toxicant Test

Cerio - ARL

Test #	Date	Survival		Reproduction		IC25	Corrective Action Taken
		LOEC	NOEC	LOEC	NOEC		
1	01/24/90	0.02	0.008	>0.008	0.008		
2	03/23/90	0.05	0.02	0.05	0.02		
3	03/29/90	0.05	0.02	0.05	0.02		
4	05/05/90	void					
5	05/10/90	0.05	0.02	0.05	0.02		
		void					
6	06/11/90	void					
7	07/06/90	void					
8	07/17/90	0.05	0.02	0.008	0.02		
9	08/01/90	0.05	0.02	0.02	0.008		
10	09/06/90	0.02	0.008	0.008	0.003		
11	11/06/90	0.05	0.02	0.05	0.02		
12	11/27/90	0.05	0.02	0.02	0.008		
13	01/10/91	0.05	0.02	0.02	0.008		
14	02/8/91	0.05	0.02	0.02	0.008		
15	03/16/91	0.05	0.02	0.02	0.008		
16	03/27/91	0.05	0.02	0.05	0.02		
17	05/02/91	0.05	0.02	0.05	0.02		
18	05/31/91	0.05	0.02	0.02	0.008		
19	07/12/91	0.05	0.02	0.02	0.008		
20	08/01/91	0.05	0.02	0.02	0.008		
21	09/04/91	0.05	0.02	0.02	0.008		
22	10/03/91	0.05	0.02	0.02	0.008		
23	10/30/91	0.05	0.02	0.02	0.008		
24	12/03/91	0.05	0.02	0.05	0.02		
25	01/09/92	0.05	0.02	0.02	0.008	0.0157	
26	01/29/92	0.05	0.02	0.02	0.008	0.0119	
27	02/27/92	0.05	0.02	0.02	0.008	0.0107	
28	04/07/92	0.05	0.02	0.02	0.02	0.022	
29	05/01/92	0.05	0.02	0.008	0.003	0.0185	
30	05/28/92	0.05	0.02	0.02	0.008	0.0111	
31	07/07/92	0.05	0.02	0.05	0.02	0.0254	
32	07/31/92	0.05	0.02	0.05	0.02	0.0275	
33	08/27/92	0.05	0.02	0.05	0.02	0.0275	
34	09/30/92	0.05	0.02	0.05	0.02	0.0272	
35	10/27/92	0.05	0.02	0.05	0.02	0.0229	
36	12/01/92	0.05	0.02	0.05	0.02	0.0284	
37	01/05/93	0.05	0.02	0.02	0.008	0.0116	
38	01/26/93	0.05	0.02	0.02	0.008	0.0187	
39	02/24/93	0.05	0.02	0.05	0.02	0.0258	
40	03/23/93	0.05	0.02	0.02	0.008	0.0123	
41	04/27/93	>0.05	0.05	0.02	0.008	0.0141	
42	06/01/93	0.05	0.02	0.05	0.02	0.0297	
43	07/12/93	0.05	0.02	0.05	0.02	0.0255	
Mean=		0.05	0.02	Mean=	0.03	0.01	0.0203

Chronic Reference Toxicant Record Sheet

Study Cerio Reflex July 43 ⁴³ ₄₂ Restart (Ag. Stem Treat)
07-21-93

Test Organism Cerio

Beginning Date/Time 07-12-93 / 0935

Ending Date/Time 07-13-93 / 1028

Personnel Russell

Toxicant Cu

Source EPA

Lot # 185

Concentration 50 mg/l

Stock Concentration(s) Control, 0.3, 0.9, 2.4, 6.0, 15.0 mg/l Cu

Test Concentrations Control, 0.001, 0.003, 0.008, 0.02, 0.05

Dilution Water Enriched Cerio medium w/ 10% TR & Se

Released From

Date

Time

To

Date

Time

07-11-93

1300

07-12-93

0700

⁰⁷⁻¹¹⁻⁹³
Test # 42 43

NOEC 0.02

LOEC 0.05

Notes:

IC₂₅ = 0.0255

CRD 2193

CERIODAPIINIA SURVIVAL AND REPRODUCTION TEST

Study: Reflex Rost July 4243

Personnel: Shirley

Beginning Date: 07-12-53

Time: 0935

Ending Date: 07-18-53

Time: 1030

Number of Young/Day

Treatment	By Rep.	1	2	3	4	5	6	7	8	Total Young
(1) Control	1	0	0	0	4	6	12			22
	2				3	6	9			18
	3				3	5	2			10
	4				4	6	11			21
	5				5	6	0			11
	6				2	3	4			9
	7				3	5	0			8
	8				4	6	7			17
	9				4	8	10			22
	10				4	7	8			19
(2) 0.001	1	0	0	0	4	8	11			23
	2				4	3	0			7
	3				2	4	4			10
	4				4	8	10			22
	5				0	6	0			6
	6				3	6	6			15
	7				0	0	3			3
	8				4	6	7			17
	9				3	6	10			19
	10				4	7	6			17
(3) 0.002	1	0	0	0	4	8	9			21
	2				0	4	6			10
	3				4	8	9			21
	4				2	6	8			16
	5				4	6	0			10
	6				3	6	8			17
	7				3	7	8			18
	8				0	7	8			15
	9				3	7	8			18
	10				2	7	13			22
(4) 0.003	1	0	0	0	2	4	6			12
	2				3	5	0			8
	3				4	7	11			22
	4				3	6	0			9
	5				4	6	0			10
	6				4	6	8			18
	7				3	6	8			17
	8				4	6	8			18
	9				4	7	8			19
	10				3	0	11			14

0 1 2 3 4 5 6 7 8

Chow ID#: A₁ S₁ #2 A₁ S₁ #2 A₁ S₁ #3 A₁ S₁ #3 A₁ S₁ #4 A₁ S₁ #4

Algae ID#: A₁ S₁ #2 A₁ S₁ #2 A₁ S₁ #3 A₁ S₁ #3 A₁ S₁ #3 A₁ S₁ #4

Dilution Water ID#: 1380 1380 1380 1382 1392 1392

Reviewed By: Ced Ced Ced Ced Ced Ced Ced

Notes:

Study: Roller Resistant Jell # 42-13 ^{exp. 7-24-93} CERIODAPIINIA SURVIVAL AND REPRODUCTION TEST Page 2 of 1
 Beginning Date: 07-12-93 Time: 0935 Personnel: Russell
 Ending Date: 07-17-93 Time: 1028

Number of Young/Day

Treatment	By Rep.	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	C ₇	C ₈	Total Young
0.02	1	0	0	0	3	5	8			16
	2				0	2	0			2
	3				4	7	9			20
	4				4	7	0			11
	5				3	6	0			9
	6				2	4	0			6
	7				5	6	8			19
	8				4	7	9			20
	9				4	7	8			19
	10				3	6	9			18
0.05	1	0/D								0
	2	0/D								0
	3	0/D								0
	4		0	0	0/D					0
	5		0	0	0	0/0				0
	6		0	0	0	4	5			9
	7		0/0			0/0				0
	8		0	0	0	0/D				0
	9		0/0							0
	10		0	0	3	7	0			10
	1									
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									
	10									
	1									
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									
	10									

0 1 2 3 4 5 6 7 8

Chow ID#: Ag Star #2 Ag Star #2 Ag Star #3 Ag Star #3 Ag Star #4 Ag Star #4

Algae ID#: Ag Star #2 Ag Star #2 Ag Star #3 Ag Star #3 Ag Star #3 Ag Star #4

Dilution Water ID#: 1380 1380 1382 1382 1392 1392

Reviewed By: C₁ C₂ C₃ C₄ C₅ C₆ C₇ C₈

Notes:

PLARC501-310

Analysis of Reproduction (# young/female/6 days)

REFTOX #43

Starting Date: 07/12/93

Reproduction (# young/female/6 days) Data

Treatment	Replicate										Mean
	1	2	3	4	5	6	7	8	9	10	
1 CONTROL	22.0	18.0	10.0	21.0	11.0	9.0	8.0	17.0	22.0	19.0	15.70
2 0.001	23.0	7.0	17.0	22.0	6.0	15.0	3.0	17.0	19.0	11.0	14.00
3 0.003	21.0	10.0	21.0	16.0	10.0	17.0	18.0	15.0	18.0	22.0	16.80
4 0.008	12.0	8.0	22.0	9.0	10.0	18.0	17.0	18.0	19.0	14.0	14.70
5 0.02	16.0	2.0	20.0	11.0	9.0	6.0	19.0	20.0	19.0	18.0	14.00

Steel's Many-One Rank Test

Treatment	No. of Replicates	Critical Rank Sum	Rank Sum*
0.001	10	76	97.0
0.003	10	76	107.5
0.008	10	76	98.5
0.02	10	76	96.5

• Values less than Critical Rank Sum significantly less than the control (CONTROL).

Revised

CONC. (%EFF)	RESPONSE MEAN	MEAN AFTER POOLING
.000	15.700	15.700
.001	14.000	15.400
.003	16.800	15.400
.008	14.700	14.700
.020	14.000	14.000
.050	1.900	1.900

.050	1.900	1.900
------	-------	-------

```
*****
*          BOOTSTRAP PROCEDURE TO ESTIMATE VARIABILITY          *
*          OF THE ESTIMATED ICp                                *
*****
```

AN EMPIRICAL 95.0% CONFIDENCE INTERVAL FOR THE
BOOTSTRAP ESTIMATE IS (.0130, .0288).

C:\BOOTSTRP>

INITIAL CHEMISTRY

Study SL 01 FishPersonnel RussellBeginning Date 07-06-93
07-06-93 Thurs 07-06-93 ThursDate 07-06-93RussellEnding Date 07-06-93 Fri

By	cap	cap	cap	cap	cap	cap	cap	GKK	cap		
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
<u>C. 1-8</u>											
<u>C. 001</u>											
<u>C. 002</u>											
<u>C. 003</u>											
<u>C. 004</u>											
<u>C. 005</u>											
<u>C. 006</u>											
<u>C. 007</u>											
<u>C. 008</u>											
<u>C. 009</u>											
<u>C. 010</u>											
<u>C. 011</u>											
<u>C. 012</u>											
<u>C. 013</u>											
<u>C. 014</u>											
<u>C. 015</u>											
<u>C. 016</u>											
<u>C. 017</u>											
<u>C. 018</u>											
<u>C. 019</u>											
<u>C. 020</u>											
<u>C. 021</u>											
<u>C. 022</u>											
<u>C. 023</u>											
<u>C. 024</u>											
<u>C. 025</u>											
<u>C. 026</u>											
<u>C. 027</u>											
<u>C. 028</u>											
<u>C. 029</u>											
<u>C. 030</u>											
<u>C. 031</u>											
<u>C. 032</u>											
<u>C. 033</u>											
<u>C. 034</u>											
<u>C. 035</u>											
<u>C. 036</u>											
<u>C. 037</u>											
<u>C. 038</u>											
<u>C. 039</u>											
<u>C. 040</u>											
<u>C. 041</u>											
<u>C. 042</u>											
<u>C. 043</u>											
<u>C. 044</u>											
<u>C. 045</u>											
<u>C. 046</u>											
<u>C. 047</u>											
<u>C. 048</u>											
<u>C. 049</u>											
<u>C. 050</u>											
<u>C. 051</u>											
<u>C. 052</u>											
<u>C. 053</u>											
<u>C. 054</u>											
<u>C. 055</u>											
<u>C. 056</u>											
<u>C. 057</u>											
<u>C. 058</u>											
<u>C. 059</u>											
<u>C. 060</u>											
<u>C. 061</u>											
<u>C. 062</u>											
<u>C. 063</u>											
<u>C. 064</u>											
<u>C. 065</u>											
<u>C. 066</u>											
<u>C. 067</u>											
<u>C. 068</u>											
<u>C. 069</u>											
<u>C. 070</u>											
<u>C. 071</u>											
<u>C. 072</u>											
<u>C. 073</u>											
<u>C. 074</u>											
<u>C. 075</u>											
<u>C. 076</u>											
<u>C. 077</u>											
<u>C. 078</u>											
<u>C. 079</u>											
<u>C. 080</u>											
<u>C. 081</u>											
<u>C. 082</u>											
<u>C. 083</u>											
<u>C. 084</u>											
<u>C. 085</u>											
<u>C. 086</u>											
<u>C. 087</u>											
<u>C. 088</u>											
<u>C. 089</u>											
<u>C. 090</u>											
<u>C. 091</u>											
<u>C. 092</u>											
<u>C. 093</u>											
<u>C. 094</u>											
<u>C. 095</u>											
<u>C. 096</u>											
<u>C. 097</u>											
<u>C. 098</u>											
<u>C. 099</u>											
<u>C. 100</u>											

NOTES:

PLARC501-252

Reviewed By: ack/GKK

Study

Beginning Date

הוצגו באותו יום 21 תלמידי

Ending Date

CHARTER

Personnel

King

Date 07-07-18

2000 10 15 10:00

44-38861-100

115411 See 115409

[illegible]

By	Temp.	Temp.	DO	pH	Cond.	Hard	Alk	TRC	x 1.0
Initial	Warmed	Temp.	DO	pH	Cond.	Hard	Alk	TRC	x 1.0
27.7	25.2	8.2	7.8	331	5.8	99.2	5.1	51	
0.001	75.1	8.2	7.1	332	5.5	99.1	5.0	50	
0.003	75.1	8.2	7.1	331					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
27.7	25.2	8.2	7.8	331	5.8	99.2	5.1	51	
0.001	75.1	8.2	7.1	332	5.5	99.1	5.0	50	
0.003	75.1	8.2	7.1	331					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001	75.1	8.0	7.0	442	5.3	90.0	4.9	49	
0.003	75.0	8.0	7.1	442					
0.008	75.1	8.2	7.1	330					
0.002	75.0	8.2	7.1	331					
0.006	75.1	8.2	7.1	331	5.4	98.3	5.0	50	
0.001	75.2	8.0	7.0	342	5.2	88.9	4.9	49	
0.001									

NOTES:

PLARC501-252

Reviewed By: ml/bkk

Study

[illegible]

Beginning Date

10-11-1961

Ending Date

2011 03 11

Date 07-08-02

Personnel

King

Рис. 88

10-11-1961

Ending Date

2011 03 11

Date 07-08-02

Personnel

King

Рис. 88

Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	Alk	TRC	x 1.0
0.001	8.2	8.2	7.1	8.2	5.2	88.9	5.0	50	
0.003	8.2	8.2	7.1	8.2	5.2	88.9	5.0	50	
0.008	8.2	8.2	7.1	8.2	5.2	88.9	5.0	50	
0.02	8.2	8.2	7.1	8.2	5.2	88.9	5.0	50	
0.05	8.2	8.2	7.1	8.2	5.2	88.9	5.0	50	
0.001	8.4	8.4	7.1	8.4	5.4	92.3	5.2	52	
0.003	8.4	8.4	7.1	8.4	5.4	92.3	5.2	52	
0.008	8.4	8.4	7.1	8.4	5.4	92.3	5.2	52	
0.02	8.4	8.4	7.1	8.4	5.4	92.3	5.2	52	
0.05	8.4	8.4	7.1	8.4	5.4	92.3	5.2	52	

NOTES:

PLARC501-252

Reviewed By: _____

INITIAL CHEMISTRY

Personnel King

Russell

Date 07-1-15

Beginning Date 07-1-15
Ending Date 07-1-15

By	Temp.	Temp.	DO	pH	Cond.	Hard	Alk	x10	TRC	x 1.0
Sample ID	Initial	Warmed	DO	pH	Cond.	Hard	Alk	x10	TRC	x 1.0
0.001	25.3	8.2	7.2	3.9						
0.003	25.3	8.2	7.2	3.9						
0.008	25.3	8.2	7.1	3.9						
0.02	25.3	8.1	7.2	3.9						
0.05	25.3	8.2	7.2	3.9						
Control # 1	25.1	8.2	7.2	2.15						
0.001	25.1	8.2	7.2	2.15						
0.003	25.0	8.2	7.2	2.15						
0.008	25.1	8.2	7.2	2.15						
0.02	25.2	8.2	7.2	2.15						
0.05	25.4	8.1	7.1	2.15						

PLARC501-252

NOTES:

Reviewed By: Clark

Personnel

King	
------	--

885408

Date 8-12-53

Study

1997 1 1 1

Beginning Date

1-16-75
Investigative Case

Ending Date

10/15/21

By	Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC x 1.0
		21.9	25.0	8.2	7.1	327	25.0	88.9	5.2	5.2	
	0.001		25.0	8.2	7.2	328	5.3	90.6	5.0	5.0	
	0.003		24.8	8.2	7.2	330					
	0.008		25.2	8.3	7.2	328					
	0.002		25.5	8.2	7.24	328					
	0.005		25.3	8.3	7.1	328	5.3	90.6	5.1	5.1	
	Calc. 10 ⁶ "	22.1	25.2	8.2	7.1	350					
	0.001		25.1	8.5	7.1	351					
	0.003		25.2	8.2	7.1	350					
	0.008		25.1	8.3	7.1	351					
	0.002		25.14	8.3	7.1	350					
	0.005		25.1	8.3	7.1	350					

NOTES:

PLARC501-252

Reviewed By:

(xx) / GK

INITIAL CHEMISTRY

Study Cerio Rollux ResistantPersonnel RussellBeginning Date 07-12-93Date 07-17-93Ending Date 07-18-93

By	C-2	C-2	C-2	C-2	C-2	C-2	C-2	C-2	C-2		
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
Control # 1332	21.1	23.4	8.2	7.1	337	5.3	90.6	5.5	55		
0.001		24.4	8.2	7.1	336	5.4	92.3	5.5	55		
0.003		24.3	8.2	7.2	335						
0.008		25.0	8.2	7.2	335						
0.02		25.0	8.3	7.2	335						
0.05		24.4	8.2	7.1	336	5.4	92.3	5.4	54		

NOTES:

PLARC501-252

Reviewed By: CRV

INITIAL CHEMISTRY

Study Cerio Rollox PotentPersonnel RussellDate 07-15-93Beginning Date 07-12-93KinneyEnding Date 07-15-93

By	Cap	Cap	Cap	Cap	Cap	Cap	Cap				
Sample ID	Initial Temp.	Warmed Temp.	DO	pH	Cond.	Hard	x17.1	Alk	x10	TRC	x 1.0
Control #1552	24.1	25.3	8.3	7.1	338						
0.001		25.4	8.3	7.2	338						
0.003		25.4	8.3	7.2	340						
0.008		25.2	8.3	7.2	340						
0.02		25.2	8.3	7.2	341						
0.05		25.3	8.3	7.2	342						

NOTES:

PLARC501-252

Reviewed By: CAC

FINAL CHEMISTRY

Page 1 of 1

Study July Rel Ion
 Beginning Date 07-07-93 Cerio
 Ending Date 07-06-93 Fish
07-12-93 Cerio Transmitted
07-13-93 Fish

Date 7-2-93

Personnel Kinard
Russell

Sample ID	By	Fish			
		Temp.	DO	pH	Cond.
	Rep.				
Control	1	25.0	6.2	7.5	
	2	24.8	6.4		35.2
	3	25.2	6.1		
	4	25.3	6.2		
0.001	1	25.1	6.1	7.5	
	2	24.8	6.0		35.2
	3	25.5	6.0		
	4	25.5	6.5		
0.003	1	24.8	6.4	7.5	
	2	24.8	6.4		35.1
	3	24.9	5.8		
	4	24.9	6.4		
0.008	1	24.7	6.3	7.5	
	2	24.8	6.6		35.3
	3	24.8	6.5		
	4	24.9	6.4		
0.02	1	25.0	6.6	7.5	
	2	25.0	6.5		34.8
	3	24.8	6.5		
	4	25.0	6.4		
0.05	1	25.1	6.7	7.5	
	2	25.1	6.8		35.0
	3	25.1	6.6		
	4	24.9	6.8		
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
	① Control		
	② 0.001		
	③ 0.003		
	④ 0.008		
	⑤ 0.02		
	⑥ 0.05		

NOTES:

Reviewed By: 412 / GAK
 PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study July Rel low

Beginning Date

07-07-93 Control

Date 7-8-93

Personnel King

07-06-93 Fish

Russell

Ending Date

07-12-93 Caiso Terminal Int

07-13-93 Fish

Sample ID	By	Fish			
		GLK	GLK	GLK	GLK
	Rep.	Temp.	DO	pH	Cond.
Control	1	24.7	5.4		
	2	24.0	5.8	7.4	
	3	24.3	5.8		345
	4	24.3	5.8		
0.001	1	24.0	5.6		
	2	24.5	5.6	7.4	
	3	24.0	5.9		347
	4	24.4	5.5		
0.003	1	24.0	5.5		
	2	24.5	5.5	7.4	
	3	24.3	5.7		347
	4	24.5	5.3		
0.008	1	24.5	5.9		
	2	24.1	5.8	7.1	
	3	23.9	6.1		348
	4	24.0	6.0		
0.02	1	24.6	6.2		
	2	24.5	5.8	7.5	
	3	24.4	5.8		347
	4	23.9	6.5		
0.05	1	24.7	6.2		
	2	24.2	6.6	7.5	
	3	24.5	5.9		347
	4	24.0	6.7		
	1				
	2				
	3				
	4				

Ceriodaphnia			
Cer2		Cer2	Cer2
Temp.	Sample ID	DO	pH
25.5	Control	7.8	7.8
25.5	0.001 (2)	7.8	7.8
25.5	0.003 (3)	7.8	7.8
25.5	0.008 (4)	7.8	7.8
25.7	0.02 (5)	7.8	7.8
25.4	0.05 (6)	7.8	7.8
25.4			
25.4			
25.7			

NOTES:

Reviewed By:
PLARC501-255

Cut

FINAL CHEMISTRY

Page 1 of 1

Study Rel. In.
 Beginning Date 07-07-93 Cerio
07-06-93 Fish
07-12-93 Cerio Terminated
 Ending Date 07-13-93 Fish

Date 07-09-93

Personnel Kingard
Russell

Sample ID	By	Fish				
		Rep.	Temp.	DO	pH	Cond.
Control	1		24.7	6.1		
	2		24.7	5.2		
	3		24.4	6.7	7.4	
	4		24.4	5.8		352
0.001	1		24.6	4.7		
	2		24.7	5.5		
	3		25.0	5.0	7.4	
	4		24.6	5.6		353
0.003	1		25.1	5.7		
	2		25.2	4.6		
	3		24.5	5.8	7.5	
	4		24.8	5.2		353
0.005	1		24.7	5.8		
	2		24.8	5.7		
	3		24.6	5.9	7.5	
	4		24.7	5.6		352
0.02	1		24.4	5.9		
	2		24.6	6.0		
	3		24.9	4.9	7.4	End-C-12
	4		25.0	5.3		349
0.05	1		24.7	6.3		
	2		24.8	5.7		
	3		24.8	6.3	7.5	
	4		24.8	6.0		350
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.1	Control	7.6	7.8
25.4	0.001 (2)	7.7	7.8
25.3	0.003 (3)	7.7	7.8
25.2	0.005 (4)	7.7	7.8
25.4	0.02 (5)	7.4	7.8
25.2	0.05 (6)	7.7	7.8
25.2			
25.4			
25.5			
25.7			

NOTES:

Reviewed By: CLM
 PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study July Rel 100

Date 07-10-93

Personnel Kinard

Beginning Date 07-06-93 Fish
07-07-93 Cerio

Russell

Ending Date 07-12-93 Cerio Terminated
07-13-93 Fish

Sample ID	By Rep.	Fish			
		Temp.	DO	pH	Cond.
Control	1	24.9	6.0		348
	2	24.7	6.2		
	3	25.0	6.2		
	4	24.6	6.3	7.5	
0.001	1	24.9	6.1		348
	2	24.9	6.5		
	3	24.5 25.5	6.3		
	4	24.5 24.5	6.5	7.6	
0.003	1	24.4	6.6		349
	2	24.9	6.1		
	3	24.5	6.3		
	4	24.7	6.0	7.6	
0.008	1	24.9	6.4		351
	2	24.8	6.2		
	3	24.7	6.8		
	4	24.8	6.3	7.6	
0.02	1	24.9	6.1		349
	2	25.2	5.9		
	3	24.7	6.5		
	4	24.6	6.5	7.6	
0.05	1	24.7	6.6		349
	2	24.5	6.4		
	3	25.0	6.4		
	4	24.4	6.1	7.5	
	1				
	2				
	3				
	4				

NOTES:

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.3	Control	7.7	7.9
25.3	0.001 (1)	7.3	8.0
25.3	0.003 (3)	7.7	7.9
25.2	0.008 (4)	7.7	7.9
25.3	0.02 (5)	7.7	7.9
25.0	0.05 (6)	7.7	7.9
25.0			
25.2			
25.1			
25.6			

Reviewed By: Kinard
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study J. G. R. L. 100

Date 01-11-93

Personnel K. Russell

Beginning Date 07-09-93 Fish

Russell

Ending Date 07-12-93 Cover Temperature

Sample ID	By	Fish			
		Temp.	DO	pH	Cond.
	Rep.				
Control	1	24.9	6.9	7.5	
	2	25.0	6.4		352
	3	24.4	6.4		
	4	24.0	6.2		
0.001	1	24.3	6.6	7.4	
	2	24.4	6.6		352
	3	24.5	6.5		
	4	24.6	6.6		
0.002	1	24.0	6.5	7.3	
	2	25.1	6.6		349
	3	25.0	6.7		
	4	24.5	6.6		
0.005	1	24.2	6.5	7.1	
	2	24.4	6.6		351
	3	24.5	6.5		
	4	24.9	6.7		
0.006	1	24.3	7.1	7.7	
	2	24.5	6.6		319
	3	24.8	7.0		
	4	24.6	6.9		
0.005	1	24.6	7.0	7.7	
	2	24.4	7.0		350
	3	24.5	7.1		
	4	24.6	7.1		
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.2	Control ①	7.3	7.9
25.1	0.001 ②	7.1	7.9
25.1	0.003 ③	7.1	7.9
25.0	0.008 ④	7.1	7.9
25.1	0.02 ⑤	7.1	7.9
24.9	0.05 ⑥	7.3	7.9
25.0			
25.1			
25.0			
25.0			

NOTES:

Reviewed By: C. K.
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Lab. Rep. 1

Date 07-11-93

Personnel King

Beginning Date 07-06-93

Russell

Ending Date 07-13-93

Sample ID	By	Fish			
		Temp.	DO	pH	Cond.
Control	1	25.1	6.2		
	2	25.2	6.3	7.5	
	3	24.7	6.2		357
	4	24.9	6.2		
0.001	1	24.5	6.0		
	2	24.5	6.5	7.5	
	3	25.0	6.2		355
	4	24.7	6.0		
0.002	1	24.6	6.5		
	2	24.8	6.5	7.5	
	3	24.7	6.5		350
	4	24.8	6.7		
0.005	1	25.1	6.5		
	2	25.0	6.5	7.5	
	3	24.7	6.5		355
	4	24.8	6.1		
0.01	1	25.1	6.8		
	2	25.2	6.8	7.5	
	3	25.7	6.6		350
	4	25.1	6.8		
0.05	1	24.5	6.8		
	2	25.0	6.8	7.5	
	3	25.1	6.5		352
	4	25.0	6.8		
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
	Control		
	0.001		
	0.003		
	0.005		
	0.01		
	0.05		
Toxicity test results			
Survival of test organisms			
0.001 to 0.05			

NOTES:

Reviewed By: King
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study July 801 Jan

Personnel W. J. J. J.

Beginning Date 07-13-93

Date 07-13-93

Ending Date 07-13-93

Sample ID	By	Fish			
		Rep.	Temp.	DO	pH
Control	1		25.6	6.0	
	2		25.2	6.0	
	3		25.3	6.0	7.5
	4		25.1	6.0	30.0
0.001	1		25.5	6.0	
	2		25.0	6.0	
	3		25.3	6.0	7.5
	4		24.9	6.0	30.0
0.003	1		25.2	6.0	
	2		24.7	6.0	
	3		25.5	6.0	7.5
	4		25.5	6.0	30.0
0.005	1		25.0	6.0	
	2		25.3	6.0	
	3		24.6	6.0	
	4		25.2	6.0	30.0
0.02	1		25.5	6.0	
	2		25.2	6.0	
	3		24.9	6.0	
	4		25.2	6.0	7.7 30.0
0.05	1		25.2	6.0	
	2		24.8	6.0	
	3		24.9	6.0	
	4		25.1	6.0	7.7 30.0
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
	Control		
	0.001		
	0.003		
	0.005		
	0.02		
	0.05		

NOTES:

Reviewed By: Dr.
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Ceriodaphnia Resistant

Personnel P. J. J. J. J.

Beginning Date 07-12-93

Date 07-13-93

Ending Date 07-18-93

Sample ID	By	Fish			
		Rep.	Temp.	DO	pH
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.2	C. 1.1	7.5	7.9
25.2	C. 1.2	7.4	7.9
25.3	C. 1.3	7.5	7.9
25.3	C. 1.4	7.4	7.9
25.3	C. 1.5	7.4	7.9
25.1	C. 1.6	7.4	7.9
25.3			
25.3			
25.3			
25.3			

NOTES:

Reviewed By: P. J. J. J. J.
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Ceriodaphnia Reelant

Beginning Date 07-12-93

Ending Date 01-18-93

Date 01-14-93

Personnel PLARC501-255

Sample ID	By	Fish				
		Rep.	Temp.	DO	pH	Cond.
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.0	Ceriodaphnia	7.3	8.1
25.2	O.C.C.1	7.8	8.1
25.2	O.C.C.2	7.9	8.1
25.2	O.C.C.3	7.9	8.1
25.2	O.C.C.4	7.8	8.1
25.0	O.C.C.5	7.8	8.1
25.0			
25.0			
25.2			
24.6			

NOTES:

Reviewed By: PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Ceriodaphnia Resistant

Date 07-15-93

Personnel Plummer

Beginning Date 07-12-93

Ending Date 07-18-93

Sample ID	By	Fish			
		Rep.	Temp.	DO	pH
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				
	1				
	2				
	3				
	4				

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.3	Ceriodaphnia	7.2	7.8
25.3	O.C.C.1	7.2	7.8
25.1	O.C.C.2	7.2	7.8
25.1	O.C.C.3	7.2	7.8
25.1	O.C.C.4	7.2	7.7
25.2	O.C.C.5	7.2	7.8
25.1			
25.1			
25.7			
24.9			

NOTES:

Reviewed By:
PLARCS01-255

C. V.

FINAL CHEMISTRY

Page 1 of 1

Study Ceriodaphnia Resistant

Date 07-16-93

Personnel P. J. J. J. J.

Beginning Date 07-12-93

Ending Date 01-18-93

Sample ID	By Rep.	Fish				
		Temp.	DO	pH	Cond.	
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.4	Control	1.1	7.6
25.4	0.001	1.1	7.6
25.4	0.002	1.1	7.6
25.4	0.005	1.1	7.6
25.2	0.02	1.1	7.6
25.2	0.05	1.1	7.6
25.2			
25.2			
25.2			
25.2			

NOTES:

Reviewed By: P. J. J. J. J.
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Ceriodaphnia Resistant

Date 07-17-93

Personnel PLARC-02

Beginning Date 07-12-93

Ending Date 07-18-93

Sample ID	By	Fish				
		Rep.	Temp.	DO	pH	Cond.
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
26.0	Ceriodaphnia	7.9	7.6
25.8	O.C.C. 1	7.5	7.7
25.8	O.C.C. 2	7.5	7.7
25.7	O.C.C. 3	7.5	7.7
25.8	O.C.C. 4	7.5	7.7
25.6	O.C.C. 5	7.5	7.7
25.6			
25.6			
25.6			
25.6			

NOTES:

Reviewed By: PLARC-02
PLARC501-255

FINAL CHEMISTRY

Page 1 of 1

Study Cover Rella Report

Personnel

Beginning Date 07-12-92

Date 07-12-92

Ending Date 07-12-92

Sample ID	By Rep.	Fish				
		Temp.	DO	pH	Cond.	
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					
	1					
	2					
	3					
	4					

Ceriodaphnia			
Temp.	Sample ID	DO	pH
25.0	0.1	7.3	7.3
24.5	0.2	7.3	7.3
24.5	0.3	7.3	7.3
24.5	0.4	7.3	7.3
24.5	0.5	7.3	7.3
24.5	0.6	7.3	7.3
24.5	0.7	7.3	7.3
24.5	0.8	7.3	7.3
24.5	0.9	7.3	7.3
24.5	1.0	7.3	7.3
24.5	1.1	7.3	7.3
24.5	1.2	7.3	7.3
24.5	1.3	7.3	7.3
24.5	1.4	7.3	7.3
24.5	1.5	7.3	7.3
24.5	1.6	7.3	7.3
24.5	1.7	7.3	7.3
24.5	1.8	7.3	7.3
24.5	1.9	7.3	7.3
24.5	2.0	7.3	7.3

NOTES:

Reviewed By:
PLARC501-255