Nuclear Waste Policy Act
(Section 113)

Site Characterization Plan

***Yucca Mountain Site, Nevada Research
and Development Area, Nevada***

Volume IX

Index

December 1988

U. S. Department of Energy
Office of Civilian Radioactive Waste Management

MASTER

e

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

CONTENTS

INTRODUCTION	i
PART A (Chapters 1-7)	Ind-1
PART B (Chapter 8)	Ind-89
ACRONYMS	Ind-299

SITE CHARACTERIZATION PLAN INDEX

This index is divided into two parts: The first part contains the index for Part A (Chapters 1 through 7), while the second part contains the index for Part B (Chapter 8).

A list of acronyms for both parts is provided at the end of the index for Part B.

PART A INDEX (Chapters 1-7)

- Abandoned Wash fault, 1-122**
 - location, 1-50**
- ABAQUS
 - finite-element method, 6-323--324
 - verification and validation, 6-323--324
- acceleration, see peak acceleration
- access
 - drift locations, 6-315**
 - horizontal emplacement, 6-144, -146**
 - repository considerations, 6-135--136
 - vertical emplacement, 6-144, -145**
- access routes
 - highways, 6-82, -83**, -124, -126**
 - rail, 6-82, -83**, -124, -126**
 - Yucca Mountain site, 6-82, -83**
- accessible environment
 - and credible pathways, 3-197--199
 - definition, A-5; 6-27
 - and design requirements, 6-27
 - and erosion, 1-325
 - and ground-water flow from disturbed zone, 3-214
 - and points of discharge, 3-29, -229
 - and radionuclide transport, 4-4
 - saturated-zone ground-water
 - travel time, 3-219--221, -237
 - saturated-zone pathways, 3-137, -214, -216, 219
 - unsaturated-zone ground-water
 - travel time, 3-5, -216--219, -237
- accidental radiological releases (Issue 2.3)
 - and climatology and meteorology, 5-1
- accidents
 - credible, 6-256--257
 - operations analyses, 6-121
 - probabilistic risk assessment, 6-257--261
 - probabilities, 6-256--257
 - radiological releases (Issue 2.3)
 - analysis needs, 6-262
 - computer codes used, 6-253, -254*
 - information needs, 6-253
 - issue statement, 6-252
 - site data needs, 6-263
 - work completed, 6-253--261
 - scenarios, 6-256--257
- ADINA
 - drift thermal analysis, 6-318, -320
 - shaft stability, 6-323
- ADINAT
 - drift thermal analysis, 6-310, -318
- adsorption-dynamic processes coupling
 - experiments, 4-60--62
 - crushed-tuff columns, 4-61
 - diffusion in solid tuff, 4-62
 - fractured-tuff columns, 4-62
 - recirculating columns, 4-61
 - solid-tuff columns, 4-61
 - solubility, 4-62
- advanced conceptual design, 6-1
 - allowable areal power density, 6-229
 - phase, definition, A-10
- AEC, see U.S. Atomic Energy Commission
- age, ground water, see ground water, age
- age assignments
 - data uncertainties, 5-8
- air quality
 - monitoring and permitting, 5-37
 - underground facility requirements, 6-333
 - and visibility, 5-27--28, -30, -31*, -32*
- airflow
 - requirements
 - horizontal emplacement, 6-173--175, -175*, -334, -335*
 - underground facility, 6-170--175
 - vertical emplacement, 6-171--172, -173*, -334, -335*
 - underground facility velocity constraints, 6-170, -170*
 - and waste package environment model, 7-207
- Alkali Flat-Furnace Creek Ranch
 - ground-water basin, 6-66
- Alkali Flat-Furnace Creek Ranch subbasin
 - flux summary, 3-80*
 - ground-water flow, 3-79, -80*, -207**
 - and ground-water flow model, 3-204
 - and hydrogeologic study area, 3-3**, -4, -50
 - location, 3-3**, -117**
 - and Pahrump Valley, 3-114
 - perennial yield, appropriation, and use, 3-122*
 - and recharge, 3-71
 - springs, 3-36*--40*
 - water use, 3-118--122
- Alligator Rivers
 - radionuclide transport studies, 4-134
 - uranium and thorium deposits, 4-133--134
- allowable areal power density, 6-231
 - and borehole spacing, 6-230--231
 - lateral flexibility, 6-229
 - underground facility, 6-227, -229

PART A INDEX (Chapters 1-7)

- allowable areal power density, product
 - 1.11.6-1, -227, -229
- alloy 825
 - and corrosion, 7-102
 - reference container, 7-25
- Alluvial Basins Groundwater Region, 3-50
- alluvium
 - ages, 3-19
 - conceptual moisture flow, 3-193**
 - correlation with hydrogeologic unit, 3-139**
 - east-west cross section at Yucca Mountain, 3-145**
 - matrix-potential profiles, 3-161**, -162**
 - Quaternary, 1-36**
 - at site
 - density and specific gravity, 2-97
 - engineering properties, 2-101, -102*
 - geologic log, 2-98**
 - gradation curves, 2-99**
 - lithologic description, 2-97
 - physical properties, 2-98, -102*
- alteration
 - mineralogy, Yucca Mountain, 4-23
 - occurrences
 - and metals, 1-280--284
 - phases
 - Yucca Mountain, 1-276*
 - symbols, 4-17*
- alternative alloy system
 - and metal barriers, 7-103--104
- alternative designs
 - container
 - alloy compositions, 7-35*
 - copper-based materials, 7-34
 - intact spent fuel package, 7-32, -33**
 - properties of candidate materials, 7-36*
 - repository
 - cost, 6-342, -343--344
 - waste package, 7-32--34
 - copper-based alloy, 7-227
 - cost, 6-342, -343
 - summary, 7-227
- alternative emplacement orientation, 7-34, -36--37
- alternative total system design
 - cost, 6-342, -344--346
- Amargosa Desert
 - description, 1-15, -18
 - discharge, 3-30*, -72*
- Amargosa Desert (continued)
 - dune and marsh chronology, 5-70
 - evapotranspiration, 3-7, -29, -30*, -72*
 - ground-water age, 3-72
 - and ground-water dating, 5-70
 - ground-water velocities, 3-72--73
 - maps, 1-16**, -17**, -20**, 21**--22**, 23**--24**
 - perennial surface-water, 3-24
 - potentiometric maps of, 3-132**
 - and recharge, 3-71
 - and Upper Amargosa hydrographic study area, 3-2**, -9*, -117**
 - water data, 3-122*
 - water use, 3-121
 - wells, 3-118
 - see also Goldfield block
- Amargosa River
 - chemical composition, 3-25, -27*
 - drainage and prehistoric lakes, 5-70
 - flooding, 3-15--16
 - surface hydrology, 3-8
 - and water use, 3-24
- Amargosa Valley
 - ground-water sample wells, 3-99**
 - temperature data, 5-16
 - water use, 3-118, -119*, -135*
- Amendments Act, see Nuclear Waste Policy Amendments Act of 1987
- American Borate Corporation
 - water use, 3-118, -119*
- American Society for Testing and Materials
 - test procedures, 2-6, -8*
 - and heated-block tests, 2-57
 - and jointed-rock testing, 2-45
 - and physical properties of alluvium, 2-97
 - and rock sample size, 2-23
 - and thermal expansion tests, 2-8*, -68
- americium
 - comparison of sorption procedures, 4-83*
 - concentration profile
 - and Los Alamos liquid waste disposal site, 4-141**
 - solubility
 - literature summary, 4-96
 - in well J-13 water, 4-94, -95*, -99, -100*
 - sorption ratios from batch desorption experiments, 4-74*--76*
 - sorption ratios from batch sorption experiments, 4-69*--71*
 - speciation, literature summary, 4-96

PART A INDEX (Chapters 1-7)

- analytical techniques
 - geochemical retardation, 4-59--65
 - for geotechnical design, 6-72
 - mineralogic, 4-8--9
 - petrologic, 4-8--9
 - sorption, 4-59--65
- angle of internal friction
 - intact rock, 6-50*
 - reference values, 2-65*
 - rock mass, 6-56*
 - Yucca Mountain tuff, intact rock, 2-44*, -65*
- anisotropy
 - and compressive strength, 2-40
 - and thermal conductivity, 2-73
 - and thermal expansion, 2-77
- anodic polarization curve
 - austenitic materials, 7-86, -87**, -88
- Antelope district, 1-285**
- anticipated conditions
 - and geochemical retardation in host rock, 4-109--115
 - thermal, and waste emplacement, 4-117--119
- aperture, unstressed, see unstressed aperture
- Aqueduct Mesa
 - in situ stress, 1-143**
- aquifer modeling
 - approaches, 3-5--6
 - stochastic analyses, 3-6
- aquifers, 1-42**
 - carbonate, see carbonate aquifer; lower carbonate aquifer; and upper carbonate aquifer
 - fractured rock, 3-5
 - Oasis Valley, see Oasis Valley aquifer
 - pumping test data, 3-64*--67*
 - recharge, see ground-water recharge
 - transmissivity, 3-63, -64*--67*, -68, -69
 - tuff, see tuff aquifer
 - valley fill, see valley-fill aquifer
 - volcanic rock, see volcanic rock aquifers
- aquitards, 1-42**
 - lower clastic, see lower clastic aquitard
 - transmissivity, 3-68
 - tuff, see tuff aquitard
 - upper clastic, see upper clastic aquitard
 - volcanic rock, 3-58, -59**, -60, -68
- arc magmatism, 1-88, -95--99
- area-needed determination, product 1.11.3-1
 - work completed, 6-221, -224
- areal power density
 - Bullfrog Member, 6-318
 - Calico Hills unit, 6-318
 - drift analysis, 6-309
 - drift sensitivity studies, 6-318
 - repository, 6-25
 - Topopah Spring Member, 6-318
 - Tram Member, 6-318
 - and underground facility area, 6-224
- ash flow tuff
 - crystallization, 4-7
 - mineralogy, 4-8
 - petrology, 4-7
 - post-Paintbrush, 1-70
- ash flows and lithophysae, 2-16
- Ash Meadows, 3-114, -118, -121
 - and discharge, 3-71, -78
 - dune and marsh chronology, 5-70
 - existing and future water use, 3-135*
 - springs, 3-35, -71, -92
- Ash Meadows subbasin
 - discharge, 3-71, -78
 - ground-water flow paths, 3-77--78
 - and hydrogeologic study area, 3-3**, -4, -50
 - location, 3-3**, -117**
 - perennial yields, appropriations, and use, 3-126*--127*
 - spring discharge areas, 3-42*--47*
 - water use, 3-123--127
 - water wells, 3-124*
- ASTM procedures, see American Society for Testing and Materials procedures
- astronomical forcing
 - and climate change simulation, 5-42
- atmospheric, general circulation models, 5-97--98
 - see also meteorological models
- atmospheric carbon dioxide, 5-93
- atmospheric moisture, 5-13*, -21, -22*
- atmospheric stability
 - Yucca Flat, 5-32, -33, -34**--35**, -36*
- Atomic Energy Commission, see U.S. Atomic Energy Commission
- austenitic materials
 - anodic polarization curve, 7-86, -87**, -88
 - chromium carbide precipitation, 7-72
 - container material, 7-65
 - and corrosion, 7-66--69, -70*

PART A INDEX (Chapters 1-7)

austenitic materials (continued)

degradation modes, 7-66--68, -83--85,
-229--230
evaluation for containers, 7-65
high-nickel, iron based alloy, 7-25
hydrogen embrittlement, 7-98--99
intergranular corrosion attack, 7-71--83
intergranular stress corrosion cracking,
7-71--83
and low-temperature sensitization,
7-76--80
metal barriers, 7-229--232
and oxidation, 7-68--69
phase stability, 7-97--100
research and development summary,
7-229--232
sensitization, and thermal history of
waste, 7-79**
stainless steel reference container, 7-25
time-temperature-sensitization curves,
7-72, -73**
and transgranular stress corrosion
cracking, 7-71
susceptibility, 7-94--96
vadose water, 7-67
welding considerations, 7-99--100
and well J-13 water tests, 7-67, -69,
-70*, -76, -77*, -78*
see also stainless steel

backfill

at closure, 6-178--178
description, 6-177--178
and drift analysis, 6-242--245
dust control, 6-178
following emplacement, 6-177
and hydrologic analysis, 6-242--245
and information needs, 6-204
and vadose water flow, 6-245--246
water, 6-177

background radioactivity

well J-13 water, 4-46, -47*
Yucca Mountain site ground water, 4-46

Bacon Flat oil field, 1-317

Bare Mountain

base metal potential, 1-283
description, 1-17**, -19, -20**
earthquake densities and energy release,
1-176*
fluorspar, 1-293

Bare Mountain (continued)

Holocene movement, 1-206
piedmont slopes, 1-19
pre-Cenozoic rocks, 1-39***-40**
precious metal potential, 1-283
Quaternary faulting, map, 1-131**
Quaternary tectonic and volcanic
processes, 1-30
topography map description, 1-25
uranium, 1-303

Bare Mountain fault, 1-2**, -187

and calcite deposits, 1-71
description, 1-128, -129*, -132
history, 1-128
maximum earthquake, 1-173*, -193
preliminary data, 1-129*

Bare Mountain fault zone

Quaternary faulting, 1-125*

BARIER

waste package performance model,
7-202--203

barite

Nevada deposits, 1-289**
Nevada resources, 1-288--290
Yucca Mountain potential, 1-290

barium

comparison of sorption procedures, 4-83*
sorption rate constants, 4-104*
sorption ratios, 4-84, -86
distilled water, 4-90*
UE-25p#1 water, 4-90*
well J-13 water, 4-90*
sorption ratios from batch desorption
experiments, 4-72*--73*
sorption ratios from batch sorption
experiments, 4-67*--68*

barometric pressure

Yucca Flat, 5-13*

barriers important to safety, 6-72--79

see also Q List

barriers important to waste isolation, 6-80--81

basalt, Yucca Mountain, 1-70, -95--99

basalt dikes

age, magnetic polarity, and stratigraphy,
1-56*

basaltic volcanism

nature, 1-202--204
Nevada Test Site, 1-97*
Pahute Ridge, 1-203
probabilities, 1-204--206

PART A INDEX (Chapters 1-7)

basaltic volcanism (continued)
 repository effects, postclosure,
 1-204
 repository penetration probability,
 1-204--206
 summary results, 1-336--340
 Yucca Mountain, 1-97*--98*

base metal potential, 1-283
 Bare Mountain, 1-283--284
 Calico Hills, 1-283--284
 Nevada, 1-266--284
 Wahmonie District, 1-283--284
 Yucca Mountain, 1-283--284

baseline monitoring program
 hydrochemical data, 3-165--169

Basin and Range
 basin formation cross section, 1-104**
 province, A-1--2, -3**

batch desorption experiments
 sorption ratios, 4-66, -72*--76*

batch experiments
 desorption data, 4-66, -72*--76*
 sorption data, 4-66--71*, -83*, -84

batch sorption experiments
 description, 4-62--63
 sorption ratios, 4-66--71*

batch sorption ratios, 4-66--82
 compared with other sorption procedures,
 4-83*, -84

Battle Mountain high, 1-307**, -308, -309**
 (see also heat flow)

Beatty, 5-9
 existing and future water use, 3-135*
 precipitation data, 5-18*, -19**
 temperature data, 5-14, -15*, -16
 water supply problems, 3-136
 water use, 3-128

Beatty-Searchlight belt
 metallogenic, 1-266, -268

Beatty Wash
 description, 1-17**, 20**--24**
 physiographic subdivision, 1-26
 and surface hydrology, 3-8

bedrock and mines, map, 1-279*

BEIR III report, 6-256

Belted Range tuff
 correlation with hydrogeologic units,
 3-52*
 drift excavation, 2-102
 field studies in (G-Tunnel), 2-9, -10**,
 -11**, -12, -29, -30**, -31*, -32
 thermal-comparator measurements, 2-72

Belted Range tuff (continued)
 thermal expansion behavior, 2-77, -80, -82
 see also Grouse Canyon Member

benchmarking
 future work, 6-339

Bermuda High
 and thunderstorm activity, 5-10

Bettles Well fault, 1-113**, -114

Big Dune
 topography map description, 1-25

Big Pine fault, 1-113**, -153**
 location, 1-83**

Black Mountain
 caldera, 1-94**, -265**
 location, 1-9**

Black Mountain center
 silicic volcanism, 1-201

Blackburn oil field, 1-316, -317

blast damage
 and rock mass permeability, 6-241--242

block tests, see heated block test and Yucca
 Mountain block test

BMINES
 drift thermal analysis, 6-318

bomb tests, see weapons testing

Bonneville Basin, map, 1-8**

borehole, see boreholes

borehole jack tests, 2-13**, -59*, -60

borehole liners, emplacement hole
 and horizontal orientation, 7-34, -36
 material selection, 7-34, -36
 materials and performance, 7-105
 use, 7-34, -36
 and vertical orientation, 7-34, -36

borehole openings
 stability, research and development
 status, 7-39--40

borehole seals
 description, 6-183, -184**
 emplacement, 6-185

borehole spacing strategy, product 1.11.6-2
 work completed, 6-221, -230--231

boreholes
 completion records (unsaturated zone),
 3-154*--155*
 environmental isotype data, 3-167*
 geochemical facies, 3-166**
 ground-water levels, 3-157*--159*
 history of, 3-5--6
 hydraulic characteristics, 3-169--179
 saturated zone, 3-179--192
 unsaturated zone, 3-169--179

PART A INDEX (Chapters 1-7)

boreholes (continued)

hydrochemical information, 3-165--169
instrumentation (USW UZ-1), 3-151**
matric-potential profiles (USW UZ-1),
3-161**, -162**
potentiometric levels, 3-149, -160--164
pumping test results, 3-188*--189*
saturated zone, 3-153--160, -163--164
unsaturated zone, 3--147--153, -160--163
water-level monitoring, 3-146, -147,
-148**, -160--164
see also emplacement boreholes, horizontal
borehole, and vertical borehole
borosilicate glass, 7-173
dissolution experiments, 4-94
Bottle Creek district, 1-285**
boundary conditions
climate prediction, 5-95--96
climate system, 5-93
boundary-element method, 6-332
and emplacement drifts, 6-308--319
future work, 6-339
HEFF, 6-332
verification and validation, 6-332
Bow Ridge fault, 1-108**
and calcite deposits, 1-71, -73
description, 1-129*, -133
history, 1-128
location, 1-50**
preliminary data, 1-129*
Quaternary faulting, 1-108**, -123*
Brazilian test, see tensile strength
Bruffey oil seep, 1-315
Buckboard Mesa
erosion rates, 1-31*
induced seismicity, 1-199
weapons testing, 1-199, -209, -210**, -212
see also Fortymile Canyon-Buckboard Mesa
hydrographic study area
bulk density
intact rock, 6-48*
test procedures, 2-8*
bulk properties, calculation of, 2-68--69
Bullfrog district
uranium, 1-303
Bullfrog Hills
mineralized district, 1-273**, -277
Bullfrog Member, 1-58--60; 3-185, -186, -219
age, magnetic polarity, and stratigraphy,
1-56*
areal power density, 6-318
clinoptilolite analyses, 4-30*--31*

Bullfrog Member (continued)

comparison of geologic units, 6-225
compressive tests, 2-27, -34
core samples, 2-14
correlation with hydrogeologic units,
3-53*, -139**
creep deformation, 2-38
drift sensitivity analysis, 6-317
fluid-induced fracturing, 2-90
fracture potential, 6-323
hydraulic conductivity, 3-188*, -190*
hydrothermal alteration, 1-282
permeable zones, 3-191**
rock mass classification, 2-104
sensitivity study, 6-233
shear stress at failure, 2-36**
simulated joint mechanical properties,
2-46
smectites, 4-35
stratigraphy at Yucca Mountain, 3-138**
temperatures, 2-74
thermal conductivities, 2-71, -71*
thermal expansion, 2-74--75, -76*
thermal/mechanical stratigraphy, 2-17**
transmissivity, 3-188, -189*
and unit evaluation study, 2-105
water production rate, 3-186**
Young's modulus, 2-60
Bullfrog tuff
and corrosion testing, 7-94
Busted Butte
and calcite deposits, 1-71
compressive strength, 2-40
core samples, 2-14
laboratory data source, 2-6, -12
lithophysal samples, 2-14, -40, -73
location, 2-7**
recent Quaternary movement, 1-206
stream incision, 1-34*
topography map description, 1-25
Busted Butte Wash
analysis for 100-yr flood, 6-68, -69**
analysis for 500-yr flood, 6-68, -69**
analysis for regional maximum flood, 3-19;
6-68, -69**
chemical composition, 3-25, -27*
drainage basin, 3-19
flood hazard, 3-19; 6-335--336
and Fortymile Wash, 3-18
location, 3-20**, -26**
water depth, 6-336

PART A INDEX (Chapters 1-7)

- calcic-clinoptilolite and heulandite, Yucca Mountain
 - exchangeable-cation ratios, 4-33**
 - silicon-to-aluminum ratios, 4-32**
- calcic horizon and infiltration, 3-33--34
- calcite deposits
 - age, 1-71, -73
 - along faults, fractures, and surfaces, 1-71--74
 - fluid inclusion studies, 1-73--74
 - paleontological studies, 1-74
 - possible analogs, 1-74
 - stable isotope studies, 1-73
 - and waste isolation, 1-74
- calcium-magnesium-bicarbonate facies, 3-95
- calderas
 - location, 6-39**
 - southwest Nevada, 1-94**
 - southwestern Nevada volcanic field, 1-265**
- Calico Hills
 - areal power density, 6-318
 - base metal potential, 1-283
 - drift sensitivity analysis, 6-317
 - fracture potential, 6-323
 - and mineralization, 1-264
 - nonwelded vitric unit, 6-80--81
 - nonwelded zeolithic unit, 6-80--81
 - pre-Cenozoic rocks, 1-39**--40**
 - precious metal potential, 1-283
 - zeolitized tuff
 - and exploratory shaft, 6-179
 - and ground-water control, 6-164
- Calico Hills nonwelded unit
 - conceptual moisture flow, 3-194**, -215**
 - east-west cross section at Yucca Mountain, 3-145**
- Calico Hills tuff, see tuffaceous beds of Calico Hills
- California Administrative Code
 - air velocity, 6-333
 - design and legal requirements, 6-8, -17*
- caliper logs, geophysical logging, 1-249
- Cambric nuclear explosion
 - chlorine pulse, 4-135, -137**, -138
 - and drillholes, 4-135, -136**, -138
 - field tests, 4-134--138
 - Nevada Test Site, 4-134--135
 - radionuclide migration, 4-134--138
 - TRACR3D, 4-134--135
 - tritium pulse, 4-135, -137**, -138
- Cameca electron microprobe
 - mineralogic analytical technique, 4-9
- candidate site
 - definition, A-5
 - geographic setting, A-1--2, A-3**
- CANDU fuel
 - characteristics, 7-116*
 - and oxidation tests, 7-144, -145
 - and spent fuel dissolution testing, 7-114, -136, -137--138
- canister-scale heater test, 2-13**
 - rock-mass response, 2-64
 - thermal effects of waste emplacement, 2-110
- capacitance, Topopah Spring welded unit, 3-179, -180**
- carbon dioxide, atmospheric, 5-93
- carbon solubility
 - literature summary, 4-98
 - in well J-13 water, 4-100*
- carbonate aquifer isotope data, 3-100**, -101*, -102--103
- carbonate-tuff (mixed) isotope data, 3-100**, -101*, -102--103
- caretaker
 - operations, 6-98
 - schedule, 6-31**, -32
- Carson River discharge
 - and precipitation records, 5-49**
- Carson Slough
 - chemical composition, 3-25, -27*
 - location, 3-2**, -26**
- Case Spring fault zone, 1-178**
- Castle Peak district, 1-285**
- CD, see conceptual design
- Cedar Mountain earthquake, 1-111, -113**, -330
 - proposed model, 1-112**
- Cenozoic rocks
 - distribution, region, 1-48--49
 - Yucca Mountain, 1-55--74
- Cenozoic volcanic rocks, distribution, 1-90**--93**
- central Great Basin
 - description, 1-10**--11*, -13--14
 - erosion rates, 1-31*
 - morphometric characteristics, 1-10**--11*
- cerium
 - sorption ratios, 4-84
 - sorption ratios from batch desorption experiments, 4-72**--73*
 - sorption ratios from batch sorption experiments, 4-67**--68*

PART A INDEX (Chapters 1-7)

- cesium,
 - comparison of sorption procedures, 4-83*
 - diffusion and slow sorption, 4-103**
 - solubility
 - literature summary, 4-98
 - in well J-13 water, 4-100*
 - sorption behavior
 - and clinoptilolite abundance, 4-84, -85**
 - and stratigraphic depth, 4-85**
 - sorption rate constants, 4-104*
 - sorption ratios, 4-84
 - distilled water, 4-88, -89*
 - UE-25p#1 water, 4-88, -89*
 - well J-13 water, 4-88, -89*
 - sorption ratios from batch desorption experiments, 4-72*-73*
 - sorption ratios from batch sorption experiments, 4-67*-68*
- characterization programs, hydrology related, 3-1
- Charleston Peak, location, 1-9**
- chemical composition
 - ground water, 3-80, -82--103
 - surface water, 3-25--28
 - see also hydrochemistry
- chemical equilibrium modeling
 - present state, 4-6
 - see also EQ3/6
- China Lake
 - location of, 5-44**
 - and Owens River system, 5-64**, -65**
- chloride distribution
 - change with time, thermal pulse, 4-127**
- chlorine pulse
 - and Cambrian nuclear explosion, 4-135, -137**, -138
- chromium carbide precipitation
 - austenitic materials, 7-72
- Cima volcanic field
 - erosion rates, 1-31*
 - location, 1-9**
- cinnabar, 1-284, 1-287
- circulating system
 - compared with other sorption procedures, 4-83
 - description, 4-60--61, -64
 - sorption data, 4-83
- circulation models, general, 5-97--98
- CIT, see computed impedance tomography
- cladding split
 - and fuel oxidation tests, 7-146
- Claim Canyon Caldera, 1-94**
- clay deposits, 1-297*-300*, -301
- CLIMAP Project
 - and sea surface temperature modeling, 5-41, -98
- climate
 - existing
 - summary, 5-102--103
 - future, summary, 5-104--105
 - future variations, 5-91--101
 - and 10 CFR Part 60, 5-2, -6
 - and 10 CFR Part 960, 5-2, -6
 - prediction methods, 5-95--101
 - system components, 5-92--93
 - and geomorphic processes, 1-29
 - information needs, identification of, 5-105--106
 - investigations
 - identification of, 5-105--106
 - work completed, summary, A-9
 - and meteorology, 5-1--106
 - data uncertainties, 5-8, -99--100, -104--105
 - and issues, 5-1
 - long-term climatic assessment, 5-38--102
 - recent, 5-8--37
 - and Regulatory Guide 4.17, 5-106
 - and repository surface facilities design, 5-105
 - summary, 5-102--105
 - work completed, summary, A-9
- models
 - boundary conditions, 5-93, -95, -100
 - classification, 5-95
 - Community Climate Model, 5-41, -42, -98
 - data uncertainties, 5-8, -90, -91, -99--100, -104--105
 - fast response components, 5-97--98, -100
 - generalized late Quaternary, 5-102
 - global, 5-8, -97
 - ice sheet geometry, 5-93, -97
 - Imbrie and Imbrie, 5-96
 - late Quaternary variations, 5-102
 - slowly varying components, 5-93--97, -100, -105
 - spatial disaggregation, 5-98--99
 - validation, 5-8, -72, -87, -99--101
 - prediction methods, 5-95

PART A INDEX (Chapters 1-7)

- climate (continued)
 - recent, 5-9--38
 - atmospheric moisture, 5-13*, -21, -22*
 - historical data, 5-47--54
 - local and regional meteorology, 5-10--11, -32--36
 - precipitation, 5-16--20, -18**, -19**, -49**
 - severe weather and obstructions to visibility, 5-27--28, -30, -31*, -32*
 - site meteorological measurement program, 5-36--38
 - temperature, 5-12*--13*, -14--16, -15*
 - upper air data, 5-25, -26**, -27*, -28*, -29**
 - wind speed and direction, 5-21--25, -22*, -24**, -26**, -27*, -28*, -29**, -31*
 - synoptic characterization, 5-101
 - and terrain, Yucca Mountain, 5-10--11
 - and vegetation relationships, 5-71--89
 - Yucca Mountain, 3-8--9
 - climate assessment, long-term, 5-38--102
 - future climate variation, 5-2, -6--8, -91--101
 - paleoclimatology, 5-40--91
 - site paleoclimate investigations, 5-101--102
 - summary, 5-103--104
 - climate change simulations
 - and astronomical forcing, 5-42
 - climatic changes
 - and geochemical stability, 4-144, -145
 - climatological summary
 - Yucca Flat, 1962--1971, 5-12*--13*
 - climatological zones, 5-9
 - climatology and meteorology, see climate, and meteorology
 - Climax stock area
 - in situ stress, 1-143**
 - clinoptilolite
 - exchangeable cations at Yucca Mountain, 4-34**
 - hydrothermal alteration, 4-120--121
 - and silica activity, 4-38
 - sorption, 4-27, -35, -84, -85**
 - clinoptilolite analyses
 - Topopah Spring Member, 4-30*--31*
 - zeolitized intervals, 4-30*--31*
 - clinoptilolite-heulandites
 - Yucca Mountain site, 4-27--35
 - see also sorptive zeolites
 - closure
 - borehole, 6-102**, -106**, -116**, -120**
 - and decommissioning operations, 6-98
 - and licensing, 1-3
 - phase, 6-24*
 - schedule, 6-31**, -32
 - coal
 - deposits, Coaldale, 1-314
 - resources, 1-313, -311
 - Coaldale
 - coal deposits, 1-314
 - Coaldale fault zone, 1-113**
 - CODATA, see Committee on Data for Science and Technology
 - Code of Federal Regulations
 - design and legal considerations, 6-8, -9*--15*
 - code validation, see validation and verification and validation
 - coefficient of friction
 - deformability property, 6-53*, -55
 - plots, 2-53**, -55**
 - reference values, 2-65*
 - rock strength, 6-57
 - coefficient of linear thermal expansion
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - coefficient of thermal expansion
 - nonsite rocks, 2-80--81
 - nonsite tuffs, 2-70*
 - recommended values, 2-78*
 - cohesion
 - rock mass, 6-56*
 - Yucca Mountain tuff, intact rock, 2-44*, -65*; 6-50*
 - see also joint cohesion
 - colloids
 - and radionuclide transport, 4-106--108
 - well J-13 water, 4-46--48
 - Yucca Mountain site ground water, 4-46--48
 - Colorado Plateau, 1-8**, -9**, -16**
 - Columbia Plateau, 1-8**
 - Committee on Data for Science and Technology
 - and thermodynamic data base, 7-192
 - compliance analysis
 - retrievability, 6-284--288
 - compliant-joint constitutive models, 2-20--21; 6-284

PART A INDEX (Chapters 1-7)

- compliant joint model, 6-284, -327, -328**, -339
- compressive mechanical testing, Yucca Mountain Project, 2-26*
- compressive strength, 2-29--41
 - anisotropy of, 2-40
 - Bullfrog Member, 2-27, -34
 - Busted Butte, 2-40
 - and confining pressure, 2-32--35
 - and fluid pressure, 2-32--35
 - and functional porosity, 2-40--41
 - Grouse Canyon Member, 2-30**, -31*, -38, -40
 - and inhomogeneities, 2-40
 - lithophysae effects, 2-38, -40
 - and porosity, 2-41
 - and rate-dependent behavior, 2-35, -37--38
 - sample size effects, 2-40--41
 - strain rate effects, 2-37*
 - and temperature, 2-35
 - Tiva Canyon Member, 2-34
 - Tram Member, 2-27
 - and water saturation, 2-29, -30**, -31*, -32
 - see also unconfined compressive strength
- computed impedance tomography
 - and dehydration-rehydration effects, 7-46
 - and fracture flow process, 7-48--49
- computer codes
 - future verification, 6-338--339
 - and Issue 1.11 (configuration of underground facilities), 6-213, -214*--217*
 - and Issue 1.12 (seal characteristics), 6-237, -238*
 - and Issue 2.3 (accidental radiological releases), 6-253, -254*
 - and Issue 4.4 (preclosure design and technical feasibility), 6-296, -297*--300*
 - thermal loading and thermomechanical rock response, 6-214*--217*
- concentration of leached elements
 - glass waste form, 7-163
- conceptual design, 6-1
 - advanced, definition, A-10
 - description, 6-81--200
 - work completed, 6-301--302
 - functional requirements, 6-8, -18*--19*, -20*--23*, -24*
 - geologic data, 6-35--72
 - geotechnical data, 6-35--72
 - conceptual design (continued)
 - legal requirements, 6-6--8, -9*--17*
 - phase, definition, A-10
 - postclosure aspects, 6-234
 - reference designs, 6-302
 - reference values and design assumptions, 6-301--302
 - status, 6-82
 - summary, 6-1, -81--200
 - conceptual design report, A-11; 6-1
 - design requirements, 6-6--35
 - configuration of underground facilities (postclosure) (Issue 1.11)
 - analysis needs, 6-234
 - and climatology and meteorology, 5-1
 - computer codes used, 6-213, -214*--217*
 - development needs, 6-234
 - future work, 6-234--235
 - and hydrologic system, 3-240
 - information needs description, 6-213, -218--221
 - issue statement, 6-211
 - regulatory basis, 6-212
 - repository design, 6-205, -262
 - site information needs, 6-235
 - work completed, 6-221--234
 - confining pressure
 - and compressive strength, 2-32--35
 - construction, repository
 - effects on radionuclide transport, 4-144
 - and information needs, 6-206--207
 - and license application, 1-2--3
 - materials
 - deposits, 1-296, -298*--301*
 - resource potential, 1-296--297
 - 298*--301*, -302
 - Yucca Mountain potential, 1-302
 - schedule, 6-29, -31**
 - stages, 6-29
 - underground facility, 6-157--159
- container
 - alloy compositions, 7-26*
 - alternative, copper alloy, 7-34
 - breach-time distribution, 7-150
 - candidate materials, 7-65, -104
 - containment enhancement, 6-235
 - design requirements, 7-14
 - fabrication and assembly processes, 7-29, -31
 - materials
 - long-term performance projections for, 7-102--103

PART A INDEX (Chapters 1-7)

- container (continued)
 - materials (continued)
 - selection of, 7-102--103
 - properties of candidate materials, 7-27*
 - reference alloy system, 7-25
 - welding considerations, 7-99--100
 - see also waste container
 - containment by waste package (Issue 1.4)
 - and hydrologic system, 3-238
 - containment enhancement strategy, product 1.11.6-4
 - work completed, 6-233--234
 - containment lifetimes
 - projections, 7-100--103
 - containment, underground facility, 6-2
 - contamination
 - ground water, 3-4, -29, -35, -49--50, -168
 - surface water, 3-29, -35, -49--50
 - contingency plan, underground facility, 6-232
 - continuum approach, aquifer modeling, 3-6
 - continuum model, near field, 7-51
 - controlled area
 - definition, A-5; 6-27
 - faulting, 1-206
 - fractures, 1-135
 - geology, 1-1
 - geothermal energy, 1-150
 - resource potential, 1-287, -301
 - uplift and subsidence, 1-147
 - volcanism, 1-202, -203, -205, -337
 - controlling earthquake source
 - underground facility design, 6-337
 - cooling requirements
 - horizontal emplacement, 6-334, -335*
 - vertical emplacement, 6-334, -335*
 - cooling unit petrology, 4-7--8, -10
 - copper alloy materials
 - alternative container, 7-34
 - alternative waste package, 7-227
 - evaluation for containers, 7-65
 - intergranular corrosion, 7-104, -231
 - metal barriers, 7-229--231
 - pitting corrosion, 7-104
 - research and development summary, 7-229--232
 - copper alloy system, container, 7-103--105
 - candidate materials, 7-104--105
 - degradation modes, 7-103, 104--105
 - and test plan, 7-104
 - Cordilleran miogeosyncline
 - cross section, 1-41**
 - core library, 2-14
 - and preservation of stratigraphic contacts, 2-14
 - corehole sample locations, 2-7**
 - Corn Creek Flat and prehistoric lakes, 5-70
 - corrosion
 - and alloy 825, 7-102
 - austenitic materials, 7-66--68
 - and sensitized microstructure, 7-67
 - and well J-13 water, 7-67, -70*
 - and vadose water, 7-67
 - containment lifetimes, 7-100--103
 - and copper alloy materials, 7-104--105
 - forms
 - and sensitized microstructure, 7-67
 - and well J-13 water, 7-67
 - intergranular, see intergranular corrosion and intergranular stress corrosion cracking
 - localized, see localized corrosion
 - and long-term container performance, 7-102--103
 - potential in irradiated well J-13 water, 7-90
 - rates
 - and corrosion model, 7-208--209
 - and stainless steels, 7-70*
 - stainless steel, 316L, potential, 7-91**
 - tests
 - austenitic materials, 7-69, -70*
 - Bullfrog tuff, 7-94
 - transgranular, see transgranular stress corrosion cracking
 - waste package performance, 7-201
 - and welding considerations, 7-99--100
 - corrosion degradation modes
 - and alloy composition, 7-85
 - aqueous environment composition, 7-83
 - austenitic materials, 7-83--85
 - and chloride ion concentration, 7-83, -84**
 - crevice corrosion, 7-83, -85
 - pitting corrosion, 7-83--85
 - research and development status, 7-83, -85
 - transgranular stress corrosion cracking, 7-83--85
 - corrosion model
 - and corrosion modes, 7-208
 - and corrosion rate, 7-208
 - and cumulative barrier metal thickness, 7-208
 - and degradation modes, 7-208

PART A INDEX (Chapters 1-7)

corrosion model (continued)

- and gamma ray dose rate model, 7-208
- intergranular stress cracking, 7-208
- and mechanical model, 7-206--207
- and metal barrier thickness, 7-208
- and performance assessment model, 7-208
- and sensitization history, 7-208
- and thermal model, 7-208
- for waste package container, 7-102--103
- waste package postclosure performance assessment, 7-208
- and waste package system model, 7-203, -208, -218**--219**
- and water chemistry, 7-208

Coso volcanic field, 1-188

cost, 6-340--346

- alternative repository, 6-342, -343--344
- alternative total system design, 6-344, -344--346
- alternative waste package, 6-342, -343
- future work, 6-346
- reference repository, 6-342, -343--344
- reference total system design, 6-344, -344--346
- reference waste package, 6-342, -343

coulomb failure criteria parameters, 2-33*

COYOTE

- finite-element method, 6-325--326
- verification and validation, 6-325--326

Crater Flat

- caldera, 1-94**, -265**
- description, 1-17**, -19, -20**--24**, -25
- earthquake densities and energy release, 1-176*
- future silicic eruptions, 1-202
- future volcanism, 1-337
- hydrographic study area, 3-2**, -9*, -117**, -122*
- landforms, 1-27
- middle Tertiary volcanism, 1-95, -331
- Quaternary tectonic and volcanic processes, 1-30
- volcanic cinders and pumice, 1-301

Crater Flat tuff, 1-58--60

- age, magnetic polarity, and stratigraphy, 1-56*
- correlation with hydrogeologic units, 3-54*
- hydrothermal alteration, 1-282
- permeable zones, 3-191**
- potential flow path, 4-53

Crater Flat tuff (continued)

- stratigraphy, 3-138**
- test holes, 3-156
- thermal conductivities, 2-71
- thermal expansion, 2-75
- water production rate, 3-186**

Crater Flat undifferentiated unit

- conceptual moisture flow, 3-194**
- correlation with hydrogeologic unit, 3-139**
- east-west cross section at Yucca Mountain, 3-145**, -194**

credible repository accidents (Information Need 2.3.1), 6-253

creep deformation

- Bullfrog Member, 2-38
- Grouse Canyon Member, 2-38

crest-stage sites

- gages, 3-15
- location of, 3-12**
- summary of streamflow data, 3-10*--11*

crevice corrosion, 7-83--85

- and copper materials, 7-104
- research and development status, 7-83--85, -86
- summary of testing, 7-97

see also corrosion degradation modes and localized corrosion

creviced specimens

- localized corrosion testing, 7-93--94
- and well J-13 water, 7-93

cristobalite transition, 7-40

criteria for contingency plan, product

- 1.11.3-5
- work completed, 6-232

criticality control (Information Need 2.7.3), 6-271

cross sections

- aquifers and aquitards in the Southern Great Basin, 1-42**
- basin formation, modes of, 1-104**
- east-west stratigraphic, drillholes, 1-53**
- geologic, Yucca Mountain, 1-106**
- Great Basin, 1-41**
- hydrogeologic
 - conceptual moisture-flow system at Yucca Mountain, 3-194**
 - Solitario Canyon to well J-13; 3-215**
 - Yucca Mountain unsaturated zone, 3-145**
- locations, 1-51

PART A INDEX (Chapters 1-7)

cross sections (continued)

north-south stratigraphic, drillholes,
1-52**

Protozoic and Paleozoic rocks of
Cordilleran miogeosyncline, 1-41**

stratigraphic

Yucca Mountain, 3-138**

Yucca Mountain structural block, 1-126**

crushed-tuff column

adsorption-dynamic process, 4-61

procedure, 4-60--61

sorption data, 4-82, -83*

sorption ratios compared with other

sorption procedures, 4-82, -83*

crustal deformation, 1-112**

crustal movement, 1-147

investigations summary, 1-350--351

lateral, vertical, 1-147

postclosure, 1-212--213

summary, 1-334, -338, -339--340

Crystal, water use, 3-135*

Crystal Reservoir, 3-2**, -13

water use, 3-24

crystallization

ash-flow tuff, 4-7

CSIR, see South African Council for Scientific and Industrial Research Classification System

curium solubility

in well J-13 water, 4-100*

Currant oil field, 1-318

dacitic lava

and flow breccia, 1-58

Daisy Mine, 1-279**

fluorspar, 1-293

data base

current, 2-16, -18

development

geoengineering (rock) properties, 2-6,
-8, -12, -13**

history and strategy, 2-6

data needs, 2-2--5, -112--113

data requirements list, product 1.11.1-1

work completed, 6-231

data uncertainties

climate and meteorology, 5-8,
-103--105

climate models, 5-8, -99--100,
-104--105

ecology, 5-8

data uncertainties (continued)

geoengineering properties, 2-21--22,
-113

geology, 1-5--6

glaciation, 5-90, -104

hydrologic, 3-6--8

lake core ages, 5-8, -56--57

lake cycle and precipitation

relationship, 5-103--104

Lake Manly, 5-69

meteorological, 5-8, -103

pack rat midden ages, 5-8, -75

paleobotanic, 5-87, -105

paleolacustrine, 5-43, -56, -71, -103,
-105

paleolimnological, 5-43

palynological, 5-75, -85

preliminary evaluation, 2-113

time series, vegetational, 5-71--72, -105

see also uncertainties in waste package
development

DATAO

thermodynamic data file, 7-192

dating methods and paleolake size, 5-56

Deaf Smith County site, 1-1

Death Valley

basaltic volcanism field characteristics,
1-97*

drainage system, 5-69--70

and ground-water discharge, 3-72*

location, 1-9**

perennial surface-water, 3-24

vegetation, 5-85

Death Valley and Lower Amargosa hydrographic study area, 3-2**, -9*

Death Valley fault zone, 1-2**, -83**, -113**, -153**

Death Valley-Furnace Creek fault system

strike-slip faulting, 1-110, -114

Death Valley ground-water basin

and hydrogeologic study areas, 3-4, -50

Death Valley ground-water system, 6-66

and hydrogeologic and hydrographic study
areas, 3-117**

Death Valley Hydrographic Region of California and Nevada, 3-8

Death Valley Junction

existing and future water use, 3-135*

Death Valley National Monument

spring discharge areas, 3-35

water use, 3-120--121

PART A INDEX (Chapters 1-7)

- Death Valley-Pancake Range
 - basaltic flows, 1-327
 - belt, 1-118**
 - description, 1-48--49
 - volcanic zone description, 1-95--96
 - volcanism, 1-203
- debris hazard potential studies, 3-22
- decommissioning and licensing, 1-3
- decrepitation of rock mass
 - near-field, 2-90--91
 - Topopah Spring Member, 2-111
- defense high-level waste
 - package, 7-30**
 - and radionuclide ratios to Environmental Protection Agency limits, 4-57*
- deformability properties
 - design data, 6-54--55, -56*
- deformation mechanism
 - fracture, 6-58--59
- deformation models
 - data required, 2-5
- deformation modulus, see modulus of deformation
- degradation modes
 - austenitic materials, 7-66--68, -229
 - and chloride, 7-83
 - and containment lifetimes, 7-100--102
 - copper-alloy system, 7-103, -104--105
 - and corrosion model, 7-208
 - metallic containers, 7-238
 - and microbiological organisms, 7-68
- degradation of rock mass
 - and stratigraphic variations, 2-91
 - thermally induced, 2-90--91
- dehydration-rehydration
 - experiments, 7-46--48
 - and fluid flow experiments, 7-46
 - near-field environment, 7-38
 - Topopah Spring tuff, 7-38
- demonstration breakout room testing, 2-13**
- dendroclimatology, 5-73
- density
 - alluvium, 2-97
 - Yucca Mountain tuffs, 2-77, -78*
 - see also bulk density and grain density
- density logs, geophysical logging, 1-241, -244
- Department of Energy, see U.S. Department of Energy
- Desert Rock
 - precipitation, 5-18**, -19*
- design
 - analyses, 6-290--292, -306--338
- design (continued)
 - basis, 6-6--81
 - classification, 6-28
 - constraints, 6-219
 - criteria
 - for geologic repository operations, 6-263*--270*
 - for radiological safety, 6-262--273
 - retrievability, 6-32--34, -283
 - current, 6-82, -84**
 - data
 - deformability properties, 6-54--57
 - discontinuities, 6-59--62
 - dust, 6-72
 - flood, 6-68, -69**, -70
 - fracture, 6-52*--53*, -59, -60*--61*
 - geology, 6-36--44
 - geotechnical, 6-47, -62
 - grain density, 6-54
 - ground water, 6-66--68
 - hydrologic considerations, 6-65--68
 - lithology, 6-41, -42**
 - mechanical properties, 6-49*--51*
 - physical properties, 6-47--54
 - porosity, 6-47, -48*, -54
 - rock strength properties, 6-57--59
 - seismic, 6-70--71
 - soil and rock, near surface, 6-38, -41
 - stratigraphy, 6-41, -42**
 - strength properties, 6-57--59
 - stress, 6-46--47
 - surface water, 6-65--66
 - temperature, 6-44, -46*
 - terrain, 6-38, -39**, -40**
 - thermal capacitance, 6-63*--64*, -65
 - thermal conductivity, 6-62, -63*--64*
 - thermal expansion, 6-62, -63*--64*, -65
 - topography, 6-38, -39**, -40**
 - data needs, 6-208--346
 - earthquakes, 6-70--71, -71*
 - elements, summary, A-11, -13
 - emplacement panels, 6-147-153
 - and geoenengineering properties, 2-113--114
 - and ground motion, 6-70--71
 - hydrologic considerations, 6-65--68
 - hydrology-related issues, 3-1, -240
 - information cutoff, 6-4
 - information needs assessment, 6-201--208
 - in situ stress, 6-46*, -47
 - in situ temperature, 6-44, -46*

PART A INDEX (Chapters 1-7)

design (continued)

- and issue resolution strategy, 6-209--211
- issues, 6-208--346 (see also specific issue)
- main entry drifts, 6-144, -145**, -146**, -147*
- maintenance shops, 6-153, -154**, -155**
- natural phenomena values, 6-26*
- peak accelerations, 6-70, -71*
 - earthquake, 6-71*
 - underground nuclear explosion, 6-71*
- perimeter drifts, 6-144, -145**, -146**, -147*
- phases, A-10; 6-1--2
- preclosure waste emplacement package constraints, 7-14
- and probable maximum flood, 6-26*, -68, -69**, -70, -134--135
- and public safety considerations, 6-26--27
- radiological, 6-27--28
- ramps, 6-124, -135--142
- reference, 6-302
- reference data base, 6-35--72
- repository, 6-6--35, -82, -84**
- requirements
 - Code of Federal Regulations, 6-9*--15*
 - container, 7-14
 - critical, 6-2
 - functional, 6-8, -20*--23*
 - ground-water protection, 6-27
 - ground-water travel time, 6-27
 - interrelationships, 6-7**
 - legal, 6-6, -8, -9*--17*
 - Nuclear Waste Policy Act, 6-1, -6, -8
 - primary, 6-7**
 - repository, 6-6--35
 - State of California, 6-16*
 - State of Nevada, 6-16*
 - subsystem, 6-7**
 - summary, A-11, -13; 6-1, -6--35
 - waste form, 7-14
 - waste package, 7-12--17
 - waste package-environment
 - interactions, 7-15--16 (see also waste package design requirements)
- retrievability input, 6-283
- shaft, 6-124, -128, -135--142
- and site characteristics, A-10--11
- thermal expansion coefficient, 6-62, -63*--64*

design (continued)

- underground access, 6-124, -128
- underground facility, 6-142--175, -176**
- and underground nuclear explosions, 6-336--338
- underground openings, 6-202
- values
 - natural phenomena, 6-26*
 - waste handling building, 6-128, -131*--133**
 - waste package, 7-19--37
- design analyses (Information Need 4.4.7), 6-295
- design constraints to limit excavation effects (Information Need 1.11.5), 6-219
- design constraints to limit water use (Information Need 1.11.4), 6-219
- design work, scope and status, A-10--14
- detachment faults, 1-105, -107**, -109
 - location, southern Great Basin, 1-107**
 - Yucca Mountain, 1-108**, -264
 - see also faults
- Devils Hole
 - past water table, 3-110, -113
 - pupfish, 3-123
 - water level, 3-123
- dewatering
 - thermally induced, 2-89, -93--97
 - Topopah Spring Member requirements, 2-107
- diagenetic zones
 - Yucca Mountain site, 4-37
- diffusion
 - into rock matrix, 4-101--102, -103**, -104
 - in solid tuff
 - adsorption-dynamic process, 4-61
- discharge, see ground-water discharge
- discontinuities
 - geometric characteristics, 6-59--62
 - and mechanical properties, 2-43--56, -64--66
- discrete discontinuities model, 6-339
- discrete fracture approach, aquifer modeling, 3-6
- discrete fracture model, 7-51
- dispersion
 - characterization, 5-32
 - data required, 5-37
 - and permitting, 5-33
 - temperature inversion effects, 5-10

PART A INDEX (Chapters 1-7)

- displacement analyses needed, 2-3
 - emplacement hole stability, 2-4
 - far-field, 2-4
- disposal
 - schedule, 6-31**, -32
- disposal system, see mined geologic disposal system
- dissolution
 - experiments
 - borosilicate glass, 4-94
 - high-level waste forms, 4-94
 - spent fuel, 4-94
 - rate
 - constants, 7-61
 - spent fuel matrix, 7-150
 - reactions
 - EQ3/6, 7-61
 - spent fuel studies, 7-113--140
- dissolved gas
 - Yucca Mountain site ground water, 4-42*, -46
- distribution coefficient
 - adsorption, 4-59--60
- distribution and age of paleolakes in Great Basin, 5-57--71
 - see also paleolakes in Great Basin, distribution and age
- disturbed zone
 - ground-water flow to accessible environment, 3-214
- diurnal variations, wind, 5-22
- DOE, see U.S. Department of Energy
- dollies, emplacement hole, 7-37
- Dome Mountain
 - earthquake densities and energy release, 1-176*
 - seismicity and focal mechanisms, 1-178**
 - seismicity of, 1-175, -178**, -179**, -180
- doses
 - worst-case releases, accidental, 6-256--257
- DOT
 - drift thermal analyses, 6-308--310
 - elastic horizontal borehole calculations, 6-321
 - finite-element code, 6-308, -310, -321
- downwasting rates, 1-33
- DP West site, see Los Alamos liquid waste disposal site
- drainage and moisture control plan, product 1.11.3-4
 - work completed, 6-232
- drainage, subprovinces, 1-12
- drainage control
 - vertical emplacement, 6-167**
- drift
 - analysis
 - areal power density, 6-309
 - backfilling, 6-243--244
 - and stress profile, 6-316**
 - backfill
 - and hydrologic analysis, 6-243--244
 - and vadose water, 6-245--246
 - bulkhead sealing, 6-189**
 - cooling
 - calculations, 6-334, -335*
 - horizontal emplacement, 6-334, -335*
 - vertical emplacement, 6-334, -335*
 - drainage analysis and sealing, 6-240--241
 - excavation, 2-100--108
 - hydrologic analyses, 6-240--246
 - locations, 6-315**
 - monitoring, 2-13**
 - sensitivity studies, 6-317, -318
 - temperatures, 6-308--309, -318
 - thermal analyses, 6-308--310, -317, -318, -321
- drifts and ramps
 - ground support, 6-161--163, -163**
- Drill Hole Wash 1-121**
 - analysis for 100-yr flood, 6-68, 69**
 - analysis for 500-yr flood, 6-68, -69**, -70
 - analysis of regional maximum flood, 6-68, -69**
 - chemical composition, 3-25, -27*
 - flood hazard, 6-335--336
 - and flood potential, 3-19
 - and flood protection, 3-23
 - hydrologic nature, 6-247
 - location, 3-17**, -20**
 - probable maximum flood, 6-135
 - water depths, 6-336
 - well, tritium in, 3-28
 - well temperature profile, 3-28
- Drill Hole Wash fault
 - site boundary, 1-332
- drillholes
 - cross section, site, 1-52***-53**
 - and exploration block, 4-43**
 - and fracture data, 1-136
 - and gold analyses, 1-282--283
 - histories, 1-239--240
 - and in situ stress, 1-140, -143**

PART A INDEX (Chapters 1-7)

drillholes (continued)

location, Yucca Mountain, 1-50***-53**,
-72**, -213--239
mineral abundances, 4-77*-80*
paleotemperatures, 1-279**
petrologic characteristics, 4-77*-80*
published reports, 1-252*-253*
repository, facility, 1-254
saturated zone, 3-156--160
and site stratigraphy, 1-49
status, 1-216--239
testing in, 1-251--255
UE-25a#1, see UE-25a#1 drillhole
UE-25b#1, see UE-25b#1 drillhole
UE-25p#1, see UE-25p#1 drillhole
unsaturated zone, 3-147--153, 154*--155*
USW G-1, see USW G-1 drillhole
USW G-2, see USW G-2 drillhole
USW G-3, see USW G-3 drillhole
USW GU-3, see USW GU-3 drillhole
water table, 1-251
within 10 km, 1-215**, -222*--238*
within perimeter drift, 1-213, -214**,
-216, -217*-221**
Yucca Mountain reports, 1-252*-253*
Yucca Mountain site
locations, 4-43**
mineralogic compositions, 4-15
temperature, 4-49**

drilling

history, 1-213--255
investigations summary, 1-353
summary results, 1-340--341

drilling activity

summary, 1-213--216
within 10 km, 1-213, 215**, -216,
-222--238
within perimeter drift, 1-213, -214**,
-217--221*

drilling and blasting, 2-107

drilling fluids, 3-187, -199--200

effects of use, 3-50

driver model

combined processes flow, 7-220**
data flow for waste form alteration and
waste transport, 7-222**
data flows, 7-212*--213**, -214*--215*,
-216**, -218*--222**
data flows for corrosion increment
process, 7-219**
data flows for corrosion rate processes,
7-218**

driver model (continued)

data flows for radiation, thermal, and
mechanical stress, 7-216**
mechanical or corrosion failure modes,
7-221**
and waste package performance assessment,
7-198
waste package postclosure performance
assessment, 7-211--223
and waste package system model,
7-211--223
waste transport, 7-222**
dual porosity approach, aquifer modeling,
3-6, -173
dune chronologies, 5-70
dust characteristics
design data, 6-72
dust control
backfilling water, 6-178
dust devils, 5-28

Eagle Mountain, location, 1-9**

Eagle Springs, oil, 1-316

earthquake, controlling source

Paintbrush Canyon fault, 6-337

earthquake-induced phenomena

and effect on site, 1-189

earthquakes

completeness record, 1-164*
density, 1-176*
and design, 6-70--71
deterministic estimates, 1-192--193
energy release, 1-162**, -176*
energy release map, 1-161**, -162**
epicenters, 1-152**
estimates, 6-337--338
and faults, 1-173*
focal depths, 1-169**
focal mechanisms, 1-159--160
and geologic structures, 1-171--187
historical, 1-151--160, -164
impounding Lake Mead, 1-161**
magnitudes, 1-159
Massachusetts Mountain, 1-171
maximum, 1-192
potential

and geologic structures, southern
Great Basin, 1-187--189
and seismotectonic zones, southern
Great Basin, 1-187--189
southern Great Basin, 1-186--189

PART A INDEX (Chapters 1-7)

earthquakes (continued)

- probabilistic assessment, 1-189
- probabilistic estimates, Yucca Mountain, 1-193--196
- recurrence model, 1-160--164
- recurrence rate models, 1-190, -191**, -192
- recurrence rates, 1-190, 1-191**, -192
- and seismotectonic zones, 1-171--187
- significant, southern Great Basin, 1-166*--167*
- southern Great Basin, 1-161**, -162**
- strike-slip faults, 1-153**
- and underground facility design, 6-337--338
- and weapons testing, Nevada Test Site, 1-161**
- see also ground motion and peak acceleration
- East-West Seismic belt, 1-152**
- Eastgate, zeolite deposits, 1-294
- EBS, see engineered barrier system
- ecology, modern
 - data uncertainties, 5-8
- elastic continuum model, 2-5, -19
- elastic-plastic model, 2-19--20; 6-339
- elastic properties
 - data required, 2-5
 - test procedures, 2-8*
 - Yucca Mountain tuff, 2-24--29
- electrical resistivity log
 - geophysical logging, 1-247--248
- electrochemical testing
 - and localized corrosion occurrence, 7-85--88, -89**
- embrittlement
 - and metastable austenite, 7-68
- Emigrant Valley hydrographic area
 - water data, 3-126*
- emplacement
 - area exhaust shaft description, 6-86**, -139*, -140**, -141, -144**
 - boreholes
 - normal retrieval conditions, 6-193, -194**, -279--280
 - predicted temperatures, 6-194**, -279
 - seals, 6-183, -184**, -185
 - stability, 6-320--322
 - stability research and development, 7-39--40
 - stress gradient, 6-321--322
 - see also emplacement hole

emplacement (continued)

- drifts
 - boundary-element analyses, 6-308--319
 - finite analyses, 6-308--319
 - stress analyses, 6-310--319
 - temperatures, 6-308--310, -317--319
- environment
 - and reference repository horizon, 7-8--12
 - source term release model, 7-8
 - summary, 7-224--225
 - Topopah Spring Member, 7-224--225
 - vadose water, 7-9
 - and waste package, 7-8--12
 - water chemistry, 7-225
 - well J-13 water, 7-225
- panel design, 6-147--153
- of waste package
 - effects, 7-11--12
- emplacement hole
 - components
 - borehole liners, 7-34, -36
 - dollies, 7-37
 - shielding plugs, 7-36
 - summary, 7-227
 - stability, 2-3, -67
 - thermomechanical analysis, 7-39
- emplacement orientation decision, product 1.11.3-3
 - work completed, 6-231
- endangered species, 3-123
- energy development, water use, 3-133
- energy release, cumulative, 1-163**
- energy release map
 - southern Great Basin, 1-161**
 - southwestern Great Basin, 1-162**
- energy resource potential, 1-302--313
- engineered barrier system design
 - and thermally induced water migration, 2-111
- engineered barrier system release rates (Issue 1.5)
 - and hydrologic system, 3-239
- engineering properties
 - alluvium, 2-100, -101*
- environmental impact statement
 - and site characterization, 1-5--6
- environmental monitoring and mitigation plan
 - and dispersion model data, 5-33
 - and permitting, 5-103
 - and site characterization activities, 5-2, -38

PART A INDEX (Chapters 1-7)

Environmental Protection Agency, see U.S. Environmental Protection Agency

Environmental Regulatory Compliance Plan and permitting, 5-2, -103

environmental standards
for mined geologic disposal system, 1-3--4; 6-17

Eocene Green River Formation oil shale, 1-315

Eocene-Oligocene Elko Formation oil shale, 1-315--316

aeolian processes, 1-33

EPA, see U.S. Environmental Protection Agency

epicenters
and major strike-slip faults, 1-153**
patterns of, 1-152**, -153**, -154**, -156**, -157**, -174**
and Yucca Mountain area, 1-176*

epithermal precious metal deposits
generalized mineralogy, 1-275*
model, 1-274**

epithermal volcanism
and base metals, 1-277--280
and precious metals, 1-277--280

EQ3/6
chemical equilibrium model, 4-96
comparison with measured fluid compositions, 7-62**--63**
dissolution reactions, 7-61
formation constants, 7-194
geochemical modeling code, 7-190--196, -235--236
hydrothermal reaction modeling, 4-123
laboratory experiments simulation, 7-195, -228
overview, 7-190--191
parametric analyses, 7-195
precipitation-kinetics option, 7-193,
research and development summary, 7-235--236
rock-water interactions, 7-60--64, -195--196, -229
solid solutions, treatment, 7-192
solubility modeling, 4-96, -98, -99--100
spent fuel dissolution testing, 7-134
thermodynamic data, 4-96, -98
and thermodynamic data base, 7-192, -193--195
Topopah Spring tuff, 7-195
and water-rock interactions, 7-195--196, -229

EQ3NR
geochemical modeling, 7-190--191

EQ3NR (continued)

rock-water interactions, 7-60
and speciation-solubility calculations, 7-191
and thermodynamic data base, 7-192
thermodynamic state of aqueous solution, 7-190--191

EQ6

fixed-fugacity option, 7-193
geochemical modeling, 7-191--192
precipitation-kinetics option, 7-193
and reaction-path modeling, 7-191--192
rock-water interactions, 7-195--196
theory and code development, 7-192--193
and thermodynamic data base, 7-192

equipment

development and demonstration, work completed, 6-286--288, -302--305
horizontal emplacement, 6-98, -103**--106**, -109*, -110, -111**, -166**, -304, -305
normal retrieval conditions, 6-193, -195, -280
retrieval, 6-200, -286--288, -304
vertical emplacement, 6-98, -99--102, -107*, -108**, -165**, -304, -305
waste emplacement, 6-98--110, -111**
waste emplacement and retrieval, 6-304--305
waste receiving and preparation, 6-302--303

equipment development and demonstration (Information Need 4.4.6), 6-295

ERCP, see Environmental Regulatory Compliance Plan

erosion

Fortymile Wash, 1-325, -345
future rates, summary, 1-324, -325
potential
from flooding, 3-14--15
and surface hydrology, 3-8
rates, 1-30, -31*
and repository, summary, 1-325
surficial process, 1-31--35
threshold controlled, 1-34
uncertainty, 1-5

ESF, see exploratory shaft facility

Eureka low, 1-307**, -308, -309**, -310; 3-76
see also heat flow

europium

sorption ratios, 4-86
distilled water, 4-90*

PART A INDEX (Chapters 1-7)

- europium (continued)
 - sorption ratios (continued)
 - UE-25p#1 water, 4-90*
 - well J-13 water, 4-90*
 - sorption ratios from batch desorption experiments, 4-72*-73*
 - sorption ratios from batch sorption experiments, 4-67*-68*
- evaporation
 - lake surfaces, 5-50--54
 - potential, Yucca Mountain, 3-8
 - and temperature, 5-52**
- evapotranspiration
 - Amargosa Desert, 3-7, -29, -30*
 - governing equation, 3-32
 - Oasis Valley subbasin, 3-76
 - and phreatophytes, 3-32, -33, -34--35, -36*-47*, -71
 - planned studies, 3-34
 - and xerophytes, 3-32, -33
- excavation characteristics of site rock, 2-100--108
 - G-Tunnel experience, 2-102--104
 - other rocks, 2-101
- excavation effects
 - geoengineering properties, 2-107--108
- excavation methods, 2-107
- excavation methods criteria, product 1.11.5-1
 - work completed, 6-232--233
- Excelsior fault zone, 1-113**
- exchangeable-cation ratios
 - calcic-clinoptilolite and heulandite, Yucca Mountain, 4-33**
 - clinoptilolites, Yucca Mountain, 4-34**
- expansion areas, potential
 - underground facility, 6-225, -226**, -227, -228**
- exploration, definition, 1-257
- exploration block
 - ground-water chemistry, 4-39--51
 - smectites, 4-35
 - and well locations, 4-43**
 - Yucca Mountain drillholes, 4-43**
- exploratory shaft facilities, 1-5
 - data base development, 2-13**
 - and information needs, 6-201
 - water use, 3-131*
- exploratory shafts, 1-5
 - Calico Hills zeolitized tuff, 6-179
 - description, 6-86**, -137**, -138, -139*, -140**, -143**, -156
 - stability, 6-323
- extensional faults
 - map, 1-81**
- extensional tectonism, 1-85--86, -103--110, -328
 - southern Great Basin, 1-103--110
 - summary, 1-328
- facility design
 - overall, conceptual, 6-82--85
- factor of safety
 - panel access drifts, 6-320*
- Fallon
 - natural gas, 1-317, -318*
 - precipitation records, 5-49**
- far-field displacement
 - analyses needed, 2-4
- far-field unit evaluation, 6-233
- Fatigue Wash fault, 1-122**
- fault activity
 - and striking orientation, 1-188
- fault data, 1-129*
- fault maps, 1-113**
 - Nevada Test Site, Quaternary, 1-118**
 - Southern Great Basin, 1-83**, -107**
 - Southern Nevada, 1-101**
 - Yucca Mountain, 1-50**
 - Yucca Mountain, aeromagnetic data, 1-120**
 - Yucca Mountain, electrical resistivity, 1-121**
 - Yucca Mountain, geologic mapping, 1-122**
- fault movement
 - Yucca Mountain history, 1-133, -135
- fault-related deposits
 - metals, 1-282
- fault rupture
 - repository, 1-212--213
- fault zones, 1-2**
 - Bare Mountain, 1-125*
 - Case Spring, 1-178**
 - Coaldale, 1-113**
 - Death Valley, 1-2**, -83**, -113**, -153**
 - Furnace Creek, 1-2**, -83**, -113**, -118**, -153**
 - Owens Valley, 1-2**, -83**, -113*, -153**
 - Solitario Canyon, 1-123*
- faulting
 - and controlled area, 1-206
 - and earthquakes, 1-335
 - history, Yucca Mountain, 1-128--135
 - investigations summary, 1-349
 - likelihood, postclosure, 1-207--209

PART A INDEX (Chapters 1-7)

faulting (continued)

postclosure, 1-206--212
 Quaternary, Yucca Mountain, summary,
 1-123*--125*
 repository effects, postclosure,
 1-206--207
 styles, summary, 1-328--331
 summary results, 1-338
 vertical movements, 1-338
 and weapons testing, 1-209--212

faults

Bare Mountain, 1-2**, -128, -129*, -130,
 -132
 Bettles Well, 1-113**, -114
 Big Pine, 1-83**, -113**, 1-153**
 Bow Ridge, 1-50**, -71, -73, -108**,
 -123*, -128, -129*, -133
 and calcite deposits, 1-71
 detachment, 1-105, -107**, -108**, -109,
 -264
 Drill Hole Wash, 1-332
 earthquake, controlling source, 6-338
 earthquakes, 1-173*, -192--193
 Fatigue Wash, 1-122**
 Fran Ridge, 1-50**
 and G-Tunnel, 6-60
 Garlock, 1-2**, -9**, -83**, -110, -118**,
 -153**
 Ghost Dance, 1-50**, -128, -332; 3-146,
 -173, -193**, -194, -209; 6-248
 Late Pliocene, map, 1-118**
 Likely, 1-113**
 Mine Mountain, 1-110, -115
 Pahute Mesa, 1-189
 Paintbrush Canyon, 1-50**, -71, -108**,
 -122**, -123*, -128, -129*, -133, -206
 potential excavation hazard, 6-293
 Pyramid Lake, 1-113**
 San Andreas, 1-81**, -83**, -87**, -113**,
 -153**, -170, -309**
 Solitario Canyon, 1-50*, -71, -108**,
 -122**, -123*, -128, -129*, -332;
 3-138**, -164, -175, -193, -194**
 Windy Wash, 1-71, -73, -108**, -122**,
 -124*, -128, -129*, -132--133, -206,
 -208
 Yucca Mountain, 1-128--135, -210**
 Yucca Wash, 1-50**

favorable conditions

geochemistry, 4-2

field data sources, 2-13**

field tests

Belted Range Tuff, 2-9, -12
 geoengineering, 2-9--12
 and model validation, 2-12
 and repository design, 2-12

final procurement and construction
 design, 6-2

phase, definition, A-10

findings, see higher level findings entries

finite-element calculations

stress at Rainier Mesa, 2-86
 stress at Yucca Mountain, 2-88--89

finite-element methods, 6-323--332

ABAQUS, 6-323--324
 COYOTE, 6-325--326
 DOT, 6-308, -310, -321
 emplacement drifts, 6-308--319
 future work, 6-339
 JAC, 6-325, -328**
 SANCHO, 6-324--325
 SPECTROM, 6-326--327, -328**
 verification and validation, 6-323--332

Fish Lake district, 1-285**

Fish Lake Valley, 1-9**

flooding

and geochemical stability, 4-144--145
 potential (Yucca Mountain area), 5-30
 and siting of surface facilities,
 5-9
 by thunderstorm activity, 5-11, -16, -17,
 -27

floods, 3-13--23

Amargosa River, 3-15
 analysis of Fortymile Wash and
 tributaries
 100- and 500-year floods, 3-16--21;
 6-68, -69*, -335--336
 Busted Butte Wash, 3-19, -20**, 6-68,
 -69**, -335--336
 Drill Hole Wash, 3-19, -20**, 6-68, -69**,
 -335--336
 and erosion, 3-14--15
 flash, 3-14--15
 Fortymile Wash, 3-18--19, -20**, 6-68,
 -69**, -335--336
 hazards of, 6-335--336
 Busted Butte Wash, 6-335--336
 Fortymile Wash, 6-335--336
 Yucca Wash, 6-335--336
 history of, 3-14--21; 6-135
 magnitude, 3-16--21
 monitoring network, 3-15

PART A INDEX (Chapters 1-7)

floods (continued)

- ongoing and future studies, 3-22
 - paleoflood investigations, 3-16, -22
 - potential for, 3-8, -14--21; 6-68, -69**,
-135, -335--336
 - predictions, difficulty of, 3-16
 - protection from, 3-22--23
 - surface facility design, 6-134--135
 - Quaternary, 3-21
 - recurrence intervals, 3-16--21
 - regional maximum, 6-68, -69**
 - samples, 3-27*
 - summary, 3-232
 - Yucca Wash, 3-19, -20**; 6-68, -69**,
-335--336
 - zones of, 6-68, -69**
 - see also probable maximum flood
- flow breccia
- and dacitic lava, 1-58
 - hydraulic conductivity, 3-188*, -189*,
-190*
 - transmissivity, 3-188*--189*
- flow model
- unsaturated zone, 7-11
- flow paths, potential
- Bullfrog Member, 4-53
 - Crater Flat tuff, 4-53
 - Prow Pass Member, 4-53
 - Topopah Spring Member, 4-53
 - Tram Member, 4-53
 - tuffaceous beds of Calico Hills, 4-53
- fluid compositions
- calculated and measured, 7-63**
 - in rocking autoclave experiments, 7-56,
-57**, -58**
- fluid flow experiments
- and dehydration-rehydration, 7-46
- fluid-induced fracturing, Bullfrog Member,
2-90
- fluid pressure
- effects of, 2-32--35, -68
- fluid temperature profile
- and heat load, 4-117, -118**
- fluorine-bearing minerals
- deposits, Nevada, 1-292**
- fluorite potential, Yucca Mountain, 1-293
- fluorspar resources, Nevada, 1-290--291,
-292**, -293
- fluvial degradation, 1-35
- flux, ground water
- Alkali Flat-Furnace Creek Ranch
subbasin, 3-80*, -207**

flux, ground water (continued)

- through repository, 7-45
 - Rock Valley, 3-79, -80*, -205
 - Yucca Mountain, 3-29--30, -204
- focal mechanisms
- and geologic structures, summary, 1-187
 - Gold Mountain, 1-183**
 - Mt. Dunfee, 1-183**
 - North Pahroc Range, 1-186**
 - northern Nevada Test Site, 1-179**
 - Pahranagat shear zone, 1-185**
 - Pahroc Valley, 1-186**
 - Pahute Mesa, 1-179**
 - Sarcobatus Flat, 1-183**
 - southern Nevada Test Site, 1-178**
- fog, Yucca Mountain area, 5-30
- Fortymile Canyon
- and flow system modeling, 3-205
 - and ground-water tritium, 3-96
 - and ground-water velocity, 3-112, -224
 - as important recharge area, 3-87
 - radiocarbon dating, ground water, 3-96,
-112
 - wells in, 3-82
 - see also Fortymile Wash
- Fortymile Canyon-Buckboard Mesa hydrographic
study area, 3-2**, -9*, -122*
- Fortymile Canyon-Jackass Flats hydrographic
study area, 3-2**, -9*, -122*, -127*
- Fortymile Wash
- analysis for 100-yr flood, 3-19; 6-68,
-69**
 - analysis for 500-yr flood, 3-19; 6-68,
-69**
 - analysis of regional maximum flood, 6-68,
-69**
 - bridges for highway and rail access to
site, 6-82
 - chemical composition, 3-25, -27*
 - depth, 6-38
 - description, 1-25--26
 - erosion, 1-325, -345
 - flood hazard, 6-335--336
 - flooding, 3-14, -18--19**, -20**
 - and ground-water recharge, 3-87
 - map, 1-17**, -20**--24**
 - physiographic subdivision, 1-25--26
 - stream incision, 1-34*
- foundations, surface facilities
- design, 6-128, -134
- fracture density, unsaturated zone,
3-170*

PART A INDEX (Chapters 1-7)

- fracture flow
 - retardation by matrix diffusion, 4-102, -104--105
- fracture flow process
 - experiments, 7-48--49
- fracture frequency
 - and sealing, 6-240
 - thermal/mechanical units
 - design data, 6-60, -61*-62*
- fracture mineralogy, host rock, 4-13, -14**, -15
- fracture properties, 2-5, -6, -8, -43--56
 - reference values, 2-65*
- fractured rock
 - stress-strain relationship, 2-58**
- fractured rock aquifers, hydraulic behavior, 3-5--6
- fractured rock mass
 - heat transfer in, 7-53
- fractured tuff columns
 - adsorption-dynamic process, 4-62
- fractures
 - and calcite deposits, 1-71
 - characteristic curves, 7-51
 - and controlled area, 1-135
 - and deformation mechanism, 6-58
 - and design, 6-59, -60*-61*
 - and faults
 - interpreted from electrical resistivity data, 1-121**
 - fluid induced, 2-90--91
 - frequency, 6-60*-61*
 - and heat transfer, 2-4, -92
 - host rock and Rainier Mesa, 2-102
 - and hydraulic conductivity,
 - saturated zone, 3-179, -181--185
 - hydraulic studies, 2-85--86
 - mechanical behavior, 2-5, -45--50
 - mechanical properties, 6-52*-53*
 - modeling parameters, 6-52*-53*
 - and tunnel boring machines, 2-108
 - and water migration, 2-92, -94
 - Yucca Mountain, 1-135--138
- Fran Ridge
 - fluid flow experiments, 7-46
 - and Topopah Spring tuff, 7-54
 - tuff and well J-13 water reactions, 7-59
 - and tuff samples, 7-60
- Fran Ridge fault, location, 1-50**
- Franklin Lake playa, planned studies, 3-34
- Frenchman Flat
 - earthquake densities and energy release, 1-176*
 - ground-water travel time, 3-73
 - water data, 3-126*
- Frenchman Lake and aquifer recharge, 3-24
- Freundlich isotherm
 - sorption-element concentration relationship, 4-60
- friction, coefficient of
 - mechanical property, 6-53*
 - plots, 2-53**, -55**
- friction, residual angle, 6-53*
- frit 165
 - compositions, 7-173, -174*, -175
 - leaching, 7-168**, -170**, -176**
 - Savannah River glass based waste form, 7-151--152
- fuel dissolution tests, see spent fuel dissolution testing
- functional requirements
 - conceptual design, 6-8, -20*-23*, -24*
 - postclosure waste package, 7-14--15
 - preclosure waste emplacement package, 7-14
- Funeral Mountains
 - earthquake densities and energy release, 1-176*
 - seismicity of, 1-178**, -180
- Furnace Creek fault zone, 1-2**, -83**, -113**, -118**, -153**
- Furnace Creek Wash, 3-104**
 - and Death Valley resort water supply, 3-121
 - spring discharge areas, 3-35
 - and water-table related deposits, 3-104**, -105
- future climate variation, see climate, future variations
- G-Tunnel
 - borehole stability, 6-320--321
 - and code verification and validation, 6-327, -329
 - data base development, 2-13**
 - excavation experience, 2-102--104; 6-319
 - excavation-induced response near Grouse Canyon, 6-284
 - and faults, 6-60
 - field data source, 2-12
 - ground-water flow, 6-67

PART A INDEX (Chapters 1-7)

- G-Tunnel (continued)
 - ground-water inflow estimates, 2-106, -107
 - heated block experiment, 2-13**, -56, -57, -60, -61**, -62**, -96, -110; 6-56, -243
 - heated-borehole experiments, 2-96
 - laboratory data source, 2-6--12
 - location, 2-7**
 - mechanical property measurements, 2-60
 - and mining of repository, 6-233
 - overburden loadings, 2-102
 - and potential excavation hazard, 6-291
 - pressurized slot test, 2-13**, -56, -57, -60, -63**
 - rock mechanics facility, 2-9, -10** -11**
 - small-diameter heater tests, 2-94--95
 - support requirements, 2-9, -106*
 - tests for naturally occurring radiation sources, 6-286
 - and validation, 6-339
 - see also Rainier Mesa and specific experiment
- gamma ray dose rate model
 - and corrosion model, 7-208
- gamma ray dose submodel
 - description, 7-204--205
- gamma ray logs, geophysical logging, 1-246
- gangue mineralogy, 1-275*--276*, -278
- Garlock fault, 1-2**, -83**, -113**, -118**, -153**
 - location, 1-9**
 - strike-slip fault, 1-110
- gas
 - fields, Nevada, 1-316--319
 - potential, Yucca Mountain, 1-319--323
- gas phase flow
 - and waste package emplacement, 7-52
- gaseous radionuclide retardation
 - (Investigation 8.3.1.3.8) synopsis, 4-151--152
- gaseous transport, 4-109
 - data status, 4-6
- general circulation models, 5-97--98
- generic postclosure requirements
 - waste package, 7-14--15
- generic preclosure requirements
 - waste package, 7-13--14
- Generic Requirements for a Mined Geologic Disposal System
 - and waste form, 7-17
 - waste package design requirements, 7-12
 - waste package performance, 7-2**, -3, -4*
- geochemical data, 4-3
 - status, 4-5--7
- geochemical data collection
 - conceptual influences, 4-3--45
 - history, 4-3
- geochemical effects
 - and waste emplacement, 4-117--129
- geochemical facies in Yucca Mountain tuff, 3-166**
- geochemical flow model
 - and code development, 7-192--193
- geochemical investigations
 - work completed, summary, A-9
- geochemical modeling
 - application, 7-195--196
 - EQ3NR, 7-191
 - EQ6, 7-191--192
 - and release rates from glass, 7-188
 - rock-water interactions, 7-38--39, -60--64
 - and solution species, 7-194--195
 - and spent fuel dissolution tests, 7-134
 - theory and code development, 7-192--193
 - thermodynamic data base, 7-192
 - thermodynamic data base development, 7-193--195
 - and water-rock interactions, 7-195--196
- geochemical modeling code
 - EQ3/6, 7-190--196, -235--236
 - overview, 7-190--191
 - see also EQ3/6
- geochemical processes
 - affecting radionuclide transport, 4-4
- geochemical retardation
 - analytical techniques, 4-59--65
 - general description, 4-52--59
 - in host rock
 - anticipated conditions, 4-109--115
 - unanticipated conditions, 4-115--116
- models, 4-109--110
- precipitation processes, 4-52--53
- processes, 4-51--116
 - analytical techniques, 4-59--65
 - description, 4-52--54
 - and design summary, 4-146--147
 - precipitation, 4-52--53
 - radionuclide transport, 4-52
 - sorption, 4-52--53
 - summary, 4-145--147
 - vapor-phase exchange, 4-52--53
- summary, 4-145--147

PART A INDEX (Chapters 1-7)

- geochemical site data
 - and higher level findings--postclosure (Issue 1.9), 4-2
 - and NRC siting criteria (Issue 1.8), 4-1--2
- geochemical stability, 4-143--145
 - and flooding, 4-144--145
 - ground-water pumping, 4-143--144
 - ground-water withdrawal, 4-143
 - man-induced effects, 4-143--144
 - and natural changes, 4-144--145
 - rock-water interactions, 4-145
 - and tectonic activity, 4-144
 - and volcanic activity, 4-144
- geochemical transport processes
 - effect on technetium, 4-111**--112**
 - effect on uranium, 4-113**--114**
- geochemistry
 - data and models, present state, 4-5--7
 - effects of waste emplacement, 4-116--129
 - favorable conditions, 4-2
 - ground-water chemistry, 4-39--51
 - host rock, 4-7--116
 - investigations identification, 4-147--152
 - potentially adverse conditions, 4-2
 - and Regulatory Guide 4.17, 4-152
 - stratigraphic units, 4-7--116
 - Yucca Mountain site, 4-1--152
- geochemistry program
 - geochemical information, 4-1
- geoengineering, 2-1--118
 - and design, 2-113--114
 - excavation characteristics of the rock mass, 2-100--108
 - existing stress regime, 2-82--89
 - field tests, 2-9--12
 - investigations
 - work completed, summary, A-8
 - mechanical properties of rock units
 - discontinuities, 2-43--56, -64--66
 - intact, 2-22--42, -64--66
 - large scale, 2-56--66, -64--66
 - special geoengineering properties, 2-89--100
 - summary, 2-109--118
 - thermal and thermomechanical properties
 - intact rock, 2-66--78, -82
 - large-scale, 2-79--82
 - nonsite rocks, 2-80
 - site rocks, 2-81--82
- geoengineering data
 - and issues and information needs, 2-114, -115**--117*
- geoengineering data base
 - current, 2-16, -18
 - development, 2-6--12, -13**
- geoengineering initial conditions to be measured, 2-2--5
- geoengineering properties
 - alluvium, 2-100, -101*
 - data base development, 2-6--12, -13**
 - data uncertainties, 2-21--22, -113
 - and design, 2-113--114
 - excavation effects, 2-107--108
 - planned measurements, 2-4--5
 - and Regulatory Guide 4.17, 2-114, -118
 - summary, 2-109--111
 - surface materials at site, 2-96--100, -101*
 - see also specific property
- geologic
 - characteristics, Yucca Mountain, 1-1--353
 - disposal, regulations, 1-3
 - drillholes, 1-251--255 (see also drillholes)
 - formations, 1-38**
 - framework, hydrologic conditions, 3-145**, -146
 - index map, 1-36**
 - information
 - sources of, 1-1, -3
 - uses of, 1-3--5
 - investigations
 - work completed, summary, A-5
 - maps, Yucca Mountain, 1-50**, -255
 - models, 1-264
 - processes
 - long-term regional stability, 1-200--213
 - repository, definition, A-2
 - stratigraphy
 - and thermal/mechanical stratigraphy, 6-43**
 - structures
 - and earthquake potential, 1-187--189
 - focal mechanisms, 1-187
 - summary, 1-331--333, -334
 - Yucca Mountain cross section, 1-106**
 - geologic log, alluvium, 2-98**
 - geologic time periods
 - and paleoclimatic reconstructions, 5-38, -39**

PART A INDEX (Chapters 1-7)

- geology
 - and design, summary, 1-343--344
 - introduction, 1-1
 - and waste package design, summary, 1-344
 - Yucca Mountain, 1-1--353
- geomorphic processes
 - and climate, 1-29
 - description, 1-27--35
 - determinants, 1-28--29
 - Quaternary, 1-30--35
 - tectonism, 1-28--29
- geomorphic units
 - characteristics, 1-19--27
- geomorphology, 1-6--35
 - investigations summary, 1-345--346
 - summary results, 1-324--325
- Geophysical Fluid Dynamics Laboratory climate model and sea surface temperatures, 5-41
- geophysical characteristics
 - and mineralization potential, 1-262--266
- geophysical logging, 1-241--250
 - caliper logs, 1-249
 - density logs, 1-244
 - electrical resistivity logs, 1-247--248
 - gamma ray logs, 1-246
 - gravimeter logs, 1-249--250
 - log types, 1-241, -244
 - magnetic logs, 1-250
 - neutron logs, 1-245--246
 - sonic velocity logs, 1-248--249
 - summary, 1-241
 - temperature logs, 1-246--247
 - tracer logs, 1-247
 - USW G-4, 1-242**--243**
- geotechnical data
 - conceptual design, 6-35--72
 - design data, 6-47--72
- geothermal energy
 - and controlled area, 1-150
 - energy production, 1-150
 - heat flow, regional, 1-308, -310
 - heat flow, western United States, 1-149**
 - in situ temperature, Yucca Mountain, 1-148
 - Nevada, Yucca Mountain vicinity, 1-306, -307**, -308
 - Nevada resources, 1-305--313
 - and performance assessment, 1-148, -150
 - regional patterns, 1-147--150
 - and repository design, 1-148, -150
 - and waste isolation, 1-150
 - wells, Nevada, 1-307**
 - Yucca Mountain potential, 1-310--313
- geothermal regime
 - investigations summary, 1-351
 - summary, 1-333--334
 - Yucca Mountain, 1-147--150
- geothermal reservoirs
 - heat flow and the thermal gradient, 1-308, -310
- Ghost Dance fault
 - hydrologic nature, 6-247
 - and hydrologic properties, 3-146, -175, -193, -194**
 - location, 1-50**
 - offset, 1-128
 - and site, 1-332
- glaciation
 - data uncertainties, 5-90, -104
 - glacial and periglacial records and lake levels, 5-89--90
 - Quaternary Period cycles, 5-38, -40
- glass dissolution
 - and 304L stainless steel effects, 7-169, -170**
 - model, 4-50
 - and tuff, 7-181
- glass waste forms
 - description, 7-151--162
 - and general principles of glass performance, 7-151--162
 - frit 165, 7-173, -174*
 - leaching, see leach rates, waste glass form
 - Pacific Northwest Laboratory, 7-152*
 - performance research and testing, 7-151--189
 - release rates, 7-159--173, -188--189
 - research and development summary, 7-234--235
 - Savannah River Laboratory, 7-153*, -173, -174*
 - source term release model, 7-187--189
 - testing in well J-13 water, 7-165, -169, -175--187
 - uncertainties, 7-239--240
 - waste form alteration model, 7-209--210
 - West Valley, 7-154*
 - Yucca Mountain Project, 7-173, -174*
 - see also Yucca Mountain Project glass waste forms and Savannah River Laboratory waste glass
- global climate
 - model, 5-8, -97

PART A INDEX (Chapters 1-7)

global climate (continued)

Quaternary paleoclimate, 5-40--42

see also climate

gold

Nevada production, 1-273**

Nevada resources, 1-269--284

production, 1-269--270

Gold Flat

ground water

sampling area, locations, 3-89**

sodium bicarbonate and chloride

concentrations, 3-90**

hydrographic study area, 3-3**, -117**

water data, 3-122*

gold mines, water use, 3-128

Gold Mountain

earthquake densities and energy release,
1-176*

and focal mechanisms, 1-183**

seismicity of, 1-183**, -184

Goldbanks district, 1-285**

Goldfield

gold deposits, 1-273**, -277

mineralized district, 1-273**, -277

Goldfield block

characteristics, 1-10*--11*, -15, -16**,
-18

erosion rates, 1-31*

morphometric characteristics, 1-10*--11*

see also Amargosa Desert

gradation curves, alluvium, 2-99**

grain density

design data, 6-54

intact rock, 6-48*

nonsite rocks, 2-70*

recommended values, 2-78*

test procedures, 2-8*

Topopah Spring and Grouse Canyon Member
comparison, 2-103*

granitic intrusives, 1-36**

Grant Canyon oil field, 1-317

gravimeter logs, geophysical logging,
1-249--250

Great Basin

cross section, 1-41**

geologic index map, 1-36**

geology, A-2; 1-7, -12--13

map, A-3**; 1-8**

paleogeography, 1-45**, -47**

Proterozoic rocks and deposits, 1-44**

subprovince, A-1; 1-7, -8**, -9**, -12--13

Great Basin (continued)

uranium-series dated veins, 3-104**

see also southern Great Basin

Great Basin lakes of Pleistocene age

location of, 5-44**

Great Salt Lake

historical lake levels, 5-46**, -55**

location of, 5-44**, -58**

see also Lake Bonneville

Greenwater-Black Mountain

basaltic volcanism field characteristics,
1-97*--1-98*

ground mass analyses

Topopah Spring Member, 1-69*

ground motion

calculation of, 1-192--196

at depth evaluation, Yucca Mountain,
1-198--199

and design, 6-70--71

deterministic estimates, 1-192--193

earthquakes, Yucca Mountain, 1-192--196

probabilistic estimates, 1-172, -191**,
-192, -193--196, -194**, -195*

Rainier Mesa, 1-199

and underground facility design,
6-336--338

vibratory, 1-192--196

and waste isolation, 1-150, -192--196

weapons testing, 1-199, -209--212

see also earthquakes and peak acceleration

ground water

age, 3-72--73, -79, -98, -102, -111--112,
-223, -224

age dating, and prehistoric recharge, 5-70

background radioactivity, Nevada Test
Site, 4-47*

baseline monitoring, 3-146--147, -165--169

chemical composition, 3-82--96

(see also ground-water chemistry,
ground-water composition, and
hydrochemistry)

contamination of, 3-4, -29, -35, -49--50,
-168

control

Topopah Spring Member, 6-164

underground facility, 6-164, -167**

vertical emplacement, 6-164, -167**

design data, 6-66--68

discharge, see ground-water discharge

flow, see ground-water flow

hydrochemistry of, 3-80--103, -165--169,
-222--224, -233

PART A INDEX (Chapters 1-7)

ground water (continued)

- injection wells, 1-256
- isotopic nature of, 3-80--103, -165--169
- levels, see ground-water levels and water table levels
- management, 3-133--136
- Nevada Department of Conservation and Natural resources studies, 3-4
- protection
 - design requirements, 6-27
- pumping, 3-64*-67*
 - and geochemical stability, 4-143
- Rainier Mesa, 4-50
- recharge, see ground-water recharge
- reference, see reference ground water
- residence times, 3-72--73
- samples, laboratory preparation, 4-62
- sampling, 3-87**, -97*, -99**
- travel time, see ground-water travel time
- and tritium, 3-28, -96, -167*, -168
- use, 3-113--136 (see also water use)
- velocities, 3-72--73, -112, -113,
 - 214--222, -223, -224, -237 (see also ground-water travel time)
- withdrawal and geochemical stability, 4-143
- Yucca Mountain site
 - background radioactivity, 4-46, -47*
 - chemistry, 4-41*, -42*
 - colloids, 4-46--48
 - dissolved gas, 4-42*, -46
 - inorganic content, 4-40, -41*, -42*, -44**, -45
 - organic content, 4-46
 - particulates, 4-46--48
 - pressure, 4-48
 - sodium-potassium-calcium, 4-44**
 - temperature, 4-48, -49**
 - trace elements, 4-45
 - see also flux
- ground-water chemistry, 3-82--96
 - anion concentrations, 4-42*
 - element concentrations, 4-41*
 - summary, 4-146
- Yucca Mountain exploration block, 4-39--51
- Yucca Mountain site, 4-41*, -42*
- ground-water composition
 - and dissolution of tuffs, 4-50
 - mineralogical controls, 4-48, -50
 - reference, 4-50--51
 - and sorptive behavior of radionuclides, 4-87--88

ground-water composition (continued)

- and stratigraphic position, 4-50
- ground-water discharge
 - and accessible environment, 3-29, -229
 - Amargosa Desert, 3-30*, -71, -72*, -233
 - Ash Meadows, 3-71, -77, -78
 - Death Valley, 3-35, -72*
 - and ground-water travel-time calculations, 3-29
 - and hydrologic budget, 3-28--34
 - Indian Springs Valley, 3-70, -72*, -78
 - and Key Issue 1, 3-29
 - lower carbonate aquifer, 3-91--94
 - Oasis Valley, 3-29, -30*, -35, -40*-42*
 - points of, 3-28--35, -36*-47*
 - and production wells, 3-72
 - and recharge, 3-70--72, -201--214
 - flow patterns, 3-202**
 - summary, 3-233
 - tuff aquifer, 3-91
 - valley-fill aquifer, 3-94
- ground-water flow
 - and accessible environment, 3-214
 - Alkali Flat-Furnace Creek Ranch subbasin, 3-79, -80*, -207**
 - Ash Meadows subbasin, 3-77--78
 - bulk rates, 3-74
 - modeling, see ground-water flow modeling
 - Oasis Valley, 3-77
 - paths, 3-74--80, -75**, -107, -108**, -109
 - and pluvial water-table rise, 3-108**
 - Quaternary, 3-107--109, -112
 - system, regional, 3-69--113
 - valley-fill aquifer, 3-78
 - volcanic rock aquifer, 3-78
- ground-water flow modeling, 3-193--214, -206**
 - and Alkali Flat-Furnace Creek Ranch subbasin, 3-204
 - history of, 3-4--5
 - and Pahrump Valley, 3-205
 - summary, 3-233
- ground-water inflow estimates
 - G-Tunnel, 2-106--107
 - Topopah Spring Member, 2-107
- ground-water levels
 - future, 3-110--111
 - during the late Wisconsin, 3-109--110
 - Quaternary Period, 3-103--107, -112, -227, -234
 - summary, 3-236
 - Yucca Mountain, 3-157*-159*, -164, -233--234, -237

PART A INDEX (Chapters 1-7)

ground-water levels (continued)

see also water-table levels

ground-water protection (Issue 1.3)

and hydrologic system, 3-239

ground-water recharge

Alkali Flat-Furnace Creek Ranch subbasin,
3-71

areas, 3-69--70

carbon-14 data, 3-111--112

and discharge, 3-70--72, -201--207

Fortymile Wash, 3-87

and Frenchman Lake, 3-24

governing equation, 3-31

late Wisconsin, 3-111--112

and leakage, unsaturated zone, 3-201--207

lower carbonate aquifer, 3-91--92

Oasis Valley, 3-136

and precipitation, 3-201--203, -234

prehistoric, 5-70

rainfall-runoff relations, 3-9, -13

rates, 3-29--31

summary, 3-234

tuff aquifer, 3-87

and valley-fill aquifer, 3-24, -25, -28,
-70--71, -94

and Yucca Lake, 3-24

at Yucca Mountain, 3-137

ground-water system

and repository design, 3-237--238

ground-water travel time, 3-214--222

design requirements, 6-27

and ground-water discharge data, 3-29

retardation and thermal effects,
3-221--222

saturated zone, 3-219--220, -220*

and stress, 2-4

summary, 3-237

and thermally induced water migration, 2-4

unsaturated zone, 3-5, -203, -209, -210,
-216--219

and water-level measurements, 3-146--147

Yucca Flat, 3-73

see also ground water

ground-water travel time (Issue 1.6)

and climatology and meteorology, 5-1

and hydrologic system, 3-214, -239

Grouse Canyon Member

coefficient of friction plots, 2-53**,
-55**

comparison with Topopah Spring Member,
2-9, -103*, -106*, -111

Grouse Canyon Member (continued)

compressive strength, 2-30**, -31*, -38,
-40

creep deformation, 2-38

drift excavation, 2-102--104

excavation experience, 6-320

field studies in, 2-9, -12

heater tests, 2-79

modulus of deformation, 2-64

Poisson's ratio, 2-103*

potential excavation hazard, 6-291

and rock behavior model, 2-38

rock mass classifications, 2-105**

shear stress plots, 2-48**, -51**,
-54**

simulated joint mechanical properties,
2-46--47

simulated joint samples, 2-109

support requirements, 2-106*

thermal-comparator measurements, 2-72--73

thermal expansion, 2-77, -79, -80--81

and unconfined compressive strength plot,
2-39**

and unit evaluation study, 2-104

see also heated-block test and G-Tunnel

grouting

sealing, 6-189**

H.B. Robinson Unit 2 fuel

characteristics, 7-116*

and series 2 spent fuel dissolution
testing, 7-114--136, -120**

hail (Yucca Mountain area), 5-30

see also precipitation

HANDLEY event

weapons testing, 1-146

Hanford site, 1-1

hazards to excavation workers

work completed, 6-291

heat, see thermal effects of waste

emplacement and temperatures

heat capacity, 2-5

definition, 2-67

governing equations, 2-73--74

nonsite tuffs, 2-70*

and porosity and saturation, 2-74*

recommended values, 2-78*

heat flow

Battle Mountain high, 1-307*, -308, -309**

and energy resources, 1-150

Eureka low, 1-307**, -309**; 3-76

PART A INDEX (Chapters 1-7)

- heat flow (continued)
 - geothermal, regional, 1-308, -309**, -310 -321**
 - geothermal reservoirs, 1-308, -310
 - Pahute Mesa, 3-76
 - and performance assessment, 1-150
 - and repository design, 1-148, -150
 - and tectonics, Yucca Mountain, -150
 - western United States contours, 1-149**
 - see also geothermal energy
- heat transfer in fractured rock mass, 2-5, -92
 - and waste package emplacement, 7-53
- heated-block test, 2-13**, -60, -61**, -62**
 - and large-scale rock-mass properties, 2-64
 - rock mass modulus of deformation, 2-110
 - and rock mass properties, 2-56
 - test procedures, 2-57
 - thermal expansion coefficients, 2-82
 - and water migration, 2-96
- heated-borehole experiments
 - and water migration, 2-96
- HEFF
 - boundary-element method, 6-332
 - drift thermal analyses, 6-308, -317, -318
 - ramp stresses, 6-322
 - verification and validation, 6-332
- heulandite, 4-27, -29, -35
 - see also sorptive zeolites
- high-level waste
 - dissolution experiments, 4-94
 - and radionuclide ratios to Environmental Protection Agency limits, 4-56*
 - reference waste form, 7-25
 - reference waste package, 7-30**
- high nickel, iron-based austenitic alloy
 - reference container, 7-25
- higher level findings--ease and cost of construction (Issue 4.1)
 - and hydrologic system, 3-240
- higher level findings--postclosure (Issue 1.9)
 - and climatology and meteorology, 5-1
 - and geochemical site data, 4-2
 - and hydrologic system, 3-239
 - physical/geochemical transport models, 4-109--110
- higher level findings--preclosure radiological safety (Issue 2.5)
 - and climatology and meteorology, 5-1
- highways
 - access routes, 6-82, -83**, -124, -126**
- historical lake, climatic, and hydrologic data, see lake, climatic and hydrologic data, historical
- Hoover Dam, 3-24
- horizontal borehole, 6-159**
- horizontal emplacement, 6-85, -88**
 - access, 6-144, -146**
 - airflow requirements, 6-173--175, -334, -335*
 - alternative orientation, 6-4
 - cooling requirements, 6-334, -335*
 - drift cooling, 6-334--335*
 - drift sensitivity analysis, 6-318
 - drift temperatures, 6-309
 - equipment, 6-98, -109*, -111**, -166**
 - layout, 6-88**, -142, -144, -146**
 - mining methods, 6-166**
 - operations, 6-98, -103**--106**
 - orientation decision, 6-231--232
 - ramps and drifts, 6-144, -146**
 - retrieval operations, 6-110, -117**--120**
 - stress analyses, 6-310, -312**, -314**, -317
 - thermal modeling, 6-309--310
 - ventilation, 6-333--334
 - waste retrieval operations, 6-110, -117**--120**
- horizontal emplacement holes
 - alternative orientation, 7-34, -36--37
 - and borehole liners, 7-34, -36
 - elastic model, 6-321--322
 - inelastic model, 6-321--322
- horizontal emplacement panel
 - description, 6-148, -151**--152**
- horizontal stress
 - magnitude, 6-46--47
 - orientation, 6-46--47
- host rock, 1-55; 6-83
 - analytical techniques, 4-8--9
 - composition, 4-9--36
 - dry out, 7-49
 - effect of heated ground water, 4-129--131
 - fracture mineralogy, 4-13, -14**, -15
 - general description, 4-7--8
 - geochemical retardation
 - anticipated conditions, 4-109--115
 - unanticipated conditions, 4-115--116
 - geochemistry, 4-7--116
 - matrix mineralogy, 4-10, -13
 - mineralogy, 4-7, -10, -13, -36
 - partial saturation, 7-51

PART A INDEX (Chapters 1-7)

host rock (continued)

- petrology, 4-7
- phenocrysts, 4-10
- proposed, 1-35--78
- reference repository horizon, 7-10
- rehydration and gamma radiation, 7-45
- sequence of fracture coatings, 4-14**
- smectites, 4-35--36
- stress regime, 2-82--89
- temperature history and emplaced spent fuel container, 7-42**
- and thermal load from waste package, 7-44
- thermal modeling, 6-321
- and uncertainties in waste package environment, 7-237
- waste package emplacement effects, 7-11--12
- worker exposures resulting from natural radioactivity, 6-252

see also reference repository horizon,
Topopah Spring Member, unsaturated zone,
and Yucca Mountain tuffs

hot springs, Nevada location, 1-307**

hot springs in tuffaceous rocks
repository analogs, 4-129--130

hydraulic characteristics

- fractured rock aquifers, 3-5
- principal hydrogeologic units, 3-63--69
- saturated zone, 3-179--192
- unsaturated zone, 3-169--179
- unsaturated-zone relationships, 3-208--214

hydraulic conductivity

- and fractures, 3-179, -181--185
- interstitial, 3-51*--57*, -63, -68
- saturated zone, 3-179--185, -188*--189*
- and sealing, 6-240--241
- summary, 3-233
- transmissivity, 3-185--192

hydraulic fracturing studies, 2-85--86

hydrocarbon resources, 1-256, -313--323
investigations summary, 1-353
summary results, 1-341--343

hydrocarbons

- potential and time-temperature, 1-321**, -323*

hydrochemistry, 3-146, -222--224

- baseline monitoring program, 3-165--169
- hydrochemical facies, 3-94--95
- of region, 3-69, -80--96
- of site, 3-165--169; 4-39--40
- summary, 3-233

hydrogen embrittlement

- austenitic materials, 7-98--99

hydrogeologic data uncertainty, 3-6--8

hydrogeologic reconnaissance of site, 3-50--69

hydrogeologic study areas, A-5; 3-4, -50

- location map, A-6**; 3-3**, -48**, -117**

magnitude of springs, 3-49*

potentiometric surface map, 3-62**

precipitation, recharge, and discharge areas, 3-48**

regional reconnaissance, 3-50--69

and U.S. Atomic Energy Commission, 3-4

hydrogeologic system at site, 3-136--231

hydrogeologic units, 1-38**

- cross sections, 3-145**, -194**, -215**

definition of, 3-58

distribution, 3-59**

ground-water flow relationships, 3-61--63

hydraulic characteristics of, 3-63--69

lower carbonate aquifer, 3-58, -59**, -60

lower clastic aquitard, 3-58, -59**, -60

porosity, 3-51*--57*

selection of, 3-58

spacial relationship, 3-61

and stratigraphic units, 3-51*--57*, -139**

transmissivity, 3-51*--57*

unsaturated zone summary, 3-234

upper carbonate aquifer, 3-58, -59**, -60

upper clastic aquitard, 3-58, -59**, -60

valley-fill aquifer, 3-58

volcanic rock aquifers and aquitards, 3-58, -59**, -60

see also specific aquifer or aquitard

hydrogeology of unsaturated zone

planned studies, 3-5

hydrographic study areas, A-5, -7**;
3-2**, -9*

water use, 3-122*

hydrologic analyses

- and sealing shafts and drifts, 6-242--244
- work completed, 6-335--336

hydrologic balance of lake systems

- governing equation, 5-45
- lake size effect, 5-54

hydrologic budget

- and ground-water discharge, 3-28--34
- for recharge, governing equations, 3-31--32

hydrologic calculations to evaluate shaft and drift backfill, product 1.12.4-3

work completed, 6-242--244

PART A INDEX (Chapters 1-7)

- hydrologic conditions, 3-1--241
 - chemical composition
 - ground water, 3-79
 - surface water, 3-25--28
 - floods, 3-14--23
 - ground-water discharge, 3-28--50
 - ground-water flow system, 3-69--113
 - hydrogeologic
 - site reconnaissance, 3-50--69
 - system, 3-136--231
 - summary, 3-231--237
 - surface water, 3-8--13
 - water use
 - ground, 3-113--136, -225--227
 - surface, 3-23--25
- hydrologic considerations
 - design data, 6-65--68
- hydrologic data
 - data uncertainty, 3-6--8
- hydrologic drillholes, 1-251, -252*--253*, -253
- hydrologic investigations
 - work completed summary, A-8--9
- hydrologic models
 - aquifers, 3-5--6
 - ground-water flow, 3-193--214
 - summary, 3-233, -235--236
 - water table levels (pluvial), 3-229--230
- hydrologic system
 - geologic framework of, 3-145**, -146
 - ground-water flow, 3-69--113
 - and related issues, 3-238--241
- hydrologic test holes, history of, 3-5
- hydrologic transport
 - thermal perturbation of, 7-42
- hydrologic units
 - location of, 3-59**
 - see also hydrogeologic units
- hydrology, regional isotope, 3-96--103
- hydrothermal alteration
 - Bullfrog Member, 1-282
 - rhyolitic glasses, 4-122
 - smectites, 4-121--122
 - and thermal pulse, 4-119--122
 - Tram Member, 1-282
 - zeolites, 4-120--121
- hydrothermal flow
 - numerical modeling, 7-49, -51--53
- hydrothermal fluid flow in fractured tuff
 - warm and hot spring investigations, 4-129--131
- hydrothermal model
 - WAFE, 7-206
 - see also thermal model and waste package
- hydrothermal reaction modeling, 4-123
- hydrothermal resource potential
 - Yucca Mountain, 1-310, -311--313
- hydrothermal systems, 1-309**
 - Yucca Mountain, 1-310
- hydrothermal transport
 - numerical modeling, 7-49, -51--53
- hydrovolcanic activity
 - Lathrop Wells basalt center, 1-203
 - Nye Canyon, 1-203
- hypothetical resources
 - definition, 1-260
- ice-sheet geometry models, 5-97
- Idaho batholith, 1-309**
- identified resources
 - definition, 1-258, -259**
- IGIS, see Interactive Graphics Information System
- igneous history
 - southern Great Basin, 1-88--99
 - see also volcanic history
- IGSCC, see intergranular stress corrosion cracking
- Imbrie and Imbrie climate model, 5-96
- Imlay district, 1-285**
- important to safety, see items important to safety and Q List
- India (tuff breccia), 2-25*
- Indian Springs
 - calcium-magnesium-bicarbonate facies, 3-95
 - and discharge, 3-70, -72*, -78
 - high-sodium water leakage, 3-91, -92
 - marsh deposits, 3-109
 - and prehistoric lakes, 5-70
 - sodium bicarbonate and chloride concentrations, 3-90**
 - water supply (Beatty), 3-128
 - water supply and use, 3-123, -124*, -125, -126*, -135*
- Indian Springs Air Force Base
 - existing and future water use, 3-124*, -135*
- Indian Springs Valley, 3-113
 - earthquake densities and energy release, 1-176*
 - and ground-water discharge, 3-72*
 - hydrographic study area, 3-117**

PART A INDEX (Chapters 1-7)

Indian Springs Valley (continued)
 water data, 3-126*
 water supply problems, 3-135--136
 individual protection (Issue 1.2)
 and hydrologic system, 3-238
 induced seismicity, potential effects
 and weapons testing, 1-199, -200
 and Yucca Mountain, 1-199, -200
 industrial minerals
 potential at Yucca Mountain, 1-287--302
 inert cover gas
 and spent fuel packages, 7-17, -29, -31
 infiltration
 and calcic horizon, 3-33--34
 estimates, 3-29--32
 and surface hydrology, 3-8
 at Yucca Mountain, 3-137
 Information Need 1.11.1, see site characteristics needed for design of underground facilities
 Information Need 1.11.2, see waste package characteristics needed for design
 Information Need 1.11.3, see underground facility orientation and layout
 Information Need 1.11.4, see design constraints to limit water use
 Information Need 1.11.5, see design constraints to limit excavation effects
 Information Need 1.11.6, see thermal loading and thermomechanical rock response
 Information Need 1.11.7, see reference postclosure underground designs
 Information Need 1.12.1, see information needed for seal design and placement
 Information Need 1.12.2, see seals, materials
 Information Need 1.12.3, see placement methods
 Information Need 1.12.4, see reference seal designs
 Information Need 2.1.1, see site and design information needed to assess preclosure radiological safety
 Information Need 2.2.1, see radiation environment
 Information Need 2.2.2, see projected worker exposure
 Information Need 2.3.1, see credible repository accidents
 Information Need 2.3.2, see projected accidental releases
 Information Need 2.7.1, see radiological protection

Information Need 2.7.2, see items important to safety
 Information Need 2.7.3, see criticality control
 Information Need 4.2.1, see site and performance information needed for design
 Information Need 4.4.1, see site and performance information needed for preclosure design
 Information Need 4.4.2, see waste package information needed for design
 Information Need 4.4.3, see plans for repository operation
 Information Need 4.4.4, see repository design requirements
 Information Need 4.4.5, see reference preclosure repository design
 Information Need 4.4.6, see equipment development and demonstration
 Information Need 4.4.7, see design analyses
 Information Need 4.4.8, see technology for surface facilities
 Information Need 4.4.9, see technology for underground facilities
 Information Need 4.4.10, see technology for seals emplacement
 information needed for seal design and placement (Information Need 1.12.1), 6-236
 information needs
 climate, 5-105--106
 geoengineering, 2-114, -115*--117*, -118
 hydrology, 3-238--241
 and issues hierarchy, 1-7
 see also specific information need
 inhomogeneities
 and compressive strength, 2-40
 and mechanical response, 2-43, -45
 initial conditions (geoengineering) to be measured, 2-4--5
 inorganics
 in Yucca Mountain site ground water, 4-40, -41*, -42*, -44**, -45
 in situ saturation, 6-48*
 in situ stress, 1-140--146
 design data, 6-44, -46, -46*
 and drillholes, 1-140, -144**
 measurement of, 2-13**
 Nevada Test Site, 1-143**
 Yucca Mountain, 1-140
 in situ temperature
 design data, 6-44, -46*
 geothermal, southern Great Basin, 1-148

PART A INDEX (Chapters 1-7)

- in situ temperature (continued)
 - and performance assessment, 1-148, -150
 - and repository design, 1-148, -150
 - Yucca Mountain, 1-148
- intact rock
 - behavior analysis, 7-39
 - and large scale properties, 2-64--66, -82
 - stress-strain relationship, 2-58**
 - thermal and thermomechanical properties, 2-66--77, -78*
 - thermal expansion, 2-74--77
- Interactive Graphics Information System
 - and reference stratigraphy, 6-221--222
 - usable area, flexibility underground facility, 6-225
- intergranular corrosion
 - and copper materials, 7-104--105, -231
 - and sensitized microstructure, 7-67, -230
 - summary of testing, 7-82--83
- intergranular corrosion attack
 - and austenitic materials, 7-71--72
- intergranular corrosion cracking
 - and chromium, 7-80
- intergranular stress corrosion
 - and metal barriers, 7-230
- intergranular stress corrosion cracking
 - and 316L stainless steel, 7-78
 - alloying effects on, 7-82
 - and austenitic materials, 7-71--72, -74--76
 - and chemical environment, 7-80--81
 - and chromium, 7-80
 - and corrosion model, 7-208
 - environmental effects on, 7-80--81
 - and high nitrogen stainless steel, 7-78
 - ionic content of water, 7-81
 - irradiated well J-13 water, 7-94
 - and sensitized 304 stainless steel, 7-74, -75**
 - and sensitized microstructure, 7-67, -101, -230
 - stress effects on, 7-81--82
 - tests for susceptibility, 7-74--76
 - and welding processes, 7-82
- intermontane basins
 - characteristics, 1-12
- Intermountain Seismic belt, 1-152**
- International Society for Rock Mechanics
 - and jointed-rock testing, 2-45
 - and rock sample size, 2-23
 - test procedures, 2-6, -8*
- interstitial and fracture waters
 - Rainier Mesa, 4-44**, -51
- interstitial hydraulic conductivity, see hydraulic conductivity, interstitial
- interstitial porosity, see porosity
- investigation identification
 - and geochemistry program, 4-147--152
- investigations
 - climate, 5-105--106
 - and geoengineering data, 2-116*--117*
 - summary
 - crustal movement, 1-350--351
 - drilling, 1-353
 - faulting, 1-349
 - geomorphology, 1-345
 - geothermal regime, 1-351
 - hydrocarbon resources, 1-353
 - lithology, 1-346--347
 - long-term regional stability, 1-352
 - mineral resources, 1-353
 - mining, 1-353
 - regional studies, 1-349--350
 - seismicity, 1-351--352
 - seismology, 1-351--352
 - site-specific studies, 1-349
 - stratigraphy, 1-346--347
 - stress regime, 1-350
 - structural, 1-348--349
 - structural geology, 1-347--351
 - structure, 1-348--350
 - tectonics, 1-347--351
 - volcanism, 1-347--348
- iodine solubility
 - literature summary, 4-98
 - and well J-13 water, 4-100*
- ion exchange
 - and retardation, 4-65
- irradiation and leach rates, 7-167
- isobaric thermal expansion
 - and rock volume change, 7-39--40
- isopach contour maps, repository block, 3-198**
- isotope data, ground water, 3-97*, -101*, -102, -165--169, -167*
- isotope hydrology of region, 3-96--103
- ISRM, see International Society for Rock Mechanics
- Issue 1.1, see total system performance (Issue 1.1)
- Issue 1.2, see individual protection (Issue 1.2)

PART A INDEX (Chapters 1-7)

Issue 1.3, see ground-water protection (Issue 1.3)

Issue 1.4, see containment by waste package (Issue 1.4)

Issue 1.5, see engineered barrier system release rates (Issue 1.5)

Issue 1.6, see ground-water travel time (Issue 1.6)

Issue 1.7, see performance confirmation (Issue 1.7)

Issue 1.8, see NRC siting criteria (Issue 1.8)

Issue 1.9, see higher level findings--postclosure (Issue 1.9)

Issue 1.10, see waste package characteristics (postclosure) (Issue 1.10)

Issue 1.11, see configuration of underground facilities (Issue 1.11)

Issue 1.12, see seal characteristics (Issue 1.12)

Issue 2.1, see public radiological exposure--normal conditions (Issue 2.1)

Issue 2.2, see worker radiological safety--normal conditions (Issue 2.2)

Issue 2.3, see accidental radiological releases (Issue 2.3)

Issue 2.4, see waste retrievability (Issue 2.4)

Issue 2.5, see higher level findings--preclosure radiological safety (Issue 2.5)

Issue 2.7, see repository design criteria for radiological safety (Issue 2.7)

Issue 4.1, see higher level findings--ease and cost of construction (Issue 4.1)

Issue 4.2, see nonradiological health and safety (Issue 4.2)

Issue 4.4, see preclosure design and technical feasibility (Issue 4.4)

Issue 4.5, see repository system cost effectiveness (Issue 4.5)

issue hierarchy, 1-6--8

issue resolution strategy, 1-6--8

for design issues, 6-209

and future data gathering, 2-12

issues

geoengineering related, 2-114, -115*-117*, -118

hierarchy, 3-1; 6-209, -210**

hydrology related, 3-238--241

items important to retrievability methodology, 6-281, -282**

items important to safety methodology, 6-258**

items important to safety (continued)

Q list, 6-72--79, -257--261

see also Q List

items important to safety (Information Need 2.7.2), 6-271

Ivanhoe district, 1-285**

J-12, see well J-12

J-13, see well J-13

JAC

compliant-joint model, 6-325, -328**

description, 6-325

finite-element method, 6-325

inelastic horizontal borehole calculations, 6-321

stress predictions, 6-322

verification and validation, 6-325

Jackass Flats

description, 1-17**, -20**--24**

earthquake densities and energy release, 1-176*

land forms, 1-27

physiographic subdivision, 1-26

regional maximum flood, 3-18

seismicity of, 1-178**, -180

see also Fortymile Canyon-Jackass Flats hydrographic study area

Jersey Valley, zeolite deposits, 1-294

Jiggs oil field, 1-317

Johnnie, water use, 3-135*

joint closure and overburden pressures, 2-81

joint cohesion, 6-52*

joint properties, 2-43--56

Bullfrog Member, 2-46

planned tests, 2-52, -56

Prow Pass Member, 2-46, -110

scale effects, 2-56

and test procedures, 2-45

joint samples, simulated, 2-47, -110

joint strength

time-dependent behavior and effects, 2-50,

-52, -53**, -55**, -56

joint wall

compressive strength, 6-53*

roughness coefficient, 6-53*

Kawich Valley

basaltic volcanism field characteristics, 1-98*

hydrogeologic study area, 3-3**, -117**

PART A INDEX (Chapters 1-7)

- Kawich Valley (continued)
 - water use, 3-122*
- Key Issue 1
 - and geochemical information, 4-1
 - and ground-water discharge, 3-29
- key issues, 1-7
 - and geology, 1-3
- Koeppen meteorological classification system, 5-9--10

- laboratory data (geoengineering) sources, 2-13**
 - Busted Butte, 2-6, -12, -14
 - G-Tunnel (Rainier Mesa), 2-6--11
 - Topopah Spring Member, 2-6
 - Yucca Mountain, 2-6
- lacustrine and marsh deposits analyses, 5-101--102
- LAD, see license application design
- Lahontan, see Lake Lahontan
- Lahontan Basin, 1-8**
- lake, climatic and hydrologic data,
 - historical, 5-43--54
 - evaporation from lake surfaces, 5-50--51, -52**, -53--54
- Lake Bonneville
 - current precipitation, 5-47
 - lake level (last cycle), 5-60**
 - location of, 5-44**
 - system, 5-57, -58**, -59, -60**
 - see also Great Salt Lake
- lake chronologies
 - Lake Bonneville, 5-46**, -55**, -57, -60**
 - Lake Lahontan, 5-63**
 - Lake Mojave, 5-69--70
 - Lake Russell, 5-66**, -67
 - Owens Lake, 5-91
 - Searles Lake, 5-66**, -67, -69
- lake core age assignments
 - data uncertainties, 5-8
- Lake Lahontan
 - current precipitation, 5-47
 - lake-level chronology, 5-63**
 - location of, 5-44**
 - precipitation and temperature relationships, 5-91
 - prehistoric surface extent and geography, 5-61**
 - system, -59, -62
- lake levels
 - historic, 5-54
 - Great Salt Lake, 5-46**, -55**
 - prehistoric
 - glacial and periglacial records, 5-89--90
 - paleolacustrine data summary, 5-71
 - paleolake deposit dating, 5-56
 - paleolakes in Great Basin,
 - distribution and age, 5-57--71
 - and regional paleoclimate, 5-43--71
 - see also paleolakes in Great Basin,
 - distribution and age
- Lake Manly, 3-106, -110
 - data uncertainties, 5-69
 - location of, 5-44**
 - and Owens River system, 5-65**
- Lake Mead
 - induced seismicity, 1-199
 - reservoir loading, 1-199
- Lake Mead fault system, 1-83**, -113**, -153**
 - strike-slip faulting, 1-110, -114--115
- Lake Mojave chronology, 5-69--70
- Lake Russell
 - chronology, 5-66**, -67
 - current precipitation, 5-47
 - level and Pleistocene glaciation, 5-90
 - location of, 5-44**
 - and Owens River system, 5-64**
 - lake-surface evaporation, 5-51--54
 - lake systems, hydrologic balance, 5-45, -47
- Lake Tecopa basin
 - and lake sediment depth, 5-70
- lakes
 - late Wisconsin, 3-109, -110
 - Quaternary, 5-42--71
- Lakes Russell and Searles
 - chronologies, 5-66**
 - description, 5-62, -67, -69
 - locations, 5-44**, -64**, -65**
 - see also Searles Lake
- landforms description, Yucca Mountain, 1-26--27
- landscape degradation
 - southwestern Basin and Range Province, 1-32
 - surficial process, 1-32
- Langmuir isotherm
 - sorption-element concentration relationship, 4-60

PART A INDEX (Chapters 1-7)

- large-scale mechanical properties, 2-56--65
 - and discontinuity relationships, 2-64--66
 - heated-block test, 2-64
 - and intact rock relationships, 2-64--66, -82,
 - nonsite rocks, 2-57, -59*
 - site rocks, 2-60--64
 - thermal expansion, 2-82
- Las Vegas Basin, 1-8**
- Las Vegas shear zone, 1-2**, -83**, -113***, -153**
- Las Vegas Valley
 - seismicity of, 1-181, -182**
- Las Vegas Valley shear zone
 - strike-slip faulting, 1-110, -111, -114
- late Wisconsin
 - ground-water levels, 3-109, -111--112, -113
 - hydrology, 3-109--111
 - lakes, 3-109, -110
 - long-term climatic assessment, 5-38, -39*, -40
 - marsh deposits, 3-109--110
- lateral crustal movement
 - postclosure, 1-212--213
 - summary results, 1-338, -340
 - Yucca Mountain, 1-147
- lateral flexibility
 - and allowable areal power density, 6-231
- Lathrop Wells
 - topography map description, 1-25
- Lathrop Wells basalt center
 - hydrovolcanic activity, 1-203--204
 - Strombolian eruptions, 1-203--204
- Lathrop Wells basaltic cone, 1-279**, -301
- lava, permeable zones, 3-191**
- lava flow and tuff aquifer, transmissivity, 3-51*
- lava flow aquitard, transmissivity, 3-52*
- leach rates, waste glass form, 7-159--173
 - elements, 7-162--173
 - factors affecting, 7-164--167
 - and irradiation effects, 7-167
 - and pH effects, 7-165, -166**
 - and radiolytic production of nitric acid effects, 7-167
 - and repository components effect, 7-169, -172**
 - and self-irradiation effects, 7-167
 - and silica effects, 7-169
- leach rates, waste glass form (continued)
 - and surface area to solution volume effects, 7-167, -168**
 - and temperature effects, 7-163**, -165
 - and tuff effect, 7-169, -171**
 - and water volume effects, 7-167
 - and well J-13 water effect, 7-169, -170**
- legal requirements
 - conceptual design, 6-6, -8, -9--15*, -16*, -17*
 - design, 6-6, -8
- license application design, 6-2
 - phase, definition, A-10
- lightning (Yucca Mountain area), 5-28
- Likely fault, 1-113**
- linear elastic model, 6-339
- LINED
 - shaft liner stresses, 6-322
- liner loading and shaft design, 2-4
- liquid flow
 - and waste package emplacement, 7-52
- liquid waste treatment, 6-94**
- Lithic Ridge Tuff, 1-58; 3-197
 - age, magnetic polarity, and stratigraphy, 1-56*
 - correlation with hydrogeologic units, 3-54*
 - hydraulic conductivity, 3-189*
 - permeable zones, 3-191**
 - stratigraphy at Yucca Mountain, 3-138**
 - transmissivity, 3-189*
- lithology
 - alluvium, 2-97, -98**
 - characteristic, 1-35--78
 - description, 1-35--78
 - design data, 6-41, -42**
 - investigations summary, 1-346--347
 - site, 1-35--78
 - southern Great Basin, 1-37--49
 - summary results, 1-325--327
 - Yucca Mountain, 1-49--78
- lithophysae
 - and ash flows, 2-16
 - Busted Butte, 2-40, -73
 - and compressive strength, 2-38, -40
 - effects of, 2-43, -67
 - and sample size, 2-14
 - and thermal and mechanical properties, 2-6
 - and thermal conductivity, 2-67, -72--73
 - and Topopah Spring porosity, 2-77, -111
- lithophysal cores, problems, 2-14

PART A INDEX (Chapters 1-7)

- lithophysal zones
 - moisture content, 2-78
 - stratigraphic description, 2-17**
- Little Skull Mountain
 - earthquake densities and energy release, 1-176*
- localized corrosion
 - and electrochemical testing, 7-85--88, -89**
 - environmental considerations, 7-96--97
 - and gamma-irradiated environments, 7-90--93
 - models, 7-96--97
 - susceptibility and alloy surface condition, 7-88
 - testing with creviced specimens, 7-93--94
 - and well J-13 water, 7-86
- long-term climatic assessment, see climate assessment, long-term
- long-term sensitization of austenitic materials and thermal history of waste, 7-79**
- long-term subsidence control strategy, product 1.11.5-2
 - work completed, 6-233
- Lookout Peak
 - earthquake densities and energy release, 1-176*
- Lopatin's time-temperature index, 1-320--323
- Los Alamos DP site, see Los Alamos liquid waste disposal site
- Los Alamos liquid waste disposal site
 - americium concentration profile, 4-141*
 - field tests, 4-138--139, -140***--142**
 - plutonium concentration profile, 4-140**
 - radionuclide concentration profiles, 4-140***--141**
 - radionuclide distribution, 4-138--139, -140***--142**
 - TRACR3D, 4-139
- low temperature sensitization
 - austenitic materials, 7-76--80
- low temperature springs, 1-306
- lower carbonate aquifer, 1-42**; 3-58, -59**, -60
 - Ash Meadows subbasin ground-water flow, 3-75**, -77--78
 - chemical composition, 3-83, -85
 - discharge from, 3-92--94
 - Piper diagram, 3-86**
 - recharge to, 3-91--92
 - transmissivities, 3-56*--57*, -68, -78
- lower clastic aquitard, 1-42**; 3-58, -59**, -60
 - Ash Meadows subbasin ground-water flow, 3-77
 - hydraulic conductivity, 3-57*, -68
 - interstitial porosity, 3-57*, -68
 - transmissivity, 3-57*, -68
- Lunar Crater
 - basaltic volcanism field characteristics, 1-98*
- Lunar Crater volcanic field
 - erosion rates, 1-31*
- macrofossil analyses, 5-101
 - see also pack rat midden studies
- magnetic logs, geophysical logging, 1-250
- main entry drifts
 - design, 6-144, -145**, -146**, -147*, -147, -156
- maintenance shops
 - design, 6-153, -154**, -155**
- Manix Basin, 1-9**
- mantle upwelling models, 1-86
- maps
 - Alkali Flat-Furnace Creek Ranch ground-water flow, 3-207**
 - Amargosa Valley ground-water sample wells, 3-99**
 - areas of heavy water withdrawal, 3-115**
 - Basin and Range physiographic province boundaries, A-3**; 1-8**
 - bedded barite deposits in Nevada, 1-289**
 - bedrock map showing locations of gold, silver, and base-metal mines, 1-279**
 - boreholes, unsaturated zone, 3-148**
 - calderas of the southwest Nevada volcanic field, 1-94**
 - calderas within the southwestern Nevada volcanic field, 1-265**
 - candidate areas for surface facilities, 6-127**
 - Cenozoic extensional and strike-slip faults, distribution, 1-81**
 - Cenozoic volcanic rock distribution in the southern Great Basin, 1-90***--93**
 - central surface facilities, 6-125**
 - corehole sampling locations, 2-7**
 - crest-stage site locations, 3-12**
 - Death Valley ground-water system, 3-117**
 - deposits and occurrences of fluorine-bearing minerals in Nevada, 1-292**

PART A INDEX (Chapters 1-7)

maps (continued)

distribution of ore deposits dated by
potassium-argon, methods, 1-273**

distribution of Paleozoic rocks in Roberts
Mountains thrust plate, 1-267**

drillholes and trenches on Yucca Mountain,
1-72**

drillholes and well locations, 4-43**

drillholes located outside perimeter drift
but within 10 km, 1-215**

drillholes located within the perimeter
drift, 1-214**

drillholes near Yucca Mountain, location,
1-51**

east-west stratigraphic correlation
between selected drillholes, 1-53**

energy release map of southern Great Basin
earthquakes, 1-161**

energy release map of southwestern Great
Basin earthquakes, 1-162**

faults and fractures at Yucca Mountain,
electrical resistivity data, 1-121**

faults at Yucca Mountain, geologic
mapping, 1-122**

faults at Yucca Mountain, low-altitude
aeromagnetic data, 1-120**

flood-prone areas near Fortymile Wash,
3-20**

generalized geologic map of Yucca
Mountain, 1-50**

geochemical facies, Yucca Mountain area,
3-165**

geologic index map of the southern Great
Basin, 1-36**

Great Basin lakes of Pleistocene age,
5-44**

ground-water flow paths, 3-75**, -206**,
-207**

ground-water sampling areas, 3-89**

heat-flow contours of western United
States, 1-149**

high-altitude oblique aerial photo of
Yucca Mountain site, 1-23**--24**

highway and rail access routes for Yucca
Mountain site, 6-83**

historical seismicity of the southern
Great Basin, 1-156**--158**

hot springs and geothermal wells in
Nevada, 1-307**

hydrogeologic study area, A-6**, 3-3**,
-48**, -117**, -206**

maps (continued)

hydrogeologic units in saturated zone,
3-59**

hydrographic study areas, A-7**, 3-2**,
-117**

idealized model of epithermal precious-
metal deposits, 1-274**

index map of areas near Yucca Mountain
site, 1-177**

in situ stress, drillholes USW G-1 and
USW G-2, 1-144**

in situ stress in Rainier Mesa-Aqueduct
Mesa area, 1-143**

isopach contours in repository block,
3-198**

Lake Bonneville subbasins, 5-58**

Lake Lahontan basin, 5-61**

Landsat image of the Yucca Mountain area,
1-21**--22**

Late Pliocene and Quaternary faults in
Nevada Test Site, region, 1-118**

major Mesozoic thrust faults in southern
Nevada, 1-101**

major strike-slip faults of the southern
Great Basin vicinity, 1-83**

meteorological monitoring stations, 5-3**

Nevada mining districts producing mercury,
1-285**

north-south stratigraphic correlation
between selected drillholes, 1-52**

overall site plan showing surface
facilities, 6-86**

Owens River system, 5-64**

paleogeography of the Great Basin--through
mid-Paleozoic, 1-45**

paleogeography of the Great Basin--through
Mississippian, 1-47**

paleotemperatures for USW G-1, USW G-2,
and USW G-3, 1-281**

physiographic features in the site area,
1-17**

physiographic features of Yucca Mountain,
A-2**, 6-39**

physiographic subdivisions, 1-9**

physiographic subdivisions of west-central
and southern Great Basin, 1-16**

pollen and pack rat midden study sites,
5-76**

postulated detachment faults in southern
Great Basin, 1-107**

potentiometric surface, 3-62**, -132**,
-149**

PART A INDEX (Chapters 1-7)

maps (continued)

pre-Cenozoic, location and extent
outcrops, 1-39**
proposed highway and railroad access to
Yucca Mountain site, 6-126**
Proterozoic rocks and deposits in the
Great Basin, distribution, 1-44**
Quaternary faulting on east side of Bare
Mountain, 1-131**
Quaternary normal and postulated detach-
ment faults on Yucca Mountain, 1-108**
regional heat flow and distribution of
hydrothermal systems, 1-309**
regional physiographic features, 3-81**
rose diagram of strikes of fractures along
traverses, 1-137**
seismicity and focal mechanisms of the
North Pahroc Range area, 1-186**
seismicity and focal mechanisms of the
northern Nevada Test Site, 1-179**
seismicity and focal mechanisms of the
Pahranagat shear zone area, 1-185**
seismicity and focal mechanisms of the
Pahroc Valley area, 1-186**
seismicity and focal mechanisms of the
Sarcobatus Flat, 1-183**
seismicity and focal mechanisms of the
southern Nevada Test Site, 1-178**
seismicity of southwestern United States,
1-152**
seismicity of southwestern United States
showing epicenters, 1-153**
seismicity of the Las Vegas Valley area,
1-182**
seismicity of the southern Great Basin,
1-154**
shaft and ramp locations, 6-137**
shot-induced scarplets along part of the
Yucca fault, 1-211**
significant tectonic features relative to
plate rotation, 1-87**
site topography, 6-40**
site topography and flood potential areas,
6-69**
Spotted Range-Mine Mountain structural
zone, 1-116**
state of stress in vicinity of Yucca
Mountain, 1-142**
states of stress in the Yucca Mountain
region, 1-141**
stratigraphic columns and cross section of
major aquifers, 1-42**

maps (continued)

streamflow and precipitation stations,
5-48**
streamflow measurement sites, 3-17**
surface facilities of shaft sites,
6-129**--130**
surface-water sample sites, 3-26**
surficial sedimentary and volcanic
deposits near Yucca Mountain, 1-76**
topography and physiographic subdivisions
of the site area, 1-20**
underground areas for the repository,
6-226**, -228**
underground facility area, 6-143**
underground nuclear explosion afterevent
activity, 1-174**
uranium-series dated veins (south central
Great Basin), 3-104**
valley-fill aquifer potentiometric map,
3-132**
Walker Lane and major associated faults,
1-113**
water well locations, 3-116**
weapons-testing areas on the Nevada Test
Site, 1-210**
zeolite locations (cross section), 4-22**
marsh deposits
analyses, 5-101--102
chronologies, 5-70
data availability, 5-43
late Wisconsin, 3-109--110
and paleolakes, 5-70
mass wasting, 1-32
Massachusetts Mountain
earthquake, 1-171
earthquake densities and energy release,
1-176*
matric potentials, unsaturated zone,
3-199--200
profiles, 3-161**, -162**
summary, 3-236
matrix compressive strength, 2-29--41, -42**
see also compressive strength and tensile
strength
matrix conductivity of tuffs, 2-69--71
see also thermal conductivity
matrix diffusion
radionuclides, 4-101--105
and retardation, 4-53
matrix flow, summary, 3-235

PART A INDEX (Chapters 1-7)

- matrix porosity
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - see also porosity
- maximum earthquake
 - Bare Mountain fault, 1-193
 - on potentially active faults in the southern Great Basin, 1-173*
 - Yucca Mountain, 1-173*, -193
- McDermitt district, 1-285**
- MCRT, thermodynamic data, 7-192
- MDGS, see mined geologic disposal system
- mean peak acceleration
 - earthquake hazard, Yucca Mountain, 1-173*, -194**, -195*
- mechanical analyses
 - work completed, 6-306--333
- mechanical mining
 - as excavation method, 2-107--108
- mechanical model
 - and corrosion model, 7-206--207
 - waste package
 - NIKE2D, 7-207
 - waste package performance assessment, 7-206--207
 - and waste package system model, 7-203, -206--207, -216**, -221**
- mechanical properties
 - discontinuity effects, 2-43--56, -64--66
 - excavation effects, 2-107--108
 - existing data, 2-24, -25*, -26--41, -42*
 - host rock and Rainier Mesa, 2-102, -103*
 - India (tuff breccia), 2-25*
 - inhomogeneities effects, 2-40, -43
 - intact rock, 2-22--42, -64--66; 6-49*--51*
 - jointed rock test procedures, 2-45
 - large scale, 2-56--64
 - and lithophyses, 2-6, -38, -40
 - measurements at G-Tunnel, 2-62***-63**, -64
 - natural joints, 2-47, -50
 - nonsite rocks, 2-24, -57, -59*
 - nonsite tuffs, 2-25*
 - Oak Springs Formation, 2-25*
 - Ohya, Japan tuff, 2-25*
 - Rainier Mesa tuff units, 2-25*
 - Red Hot Deep Well Experiment (tuff), 2-25*
 - reference values, 2-65*
 - relationships, 2-64--66
 - rock mass of thermal/mechanical units, 6-56*
- mechanical properties (continued)
 - simulated fractures, 2-47
 - site rock, 2-60--64
 - and stratigraphic variations, 2-43
 - USSR (tuff), 2-25*
 - water saturation effects, 2-29--32, -50, -51**, -53**, -55**
 - at Yucca Mountain, 2-23--43, -44*
 - Yucca Mountain tuff, intact rock, 2-44*, -65*
 - see also specific property
- mechanical response
 - and inhomogeneities, 2-40, -43
- men and materials shaft
 - description, 6-85, -86**, -87**, -88**, -138, -139*, -140**, -141**, -142, -143**
- Mendocino fracture zone, 1-81**
- Mercury (city)
 - and Ash Meadows subbasin, 3-123
 - existing and future water use, 3-135*
 - water supply, 3-123
- mercury (metal)
 - host rock, 1-284, -286
 - mining districts, 1-285**
 - Nevada production, 1-285**
 - Nevada resources, 1-284--287
 - potential for, 1-287
- Mercury Valley
 - earthquake densities and energy release, 1-176*
 - hydrographic study area, 3-2**, -9*, -127*
 - seismicity of, 1-178**, -180
- mesoscale meteorological models, 5-99
- Mesozoic
 - rock distribution, region, 1-46
 - southern Great Basin structures, 1-100--102
- Mesquite Flat
 - earthquake densities and energy release, 1-176*
- metal barriers
 - alternative alloy system, 7-103--104
 - austenitic materials, 7-229--232
 - copper alloy materials, 7-229--232
 - functions, 7-64--65
 - intergranular stress corrosion, 7-230
 - research and development status, 7-64--105
 - research and development summary, 7-229--232
 - transgranular stress corrosion cracking, 7-230

PART A INDEX (Chapters 1-7)

- metallic containers
 - uncertainties, 7-237--238
- metallogenic provinces
 - western, eastern, 1-266
- metals, alteration occurrences, 1-280--284
- metastability
 - austenite, 7-102
- metastable austenite
 - and corrosion, 7-68
 - and embrittlement, 7-68
- meteorological classification system, 5-9
- meteorological data
 - and Environmental Regulatory Compliance Plan, 5-2, -103
- meteorological data needs, 5-2, -8, -103
- meteorological investigations
 - work completed, summary, A-9
- meteorological models
 - general circulation, 5-97--98
 - mesoscale, 5-99
 - see also climate models
- meteorological monitoring program, 5-2
 - plans for expanding, 5-36--38
 - precipitation data, 5-19*
 - and stability distributions, 5-33
 - station elevation, record period, and parameters, 5-4*--6*
 - station locations, 5-3**
- meteorological parameter specifications, 5-37
- meteorology, local and regional
 - atmospheric stability, 5-32--36, -34**, -35**, -36*
 - data uncertainties, 5-8
 - measurement program, 5-36--38
 - micrometeorological variations, Yucca Mountain, 5-10--11
 - see also climate, and meteorology
- Mexican Highlands, 1-8**, -9**
- MGDS, see mined geologic disposal system
- microcracking, effects of, 2-68
- micrometeorological variations (see meteorology, local and regional)
- Mine Mountain
 - barite, 1-290
 - fault, 1-110, -115
 - pre-Cenozoic rocks, 1-39***-40**
- Mine Safety and Health Administration
 - ventilation criteria, 6-333
- mine ventilation
 - normal conditions, 6-333--334
 - see also ventilation

- mined geologic disposal system
 - components of, 6-16--17
 - critical design requirement, 6-2
 - definition, A-2; 6-16
 - environmental standards, 6-17
 - and information needs, 6-208
- mineral abundances
 - tuff, 4-77*--80*
 - UE-25a#1 drillhole, 4-77*--80*
 - USW G-1, 4-77*--80*
 - USW G-2, 4-11**, -77*--80*
 - USW G-3, 4-12**
 - USW GU-3, 4-12**, -77*--80*
 - well J-13, 4-77*--80*
 - Yucca Mountain site, 4-11**, -12**, -77*--80*
- mineral-energy-resource
 - methods of assessment, 1-260--262
- mineral evolution model
 - data status, 4-5--7
- mineral-resource classification, 1-259**
- mineral stability
 - and repository heating, 4-36--39
 - Yucca Mountain site, 4-36--39
- mineralization, potential
 - regional and local, 1-262--266
- mineralized districts, 1-273**, -277
- mineralogic analytical techniques, 4-8--9
- mineralogy
 - fracture, 4-13, -14**, -15
 - host rock, 4-7, -10, -13, -36
 - Pah Canyon Member, 4-15
 - Paintbrush Tuff, 4-15--36
 - and radionuclide sorptive behavior, 4-84--87
 - silicic volcanic units, 4-15--36
 - Tiva Canyon Member, 4-15
 - Topopah Spring Member, 4-7, -10--15
 - Yucca Mountain Member, 4-15
 - Yucca Mountain site, 4-7--39
- mineralogy and petrology
 - data status, 4-6
- mineralogy, petrology, and rock chemistry (Investigation 8.3.1.3.2)
 - synopsis, 4-148
- minerals
 - deposits, Yucca Mountain, 1-3
 - exploration, 1-256--323
 - and hydrocarbon resources, 1-256--323
 - production
 - nonfuel Nevada, 1-263*

PART A INDEX (Chapters 1-7)

- minerals (continued)
 - resources
 - definition, 1-258, -259*, -260
 - investigations summary, 1-353
 - summary results, 1-341--343
 - symbols, 4-18*
- minerals/glass stability (Investigation 8.3.1.3.3)
 - synopsis, 4-148--149
- mining
 - activities within 10 km, 1-255--256
 - excavation evaluations, 2-102--108
 - historical, 1-255--256
 - investigations summary, 1-353
 - methods
 - construction, 6-160
 - horizontal emplacement, 6-166**
 - vertical emplacement, 6-165**
 - summary results, 1-340--341
 - welded tuff evaluation, 2-13**
- minor alteration phases
 - Yucca Mountain, 1-276*
- mission plan
 - critical design requirement, 6-2
- Mississippian Eleana Formation
 - pre-Cenozoic rocks, 1-54
- modeling
 - aquifers, 3-5, -6, -123
 - climate, see climate, models
 - EQ3/6, 7-60--64 (see also geochemical modeling)
 - geochemical retardation, 4-109--110
 - geoengineering, 2-12, 2-18--21
 - ground-water flow, 3-4, -193--214, -233, -235--236
 - hydrothermal, 4-123; 7-206
 - parameters, fractures, 6-52*--53*
 - radionuclide transport, 4-53--54
 - rock-water interactions, 4-48; 7-60--64, -228
 - sea-surface temperature, 5-41, -98
 - thermal, 6-309--311, -318, -322; 7-41
 - thermal/mechanical stratigraphy, 6-41, -42**, -221--223
 - thermal migration, 2-92, -94
 - validation, 6-329, -330**, -331**, -332
 - waste package, 7-202--203, -207, -209--210
- modern plate tectonics setting,
 - see tectonic plates--modern
- modern vegetation and climate, 5-72--73, -74**
- modification of rock mass permeability near shaft, product 1.12.4-2
 - work completed, 6-241--242
- modulus of deformation
 - borehole jack measurements, 2-60
 - cannister-scale heater test, 2-64
 - field-to-laboratory ratios, 2-64
 - and heated-block test, 2-64, -110
 - nonsite rocks, 2-59*
 - pressurized-slot test, 2-60, -64
 - reference values, 2-65*
 - and stress-strain relationship, 2-56--57, -58**
 - thermal/mechanical units, rock mass, 6-56*
- modulus of elasticity
 - G-Tunnel, 2-60
 - nonsite rocks, 2-59*
 - stress-strain relationship, 2-56--57, -58**
- Mohr-Coulomb criterion
 - intact rock strength, 6-57
- moisture, atmospheric, 5-13*, -21, -22*
- moisture characteristic relations, unsaturated zone, 3-169--179, -236--237
- moisture content
 - and lithophysal zones, 2-79
- moisture-flow system at Yucca Mountain
 - east-west section, 3-194**
 - summary of (unsaturated zone), 3-195--196
- Mojave Desert
 - erosion, 1-30
 - erosion rates, 1-31*
- Mojave River drainage
 - and Death Valley drainage system, 5-69--70
- Mojave-Sonoran Desert
 - maps, 1-8**, -9**, -16**
 - subprovince, 1-7, -12--13
- monitoring
 - air quality, 5-37--38
 - baseline ground-water conditions (hydro-chemical), 3-146--169
 - borehole USW UZ-1 instrumentation, 3-151**
 - and hydrologic conditions, 3-225--231
 - National Weather Service, 5-2, -3**, -9
 - precipitation monitoring network, 5-20
 - saturated zone, 3-153--160
 - site meteorological measurement program, 5-36--38
 - unsaturated zone, 3-147--153
- Mono-Inyo block
 - erosion rates, 1-31*

PART A INDEX (Chapters 1-7)

- Mono Lake
 - historical lake levels, 5-55**
 - location of, 5-44**
 - see also Lake Russell
- montmorillonite deposits, 1-300*
- mordenite
 - sorption, 4-27, -29
 - Yucca Mountain site, 4-29
 - see also sorptive zeolites
- morphometric characteristics
 - Great Basin, 1-10*-11*
- MORSE-L
 - and radiation model for waste package, 7-204--205
- Mount Tobin district, 1-285**
- MSHA, see Mine Safety and Health Administration
- Mt. Dunfee
 - earthquake densities and energy release, 1-176*
 - and focal mechanisms, 1-183**
 - seismicity of, 1-183**, -184
- multiple-well tests, saturated zone, 3-6

- National Center for Atmospheric Research (NCAR)
 - Community Climate Model (CCM), 5-41, -42, -98
- National Weather Service
 - and climatological zones, 5-9
 - and meteorological monitoring, 5-2
 - and meteorological monitoring stations, 5-3**, -9
- natural analogs
 - for repository environment, 4--129--134
- natural analogs and related field tests
 - and repository performance, 4-129--142
- natural barriers
 - functional requirements, 6-17, -25
- natural phenomena
 - design values, 6-26*
- Nature Conservancy, the, 3-123
- NCAR CCM, see National Center for Atmospheric Research (NCAR), Community Climate Model (CCM)
- NEA, see Nuclear Energy Agency
- near-field decrepitation, 2-90--91
- near-field environment
 - and dehydration-rehydration, 7-38
 - thermal evolution, 7-42, -41**
 - waste package thermal load, 7-38
- near-field hydrothermal response
 - conceptual model, 7-52
- near-field rock
 - temperature change effects, 7-39--40
- near-field thermal calculations, 7-42
- near-surface soil and rock
 - design data, 6-38, -41
- neptunium
 - solubility
 - literature summary, 4-98
 - in well J-13 water, 4-94, -95*, -100*
 - sorption ratios from batch desorption experiments, 4-74*-76*
 - sorption ratios from batch sorption experiments, 4-69*-71*
 - speciation, literature summary, 4-98
- neutron logs, geophysical logging, 1-245--246
- Nevada
 - barite resources, 1-288--290, -289**
 - base metal resources, 1-266--284
 - fluorspar resources, 1-290--291, -292**, -293
 - gas fields, 1-316--319
 - geothermal resources, 1-305--313, -307**
 - gold, 1-269--284
 - hot springs, 1-307**
 - mercury resources, 1-284--287, -285**
 - oil, 1-316--319
 - ore deposits, 1-273**
 - precious metals, 1-266--284
 - silver, 1-269--284
 - state of, see State of Nevada
 - uranium, 1-303--305
 - zeolites, 1-293--296
- Nevada-California Seismic belt, 1-152**
- Nevada Department of Conservation and Natural Resources
 - ground-water studies, 3-4
- Nevada Mining District
 - mercury, 1-284--287, -285**
- Nevada seismogenic zone, 1-172, -174**
- Nevada Test Site
 - basaltic volcanism field characteristics, 1-97*-98*
 - Cambric nuclear explosion, 4-134--138
 - focal mechanisms, 1-178**, -179**
 - and geomorphic studies, 3-19
 - in situ stress, 1-143**
 - location, 2-7**
 - water use, 3-120, -120*, -122*, -124*
 - water well locations, 3-116**

PART A INDEX (Chapters 1-7)

- Nevada Test Site (continued)
 - weapons testing, 1-161**, -196, -197, -198--200, -209, -210**, -212; 3-4.
 - zeolite deposits, 1-293--296
- Nevada Water Laws, 3-133, -134
- NGI, see Norwegian Geotechnical Institute
- nickel (high), iron-based austenitic alloy
 - reference container, 7-25
- nickel solubility
 - literature summary, 4-99
 - and well J-13 water, 4-101*
- NIKE2D
 - mechanical model, waste package, 7-207
- NNWSI Project core library, 2-14
- NNWSI Project glass waste forms, see Yucca Mountain Project glass waste forms
- nonlithophysal unsaturated zone
 - and water transport, 7-45
- nonlithophysal zone
 - host rock, 1-66
- nonradiological health and safety (Issue 4.2)
 - information needs, 6-289--293
 - issue statement, 6-289
- nonsite rocks
 - mechanical properties, 2-24, -25*, -57, -59*
 - thermal and thermomechanical properties, 2-80
- nonsite tuffs
 - mechanical properties, 2-25*
 - thermal and thermomechanical properties, 2-69, -70*
- normal faults
 - summary, 1-328
 - Yucca Mountain, 1-108**, -110, -119, -127, -141**--142**, -328
 - Yucca Mountain cross section, 1-126**
- normal retrieval conditions, see retrieval, normal conditions
- normalized elemental leaching
 - glass waste form, 7-160--173
 - temperature effect, 7-163**
- North Pahroc Range
 - and focal mechanisms, 1-186**
 - seismicity of, 1-184, -186**
- North Pahroc Valley
 - seismicity of, 1-186**
- northeast Mojave Desert
 - characteristics, 1-10*--11*, -14--15
 - morphometric characteristics, 1-10*--11*
- northern Great Basin
 - seismogenic zone, 1-174**
- northern Nevada Test Site
 - focal mechanisms, 1-179**
- Norwegian Geotechnical Institute
 - classification system, 2-104; 6-319, -320, -334
 - Grouse Canyon Member, 2-105**, -106*
 - Topopah Spring Member, 2-105**, -106*
 - Tunnel bed 5, 2-105**, -106*
 - and Yucca Mountain tuffs, 2-104--106
- NRC, see U.S. Nuclear Regulatory Commission
- NRC siting criteria (Issue 1.8)
 - and climatology and meteorology, 5-1
 - and geochemical site data, 4-1--2
 - and hydrologic system, 3-239
 - physical/geochemical transport models, 4-109--110
- NTS, see Nevada Test Site
- Nuclear Energy Agency data
 - and thermodynamic data base, 7-192
- Nuclear Regulatory Commission, see U.S. Nuclear Regulatory Commission
- nuclear tests, see weapons testing
- Nuclear Waste Policy Act of 1982
 - and design requirements, A-11; 6-1, -6, -8
 - retrievability requirements, 6-186
 - and scoping hearings, 1-8
 - and site characterization, 1-4--5; A-5
 - and site characterization plan, 1-6--8
- Nuclear Waste Policy Amendments Act of 1987
 - and site characterization, 1-1
 - and Yucca Mountain site characterization, 1-1, -4--5
- numerical analysis to evaluate backfilling repository drifts, product 1.12.4-4
 - work completed, 6-245
- numerical modeling
 - hydrothermal flow, 7-49, -51--53
 - hydrothermal transport, 7-49, -51--53
 - research and development summary, 7-228
- NWPA, see Nuclear Waste Policy Act of 1982
- NWPAA, see Nuclear Waste Policy Amendments Act of 1987
- NWS, see National Weather Service
- Nye Canyon
 - hydrovolcanic activity, 1-203--204
 - Strombolian eruptions, 1-203--204

PART A INDEX (Chapters 1-7)

- Oak Springs Formation
 - mechanical properties, 2-25*
- Oasis Valley
 - aquifer, see Oasis Valley aquifer
 - caldera, 1-94**, -265**
 - ground-water discharge, 3-29, -30*, -72*
 - ground-water sampling area, 3-89**
 - hydrogeologic study area, 3-3**, -117**
 - hydrographic study area, 3-2**, -9*, -117**, -122*
 - perennial surface-water, 3-24
 - recharge to ground-water subbasin, 3-134
 - spring discharge areas, 3-35, -41*-43*
 - subbasin, see Oasis Valley subbasin
 - water supply problems, 3-136
- Oasis Valley aquifer
 - and Pahute Mesa recharge, 3-87
 - sodium bicarbonate and chloride concentration trends, 3-90**
- Oasis Valley subbasin
 - evapotranspiration, 3-76
 - flow paths, 3-75**, -76--77
 - and hydrogeologic study area, 3-4, -50
 - location of, 3-2**, -117**
 - water use, 3-128, -129*, -130
 - water yields, appropriations, and use, 3-129*
- ocean temperature, see sea surface temperature modeling
- Ohya tuff, Japan
 - mechanical properties, 2-25*
- oil
 - Nevada resources, 1-316--319
 - potential, 1-319--323
 - shale resources, 1-315--316
- Oklo
 - and commercial reactors, 4-132*
 - effect of uranium deposit, 4-131--133, -132*
 - fission products, 4-132*
 - natural reactor, 4-131--133, -132*
- older flows and rocks
 - stratigraphy at Yucca Mountain, 3-138**
- older tuffs
 - caldera, 1-94**
 - conceptual moisture flow, 3-215**
 - transmissivity, 3-188*
- Opalite district, 1-285**
- opalite-type mercury deposits, 1-286
- opening stability, 2-3, -4, -111
- operational procedures
 - work completed, 6-301
- operations, repository
 - accident analyses, 6-121
 - caretaker, 6-98
 - closure and decommissioning, 6-98
 - description, 6-85, -89--121
 - effects on radionuclide transport, 4-143--144
 - horizontal emplacement, 6-98, -103***-106**
 - and licensing, 1-3
 - plans for, 6-301
 - schedule, 6-29, -30*, -31**, -32
 - vertical emplacement, 6-98, -99***-102**
 - waste retrieval, 6-110, -111***-120**
- operations and functions
 - repository, work completed, 6-301
- Ordovician Vinini formation
 - oil shale, 1-316
- ore deposits, gold, 1-273**
- Oregon (tuff)
 - mechanical properties, 2-25*
- organics
 - well J-13 water, 4-46
 - Yucca Mountain site ground water, 4-46
- ORIGEN2
 - and radiation model for waste package, 7-204
- Oskarshamn I fuel
 - characteristics, 7-114, -116*
 - and spent fuel dissolution testing, 7-114
- other rocks, see nonsite rocks and nonsite tuffs
- overburden
 - and vertical stress, 2-86
- overburden loadings, G-Tunnel, 2-102
- overburden pressures
 - and joint closure, 2-81
- overcoring measurements
 - and stress regime, 2-85
- Owens Lake
 - chronology of, 5-91
 - location of, 5-44**
 - and Owens River system (Pleistocene), 5-64**, -65**
- Owens River system, 5-62, -64**, -65**
 - and Death Valley drainage system, 5-69
- Owens Valley fault zone, 1-2**, -83**, -113**, -153**
- oxidation
 - austenitic materials, 7-68--69
 - CANDU fuel, 7-144, -145
 - spent fuel, 7-113, -140--146

PART A INDEX (Chapters 1-7)

- Pacific Northwest Laboratory waste form
 - composition, 7-152*
- pack rat middens
 - age assignment uncertainties, 5-8
 - and climate, 1-29
 - data summary, 5-77*-84*
 - locations of, 5-76**
 - macrofossil analyses, 5-101
 - studies, 5-75
 - summary, 5-104
 - and surficial processes, 1-32
- Pah Canyon Member
 - age, magnetic polarity, and stratigraphy, 1-56*
 - clinoptilolite analyses, 4-30*-31*
 - correlation with hydrogeologic units, 3-139**
 - description, 1-68, -70
 - mineralogy, 4-15
 - and Paintbrush Tuff, 1-61--62
 - thermal/mechanical stratigraphy, 2-17**
- Pahrnagat shear zone, 1-83**, -153**
 - earthquake densities and energy release, 1-176*
 - focal mechanisms, 1-185**
 - seismicity of, 1-184, -185**
 - strike-slip faulting, 1-110, -115
- Pahrnagat Valley
 - and ground-water flow model, 3-205
 - location, 3-206*
- Pahroc Valley
 - focal mechanisms, 1-186**
 - seismicity of, 1-184, -186**
- Pahrump
 - Artesian Basin, 3-136
 - existing and future water use, 3-135*
 - and Nevada ground-water management, 3-134
 - water supply problems, 3-136
- Pahrump Valley
 - and Alkali Flat-Furnace Creek Ranch subbasin, 3-114
 - and Ash Meadows discharge, 3-77
 - and ground-water flow model, 3-205
 - marsh deposits, 3-109
 - and valley-fill aquifer, 3-114
- Pahute Mesa
 - chemical composition (ground water), 3-83
 - faults, 1-189
 - ground-water sampling area, 3-89**
 - HANDLEY event, 1-146
 - and heat flow to land surface, 3-76
 - induced seismicity, 1-199
- Pahute Mesa (continued)
 - location, 1-9**
 - recharge source for Oasis Valley tuff aquifer, 3-87
 - seismicity and focal mechanisms, 1-179**
 - sodium bicarbonate and chloride concentration trends, 3-83, -90**, -95
 - thermal gradient, 1-310--311
 - weapons testing, 1-146, -160, -171, -189, -197, -199, -209, -210**
- Pahute Ridge
 - and basaltic volcanism, 1-203
- Paintbrush Canyon fault, 1-108**, -122**, -128
 - and calcite deposits, 1-71
 - controlling earthquake source, 6-338
 - description, 1-129*, -133
 - location, 1-50**
 - preliminary data, 1-129*
 - Quaternary fault, 1-108**
 - Quaternary faulting, 1-123*
- Paintbrush nonwelded unit
 - correlation with hydrogeologic units, 3-139*
 - cross sections at Yucca Mountain, 3-145**, -194**, -215**
 - matric-potential profiles, 3-161**, -162**
 - test holes, 3-156
- Paintbrush tuff, 1-61--70
 - age, magnetic polarity, and stratigraphy, 1-56*
 - host rock, 1-35, -55
 - and hydrogeologic units, 3-52*
 - mineralogy, 4-15--36
 - moisture flow, 3-194**
 - and Pah Canyon Member, 1-61--62
 - and Tiva Canyon Member, 1-61--62
 - and Topopah Spring Member, 1-61--62
 - Yucca Mountain, 1-61--62
 - and Yucca Mountain Member, 1-61--62
 - see also host rock and Topopah Spring Member
- paleobotanical data
 - applications of, 5-7--8, -87--89
 - availability of, 5-43
 - and paleoclimate, 5-87--89
- paleobotanical dating
 - and vegetation change, 5-71
- paleoclimatic applications of paleobotanical data, 5-87--89
 - qualitative relationships, 5-88
 - quantitative approaches, 5-88--89
- paleoclimatic hypotheses, regional, 5-90--91

PART A INDEX (Chapters 1-7)

- paleoclimatic investigations, site, 5-101--102
 - lacustrine and marsh deposit analyses, 5-101--102
 - late-Quaternary climatic variation model, 5-102
 - pollen and pack rat midden collection and analysis, 5-101
 - synoptic characterizations--regional climate, 5-101
- paleoclimatic proxy data
 - data uncertainties, 5-8
- paleoclimatic reconstructions
 - and geologic time periods, 5-38, -39**, -40
 - and tree-ring chronologies, 5-73
- paleoclimatology, 5-40--91
 - Quaternary global paleoclimate, 5-40--42
 - Quaternary regional paleoclimate, 5-42--91
 - Yucca Mountain investigations, 5-101--102
- paleoflood investigations, 3-16, -22
- paleogeography, Great Basin, 1-45**, -47**
- paleohydrologic proxy data
 - use of, 5-7
- paleohydrology, 3-69, -103--113
 - hydrologic conditions, 3-227, -229--231
- paleolacustrine data
 - availability of, 5-43
 - summary, 5-71
- paleolake deposit dating, 5-56--57
- paleolakes in Great Basin, distribution and age, 5-57--71
 - Death Valley drainage system, 5-69--70
 - ground water near Yucca Mountain, 5-70--71
 - Lake Bonneville system, 5-57, -58**, -59, -60**
 - Lake Lahontan system, 5-59, -61**, -62, -63**
 - Lakes Russell and Searles, 5-62, -64**, -65**, -66**, -67, -68**, -69
 - marsh deposits in southern Nevada, 5-70
 - see also specific lakes
- paleolimnological data
 - applications of, 5-7--8
 - availability of, 5-43
- paleomarch deposit data
 - availability of, 5-43
 - see also marsh deposits
- paleontological evidence
 - and paleoclimates, 5-42
- paleotemperatures and drillholes, 1-281**
- paleovegetation changes, summary, 5-85
- Paleozoic
 - aquifers, 1-42**
 - aquitards, 1-42**
 - carbonate rocks, stratigraphy at Yucca Mountain, 3-138**
 - rocks, 1-37, -41**, -43--46
 - cross section, 1-41**
 - distribution, region, 1-45**, -267**
- palynological studies, 5-75, -85
 - data summary, 5-77*--84*
 - locations of, 5-76**
 - summary, 5-104
- pan evaporation data, 3-34
- Panama-Stirling mine, water use, 3-121
- Panamint Lake
 - and Owens River system, 5-64**, -65**
- Panamint Range, 1-9**
- Pancake Range, 1-9**
- panel access drifts
 - stability, 6-319--320
- Part A (site characterization plan)
 - introduction, A-1--14
 - organization, A-1
- particulates
 - and radionuclide transport, 4-106--109
 - well J-13 water, 4-46--48
 - Yucca Mountain site ground water, 4-46--48
- Pasquill stability class distributions
 - definitions, 5-32--33
 - importance of, 5-33
 - Yucca Flat, 5-33, -34**, -35**, -36*
- peak acceleration
 - and design, 6-70, -71*
 - earthquake, 1-193
 - earthquakes, southern Great Basin, 1-173*, -191**, 194**
 - estimates, 6-337--338
 - models, 1-190, -191**, -192
 - at Yucca Mountain, 1-195*
 - see also earthquakes and ground motion
- peak runoff, characterization plans, 3-29
- peak vector acceleration
 - weapons testing, 1-199
- perched springs, 3-34, -35, -230
- performance allocation, waste package components
 - design, 7-225--226
 - postclosure, 7-19
 - preclosure, 7-17--19

PART A INDEX (Chapters 1-7)

- performance and design issues
 - and climatology and meteorology, 5-1
- performance assessment model
 - and corrosion model, 7-208--209
- performance confirmation, functions and requirements, 6-24*
- performance confirmation (Issue 1.7)
 - and hydrologic system, 3-239
- performance criteria
 - postclosure waste package, 7-14--15, -196--197
 - preclosure waste emplacement package, 7-13
- performance issues, hydrology related, 3-1, -238--239
- performance objectives
 - and 10 CFR Part 60, 2-112, -113
 - and data needs, 2-112--113
 - and Q List, 6-80--81
- performance requirements
 - system component, information needs, 6-209
- perimeter drift
 - design, 6-144, -145**, -146**, -147*, -156
 - drillholes within, 1-213, -214**, -216, -217*--221*
- perlite
 - deposits, 1-301--302
 - resources, 1-298*, -302
- permeability
 - change
 - heat decay period, 4-124, -128**, -129
 - experiments, 7-46, -47*, -48--49
 - and experiment protocol, 7-47*
 - Topopah Spring tuff, 7-47*
- permeable zones, 3-190, -191**, -192
- permitting
 - and air quality monitoring, 5-37--38
 - and dispersion models, 5-33
 - and environmental monitoring and mitigation program, 5-2, -103
- petrogenetic models of magma evolution, 1-269
- petrographic percentages
 - Topopah Spring, 1-65**
- petrography and petrology
 - Prow Pass Member, 4-15
 - Topopah Spring Member, 4-15
- petrologic analytical techniques, 4-8--9
- petrologic characteristics
 - drillholes, 4-77*--80*
 - tuff, 4-77*--80*
 - Yucca Mountain site, 4-77*--80*
- petrologic units
 - symbols, 4-16*--18*
- petrology
 - data status, 4-6
 - of host rock, 4-10, -13
 - and site stratigraphic units, 4-19*--20*
 - of Yucca Mountain site, 4-7--39
- pH
 - and leach rates, 7-165, -166**
 - and Project glass waste forms, 7-178**
- phase instability and embrittlement
 - work summary, 7-100
- phase stability
 - austenitic materials, 7-97--100
- phenocryst
 - composition
 - and host rock, 4-10
 - site stratigraphic units, 4-21*
 - Topopah Spring Member, 4-21*
 - content, 1-58, -61
 - Topopah Spring Member, 1-66, -67**
- phreatophytes, 3-28, -34, -35, -71
 - area descriptions, 3-36*--47*
 - and evapotranspiration, 3-71
- physical processes affecting transport
 - data status, 4-6
- physical properties
 - alluvium, 2-97, -100, -101*
 - design data, 6-47, -48*, -54
 - intact rock, 6-48*
- physiographic
 - areas
 - description, region, 1-10*--11*, -13--18
 - Great Basin, 1-10*--11*
 - features
 - Nevada Test Site region, 3-81**
 - Yucca Mountain, 1-17**
 - subdivisions
 - description, 1-17**, -19--27
 - map, 1-9**, -16**
- physiography, 1-7--18
 - Yucca Mountain, A-4**; 6-39**
- piedmont slopes
 - and Bare Mountain, 1-19
 - and Yucca Mountain, 1-25
- piedmonts
 - characteristics, 1-13
- Pilot Mountains district, 1-285**
- Pine Valley
 - zeolite deposits, 1-294

PART A INDEX (Chapters 1-7)

- Pinnacles Ridge
 - description, 1-17**, 20***-22
 - physiographic subdivision, 1-26
- Piper diagrams
 - lower carbonate aquifer, 3-86**
 - tuff aquifer, 3-84**
 - valley-fill aquifer, 3-88**
- pitting
 - summary of testing, 7-97
- pitting corrosion, 7-83--97
 - copper alloy materials, 7-104--105
 - research and development status, 7-85
 - see also corrosion degradation modes and localized corrosion
- placement methods (Information Need 1.12.3), 6-236
- plans for repository operation (Information Need 4.4.3), 6-294
- plant distributions and prehistoric changes, 5-72--73
- plastic-elastic models, 2-19
- plate loading measuring test, 2-13**, -56
- plate tectonics
 - Yucca Mountain, 1-84--88
- plates, see tectonic plates--modern
- Pleistocene deposits
 - surficial deposits, 1-75
- Pleistocene lakes
 - and glaciation, 5-89--90
 - location of, 5-44**
- pluton
 - and Yucca Mountain site, 1-264
- plutonium
 - comparison of sorption procedures, 4-83*
 - solubility
 - literature summary, 4-96--97
 - in well J-13 water, 4-94, -95*, -99, -100*
 - sorption ratios, 4-86
 - sorption ratios from batch desorption experiments, 4-74**--76*
 - sorption ratios from batch sorption experiments, 4-69**--71*
 - speciation, literature summary, 4-96--97
- plutonium-beryllium source
 - neutron logs, 1-245--246
- plutonium concentration profile
 - and Los Alamos liquid waste disposal site, 4-140**
- pluvial-related water levels, 3-229--230
- PMF, see probable maximum flood
- Poisson's ratio
 - effect of strain rate change, 2-37*
 - intact rock, 8-49**--51*
 - nonsite rocks, 2-25*
 - reference values, 2-65*
 - rock mass, 6-55, -56*
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - Yucca Mountain tuff, intact rock, 2-44*, -65*
- pollen studies, 5-101
 - sample age assignment uncertainties, 5-8
 - study sites, 5-76**
 - see also palynological studies
- PORFLOW
 - drift thermal analyses, 6-309
- porosity
 - and compressive strength, 2-41
 - design data, 6-47, -54
 - hydrogeologic units, 3-51**--57*, -63, -68
 - nonsite tuffs, 2-70*
 - recommended values, 2-78*
 - saturated zone, 3-192
 - and tensile strength, 2-41, -42**
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - unsaturated zone, 3-170*
 - Yucca Mountain tuffs, 2-77, -78*
- post-Paintbrush
 - ash flow tuffs, 1-70
- postclosure performance allocation, see performance allocation, waste package, postclosure
- postclosure performance assessment
 - waste package, 7-196--224
- postclosure tectonics, 1-200--213
- postclosure waste package
 - design criteria and 10 CFR 60.135(a)(1), 7-196--197
 - functional requirements, 7-14--15
 - performance criteria
 - and 10 CFR 60.113, 7-3, -15, -196
 - and 10 CFR 60.135(a), 7-3, -196
- potentially adverse conditions
 - geochemistry, 4-2
- potentiometric data collection plans, 3-63
- potentiometric levels
 - and ground-water flow, 3-75**
 - hydrogeologic study area, 3-62**
 - saturated zone, 3-149**, -163--164, -201
 - unsaturated zone, 3-160--163
 - valley fill aquifer, 3-132**

PART A INDEX (Chapters 1-7)

- pre-Cenozoic rocks, 1-39**--40**
 - southern Great Basin, 1-37--46
 - Yucca Mountain, 1-54
- pre-Lithic Ridge
 - volcanic rocks, 1-57
 - volcanogenic rocks, 1-57
- pre-Tertiary sedimentary rocks, 1-36**
- Precambrian rocks
 - distribution, region, 1-43
- precious metals
 - deposits
 - model, 1-274**
 - and volcanic centers, 1-277
 - Nevada, 1-266--284
 - potential, 1-283--284
- precipitation, 5-16--20
 - annual, 6-67
 - Beatty, 5-18*, -19**
 - and Carson River discharge, 5-49**
 - collection station locations, 5-48**
 - data need, 5-17, -32
 - Desert Rock, 5-18*, -19**
 - extremes, in Yucca Mountain area, 5-30, -32*
 - Fallon, 5-49**
 - geochemical retardation, 4-52--53
 - Great Salt Lake, 5-47
 - Lake Lahontan, 5-47
 - Lake Russell, 5-47
 - late Wisconsin, 3-109
 - monitoring network expansion plans, 5-20
 - monthly and annual averages and maximum, 5-15*
 - monthly averages, 5-18**
 - and recharge, 3-201--204, -234
 - and runoff, 5-50
 - and streamflow data, historical, 5-47, -50
 - summary, 3-231--232
 - and surface hydrology, 3-8
 - Tahoe City, 5-49*
 - and vegetation distribution, 5-74**
 - waste element concentrations, 4-92
 - Yucca Flat, 1962--1971, 5-12*--13*, -17*, -18*, -19**
- preclosure design and technical feasibility (Issue 4.4)
 - computer codes used, 6-296, -297*--300*
 - future work, 6-338--340
 - and hydrologic system, 3-241
 - information needs, 6-293--296
 - issue statement, 6-293
- preclosure design and technical feasibility (Issue 4.4) (continued)
 - repository design, 6-224, -271, -274
 - work completed, 6-296--338
- preclosure performance, waste package, 7-17--19
 - container handling and shipping, 7-18
 - criteria, 7-13
 - criticality control requirements, 7-18
 - free liquids requirements, 7-18
 - identification requirements, 7-18
 - reactive materials requirements, 7-18
 - reasonably available technologies, 7-18
 - waste form release control, 7-18
 - waste form temperature limitations, 7-19
 - waste package handling requirements, 7-17--18
- preclosure performance allocation, see performance allocation, waste package, preclosure
- preclosure waste emplacement package
 - design constraints, 7-14
 - functional requirements, 7-13
- preclosure waste package criteria
 - and 10 CFR 60.135(b) and (c), 7-3, -13
- prediction of severe weather, 5-30
- Preferred Equities Corporation
 - water use, 3-123
- preferred flow paths
 - experiments, 7-46
- prehistoric lake-level fluctuations, 5-54--71
 - see also lake levels, prehistoric
- preliminary reference waste description
 - work completed, 6-301
- pressure
 - well J-13 water, 4-48
 - Yucca Mountain site ground water, 4-48
- pressurized-slot test, 2-13**, -57, -60, -64
 - and rock-mass properties, 2-56
 - schematic diagram, 2-63**
- primary area
 - underground facility, 6-226**, -227, -228**
- probabilistic risk assessment
 - accidental releases, 6-257--262
- probable maximum flood, 3-16, -18, -23, -232
 - and design, 6-68, -69**, -70
 - design values for, 6-26*
- Drill Hole Wash, 6-135
- surface facility design, 6-134--135
- product 1.11.1-1, see data requirements list

PART A INDEX (Chapters 1-7)

- product 1.11.1-2, see reference thermal/mechanical stratigraphy
- product 1.11.1-3, see reference thermo-mechanical rock properties document
- product 1.11.2-1, see waste package characteristics for design of underground facility
- product 1.11.3-1, see area-needed determination
- product 1.11.3-2, see usable area and flexibility evaluation
- product 1.11.3-3, see emplacement orientation decision
- product 1.11.3-4, see drainage and moisture control plan
- product 1.11.3-5, see criteria for contingency plan
- product 1.11.5-1, see excavation methods criteria
- product 1.11.5-2, see long-term subsidence control strategy
- product 1.11.6-1, see allowable areal power density
- product 1.11.6-2, see borehole spacing strategy
- product 1.11.6-3, see sensitivity studies
- product 1.11.7-1, see reference postclosure repository design
- product 1.12.2-1, see waste package characteristics for design of underground facility
- product 1.12.4-1, see repository sealing concepts
- product 1.12.4-2, see modification of rock mass permeability near shaft
- product 1.12.4-3, see hydrologic calculations to evaluate shaft and drift backfill
- product 1.12.4-4, see numerical analysis to evaluate backfilling repository drifts
- product 1.12.4-5, see vadose water flow around a backfilled drift
- product 2.1.2-1, see radioactive release--normal conditions
- product 2.2.2-1, see worker exposure under normal conditions
- production wells and discharge, 3-72
 - see also water use, production wells near site
- progress reports (site characterization), 1-14
- Project, see NNWSI Project and Yucca Mountain Project
- projected accidental releases (Information Need 2.3.2), 6-253
- projected releases--normal conditions products, 6-248--249
- projected worker exposure (Information Need 2.2.2), 6-251
- Proterozoic
 - aquifers, 1-42**
 - aquitards, 1-42**
 - rocks, 1-37, -41**, -43--46
- provinces and subprovinces, structural region, 1-82, -84
- Prow Pass Member, 1-58--60
 - age, magnetic polarity, and stratigraphy, 1-56*
 - clinoptilolite analyses, 4-30*--31*
 - correlation with hydrogeologic units, 3-54*, -139*
 - hydraulic conductivity, 3-188*, -189*
 - permeable zones, 3-191**
 - petrography and petrology, 4-15
 - potential flow path, 4-53
 - shear strength, 2-47
 - shear stress-to-normal stress relation, 2-49**
 - simulated joint mechanical properties, 2-46, -109
 - stratigraphy at Yucca Mountain, 3-138**
 - thermal conductivities, 2-71*
 - thermal/mechanical stratigraphy, 2-17**
 - transmissivity, 3-188*
 - water production rate, 3-186**
- proxy data
 - paleobotanic, 5-6--7
 - paleohydrologic, 5-7
 - steps in interpreting, 5-7
- public radiological exposures--normal conditions (Issue 2.1)
 - and climatology and meteorology, 5-1
 - future work, 6-249--250
 - information needs description, 6-248--249
 - issue statement, 6-248
 - work completed, 6-249
- public safety
 - design considerations, 6-26--27
- pumice
 - resources, 1-298*, -301--302
- pumping test data, 3-64*--67*, -226*
- Pyramid Lake
 - fault, 1-113**
 - historical lake levels, 5-55**

PART A INDEX (Chapters 1-7)

Pyramid Lake (continued)

- location of, 1-9**; 5-44**
- prehistoric surface extent, 5-61**

Q List

- barriers important to waste isolation, 6-80--81
- items important to safety, 6-72--79, -260--261
- methodology, 6-73, -74**, -75--79, -257, -258**, -259--261
- performance objectives, 6-80--81
- preliminary, 6-78, -79*, -260, -261*
- reference accident scenarios, 6-75--77, -259

Q scenarios, 6-77--78, -260

Quaternary alluvium, 1-36**

Quaternary basaltic vents, 1-19

Quaternary (late) climate model

- and future climate prediction, 5-102

Quaternary climate variations

- and 10 CFR Part 60, 5-6
- and 10 CFR Part 960, 5-6

Quaternary fault zones

- Bare Mountain, 1-125*
- map, 1-116**

Quaternary faulting

- Bare Mountain, 1-30, -125*, -131**
- Bow Ridge, 1-108**, -123*
- detachment faults, Yucca Mountain, 1-108**
- Paintbrush, 1-108**, -123*
- Yucca Mountain, summary, 1-123*--125*

Quaternary lakes, 5-43--71

Quaternary paleoclimate, 5-40--42

- glacial and periglacial records and lake levels, 5-89--90
- glacial cycles, 5-38--40
- global, 5-40--42
- lake, climatic, and hydrologic data, historical, 5-43, -45
- lake-level fluctuations, prehistoric, 5-54--71
- paleoclimatic hypotheses, regional, 5-90--91
- regional, 5-40--91
- temperatures, 5-41
- time series of prehistorical vegetation change, 5-71--89
- Yucca Mountain investigations, 5-101--102

Quaternary Period

- and Ash Meadows springs, 3-92
- floods, 3-22
- ground-water flow paths, 3-107
- hydrologic conditions, 3-21
- and Oasis Valley springs, 3-35
- and valley-fill aquifer, 3-58
- water-table levels, 3-103--107, -110, -111, -227, -233

Quaternary structures

- southern Great Basin, 1-115--117

Quaternary surficial deposits, 1-75--78

Quaternary tectonic processes, 1-30

Quaternary volcanism, 1-95--99

radiation effects

- rock-water-vapor system, 7-43--45
- waste package environment, 7-43--45

radiation environment (Information Need 2.2.1), 6-250--251

radiation field effects

- research and development summary, 7-227

radiation model

- and waste package system model, 7-203, -204--205, -216**

radiation model, waste package

- gamma ray dose submodel, 7-204--205
- MORSE-L, 7-205
- ORIGEN2, 7-204
- source submodel, 7-204
- waste form dose model, 7-205

radiation protection

- regulatory requirements, 1-3--4

radioactive releases--normal conditions, product 2.1.2-1

- work completed, 6-249

radioactive tracers, use of, 3-49

radioactive waste

- key radionuclides, 4-54--59

radiological protection

- design requirements, 6-28--29
- retrieval, 6-285--286

radiological protection (Information Need 2.7.1), 6-271

radiological releases

- design requirements, 6-27--28
- limiting, 6-272--273
- probabilistic risk assessment, 6-257--261
- public exposure--normal conditions, 6-248--250
- worst case, 6-257--258

PART A INDEX (Chapters 1-7)

- radiolysis products
 - in waste package environment, 7-44--45
- radionuclide concentration profiles
 - and Los Alamos liquid waste disposal site, 4-140**--142**
- radionuclide concentrations
 - processes affecting, 4-91--101
- radionuclide dispersion, diffusion, advection
 - (Investigation 8.3.1.3.6)
 - synopsis, 4-150--151
- radionuclide migration
 - and Cambrian site, 4-134--138
 - field tests, 4-134--142
 - thermal pulse effects, 4-123--129
- radionuclide precipitation (Investigation 8.3.1.3.5)
 - synopsis, 4-150
- radionuclide retardation
 - data status, 4-6
- radionuclide retardation (Investigation 8.3.1.3.7)
 - synopsis, 4-151
- radionuclide solubility
 - processes affecting, 4-91--101
- radionuclide sorption (Investigation 8.3.1.3.4)
 - synopsis, 4-149
- radionuclide sorption ratios, 4-65--90
- radionuclide sorptive behavior
 - and ground-water composition, 4-87--88
 - and mineralogy, 4-84--87
 - and stratigraphic position, 4-84--87
- radionuclide speciation
 - processes affecting, 4-91--101
- radionuclide transport, 4-105--109
 - and accessible transport, 4-4
 - Alligator Rivers studies, 4-133--134
 - and colloids, 4-106--109
 - gaseous, 4-109
 - geochemical processes affecting, 4-4
 - and geochemical retardation processes, 4-52--53
 - modeling, 4-53--54
 - and particulates, 4-106--109
 - and repository construction and operation, 4-143--144
 - suspended solids, 4-106--109
 - TRACR3D, 4-110
- radium
 - solubility
 - literature summary, 4-98
 - in well J-13 water, 4-99, -100*
- radium (continued)
 - sorption ratios from batch sorption experiments, 4-67**--68*
- rail
 - access routes, 6-82, -83**, -124, -126**
- Railroad Valley, 3-117**
 - hydrographic area, water data, 3-122*
 - oil (Nye County), 1-317
- rainfall-runoff-recharge relations, 3-9, -13
- Rainier Mesa
 - fracture comparison, 2-102
 - ground motion, 1-199
 - ground water, 4-50
 - hydraulic fracturing studies, 2-85--86
 - in situ stress, 1-143**
 - interstitial and fracture waters, 4-51
 - glass-dissolution model, 4-50
 - inorganic concentrations, 4-44**, -50, -51
 - laboratory data source, 2-6
 - location, 2-7**
 - mechanical property comparison, 2-103*
 - rock mechanics facility, 2-9, -10**, -11**
 - stress calculations, 2-86
 - tuff mechanical properties, 2-25*
 - water chemistry, 7-43*
 - weapons testing, 1-209, -210**
 - see also G-Tunnel
- Rainier Mesa-Aqueduct Mesa area
 - stress, 1-140
- Rainier Mesa Member
 - age, magnetic polarity, and stratigraphy, 1-56*
- ramp
 - access considerations, 6-3, -136, -138
 - analyses, 6-322--323
 - construction, 6-142
 - design, 6-3, -124, -135--142
 - functions, 6-135--136
 - seal description, 6-181, -182**
- ramps and drifts
 - ground support, 6-161--162, -163**
 - horizontal emplacement, 6-146**
 - normal retrieval conditions, 6-278--279
 - vertical emplacement, 6-145**
- range front faults
 - Yucca Mountain, 1-110
- Ranger Mountain
 - earthquake densities and energy release, 1-176*
- RE/SPEC
 - compliant-joint model, 6-327

PART A INDEX (Chapters 1-7)

- reaction-path modeling
 - EQ6, 7-191--192
- recent climate and meteorology, 5-1--38
 - see also climate, recent
- recharge, see ground-water recharge
- recirculating columns
 - adsorption-dynamic process, 4-61
- Red Hot Deep Well Experiment (tuff)
 - mechanical properties, 2-25*
- Reese River zeolite deposits, 1-294
- reference accident scenarios
 - Q List, 6-75--78
- reference alloy system
 - container, 7-25
- reference container
 - and alloy 825, 7-25
 - austenitic stainless steel, 7-25
 - and current conceptual designs, 7-25
 - high nickel, iron-based austenitic alloy, 7-25
 - stainless steel, 304L, 7-25
- reference costs
 - repository, 6-342, -343--344
 - total system design, 6-342, -344--346
 - waste package, 6-342, -343
- reference designs
 - conceptual design, 6-303
 - data base, 6-35--72
 - postclosure underground
 - products, 6-220--221
 - preclosure repository
 - work completed, 6-303
 - seals
 - products, 6-236--237
 - waste package, 7-25, -27, -28**, -29, -30**, -226--227
- reference emplacement orientation, 6-4
- reference ground water, 4-39, -146
 - composition, 4-50--51
 - sample preparation, 4-62
 - see also well J-13 water
- Reference Information Base, 6-35
 - postclosure design, 6-234
 - and reference rock properties, 6-223
- reference nuclear waste description
 - work completed, 6-301
- reference postclosure repository design,
 - product 1.11.7-1
 - work completed, 6-234
- reference postclosure underground designs
 - (Information Need 1.11.7), 6-220--221
- reference preclosure repository design
 - (Information Need 4.4.5), 6-295
- reference repository horizon, 7-4, -8--12
 - unsaturated zone, 7-8
 - vadose water, 7-10
 - water chemistry, 7-10
 - see also host rock and Topopah Spring Member
- reference seal designs (Information Need 1.12.4), 6-236--237
- reference stratigraphy and Interactive Graphics Information System, 6-221
- reference thermal/mechanical stratigraphy,
 - product 1.11.1-2
 - work completed, 6-221, -222--223
- reference thermomechanical rock properties
 - document, product 1.11.1-3
 - work completed, 6-221, -223
- reference values
 - mechanical properties, 2-65*
 - thermal and thermomechanical properties, 2-78*
- reference waste form
 - descriptions, 7-20--25
 - high-level waste, 7-25
 - spent fuel, 7-20--25
- reference waste package
 - designs, 7-25, -27, -28**, -29, -30**, -226--227
 - high-level waste, 7-30**
- reference water
 - for experimental studies, 7-42, -43
 - well J-13 water, 7-10
 - see also well J-13 water
- region and candidate area, 1-1
- regional maximum flood, 6-336
 - analysis of Fortymile Wash and tributaries, 6-68, -69**
- regional seismicity, summary, 1-170--171
- regional stability, long-term
 - geologic processes, 1-200--213
 - investigations summary, 1-352
 - summary, 1-336--340
 - tectonic processes, 1-200--213
- regional stress, 1-139--146
- regulatory design and performance requirement, 7-3--15
- Regulatory Guide 4.17
 - and climate and meteorology, 5-106
 - conformance to, 1-10; 3-241
 - and geochemistry, 4-152
 - and geoenvironmental properties, 2-114, -118

PART A INDEX (Chapters 1-7)

Regulatory Guide 4.17 (continued)
 and geology, Chapter 1, 1-353
 and issues resolution, 6-201--208
 regulatory requirements, 1-3--4
 waste package, 7-3, -4*
see also U.S. Nuclear Regulatory
 Commission
 relative humidity
 Yucca Flat, 1962--1971, 5-13*, -21
 release model
 source term, 7-150--151
 release rates, calculation
 glass waste forms, 7-188--189
see also engineered barrier system relea
 rates
 releases, radiological, see radiological
 releases
 reliability analysis
 waste package postclosure performance
 assessment, 7-223--224
 reliability analysis, waste package,
 7-223--224
 goals, 7-223
 probabilistic reliability, 7-223
 uncertainties, 7-223
 repository
 access considerations, 6-136--142
 analogs, 4-129--134
 construction and operation, radionuclide
 transport effect, 4-143--144
 decommissioning, 1-3
 definition, A-2
 design
 and displacement analyses, 2-4
 and field tests, 2-12
 and ground-water system, 3-237--238
see also design
 design concept, A-12**; 6-82, -84**
 design requirements, 6-6--35
 work completed, 6-301--302
 development, process, 1-1--3
 development area, definition, A-2
 excavation methods, 2-107
 faulting effects, 1-206--207, -212--213
 geoengineering conditions to be evaluate
 2-2--4
 heating and mineral stability, 4-36--39
 horizon
 ground-water pressure, 4-48
 potential, 6-67 (see also Topopah
 Spring Member)

repository (continued)
 importance of geoengineering phenomena,
 2-1
 life cycle cost, 6-340, -341*, -342,
 -343--344
 future work, 6-346--347
 location, favorable attributes, A-2
 operations, see operations, repository
 performance and natural analogs and
 related field tests, 4-129--142
 siting, 1-1--2
 support requirements, see support
 requirements, repository
 repository design criteria for radiological
 safety (Issue 2.7)
 and climatology and meteorology, 5-1
 criteria list, 6-262, -263*--270*
 future work, 6-273
 information needs, 6-271
 issue statement, 6-262
 work completed, 6-272--273
 repository design requirements (Information
 Need 4.4.4), 6-294
 repository-facility drillholes, 1-254
 repository penetration
 basaltic volcanism, probability,
 1-204--206
 repository sealing concepts, product 1.12.4-1
 work completed, 6-240--241
 repository surface facilities design
 and climate and meteorology, 5-105
 repository system cost effectiveness
 (Issue 4.5)
 analysis needs, 6-346
 development needs, 6-346
 future work, 6-346
 information needs, 6-342--346
 issue statement, 6-340
 site information needs, 6-346
 work completed, 6-343--346
 research and development summary (or status)
 borehole openings stability, 7-39--40
 copper-based alloys, 7-229, -231
 corrosion degradation modes, 7-83--85
 crevice corrosion, 7-83, -85, -86
 EQ3/6, 7-235--236
 glass waste forms, 7-234--235
 metal barriers, 7-64--105, -229--232
 numerical modeling, 7-228
 pitting corrosion, 7-85
 radiation field effects, 7-227

PART A INDEX (Chapters 1-7)

research and development summary (or status) (continued)

- rock-water interactions, 7-53--60,
-228--229
- spent fuel dissolution and radionuclide
release, 7-232
- spent fuel oxidation, 7-233
- spent fuel waste form performance,
7-232--233
- transgranular stress corrosion cracking,
7-94--96
- waste package, 7-37--224
- waste package environment modification
due to emplacement, 7-37--64
- waste package performance assessment,
7-236
- water flow, 7-228
- Zircaloy corrosion, 7-233
- research and testing
 - glass waste forms performance, 7-151--189
 - spent fuel performance, 7-109--151
 - waste form performance, 7-105--189
- resource assessment, 1-260--262
 - planned, 1-284
- resource potential, 1-256--323
 - controlled area, 1-287, -301
 - Yucca Mountain, 1-262, -264--266
- retardation
 - ion exchange, 4-65
 - matrix diffusion, 4-53
 - and fracture flow, 4-104--105
- retardation, geochemical
 - analytical techniques, 4-59--65
 - description, 4-52--59
 - in host rock, 4-109--116
 - precipitation processes, 4-52--53
 - summary, 4-145--147
- retardation processes
 - geochemical, 4-51--116, -145--147
 - sorption, 4-65--88, -89*, -90*
- retrievability
 - design-related criteria, 6-33--34
 - design requirements, 6-33
 - geotechnical data required, 2-2--3
 - Nuclear Waste Policy Act requirements,
6-186
 - and underground opening stability,
2-67, -112
- retrievability and design
 - future work, 6-288
- retrievability compliance analysis
 - future work, 6-289

retrieval

- compliance analysis, 6-284--289
 - equipment development, 6-287-288
 - inputs to, 6-284--288
 - radiological protection, 6-286
 - underground opening input, 6-284
 - ventilation system input, 6-285
- conditions, 6-191--200, -278--283,
 - classification, 6-277**
 - estimates, 6-278--283
 - future work, 6-288--289
 - normal, 6-191--195, -278--280
 - off-normal, 6-195--200, -281--283
- design, 6-186--200
- equipment, 6-287--288, -304
 - design, 6-200
 - hole boring, 6-305
 - horizontal emplacement, 6-110,
-117**--120**
- items important to, 6-281, -282**
- normal conditions
 - emplacement boreholes, 6-193,
-194**, -279--280
 - equipment, 6-193, -195, -280
 - ramps and drifts, 6-278--279
 - summary, 6-278--280
 - underground access, 6-191--192,
-278--289
 - ventilation system, 6-193, -280
 - waste container, 6-195, -280
- off-normal conditions, 6-195--200*,
-281--283
- radiological protection, 6-286
- requirements, 6-186
- schedule, 6-31**, -32, -186, -190**
- underground opening design, 6-284
- ventilation requirements, 6-285
- vertical emplacement, 6-101, -113***--116**
- retrieval operations, see waste retrieval,
operations
- retrieval planning and strategy
 - future work, 6-288--289
- retrieval strategy and planning
 - work completed, 6-276
- Reveille Range
 - basaltic volcanism field characteristics,
1-98*
 - erosion rates, 1-31*
 - location, 1-9**
- Rhyolite
 - existing and future water use, 3-128,
-135*

PART A INDEX (Chapters 1-7)

- Rhyolite (continued)
 - gold mines, 3-128
 - rhyolite of Calico Hills, 1-60--61
 - Yucca Mountain, 1-60
 - rhyolitic glasses
 - hydrothermal alteration, 4-122
 - RIB, see Reference Information Base
 - Rio Grande Rift, 1-309**
 - RLCC, see repository life cycle cost
 - RNM-1 well
 - and Cambrian nuclear explosion, 4-135, -136**, -138
 - RNM-2S well
 - and Cambrian nuclear explosion, 4-135, -136**, -137**, -138
 - Roberts Mountain Formation
 - pre-Cenozoic rocks, 1-54
 - Roberts Mountains
 - thrust plate, 1-266, -267**
 - rock behavior models, 2-18--21, -38
 - rock characteristics
 - data uncertainties, 2-113
 - see also rock properties
 - rock mass
 - classification, 6-318
 - Bullfrog Member, 2-104
 - Calico Hills tuff, 2-104
 - selected tuff units, 2-105**
 - and support requirements, 2-104--106
 - Tram Member, 2-104
 - Yucca Mountain tuffs, 2-104--106
 - deformation modulus, see modulus of deformation
 - degradation, 2-90--91
 - excavation characteristics, 2-100--108
 - fracture properties, see fractures
 - mechanical properties, see mechanical properties
 - permeability
 - and blast damage, 6-241--242
 - and stress redistribution, 6-241--242
 - permeability modification
 - work completed, 6-241--242
 - Poisson's ratio, 6-55, -56*
 - strength
 - design data, assessment, 6-57
 - and information needs, 6-205
 - rock matrix
 - hydrologic nature, 6-247
 - rock mechanics facility, 2-9
 - elevation view, 2-11**
 - plan view, 2-10**
 - rock mechanics facility (continued)
 - see also G-Tunnel
 - rock mechanics models
 - compliant-joint, 2-19--21
 - conceptual, 2-18--21
 - elastic, 2-19
 - elastic-plastic, 2-19
 - initial conditions, 2-18
 - rock properties
 - data base development, 2-6--13
 - fracture properties, 2-65* (see also fractures)
 - intact rock, 2-5 (see also intact rock)
 - planned measurements, 2-4--5
 - see also geoenvironmental properties and mechanical properties
 - rock sample form
 - rock-water interaction studies, 7-53--60
 - rock strength properties
 - design data, 6-57--59
 - strain effects, 2-37*
 - see also compressive strength
 - rock temperature
 - Bullfrog Member, 2-74
 - Calico Hills tuff, 2-74
 - and compressive strength, 2-35
 - data needs, 2-3
 - and thermally induced water migration, 2-4
 - Tram Member, 2-74
 - rock types
 - symbols, 4-16*--18*
 - Rock Valley
 - earthquake densities and energy release, 1-176*
 - ground-water flow, 3-79, -80*, -205
 - seismicity of, 1-178**, -180
 - Rock Valley fault system
 - recent Quaternary movement, 1-206
 - Rock Valley hydrographic study area, 3-2*, -9*, -127*
 - water data, 3-127*
 - rock-water interactions, 4-48, -50
 - EQ3/6, 7-60--64, -195--196, -228--229
 - experimental methods, 7-53--60
 - geochemical modeling, 7-38--39, -60--64
 - and geochemical stability, 4-145
 - gold-bag autoclave tests, 7-53--60
 - modeling, 7-60--64, -229
 - models, 4-48
 - research and development summary, 7-53--60, -228--229

PART A INDEX (Chapters 1-7)

- rock-water interactions (continued)
 - stainless steel vessel tests, 7-54
 - studies, 7-53--60
 - Teflon capsule tests, 7-54, -59
 - Topopah Spring tuff, 7-46, -53, -54, -55, -56
 - and vitric-rich units, 7-60
 - and vitrophyre-rich units, 7-60
 - and water chemistry, 7-53, -59
- rock-water system
 - modeling long-term behavior, 7-61, -64
- rod consolidation, 6-93**
- Round Mountain
 - gold and silver district, 1-273**, -278
 - volcanic center, 1-277
- runoff
 - characterization plans, 3-29
 - and precipitation, 5-50
 - rainfall-recharge relations, 3-9, -13
 - and surface hydrology, 3-8
- Russell Lake, see Lake Russell
- safety
 - design considerations, 6-28--29
 - worker, 6-203--204
- SAGUARO
 - and backfilled drifts, 6-245--246
 - and vadose water flow, 6-245--246
- samarium solubility
 - in well J-13 water, 4-101*
- sample selection
 - limitations, 2-14
 - logic, 2-14--15
- sample size
 - and American Society for Testing and Materials, 2-23
 - and compressive strength, 2-40
 - limitations, 2-14, -23
 - and lithophysae, 2-14
- sampling, ground water, 3-89**, -97*, -99**
- San Andreas fault, 1-81**, -83**, -113**, -153**, -309**
 - earthquakes, 1-170
 - location, 1-87**
- SANCHO
 - finite-element method, 6-324--325
 - verification and validation, 6-324--325
- sand and gravel
 - deposits, 1-298*--299*, -302
 - resources, 1-297*--300*, -302
- sandstorms (Yucca Mountain area), 5-30
- Sarcobatus Flat
 - earthquake densities and energy release, 1-176*
 - and focal mechanisms, 1-183**
 - seismicity of, 1-180, -183**, -184
- saturated matrix hydraulic conductivity, unsaturated zone, 3-169--175
- saturated thermal conductivity
 - Topopah Spring and Grouse Canyon Member, 2-103*
- saturated zone
 - ground-water travel time, 3-219--221, -221*, -237
 - hydraulic characteristics, 3-179--192
 - hydrogeologic units, 3-59**
 - monitoring network, 3-153, -156*--159*, -160
 - multiple-well tests, 3-6
 - pathways to accessible environment, 3-137, -214, -219
 - porosity, 3-192
 - potentiometric levels, 3-149**, -163--164, -201
- saturation
 - Topopah Spring and Grouse Canyon Member
 - comparison, 2-102, -103*
 - see also water saturation
- saturation, in situ, 6-48*
- saturation design data, 6-54
- Savannah River Laboratory waste form
 - compositions, 7-153*, -173, -174*
 - radionuclides that grow in, 7-159, -160*
- Savannah River waste
 - radionuclide inventories, 7-155*--156*, -152
- scarplets
 - Yucca Mountain fault, 1-211**
- SCC, see stress corrosion cracking
- schedule, repository
 - caretaker, 6-31**, -32
 - closure, 6-31**, -32
 - construction, 6-29, -31**
 - disposal, 6-31**, -32
 - operations, 6-29, -30*, -31**, -32
 - retrieval, 6-31**, -32, -186, -190**
 - waste acceptance, 6-29, -30*
 - waste handling, 6-30*, -31**
- scoping hearings, 1-8
- SCP-CDR, see conceptual design report

PART A INDEX (Chapters 1-7)

- sea surface temperature modeling
 - CLIMAP Project, 5-41, -98
 - and general circulation model, 5-41, -42, -98
- seal characteristics (Issue 1.12)
 - and climatology and meteorology, 5-1
 - computer codes used, 6-237, -238*
 - developmental needs, 6-247
 - future work, 6-247
 - information needs description, 6-236--237
 - issue statement, 6-235
 - regulatory basis for, 6-235
 - repository design, 6-206, -213, -262
 - site information needs, 6-247
 - status of issue resolution, 6-237, -239
 - work completed, 6-239--246
 - work needed, 6-237, -239
- seals
 - concepts
 - site conditions, 6-237
 - design, 6-178--186
 - emplacement
 - borehole, 6-185
 - shaft and ramp, 6-181
 - functional requirements, 6-178--179
 - hydrologic calculations, 6-242--244
 - and information needs, 6-206
 - materials (Information Need 1.12.2), 6-236
 - near waste package, 6-185
 - ramps, 6-181, -182**
 - vertical emplacement, 6-185--186
- Searles Lake
 - carbon-14 dates, 5-68**
 - chronology of, 5-66**, -67, -69
 - description, 5-62, -67, -69
 - location of, 5-44**
 - and Owens River system, 5-64**, -65**
- seeps, 3-28, -34--35, -79, -121, -230
 - locations and descriptions, 3-36*--47*
- seismic analyses
 - work completed, 6-336--338
- seismic considerations
 - design data, 6-70--71
- seismic drillholes, 1-254
- seismic hazard
 - estimates, Yucca Mountain, 1-194**, -195*
 - southern Great Basin, 1-189--192
- seismic record
 - southern Great Basin, 1-151--160, -164
- seismic source models, 1-171
- seismic-wave transmission
 - Yucca Mountain, 1-196--199
- seismicity, 1-151--200
 - Dome Mountain vicinity, 1-175, -176*, -178**, -179**, -180
 - Funeral Mountains, 1-178**, -180
 - and geologic characteristics, 1-171--187
 - and geologic structures, summary, 1-187
 - Gold Mountain vicinity, 1-183**, -184
 - historical, southern Great Basin, 1-154, 156**--158**
 - investigations summary, 1-351--352
 - Jackass Flats vicinity, 1-178**, -179, -180
 - Las Vegas Valley, 1-181, -182**
 - Mercury Valley, 1-178**, -180
 - Mt. Dunfee vicinity, -183**, -184
 - North Pahroc Range, 1-184, -186**
 - northern Nevada Test Site, 1-179**
 - Pahrnagat shear zone, 1-184, -185**
 - Pahroc Valley, 1-184, -186**
 - Pahute Mesa, 1-179**
 - post-network (1978-1985), 1-168--170
 - pre-network (1868-1978), 1-165
 - Rock Valley, 1-178**, -180
 - Sarcobatus Flat vicinity, 1-181, -183**, -184
 - southern Great Basin, 1-164--171
 - southern Nevada Test Site, 1-178**
 - southwestern United States, 1-152*, -153**
 - summary results, 1-335--336
 - and tectonic characteristics, 1-171--187
 - Thirsty Canyon, 1-179**, -181
 - and weapons testing, 1-171--172, -175
 - Yucca Mountain vicinity, 1-175, -178**, -192--200
- seismogenic zonation, 1-172
- seismogenic zones, 1-174**
- seismology
 - investigations summary, 1-351--352
 - southern Great Basin, 1-151--192
 - summary results, 1-335--336
 - Yucca Mountain, 1-192--200
- seismotectonic zones and earthquake potential, 1-171--189
- selenium
 - sorption ratios from batch sorption experiments, 4-69*--71*
- sensitivity studies
 - Bullfrog Member, 6-233
 - drift analyses, 6-317--319
 - Topopah Spring Member, 6-233
 - Tram Member, 6-233
 - tuffaceous beds of Calico Hills, 6-233

PART A INDEX (Chapters 1-7)

sensitivity studies, product 1.11.6-3
work completed, 6-233

sensitization
and austenitic materials, 7-72, -76, -79**
model, 7-83
and carbon diffusion, 7-80
in high-nickel materials, model, 7-83

sensitization (long-term) of austenitic materials
and thermal history of waste, 7-79**

sensitization (low temperature) of austenitic materials, 7-76--80

sensitized microstructure
detection of, 7-72
and intergranular corrosion, 7-67, -230
and intergranular stress corrosion cracking, 7-67, -101, -230

sensitized stainless steel
mitigating environmental effects, 7-81

sequential drift mining evaluations, 2-100

sequential drift monitoring, 2-13**

series 1 spent fuel dissolution tests
deionized water, ambient hot cell temperature, 7-111, -117

series 2 spent fuel dissolution testing
cesium-137 activities in unfiltered solution samples, 7-127**
fractional releases, 7-123, -124*--125*, -126, -128*--129*
fuel structure changes, 7-132, -133**
H.B. Robinson Unit 2 fuel, 7-117--134
solids characterization, 7-132, -133**
summary of fractional releases, 7-128*--129*
Turkey Point Unit 3 fuel, 7-117--134, -121*--122*, -124*--125*, -128*--129*
uranium concentration in unfiltered solution samples, 7-117, -118**
uranium concentrations for bare fuels in well J-13 water, 7-117, -118**
uranium release data, 7-119, -121*--122*
well J-13 water, ambient hot cell temperature, 7-111, -117--135

series 3 spent fuel dissolution tests, 7-111, -138

service areas
design, 6-153, -154*--155**

severe weather
and obstructions to visibility, 5-27--28, -30, -31*, -32*

Sevier orogenic belt thrust faults, 1-100

Sevier subbasin
location of, 5-58**

SGBSN, see Southern Great Basin Seismic Network

shaft
current design, 6-82, -86**
design, 6-128, -129*--130**, -135--142
hydrologic analysis, 6-242--244
men and materials, 6-85, -139*, -140**, -141**, -142, -143**
seal description, 6-179, -180**, -181
shaft and drift drainage
and sealing, 6-240
shaft and drift sealing
and hydrologic calculations, 6-242--244
shaft and ramp
access considerations, 6-135, -138, -142
construction, 6-142
descriptions, 6-138--142
functions, 6-135--136
locations, 6-136, -137**
seal emplacement, 6-181, -183
stability, 6-322--323
shaft convergence measurements, 2-13**
and rock mass properties, 2-56, -64
shear stiffness, 6-52*
shear stress at failure
Bullfrog Member, 2-36**
shear stress plots, 2-48**, -49**, -51**, -54**
shear stress-to-normal stress relation
Grouse Canyon Member welded tuff (air dried), 2-48**
Grouse Canyon Member welded tuff (saturated), 2-51**
Prow Pass Member partially welded tuff, 2-49**
shear zones, 1-2**
potential excavation hazard, 6-291
shielding plugs, emplacement hole, 7-36

Shoshone Range
barite production, 1-288, -289**

Sierra Nevada batholith, 1-83**, -113**

Silent Canyon caldera, 1-94**, -265**
epicenters, 1-179**
seismicity and focal mechanisms, 1-179**

silica activity
and stability of clinoptilolite, 4-38
silica and leach rates, 7-167
silica resources, 1-297*, -302
silicic tuffs (Yucca Mountain), thermal expansion coefficients, 2-75*

PART A INDEX (Chapters 1-7)

- silicic volcanic units
 - mineralogy, 4-15--36
- silicic volcanism
 - likelihood, 1-202
 - postclosure, 1-202
 - repository effects, 1-201
 - summary results, 1-336--338, -339
- silicon dioxide
 - change with time, thermal pulse, 4-125**, -126**
- Silicon Mine, 1-279*, -297*, -302
- silicon-to-aluminum ratios
 - site heulandites and calcic clinoptilolites, 4-32**
- silver resources, Nevada, 1-269--284
- site, see Yucca Mountain site
- site and design information needed to assess radiological safety (Information Need 2.1.1), 6-248
- site and performance information needed for preclosure design (Information Need 4.4.1), 6-293--294
- site characteristics
 - influencing geochemical data collection, 4-4--5
- site characteristics needed for design of underground facilities (Information Need 1.11.1), 6-213, -218
- site characterization, 1-4--6
- site characterization plan
 - content requirements, 1-8--10, -11**--12*
 - issues hierarchy and issue resolution strategy, 1-6--8
 - organization, 1-10--13
 - progress reports, 1-14
 - purpose and objectives, 1-6
 - regulatory requirements, 1-8--14
 - supporting documents, 1-13--14
- site geological maps, list, 1-3
- site performance information needed for design (Information Need 4.2.1), 6-289
- site programs, hydrology related, 3-1
- site rock thermal and thermomechanical properties
 - intact rock, 2-69--77, -78*
 - large scale, 2-79, -81--82
- site stratigraphic units
 - mineralogy, 4-15--36
 - petrography of core samples, 4-19*--20*
 - phenocryst composition, 4-21*
- siting process, 1-1--2
- Skull Mountain
 - earthquake densities and energy release, 1-176*
- Sleeping Butte caldera, 1-94**
- slickensides
 - Yucca Mountain faults, 1-134**
- slot strength test, 2-13**
- slow sorption
 - and cesium diffusion, 4-103**
- small dams
 - water inflow control, 6-188**
- small-diameter heater tests, 2-10**, -11**, -13**
 - and thermal and thermomechanical properties, 2-79
 - and water migration, 2-94
- small-scale heater tests, 2-13**
- smectites
 - Bullfrog Member, 4-35--36
 - exploration block, 4-35--36
 - and geologic history of site, 4-35--36
 - host rock, 4-35--36
 - hydrothermal alteration, 4-121--122
 - sorption, 4-35--36
 - Topopah Spring Member, 4-35--36
 - Tram Member, 4-35--36
- Snake River Plain, regional hydrothermal heat flow, 1-309**
- snowfall (Yucca Mountain area), 5-20
- Soda Lake, 1-9**
- sodium bicarbonate and chloride concentration trends, 3-83, -90**, -95
- sodium-potassium-calcium concentrations in Yucca Mountain site ground water, 4-44**
- sodium-sulfate-bicarbonate facies, 3-95
- soil and rock, near surface design data, 6-38, -41
- soil density, test procedures, 2-8*
- soils, surficial deposits, 1-78
- solid tuff columns
 - adsorption-dynamic process, 4-61
- solid waste
 - handling, 6-94**--96**
 - offsite shipment, 6-96**
 - packaging of spent filters, 6-95**
- Solitario Canyon fault, 1-108**, -122**, -128
 - and calcite deposits, 1-71
 - and hydrologic properties, 3-175, -193, -194**
 - location, 1-50**
 - preliminary data, 1-129*
 - Quaternary fault, 1-108**

PART A INDEX (Chapters 1-7)

- Solitario Canyon fault (continued)
 - site boundary, 1-332
 - stratigraphic section, 3-138**, -164
- Solitario Canyon fault zone
 - Quaternary faulting, 1-123*
- solubility
 - adsorption-dynamic process, 4-61--62
 - data status, 4-6
 - modeling, 4-96, -98, -99
 - measurements, 4-64--65
 - and well J-13 water, 4-64--65
- sonic velocity logs, geophysical logging, 1-248--249
- Sonoran desert subprovince, 1-7, -8**, -9**, -12--13
- sorption
 - analytical techniques, 4-59--65
 - batch, 4-60--61, -62--63
 - circulating, 4-60, -64
 - crushed-tuff column, 4-60, -64
 - clinoptilolite, 4-27, -35, -84, -85**
 - data
 - batch experiments, 4-66--82, -83*
 - circulating system experiments, 4-83
 - crushed-tuff column experiments, 4-82, -83*
 - status, 4-6
 - tuff, 4-65--66
 - geochemical retardation process, 4-52
 - heulandite, 4-29
 - laboratory controls, 4-61
 - mordenite, 4-29
 - of radionuclides
 - and crushed-tuff column experiments, 4-82
 - oxidation-reduction effect, 4-66, -81
 - rate constants, 4-104*
 - retardation processes, 4-65--88, -89*, -90*
 - slow and cesium diffusion, 4-103**
 - smectites, 4-35--36
- sorption in tuff, temperature effect, 4-66
- sorption isotherms
 - linearity, 4-81--82
 - sorption-element concentration relationship, 4-60
- sorption rate constants
 - tuff from USW G-1 drillhole, 4-104*
- sorption ratios
 - batch desorption experiments, 4-72*--76*
 - batch sorption experiments, 4-67*--71*
- sorption ratios (continued)
 - comparison of sorption procedures, 4-83*, -84
 - and mineralogy, 4-84--87
 - radionuclides, 4-84--87, -89*--90*
 - and stratigraphic position, 4-84--87
 - and UE-25p#1 water, 4-88, -89*--90*
- sorptive behavior
 - and ground-water composition, 4-87--88, -89*--90*
 - and mineralogy, 4-84--87
 - oxidation-reduction effect, 4-66, -81
 - and stratigraphic position, 4-84--87
 - temperature effect, 4-66
 - and UE-25p#1 water, 4-88
 - and USW H-3 water, 4-88
 - and well J-13 water, 4-88
- sorptive zeolites
 - distributions, 4-23, -24**, -25**, -26**, -27
 - summary, 4-146
 - Yucca Mountain site, 4-27--35, -146
- source term
 - for failed fuel rods, 7-150
 - release model, 7-150--151
- source term estimates
 - and container behavior, 7-97
- source term model
 - and emplacement environment, 7-8
- source term release model
 - glass waste forms, 7-187--189
 - spent fuel waste form, 7-150--151
- South African Council for Scientific and Industrial Research Classification System, 6-318, -319, -333
 - Grouse Canyon Member, 2-105**
 - Topopah Spring Member, 2-105**
 - Tunnel bed 5, 2-105**
 - Yucca Mountain tuffs, 2-104
- southeast Great Basin
 - characteristics, 1-10*--11*, -14
 - morphometric characteristics, 1-10*--11*
- southern Basin and Range
 - seismogenic zone, 1-174**
- southern Great Basin
 - aquifers, 1-42**
 - aquitards, 1-42**
 - Cenozoic volcanic rocks, 1-90**, -93**
 - detachment faults, 1-107**
 - earthquake potential, 1-187--189
 - earthquakes, 1-161**, -162**, -166*--167*
 - energy release map, 1-161**

PART A INDEX (Chapters 1-7)

southern Great Basin (continued)

- extensional tectonism, 1-103--110
- geologic index map, 1-36**
- igneous history, 1-95--99
- lithology, 1-37--49
- Mesozoic structures, 1-100--102
- physiographic subdivisions, 1-16**
- pre-Cenozoic rocks, 1-37--47
- Quaternary structures, 1-115--117
- seismic hazard, 1-189--192
- seismic record, 1-151--160, -164
- seismicity, 1-154**, -156***-158**
- seismology, 1-151--192
- stratigraphy, 1-37--49
- strike-slip faulting, 1-81**, -83**, -110--115
- structural history, 1-99--117
- surficial deposits, 1-37--49
- Tertiary structures, 1-102--103
- see also Great Basin
- Southern Great Basin Seismic Network, 1-154**
- southern Nevada
 - major strike-slip Mesozoic thrust faults, 1-83**
 - seismogenic zone, 1-174**
- southern Nevada Test Site
 - focal mechanisms, 1-178**
- southwestern Basin and Range Province
 - erosion rates, 1-31*
 - landscape degradation, 1-32
- southwestern Great Basin
 - description, 1-10*--11*, -14
 - energy release map, 1-162**
 - morphometric characteristics, 1-10*--11*
- southwestern Nevada volcanic field, 1-265**
- spatial disaggregation of climate predictions, 5-98--99
- speciation-solubility calculations
 - EQ3NR, 7-191
- specific gravity, alluvium, 2-97
- Specter Range, ground-water velocity, 3-73
- SPECTROM
 - compliant-joint model, 6-326, -328**
 - finite-element method, 6-326--327
 - verification and validation, 6-326--327
- SPECTROM-11
 - drift thermal analysis, 6-317
- SPECTROM-41
 - drift thermal analysis, 6-310, -317
- speculative resources
 - definition, 1-260

spent fuel

- alternative container design, 7-33**
- assemblies
 - radionuclide inventories at 1,000 years, 7-115*
 - typical characteristics, 7-21, -23*--24*
- burnup and age, 7-21, -22*, -29
- characteristics, 7-109--111
- description, 7-109--111
- dissolution experiments, 4-94
- dissolution in well J-13 water, 4-94
- dissolution studies, 7-114--140
- dissolution testing program, samples, 7-114, -116*
- enrichment, 7-21
- inert cover gas, 7-17, -29, -31
- matrix dissolution rate, 7-150
- oxidation in air, 7-140--146
- oxidation research and development
 - summary, 7-233
- oxidation tests
 - cladding, split, 7-146
 - description, 7-140--146
 - parameters for thermogravimetric analyses, 7-142*
 - thermogravimetric analyses, 7-113, -143**, -144
- packages
 - alternative designs, 7-32, -33**
 - and inert cover gas, 7-17
- performance research and testing, 7-108--151
- and radionuclide ratios to EPA limits, 4-55*--56*
- receipt at repository, 7-21, -22*, -24
- reference container, 7-28**
- reference waste form, 7-20--25, -22*, 23*--24*
- testing program
 - fuel dissolution tests, 7-111, -113--140
 - oxidation studies, 7-113, -140--146
 - Zircaloy corrosion, 7-109, -113, -146--149
- waste form performance
 - research and development summary, 7-232--233
- waste forms
 - source term release model, 7-150--151
 - uncertainties, 7-239

PART A INDEX (Chapters 1-7)

- spent fuel (continued)
 - Yucca Mountain Project spent fuel testing program, 7-109--113
 - Zircaloy corrosion, 7-146--149
- spent fuel dissolution and radionuclide release
 - research and development summary, 7-232
- spent fuel dissolution testing, 7-113--140
 - CANDU fuel, 7-114, -136--138
 - comparison, 7-135--138
 - EQ3/6, 7-134
 - experimental configuration, 7-112**
 - geochemical modeling, 7-134
 - and ground-water compositions, 7-114
 - and laboratory testing, 7-114
 - Osharshamn I fuel, 7-114
 - sample characteristics, 7-114, -116*
 - series 1 tests, 7-111, -117
 - series 2 tests, 7-111, -117--138
 - series 3 tests, 7-111, -138
 - test vessel, 7-112**
 - see also series 1 spent fuel dissolution testing, series 2 spent fuel dissolution testing, and series 3 spent fuel dissolution testing
- spent fuel dissolution tests, series 1, see series 1 spent fuel dissolution tests
- spent fuel dissolution tests, series 2, see series 2 spent fuel dissolution tests
- spent fuel dissolution tests, series 3, see series 3 spent fuel dissolution tests
- Spotted Range-Mine Mountain
 - structural zone, 1-116**
- Spotted Range-Mine Mountain block
 - characteristics, 1-10*--11*, -15, -16**
 - morphometric characteristics, 1-10*--11*
- Spring Mountain block
 - characteristics, 1-10*--11*, -15, -16**
 - morphometric characteristics, 1-10*--11*
- Springdale
 - sodium bicarbonate and chloride concentrations, 3-90**
- springs, 3-34--35, -71
 - Ash Meadows, 3-71, -92
 - Death Valley, 3-35
 - Furnace Creek Wash, 3-35
 - locations and descriptions, 3-36*--47*
 - magnitude of, 3-49*
 - Oasis Valley, 3-35
 - perched, 3-34, -35, -230
- stability
 - of clinoptilolite and silica activity, 4-38
 - of openings
 - data needs, 2-2--3
 - and rock temperature, 2-3
 - and shaft designs, 2-4
 - regional, long-term, 1-336--340
- stability distributions, see Pasquill
- stability class distributions
- Stage 1
 - surface facilities, 6-89
- Stage 2
 - consolidation of spent fuel assemblies, 6-93**
 - surface facilities, 6-89
- stainless steel
 - and corrosion rates, 7-70*
 - polarization curves, 7-86, -87**, -88, -90, -92**
 - summary of testing and analysis, 7-82--83
 - see also austenitic materials
- stainless steel, 304L
 - anodic polarization curve, 7-86, -87**, -88
 - electrochemical parameters, 7-89**
 - glass dissolution rates, 7-169, -172**
 - intergranular stress corrosion cracking, 7-74, -75**
 - reference container material, 7-25,
 - strain rate tests, 7-77*, -78*
 - transgranular stress corrosion cracking, 7-94
- stainless steel, 316L
 - corrosion potential, 7-91**
 - intergranular stress corrosion cracking, 7-78
 - polarization curves, 7-90, -92**
- stainless steels in irradiated well J-13 water
 - polarization curves, 7-90,
- standard spent fuel
 - and 10 CFR Part 961, 7-21
- State of California
 - design and legal requirements, 6-8, -17*
- State of Nevada
 - design and legal requirements, 6-8, -16*
 - and drinking water standards, 3-128
 - ground-water management, 3-133--134
 - see also Nevada
- static water level, 4-13
- steam and waste package environment model, 7-207

PART A INDEX (Chapters 1-7)

Sterling-Panama Mines, 1-278, -279**

stochastic analyses, aquifer modeling, 3-6

Stonewall Mountain caldera, 1-265**

storage coefficient, saturated zone, 3-169, -179, -192

strain

- and rock strength, 2-37*
- rate tests
 - 304 stainless steel, 7-77*, -78*

stratigraphic framework, 2-14--15, -22

- site, 1-35--78
- thermal/mechanical, 2-17**
- Yucca Mountain, 1-55--57

stratigraphic units

- cross section, Yucca Mountain, 3-138**
- geochemistry, 4-7--116
- and hydrogeologic units, 3-51*--57*
- hydrologic characteristics, 3-51*--57*, -64*--67*
- phenocryst composition, 4-21*
- site, 1-50**

stratigraphic variations

- and mechanical properties, 2-43
- and rock mass degradation, 2-93

stratigraphy

- description, 1-35--78
- design data, 6-41, -42**
- generalized, 1-38**
- investigations summary, 1-346--347
- southern Great Basin, 1-37--49
- summary, 1-3
- summary results, 1-325--327
- Tertiary volcanic rocks, site, 1-56*
- thermal/mechanical, 6-42**, -44, -222
- thermal/mechanical units, 2-17**
- and thermal properties, 2-77, -78*, -79
- Yucca Mountain, 1-49--78

stream incision, 1-34*

streamflow

- crest-stage sites, 3-12**
- data summary, 3-10*--11*, -232
- flow measurement sites, 3-17**
- historical data, 5-47, -50
- lack of data, 3-14, -18
- stream-gaging station network, 3-22
- see also runoff

streamflow-gaging stations

- location of, 5-48**

strength properties

- design data, 6-57--59

STRES3D

- drift thermal stress, 6-320
- stress analysis, 6-322

stress

- analyses
 - emplacement drifts, 6-310--317
 - horizontal emplacement, 6-310, -312**, -314**, -317
 - JAC, 6-322
 - needed, 2-3
 - STRES3D, 6-322
 - vertical emplacement, 6-310, -311**, -313**, -317
- data required, 2-5
- gradient
 - emplacement borehole, 6-322
 - and ground-water travel time, 2-4
 - half closure, 6-52*
 - horizontal, 6-46--47
 - and overburden, 2-86
 - panel access drifts, 6-320*
 - profile
 - drift analysis, 6-316**
 - and rock mass permeability, 6-241--242
 - Yucca Mountain, 1-141**
 - Yucca Mountain, focal-plane solutions of earthquakes, 1-142**
 - see also in situ stress and regional stress
- stress axes
 - and geologic structures, summary, 1-187
- stress corrosion cracking
 - Zircaloy, 7-148--149
 - see also intergranular stress corrosion cracking and transgranular stress corrosion cracking
- stress field
 - Yucca Mountain, 1-139
- stress measurements
 - in situ, 2-13**
 - methods, 2-82--84
 - at drill holes USW G-1 and USW G-2, 2-86--88
- stress regime
 - existing, 2-82--89
 - existing, Yucca Mountain, 1-139--146
 - field observations, 2-86--88
 - finite-element calculations, 2-86, -88--89
 - hydraulic fracturing studies, 2-85--86
 - investigations summary, 1-350

PART A INDEX (Chapters 1-7)

- stress regime (continued)
 - overcoring measurements, 2-85
 - at site, 2-86--89
 - in site region, 2-84--86
 - summary, 1-333, -334
 - tectonic and geologic evidence, 2-84--85
- stress-strain relationship
 - and deformation modulus, 2-57
 - fractured and intact rock, 2-58**
- strike-slip faulting
 - Las Vegas Valley shear zone, 1-110, -111, -114
 - southern Great Basin, 1-110--115
 - Yucca Mountain, 1-141**
- strike-slip faults
 - and earthquake epicenters, 1-153**
 - map, 1-81**
 - southern Great Basin, 1-82, -83**
 - summary, 1-328--329
- Stripped Hills
 - earthquake densities and energy release, 1-176*
- Strombolian eruptions
 - Lathrop Wells basalt center, 1-203
 - Nye Canyon, 1-203
 - potential doses, 1-204
- strontium
 - solubility
 - literature summary, 4-98
 - in well J-13 water, 4-100*
 - sorption behavior
 - and clinoptilolite abundance, 4-84, -85**, -86
 - and stratigraphic depth, 4-85**
 - sorption rate constants, 4-104*
 - sorption ratios, 4-84, -86
 - comparison of sorption procedures, 4-83*
 - distilled water, 4-88, -89*
 - UE-25p#1 water, 4-88, -89*
 - well J-13 water, 4-88, -89*
 - sorption ratios from batch desorption experiments, 4-72*--73*
 - sorption ratios from batch sorption experiments, 4-67*--68*
- structural analyses
 - work completed, 6-306--333
- structural block
 - Yucca mountain, cross section, 1-126**
- structural geology
 - investigations summary, 1-347--351
 - summary results, 1-327--334
- structural geology (continued)
 - and tectonics, Yucca Mountain, 1-79--150
- structural history
 - southern Great Basin, 1-99--117
 - Yucca Mountain, 1-117--138
- structure
 - design data, 6-44
 - geologic summary, 1-328--333
 - investigations summary, 1-348--350
 - site, 1-3
 - Yucca Mountain summary, 1-331--333
- study areas, see hydrogeologic study areas and hydrographic study areas
- subsurface design, see underground facility sumps and drains
 - diverting water inflow, 6-187**
- SUPCRT
 - rock-forming mineral data base, 7-192
- support requirements, repository
 - and excavation characteristics of rock mass, 2-100--108
 - and G-Tunnel data, 2-9, -102--104
 - and rock mass classification, 2-104--106
 - and stress and displacement analyses needed, 2-4
 - and water saturation, 2-50
- surface facilities
 - candidate areas, 6-121, -124, -127**
 - central, 6-124, -125**
 - and climate and meteorology, 5-105
 - current design, 6-85, -86**
 - design, 6-121--135
 - and flooding potential, 5-9
 - and information needs, 6-207
 - of shaft sites, 6-129***--130**
- surface hydrology
 - description, 3-8--13
 - design data, 6-65--66
- surface materials
 - engineering properties, 2-96--100, -101*; 6-43*
 - physical properties, 6-43*
 - soil and rock, 6-38, -41
- surface water
 - Amargosa Desert, 3-24
 - chemical composition, 3-25--28, -27*
 - contamination potential, 3-29, -49--50
 - Death Valley, 3-24
 - design data, 6-65--66
 - flow study plans, 3-9, -13
 - locations of, 3-13
 - plans for characterization, 3-28

PART A INDEX (Chapters 1-7)

- surface water (continued)
 - present quantity and quality, 3-24
 - projected uses, 3-24--25
 - sample sites, 3-26**
 - summary, 3-231--232
- surficial deposits
 - late Pliocene, 1-75
 - late Tertiary, 1-49
 - map, 1-76**--77**
 - Pleistocene, 1-75
 - Quaternary, 1-49
 - region, 1-49
 - southern Great Basin, 1-37--49
 - Yucca Mountain, 1-49--78
- surficial processes
 - Quaternary, 1-31--35
- suspended solids
 - and radionuclide transport, 4-106--109
- synoptic characterization of regional climate, 5-101
- synoptic-scale climatic influences
 - at Yucca Mountain, 5-9, -10
- TACO2D
 - and thermal model, waste package system, 7-206
- tagged water use, 3-49
- Tahoe City
 - precipitation records, 5-49**
- tar sand resources, 1-313, -314--315
- technetium
 - and effect of geochemical transport process, 4-111** -112**
 - solubility
 - literature summary, 4-98
 - in well J-13 water, 4-99, -100*
 - sorption ratios, 4-86
 - sorption ratios from batch desorption experiments, 4-74**--76*
 - sorption ratios from batch sorption experiments, 4-69**--71*
- technical feasibility
 - waste package design, 7-16
- technology for seals emplacement (Information Need 4.4.10), 6-296
- technology for surface facilities (Information Need 4.4.8), 6-295--296
- technology for underground facilities (Information Need 4.4.9), 6-296
- Tecopa Basin, 1-9**
- tectonic and geologic evidence
 - stress regime, 2-84--85
- tectonics
 - analyses, work completed, 6-336--338
 - framework, Yucca Mountain, 1-79--84
 - and geochemical stability, 4-144
 - and geomorphic processes, 1-28--29
 - hazards, postclosure, 1-206--212
 - history, western United States, 1-84--150
 - investigations summary, 1-347--351
 - model, future seismic activity, 1-171
 - plates--modern
 - map, 1-81**
 - region, 1-79--80
 - postclosure, 1-200-213
 - processes
 - long-term regional stability, 1-200--213
 - Yucca Mountain, Quaternary, 1-30
 - and regional structural geology, 1-79--150
 - setting, plate, 1-80
 - summary results, 1-327--334
 - Yucca Mountain, 1-79--150
- Telluride Mine, 1-279**
- TEMP3D, drift thermal analyses, 6-309
- temperature, 5-12*--13*, -14, -15*, -16
 - Beatty, 5-15*
 - borehole spacing criteria, 6-230--231
 - Bullfrog Member, 2-74
 - Calico Hills tuff, 2-74
 - and compressive strength, 2-35
 - drifts, 6-308--310
 - and evaporation, 5-52**
 - extreme (Yucca Mountain area), 5-30, -31*
 - inversion effects and dispersion, 5-10
 - and leach rates, 7-163**, -165
 - panel access drifts, 6-320*
 - Quaternary Period, 5-41
 - sea surface, 5-41, -98
 - and sorptive behavior, 4-66
 - and thermally induced water migration, 2-3
 - Tram Member, 2-74
 - well J-13 water, 4-48, -49**
 - Yucca Flat, 1962--1971, 5-12*--13*
 - Yucca Mountain site ground water, 4-48, -49**
- temperature limitation criteria
 - waste form, 7-16--17
- temperature logs, geophysical logging, 1-246--247
- temperature profiles
 - alteration, metals, 1-281**

PART A INDEX (Chapters 1-7)

- tensile strength, 6-59
 - existing data, 2-23
 - intact rock, 6-50*
 - and porosity, 2-22, -41, -42**
 - reference values, 2-65*
 - test procedures (Brazilian test), 2-8*
 - Yucca Mountain tuffs, 2-42**, -44*, -65*
- terrain
 - design data, 6-38, -39**
- terrain influences on climate and meteorology (Yucca Mountain area), 5-10--11
- Tertiary deposits, surficial, 1-75
- Tertiary rocks, 1-36**
- Tertiary structures
 - southern Great Basin, 1-102--103
- Tertiary volcanic rocks
 - age, 1-56*
 - magnetic polarity, 1-56*
 - stratigraphy, 1-56*
- test holes, 3-153, -154*--155*, -157*--159*
 - depth of, 3-6
- test procedures, 2-6, -8*
- TGSCC, see transgranular stress corrosion cracking
- THERM3D, drift thermal analyses, 6-309
- thermal analyses
 - work completed, 6-306--333
- thermal and thermomechanical properties--
 - intact rock, 2-66--77, -78*, -83
 - nonsite tuffs, 2-69, -70*
 - site rock, 2-69, 71--77, -78*, -81--82
 - see also specific property
- thermal and thermomechanical properties--large scale, 2-79--82
 - nonsite tuffs, 2-80--81
 - site rock, 2-81--82
- thermal capacitance,
 - design data, 6-63*--64*, -65
- thermal-comparator measurements, 2-73
- thermal conditions, anticipated
 - and waste emplacement, 4-117--119
- thermal conductivity, 2-71--73, -72*
 - and anisotropy, 2-73
 - Bullfrog Member, 2-71*, -71--72
 - Crater Flat tuff, 2-71
 - definition, 2-66
 - design data, 6-62, -63*--64*, -65
 - and lithophysae, 2-73
 - nonsite rocks, 2-80--81
 - nonsite tuffs, 2-70*
 - Prow Pass Member, 2-71*
 - recommended values, 2-78*
- thermal conductivity (continued)
 - test procedures, 2-8*
 - Topopah Spring Member, 2-71*
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - Tram Member, 2-71*, -72
 - zero porosity, 2-71*, -72
- thermal decrepitation, 2-90--91, -111
- thermal degradation
 - and Regulatory Guide 4.17, 2-118
- thermal effects
 - of waste emplacement, 2-3, -90--96, -111
 - and waste package, 7-197
 - on water flow, 2-91--96; 7-45--49
- thermal expansion
 - Bullfrog Member, 2-74--75, -76*
 - Calico Hills, 2-74, -76*
 - coefficient of, 2-70*, -78*, -82, -103*
 - and design data, 6-62, -63*--64*
 - Crater Flat Tuff, 2-74, -76*
 - definition, 2-67
 - and fluid pressures, 2-68
 - G-Tunnel measurements, 2-77, -79--80, -82
 - intact rock, 2-74--77
 - large scale, 2-79--80
 - nonsite rocks, 2-80--81
 - silicic tuffs summary, 2-76*
 - site rocks, 2-82
 - test procedures, 2-8*
 - Topopah Spring Member, 2-76*, 103*
 - Topopah Spring Member and Grouse Canyon comparison, 2-103*
 - Tram Member, 2-74, -75, -76*
- thermal gradient
 - geothermal reservoirs, 1-308, -310
- thermal history
 - regional, hydrocarbon, 1-320
- thermal history, waste package
 - anticipated, 7-40--42
 - typical, 7-40, -41**
- thermal load
 - and waste packages, 7-38
- thermal loading and thermomechanical rock response
 - computer codes, 6-214*--217*
- thermal loading and thermomechanical rock response (Information Need 1.11.6), 6-220
- thermal/mechanical stratigraphy, 2-17**
 - and geologic stratigraphy, 6-42**
 - model, 6-44, -45**, -221--223
 - of Yucca Mountain, 6-222

PART A INDEX (Chapters 1-7)

- thermal/mechanical units
 - depth of, 2-17**
 - fracture properties, 2-65*
 - and lithologic equivalent, 2-17**
 - recommended thermal and physical property values, 2-78*
 - reference fracture property values, 2-65*
 - reference mechanical property values, 2-65*
 - stratigraphy, 2-17**
- thermal migration modeling, 2-92 (see also thermally induced water migration)
- thermal model
 - and corrosion model, 7-208
 - and waste package system model, 7-203, -206, -216**
- thermal model, waste package
 - and TACO2D, 7-206
 - and TOUGH, 7-206
 - and WAFE, 7-206
 - and WAPPA, 7-206
- thermal modeling
 - horizontal emplacement, 6-308--310
 - host rock, 6-321
 - vertical emplacement, 6-308--310
- thermal perturbation on local hydrologic transport
 - modeling, 7-42
- thermal properties
 - design data, 6-62--65
 - host rock and Rainier Mesa, 2-102, -103*
 - and lithophysae, 2-6
 - and stratigraphy, 2-78*
 - see also thermal and thermomechanical properties and specific property
- thermal pulse
 - effects of, 4-117--129
 - effects on radionuclide migration, 4-123--129
 - hydrothermal alteration, 4-120--122
 - water chemistry changes, 4-123
- thermal pulse effect on water chemistry
 - warm and hot spring investigations, 4-129--131
- thermal reservoir
 - chemical indicators, 1-311--313
- thermally induced degradation
 - geoengineering considerations, 2-90
 - potential, 2-90--91
- thermally induced dewatering, 2-89, -93, -97
- thermally induced loads
 - and elastic-plastic analyses, 2-20
- thermally induced stresses
 - calculation of, 2-66--67
 - and existing stress regime, 2-82
 - and thermal expansion, 2-82
- thermally induced water migration
 - analyses needed, 2-4
 - effects, 2-89, -91--96
 - and engineered barrier system design, 2-111
 - and ground-water travel time, 2-4
 - and initial condition measurements, 2-4--5
 - and rock temperatures, 2-3
 - and ventilation requirements, 2-4, -90, -94, -111
- thermodynamic data base, 7-192
 - development
 - and EQ3/6, 7-193--195
 - and geochemical modeling, 7-193--195
- thermomechanical analysis
 - emplacement hole, 7-39
- thermomechanical properties, see thermal and thermomechanical properties
- Thirsty Canyon
 - earthquake densities and energy release, 1-176*
 - seismicity and focal mechanisms, 1-179**
 - seismicity of, 1-179**, -181
- Thirsty Canyon-Oasis Valley
 - sodium bicarbonate and chloride concentrations, 3-90**
- Thompson Mine, 1-279**
- thorium
 - deposits
 - effects on host rock studies, 4-131--134
 - study of effects, 4-131--134
 - solubility
 - literature summary, 4-98--99
 - in well J-13 water, 4-100*
 - sorption ratios, 4-86
- Three Lakes Valley hydrographic area
 - location, 3-117**
 - water data, 3-126*
- Threshold Test Ban Treaty, 1-209
- thrust faults
 - Mesozoic, 1-100--102
- thunderstorms, 5-20, -27, -28, -30,
 - and Bermuda High, 5-10
 - and flooding, 5-11, -16, -17, -20
- Tikaboo North hydrographic area
 - location, 3-117**
 - water data, 3-126*

PART A INDEX (Chapters 1-7)

- Timber Mountain caldera, 1-94**, -265**
 - seismicity and focal mechanisms, 1-179**
- Timber Mountain-Oasis Valley
 - magmatic cycle, 1-201
- Timber Mountain tuff
 - age, magnetic polarity, and stratigraphy, 1-56*
 - and Rainier Mesa Member, 1-70
- time series of prehistorical vegetation change, 5-71--89
 - see also vegetation change (prehistorical), time series
- time-temperature-sensitization curves
 - austenitic materials, 7-72, -73**
- tin
 - solubility
 - literature summary, 4-98--99
 - in well J-13 water, 4-100*
 - sorption ratios, 4-86
 - distilled water, 4-90*
 - UE-25p#1 water, 4-90*
 - well J-13 water, 4-90*
- Tip Top Mine, 1-279**
- Tiva Canyon Member
 - age, magnetic polarity, and stratigraphy, 1-56*
 - compressive tests, 2-34
 - correlation with hydrogeologic units, 3-53*, -139*
 - description, 1-68, -70
 - mineralogy, 4-15
 - and Paintbrush Tuff, 1-61--62
 - stratigraphy at Yucca Mountain, 3-138**
 - thermal/mechanical stratigraphy, 2-17**
- Tiva Canyon welded unit, 3-195, -203
 - conceptual moisture flow, 3-194**, -215**
 - east-west cross section at Yucca Mountain, 3-145**
 - and xerophytes, 3-202
- topography
 - design data, 6-38, -39**, -40**
 - site, 6-40**
 - Yucca Mountain, 1-20**
 - topographic maps, USGS map descriptions, 1-25
- Topopah district, uranium, 1-303
- Topopah mineralized district, 1-273**, -277
- Topopah Spring
 - areal power density, 6-318
 - drift sensitivity analysis, 6-317
 - fracture potential, 6-323
 - rock mass classification, 6-318
- Topopah Spring drift
 - stress analysis, 6-317
- Topopah Spring Member
 - age, magnetic polarity, and stratigraphy, 1-56*
 - areal power density, 6-319
 - basal vitrophyre zone, 1-62, -67**
 - caprock zone, 1-64, -67**
 - clinoptilolite analyses, 4-30--31*
 - comparison with Grouse Canyon Member, 2-6, -9, -103*, -112
 - comparisons of geologic units, 6-225
 - composition, 4-9--36
 - correlation with hydrogeologic units, 3-53*, -139*
 - description, 1-62--64
 - dewatering requirements, 2-107
 - emplacement environment, 7-224--225
 - general description, 4-7--8
 - ground mass analyses, 1-69*
 - ground support, 6-291
 - ground-water control, 6-164
 - ground-water inflow estimates, 2-107
 - host rock, 1-35, -55; 6-85
 - hydrologic analysis for sealing, 6-240--241
 - hydrologic characterization, 6-247
 - laboratory data source, 2-6
 - lower lithophysal zone, 1-63, -66, -67**, -68
 - lower nonlithophysal zone, 1-63, -66, -67*, -68
 - lower nonwelded to moderately welded zone, 1-62, -67**
 - middle nonlithophysal zone, 1-63, -66, -67**
 - mineralogic compositions, 4-15
 - mineralogy, 4-7, -10--13
 - and Paintbrush Tuff, 1-61--62
 - permeable zones, 3-191**
 - petrographic percentages, 1-65**
 - petrography and petrology, 4-15
 - petrology, 1-64, -65**, -66--68
 - phenocryst assemblages, 1-66, -67**
 - phenocrysts, 4-10, -21*
 - Poisson's ratio, 2-103*
 - porosity and lithophysae, 2-77, -111
 - potential flow path, 4-53
 - potential repository, 4-4
 - proposed location for the underground facilities, 6-144
 - reference repository horizon, 7-4, -8

PART A INDEX (Chapters 1-7)

Topopah Spring Member (continued)

- repository horizon, 6-67; 7-4
- rock mass classifications, 2-105**
- sensitivity study, 6-233
- sequence of fracture coatings, 4-14**
- smectites, 4-35
- stratigraphy, 1-325--326
- stratigraphy at Yucca Mountain, 3-138**
- support requirements, 2-106*
- thermal expansion coefficients, 2-76*, -103*
- thermal loading, 6-229
- thermal/mechanical stratigraphy, 2-17**
- thermally induced decrepitation, 2-111
- topography map description, 1-25
- trace elements, 1-270*--271*
- and unit evaluation study, 2-104
- upper lithophysal zone, 1-63--64, -67**
- well J-13 main producing zone, 4-51
- and well J-13 water, 7-10
- zones, 1-62--64
- see also host rock and Yucca Mountain tuffs

Topopah Spring tuff

- dehydration-rehydration, 7-38
- and EQ3/6 results, 7-195
- fluid permeability, 7-50**
- Fran Ridge, 7-54
- matric potential, 7-45
- permeability, 7-47*
- properties, 7-5
- reference repository horizon, 7-8
- and representative ground-water tests, 7-38--39
- rock-water interactions, 7-46, -53, -54, -55, -56
- and saturation conditions, 7-51
- vadose water, 7-43
- and water table, 7-42
- and well J-13 water, 7-59, -193
- see also Topopah Spring Member

Topopah Spring welded unit

- capacitance, 3-179, -180**
- conceptual moisture flow, 3-194**, -215**
- east-west cross section at Yucca Mountain, 3-145**
- matric-potential profiles, 3-161**, -162**

Topopah Wash flooding, 3-18

Toquima Range

- barite production, 1-288, -289**

tornado frequency and severity (Yucca Mountain area), 5-28

total system life cycle costs, 6-340, -344--346

future work, 6-346

total system performance (Issue 1.1)

- and climatology and meteorology, 5-1
- and hydrologic system, 3-238

TOUGH

- and thermal model, 7-206

trace elements, 1-270*--271*

- Yucca Mountain site ground water, 4-45

tracer logs, geophysical logging, 1-247

tracers, radioactive, see radioactive tracers, use of

TRACR3D

- and Cambrian nuclear explosion data, 4-134--135

- and Los Alamos liquid waste disposal site, 4-139

- and radionuclide transport, 4-110

tradeoff studies, 2-3

Tram caldera, 1-94**

Tram Member, 1-58--60; 3-185, -187, -197, -201

- age, magnetic polarity, and stratigraphy, 1-56*

- areal power density, 6-318

- clinoptilolite analyses, 4-30--31

- compressive tests, 2-28

- correlation with hydrogeologic units, 3-54*

- drift sensitivity analysis, 6-317

- fluid-induced fracturing, 2-90

- fracture potential, 6-323

- hydraulic conductivity, 3-188*, -190*

- hydrothermal alteration, 1-282

- permeable zones, 3-191**, -192

- potential flow path, 4-53

- rock mass classification, 2-104

- sensitivity study, 6-234

- smectites, 4-35

- stratigraphy at Yucca Mountain, 3-138**

- temperatures, 2-74

- thermal conductivities, 2-71, -71*, -72

- thermal expansion, 2-74--75, -76*

- thermal/mechanical stratigraphy, 2-17**

- transmissivity, 3-188*

- and unit evaluation study, 2-104

- water production rate, 3-186**

- Young's modulus, 2-60

transgranular stress corrosion cracking, 7-83--85

- activities to determine susceptibility, 7-94--96

PART A INDEX (Chapters 1-7)

transgranular stress corrosion cracking (continued)

and austenitic materials, 7-71--72
and chloride, 7-95
containment lifetime, 7-102
and metal barriers, 7-230
model, 7-96--97
research and development status, 7-95--96
and sensitized 304 stainless steel, 7-94
summary of testing, 7-97
susceptibility of austenitic materials,
7-94--96

see also corrosion degradation modes

transmissivity

and hydraulic conductivity, 3-185--192
lava flow aquifer, 3-51*
lower carbonate aquifer, 3-56*, -68, -78
lower clastic aquitard, 3-57*, -68
and Nevada Test Site aquifers, 3-64*--67*
older tuffs, 3-189*
saturated zone, 3-182*--183*
stratigraphic units, 3-51*--57*, -64*--67*
tuff aquifers, 3-51*--54*
tuff aquitard, 3-52*, -54*--55*
upper carbonate aquifer, 3-55*
upper clastic aquifer, 3-55*
valley fill aquifer, 3-51*, -68
volcanic rock aquitard, 3-68
at well USW H-1, 3-188*

transpiration, see evapotranspiration

transport

calculations, 4-109--115
codes and concentration, 4-81
and colloids, 4-106--109
gaseous, 4-109
modeling, 4-53--54
and particulates, 4-107--109
path, most likely, 4-4
and suspended solids, 4-106--109

transverse ranges, map, 1-9**, -16**

Trap spring oil field, 1-317

travel time, see ground-water travel time

traverses

strikes of fractures, Yucca Mountain,
1-137**

travertine

resources, 1-299*, -301
deposits, 1-299*, -301

Treaty on Underground Nuclear Explosions for Peaceful Purposes, 1-209

tree-ring chronologies

and paleoclimatic reconstructions, 5-73

trench locations

Yucca Mountain, 1-72**, -122**

triaxial compressive strength

test procedures, 2-8*

tritium

drillhole UE-25a#7, 3-28
in Fortymile Canyon ground water, 3-96
in Yucca Mountain ground water, 3-165,
-167*

tritium pulse

and Cambrian nuclear explosion, 4-135,
-137**

TRUST

and drift analysis, 6-245
and hydrologic calculations, 6-243
and shaft and drift sealing, 6-243

TSLCC, see total system life cycle cost

tuff

aquifer, see tuff aquifer
aquitard, see tuff aquitard
Calico Hills, see tuffaceous beds of
Calico Hills
clinoptilolite analyses, 4-30*--31*
Crater Flat, see Crater Flat tuff
and glass dissolution, 7-181
and leach rates, 7-169, -171**
mineral abundances, 4-77*--80*
Paintbrush, see Paintbrush tuff
petrologic characteristics, 4-77*--80*
repository, perspective, A-12**
sorption data, 4-66
sorption rate constants, 4-104*
and temperature effect on sorption, 4-66
Topopah Spring, see Topopah Spring tuff
Yucca Mountain Project glass waste form,
7-180--184
see also nonsite tuffs and Yucca Mountain
tuffs

tuff aquifer

chemical composition, 3-82--83
discharge from, 3-91
isotope data, 3-97*
isotope hydrology of, 3-96--102, -100**,
-101*

Piper diagram, 3-84**

recharge to, 3-87, -91

transmissivity, 3-51*--54*

tuff aquitard

transmissivity, 3-52*, -54*--55*

tuff handling, 6-161

PART A INDEX (Chapters 1-7)

- tuff ramp
 - description, 6-86**, -138, -139*, -144**, -153, -156
- tuff (welded) mining evaluation, 2-13**
- tuff units
 - trace elements, 1-270*--271*
- tuffaceous aquifer, see tuff aquifer
- tuffaceous beds of Calico Hills, 1-55, -56*
 - age, magnetic polarity, and stratigraphy, 1-56*
 - comparison of geologic units, 6-227
 - correlation with hydrogeologic units, 3-139*
 - permeable zones, 3-190, -191**
 - potential flow path, 4-51
 - rock mass classification, 2-104
 - sensitivity study, 6-233
 - stratigraphy at Yucca Mountain, 3-138**
 - temperatures, 2-74
 - thermal expansion coefficients, 2-75
 - thermal/mechanical stratigraphy, 2-17**
 - unit evaluation study, 2-104
 - water production rate, 3-186**
 - Yucca Mountain, 1-61
 - see also Calico Hills and Calico Hills nonwelded unit
- Tule Springs and prehistoric lakes, 5-70
- Tunnel bed 5
 - rock mass classifications, 2-105**
 - support requirements, 2-106*
- tunnel-boring
 - repository excavation method, 2-107
 - and rock fracturing, 2-108
- tunnel index methods, 6-332--333
 - future work, 6-338
 - rock mass classification, 6-332--333
 - verification and validation, 6-332--333
- Turkey Point Unit 3 fuel
 - characteristics, 7-116*
 - and series 2 spent fuel dissolution testing, 7-117--134, -121*--122*, -124*--125*, -128*--129*
- Ubehebe Crater
 - earthquake densities and energy release, 1-176*
- UE-25a#1 drillhole
 - and geoengineering data, 2-6, -12, -13**, -14, -15, -26*
 - mineral abundances, 4-77*--80*
 - petrologic characteristics, 4-77*--80*
- UE-25b#1
 - and geoengineering data, 2-6
- UE-25p#1 water
 - and in situ stress, 2-88
 - sorption ratios, 4-88, -89*--90*
 - and sorptive behavior, 4-87--88
- unanticipated conditions
 - and geochemical retardation in host rock, 4-115--116
- uncertainties in waste package development, 7-5--6, -236--240
 - glass waste form, 7-239--240
 - metallic containers, 7-238
 - spent fuel waste form, 7-239
 - waste form, 7-238--239
 - waste package design, 7-237
 - waste package environment, 7-237--238
 - waste package performance assessment, 7-240
- unconfined compressive strength
 - Grouse Canyon Member, 2-39**
 - intact rock, 6-49*
 - Ohya tuff, Japan, 2-24*
 - reference values, 2-65*
 - rock mass, 6-56*
 - Topopah Spring and Grouse Canyon Member comparison, 2-103*
 - Yucca Mountain tuff--intact rock, 2-44*, -65*
- underground access
 - design, 6-124, -128
 - and information needs, 6-201--204
 - normal retrieval conditions, 6-191--192, -278--279
- underground facility
 - access, 6-153, -156
 - airflow requirements, 6-164--175
 - airflow velocity constraints, 6-170, -171*
 - allowable areal power density, 6-229
 - area, 6-142, -143**
 - area needed, 6-224
 - areal power density, 6-224
 - and borehole spacing, 6-230--231
 - construction, 6-157, -158**, -159**
 - concurrent development, emplacement, 6-157, -158**, -159**
 - initial, 6-157
 - construction equipment, 6-164, -164*--165**
 - and containment and isolation, 6-2
 - contingency plan, 6-232

PART A INDEX (Chapters 1-7)

- underground facility (continued)
 - critical design requirement, 6-2
 - design, 6-142--175
 - controlling earthquake source, 6-338
 - and earthquakes, 6-336--338
 - and ground motion, 6-336--338
 - and peak accelerations, 6-336--338
 - and underground nuclear explosions, 6-336--338
 - drainage, 6-240
 - excavations methods criteria, 6-232--233
 - flexibility evaluation, 6-225--229
 - ground-water control, 6-164, -168**
 - and information needs, 6-201--204
 - layout, 6-144--147
 - potential expansion areas, 6-225, -226**, -227, -228**
 - primary area, 6-225--227, -228**
 - usable area, 6-225--227, -228**
 - ventilation, 6-164, -168--170**
 - and waste isolation, 6-2
 - and waste retrieval, 6-2, -3
 - see also exploratory shaft facilities
- underground facility orientation and layout (Information Need 1.11.3)
 - products, 6-218--219
- underground mining activities, 1-255--256
- underground nuclear explosions
 - and design, 6-70--71
 - earthquake epicenters, 1-174**
 - estimates, 6-336--338
 - occurrence model, 6-337
 - Pahute Mesa, 1-146
 - and underground facility design, 6-337--338
 - see also weapons testing
- underground opening stability
 - data needs, 2-2, -3, -4
 - future work, 6-292--293
 - and retrievability, 2-111
 - and shaft design, 2-4
 - and waste heat, 2-67
- underground openings
 - design, 6-201--204
 - work completed, 6-290--291
- underground ventilation system
 - future work, 6-293
 - work completed, 6-292
- undiscovered resources
 - definition, 1-259*, -260
- UNEs, see underground nuclear explosions
- uniaxial compressive strength
 - test procedures, 2-8*
- Union district, 1-285**
- unit evaluation study, 2-104
- unsaturated zone, 6-66--67
 - borehole completion records, 3-154*--155*
 - borehole locations, 3-148**
 - capacitance, 3-178--179, -180**
 - characteristics favorable for waste packages, 7-8--10
 - conceptual models, 3-146
 - and design and performance of waste package, 7-8--12
 - flow model, 7-11
 - fracture characteristics, 3-169
 - fracture mineralogy, 4-14**
 - ground-water travel time, 3-5, -203, -209, -214, -217*--218*, -219, -220
 - hydraulic characteristics, 3-169--179, -208--214
 - hydrogeologic cross section, 3-145**
 - hydrologic models, 3-146
 - matric potentials, 3-160--163, -161**, -162**, -199--200, -236
 - moisture characteristic relations, 3-169--179, -236--237
 - monitoring networks, 3-147--153
 - porosity, 3-170*
 - potential repository, 4-4--5
 - potentiometric levels, 3-160--163
 - recharge and leakage, 3-201--205
 - reference repository horizon, 7-8
 - sequence of fracture coatings, 4-14**
 - thickness of, 3-5
 - and well J-13 water chemistry, 7-43*
- unsaturated-zone neutron drillholes, 1-253--254
- unstressed aperture, 6-52*
- upper air data, 5-25, -26**, -27*, -28*, -29**
- upper carbonate aquifer, 1-42**; 3--55*, -58, -60
- upper clastic aquitard, 1-42**; 3-55*, -58, -59**, -60
 - transmissivity, 3-68, -69
- uranium
 - deposits, 1-303--305
 - Alligator Rivers, 4-133--134
 - effects on host rock studies, 4-131--134
 - study of effects, 4-131--134
 - and effect of geochemical transport processes, 4-113*--114**

PART A INDEX (Chapters 1-7)

uranium (continued)

- Nevada production, 1-303
- Nevada resources, 1-303-304
- potential, Yucca Mountain, 1-304--305
- solubility
 - literature summary, 4-97--98
 - in well J-13 water, 4-99, -100*
- sorption ratios
 - batch desorption experiments, 4-74*--76*
 - batch sorption experiments, 4-69*--71*
 - speciation, literature summary, 4-97--98
- uranium-series dated veins, south central Great Basin, 3-104**
- usable area and flexibility
 - model, 6-225
- usable area and flexibility evaluation, product 1.11.3-2
 - work completed, 6-225--227, -228**
- U.S. Atomic Energy Commission
 - and hydrogeologic studies, 3-4
 - and weapons testing, 3-4
- U.S. Department of Energy
 - design and legal requirements, 6-8, -17, -18*--19*
 - functional requirements, 6-8, -17, -18*--19*
 - siting guidelines, 1-4
- U.S. Environmental Protection Agency
 - and Beatty water supply, 3-128
 - and Death Valley Junction water supply, 3-135*
 - and regulatory requirements, 1-3--4
- U.S. Nuclear Regulatory Commission
 - design and legal requirements, 6-8, -9*--15*
 - and regulatory requirements, 1-3--4, -9--10
 - siting criteria, see NRC siting criteria (Issue 1.8)
- USSR (tuff)
 - mechanical properties, 2-25*
- USW G-1 drillhole
 - and geoengineering data, 2-6, -12, -13**, -15, -16, -26*, -35, -37*, -86, -87**, -88
 - in situ stress, 1-144**
 - location, 4-15, -22**
 - mineral abundances, 4-77*--80*
 - paleotemperatures, 1-281**
 - petrography for core samples, 4-19*--20*

USW G-1 drillhole (continued)

- petrologic characteristics, 4-77*--80*
- tuff sorption rate constants, 4-104*
- USW G-2 drillhole
 - and geoengineering data, 2-6, -86, -87**
 - in situ stress, 1-144**
 - mineral abundances, 4-11**, -77*--80*
 - paleotemperatures, 1-281**
 - petrologic characteristics, 4-77*--80*
- USW G-3 drillhole
 - and geoengineering data, 2-6, -12, -13**, -15, -16, -88
 - mineral abundances, 4-12**
 - paleotemperatures, 1-281**
- USW G-4 drillhole
 - fracture mineralogy, 4-14**
 - and geoengineering data, 2-6, -12, -13**, -15, -16, -26*, -34
 - geophysical logs, 1-241, -242***--243**
 - lithology, 1-241, -242***--243**
 - petrographic percentages, 1-65**
 - phenocryst assemblages, 1-67**
 - sequence of fracture coatings, 4-14**
- USW GU-3 drillhole
 - and geoengineering data, 2-6, -13**, -15, -16, -26*, -28**, -88
 - mineral abundances, 4-12**, -77*--80*
 - petrologic characteristics, 4-77*--80*
- Utah Lake, 5-58**

V&V, see verification and validation

vadose water

- and austenitic materials, 7-67
- changes from waste emplacement, 7-38
- and emplacement environment, 7-9
- flow uncertainties with respect to near-field environment, 7-237
- reference repository horizon, 7-10
- and silica, 7-169
- Topopah Spring tuff, 7-43
- and well J-13 water, 7-43
- vadose water flow around a backfilled drift, product 1.12.4-5
 - work completed, 6-245--246
- validation
 - future work, 6-339--340
 - modeling, 6-329, -330**, -331**, -332
 - of models
 - climate, 5-7, -72, -87--88, -99--101
 - geoengineering, 2-12
 - see also verification and validation

PART A INDEX (Chapters 1-7)

- valley-fill aquifer, 3-58
 - Ash Meadows subbasin ground-water flow, 3-78
 - chemical composition, 3-85, -87
 - discharge from, 3-94
 - flow paths, 3-78
 - ground-water travel time, 3-73
 - isotope data, 3-88**
 - origin, 3-58
 - and Pahrump, 3-114
 - permeability, 3-51*
 - Piper diagram, 3-88**
 - porosity, 3-51*
 - potentiometric map, 3-132**
 - recharge to, 3-24, -25, -28, -71, -94
 - transmissivity, 3-51*, -68
- vapor flow
 - in fractures, 7-52
- vapor-phase exchange
 - geochemical retardation process, 4-52, -53
- variable fluid pressures
 - effects of, 2-68
- varnished talus, 1-32
 - northern Mojave Desert, 1-32
- vegetation and climate
 - modern, 5-72--73, -74**
 - relationships, 5-71--89
- vegetation change (prehistorical), time series, 5-71--89
 - dendroclimatology, 5-73
 - paleobotanic dating, 5-71--72
 - paleoclimatic applications of paleo-
 - botanical data, 5-87--89
 - paleovegetation changes summary, 5-85
 - palynology and pack rat midden studies, 5-75, -77--84*
 - rationale, 5-72
 - summary, 5-85, -86*
- vegetation distribution
 - and altitude and precipitation, 5-74**
- ventilation, 2-95
 - and ground-water inflow, 2-106
 - horizontal emplacement, 6-333--334, -335*
 - Mine Safety and Health Administration
 - criteria, 6-333
 - retrieval, 6-285
 - and rock temperature analyses, 2-3
 - system, normal retrieval conditions, 6-193, -280
 - and thermally induced water migration, 2-4, -90, -94, -111
- ventilation (continued)
 - underground facility, 6-164, -168, -169**, -170*, -335*
 - vertical emplacement, 6-169**, -333--334, -335*
- ventilation analyses, 6-333--334, -335*
 - work completed, 6-333--334, -335*
- verification and validation
 - boundary-element method, 6-332
 - compliant-joint model, 6-327
 - description, 6-323--333
 - finite-element methods, 6-323--332
 - future work, 6-339--340
 - tunnel index methods, 6-332--333
 - see also validation
- verification of hydrologic conditions, 3-224--231
- vertical borehole, 6-158**
- vertical crustal movement
 - postclosure, 1-212--213
 - summary results, 1-338, -340
 - Yucca Mountain, 1-147
- vertical emplacement, 6-85, -87**
 - access, 6-144, -145**
 - airflow requirements, 6-171--172, -173*, -334, -335*
 - construction equipment, 6-165**
 - cooling requirements, 6-334, -335*
 - drainage control, 6-167**
 - drift cooling, 6-334
 - drift sensitivity analysis, 6-317--318
 - drift temperatures, 6-309
 - equipment, 6-98, -107*, -108**, -305
 - ground-water control, 6-167, -168**
 - layout, 6-87**, -148, -149**, -150**
 - mining methods, 6-165**
 - operations, 6-98, -99**--102**
 - orientation decision, 6-231--232
 - ramps and drifts, 6-144, -145**, -147
 - reference orientation, 6-4
 - retrieval, 6-110, -112**--116**
 - sealing options, 6-185--189
 - stress analyses, 6-310, -311**, -313**
 - thermal modeling, 6-309--310, -317
 - ventilation, 6-170**, -333--334
 - waste retrieval operations, 6-110, -112**--116**
- vertical emplacement holes
 - borehole liners, 7-34, -36
 - reference orientation, 7-34, -36--37
- vertical emplacement panel
 - description, 6-148, -149**--150**

PART A INDEX (Chapters 1-7)

- vertical stress
 - magnitude, 6-46
 - and overburden, 2-86
- VISCOT
 - drift stress analysis, 6-310
 - elastic horizontal borehole calculations, 6-321
- visibility, obstructions to, 5-27, -28, -30, -31*, -32*
- volcanic activity
 - and geochemical stability, 4-144
- volcanic cinders
 - and pumice, 1-298*, -301--302
 - resources, 1-298*, -301--302
- volcanic deposits
 - map, 1-76***-77**
- volcanic hazard
 - summary results, 1-336--338, -339
- volcanic history
 - southern Great Basin, 1-88--99
 - summary, 1-327--328
 - see also igneous history
- volcanic processes
 - Quaternary, 1-30
- volcanic rock aquifers
 - and aquitards, 3-58, -59**, -60, -68
 - ground-water flow paths, 3-78
- volcanic rock aquitard, 3-58, -59**, -60, -68
- volcanic rocks
 - late Eocene to late Miocene, 1-48
 - late Pliocene to Quaternary, 1-48--49
 - pre-Lithic Ridge, 1-57
- volcanic-type mercury deposits, 1-286
- volcanism
 - basaltic, see basaltic volcanism
 - and controlled area, 1-202, -203, -205, -337
 - Death Valley-Pancake Range, 1-203
 - hazard estimates, 1-202
 - investigations summary, 1-347--348
 - late Miocene to Holocene, 1-95--99
 - Middle Tertiary, 1-89--95
 - postclosure, 1-200--206
 - Quaternary, 1-95--99
 - silicic, see silicic volcanism
- volcanogenic rocks, pre-Lithic, 1-57
- WAFE
 - heat and mass transport, 4-124
 - permeability change, 4-124, -128**, -129
- WAFE (continued)
 - thermal conditions of waste emplacement, 4-117, -118**
 - and thermal model, 7-206
- Wahmonie
 - pluton, 1-264
 - precious metal potential, 1-283--284
- Wahmonie-Salyer volcanic center, 1-265**, -280
- Walker Lake
 - historical lake levels, 5-55**
 - location of, 5-44**
 - prehistoric surface extent, 5-61**
- Walker Lane, 1-83**, -113**, -153**
 - shear zone, 1-2**
 - strike-slip faulting, 1-110---115
- Walker Lane belt
 - characteristics, 1-10*--11*, -15, -18
 - historical seismicity, 1-208
 - map, 1-9**
 - morphometric characteristics, 1-10*--11*
- WAPPA
 - thermal modeling, 7-206
 - waste package performance model, 7-202--203
- warm and hot springs
 - Lava Creek Tuff, 4-130
 - repository analogs, 4-129--131
 - Yellowstone National Park, 4-130
- waste acceptance
 - schedule, 6-29, -30*
- waste container
 - normal retrieval conditions, 6-195, -280
 - see also container
- waste containment
 - design criteria, 6-34--35
 - functions, 6-34
- waste disposal
 - equipment, 6-98, -107*, -108**, -109*, -110, -111**
 - operations
 - description, 6-89, -97**, -98
 - flow diagram, 6-97**
- waste element concentrations
 - and natural-colloid formation, 4-92--93
 - and precipitation, 4-92
 - processes affecting, 4-91--93
 - and radiolysis, 4-93
 - and speciation, 4-91--92, -93--99
 - literature summary, 4-96--99
- waste element solubility, 4-93--99
 - in well J-13 water, 4-99, -100*
 - literature summary, 4-96--99

PART A INDEX (Chapters 1-7)

waste element transport
 warm and hot spring investigations,
 4-129--131

waste emplacement
 anticipated thermal conditions, 4-117--119
 construction for, 6-157--159
 equipment, 6-98, -107*, -108**, -109*,
 -110, -111**
 geochemical effects, 4-117--129
 hole boring equipment, 6-305
 and retrieval equipment, 6-304

waste emplacement package (preclosure)
 design constraints, 7-14

waste form
 and container criteria, 7-14
 design requirements, 7-14
 and Generic Requirements for a Mined
 Geologic Disposal System, 7-17
 glass, see glass waste forms
 performance research and testing,
 A-13--14; 7-105--189
 radiation field, 7-38
 spent fuel, see spent fuel
 temperature limitation criteria, 7-16--17
 uncertainties, 7-238--239
see also reference waste form

waste form alteration
 model
 and cladding degradation, 7-209
 and glass waste form, 7-210
 and radionuclide mobilization, 7-209
 and spent fuel degradation, 7-210
 and waste package system model,
 7-203, -209--210, -222**
 and water chemistry, 7-202

waste form and waste container
 characteristics and quantities, 6-301

waste handling
 flow diagram, 6-90**
 schedule, 6-30*, -31**, -32

waste-handling building
 design, 6-128, -131**--133**
 normal retrieval conditions, 6-193, -280

waste-handling operations
 description, 6-89, -90**--96**

waste heat effects, see thermal effects of
 waste emplacement

waste inspection, 6-92**, -93**

waste isolation
 and calcite deposits, 1-74
 design criteria, 6-34--35
 functions, 6-34

waste isolation (continued)
 geothermal energy, 1-150
 and underground facility, 6-2

waste package
 activity categories, A-13
 alternative designs, see alternative
 designs, waste package
 anticipated thermal history, 7-40--42
 components
 overview, A-13; 7-1, -3
 performance allocation, 7-17--19

containers
 candidate materials, 7-65
 corrosion model, 7-102--103

costs, future work, 6-346

description, 7-19--37

design
 basis, 7-12--19, -225--226
 containment enhancement, 6-233--334
 description, 7-19--37, -226--227
 mined geologic disposal system
 requirements, 6-16--17
 performance allocation, 7-226
 technical feasibility, 7-16
 uncertainties, 7-236--238
see also reference waste package,
 designs
 and design related documents, 7-2**

design requirements, 7-12--17
 and 10 CFR Part 60, 7-12
 and 10 CFR Part 960, 7-12
 generic preclosure, 7-13--14
 generic postclosure, 7-14--15
 and Generic Requirements for Mined
 Geologic Disposal System, 7-12
 inert cover gas, 7-17
 interaction with environment,
 7-15--16
 technical feasibility, 7-16
 temperature limitation, 7-16--17

development uncertainties, 7-5--6,
 -236--240

dried out region around, 7-53

emplacement
 effects, 7-11--12, -53
 environment, 7-8--12
 gas phase flow, 7-52
 liquid flow, 7-52

environment
 and radiolysis products, 7-44--45
 uncertainties, 7-237--238

generic postclosure requirements, 7-14--15

PART A INDEX (Chapters 1-7)

waste package (continued)

- generic preclosure requirements, 7-13--14
- geometry
 - cylindrical symmetry, 7-204
 - and waste package system model, 7-204
- inert cover gas, 7-17, -29, -31
- introduction, 7-1--8
- mechanical effects, 7-197
- performance criteria, 7-13
- reference designs, 7-25, -27, -28**, -29, -30**, -226--227
- regulatory requirements, 7-4*
- reliability analysis, 7-223--224
- research and development
 - history, 7-4--5
 - status, 7-37--224
 - summary, 7-227--236
- sealing in vicinity of, 6-185
- thermal effects, 7-197
- thermal load on near-field environment, 7-38
- vertical emplacement thermal history, 7-40, -41**
- waste package characteristics (postclosure) (Issue 1.10)
 - and climatology and meteorology, 5-1
 - and hydrologic system, 3-240
- waste package characteristics for design of underground facility, product 1.11.2-1
 - work completed, 6-231
- waste package characteristics needed for design (Information Need 1.11.2), 6-218
- waste package-emplacement environment interaction
 - design requirements, 7-15--16
- waste package environment model
 - and air flow, 7-207
 - and steam, 7-207
 - and waste package system model, 7-203, -207, -218**
 - and water flow, 7-207
- waste package environment modification
 - and emplacement, research and development status, 7-37--64
- waste package information needed for design (Information Need 4.4.2), 6-294
 - work completed, 6-296, -301
- waste package performance
 - and 10 CFR Part 60, 7-2**, -3, -4*
 - and 10 CFR Part 960, 7-2**, -3, -4*
 - and 40 CFR Part 191, 7-2**, -3, -4*

waste package performance (continued)

- and corrosion, 7-201
- Generic Requirements for a Mined Geologic Disposal System, 7-2**, -3, -4*
- and ground-water movement and chemistry, 7-201
- and mechanical loads, 7-201
- metal container penetration, 7-201
- processes affecting, 7-200--202
- and radiation, 7-200, -202
- and thermal effects, 7-200
- and transport of mobile waste, 7-201, -202
- and waste form alteration, 7-201, -202
- and yielding processes, 7-201
- waste package performance assessment
 - research and development summary, 7-236
 - uncertainties, 7-240
- waste package performance model
 - BARIER, 7-202
 - WAPPA, 7-202--203
- waste package postclosure performance assessment, 7-196--224
 - corrosion model, 7-208--209
 - driver model, 7-198, -211--223, -212**--213**, -214**--215*, -216**, -218**, -222**
 - early models, 7-202--203
 - introduction, 7-196--200
 - mechanical model, 7-206--207
 - model development, 7-198--199
 - probability reliability analysis, 7-197
 - processes affecting performance, 7-200--202
 - radiation model, 7-204--205
 - reliability analysis, 7-223--224
 - thermal model, 7-206
 - waste form alteration model, 7-209--210
 - waste package environment model, 7-207
 - waste package geometry, 7-204
 - waste package system model description, 7-203
 - waste transport model, 7-210--211
- waste package system model
 - corrosion model, 7-203, -208--209, -217**--218**
 - description, 7-203--223
 - driver model, 7-211--223
 - mechanical model, 7-203, -206--207, -216**, -221**
 - radiation model, 7-203, -204--205, -216**
 - summary, 7-224

PART A INDEX (Chapters 1-7)

waste package system model (continued)
 thermal model, 7-203, -206, -216**
 waste form alteration model, 7-203,
 -209--210, -222**
 waste package environment model, 7-203,
 -207, -218**
 waste package geometry, 7-204
 waste transport model, 7-203, -210--211,
 -222**
 waste packaging, 6-92**, -93**, -95**
 waste ramp, description, 6-84**, -136, -138,
 -139*, -143**, -153
 waste receipt
 steps, 6-91**
 waste receiving and preparation
 equipment, 6-302--303
 waste retrievability
 and rock mass heat, 2-67
 and underground opening stability, 2-111
 waste retrievability (Issue 2.4)
 future work, 6-288--289
 issue statement, 6-273
 strategy for evaluation, 6-274, -275**
 work completed, 6-276--288
 waste retrieval
 operations
 description, 6-110, -112**, -120*
 flow diagram, 6-112**
 horizontal emplacement, 6-110,
 -117**--120**
 vertical emplacement, 6-110,
 -113**--116**
 requirement, 6-2, -3
 schedule, 6-31**, -32
 and underground facility, 6-2, -3
 waste shipment, 6-94**, -96**
 waste shipping operations
 description, 6-121, -122**--123**
 flow diagram, 6-122**
 waste storage, 6-92**, -93**, -94**
 waste transport model
 and gas phase transport, 7-211
 and radionuclide flux, 7-211
 and waste package system model, 7-203,
 -210--211, -222**
 waste treatment, 6-94**
 waste water disposal, 3-50
 water chemistry
 changes and thermal pulse, 4-123
 and corrosion model, 7-208--209
 data status, 4-6
 emplacement environment, 7-224--225

water chemistry (continued)
 geothermal, 1-311, -312
 and grouting materials, 7-11
 predicted, 7-64
 and radiation from waste, 7-38
 Rainier Mesa, 7-43*
 reference repository horizon, 7-10
 and rock-water interactions, 7-53, -59
 summary, 7-225
 unsaturated zone, 7-43*
 and waste form alteration, 7-202
 well J-13, 7-43*
 and Zircaloy corrosion, 7-149
 water chemistry (Investigation 8.3.1.3.1)
 synopsis, 4-147--148
 water consumption, see water use
 water flow
 research and development summary, 7-227
 thermal effects on, 7-45--49
 and waste package environment model, 7-207
 water migration, 2-90, -112
 and fractures, 2-91--92
 and geoengineering data required, 2-5
 and ground-water travel time, 2-4
 and heated-block test, 2-96
 and heated-borehole experiment, 2-96
 and small diameter heater test, 2-94, -96
 thermally induced, 2-91--96, -111
 in tuff, 2-95*
 water production rates
 Alkali Flat-Furnace Creek Ranch subbasin,
 3-122*
 Ash Meadows subbasin, 3-126*--127*
 Nevada Test Site wells, 3-120*, -122*,
 -124*
 Oasis Valley subbasin, 3-129*
 UE-25b#1, 3-186*
 wells J-12 and J-13, 3-226*
 water-rock interactions
 and EQ3/6, 7-195--196, -229
 and geochemical modeling, 7-195--196
see also rock-water interactions
 water saturation, effects of, 2-29--32,
 -50, -51**, -53**, -55**
 water supply, see water use
 water table drillholes, 1-251
 water-table levels, 3-105, -226*, -228**
 pluvial-related (modeling), 3-229--230
 and saturated-zone potentiometric levels,
 3-149**
 summary, 3-233--234

PART A INDEX (Chapters 1-7)

water-table levels (continued)

Yucca Mountain area, 3-153, -157*-159*,
-160

see also ground-water levels

water transport

and driver model, 7-222**

in unsaturated zone, 7-45

water use, 3-113--136

Alkali Flat-Furnace Creek Ranch subbasin,
3-118--123

Amargosa Desert, 3-121--123

Amargosa River, 3-24

Amargosa Valley, 3-118, -119*, -135*

American Borate Corporation, 3-118

Ash Meadows, 3-135*

Ash Meadows subbasin, 3-123--127,
-126*-127*

Beatty, 3-128, -135*, -136

Crater Flat, 3-122*

Crystal Reservoir, 3-24

Death Valley Junction, 3-135*

Death Valley resorts, 3-120

Emigrant Valley, 3-126*

and energy development, 3-133

exploratory shaft facility, 3-130, -131*,
-133

Fortymile Canyon, 3-122*, -124*

Frenchman Flat, 3-126*

Gold Flat, 3-122*, -129*

gold mines, 3-128

heavy withdrawals, location of, 3-115**

hydrographic areas, 3-122*, -126*, -127*,
-129*

Indian Springs, 3-123, -124*, -125, -135*,
-136

Indian Springs Air Force Base,
3-124*, -126*, -135*

Johnnie, 3-135*

Kawich Valley, 3-122*

Mercury, 3-123, -135*

Mercury Valley, 3-127*

Nevada Test Site, 3-120, -122*, -124*

Panama-Stirling Mine, 3-121

Oasis Valley, 3-136

Oasis Valley subbasin, 3-122*, -128, -129*

Pahrump, 3-135*, -136

Preferred Equities Corporation, 3-123

production wells near Yucca Mountain,
3-225, -226*, -227

Railroad Valley, 3-122*

repository, 6-134

Rhyolite, 3-128, -135*

water use (continued)

Rock Valley, 3-127*

summary, 3-234

surface water, 3-24--25

Three Lakes Valley, 3-126*

Tikaboo, 3-126*

Yucca Flat, 3-126*

water wells

Amargosa Desert, 3-119*

Nevada Test Site, 3-116**

pumping data, 3-64*-67*, -226*

see also well J-12 and well J-13

weapons testing, 3-4

areas, 1-210**

Buckboard Mesa, 1-199, -209, -210**, -212

earthquakes, 1-161**

after event activity, 1-174**

and faulting, 1-209--212

ground motion, Yucca Mountain, 1-199,
-209--212

HANDLEY event, 1-146

induced seismicity, 1-199

Nevada Test Site, 1-161**, -196, -197,
-198--199, -210**

Pahute Mesa, 1-146, -160, -164, -171,
-189, -197, -199, -209, -210**

peak vector acceleration, 1-199

potential areas, 1-210**

Rainier Mesa, 1-209, -210**

seismicity, 1-171, -175

tritium, 3-28, -96, -168

Yucca Flat, 1-199, -209, -210**

weather, see hail; meteorology, regional and
local; precipitation; snowfall; temperature;
and wind

welded tuff mining evaluation, 2-13**

welding considerations

austenitic materials, 7-99--100

container, 7-99--100

and corrosion, 7-99--100

well J-12, 4-43**

location, 3-116**

use of, 3-130, -133

water production and levels, 3-226*

well J-13

and dehydration-rehydration experiments,
7-46

effects of use, 3-130, -133

location, 3-116; 4-43**, -50--51

mineral abundances, 4-77*-80*

mineralogic compositions, 4-15

reference water, 7-10, -42--43

PART A INDEX (Chapters 1-7)

well J-13 (continued)

use of, 3-130--133
water chemistry, 7-43*
water levels, 3-226*, -228**
water production, 3-226*

well J-13 water

anodic polarization curve, 7-86, -87**
austenitic material tests, 7-69, -70*,
-76, -77*, -79*, -90
and austenitic materials, 7-65, -68, -70*
background radioactivity, 4-46, -47*
chemistry changes from thermal pulse,
4-123
chlorine concentration, 7-84**
colloids, 4-46--48
composition, 4-50--51
composition and EQ3NR, 7-60
corrosion forms favored by, 7-67
corrosion potential for 316L stainless
steel, 7-91**
and corrosion rates in austenitic
materials, 7-70*
and corrosion testing, 7-93, -94, -96
emplacement environment, 7-225
and glass waste form testing, 7-165, -169,
-173--187
and hydrothermal alteration of zeolites,
4-120
and intergranular cracking, 7-101
leach rates, 7-169, -170**
localized corrosion, 7-86
organic content, 4-46
and oxidation and corrosion tests, 7-69
particulates, 4-46--48
pressure, 4-48
reference ground water, 4-39, -50--51,
-62, -146
reference water, 7-10, -42--43
and rock-water interaction chemistry, 7-59
and rock-water interactions, 7-62**,
-63**, -195--196, -228--229
in rocking autoclave experiments, 7-57**,
-58**
sample preparation, 4-62
and sensitized microstructure, 7-74--76
solubility, 4-64--65
sorption ratios, 4-88, -89*--90*
sorptive behavior, 4-87--88
spent fuel dissolution, 4-98, -99--100
and spent fuel testing, 7-111, -113--140,
-118**, -120**, -194
and stainless steel tests, 7-89**, -90

well J-13 water (continued)

temperature, 4-48, -49**
and Topopah Spring tuff, 7-59, -193
and transgranular stress corrosion
cracking, 7-94
vadose water, 7-43
and waste element solubility, 4-94
-95*, -99, -100*
water chemistry, 7-59
Zircaloy corrosion, 7-149

well locations

and exploration block, 4-43**
Yucca Mountain site, 4-43**

West Valley waste

radionuclide inventories, 7-152,
-157*--158*

West Valley waste form

composition, 7-154*
radionuclides that grow in, 7-152, -164*

West Valley waste package, 7-30**

Western Great Basin

seismogenic zone, 1-174**

wet-bulb depression

definition, 5-21
values, Yucca Flat, 5-22*

White Mountains

erosion rates, 1-31*
location, 1-9**

Wild Horse district, 1-285**

wind

data

diurnal variations, 5-22
extrapolation to Yucca Mountain, 5-21
speed and direction, 5-13*, -21--23,
-24**, -25, -26**, -27*, -28*,
-29**, -31*

speeds, extreme

Yucca Flat, 5-31*
Yucca Mountain, 5-30

wind roses--Yucca Flat

328 m above ground level, 5-26**
633 m above ground level, 5-29**
ground level, 5-24**

Windy Wash fault, 1-108**, -122**, -128

and calcite deposits, 1-71, -73
description, 1-129*, -132--133
effects of faulting, 1-206
Holocene movement, 1-206
preliminary data, 1-129*
Quaternary fault, 1-108**
Quaternary faulting, 1-124*
recent Quaternary movement, 1-206

PART A INDEX (Chapters 1-7)

Windy Wash fault (continued)
 strike slip, 1-208

Winnemucca Dry Lake
 historical lake levels, 5-55**
 location of, 5-44**

Wisconsin, see late Wisconsin

worker exposure under normal conditions,
 product 2.2.2-1
 work completed, 6-251

worker radiological safety--normal conditions
 (Issue 2.2)
 analysis needs, 6-252
 and climatology and meteorology, 5-1
 future work, 6-252
 information needs, 6-250--251
 issue statement, 6-250
 regulatory basis, 6-250
 site data needs, 6-252

worker safety
 and information needs, 6-203--204

worst-case releases, accidental
 estimates, 6-255--257

x-ray technique of powder diffraction
 analytical technique, 4-8, -9

xerophytes
 and transpiration, 3-32, -33
 and Tiva Canyon welded unit outcrops,
 3-203

XRD, see x-ray technique of powder
 diffraction

Yellowstone National Park
 hydrothermal investigations, 4-130
 thermal area, 1-309**

Young's modulus
 Bullfrog Member, 2-60
 effect of strain rate change, 2-37*
 intact rock, 6-49*
 nonsite rocks, 2-25*
 reference values, 2-65*
 Topopah Spring and Grouse Canyon Member
 comparison, 2-103*
 Tram Member, 2-60
 Yucca Mountain tuff--intact rock, 2-44*,
 -65*

Yucca Flat, 5-9
 atmospheric stability, 5-32, -33, -34**,
 -35**, -36*
 barometric pressure, 5-13*

Yucca Flat (continued)
 climatological summary, 5-12*--13*
 ground-water travel time, 3-73
 hydrographic area, 3-117**
 induced seismicity, 1-199
 Pasquill stability class distributions,
 5-32--33, -34**, -35**, -36*
 precipitation data, 5-12*--13*, -18*, -19*
 relative humidity data, 5-13*, -21
 snowfall amounts, 5-12*, -20
 temperature data, 5--12*--13*, -14, -15*,
 -16
 water data, 3-126*
 weapons testing, 1-199, -209, -210**
 wet-bulb depression values, 5-21*
 wind speed and directions, 5-13*, -24**,
 -26**, -27*, -28*, -29**, -31*

Yucca Lake
 and aquifer recharge, 3-24

Yucca Mountain
 climate, 3-8
 climate and meteorology
 atmospheric stability, see Yucca Flat,
 atmospheric stability
 investigations and information needs,
 5-105--106
 evaporation, 3-8
 flooding, 3-14--23
 flooding potential, 5-30
 flux, 3-30, -233
 fog, 5-30
 geochemical facies, 3-166**
 ground-water isotope data, 3-96--103,
 -165, -167*
 ground-water levels, 3-157*--159*,
 -164, -233--234, -237
 ground-water recharge, 3-137
 hydrochemistry of, 3-165--169
 hydrogeologic cross sections, 3-145**,
 -194**, -215**
 hydrogeologic system, 3-136--231
 hydrology related programs, 3-1
 infiltration, 3-136
 laboratory data source, 2-6
 lightning, 5-28, -30
 meteorological measurement program,
 5-36--38
 paleoclimatic studies, 5-101--102
 potential evaporation, 3-8
 precipitation, 5-16 (see also Yucca
 Flat, precipitation data)
 production wells near, 3-225, -226*, -227

PART A INDEX (Chapters 1-7)

Yucca Mountain (continued)

project, see Yucca Mountain Project
 proposed water use, 3-130, -133
 sandstorms, 5-30
 snowfall, 5-20
 stratigraphy, 3-138**
 synoptic-scale climatic influences, 5-10
 temperature, 5-14 (see also Yucca Flat, temperature data)
 thunderstorms, 5-27--28, -30
 tornados, 5-28
 winds, 5-21, -23, -25 (see also Yucca Flat, wind speed and directions)
see also Yucca Mountain tuffs
 Yucca Mountain block test, 2-13**
 Yucca Mountain fault
 scarplets, 1-211**
 Yucca Mountain heulandites and calcic clinoptilolites
 silicon-to-aluminum ratios, 4-32**
 Yucca Mountain Member
 age, magnetic polarity, and stratigraphy, 1-56*
 correlation with hydrogeologic units, 3-139*
 description, 1-68
 mineralogy, 4-10--15
 and Paintbrush Tuff, 1-61--62
 thermal/mechanical stratigraphy, 2-17**
 Yucca Mountain Project glass waste forms
 analog testing, 7-184--187, -185**
 compositions, 7-173, -174*
 and gamma radiation effects, 7-177, -180
 parametric testing, 7-175, -177
 pH, 7-178**, -180
 and sensitized 304 stainless steel, 7-186
 testing results, 7-173--187
 and tuff effects, 7-181--184
 unsaturated testing, 7-184--185, -186**
 Yucca Mountain site
 access routes, 6-82, -83**, -126**
 alteration mineralogy, 4-23
 alteration phases, 1-276*
 barite potential, 1-290
 basalt, 1-70, -95--99
 basaltic volcanism, 1-97*--98*
 base metal potential, 1-283
 constraints, 6-26*, -29
 definition, A-5
 description, 4-4
 design values, 6-26*
 diagenic zones, 4-37

Yucca Mountain site (continued)

drillhole locations, 1-51***-53**, -72**, -213--240; 4-43**
 earthquakes, 1-176*, -192--196
 faulting history, 1-128--135
 fluorspar potential, 1-293
 fractures, 1-135--138
 gas potential, 1-319--323
 general description, 4-7--8
 geochemistry, 4-1--153
 geologic cross section, 1-106**
 geologic map, 1-50**
 geology, 1-1--353
 geology design data, 6-36--44
 geothermal energy, 1-306--313
 geothermal regime, 1-147--150
 ground motion at depth, 1-198--199
 hydrochemistry, 4-39--40
 hydrothermal resources, 1-310--313
 industrial mineral potential, 1-287--302
 in situ stress, 1-140
 in situ temperature, 1-148
 lithology, 1-49--78
 location, 1-2**; 6-37**
 major faults, 1-128--135
 maps, 1-2**, -17**, -20**, -21***-22**, -23***-24**, -72**, -141**, -142**, -174**, -177**
 maximum earthquake, 1-192
 mercury potential, 1-287
 Mined Geologic Disposal System design requirements, 6-16*--17*
 mineral abundances, 4-11**, -12**, -77*--80*
 mineral deposits, 1-3
 mineral stability, 4-36--39
 mineralogy, 4-7--39
 minor alteration phases, 1-276*
 mordenite, 4-29
 normal faults, 1-108**, -110, -119, -127, -126**, -141***-142**, -332
 peak acceleration, 1-195*
 petrologic characteristics, 4-77*--80*
 petrology, 4-7--39
 physiography, 6-39**
 piedmont slopes, 1-25
 plate tectonics, 1-84--88
 pluton, 1-264
 potential flood areas, 6-69**
 pre-Cenozoic rocks, 1-54
 precious metal potential, 1-283
 resource potential, 1-260--262

PART A INDEX (Chapters 1-7)

Yucca Mountain site (continued)

- seismic hazard, 1-194**, -195*
- seismic-wave transmission, 1-196--198
- seismicity of, 1-175, -178**, -192--200
- seismology, 1-192--200
- site plan, 6-85, -86**
- smectites, 4-35--36
- sorptive zeolites, 4-29--35
- stratigraphic framework, 1-55
- stratigraphy, 1-49--78
- stream incision, 1-34*
- stress, 1-141**, -142**
- stress regime, 1-139--146
- strike-slip faulting, 1-141**
- structural block, cross section, 1-126**
- structural history, 1-117--138
- structures, summary, 1-331--333
- surficial deposits, 1-49, -75--78
- tectonic framework, 1-79--84
- tectonic processes, Quaternary, 1-30
- tectonics, 1-79--150
- thermal/mechanical stratigraphy, 6-222
- topography, 6-40**, -69**
- trench locations, 1-72**, -122**
- uranium potential, 1-304
- vertical crustal movement, 1-147
- volcanic deposits, 1-76**
- weapons testing, 1-199
- zeolite deposits, 1-293--296
- zeolitized intervals, 4-28*

Yucca Mountain tuffs

- angle of internal friction, 2-44*, -65*
- cohesion, 2-44*, -65*
- deformation, 2-65*
- density, 2-77, -78*
- elasticity, 2-24, -27--29
- grain density, 2-103*
- Grouse Canyon Member comparison, 2-102, -103*
- mechanical properties, 2-22--42, -44*, -65*, -103*
- Poisson's ratio, 2-44*, -65*, -103*
- porosity, 2-77, -78*, -103*
- rock mass classification, 2-104*, -105**, -106*
- saturation, 2-103*
- stress calculations, 2-88--89
- tensile strength, 2-41, -42**
- thermal and thermomechanical properties, 2-69--77, -81--82
- thermal conductivities, 2-103*

Yucca Mountain tuffs (continued)

- thermal expansion coefficients, 2-75*, -103*
- thermal properties stratigraphy, 2-77--78
- unconfined compressive strength, 2-44*, -65*, -103*
- Young's modulus, 2-44*, -65*, -103*
- see also Topopah Spring Member
- Yucca Wash, 1-120***-122**
 - analysis for 100-yr flood, 6-68, -69**
 - analysis for 500-yr flood, 6-68, -69**
 - analysis for regional maximum flood, 6-68, -69**
 - flood hazard, 6-335--336
 - flooding, 3-19, -20**
 - location of, 3-17**, -20**
- Yucca Wash, fault location, 1-50**

zeolite deposits

- Eastgate, 1-294
- Jersey Valley, 1-294
- Nevada, 1-294
- Nevada Test Site, 1-294--295
- Pine Valley, 1-294
- Reese River, 1-294
- Yucca Mountain, 1-294--296

zeolites

- devitrified ash flows, 4-8
- hydrothermal alteration, 4-120--121
- Nevada resources, 1-293--296
- resource, 1-262
- sorptive, see sorptive zeolites
- tuffaceous beds of Calico Hills, 1-60
- Yucca Mountain site potential, 1-296

zeolitized Interval I

- above lower Topopah Spring vitrophyre, 4-23, -28*

zeolitized Interval II

- base Topopah Spring unit, tuff of Calico Hills, 4-23, -28*

zeolitized Interval III

- between Bullfrog and Tram units, 4-23, -27, -28*
- between Prow Pass and Bullfrog units, 4-23, -27, -28*

zeolitized Interval IV

- base of Bullfrog and upper Tram cooling units, 4-27, -28*

zeolitized intervals

- compositions, 4-30*--31*

PART A INDEX (Chapters 1-7)

- zeolitized intervals (continued)
 - description, 4-23, -24**, -25**, -26**, -27
 - drillholes, 4-28*
 - silicon-to-aluminum ratios, 4-32**
 - weight percentages of zeolites, 4-27, -28*
 - Yucca Mountain site, 4-28*
- zeolitized tuff of Calico Hills
 - mineralogy, 4-8
- zero-porosity conductivities, 2--69, -71*, -72
- Zircaloy
 - corrosion
 - research and development summary, 7-233
 - and spent fuel testing, 7-109, -113, -146--149
 - and water chemistry, 7-149
 - delayed hydride cracking, 7-148
 - stress corrosion cracking, 7-148--149
 - stress rupture, 7-147--148
- zirconium solubility
 - in well J-13 water, 4-100*
- 10 CFR Part 20
 - radiation protection requirements, 1-4
 - waste package performance criteria, 1-4; 7-13
- 10 CFR Part 60
 - and design phases, A-10
 - and geochemistry, 4-1
 - and geoengineering data, 2-111--112
 - and geologic operations area requirements, 2-1
 - and geology, 1-5
 - and long-term climate variations, 5-2
 - and Quaternary climate variations, 5-6
 - resource potential, 1-256
 - and U.S. Environmental Protection Agency standards, 1-4
 - and waste package design requirements, 7-12
 - and waste package performance, 7-2**, -3, -4*
- 10 CFR 60.17
 - and site characterization plan content, 1-9--13
- 10 CFR 60.17(c)
 - and design requirements, 6-1
- 10 CFR 60.21(c)(13)
 - undiscovered resource deposits, 1-256
- 10 CFR 60.111(b)
 - and geoengineering data, 2-111
- 10 CFR 60.113
 - and postclosure waste package criteria, 7-3
 - and postclosure waste package performance criteria, 2-112; 7-15, -196
- 10 CFR 60.133(a)(1)
 - critical design requirements, 6-2
- 10 CFR 60.133(c)
 - critical design requirements, 6-2
- 10 CFR 60.135(a)
 - and postclosure waste package criteria, 7-3, -196--197
- 10 CFR 60.135(b) and (c)
 - and preclosure waste package criteria, 7-3, -13, -14
- 10 CFR Part 960
 - and geochemistry, 4-1
 - and geology, 1-5
 - and long-term climate variations, 5-2
 - and Quaternary climate variations, 5-6
 - resource potential, 1-256
 - and siting guidelines, 1-4
 - and waste package design requirements, 7-12
 - and waste package performance, 7-2**, -3, -4*
- 10 CFR 960.5-1(a)(3)
 - critical design requirement, 6-2
- 10 CFR Part 961
 - and standard spent fuel, 7-21
- 40 CFR Part 191
 - environmental standards, 1-3--4; 6-17
 - and geochemistry, 4-1
 - and waste package performance, 7-2**, -3, -4*
- 40 CFR Part 191, Appendix B
 - resource potential, 1-256

- Abandoned Wash
and perimeter drift, 8.3.1.4-29
- ABTHERMO, 8.3.1.3-62
- access and drift usability (Design Activity 4.2.1.1), 8.3.2.4-27--30
- access construction, system element 1.2.1.1
data needed for technology for
underground facilities (Information Need 4.4.9), 8.3.2.5-88--89
functions and processes, 8.3.2.5-18*--21*
parameters for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-89--91
performance measures and goals for nonradiological health and safety, 8.3.2.4-8*--11*
preliminary performance allocation, 8.3.2.5-18*--21*
underground facilities technology (4.4.9), 8.3.2.5-88--89
- access to emplacement boreholes, see emplacement borehole access (Information Need 2.4.2)
- access to waste packages, see waste package access (Information Need 2.4.3)
- accessible environment
boundaries for saturated zone flow models, 8.3.1.2-142, -435--436
boundary, preliminary definition, 8.3.1.4-29, -30**; 8.3.5.12-2**
and C-hole complex, 8.3.1.2-370
and colloid behavior, 8.3.1.3-93
and controlled area, 8.3.5.12-2**
and dissolved species concentration limits, 8.3.1.3-88
and disturbed zone, 8.3.5.12-11, -16, -23, -49--52, -52--55
DOE interpretation, 8.3.5.13-2
and erosion, 8.3.1.6-27
flow path/flux/velocity calculation, 8.3.1.2-441--443
and flow path geometry, 8.3.1.3-42
and gas flow in unsaturated zone, 8.3.1.2-91, -153
and geohydrology program, 8.3.1.2-3
and host rock, mineral distribution between, 8.3.1.3-41, -45--47
and hydrologic boundary conditions, 8.3.1.2-142
and hydrovolcanism, 8.3.1.8-26
and radionuclide release calculations, 8.3.5.8-8
- accessible environment (continued)
and radionuclide sorption, 8.3.1.3-67
and radionuclide transport, 8.3.1.3-38, -86, -134, -135--136
and resource exploration, 8.3.1.9-21
and rock characteristics program, 8.3.1.4-1
and stability of minerals and glasses, 8.3.1.3-55--56
and water-table changes, 8.3.1.8-28
10 CFR Part 60 definition, 8.3.5.12-1
- accident consequence analysis (Performance Assessment Activity 2.3.2.2), 8.3.5.5-27
description, 8.3.5.5-27
objectives, 8.3.5.5-27
parameters, 8.3.5.5-27
- accident (potential) data, 8.3.2.3-44
- accident initiators (offsite), 8.3.1.13-1, -7, -8
- accident sensitivity and importance analyses (Performance Assessment Activity 2.3.2.3), 8.3.5.5-28
description, 8.3.5.5-28
objectives, 8.3.5.5-28
parameters, 8.3.5.5-28
- accident sequence analysis and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-11; 8.3.5.5-3
and radiological risks, 8.3.5.1-2, -11, -19--21
- accident sequences and frequencies (Performance Assessment Activity 2.3.1.2), 8.3.5.5-22
description, 8.3.5.5-22
objectives, 8.3.5.5-22
parameters, 8.3.5.5-22
- accidental radiological releases (Issue 2.3), 8.3.5.5-1--35
approach, 8.3.5.5-3--18
compliance with regulations, 8.3.2.3-12
design criteria development, 8.3.5.5-11
functional requirement identification, 8.3.5.5-4, -5**
functions, performance measures/goals, 8.3.5.5-9*--10*
information needs, 8.3.5.5-19--35
radiological releases (accidental) (2.3.1), 8.3.5.5-24--30
repository accidents (credible) (2.3.2), 8.3.5.5-19--24
see specific information need for performance activity listings

PART B INDEX (Chapter 8)

accidental radiological releases (Issue 2.3) (continued)

input item identification, 8.3.5.5-11
interrelationships of information needs,
8.3.5.5-18--19
issue resolution strategy application,
8.3.5.5-4--17
and land ownership and mineral rights
program, 8.3.1.11-1
licensing strategy overview, 8.3.5.5-3
logic diagram, 8.3.5.5-5**--6**
major events and completion dates,
8.3.5.5-31*-34*; 8.5-62, -63**, -64
and meteorology program, 8.3.1.12-1,
-2**, -4**, -5; 8.3.5.5-12*-14*, -20*
and nonradiological health and safety
(Issue 4.2), 8.3.5.5-12*, -20*
and offsite installations program,
8.3.1.13-1, -2; 8.3.5.5-13*, -20*-21*
and other design and performance
assessment issues, 8.3.2.1-2**,
8.3.4.1-2**
parameter calls, 8.3.5.5-12*-16*
parameters provided by geohydrology
program, 8.3.1.2-10*-11*
performance allocation, 8.3.5.5-8--11,
-9*-10*
and performance assessments of repository
design, 8.3.2.3-36, -42
performance evaluation, 8.3.5.5-17--18
and population centers and wind patterns
investigation, 8.3.1.12-25--26
and population density and distribution
program, 8.3.1.10-1; 8.3.5.5-12*
and preclosure design and technical
feasibility (Issue 4.4), 8.3.5.5-1,
-2**, -5**, -11
and preclosure hydrology program,
8.3.5.5-12*, -20*
and preclosure risk assessment methodology
(PRAM) program, 8.3.5.5-3, -13*, -19,
-20*, -23, -29
and preclosure tectonics program,
8.3.1.17-1, -2**, -63, -86;
8.3.5.5-12*-13*, -20*
and public radiological exposures--normal
conditions (Issue 2.1) parameter calls,
8.3.5.3-1, -2**
radiological safety assessment for
accidents, 8.3.5.5-7**, -11, -17
regulatory basis for, 8.3.5.5-1--2

accidental radiological releases (Issue 2.3) (continued)

relationship with other issues and
programs, 8.3.5.5-2**
and repository design criteria for radio-
logical safety (Issue 2.7), 8.3.2.3-1,
-2**; 8.3.5.5-1, -2**, -5**, -11
schedule, 8.3.5.5-29--35; 8.5-62, -63**
and surface characteristics program,
8.3.5.5-12*, -20*
and worker radiological safety--normal
conditions (Issue 2.2), 8.3.5.4-1, -2**
accidental radiological releases safety
analyses documentation (Performance
Assessment Activity 2.3.2.4), 8.3.5.5-28--29
description, 8.3.5.5-29
objectives, 8.3.5.5-28
parameters, 8.3.5.5-28
accidental radiological releases site data
refinement (accidental releases)
(Performance Assessment Activity 2.3.2.1),
8.3.5.5-26--27
description, 8.3.5.5-27
objectives, 8.3.5.5-26
parameters, 8.3.5.5-27
accidental radiological releases site data
refinement (credible repository accidents)
(Performance Assessment Activity 2.3.1.1),
8.3.5.5-22
description, 8.3.5.5-22
objectives, 8.3.5.5-22
parameters, 8.3.5.5-22
see also radiological releases (acci-
dental) (Information Need 2.3.2)
accidents
and event tree development, 8.3.5.1-9
identification of, 8.3.1.13-11
and radiological risk, 8.3.5.1-7--12;
8.3.5.5-11
radiological safety assessment,
8.3.5.5-7**, -11, -17, -18, -19
repository, see repository accidents
(credible) (Information Need 2.3.1)
see also radiological risk
ACD, see advanced conceptual design
ACM, see alternative conceptual models
acoustic emission observation, technical
procedures for, 8.3.1.15-64, -67
acoustic emission measurements,
technical procedures for, 8.3.1.15-70
acoustic televiewer surveys and logging,
technical procedures for, 8.3.1.4-74

- acquire site-specific subsurface information study, see subsurface information (site specific) data acquisition study
- actinide solubility (spent fuel) performance measures, 8.3.5.9-21*-22*, -32, -34
- actinides
 - and containment period segments, 8.3.5.9-24
 - distribution in rock samples, 8.3.5.10-80
 - release limits, 8.3.5.9-27, -29
 - sorption by beakers, 8.3.1.3-112
 - and Topopah Spring tuff, 8.3.5.10-80
 - tracers, 8.3.1.3-73
 - transport through near-field environment, 8.3.5.10-38
 - and well J-13, 8.3.1.3-73
- adequacy of existing site data (Design Activity 1.11.1.2), 8.3.2.2-39
 - objectives, 8.3.2.2-39
- adequate water supply location study, 8.3.1.16-16--25
 - see also water supplies investigation, study
- ADINAT
 - drift analysis, 8.3.2.5-72, -74, -76*
 - and performance assessment, 8.3.5.19-1, -2*, -4*
 - ventilation analysis, 8.3.2.5-73
- advanced conceptual design
 - and operations plan, 8.3.2.5-49
 - reference preclosure repository design (Information Need 4.4.5), 8.3.2.5-52--53
 - and seal design, 8.3.3.1-2**, -3, -8; 8.3.3.2-65--67
 - summary, 8.3.2.1-7--8
 - tradeoff studies, seals, 8.3.3.2-66--67
- advanced conceptual design assessment of public radiological safety--normal operations (Performance Assessment Activity 2.1.1.3), 8.3.5.3-24--25
 - description, 8.3.5.3-25
 - objectives, 8.3.5.3-24
 - parameters, 8.3.5.3-25
- advanced conceptual design assessment of worker radiological safety--normal operations (Activity 2.2.2.3), 8.3.5.4-24--25
 - description, 8.3.5.4-25
 - objectives, 8.3.5.4-24--25
 - parameters, 8.3.5.4-25
- advanced conceptual design assessment of worker radiological safety--normal operations (site data refinement) (Activity 2.2.1.2), 8.3.5.4-20--21
 - description, 8.3.5.4-21
 - objectives, 8.3.5.4-20
 - parameters, 8.3.5.4-20--21
- advanced conceptual design for sealing (Design Activity 1.12.4.1), 8.3.3.2-65--67
 - design subactivities, 8.3.3.2-65--67
 - advanced conceptual design for seals, 8.3.3.2-67
 - subsystem design requirements for advanced conceptual design, 8.3.3.2-65--66
 - tradeoffs for advanced conceptual design, 8.3.3.2-66--67
- advanced conceptual design for seals (Design Subactivity 1.12.4.1.3)
 - description, 8.3.3.2-67
 - objectives, 8.3.3.2-67
- advanced conceptual design operations plan (Design Activity 4.4.3.1)
 - description, 8.3.2.5-45
 - objectives, 8.3.2.5-45
- adverse environmental impacts
 - and plans for mitigation, 8.7-6
- aerial photographs, mapping and interpretation, technical procedures for, 8.3.1.5-71
- aeromagnetic anomalies, 8.3.1.8-52, -107, -108, -110
- aeromagnetic survey (detailed) activity, 8.3.1.17-172
 - description, 8.3.1.17-172
 - methods and technical procedures, 8.3.1.17-172
 - objectives, 8.3.1.17-172
 - parameters, 8.3.1.17-172
- age-dating of unsaturated-zone gases, 8.3.1.2-305, -335
- agricultural and cultural data
 - and radiological protection (Information Need 2.7.1), 8.3.2.3-40--41
- agricultural data
 - accidental radiological releases (Issue 2.3) parameter calls, 8.3.5.5-25*-26*
 - and public radiological exposure, 8.3.1.13-1
 - public radiological exposure--normal conditions (Issue 2.1) parameter calls, 8.3.5.3-21*

PART B INDEX (Chapter 8)

- agricultural data (continued)
 - and radionuclide ingestion, 8.3.5.3-8, -23; 8.3.5.14-11
- air drilling
 - saturation effects, 8.4.3-21--22
- air flow
 - through backfill, and unsaturated zone, 8.4.3-21
 - in exploratory shaft, and barometric effects, 8.4.3-21
 - and water vapor flow in Yucca Mountain, 8.4.3-21
- air gap use
 - design consideration, 8.4.3-35
- air injection testing
 - bulk-permeability test, 8.3.1.2-273
 - technical procedures for, 8.3.1.2-275--277
- air quality, potential for degradation, 8.3.1.12-15--16
- air quality and ventilation (Design Activity 4.2.1.2), 8.3.2.4-30
- air quality and ventilation experiment
 - constraints and zones of influence, 8.4.2-131
 - purpose and operations, 8.4.2-131
- air quality and ventilation experiment activity, 8.3.1.15-74--76
 - description, 8.3.1.15-75
 - methods and technical procedures, 8.3.1.15-75--76
 - objectives, 8.3.1.15-74
 - parameters, 8.3.1.15-75
- AIRDOS-EPA
 - and carbon-14 gaseous pathway dose calculation, 8.3.5.14-13
 - and performance assessment, 8.3.5.19-1, -2*, -4*
 - and preclosure safety assessment, 8.3.5.19-9*--10*
- ALARA, see as low as reasonably achievable
- albite
 - end-member free energies, 8.3.1.3-61--63
 - solubilities, 8.3.1.3-61
- Alice Hill
 - and meteorological towers, 8.3.1.12-17--19, -18*
- allocation of performance
 - and issue resolution strategy for radiological safety design, 8.3.2.3-16
- allowable areal power density, Product 1.11.6-1
 - and thermal decay characteristics of waste, 8.3.2.2-44--45
 - thermal/thermomechanical modeling, 8.3.2.2-38
- alluvial fan and drainage basin mapping, technical procedures for, 8.3.1.17-190
- alluvial surface dating, technical procedures for, 8.3.1.5-95
- alluvium
 - borehole summary, 8.3.1.14-39**
 - determination of thickness, 8.3.1.2-161
 - dynamic properties, 8.3.1.14-61
 - prototype testing in, 8.3.1.2-161
 - surface test pits, 8.3.1.14-33, -34**
 - thickness, 8.3.1.17-33
- alteration
 - host rock, 8.3.1.3-43, -49, -50, -52
 - mineral assemblages, 8.3.1.3-56
 - percolation flux, 8.3.1.8-9*--12*
 - rock properties, 8.3.1.8-17*--18*
- alternating field demagnetization, 8.3.1.4-61
- alternative barrier designs, materials, and processes survey to determine fabrication feasibility (subactivity 1.4.1.2.1), 8.3.5.9-60--61
- alternative barriers investigations
 - information integration (activity 1.4.1.2), 8.3.5.9-59--64
 - subactivities, 8.3.5.9-60--64
 - alternative barrier designs, materials, and processes survey to determine fabrication feasibility, 8.3.5.9-60--61
 - container mechanical properties, 8.3.5.9-61
 - container microstructural properties, 8.3.5.9-62--63
 - container nondestructive characterization, 8.3.5.9-63--64
 - container thermophysical properties, 8.3.5.9-63
- alternative conceptual models
 - climate program, 8.3.1.5-16--32
 - geochemistry program, 8.3.1.3-12--23
 - geohydrology program, 8.3.1.2-50--88
 - human interference program, 8.3.1.9-24--27
 - overview, 8.3.1.1-1--9
 - postclosure tectonics program, 8.3.1.8-30--46
 - preclosure tectonics program,

PART B INDEX (Chapter 8)

alternative conceptual models (continued)
 rock characteristics program,
 8.3.1.4-17--24
 and site program, 8.3.1.1-6--7
 thermal and mechanical properties program,
 8.3.1.15-18--22
 alternative model hypotheses
 climate program, 8.3.1.5-18*--31*
 geochemistry program, 8.3.1.3-13*--20*
 geohydrology program, 8.3.1.2-52*--87*
 human interference program,
 8.3.1.9-25*--26*
 postclosure tectonics program,
 8.3.1.8-31*--45*
 preclosure tectonics program,
 8.3.1.17-38*--49*
 rock characteristics program,
 8.3.1.4-19*--23*
 thermal and mechanical properties program,
 8.3.1.15-19*--21*
 alternative water supplies location activity,
 8.3.1.16-22
 description, 8.3.1.16-22
 methods and technical procedures,
 8.3.1.16-22--23
 objectives, 8.3.1.16-22
 parameters, 8.3.1.16-22
 Amargosa Desert
 and commercial boreholes, 8.3.1.2-120
 and detachment faults, 8.3.1.17-147
 discharge area, 8.3.1.5-98
 evapotranspiration studies,
 8.3.1.2-134--137
 and fission-track dating, 8.3.1.17-152
 and hydraulic gradient, 8.3.1.2-115
 hydrogeologic data from drillholes,
 8.3.1.2-140
 location of hydrogeologic study area,
 8.3.1.2-94, -95**
 and magnetotelluric survey, 8.3.1.17-115
 and Rock Valley fault zone, 8.3.1.17-133,
 -134**
 and scarp map, 8.3.1.17-122
 and stress fields, 8.3.1.17-180
 and subsidence and uplift, 8.3.1.17-189
 Amargosa drainage system--Quaternary history,
 8.3.1.17-189
 technical procedures for, 8.3.1.17-190
 Amargosa Valley
 and aeromagnetic anomalies, 8.3.1.8-108,
 -109**

Amargosa Valley (continued)
 and low-level magnetic survey,
 8.3.1.17-118
 Quaternary fault displacement,
 8.3.1.17-135
 ambient stress conditions (site) study,
 8.3.1.15-78--82
 activities
 anelastic strain recovery experiments,
 8.3.1.15-78--80
 overcore stress experiments in ESF,
 8.3.1.15-80--82
 ambient thermal conditions (site) study,
 8.3.1.15-82--84
 activity
 surface evaluation of ambient thermal
 conditions, 8.3.1.15-82--83
 Amendments Act, see Nuclear Waste Policy
 Amendments Act of 1987
 americium
 batch sorption, 8.3.1.3-68, -72*
 colloids, 8.3.1.3-93--94
 sorption, 8.3.1.3-67
 amino acids, dating, 8.3.1.5-52
 analcime
 end-member free energies, 8.3.1.3-61--63
 solubilities, 8.3.1.3-61
 analog recharge sites, 8.3.1.5-107
 selection, technical procedures for,
 8.3.1.5-108
 analog recharge studies activity,
 8.3.1.5-106--110
 description, 8.3.1.5-107
 methods and technical procedures,
 8.3.1.5-107--110
 objectives, 8.3.1.5-106
 parameters, 8.3.1.5-106
 ANALTHERMO, 8.3.1.3-61
 analysis, general, technical procedures for,
 8.3.1.8-115
 analytical structural design
 shafts and ramps, 8.3.2.5-69--70
 analytical techniques
 significant development required,
 8.3.5.20-1--13
 substantially completed, 8.3.5.19-1--11
 thermal maturation, technical procedures
 for, 3.8.1.9-39
 analytical tools
 geochemical analyses, 8.3.2.1-21--22
 mineralization potential, technical
 procedures for, 8.3.1.9-33

PART B INDEX (Chapter 8)

- analytical tools (continued)
 - geomechanical analyses, 8.3.2.1-21--22
 - and nonradiological health and safety (Issue 4.2), 8.3.2.1-21--24
 - and preclosure design and technical feasibility (Issue 4.4), 8.3.2.1-21--24
 - rock mass thermal response, 8.3.2.1-23--24; 8.3.2.5-72
- anelastic strain recovery, technical procedures for, 8.3.1.15-79
- anelastic strain recovery experiments
 - activity, 8.3.1.15-78--80
 - description, 8.3.1.15-78--79
 - methods and technical procedures, 8.3.1.15-79--80
 - objectives, 8.3.1.15-78
 - parameters, 8.3.1.15-78
- anhysteretic remanent magnetization, 8.3.1.4-61, -62
- ANISN, and preclosure safety assessment, 8.3.5.19-9*-10*
- ANSI/ASME QA program requirements for nuclear facilities and Yucca Mountain QA, 8.6-9
- anthropogenic factors
 - and human intrusion, 8.3.1.9-3
- aquatic palynomorphs
 - and paleontologic analyses, 8.3.1.5-45
- aqueous corrosion, 8.3.5.9-44, -45, -68, -71--72, -75--76
- aqueous (general) corrosion (austenitic) (Subactivity 1.4.3.2.3), 8.3.5.9-100--101
 - description, 8.3.5.9-101
 - objectives, 8.3.5.9-100
 - parameters, 8.3.5.9-100
- aqueous (general) corrosion (copper) (Subactivity 1.4.3.1.3), 8.3.5.9-91--92
 - description, 8.3.5.9-92
 - objectives, 8.3.5.9-91
 - parameters, 8.3.5.9-91
- aqueous (general) corrosion and oxidation, 8.3.5.9-41* -43*, -45
- aqueous-phase chemical investigations
 - activity, 8.3.1.2-337--341
 - description, 8.3.1.2-338--339
 - methods and technical procedures, 8.3.1.2-340--341
 - objectives, 8.3.1.2-337--338
 - parameters, 8.3.1.2-338
- aqueous stock solutions and dilution
 - preparation, technical procedures for, 8.3.1.2-422
- aquifer properties, 8.3.1.2-369--371
 - C-hole tracer testing, 8.3.1.2-400--408
 - data uncertainties, 8.3.1.2-94
 - and fracture networks, 8.3.1.2-369, -403--404
 - and hydraulic stress tests, 8.3.1.2-383--393
 - porous media techniques, 8.3.1.2-403
 - summary of activities, 8.3.1.2-370--371
- aquifer response (barometric pressure), 8.3.1.2-390, -392
- aquifer tests
 - and perched-water test in ESF, 8.3.1.2-301
- archaeological studies
 - and anthropogenic factors in human intrusion, 8.3.1.9-3
- area needed determination, product 1.11.3-1
 - information needed, 8.3.2.2-47*
 - status, 8.3.2.2-37, -49
- area needed determination (Design Activity 1.11.3.1)
 - objective, 8.3.2.2-52
- areal power density
 - and borehole spacing, 8.3.2.2-70--71
 - and impact on maintenance program, 8.3.2.4-24
 - and near-field temperature changes, 8.3.2.2-19
 - product 1.11.6-1
 - information needed, 8.3.2.2-68*
 - status, 8.3.2.2-70
 - thermal loading of shafts and drifts, 8.4.3-27--28
- argon-argon dating, technical procedures for, 8.3.1.8-112, -113
- ARRAY F and performance assessment, 8.3.5.19-2*, -4*
- artificial infiltration
 - control-plot, technical procedures for, 8.3.1.2-171
 - experiments, and potential surface disturbance, 8.4.2-55*--56*, -63--64
 - and prototype geotomography testing, 8.3.1.2-162
- artificial infiltration evaluation activity, 8.3.1.2-172--179
 - description, 8.3.1.2-173--176
 - methods and technical procedures, 8.3.1.2-176--179
 - objectives, 8.3.1.2-172
 - parameters, 8.3.1.2-173

PART B INDEX (Chapter 8)

- as low as reasonably achievable (ALARA)
 - design objective, 8.3.2.3-16, -36
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.5.3-1, -3, -18
 - and repository design, 8.3.5.4-5, -8
 - technical guidance, 8.3.5.1-20--21
 - and worker radiological safety, 8.3.5.4-1, -3, -17
 - and 10 CFR Part 20, 8.3.1.13-10
- ash-fall particle density and size assessment
 - activity, 8.3.1.17-55--56
 - description, 8.3.1.17-55
 - methods and technical procedures, 8.3.1.17-56
 - objectives, 8.3.1.17-55
 - parameters, 8.3.1.17-55
- ash-fall potential at site study, 8.3.1.17-54--56
 - activities, 8.3.1.17-54--56
 - ash-fall particle density and size assessment, 8.3.1.17-55--56
 - ash-fall thickness (potential), 8.3.1.17-54--55
 - Quaternary silicic volcanism literature survey, 8.3.1.17-54
- ash-fall thickness (potential) at site
 - activity, 8.3.1.17-54--55
 - description, 8.3.1.17-55
 - methods and technical procedures, 8.3.1.17-55
 - objectives, 8.3.1.17-54
 - parameters, 8.3.1.17-54--55
- ash-flow tuffs, unsaturated zone, 8.3.1.2-152
- atmospheric phenomena studies at site, see meteorology investigation (site)
- atmospheric precipitation samples collection, technical procedures for, 8.3.1.5-41
- Atterberg limits, technical procedures for, 8.3.1.14-47
- austenitic alloys, 8.3.5.9-66
 - and container degradation model, 8.3.5.9-36
 - data requirements, 8.3.5.9-49
 - degradation modes, 8.3.5.9-74--78
 - embrittlement, 8.3.5.9-75, -76, -78, -98
 - failure model inputs, 8.3.5.9-42*--44*
 - performance parameters/goals, 8.3.5.9-42*--44*
- austenitic material degradation mode
 - assessment (Subactivity 1.4.2.3.1), 8.3.5.9-75--76
 - description, 8.3.5.9-75--76
 - objectives, 8.3.5.9-75
 - parameters, 8.3.5.9-75
- austenitic material degradation models (Activity 1.4.3.2), 8.3.5.9-97--106
 - subactivities, 8.3.5.9-98--106
 - aqueous (general) corrosion (austenitic), 8.3.5.9-100--101
 - degradation modes (other austenitic), 8.3.5.9-106
 - hydrogen entry and embrittlement (austenitic), 8.3.5.9-103--104
 - intergranular attack and cracking (austenitic) 8.3.5.9-101--103
 - low temperature oxidation (austenitic), 8.3.5.9-99--100
 - metallurgical aging and phase transformations (austenitic), 8.3.5.9-98--99
 - pitting, crevice, and other localized attack (austenitic), 8.3.5.9-104--105
 - transgranular stress corrosion cracking (austenitic), 8.3.5.9-105--106
- austenitic material degradation modes (candidate container) (Activity 1.4.2.3), 8.3.5.9-74--78
 - subactivities, 8.3.5.9-75--78
 - austenitic material degradation mode assessment, 8.3.5.9-75--76
 - austenitic material laboratory test plan, 8.3.5.9-76--78
- austenitic material laboratory test plan, (Subactivities 1.4.2.3.2--1.4.2.3.9), 8.3.5.9-76--78
 - description, 8.3.5.9-77--78
 - objectives, 8.3.5.9-77
 - parameters, 8.3.5.9-77
- available water-holding capacity, field measurements
 - technical procedures for, 8.3.1.5-64
- backfilling trenches
 - and decommissioning for surface-based activities, 8.7-3
- bacteria
 - and sorption, 8.3.1.3-81

PART B INDEX (Chapter 8)

- bias
 - and feature and systematic sampling, 8.4.2-26--28
- balance calibration and use, technical procedures for, 8.3.1.2-422
- Bare Mountain
 - area mapping, technical procedures for, 8.3.1.17-149
 - and hydrocarbon assessment, 8.3.1.9-37, -38
 - and stress field, 8.3.1.17-179
- Bare Mountain fault, 8.3.1.17-29**, -30
 - age evaluation, technical procedures for, 8.3.1.17-119--130*
- Bare Mountain fault zone, 8.3.1.17-103, -104**
- Bare Mountain fault zone evaluation activity, 8.3.1.17-128--130
 - description, 8.3.1.17-129
 - methods and technical procedures, 8.3.1.17-130
 - objectives, 8.3.1.17-128--129
 - parameters, 8.3.1.17-129
- Bare Mountain Range front fault
 - and shallow seismic reflection, 8.3.1.17-178
- barometric and earth-tide analysis, 8.3.1.2-384, -390, -391**, -392
 - technical procedures for, 8.3.1.2-393
- basalt, site
 - geochemical studies, 8.3.1.8-121
 - geochronological studies, 8.3.1.8-121
- basaltic volcanism
 - geochemical cycles activity, 8.3.1.8-121--123
 - release model, 8.3.5.13-132
 - repository disruption probabilities, 8.3.1.8-57--59
 - structural controls of, 8.3.1.8-52--54
 - and tectonic model, 8.3.1.8-52, -110, -119
 - time-space patterns, 8.3.1.8-52
- basaltic volcanism direct release (disturbed case scenario A-1), 8.3.5.13-80--81
 - performance parameters and expected partial performance measures (EPPM), 8.3.5.13-96*
- basaltic volcanism release model development (Subactivity 1.1.3.1.3), 8.3.5.13-134
 - description, 8.3.5.13-134
 - objectives, 8.3.5.13-134
 - parameters, 8.3.5.13-134
- baseline compressive mechanical properties, see compressive mechanical properties of intact rock activity
- baseline mechanical properties of fractures activity, 8.3.1.15-43--44
- Basin and Range
 - morphologic and morphometric data, technical procedures for, 8.3.1.17-193
 - published information synthesis, technical procedures for, 8.3.1.17-198
- batch sorption, technical procedures for, 8.3.1.2-421
- batch sorption coefficient measurement test matrix, ground water, 8.3.1.3-77*
- batch sorption measurements activity, 8.3.1.3-69--73
 - description, 8.3.1.3-70--71, -72*--73*
 - methods and technical procedures, 8.3.1.3-71--72
 - objectives, 8.3.1.3-69
 - parameters, 8.3.1.3-69--70
- batch sorption measurements testing matrix, 8.3.1.3-72*--73*
- batch sorption method, technical procedures for, 8.3.1.3-71--72
- batch sorption study, 8.3.1.3-68--79
 - activities, 8.3.1.3-69--79
 - batch sorption measurements, 8.3.1.3-69--73
 - sorption as function of ground-water composition, 8.3.1.3-76--77
 - sorption data, statistical analysis, 8.3.1.3-79
 - sorption on particulates and colloids, 8.3.1.3-77--79
 - description, 8.3.1.3-68--69
- Beatty
 - planned stream gage, 8.3.1.2-105
- Beatty-Bare Mountain area detachment fault evaluation activity, 8.3.1.17-147--149
 - description, 8.3.1.17-147--148
 - methods and technical procedures, 8.3.1.17-148--149
 - objectives, 8.3.1.17-147
 - parameters, 8.3.1.17-147
- Beatty-Bare Mountain area mapping, technical procedures for, 8.3.1.17-148
- Beatty quadrangle
 - geologic synthesis plans and technical procedures, 8.3.1.17-201
 - and Landsat V thematic mapper data, 8.3.1.17-132

- Beatty scarp
 evaluation plans and technical procedures,
 8.3.1.17-122, -125--126
 and shallow seismic reflection,
 8.3.1.17-178
- Becker penetration resistance method,
 8.3.1.14-41, -55, -57, -58
- bedrock depth, mapping of, 8.3.1.2-161
- bedrock rotation analysis, technical
 procedures for, 8.3.1.17-123, -126--127
- benchmarking
 analyses
 dissolution of spent fuel,
 8.3.5.10-44--45
 leaching of spent fuel,
 8.3.5.10-44--45
 COVE, 8.3.5.20-3--5
 global climate models, 8.3.1.5-82
 input by seal program, 8.3.5.11-4
 radiological protection, 8.3.2.3-16, -36
 transport and flow models, 8.3.1.3-125
 transport calculations, technical
 procedures for, 8.3.1.3-126
- biaxial stress measurements, technical
 procedures for, 8.3.1.15-47
- biaxial stress testing, field, 8.3.1.15-81
- Big Pine volcanic field, 8.3.1.17-54
- bimetallic/single metal laboratory test plan
 (Subactivity 1.4.2.4.4), 8.3.5.9-83--84
 description, 8.3.5.9-84
 objectives, 8.3.5.9-84
 parameters, 8.3.5.9-84
- bimetallic/single metal systems degradation
 models (Subactivity 1.4.3.3.2),
 8.3.5.9-107--108
- bimetallic/single metal systems degradation
 modes (Subactivity 1.4.2.4.3),
 8.3.5.9-81--83
 description, 8.3.5.9-81--83
 objectives, 8.3.5.9-81
 parameters, 8.3.5.9-81
- biological degradation and transport of
 materials introduced in repository
 horizon, 8.4.3-24
- biological sorption and transport
 study, 8.3.1.3-80--82
 description, 8.3.1.3-81
 methods and technical procedures,
 8.3.1.3-81--82
 objectives, 8.3.1.3-80
 parameters, 8.3.1.3-80
- biotic remains
 and paleontologic analyses, 8.3.1.5-45
- Bishop ash
 and eolian history of site, 8.3.1.5-73
 and mapping, 8.3.1.17-94
- Black Mountain caldera, dating, 8.3.1.8-112,
 -113
- blast damage limitation
 design consideration, 8.4.3-35
- blasted rock characterization, technical
 procedures for, 8.3.1.15-49, -52, -71
- BLM, see Bureau of Land Management
- block test, see heated block test
- blow count data, Becker penetration
 resistance, 8.3.1.14-55
- bomb tests, see weapons testing
- borehole access, see emplacement borehole
 access
- borehole collapse limitation
 design thermal loading, postclosure design
 function 4, 8.3.2.2-20
- borehole construction, system element 1.2.1.3
 data needed for technology for underground
 facilities (Information Need 4.4.9),
 8.3.2.5-90, -91
 and equipment demonstration, 8.3.2.5-59
 functions and processes, 8.3.2.5-24*
 parameters for technology for underground
 facilities (Information Need 4.4.9),
 8.3.2.5-90
 performance measures and goals for
 nonradiological health and safety
 8.3.2.4-15*
 preliminary performance allocation,
 8.3.2.5-24*
 underground facilities technology,
 8.3.2.5-88--89
- borehole drilling
 and diffusion tests, 8.3.1.2-320--321
 drilling fluid migration, 8.4.3-15--16
 excavation effects test, 8.3.1.2-293--295
 fluid loss, 8.4.3-16--17
 for radial borehole tests,
 8.3.1.2-282--285
- borehole evaluation of faults and fractures
 activity, 8.3.1.4-70--74
 description, 8.3.1.4-71--73
 methods and technical procedures,
 8.3.1.4-73--74
 objectives, 8.3.1.4-70--71
 parameters, 8.3.1.4-71

PART B INDEX (Chapter 8)

- borehole extensometer measurements,
 - technical procedures for, 8.3.1.15-74
- borehole geophysical methods
 - geophysical activities, 8.3.1.4-42*-45*
 - preclosure and postclosure tectonics
 - summary, 8.3.1.17-111*-112*
- borehole geophysical surveys activity,
 - 8.3.1.4-57--59
 - description, 8.3.1.4-58
 - methods and technical procedures,
 - 8.3.1.4-58--59
 - objectives, 8.3.1.4-57
 - parameters, 8.3.1.4-57--58
- borehole (shallow) hydrofrac and triaxial strain recovery activity, 8.3.1.17-182--183
 - description, 8.3.1.17-182--183
 - methods and technical procedures,
 - 8.3.1.17-183
 - objectives, 8.3.1.17-182
 - parameters, 8.3.1.17-182
- borehole liner, design goal, 8.3.4.2-31--32
- borehole location and number
 - design consideration, 8.4.3-34
- borehole locations, saturated zone,
 - 8.3.1.2-117**
- borehole nuclear logging, 8.3.1.2-160
- borehole plug test, 8.3.3.2-59**
- borehole spacing, product 1.11.6-2
 - and areal power density, 8.3.2.2-70--71
 - information needed, 8.3.2.2-68*
 - status, 8.3.2.2-70--71
 - strategy, thermal/thermomechanical modeling, 8.3.2.2-38
- borehole spacing strategy (Design Activity 1.11.6.2), 8.3.2.2-74
- borehole stability model, 8.3.5.2-40
 - inputs, 8.3.4.2-7*-8*
 - and waste package model hierarchy,
 - 8.3.5.9-7**; 8.3.5.10-3**
- borehole technical procedures
 - ambient temperature measurement,
 - 8.3.1.15-83
 - deflectometer measurements, 8.3.1.15-51
 - deformation gage measurements,
 - 8.3.1.15-47, -56, -58, -63, -81
 - deviatometer surveys, 8.3.1.2-280, -296, -314
 - dilatometer, 8.3.1.15-67, -81
 - drilling, 8.3.1.2-131--132, -322
 - drilling and coring, 8.3.1.2-211--212, -224, -258, -279, -285--286, -296, -314, -318; 8.3.1.4-39; 8.3.1.15-81, -83
- borehole technical procedures (continued)
 - drilling and coring for infiltration studies, 8.3.1.2-172, -179
 - drilling in perched-water zones,
 - 8.3.1.2-316
 - flow, temperature, and gas-composition profiles, 8.3.1.2-331--332
 - fracture logging, 8.3.1.2-296
 - geophysical surveys and logging,
 - 8.3.1.2-123, -260--261, -280, -287, -296--297, -315, -319, -373, -380;
 - 8.3.1.4-59
 - in situ stress tests, 8.3.1.17-181
 - instrumentation and monitoring,
 - 8.3.1.2-215--217, -227--228, -267--270, -289--290, -298--299, -320
 - intraborehole flow interpretation,
 - 8.3.1.2-393
 - lithologic logs, 8.3.1.5-71
 - logging, 8.3.1.2-213--214, -225;
 - 8.3.1.14-43, -62, -63, -78
 - magnetic surveys and logging, 8.3.1.4-63
 - nuclear-geophysical logging, 8.3.1.2-163
 - overcore deformation measurement,
 - 8.3.1.15-81
 - overcoring, 8.3.1.2-322
 - perched-water zones, 8.3.1.2-303
 - stress meter measurements, 8.3.1.15-51
 - testing, instrumentation, and monitoring,
 - 8.3.1.2-302
 - thermal surveys, 8.3.1.2-316, -319
 - total air circulation in open boreholes,
 - 8.3.1.2-331
 - video surveys and logging, 8.3.1.2-260, -279, -287, -315, -319, -322
 - 8.3.1.4-40, -75; 8.3.1.15-81
- borehole testing (multipurpose) near the exploratory shafts activity,
 - 8.3.1.2-308--316
 - description, 8.3.1.2-310--314
 - methods and technical procedures,
 - 8.3.1.2-314--316
 - objectives, 8.3.1.2-308--309
 - parameters, 8.3.1.2-309--310
- borehole-to-borehole method, preclosure and postclosure tectonics, 8.3.1.17-113*
- borehole-to-surface methods, preclosure and postclosure tectonics, 8.3.1.17-113*
- boreholes
 - geophysical survey activity,
 - 8.3.1.4-57--59

- boreholes (continued)
 - integrated drilling program, 8.3.1.4-25--26
 - location and number, design consideration, 8.4.3-34
 - and permeability, 8.3.1.2-185*--186*
 - and seal components, 8.3.3.1-5
 - and seals, 8.3.3.2-24
 - technical procedures, see borehole technical procedures
 - and Topopah Spring Member, 8.3.3.2-24
 - and vertical seismic profiling, 8.3.1.2-201
 - see also emplacement borehole entries,
 - vertical boreholes, Solitario Canyon
 - horizontal borehole studies activity,
 - radial borehole tests in ESF, and vertical boreholes
- borescope observation, technical procedures for, 8.3.1.15-47, -49, -51, -53, -56, -63, -67, -69
- boundary conditions, site saturated-zone hydrologic system, 8.3.1.2-366
- boundary element techniques
 - and geomechanical analyses, 8.3.2.1-22
 - and structural-thermal analysis, 8.3.2.5-68
- boundary of disturbed zone (Information Need 1.6.5), see disturbed zone boundary (Information Need 1.6.5)
- Bow Ridge fault, 8.3.1.17-28, -29**, -30, -33, -34
 - buried extensions and gamma-ray measurements, 8.3.1.17-175
 - and Quaternary movement, 8.3.1.17-154
 - and relevel network, 8.3.1.17-195
- Bow Ridge fault system, Quaternary offset, technical procedures for, 8.3.1.17-160, -163--164
- breached container and water flow (Subactivity 1.5.3.5.3), 8.3.5.10-74--75
 - description, 8.3.5.10-74--75
 - objectives, 8.3.5.10-74
 - parameters, 8.3.5.10-74
- breakout zones, depth of, 8.3.1.2-293
- breccia (Crater Flat) and detachment faulting activity, 8.3.1.17-149--150
 - description, 8.3.1.17-149--150
 - methods and technical procedures, 8.3.1.17-150
 - objectives, 8.3.1.17-149
 - parameters, 8.3.1.17-149
- brecciation, 8.3.1.8-96, -102
- Buckboard Mesa
 - and nuclear weapons testing, 8.3.1.17-75
- buildings
 - exploratory shaft facility, 8.4.2-158, -161
- bulk density, technical procedures for, 8.3.1.2-192--193
- bulk-permeability tests in ESF
 - constraints and zones of influence, 8.4.2-136
 - purpose and operations, 8.4.2-135--136
 - test modeling technical procedures, 8.3.1.2-280--281
- bulk-permeability tests in ESF activity, 8.3.1.2-271--281
 - description, 8.3.1.2-272--275
 - methods and technical procedures, 8.3.1.2-275--281
 - objectives, 8.3.1.2-271--272
 - parameters, 8.3.1.2-272
- bulk sediments, geochemical analyses, 8.3.1.5-50
- Bullfrog Hills
 - and stress field, 8.3.1.17-179
- Bullfrog Member
 - and drift-pumpback tests, 8.3.1.2-402**
 - and well configurations test, 8.3.1.2-386***-388**, -391**
 - and multiple-well interference testing, 8.3.1.2-394
 - stratigraphy, 8.3.1.4-36*
 - tuff column experiments, 8.3.1.3-109
- Bullfrog nonwelded unit
 - GWT confidence levels, 8.3.5.12-19
 - GWT estimate (matrix flow), 8.3.5.13-63*
 - hydrogeologic cross section at Yucca Mountain, 8.3.5.13-57**
 - hydrologic section showing pinchouts, 8.3.5.12-15**
 - isopach contour map showing thickness, 8.3.5.12-12**
 - performance parameters, 8.3.5.12-22*
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- Bullfrog welded unit
 - GWT confidence levels, 8.3.5.12-19
 - GWT estimate (matrix flow), 8.3.5.13-63*
 - hydrogeologic cross section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**

PART B INDEX (Chapter 8)

- Bullfrog welded unit (continued)
 - isopach contour map showing thickness, 8.3.5.12-12**
 - performance parameters, 8.3.5.12-21*
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- Bureau of Economic Analysis
 - and socioeconomic data for water-use assessment, 8.3.1.9-44
- Bureau of Land Management, see U.S. Bureau of Land Management
- Bureau of Reclamation, see U.S. Bureau of Reclamation
- buried fault detection using gamma-ray measurements activity, 8.3.1.17-175--176
 - description, 8.3.1.17-175
 - methods and technical procedures, 8.3.1.17-176
 - objectives, 8.3.1.17-175
 - parameters, 8.3.1.17-175
- Busted Butte
 - and compression tests, 8.3.1.15-42
 - continuously cored holes, 8.3.1.4-33
 - and eolian deposits, 8.3.1.5-73
 - and geologic investigations, 8.3.1.4-29
 - and ground magnetic and gravity surveys, 8.3.1.4-52
 - and mapping, 8.3.1.17-160
- C-hole complex
 - and accessible environment, 8.3.1.2-370
 - constant-flux withdrawal test, 8.3.1.2-385
 - drift-pumpback tests, 8.3.1.2-401, -402**, -403
 - hydraulic tests, 8.3.1.2-370, -383--392
 - location, 8.3.1.2-395**
 - multiple-well interference testing, 8.3.1.2-370, -393--400
 - test well configuration, 8.3.1.2-391**
 - tracer tests, 8.3.1.2-371, -400--408
 - two-well convergent tests, 8.3.1.2-401, -403
- C-hole site testing with conservative tracers
 - activity, 8.3.1.2-400--408
 - description, 8.3.1.2-400--404
 - methods and technical procedures, 8.3.1.2-404--408
 - objectives, 8.3.1.2-400
 - parameters, 8.3.1.2-400
- C-hole site testing with reactive tracers
 - activity, 8.3.1.2-417--423
 - description, 8.3.1.2-417--420
 - methods and technical procedures, 8.3.1.2-420--423
 - objectives, 8.3.1.2-417
 - parameters, 8.3.1.2-417
- calcite and opaline silica vein deposits
 - activity, 8.3.1.5-110--118
 - description, 8.3.1.5-111--113
 - methods and technical procedures, 8.3.1.5-113--118
 - objectives, 8.3.1.5-110
 - parameters, 8.3.1.5-110--111
- calcite and silica geothermometry, technical procedures for, 8.3.1.8-129
- calcite geothermometry
 - and heat flow, 8.3.1.8-128
- calculational models for release scenario classes (Information Need 1.1.3), 8.3.5.13-129--135
 - application of results, 8.3.5.13-135
 - link to supporting information, 8.3.5.13-129
 - logic, 8.3.5.13-130--132
 - parameters, 8.3.5.13-129--130
 - performance assessment activity, 8.3.5.13-133--135
 - scenario class model development, 8.3.5.13-133--135
 - performance assessment subactivities, 8.3.5.13-133--135
 - basaltic volcanism release model development, 8.3.5.13-134
 - gas-phase release model development, 8.3.5.13-134
 - human intrusion release model development, 8.3.5.13-135
 - water pathway release model development, 8.3.5.13-133
 - technical basis, 8.3.5.13-129--132
- calculational models to predict travel time (Information Need 1.6.2), see GWTT
- prediction models (Information Need 1.6.2)
- calderas
 - Black Mountain, 8.3.1.8-113
 - Claim Canyon, 8.3.1.4-29
 - Goldfield, 8.3.1.9-41
 - Jefferson, 8.3.1.9-41
 - Long Valley, 8.3.1.17-54
 - Round Valley, 8.3.1.9-41

- calibrated regional ground-water flow model
 - technical procedures for, 8.3.1.5-122
- Calico Hills
 - characterization, conditional activity, 8.4.2-32--35
 - and detachment faulting activities, 8.3.1.17-145--146
 - and heat flow, 8.3.1.8-128
 - and hydrocarbon assessment, 8.3.1.9-37
 - mapping and analysis, technical procedures for, 8.3.1.17-146
 - nonwelded tuff fracture significance, 8.3.1.2-156
 - tuff block, 8.3.1.3-114
 - tuff slabs, 8.3.1.3-113
- Calico Hills test (ESF), 8.3.1.2-233, -236
 - overcore stress experiments, 8.3.1.15-80--82
- Calico Hills test (ESF) activity, 8.3.1.2-300
- Calico Hills tuff
 - diffusion tests in, 8.3.1.2-321
 - and drift-pumpback tests, 8.3.1.2-402**
 - importance of hydrologic properties, 8.3.1.2-236
 - mass transfer kinetics, 8.3.1.3-106
 - and seal performance, 8.3.5.11-5
 - tuff column experiments, 8.3.1.3-107
 - and well configurations test, 8.3.1.2-386***-388**, -391**
 - and zeolitic material occurrence, 8.3.5.17-92, -94
- Calico Hills unit
 - and ground-water flow path, 8.3.5.8-7, 8.3.5.17-95
 - and perched water, 8.3.1.2-236
 - and radionuclide retardation, 8.3.5.8-9
 - and saturated void spaces, 8.3.5.17-96
- Calico Hills vitric unit
 - and disturbed-zone performance goals, 8.3.5.12-56
 - GWTT confidence levels, 8.3.5.12-19
 - GWTT estimate (matrix flow), 8.3.5.13-63*
 - and GWTTs, 8.3.5.12-13
 - hydrogeologic section, 8.3.5.12-4**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - isopach contour map showing thickness, 8.3.5.12-12**
- Calico Hills vitric unit (continued)
 - performance allocation for disturbed zone definition, 8.3.5.12-59*
 - and performance parameters, 8.3.5.12-21*
 - as primary barrier, 8.3.5.12-50
 - thickness of, 8.3.5.12-16
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- Calico Hills zeolitic unit
 - GWTT confidence levels, 8.3.5.12-19
 - GWTT estimate (matrix flow), 8.3.5.13-63*
 - GWTTs, 8.3.5.12-13
 - hydrogeologic section, 8.3.5.12-4**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - isopach contour map showing thickness, 8.3.5.12-12**
 - performance allocation for disturbed zone definition, 8.3.5.12-59*
 - and performance goals, 8.3.5.12-56
 - and performance parameters, 8.3.5.12-21*
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- Camp Desert Rock detachment faults, 8.3.1.17-150--151
- Cane Spring fault system evaluation activity, 8.3.1.17-142--143
 - description, 8.3.1.17-142
 - methods and technical procedures, 8.3.1.17-143
 - objectives, 8.3.1.17-142
 - parameters, 8.3.1.17-142
- Cane Spring fault zone, 8.3.1.17-133, -134**
- canister-scale heater experiment
 - conceptual view, 8.4.2-119**
 - constraints and zones of influence, 8.4.2-117, -120
 - purpose and operations, 8.4.2-117
 - thermal analysis, 8.4.2-204**
- canister-scale heater experiment activity, 8.3.1.15-54--56
 - description, 8.3.1.15-55
 - methods and technical procedures, 8.3.1.15-55--56
 - objectives, 8.3.1.15-54
 - parameters, 8.3.1.15-54--55
- capillary-driven water flow
 - and fractures, 8.4.3-14

PART B INDEX (Chapter 8)

- carbon-14
 - analyses
 - dating, 8.3.1.5-52
 - rapid release (spent fuel), performance parameters, 8.3.5.9-21*, -34; 8.3.5.14-4--5
 - release from Zircaloy cladding (Subactivity 1.5.2.1.5), 8.3.5.10-49--50
 - release rates, 8.3.5.10-13
- carbon-14 dioxide conceptual transport model, 8.3.5.13-76--80
- carbon-14 dioxide transport calculation (Activity 1.2.2.1), 8.3.5.14-12
 - description, 8.3.5.14-12
 - objectives, 8.3.5.14-12
 - parameters, 8.3.5.14-12
- carbon-14 gaseous pathway land surface and public dose calculation (Activity 1.2.2.2), 8.3.5.14-12--13
 - description, 8.3.5.14-12--13
 - objectives, 8.3.5.14-12
 - parameters, 8.3.5.14-12
- carbon cycle during recharge to ground-water system, technical procedures for, 8.3.1.5-42
- carbonate aquifer, 8.3.1.3-89; 8.3.1.5-93, -100
- carbonate caverns, 8.3.1.5-93, -100
- carbonate mineral analysis, technical procedures for, 8.3.1.5-51
- carbonate mineralogy, geochemical analyses of sediments, 8.3.1.5-50
- carbonate transport by ground-water computer model, technical procedures for, 8.3.1.5-64
- Cascade Range (Oregon), curie temperature and magnetic data, 8.3.1.8-124
- cation and anion exchange capacity, technical procedures for, 8.3.1.2-421
- CAVS
 - and excavation-induced effects on permeability, 8.4.3-26
 - jointed rock constitutive model, 8.4.3-26
- CCDF, see complementary cumulative distribution functions
- CD, see conceptual design
- Cedar Mountain, location of, 8.3.1.17-100**
- Cedar Mountain earthquake, 8.3.1.17-101, -103
 - focal mechanism determination, technical procedures for, 8.3.1.17-127, -128
- Cedar Mountain earthquake and Walker Lane wrench tectonics activity, 8.3.1.17-127--128
 - description, 8.3.1.17-127--128
- Cedar Mountain earthquake and Walker Lane wrench tectonics activity (continued)
 - methods and technical procedures, 8.3.1.17-128
 - objectives, 8.3.1.17-127
 - parameters, 8.3.1.17-127
- Cedar Mountain earthquake and Walker Lane wrench tectonics activity (continued)
 - objectives, 8.3.1.17-127
 - parameters, 8.3.1.17-127
- cementitious and earthen material properties (Activity 1.12.2.1.1)
 - description, 8.3.3.2-39
 - objectives, 8.3.3.2-39
- cementitious materials, degradation model, 8.3.3.2-40
- centrifuge calibration and use, technical procedures for, 8.3.1.2-422
- ceramic-metal, bimetallic/single metal, and coatings and filler alternative systems degradation models (Activity 1.4.3.3), 8.3.5.9-106--108
 - subactivities, 8.3.5.9-106--108
 - bimetallic/single metal systems degradation models, 8.3.5.9-107--108
 - ceramic-metal systems degradation models, 8.3.5.9-107
 - coatings and filler systems degradation models, 8.3.5.9-108
 - ceramic-metal, bimetallic/single metal, or coatings and filler system, degradation modes, (Activity 1.4.2.4), 8.3.5.9-78--86
 - subactivities, 8.3.5.9-79--86
 - bimetallic/single metal systems degradation mode assessment, 8.3.5.9-81--83
 - bimetallic/single metal systems laboratory test plan, 8.3.5.9-83--84
 - ceramic-metal systems degradation mode assessment, 8.3.5.9-79--80
 - ceramic-metal systems of the alternate barriers investigations laboratory test plan, 8.3.5.9-80--81
 - coatings and filler systems degradation mode assessment, 8.3.5.9-84
 - coatings and filler systems of the alternate barriers investigations laboratory test plan, 8.3.5.9-85--86

PART B INDEX (Chapter 8)

- ceramic metal system degradation mode
 - assessment (Subactivity 1.4.2.4.1), 8.3.5.9-79--80
 - description, 8.3.5.9-79--80
 - objectives, 8.3.5.9-79
 - parameters, 8.3.5.9-79
- ceramic-metal system degradation models (Subactivity 1.4.3.3.1), 8.3.5.9-107
- ceramic-metal system of the alternate barriers investigation laboratory test plan (Subactivity 1.4.2.4.2), 8.3.5.9-80--81
- chapter 8
 - content, 8.0-2--5
 - organization, 8.0-2--5
- characterization of modern regional climate study, see modern regional climate characterization study
- characterization of site ambient thermal conditions study, see ambient thermal conditions (site) study
- chemical alteration
 - potentially likely conditions, evaluation of, 8.4.3-61
- chemical analyses
 - ESF gases and fluids, 8.3.1.2-305
 - Fortymile Wash samples, 8.3.1.2-129
 - and geothermal assessment, 8.3.1.9-35, -36
 - ground water, technical procedures for, 8.3.1.16-19, -21, -23
 - marsh sediments, 8.3.1.5-50
 - rock matrix pore and fracture fluids, 8.3.1.2-337--341
 - soil water, technical procedures for, 8.3.1.5-64, -71
 - technical procedures for, 8.3.1.2-133, -426, -431, -433
 - see also geochemical entries
- chemical and physical changes around dikes
 - activity, 8.3.1.8-125--127
 - description, 8.3.1.8-125--126
 - objectives, 8.3.1.8-125
 - methods and technical procedures, 8.3.1.8-126--127
 - parameters, 8.3.1.8-125
- chemical change and water use limitation
 - water use and chemical changes, postclosure design function 2, 8.3.2.2-12
- chemical changes from construction materials (Design Activity 1.11.4.1), 8.3.2.2-59
- chemical factor, zone of influence
 - and exploratory shaft facility tests, 8.4.2-98, -102*--104*
- chemical reaction of waste packages with rock potentially likely conditions, evaluation of, 8.4.3-60--61
- CHEMTRAN modeling, technical procedures for, 8.3.1.5-42
- chloride and Cl-36
 - constraints and zones of influence, 8.4.2-141
 - purpose and operations, 8.4.2-141
- chloride and Cl-36 measurements of percolation activity, 8.3.1.2-180--181
 - description, 8.3.1.2-180--181
 - methods and technical procedures, 8.3.1.2-181
 - objectives, 8.3.1.2-180
 - parameters, 8.3.1.2-180
- chloride deposition
 - and analog recharge, 8.3.1.5-107
- chronologic analysis of lake, playa, and marsh deposits activity, 8.3.1.5-51--54
 - chronological methods, 8.3.1.5-53
 - description, 8.3.1.5-52--53
 - methods and technical procedures, 8.3.1.5-53--54
 - objectives, 8.3.1.5-51
 - parameters, 8.3.1.5-52
- cladding (spent fuel)
 - performance measures, 8.3.5.9-20*, -32--33
 - stress corrosion cracking, 8.3.5.10-47
- Claim Canyon caldera
 - and geologic investigations, 8.3.1.4-29
- CLAMS, see common Los Alamos mathematical software
- Class I or special source criteria and aquifers (Analysis 1.3.1.1), 8.3.5.15-7--8
 - activities, 8.3.5.15-7--8
 - demographic and economic data for special sources, 8.3.5.15-8
 - hydrologic and environmental information for special source/aquifer determination, 8.3.5.15-7--8
- Class I or special sources of ground water (Information Need 1.3.1), 8.3.5.15-4, -6--9
 - activities
 - demographic and economic data for special sources, 8.3.5.15-8--9

PART B INDEX (Chapter 8)

Class I or special sources of ground water
(Information Need 1.3.1) (continued)
activities (continued)

hydrologic and environmental
information for special source/
aquifer determination,
8.3.5.15-7--8

analysis

Class I or special source criteria
and aquifers, 8.3.5.15-7--8

application of results, 8.3.5.15-9

link to supporting information,
8.3.5.15-4, -6

logic, 8.3.5.15-7

parameters, 8.3.5.15-6--7

technical basis, 8.3.5.15-4, -6--7

Class I source

criteria for designation, 8.3.5.15-2

clay mineralogy, potassium-argon dating
procedures, 8.3.1.3-51

climate

and erosion rates, 8.3.1.6-15--19

future regional, 8.3.1.5-78--88 (see also
future regional climate and environ-
mental study)

and runoff, 8.3.1.5-3; 8.3.1.6-2

and water chemistry, 8.3.1.5-46, -50

climate change

and foreshortened saturated zone,
8.3.5.13-88

and foreshortened unsaturated zone,
8.3.5.13-84, -86

and future regional hydrology study,
8.3.1.5-118--119

and future unsaturated-zone hydrology
study, 8.3.1.5-119--120

and geohydrology investigations,
8.3.1.2-88

and hydraulic gradient change, 8.3.5.13-88

and increased flux, 8.3.5.13-84

nature and rates investigation,
8.3.1.5-33--89

potentially likely conditions, evaluation
of, 8.4.3-58

and recharge activity, 8.3.1.5-121--122

see also nature and rates of climate
change investigation

climate changes qualifying condition,

8.3.5.18-14, -15

preliminary finding, 8.3.5.18-4*

statement of, 8.3.5.18-14--15

and 10 CFR 960.4-2-4(a), 8.3.5.18-14, -16

climate changes technical guidelines

and higher level findings (Issue 1.9(a)),
8.3.5.18-14--15

climate control

disruptive scenario classes, evaluation
of, 8.4.3-66climate data (long term)

and extreme weather phenomena,
8.3.1.12-26--28

climate effects on erosion investigation,
8.3.1.6-15--19

activity

future climate and erosion synthesis,
8.3.1.6-18--19

application of results, 8.3.1.6-19

interrelationships, 8.3.1.6-4, -5**

link to supporting information, 8.3.1.6-15

logic diagram, 8.3.1.6-17**

parameters, 8.3.1.6-15

purpose and objectives, 8.3.1.6-16

study

future climate and erosion,

8.3.1.6-18--19

technical basis for, 8.3.1.6-15--16

climate effects on hydrology investigation,
8.3.1.5-89--123

activities

analog recharge studies,
8.3.1.5-106--110

calcite and opaline silica vein

deposits studies, 8.3.1.5-110--118

evaluation of past discharge areas,
8.3.1.5-98--106

future surface hydrology due to

climate changes, 8.3.1.5-118--119

future unsaturated-zone hydrology due

to climate changes, 8.3.1.5-119--120

Quaternary unsaturated-zone hydro-

chemical analysis, 8.3.1.5-96--98

recharge due to climate changes,

saturated zone, 8.3.1.5-121--122

regional paleoflood evaluation,

8.3.1.5-94--96

application of results, 8.3.1.5-122--123

link to supporting information, 8.3.1.5-89

parameters, 8.3.1.5-89--90

purpose and objectives, 8.3.1.5-91

studies, 8.3.1.5-89--123

future regional hydrology due to

climate changes, 8.3.1.5-118--123

PART B INDEX (Chapter 8)

climate effects on hydrology investigation (continued)

studies (continued)

Quaternary regional hydrology,
8.3.1.5-93--118

technical basis for, 8.3.1.5-89--93

technical rationale, 8.3.1.5-91--93

climate modeling, 8.3.1.5-37, -77, -81--82

alternative models, 8.3.1.5-16--32

empirical activity, 8.3.1.5-86--88

global, 8.3.1.5-79--83

linked global-regional, 8.3.1.5-84--86

and paleoclimatic changes, 8.3.1.5-37, -42

technical procedures, 8.3.1.5-84

testing and evaluation, 8.3.1.5-37, -39,
-58, -77, -83

and vegetation, 8.3.1.5-59

climate program, 8.3.1.5-1--127

activity parameters provided by,
8.3.1.5-7*--12*

alternative conceptual models,
8.3.1.5-16--32

approach, 8.3.1.5-3--16

and configuration of underground
facilities (postclosure) (Issue 1.11),
8.3.1.5-1--3, -2**

constituent studies, 8.3.1.5-37

current representation and alternative
hypotheses

regional model, 8.3.1.5-18*--21*

paleoclimate model, 8.3.1.5-22*--25*

paleohydrology model, 8.3.1.5-26*--31*

and erosion program, 8.3.1.5-1--3, -2**

and geochemistry program, 8.3.1.5-1--3,
-2**

and geohydrology program, 8.3.1.2-444;
8.3.1.5-1--3, -2**

and higher level findings--postclosure
(Issue 1.9), 8.3.1.5-1--3, -2**

hypothesis testing table, 8.3.1.5-18*--21*

initiating events, 8.3.1.5-4*--5*

interrelationships, 8.3.1.5-32--33

investigations, 8.3.1.5-33--123

climate effects on hydrology,
8.3.1.5-89--123

nature and rates of climate change,
8.3.1.5-33--89

see specific investigation for study
and activity listings

logic diagram, 8.3.1.5-2**

major events and completion dates,

8.3.1.5-125*--127*; 8.5-13, -14**, -15

climate program (continued)

8.3.1.5-1--3, -2**

and meteorology program, 8.3.1.12-5

and NRC siting criteria (Issue 1.8),

overview, 8.3.1.5-1--33

parameter calls for, 8.3.1.5-7*--12*

performance and design requirements,
summary, 8.3.1.5-1--3

performance measures, 8.3.1.5-4*--5*

and preclosure hydrology program,

8.3.1.5-1--3, -2**

schedule, 8.3.1.5-123--127*; 8.5-13, -14**

and total system performance (Issue 1.1),

8.3.1.5-1--3, -2**

climate-vegetation relationships activity,
8.3.1.5-57--59

climatic implications of terrestrial

paleoecology study, 8.3.1.5-54--59

activities, 8.3.1.5-54--59

pack rat midden analysis,

8.3.1.5-54--56

pollen samples analysis,

8.3.1.5-56--57

vegetation-climate relationships,

8.3.1.5-57--59

CLIMSIM, ventilation analysis, 8.3.2.5-73

clinoptilolite-heulandite

end-member free energies, 8.3.1.3-60--63

solid solution descriptions,

8.3.1.3-63--64

solubilities, 8.3.1.3-61

see also zeolites

clinoptilolite-heulandite and analcime (solid
solution descriptions) activity,

8.3.1.3-63--64

description, 8.3.1.3-63--64

methods and technical procedures,
8.3.1.3-64

objectives, 8.3.1.3-63

parameters, 8.3.1.3-63

cluster analysis routines, technical
procedures for, 8.3.1.8-54

coal mines, and earthquake activity,
8.3.1.17-93

coatings and filler systems degradation models
(Subactivity 1.4.3.3.3), 8.3.5.9-108

coatings and filler systems degradation modes
(Subactivity 1.4.2.4.5), 8.3.5.9-84

coatings and filler systems laboratory test
plan (Subactivity 1.4.2.4.6),

8.3.5.9-85--86

description, 8.3.5.9-85--86

- coatings and filler systems laboratory test plan (Subactivity 1.4.2.4.6) (continued)
 - objectives, 8.3.5.9-85
 - parameters, 8.3.5.9-85
- COCORP, see Consortium for Continental Reflection Profiling
- CODATA, see Committee on Data for Science and Technology
- code documentation and verification, technical procedures for, 8.3.1.2-355
- code validation, see validation of
- COHMAP, 8.3.1.5-78
- COLLOID, 8.3.1.3-121, -122
- colloid behavior study, 8.3.1.3-93--95
 - activities, 8.3.1.3-93--95
 - colloid formation characterization and stability, 8.3.1.3-93--94
 - colloid modeling, 8.3.1.3-94--95
- colloid formation characterization and stability activity, 8.3.1.3-93--94
 - description, 8.3.1.3-93--94
 - methods and technical procedures, 8.3.1.3-94
 - objectives, 8.3.1.3-93
 - parameters, 8.3.1.3-93
- colloid modeling activity, 8.3.1.3-94--95
 - description, 8.3.1.3-94
 - methods and technical procedures, 8.3.1.3-94
 - objectives, 8.3.1.3-94
 - parameters, 8.3.1.3-94
- colloids, sorption on, 8.3.1.3-77--78
- comment response document and site characterization plan correlation, 8.2-18*-49*
- Committee on Data for Science and Technology and thermodynamic data compatibility, 8.3.5.10-63
- common cause failure analysis
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-11
 - and radiological risks, 8.3.5.1-11
 - and repository system analysis, 8.3.5.1-9
- common Los Alamos mathematical software, 8.3.1.3-61--62, -64
- communications and data management system, ESF, 8.4.2-163
- compaction moisture-density relationships, technical procedures for, 8.3.1.14-47
- compile waste package information needed (Design Activity 1.11.2.1)
 - objective, 8.3.2.2-46
- complementary cumulative distribution function (CCDF)
 - conceptual and mathematical background, 8.3.5.13-4--25
 - construction, governing equations, 8.3.5.13-3--25
 - evaluation parameters, 8.3.5.13-92
 - example of, 8.3.5.13-6**
 - expansion of, 8.3.5.13-14***-15**
 - and low-probability event consequences, 8.3.5.13-72
 - and nominal scenario class, 8.4.3-52--53
 - probabilities of, 8.3.5.13-18--23
 - and release scenario classes, 8.3.5.13-135, -136, -137
 - screening for, 8.3.5.13-16--18
 - significant processes and events definitions, 8.3.5.13-3--4
 - and simplified model construction, 8.3.5.13-66, -130, -134
 - step in issue resolution strategy, 8.3.5.13-116
 - and total system performance (Issue 1.1), 8.3.5.13-3--25
 - and total system releases, 8.4.3-50, -52--53
 - and total system simulator, 8.3.5.13-139
 - U.S. Department of Energy approach, 8.3.5.13-23--25
- complementary cumulative distribution function (CCDF) calculation (Performance Assessment Activity 1.1.5.1), 8.3.5.13-140--142
 - objectives, 8.3.5.13-140
 - subactivities
 - complementary cumulative distribution function (CCDF) construction, 8.3.5.13-141--142
 - joint probability distribution construction, 8.3.5.13-141
 - total system simulator construction, 8.3.5.13-140--141
- complementary cumulative distribution function (CCDF) construction (Subactivity 1.1.5.1.3), 8.3.5.13-141--142
 - description, 8.3.5.13-142
 - objectives, 8.3.5.13-141
 - parameters, 8.3.5.13-142
- compliance documentation (Design Activity 1.11.7.2)
 - objective, 8.3.2.2-77

PART B INDEX (Chapter 8)

compliance with mining regulations, function 4
functional requirement for mined geologic
disposal system, 8.3.2.3-16, -28*

compliance with mining regulations
(Information Need 2.7.4), 8.3.2.3-37, -38

compliance with radiological safety design
criteria and performance goals (Design
Activity 2.7.1.1)
description, 8.3.2.3-42
objectives, 8.3.2.3-42
parameters, 8.3.2.3-42

compliance with retrieval requirements, see
retrieval requirement compliance (Informa-
tion Need 2.4.6)

compliant joint model
and G-Tunnel heated block experiment,
8.4.3-32

compliant-jointed media
and structural-thermal analysis,
8.3.2.5-68

composite fracture matrix model
effects of increased flux on saturation,
8.4.3-13
effects of water table rise, 8.4.3-13--14

compressibility-swell test--soils, technical
procedures for, 8.3.1.14-52

compression testing, technical procedures for,
8.3.1.15-41, -42

compressive mechanical properties--environ-
mental conditions effects activity,
8.3.1.15-41--42
description, 8.3.1.15-41--42
methods and technical procedures,
8.3.1.15-42
objectives, 8.3.1.15-41
parameters, 8.3.1.15-41

compressive mechanical properties of intact
rock activity, 8.3.1.15-40--41
description, 8.3.1.15-40--41
methods and technical procedures,
8.3.1.15-41
objectives, 8.3.1.15-40
parameters, 8.3.1.15-40

computed impedance tomography, fluid flow,
8.3.4.2-52

computer code assessment
and preclosure risk assessment methodology
(PRAM) program, 8.3.5.19-3
hydrologic modeling, 8.3.1.2-353--355

computer software validation, technical
procedures for, 8.3.1.8-110, -114, -117
-120, -122 (see also validation)

concentration (1,000-yr) in special sources
(Analysis 1.3.2.1), 8.3.5.15-9--10
activity
releases (1,000-yr) to special
sources, 8.3.5.15-10
concentration (1,000-yr) in special sources
(Information Need 1.3.2), 8.3.5.15-9--12
activity
releases (1,000-yr) to special
sources, 8.3.5.15-10
analysis
concentration (1,000-yr) in special
sources, 8.3.5.15-9
application of results, 8.3.5.15-10
link to supporting information, 8.3.5.15-9
logic, 8.3.5.15-9
parameters, 8.3.5.15-9
technical basis, 8.3.5.15-9

concentration limits
dissolved species study, 8.3.1.3-88--92
and solubility measurements, 8.3.1.3-89

concentration parameters (X/Q),
8.3.1.12-22--24

conceptual controlled area boundary
map, 8.4.2-37**, -41**
and proposed activities, 8.4.2-41**, -43*,
-49*
and water use for planned activities,
8.4.2-82*--84*

conceptual design
overall site plan, 8.3.1.14-32**
summary, 8.3.2.1-6

conceptual model of mineral evolutions study,
8.3.1.3-64--65
description, 8.3.1.3-64
objectives, 8.3.1.3-64
parameters, 8.3.1.3-64

conceptual models
site description, 8.3.1.1-3

conceptual perimeter drift boundary
definition, 8.4.2-19, -36, -37**--38**,
-41**
and evaporation rate, 8.4.3-18
and existing surface-based activities,
8.4.2-37**--38**, -43*--45*,
-48*--49*
map, 8.4.2-37**, -41**

conceptual perimeter drift boundary
(continued)

natural precipitation and induced water,
8.4.3-17--18

potentially significant disturbance
activities, 8.4.2-48*

and proposed activities, 8.4.2-41**,
-43*-49*

and USW H-7, 8.4.3-42

water use for planned activities,
8.4.2-82*-84*

conditional testing, 8.4.2-32--36

Calico Hills characterization,
8.4.2-32--35

in situ stress, 8.4.2-36

multipurpose borehole testing,
8.4.2-74--75, -145--147

other planned activities, 8.4.2-35--36

perched water, 8.4.2-36

saturated zone single-well tests,
8.4.2-36

systematic drilling program, 8.4.2-36

see also contingency test

conductivity (thermal) characterization
activity, 8.3.1.15-36--38

confidence and performance allocation
definitions, 8.1-5--8

configuration of underground facilities
(Issue 1.11)

analytical tools, 8.3.2.1-21--22

approach to issue resolution,
8.3.2.2-2***-3**, -5--20

and climate program, 8.3.1.5-1--3, -2**

design tradeoff analyses, 8.3.2.1-20*

function and performance goal,
8.3.2.2-25*-36*

geochemistry parameter calls, 8.3.1.3-2**,
-3, -4*-9*, -11**

and geohydrology program parameter calls,
8.3.1.2-5**, -23* -42*-47*

and goals on water flow, 8.3.4.2-25--26

information needs, 8.3.2.2-23--78

design constraints to limit excavation
effects (1.11.5), 8.3.2.2-60--64

design constraints to limit water use
(1.11.4), 8.3.2.2-54--59

reference postclosure underground
designs (1.11.7), 8.3.2.2-75--78

site characteristics for underground
facility design (1.11.1),
8.3.2.2-23--40

configuration of underground facilities
(Issue 1.11) (continued)

information needs (continued)

thermal loading/thermomechanical rock
response (1.11.6), 8.3.2.2-65--75

underground facility orientation and
layout (1.11.3), 8.3.2.2-44--54

waste package characteristics needed
for design (1.11.2), 8.3.2.2-41--44

see specific information need for
design activity listings

information needs and design function
relationships, 8.3.2.2-22**

interrelationships of information needs,
8.3.2.2-20--23

issue resolution strategy, 8.3.2.2-1--96

and Key Issue 1, 8.3.2.2-1, -4, -41

logic diagram, 8.3.2.2-2***-3**

major events and completion dates,
8.3.2.2-84*-96*; 8.5-81*-83**,
-84--86

and modeling, 8.3.2.1-20

and other performance assessment and
design issues, 8.3.2.1-2**; 8.3.4.1-2**,
-3

overview, 8.3.2.2-1--4, -2***-3**

performance parameters, 8.3.2.2-25*-36*

and postclosure performance assessment
strategy, 8.3.5.8-3*

postclosure tectonics program parameter
calls, 8.3.1.8-2**, -6*

preclosure hydrology program parameter
calls, 8.3.1.16-1--2, -3*-4*, -5**

regulatory basis for, 8.3.2.2-4--5

schedule, 8.3.2.2-78--96; 8.5-80,
-81*-83**, -84

and seal characteristics (Issue 1.12),
8.3.3.2-6

sealing design constraints,
8.3.3.2-13*-15*

seismic analyses, 8.3.2.1-24

surface characteristics program parameter
calls, 8.3.1.14-2*, -3*, -15, -20*, -25,
-26

tentative goals, 8.3.2.2-25*-36*

thermal and mechanical rock properties
program parameter calls, 8.3.1.15-1,
-2*-13*, -15**

ventilation analyses, 8.3.2.1-24--25

confirmatory testing

and summary schedules, 8.5-2

- conodont analyses
 - and hydrocarbon assessment, 8.3.1.9-37--39
 - sampling plan, technical procedures for, 8.3.1.9-39
- consequence analysis
 - construction accidents and radiological risk, 8.3.5.1-4
 - credible accidents, 8.3.5.5-27
 - and data base development, 8.3.5.1-10
 - and design basis accidents, 8.3.5.1-11
 - and mitigative measures, 8.3.5.1-12
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-11
 - and radiological risks
 - in-plant, 8.3.5.1-11
 - offsite, 8.3.5.1-11
 - and radiological safety assessment, 8.3.5.5-17
- conservative tracers
 - and ESF percolation tests, 8.3.1.2-256
 - ground-water dye, 8.3.1.2-174, -175
 - and ground-water flow rates, 8.3.1.2-97
 - intact-fracture test, 8.3.1.2-233 -241--242
 - technical procedures for, 8.3.1.2-408
 - use at C-hole sites, 8.3.1.2-371, -400--408
 - use throughout site, 8.3.1.2-408--417
 - see also tracers
- Consortium for Continental Reflection Profiling, 8.3.1.17-105, -107*, -117
- constraints on ESF layout
 - and air quality and ventilation equipment 8.4.2-131
 - and bulk-permeability test, 8.4.2-136
 - and cannister heater experiment, 8.4.2-117, -120
 - and chloride and Cl-36 tests, 8.4.2-141
 - and demonstration breakout rooms, 8.4.2-111
 - and diffusion tests, 8.4.2-140
 - and drift stability, 8.4.2-131
 - and engineered barrier system field tests, 8.4.2-141, -143
 - and equipment development and demonstration, 8.4.2-127
 - and excavation effects test, 8.4.2-137, -139
 - and fracture mineralogy studies, 8.4.2-108
 - and geologic mapping of exploratory shafts and layout, 8.4.2-107
 - constraints on ESF layout (continued)
 - and ground-support systems, 8.4.2-130
 - and heated block experiment, 8.4.2-122
 - and heated room experiment, 8.4.2-126
 - and heater experiment, 8.4.2-117
 - and hydrochemistry tests, 8.4.2-140
 - and hydrological properties of major faults encountered, 8.4.2-144--145
 - and in situ testing of seal components, 8.4.2-132
 - and intact-fracture test, 8.4.2-135
 - and matrix hydrologic properties testing, 8.4.2-133
 - and mining methods evaluation, 8.4.2-130
 - and multipurpose borehole testing, 8.4.2-147
 - and overcore stress experiments, 8.4.2-133
 - and perched water test, 8.4.2-139
 - and percolation tests, 8.4.2-135
 - and plate loading tests, 8.4.2-127, -129
 - and radial borehole tests, 8.4.2-137
 - and rock-mass strength experiment, 8.4.2-129
 - and seismic tomography and vertical seismic profiling, 8.4.2-108--109
 - and sequential drift mining, 8.4.2-114
 - and shaft convergence, 8.4.2-109
 - and thermal and mechanical laboratory tests, 8.4.2-144
 - and thermal stress measurements, 8.4.2-122, -124
 - construction, routine activities, 8.3.5.1-4
 - construction and operational constraints
 - and exploratory shaft facility tests, 8.4.2-98, -99*--101*
 - construction control
 - basis
 - surface-based testing, 8.4.2-80--87
 - dry drilling, 8.4.2-81
 - formation invasion by fluid, 8.4.2-86--87
 - unsaturated zone hydrologic data and sample requirements, 8.4.2-81, -86
 - construction schedule
 - DOE Order 4700.1, 8.3.2.1-7
 - and license application design, 8.3.2.1-7
- container
 - design basis, 8.3.5.9-15
 - and engineered barrier system release, 8.4.3-84

PART B INDEX (Chapter 8)

container (continued)

- environment
 - underground facility configuration
 - selection, postclosure design
 - function 1, 8.3.2.2-11
 - material design goal, 8.3.4.2-29--30
 - scale analyses
 - parameters, 8.3.2.2-69*--70*
 - summary, 8.3.2.2-72--73
 - spent fuel and high-level waste glass, 8.3.5.9-2*
- container and liner corrosion effect on water chemistry (Activity 1.10.4.1.6), 8.3.4.2-48
 - description, 8.3.4.2-48
 - objectives, 8.3.4.2-48
 - parameters, 8.3.4.2-48
- container degradation (Information Need 1.4.4), 8.3.5.9-109--112
 - activity, 8.3.5.9-110--112
 - container degradation rates and mechanisms, 8.3.5.9-110--112
 - application of results, 8.3.5.9-112
 - link to supporting information, 8.3.5.9-109
 - logic, 8.3.5.9-110
 - parameters, 8.3.5.9-109
 - subactivities
 - container degradation and failure rate calculations, 8.3.5.9-110--111
 - container degradation and release probabilistic calculations, 8.3.5.9-111--112
 - technical basis, 8.3.5.9-109--110
- container degradation and failure rate calculations (Subactivity 1.4.4.1.1), 8.3.5.9-110--111
 - description, 8.3.5.9-110--111
 - objectives, 8.3.5.9-110
 - parameters, 8.3.5.9-110
- container degradation and release probabilistic calculation (Subactivity 1.4.4.1.2), 8.3.5.9-111--112
 - description, 8.3.5.9-111--112
 - objectives, 8.3.5.9-111
 - parameters, 8.3.5.9-111
- container degradation models
 - and austenitic alloys, 8.3.5.9-36
 - inputs, 8.3.5.9-41*--44*
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**

- container degradation rates and mechanisms (Activity 1.4.4.1), 8.3.5.9-110--112
 - subactivities, 8.3.5.9-110--112
 - container degradation and failure rate calculations, 8.3.5.9-110--111
 - container degradation and release probabilistic calculations, 8.3.5.9-111--112
- container design configurations, vertical and horizontal emplacement, 8.3.5.9-3**
- container material properties (Information Need 1.4.2), 8.3.5.9-66--86
 - activities, 8.3.5.9-68--86
 - container material selection for license application design, 8.3.5.9-68--70
 - degradation modes--austenitic
 - container materials, 8.3.5.9-74--78
 - degradation modes--ceramic-metal, bimetallic/single metal, or coating and filler systems, 8.3.5.9-78--86
 - degradation modes--copper-based
 - container materials, 8.3.5.9-70--74
 - application of results, 8.3.5.9-86
 - link to supporting information, 8.3.5.9-66
 - parameters, 8.3.5.9-67--68
 - subactivities, 8.3.5.9-68--71
 - austenitic material degradation mode assessment, 8.3.5.9-75--76
 - austenitic material laboratory tests, 8.3.5.9-76--78
 - bimetallic/single metal systems
 - degradation mode assessment, 8.3.5.9-81--83
 - bimetallic/single metal systems
 - laboratory test plan, 8.3.5.9-83--84
 - ceramic-metal system degradation mode assessment, 8.3.5.9-79--80
 - ceramic-metal systems of the alternate barriers investigations laboratory test plan, 8.3.5.9-80--81
 - coatings and filler systems
 - degradation mode assessment, 8.3.5.9-84
 - coatings and filler systems of the alternate barriers investigations laboratory test plan, 8.3.5.9-85--86
 - copper-based materials laboratory test plan, 8.3.5.9-72--74
 - container material selection, 8.3.5.9-70

PART B INDEX (Chapter 8)

- container material properties (Information Need 1.4.2) (continued)
 - subactivities (continued)
 - container selection criteria
 - establishment, 8.3.5.9-68--70
 - degradation mode assessment--
 - copper-based materials, 8.3.5.9-71--72
 - technical basis, 8.3.5.9-66
- container material selection (Subactivity 1.4.2.1.2), 8.3.5.9-70
- container material selection for license application design (Activity 1.4.2.1), 8.3.5.9-68--70
 - subactivities, 8.3.5.9-68--70
 - container material selection, 8.3.5.9-70
 - container selection criteria
 - establishment, 8.3.5.9-68--70
- container mechanical properties (alternative barrier) (Subactivity 1.4.1.2.1), 8.3.5.9-61
 - objectives, 8.3.5.9-61
 - parameters, 8.3.5.9-61
- container mechanical properties (metal) (Subactivity 1.4.1.1.1), 8.3.5.9-51--52
 - description, 8.3.5.9-51--52
 - objectives, 8.3.5.9-51
 - parameters, 8.3.5.9-51
- container microstructural properties (alternative barrier) (Subactivity 1.4.1.2.3), 8.3.5.9-62--63
 - description, 8.3.5.9-62--63
 - objectives, 8.3.5.9-62
 - parameters, 8.3.5.9-62
- container microstructural properties (metal) (Subactivity 1.4.1.1.2), 8.3.5.9-52--54
 - description, 8.3.5.9-53--54
 - objectives, 8.3.5.9-52
 - parameters, 8.3.5.9-52--53
- container nondestructive characterization (alternative barrier) (Subactivity 1.4.1.2.5), 8.3.5.9-63--64
 - description, 8.3.5.9-64
 - objectives, 8.3.5.9-63
 - parameters, 8.3.5.9-64
- container performance allocation, 8.3.5.9-19--47
- container performance parameters, 8.3.5.9-37*--40*
- container physical properties (metal) (Subactivity 1.4.1.1.3), 8.3.5.9-54--55
 - description, 8.3.5.9-55
- container physical properties (metal) (Subactivity 1.4.1.1.3) (continued)
 - objectives, 8.3.5.9-54
 - parameters, 8.3.5.9-55
- container selection criteria establishment (Subactivity 1.4.2.1.1), 8.3.5.9-68--70
 - description, 8.3.5.9-70
 - objectives, 8.3.5.9-68
 - parameters, 8.3.5.9-68--70
- container stress state (metal) (Subactivity 1.4.1.1.4), 8.3.5.9-55--56
 - description, 8.3.5.9-55--56
 - objectives, 8.3.5.9-55
 - parameters, 8.3.5.9-55
- container surface characterization (metal) (Subactivity 1.4.1.1.6), 8.3.5.9-58--59
 - description, 8.3.5.9-59
 - objectives, 8.3.5.9-58
 - parameters, 8.3.5.9-58
- container testing program, 8.3.5.9-15--16
- container thermophysical properties (alternative barrier) (Subactivity 1.4.1.2.4), 8.3.5.9-63
 - discussion, 8.3.5.9-63
 - objectives, 8.3.5.9-63
 - parameters, 8.3.5.9-63
- container weld integrity (metal) (Subactivity 1.4.1.1.5), 8.3.5.9-56--58
 - description, 8.3.5.9-57--58
 - objectives, 8.3.5.9-56--57
 - parameters, 8.3.5.9-57
- containment
 - barrier, sealed, 8.3.5.9-15
 - barrier degradation, see container degradation entries
 - barrier material properties, see container material properties (Information Need 1.4.2)
 - requirements by EPA, 8.3.5-13-6**
 - substantially complete, 8.3.4-3--4
- containment by waste package (Issue 1.4), 8.3.5.9-1--119
 - approach, 8.3.5.9-11--47
 - assessment and reduction of uncertainties, 8.3.5.9-17--18
 - and conceptual model of mineral evolution, 8.3.1.3-64
 - container performance parameter goals, 8.3.5.9-35--44
 - containment period performance parameter goals, 8.3.5.9-29

PART B INDEX (Chapter 8)

containment by waste package (Issue 1.4) (continued)

containment period segment rationale,
8.3.5.9-24--29
and contingency plan, 8.3.2.2-38
design consideration, 8.4.3-35
design criteria, and effects of site
characterization activities,
8.4.3-75--79
and drainage and moisture control plan,
8.3.2.2-37
and EBS release rates (Issue 1.5),
8.3.5.10-1--2, -3**, -29, -34
engineered environment performance
parameter goals, 8.3.5.9-31--35
and geochemical/geophysical model,
8.3.1.3-123
and hydrology of waste package
environment, 8.3.4.2-25
impacts on, 8.4.3-73--81
of site characterization activities,
8.4.3-73--81
information needs, 8.3.5.9-47--114
container degradation (1.4.4),
8.3.5.9-109--112
container material properties (1.4.2),
8.3.5.9-66--86
substantially complete containment of
waste (1.4.5), 8.3.5.9-112--114
waste package design features
(affecting container performance)
needed (1.4.1), 8.3.5.9-47--66
waste package scenarios and models
needed (1.4.3), 8.3.5.9-86--109
see specific information need for
activity and subactivity lists
interrelationships of information needs,
8.3.5.9-47
issue resolution strategy, 8.3.5.9-1--47;
8.4.3-73--75
major events and completion dates,
8.3.5.9-116*--118*; 8.5-65, -66**, -67
model hierarchy, 8.3.5.9-7**
models and model inputs, 8.3.5.9-41*--44*,
-47
and other design and performance
assessment issues, 8.3.2.1-2**;
8.3.4.1-1, -2**, -3
parameter calls from Issue 1.10,
8.3.4.2-11*--22*
performance allocation, 8.3.5.9-19--47

containment by waste package (Issue 1.4) (continued)

performance measures/goals,
8.3.5.9-9*--10*
postclosure guideline qualifying and
disqualifying conditions,
8.3.5.18-7--8
and postclosure performance assessment,
8.3.5.8-2, -3*, -4
postclosure performance objectives,
8.4.3-1, -2, -3
reference approach, 8.3.5.9-8**
and reference postclosure repository
design (Information Need 1.11.7),
8.3.2.2-75, -77
regulatory basis for, 8.3.1.2-2;
8.3.5.9-1--11
schedule, 8.3.5.9-114--119; 8.5-65, -66**,
-67
and system guideline qualifying condition
--postclosure, 8.3.5.18-7--8, -9
testing programs, 8.3.5.9-5--11, -15--16
and total system performance (Issue 1.1),
8.3.5.9-7**
waste form performance parameter goals,
8.3.5.9-31--35
water quality performance parameters
and goals (Issue 1.4), 8.3.5.9-13*--14*
containment enhancement strategy (Design
Activity 1.11.6.4), 8.3.2.2-74
contamination
by exploratory activities, 8.3.1.2-154
of gas samples, 8.3.1.2-335
contingency plan, product 1.11.3-5,
8.3.2.2-49*, -51--52
contingency plan criteria (Design Activity
1.11.3.5), 8.3.2.2-54
contingency test
perched water test, 8.4.2-139
see also conditional testing
continuously cored holes, proposed,
8.3.1.4-33, -34**
controlled area
and accessible environment, 8.3.5.12-2**
definition, 8.4.2-36, -39
and discharge points, 8.3.1.5-13;
8.3.1.8-88, -93, -94
distribution coefficients, 8.3.1.8-99,
-101, -103--104
and disturbed zone (10 CFR 60.2),
8.3.5.12-55, -57
DOE interpretation, 8.3.5.13-2

PART B INDEX (Chapter 8)

controlled area (continued)

- and dose calculation, 8.3.5.14-2, -4, -9--10
- and drillholes, 8.3.1.9-32, -45
- and erosion, 8.3.1.6-27, -28;
8.3.1.9-15--19
- and faults, 8.3.1.8-68--69, -84--85, -86, -91, -93--94, -96, -97, -101, -103--105
- and geochemical processes, 8.3.5.17-52
- and human intrusion, 8.3.5.13-82, -83;
8.3.5.17-20
- and increased infiltration, 8.3.5.13-84
- and irrigation, 8.3.1.9-50
- and land ownership and mineral rights,
8.3.1.11-1, -2--3
- location, 8.3.5.12-2**
- and mineral change, 8.3.1.8-98--99
- mineral change from tectonically induced
change in water table activity,
8.3.1.8-101, -104
- and NRC siting criteria favorable
conditions, 8.3.5.17-2*
- and NRC siting criteria potentially
adverse conditions, 8.3.5.17-7--8
- and perched aquifers, 8.3.1.8-88, -89,
-90, -93--94
- potentially significant disturbance
activities, 8.4.2-48*
- and Quaternary faults, 8.3.1.8-27, -64,
-68--70, -74, -81, -86, -94, -96, -101
- and resource exploration, 8.3.1.9-21, -23
- and site ownership qualifying condition,
8.3.5.18-21
- and special sources of ground water,
8.3.5.15-2, -4, -6, -7--8
- and tectonic processes, 8.3.1.8-29
- uplift rates in, 8.3.1.8-87
- volcanic/igneous events probability,
8.3.1.8-26, -74, -75--83, -76**--78**,
-89--90, -95, -100**, -102, -106,
-107--113, -117
- and water table, 8.3.1.8-74, -79, -80,
-88--94; 8.3.5.17-48
- 10 CFR Part 60 definition, 8.3.1.9-2
- 40 CFR Part 191 definition, 8.3.5.12-1
- see also conceptual controlled area
boundary

controlled blasting

- design consideration, 8.4.3-35

cooperative testing with waste producers
(Subactivity 1.5.2.2.3), 8.3.5.10-53--54

copper and copper alloy degradation models

- (Activity 1.4.3.1), 8.3.5.9-88--97
- subactivities, 8.3.5.9-89--97
- aqueous (general) corrosion (copper),
8.3.5.9-91--92
- degradation modes (other copper),
8.3.5.9-97
- hydrogen entry and embrittlement
(copper), 8.3.5.9-93
- low temperature oxidation (copper),
8.3.5.9-90--91
- metallurgical aging and phase
stability (copper), 8.3.5.9-89--90
- pitting, crevice, and other localized
attack (copper), 8.3.5.9-94--95
- stress corrosion cracking (copper),
8.3.5.9-95--97

copper-based alloys, 8.3.5.9-49

- and creep, 8.3.5.9-52
- and embrittlement, 8.3.5.9-44, -54, -57,
-72, -89, -92, -93
- failure model inputs, 8.3.5.9-41*--42*
- performance parameters/goals,
8.3.5.9-37*--38*
- selective leaching, 8.3.5.9-94, -95
- and stress corrosion cracking,
8.3.5.9-71--72
- and yield strength comparison, 8.3.5.9-56

copper-based container materials (candidate)

- degradation modes (Activity 1.4.2.2),
8.3.5.9-70--74
- subactivities, 8.3.5.9-71--74
- copper-based materials degradation
modes, 8.3.5.9-71--72
- copper-based materials laboratory test
plan, 8.3.5.9-72--74

copper-based materials degradation mode

- assessment (Subactivity 1.4.2.2.1),
8.3.5.9-71--72
- description, 8.3.5.9-71--72
- objectives, 8.3.5.9-71
- parameters, 8.3.5.9-71

copper-based materials laboratory tests
(Subactivities 1.4.2.2.2--1.4.2.2.8),
8.3.5.9-72--74

- description, 8.3.5.9-73--74
- objectives, 8.3.5.9-73
- parameters, 8.3.5.9-73

core and rubble-core technical procedures

- sample collection and transportation,
8.3.1.2-307
- sample water extraction, 8.3.1.2-309, -340

PART B INDEX (Chapter 8)

core samples
 for matrix-hydrologic property tests,
 8.3.1.2-187*
 for permeability tests, 8.3.1.2-185*--186*
 core technical procedures
 outcrop paleomagnetic testing,
 8.3.1.4-63--64
 outcrop petrographic analysis, 8.3.1.4-63
 outcrop sampling, 8.3.1.4-63, -64
 petrography, 8.3.1.3-51
 sampling, 8.3.1.2-319; 8.3.1.15-83
 sampling and fracture logging, 8.3.1.4-73
 wet and dry-lake sediments, 8.3.5.9-103
 coreholes, geologic
 drilled with water, 8.4.3-42
 Corn Creek Springs
 and releval network, 8.3.1.17-195
 corrosion, aqueous, see aqueous corrosion
 entries
 corrosion, intergranular, see intergranular
 stress corrosion cracking
 corrosion, potentially likely conditions,
 evaluation of, 8.4.3-60
 corrosion, transgranular, see transgranular
 stress corrosion cracking
 corrosion and release from spent fuel waste
 form (Subactivity 1.5.2.1.4), 8.3.5.10-49
 corrosion and the Ross study, 8.3.5.13-39
 corrosion of Zircaloy (Subactivity 1.5.2.1.3),
 8.3.5.10-46--48
 corrosive container environment limitation
 design thermal loading, postclosure design
 function 4, 8.3.2.2-20
 Coso volcanic field, 8.3.1.17-54
 and stress field, 8.3.1.17-179
 coupled behavior, relevance, 8.3.2.1-13--14
 coupled hydraulic-mechanical finite element
 model validation, 8.3.1.2-293, -295
 coupled interaction tests, 8.3.2.1-13--18
 studies and activities summary,
 8.3.2.1-15*--18*
 coupled phenomena affecting transport,
 8.3.1.3-119--122
 COVE codes
 benchmarking codes, 8.3.5.20-3--5
 code verification, 8.3.5.20-3--5
 Environmental Consultants, Inc.,
 8.3.5.20-4*
 Lawrence Berkeley Laboratory, 8.3.5.20-4*,
 -5*
 Lawrence Livermore National Laboratory,
 8.3.5.20-5*

COVE codes (continued)
 Los Alamos National Laboratory,
 8.3.5.20-4*
 Pacific Northwest Laboratory, 8.3.5.20-4*
 participants and codes, 8.3.5.20-3, -4*,
 -5*
 Sandia National Laboratories, 8.3.5.20-3,
 -4*, -5*
 COYOTE
 drift analysis, 8.3.2.5-73
 and performance assessment, 8.3.5.19-2*,
 -4*
 ventilation analysis, 8.3.2.5-73
 Coyote Wash
 exploratory shaft facility location,
 8.4.2-155--156
 and meteorological towers,
 8.3.1.12-17--18, -18*
 CPDB, see conceptual perimeter drift
 boundary
 Crater Flat
 and aeromagnetic anomalies, 8.3.1.8-108
 breccia and detachment faulting,
 8.3.1.17-149, -150
 and geochemistry studies, 8.3.1.8-53
 geophysical data, 8.3.1.8-56
 hypersthene- to nepeline-normative
 basalt, 8.3.1.8-53
 megabreccia evaluation, technical
 procedures for, 8.3.1.17-150
 and paleomagnetic sampling, 8.3.1.17-123
 and shallow seismic reflection,
 8.3.1.17-178
 and water-table holes, 8.3.1.2-119
 Crater Flat tuff
 and drift-pumpback tests, 8.3.1.2-402**
 surface outcrop mapping, technical
 procedures for, 8.3.1.4-40
 and well configurations test,
 8.3.1.2-386**--388**, -391**
 Crater Flat unit
 and ground-water flow path, 8.3.5.8-7
 credibility assessment of initiating events,
 8.3.1.9-50
 credible repository accidents information need
 surface characteristics program parameter
 calls, 8.3.1.14-19*, -21*, -64
 see also repository accidents (credible)
 (Information Need 2.3.1)
 creep, 8.3.5.9-52
 crest-stage gage network, 8.3.1.2-105--106

PART B INDEX (Chapter 8)

- criteria for contingency plan, product
 - 1.11.3-5
 - information needed, 8.3.2.2-49*
 - status, 8.3.2.2-51--52
- criteria for contingency plan (Design Activity 1.11.3.5)
 - objective, 8.3.2.2-54
- criticality accidents
 - technical guidance, 8.3.5.4-3
- criticality control, function 3
 - functional requirement for mined geologic disposal system, 8.3.2.3-15--16, -27*--28*
- criticality control (Information Need 2.7.3), 8.3.2.3-43--45
 - application of results, 8.3.2.3-45
 - and flooding data, 8.3.2.3-44
 - interrelationships, 8.3.2.3-36--39
 - link to the technical data, 8.3.2.3-43
 - logic, 8.3.2.3-44--45
 - and meteorological data, 8.3.2.3-43--44
 - parameters, 8.3.2.3-43--44
 - and potential accident data, 8.3.2.3-44
 - and seismic concerns, 8.3.2.3-43
 - technical basis for, 8.3.2.3-43
- cross-contact testing, technical procedures for, 8.3.1.2-291--292
- cross-hole technical procedures
 - air-injection testing, 8.3.1.2-319
 - pneumatic, 8.3.1.2-263--264
 - water-injection testing, 8.3.1.2-319
- cross-hole testing
 - bulk-permeability test, 8.3.1.2-274
 - and radial borehole tests, 8.3.1.2-285
 - technical procedures for, 8.3.1.2-397--398
- cross sections
 - exploratory shafts, 8.4.2-168**
 - geologic structure south of site, 8.3.1.14-38**
 - geologic structure through Exile Hill, 8.3.1.14-37**
 - hydrogeologic, 8.3.5.12-4**; 8.3.5.13-57**
 - topographic, exploratory shafts, 8.4.3-69**
- CRRIS system
 - and preclosure safety assessment, 8.3.5.19-9*, -10*
- crushed rock column method, technical procedures for, 8.3.1.3-82
- crushed tuff column experiments activity, 8.3.1.3-101--105
 - description, 8.3.1.3-104
- crushed tuff column experiments activity (continued)
 - methods and technical procedures, 8.3.1.3-104--105
 - objectives, 8.3.1.3-101--103
 - parameters, 8.3.1.3-103
- crushed tuff column method, technical procedures for, 8.3.1.3-105
- crustal magnetic sources, limiting depth of, 8.3.1.8-124
- crustal movement (lateral), regional characterization study, 8.3.1.17-198--199
 - activity
 - crustal movement (lateral) analysis, 8.3.1.17-198--199
- crustal movement (lateral) analysis activity, 8.3.1.17-198--199
 - description, 8.3.1.17-199
 - methods and technical procedures, 8.3.1.17-199
 - objectives, 8.3.1.17-198
 - parameters, 8.3.1.17-198
- Crystal Springs Valley
 - and releval network, 8.3.1.17-195
- CSIR, see South African Council for Scientific and Industrial Research
- cultural and agricultural data
 - and public radiological exposure, 8.3.1.13-1, -2
 - and radiological protection (Information Need 2.7.1), 8.3.2.3-39
- cumulative distribution function
 - calculation of, 8.3.5.13-8--11
 - and complementary cumulative distribution function (CCDF), 8.3.5.13-5
 - and Environmental Protection Agency containment standard, 8.3.5.13-5
- cumulative slip earthquake characterization activity, 8.3.1.17-72--74
- curie temperature determination, 8.3.1.4-61, -62
- curie temperature isotherm depth evaluation activity, 8.3.1.8-124--125
 - description, 8.3.1.8-124
 - methods and technical procedures, 8.3.1.8-124--125
 - objectives, 8.3.1.8-124
 - parameters, 8.3.1.8-124
- current confidence
 - and performance allocation tables, 8.1-9--10

PART B INDEX (Chapter 8)

current site conditions, potential impacts to
 from deep borings drilled dry,
 8.4.3-40--41
 from drilling activities, 8.4.3-38--43
 from exploratory shaft construction,
 8.4.3-43--46
 from exploratory shaft facility
 activities, 8.4.3-48--50
 from geochemical disturbances, 8.4.3-38
 from geologic coreholes drilled with
 water, 8.4.3-42
 from hydrologic disturbances, 8.4.3-37--38
 from saturated-zone boreholes,
 8.4.3-42--43
 from shallow borings drilled dry,
 8.4.3-39--40
 from surface-related activities,
 8.4.3-37--38
 from thermal/mechanical disturbance,
 8.4.3-38
 from underground construction,
 8.4.3-46--48

DACRIN

 and performance assessment, 8.3.5.19-2*,
 -4*
 and preclosure safety assessment,
 8.3.5.19-9*, -10*

DAF, see U.S. Department of the Air Force
 data analysis, technical procedures for
 volcanic activity, 8.3.1.8-52, -54, -60,
 -61--62

data recording, processing, transmission, and
 archiving, technical procedures for,
 8.3.1.2-218--221, -229--232

data requirements list
 site characteristics for underground
 facility design (Information Need
 1.11.1), 8.3.2.2-23

DATATRIEVE, 8.3.1.3-79

dating

 basaltic volcanism, 8.3.1.8-112--115
 and climate program, 8.3.1.5-67, -68,
 73--74
 surficial deposits, 8.3.1.5-67, -68
 technical procedures
 aeromagnetic anomalies, 8.3.1.8-111*
 alluvial surfaces, 8.3.1.5-95
 eolian sands by identification of
 volcanic ash, 8.3.1.5-76

dating (continued)

technical procedures (continued)

 Fortymile Wash terraces,
 8.3.1.6-12--13
 geochemical cycles, 8.3.1.8-123
 geochronology studies, 8.3.1.8-114
 lake, playa, and marsh deposits,
 8.3.1.5-53--54
 Quaternary deposits, 8.3.1.17-97
 soils, 8.3.1.5-65
 unconsolidated stream-channel
 deposits, 8.3.1.5-95
 DBA, see design basis accidents
 DBR, see demonstration breakout rooms
 Death Valley
 discharge area, 8.3.1.5-98
 eruption trends, 8.3.1.8-121
 hydrogeologic study area locations,
 8.3.1.2-94, -95**
 and magma bodies, 8.3.1.8-55
 and relevel network, 8.3.1.17-195
 Death Valley-Furnace Creek fault zone,
 8.3.1.17-97, -100**, -103
 Quaternary recurrence rate, 8.3.1.17-123,
 -126
 Death Valley-Pancake Range belt
 detachment and wrench faults and volcanic
 rocks, 8.3.1.17-201
 and relevel network, 8.3.1.17-195
 Death Valley-Pancake Range fault zone
 and volcanism, 8.3.1.17-204
 debris deposits, technical procedures for,
 8.3.1.5-95
 debris hazards
 and flood activity, 8.3.1.16-10--14
 and regional paleoflood evaluation,
 8.3.1.5-94; 8.3.1.16-10
 debris transport by runoff activity,
 8.3.1.2-112--114
 description, 8.3.1.2-113
 methods and technical procedures,
 8.3.1.2-113--114
 objectives, 8.3.1.2-112
 parameters, 8.3.1.2-112
 debris transport characterization, technical
 procedures for, 8.3.1.16-13
 debris transport quantity and characteristics
 determination, technical procedures for,
 8.3.1.2-113--114
 decision aiding methodology study
 and potentially significant scenarios,
 8.3.5.13-26

PART B INDEX (Chapter 8)

- decision points
 - logic diagram, 8.5-105, -106**
 - site characterization program, 8.5-1--118, -107*--109*
 - for Yucca Mountain Project, 8.5-105--109
 - see also schedule
- decision tree analysis, and potential impacts of introduced materials, 8.4.3-23--24
- decommissioning, 8.7-2--6
 - backfilling, 8.7-2
 - backfilling trenches, 8.7-3
 - definition, 8.7-2
 - ESF, 8.7-3--4
 - and Federal and State agency evaluation, 8.7-3
 - radiological risk, 8.3.5.1-6
 - repository, 8.7-1
 - sealing drillholes, 8.7-3
- decommissioning accidents
 - and radiological risk, 8.3.5.1-6
- decontamination, 8.7-2
- deep borings drilled dry
 - potential impacts of geochemical disturbance, 8.4.3-41
 - potential impacts of hydrologic disturbance, 8.4.3-41
 - potential impacts of thermal/mechanical disturbance, 8.4.3-41
- deformation measurements (laboratory), technical procedures for, 8.3.1.15-80
- degradation of markers investigation, 8.3.1.9-15--20
 - activities
 - erosion and deposition effects on marker survivability synthesis activity, 8.3.1.9-19--20
 - tectonic/seismic/volcanic hazards data synthesis activity, 8.3.1.9-19
 - application of results, 8.3.1.9-20
 - link to supporting information, 8.3.1.9-15--16
 - logic diagram, 8.3.1.9-17**
 - parameters, 8.3.1.9-16
 - purpose and objective of investigation, 8.3.1.9-16
 - study
 - natural processes and markers survivability, 8.3.1.9-18
 - technical basis for, 8.3.1.9-15--16
 - technical rationale, 8.3.1.9-18
- degradation mode assessment--austenitic materials (Subactivity 1.4.2.3.1), 8.3.5.9-75--76
- degradation mode assessment--copper-based materials (Subactivity 1.4.2.2.1), 8.3.5.9-71--72
 - description, 8.3.5.9-71--72
 - objectives, 8.3.5.9-71
 - parameters, 8.3.5.9-71
- degradation model for cementitious materials (Design Activity 1.12.2.2)
 - description, 8.3.3.2-40
 - objectives, 8.3.3.2-40
- degradation models (waste containers), 8.3.5.9-36, -41*--44*
 - austenitic alloys (Activity 1.4.3.2), 8.3.5.9-97--106
 - ceramic-metal, bimetallic/single metal, and coatings and filler alternate systems (Activity 1.4.5.3), 8.3.5.9-106--108
 - copper and copper alloys (Activity 1.4.3.1), 8.3.5.9-88--97
 - inputs, 8.3.5.9-41*--44*
- degradation modes (other austenitic) (Subactivity 1.4.3.2.8), 8.3.5.9-106
- degradation modes (other copper) (Subactivity 1.4.3.1.7), 8.3.5.9-97
- degradation modes (waste container), 8.3.5.9-37*--40*
 - austenitic alloys (Activity 1.4.2.3), 8.3.5.9-74--78
 - ceramic-metal, bimetallic/single metal, and coatings, and filler alternate systems (Activity 1.4.2.4), 8.3.5.9-78--86
 - copper-based materials (Activity 1.4.2.2), 8.3.5.9-70--74
- dehydration/rehydration (minerals) activity, 8.3.1.3-52--54
- dehydration/rehydration processes
 - hydrologic properties of near field, 8.3.4.2-53
- demagnetization, thermal, 8.3.1.4-61, -62
- demographic and economic data for special sources (Activity 1.3.1.1.2), 8.3.5.15-8--9
 - description, 8.3.5.15-8
 - objectives, 8.3.5.15-8
 - parameters, 8.3.5.15-8
- demonstration breakout rooms
 - analysis of stress-altered regions, 8.4.2-205--207, -206**

PART B INDEX (Chapter 8)

demonstration breakout rooms (continued)
 constraints and zones of influence,
 8.4.2-111
 effects
 in situ experiment analyses,
 8.4.3-31--32
 thermal/mechanical analyses,
 8.4.3-31--32
 purpose and operations, 8.4.2-111
 stress analyses, 8.4.3-31--32
 see also main test level demonstration
 breakout room and upper demonstration
 breakout room
 demonstration breakout rooms activity,
 8.3.1.15-48--49
 description, 8.3.1.15-48
 methods and technical procedures,
 8.3.1.15-48--49
 objectives, 8.3.1.15-48
 parameters, 8.3.1.15-48
 density, technical procedures for
 rock, 8.3.1.4-63
 soil, 8.3.1.14-47, -48
 see also bulk density and grain density
 density and porosity characterization
 activity, 8.3.1.15-31--34
 description, 8.3.1.15-31, -33
 methods and technical procedures,
 8.3.1.15-33--34
 objectives, 8.3.1.15-31
 parameters, 8.3.1.15-31
 Department of the Air Force, see U.S.
 Department of the Air Force
 Department of Commerce, see U.S. Department
 of Commerce
 Department of Energy, see U.S. Department of
 Energy
 Department of the Interior, see U.S.
 Department of the Interior
 deposition
 and marker system, 8.3.1.9-19--20
 desert geomorphic processes
 and erosion, 8.3.1.6-7
 Desert Research Institute, 8.3.1.12-10
 desert varnish dating
 technical procedures for,
 8.3.1.8-114--115
 and tectonically stable areas,
 8.3.1.17-187--188

design
 assessment
 and radiological safety design,
 8.3.2.3-16
 criteria
 for geologic repository operations
 area, 8.3.2.3-3, -4*--11*
 and International Committee on
 Radiation Protection, 8.3.2.3-16
 and public radiological exposures
 (Issue 2.1), 8.3.5.3-9
 and radiological safety design,
 8.3.2.3-1--39
 for retrieval, 8.3.5.2-25--26
 waste package features, 8.43-79--81
 envelope, waste package
 emplacement hole and near-field
 hydrologic system, 8.3.4.2-25--26
 emplacement hole configuration and
 stability, 8.3.4.2-27--28
 emplacement hole drainage,
 8.3.4.2-26--27
 emplacement hole geochemical system,
 8.3.4.2-23--24
 environment alteration from nonwaste
 package components, 8.3.4.2-31--32
 waste package container material
 8.3.4.2-29--30
 waste package fabrication and handling
 before emplacement, 8.3.4.2-30--31
 waste package thermal loading and
 repository layout, 8.3.4.2-28--29
 see also waste package, design
 envelope
 flexibility
 construction and operations plans,
 8.4.2-219
 exploratory shaft facility layout,
 8.4.2-218
 ground support, 8.4.2-219
 operational schedule, 8.4.2-219
 underground facility, 8.4.2-218--219
 function 1 (postclosure), see underground
 facility configuration selection
 function 2 (postclosure), see water use
 and chemical change limitation
 function 3 (postclosure), see
 excavation-induced change limitation
 function 4 (postclosure), see design
 thermal loading
 interrelationships with performance
 assessment issues, 8.3.4.1-2**

design (continued)

issues

interactions with postclosure

performance issues, 8.3.5.8-3**

interrelationships with performance

assessment issues, 8.3.4.1-2**

Key Issue 1, 8.2-2*, -3*-6*, -12**

Key Issue 2, 8.2-2*, -7*-9*

Key Issue 4, 8.2-2*, 10*-11*

overview, 8.1-3--4

and performance issue correlation,

8.2-12*-14**

see also specific issue

long-term considerations, drift analyses,

8.3.2.5-71--73

objectives for radiological safety,

8.3.2.3-16, -17*-29*, -36

optimization, activities and tests

summary, 8.3.2.1-18--19, -20*

phases

repository, summary, 8.3.2.1-6--8

Title I and II, 8.3.2.1-7--8

of seals, 8.3.3.2-1, -29--31

reference, 8.3.3.2-64--69

techniques

geochemical analysis, 8.3.2.1-21--24

geomechanical analyses, 8.3.2.1-21--24

tradeoff studies, 8.3.2.1-19, -20*;

8.3.3.1-3

design analysis (Information Need 4.4.7),

8.3.2.5-61--84

application of results, 8.3.2.5-84, -84*

hydrologic parameters, 8.3.2.5-63, -65

introduction, 8.3.2.5-61--62

link to supporting information, 8.3.2.5-62

logic, 8.3.2.5-67--75

meteorological parameters, 8.3.2.5-65--66

parameters, 8.3.2.5-63--67

planned analyses summary, 8.3.2.5-76*-81*

principal products and studies summary,

8.3.2.5-63*

rock parameters, 8.3.2.5-63, -64--65

soil parameters, 8.3.2.5-64

technical basis for, 8.3.2.5-62--68

tectonic parameters, 8.3.2.5-63, -66--67

design and operational safety

background, 8.4.2-220

discussion, 8.4.2-220--221

and exploratory shaft facility,

8.4.2-220--221

and surface facility, 8.4.2-220--221

design and operational safety (continued)

and underground excavations,

8.4.2-220--221

design and performance issue requirements, see

performance and design issue requirements

and specific issuedesign and technical feasibility, see

preclosure design and technical feasibility

(Issue 4.4)

design basis (seismic), 8.3.1.17-65

design basis accident development

and licensing strategy, 8.3.5.5-3

design basis accident development (Performance

Assessment Activity 2.3.1.3), 8.3.5.5-23

description, 8.3.5.5-23

objectives, 8.3.5.5-23

parameters, 8.3.5.5-23

design basis accidents

consequence analysis, 8.3.5.1-11

development of, 8.3.5.1-9

dose limits, 8.3.5.5-3

establishment of, 8.3.5.5-3, -23

limiting values for, 8.3.5.5-29

design basis release

fuel reprocessing plant, 8.3.5.14-5

design basis retrievability period,

8.3.5.2-10

design constraints to limit excavation effects

(Information Need 1.11.5), 8.3.2.2-60--64

application of results, 8.3.2.2-64

design activities, 8.3.2.2-64

excavation methods criteria,

8.3.2.2-64

long-term subsidence control,

8.3.2.2-64

information required, 8.3.2.2-62*

interrelationships, 8.3.2.2-20--23, -22**

introduction, 8.3.2.2-60--61

link to supporting information, 8.3.2.2-61

logic, 8.3.2.2-62--64

parameters and information required,

8.3.2.2-62*

and processes associated with postclosure

design function 3 (excavation-induced

change limitation), 8.3.2.2-60*-61*

products, 8.3.2.2-60*-61*

technical basis for, 8.3.2.2-61--64

design constraints to limit water use

(Information Need 1.11.4), 8.3.2.2-54--59

application of results, 8.3.2.2-59

PART B INDEX (Chapter 8)

- design constraints to limit water use
 - (Information Need 1.11.4) (continued)
 - design activities, 8.3.2.2-59
 - chemical changes from construction
 - material inventory criteria, 8.3.2.2-59
 - materials, 8.3.2.2-59
 - water management criteria, 8.3.2.2-59
 - interrelationships, 8.3.2.2-20--23, -22**
 - introduction, 8.3.2.2-54--55
 - link to supporting information, 8.3.2.2-55--56
 - logic, 8.3.2.2-57--59
 - parameters and information needed, 8.3.2.2-56*
 - and processes of postclosure design
 - function 2 (water use and chemical change limitation), 8.3.2.2-56*
 - products, 8.3.2.2-56*
 - technical basis for, 8.3.2.2-55--59
- design criteria for radiological safety, see repository design criteria for radiological safety (Issue 2.7)
- design features contributing to performance
 - air gap use, 8.4.3-35
 - avoidance of surface-water impoundment, 8.4.3-35
 - blast damage limitation, 8.4.3-35
 - control of drainage direction, 8.4.3-34
 - controlled blasting, 8.4.3-35
 - exploratory shaft facility test location, 8.4.3-34
 - location and number of boreholes, 8.4.3-34
 - low flood potential, 8.4.3-34
 - removable shaft liner, 8.4.3-35
 - seal use, 8.4.3-35
 - separation of ESF tests and emplacement, 8.4.3-34
 - waste package containment, 8.4.3-35
 - water removal by ventilation systems, 8.4.3-35
 - water use control, 8.4.3-34--35
- design of items important to safety, function 2
 - functional requirement of mined geologic disposal system, 8.3.2.3-15, -24*--27*
- design or performance and fault displacement, see fault displacement investigation
- design thermal loading, postclosure design
 - function 4, 8.3.2.2-16--20, -17*--18*
 - borehole collapse limitation, 8.3.2.2-20
- design thermal loading, postclosure design
 - function 4 (continued)
 - corrosive container environment
 - limitation, 8.3.2.2-20
 - near-field temperature change limitation, 8.3.2.2-19--20
 - needed confidence, 8.3.2.2-17*--18*
 - performance goals, 8.3.2.2-17*--18*
 - performance measures, 8.3.2.2-17*--18*
 - rock movement and preferential pathways
 - limitation, 8.3.2.2-19
 - surface impact limitation, 8.3.2.2-19
 - temperature change in adjacent strata
 - limitation, 8.3.2.2-16, -19
- design verification (in situ) study, 8.3.1.15-70--76
 - see also in situ design verification
- detachment fault age evaluation (radiometric)
 - activity, 8.3.1.17-151--153
 - description, 8.3.1.17-152
 - methods and technical procedures, 8.3.1.17-153
 - objectives, 8.3.1.17-151
 - parameters, 8.3.1.17-152
- detachment fault on the Nevada Test Site, synthesis, technical procedures for, 8.3.1.17-203
- detachment faulting and Miocene-Paleozoic contact activity, 8.3.1.17-145--146
- detachment faults at or proximal to Yucca Mountain study, 8.3.1.17-143--153
 - activities, 8.3.1.17-145--153
 - Beatty-Bare Mountain detachment fault
 - evaluation, 8.3.1.17-147--149
 - detachment fault age evaluation (radiometric), 8.3.1.17-151--153
 - megabreccia (Crater Flat) and detachment faulting, 8.3.1.17-149--150
 - Miocene-Paleozoic contact and detachment faulting, 8.3.1.17-145--146
 - Specter Range and Camp Desert Rock detachment faults, 8.3.1.17-150--151
 - objectives, 8.3.1.17-143--145
- detachment faults postulated in Specter Range and Camp Desert Rock areas evaluation
 - activity, 8.3.1.17-150-151
 - description, 8.3.1.17-150--151
 - methods and technical procedures, 8.3.1.17-151
 - objectives, 8.3.1.17-150

- detachment faults postulated in Specter Range and Camp Desert Rock areas evaluation activity (continued)
 - parameters, 8.3.1.17-150
- detailed exploration activity, 8.3.1.14-43--44
 - description, 8.3.1.14-44
 - methods and technical procedures, 8.3.1.14-44
 - objectives, 8.3.1.14-43
 - parameters, 8.3.1.14-44
- development prototype boring machine
 - consideration of results, 8.3.2.5-93
 - and underground facility, 8.4.2-127
- deviatorometer surveys, technical procedures for, 8.3.1.2-280, -296, -314
- diatom biology
 - and paleontologic analyses, 8.3.1.5-44--45
 - and past discharge areas, 8.3.1.5-100
- differential elastic response to heating
 - potentially likely conditions, evaluation of, 8.4.3-59--60
- differential scanning calorimetry, technical procedures for, 8.3.1.3-53--54
- diffusion study, 8.3.1.3-112--115
 - activities, 8.3.1.3-112--115
 - diffusion through saturated tuff slab, 8.3.1.3-113--114
 - diffusion through unsaturated tuff block, 8.3.1.3-114--115
 - radionuclide uptake on rock beakers, 8.3.1.3-112--113
 - test matrix, 8.3.1.3-98*
- diffusion tests
 - constraints and zones of influence, 8.4.2-140
 - gaseous tracers, 8.4.2-74
 - purpose and operations, 8.4.2-140
- diffusion tests in ESF activity, 8.3.1.2-320--322
 - description, 8.3.1.2-320--321
 - methods and technical procedures, 8.3.1.2-321--322
 - objectives, 8.3.1.2-320
 - parameters, 8.3.1.2-320
- diffusion tests in ESF study, 8.3.1.2-320--322
 - activity
 - diffusion tests in ESF, 8.3.1.2-320--322
- diffusion through saturated tuff slab
 - activity, 8.3.1.3-113--114
 - description, 8.3.1.3-113--114
- diffusion through saturated tuff slab activity (continued)
 - methods and technical procedures, 8.3.1.3-114
 - objectives, 8.3.1.3-113
 - parameters, 8.3.1.3-113
- diffusion through unsaturated tuff block
 - activity, 8.3.1.3-114--115
 - description, 8.3.1.3-114
 - methods and technical procedures, 8.3.1.3-115
 - objectives, 8.3.1.3-114
 - parameters, 8.3.1.3-114
- diffusivity analysis, technical procedures for, 8.3.1.2-322
- dikes, 8.3.1.8-83
 - chemical and physical changes around, 8.3.1.8-125--127
 - and mineral changes, 8.3.1.8-102
 - undetected, Ross study, 8.3.5.13-32
- dip and altitude change models, 8.3.1.8-87--88
- direct shear strength technical procedures
 - rock discontinuities, 8.3.1.14-53
 - soils, 8.3.1.14-52
- discharge
 - area evaluation (past) activity, 8.3.1.5-98--106
 - carbonate aquifer, 8.3.1.5-100
 - data needs, 8.3.1.2-89--90
 - and evapotranspiration, 8.3.1.5-99
 - Franklin Lake, 8.3.1.5-98
 - ground water, technical procedures for, 8.3.1.5-102--105
 - and ostracodes, 8.3.1.5-100
 - and Quaternary ground-water conditions, 8.3.1.5-93
 - subregional ground-water flow study area, 8.3.1.2-135**
- discrete fault
 - and sealing, 8.3.3.1-5
- discrete fracture models
 - and ground-water travel time, 8.3.5.12-42--43
- dispersion modeling, 8.3.1.12-9, -14--15, -16, -22, -23--24
 - parameters, 8.3.1.12-22
 - technical procedures for, 8.3.1.12-14--15, -22, -23--24
- disposal system
 - design objectives, 8.0-8--9
 - major elements, 8.0-6**

- disposal system (continued)
 - top-level strategy, 8.0-4--7
 - see also mined geologic disposal system, Yucca Mountain
- disruptive scenario class
 - events and processes, 8.4.3-52--53, -62--72
- disruptive scenario classes, evaluation of, 8.4.3-62--72
 - climate control, 8.4.3-66
 - exploratory drilling, 8.4.3-65--66
 - extreme climate change, 8.4.3-63--64
 - extrusive magmatic activity, 8.4.3-65
 - faulting and seismicity, 8.4.3-64
 - folding, uplift, and subsidence, 8.4.3-71
 - intentional ground-water withdrawal, 8.4.3-65
 - irrigation, 8.4.3-65
 - magmatic intrusion, 8.4.3-65
 - regional changes in tectonic regimes, 8.4.3-71
 - resource mining, 8.4.3-66
 - stream erosion, 8.4.3-64
 - summary, 8.4.3-71--72
 - surface flooding or impoundments, 8.4.3-66--71
- disruptive scenario survey, see Ross study
- disruptive scenarios, major impacts summary, 8.4.3-71--72
- dissolution and leaching of spent fuel (Subactivity 1.5.2.1.1), 8.3.5.10-44--45
- dissolution disqualifying condition, 8.3.5.18-16
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-16
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-6(d), 8.3.5.18-16
- dissolution evidence (Issue 1.8 potentially adverse condition 10)
 - discussion, 8.3.5.17-55, -61
 - text of condition, 8.3.5.17-5*
- dissolution of phases (Activity 1.10.4.1.4), 8.3.4.2-46--47
 - description, 8.3.4.2-46--47
 - objectives, 8.3.4.2-46
 - parameters, 8.3.4.2-46
- dissolution qualifying condition, 8.3.5.18-17
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-17
- dissolution qualifying condition (continued)
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-6(a), 8.3.5.18-16
- dissolution rates
 - higher level finding, 8.3.1.7-2
 - waste form, 8.3.5.10-36--37
- dissolution rates investigation, 8.3.1.7-1--2
 - application of results, 8.3.1.7-2
 - link to supporting information, 8.3.1.7-1
 - technical basis for, 8.3.1.7-1--2
 - technical rationale, 8.3.1.7-1--2
- dissolution technical guidelines
 - and higher level findings (Issue 1.9(a)), 8.3.5.18-18
- dissolved oxygen measurement, technical procedures for, 8.3.1.2-422
- dissolved species concentration limits study, 8.3.1.3-88--92
 - activities, 8.3.1.3-88--92
 - solubility measurements, 8.3.1.3-88--91
 - solubility modeling, 8.3.1.3-92
 - speciation measurements, 8.3.1.3-91--92
- DISSPLA, 8.3.1.3-62
- distribution coefficients
 - altered along fault lines, 8.3.1.8-102
 - caused by igneous intrusions, 8.3.1.8-101
 - changes resulting from tectonic processes, 8.3.1.8-101--104, -105
 - and travel pathways, 8.3.1.8-103--104
- distribution of minerals, see mineralogy, petrology, rock characteristics investigation
- disturbed zone
 - accessible environment flow, 8.3.5.12-10, -16, -23
 - boundary, 8.3.5.12-23, -24
 - assumption, 8.3.5.12-1
 - definition
 - parameter needs, 8.3.5.12-61*--62*
 - performance allocation summary, 8.3.5.12-59*
 - fastest likely radionuclide travel to accessible environment, 8.3.5.12-49--52
 - and fracture flow, 8.3.5.12-4
 - isopach contour map of distance to water table, 8.3.5.12-12**
 - pre-waste emplacement GWT to accessible environment, 8.3.5.12-52--54

PART B INDEX (Chapter 8)

- disturbed zone (continued)
 - travel time to accessible environment
 - models, 8.3.5.12-40--48
 - water table pathway, 8.3.5.12-11, -18**
 - 10 CFR Part 60 definition, 8.3.5.12-1, -55
- disturbed zone boundary (Information Need 1.6.5), 8.3.5.12-55--63
 - activities, 8.3.5.12-62--63
 - disturbed zone definition, 8.3.5.12-63
 - post-emplacement ground-water travel time, 8.3.5.12-62--63
 - application of results, 8.3.5.12-63
 - link to supporting information, 8.3.5.12-55
 - logic, 8.3.5.12-55--59
 - parameters, 8.3.5.12-60--62
 - technical basis for, 8.3.5.12-55--62
- disturbed zone definition (Activity 1.6.5.2), 8.3.5.12-63
 - description, 8.3.5.12-63
 - objectives, 8.3.5.12-63
- DOC, see U.S. Department of Commerce
- DOE, see U.S. Department of Energy
- DOE Order 4700.1
 - construction schedule, 8.3.2.1-7
- DOI, see U.S. Department of the Interior
- dose assessment meteorological data summary activity, 8.3.1.12-22--25
- dose calculation--ground-water pathway (Activity 1.2.1.1), 8.3.5.14-10
- double porosity model
 - and ground-water travel time, 8.3.5.12-42
- double-ring infiltrometer studies, 8.3.1.2-175
 - and infiltration-runoff units, 8.3.1.2-159
- down-dip fault geometries, 8.3.1.8-84
- down-hole
 - instrument cavities, 8.3.1.2-210
 - seismic method, technical procedures for, 8.3.1.14-63
- downcutting, Fortymile Wash, 8.3.1.6-11
 - and erosion, 8.3.1.6-9
- downcutting history of Fortymile Wash activity, 8.3.1.6-11--13
 - description, 8.3.1.6-11--12
 - methods and technical procedures, 8.3.1.6-12--13
 - objectives, 8.3.1.6-11
 - parameters, 8.3.1.6-11
- DPBM, see development prototype boring machine
- Draft Mission Plan Amendment, 8.3.1.9-51
- drainage and moisture control plan, product 1.11.3-4
 - information needed, 8.3.2.2-48*
 - status, 8.3.2.2-37, -50
- drainage and moisture control plan (Design Activity 1.11.3.4), 8.3.2.2-53
 - objective, 8.3.2.2-53
- drainage direction control, design consideration, 8.4.3-34
- drained triaxial strength--soils, technical procedures for, 8.3.1.14-52
- DRI, see Desert Research Institute
- drift analyses
 - codes, 8.3.2.5-73
 - and ground support design, 8.3.2.5-71
 - and horizontal emplacement, 8.4.3-28, -29
 - long-term design considerations, 8.3.2.5-71--73
 - ubiquitous joint model, 8.4.3-28
 - vertical emplacement, 8.4.3-28, -29
- drift collapse limitation
 - excavation-induced change limitation, postclosure design function 3, 8.3.2.2-16
- drift construction, system element 1.2.1.2
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-88--89
 - functions and processes, 8.3.2.5-22*--23*
 - parameters for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-89--91
 - performance measures and goals for monradiological health and safety, 8.3.2.4-12*--14*
 - preliminary performance allocation, 8.3.2.5-22*--23*
 - underground facilities technology, 8.3.2.5-88--89
- drift-pumpback tests
 - at C-hole sites, 8.3.1.2-401, -402**
 - at selected wells, 8.3.1.2-409
 - technical procedures for, 8.3.1.2-404--405, -421
- drift scale analyses
 - parameters, 8.3.2.2-69*
 - summary, 8.3.2.2-73
- drift shape
 - effects on stability, 8.4.3-28
 - shaft and drift analyses, 8.4.3-28
 - thermal/mechanical analyses, 8.4.3-28

PART B INDEX (Chapter 8)

- drift stability
 - constraints and zones of influence, 8.4.2-131
 - purpose and operations, 8.4.2-130--131
- drift wall saturation, effects of ventilation, 8.4.3-22
- drifting, and southeastern repository block, 8.4.2-31--32
- drifts
 - conceptual layout, 8.3.1.4-76**
 - to Drill Hole Wash, 8.4.2-195
 - geologic mapping, 8.3.1.4-74--79
 - to Ghost Dance fault, 8.4.2-194--195
 - to imbricate normal fault zone, 8.4.2-176**, -195
 - sequential mining activity, 8.3.1.15-49--52
 - stability monitoring activity, 8.3.1.15-73--74
 - description, 8.3.1.15-73--74
 - methods and technical procedures, 8.3.1.15-74
 - objectives, 8.3.1.15-73
 - parameters, 8.3.1.15-73
 - unventilated
 - thermal stresses and displacement, 8.4.3-27--28
- drill-bit cuttings, technical procedures for, 8.3.1.2-258--260, -314
- drill core handling, technical procedures for, 8.3.1.2-430
- drill cutting, technical procedures for, 8.3.1.15-83
- Drill Hole Wash
 - drift to, 8.4.2-195
 - and perimeter drift, 8.3.1.4-29
 - and sealing, 8.3.3.1-4, -5
- drill pads, and potential surface disturbance, 8.4.2-48*, -59--60
- drillholes
 - decontamination and decommissioning, 8.7-2
 - density of, anticipated maximum, 8.3.1.9-48
 - existing and proposed (geologic), 8.3.1.2-378**
 - and heat flow, 8.3.1.8-128
 - sampling, technical procedures for, 8.3.1.4-100
 - systematic drilling program
 - areal coverage scheme, 8.3.1.4-90**--91**
- drillholes (continued)
 - systematic drilling program (continued)
 - small-scale variability test
 - locations, 8.3.1.4-94**--95**
 - volcanism, 8.3.1.8-108, -109**, -110*--111*
 - see also boreholes, geologic coreholes, geologic boreholes, and specific USW entries
- drilling
 - disturbance of rock mass, 8.3.1.2-210, -300
 - fluids and effects, 8.4.3-14--17
 - with gas
 - fracture and hydrologic conditions, 8.4.3-15
 - with water
 - fracture and hydrologic conditions, 8.4.3-14--15
 - hydrologic behavior of fracture matrix system, 8.4.3-14
- drilling activities
 - and ground-water travel time, 8.4.3-87
 - potential impact
 - deep borings drilled dry, 8.4.3-40--41
 - geologic coreholes drilled with water, 8.4.3-42
 - saturated zone boreholes, 8.4.3-42
 - shallow borings drilled dry, 8.4.3-39--40
- drilling and coring, technical procedures for, 8.3.1.2-314, -318, -322; 8.3.1.4-100
- drilling (exploratory) and probability of human interference, 8.3.1.9-48
- drilling and testing, water use estimates, 8.4.2-82*--84*
- drilling evidence (Issue 1.8 potentially adverse condition 19)
 - discussion, 8.3.5.17-78
 - text of condition, 8.3.5.17-6*
- drilling fluid
 - effects in fracture-matrix saturation, 8.4.3-15
 - and fracture-matrix saturation analysis, 8.4.3-14--15
 - loss and USW G-4, 8.4.3-16--17
 - migration
 - hydrological analyses and data, 8.4.3-15--16
 - USW UZ-1 and USW G-1, 8.4.3-15--16
 - and unsaturated zone flow, 8.4.3-14--17

- drilling fluids
 - G-Tunnel Rock Mechanics Facility, 8.4.2-86
 - and prototype test program, 8.4.2-86
- drilling program, integrated, see integrated drilling program investigation
- drilling program (systematic) activity, 8.3.1.4-87--100
 - see also systematic drilling program investigation
- drilling related activities, 8.4.2-64--80
 - summary, 8.4.2-65*--72*
- dry bulk measurement, technical procedures for, 8.3.1.15-33
- dry drilling
 - and construction control, 8.4.2-81
 - G-Tunnel Rock Mechanics Facility, 8.4.2-86
 - and prototype test program, 8.4.2-86
- dust control, underground support systems, 8.4.2-197
- dust technical procedures
 - measurements 8.3.1.15-76
 - trap sampling, 8.3.1.5-64
- Dutch cone test, 8.3.1.14-41, -57, -58
- dynamic sounding, technical procedures for, 8.3.1.14-43
- dynamic transport column experiments
 - study, 8.3.1.3-100--111
 - activities, 8.3.1.3-101--111
 - crushed tuff column experiments, 8.3.1.3-100--105
 - filtration, 8.3.1.3-110--111
 - fractured tuff column studies, 8.3.1.3-109--110
 - mass transfer kinetics, 8.3.1.3-105--107
 - unsaturated tuff columns, 8.3.1.3-107--108
- dynamic transport study, test matrix, 8.3.1.3-98*
- earth-tide and barometric analysis, 8.3.1.2-384, -390
 - test well configurations, 8.3.1.2-391**
- earthquake ground motion models activity, 8.3.1.17-76
 - description, 8.3.1.17-76
 - objectives, 8.3.1.17-76
 - parameters, 8.3.1.17-76
- earthquake record compilation activity, 8.3.1.17-88--89
 - description, 8.3.1.17-88--89
 - objectives, 8.3.1.17-88
 - parameters, 8.3.1.17-88
- earthquake recurrence rates, 8.3.1.17-82
 - and design, 8.3.1.17-65
- earthquake source evaluation activity, 8.3.1.17-82--84
 - description, 8.3.1.17-83
 - methods and technical procedures, 8.3.1.17-84
 - objectives, 8.3.1.17-82
 - parameters, 8.3.1.17-82--83
- earthquake (relevant) sources study, 8.3.1.17-69--74
 - activities, 8.3.1.17-69--74
 - earthquake (relevant) source identification, 8.3.1.17-69--70, -71**, -72
 - seismogenic source cumulative slip earthquake, 8.3.1.17-72--74
- earthquakes
 - and water-table changes, 8.3.1.8-91
- earthquakes (historical) (Issue 1.8 potentially adverse condition 12)
 - discussion, 8.3.5.17-61--62
 - text of condition, 8.3.5.17-5*
- earthquakes and geologic setting (Issue 1.8 potentially adverse condition 14)
 - discussion, 8.3.5.17-62--70
 - text of condition, 8.3.5.17-5*
- earthquakes and tectonic processes (Issue 1.8 potentially adverse condition 13)
 - discussion, 8.3.5.17-5*
 - text of condition, 8.3.5.17-5*
- ease and cost of construction
 - qualifying and disqualifying conditions preliminary findings, 8.3.5.7-4*
 - see also higher level findings--ease and cost of construction (Issue 4.1)
- EBS
 - alternative designs, 8.3.5.9-15
 - field tests
 - constraints and zones of influence, 8.4.2-141, -143
 - and performance confirmation testing, 8.3.5.16-2*
 - purpose and operations, 8.4.2-141
 - general and performance objectives, 8.0-7--8
 - and ground-water composition, 8.3.1.3-23

EBS (continued)

performance requirements, 8.3.3.2-2
and postclosure performance assessment,
8.5-64--65
release rate, postclosure performance
objectives, 8.4.3-1, -2, -3
releases
and container, 8.4.3-84
and engineered environment,
8.4.3-83--84
evaluation of system elements,
8.4.3-83--85
impacts of site characterization
activities, 8.4.3-81--85
issue resolution strategy,
8.4.3-81--82
and waste form, 8.4.3-84
EBS field tests (Study 1.10.4.4)
activities, 8.3.4.2-57--58, -61--63
flow and transport analysis in near
field, 8.3.4.2-61--63,
near-field hydrologic properties,
8.3.4.2-57--58
rock-water interaction in repository
horizon, 8.3.4.2-58
description, 8.3.4.2-57
and G-Tunnel, 8.3.4.2-57
EBS release rates (Issue 1.5), 8.3.5.10-1--93
alternative resolution approaches,
8.3.5.10-13**
approach, 8.3.5.10-2--38
barriers available for characterization if
needed, 8.3.5.10-37--38
barriers not to be characterized,
8.3.5.10-38
chemistry of water that enters failed
containers, 8.3.5.10-36
components dissolution rate and
radionuclides solubility,
8.3.5.10-36--37
and containment by waste package
(Issue 1.4), 8.3.5.9-6, -7**, -11,
-32
environmental transport of radionuclides,
8.3.5.10-38
geochemistry program parameter calls,
8.3.1.3-1, -2**, -8*, -11**
and geohydrology program, 8.3.1.2-5**
and hydrology of the waste package
environment, 8.3.4.2-25

EBS release rates (Issue 1.5) (continued)

information needs, 8.3.5.10-39--82
EBS scenarios and models (1.5.3),
8.3.5.10-55--76
waste form material properties
(1.5.2), 8.3.5.10-42--55
waste package and EBS release rates
(1.5.4), 8.3.5.10-76--79
waste package design features
(affecting radionuclide releases)
needed (1.5.1), 8.3.5.10-39--42
waste-package near-field releases
(1.5.5), 8.3.5.10-79--82
see specific information need for
activity and subactivity lists
interrelationships, 8.3.5.10-38--39
issue resolution strategy, 8.3.5.10-1--38
major events and completion dates,
8.3.5.10-86*--93*; 8.5-68, -69**, -70
model hierarchy, 8.3.5.10-3**
model input, 8.3.5.10-4*--10*
model scenarios, 8.3.5.10-4*
and other design and performance
assessment issues, 8.3.2.1-2**;
8.3.4.1-1, -2**, -3
parameters calls from Issue 1.10 (waste
package characteristics--postclosure),
8.3.4.2-11*--22*
performance measures and goals,
8.3.5.10-17*--18*
post-acceptance, preemplacement storage,
handling of waste forms, 8.3.5.10-35--36
postclosure guideline qualifying and
disqualifying conditions,
8.3.5.18-7--8
and postclosure performance assessment,
8.3.5.8-2, -3*, -4
and preclosure tectonics program,
8.3.1.17-206
and qualifying and disqualifying
conditions of Issue 1.9(a),
8.3.5.18-7--8
and reference postclosure repository
design (Information Need 1.11.7),
8.3.2.2-75
reference resolution approach,
8.3.5.10-12**
and regulatory requirements, 8.3.1.2-2;
8.3.5.10-1--2
spent fuel and glass waste performance
parameters/goals, 8.3.5.10-20*--27*

PART B INDEX (Chapter 8)

EBS release rates (Issue 1.5) (continued)
 spent fuel waste component performance
 parameters/goals, 8.3.5.10-28*
 schedule, 8.3.5.10-82--93; 8.5-68, -69**
 and system guideline qualifying condition
 --postclosure, 8.3.5.18-7--8, -9--10
 and total system performance (Issue 1.1),
 8.3.5.10-1--2, -3**, -30
 waste form definition, 8.3.5.10-30,
 -34--35
 water composition performance
 parameters/goals, 8.3.5.10-19*

EBS scenarios and models (Information
 Need 1.5.3), 8.3.5.10-55--76
 activities, 8.3.5.10-58--75
 geochemical speciation and reaction
 model, 8.3.5.10-62--66
 glass waste form release model,
 8.3.5.10-68--70
 spent fuel release models,
 8.3.5.10-66--68
 waste package performance assessment
 model, 8.3.5.10-70--75
 waste package release scenario
 integration, 8.3.5.10-58--62
 application of results, 8.3.5.10-75--76
 link to technical data, 8.3.5.10-55--56
 logic, 8.3.5.10-58
 parameters, 8.3.5.10-56--57
 subactivities
 breached container and water flow,
 8.3.5.10-74--75
 geochemical model code,
 8.3.5.10-64--66
 geochemical modeling data base,
 8.3.5.10-63--64
 glass waste form release model,
 8.3.5.10-68--70
 spent fuel release model,
 8.3.5.10-66--68
 system model development (waste
 package performance assessment),
 8.3.5.10-70--73
 uncertainty methodology development
 (waste package), 8.3.5.10-73--74
 waste package adequacy of design
 determination, 8.3.5.10-61--62
 waste package release scenario
 categories, 8.3.5.10-59--60
 waste package release scenario
 integration, 8.3.5.10-58--59

EBS scenarios and models (Information
 Need 1.5.3) (continued)
 subactivities (continued)
 waste package release scenario
 parameters, 8.3.5.10-60--61
 technical basis, 8.3.5.10-55--57
 effective permeability and GWT, 8.3.1.4-17
see also permeability
 effective porosity
 and faulting, 8.3.1.8-95--97
 and igneous intrusions, 8.3.1.8-95
 and tectonic effects study, 8.3.1.8-94--97
see also porosity entries
 effects of human interference,
 investigation, 8.3.1.9-45--51
 activities
 human intrusion data compilation,
 8.3.1.9-48
 noncredible human intrusion initiating
 events, 8.3.1.9-50
 potential effects of future ground-
 water withdrawals, 8.3.1.9-49
 application of results, 8.3.1.9-51
 links to supporting information,
 8.3.1.9-45
 logic diagram, 8.3.1.9-47**
 parameters, 8.3.1.9-45
 purpose and objectives, 8.3.1.9-45--46
 studies
 human intrusion data requirements,
 8.3.1.9-46--48
 natural resource exploitation
 effects, 8.3.1.9-49--50
 technical basis for, 8.3.1.9-45--46
 technical rationale, 8.3.1.9-46
 elastic media
 and structural-thermal analysis,
 8.3.2.5-68
 elastic models
 analysis of drift shape and pillar width,
 8.4.3-28
 elastic-plastic media
 and structural-thermal analysis,
 8.3.2.5-68
 electrical conductivity, technical procedures
 for, 8.3.1.2-422
 electrical facilities, exploratory shaft
 facility, 8.4.2-161--162
 electrical methods
 geophysical activities, 8.3.1.4-50*
 preclosure and postclosure tectonics
 summary, 8.3.1.17-109*

PART B INDEX (Chapter 8)

- electrical methods (continued)
 - technical procedures for, 8.3.1.14-63
- electromagnetic surveys, technical procedures for, 8.3.1.4-57
- electron microprobe
 - analysis, technical procedures for, 8.3.1.3-44, -45, -46, -47, -48, -51, -58, -62
 - and rock-water interactions, 8.3.4.2-43
- element analyses of bulk sediments
 - and geochemical analyses, 8.3.1.5-50
- elution rate, radionuclides, 8.3.1.3-105--106
- embrittlement
 - austenitic materials, 8.3.5.9-75, -76, -78, -98
 - copper-based alloys, 8.3.5.9-44, -54, -57, -72, -89, -92, -93
 - hydrogen effects, 8.3.5.9-41*, -43*, -45, -65, -68, -72, -78, -93
 - microstructural changes, 8.3.5.9-53
- empirical climate modeling activity, 8.3.1.5-39, -86--88
 - description, 8.3.1.5-86--87
 - methods and technical procedures, 8.3.1.5-88
 - objectives, 8.3.1.5-86
 - parameters, 8.3.1.5-86
- empirical model testing, technical procedures for, 8.3.1.2-355
- empirical structural design
 - shafts and ramps, 8.3.2.5-69
- emplacement, system element 1.2.2.4
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-91, -94
 - and equipment demonstration, 8.3.2.5-59
 - functions and processes, 8.3.2.5-29*
 - parameters for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-89
 - preliminary performance allocation, 8.3.2.5-29*
 - underground facilities technology, 8.3.2.5-88--89
- emplacement borehole access function 1, 8.3.5.2-10, -14
 - performance measures and goals, 8.3.5.2-11*--12*
- emplacement borehole access (Information Need 2.4.2), 8.3.5.2-30--36
 - application of results, 8.3.5.2-35--36
 - link to supporting information, 8.3.5.2-31
- emplacement borehole access (Information Need 2.4.2) (continued)
 - logic, 8.3.5.2-31--32
 - parameters, 8.3.5.2-31
 - preclosure design and technical feasibility (Issue 4.4) input items, 8.3.5.2-32*--33*, -35
 - technical basis for, 8.3.5.2-31--35
- emplacement configuration and stability
 - description, 8.3.4.2-27--28
 - design envelope, waste package, 8.3.4.2-27--28
 - rock-induced load on waste package design goal, 8.3.4.2-28
- emplacement drifts
 - arched, and thermal stresses, 8.4.3-29
 - and effects of rock bolting, 8.4.3-29
 - and porosity, 8.4.3-28--29
 - and rock strength, 8.4.3-28--29
 - sensitivity study for drift failure, 8.4.3-29
 - and stresses, 8.4.3-29
 - at unventilated intersection, 8.4.3-29
- emplacement hole and near-field hydrologic system
 - description, 8.3.4.2-25--26
 - design envelope, waste package, 8.3.4.2-25--26
 - studies to characterize, 8.3.4.2-25--26
 - water flux control design goal, 8.3.4.2-26
- emplacement hole drainage
 - description, 8.3.4.2-26--27
 - design envelope, waste package, 8.3.4.2-26--27
 - design goal, 8.3.4.2-27
- emplacement hole geochemical system
 - description, 8.3.4.2-23--24
 - design envelope, waste package, 8.3.4.2-23--24
 - design goal, 8.3.4.2-27
 - and horizontal emplacement, 8.3.4.2-27
 - and water chemistry characterization goal, 8.3.4.2-23--24
- emplacement hole spacing
 - and waste package temperature limits, 8.3.2.2-43
- emplacement method (seals)
 - material effects, 8.3.3.2-63
- end-member free energies activity, 8.3.1.3-61--63
 - description, 8.3.1.3-61

- end-member free energies activity
 - (continued)
 - methods and technical procedures, 8.3.1.3-61--63
 - objectives, 8.3.1.3-61
 - parameters, 8.3.1.3-61
- energy consumption, ground water pumping, technical procedures for, 8.3.1.16-19, -21, -23
- energy resources, 8.3.1.9-20, -22**, -27--29
- engineered barrier system, see EBS
- engineered environment
 - and EBS release, 8.4.3-83--85
 - enhancement, 8.3.5.9-12
 - impacts on, 8.4.3-75--79
 - quality of liquid water contacting container, 8.4.3-77--78
 - quantity of liquid water contacting container, 8.4.3-75--77
 - rock-induced loads on waste package, 8.4.3-78--79
- engineered system technical concern
 - correlations, 8.2-50*--60*
- environment alteration from nonwaste packages
 - components description, 8.3.4.2-31--32
 - design envelope component, 8.3.4.2-31--32
- Environmental Consultants, Inc.
 - and COVE 1, 8.3.5.20-4*
- environmental impact statement, 8.2-67**
- environmental impacts
 - decontamination and decommissioning, 8.7-1
 - plans for mitigation, 8.7-6
- environmental measurements, technical
 - procedures for, 8.3.1.15-76
- Environmental Protection Agency, see U.S. Environmental Protection Agency
- Environmental Regulatory Compliance Plan, 8.7-3
- environmental tracers, see tracers
- environmental transport
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-11
 - see also transport
- eolian deposits
 - dating, 8.3.1.17-161
 - and Quaternary fault movements, 8.3.1.5-73
- eolian history of the Yucca Mountain region
 - activity, 8.3.1.5-72--76
 - description, 8.3.1.5-73--75
 - methods and technical procedures, 8.3.1.5-75--76
- eolian history of the Yucca Mountain region
 - activity (continued)
 - objectives, 8.3.1.5-72
 - parameters, 8.3.1.5-73
- eolian sand technical procedures
 - dating by identification of volcanic ash, 8.3.1.5-76
 - textural and mineralogic characteristics, 8.3.1.5-76
- eolian sediments, immobile trace element, geochemistry of, 8.3.1.5-74, -76
- eolian silt technical procedures
 - distribution and thickness, 8.3.1.5-76
 - thermoluminescence dating, 8.3.1.5-76
- EPA, see U.S. Environmental Protection Agency
- episodic brecciation, 8.3.1.8-96
- EPPM, see expected partial performance measures
- EQ3/6, 8.3.1.3-56--57; 8.3.5.10-70
 - code development, 8.3.5.10-62--66
 - fluid models, 8.3.5.10-63
 - geochemical modeling, 8.3.4.2-48
 - glass models, 8.3.5.10-53, -54
 - ground-water chemistry, 8.3.1.3-38--39
 - mineral evolution modeling, 8.3.1.3-61
 - model input and needed confidence, 8.3.5.10-5*, -67
 - and modeling of rock-water interactions, 8.3.4.2-49
 - and performance assessment, 8.3.5.19-2*, -4*
 - solubility modeling, 8.3.1.3-92
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3*
- equipment development and demonstration
 - constraints and zones of influence, 8.4.2-127
 - purpose and operations, 8.4.2-126--127
- equipment development and demonstration (Information Need 4.4.6), 8.3.2.5-57--61
 - application of results, 8.3.2.5-60--61
 - introduction, 8.3.2.5-57
 - link to supporting information, 8.3.2.5-57
 - logic, 8.3.2.5-58--60
 - parameters, 8.3.2.5-57--58
 - technical basis for, 8.3.2.5-57
- equivalent porous medium model
 - and ground-water travel time, 8.3.5.12-41
- erosion
 - in controlled area, 8.3.1.6-27, -28; 8.3.1.9-16, -17**, -18, -19
 - and desert geomorphic processes, 8.3.1.6-7

PART B INDEX (Chapter 8)

- erosion (continued)
 - and dissection rates, technical procedures for, 8.3.1.17-191
 - and extensional tectonism, 8.3.1.6-7, -20, -22
 - and flow path geochemical characteristics, 8.3.1.6-27
 - and GWTT, 8.3.1.6-4, -26
 - landforms, and surficial deposits, 8.3.1.5-70
 - and marker system, 8.3.1.9-19--20
 - modern, locations, 8.3.1.6-7
 - and paleoclimate-paleoenvironmental synthesis, 8.3.1.6-18--19
 - present conditions, see present conditions (erosion) investigation
 - Quaternary, 8.3.1.6-7, -19
 - repository exhumation, 8.3.1.6-27
 - and runoff, 8.3.1.6-4, -9
 - scars, technical procedures for, 8.3.1.5-95
 - and subsidence rates, 8.3.1.6-22, -23
 - Tertiary, 8.3.1.6-7
 - and uplift, 8.3.1.6-22, -23
- erosion (Quaternary) (Issue 1.8 potentially adverse condition 16)
 - discussion, 8.3.5.17-76--77
 - text of condition, 8.3.5.17-5*
- erosion and deposition effects on marker survivability synthesis activity, 8.3.1.9-19--20
 - description, 8.3.1.9-19--20
 - methods and technical procedures, 8.3.1.9-20
 - objectives, 8.3.1.9-19
 - parameters, 8.3.1.9-19
- erosion disqualifying condition, 8.3.5.18-16
 - and postclosure performance issues, 8.3.5.18-7--8
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-16
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-5(d), 8.3.5.18-16
- erosion distribution and characteristics study
 - activities, 8.3.1.6-10--14
 - downcutting of Fortymile Wash, 8.3.1.6-11--13
 - geomorphic map development, 8.3.1.6-10--11
 - hillslope erosion, 8.3.1.6-13--14
 - erosion distribution and characteristics study (continued)
 - objectives, 8.3.1.6-10
 - erosion effects on hydrology investigation, 8.3.1.6-23--28
 - application of results, 8.3.1.6-28
 - interrelationships, 8.3.1.6-4, -5**
 - logic diagram, 8.3.1.6-24**
 - parameters, 8.3.1.6-25
 - purpose and objectives, 8.3.1.6-26
 - study
 - topical report, 8.3.1.6-27
 - technical basis for, 8.3.1.6-25
- erosion program, 8.3.1.6-1--31
 - activity parameters provided by, 8.3.1.6-3*
 - approach, 8.3.1.6-1--4
 - and climate program, 8.3.1.5-1--3, -2**
 - and geohydrology program, 8.3.1.2-147
 - and human interference program, 8.3.1.6-1, -2
 - interrelationships, 8.3.1.6-4--6
 - investigations, 8.3.1.6-6--28
 - climate effects on erosion, 8.3.1.6-15--19
 - erosion effects on hydrology, 8.3.1.6-23--28
 - present conditions (erosion), 8.3.1.6-6--15
 - tectonic effects on erosion, 8.3.1.6-19--23
 - see specific investigations for study and activity listings
 - logic diagram, 8.3.1.6-5**
 - major events and completion dates, 8.3.1.6-30*--31*; 8.5-15, -16**, -17
 - overview, 8.3.1.6-1--6
 - parameter calls, 8.3.1.6-1, -3*, -5**
 - performance and design requirements, summary, 8.3.1.6-1
 - post-subsurface-excavation environment, 8.3.2.1-11-12
 - and post-waste-emplacement environment, 8.3.2.1-12--13
 - and preclosure tectonics program, 8.3.1.17-207
 - and pre-waste-emplacement environment, 8.3.2.1-9--11
 - schedule, 8.3.1.6-28--31; 8.5-15, -16*, -17
 - and seal characteristics (Issue 1.12), 8.3.1.6-1, -3*, -5**

PART B INDEX (Chapter 8)

erosion program (continued)

- summary schedule, 8.5-15, -16**
- surface characteristics program parameter calls, 8.3.1.14-23*, -26
- and total system performance (Issue 1.1), 8.3.1.6-2, -3*, -5**

erosion qualifying condition, 8.3.5.18-15--16

- and postclosure performance issues, 8.3.5.18-6--7
- preliminary finding, 8.3.5.18-4*
- statement of, 8.3.5.18-15
- and total system performance (Issue 1.1), 8.3.5.18-7
- and 10 CFR 960.4-2-5(a), 8.3.5.18-15--16

erosion technical guideline

- and higher level findings (Issue 1.9(a)), 8.3.5.18-16

ES-1, see exploratory shaft 1

ES-2, see exploratory shaft 2

ESF

- activities, see ESF activities
- buildings, 8.4.2-158, -161
- communications and data management system, 8.4.2-163
- conceptual illustration, 8.4.2-91**
- configuration screening, 8.4.2-154--156
- construction, see ESF construction
- construction method evaluation, 8.4.2-154--156
- decommissioning, 8.7-3, -4--5
- description, 8.4.2-151--175
- design, and incorporation of regulations, 8.4.2-152**
- design and operational safety, 8.4.2--220--221
- design control, 8.4.2-151--154
- electrical facilities, 8.4.2-161--162
- general arrangement of surface facilities 8.4.2-156, -157**, -158
- headframe foundation, 8.4.2-164**
- hoists and headframes, 8.4.2-164**, -165, -166**
- and introduced materials, 8.4.3-23--24
- layout and operations interferences, 8.4.2-200--201
- location, Coyote Wash, 8.4.2-155--156
- location screening, 8.4.2-154--156
- logic diagram, 8.4.2-177**
- muck storage, 8.4.2-165, -167
- overview, 8.0-3--4

ESF (continued)

pad

- blast damage, 8.4.3-30--31
- preparation, 8.4.3-30
- pads and roads, 8.4.2-158, -160*
- plant and support facilities, 8.4.2-163, -165
- and potential effects of introduced materials, 8.4.3-23--24
- potential interference between tests, 8.4.2-201--210
- and repository design integration, 8.4.2-216--217
- representative location, 8.4.2-24--26
- representativeness of, 8.4.2-22-26
- shaft collars, 8.4.2-163, -164**
- site plan, 8.4.2-159**
- surface facility description, 8.4.2-156--167
- test location, design consideration, 8.4.3-34
- testing, see ESF testing
- waste water, 8.4.2-162--163
- water, 8.4.2-162

ESF activities

- potential impact of geochemical disturbance, 8.4.3-49
- potential impact of hydrologic disturbance, 8.4.3-48--49
- potential impact of thermal/mechanical disturbance, 8.4.3-49--50

ESF canister scale heater experiment, thermal zone influence, 8.4.3-33

ESF construction

- blast histories, 8.4.2-183, -184*--185*
- description, 8.4.2-175, -177**--195
- drift to Drill Hole Wash structure, 8.4.2-195
- drift to Ghost Dance fault, 8.4.2-194--195
- drift to imbricate normal fault zone, 8.4.2-195
- ES-1 to upper demonstration breakout room, 8.4.2-180, -183--188
- ES-2, 8.4.2-191
- ES-2 station and connecting drift, 8.4.2-192
- ES-2 to total depth, 8.4.2-191--192
- estimating blast-damaged zone, 8.4.2-183, -186**
- exploratory drifts, 8.4.2-194--195
- logic diagram, 8.4.2-177**

PART B INDEX (Chapter 8)

ESF construction (continued)

- main test level, 8.4.2-192--194
- main test level demonstration breakout room, 8.4.2-192
- main test level objectives, 8.4.2-193--194
- main test level operations level, 8.4.2-192--194
 - objectives, 8.4.2-193--194
- main test level station, 8.4.2-189, -191
- shaft collars, 8.4.2-179--180
- shaft stations (ES-1), 8.4.2-181**
- sinking deck, 8.4.2-182**
- site pad, 8.4.2-179
- stages, 8.4.2-175, -177**--195
- surface facilities and utilities, 8.4.2-179
- underground construction and operations, 8.4.2-180--195
- upper demonstration breakout room and station, 8.4.2-189, -190**

ESF testing

- bulk-permeability test, 8.3.1.2-271--281
- Calico Hills test, 8.3.1.2-300
- chemical analyses, gases and fluids, 8.3.1.2-305
- constraints on layout, 8.4.2-93, -97--98, -99*--101*
- diffusion tests, 8.3.1.2-320--322
- excavation effects test, 8.3.1.2-233, -236, -293--299
- fracture fluid extraction, 8.3.1.2-305
- and ground-water travel time, 8.4.3-87--88
- hydrochemistry tests, 8.3.1.2-233, -237, -304--308
- intact-fracture test, 8.3.1.2-233, -238--252
- perched water test, 8.3.1.2-233, -236, -300--304
- percolation tests, 8.3.1.2-233, -234, -252--271
- radial borehole tests, 8.3.1.2-233, -235, -281--292
- summary, 8.4.2-94*--96*, -147
- and zone of influence factors, 8.4.2-98, -102*--104*

see also specific study

- evaporation, and conceptual perimeter drift boundary, 8.4.3-18

evapotranspiration

- Franklin Lake, 8.3.1.2-134, -135**, -136, -141
- Furnace Creek Ranch, 8.3.1.2-134, -135**
- and infiltration, 8.3.1.2-169
- and past discharge, 8.3.1.5-99
- technical procedures, 8.3.1.2-102, -136--137

- evapotranspiration studies activity, 8.3.1.2-134--137

- description, 8.3.1.2-134--136
- methods and technical procedures, 8.3.1.2-136--137
- objectives, 8.3.1.2-134
- parameters, 8.3.1.2-134

event tree development

- accident sequence analysis, 8.3.5.1-9
- disruptive scenario identification, 8.3.5.13-25
- and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-9
- radiological risks, 8.3.5.1-9

- events and process sequence preliminary identification (Performance Subactivity 1.1.2.1.1), 8.3.5.13-126--127
 - description, 8.3.5.13-127
 - objectives, 8.3.5.13-127
 - parameters, 8.3.5.13-127

excavation effects

- design constraints to limit (Information Need 1.11.5), 8.3.2.2-60--64
- ESF test, 8.3.1.2-233, -236
- test modeling, technical procedures for, 8.3.1.2-299

excavation effects test

- constraints and zones of influence, 8.4.2-137, -139
- purpose and operations, 8.4.2-137
- typical, 8.4.2-138**

- excavation effects test in ESF activity, 8.3.1.2-293--299

- conceptual cross section, 8.3.1.2-294**
- description, 8.3.1.2-293--295
- methods and technical procedures, 8.3.1.2-295--300
- objectives, 8.3.1.2-293
- parameters, 8.3.1.2-293

- excavation-induced change limitation, postclosure design function 3, 8.3.2.2-14--16, -15*

- drift collapse, postclosure, 8.3.2.2-16
- needed confidence, 8.3.2.2-15*

PART B INDEX (Chapter 8)

excavation-induced change limitation, post-closure design function 3 (continued)
 performance goals, 8.3.2.2-15*
 permeability modification, 8.3.2.2-14
 postclosure drift collapse limitation, 8.3.2.2-16
 surface subsidence, 8.3.2.2-16
 excavation-induced effects
 modified permeability zone, 8.4.3-25--26
 rock mass permeability, 8.4.3-25--26
 excavation investigations study, 8.3.1.15-45--52
 activities, 8.3.1.15-46--52
 demonstration breakout rooms, 8.3.1.15-48--49
 sequential drift mining, 8.3.1.15-49--52
 shaft convergence, 8.3.1.15-46--47
 excavation methods criteria (Design Activity 1.11.5.1), 8.3.2.2-64
 information required, 8.3.2.2-62*
 objective, 8.3.2.2-64
 status, 8.3.2.2-63
 excavation technical procedures, 8.3.1.15-49, -52
 Exile Hill
 alluvium thickness, 8.3.1.17-33
 map of surface geology and faults, 8.3.1.14-37**
 test pit location, 8.3.1.14-33, -35**
 expected partial performance measures (EPPM)
 direct release via human intrusion model, 8.3.5.13-84, -97*
 estimates, 8.3.5.13-92
 exploratory drilling (human intrusion scenario A-2), 8.3.5.13-97*
 gas-phase release, 8.3.5.13-76, -93*--95*
 gas-phase release model, 8.3.5.13-76, -133
 saturated-zone altered properties (disturbed case scenario D-2), 8.3.5.13-106*--107*
 saturated-zone foreshortened flow paths (disturbed case scenario D-1), 8.3.5.13-104*--105*
 unsaturated-zone altered rock properties and geochemistry (disturbed case scenario C-3), 8.3.5.13-102*--103*
 unsaturated-zone foreshortened releases (disturbed case scenario C-2), 8.3.5.13-100*--101*

expected partial performance measures (EPPM) (continued)
 unsaturated-zone increased flux release (disturbed case scenario C-1), 8.3.5.13-99*--100*
 exploration (detailed) activity, 8.3.1.14-43--44
 exploration (preliminary) activity, 8.3.1.14-40--43
 exploration and extraction of resources and accessible environment, 8.3.1.9-21
 and human intrusion, 8.3.1.9-46
 exploration/extraction effects on hydrologic characteristics study, 8.3.1.9-49--50
 activities, 8.3.1.9-49--50
 hydrologic effects of future ground-water withdrawals, 8.3.1.9-49
 noncredible human interference initiating events, 8.3.1.9-50
 exploration program study, 8.3.1.14-31--44
 activities, 8.3.1.14-33--44
 detailed exploration, 8.3.1.14-43--44
 preliminary exploration, 8.3.1.14-40--43
 site reconnaissance, 8.3.1.14-33--40
 exploratory boreholes
 categories for sealing, 8.3.3.2-12*
 sealing components, 8.3.3.2-7, -8**, -11*--12*, -24
 exploratory drifts
 exploratory shaft facility construction, 8.4.2-194--195
 general arrangement, 8.4.2-173--175
 exploratory drilling
 and decontamination, 8.7-2
 disruptive scenario classes, evaluation of, 8.4.3-65--66
 and human intrusion scenarios, 8.3.1.9-3, -11
 likelihood of, 8.3.1.9-45
 maximum radioactivity releases, 8.3.5.13-85*
 and radionuclide release, 8.3.1.9-21
 Ross study, 8.3.5.13-35
 within perimeter drift, 8.3.1.4-94**;
 8.3.1.9-44
 exploratory drilling (human intrusion scenario A-2)
 expected partial performance measures (EPPM), 8.3.5.13-97*
 performance parameters, 8.3.5.13-97*

- exploratory shaft 1
 - conceptual layout, 8.3.1.4-76**;
8.4.2-91**, -92**
 - decommissioning, 8.7-5
 - general arrangement of internal
structures, 8.4.2-170**
 - general testing, 8.4.2-90, -93
 - geologic mapping of, 8.3.1.4-74--79
 - hydrologic and mechanical zones of
influence, 8.4.2-214**
 - schematic cross section, 8.4.2-168**
 - topographic cross section, 8.4.3-69**
 - see also exploratory shafts
- exploratory shaft 2
 - conceptual illustration, 8.4.2-91**, -92**
 - construction, 8.4.2-191--192
 - decommissioning, 8.7-5
 - general arrangement of internal
structures, 8.4.2-171**
 - general testing, 8.4.2-90, -93
 - hydrologic and mechanical zones of
influence, 8.4.2-214**
 - schematic cross section, 8.4.2-168**
 - station construction, 8.4.2-192
 - topographic cross section, 8.4.3-69**
 - see also exploratory shafts
- exploratory shaft construction
 - and ground-water travel time, 8.4.3-87
 - major milestones, 8.5-34, -36
 - and matrix saturation, 8.4.3-19, -20**
 - and modified permeability zone,
8.4.3-18--19
 - potential impact of geochemical
disturbance, 8.4.3-44--45
 - potential impact of hydrologic
disturbance, 8.4.3-44
 - potential impact of thermal/mechanical
disturbance, 8.4.3-45--46
 - potential impacts, 8.4.3-43--46
 - water introduced, 8.4.3-17--19
- exploratory shaft facility, see ESF
- exploratory shaft liner, and ground-water
chemistry, 8.4.3-24--25
- exploratory shafts
 - decommissioning, 8.7-5
 - and flood peak discharges, 8.4.3-70*
 - general arrangement, 8.4.2-167--173
 - hydrologic and mechanical zones of
influence, 8.4.2-214**
 - industrial safety considerations,
8.4.2-169
- exploratory shafts (continued)
 - major flooding, 8.4.3-10--11
 - major milestones, 8.5-34, -36--39, -111**
 - milestone descriptions, 8.5-115--116
 - operational considerations,
8.4.2-169, -172--173
 - and probable maximum flood, 8.4.3-10
 - schematic cross section, 8.4.2-168**
 - sealing concepts, 8.4.3-67**
 - summary schedule, 8.5-34, -35**
 - sump silt accumulation, 8.4.3-10--11
 - topographic cross section, 8.4.3-69**
 - unlined, stability of, 8.4.3-26--27
 - see also exploratory shaft 1 and
exploratory shaft 2
- exploratory shafts and drifts, geologic
mapping
 - constraints and zones of influence,
8.4.2-107
 - purpose and operations, 8.4.2-107
- exploratory shaft testing
 - major milestones, 8.5-36--39
- extensional tectonism
 - and erosion, 8.3.1.6-7, -20, -22
- extraction methods criteria, product 1.11.5-1
status, 8.3.2.2-38
- extraction of resources, see resource
exploration and extraction
- extreme climate change, disruptive scenario
classes, evaluation of, 8.4.3-63--64
- extreme climate scenarios, global climate
modeling, 8.3.1.5-80
- extreme weather characterization phenomena
study, 8.3.1.12-27--28
 - description, 8.3.1.12-27--28
 - objectives, 8.3.1.12-27
 - parameters, 8.3.1.12-27
- extreme weather phenomena
 - and long-term climatological data,
8.3.1.12-26--27
- extreme weather recurrence intervals
investigation, 8.3.1.12-1, -3, -4**,
-26--28
 - application of results, 8.3.1.12-28
 - link to supporting information,
8.3.1.12-26
 - study
 - extreme weather phenomena charac-
terization, 8.3.1.12-27--28
 - technical basis for, 8.3.1.12-26
 - technical rationale, 8.3.1.12-26--27

PART B INDEX (Chapter 8)

- extrusive magmatic activity, disruptive scenario classes, evaluation of, 8.4.3-65
- fabrication, closure, inspection technology (Information Need 4.3.1), 8.3.4.4-3--9
 - application of results, 8.3.4.4-5
 - design activities, 8.3.4.4-3--5
 - waste package closure, 8.3.4.4-4--5
 - waste package closure inspection, 8.3.4.4-5
 - waste package fabrication, 8.3.4.4-3--4
 - link to supporting information, 8.3.4.4-3
 - logic, 8.3.4.4-3
 - parameters, 8.3.4.4-3
 - technical basis for, 8.3.4.4-3
- facilities important to safety
 - and fault displacement, 8.3.1.17-31, -32, -56--62, -96
 - and ground motion, 8.3.1.17-34, -72, -78
 - and hydrology, 8.3.1.16-1
 - and preclosure volcanic activity investigation, 8.3.1.17-3*
 - and seismic-design basis, 8.3.1.17-65--69
 - and soil and rock structure, 8.3.1.14-61
 - and trench locations, 8.3.1.17-93
 - see also important to safety and Q list
- failure models
 - austenitic alloys, 8.3.5.9-42*--44*
 - copper-based alloys, 8.3.5.9-41*--42*
- falling-head injection test analysis, 8.3.1.2-389
- far-field analyses
 - parameters, 8.3.2.2-70*
 - summary, 8.3.2.2-73
- fault and fracture patterns and structural domain activity, 8.3.1.17-131--132
- fault displacement investigation, 8.3.1.17-56--63
 - activities
 - faults intersecting underground facilities assessment, 8.3.1.17-62--63
 - surface faulting potential at surface facilities important to safety, 8.3.1.17-60--61
 - application of results, 8.3.1.17-63
 - link to supporting information, 8.3.1.17-56
 - logic diagram, 8.3.1.17-59**
 - fault displacement investigation (continued)
 - parameters, 8.3.1.17-56--57
 - purpose and objectives, 8.3.1.17-57
 - study
 - faulting potential at repository, 8.3.1.17-60--63
 - technical basis, 8.3.1.17-56--60
 - technical rationale, 8.3.1.17-58--60
- fault offset effect on travel pathway activity, 8.3.1.8-103--104
 - description, 8.3.1.8-103--104
 - methods and technical procedures, 8.3.1.8-104
 - objectives, 8.3.1.8-103
 - parameters, 8.3.1.8-103
- fault systems, left lateral, 8.3.1.8-130
- faulting
 - and fracture permeability, and effective porosities 8.3.1.8-95--96
 - and Neogene strain, 8.3.1.8-130
 - see also faults
- faulting and seismicity, disruptive scenario classes, evaluation of, 8.4.3-64
- faulting effects on average flux rates (modeling) activity, 8.3.1.8-85
 - description, 8.3.1.8-85
 - methods and technical procedures, 8.3.1.8-85
 - objectives, 8.3.1.8-85
 - parameters, 8.3.1.8-85
- faulting effects on flux rates assessment activity, 8.3.1.8-85--86
 - description, 8.3.1.8-86
 - methods and technical procedures, 8.3.1.8-86
 - objectives, 8.3.1.8-85--86
 - parameters, 8.3.1.8-86
- faulting effects on local fracture permeability and effective porosity activity, 8.3.1.8-95--96
 - description, 8.3.1.8-96
 - methods and technical procedures, 8.3.1.8-96
 - objectives, 8.3.1.8-95--96
 - parameters, 8.3.1.8-96
- faulting effects on water-table elevation activity (assessment), 8.3.1.8-93--94
 - description, 8.3.1.8-94
 - methods and technical procedures, 8.3.1.8-94
 - objectives, 8.3.1.8-94
 - parameters, 8.3.1.8-93--94

PART B INDEX (Chapter 8)

faulting effects on water-table elevation (continued)

- activity (model), 8.3.1.8-93
- description, 8.3.1.8-93
- methods and technical procedures,
8.3.1.8-93
- objectives, 8.3.1.8-93
- parameters, 8.3.1.8-93

faulting near surface facilities (location and recency) study, 8.3.1.17-93--97

- activities, 8.3.1.17-93--97
- Midway Valley exploratory trenching,
8.3.1.17-95--97
- Midway Valley trench location
identification, 8.3.1.17-93--95

faulting potential at repository study, 8.3.1.17-60--63

- activities, 8.3.1.17-60--63
- faults intersecting underground
facilities assessment,
8.3.1.17-62--63
- surface faulting potential at surface
facilities important to safety,
8.3.1.17-60--61

faulting rates, recurrence intervals, and probable cumulative effect in 10,000 years activity, 8.3.1.8-84--85

- description, 8.3.1.8-84--85
- methods and technical procedures,
8.3.1.8-85
- objectives, 8.3.1.8-84
- parameters, 8.3.1.8-84

faults

- Bare Mountain, 8.3.1.17-29**, -30, -103,
-104**, -128--130
- borehole evaluation activity,
8.3.1.4-70--74
- Bow Ridge zone, 8.3.1.17-28, -29**, -30,
-33, -34, -154, -160, -163*--164*,
-175, -195
- and Cane Springs, 8.3.1.17-133, -134**,
-142--143
- and controlled area, 8.3.1.8-68--69,
-84--85, -86, -91, -93--94, -96, -97,
-101, -103--105
- Death Valley-Furnace Creek zone,
8.3.1.17-97, -100**, -103, -123, -126
(see also Furnace Creek fault zone)
- Death Valley-Pancake Range belt,
8.3.1.17-195, -201, -204
- displacement and preclosure tectonics
program, 8.3.1.17-31--34

faults (continued)

- and facilities important to safety,
8.3.1.17-31, -32, -56--63, -95
- Fortymile Wash, 8.3.1.17-28
- and fracture permeability/effective
porosities, 8.3.1.8-95--96
- gamma ray measurements, 8.3.1.17-175--176
- Garlock, 8.3.1.17-100**, -133
- geohydrology program provided parameters,
8.3.1.2-46*--47*
- geometry and property parameters,
8.3.1.4-12*--13*, -16
- Ghost Dance, see Ghost Dance fault
- hydrologic properties, 8.3.1.2-233, -273,
-316--320
- and local heat-flow anomalies, 8.3.1.8-128
- and marker system, 8.3.1.9-15, -18
- Midway Valley, 8.3.1.17-28, -30, -31,
-32, -36, -96
- Mine Mountain, 8.3.1.8-130; 8.3.1.17-119,
-132, -133, -134**, -138--139, -142
- mineral changes, 8.3.1.8-102--103
- mineral filling recementation, 8.3.1.8-96
- mineralogy studies, 8.4.2-108
- Neogene strain, 8.3.1.8-130
- Paintbrush Canyon, see Paintbrush Canyon
fault
- and porosity, 8.3.1.8-95--96
- Quaternary, see Quaternary fault entries
- recurrence of, 8.3.1.8-94
- right lateral, 8.3.1.8-130
- Rock Valley, 8.3.1.8-130; 8.3.1.17-28,
-133, -134**, -135--137
- Solitario Canyon, see Solitario Canyon
fault
- Stagecoach Road, see Stagecoach Road fault
- and waste package, 8.3.1.8-67--68
- and water-table elevation, 8.3.1.8-93--94,
-104
- Yucca Wash, 8.3.1.17-28
- see also detachment faults entries
- faults intersecting underground facilities
activity, 8.3.1.17-62--63
- description, 8.3.1.17-62--63
- methods and technical procedures,
8.3.1.17-63
- objectives, 8.3.1.17-62
- parameters, 8.3.1.17-62
- faulty waste emplacement, potentially likely
conditions, evaluation of, 8.4.3-59
- favorable conditions
and geohydrology program, 8.3.1.2-3

PART B INDEX (Chapter 8)

- feasibility test, technical procedure, 8.3.1.17-170
- feasibility traverses for gamma-ray measurements, 8.3.1.17-176
- feature sampling
 - representative sampling approach, 8.4.2-27
 - and sampling bias in planned tests, 8.4.2-26--28
- Federal and State agencies
 - and decontamination and decommissioning, 8.7-1, -3, -4, -5, -6
 - and plans and mitigation, 8.7-6
- Federal Land Management Policy Act
 - and Bureau of Land Management land access, 8.7-1
 - and mining rights at site, 8.3.1.11-2
- FEHMS
 - and particulate transport, 8.3.1.3-121, -122, -127
- FEMOD
 - and ground-water modeling, 8.3.1.2-141
 - and ground-water withdrawal analysis, 8.3.1.9-49
- FEMWATER
 - and COVE 2, 8.3.5.20-4*
- field data collection, technical procedures for, 8.3.1.2-429--430, -432--433
- field geologic studies activity, 8.3.1.8-116--118
 - description, 8.3.1.8-116--117
 - methods and technical procedures, 8.3.1.8-117--118
 - objectives, 8.3.1.8-116
 - parameters, 8.3.1.8-116
- field mapping using 1:12,000-scale aerial photos, technical procedures for, 8.3.1.4-68; 8.3.1.5-71
- field plans, geochemical assessment of mineralization potential, 8.3.1.9-33*
- field tests and characterization measurements study, 8.3.1.14-53--63
 - activities, 8.3.1.14-54--63
 - geophysical field measurements, 8.3.1.14-59--63
 - mechanical property field tests, 8.3.1.14-57--59
 - physical property field tests and characterization measurements, 8.3.1.14-54--56
- field verification, Quaternary scarps, technical procedures for, 8.3.1.17-124
- Figure of Merit, and exploratory shaft facility location screening, 8.4.2-154
- filtration activity, 8.3.1.3-110--112
 - description, 8.3.1.3-111
 - methods and technical procedures, 8.3.1.3-111
 - objectives, 8.3.1.3-110--111
 - parameters, 8.3.1.3-111
- final procurement and construction design summary, 8.3.2.1-7--8
- findings for qualifying and disqualifying conditions
 - definition, 8.3.5.7-2*; 8.3.5.18-2*, -3
 - and 10 CFR Part 960, Appendix III, 8.3.5.18-1, -2*
 - see also higher level findings entries
- finite-element method
 - and geochemical analyses, 8.3.2.1-22, -23
 - and geomechanical analyses, 8.3.2.1-22, -23
 - modeling, technical procedures for, 8.3.1.2-144
 - and structural-thermal analysis, 8.3.2.5-69
- fire protection system, and underground support systems, 8.4.2-199
- fission products
 - and containment period segments, 8.3.5.9-24
 - distribution in rock samples, 8.3.5.10-80
- fission-track dating, plans and technical procedures, 8.3.1.17-153
- flatjack operation, technical procedures for, 8.3.1.15-59, -61, -67, -70
- flexibility
 - design, see design, flexibility
 - in selecting underground facility configuration, postclosure design function 1, 8.3.2.2-7, -11, -44
- FLMPA, see Federal Land Management Policy Act
- flood analyses
 - and Fortymile Wash, 8.3.5.17-19--20
- flood and debris hazards (site) activity, 8.3.1.16-10--14
 - description, 8.3.1.16-11--12
 - methods and technical procedures, 8.3.1.16-13
 - objectives, 8.3.1.16-10
 - parameters, 8.3.1.16-10--11
- flood peak discharges, and exploratory shafts, 8.4.3-70*

PART B INDEX (Chapter 8)

- flood potential characterization study,
 - 8.3.1.16-10--14
 - activity
 - flood and debris hazards (site),
 - 8.3.1.16-10--14
- flooding
 - and exploratory shaft, 8.4.3-10--11
 - potential, design consideration, 8.4.3-34
 - potentially likely conditions, evaluation of, 8.4.3-58
- flooding data
 - and criticality control (Information Need 2.7.3), 8.3.2.3-43
 - and items important to safety (Information Need 2.7.2), 8.3.2.3-43
- flooding potential (Issue 1.8 potentially adverse condition 1)
 - discussion, 8.3.5.17-19--20
 - and probable maximum flood, 8.3.5.17-20
 - text of condition, 8.3.5.17-4*
- flooding recurrence intervals investigation, 8.3.1.16-7--14
 - activity
 - flood and debris hazards activity,
 - 8.3.1.16-10--14
 - application of results, 8.3.1.16-13--14
 - link to supporting information, 8.3.1.16-7
 - logic diagram, 8.3.1.16-9**
 - parameters, 8.3.1.16-7
 - purpose and objectives, 8.3.1.16-7--8
 - study
 - flood potential characterization,
 - 8.3.1.16-10--14
 - summary, 8.3.1.16-2
 - technical basis for, 8.3.1.16-7--10
 - technical rationale, 8.3.1.16-8, -10
- floods
 - characterization, technical procedures for, 8.3.1.16-13
 - debris hazards for future floods,
 - technical procedures for, 8.3.1.16-13
 - hazard prediction data needs, 8.3.1.2-89
 - Nevada Department of Transportation study,
 - 8.3.1.16-8
 - potential future, technical procedures for, 8.3.1.16-13
 - regional hydrologic model data needs,
 - 8.3.1.2-94
 - and regional paleoflood evaluation,
 - 8.3.1.5-94
 - see also probable maximum flood
- flow and transport, and postclosure performance evaluations, 8.4.2-3, -4*--7*, -8
- flow and transport analysis in laboratory systems (Activity 1.10.4.2.3),
 - 8.3.4.2-55
 - description, 8.3.4.2-55
 - objectives, 8.3.4.2-55
 - parameters, 8.3.4.2-55
- flow and transport analysis in near field (Activity 1.10.4.4.3), 8.3.4.2-61--63
 - description, 8.3.4.2-62--63
 - objectives, 8.3.4.2-61
 - parameters, 8.3.4.2-61--62
- flow channelization, 8.3.1.2-241
 - tests, technical procedures for,
 - 8.3.1.2-250--251
- flow conditions (potential)
 - and seals, 8.3.3.2-23**, -27
- flow interference tests, technical procedures for, 8.3.1.2-333
- flow models
 - calibration, 8.3.1.2-156
 - and hydrologic properties, 8.3.4.2-51--52
 - need for, 8.3.1.2-154
- flow path/flux/velocity calculation activity (saturated zone), 8.3.1.2-441--444
 - description, 8.3.1.2-441--443
 - methods and technical procedures,
 - 8.3.1.2-443
 - objectives, 8.3.1.2-441
 - parameters, 8.3.1.2-441
- fluid flow
 - computer impedance tomography, 8.3.4.2-53
- fluid flow in unsaturated, fractured rock
 - model development activity, 8.3.1.2-342--345
 - description, 8.3.1.2-342--343
 - methods and technical procedures,
 - 8.3.1.2-343--345
 - objectives, 8.3.1.2-342
 - parameters, 8.3.1.2-342
- fluid flow in unsaturated, fractured rock
 - model validation activity, 8.3.1.2-345--350
 - description, 8.3.1.2-346--347
 - methods and technical procedures,
 - 8.3.1.2-347--350
 - objectives, 8.3.1.2-345
 - parameters, 8.3.1.2-346

- fluid flow in unsaturated, fractured rock study, 8.3.1.2-341--350
 - activities, 8.3.1.2-342--350
 - fluid flow in unsaturated, fractured rock model development, 8.3.1.2-342--345
 - fluid flow in unsaturated, fractured rock model validation, 8.3.1.2-345--350
- fluid inclusion methods, technical procedures for, 8.3.1.3-51; 8.3.1.5-115
- fluid modeling
 - and EQ3/6, 8.3.5.10-63
 - and sensitivity analyses, 8.3.5.10-63
- fluid permeability tests, 8.3.1.2-190
- fluvial deposit technical procedures mapping, 8.3.1.16-13
- flux
 - change, and unsaturated zone flow, 8.4.3-12--13
 - character at site, 8.3.1.2-150--151
 - and climatic change, 8.3.5.13-84
 - distribution, characterization of
 - data needs, 8.3.1.2-90--91
 - determination of, 8.3.1.2-153
 - penetration into discrete fractures analysis, 8.4.3-14
 - rates
 - faulting effects, 8.3.1.8-85--86
 - folding, uplift, and subsidence effects, 8.3.1.8-87--88
 - igneous intrusions and volcanic events effects, 8.3.1.8-83--84
 - tectonics effects, 8.3.1.8-82--88
 - (see also tectonic effect on flux rates study)
 - and saturation, 8.4.3-13
 - and travel time, 8.4.3-13
 - upper boundary conditions, determination of, 8.3.1.2-164, -173
 - and velocity calculation
 - saturated zone, 8.3.1.2-441--443
- folding
 - effect on water-table elevation activity, 8.3.1.8-92
 - Neogene strain, 8.3.1.8-130
- folding and deformation
 - and waste package rupture, 8.3.1.8-72
 - folding and deformation in repository horizon activity, 8.3.1.8-71--72
 - description, 8.3.1.8-71
 - methods and technical procedures, 8.3.1.8-72
 - objectives, 8.3.1.8-71
 - parameters, 8.3.1.8-71
 - and rock characteristics program, 8.3.1.8-71
 - folding, uplift, and subsidence, disruptive scenario classes, evaluation of, 8.4.3-71
 - folding, uplift, and subsidence effects on flux rates, activity, 8.3.1.8-87--88
 - description, 8.3.1.8-87--88
 - methods and technical procedures, 8.3.1.8-87
 - objectives, 8.3.1.8-87
 - parameters, 8.3.1.8-87
 - folding, uplift, and subsidence effects on water table elevation activity, 8.3.1.8-92
 - description, 8.3.1.8-92
 - methods and technical procedures, 8.3.1.8-92
 - objectives, 8.3.1.8-92
 - parameters, 8.3.1.8-92
 - folds in Miocene and younger rocks of region, study, 8.3.1.8-129--131
 - activity
 - folds in Neogene rocks, 8.3.1.8-131
 - application of results, 8.3.1.8-131
 - objectives, 8.3.1.8-131
 - folds in Neogene rocks evaluation activity, 8.3.1.8-130
 - description, 8.3.1.8-130
 - methods and technical procedures, 8.3.1.8-130
 - objectives, 8.3.1.8-130
 - parameters, 8.3.1.8-130
 - formation invasion by fluid, and construction control, 8.4.2-86--87
- Fortymile Wash
 - chemical analyses, 8.3.1.2-129
 - continuous stream stage gages, 8.3.1.2-104
 - dating major terraces, technical procedures for, 8.3.1.6-12--13
 - downcutting history, 8.3.1.6-11--13
 - drillholes, recharge study, 8.3.1.2-127, -128**
 - and erosion, 8.3.1.6-9, -11--12

Fortymile Wash (continued)

- and flood analyses, 8.3.5.17-19--20
- and geologic investigations, 8.3.1.4-29
- and hydrogeologic section, 8.3.5.12-4**
- meteorological monitoring at, 8.3.1.2-99**, -100*
- and meteorological towers, 8.3.1.12-17--19
- precipitation gages, 8.3.1.2-98, -129
- and Quaternary faulting study area, 8.3.1.17-103
- and recharge, 8.3.1.2-97, -125--133, -146; 8.3.1.5-122
- and site faulting study area, 8.3.1.17-154
- and site precipitation activity, 8.3.1.2-104--105
- streamflow, 8.3.1.2-98, -126--127
- Fortymile Wash recharge activity, 8.3.1.2-125--133
 - description, 8.3.1.2-126--129
 - location of drillholes, 8.3.1.2-128**
 - methods and technical procedures, 8.3.1.2-129--133
 - objectives, 8.3.1.2-125
 - parameters, 8.3.1.2-126
- Fortymile Wash subsurface data analysis to determine faults or fault zones
 - technical procedures for, 8.3.1.6-13
- fossils
 - and chronologic analyses, 8.3.1.5-53
- FPCD, see final procurement and construction design
- fractal analysis
 - of exposed pavements, 8.3.1.4-70
- fracture and aperture size
 - hydrological analyses and data, 8.4.3-12
 - and unsaturated zone flow, 8.4.3-12
- fracture and hydrologic conditions
 - effects of drilling with gas, 8.4.3-15
 - effects of drilling with water, 8.4.3-14--15
- fracture characterization
 - borehole evaluation, 8.3.1.4-70--74
 - and geotomography, 8.3.1.2-162
 - parameters provided by geohydrology program, 8.3.1.2-44*--46*
 - technical procedures for, 8.3.1.15-59
- fracture depth evaluation, technical procedures for, 8.3.1.15-71
- fracture-filling mineralogy, 8.3.1.4-77
 - sampling and analysis technical procedures, 8.3.1.4-78

fracture flow

- and disturbed zone, 8.3.5.12-5
- and Ghost Dance fault, 8.3.5.12-16
- and ground-water pathways, 8.3.5.12-5
- and Tiva Canyon welded unit, 8.3.5.8-8
- fracture fluid
 - chemical analyses, 8.3.1.2-338
 - extraction in ESF, 8.3.1.2-305
- fracture geometry and property activity parameters, 8.3.1.4-10*--12*, -16
- fracture hydraulic and pneumatic conductivities, technical procedures for, 8.3.1.2-343, -347--348
- fracture hydrologic characteristics
 - performance parameters, 8.3.5.12-32*--33*
- fracture logging of core, technical procedures for, 8.3.1.2-279, -287, -296, -315
- fracture mapping
 - and bulk-permeability test, 8.3.1.2-272--273
 - technical procedures for, 8.3.1.2-243, -275, -319; 8.3.1.4-70
- fracture mechanical properties (baseline) activity, 8.3.1.15-43--44
 - description, 8.3.1.15-43
 - methods and technical procedures, 8.3.1.15-43--44
 - objectives, 8.3.1.15-43
 - parameters, 8.3.1.15-43
- fracture mechanical properties (environmental effects) activity, 8.3.1.15-44--45
 - description, 8.3.1.15-44--45
 - methods and technical procedures, 8.3.1.15-45
 - objectives, 8.3.1.15-44
 - parameters, 8.3.1.15-44
- fracture mechanical properties (laboratory determination) study, 8.3.1.15-43--45
 - activities, 8.3.1.15-43--45
 - fracture mechanical properties (baseline), 8.3.1.15-43--44
 - fracture mechanical properties (environmental effects), 8.3.1.15-44--45
- fracture mineralogy activity, 8.3.1.3-47--49
 - description, 8.3.1.3-47--48
 - methods and technical procedures, 8.3.1.3-48--49
 - objectives, 8.3.1.3-47
 - parameters, 8.3.1.3-47

PART B INDEX (Chapter 8)

fracture mineralogy studies
 constraints and zones of influence,
 8.4.2-108
 mineralogy of fractures and faults,
 8.4.2-108
 purpose and operations, 8.4.2-107--108
 stratigraphy and variability of the
 devitrified Topopah Spring Member,
 8.4.2-108
fracture network model
 and tracer test results interpretation,
 8.3.1.2-403
fracture network model development activity,
 8.3.1.2-436--441
 description, 8.3.1.2-436--440
 methods and technical procedures,
 8.3.1.2-440--441
 objectives, 8.3.1.2-436
 parameters, 8.3.1.2-436
fracture network (surface) studies,
 8.3.1.4-68--70
fracture permeability and effective porosity
 and faulting, 8.3.1.8-95--96
 and igneous intrusions, 8.3.1.8-95
fracture sampling
 technical procedures for,
 8.3.1.2-243--244; 8.3.1.15-45
fracture studies, seismic, 8.3.1.2-161
fracture system flow channeling, 8.3.1.2-156
fracture (intact) test in ESF, 8.3.1.2-233,
 -238--252
fracture testing, technical procedures for,
 8.3.1.15-44, -45
fracture transport characteristics, technical
 procedures for, 8.3.1.2-343--344, -348
fracture zone
 width, 8.3.1.8-96
 and sealing, 8.3.3.1-5
fractured rock, prototype testing in,
 8.3.1.2-162
fractured rock mass hydraulic conductivities
 and transport characteristics,
 8.3.1.2-344, -348--349
fractured tuff column studies activity,
 8.3.1.3-109--110
 description, 8.3.1.3-110
 methods and technical procedures,
 8.3.1.3-110
 objectives, 8.3.1.3-109
 parameters, 8.3.1.3-109
fractures
 borehole evaluation, 8.3.1.4-70--74

fractures (continued)
 capillary-driven water flow,
 8.4.3-14
 hydraulic conductivity, 8.3.1.2-89
 mineralogy studies, 8.4.2-108
 and unsaturated zone flow, 8.4.3-12--17
fracturing and physical properties, technical
 procedures for, 8.3.1.8-126--127
fracturing, evaluating depth, technical
 procedures for, 8.3.1.15-71
Fran Ridge
 and eolian deposits, 8.3.1.5-73
 and shallow seismic reflection,
 8.3.1.17-178
Franklin Lake
 discharge areas, 8.3.1.5-98
 evapotranspiration studies,
 8.3.1.2-134, -135**, -136, -141
function 1, see radiological protection,
 function 1
function 2, see design of items important to
 safety, function 2
function 3, see criticality control,
 function 3
function 4, see compliance with mining
 regulations, function 4
function 5, see waste treatment, function 5
functional requirements
 identification, 8.3.2.3-12
 of seal program, 8.3.3.2-24--26
Funeral Mountains, detachment fault
 comparison, 8.3.1.17-150
Furnace Creek fault zone
 deep geophysical survey activity,
 8.3.1.17-105--106, -115, -116**,
 -117--119
 and Quaternary faulting, 8.3.1.17-155
 and releve network, 8.3.1.17-194
 uplift and subsidence boundaries,
 8.3.1.17-194
Furnace Creek Ranch, evapotranspiration
 studies, 8.3.1.2-134, -135**
future climate and erosion study,
 8.3.1.6-18--19
 activity
 future climate and erosion
 synthesis, 8.3.1.6-18--19
 objectives, 8.3.1.6-18
future climate and erosion synthesis
 activity, 8.3.1.6-18--19
 description, 8.3.1.6-18--19

- future climate and erosion synthesis activity (continued)
 - methods and technical procedures, 8.3.1.6-19
 - objectives, 8.3.1.6-18
 - parameters, 8.3.1.6-18
- future climate investigations, 8.3.1.5-39
- future climate prediction, 8.3.1.5-80
 - see also climate modeling
- future climate scenarios modeling, technical procedures for, 8.3.1.5-84
- future ground-water conditions due to climatic changes, technical procedures for, 8.3.1.5-122
- future nature and rates of climate change investigation, 8.3.1.5-33--89
 - see also nature and rates of climate change investigation
- future regional climate and environments study, 8.3.1.5-78--88
 - activities, 8.3.1.5-79--88
 - empirical climate modeling, 8.3.1.5-86--88
 - global climate modeling, 8.3.1.5-79--83
 - linked global-regional climate modeling, 8.3.1.5-84--86
 - regional climate modeling, 8.3.1.5-83--84
 - objectives, 8.3.1.5-78--79
- future regional hydrology due to climate changes study, 8.3.1.5-118--122
 - activities, 8.3.1.5-118--122
 - future surface hydrology due to climate changes, 8.3.1.5-118--119
 - future unsaturated-zone hydrology due to climate changes, 8.3.1.5-119--120
 - recharge due to climate changes, saturated-zone, 8.3.1.5-121--122
 - objectives, 8.3.1.5-118
- future resource values, investigation, 8.3.1.9-20--44
 - see also resource value investigation
- future surface hydrology due to climate changes activity, 8.3.1.5-118--119
 - description, 8.3.1.5-119
 - methods and technical procedures, 8.3.1.5-119
 - objectives, 8.3.1.5-118
 - parameters, 8.3.1.5-119
- future tectonic effects on erosion study activity
 - impact of uplift and faulting on erosion, 8.3.1.6-22--23
 - objectives, 8.3.1.6-22
- future unsaturated zone hydrology, climate changes activity, 8.3.1.5-119--120
 - description, 8.3.1.5-120
 - methods and technical procedures, 8.3.1.5-120
 - objectives, 8.3.1.5-119
 - parameters, 8.3.1.5-120
- G-Tunnel
 - considerations of results from testing in, 8.3.2.5-90
 - and EBS field tests, 8.3.4.2-57
 - heated block experiment, 8.4.3-32
 - mining demonstrations conducted in, 8.3.2.5-93
 - planned analyses using experimental results, 8.3.2.5-76--81
 - prototype tests, 8.3.4.2-57
 - small diameter heater experiment, 8.4.3-32--33
- G-Tunnel Rock Mechanics Facility
 - and drilling fluids, 8.4.2-86
 - and prototype test program, 8.4.2-86
- GAMANAL, sorption, 8.3.1.3-73
- gamma-ray measurements and fault detection activity, 8.3.1.17-175--176
- gap and grain boundary inventory rapid release (spent fuel)
 - performance parameters, 8.3.5.9-21*--22*, -33--34
- Garlock fault, 8.3.1.17-100**, -133
- gas age determination (unsaturated zone), 8.3.1.2-305, -335
- gas flow
 - modeling, technical procedures for, 8.3.1.2-334
 - structural controls on, 8.3.1.2-330
 - in unsaturated zone, 8.3.1.2-153
- gas-phase release (nominal case scenario E)
 - expected partial performance measures (EPPM), 8.3.5.13-76, -93*--95*
 - performance parameters, 8.3.5.13-94*--95*
 - technical discussion, 8.3.5.13-75--80

PART B INDEX (Chapter 8)

- gas-phase release model development
 - (Subactivity 1.1.3.1.2), 8.3.5.13-134
 - description, 8.3.5.13-134
 - objectives, 8.3.5.13-134
 - parameters, 8.3.5.13-134
- gas-phase releases, 8.3.5.10-14, -66;
 - 8.3.5.13-26; 8.3.5.14-2, -5, -12
 - and geochemistry qualifying condition, 8.3.5.18-9, -11
 - models, 8.3.5.13-76--80, -130, -131--132, -134
 - and NRC siting criteria potentially adverse conditions, 8.3.5.17-89
- gas-phase test summary, 8.3.1.2-324*--326*
- gas sample technical procedures, 8.3.1.2-316
 - analysis, 8.3.1.2-306--307
 - collection and transport, 8.3.1.2-290--291, -306, -335, -429
 - preparation, 8.3.1.2-306, -337
- gas sampling
 - and radial borehole tests, 8.3.1.2-284
- gas tracer, and site vertical borehole studies, 8.4.2-73, -74
- gas tracer diffusion studies, 8.3.1.2-207, -210; 8.4.2-74
- gas tracer tests, technical procedures for, 8.3.1.2-280, -333--334
- gas transport
 - use of hydrochemistry, 8.3.1.2-91, -154
- gas transport measurements activity, 8.3.1.3-137--138
 - description, 8.3.1.3-138
 - methods and technical procedures, 8.3.1.3-138
 - objectives, 8.3.1.3-137
 - parameters, 8.3.1.3-137
- GASDOSE
 - and preclosure safety assessment, 8.3.5.19-9*, -10*
- gaseous- and liquid-phase chemical sampling, locations, 8.3.1.2-336**
- gaseous flux distribution
 - activities, 8.3.1.2-153
 - modeling, 8.3.1.2-156, -330
- gaseous-phase chemical investigations
 - activity, 8.3.1.2-334--337
 - description, 8.3.1.2-335
 - methods and technical procedures, 8.3.1.2-335--337
 - objectives, 8.3.1.2-334
 - parameters, 8.3.1.2-334
- gaseous-phase circulation activity, 8.3.1.2-323--334
 - description, 8.3.1.2-327--331
 - methods and technical procedures, 8.3.1.2-331--334
 - objectives, 8.3.1.2-323, -327
 - parameters, 8.3.1.2-327
- gaseous-phase movement, as component of unsaturated-zone system, 8.3.1.2-151
- gaseous-phase movement (unsaturated zone) study, 8.3.1.2-322--334
 - activity
 - gaseous-phase circulation, 8.3.1.2-323--334
 - objectives, 8.3.1.2-322--323
- gaseous-phase sampling locations, 8.3.1.2-328**, -336**
- gaseous-phase test summary, 8.3.1.2-324*--326*
- gaseous radionuclide retardation investigation activities
 - gas transport measurements, 8.3.1.3-137--138
 - physical transport mechanisms and rates, 8.3.1.3-136--137
 - application of results, 8.3.1.3-138
 - interrelationships, 8.3.1.3-34, -35**
 - link to supporting information, 8.3.1.3-134
 - logic diagram, 8.3.1.3-35**
 - parameters, 8.3.1.3-134
 - purpose and objectives, 8.3.1.3-134
 - study
 - gaseous radionuclide transport calculations and measurements, 8.3.1.3-135--138
 - summary, 8.3.1.3-31, -34
 - technical basis for, 8.3.1.3-134--135
 - technical rationale, 8.3.1.3-135
- gaseous radionuclide transport calculations and measurements study, 8.3.1.3-135--138
 - activities, 8.3.1.3-136--138
 - gas transport measurements, 8.3.1.3-137--138
 - physical transport mechanisms and rates, 8.3.1.3-136--137
- gaseous-tracer testing, technical procedures for, 8.3.1.2-280, -333--334
- general circulation models (global climate), 8.3.1.5-80, -81
 - see also global climate model

PART B INDEX (Chapter 8)

- generic requirements for mined geologic disposal system
 - and waste package, 8.3.4-1
- geochemical alteration
 - and the Ross study, 8.3.5.13-40--42
- geochemical analyses
 - analytical tools, 8.3.2.1-21--22
 - design techniques, 8.3.2.1-21--23
 - finite-element method, 8.3.2.1-22, -23
 - repository modeling, 8.3.2.1-19
 - technical procedures for, 8.3.1.5-115
- geochemical analyses and data
 - effects of biological degradation and transport, 8.4.3-24
 - effects of concrete shaft liner on ground-water chemistry, 8.4.3-24
 - effects of introduced material on repository horizon, 8.4.3-23--24
 - and potential impacts of site characterization, 8.4.3-23--25
- geochemical analysis of lake, marsh, and playa deposits activity, 8.3.1.5-49--51
 - description, 8.3.1.5-50
 - methods and technical procedures, 8.3.1.5-50--51
 - objectives, 8.3.1.5-49
 - parameters, 8.3.1.5-49
- geochemical analytical methods, 8.3.1.9-33
 - technical procedures for, 8.3.1.8-110, -111, -118, -120, -122
- geochemical and mineralization potential activity, 8.3.1.9-30--33
 - description, 8.3.1.9-31--33
 - methods and technical procedures, 8.3.1.9-33*
 - objectives, 8.3.1.9-30
 - parameters, 8.3.1.9-30--31
- geochemical assessment of mineralization potential, technical procedures for, 8.3.1.9-33
- geochemical changes
 - potentially likely conditions, evaluation of, 8.4.3-58
 - and Ross study, 8.3.5.13-31
- geochemical characteristics
 - resource exploitation effects, 8.3.1.9-45
- geochemical characteristics along flow paths and erosion, 8.3.1.6-27
- geochemical conditions (Issue 1.8 favorable condition 3)
 - text of condition and discussion, 8.3.5.17-2*, -89, -91
- geochemical cycles of basaltic volcanic fields activity, 8.3.1.8-121--123
 - description, 8.3.1.8-121--122
 - methods and technical procedures, 8.3.1.8-122--123
 - objectives, 8.3.1.8-121
 - parameters, 8.3.1.8-121
- geochemical disturbance, potential effect from deep borings drilled dry, 8.4.3-41
 - exploratory shaft construction, 8.4.3-44--45
 - from exploratory shaft facilities activities, 8.4.3-49
 - from saturated-zone boreholes, 8.4.3-42--43
 - from shallow borings drilled dry, 8.4.3-39--40
 - from underground construction, 8.4.3-47
- geochemical field methods, technical procedures for, 8.3.1.9-33
- geochemical-geophysical model
 - radionuclide transport, 8.3.1.3-116
 - and water-table fluctuations, 8.3.1.8-104
 - and Yucca Mountain, 8.3.1.3-10, -116
- geochemical-geophysical model activity, 8.3.1.3-123--125
 - description, 8.3.1.3-124
 - methods and technical procedures, 8.3.1.3-125
 - objectives, 8.3.1.3-123
 - parameters, 8.3.1.3-123--124
- geochemical modeling
 - EQ3/6, 8.3.4.2-48
- geochemical modeling code (Subactivity 1.5.3.2.2), 8.3.5.10-64--66
 - description, 8.3.5.10-65--66
 - objectives, 8.3.5.10-64--65
- geochemical modeling data base (Subactivity 1.5.3.2.1), 8.3.5.10-63--64
 - description, 8.3.5.10-63--64
 - objectives, 8.3.5.10-63
- geochemical parameters
 - and three-dimensional rock characteristics model, 8.3.1.4-100--103
 - and EBS release rates (Issue 1.5), 8.3.1.3-1, -2**, -7*, -10**
- geochemical processes (Issue 1.8 potentially adverse condition 8)
 - and controlled area, 8.3.5.17-52, -55
 - discussion, 8.3.5.17-52, -55

PART B INDEX (Chapter 8)

geochemical processes (Issue 1.8 potentially adverse condition 8) (continued)
 performance parameters and goals,
 8.3.5.17-56*-60*
 related studies and activities,
 8.3.5.17-56*-60*
 scenario classes, 8.3.5.17-56*-60*
 text of condition, 8.3.5.17-5*
 geochemical processes affecting transport,
 8.3.1.3-119--122
 geochemical processes from mineralogy
 activity, 8.3.1.3-49--51
 description, 8.3.1.3-50--51
 methods and technical procedures,
 8.3.1.3-39--51
 objectives, 8.3.1.3-49--50
 parameters, 8.3.1.3-50
 geochemical properties (rock),
 8.3.1.8-19*-21*, -98--105
 geochemical sampling plan, technical
 procedures for, 8.3.1.9-33
 geochemical setting
 and 10 CFR 60.113, 8.3.5.18-8--11
 and 10 CFR 960.4-1, 8.3.5.18-8
 geochemical speciation and reaction model
 (Activity 1.5.3.2), 8.3.5.10-62--66
 objectives, 8.3.5.10-62--63
 subactivities, 8.3.5.10-63--66
 geochemical model code,
 8.3.5.10-64--66
 geochemical modeling data base,
 8.3.5.10-63--64
 geochemical transport calculations, see
 geochemical-geophysical model activity
 geochemistry and tectonic effects
 investigation, 8.3.1.8-98--105
see also tectonic effects on geochemistry
 investigation
 geochemistry of immobile trace elements
 and eolian sediments, 8.3.1.5-74--75
 geochemistry of magma, 8.3.1.8-120
 geochemistry of scoria sequences activity,
 8.3.1.8-119--120
 description, 8.3.1.8-119--120
 methods and technical procedures,
 8.3.1.8-120
 objectives, 8.3.1.8-119
 parameters, 8.3.1.8-119
 geochemistry program, 8.3.1.3-1--158
 activity parameters provided by,
 8.3.1.3-4*-9*

geochemistry program (continued)
 alternative conceptual models,
 8.3.1.3-12--23
 approach, 8.3.1.3-3, -10, -12
 and climate program, 8.3.1.5-1--3, -2**
 and configuration of underground
 facilities (postclosure) (Issue 1.11),
 8.3.1.3-2**, -3, -9*, -11**
 current representation and alternative
 hypotheses, 8.3.1.3-13*-20*
 design issue calls, 8.3.1.3-2**, -4, -9*
 and EBS release rates (Issue 1.5),
 8.3.1.3-1, -2**, -7*-8*, -11**
 and geohydrology program, 8.3.1.2-5**,
 -444
 and ground-water protection (Issue 1.3),
 8.3.1.3-1, -2**, -7*, -11**
 and GWTT (Issue 1.6), 8.3.1.3-1, -2**,
 -6*, -11**
 and higher level findings--postclosure
 (Issue 1.9), 8.3.1.3-2**, -3, -8*, -11**
 hypothesis testing tables,
 8.3.1.3-13*-20*
 and individual protection (Issue 1.2),
 8.3.1.3-1, -2**, -7*, -11**
 interrelationships, 8.3.1.3-23--34
 investigations, 8.3.1.3-36--156
 gaseous radionuclide retardation,
 8.3.1.3-134--138
 mineralogy, petrology, and rock
 chemistry, 8.3.1.3-40--54
 minerals/glass stability,
 8.3.1.3-55--65
 radionuclide dispersion, diffusion,
 advection, 8.3.1.3-95--115
 radionuclide precipitation,
 8.3.1.3-85--95
 radionuclide retardation,
 8.3.1.3-116--134
 radionuclide sorption, 8.3.1.3-65--85
 water chemistry, 8.3.1.3-36--40
see specific investigation for study
and activity listings
 logic diagram, 8.3.1.3-11**
 major events and completion dates,
 8.3.1.3-143*-157*; 8.5-5, -6*-7**,
 -8--11
 models, 8.3.1.3-2**
 and NRC siting criteria (Issue 1.8),
 8.3.1.3-1, -2**, -8*, -11**
 objectives of, 8.3.1.3-1--12
 overview, 8.3.1.3-1--34

PART B INDEX (Chapter 8)

- geochemistry program (continued)
 - parameter calls, 8.3.1.3-1, -2**, -3, -4*-9*
 - performance and design requirement summary, 8.3.1.3-1-3
 - performance issue calls, 8.3.1.3-1, -2**, -3, -4*-9*
 - schedule, 8.3.1.3-138--158; 8.5-5, -6***-7**
 - and seal characteristics (Issue 1.12), 8.3.1.3-2**, -3, -9*, -11**
 - and sorption model, 8.3.1.3-28
 - and total system performance (Issue 1.1), 8.3.1.3-1, -2**, -4*-7*, -11**
 - and waste package characteristics (Issue 1.10), 8.3.1.3-2**, -3, -8*, -11**
 - worker radiological safety parameter calls, 8.3.5.4-13*
- geochemistry qualifying condition, 8.3.5.18-9, -11
 - and containment by waste package (Issue 1.4), 8.3.5.18-7, -11
 - and EBS release rates (Issue 1.5), 8.3.5.18-7, -11
 - and ground-water protection (Issue 1.3), 8.3.5.18-7*
 - and GWTT (Issue 1.6), 8.3.5.18-7, -8
 - and individual protection (Issue 1.2), 8.3.5.18-8
 - and postclosure performance issues, 8.3.5.18-6--7
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-9, -11
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-2(a), 8.3.5.18-9
- geochemistry studies
 - and Crater Flat, 8.3.1.8-53
- geochemistry technical guideline
 - and higher level findings (Issue 1.9(a)), 8.3.5.18-9--11
- geochronological investigations, technical procedures for, 8.3.1.5-115--116
- geochronology studies activity, 8.3.1.8-112--115
 - description, 8.3.1.8-113--114
 - methods and technical procedures, 8.3.1.8-114--115
 - objectives, 8.3.1.8-112
 - parameters, 8.3.1.8-112--113
- geodetic leveling, 8.3.1.8-87
 - technical procedures for, 8.3.1.17-197*
- geodetic leveling study, 8.3.1.17-194--198
 - activities, 8.3.1.17-194--198
 - global positioning satellite survey of Yucca Mountain vicinity, 8.3.1.17-196--197
 - relevel base-station network, 8.3.1.17-194--196
 - releveling data analysis, 8.3.1.17-197--198
- geoelectric method evaluation activity, 8.3.1.17-173--174
- geohydrologic setting
 - and 10 CFR 60.113, 8.3.5.18-8
- geohydrology disqualifying condition, 8.3.5.18-9
 - and postclosure performance issues, 8.3.5.18-6--7
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-9
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-1(d), 8.3.5.18-9
- geohydrology models, alternate conceptual, 8.3.1.2-50--88
 - see also hydrologic flow models
- geohydrology program, 8.3.1.2-1--459
 - and accessible environment, 8.3.1.2-3
 - and accidental radiological releases (Issue 2.3) parameter calls, 8.3.1.2-10*-11*
 - activity parameters provided by, 8.3.1.2-10*-47*
 - alternative conceptual models, 8.3.1.2-50--88
 - approach, 8.3.1.2-3--50
 - and climate program, 8.3.1.5-1--3, -2**
 - and configuration of underground facilities (postclosure) (Issue 1.11), 8.3.1.2-5**, -23*, -42*-47*, -363
 - current representation and alternative hypotheses, 8.3.1.2-52*-87*
 - and design and performance issues, 8.3.1.2-10*-47*, -48
 - and EBS release rates (Issue 1.5), 8.3.1.2-5**, -363
 - and erosion program, 8.3.1.2-147
 - general strategy of, 8.3.1.2-3
 - and geochemistry program, 8.3.1.2-5**, -444

geohydrology program (continued)

and ground-water protection (Issue 1.3),
8.3.1.2-5**

and GWTT (Issue 1.6), 8.3.1.2-5**,
-13*-47*, -363

and higher level findings (postclosure)
(Issue 1.9), 8.3.1.2-5**, -363

hypothesis testing tables,
8.3.1.2-52*-87*

interrelationships, 8.3.1.2-88--92

investigations, 8.3.1.2-92--444

hydrologic system (regional),
8.3.1.2-92--147

identification of, 8.3.1.2-88

saturated-zone hydrologic system
(site), 8.3.1.2-364--444

summary of studies, 8.3.1.2-59--62

unsaturated-zone hydrologic system
(site), 8.3.1.2-148--364

see specific investigation for study
and activity listings

logic diagram, 8.3.1.2-5**, -6**, -7**,
-8**

major events and completion dates,
8.3.1.2-449*-459*; 8.5-3, -4**, -5

and meteorology program, 8.3.1.2-5--6

and nonradiological health and safety
(Issue 4.2), 8.3.1.2-5**, -363

and NRC siting criteria (Issue 1.8),
8.3.1.2-5**, -363, -444

overview, 8.3.1.2-1--91

parameters, 8.3.1.2-6**, -7**, -8**,
-10*-47*

and postclosure tectonics program,
8.3.1.2-444

and potentially adverse conditions,
8.3.1.2-3

and preclosure design and technical
feasibility (Issue 4.4), 8.3.1.2-5**,
-10*-11*, -13*-17*, -19*, -21*,
-24*-27*, -42*-47*, -363

and preclosure hydrology program,
8.3.1.2-147, -364

and public radiological exposures--normal
conditions (Issue 2.1), 8.3.1.2-10*-11*

and regulations, 8.3.1.2-1--4

saturated-zone hydrology logic diagram,
8.3.1.2-8**

schedule, 8.3.1.2-445--459; 8.5-3, -4**

and seal characteristics (Issue 1.12),
8.3.1.2-5**, -10*-17*, 19*, -21*-23*,
-25*-27*, -42*-47*, -363

geohydrology program (continued)

and surface characteristics program,
8.3.1.2-147, -364

surface-water hydrology logic diagram,
8.3.1.2-6**

and total system performance (Issue 1.1),
8.3.1.2-5**, -11*-47*, -362, -444

unsaturated-zone hydrology logic diagram,
8.3.1.2-7**

and waste retrievability (Issue 2.4),
8.3.1.2-363

and worker radiological safety--normal
conditions (Issue 2.2), 8.3.1.2-10*
and 10 CFR Part 60, 8.3.1.2-2--3
and 10 CFR Part 960, 8.3.1.2-3
and 40 CFR Part 191, 8.3.1.2-1--2

geohydrology qualifying condition

and containment by waste package (Issue
1.4), 8.3.5.18-7

and EBS release rates (Issue 1.5),
8.3.5.18-7

and ground-water protection (Issue 1.3),
8.3.5.18-7

and GWTT (Issue 1.6), 8.3.5.12-26**;
8.3.5.18-7

and individual protection (Issue 1.2),
8.3.5.18-7

and postclosure performance issues,
8.3.5.18-6--7

preliminary finding, 8.3.5.18-4*

statement of, 8.3.5.18-8--9

and total system performance (Issue 1.1),
8.3.5.18-6--7

and 10 CFR 960.4-2-2(a), 8.3.5.18-9, -11

geohydrology studies summary

saturated zone, 8.3.1.2-89--90

unsaturated zone, 8.3.1.2-90--92

geohydrology technical guideline

and higher level findings (Issue 1.9(a)),
8.3.5.18-9, -10*, -10--11, -12*

geologic coreholes, description, 8.4.2-76--77

geologic cross sections, 8.3.1.14-37**, -38**

geologic drillholes

existing and proposed, 8.3.1.2-378**

see also drillholes

geologic feature transfer to topographic base
maps, technical procedures for, 8.3.1.4-68

geologic framework

activity parameters, 8.3.1.4-13*-14*,
-16, -17

rock characteristics parameters,
8.3.1.4-13*-14*

- geologic framework investigation
 - activities
 - borehole evaluations of faults and fractures, 8.3.1.4-70--74
 - borehole geophysical surveys, 8.3.1.4-57--59
 - geologic mapping of exploratory shaft and drifts, 8.3.1.4-74--79
 - geologic mapping of zonal features in Paintbrush Tuff, 8.3.1.4-66--68
 - magnetic properties and stratigraphic correlations, 8.3.1.4-60--64
 - petrophysical properties testing, 8.3.1.4-59--60
 - seismic tomography/vertical seismic profiling, 8.3.1.4-79--80
 - surface and subsurface stratigraphic studies, 8.3.1.4-32--41
 - surface-based geophysical surveys, 8.3.1.4-41--57
 - surface-fracture network studies, 8.3.1.4-68--70
 - application of results, 8.3.1.4-82--84
 - link to supporting information, 8.3.1.4-28
 - parameters, 8.3.1.4-28
 - purpose and objectives, 8.3.1.4-28
 - studies, 8.3.1.4-32--82
 - geologic model, 8.3.1.4-81--82
 - structural features within site area, 8.3.1.4-65--80
 - vertical/lateral stratigraphic units in site area, 8.3.1.4-32--64
 - technical basis for, 8.3.1.4-28--32
 - technical rationale, 8.3.1.4-29--32
- geologic mapping
 - index map, 8.3.1.17-98**
 - surficial materials, 8.3.1.2-158
- geologic mapping of exploratory shafts and drifts
 - constraints and zones of influence, 8.4.2-107
 - purpose and operations, 8.4.2-107
- geologic mapping of exploratory shafts and drifts activity, 8.3.1.4-74--79
 - description, 8.3.1.4-75--78
 - methods and technical procedures, 8.3.1.4-78--79
 - objectives, 8.3.1.4-74
 - parameters, 8.3.1.4-74--75
- geologic mapping of zonal features in Paintbrush Tuff activity, 8.3.1.4-66--68
 - areas, 8.3.1.4-67**
 - geologic mapping of zonal features in Paintbrush Tuff activity (continued)
 - description, 8.3.1.4-66
 - methods and technical procedures, 8.3.1.4-66, -68
 - objectives, 8.3.1.4-66
 - parameters, 8.3.1.4-66
 - geologic models
 - activity parameters, 8.3.1.4-14*--15*, -16, -17
 - and magnetic properties, 8.3.1.4-61
 - rock characteristics parameters, 8.3.1.4-14*--15*
 - and stratigraphic information, 8.3.1.4-56
 - and structural features, 8.3.1.4-65
 - three-dimensional, development of, 8.3.1.4-81--82
 - geologic repository operations area
 - design criteria, 8.3.2.3-3, -4*--11*
 - and radiological safety design, 8.3.2.3-3
 - geologic repository system performance, see mined geologic disposal system, Yucca Mountain
 - geologic setting performance, 8.3.3.2-2; 8.5-65
 - geologic structure, cross sections, 8.3.1.14--37**, -38**
 - geologic studies (field) activity, 8.3.1.8-116--117
 - geologic unit properties, scale of variation, 8.4.2-31*
 - geology technical concerns
 - SCP section correlation, 8.2-28*--49*
 - geomechanical analyses
 - analytical tools, 8.3.2.1-21--22
 - boundary element techniques, 8.3.2.1-21--22
 - finite element method, 8.3.2.1-22, -23
 - Rainier Mesa, 8.3.2.1-21
 - and repository models, 8.3.2.1-19
 - tunnel index methods, 8.3.2.1-22
 - geomechanical properties and underground openings (Issue 1.8 potentially adverse condition 21)
 - discussion, 8.3.5.17-80
 - text of condition, 8.3.5.17-6*
 - geomorphic indicator development, technical procedures for, 8.3.1.17-193
 - geomorphic map development activity, 8.3.1.6-10--11
 - description, 8.3.1.6-10--11

- geomorphic map development activity
 - (continued)
 - methods and technical procedures, 8.3.1.6-11
 - objectives, 8.3.1.6-10
 - parameters, 8.3.1.6-10
- geomorphic map preparation from surficial deposits, technical procedures for, 8.3.1.6-11
- geomorphic processes, and erosion, 8.3.1.6-20
- geomorphology (tectonic) of Yucca Mountain region study, 8.3.1.17-186--193
 - see also tectonic geomorphology of Yucca Mountain region study
- geophysical activities integration activity, 8.3.1.4-26--27, -64
 - description, 8.3.1.4-27, -64
 - objectives, 8.3.1.4-26, -64
 - parameters, 8.3.1.4-27, -64
- geophysical field measurements activity, 8.3.1.14-59--63
 - description, 8.3.1.14-61--63
 - methods and technical procedures, 8.3.1.14-63
 - objectives, 8.3.1.14-59--60
 - parameters, 8.3.1.14-60
- geophysical-geologic appraisal and mineral resources activity, 8.3.1.9-33--34
 - description, 8.3.1.9-34
 - methods and technical procedures, 8.3.1.9-34
 - objectives, 8.3.1.9-33--34
 - parameters, 8.3.1.9-34
- geophysical logging, 8.3.1.2-207, -223
 - methods, use of, 8.3.1.2-158--159
 - technical procedures for, 8.3.1.2-430
- geophysical models
 - and mineral resources, 8.3.1.9-34
- geophysical studies
 - and rock characteristics program, 8.3.1.4-42*-51*
 - and two-dimensional hydrologic modeling, 8.3.1.2-140
- geophysical surveys
 - borehole, 8.3.1.4-57--59
 - and hydrocarbon assessment, 8.3.1.9-34
 - preclosure and postclosure tectonics summary, 8.3.1.17-107*--110*
 - surface-based, 8.3.1.4-41--57
 - technical procedures for, 8.3.1.2-280, -373
- geophysical surveys in east-west transect crossing site activity, 8.3.1.17-105--119
 - description, 8.3.1.17-106, -115, -117--118
 - methods and technical procedures, 8.3.1.17-118--119
 - objectives, 8.3.1.17-105
 - parameters, 8.3.1.17-106
- geophysical technical procedures
 - borehole logging, 8.3.1.14-43
 - data analysis, 8.3.1.8-54
 - logging, 8.3.1.2-430
 - measurement methods, 8.3.1.14-61
 - surveys, 8.3.1.2--280, -373
- geophysical techniques
 - for vertical and lateral continuity, 8.3.1.4-41, -42*-51**, -52
- geostatistical analyses
 - of flow velocity data, 8.3.1.2-169
 - for matrix hydrologic properties, 8.3.1.2-183, -189
 - and spatial variability at site, 8.4.2-27--31
 - and surficial unit boundaries, 8.3.1.2-158--159
 - systematic drilling program, 8.3.1.4-96**
 - technical procedures for, 8.3.1.2-217
 - and volcanic stratigraphy, 8.4.2-28--31
- geothermal energy potential assessment activity, 8.3.1.9-34--36
 - description, 8.3.1.9-36
 - methods and technical procedures, 8.3.1.9-36
 - objectives, 8.3.1.9-35
 - parameters, 8.3.1.9-35--36
- geothermal regime and repository performance, 8.3.1.8-127--129
- geotomography
 - and fracture characterization, 8.3.1.2-162
 - technical procedures for, 8.3.1.2-164
- Ghost Dance fault, 8.3.1.17-28, -29**
 - drift to, 8.4.2-194--195
 - fracture flow, 8.3.5.12-16
 - and geologic mapping, 8.3.1.4-74
 - hydrogeologic cross section at Yucca Mountain, 8.3.5.13-57**
 - lateral infiltration barrier, 8.3.5.17-96
 - and sealing 8.3.3.1-4, -5
 - and vertical seismic profiling, 8.3.1.2-207
 - zone, plans and technical procedures, 8.3.1.17-160, -165*--166*

- glass leach testing (Subactivity 1.5.2.2.1), 8.3.5.10-51--52
 - description, 8.3.5.10-52
 - objectives, 8.3.5.10-51
 - parameters, 8.3.5.10-51
- glass leaching and materials interactions (Subactivity 1.5.2.2.2), 8.3.5.10-52--53
 - description, 8.3.5.10-53
 - objectives, 8.3.5.10-52
 - parameters, 8.3.5.10-52--53
- glass models
 - and EQ3/6, 8.3.5.10-53, -54
- glass stability, see minerals/glass stability investigation
- glass waste form
 - container, 8.3.5.9-2**
 - performance parameters, 8.3.5.9-20*, -31--32
 - release models
 - input and needed confidence, 8.3.5.10-6*--7*
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
 - release rates
 - performance parameters and goals, 8.3.5.10-22*--25*
 - waste packages, 8.3.4.1-5
- glass waste form characterization (Activity 1.5.2.2), 8.3.5.10-51--55
 - subactivities, 8.3.5.10-51--55
 - glass leach testing, 8.3.5.10-51--52
 - glass leaching and materials interactions, 8.3.5.10-52--53
 - waste producer cooperative testing, 8.3.5.10-53--55
- glass waste form information integration (Subactivity 1.5.1.1.2), 8.3.5.10-42
- glass waste form release model (Activity 1.5.3.4), 8.3.5.10-68--70
 - subactivity
 - glass waste form release models, 8.3.5.10-68--70
- glass waste form release models (Subactivity 1.5.3.4.1), 8.3.5.10-68--70
 - description, 8.3.5.10-69--70
 - objectives, 8.3.5.10-68
 - parameters, 8.3.5.10-69
- global climate model
 - evaluation, 8.3.1.5-82
 - extreme scenarios, 8.3.1.5-80
 - and regional model, 8.3.1.5-78, -84--86
- global climate model (continued)
 - software development, 8.3.1.5-82--83
 - see also climate modeling
- global climate modeling activity, 8.3.1.5-79--83
 - description, 8.3.1.5-80--82
 - objectives, 8.3.1.5-79
 - parameters, 8.3.1.5-79--80
 - scenarios, 8.3.1.5-80
- global climate modeling software development, technical procedures for, 8.3.1.5-82--83
- global positioning satellite survey activity, 8.3.1.17-196
 - description, 8.3.1.17-196
 - objectives, 8.3.1.17-196
 - parameters, 8.3.1.17-196
- global-regional (linked) climate modeling activity, 8.3.1.5-84--86
 - descriptions, 8.3.1.5-85
 - methods and technical procedures, 8.3.1.5-85--86
 - objectives, 8.3.1.5-84--85
 - parameters, 8.3.1.5-85
- Goldfield Caldera
 - and mineral and energy assessment, 8.3.1.9-41
- grain density measurements, technical procedures for, 8.3.1.2-193--194; 8.3.1.15-34
- Grant Canyon Field
 - and hydrocarbon assessment, 8.3.1.9-38
- graphic logging, technical procedures for, 8.3.1.4-100
- gravimetric water content measurement, technical procedures for, 8.3.1.2-191--192
- gravity
 - data for volcanic activity evaluation, 8.3.1.8-52
 - investigations
 - geophysical activities, 8.3.1.4-47*
 - preclosure and postclosure tectonics summary, 8.3.1.17-107*--108*
 - and magnetic survey, proposed area, 8.3.1.4-52, -55**
 - surveys
 - and mineral resources, 8.3.1.9-34
 - plans and technical procedures, 8.3.1.17-118, -119
 - technical procedures for, 8.3.1.4-57
- synthesis (regional), plans and technical procedures, 8.3.1.17-202

- gravity survey (detailed) activity, 8.3.1.17-171
 - description, 8.3.1.17-171
 - methods and technical procedures, 8.3.1.17-171
 - objectives, 8.3.1.17-171
 - parameters, 8.3.1.17-171
- grazing rights, 8.3.1.11-2
- Great Basin
 - and earthquakes, 8.3.1.17-35, -92
 - erosion, 8.3.1.6-7, -20
 - and hydrocarbon assessment, 8.3.1.9-38
 - and Quaternary tectonic processes, 8.3.1.17-31
 - regional-aquifer system analysis, hydrogeologic data compilation, 8.3.1.2-146
 - and silicic volcanism, 8.3.1.17-31, -52, -54
 - and stress field, 8.3.1.17-181
 - volcanic center literature survey, 8.3.1.17-54
 - volcanic field data, 8.3.1.8-121
- GROA, see geologic repository operations area
- ground magnetic survey (detailed) activity, 8.3.1.17-172--173
 - description, 8.3.1.17-173
 - methods and technical procedures, 8.3.1.17-173
 - objectives, 8.3.1.17-172--173
 - parameters, 8.3.1.17-173
- ground magnetic surveys
 - and mineral resources, 8.3.1.9-34
- ground motion, 8.3.1.17-34--37, -63--86
 - calculation of, technical procedure for, 8.3.1.17-85
 - from local site geology, study, 8.3.1.17-77--79
 - and marker system, 8.3.1.9-18
 - monitoring, technical procedures for, 8.3.1.15-71
 - from Nevada Test Site nuclear testing, evaluation activity, 8.3.1.13-11
 - subsurface (postclosure), 8.3.1.8-70--71
 - and weapons testing, 8.3.1.13-11
 - see also vibratory ground motion investigation
- ground motion from earthquakes and underground nuclear explosion study, 8.3.1.17-76--77
 - activities, 8.3.1.17-76--77
- ground motion from earthquakes and underground nuclear explosion study (continued)
 - activities (continued)
 - earthquake ground motion models, 8.3.1.17-76
 - underground nuclear explosion ground motion models, 8.3.1.17-77
 - objectives, 8.3.1.17-76
- ground motion from seismic event characterization activity, 8.3.1.17-81
 - description, 8.3.1.17-81
 - objectives, 8.3.1.17-81
 - parameters, 8.3.1.17-81
- ground motion from seismic event (controlling) identification activity, 8.3.1.17-80
 - description, 8.3.1.17-80
 - objectives, 8.3.1.17-80
 - parameters, 8.3.1.17-80
- ground motion from seismic event study, 8.3.1.17-80--81
 - activities, 8.3.1.17-80--81
 - ground motion from seismic event, characterization, 8.3.1.17-81
 - seismic event (controlling) identification, 8.3.1.17-80
- ground motion from site geology activity--recordings, 8.3.1.17-78
 - description, 8.3.1.17-78
 - objectives, 8.3.1.17-78
 - parameters, 8.3.1.17-78
- ground motion from site geology activity--wave properties, 8.3.1.17-79
 - description, 8.3.1.17-79
 - objectives, 8.3.1.17-79
 - parameters, 8.3.1.17-79
- ground motion probability evaluation activity, 8.3.1.17-84--85
 - description, 8.3.1.17-85
 - methods and technical procedures, 8.3.1.17-85
 - objectives, 8.3.1.17-84
 - parameters, 8.3.1.17-84--85
- ground support design
 - and drift analyses, 8.3.2.5-71
 - flexibility, 8.4.2-219
- ground support monitoring, technical procedures for, 8.3.1.15-73
- ground support systems
 - constraints and zones of influence, 8.4.2-130
 - purpose and operations, 8.4.2-130

ground support systems monitoring activity,
8.3.1.15-72--73

description, 8.3.1.15-72

methods and technical procedures,
8.3.1.15-72--73

objectives, 8.3.1.15-72

parameters, 8.3.1.15-72

ground water

basin, and Quaternary ground-water
conditions, 8.3.1.5-92--93batch sorption coefficient measurement
test matrix, 8.3.1.3-77*chemical analysis, technical procedures
for, 8.3.1.16-19, -21, -23

chemistry

and carbonate caverns, 8.3.1.5-100

current information, 8.3.1.3-38

and exploratory shaft liner,
8.4.3-24--25

and tectonic processes, 8.3.1.8-29

chemistry model

and aqueous-phase chemical
investigations, 8.3.1.2-339

development, 8.3.1.3-36

and EQ3/6, 8.3.1.3-38

and geochemistry investigations,
8.3.1.3-10, -12

and hydrochemistry tests, 8.3.1.2-306

composition

and EBS, 8.3.1.3-12

and geochemistry program, 8.3.1.3-10,
-12, -24, -26, -27

and mineralogy, 8.3.1.3-66

and sorption, 8.3.1.3-76--77, -79

computer model and carbonate transport,
technical procedures for, 8.3.1.5-64conditions due to future climate changes,
technical procedures for, 8.3.1.5-122

contamination potential, 8.7-2

discharge, see discharge

flow

directions, 8.3.1.2-95**

and geohydrologic condition
investigations, 8.3.1.2-88and local heat flow anomalies,
8.3.1.8-128in matrix and fractures, analyses and
data, 8.4.3-11--17velocity, geostatistical analyses,
8.3.1.2-169vertical component, technical
procedure for, 8.3.1.2-125

ground water (continued)

flow models

ground-water flow path description,
objective of, 8.3.1.2-371

and hydrochemical studies, 8.3.1.2-141

location and geology of, 8.3.1.2-95**

parameter sensitivity, technical
procedures for, 8.3.1.2-118

regional, 8.3.1.2-94, -134, -145

sensitivity analyses, 8.3.1.2-115

three-dimensional, 8.3.1.2-144--147;
8.3.1.5-121two-dimensional, 8.3.1.2-115, -134,
-139--141; 8.3.1.5-121

use of, 8.3.1.2-90

U.S. Geological Survey modular three-
dimensional finite difference,
8.3.1.2-145--146

flow paths

effects of ground-water withdrawals,
8.3.1.9-48flux and velocity calculation,
8.3.1.2-441--443

flow system

boundary conditions, saturated zone,
8.3.1.2-89effects of repository-related water
withdrawals, 8.3.1.16-24see also saturated-zone ground-water
flow system (site) study

levels

and past discharge, 8.3.1.5-101

see also water-table elevation

models

governing equations, 8.3.5.12-27,
-34--35

movement

and regulatory requirements, 8.3.1.2-2

pathways

Calico Hills, 8.3.5.8-7; 8.3.5.17-92

Crater Flat, 8.3.5.8-7

fracture flow, 8.3.5.12-5

matrix flow, 8.3.5.12-5

Topopah Spring unit, 8.3.5.8-7--8

pumping

energy consumption, technical

procedures for, 8.3.1.16-19, -21,
-23

unit cost development, technical

procedures for, 8.3.1.16-19, -21,
-23

PART B INDEX (Chapter 8)

- ground water (continued)
 - and repository rock data and radiological protection, 8.3.2.3-40
 - resources, 8.3.1.9-11--12, -20, -21, -22**, -23, -24
 - sampling, technical procedures for, 8.3.1.2-123, -133
 - special source, see Class I or special sources of ground water
 - transport, see transport and GWTT (Issue 1.6)
 - travel pathways
 - conceptual models, 8.3.5.12-3--5
 - fracture flow, 8.3.5.12-11
 - matrix flow, 8.3.5.12-11
 - travel time, see GWTT
 - velocities, methods of determining, 8.3.1.2-154
 - withdrawals, hydrologic effects
 - at Yucca Mountain, 8.3.1.9-49
 - and tectonic processes, 8.3.1.8-29
 - see also flux
- ground-water chemistry model study, 8.3.1.3-37--40
 - current water chemistry, 8.3.1.3-39
 - description, 8.3.1.3-38--39
 - objectives, 8.3.1.3-37--38
 - parameters, 8.3.1.3-38
- ground-water conditions (not reducing) (Issue 1.8 potentially adverse condition 9)
 - discussion, 8.3.5.17-55
 - performance parameters and goals, 8.3.5.17-59*--60*
 - related studies and activities, 8.3.5.17-59*--60*
 - scenario classes, 8.3.5.17-59*--60*
 - text of condition, 8.3.5.17-5*
- ground-water conditions affecting EBS (Issue 1.8 potentially adverse condition 7)
 - discussion, 8.3.5.17-48, -52
 - performance parameters and goals, 8.3.5.17-49*--51*
 - related studies and activities, 8.3.5.17-49*--51*
 - scenario classes, 8.3.5.17-49*--51*
 - text of condition, 8.3.5.17-5*
- ground-water conditions investigation, 8.3.1.16-25--28
 - activity
 - unsaturated-zone hydrologic characteristics synthesis, 8.3.1.16-26
 - application of results, 8.3.1.16-28
- ground-water conditions investigation (continued)
 - link to supporting information, 8.3.1.16-25
 - logic diagram, 8.3.1.16-27**
 - parameters, 8.3.1.16-25
 - purpose and objectives, 8.3.1.16-25
 - study
 - preclosure hydrologic conditions--unsaturated zone, 8.3.1.16-26
 - summary, 8.3.1.16-6
 - technical basis for, 8.3.1.16-25--26
 - technical rationale, 8.3.1.16-26
- ground-water development trends and withdrawal rates activity, 8.3.1.9-43--44
 - description, 8.3.1.9-43
 - methods and technical procedures, 8.3.1.9-44
 - objectives, 8.3.1.9-43
 - parameters, 8.3.1.9-43
- ground-water flow study area (subregional), 8.3.1.2-135**
- ground-water flow system (regional) study, 8.3.1.2-114--137
 - activities, 8.3.1.2-114--137
 - evapotranspiration studies, 8.3.1.2-134--137
 - Fortymile Wash recharge, 8.3.1.2-125--133
 - hydrogeologic data needs (regional)--saturated zone, 8.3.1.2-114--118
 - potentiometric level distribution studies (regional), 8.3.1.2-118--125
- ground-water flow system (site) study, see saturated-zone ground-water flow system (site) study
- ground-water pathway dose calculation (Activity 1.2.1.1), 8.3.5.14-10
 - description, 8.3.5.14-10
 - objectives, 8.3.5.14-10
 - parameters, 8.3.5.14-10
- ground-water protection (Issue 1.3), 8.3.5.15-1--13
 - approach, 8.3.5.15-2, -3**, -4
 - geochemistry program parameter calls, 8.3.1.3-1, -2**, -4*--9*, -11**
 - geohydrology program parameter calls, 8.3.1.2-5**, -41*
 - information needs, 8.3.5.15-4--13, Class I or special sources of ground water (1.3.1), 8.3.5.15-4--9

ground-water protection (Issue 1.3)
(continued)

information needs (continued)
concentrations (1,000-yr) in special
sources of ground water (1.3.2),
8.3.5.15-9--13
see specific information need for
analysis and activity listings
interrelationships, 8.3.5.15-4
issue resolution strategy,
8.3.5.15-1--4
logic diagram, 8.3.5.15-3**
major events and completion dates,
8.3.5.15-12*; 8.5-78, -79**
and Nuclear Waste Policy Act, 8.3.5.15-2
and other design and performance
assessment issues, 8.3.2.1-2**;
8.3.4.1-2**
performance allocation, 8.3.5.15-4, -5*
postclosure guideline qualifying and
disqualifying conditions,
8.3.5.18-7--8
and postclosure performance assessment,
8.3.5.8-2, -3*, -4
and postclosure performance objectives,
8.4.3-1, -2, -3
and qualifying and disqualifying
conditions of Issue 1.9(a),
8.3.5.18-8
and reference postclosure repository
design (Information Need 1.11.7),
8.3.2.2-75
regulatory basis, 8.3.1.2-2;
8.3.5.15-1--2
schedule, 8.3.5.15-10--13; 8.5-78, -79**
and system guideline qualifying condition
--postclosure, 8.3.5.18-7--8, -9--10
and 40 CFR 191, 8.3.5.15-1
and 40 CFR 191.16, 8.3.5.18-8
ground-water protection, postclosure
performance objectives, 8.4.3-1, -2, -3
ground-water resource and human interference,
8.3.1.9-45
ground-water travel path identification
(Information Need 1.6.3), 8.3.5.12-49--52
activity, 8.3.5.12-51
unsaturated flow system analysis,
8.3.5.12-51
application of results, 8.3.5.12-52
link to supporting information,
8.3.5.12-49
logic, 8.3.5.12-49--50

ground-water travel path identification
(Information Need 1.6.3) (continued)

parameters, 8.3.5.12-49
subactivities, 8.3.5.12-51
saturated-zone flow analysis,
8.3.5.12-51
unsaturated-zone flow analysis,
8.3.5.12-51
technical basis for, 8.3.5.12-49--50
ground-water travel time, see GWT
Grouse Canyon Member
and anelastic strain recovery experiments,
8.3.1.15-79
Topopah Spring tuff comparison, 8.3.5.2-35
GWT
after repository construction and waste
emplacement, see post-emplacement
GWT (Activity 1.6.5.1)
Calico Hills, 8.3.5.12-16
confidence levels, 8.3.5.12-19
and diffusive processes, 8.3.5.12-11--12
discrete fracture models, 8.3.5.12-42--43
distributions, 8.3.5.12-18**
and effective permeability, 8.3.1.4-17
effects of flux change, 8.4.3-13, -17
and erosion, 8.3.1.6-4, -26, -27
from disturbed zone, 8.3.5.12-49--54
double porosity model, 8.3.5.12-42
equivalent porous medium model,
8.3.5.12-41--42
estimate, 8.3.5.13-63*; 8.3.5.14-2
and hydrochemistry, 8.3.1.2-91
and hydrogeologic condition investi-
gations, 8.3.1.2-88
and hydrologic modeling, 8.3.1.2-137,
-142
impacts on, 8.4.3-85--88
drilling activities, 8.4.3-87
ESF testing activities, 8.4.3-87--88
exploratory shaft construction,
8.4.3-87
of site characterization activities,
8.4.3-85--86
surface-related activities, 8.4.3-86
underground construction, 8.4.3-87
underground support systems,
8.4.2-199-200
issue resolution strategy summary,
8.4.3-85--86
major schedule events, 8.5-71, -72**, -73
matrix flow, 8.3.5.12-17; 8.3.5.13-63*

PART B INDEX (Chapter 8)

GWTT (continued)

- model performance parameters
 - saturated zone, 8.3.5.12-31*-32*
 - unsaturated zone, 8.3.5.12-28*-30*
- model verification
 - and site information flow,
8.3.5.12-26**
- from percolation information,
8.3.1.2-153--154
- and performance assessment, 8.3.5.19-2*,
-5*
- plots, 8.3.5.12-14**
- pre-waste emplacement parameters,
8.3.1.2-155**
- process for providing parameters,
8.3.1.2-155**
- and retardation tracers, 8.3.1.3-109
- and rock characteristics program,
8.3.1.4-1
- and sensitivity analyses, 8.3.5.12-54
- site information flow calculations,
8.3.5.12-26**
- summary schedule, 8.5-71, -72**
- and Topopah Spring welded unit,
8.3.5.12-13
- and vapor flux, 8.3.5.12-5
- see also ground water and other GWTT
entries following

GWTT (Issue 1.6), 8.3.5.12-1--69

- approach, 8.3.5.12-5--23
 - flow system identification (step 1),
8.3.5.12-8--13
 - parameter needs (step 5),
8.3.5.12-20--23
 - performance goals (step 4),
8.3.5.12-17--19
 - performance measure (step 3),
8.3.5.12-17
 - selection by hydrogeologic units and
flow processes (step 2),
8.3.5.12-13--17
- background, 8.3.5.12-3--5
- geochemistry program parameter calls,
8.3.1.3-1, -2**, -8*, -11*
- and geohydrology program, 8.3.5.12-26**
 - parameter calls, 8.3.1.2-5**,
-13*-47*, -364
- information needs, 8.3.5.12-25--69
 - disturbed zone boundary (1.6.5),
8.3.5.12-55--69

GWTT (Issue 1.6) (continued)

- information needs (continued)
 - ground-water travel path
identification (1.6.3),
8.3.5.12-49--52
 - GWTT predictions models (1.6.2),
8.3.5.12-40--48
 - pre-waste-emplacement ground-water
travel time (1.6.4), 8.3.5.12-52--54
 - site and design information needed
(GWTT) (1.6.1), 8.3.5.12-25--40
 - see specific information need for
activity and subactivity listings
- interrelationships, 8.3.5.12-23--25
- issue resolution strategy, 8.3.5.12-1--25
- logic diagram, 8.3.5.12-7**
- major events and completion dates,
8.3.5.12-65*-68*; 8.5-71, -72**, -73
- and other design and performance
assessment issues, 8.3.2.1-2**;
8.3.4.1-2**
- performance allocation, 8.3.5.12-9*-10*
- performance parameter confidence levels,
8.3.5.12-20, -23, -21*-22*
- performance parameters, 8.3.5.12-21*-22*
- postclosure guideline qualifying and
disqualifying conditions,
8.3.5.18-7--8
- and postclosure performance assessment,
8.3.5.8-2, -3*, -4
- and preclosure tectonics program,
8.3.1.17-206
- and qualifying and disqualifying
conditions of Issue 1.9(a),
8.3.5.18-6
- and reference postclosure repository
design (Information Need 1.11.7),
8.3.2.2-76, -78
- and regulatory basis, 8.3.1.2-2;
8.3.5.12-1--3
- and rock characteristics program,
8.3.5.12-26**
- schedule, 8.3.5.12-63--69; 8.5-71, -72**,
-73
- site data from other programs,
8.3.5.12-26*
- and system guideline qualifying condition
--postclosure, 8.3.5.18-7--9
- thermal and mechanical rock properties
program parameter calls, 8.3.1.15-1,
-2*, -4*-5*, -12*, -15**

PART B INDEX (Chapter 8)

GWTT calculation model development
 (Subactivity 1.6.2.1.2), 8.3.5.12-45
 objectives, 8.3.5.12-45
 description, 8.3.5.12-45
 GWTT code verification (Subactivity
 1.6.2.2.1), 8.3.5.12-46
 description, 8.3.5.12-46
 objectives, 8.3.5.12-46
 GWTT model development (Activity 1.6.2.1),
 8.3.5.12-44--45
 subactivities, 8.3.5.12-44--45
 GWTT calculation model development,
 8.3.5.12-45
 GWTT models--theoretical framework,
 8.3.5.12-45
 GWTT model validation (Subactivity 1.6.2.2.2),
 8.3.5.12-46--48
 description, 8.3.5.12-46--48
 methods and technical procedures,
 8.3.5.12-48
 objectives, 8.3.5.12-46
 GWTT model verification and validation
 (Activity 1.6.2.2), 8.3.5.12-45--48
 GWTT model verification and validation
 (Activity 1.6.2.2) (continued)
 subactivities, 8.3.5.12-46--48
 GWTT code verification,
 8.3.5.12-46
 GWTT model validation, 8.3.5.12-46--48
 GWTT models, theoretical framework
 (Subactivity 1.6.2.1.1), 8.3.5.12-45
 description, 8.3.5.12-45
 objectives, 8.3.5.12-45
 GWTT performance allocation (Subactivity
 1.6.4.1.1), 8.3.5.12-53
 description, 8.3.5.12-53
 objectives, 8.3.5.12-53
 GWTT prediction models (Information
 Need 1.6.2), 8.3.5.12-40--48
 activities, 8.3.5.12-44--48
 GWTT model development,
 8.3.5.12-44--45
 GWTT model verification and
 validation, 8.3.5.12-45--48
 application of results, 8.3.5.12-48
 link to supporting information,
 8.3.5.12-40
 logic, 8.3.5.12-41--44
 parameters, 8.3.5.12-40--41
 subactivities
 GWTT calculation model development,
 8.3.5.12-45

GWTT prediction models (Information
 Need 1.6.2) (continued)
 subactivities (continued)
 GWTT code verification,
 8.3.5.12-46
 GWTT model validation, 8.3.5.12-46--48
 GWTT models--theoretical framework,
 8.3.5.12-45
 technical basis, 8.3.5.12-40--44
 GWTT sensitivity and uncertainty analyses
 (Subactivity 1.6.4.1.2), 8.3.5.12-54
 description, 8.3.5.12-54
 objectives, 8.3.5.12-54
 GWVIP
 and COVE 1, 8.3.5.20-3, -4*

 hand-held magnetic susceptibility meter use,
 technical procedures for, 8.3.1.4-63
 hardware and cladding release model
 input and needed confidence,
 8.3.5.10-7*-8*
 and waste package model hierarchy,
 8.3.5.9-7**; 8.3.5.10-3**
 hazard calculations (probabilistic), seismic,
 8.3.1.17-82--85
 HDOC, 8.3.1.3-121, -122, -127
 and COVE 2, 8.3.5.20-4*
 and performance assessment, 8.3.5.19-2*,
 -5*
 health and safety of repository workers, see
 nonradiological health and safety (Issue
 4.2) and worker radiological safety--normal
 conditions (Issue 2.2)
 health and safety systems
 underground support systems,
 8.4.2-199--200
 heat and moisture flow model, 8.3.1.2-156
 heat capacity (volumetric) characterization
 activity, 8.3.1.15-34--36
 heat capacity determination, technical
 procedures for, 8.3.1.15-36
 heat flow and heat flow anomalies activity,
 8.3.1.8-127--129
 description, 8.3.1.8-128
 methods and technical procedures,
 8.3.1.8-129
 objectives, 8.3.1.8-127

heat flow and heat flow anomalies activity
 (continued)
 parameters, 8.3.1.8-128
 see also geothermal potential assessment activity
 heat flow studies, technical procedures for,
 8.3.1.8-129*
 heat-load effects on transport,
 8.3.1.3-119--122
 heated block experiment
 compliant joint model, 8.4.3-32
 constraints and zones of influence,
 8.4.2-122
 design, 8.4.2-121**
 in situ experiment analysis, 8.4.3-32
 purpose and operations, 8.4.2-120
 thermal/mechanical analyses, 8.4.3-32
 heated room experiment (ESF)
 and performance confirmation testing,
 8.3.5.16-2*
 conceptual layout, 8.4.2-125**
 constraints and zones of influence,
 8.4.2-126
 purpose and operations, 8.4.2-124
 heated room experiment activity,
 8.3.1.15-62--65
 description, 8.3.1.15-62--63
 methods and technical procedures,
 8.3.1.15-63--65
 objectives, 8.3.1.15-62
 parameters, 8.3.1.15-62
 heater control, technical procedures for,
 8.3.1.15-54, -56, -59, -61
 heater experiment in unit TSW1 activity,
 8.3.1.15-52--54
 description, 8.3.1.15-53
 methods and technical procedures,
 8.3.1.15-53--54
 objectives, 8.3.1.15-52
 parameters, 8.3.1.15-53
 heater experiment in unit TSW1
 constraints and zones of influence,
 8.4.2-117
 elevation view, 8.4.2-118**
 purpose and operations, 8.4.2-117
 heater experiments, 8.3.1.15-52--65
 heater operation, technical procedures for,
 8.3.1.15-54, -56, -59, -61, -64
 high-frequency ultrasonic pulse technique,
 technical procedures for, 8.3.1.14-52
 high-level radioactive materials
 and decontamination, 8.7-2

high-precision photogrammetric techniques,
 technical procedures for, 8.3.1.4-68
 higher level findings--ease and cost of
 construction (Issue 4.1), 8.3.5.7-1--16
 approach to issue resolution,
 8.3.5.7-3--16
 hydrology technical guideline, 8.3.5.7-11,
 -13, -14*
 issue resolution strategy, 8.3.5.7-1--16,
 -5**
 and nonradiological health and safety
 (Issue 4.2), 8.3.5.7-7*
 and other design and performance
 assessment issues, 8.3.2.1-5
 and preclosure design and technical
 feasibility (Issue 4.4), 8.3.5.5-1,
 -2**, -5**, -11
 regulatory basis, 8.3.5.7-1--3
 rock characteristics technical guideline,
 8.3.5.7-9--11, -12*
 and surface characteristics program,
 8.3.1.14-15
 surface characteristics program parameter
 calls, 8.3.1.14-19*, -26
 surface characteristics technical
 guideline, 8.3.5.7-8--9, -10*
 system guideline qualifying condition
 8.3.5.7-6--8
 tectonics technical guideline,
 8.3.5.7-13--14, -15*--16*
 and total system costs (Issue 4.5),
 8.3.5.7-7*
 and waste package production technologies,
 8.3.5.7-7*
 higher level findings--postclosure (Issue
 1.9), 8.3.5.18-1--27
 and climate program, 8.3.1.5-1--3, -2**
 and containment by waste package (Issue
 1.4), 8.3.5.9-7**
 and EBS release rates (Issue 1.5),
 8.3.5.10-1--2, -3**, -30
 geochemistry program parameter calls,
 8.3.1.3-2**, -3, -8*, -11**
 and geohydrology program parameter calls,
 8.3.1.2-5**, -363
 and human interference program,
 8.3.1.9-1--2, -15**
 and other design and performance
 assessment issues, 8.3.2.1-5
 and overburden disqualifying condition,
 8.3.1.14-27

PART B INDEX (Chapter 8)

higher level findings--postclosure (Issue 1.9) (continued)

- and postclosure performance assessment, 8.3.5.8-2, -3*, -4
- postclosure tectonics program parameter calls, 8.3.1.8-2**, -3*, -6*, -9*, -13*, -17*, -19*
- and reference postclosure repository design (Information Need 1.11.7), 8.3.2.2-75
- and regulatory basis, 8.3.1.2-3
- and rock dissolution program, 8.3.1.7-2
- and 10 CFR 960.4-2-1, 8.3.1.5-1
- and 10 CFR 960.4-2-4, 8.3.1.5-1

higher level findings--postclosure (Issue 1.9(a))

- approach, 8.3.5.18-3--21, -5**
- and climatic changes technical guideline, 8.3.5.18-14, -15*, -16
- and dissolution technical guidelines, 8.3.5.18-18
- and erosion technical guideline, 8.3.5.18-15--16
- future climate considerations, 8.3.5.18-15*
- future tectonic activity considered, 8.3.5.18-18*
- geochemical characteristics considered, 8.3.5.18-12*
- and geochemical technical guideline, 8.3.5.18-9, -11, -12*
- geohydrologic characteristics considered, 8.3.5.18-10*
- and geohydrology technical guideline, 8.3.5.18-8--9, -10*
- human activities considered, 8.3.5.18-20*
- human interference technical guideline, 8.3.5.18-19--21, -20*
- issue resolution strategy, 8.3.5.18-3, -5**, -6--21
- logic diagram, 8.3.5.18-5**
- performance issues and qualifying and disqualifying conditions, 8.3.5.18-6--7
- regulatory basis, 8.3.5.18-1--3
- rock characteristics considered, 8.3.5.18-12*
- and rock characteristics technical guideline, 8.3.5.18-11--13, -12*
- and system guideline qualifying condition--postclosure, 8.3.5.18-9

higher level findings--postclosure (Issue 1.9(a)) (continued)

- and tectonics technical guideline, 8.3.5.18-17, -18*
- and total system performance (Issue 1.1), 8.3.5.18-22, -24--25
- and 10 CFR Part 60, 8.3.5.18-3, -6
- and 10 CFR 960.3-1-5, 8.3.5.18-1

higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-1--13

- approach, 8.3.5.6-4--13
- issue resolution strategy, 8.3.5.6-1--13, -5*
- and land ownership and mineral rights program, 8.3.1.11-1
- meteorological data, 8.3.5.6-10*
- and meteorology program, 8.3.1.12-1, -2**, -4**, -5
- meteorology technical guideline, 8.3.5.6-11--12
- offsite installations and operations technical guideline, 8.3.5.6-12--13
- and offsite installations program, 8.3.1.13-1, -2, -7, -10, 11--12
- and population density and distribution program, 8.3.1.10-1
- population density and distribution technical guideline, 8.3.5.6-8--9
- qualifying and disqualifying conditions, 8.3.5.6-2
- regulatory basis, 8.3.5.6-1--4
- site ownership and control technical guideline, 8.3.5.6-11
- system guideline qualifying condition, 8.3.5.6-6*, -7--8

higher level findings--100,000-year releases (Issue 1.9(b))

- approach, 8.3.5.18-22, -23**, -24--25
- issue resolution strategy, 8.3.5.18-22, -23**, -24--25
- logic diagram, 8.3.5.18-23**
- nominal scenario class, 8.3.5.18-22, -24
- parameters, 8.3.5.18-26*--27*
- regulatory basis, 8.3.5.18-21
- scenario classes, 8.3.5.18-26*--27*
- and 10 CFR 960.3-1-5, 8.3.5.18-21, -25
- hillslope erosion, technical procedures for, 8.3.1.6-14
- hillslope erosion activity, 8.3.1.6-13--14
- description, 8.3.1.6-14
- methods and technical procedures, 8.3.1.6-14

hillslope erosion activity (continued)

objectives, 8.3.1.6-13

parameters, 8.3.1.6-13--14

historical and current seismicity study,
8.3.1.17-87--93

activities

earthquake (historical) record

compilation, 8.3.1.17-88--89

seismicity (current) monitoring,

8.3.1.17-89--91

seismicity (induced) evaluation,

8.3.1.17-91--93

historical climate data sets collection,

technical procedures for, 8.3.1.5-41

hoists and headframes

exploratory shaft facility, 8.4.2-164**,
-165, -166**

Holocene deposits

and erosion, 8.3.1.6-9

horizontal borehole, see Solitario Canyon

horizontal borehole studies activity

horizontal drilling, technical procedures for,
8.3.1.2-224

horizontal emplacement

configuration and stability, 8.3.4.2-27

container, 8.3.5.9-3**

drift analyses, 8.4.3-28, -29

and emplacement hole drainage,

8.3.4.2-26--27

and seals, 8.3.3.2-35

horizontal vs. vertical emplacement decision,

product 1.11.3-3, 8.3.2.2-37, -48*, -50

Horse Spring, 8.3.1.8-130, 8.3.1.17-150, -151*

host rock

and accessible environment, mineral

distribution between, 8.3.1.3-45--47

and alteration, 8.3.1.3-42, -49--51

and ambient temperature, 8.3.1.15-82

and boreholes, 8.3.1.2-200--211,

-222--223, -281--285

environment

conceptual models, 8.3.2.1-8--9

data needed, summary, 8.3.2.1-8--13

post-subsurface-excavation,

8.3.2.1-11--12

post-waste-emplacement, 8.3.2.1-12--13

pre-waste-emplacement summary plans,

8.3.2.1-9--11

summary plans, 8.3.2.1-8--13

and lithology, 8.3.1.4-75

and mineralogy, 8.3.1.4-77--78

host rock (continued)

and mineralogy, petrology, and rock
chemistry, 8.3.1.3-25, -43

and neutron surveys, 8.3.1.2-284

and rock property data, 8.3.1.4-58

and shielding, 8.3.2.3-1, -41

and stratigraphic studies, 8.3.1.4-32--41

and stress, 8.3.1.15-78, -80

and vertical seismic profiling, 8.3.1.4-79

see also mined geologic disposal system,

repository horizon, Topopah Spring

Member, and Yucca Mountain

human activity

and direct release scenarios, 8.3.5.13-128

impacts of, 8.3.5.13-23, -24

see also human intrusion

human activity potential (Issue 1.8

potentially adverse condition 2)

discussion, 8.3.5.17-20--21, -27

performance measures and goals,

8.3.5.17-22*--26*

related studies and activities,

8.3.5.17-22*--26*

scenario classes, 8.3.5.17-22*--26*

text of condition, 8.3.5.17-4*

human interference effects, see effects of

human interference investigation

human interference program, 8.3.1.9-1--55

alternative conceptual models, 8.3.1.9-24,

-25*--26*, -27

approach, 8.3.1.9-2--11

current representation and alternative

hypotheses, 8.3.1.9-25*--26*

and erosion, 8.3.1.6-1, -2

and geohydrology program, 8.3.1.2-88,

-444

and higher level findings--postclosure

(Issue 1.9), 8.3.1.9-1--2, -13**

hypothesis-testing tables,

8.3.1.9-25*--26*

initiating events, 8.3.1.9-4*--10*

interrelationships of investigations,

8.3.1.9-11--12, -13**, -14*--15*

investigations, 8.3.1.9-14--51

degradation of markers, 8.3.1.9-13**, -14*--15*, -15--21

effects of human interference,

8.3.1.9-45--51

value of resources, 8.3.1.9-20--44

see specific investigation for studyand activity listings

logic diagram, 8.3.1.9-13**

PART B INDEX (Chapter 8)

- human interference program (continued)
 - major events and completion dates,
 - 8.3.1.9-53*-55*; 8.5-20**, -21
 - and NRC siting criteria (Issue 1.8),
 - 8.3.1.9-1, -13**
 - overview, 8.3.1.9-1--15*
 - parameters, 8.3.1.9-4*-10*
 - performance and design requirement summary, 8.3.1.9-1--2
 - and preclosure design and technical feasibility (Issue 4.4), 8.3.1.9-10*, -13**, -16
 - regulatory assumptions, 8.3.1.9-2--3
 - schedule, 8.3.1.9-51--55; 8.5-19, -20**
 - study and activity summary,
 - 8.3.1.9-14*-15*
 - and total system performance (Issue 1.1),
 - 8.3.1.9-1, -4*-9*, -12, -13**, -16
 - and 10 CFR Part 60, 8.3.1.9-1, -2
 - and 40 CFR Part 191, 8.3.1.9-2--3
- human interference technical guideline
 - and higher level findings (Issue 1.9(a)),
 - 8.3.5.18-19--20, -20*
- human intrusion
 - and controlled area, 8.3.5.13-82, -83;
 - 8.3.5.17-20
 - exploratory drilling, 8.3.1.9-3, -11, -45
 - likelihood of, 8.3.1.9-49
 - noncredible initiating events,
 - 8.3.1.9-50
 - potential, 8.3.1.9-49
 - probabilistic calculations and mineral and energy assessment, 8.3.1.9-40
 - and release scenario classes,
 - 8.3.5.13-24
 - release model, 8.3.5.13-132*
- human intrusion data compilation activity,
 - 8.3.1.9-48
 - description, 8.3.1.9-48
 - methods and technical procedures,
 - 8.3.1.9-48
 - objectives, 8.3.1.9-48
 - parameters, 8.3.1.9-48
- human intrusion data requirements study,
 - 8.3.1.9-46--48
 - activity
 - human intrusion data compilation,
 - 8.3.1.9-48
- human intrusion direct release (disturbed case scenario A-2), 8.3.5.13-82--84
 - expected partial performance measures (EPPM), 8.3.5.13-84
- human intrusion direct release (disturbed case scenario A-2) (continued)
 - performance parameters, 8.3.5.13-97*
 - technical discussion, 8.3.5.13-82--84
- human intrusion release model development (Subactivity 1.1.3.1.4), 8.3.5.13-135
 - description, 8.3.5.13-135
 - objectives, 8.3.5.13-135
 - parameters, 8.3.5.13-135
- human reliability analysis, 8.3.5.1-10, -12
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-10
 - and radiological risk, 8.3.5.1-10
- hydraulic behavior of fracture-matrix system
 - and drilling with water, 8.4.3-14
- hydraulic conductivity
 - data needs, 8.3.1.2-146
 - and fracturing, 8.3.1.2-89
 - and matric potential, 8.4.1-15--20
 - technical procedures for, 8.3.1.2-343, -347--348
 - and unsaturated zone, 8.4.1-15--20
- hydraulic conductivity and consolidation of crushed tuff (Activity 1.12.2.1.2)
 - description, 8.3.3.2-40
 - objectives, 8.3.3.2-40
- hydraulic conductivity/matric potential for fractures and rock matrix, 8.4.1-19**
- hydraulic gradient
 - analysis of, 8.3.1.2-120--121
 - and climatic change, 8.3.5.13-88
- hydraulic properties
 - collection of data (unsaturated zone),
 - 8.3.1.2-90--92
 - gradients, site saturated-zone
 - hydraulic system, 8.3.1.2-120, -367, -369
 - and ground-water movement along faults,
 - 8.3.1.2-146
 - laboratory testing, technical procedures for, 8.3.1.2-278--279, -286, -315, -319
 - onsite and offsite determinations,
 - 8.3.1.2-239--242
- hydraulic stress tests activity,
 - 8.3.1.2-383--393
 - description, 8.3.1.2-383--392
 - methods and technical procedures,
 - 8.3.1.2-392--393
 - objectives, 8.3.1.2-383
 - parameters, 8.3.1.2-383
- hydraulic tests, technical procedures for,
 - 8.3.1.2-125, -291--292, -304

- hydraulic tests at C-hole complex, 8.3.1.2-385, -389--390, -391**
- hydrocarbon resource assessment activity, 8.3.1.9-37--39
 - description, 8.3.1.9-38--39
 - methods and technical procedures, 8.3.1.9-39
 - objectives, 8.3.1.9-37
 - parameters, 8.3.1.9-37--38
- hydrocarbon resource, thermal maturation analytical methods, technical procedures for, 8.3.1.9-39
- hydrocarbons, introduced
 - and exploratory shaft facility, 8.4.3-23--24
- hydrochemical analysis of Quaternary unsaturated zone, 8.3.1.5-96--98
- hydrochemical characterization (regional) activity, 8.3.1.2-431--433
 - description, 8.3.1.2-431--432
 - methods and technical procedures, 8.3.1.2-432--433
 - objectives, 8.3.1.2-431
 - parameters, 8.3.1.2-431
- hydrochemical characterization (unsaturated-zone) study, 8.3.1.2-334--341
 - activities, 8.3.1.2-334--341
 - aqueous-phase chemical investigations, 8.3.1.2-337--341
 - gaseous-phase chemical investigations, 8.3.1.2-334--337
 - objectives, 8.3.1.2-334
- hydrochemical data availability (site) activity, 8.3.1.2-425--426
 - description, 8.3.1.2-425
 - methods and technical procedures, 8.3.1.2-425--426
 - objectives, 8.3.1.2-425
 - parameters, 8.3.1.2-425
- hydrochemistry
 - as component of unsaturated zone system, 8.3.1.2-151
 - data needs, 8.3.1.2-91
 - and ground-water flow modeling, 8.3.1.2-141
 - and ground-water travel time, 8.3.1.2-91
 - and model validation, 8.3.1.2-156
 - and paleohydrologic characterization, 8.3.1.2-91
 - and perched water, 8.3.1.5-97
 - tests in ESF, 8.3.1.2-233, -237
- hydrochemistry of site saturated zone study, 8.3.1.2-424--434
 - activities, 8.3.1.2-425--434
 - hydrochemical characterization (regional), 8.3.1.2-431--433
 - hydrochemistry of upper site saturated-zone water, 8.3.1.2-426--431
 - hydrochemistry synthesis (saturated zone), 8.3.1.2-433--434
 - site hydrochemical data availability assessment, 8.3.1.2-425--426
 - objectives, 8.3.1.2-424
- hydrochemistry of upper site saturated-zone water activity, 8.3.1.2-426--431
 - description, 8.3.1.2-427--429
 - methods and technical procedures, 8.3.1.2-429--431
 - objectives, 8.3.1.2-426--427
 - parameters, 8.3.1.2-427
- hydrochemistry synthesis (saturated zone) activity, 8.3.1.2-433--434
 - description, 8.3.1.2-433--434
 - methods and technical procedures, 8.3.1.2-434
 - objectives, 8.3.1.2-433
 - parameters, 8.3.1.2-433
- hydrochemistry tests ESF activity, 8.3.1.2-304--308
 - description, 8.3.1.2-305--306
 - methods and technical procedures, 8.3.1.2-306--308
 - objectives, 8.3.1.2-304
 - parameters, 8.3.1.2-304--305
- hydrochemistry tests in ESF
 - constraints and zones of influence, 8.4.2-140
 - purpose and operations, 8.4.2-139
- HYDROCOIN, 8.3.5.20-5
- hydrofrac and strain recovery methods evaluation activity, 8.3.1.17-182--183
- hydrofracturing (low volume), technical procedures for, 8.3.1.15-82
- hydrogen effects, see embrittlement and hydrogen entry
- hydrogen entry and embrittlement (austenitic) (Subactivity 1.4.3.2.5), 8.3.5.9-103--104
 - description, 8.3.5.9-103--104
 - objectives, 8.3.5.9-103
 - parameters, 8.3.5.9-103

PART B INDEX (Chapter 8)

- hydrogen entry and embrittlement (copper)
 - (Subactivity 1.4.3.1.4), 8.3.5.9-93
 - objectives, 8.3.5.9-93
 - parameters, 8.3.5.9-93
- hydrogeologic conditions (saturated zone)
 - (Issue 1.8 favorable condition 2)
 - text of condition and description, 8.3.5.17-2*, -91
- hydrogeologic conditions (unsaturated zone)
 - (Issue 1.8 favorable condition 8)
 - text of condition and discussion, 8.3.5.17-3*, -95--97
- hydrogeologic cross section
 - Solitario Canyon to well J-13, 8.3.5.12-4**
 - Yucca Mountain, 8.3.5.13-57**
- hydrogeologic data
 - WATSORE data base, 8.3.1.2-146
- hydrogeologic data needs (regional)--
 - saturated-zone activity, 8.3.1.2-114--118
 - description, 8.3.1.2-115--116
 - methods and technical procedures, 8.3.1.2-118
 - objectives, 8.3.1.2-114
 - parameters, 8.3.1.2-115
- hydrogeologic parameters
 - and three-dimensional rock characteristics model, 8.3.1.4-100--103
- hydrogeologic study area, 8.3.1.2-95**
- hydrogeologic system (natural) simulation
 - activity, 8.3.1.2-356--359
 - description, 8.3.1.2-356--358
 - methods and technical procedures, 8.3.1.2-358--359
 - objective, 8.3.1.2-356
 - parameters, 8.3.1.2-356
- hydrogeologic unit (unsaturated) pinchouts, 8.3.5.12-15**
- hydrogeologic units
 - modeling of, 8.3.1.2-145--147, -191
 - surficial, definition of, 8.3.1.2-158
- hydrologic analyses and data
 - air and water vapor flow, 8.4.3-21
 - air flow through backfill, 8.4.3-21
 - air drilling effects on saturation, 8.4.3-21--22
 - barometric effects on air flow in exploratory shaft, 8.4.3-21
 - drift ventilation effects, 8.4.3-22--23
 - drying of tuffaceous rock, 8.4.3-22
 - and potential impacts of activities, 8.4.3-8--23
- hydrologic analyses and data (continued)
 - ventilation and drift wall saturation, 8.4.3-22
 - water and modified permeability zone, 8.4.3-18--19
 - water from exploratory shaft construction, 8.4.3-18
 - water from surface activities, 8.4.3-17--18
 - water infiltration from the surface, 8.4.3-8--11
 - water in the unsaturated zone, 8.4.3-17--19
 - water vapor flow in open borehole, 8.4.3-19, -21
 - water vapor movement, 8.4.3-19, -21
- hydrologic analysis of underground repository facilities
 - summary, 8.3.2.5-74
- hydrologic and environmental information for special source/aquifer determination, (Activity 1.3.1.1), 8.3.5.15-7--8
 - description, 8.3.5.15-8
 - objectives, 8.3.5.15-7--8
 - parameters, 8.3.5.15-7
- hydrologic borehole USW H-7
 - and conceptual perimeter drift boundary, 8.4.3-42
 - and unsaturated zone exploration, 8.4.2-78
- hydrologic boundary condition definition, technical procedures for, 8.3.1.2-358
- hydrologic budget model recharge estimation, technical procedures for, 8.3.1.5-109
- hydrologic budget monitoring data collection, technical procedures for, 8.3.1.5-108--109
- hydrologic change and radionuclide migration (Issue 1.8 potentially adverse condition 5)
 - discussion, 8.3.5.17-30, -35
 - performance parameters and goals, 8.3.5.17-36*--47*
 - related studies and activities, 8.3.5.17-36*--47*
 - scenario classes, 8.3.5.17-36*--47*
 - text of condition, 8.3.5.17-4*
- hydrologic change from climatic change (Issue 1.8 potentially adverse condition 6)
 - discussion, 8.3.5.17-35, -48
 - performance parameters and goals, 8.3.5.17-49*--51*
 - related studies and activities, 8.3.5.17-49*--51*

- hydrologic change from climatic change
 - (Issue 1.8 potentially adverse condition 6)
 - (continued)
 - scenario classes, 8.3.5.17-49*-51*
 - text of condition, 8.3.5.17-4*
- hydrologic characteristics
 - effects of resource exploitation, 8.3.1.9-45, -49--51
- Hydrologic Code Intercomparison (HYDROCOIN), 8.3.5.20-5
- hydrologic codes, validation of, 8.3.5.20-7--9
- hydrologic disturbance, potential impact
 - exploratory shaft construction, 8.4.3-44
 - from deep borings drilled dry, 8.4.3-41
 - from exploratory shaft facilities activities, 8.4.3-48--49
 - from saturated zone boreholes, 8.4.3-42
 - from shallow borings drilled dry, 8.4.3-39
 - from underground construction, 8.4.3-46--47
 - to current site conditions, 8.4.3-37--38
- hydrologic effects of future ground-water withdrawals activity, 8.3.1.9-49
 - description, 8.3.1.9-49
 - methods and technical procedures, 8.3.1.9-49
 - objectives, 8.3.1.9-49
 - parameters, 8.3.1.9-49
- hydrologic factor, zone of influence
 - and exploratory shaft facility tests, 8.4.3-98, -102*-104*
- hydrologic flow models
 - alternative, 8.3.1.2-52*-87*
 - and ground-water travel time, 8.3.1.2-137, -142
 - see also hydrologic models
- hydrologic flow models (regional)
 - activity, 8.3.1.2-137--139
 - description, 8.3.1.2-138
 - methods and technical procedures, 8.3.1.2-138--139
 - objectives, 8.3.1.2-137--138
 - parameters, 8.3.1.2-138
- hydrologic investigations and analysis, technical procedures for, 8.3.1.5-118
- hydrologic modeling computer codes activity, 8.3.1.2-353--355
 - description, 8.3.1.2-354--355
 - methods and technical procedures, 8.3.1.2-355
 - objectives, 8.3.1.2-353
 - parameters, 8.3.1.2-354
- hydrologic models
 - boundary conditions and accessible environment, 8.3.1.2-142, -435--436
 - code development, 8.3.1.2-353--355
 - components of, 8.3.1.2-4
 - hypothesis-testing table, 8.3.1.2-52*-87*
 - meteorological parameters, technical procedures, 8.3.1.5-86
 - and paleofloods, 8.3.1.2-96
 - regional three-dimensional, 8.3.1.2-144--147
 - relationship to geohydrology program, 8.3.1.2-6**, -7**, -8**
 - subregional two-dimensional areal, 8.3.1.2-139--141
 - subregional two-dimensional cross-sectional, 8.3.1.2-142--144
 - surface water, 8.3.1.2-3
 - unsaturated zone sensitivity analysis, technical procedures for, 8.3.1.5-120
 - see also hydrologic flow models
- hydrologic parameters, 8.3.1.2-10*-47*
 - use of, 8.3.1.2-48--49
- hydrologic performance goals
 - and seals, 8.3.3.2-23**, -27, -28*
- hydrologic properties
 - flow models, 8.3.4.2-52
 - near field, 8.3.4.2-57--58
 - dehydration-rehydration processes, 8.3.4.2-53
 - rock mass, effects of stress/strain, 8.3.1.8-96--97
 - technical procedures for, 8.3.1.2-358, -360
 - Yucca Mountain, 8.4.1-14--21
- hydrologic properties of faults encountered in ESF activity, 8.3.1.2-316--320
 - description, 8.3.1.2-317--318
 - methods and technical procedures, 8.3.1.2-318--320
 - objectives, 8.3.1.2-316
 - parameters, 8.3.1.2-316--317
- hydrologic properties of surficial materials
 - activity, 8.3.1.2-157--164
 - description, 8.3.1.2-158--164
 - methods and technical procedures, 8.3.1.2-162--164
 - objectives, 8.3.1.2-157
 - parameters, 8.3.1.2-157

PART B INDEX (Chapter 8)

- hydrologic properties of waste package environment (Study 1.10.4.2)
 - activities, 8.3.4.2-51--55
 - flow and transport analysis in laboratory systems, 8.3.4.2-55
 - single-phase fluid system properties, 8.3.4.2-52--54
 - two-phase fluid system properties, 8.3.4.2-54--56
 - objectives, 8.3.4.2-51--52
- hydrologic property (matrix) testing, 8.3.1.2-182--200
- hydrologic system
 - effects of ground-water withdrawals, 8.3.1.9-49
 - in situ disturbance, 8.3.1.2-210
 - simulation activity, 8.3.1.2-356--359
- hydrologic system (regional) investigation, 8.3.1.2-92--147
 - activities
 - debris transport by runoff, 8.3.1.2-112--114
 - evapotranspiration studies, 8.3.1.2-134--137
 - Fortymile Wash recharge, 8.3.1.2-125--133
 - hydrogeologic data needs (regional)--saturated zone, 8.3.1.2-114--118
 - hydrologic flow models (regional), 8.3.1.2-137--139
 - potentiometric level distribution studies (regional), 8.3.1.2-118--125
 - precipitation and meteorological monitoring, 8.3.1.2-97--102
 - surface-water runoff monitoring, 8.3.1.2-103--112
 - three-dimensional hydrologic modeling (regional), 8.3.1.2-144--147
 - two-dimensional areal hydrologic model (subregional), 8.3.1.2-139--141
 - two-dimensional cross-sectional model (subregional), 8.3.1.2-142--144
 - application of results, 8.3.1.2-147
 - link to supporting information, 8.3.1.2-92--93
 - parameters, 8.3.1.2-93
 - studies, 8.3.1.2-97--147
 - ground-water flow system (regional) characterization, 8.3.1.2-114--137
 - hydrologic system synthesis and modeling (regional), 8.3.1.2-137--147
- hydrologic system (regional) investigation (continued)
 - studies (continued)
 - meteorological characterization (regional), 8.3.1.2-97--102
 - runoff and stream flow characterization, 8.3.1.2-102--114
 - technical basis for, 8.3.1.2-92--97
 - technical rationale, 8.3.1.2-94--97
 - hydrologic system (site saturated zone) investigation, 8.3.1.2-364--445
 - see also saturated-zone hydrologic system (site) investigation
 - hydrologic system (site unsaturated zone) investigation, 8.3.1.2-148--364
 - see also unsaturated-zone hydrologic system (site) investigation
 - hydrologic system synthesis and modeling (regional) study, 8.3.1.2-137--147
 - activities, 8.3.1.2-137--147
 - hydrologic flow models (regional), 8.3.1.2-137--139
 - three-dimensional hydrologic modeling (regional), 8.3.1.2-144--147
 - two-dimensional areal hydrologic model (subregional), 8.3.1.2-139--141
 - two-dimensional cross-sectional model (subregional), 8.3.1.2-142--144
 - objective, 8.3.1.2-137
 - see also saturated-zone hydrologic synthesis and modeling
 - hydrologic, thermal, mechanical property compilation, technical procedures for, 8.3.1.2-358
- hydrological analyses and data
 - drilling fluid and fracture-matrix saturation, 8.4.3-14--15
 - drilling fluid migration, 8.4.3-15--16
 - fluid loss in borehole USW G-4, 8.4.3-16--17
 - flux change and travel time, 8.4.3-13
 - flux penetration into discrete fractures, 8.4.3-14
 - fracture aperture size, 8.4.3-12
 - ground-water flow in matrix and fractures, 8.4.3-11--17
 - increased flux and saturation, 8.4.3-13
 - major water table rise, 8.4.3-13--14
 - matrix hydraulic conductivity, 8.4.3-12
 - matrix response to increased flux, 8.4.3-12--13
 - matrix wetting, 8.4.3-15

- hydrological analyses and data (continued)
 - net infiltration, 8.4.3-9
 - surface ponding, 8.4.3-9--10
 - water accumulation in exploratory shaft, 8.4.3-10--11
- hydrological properties of major faults encountered
 - constraints and zones of influence, 8.4.2-144--145
 - purpose and operations, 8.4.2-144
- hydrology
 - future, 8.3.1.5-118--122 (see also future regional hydrology due to climate changes study)
 - program (preclosure), see preclosure hydrology program
 - Quaternary regional study, 8.3.1.5-93--118 (see also Quaternary regional hydrology characterization study)
 - and Ross study, 8.3.5.13-34
 - surface
 - and climate changes, 8.3.1.5-118--119
 - technical concerns
 - SCP section correlation, 8.2-19*--27*
 - technical guideline
 - higher level finding--ease and cost of construction (Issue 4.1), 8.3.5.7-11, -13, -14*
 - and qualifying and disqualifying conditions, 8.3.5.7-7*, -11, -13
 - and tectonic effects investigation, 8.3.1.8-73--98 (see also tectonic effects on hydrology investigation)
 - waste package environment
 - characterization, 8.3.4.2-25
 - containment by waste package, 8.3.4.2-25
- hydrostratigraphic characterization, 8.3.1.2-89
- hydrothermal
 - flow model, 8.3.4.2-55
 - systems
 - natural analog of, 8.3.1.3-56--58
 - rock alteration predictions, 8.3.1.3-56
- hydrothermal/diagenetic alteration, 8.3.1.3-50
- hydrovolcanic eruptions, 8.3.1.8-60--62
 - and depth of water source, 8.3.1.8-61
 - scenarios, 8.3.1.8-61
- hydrovolcanic eruption effects activity, 8.3.1.8-60--62
 - description, 8.3.1.8-60
 - methods and technical procedures, 8.3.1.8-61--62
 - objectives, 8.3.1.8-60
 - parameters, 8.3.1.8-60
- hypersthene- to nepheline-normative basalt, 8.3.1.8-53
- hypothesis testing, 8.3.1.2-353
- hypothesis-testing tables
 - climate program, 8.3.1.5-18*--31*
 - geochemistry program, 8.3.1.3-13*--20*
 - geohydrology program, 8.3.1.2-52*--87*
 - human interference program, 8.3.1.9-25*--26*
 - postclosure tectonics program, 8.3.1.8-31*--45*
 - preclosure tectonics program, 8.3.1.17-38*--49*
 - rock characteristics program, 8.3.1.4-19*--23*
 - site program, 8.3.1.1-6--7
 - thermal and mechanical properties program, 8.3.1.15-19*--21*
- hysteresis, investigation of, 8.3.1.2-179
- IDAS, see integrated data acquisition system
- identification of likely travel paths (Information Need 1.6.3), see ground-water travel path identification (Information Need 1.6.3)
- IGIS, see interactive graphic information system
- igneous activity (Quaternary) (Issue 1.8 potentially adverse condition 15)
 - discussion, 8.3.5.17-70
 - performance parameters and goals, 8.3.5.17-71*--75*
 - related studies and activities, 8.3.5.17-71*--75*
 - scenario classes, 8.3.5.17-71*--75*
 - text of condition, 8.3.5.17-5*
- igneous intrusion and volcanic event effects on flux activity, 8.3.1.8-83--84
 - description, 8.3.1.8-83
 - methods and technical procedures, 8.3.1.8-84
 - objectives, 8.3.1.8-83
 - parameters, 8.3.1.8-83

PART B INDEX (Chapter 8)

- igneous intrusion effects on local fracture permeability and effective porosities activity, 8.3.1.8-95
 - description, 8.3.1.8-95
 - methods and technical procedures, 8.3.1.8-95
 - objectives, 8.3.1.8-95
 - parameters, 8.3.1.8-95
- igneous intrusion effects on water-table elevations activity, 8.3.1.8-89--90
 - description, 8.3.1.8-90
 - methods and technical procedures, 8.3.1.8-90
 - objectives, 8.3.1.8-89
 - parameters, 8.3.1.8-89
- igneous intrusions
 - and local fracture permeability and effective porosity, 8.3.1.8-95
 - and rock geochemical changes activity, 8.3.1.8-101--102
 - and waste package rupture, 8.3.1.8-76--77
 - and water-table elevations, 8.3.1.8-88--90
- igneous intrusive features characterization study, 8.3.1.8-123--129
 - activities, 8.3.1.8-124--129
 - chemical and physical changes around dikes, 8.3.1.8-125--127
 - curie temperature isotherm depth evaluation, 8.3.1.8-124--125
 - heat flow and heat flow anomalies, 8.3.1.8-127--129
 - objectives, 8.3.1.8-123
- IGSCC, see intergranular stress corrosion cracking (waste containers)
- imagery analysis, technical procedures for, 8.3.1.16-21, -23
- imbibation/drying characterization, technical procedures for, 8.3.5.12-48
- imbricate normal fault zone, drift to exploratory shaft facility construction, 8.4.2-195
- immobile trace elements
 - and eolian sediments, 8.3.1.5-74, -76
 - technical procedures for, 8.3.1.5-76
- impacts of installations and operations, see installations and operations impacts investigation
- impacts of uplift and faulting on erosion activity, 8.3.1.6-22--23
- importance analyses
 - credible accidents, 8.3.5.5-22, -26, -28
 - importance analyses (continued)
 - preclosure performance assessment, 8.3.5.19-3
 - radiological risk assessment, 8.3.5.1-11--12; 8.3.5.5-17
- important to safety
 - definition, 8.3.5.5-1--2**
 - fault identification, 8.3.5.7-15*
 - site system element components, 8.3.5.5-5, -8
 - see also facilities important to safety, importance analyses, items important to safety, and Q list
- INAA, see instrumental neutron activation analysis
- independent spent fuel storage installation (ISFSI)
 - allowable design-basis accident dose, 8.3.5.5-3
- Indian Springs quadrangle
 - and Landsat V thematic mapper data, 8.3.1.17-132
- indirect tensile strength--rock discontinuities, technical procedures for, 8.3.1.14-53
- individual doses in accessible environment and 40 CFR 191.15, 8.3.5.18-8
- individual protection (Issue 1.2), 8.3.5.14-1--15
 - approach, 8.3.5.14-2--6
 - geochemistry program parameter calls, 8.3.1.3-1, -2**, -7*, -11**
 - information needs, 8.3.5.14-6, -8--15
 - public doses--gaseous pathway (1.2.2), 8.3.5.14-10--13
 - public doses--liquid pathway (1.2.1), 8.3.5.14-9--10
 - see specific information need for activity listing
- interrelationships, 8.3.5.14-6
- issue resolution strategy, 8.3.5.14-1--6, -7*
- logic diagram, 8.3.5.14-3**
- major events and completion dates, 8.3.5.14-15*; 8.5-76, -77**, -78
- and other design and performance assessment issues, 8.3.2.1-2**;
8.3.4.1-2**
- performance allocation, 8.3.5.14-7*
- performance parameters, 8.3.5.14-8*

PART B INDEX (Chapter 8)

individual protection (Issue 1.2) (continued)
 postclosure guideline qualifying
 and disqualifying conditions,
 8.3.5.18-7--8
 and postclosure performance assessment,
 8.3.5.8-2, -3*, -4
 and qualifying and disqualifying
 conditions of Issue 1.9(a),
 8.3.5.18-7--8
 regulatory basis, 8.3.5.14-1--2
 schedule, 8.3.5.14-13--15; 8.5-76, -77**
 and system guideline qualifying condition
 --postclosure, 8.3.5.18-7--8,
 and total system performance (Issue 1.1),
 8.3.5.14-9
 40 CFR 191 requirements, 8.3.5.14-1
 induced seismicity activity, 8.3.1.17-91--93
 industrial safety considerations
 exploratory shafts, 8.4.2-169
 inelastic model
 analysis of drift shape and pillar width,
 8.4.3-28
 inelastic response to heating
 potentially likely conditions, evaluation
 8.4.3-60
 infiltration
 arid-zone geochemistry, technical
 procedures for, 8.3.1.5-110
 artificial, 8.3.1.2-162, 170, 172--176
 barriers (lateral)
 and Ghost Dance fault, 8.3.5.17-96
 data uncertainties, 8.3.1.2-153
 estimation of, 8.3.1.2-169
 and evapotranspiration, 8.3.1.2-169
 infiltrometer technical procedures,
 8.3.1.2-176, -265--267
 natural, 8.3.1.2-164--172
 and precipitation, 8.3.1.2-169
 and probable maximum flood, 8.4.3-68--71
 prototype testing, 8.3.1.2-162
 rate and recharge, 8.3.1.5-107
 and runoff, 8.3.1.2-169
 studies, Fortymile Wash, 8.3.1.2-126
 unsaturated zone characterization study,
 8.3.1.2-157--179 (see also unsaturated
 zone infiltration characterization
 study)
 infiltration-discharge characteristics
 and past discharge, 8.3.1.5-99
 infiltration-runoff units, 8.3.1.2-158, -159

infiltrometer installation and tests,
 technical procedures for, 8.3.1.2-176,
 -265--267
 infiltration, net
 hydrological analyses and data, 8.4.3-9
 Information Need 1.1.1, see site information
 needed for calculations
 Information Need 1.1.2, see potentially
 significant release scenario classes
 Information Need 1.1.3, see calculational
 models for release scenario classes
 Information Need 1.1.4, see radionuclide
 releases for scenario classes
 Information Need 1.1.5, see probabilistic
 release estimates
 Information Need 1.2.1, see public doses--
 liquid pathway
 Information Need 1.2.2, see public doses--
 gaseous pathway
 Information Need 1.3.1, see Class I or special
 sources of ground water
 Information Need 1.3.2, see concentrations
 (1,000 year) in special sources of ground
 water
 Information Need 1.4.1, see waste package
 design features (affecting container
 performance) needed
 Information Need 1.4.2, see container material
 properties
 Information Need 1.4.3, see waste package
 scenarios and models
 Information Need 1.4.4, see container
 degradation
 Information Need 1.4.5, see substantially
 complete containment of waste
 Information Need 1.5.1, see waste package
 design features (affecting radionuclide
 release) needed
 Information Need 1.5.2, see waste form
 material properties
 Information Need 1.5.3, see EBS scenarios and
 models
 Information Need 1.5.4, see waste package and
 EBS release rates
 Information Need 1.5.5, see waste package
 near-field releases
 Information Need 1.6.1, see site and design
 information needed (GWTT)
 Information Need 1.6.2, see GWTT prediction
 models
 Information Need 1.6.3, see ground-water
 travel path identification

PART B INDEX (Chapter 8)

- Information Need 1.6.4, see pre-waste emplacement GWT
- Information Need 1.6.5, see disturbed zone boundary
- Information Need 1.10.1, see waste package design information needed
- Information Need 1.10.2, see reference waste package designs
- Information Need 1.10.3, see reference emplacement configuration
- Information Need 1.10.4, see near-field environment
- Information Need 1.11.1, see site characteristics for underground facility design
- Information Need 1.11.2, see waste package characteristics needed for design
- Information Need 1.11.3, see underground facility orientation and layout
- Information Need 1.11.4, see design constraints to limit water use
- Information Need 1.11.5, see design constraints to limit excavation effects
- Information Need 1.11.6, see thermal loading/thermomechanical rock response
- Information Need 1.11.7, see reference postclosure underground designs
- Information Need 1.12.1, see information needed for seal design and placement
- Information Need 1.12.2, see seal materials
- Information Need 1.12.3, see placement methods (seals)
- Information Need 1.12.4, see reference seal designs
- Information Need 2.1.1, see site and design information needed (preclosure radiological safety)
- Information Need 2.2.1, see radiation environment
- Information Need 2.2.2, see worker exposure (normal conditions)
- Information Need 2.3.1, see radiological releases (accidental)
- Information Need 2.3.2, see radiological releases (credible)
- Information Need 2.4.1, see site and design information needed (retrieval)
- Information Need 2.4.2, see emplacement borehole access
- Information Need 2.4.3, see waste package access
- Information Need 2.4.4, see waste removal from boreholes
- Information Need 2.4.5, see waste delivery to surface
- Information Need 2.4.6, see retrieval requirement compliance
- Information Need 2.6.1, see waste package design information needed
- Information Need 2.6.2, see waste form design information
- Information Need 2.6.3, see waste acceptance specifications
- Information Need 2.7.1, see radiological protection
- Information Need 2.7.2, see items important to safety
- Information Need 2.7.3, see criticality control
- Information Need 4.2.1, see site and performance information needed for design (nonradiological health and safety)
- Information Need 4.3.1, see fabrication, closure, and inspection technology
- Information Need 4.4.1, see site and performance information needed for design (preclosure design and technical feasibility)
- Information Need 4.4.2, see waste package information needed for design
- Information Need 4.4.3, see plans for repository design
- Information Need 4.4.4, see repository design requirements
- Information Need 4.4.5, see reference repository preclosure design
- Information Need 4.4.6, see equipment development and demonstration
- Information Need 4.4.7, see design analysis
- Information Need 4.4.8, see technology for surface facilities
- Information Need 4.4.9, see technology for underground facilities
- Information Need 4.4.10, see technology for seals emplacement
- information needed for seal design and placement (Information Need 1.12.1), 8.3.3.2-32--36
 - application of results, 8.3.3.2-36
 - link to supporting information, 8.3.3.2-32
 - logic, 8.3.3.2-35--36
 - parameters, 8.3.3.2-32--35
 - technical basis for, 8.3.3.2-32--36

- information needs
 - Key Issue 1
 - design issues, 8.2-6*
 - performance issues, 8.2-3*-5*
 - Key Issue 2
 - design issues, 8.2-9*
 - performance issues, 8.2-7*-8*
 - Key Issue 4
 - design issues, 8.2-10*-11*
 - performance issues, 8.2-10*
 - overview, 8.1-4
 - site-specific, 8.2-3*-11*
- infrared (thermal) method evaluation, 8.3.1.17-176--177*
- initiating events and associated performance measures (climate program), 8.3.1.5-4*-5*
- injection tests, plans and technical procedures for, 8.3.1.2-393, -421
- input items
 - definition of, 8.3.5.2-7
 - retrieval related, 8.3.5.2-25*-26*
- in situ design verification study, 8.3.1.15-70--76
 - activities, 8.3.1.15-71--76
 - air quality and ventilation experiment, 8.3.1.15-74--76
 - drift stability monitoring, 8.3.1.15-73--74
 - ground support system monitoring, 8.3.1.15-72--73
 - mining methods, 8.3.1.15-71
- in situ disturbance, hydrologic system, 8.3.1.2-210
- in situ experiment analyses
 - demonstration breakout room effects, 8.4.3-31--32
 - G-tunnel heated block experiment, 8.4.3-32
 - G-tunnel small-diameter heater experiment, 8.4.3-32--33
 - sequential drift mining experiments, 8.4.3-31--32
 - shaft convergence effects, 8.4.3-31--32
 - thermal zone influence, 8.4.3-33
- in situ experiments
 - thermal/mechanical analyses and data, 8.4.3-31--33
- in situ mechanical properties study, 8.3.1.15-65--70
 - activities, 8.3.1.15-65--70
 - plate loading tests, 8.3.1.15-65--67
 - rock-mass strength experiment, 8.3.1.15-68--70
 - in situ measurement of geologic features, technical procedures for, 8.3.1.4-78
 - in situ pneumatic testing, technical procedures for, 8.3.1.2-226--227, -261--262, -287--289
 - in situ sealing tests, 8.3.3.2-41--62
 - in situ stress
 - conditional site characterization activity, 8.4.2-36
 - and excavation effects test, 8.3.1.2-295
 - measurement methods evaluation activity, 8.3.1.17-182--183
 - and surface topography, 8.3.1.14-24
 - in situ testing of seal components
 - constraints and zones of influence, 8.4.2-132
 - purpose and operations, 8.4.2-131--132
 - in situ testing of seal components (study 1.12.2.3), 8.3.3.2-41--62
 - description, 8.3.3.2-41--62
 - objectives, 8.3.3.2-41
 - in situ thermomechanical properties study, 8.3.1.15-52--65
 - activities, 8.3.1.15-52--65
 - canister-scale heater experiment, 8.3.1.15-54--56
 - heated room experiment, 8.3.1.15-62--65
 - heater experiment in unit TSW1, 8.3.1.15-52--54
 - thermal stress measurements, 8.3.1.15-60--62
 - Yucca Mountain heated block, 8.3.1.15-57--59
- installations and operations impacts investigation, 8.3.1.13-6--12
 - activities
 - ground motion from Nevada Test Site nuclear testing evaluation, 8.3.1.13-11
 - near-site activities evaluation, 8.3.1.13-8--9
 - nuclear facilities (not nuclear fuel cycle) impacts, 8.3.1.13-10--11
 - nuclear fuel cycle operations impacts evaluation, 8.3.1.13-9--10
 - application of results, 8.3.1.13-11
 - link to supporting information, 8.3.1.13-6
 - parameters, 8.3.1.13-7
 - purpose and objectives, 8.3.1.13-7
 - technical basis for, 8.3.1.13-6
 - technical rationale, 8.3.1.13-7--8

- instrument hole preparation, technical
 - procedures for, 8.3.1.15-46, -47, -48, -51, -53, -55, -58, -60, -63, -67, -69, -74
- instrumental neutron activation analysis (INAA), technical procedures for, 8.3.1.8-118, -122
- intact fracture test in ESF, 8.3.1.2-233
 - constraints and zones of influence, 8.4.2-135
 - purpose and operations, 8.4.2-133, -135
 - test arrangement, 8.4.2-134**
- intact fracture test in ESF activity, 8.3.1.2-238--252
 - description, 8.3.1.2-238--243
 - methods and technical procedures, 8.3.1.2-243--252
 - objectives, 8.3.1.2-238
 - parameters, 8.3.1.2-238
- intact fracture test modeling, technical procedures for, 8.3.1.2-251--252
- intact rock--baseline compressive mechanical properties, see compressive mechanical properties of intact rock activity
- intact rock mechanical properties (laboratory determination) study, 8.3.1.15-40--42
 - activities, 8.3.1.15-40--42
 - compressive mechanical properties of intact rock, 8.3.1.15-40--41
 - compressive mechanical properties--effects of environmental conditions, 8.3.1.15-41--42
- integrated data acquisition system (IDAS), 8.3.1.2-210
- integrated data system
 - block diagram, 8.4.2-150**
 - configuration, 8.4.2-149--151
 - description, 8.4.2-148--151
 - purpose, 8.4.2-148--149
- integrated drilling program development activity, 8.3.1.4-24--26
 - description, 8.3.1.4-25--26
 - objectives, 8.3.1.4-24--26
 - parameters, 8.3.1.4-25
- integrated drilling program investigation, 8.3.1.4-24--27
 - activities
 - integrated drilling program development, 8.3.1.4-24--26
 - geophysical activities integration, 8.3.1.4-26--27
- integration
 - repository design and exploratory shaft facility, 8.4.2-216--217
- intentional ground-water withdrawal
 - disruptive scenario classes, evaluation of, 8.4.3-65
- interactive graphic information system, 8.3.2.2-37
 - and three-dimensional thermal/mechanical stratigraphy, 8.3.2.2-40
- interference
 - exploratory shaft facility layout and operations, 8.4.2-200--201
 - surface based tests, 8.4.2-87--90
- interference, potential, between tests
 - approach to assessing, 8.4.2-202--208
 - background, 8.4.2-201--202
 - current assessment, 8.4.2-208--210
 - geochemical, 8.4.2-202--203
 - hydrological, 8.4.2-202--203
 - main test level experiments, 8.4.2-208--210
 - mechanical, 8.4.2-202--203, -205
 - thermal, 8.4.2-202--203
- interference, potential, construction and operations
 - approach to assessing, 8.4.2-211
 - background, 8.4.2-211
 - backward evaluation method, 8.4.2-211, -215--216
 - current assessment, 8.4.2-211--216
 - description, 8.4.2-211--216
 - flexibility for experiments, 8.4.2-215
 - forward evaluation method, 8.4.2-211, -213, -215
 - hydrologic and mechanical for shafts, 8.4.2-214**
 - matrix flow of water, 8.4.2-212--213
 - mechanical interference between shafts, 8.4.2-213
 - shaft separation, 8.4.2--212
- interference, test
 - from hydrologic process disturbance, 8.4.2-88--90
 - from water use, 8.4.2-87--88
- intergranular attack (waste containers), 8.3.5.9-45--46
- intergranular attack and cracking (austenitic) (Subactivity 1.4.3.2.4), 8.3.5.9-101--103
 - description, 8.3.5.9-102--103
 - objectives, 8.3.5.9-101
 - parameters, 8.3.5.9-101--102

PART B INDEX (Chapter 8)

intergranular stress corrosion cracking (waste containers), 8.3.5.9-45--46

international code comparisons, 8.3.5.20-5

International Committee on Radiation Protection

- and design criteria, 8.3.2.3-16, -36

International Nuclide Transportation Code

- Intercomparison (INTRACON), 8.3.5.20-5

intraborehole flow data analysis, 8.3.1.2-384

- technical procedures for, 8.3.1.2-393

intracontinental shear zone, 8.3.1.17-204

introduced materials, potential impacts of

- and decision tree analysis, 8.4.3-23--24

intrusion, see human intrusion

iodine-129, sorption of, 8.3.1.3-67

irrigation

- and controlled area, 8.3.1.9-50
- disruptive scenario classes, evaluation of, 8.4.3-65
- and the Ross study, 8.3.5.13-33

ISFSI, see independent spent fuel storage installation

isopach contour maps

- hydrogeologic units used for performance allocation, 8.3.5.12-12**

ISOQUAD

- and altered saturated-zone feature effects, 8.3.5.13-87
- and performance assessment, 8.3.5.19-2*, -5*
- and saturated-zone flow, 8.3.5.13-131, -133
- and saturated-zone hydrodynamic response times, 8.3.5.13-73

isothermal remanent magnetization, 8.3.1.4-61, -62

isotherms

- and sorption, 8.3.1.3-74--76
- see also curie temperature isotherm depth evaluation activity

isotope analyses

- dating of surficial deposits, technical procedures, 8.3.1.5-71
- Fortymile Wash samples, 8.3.1.2-127
- and geothermal assessment, 8.3.1.9-35, -36
- and percolation, 8.3.1.2-179--181
- pore fluids from ESF, 8.3.1.2-305
- rock matrix pore and fracture fluids, 8.3.1.2-338
- and sediments, 8.3.1.5-50
- technical procedures, 8.3.1.4-40; 8.3.1.5-41, -71, -117; 8.3.1.8-122

isotope analyses (continued)

- in unsaturated zone, 8.3.1.2-152

Issue 1.1, see total system performance (Issue 1.1)

Issue 1.2, see individual protection (Issue 1.2)

Issue 1.3, see ground-water protection (Issue 1.3)

Issue 1.4, see containment by waste package (Issue 1.4)

Issue 1.5, see EBS release rates (Issue 1.5)

Issue 1.6, see GWTT (Issue 1.6)

Issue 1.7, see performance confirmation (Issue 1.7)

Issue 1.8, see NRC siting criteria (Issue 1.8)

Issue 1.9, see higher level findings--postclosure (Issue 1.9)

Issue 1.9(a), see higher level findings--postclosure (Issue 1.9(a))

Issue 1.9(b), see higher level findings--100,000-year releases (Issue 1.9(b))

Issue 1.10, see waste package characteristics (postclosure) (Issue 1.10)

Issue 1.11, see configuration of underground facilities (postclosure) (Issue 1.11)

Issue 1.12, see seal characteristics (Issue 1.12)

Issue 2.1, see public radiological exposures--normal conditions (Issue 2.1)

Issue 2.2, see worker radiological safety--normal conditions (Issue 2.2)

Issue 2.3, see accidental radiological releases (Issue 2.3)

Issue 2.4, see waste retrievability (Issue 2.4)

Issue 2.5, see higher level findings--preclosure radiological safety (Issue 2.5)

Issue 2.6, see waste package characteristics (preclosure) (Issue 2.6)

Issue 2.7, see repository design criteria for radiological safety (Issue 2.7)

Issue 4.1, see higher level findings--ease and cost of construction (Issue 4.1)

Issue 4.2, see nonradiological health and safety (Issue 4.2)

Issue 4.3, see waste package production technologies (Issue 4.3)

Issue 4.4, see preclosure design and technical feasibility (Issue 4.4)

Issue 4.5, see total system costs (Issue 4.5)

issue resolution reports, 8.2-61, -67**

potential topics, 8.2-63*--65*

PART B INDEX (Chapter 8)

issue resolution strategy

accidental radiological releases (Issue 2.3), 8.3.5.5-3--18
 application, 8.1-1711
 approach, 8.0-2; 8.2-61, -66
 configuration of underground facilities (Issue 1.11), 8.3.2.2-1--96, -2**--3**
 conceptual model uncertainties, 8.1-10
 containment by waste package (Issue 1.4), 8.3.5.9-1--47
 data collection and analysis, 8.1-11, -12**, -13--14
 documentation, 8.1-14, -15**, -16--17
 EBS release rates (Issue 1.5), 8.3.5.10-1--38; 8.4.3-81--82
 ground-water protection (Issue 1.3), 8.3.5.15-1--4, -3**
 GWTT (Issue 1.6), 8.3.5.12-1--25; 8.4.3-85--56
 higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-1--16
 higher level findings--postclosure (Issue 1.9(a)), 8.3.5.18-4**, -6--20
 higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-1--13
 higher level findings--100,000-year releases (Issue 1.9(b)), 8.3.5.18-21--22, -23*, -24--25
 individual protection (Issue 1.2), 8.3.5.14-1--6, -7*
 information needs, 8.1-8--10
 issue identification, 8.1-5
 licensing strategy, 8.1-7
 overview, 8.0-2; 8.1-5--17
 performance allocation, 8.1-5, -7
 performance confirmation (Issue 1.7), 8.3.5.16-1
 performance measures and tentative goals, 8.1-7--8
 preclosure design and technical feasibility (Issue 4.4), 8.3.2.5-1--108, -2**--3**
 public radiological exposures (Issue 2.1), 8.3.5.3-1--20
 repository design criteria for radiological safety (Issue 2.7), 8.3.2.3-3, -13***-14**
 seal characteristics (Issue 1.12), 8.3.3.2-1--74, -4**--5**
 testing strategy, 8.1-10

issue resolution strategy (continued)

total system releases, 8.4.3-50--51
 waste package characteristics--postclosure (Issue 1.10), 8.3.4.2-2**--3**, -4--32
 waste package characteristics--preclosure (Issue 2.6), 8.3.4.3-3**--4**
 waste package containment, 8.4.3-73--75
 waste package production technologies (Issue 4.3), 8.3.4.4-2**
see also specific issues
 issue tracking, 8.2-66--68
 issues
 overview, 8.1-3--4
 issues hierarchy, 8.1-1--17; 8.2-1
 application to site characterization plan, 8.1-4--5
 derivation, 8.1-1--4
 Generic Requirements for a Mined Geologic Disposal System, 8.1-1
 key issue statements, 8.2-2*
 and regulatory requirements, 8.1-1--2
 scope, 8.1-1--4
 site-specific, 8.2-15
 structure, 8.1-1--4
 Waste Management System Requirements and Descriptions, 8.1-1
 items important to safety
 design, function 2
 functional requirements for mined geologic disposal system, 8.3.2.3-15, -24*--27*
 and Project quality assurance, 8.6-3--4
 and 10 CFR 60 Subpart G, 8.6-3--4
 see also facilities important to safety, importance analyses, and Q list
 items important to safety (Information Need 2.7.2), 8.3.2.3-43--45
 application of results, 8.3.2.3-45
 and flooding data, 8.3.2.3-44
 interrelationships, 8.3.2.3-36--39
 link to the technical data, 8.3.2.3-43
 logic, 8.3.2.3-44--45
 and meteorological data, 8.3.2.3-43--44
 parameters, 8.3.2.3-43--44
 and potential accident data, 8.3.2.3-44
 and seismic concerns, 8.3.2.3-43
 technical basis for, 8.3.2.3-43

 J-12, see well J-12
 J-13, see well J-13

PART B INDEX (Chapter 8)

- JAC2D
 - and performance assessment, 8.3.5.19-2*, -5*
- Jackass Flats
 - and hydraulic gradients, 8.3.1.2-367
 - and meteorological towers, 8.3.1.17-18
 - and paleomagnetic sampling, 8.3.1.17-123
 - and shallow seismic reflection, 8.3.1.17-178
- Jefferson Caldera
 - and mineral and energy assessment, 8.3.1.9-41
- joint probability distribution construction (Subactivity 1.1.5.1.2), 8.3.5.13-141
 - description, 8.3.5.13-141
 - objectives, 8.3.5.13-141
 - parameters, 8.3.5.13-141
- joint properties definition, technical procedures for, 8.3.1.15-47, -49, -51, -64, -67, -70
- Jubilee Pass
 - and releval network, 8.3.1.17-195
- K-Ar dating, see potassium-argon dating
- KENO-IV
 - and preclosure safety assessment, 8.3.5.19-9*, -10*
- Key Issue 1, 8.2-1; 8.3.5.8-1
 - and configuration of underground facilities (Issue 1.11), 8.3.2.2-1, -4, -41
 - description, 8.1-2*
 - design issues, 8.2-6*
 - information needs, 8.2-3*-6*
 - performance and design issues, correlation of, 8.2-12**
 - performance issues, 8.2-3*-5*
 - performance issues and regulatory criteria, 8.3.5.8-1--2
 - statement of, 8.2-2*
- Key Issue 2, 8.2-1
 - description, 8.1-2*
 - design issues, 8.2-9*
 - information needs, 8.2-7*-9*
 - and offsite installations program, 8.3.1.13-7--8
 - performance and design issues, correlation of, 8.2-13**
 - and preclosure safety assessment, 8.3.5.1-1
 - statement of, 8.2-2*
- Key Issue 3, 8.2-1
 - description, 8.1-2--3
 - and Nuclear Waste Policy Act, 8.2-1
 - statement of, 8.2-2*
- Key Issue 4, 8.2-1
 - description, 8.1-3
 - design issues, 8.2-10*-11*
 - information needs, 8.2-10*-11*
 - performance and design issues, correlation of, 8.2-14**
 - and preclosure safety assessment, 8.3.5.1-1
 - statement of, 8.2-2*
 - and surface characteristics program, 8.3.1.14-15
- key issues overview, 8.1-2--3; 8.2-1--17
- kinetic studies of zeolite activity, 8.3.1.3-60
 - description, 8.3.1.3-60
 - methods and technical procedures, 8.3.1.3-60
 - objectives, 8.3.1.3-60
 - parameters, 8.3.1.3-60
- kinetics (mass-transfer) activity, 8.3.1.3-105--107
- kinetics/thermodynamics of mineral evolution study, 8.3.1.3-59--64
 - activities
 - clinoptilolite-heulandite and analcime, solid solution descriptions, 8.3.1.3-63--64
 - end-member free energies, 8.3.1.3-61--63
 - kinetic studies of zeolite, 8.3.1.3-60
 - summary, 8.3.1.3-59--60
- LA, see license application entries
- laboratory data applicability to transport calculation study, 8.3.1.3-127--135
 - description, 8.3.1.3-128--132
 - field testing, 8.3.1.3-128--132
 - large scale laboratory experiments, 8.3.1.3-128
 - modeling, 8.3.1.3-128
 - natural analogs, 8.3.1.3-131--132
 - objectives, 8.3.1.3-127
 - parameters, 8.3.1.3-127--128
 - peer review, 8.3.1.3-132
 - soil zone data, 8.3.1.3-132

- laboratory determination of fracture
 - mechanical properties, see fracture
 - mechanical properties (laboratory determination) study
- laboratory determination of intact rock
 - mechanical properties, see intact rock
 - mechanical properties (laboratory determination) study
- laboratory hydraulic properties
 - test core, technical procedures for, 8.3.1.2-244--245, -278--279, -286, -315, -319
- laboratory measurements of rock properties, technical procedures for, 8.3.1.4-60
- laboratory sample preparation, technical procedures for, 8.3.1.8-123
- laboratory rock-matrix
 - lithologic testing, technical procedures for, 8.3.1.2-277--278
- laboratory tests and material property measurements study, 8.3.1.14-45--53
 - activities
 - mechanical and dynamic laboratory property tests, 8.3.1.14-48--53
 - physical property and index laboratory tests, 8.3.1.14-45--48
- laboratory thermal expansion testing, see thermal expansion testing (laboratory) study
- laboratory thermal properties study, see thermal properties (laboratory) study
- laboratory tracer, concentration analysis of core, technical procedures for 8.3.1.2-322
- lacustrine deposits, stratigraphy-sedimentology, 8.3.1.5-47
- LAD, see license application design
- lake
 - deposits
 - chronologic analyses activity, 8.3.1.5-51--54
 - dating, technical procedures for, 8.3.1.5-54
 - geochemical analyses, 8.3.1.5-49--51
 - and organics, technical procedures for, 8.3.1.5-51
 - paleontologic analysis, 8.3.1.5-42--47
 - stratigraphy-sedimentology, 8.3.1.5-47--49
 - sediments
 - coring, trenching, and sampling, technical procedures for, 8.3.1.5-48--49
- lake (continued)
 - sediments (continued)
 - pollen deposits, technical procedures for, 8.3.1.5-57
- lake, playa, and marsh deposits
 - chronologic analysis, 8.3.1.5-51--54
 - coring, trenching, and sampling, technical procedures for, 8.3.1.5-48--49
 - dating, technical procedures for, 8.3.1.5-54
 - geochemical analysis, 8.3.1.5-49--51
 - organic analysis, technical procedures for, 8.3.1.5-51
 - paleoclimate study, 8.3.1.5-42--54
- Lake Mead
 - and induced seismicity, 8.3.1.17-91--92
- land
 - resources, 8.3.1.9-20, -23
 - withdrawal and controlled area, 8.3.1.11-2--3
- land ownership
 - and human interference program, 8.3.1.9-2
 - and mineral rights, 8.3.1.9-2
- land ownership and mineral rights program, 8.3.1.11-1--3
 - and accidental radiological releases (Issue 2.3), 8.3.1.11-1
 - grazing rights, 8.3.1.11-2
 - and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.1.11-1
 - mineral rights, 8.3.1.11-2
 - and Nuclear Waste Policy Act, 8.3.1.11-1
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.1.11-1
 - and regulatory requirements, 8.3.1.11-1
 - and repository design criteria for radiological safety (Issue 2.7), 8.3.1.11-1
 - water rights, 8.3.1.11-2
 - and worker radiological safety--normal conditions (Issue 2.2), 8.3.1.11-1
- land-surface dose
 - and carbon-14 gaseous pathways, 8.3.5.14-12--13
- Landsat V thematic mapper imagery of Nevada Test Site, plans and technical procedures, 8.3.1.17-131--132
- large-plot rainfall simulation studies, 8.3.1.2-162, -175--176
 - distribution of sites, 8.3.1.2-169
 - and natural infiltration, 8.3.1.2-169
 - technical procedures for, 8.3.1.2-178

PART B INDEX (Chapter 8)

- large-scale pumping test, technical procedures for, 8.3.1.2-398--400
- Las Vegas Valley shear zone, 8.3.1.8-130; 8.3.1.17-101, -132
 - and releve network, 8.3.1.17-195
- Las Vegas Valley Water District
 - and water supply information, 8.3.1.9-44
- lateral crustal movement activity, 8.3.1.17-198--199
 - description, 8.3.1.17-199
 - methods and technical procedures, 8.3.1.17-199
 - objectives, 8.3.1.17-198
 - parameters, 8.3.1.17-198
- lateral infiltration barrier
 - and Ghost Dance fault, 8.3.5.17-96
- Lathrop Wells basaltic cone, 8.3.1.5-73
- Lathrop Wells volcanic center, 8.3.1.8-113, -117, -119, -127
 - dating, 8.3.1.8-113
 - and eruptions, 8.3.1.8-119--120
 - and heat flow, 8.3.1.8-127
- Lava Creek, volcanic ash, 8.3.1.5-73
- Lawrence Berkeley Laboratory
 - and COVE 1, 8.3.5.20-4*
 - and COVE 2, 8.3.5.20-4*
 - and COVE 3, 8.3.5.20-5*
- layout constraints
 - and exploratory shaft facility tests, 8.4.2-93, -97--98, -99, -99*--101*, -105
- leach rates
 - and glass composition, 8.3.5.10-54
 - and uranium oxides, 8.3.5.10-68
- leach testing of glass (Subactivity 1.5.2.2.1), 8.3.5.10-51--52
- leaching, selective
 - copper-based alloys, 8.3.5.9-94, -95
- left-lateral fault system, 8.3.1.8-130
- left-lateral strike-slip fault synthesis, technical procedures for, 8.3.1.17-203
- license application design
 - construction schedule, 8.3.2.1-7
 - and operations plan, 8.3.2.5-45--46
 - reference preclosure repository design, 8.3.2.5-52--53
 - and seal designs, 8.3.3.1-1, -2**, -3, -8
 - tradeoff studies, seals, 8.3.3.2-68--69
 - and 10 CFR 60.21, 8.3.2.1-7
- license application design for sealing (Design Activity 1.12.4.2), 8.3.3.2-68--69
 - design subactivities, 8.3.3.2-68--69
 - license application design for seals, 8.3.3.2-69
 - subsystem design requirements for license application design, 8.3.3.2-68
 - tradeoffs for license application design, 8.3.3.2-68--69
- license application design for seals (Design Subactivity 1.12.4.2.3), 8.3.3.2-69
- license application design operations plan (Design Activity 4.4.3.2), 8.3.2.5-45--46
 - description, 8.3.2.5-45--46
 - objectives, 8.3.2.5-45
- licensing process
 - and quality assurance, 8.6-4
- licensing strategy
 - design basis accident development, 8.3.5.5-3
 - overview, 8.1-7
- life safety systems
 - underground support systems, 8.4.2-199
- lineament analysis, technical procedures for, 8.3.1.2-125
- linked global-regional climate modeling activity, 8.3.1.5-39, -84--86
 - description, 8.3.1.5-85
 - methods and technical procedures, 8.3.1.5-85--86
 - objectives, 8.3.1.5-84--85
 - parameters, 8.3.1.5-85
- lithologic analysis, technical procedures for, compositions of stream gravel, 8.3.1.6-13
- lithologic logs
 - borehole drilling use, 8.3.1.2-206
- lithologic sampling, technical procedures for, 8.3.1.4-79
- lithophysae
 - abundances, 8.3.1.4-85
- lithophysae (continued)
 - and thermomechanical properties, 8.3.1.15-52
 - and underground room constructibility, 8.3.1.15-48
- Little Skull Mountain
 - and in situ stress measurements, 8.3.1.17-182
 - and paleomagnetic sampling, 8.3.1.17-123
 - and stress field, 8.3.1.17-180

PART B INDEX (Chapter 8)

local fracture permeability
 and tectonic effects study, 8.3.1.8-95--96

local heat flow anomalies
 and faults, 8.3.1.8-128
 and ground-water flow, 8.3.1.8-128
 and shallow magma bodies, 8.3.1.8-128

local mechanical fracturing
 potentially likely conditions, evaluation,
 8.4.3-60

local structural controls, volcanic activity,
 8.3.1.8-54

localized attack (waste containers),
 8.3.5.9-46

logic diagrams
 accidental radiological releases
 (Issue 2.3), 8.3.5.5-5***-6**
 climate effects on erosion investigation,
 8.3.1.6-17**
 climate program, 8.3.1.5-2**, -6**, -15**
 configuration of underground facilities
 (Issue 1.11), 8.3.2.2-2***-3**
 decision points for Yucca Mountain
 Project, 8.5-105, -106**
 degradation of markers investigation,
 8.3.1.9-17**
 effects of human interference,
 investigation, 8.3.1.9-47**
 erosion program, 8.3.1.6-5**
 ESF construction, 8.4.2-177**
 fault displacement investigation,
 8.3.1.17-59**
 faulting effects on local fracture
 permeability and effective porosity
 study, 8.3.1.8-78**
 flooding recurrence intervals investi-
 gation, 8.3.1.16-9**
 geochemistry program, 8.3.1.3-11**
 geohydrology program, 8.3.1.2-5**, -6**,
 -7**, -8**
 ground-water conditions investigation,
 8.3.1.16-27**
 ground-water protection (Issue 1.3),
 8.3.5.15-3**
 GWTT (Issue 1.6), 8.3.5.12-7**
 higher level findings--postclosure (Issue
 1.9(a)), 8.3.5.18-5**
 higher level findings--100,000-year
 releases (Issue 1.9(b)), 8.3.5.18-23**
 human interference program, 8.3.1.9-13**
 individual protection (Issue 1.2),
 8.3.5.14-3**
 meteorology program, 8.3.1.12-4**

logic diagrams (continued)
 mineralogy, petrology, rock chemistry
 investigation, 8.3.1.3-24**
 minerals/glass stability investigation,
 8.3.1.3-27**
 NRC siting criteria (Issue 1.8), favorable
 condition resolution, 8.3.5.17-16**
 NRC siting criteria (Issue 1.8),
 potentially adverse condition
 resolution, 8.3.5.17-10**
 preclosure design and technical
 feasibility (Issue 4.4),
 8.3.2.5-2***-3**
 preclosure hydrology program, 8.3.1.16-5**
 preclosure tectonics program, 8.3.1.17-2**
 present conditions investigation
 (erosion), 8.3.1.6-8**
 program element interfaces, 8.5-105,
 -106**
 public radiological exposure--normal
 conditions (Issue 2.1), 8.3.5.3-6***-7**
 radionuclide dispersion, diffusion,
 advection investigation, 8.3.1.3-32**
 radionuclide precipitation investigation,
 8.3.1.3-30**
 radionuclide retardation investigation,
 8.3.1.3-33**
 radionuclide sorption investigation,
 8.3.1.3-29**
 repository design criteria for
 radiological safety (Issue 2.7),
 8.3.2.3-13***-14**
 saturated-zone hydrology component of
 geohydrology program, 8.3.1.2-8**
 seal characteristics (Issue 1.12),
 8.3.3.2-4***-5**
 soil and rock property investigation,
 8.3.1.14-17**
 spatial distribution ambient stress and
 temperature, conditions, 8.3.1.15-17**
 spatial distribution of thermal/mechanical
 rock properties, 8.3.1.15-16**
 surface characteristics program,
 8.3.1.14-2**
 surface-water hydrology component of
 geohydrology program, 8.3.1.2-6**
 tectonic effects on erosion investigation,
 8.3.1.6-21**
 tectonic effects on flux rates study,
 8.3.1.8-76**
 tectonic effects on rock geochemical
 properties study, 8.3.1.8-100**

PART B INDEX (Chapter 8)

Logic diagrams (continued)

tectonic effects on waste package,
8.3.1.8-65**

tectonic effects on water-table elevation
study, 8.3.1.8-77**

thermal and mechanical rock properties
program, 8.3.1.15-15**

three-dimensional rock characteristics
model investigation, 8.3.1.4-3**

total system performance (Issue 1.1),
8.3.5.13-117***-123**

unsaturated-zone hydrology component of
geohydrology program, 8.3.1.2-7**

value of resources investigation,
8.3.1.9-22**

vibratory ground motion investigation,
8.3.1.17-67**

volcanic activity, 8.3.1.8-50**

volcanic activity (preclosure)
investigation, 8.3.1.17-53**

waste package characteristics--postclosure
(Issue 1.10), 8.3.4.2-2***-3**

waste package characteristics--preclosure
(Issue 2.6), 8.3.4.3-3***-4**

waste package production technologies
(Issue 4.3), 8.3.4.4-2**

waste retrievability (Issue 2.4),
8.3.5.2-4***-5**

water chemistry investigation,
8.3.1.3-24**

water supplies investigation,
8.3.1.16-15**

worker radiological safety--normal
conditions (Issue 2.2), 8.3.5.4-6***-7**

logs

borehole nuclear, 8.3.1.2-160, -163

borehole, technical procedures for,
8.3.1.4-63; 8.3.1.14-42, -43, -63

drill-hole logging activity status,
8.3.1.2-208*

fracture core, technical procedures for,
8.3.1.2-296

geophysical, 8.3.1.2-158--159, -163, -207,
-223

graphic, technical procedures for,
8.3.1.4-100

lithologic, 8.3.1.2-206; 8.3.1.5-71

neutron, 8.3.1.2-165, -236, -284, -372

temperature, 8.3.1.2-385

trench wall, technical procedures for,
8.3.1.17-96

video, 8.3.1.2-295

long-gage extensometer measurements, technical
procedures for, 8.3.1.15-61, -64, -69

long-term subsidence control (Design Activity
1.11.5.2), 8.3.2.2-64
objective, 8.3.2.2-63--64

long-term subsidence control strategy, product
1.11.5-2
information required, 8.3.2.2-62*
status, 8.3.2.2-38, -63--64

Long Valley caldera, 8.3.1.17-54

Los Alamos National Laboratory
and COVE 1, 8.3.5.20-4*
and COVE 2, 8.3.5.20-4*

low-frequency ultrasonic pulse technique--
rock, technical procedures for, 8.3.1.14-52

low-temperature heating of minerals and
glasses, technical procedures for,
8.3.1.3-53

low-temperature oxidation (austenitic)
(Subactivity 1.4.3.2.2), 8.3.5.9-99--100
description, 8.3.5.9-100
objectives, 8.3.5.9-99
parameters, 8.3.5.9-99--100

low-temperature oxidation (copper)
(Subactivity 1.4.3.1.2), 8.3.5.9-90--91
description, 8.3.5.9-90--91
objectives, 8.3.5.9-90
parameters, 8.3.5.9-90

low volume hydrofracturing, technical
procedures for, 8.3.1.15-82

Lunar Crater
eruption trends, 8.3.1.8-53, -121

lysimeter studies of soil leachates,
technical procedures for, 8.3.1.5-64

magma

bodies
Death Valley, 8.3.1.8-55
and heat flow anomalies, 8.3.1.8-128
geochemistry, 8.3.1.8-120
and repository disruption probabilities,
8.3.1.8-57--59
volume versus time, 8.3.1.8-53
and water interactions, 8.3.1.8-60--62

magma bodies in site vicinity activity,
8.3.1.8-55--57
description, 8.3.1.8-55--57
methods and technical procedures,
8.3.1.8-57
objectives, 8.3.1.8-55
parameters, 8.3.1.8-55

- magmatic intrusion
 - disruptive scenario classes, evaluation of, 8.4.3-65
- magnetic and gravity survey, proposed area, 8.3.1.4-52, -55**
- magnetic data, curie temperature isotherm anomalies, 8.3.1.8-124
- magnetic methods
 - geophysical activities, 8.3.1.4-48*-49*
 - preclosure and postclosure tectonics summary, 8.3.1.17-108*-109*
- magnetic properties and stratigraphic correlations activity, 8.3.1.4-60--64
 - description, 8.3.1.4-61--62
 - methods and technical procedures, 8.3.1.4-62--64
 - objectives, 8.3.1.4-60
 - parameters, 8.3.1.4-61
- magnetic separation of impurities, technical procedures for, 8.3.1.2-422
- magnetic surveys, technical procedures, 8.3.1.4-57
 - low level, 8.3.1.17-118, -119
 - polarity measurements, 8.3.1.8-111
 - synthesis, 8.3.1.17-200, -202
- magnetic susceptibility, 8.3.1.4-61
- magnetization, remanent, 8.3.1.4-61, -62
- magnetotelluric surveys
 - location map, 8.3.1.17-116**
 - magma chamber detection, 8.3.1.8-56
 - and mineral resources, 8.3.1.9-34
 - plans and technical procedures, 8.3.1.17-118, -119
- main test level
 - exploratory shaft facility construction, 8.4.2-192--194
 - general arrangement, 8.4.2-173--175
 - plan view, 8.4.2-174**
- main test level demonstration breakout room
 - exploratory shaft facility construction, 8.4.2-192
 - plan view, 8.4.2-113**
- main test level operations level
 - exploratory shaft facility construction, 8.4.2-192--194
- main test level station
 - exploratory shaft facility construction, 8.4.2-189, -191
- major decision points for Yucca Mountain Project, see decision points
- mapping
 - of bedrock depth, 8.3.1.2-161
- mapping (continued)
 - and geochemical assessment, 8.3.1.9-32
 - technical procedures for
 - aerial photograph interpretation, 8.3.1.5-71
 - eolian silt, 8.3.1.5-76
 - fracture, 8.3.1.4-70
 - photogeologic method, 8.3.1.4-70
 - satellite imagery, 8.3.1.5-71
 - stream-channel deposits, 8.3.1.5-95
- maps
 - approximate boundaries of Yucca Mountain surficial deposits, 8.3.1.5-68**
 - c-hole complex, 8.3.1.2-395**
 - conceptual controlled area boundary, 8.4.2-37**, -41**
 - continuously cored holes, 8.3.1.4-34**
 - existing and proposed geologic drillholes, 8.3.1.2-378**
 - existing surface-based activities, 8.4.2-43*-45*
 - gas tracer diffusion testing program, 8.3.1.2-209**
 - gaseous- and liquid-phase chemical sampling sites, 8.3.1.2-336**
 - general physiographic features--site vicinity, 8.3.1.17-99**
 - generalized Quaternary fault map showing trench locations, 8.3.1.17-104**
 - geologic investigation areas, 8.3.1.4-30**
 - geologic map coverage index map, 8.3.1.17-98**
 - geologic mapping area, 8.3.1.4-67**
 - gravity and magnetic surveys, 8.3.1.4-55**
 - hydrogeologic study area, 8.3.1.2-95**
 - magnetotelluric sounding traverse, 8.3.1.17-116**
 - meteorological monitoring sites, 8.3.1.12-7**
 - perimeter drift, 8.3.1.4-30**
 - potentiometric-surface map--saturated zone, 8.3.1.2-368**
 - preliminary accessible environment, 8.3.1.4-30**
 - proposed site characterization activities, 8.4.2-41**
 - Quaternary normal and detachment faults--Yucca Mountain, 8.3.1.17-29**
 - Quaternary structural features (major), 8.3.1.17-100**
 - repository area and area fault zones, 8.3.1.17-134**

PART B INDEX (Chapter 8)

maps (continued)

- sampling sites for paleoclimate studies, 8.3.1.5-43**
- seismic refraction survey Yucca Mountain, 8.3.1.4-54**
- seismic refraction survey Yucca Wash, 8.3.1.4-53**
- seismic refraction traverse, 8.3.1.17-116**
- site area boundary, preliminary, 8.3.1.4-30**
- Solitario Canyon fault study drillholes, 8.3.1.2-374**
- surface geology and faults--Exile Hill vicinity, 8.3.1.14-34**
- surface stratigraphic studies of Topopah Spring, 8.3.1.4-37**
- surface stratigraphic studies of Yucca Mountain area, 8.3.1.4-38**
- surface test pit location, 8.3.1.14-34**
- tracer tests in saturated-zone wells, 8.3.1.2-410**
- unsaturated-zone borehole locations, 8.3.1.2-202**
- vertical seismic profiling test program, 8.3.1.2-209**
- water-table holes, 8.3.1.2-117**
- wells J-12 and J-13 location, 8.3.1.16-17**
- marker and monument degradation investigation, 8.3.1.9-15--20 (see also degradation of markers investigation)
- marker survivability, 8.3.1.9-18--20 (see also natural processes and marker survivability study)
- marker system
 - and deposition, 8.3.1.9-19--20
 - and seismic activity, 8.3.1.9-14, -16, -18, -19
 - and 10 CFR 60, 8.3.1.9-15
 - and 40 CFR 191, 8.3.1.9-15
- marsh deposits
 - chronologic analyses activity, 8.3.1.5-51--54
 - dating, 8.3.1.5-54
 - geochemical analyses, 8.3.1.5-49--51
 - organics analysis, 8.3.1.5-51
 - paleoclimate study, 8.3.1.5-42--54
 - paleotologic analysis, 8.3.1.5-42--47
 - stratigraphy-sedimentology, 8.3.1.5-47--49
 - trenching and sampling, 8.3.1.5-48--49

mass-balance methods

- difficulty of applying, 8.3.1.2-169
- water budget equation, 8.3.1.2-169
- mass transfer kinetics activity, 8.3.1.3-105--107
 - description, 8.3.1.3-106--107
 - methods and technical procedures, 8.3.1.3-107
 - objectives, 8.3.1.3-105--106
 - parameters, 8.3.1.3-106
- material abrasion determination, technical procedures for, 8.3.1.2-422
- material inventory criteria, product 1.11.4-1
 - information required, 8.3.2.2-56*
 - status, 8.3.2.2-38, -57--58
- material inventory criteria (Design Activity 1.11.4.2), 8.3.2.2-59
 - objective, 8.3.2.2-59
- material properties
 - seal, 8.3.3.2-37, -38*, -46*, -47, -48*--56*
- material properties of container (Information Need 1.4.2), see container material properties (Information Need 1.4.2)
- material properties of waste form (Information Need 1.5.2), see waste form material properties (Information Need 1.5.2)
- materials interactions affecting glass leaching (Subactivity 1.5.2.2.2), 8.3.5.10-52--53
- matric potential
 - and hydraulic conductivity, 8.4.1-15--20
 - and saturation, 8.4.1-15--20
 - and unsaturated zone, 8.4.1-15--20
- matric potential/hydraulic conductivity for fractures and rock matrix, 8.4.1-19**
- matric potential/saturation for fractures and rock matrix, 8.4.1-17**
- matric potentials
 - determination of, 8.3.1.2-189
 - measurements, technical procedures for, 8.3.1.2-196--197
 - unsaturated zone, instrumentation for, 8.3.1.2-210
- matrix
 - and unsaturated zone flow, 8.4.3-12--17

- matrix flow
 - domination of in unsaturated zone, 8.3.5.12-13, -20, -42
 - and ground-water pathways, 8.3.5.12-5
 - GWT estimates, 8.3.5.12-17; 8.3.5.13-63*
 - and high fluxes, 8.3.5.17-95
- matrix hydraulic conductivity
 - hydrological analyses and data, 8.4.3-12
 - and unsaturated zone flow, 8.4.3-12
- matrix hydrologic properties testing, 8.3.1.2-182
 - constraints and zones of influences, 8.4.2-133
 - purpose and operations, 8.4.2-133
- matrix hydrologic properties testing activity, 8.3.1.2-183--200
 - description, 8.3.1.2-183--191
 - methods and technical procedures, 8.3.1.2-191--200
 - objectives, 8.3.1.2-183
 - parameters, 8.3.1.2-183
- matrix hydrologic property determination, technical procedures for, 8.3.1.2-199--200, 212--213, 224--225
- matrix response to increased flux
 - hydrological analyses and data, 8.4.3-12--13
- matrix saturation
 - and exploratory shaft construction, 8.4.3-19, -20**
- matrix wetting
 - and hydrologic conditions, 8.4.3-15
 - hydrological analyses and data, 8.4.3-15
 - and unsaturated zone flow, 8.4.3-15
- mechanical and dynamic laboratory property tests activity, 8.3.1.14-48--53
 - description, 8.3.1.14-50--51
 - methods and technical procedures, 8.3.1.14-52--53
 - objectives, 8.3.1.14-48
 - parameters, 8.3.1.14-48--50
- mechanical code validation
 - for underground facility analysis, 8.3.2.5-82--83
- mechanical factor, zone of influence
 - and exploratory shaft facility tests, 8.4.2-98, -102*--104*
- mechanical model, waste package, see waste package mechanical model
- mechanical properties
 - of intact rock, 8.3.1.15-40--42 (see also intact rock mechanical properties (laboratory determination) study)
 - near field, and waste package model hierarchy, 8.3.5.9-7**
 - of rock, field methods, 8.3.1.14-41
- mechanical properties of fractures study, 8.3.1.15-43--45 (see also fracture mechanical properties (laboratory determination) study)
- mechanical properties (in situ) study, 8.3.1.15-65--70 (see also in situ mechanical properties study)
- mechanical property field tests activity, 8.3.1.14-57--59
 - description, 8.3.1.14-58
 - methods and technical procedures, 8.3.1.14-59
 - objectives, 8.3.1.14-57
 - parameters, 8.3.1.14-57--58
- megabreccia evaluation, technical procedure for, 8.3.1.17-150
- metal
 - resources, 8.3.1.9-20--21
- metal container information integration (Activity 1.4.1.1), 8.3.5.9-51--59
 - subactivities, 8.3.5.9-51--59
 - container mechanical properties, 8.3.5.9-51--52
 - container microstructural properties, 8.3.5.9-52--54
 - container physical properties, 8.3.5.9-54--55
 - container stress state, 8.3.5.9-55--56
 - container surface, 8.3.5.9-58--59
 - container weld integrity, 8.3.5.9-56--58
- metallurgical aging and phase stability (copper) (Subactivity 1.4.3.1.1), 8.3.5.9-89--90
 - description, 8.3.5.9-89--90
 - objectives, 8.3.5.9-89
 - parameters, 8.3.5.9-89
- metallurgical aging and phase transformations (austenitic) (Subactivity 1.4.3.2.1), 8.3.5.9-98--99
 - description, 8.3.5.9-98--99
 - objectives, 8.3.5.9-98
 - parameters, 8.3.5.9-98

PART B INDEX (Chapter 8)

- metallurgical and mechanical effects (waste containers), 8.3.5.9-44--45
- meteorological conditions (regional) characterization study, 8.3.1.12-10--13
 - description, 8.3.1.12-10--11
 - methods and technical procedures, 8.3.1.12-11
 - objectives, 8.3.1.12-9--10
 - parameters, 8.3.1.12-10
- meteorological characterization (regional) study, 8.3.1.2-97--102
 - activity
 - precipitation and meteorological monitoring, 8.3.1.2-97--102
 - objectives, 8.3.1.2-97
- meteorological data
 - and criticality control (Information Need 2.7.3), 8.3.2.3-43
 - and Desert Research Institute, 8.3.1.12-10
 - and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-10*
 - and items important to safety (Information Need 2.7.2), 8.3.2.3-43
 - and modern regional climate, 8.3.1.5-40
 - and radiological protection, 8.3.2.3-40
 - regulations, 8.3.1.12-15
 - reporting, 8.3.1.12-21
 - sources, 8.3.1.12-10
 - technical procedures for, 8.3.1.12-11
- meteorological data collection at Yucca Mountain study, 8.3.1.12-16--24
 - activities
 - meteorological data summary for input to dose assessments, 8.3.1.12-22--24
 - site meteorological monitoring program, 8.3.1.12-16--22
- meteorological data summary for dose assessment activity
 - description, 8.3.1.12-23--24
 - methods and technical procedures, 8.3.1.12-24
 - objectives, 8.3.1.12-22
 - parameters, 8.3.1.12-22
- meteorological monitoring, 8.3.1.12-6
 - and other programs, 8.3.1.12-12
 - plan, 8.3.1.12-11--12, 14
 - precipitation, 8.3.1.2-97--102
 - sites, 8.3.1.2-99**, -100*--101*, -106, -107**, -108*--109*, 8.3.1.12-7**, -18*
 - synthesis study, 8.3.1.12-11--12
- meteorological monitoring (continued)
 - Yucca Mountain Project, 8.3.1.12-17--19, -18*
- meteorological monitoring program (site)
 - activity, 8.3.1.12-16--22
 - description, 8.3.1.12-17--20
 - methods and technical procedures, 8.3.1.12-21, -22
 - objectives, 8.3.1.12-16
 - parameters, 8.3.1.12-16--17
- meteorological parameters
 - for hydrologic models, technical procedures for, 8.3.1.5-86
 - and offsite installations program, 8.3.1.13-3
 - measurement, technical procedures for, 8.3.1.2-110--111
 - for regional hydrology characterization, 8.3.1.2-97--98
- meteorological stations, technical procedures for, 8.3.1.2-102
- meteorological studies, summary of, 8.3.1.12-6
- meteorological towers
 - description, 8.3.1.12-17--19, -18*
 - instrument specifications, 8.3.1.12-19--20
 - and regulations, 8.3.1.12-19
- meteorology investigation (regional), 8.3.1.12-1, -3, -4**, -6--14
 - application of results, 8.3.1.12-13
 - link to supporting information, 8.3.1.12-8
 - parameters, 8.3.1.12-8
 - purpose and objectives, 8.3.1.12-9
 - studies
 - meteorological conditions (regional) characterization, 8.3.1.12-10--11
 - meteorological monitoring synthesis, 8.3.1.12-11--12
 - technical basis for, 8.3.1.12-8
 - technical rationale, 8.3.1.12-9
- meteorology investigation (site), 8.3.1.12-1, -3, -4**, -14--25
 - activities, 8.3.1.12-16--24
 - meteorological data summary for dose assessment, 8.3.1.12-22--25
 - meteorological monitoring program (site) activity, 8.3.1.12-16--22
 - application of results, 8.3.1.12-24
 - link to supporting information, 8.3.1.12-14
 - parameters, 8.3.1.12-14
 - purpose and objectives, 8.3.1.12-15

PART B INDEX (Chapter 8)

meteorology investigation (site) (continued) study

- meteorological data collection at
Yucca Mountain, 8.3.1.12-16--24
- technical basis for, 8.3.1.12-14
- technical rationale, 8.3.1.12-14--16
- meteorology program, 8.3.1.12-1--31
- and accidental radiological releases
(Issue 2.3), 8.3.1.12-2*, -3, -4**, -5
- accidental radiological releases (Issue
2.3), parameter calls, 8.3.5.5-12*-14*,
-20*
- approach, 8.3.1.12-1--3
- characterization parameters provided by,
8.3.1.12-2*
- and geohydrology program, 8.3.1.12-5
- and higher level findings--preclosure
radiological safety (Issue 2.5),
8.3.1.12-3, -4**, -5
- interrelationships, 8.3.1.12-5--6
- investigations, 8.3.1.12-6--31
- extreme weather recurrence intervals,
8.3.1.12-26--31
- meteorology (regional), 8.3.1.12-6--13
- meteorology (site), 8.3.1.12-15--25
- population centers and wind patterns,
8.3.1.12-25--26
- summary, 8.3.1.12-1
- see specific investigation for study
and activity listings
- logic diagram, 8.3.1.12-4**
- major events and completion dates,
8.3.1.12-30*-31*; 8.5-22, -23**
- and offsite installations program,
8.3.1.12-5
- performance allocation table, 8.3.1.12-2*
- performance and design requirements,
summary, 8.3.1.12-1
- and public radiological exposures--normal
conditions (Issue 2.1), 8.3.1.12-1,
-2*, -4**, -5
- and public radiological exposures--normal
conditions (Issue 2.1) parameter calls,
8.3.5.3-11*-14*, -21*
- and radiological releases, 8.3.1.12-3
- and repository design criteria for radi-
ation safety (Issue 2.7), 8.3.1.12-3,
-4**, -5
- schedule, 8.3.1.12-28--31; 8.5-22, -23**
- site characterization study plans
- and surface characteristics program,
8.3.1.12-5

meteorology program (continued)

- and worker radiological safety--normal
conditions (Issue 2.2), 8.3.1.12-2*,
-3, -4**, -5
- worker radiological safety (Issue 2.2)
parameter calls, 8.3.5.4-12*, -16, -22*
- meteorology technical guideline
- and higher level findings--preclosure
radiological safety (Issue 2.5),
8.3.5.6-11--12
- and qualifying condition, 8.3.5.6-6*, -11
- MGDS, see mined geologic disposal system,
Yucca Mountain
- microbial activity
- potentially likely conditions, evaluation
of, 8.4.3-61--62
- microorganisms, and sorption, 8.3.1.3-80
- Midway Valley
- dynamic properties of alluvium and
bedrock, 8.3.1.14-61
- faulting considerations, 8.3.1.17-31, -32
- and Quaternary faulting, 8.3.1.17-28
- test pits, location of, 8.3.1.14-33, -34**
- Midway Valley exploratory trenching activity,
8.3.1.17-95--97
- description, 8.3.1.17-96
- methods and technical procedures,
8.3.1.17-96--97
- objectives, 8.3.1.17-95
- parameters, 8.3.1.17-95--96
- Midway Valley trench location identification
activity, 8.3.1.17-93--95
- description, 8.3.1.17-94--95
- methods and technical procedures,
8.3.1.17-95
- objectives, 8.3.1.17-93
- parameters, 8.3.1.17-94
- milestones
- performance assessment activities,
8.5-55--79
- site characterization program, 8.5-1--118
- milestones, major
- exploratory shaft, 8.5-34, -36--39
- exploratory shaft construction, 8.5-34,
-36
- exploratory shaft testing, 8.5-36--39
- Military Lands Withdrawal Act, 8.3.1.11-2
- Mine Mountain fault, 8.3.1.8-130
- and Cane Spring fault system, 8.3.1.17-142
- Mine Mountain fault system evaluation
activity, 8.3.1.17-138--139
- description, 8.3.1.17-138--139

Mine Mountain fault system evaluation activity
(continued)

methods and technical procedures,
8.3.1.17-139

objectives, 8.3.1.17-138

parameters, 8.3.1.17-138

Mine Mountain fault system synthesis,
technical procedure for, 8.3.1.7-139

Mine Mountain fault zone, 8.3.1.17-133, -134**

Mine Mountain-Spotted Range belt,
8.3.1.17-121, -123

Mine Mountain-Syncline Ridge

and hydrocarbon assessment, 8.3.1.9-37

Mine Safety and Health Administration

and radon monitoring, 8.3.5.4-4, -8

and repository design requirements,
8.3.2.5-49--50

and worker radiological safety, 8.3.5.4-4,
-8

mine ventilation

underground support systems,
8.4.2-195--197

see also ventilation analyses

mined geologic disposal system, Yucca
Mountain, 8.3.2.3-12

functional requirements

and compliance with mining regula-
tions, 8.3.2.3-16, -28*

and critical control, 8.3.2.3-15,
-27*--28*

and design of items important to
safety, 8.3.2.3-15--16, -24*--27*

and radiological protection,
8.3.2.3-12, -15--16, -17*--23*

and waste treatment, 8.3.2.3-16,
-29*

hierarchy of functions and components,
8.2-16**

major elements, 8.0-6**

and postclosure performance assessment,
8.5-64

physical elements of, 8.2-15, -16**

and seals, 8.3.3.1-4--5

top level strategy for, 8.0-4--7

see also repository entries

mineral and energy assessment

and human intrusion probabilistic
calculations, 8.3.1.9-41

and 10 CFR Part 60, 8.3.1.9-40

mineral and energy assessment of site,
activity, 8.3.1.9-39--42

description, 8.3.1.9-40--42

methods and technical procedures,
8.3.1.9-42

objectives, 8.3.1.9-40

parameters, 8.3.1.9-40

mineral and glass heating (low-temperature),
technical procedures for, 8.3.1.3-53

mineral assemblages (Issue 1.8 favorable
condition 4)

discussion, 8.3.5.17-93--94

text of condition, 8.3.5.17-2*

mineral change along fault zones activity,
8.3.1.8-102--103

description, 8.3.1.8-102--103

methods and technical procedures,
8.3.1.8-103

objectives, 8.3.1.8-102

parameters, 8.3.1.8-102

mineral change in controlled area,
8.3.1.8-104

mineral change in controlled area from
tectonically induced change in water-table
environment activity, 8.3.1.8-104

description, 8.3.1.8-104

methods and technical procedures,
8.3.1.8-104

objectives, 8.3.1.8-104

parameters, 8.3.1.8-104

mineral distribution model, 8.3.1.3-64

mineral distributions between host rock and
accessible environment activity,
8.3.1.3-45--47

description, 8.3.1.3-46

methods and technical procedures,
8.3.1.3-46--47

objectives, 8.3.1.3-45

parameters, 8.3.1.3-45--46

three-dimensional model, 8.3.1.3-46

mineral evolution, 8.3.1.3-59--60

conceptual model development study,
8.3.1.3-64--65

kinetics and thermodynamics of,
8.3.1.3-59--60

thermodynamics of, 8.3.1.3-59--60

mineral fillings

recementation of, 8.3.1.8-96

mineral/glass dehydration/rehydration
activity, 8.3.1.3-52--54

PART B INDEX (Chapter 8)

- mineral resources, 8.3.1.9-20--34
 - geochemical assessment, 8.3.1.9-30--33
 - geophysical/geologic assessment, 8.3.1.9-33--34
- mineral and resource models, alternate hypotheses for human interference program, 8.3.1.9-25*--26*
- mineral rights, 8.3.1.11-2
 - and land ownership program, 8.3.1.9-2; 8.3.1.11-1--3
- mineral stability, see minerals/glass stability investigation
- mineralization potential, technical procedures
 - analytical methods, 8.3.1.9-33
 - field plans for geochemical assessment, 8.3.1.9-33
 - sampling plan, 8.3.1.9-33
- mineralogic tests, technical procedures for, 8.3.1.5-114
- mineralogic/geochemical alteration history study, 8.3.1.3-49--54
 - activities
 - geochemical processes from mineralogy, 8.3.1.3-49--51
 - smectite, zeolite, manganese minerals, glass dehydration, and transformation, 8.3.1.3-52--54
- mineralogy, petrology, and chemistry of transport pathways study, 8.3.1.3-43--49
 - activities
 - fracture mineralogy, 8.3.1.3-47--49
 - mineral distributions, 8.3.1.3-45--47
 - petrologic stratigraphy of Topopah Spring Member, 8.3.1.3-43--45
- mineralogy, petrology, rock chemistry investigation, 8.3.1.3-40--54
 - activities
 - fracture mineralogy, 8.3.1.3-47--49
 - geochemical processes from mineralogy, 8.3.1.3-49--51
 - mineral distributions, 8.3.1.3-45--47
 - petrologic stratigraphy of Topopah Spring Member, 8.3.1.3-43--45
 - smectite, zeolite, manganese minerals, glass dehydration, and transformation, 8.3.1.3-52--54
 - application of results, 8.3.1.3-54
 - interrelationships, 8.3.1.3-25, -26**
 - link to supporting information, 8.3.1.3-40--41
 - logic diagram, 8.3.1.3-26**
 - parameters, 8.3.1.3-41
- mineralogy, petrology, rock chemistry investigation (continued)
 - purpose and objectives, 8.3.1.3-41--42
 - studies, 8.3.1.3-43--54
 - mineralogic and geochemical alteration history, 8.3.1.3-49--54
 - mineralogy, petrology, and chemistry of transport pathways, 8.3.1.3-43--49
 - technical basis for, 8.3.1.3-40--43
 - technical rationale, 8.3.1.3-42--43
- mineralogy and chemistry model
 - inputs, 8.3.4.2-7*
- mineralogy technical concerns
 - SCP section correlation, 8.2-35*--49*
- minerals/glass stability investigation, 8.3.1.3-55--65
 - activities
 - clinoptilolite-heulandite and analcime, solid solution descriptions, 8.3.1.3-63--64
 - end-member free energies, 8.3.1.3-61--63
 - kinetic studies of zeolite, 8.3.1.3-60
 - application of results, 8.3.1.3-65
 - interrelationships, 8.3.1.3-25, -27**
 - link to supporting information, 8.3.1.3-55
 - logic diagram, 8.3.1.3-27**
 - parameters, 8.3.1.3-55--56
 - purpose and objectives, 8.3.1.3-55--56
 - studies, 8.3.1.3-56--64
 - conceptual model of mineral evolution, 8.3.1.3-64
 - kinetics/thermodynamics of mineral evolution, 8.3.1.3-59--60
 - natural analog of hydrothermal systems, 8.3.1.3-56--58
 - technical basis for, 8.3.1.3-55--65
 - technical rationale, 8.3.1.3-56
- mini-sosie
 - and Beatty scarp, 8.3.1.17-122
 - evaluation, 8.3.1.17-177--178**
 - and Quaternary faults, 8.3.1.17-169
 - and Rock Valley fault system, 8.3.1.17-135
 - and Stagecoach Road fault, 8.3.1.17-140
 - and surface based geophysical surveys, 8.3.1.4-46
 - see also shallow seismic reflection entries

- mining
 - rights at site, 8.3.1.11-2
 - sequential drift activity, 8.3.1.15-49--52
- mining, system element 1.2.1
 - and equipment demonstration, 8.3.2.5-59
- mining company borehole completion, technical procedures for, 8.3.1.2-102
- mining methods activity, 8.3.1.15-71
 - description 8.3.1.15-71
 - methods and technical procedures, 8.3.1.15-71
 - objectives, 8.3.1.15-71
 - parameters, 8.3.1.15-71
- mining methods evaluation
 - constraints and zones of influence, 8.4.2-130
 - purpose and operations, 8.4.2-129--130
- mining regulations compliance, function 4
 - functional requirement for mined geologic disposal system, 8.3.2.3-16, -28*
- mining regulations compliance (Information Need 2.7.4)
 - interrelationships, 8.3.2.3-36--39
- mining ventilation, system element 1.2.1.6
 - functions and processes, 8.3.2.5-27*--28*
 - performance measures and goals for nonradiological health and safety, 8.3.2.4-16*
 - preliminary performance allocation, 8.3.2.5-27*--28*
 - technology for underground facilities (Information Need 4.4.9), 8.3.2.5-88--89
 - underground facilities technology, 8.3.2.5-88--89
- Miocene-Paleozoic contact and detachment
 - faulting activity, 8.3.1.17-145--146
 - description, 8.3.1.17-146
 - methods and technical procedures, 8.3.1.17-146
 - objectives, 8.3.1.17-145
 - parameters, 8.3.1.17-145
- Miocene rocks (folds) study, 8.3.1.8-129--130
- Mission Plan, 8.2-1
 - milestones, 8.5-105, -110
 - and Office of Geologic Repository issue correlation, 8.2-15, -17**
 - and schedule information, 8.5-1
- mitigation plans
 - site characterization environmental impacts, 8.7-3--6
- Moapa Valley
 - and ground-water use, 8.3.1.9-43
- modal petrography, technical procedures for, 8.3.1.3-45
- model development, technical procedures, 8.3.1.2-441, -443
- model documentation, validation, and verification, 8.3.1.2-144
- model hierarchy
 - waste package characteristics--postclosure (Issue 1.10), 8.3.4.2-5**, -6*--8*
- model testing (empirical), technical procedures for, 8.3.1.2-355
- model validation
 - and performance issue resolution, 8.3.5.8-5**, -6
 - and performance reallocation, 8.3.5.8-9
 - technical procedures for, 8.3.1.2-350
- modeling
 - host-rock environment, 8.3.2.1-8--9
 - nonradiological health and safety (Issue 4.2), 8.3.2.1-20
 - repository, summary, 8.3.2.1-19--21
 - rock-water interaction
 - and numerical analysis, 8.3.4.2-49--51
 - seals, 8.3.3.1-8--9
 - waste package, 8.3.4.1-6--7
- models
 - alternative conceptual, see alternative conceptual models
 - compliant joint model, 8.4.3-32
 - composite fracture-matrix, 8.4.3-13
 - computer
 - verification and validation, 8.3.2.1-19; 8.3.2.5-82
 - degradation
 - austenitic alloys (Activity 1.4.3.2), 8.3.5.9-97--106
 - ceramic-metal, bimetallic/single metal, and coatings and filler alternate systems (Activity 1.4.3.3), 8.3.5.9-106--108
 - copper and copper alloys (Activity 1.4.3.1), 8.3.5.9-88--97
 - for cementitious materials (Design Activity 1.12.2.2), 8.3.3.2-40
 - for waste containers, 8.3.5.9-36, -41*--44*
 - inputs, 8.3.5.9-41*--44*
 - elastic, 8.4.3-28
 - flow and transport, 8.3.4.2-52, -61

models (continued)

- fluid flow in unsaturated, fractured rock, 8.3.1.2-352--350
- gas phase releases, 8.3.5.13-75--80
- hydrothermal flow, 8.3.4.2-55
- inelastic, 8.4.3-28
- modified permeability zone, 8.4.3-25--26, -35
- mineralogy and chemistry, 8.3.4.2-7*
- near-field, 8.3.4.2-6*
 - flow and transport, 8.3.4.2-6*
 - hydrology, 8.3.4.2-7*
- performance assessment, 8.4.3-3--5
- repository
 - development and use summary, 8.3.2.1-19--24
 - geomechanical analyses summary, 8.3.2.1-19--24
 - thermomechanical, 8.4.3-28
 - ubiquitous joint model, 8.4.3-28
 - unsaturated-zone, 8.3.1.2-350--362
- modern erosion locations, 8.3.1.6-7
- modern regional climate characterization study, 8.3.1.5-40--42
 - activity
 - synoptic characterization of regional climate, 8.3.1.5-40--42
 - objectives, 8.3.1.5-40
- modified permeability zone
 - and controlled blasting, 8.4.3-35
 - and effects of linear removal, 8.4.3-26
 - and excavation-induced effects, 8.4.3-25--26
 - and exploratory shaft construction, 8.4.3-18--19, -44, -45
 - models, 8.4.3-25--26, -35
 - and rock-mass permeability, 8.4.3-25--26
- moisture measurements
 - Fortymile Wash, 8.3.1.2-127
 - technical procedures for, 8.3.1.14-46, -48; 8.3.1.15-54, -56, -59
- moisture retention curves, 8.3.1.2-190
 - technical procedures for, 8.3.1.2-199
- monitoring
 - drift stability, 8.3.1.15-73--74
 - ground support systems, 8.3.1.15-72--73
 - meteorological, 8.3.1.12-6, -11--12, -17--25
 - networks
 - meteorological, 8.3.1.12-15
 - water-table levels, 8.3.1.2-376, -377**

monitoring (continued)

- runoff, 8.3.1.2-103--112; 8.3.1.5-107; 8.3.1.16-8, -11
- precipitation (stations)
 - regional, 8.3.1.2-99**, -100--101*
 - site, 8.3.1.2-106, -107**, -108--109*
- seismicity, 8.3.1.17-89--91
- Mono-Inyo Dome chain, 8.3.1.17-54
- Monte Carlo simulation analysis
 - modified version, 8.3.5.13-10
 - technical procedures for, 8.3.1.2-366
- monument survivability, see degradation of markers investigation
- monuments, proposed location of, 8.3.5.12-2**
- morphometric and morphologic analysis, Quaternary faulting, 8.3.1.17-191--193*
- morphometry of Basin Range description, technical procedures for, 8.3.1.17-193
- MORSE-L
 - and performance assessment, 8.3.5.19-2*, -5*
- MPBH, see multipurpose-borehole entries
- MPBX, see multiple-point borehole extensometers measurements
- MPZ, see modified permeability zone
- MSHA, see Mine Safety and Health Administration
- muck storage
 - exploratory shaft facility, 8.4.2-165, -167
- multiple barrier philosophy
 - and site characterization, 8.4.3-2--3
- multiple fracture networks, 8.3.1.2-439
- multiple-point borehole extensometer measurements
 - technical procedures for, 8.3.1.15-47, -49, -51, -53, -55, -58, -61, -63, -67, -69
 - and shaft convergence test, 8.4.2-110**
- multiple-well interference testing
 - activity, 8.3.1.2-393--400
 - description, 8.3.1.2-393--396
 - methods and technical procedures, 8.3.1.2-396--400
 - objectives, 8.3.1.2-393
 - parameters, 8.3.1.2-393
- multiple-well tests
 - C-hole complex, 8.3.1.2-371
 - comparison with single well tests, 8.3.1.2-409
 - conservative tracers, technical procedures for, 8.3.1.2-411

PART B INDEX (Chapter 8)

multiple-well tests (continued)
 hydraulic stress activity,
 8.3.1.2-383--392
 and reactive tracers, 8.3.1.2-333
 site, 8.3.1.2-409--412
 technical procedures for, 8.3.1.2-400,
 -414--416, -421
 multipurpose borehole
 conditional site characterization
 activity, 8.4.2-74--75, -145--147
 multipurpose borehole activity
 description, 8.4.2-74--75
 multipurpose borehole testing, 8.3.1.2-233,
 -237, -308--316
 constraints and zones of influence,
 8.4.2-147
 location, 8.4.2-146**
 purpose and operations, 8.4.2-145
 multivariable interaction, 8.3.2.1-13--14

NAFB, see Nellis Air Force Base
 National Environmental Policy Act, 8.2-67**;
 8.3.1.11-3
 National Geodetic Survey global position
 satellite program, 8.3.1.17-196
 National Weather Service, see U.S. National
 Weather Service
 natural analog of hydrothermal systems
 study, 8.3.1.3-56--58
 description, 8.3.1.3-57
 methods and technical procedures,
 8.3.1.3-58
 objectives, 8.3.1.3-56--57
 parameters, 8.3.1.3-57
 natural and engineered barriers
 and performance objectives, 8.4.3-2--3
 repository performance, 8.4.3-2--3
 natural barriers ability to isolate waste
 quality activities, 8.6-22--23
 natural barriers, general objective, 8.0-8
 natural gas resources, 8.3.1.9-37--39
 natural infiltration evaluation
 activity, 8.3.1.2-164--172
 description, 8.3.1.2-164--170
 methods and technical procedures,
 8.3.1.2-170--172
 objectives, 8.3.1.2-164
 parameters, 8.3.1.2-164
 natural infiltration studies
 and potential surface disturbance,
 8.4.2-55*--56*, -61--63

natural phenomena potential (Issue 1.8
 potentially adverse condition 3)
 discussion, 8.3.5.17-27
 performance parameters and goals,
 8.3.5.17-28*--29*
 related studies and activities,
 8.3.5.17-28*--29*
 scenario classes, 8.3.5.17-28*--29*
 text of condition, 8.3.5.17-4*
 natural precipitation
 and conceptual perimeter drift boundary,
 8.4.3-17--18
 natural processes and marker survivability
 study, 8.3.1.9-18--20
 activities
 erosion and deposition effects on
 marker survivability synthesis
 activity, 8.3.1.9-19--20
 tectonic/seismic/volcanic hazards data
 synthesis activity, 8.3.1.9-19
 natural remanent magnetization, 8.3.1.4-61,
 -62
 natural resource assessment of Yucca Mountain,
 study, 8.3.1.9-27--42
 activities
 geochemical assessment and
 mineralization potential,
 8.3.1.9-30--33
 geophysic/geologic appraisal and
 mineral resources, 8.3.1.9-33--34
 geothermal energy potential
 assessment, 8.3.1.9-34--36
 hydrocarbon resources assessment,
 8.3.1.9-37--39
 mineral and energy assessment,
 8.3.1.9-39--42
 natural resource exploitation investigation,
 see effects of human interference
 investigation
 natural resource exploitation effects study,
 8.3.1.9-49--50
 activities, 8.3.1.9-49--50
 noncredible human intrusion initiating
 events, 8.3.1.9-50
 potential effects of future ground-
 water withdrawals, 8.3.1.9-49
 natural resource potential investigation,
 8.3.1.9-20--44 (see also resource value
 investigation)

- natural resources disqualifying condition, 8.3.5.18-20--21
 - and postclosure performance issues, 8.3.5.18-7--8
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-20--21
 - and 10 CFR 960.4-2-8-1(d), 8.3.5.18-20--21
- natural resources qualifying condition, 8.3.5.18-20--21
 - and postclosure performance issues, 8.3.5.18-7--8
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-19
 - and total system performance (Issue 1.1), 8.3.5.18-6--7
 - and 10 CFR 960.4-2-8-1(a), 8.3.5.18-19
- naturally occurring materials (extraction) (Issue 1.8 potentially adverse condition 17)
 - discussion, 8.3.5.17-76--77
 - performance parameters and goals, 8.3.5.17-79*
 - related studies and activities, 8.3.5.17-79*
 - scenario classes, 8.3.5.17-79*
 - text of condition, 8.3.5.17-6*
- nature and rates of climate change
 - investigation, 8.3.1.5-33--89
 - activities
 - chronologic analyses of lake, playa, and marsh deposits, 8.3.1.5-51--54
 - empirical climate modeling, 8.3.1.5-86--88
 - eolian history of the Yucca Mountain region, 8.3.1.5-72--76
 - geochemical analyses of lake, marsh, and playa deposits, 8.3.1.5-49--51
 - pack rat midden analysis, 8.3.1.5-54--56
 - paleoclimate-paleoenvironmental synthesis, 8.3.1.5-76--79
 - paleontologic analyses, 8.3.1.5-42--47
 - pollen samples analysis, 8.3.1.5-56--57
 - soil properties of Yucca Mountain (modeling of), 8.3.1.5-61--65
 - stratigraphy-sedimentology of marsh, lacustrine, and playa deposits, 8.3.1.5-47--49
 - surficial deposits mapping of Yucca Mountain area, 8.3.1.5-66--72
 - synoptic characterization of regional climate, 8.3.1.5-40--42
- nature and rates of climate change
 - investigation (continued)
 - activities (continued)
 - vegetation-climate relationships, 8.3.1.5-57--59
 - application of results, 8.3.1.5-88--89
 - climatic scenarios of concern, 8.3.1.5-35--36
 - constituent studies, 8.3.1.5-37
 - future climate investigations, 8.3.1.5-39
 - paleoclimatic studies, 8.3.1.5-36--37
 - parameters, 8.3.1.5-34--35
 - purpose and objectives, 8.3.1.5-35
 - spatial scale, 8.3.1.5-38
 - studies, 8.3.1.5-40--88
 - climatic implications of terrestrial paleoecology, 8.3.1.5-54--59
 - future regional climate and environments, 8.3.1.5-78--88
 - modern regional climate characterization, 8.3.1.5-40--42
 - paleoclimate study, lake, playa, marsh deposits, 8.3.1.5-42--54
 - paleoclimate-paleoenvironmental synthesis, 8.3.1.5-76--78
 - paleoenvironmental history, Yucca Mountain region, 8.3.1.5-59--76
 - technical rationale, 8.3.1.5-35--39
 - temporal scale, 8.3.1.5-38--39
- near-field analyses
 - for thermal and thermomechanical response, 8.3.2.2-71--72
- near-field environment (Information Need 1.10.4)
 - activities
 - container and liner corrosion effects on water chemistry, 8.3.4.2-48
 - dissolution of phases in waste package environment, 8.3.4.2-46--47
 - flow and transport analysis in laboratory systems, 8.3.4.2-55
 - flow and transport analysis in near field, 8.3.4.2-61--64,
 - near-field hydrologic properties, 8.3.4.2-57--58
 - radiation effect on water chemistry, 8.3.4.2-47--48
 - repository material effect on water, 8.3.4.2-45
 - rock-water interaction analysis, 8.3.4.2-49--51

PART B INDEX (Chapter 8)

- near-field environment (Information Need 1.10.4) (continued)
 - activities (continued)
 - rock-water interaction in repository horizon, 8.3.4.2-58--61
 - rock-water interactions, 8.3.4.2-42--45
 - single-phase fluid system properties, 8.3.4.2-52--54
 - technical summary of existing data, 8.3.4.2-39
 - two-phase fluid system properties, 8.3.4.2-54--55
 - vadose water composition, 8.3.4.2-45--46
 - waste package environment stress field analysis, 8.3.4.2-56
 - application of results, 8.3.4.2-56
 - link to supporting information, 8.3.4.2-39
 - logic, 8.3.4.2-40--41
 - parameters, 8.3.4.2-40
 - schedule, 8.3.4.2-65--74
 - studies, 8.3.4.2-42--65
 - EBS field tests, 8.3.4.2-57--65
 - hydrologic properties of waste package environment, 8.3.4.2-51--55
 - mechanical properties of waste package environment, 8.3.4.2-56
 - postemplacement chemical/mineralogical changes, 8.3.4.2-42--51
 - technical basis for, 8.3.4.2-39--42
- near-field flow and transport model
 - inputs, 8.3.4.2-6*
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- near-field hydrologic properties
 - typical test arrangement, 8.4.2-142**
- near-field hydrologic properties (Activity 1.10.4.4.1), 8.3.4.2-57--58
 - description, 8.3.4.2-57--58
 - objectives, 8.3.4.2-57
 - parameters, 8.3.4.2-57
- near-field hydrologic system
 - and emplacement hole, 8.3.4.2-25--26
- near-field hydrology model
 - inputs, 8.3.4.2-7*
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- near-field mineralogy and chemistry model
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- near-field releases, 8.3.5.10-79--82 (see also waste package near-field releases Information Need 1.5.5)
- near-field sensitivity studies
 - for thermal and thermomechanical modeling, 8.3.2.2-38
- near-field temperature change limitation
 - design thermal loading, postclosure design function 4, 8.3.2.2-19--20
- near-field transport model application (Subactivity 1.5.5.2.2), 8.3.5.10-82
- near-site activities evaluation activity, 8.3.1.13-10--11
 - description, 8.3.1.13-10--11
 - methods and technical procedures, 8.3.1.13-11
 - objectives, 8.3.1.13-10
 - parameters, 8.3.1.13-10
- near-site activities identification activity, 8.3.1.13-3--5
 - description, 8.3.1.13-3--5
 - methods and technical procedures, 8.3.1.13-5
 - objectives, 8.3.1.13-5
 - parameters, 8.3.1.13-5
- nearby installations and operations
 - investigation, 8.3.1.13-2--6
- activities
 - near-site activities identification, 8.3.1.13-3--5
 - nuclear facilities (not nuclear fuel cycle) identification, 8.3.1.13-5--6
 - nuclear fuel cycle facilities identification, 8.3.1.13-4--5
 - application of results, 8.3.1.13-6
 - links to supporting information, 8.3.1.13-2
 - parameters, 8.3.1.13-3
 - purpose and objectives, 8.3.1.13-3
 - technical basis for, 8.3.1.13-2
 - technical rationale, 8.3.1.13-3
- needed confidence
 - and performance allocation, 8.1-9--10
- Nellis Air Force Base
 - and land administration at site, 8.3.1.11-2
 - as source of meteorological data, 8.3.1.12-10
- Neogene rocks, folds evaluation, activity, 8.3.1.8-130--131
- Neogene rocks, structural attitude evaluation, technical procedure for, 8.3.1.8-131

- Neogene strain, 8.3.1.8-130
- neptunium
 batch sorption, 8.3.1.3-68, -70, -72*
 sorption, 8.3.1.3-67
- net infiltration
 and site characterization activities,
 8.4.3-9
- neutron access hole studies
 locations, 8.3.1.2-166***-168**
 and natural infiltration, 8.3.1.2-164,
 -165, -169
 prototype testing, 8.3.1.2-165
 technical procedures for, 8.3.1.2-170--171
- neutron logging
 and moisture content, 8.3.1.2-165, -236
 and prototype studies, 8.3.1.2-165
 radial borehole tests, 8.3.1.2-284
 and regional potentiometric studies,
 8.3.1.2-119
 and Solitario Canyon fault, 8.3.1.2-372
 in water-table wells, 8.3.1.2-429
- neutron-moisture tube, technical procedures
 for, 8.3.1.2-131
- neutron probe use, technical procedures for,
 8.3.1.15-65
- Nevada, State of, see State of Nevada
- Nevada Department of Natural Resources and
 Conservation
 and water supply information, 8.3.1.9-44
- Nevada Department of Transportation, flood-
 study program, 8.3.1.16-8
- Nevada Power Company
 and ground-water use, 8.3.1.9-43
- Nevada Test Site
 and anelastic strain recovery experiments,
 8.3.1.15-79
 core petrography, technical procedures
 for, 8.3.1.8-111
 and offsite operations, 8.3.1.13-4
 and past hydrogeologic investigations,
 8.3.1.2-94
 and permanent streams, 8.3.1.2-96
 precipitation gage network, 8.3.1.2-98
 and radionuclide resuspension from past
 operations, 8.3.1.13-10
 stream gage network, 8.3.1.2-103
 tectonic process scenario analysis,
 technical procedures for, 8.3.1.17-206
 and tritium profiling studies,
 8.3.1.2-164; 8.3.1.13-13
 and underground nuclear explosions,
 8.3.1.17-35, -36
- Nevada Test Site (continued)
 and water wells, 8.3.1.16-20
 1:100,000 geologic synthesis, technical
 procedure for, 8.3.1.17-202
- NGI, see Norwegian Geotechnical Institute
- NIKE2D, and performance assessment,
 8.3.5.19-2*, -5*
- nitrogen pressure injection testing
 and long-term monitoring impacts,
 8.3.1.2-210
- nivation basins
 and surficial deposits, 8.3.1.5-70
- noble gas isotopic measurements, technical
 procedures, 8.3.1.8-57
- nominal scenario class
 complementary cumulative distribution
 function, 8.4.3-52--53
 potentially likely conditions,
 8.4.3-57--62
 present site conditions, 8.4.3-56--57
 processes and events, 8.4.3-52, -56--62
- noncarbonate mineralogy
 and geochemical analyses of sediments,
 8.3.1.5-50
- noncredible human intrusion initiating events
 activity, 8.3.1.9-50
 description, 8.3.1.9-50
 methods and technical procedures,
 8.3.1.9-50
 objectives, 8.3.1.9-50
 parameters, 8.3.1.9-50
- nondestructive testing
 container, alternate barrier,
 8.3.5.9-63--64
- nonradiological health and safety (Issue 4.2),
 8.3.2.4-1--33
 accidental radiological releases (Issue
 2.3) parameter calls, 8.3.5.5-12*, -20*
 analytical tools, 8.3.2.1-21--23
 application of results, 8.3.2.4-30
 approach, 8.3.2.4-4--7
 design tradeoff analyses, 8.3.2.1-20*
 and geohydrology program, 8.3.1.2-5**
 and higher level findings--ease and cost
 of construction (Issue 4.1), 8.3.5.7-7*
 information need
 site and performance information
 needed for design (nonradiological
 health and safety) (4.2.1),
 8.3.2.4-23--27
 see specific information need for
 design activity listing

PART B INDEX (Chapter 8)

nonradiological health and safety (Issue 4.2) (continued)

- interrelationships, 8.3.2.4-7, -23
- logic diagram, 8.3.2.4-2--3
- major events and completion dates,
8.3.2.4-33*; 8.5-88, -89**, -90
- and modeling, 8.3.2.1-20
- and other design and performance
assessment issues, 8.3.2.1-2**;
8.3.4.1-2**
- performance measures and goals,
8.3.2-4-8*-21*
 - access construction (system element
1.2.1.1), 8.3.2.4-8*-11*
 - borehole construction (system element
1.2.1.3), 8.3.2.4-15*
 - drift construction (system element
1.2.1.2), 8.3.2.4-12*-14*
 - maintenance (system element
1.2.5.6), 8.3.2.4-21*
 - mining ventilation (system element
1.2.1.6), 8.3.2.4-16*
 - nonradiological monitoring (system
element 1.2.5.9.2), 8.3.2.4-22*
 - retrieval (system element 1.2.1.5),
8.3.2.4-17*-18*
 - waste ventilation (system element
1.2.2.7), 8.3.2.4-19*
 - underground closure (system element
1.2.4.1), 8.3.2.4-20*
- preclosure hydrology program parameter
calls, 8.3.1.16-1, -3*, -5**
- regulatory basis, 8.3.2.4-1, -4
- safety analyses, 8.3.2.1-25
- schedule, 8.3.2.4-31--33; 8.5-88, -89**
- surface characteristics program parameter
calls, 8.3.1.14-22*, -26, -64
- thermal and mechanical properties program
parameter calls, 8.3.1.15-15**
- ventilation analyses, 8.3.2.1-24--25

NORIA

- and COVE 2, 8.3.5.20-4*
- and COVE 3, 8.3.5.20-5*
- and performance assessment, 8.3.5.19-2*,
-5*

NORIA/FEMTRAN

- and performance assessment, 8.3.5.19-2*,
-4*

Northern Amargosa core complex, dating,

8.3.1.17-152, -153*

northern Mojave Desert, erosion, 8.3.1.6-7, -20

Norwegian Geotechnical Institute, rock mass classification, 8.3.1.14-54, -55

NRC, see U.S. Nuclear Regulatory Commission NRC siting criteria (Issue 1.8),

- 8.3.5.17-1--97
 - approach, 8.3.5.17-7--18
 - and climate program, 8.3.1.5-1--3, -2**
 - demonstration strategy for potentially
adverse conditions present at site,
8.3.5.17-10**, -12--14
 - and effects of human interference
investigation, 8.3.1.9-51
 - favorable condition discussions,
8.3.5.17-89, -91--95
 - geochemistry program parameter calls,
8.3.1.3-1, -2**, -8*, -11**
 - and geohydrology program parameter
calls, 8.3.1.2-5**, -363, -444
 - and human interference program,
8.3.1.9-1, -13**
 - interrelationships, 8.3.5.17-97
 - logic diagram for favorable conditions,
8.3.5.17-16**
 - logic diagram for resolving potentially
adverse conditions, 8.3.5.17-10**
- NRC requirements for favorable condition
demonstrations, 8.3.5.17-7
- NRC requirements for potentially adverse
condition demonstrations, 8.3.5.17-1
- and other design and performance
assessment issues, 8.3.2.1-2**
- and postclosure performance assessment,
8.3.5.8-2, -3*, -4
- and postclosure tectonics program
parameter calls, 8.3.1.8-1, -2**,
-3*, -6*, -9*-10*, -13*-14*, -17*,
-19*
- potentially adverse conditions,
8.3.5.17-4*-7*, -18--89
- and preclosure tectonics program,
8.3.1.17-206
- and reference postclosure repository
design (Information Need 1.11.7),
8.3.2.2-75
- regulatory basis for, 8.3.1.2-3;
8.3.5.17-1--7
- and rock dissolution program, 8.3.1.7-2
- strategy for addressing favorable
conditions, 8.3.5.17-15--18
- strategy for addressing potentially
adverse conditions, 8.3.5.17-9--15

PART B INDEX (Chapter 8)

NRC siting criteria (Issue 1.8) (continued)
 strategy for potentially adverse
 conditions not present at site
 (preliminary finding), 8.3.5.17-9, -10*,
 -11--12

surface characteristics program parameter
 calls, 8.3.1.14-15, -27

NRC siting criteria (Issue 1.8 favorable
 conditions)

and controlled area (Issue 1.8 favorable
 condition 6), 8.3.5.17-2*-3*, -94

geochemical conditions (Issue 1.8
 favorable condition 3), 8.3.5.17-2*,
 -91--95

hydrogeologic conditions--saturated zone
 (Issue 1.8 favorable condition 2),
 8.3.5.17-2*, -91

hydrogeologic conditions--unsaturated zone
 (Issue 1.8 favorable condition 8),
 8.3.5.17-3*, -95--97

mineral assemblages (Issue 1.8 favorable
 condition 4), 8.3.5.17-2*, -93--94

population density and controlled area
 (Issue 1.8 favorable condition 6),
 8.3.5.17-2*, -94--95

pre-waste-emplacement travel time
 (Issue 1.8 favorable condition 7),
 8.3.5.17-3*, -95

Quaternary processes affecting isolation
 (Issue 1.8 favorable condition 1),
 8.3.5.17-2*, -89, -91

waste emplacement depth (Issue 1.8
 favorable condition 5), 8.3.5.17-2*, -94

see also specific favorable conditions

NRC siting criteria (Issue 1.8 potentially
 adverse conditions)

and controlled area, 8.3.5.17-9
 dissolution evidence (Issue 1.8
 potentially adverse condition 10),
 8.3.5.17-5*, -55, -61

drilling evidence (Issue 1.8 potentially
 adverse condition 19), 8.3.5.17-6*, -78

earthquakes (historical) (Issue 1.8
 potentially adverse condition 12),
 8.3.5.17-5*, -61--62, -70

earthquakes and geologic setting
 (Issue 1.8 potentially adverse condi-
 tion 14), 8.3.5.17-5*, -62--63, -70

earthquakes and tectonic processes
 (Issue 1.8 potentially adverse
 condition 13), 8.3.5.17-5*, -62, -70

NRC siting criteria (Issue 1.8 potentially
 adverse conditions (continued)

erosion (Quaternary) (Issue 1.8
 potentially adverse condition 16),
 8.3.5.17-5*, -76

flooding potential (Issue 1.8 potentially
 adverse condition 1), 8.3.5.17-4*,
 -19--20

gas-phase releases, 8.3.5.17-89

geochemical processes (Issue 1.8
 potentially adverse condition 8),
 8.3.5.17-5*, -52, -55, -56*--58*

geomechanical properties and underground
 openings (Issue 1.8 potentially adverse
 condition 21), 8.3.5.17-6*, -80

ground-water conditions (not reducing)
 (Issue 1.8 potentially adverse condi-
 tion 9), 8.3.5.17-5*, -55, -59*, -60*,
 -61

ground-water conditions affecting EBS
 (Issue 1.8 potentially adverse condi-
 tion 7), 8.3.5.17-5*, -48, -52

human activity potential (Issue 1.8
 potentially adverse condition 2),
 8.3.5.17-4*, -20--21, -22*--26*, -27

hydrologic change and radionuclide
 migration (Issue 1.8 potentially adverse
 condition 5), 8.3.5.17-4*, -30, -35
 -36*--47*

hydrologic change from climatic change
 (Issue 1.8 potentially adverse condi-
 tion 6), 8.3.5.17-4*, -35, -48,
 -49*--51*

igneous activity (Quaternary) (Issue 1.8
 potentially adverse condition 15),
 8.3.5.17-5*, -70, -71*--75*

natural phenomena potential (Issue 1.8
 potentially adverse condition 3),
 8.3.5.17-4*, -21, -27, -28*--29*

naturally occurring materials (extraction)
 (Issue 1.8 potentially adverse condi-
 tion 17), 8.3.5.17-6*, -76--77, -79*

perched water potential (Issue 1.8
 potentially adverse condition 23),
 8.3.5.17-6*, -81, -87*--88*

radionuclide movement (gaseous) (Issue 1.8
 potentially adverse condition 24),
 8.3.5.17-7*, -89, -90*

rock/ground-water conditions and technical
 feasibility (Issue 1.8 potentially
 adverse condition 20), 8.3.5.17-6*,
 -78, -80

NRC siting criteria (Issue 1.8 potentially adverse conditions) (continued)
 scenario classes, see release scenario classes
 structural deformation (Issue 1.8 potentially adverse condition 4), 8.3.5.17-4*, -27, -30, -31*-34*
 structural deformation (Quaternary) (Issue 1.8 potentially adverse condition 11), 8.3.5.17-5*, -59, -61, -63*-69*
 subsurface mining evidence (Issue 1.8 potentially adverse condition 18), 8.3.5.17-6*, -78
 water-table rise potential (Issue 1.8 potentially adverse condition 22), 8.3.5.17-6*, -80--81, -82*-86*
see also specific potentially adverse condition

NTS, see Nevada Test Site

nuclear facilities (not nuclear fuel cycle)
 identification activity, 8.3.1.13-5--6
 description, 8.3.1.13-6
 methods and technical procedures, 8.3.1.13-6

objectives, 8.3.1.13-5

parameters, 8.3.1.13-5

nuclear facilities (not nuclear fuel cycle)
 impacts evaluation activity, 8.3.1.13-10
 description, 8.3.1.13-10
 methods and technical procedures, 8.3.1.13-11

parameters, 8.3.1.13-10

nuclear fuel cycle facilities
 and offsite installations program, 8.3.1.13-4

nuclear fuel cycle facilities identification
 activity, 8.3.1.13-4--5
 description, 8.3.1.13-5
 methods and technical procedures, 8.3.1.13-5

objective, 8.3.1.13-4

parameters, 8.3.1.13-4

nuclear fuel cycle operations impacts
 evaluation activity, 8.3.1.13-10--11
 description, 8.3.1.13-10
 methods and technical procedures, 8.3.1.13-11

objectives, 8.3.1.13-10

parameters, 8.3.1.13-10

nuclear logging in boreholes, see neutron access hole studies and neutron logging

nuclear testing, see weapons testing

Nuclear Waste Policy Act of 1982

and decontamination, 8.7-1, -2

and ground-water protection (Issue 1.3), 8.3.5.15-2

and Key Issue 3, 8.2-1

and land ownership and mineral rights program, 8.3.1.11-1

and offsite installations program, 8.3.1.13-2

and population density and distribution program, 8.3.1.10-1

and quality assurance program, 8.6-1

and radiological releases, 8.3.1.12-14--15

and repository design requirements, 8.3.2.5-49

and waste package, 8.3.4-1

and waste retrievability (Issue 2.4), 8.3.5.2-1, -2

Nuclear Waste Policy Amendments Act of 1987

decontamination and decommissioning, 8.7-1

and quality assurance program, 8.6-1

numerical dating, technical procedures for, 8.3.1.17-167--168

NWFT

and performance assessment,

8.3.5.19-2*, -6*

NWPA, see Nuclear Waste Policy Act

NWPAA, see Nuclear Waste Policy Amendments Act of 1987

NWS, see U.S. National Weather Service

Nye County, 8.3.1-1

and resource assessment, 8.3.1.9-27--42

ODEX drilling method, 8.3.1.2-206

Office of Civilian Radioactive Waste Management (OCRWM)

and preclosure safety assessment, 8.3.5.1-2

Office of Geologic Repositories (OGR)

issues hierarchy, 8.2-1, -2*

and Mission Plan issues correlation, 8.2-15, -17**

Office of Nuclear Waste Isolation

and general warning system design, 8.3.1.9-16

offsite accident initiators, 8.3.1.13-7

data base for, 8.3.1.13-1, -2

PART B INDEX (Chapter 8)

- offsite installations and operations data considered
 - higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-10*
- offsite installations and operations technical guideline
 - and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-12--13
 - and qualifying and disqualifying guidelines, 8.3.5.6-6*, -12--13
- offsite installations program, 8.3.1.13-1--15
 - and accidental radiological releases (Issue 2.3), 8.3.1.13-1; 8.3.5.5-13*, -20*-21*
- approach, 8.3.1.13-1
- and higher level findings--preclosure radiation safety (Issue 2.5), 8.3.1.13-1, -7, -8, -9
- interrelationships, 8.3.1.13-2
- investigations, 8.3.1.13-3--15
 - installations and operations impacts, 8.3.1.13-6--15
 - nearby installations and operations, 8.3.1.13-3--6
 - see also specific investigation for study and activity listings
- major events and completion dates, 8.3.1.13-14*-15*; 8.5-24, -25**
- and meteorology program, 8.3.1.12-5
- and Nuclear Waste Policy Act, 8.3.1.11-2
- overview, 8.3.1.13-1--2
- performance and design requirements, summary, 8.3.1.13-1
- and public radiological exposures--normal conditions (Issue 2.1), 8.3.1.13-1
- and public radiological exposures--normal conditions (Issue 2.1) parameter calls, 8.3.5.3-14*, -21*
- and Radiological Monitoring Plan, 8.3.1.13-2
- and repository design criteria for radiological safety (Issue 2.7), 8.3.1.13-1
- schedule, 8.3.1.13-11--15; 8.5-24, -25**
- and worker radiological safety--normal conditions (Issue 2.2), 8.3.1.13-1, -10
- offsite nuclear fuel cycle facilities, 8.3.1.13-4
 - identification, 8.3.1.13-5
 - impacts, 8.3.1.13-9--10
- OGR, see Office of Geologic Repositories
- oil and gas resources, 8.3.1.9-37--39
- Older tuff unit
 - hydrogeologic cross section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section, 8.3.5.12-4**
- opaline silica vein deposits, 8.3.1.5-110--118
- operation and construction constraints
 - and exploratory shaft facility tests, 8.4.2-98, -99*-101*
- operation schedule
 - design flexibility, 8.4.2-219
- operational considerations
 - exploratory shafts, 8.4.2-169, -172--173
- operations
 - plan
 - for advanced conceptual design, 8.3.2.5-45
 - for license application design, 8.3.2.5-45--46
 - radiological risk, 8.3.5.1-6
- optical microscopy, technical procedures for, 8.3.1.3-48
- Oregon Cascade Range
 - curie temperature depths, 8.3.1.8-124
 - magnetic data, 8.3.1.8-124
- organic matter sampling
 - and hydrocarbon resource assessment, 8.3.1.9-37, -39*
- organics, introduced
 - and biological degradation and transport, 8.4.3-24
 - repository horizon, 8.4.3-24
- organics in lake, playa, and marsh sediments, technical procedures for, 8.3.1.5-51
- organization of Section 8.3, 8.3-1--2, -3*
- ORIGEN
 - and performance assessment, 8.3.5.19-2*, -6*
 - and preclosure safety assessment, 8.3.5.19-9*, -10*
 - validation and verification, 8.3.5.19-13
- ostracodes
 - and paleontologic analyses, 8.3.1.5-44
 - and past discharge, 8.3.1.5-100
- outcrop (uncleared) studies, technical procedures for, 8.3.1.4-70
- overall geologic repository system performance objective
 - and 10 CFR 60.112, 8.3.5.18-7--8

PART B INDEX (Chapter 8)

- overburden
 - and higher level findings--postclosure (Issue 1.9), 8.3.1.14-27
 - and 10 CFR Part 60, 8.3.1.14-24--26, -27
 - and 10 CFR Part 960, 8.3.1.14-24, -26, -27
- overcore stress experiments
 - constraints and zones of influence, 8.4.2-133
 - purpose and operations, 8.4.2-132
- overcore stress experiments in ESF
 - activity, 8.3.1.15-80--82
 - description, 8.3.1.15-80--81
 - methods and technical procedures, 8.3.1.15-81--82
 - objectives, 8.3.1.15-80
 - parameters, 8.3.1.15-80
- overcoring (borehole), technical procedures for, 8.3.1.2-322
- overcoring stress measurements, technical procedures for, 8.3.1.15-47
- overview of guidelines
 - and 10 CFR Part 60, 8.3.5.18-3
- oxidation and aqueous corrosion (waste containers), 8.3.5.9-45
- oxidation of spent fuel (Subactivity 1.5.2.1.2), 8.3.5.10-46
- PABLM
 - and performance assessment, 8.3.5.19-2*, -6*
- Pacific Northwest Laboratory
 - and COVE 1, 8.3.5.20-4*
 - and COVE 2, 8.3.5.20-4*
- pack rat middens analysis activity, 8.3.1.5-54--56
 - description, 8.3.1.5-55
 - methods and technical procedures, 8.3.1.5-55--56
 - objectives, 8.3.1.5-54
 - parameters, 8.3.1.5-55
- pack rat middens technical procedures, 8.3.1.5-56
- packer-injection tests
 - air, technical procedures for, 8.3.1.2-275--277, -297--298, -316, -319
 - nitrogen, and radial borehole tests, 8.3.1.2-284
 - test well configurations, 8.3.1.2-386**, -388**
- pad preparation, ESF, 8.4.3-30
- pads and roads, ESF, 8.4.2-158, -160**
- Pah Canyon Member
 - and intact-fracture test, 8.3.1.2-239
 - stratigraphic studies, 8.3.1.4-35, -38**
- Pahranagat Range quadrangle
 - and Landsat V thematic mapper data, 8.3.1.17-132
- Pahranagat shear zone, 8.3.1.17-133
 - location, 8.3.1.17-100**
 - and relevel network, 8.3.1.17-195
- Pahute Mesa
 - climatic analog site, 8.3.1.5-61
 - and geothermal energy assessment, 8.3.1.9-36
 - and hydrogeologic study area, 8.3.1.2-94, -95**
 - and Landsat V thematic mapper data, 8.3.1.17-132
 - precipitation and stream flow monitoring at, 8.3.1.2-98, -99**
 - and recharge, 8.3.1.5-122
 - and runoff, 8.3.1.2-105
 - and seismicity evaluation, 8.3.1.17-92
- Paintbrush Canyon fault, 8.3.1.8-69;
8.3.1.17-28, -29**, -30, -32
 - buried extensions and gamma-ray measurements, 8.3.1.17-175
 - and detachment faults, 8.3.1.17-145
 - and earthquakes, 8.3.1.17-36
 - and ground motion, 8.3.1.17-30
 - and Quaternary movement, 8.3.1.17-154, -160
 - slip rate, 8.3.1.17-200
 - and Stagecoach Road fault, 8.3.1.17-133, -139
- Paintbrush Canyon fault zone
 - and relevel network, 8.3.1.17-195
- Paintbrush nonwelded unit
 - fracture significance to infiltration, 8.3.1.2-156
 - hydrogeologic section, 8.3.5.12-4**
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**
- Paintbrush tuff
 - excavation effects tests, 8.3.1.2-236
 - geologic mapping in, 8.3.1.4-66--68
 - significant properties of, 8.3.1.2-150
 - surface outcrop mapping, technical procedures for, 8.3.1.4-40

Paintbrush tuff (continued)

see also host rock and Topopah Spring
Member

paleobotanic data

technical procedures for, 8.3.1.5-59

paleoclimate

and climate modeling, 8.3.1.5-86--87

sampling sites, 8.3.1.5-43**

time series, technical procedures for,
8.3.1.5-88

paleoclimate modeling, current representation
and alternative hypotheses, 8.3.1.5-22*--25*

paleoclimate-paleoenvironmental synthesis
and erosion, 8.3.1.6-18--19

paleoclimate-paleoenvironmental synthesis
study, 8.3.1.5-76--78

activity

paleoclimate-paleoenvironmental
synthesis, 8.3.1.5-77--78

paleoclimate study: lake, playa, marsh
deposits study, 8.3.1.5-42--54

activities, 8.3.1.5-42--54

chronologic analyses of lake, playa,
and marsh deposits, 8.3.1.5-51--54
geochemical analyses of lake, marsh,
and playa deposits, 8.3.1.5-49--51
paleontologic analyses, 8.3.1.5-42--47
stratigraphy-sedimentology of marsh,
lacustrine, and playa deposits,
8.3.1.5-47--49

objectives, 8.3.1.5-42

paleoclimatic interpretations of aquatic
records

and paleontologic analyses, 8.3.1.5-45--46

paleoclimatic studies

and future climate, 8.3.1.5-36--37, -42

paleoecological analyses, 8.3.1.5-75

technical procedures for, 8.3.1.5-46--47,
-76

paleoenvironmental history, Yucca Mountain
study, 8.3.1.5-59--76

activities, 8.3.1.5-61--76

eolian history of the Yucca Mountain
region, 8.3.1.5-72--76

soil properties of Yucca Mountain
(modeling of), 8.3.1.5-61--65

surficial deposits mapping of the
Yucca Mountain area, 8.3.1.5-66--72

objectives, 8.3.1.5-59--60

paleofloods, 8.3.1.5-92, -94--96

and preclosure hydrology program,
8.3.1.16-2, -10

paleofloods (continued)

regional evacuation activity,
8.3.1.5-94--96

and regional hydrologic model, 8.3.1.2-96
and runoff, 8.3.1.5-92, -94

technical procedures for, 8.3.1.5-96

paleohydrology, and geohydrology
investigations, 8.3.1.2-88

paleohydrology modeling, current
representation and alternative hypotheses,
8.3.1.5-26*--31*

paleomagnetism

and chronologic analyses, 8.3.1.5-52

geophysical activities, 8.3.1.4-42*, -52*

sampling areas, 8.3.1.17-123

summary, tectonics, 8.3.1.17-110*, -111*

paleontologic analyses activity,

8.3.1.5-42--47

aquatic polymorphs, 8.3.1.5-45

biotic remains, 8.3.1.5-45

description, 8.3.1.5-44--46

diatoms, 8.3.1.5-44--45

methods and technical procedures,
8.3.1.5-46--47

objective, 8.3.1.5-42, -44

ostracodes, 8.3.1.5-44

paleoclimatic interpretations of aquatic
records, 8.3.1.5-45--46

parameters, 8.3.1.5-44

paleontologic investigations, technical
procedures for, 8.3.1.5-117

paleostress indicator evaluation, technical
procedures for, 8.3.1.17-184

paleostress orientation data evaluation
activity, 8.3.1.17-183--184

description, 8.3.1.17-184

methods and technical procedures,
8.3.1.17-184

objectives, 8.3.1.17-183

parameters, 8.3.1.17-184

paleotemperatures, 8.3.1.3-50

and surficial deposits, 8.3.1.5-70

paleowind velocity, technical procedures for,
8.3.1.5-75

Paleozoic rocks

and hydrocarbon assessment,
8.3.1.9-29, -37

palynological and paleoecological analyses,
technical procedures for, 8.3.1.5-46--47

PANDORA, PHR81

and performance assessment,
8.3.5.19-2*, -6*

PART B INDEX (Chapter 8)

panel access drifts stability, 8.4.3-29--30
 parameters
 and information needs, 8.1-8--9
 particle size technical procedures,
 8.3.1.2-422
 particulates
 sorption on, 8.3.1.3-77--79
 and transport, 8.3.1.3-119--122
 past discharge area evaluation activity,
 8.3.1.5-98--106
 description, 8.3.1.5-99--101
 methods and technical procedures,
 8.3.1.5-101--106
 objectives, 8.3.1.5-98
 parameters, 8.3.1.5-98
 pavements
 definition, 8.4.2-60--61
 and potential surface disturbance,
 8.4.2-48*, -60--61
 Pavits Spring, 8.3.1.8-130; 8.3.1.17-151*
 peer review, 8.3.1.2-353, -362
 perched aquifers
 and controlled area, 8.3.1.8-89, -90, -94
 and faulting, 8.3.1.8-80, -93
 perched water
 conditional site characterization
 activity, 8.4.2-36
 and drillholes, 8.3.1.2-127
 ESF test, 8.3.1.2-233, -236, -300--301
 existence of, 8.3.1.2-183
 and fracture fluids, 8.3.1.2-338
 and hydrochemical analysis, 8.3.1.5-97
 location investigation, 8.3.1.16-25, -26
 in nonwelded units, 8.3.5.12-16
 observed, 8.3.1.2-183
 sampling, technical procedures for,
 8.3.1.2-302, -304, -316
 and drillhole USW UZ-1, 8.4.3-16
 zones, bore drilling technical procedures,
 8.3.1.2-302--303
 perched water conditions, development of,
 8.3.1.2-172, -174--175
 perched water potential (Issue 1.8 potentially
 adverse condition 23)
 discussion, 8.3.5.17-81
 performance parameters and goals,
 8.3.5.17-87*--88*
 related studies and activities,
 8.3.5.17-87*--88*
 scenario classes, 8.3.5.17-87*--88*
 text of condition, 8.3.5.17-6*

perched water test
 constraints and zones of influence,
 8.4.2-139
 contingency test, 8.4.2-139
 purpose and operations, 8.4.2-139
 perched water test in ESF activity,
 8.3.1.2-300--304
 description, 8.3.1.2-300--301
 methods and technical procedures,
 8.3.1.2-301--304
 objectives, 8.3.1.2-300
 parameters, 8.3.1.2-300
 perched-water zone drilling, technical
 procedures for, 8.3.1.2-316
 percolation
 as component of unsaturated-zone system,
 8.3.1.2-151
 data needs, 8.3.1.2-150
 and GWT, 8.3.1.2-153--154
 and postclosure tectonic studies,
 8.3.1.8-9*--12*
 surface ponding, 8.4.3-9
 percolation in unsaturated zone--ESF
 study, 8.3.1.2-232--320
 activities, 8.3.1.2-238--320
 bulk-permeability test in ESF,
 8.3.1.2-271--281
 Calico Hills test in ESF,
 8.3.1.2-241--300
 excavation effects test in ESF,
 8.3.1.2-293--299
 hydrochemistry tests in ESF,
 8.3.1.2-304--308
 hydrologic properties of major faults
 encountered in the main test level
 of the ESF, 8.3.1.2-316--320
 intact-fracture test in ESF,
 8.3.1.2-238--252
 multipurpose-borehole testing near the
 exploratory shafts, 8.3.1.2-308--316
 perched water test in ESF,
 8.3.1.2-301--304
 percolation tests in ESF,
 8.3.1.2-252--271
 radial borehole tests in ESF,
 8.3.1.2-281--292
 objective, 8.3.1.2-232--237
 percolation in unsaturated zone--surface
 study, 8.3.1.2-181--232
 activities, 8.3.1.2-183--232
 matrix hydrologic properties testing,
 8.3.1.2-183--200

- percolation in unsaturated zone--surface study (continued)
 - activities (continued)
 - Solitario Canyon horizontal borehole study, 8.3.1.2-221--232
 - vertical borehole studies (site), 8.3.1.2-200--221
 - objectives, 8.3.1.2-181--183
- percolation test method, technical procedures for, 8.3.1.2-271
- percolation tests
 - constraints and zones of influence, 8.4.2-135
 - purpose and operations, 8.4.2-135
- percolation tests in ESF activity, 8.3.1.2-252--271
 - description, 8.3.1.2-252--257
 - methods and technical procedures, 8.3.1.2-257--271
 - objectives, 8.3.1.2-252
 - parameters, 8.3.1.2-252
- performance allocation, 8.1-5--10
 - and accidental radiological releases (Issue 2.3), 8.3.5.5-8--11, -9*--10*
 - Calico Hills nonwelded vitric unit, 8.3.5.12-59*
 - Calico Hills nonwelded zeolitic unit, 8.3.5.12-59*
 - and conceptual model uncertainties, 8.1-10
 - and confidence, 8.1-9--10
 - and containment by waste package (Issue 1.4), 8.3.5.9-7**, -8**, -19--47
 - and design and performance assessment issues, 8.3.4.1-2**
 - and disturbed zone definition, 8.3.5.12-59*
 - and goals, 8.1-9
 - and ground-water protection (Issue 1.3), 8.3.5.15-4, -5*
 - and GWTT, 8.3.5.12-9*--10*
 - hydrogeologic units used for, 8.3.5.12-12**
 - and individual protection (Issue 1.2), 8.3.5.14-7*
 - and information needs, 8.1-8--10
 - and licensing strategy, 8.1-7
 - model validation, 8.3.5.8-9
 - and parameters, 8.1-8--9
 - and performance measures, 8.1-7--8
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.5.3-9
- performance allocation (continued)
 - radionuclide migration in near-field host rock, 8.3.5.10-31*
 - relationship between performance assessment and design issues, 8.3.2.1-2**
 - and site program, 8.3.1.1-5--6
 - and testing strategy, 8.1-10
 - and Topopah Spring welded unit, 8.3.5.12-59*
 - for total system performance (Issue 1.1), 8.3.5.13-89--114
 - waste package, 8.3.4.3-5*
 - and worker radiological safety--normal conditions (Issue 2.2), 8.3.5.4-9
 - see also performance measures and preliminary performance allocation
- performance allocation process, seal characteristics (Issue 1.12)
 - design requirements and constraints, 8.3.3.2-6, -29--31
 - functional requirements, 8.3.3.2-6, -24--26
 - identify performance measure, 8.3.3.2-6, -26
 - information needed, 8.3.3.2-6, -29
 - performance goals, 8.3.3.2-6, -26--28
 - performance parameters, 8.3.3.2-6, -28--29
 - sealing components, 8.3.3.2-6, -7--24
 - summary, 8.3.3.2-6
- performance and design issue requirements (see also specific performance or design issue)
 - climate program
 - approach to satisfy, 8.3.1.5-3--16
 - parameters, 8.3.1.5-7*--12*
 - summary, 8.3.1.5-1--3
 - erosion program
 - approach to satisfy, 8.3.1.6-1--4
 - parameters, 8.3.1.6-3*
 - summary, 8.3.1.6-1
 - geochemistry program
 - approach to satisfy, 8.3.1.3-3, -10, -12
 - parameters, 8.3.1.3-4*--9*
 - summary, 8.3.1.3-1, -3
 - geohydrology program
 - approach to satisfy, 8.3.1.2-3--50
 - parameters, 8.3.1.2-10*--47*
 - summary, 8.3.1.2-1--3
 - human interference program
 - approach to satisfy, 8.3.1.9-2, -12
 - parameters, 8.3.1.9-4*--10*

performance and design issue requirements
(continued)

human interference program (continued)

summary, 8.3.1.9-1--2

meteorology program

approach to satisfy, 8.3.1.12-1--3

parameters, 8.3.1.12-2*

summary, 8.3.1.12-1

offsite installations program

approach to satisfy, 8.3.1.13-1

summary, 8.3.1.13-1

organization overview, 8.2-62*

postclosure tectonics program

alternative conceptual models,

8.3.1.8-30, -31*-45*, -46

approach to satisfy, 8.3.1.8-24--30

parameters, 8.3.1.8-3*-21*

summary, 8.3.1.8-1--24

preclosure hydrology program

approach to satisfy, 8.3.1.16-2

parameters, 8.3.1.16-3*-4*, -5**

summary, 8.3.1.16-1--2

preclosure tectonics program

approach to satisfy, 8.3.1.17-26--37

parameters, 8.3.1.17-3*-25*

summary, 8.3.1.17-1, -2**, -26

rock characteristics program

approach to satisfy, 8.3.1.4-1--2,

-16--17

parameters, 8.3.1.4-4*-15*

summary, 8.3.1.4-1--18, -24

surface characteristics program

approach to satisfy, 8.3.1.14-16

parameters, 8.3.1.14-3*-14*

summary, 8.3.1.14-1--15

thermal and mechanical rock properties
program

approach to satisfy, 8.3.1.15-14--22

parameters, 8.3.1.15-2*-13*

summary, 8.3.1.15-1--22

performance and design issues and site
programs

section 8.3 organization overview, 8.2-62*

performance assessment

code description, 8.3.5.19-4*-8*

general approach to, 8.4.3-3--5

milestone descriptions, 8.5-112--113

models, 8.4.3-3--5

summary of, 8.3.5.8-7--10

validation of, 8.3.5.20-5--9

program overview, 8.3.5-1--2

performance assessment (continued)

strategy, see postclosure performance

assessment, strategy

and unsaturated zone, 8.4.3-5--6

verification and validation techniques,

8.3.5.20-1--9

performance assessment activities

milestones, 8.5-55--79, -111**

summary schedules, 8.5-55--79

performance assessment activity development

through PRAM program (Performance Assessment
Activity 2.1.1.2), 8.3.5.3-24

description, 8.3.5.3-24

objectives, 8.3.5.3-24

parameters, 8.3.5.3-24

performance assessment development through

PRAM program (Activity 2.2.2.2),

8.3.5.4-24

description, 8.3.5.4-24

objectives, 8.3.5.4-24

parameters, 8.3.5.4-24

performance assessment issues

and design issues, 8.3.2.1-1, -2**, -3;

8.3.4.1-2**

input and output items, 8.3.2.1-4**

performance confirmation (Issue 1.7),

8.3.5.16-1--2

confirmation phase testing initiated

during site characterization,

8.3.5.16-2*

and contingency plan, product

1.11.3-5, 8.3.2.2-51--52

issue resolution strategy, 8.3.5.16-1

and other design and performance

assessment issues, 8.3.2.1-5

and postclosure performance assessment,

8.3.5.8-2, -4

and summary schedules, 8.5-2

performance issues

and design issue correlation, 8.2-12*-14*

Key Issue 1, 8.2-3*-6*

Key Issue 2, 8.2-7*-9*

Key Issue 4, 8.2-10*

overview, 8.1-3--4

postclosure, interactions with design

issues, 8.3.5.8-3**

and resolution steps, 8.3.5.8-5**

see also specific issue

performance measures

accidental radiological releases (Issue

2.3), 8.3.5.5-9*-10*

performance measures (continued)

actinide solubility (spent fuel),
8.3.5.9-21*-22*

austenitic alloys, 8.3.5.9-38*-40*

basaltic volcanism, direct release,
8.3.5.13-96*

cladding (spent fuel), 8.3.5.9-20*-21*

climate effects, 8.3.1.5-9*-10*

containment by waste package (Issue 1.4),
8.3.5.9-7*-8*

design thermal loading, 8.3.2.2-17*-18*

EBS release rates (Issue 1.5),
8.3.5.10-17*-18*

emplacement borehole access,
8.3.5.2-11*-12*

expected partial (EPPM), see expected
partial performance measures

GWT (Issue 1.6), 8.3.5.12-17

human activity potential,
8.3.5.17-22*-26*

individual protection (Issue 1.2), 8.3-69*

and issue resolution strategy, 8.1-7--8

public radiological exposures--normal
conditions (Issue 2.1), 8.3.5.3-10*

radionuclide source term,
8.3.5.10-32*-33*

repository design criteria for
radiological safety (Issue 2.7),
8.3.2.3-17*-29*

seal characteristics (Issue 1.12),
8.3.3.2-9*-12*, -26

underground facility configuration
selection, 8.3.2.2-8*-10*

waste delivery to surface,
8.3.5.2-20*-21*

waste form, gap and grain boundary
release, 8.3.5.9-21*, -22*, -33--34

waste form cladding, 8.3.5.9-21*-22*,
-32--33

waste package access, 8.3.5.2-15*-16*

waste removal from boreholes,
8.3.5.2-17*-18*

worker radiological safety--normal
conditions (Issue 2.2), 8.3.5.4-10*-11*

see also performance allocation

performance objectives

and blast damage, 8.4.3-35

and control of drainage direction,
8.4.3-34

and control of water use, 8.4.3-34--35

and design considerations, 8.4.3-34--35

and engineered barrier system, 8.3.3.2-2

performance objectives (continued)

and ESF test location, 8.4.3-34

and geologic setting, 8.3.3.2-2

and location and number of boreholes,
8.4.3-34

and low flood potential, 8.4.3-34

and natural and engineered barriers,
8.4.3-2--3

and removable shaft liner, 8.4.3-35

and separation of ESF tests from
emplacement drifts, 8.4.3-34

and surface water impoundment, 8.4.3-35

and unsaturated zone, 8.4.3-3

and use of air gaps, 8.4.3-35

and use of controlled blasting, 8.4.3-35

and use of seals, 8.4.3-35

and waste package containment, 8.4.3-35

and water removal by ventilation systems,
8.4.3-35

performance reallocation

and model validation, 8.3.5.8-9--10

and postclosure performance assessment
strategy, 8.3.5.8-9

perimeter drift

definition, 8.3.1.4-29, -30**

exploratory drilling within, 8.3.1.9-44

and geologic investigations,
8.3.1.4-29--32

and proposed drillholes (Solitario Canyon
fault study), 8.3.1.2-374**

and surface sampling program, 8.3.1.9-32

permanent markers, see marker system

permeability

borehole information, 8.3.1.2-185*-186*

borehole instrumentation, 8.3.1.2-295

determination of, 8.3.1.2-190

ESF tests, 8.3.1.2-233, -235, -271--281

fracture and faulting, 8.3.1.8-95--96

igneous intrusions, 8.3.1.8-95

measurement methods, 8.3.1.2-190

stress or strain, 8.3.1.8-97

technical procedures for, 8.3.1.2-197--199

permeability modification

excavation-induced change limitation,
postclosure design function 3,
8.3.2.2-14

petrologic examination of samples, technical
procedure for, 8.3.1.8-126

petrologic patterns

and volcanic activity, 8.3.1.8-53

PART B INDEX (Chapter 8)

petrologic stratigraphy of Topopah Spring
 activity, 8.3.1.3-43--45
 description, 8.3.1.3-44
 methods and technical procedures,
 8.3.1.3-44
 objectives, 8.3.1.3-43
 parameters, 8.3.1.3-43--44
 petrophysical methods
 preclosure and postclosure tectonics,
 8.3.1.17-114*
 petrophysical properties testing
 activity, 8.3.1.4-59--60
 description, 8.3.1.4-59--60
 methods and technical procedures,
 8.3.1.4-60
 objectives, 8.3.1.4-59
 parameters, 8.3.1.4-59
 pH measurements and acid-base solution
 standardization, technical procedures for,
 8.3.1.2-422
 pH of water, technical procedures for,
 8.3.1.3-62
 phased approach
 and quality assurance program, 8.4.1-2--3
 site characterization, 8.4.1-1--3
 photogeologic mapping method, technical
 procedures for, 8.3.1.4-70
 photogeologic mapping of Quaternary scarps,
 plans and technical procedures,
 8.3.1.17-122, -124
 phototachometer calibration and use, technical
 procedures for, 8.3.1.2-422
 phreatophyte mapping, 8.3.1.2-134, -136
 physical/chemical processes affecting
 transport activity, 8.3.1.3-119--122
 description, 8.3.1.3-121--122
 methods and technical procedures,
 8.3.1.3-122
 objectives, 8.3.1.3-119
 parameters, 8.3.1.3-120
 physical location constraints
 and ESF tests, 8.4.2-98, -99*--101*
 physical model validation, 8.3.5.20-8--9
 physical property and index laboratory tests
 activity, 8.3.1.14-45--48
 description, 8.3.1.14-46
 methods and technical procedures,
 8.3.1.14-46--48
 objectives, 8.3.1.14-45
 parameters, 8.3.1.14-45--46

physical property field tests and character-
 ization measurements activity,
 8.3.1.14-54--56
 description, 8.3.1.14-55--56
 methods and technical procedures,
 8.3.1.14-56
 objectives, 8.3.1.14-54
 parameters, 8.3.1.14-54--55
 physical property model, logic diagram,
 8.3.1.4-3**
 physical transport mechanisms and rates
 activity, 8.3.1.3-136--138
 description, 8.3.1.3-137
 methods and technical procedures,
 8.3.1.3-138
 objectives, 8.3.1.3-137
 parameters, 8.3.1.3-137
 piezometers, sites, 8.3.1.2-136
 pillar width
 effects on stability, 8.4.3-28
 shaft and drift analyses, 8.4.3-28
 thermal/mechanical analyses, 8.4.3-28
 pitting, crevice, and other localized
 attack (austenitic) (Subactivity 1.4.3.2.6),
 8.3.5.9-104--105
 description, 8.3.5.9-104--105
 objectives, 8.3.5.9-104
 parameters, 8.3.5.9-104
 pitting, crevice, and other localized attack
 (copper) (Subactivity 1.4.3.1.5),
 8.3.5.9-94--95
 description, 8.3.5.9-94--95
 objectives, 8.3.5.9-94
 parameters, 8.3.5.9-94
 PIXE analysis, technical procedures for,
 8.3.1.5-100
 placement methods (seals) (Information Need
 1.12.1), 8.3.3.2-32--36
 application of results, 8.3.3.2-36
 link to supporting information, 8.3.3.2-32
 logic, 8.3.3.2-35--36
 parameters, 8.3.3.2-32--35
 technical basis for, 8.3.3.2-32--36
 planned site preparation activities
 and decontamination and decommissioning,
 8.7-2
 plans for mitigation, 8.7-6
 plans for repository operation (Information
 Need 4.4.3), 8.3.2.5-43--47
 application of results, 8.3.2.5-46
 design activities, 8.3.2.5-45

PART B INDEX (Chapter 8)

- plans for repository operation (Information Need 4.4.3) (continued)
 - design activities (continued)
 - advanced conceptual design operations plan, 8.3.2.5-45
 - license application design operations plan, 8.3.2.5-45
 - introduction, 8.3.2.5-43--44
 - link to supporting information, 8.3.2.5-43--44
 - logic, 8.3.2.5-44
 - parameters, 8.3.2.5-44
 - technical basis for, 8.3.2.5-43--44
- plate load settlement--soils and rock, technical procedures for, 8.3.1.14-59
- plate loading tests
 - constraints and zones of influence, 8.4.2-127, -129
 - design, 8.4.2-128**
 - purpose and operations, 8.4.2-127
- plate loading tests activity, 8.3.1.15-65--67
 - description, 8.3.1.15-66
 - methods and technical procedures, 8.3.1.15-66--67
 - objectives, 8.3.1.15-65
 - parameters, 8.3.1.15-66
- playa deposits
 - chronologic analyses activity, 8.3.1.5-51--54
 - dating, 8.3.1.5-54
 - geochemical analyses, 8.3.1.5-49--51
 - organics analysis, 8.3.1.5-51
 - paleoclimate study, 8.3.1.5-42--54
 - paleontologic analysis, 8.3.1.5-42--47
 - stratigraphy-sedimentology, 8.3.1.5-47--49
 - trenching and sampling, 8.3.1.5-48--49
- plutonium
 - batch sorption, 8.3.1.3-68, -70, -72*
 - colloids, 8.3.1.3-93--94
 - sorption, 8.3.1.3-67
- pluvial conditions
 - and recharge, 8.3.1.5-92
- pluvio-glacial climate conditions
 - and radionuclide transport, 8.3.1.5-91
- PMF, see probable maximum flood
- pneumatic testing
 - Solitario Canyon borehole, 8.3.1.2-223
 - technical procedures for, 8.3.1.2-226--227, -261--262, -263--264, -287--289, -291--292
 - use of, 8.3.1.2-207
- pollen deposited in lake sediment collection and analysis, technical procedures for, 8.3.1.5-57
- pollen sample analysis activity, 8.3.1.5-56--57
 - description, 8.3.1.5-56--57
 - methods and technical procedures, 8.3.1.5-57
 - objectives, 8.3.1.5-56
 - parameters, 8.3.1.5-56
- ponding studies, 8.3.1.2-162, -174--176
 - technical procedures for, 8.3.1.2-133
- ponding tests, technical procedures for, 8.3.1.2-176--177
- population centers and wind patterns investigation, 8.3.1.12-3, -4**, -26--27
 - and accidental radiological releases (Issue 2.3), 8.3.1.12-26
 - application of results, 8.3.1.12-26
 - link to supporting information, 8.3.1.12-25
 - parameters, 8.3.1.12-25
 - and population density and distribution program, 8.3.1.12-25--26
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.1.12-26
 - purpose and objectives, 8.3.1.12-25
 - technical basis for, 8.3.1.12-25
 - technical rationale, 8.3.1.12-25--26
- population density and controlled area (Issue 1.8 favorable condition 6)
 - discussion, 8.3.5.17-94--95
 - text of condition, 8.3.5.17-2*
- population density and distribution data considered
 - higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-10*
- population density and distribution program, 8.3.1.10-1
 - and accidental radiological releases (Issue 2.3), 8.3.1.10-1
 - and accidental radiological releases (Issue 2.3) parameter calls, 8.3.5.5-12*
 - and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.1.10-1
 - and meteorology program, 8.3.1.12-5
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.1.10-1; 8.3.5.3-4, -21*

PART B INDEX (Chapter 8)

population density and distribution program
(continued)
 and Radiological Monitoring Plan,
 8.3.1.10-1
 and regulatory requirements, 8.3.1.10-1
population density and distribution technical
 guideline
 and higher level findings--preclosure
 radiological safety (Issue 2.5),
 8.3.5.6-8--9
 and qualifying and disqualifying
 conditions, 8.3.5.6-6*, -8--9
pore and fracture fluid chemical analyses,
 8.3.1.2-337--341
pore-water extraction, technical procedures
 for, 8.3.1.2-302
porosity
 and emplacement drifts, 8.4.3-28--29
 and rock strength, 8.4.3-28--29
porosity and characterization activity,
 8.3.1.15-31--34
porosity (fracture) and faulting,
 8.3.1.8-95--96
porosity and rock strength
 shaft and drift analyses, 8.4.3-28--29
 thermal/mechanical analyses, 8.4.3-28--29
porosity/density--rock, technical procedures
 for, 8.3.1.14-48
porosity determination, technical procedures
 for, 8.3.1.2-194--195
porosity measurements, and GWTT, 8.3.1.2-153,
 -155**
porous media model, technical procedures for,
 8.3.1.2-358
position papers, 8.2-61, -67**; 8.5-116, -118
postclosure design function 1, see underground
 facility configuration selection
postclosure design function 2, see water use
 and chemical change limitation
postclosure design function 3, see
 excavation-induced change limitation
postclosure design function 4, see design
 thermal loading
postclosure drift collapse limitation
 excavation-induced change limitation,
 postclosure design function 3,
 8.3.2.2-16
postclosure ground motion in subsurface
 activity, 8.3.1.8-70--71
 and configuration of underground
 facilities (Issue 1.11), 8.3.1.8-70
 description, 8.3.1.8-70--71

postclosure ground motion in subsurface
 activity (continued)
 methods and technical procedures,
 8.3.1.8-71
 objectives, 8.3.1.8-70
 parameters, 8.3.1.8-70
postclosure guideline qualifying and
 disqualifying conditions
 and containment by waste package (Issue
 1.4), 8.3.5.18-7--8
 and EBS release rates (Issue 1.5),
 8.3.5.18-7
 and ground-water protection (Issue 1.3),
 8.3.5.18-7, -8
 and GWTT (Issue 1.6), 8.3.5.18-7--8
 and individual protection (Issue 1.2),
 8.3.5.18-8
 preliminary findings, 8.3.5.18-3
 and total system performance (Issue 1.1),
 8.3.5.18-7
postclosure information needs
 and planned testing, 8.4.2-18--21
postclosure performance
 potential impacts on site characterization
 activities, 8.4.3-50--88
 and waste package design features,
 8.4.3-79--81
postclosure performance assessment
 analytical techniques, substantially
 complete, 8.3.5.19-1--3, -2*, -11
 computer codes, 8.3.5.19-2*, -4*--10*
 and ground-water protection (Issue 1.3),
 8.3.5.8-2, -3*, -4
 and GWTT (Issue 1.6), 8.3.5.8-2, -3*, -4
 and NRC siting criteria (Issue 1.8),
 8.3.5.8-2, -3*, -4
 and performance confirmation (Issue 1.7),
 8.3.5.8-2, -4
 quality activities, 8.6-22
 and seal characteristics (Issue 1.2),
 8.3.5.8-3*
 strategy, 8.3.5.8-1--10
 and configuration of underground
 facilities (Issue 1.10), 8.3.5.8-3*
 overview, 8.3.5.8-1--7
 performance assessment conceptual
 model summary, 8.3.5.8-7--10
 performance reallocation, 8.3.5.8-9
 and reference information base (RIB),
 8.3.5.8-4
 summary schedules, 8.5-64--79
 see also Key Issue 1

PART B INDEX (Chapter 8)

postclosure performance confirmation program
 testing and monitoring activities, see
 performance confirmation (Issue 1.7)

postclosure performance evaluations
 and data needed, 8.4.2-3--9
 and flow and transport, 8.4.2-3,
 -4*--7*, -8
 and information needs, 8.4.2-4*--7*
 and information needs summary, 8.4.2-9
 and issues hierarchy, 8.4.2-4*--7*
 and postclosure tectonics,
 8.4.2-4*--7*, -8
 and resource evaluation, 8.4.2-4*--7*, -8
 and spatial variability, 8.4.2-4*--7*,
 -8--9
 and waste package environment,
 8.4.2-4*--7*, -8

postclosure performance issues
 and design issues, 8.3.5.8-3**
 and qualifying and disqualifying
 conditions Issue 1.9(a) guidelines,
 8.3.5.18-7--8

postclosure performance objectives
 and engineered barrier system release
 rate, 8.4.3-1, -2, -3
 and ground water protection, 8.4.3-1,
 -2, -3
 and potential impacts of site
 characterization activities, 8.4.3-1--88
 summary, 8.4.3-1--3
 and total system release, 8.4.3-1, -2, -3
 and waste package containment, 8.4.3-1,
 -2, -3
 and 10 CFR 60, 8.4.1-6, -7*--8*

postclosure siting guidelines, see higher
 level findings--postclosure (Issue 1.9)

postclosure tectonics
 and postclosure performance evaluations,
 8.4.2-8

postclosure tectonics data collection and
 analysis investigation, 8.3.1.8-105--131
 activities
 chemical and physical changes around
 dikes, 8.3.1.8-125--127
 curie temperature isotherm depth
 evaluation, 8.3.1.8-124--125
 field geologic studies,
 8.3.1.8-116--118
 folds in Neogene rocks,
 8.3.1.8-130--131
 geochemical cycles of basaltic
 volcanic fields, 8.3.1.8-121--123

postclosure tectonics data collection and
 analysis investigation (continued)
 activities (continued)
 geochemistry of scoria sequences,
 8.3.1.8-119--120
 geochronology studies,
 8.3.1.8-112--115
 heat flow and heat flow anomalies,
 8.3.1.8-127--129
 volcanism drillholes, 8.3.1.8-108--111
 application of results, 8.3.1.8-131
 link to supporting information,
 8.3.1.8-105
 parameters, 8.3.1.8-105--106
 purpose and objectives, 8.3.1.8-106
 studies, 8.3.1.8-107--131
 folds in Miocene and younger rocks of
 region, 8.3.1.8-129--131
 igneous intrusive features
 characterization, 8.3.1.8-123--129
 and Nuclear Waste Policy Act,
 8.3.1.10-1
 volcanic features characterization,
 8.3.1.8-107--123
 technical basis for, 8.3.1.8-105
 technical rationale, 8.3.1.8-106--107

postclosure tectonics program, 8.3.1.8-141
 alternative conceptual models,
 8.3.1.8-30--46
 approach, 8.3.1.8-24--30
 and configuration of underground
 facilities (postclosure) (Issue 1.11),
 8.3.1.8-2**, -6*
 current representation and alternative
 hypotheses, 8.3.1.8-31*--45*
 and geohydrology program, 8.3.1.2-444
 and higher level findings (postclosure)
 (Issue 1.9), 8.3.1.8-2**, -3*, -6*, -9*,
 -13*, -17*, -19*
 hypothesis-testing tables,
 8.3.1.8-31*--45*
 interrelationships, 8.3.1.8-1, -2**,
 -46--47
 investigations, 8.3.1.8-48--131
 postclosure tectonics data collection
 and analysis, 8.3.1.8-101--131
 tectonic effects on geochemistry,
 8.3.1.8-98--105
 tectonic effects on hydrology,
 8.3.1.8-73--98
 tectonic effects on waste package,
 8.3.1.8-63--73

PART B INDEX (Chapter 8)

postclosure tectonics program (continued) investigations (continued)

volcanic activity, 8.3.1.8-48--63
see also specific investigation for
study and activity listings

major events and completion dates,
8.3.1.8-134*-140*; 8.5-17, -18**, -19
and NRC siting criteria (Issue 1.8),
8.3.1.8-2**, -3*, -6*, -9*, -13*,
-17*, -19*

overview, 8.3.1.8-1--47

parameter analysis, 8.3.1.8-25**

parameter calls, 8.3.1.8-2**, -3*-21*

percolation flux alteration studies,
8.3.1.8-9*-12*

performance and design requirements,
8.3.1.8-1--24

preclosure tectonics program parameter
calls, 8.3.1.17-1, -2**, -6*, -207

radiometric method summary,
8.3.1.17-110*

and rock property alteration studies,
8.3.1.8-17*-18*

schedule, 8.3.1.8-131--141; 8.5-17, -18**
and total system performance (Issue 1.1),
8.3.1.8-2**, -3*, -9*, -13*, -17*, -19*

and 10 CFR 60.21(c)(1)(ii)(B), 8.3.1.8-24
and 10 CFR 60.122, 8.3.1.8-24

and 10 CFR 960.4-2-7, 8.3.1.8-24

postcontainment period, 8.3.4-4

postemplacement chemical/mineralogical
changes (Study 1.10.4.1)

activities, 8.3.4.2-42--51

container and liner corrosion
effects on water chemistry,
8.3.4.2-48

dissolution of phases in waste package
environment, 8.3.4.2-46--47

radiation effect on water chemistry,
8.3.4.2-47--48

repository material effect on water,
8.3.4.2-45

rock-water interaction analysis,
8.3.4.2-49--50

rock-water interactions,
8.3.4.2-42--45

vadose water composition,
8.3.4.2-45--46

description, 8.3.4.2-46

postemplacement GWTT (Activity 1.6.5.1),
8.3.5.12-62--63

description, 8.3.5.12-62--63

postemplacement GWTT (Activity 1.6.5.1)
(continued)

objectives, 8.3.5.12-62

post-subsurface-excavation environment,
8.3.2.1-11--12

post-waste-emplacement environment,
8.3.2.1-12--13

potassium-argon dating

chronology of volcanic activity,
8.3.1.8-112

clays and zeolites, technical procedures
for, 8.3.1.3-53--54

plans and technical procedures,
8.3.1.8-114--115; 8.3.1.17-153

potential accident, data

and criticality control (Information Need
2.7.3), 8.3.2.3-44

and items important to safety (Information
Need 2.7.2), 8.3.2.3-43--44

potential ash fall study, 8.3.1.17-54--56

(see also ash-fall potential at site study)

potential effects of water withdrawals
activity, 8.3.1.16-24--25

description, 8.3.1.16-24

methods and technical procedures,
8.3.1.16-24

objectives, 8.3.1.16-24

parameters, 8.3.1.16-24

potential flow conditions

and seals, 8.3.3.2-23**, -27--28

potential hydrologic effects from
exploration/extraction study,
8.3.1.9-49--50

potential impacts to current site conditions,
see current site conditions, potential
impacts to

potential impacts of exploratory shaft,
see exploratory shaft construction,
potential impacts

potential impacts of offsite operations, see
installations and operations impacts
investigation

potential impacts of site characterization,
see site characterization impacts, potential

potential offsite accident initiators,
8.3.1.13-1, -7

potentially adverse conditions

and effects of human interference,
investigation, 8.3.1.9-51

and geohydrology program, 8.3.1.2-3

potentially likely conditions, evaluation of
chemical alteration, 8.4.3-61

PART B INDEX (Chapter 8)

potentially likely conditions, evaluation of (continued)

- chemical reaction of waste packages with
rock, 8.4.3-60--61
- climate change, 8.4.3-58
- corrosion, 8.4.3-60
- differential elastic response to heating,
8.4.3-59--60
- faulty waste emplacement, 8.4.3-59
- flooding, 8.4.3-58
- geochemical changes, 8.4.3-58
- inelastic response to heating, 8.4.3-60
- local mechanical fracturing, 8.4.3-60
- microbial activity, 8.4.3-61--62
- temperature driven fluid migration,
8.4.3-60
- undetected dikes, 8.4.3-59
- undetected faults and shear zones,
8.4.3-58--59
- undiscovered boreholes, 8.4.3-59
- undiscovered mineshafts, 8.4.3-59

potentially significant disturbance
and artificial infiltration experiments,
8.4.2-55*--56*, -63--64

- and drill pads, 8.4.2-48*, -59--60
- and natural infiltration studies,
8.4.2-55*--56*, -61--63
- and pavements, 8.4.2-48*, -60--61
- and roads, 8.4.2-48*, -54, -59
- and seismic shotholes, 8.4.2-48*, -61
- summary, 8.4.2-55*--58*
- and trenches, 8.4.2-48*, -60

potentially significant release scenario
classes (Information Need 1.1.2),
8.3.5.13-124--128

- application of results, 8.3.5.13-128
- link to supporting information,
8.3.5.13-124
- logic, 8.3.5.13-125--126
- parameters, 8.3.5.13-125
- performance assessment activities,
8.3.5.13-126--128
 - release scenario classes, final
selection, 8.3.5.13-127--128
 - release scenario classes, preliminary
identification, 8.3.5.13-127
- performance assessment subactivities
 - events and process sequence
preliminary identification,
8.3.5.13-126--127
 - release scenario classes, preliminary
identification, 8.3.5.13-127

potentially significant release scenario
classes (Information Need 1.1.2) (continued)
technical basis, 8.3.5.13-124--126

- potentiometric data, use of, 8.3.1.2-139
- potentiometric head (past), technical
procedures for, 8.3.1.5-105--106
- potentiometric-level distribution studies
(regional) activity, 8.3.1.2-118--125
 - description, 8.3.1.2-118--122
 - methods and technical procedures,
8.3.1.2-122--125
 - objectives, 8.3.1.2-118
 - parameters, 8.3.1.2-83--118
- potentiometric-level drillholes, regional
and unsaturated zone exploration, 8.4.2-79
- potentiometric-level evaluation, location of
proposed drillholes, 8.3.1.2-377**
- potentiometric-level evaluation (site)
activity, 8.3.1.2-375
 - description, 8.3.1.2-376--380
 - methods and procedures, 8.3.1.2-380--382
 - objectives, 8.3.1.2-375
 - parameters, 8.3.1.2-375
- potentiometric surface map--saturated zone,
8.3.1.2-368**

PRAM program, see preclosure risk assessment
methodology program

precipitation

- data importance, 8.3.1.2-89
- Fortymile Wash gages, 8.3.1.2-126
- and infiltration, 8.3.1.2-169
- monitoring stations (regional),
8.3.1.2-99**, -100*--101*
- monitoring stations (site),
8.3.1.2-106, -107**, -108*--109*
- and National Weather Service Network,
8.3.1.2-98
- planned measurements, 8.3.1.2-97
- precipitation and meteorological monitoring
activity, 8.3.1.2-97--102
 - description, 8.3.1.2-98--102
 - methods and technical procedures,
8.3.1.2-102
 - objectives, 8.3.1.2-97
 - parameters, 8.3.1.2-97--98
- precipitation gages, technical procedures for,
8.3.1.2-102
- precipitation-runoff modeling of past and
future surface water, technical procedures
for, 8.3.1.5-119

PART B INDEX (Chapter 8)

preclosure design and technical feasibility (Issue 4.4)

and accidental radiological releases
(Issue 2.3), 8.3.5.5-1, -2**, -5**, -11
analytical tools, 8.3.2.1-21--23
approach to issue resolution, 8.3.2.5-4--5
and ash-fall study, 8.3.1.17-56
design criteria for the geologic
repository operation area
8.3.2.3-4**--11*
design tradeoff analyses
8.3.2.1-20*
erosion program parameter calls,
8.3.1.6-3*, -5**
geohydrology program parameter calls,
8.3.1.2-5*, -10**--11*, -13**--17*, -19*,
-21*, -24**--27*, -42**--47*
and higher level findings--ease and cost
of construction (Issue 4.1),
8.3.5.7-7*, -10*
and human interference program parameter
calls, 8.3.1.9-2, -10*, -13**, -16
information needs, 8.3.2.5-35--108
design analysis (4.4.7),
8.3.2.5-61--85
equipment development and demon-
stration (4.4.6), 8.3.2.5-57--61
plans for repository design (4.4.3),
8.3.2.5-43--47
reference preclosure repository
design (4.4.5), 8.3.2.5-52--57
repository design requirements
(4.4.4), 8.3.2.5-47--52
site and performance information
needed for design (4.4.1),
8.3.2.5-35--38
technology for seals emplacement
(4.4.10), 8.3.2.5-96--108
technology for surface facilities
(4.4.8), 8.3.2.5-85--88
technology for underground facilities
(4.4.9), 8.3.2.5-88--95
waste package information needed for
design (4.4.2), 8.3.2.5-38--43
see specific information need for
design activity listing
interrelationships, 8.3.2.5-6, -35
issue resolution strategy, 8.3.2.5-1--108,
-2**--3**
logic diagram, 8.3.2.5-2**--3**

preclosure design and technical feasibility (Issue 4.4) (continued)

logic diagram for Issue 2.7 (repository
design criteria for radiological
safety), 8.3.2.3-13**--14**
major events and completion dates,
8.3.2.5-100**--107*; 8.5-90, -91**--93**,
-94--95
and modeling, 8.3.2.1-20
and other performance assessment and
design issues, 8.3.2.1-2**;
8.3.4.1-2**, -3
preclosure hydrology program parameter
calls, 8.3.1.16-1, -3*, -4*, -5**,
-13--14, -24, -26
preclosure tectonics program parameter
calls, 8.3.1.17-1, -2**, -3*, -5*,
-7**--8*, -10**--11*, -13*, -15*,
-19**--22*, -56, -63, -207
and pre-waste-emplacement environment,
8.3.2.1-10--11
public radiological exposure--normal
conditions (Issue 2.1) parameter calls,
8.3.5.3-2**, -6**
regulatory basis for, 8.3.2.5-1--4
and repository design criteria for
radiological safety (Issue 2.7),
8.3.2.3-1, -2**, -36, -41--42
schedule, 8.3.2.5-97--108; 8.5-90,
-91**--93**
seismic analyses, 8.3.2.1-24
site data required, 8.3.2.1-10--11
and soil and rock properties, 8.3.1.14-29,
-30
surface characteristics program parameter
calls, 8.3.1.14-2**, -3**--13*, -15,
-19*, -22*, -24, -26, -27, -45, -64
and system elements, 8.3.2.5-5--6,
-33**--34*
thermal and mechanical rock properties
program parameter calls, 8.3.1.15-1,
-3*, -5**--13*, -15**
ventilation analyses, 8.3.2.1-24--25
and waste package characteristics--
preclosure (Issue 2.6), 8.3.4.3-2
and waste retrievability (Issue 2.4),
8.3.5.2-6**, -22, -25**--28*
waste retrievability (Issue 2.4), input
item calls, 8.3.5.2-25*, -32**--33*,
-37*, -41*, -45*, -48*

- preclosure design and technical feasibility (Issue 4.4) (continued)
 - and worker radiological safety--normal conditions (Issue 2.2), 8.3.5.4-1, -2**, -6**
- preclosure hydrologic conditions--unsaturated zone study, 8.3.1.16-26
 - activity, 8.3.1.16-26
 - unsaturated-zone hydrologic characteristics synthesis, 8.3.1.16-26
- preclosure hydrology
 - and post-subsurface-excavation environment, 8.3.2.1-11--12
 - and post-waste-emplacement environment, 8.3.2.1-12--13
 - and pre-waste-emplacement environment, 8.3.2.1-9--11
- preclosure hydrology program, 8.3.1.16-1--31
 - accidental radiological releases (Issue 2.3) parameter calls, 8.3.5.5-12*, -20*
 - approach, 8.3.1.16-2
 - and climate program, 8.3.1.5-1--3, -2**
 - and configuration of underground facilities (postclosure) (Issue 1.11), 8.3.1.16-1, -4*, -5**
 - and geohydrology program, 8.3.1.2-147, -364
 - geohydrology program parameter calls, 8.3.1.16-5**
 - interrelationships, 8.3.1.16-2--6
 - investigations, 8.3.1.16-7--31
 - flooding recurrence intervals, 8.3.1.16-7--14
 - ground-water conditions, 8.3.1.16-22--31
 - water supplies, 8.3.1.16-14--25
 - see specific investigation for study and activity listings
 - logic diagram, 8.3.1.16-5**
 - major events and completion dates, 8.3.1.16-30--31*; 8.5-30, -31**
 - and meteorology program, 8.3.1.12-5
 - and nonradiological health and safety (Issue 4.2), 8.3.1.16-1, -3*, -5**
 - overview, 8.3.1.16-1--6
 - and paleofloods, 8.3.1.16-2, -10
 - performance and design requirements, summary, 8.3.1.16-1--2
 - and preclosure design and technical feasibility (Issue 4.4), 8.3.1.16-1, -3*, -4*, -5**, -13--14, -25, -26
 - preclosure hydrology program (continued)
 - schedule, 8.3.1.16-28--31; 8.5-30, -31**
 - and seal characteristics (Issue 1.12), 8.3.1.16-1, -4*, -5**
 - surface characteristics program parameter calls, 8.3.1.14-2**, -3*, -15, -24, -26
 - worker radiological safety parameter calls, 8.3.5.4-13*
 - preclosure information needs, and planned testing, 8.4.2-20--23
 - preclosure issues
 - and postclosure issues, 8.3.2.1-2**
 - preclosure performance assessment
 - analytical techniques, 8.3.5.19-3, -9*, -10*
 - strategy, 8.3.5.1-1--21
 - see also Key Issue 2
 - preclosure performance assessment activities
 - milestones, 8.5-55--64
 - summary schedules, 8.5-55--64
 - preclosure performance evaluations
 - data needed, 8.4.2-9--15
 - data needs summary, 8.4.2-15
 - and information needs, 8.4.2-10*--13*
 - and issues hierarchy, 8.4.2-10*--13*
 - and preclosure tectonics, 8.4.2-10*--13*, -15
 - and surface facilities design, 8.4.2-9, -10*--13*, -14
 - and underground facility design, 8.4.2-10*--13*, -14
 - preclosure radiological health and safety
 - and QA plan summary see higher level findings--preclosure radiological safety (Issue 2.5) and Key Issue 2
 - preclosure radiological safety qualifying and disqualifying conditions
 - preliminary findings, 8.3.5.6-3*
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.5.6-6*
 - and worker radiological safety--normal conditions (Issue 2.2), 8.3.5.6-6*
 - preclosure repository-consequence analysis, 8.3.5.19-3
 - preclosure repository-systems analyses, 8.3.5.19-3
 - preclosure risk assessment methodology (PRAM) program, 8.3.2.3-43
 - and accident sequence analysis, 8.3.5.1-9, -11; 8.3.5.5-3

PART B INDEX (Chapter 8)

preclosure risk assessment methodology (PRAM) program (continued)

- and accidental radiological releases
(Issue 2.3), 8.3.5.5-3, -13*, -19, -20*,
-23, -29
- and analytical techniques requiring
development, 8.3.5.20-1
- and common cause failure analysis,
8.3.5.1-10
- and computer code assessment, 8.3.5.19-3
- and consequence analysis, 8.3.5.1-11--12
- and credible accidents, 8.3.5.5-3, -20*,
-27
- and data base development, 8.3.5.1-10
- and environmental transport, 8.3.5.1-11
- and event tree development, 8.3.5.1-9
- and human reliability analysis,
8.3.5.1-10
- and performance assessment activities,
8.3.5.4-24
- and preclosure performance assessment,
8.3.5.19-3
- and preclosure radiological safety,
8.3.5.20-1
- and preclosure safety assessment,
8.3.5.1-1--2, -5
- and public radiological safety,
8.3.5.3-9, -16, -23, -24
- and radiological protection, 8.3.2.3-39
- and repository systems analysis,
8.3.5.1-9--10
- and safety assessment documentation,
8.3.5.1-12; 8.3.5.5-29
- and sensitivity analysis, 8.3.5.5-28
- and worker radiological safety--normal
conditions (Issue 2.2), 8.3.5.4-9, -15,
-18, -20, -23, -24

preclosure safety assessment

- computer codes, 8.3.5.19-9*, -10*
- information need identification,
8.3.5.1-7
- and key issues, 8.3.5.1-1
- and Office of Civilian Radioactive Waste
Management, 8.3.5.1-2
- overview, 8.3.5.1-2--6
- overview diagram, 8.3.5.1-3**
- and preclosure performance assessment
strategy, 8.3.5.1-1
- and preclosure risk assessment methodology
(PRAM) program, 8.3.5.1-1--2, -5
- and Q-list methodology, 8.3.5.1-2,
-3**, -5**

preclosure tectonics, preclosure performance evaluations, 8.4.2-10*--13*, -15

preclosure tectonics data collection analysis investigation, 8.3.1.17-86--206

activities

- aeromagnetic survey (detailed),
8.3.1.17-172
- Bare Mountain fault zone evaluation,
8.3.1.17-128--130
- Beatty-Bare Mountain detachment fault
evaluation, 8.3.1.17-147--149
- borehole (shallow) hydrofracture and
triaxial strain recovery methods,
8.3.1.17-182--183
- breccia (Crater Flat) and detach-
ment faulting, 8.3.1.17-149--150
- buried fault detection using gamma-ray
measurements, 8.3.1.17-175--176
- Cane Spring fault system evaluation,
8.3.1.17-142--143
- Cedar Mountain earthquake and Walker
Lane wrench tectonics,
8.3.1.17-127--128
- crustal movement (lateral) analysis,
8.3.1.17-198--199
- detachment fault age evaluation
(radiometric), 8.3.1.17-151--153
- earthquake (historical) record
compilation, 8.3.1.17-88--89
- fault and fracture regional pattern
evaluation, 8.3.1.17-131--132
- geophysical surveys in east-west
transect crossing site,
8.3.1.17-105--119
- global positioning satellite survey
of Yucca Mountain vicinity,
8.3.1.17-196--197
- gravity survey (detailed),
8.3.1.17-171
- ground magnetic survey (detailed),
8.3.1.17-172--173
- Midway Valley exploratory trenching,
8.3.1.17-95--97
- Midway Valley trench location identi-
fication, 8.3.1.17-93--95
- Mine Mountain fault system evaluation,
8.3.1.17-138--141
- Miocene-Paleozoic contact and detach-
ment faulting, 8.3.1.17-145--146
- paleostress orientation data
evaluation, 8.3.1.17-183--184

PART B INDEX (Chapter 8)

preclosure tectonics data collection analysis investigation (continued)

activities (continued)

Quaternary fault movement age and recurrence, 8.3.1.17-157--168
 Quaternary faulting within 100 km of Yucca Mountain, 8.3.1.17-119--127
 Quaternary faulting within 100 km of Yucca Mountain--morphometric and morphologic analysis, 8.3.1.17-191--193
 Quaternary geology and faults at Yucca Mountain, 8.3.1.17-155--157
 Quaternary uplift and subsidence evaluation, 8.3.1.17-189--191
 reflection and refraction (intermediate depth) methods, 8.3.1.17-169--171
 relevee base-station network, 8.3.1.17-194--196
 relevee data analysis, 8.3.1.17-197--198
 Rock Valley fault system evaluation, 8.3.1.17-133--137
 seismicity (current) monitoring, 8.3.1.17-89--91
 seismicity (induced) evaluation, 8.3.1.17-91--93
 shallow seismic reflection method evaluation, 8.3.1.17-177--178
 Specter Range and Cam Desert Rock detachment faults, 8.3.1.17-150--151
 Stagecoach Road fault zone evaluation, 8.3.1.17-139--141
 stress distributions (theoretical) and tectonic setting, 8.3.1.17-185--186
 stress field (present) evaluation, 8.3.1.17-180--181
 surface geoelectric method evaluation, 8.3.1.17-173--174
 tectonic disruption sequence evaluation, 8.3.1.17-205--206
 tectonic model evaluation, 8.3.1.17-203--205
 tectonic processes and stability at site, 8.3.1.17-200--203
 tectonically stable area age and extent, 8.3.1.17-187--188
 thermal infrared method evaluation, 8.3.1.17-176--177
 application of results, 8.3.1.17-206--207

preclosure tectonics data collection analysis investigation (continued)

link to supporting information, 8.3.1.17-86
 parameters, 8.3.1.17-86--87
 purpose and objectives, 8.3.1.17-87
 studies, 8.3.1.17-87--206
 crustal movement (lateral), regional characterization of, 8.3.1.17-198--199
 detachment faults at Yucca Mountain, 8.3.1.17-143--154
 faulting near surface facilities (location and recency), 8.3.1.17-93--97
 geodetic leveling, 8.3.1.17-194--198
 historical and current seismicity, 8.3.1.17-87--93
 Quaternary faulting proximal to site, 8.3.1.17-132--143
 Quaternary faulting within 100 km of Yucca Mountain, 8.3.1.17-97--132
 Quaternary faulting within site area, 8.3.1.17-154--168
 Quaternary faults at Yucca Mountain (geometry and extensions), 8.3.1.17-168--178
 stress field within and proximal to site, 8.3.1.17-179--186
 tectonic geomorphology of Yucca Mountain, region, 8.3.1.17-186--193
 tectonic models and synthesis, 8.3.1.17-199--206
 technical basis, 8.3.1.17-86--87
 technical rationale, 8.3.1.17-87
 preclosure tectonics program, 8.3.1.17-1--226
 and accidental radiological releases (Issue 2.3), 8.3.1.17-1, -2**, -63, -86
 accidental radiological releases (Issue 2.3) parameter calls, 8.3.5.5-12**--13*, -20*
 alternative conceptual models, 8.3.1.17-37--50
 approach, 8.3.1.17-26--37
 fault displacement considerations, 8.3.1.17-31--34
 general methodology, 8.3.1.17-26--28
 tectonic environment review, 8.3.1.17-28--30
 vibratory ground motion considerations, 8.3.1.17-34--37

PART B INDEX (Chapter 8)

preclosure tectonics program (continued)
 approach (continued)
 volcanic activity considerations,
 8.3.1.17-30--31
 and configuration of underground
 facilities (postclosure) (Issue 1.11),
 8.3.1.17-206
 current representation and alternative
 hypotheses, 8.3.1.17-38*--49*
 and EBS release rates (Issue 1.5),
 8.3.1.17-206
 and erosion program, 8.3.1.17-207
 and geohydrology program,
 8.3.1.17-206--207
 and GWTT (Issue 1.6), 8.3.1.17-207
 hypothesis-testing tables,
 8.3.1.17-38*--49*
 interrelationships, 8.3.1.17-50
 investigations, 8.3.1.17-51--207
 fault displacement, 8.3.1.17-56--63
 preclosure tectonic data collection
 and analysis, 8.3.1.17-86--207
 vibratory ground motion,
 8.3.1.17-63--86
 volcanic activity (preclosure),
 8.3.1.17-51--56
 see also specific investigation for
 study and activity listings
 logic diagram, 8.3.1.17-2**
 major events and completion dates,
 8.3.1.17-211*--225*; 8.5-32, -33**, -34
 and NRC siting criteria (Issue 1.8),
 8.3.1.17-206
 overview, 8.3.1.17-1--50
 performance and design requirements
 summary, 8.3.1.17-1--26
 postclosure tectonics program parameter
 calls, 8.3.1.17-1, -2**, -6*, -206--207
 and preclosure design and technical
 feasibility (Issue 4.4), 8.3.1.17-1,
 -2**, -3*, -5*, -7*--8*, -10*--11*,
 -13*--15*, -19*--22*, -63, -85, -207
 radiometric methods summary,
 8.3.1.17-110*
 and repository design criteria for radio-
 logical safety (Issue 2.7), 8.3.1.17-1,
 -2**, -86
 and rock characteristics parameter calls,
 8.3.1.17-1, -2**, -206
 schedule, 8.3.1.17-207--226; 8.5-32, -33**
 and seal characteristics (Issue 1.12),
 8.3.1.17-1, -2**, -15*, -22*

preclosure tectonics program (continued)
 surface characteristics parameter calls,
 8.3.1.14-2**, -4*, -6*--7*, -8*, -10*,
 -12*--13*, -15, -22*, -64
 and total system performance (Issue 1.1),
 8.3.1.17-206
 and waste retrievability (Issue 2.4),
 8.3.1.17-1, -2**, -63, -86
 preferential pathways
 and excavation methods, 8.3.2.2-4, -14,
 -16
 preliminary exploration activity,
 8.3.1.14-40--43
 description, 8.3.1.14-41--42
 methods and technical procedures,
 8.3.1.14-42--43
 objectives, 8.3.1.14-40
 parameters, 8.3.1.14-40--41
 preliminary findings, 8.3.5.18-4*
 preliminary performance allocation
 access construction, system element
 1.2.1.1, 8.3.2.5-18*--21*
 borehole construction, system element
 1.2.1.3, 8.3.2.5-24*
 drift construction, system element
 1.2.1.2, 8.3.2.5-22*--23*
 emplacement, system element 1.2.2.4,
 8.3.2.5-29*
 mining ventilation, system element
 1.2.1.6, 8.3.5-27*--28*
 retrieval, system element 1.2.2.5,
 8.3.2.5-30*
 rock handling, system element 1.2.1.4,
 8.3.2.5-25*
 subsurface, system element 1.1.2,
 8.3.2.5-13*--17*
 surface, system element 1.1.1,
 8.3.2.5-7*--12*
 underground closure, system element
 1.2.4.1, 8.3.2.5-32*
 waste handling ventilation, system element
 1.2.2.7, 8.3.2.5-31*
 water removal, system element 1.2.1.5,
 8.3.2.5-26*
 see also performance allocation
 present conditions (erosion) investigation,
 8.3.1.6-6--15
 activities
 downcutting of Fortymile Wash,
 8.3.1.6-11--13
 geomorphic map development,
 8.3.1.6-10--11

PART B INDEX (Chapter 8)

present conditions (erosion) investigation (continued)

activities (continued)

- hillslope erosion, 8.3.1.6-13--14
- application of results, 8.3.1.6-14--15
- interrelationships, 8.3.1.6-4, -5**
- link to supporting information, 8.3.1.6-6
- logic diagram, 8.3.1.6-8**
- parameters, 8.3.1.6-6
- purpose and objectives, 8.3.1.6-6--9
- study, 8.3.1.6-10--14
 - erosion distribution and characteristics, 8.3.1.6-10--14
 - technical basis for, 8.3.1.6-6--9
- pre-site characterization activities, disturbance due to, 8.4.2-48*--49*
- pressure control system monitoring, technical procedures for, 8.3.1.15-47, -64, -67, -70
- Prevention of Significant Deterioration, 8.3.1.12-15
- pre-waste-emplacement environment, 8.3.2.1-9--11
- pre-waste-emplacement GWTT
 - parameters for determining, 8.3.1.2-155**
 - see also GWTT (Issue 1.6)
- pre-waste-emplacement GWTT (Information Need 1.6.4), 8.3.5.12-52--54
 - activity, 8.3.5.12-53--54
 - pre-waste-emplacement GWTT calculation, 8.3.5.12-54
 - application of results, 8.3.5.12-54
 - link to supporting information, 8.3.5.12-52
 - logic, 8.3.5.12-52--53
 - parameters, 8.3.5.12-52
 - subactivities, 8.3.5.12-53--54
 - GWTT (Issue 1.6) performance allocation, 8.3.5.12-53
 - GWTT sensitivity and uncertainty analyses, 8.3.5.12-54
 - pre-waste-emplacement GWTT determination, 8.3.5.12-54
 - technical basis, 8.3.5.12-52--53
 - pre-waste-emplacement GWTT calculation (Activity 1.6.4.1), 8.3.5.12-53--54
 - subactivities, 8.3.5.12-53--54
 - GWTT (Issue 1.6) performance allocation, 8.3.5.12-53
 - GWTT sensitivity and uncertainty analyses, 8.3.5.12-54
 - pre-waste-emplacement GWTT determination, 8.3.5.12-54

pre-waste-emplacement GWTT determination (Subactivity 1.6.4.1.3), 8.3.5.12-54

- description, 8.3.5.12-54
- objectives, 8.3.5.12-54
- pre-waste-emplacement travel time (Issue 1.8 favorable condition 7)
 - discussion, 8.3.5.17-95
 - text of condition, 8.3.5.17-3*, -95
- primary information (QA), and licensing process, 8.6-4
- primary water supply location activity, 8.3.1.16-20
 - description, 8.3.1.16-20
 - methods and technical procedures, 8.3.1.16-20--21
 - objectives, 8.3.1.16-20
 - parameters, 8.3.1.16-20
- probabilistic hazard calculations, technical procedures for, 8.3.1.17-85
- probabilistic release estimates (Information Need 1.1.5), 8.3.5.13-139--142
 - application of results, 8.3.5.13-142
 - link to supporting information, 8.3.5.13-139
 - logic, 8.3.5.13-140
 - parameters, 8.3.5.13-139--140
 - performance assessment activity
 - complementary cumulative distribution function calculation, 8.3.5.13-140--141
 - performance assessment subactivities, 8.3.5.13-141--142
 - complementary cumulative distribution function construction, 8.3.5.13-141--142
 - joint probability distribution construction, 8.3.5.13-141
 - total system simulator construction, 8.3.5.13-140--141
 - technical basis, 8.3.5.13-139--140
- probabilistic seismic hazards analyses study, 8.3.1.17-82--85
- probability and rate of faulting activity, 8.3.1.8-68--69
 - description, 8.3.1.8-68--69
 - methods and technical procedures, 8.3.1.8-69
 - objectives, 8.3.1.8-68
 - parameters, 8.3.1.8-68
- probability calculations and assessment (volcanic) activity, 8.3.1.8-57--59

- probability modeling, volcanic hazard
 - technical procedures for, 8.3.1.8-59
- probability of volcanic/igneous events in
 - controlled area, 8.3.1.8-26, -75, -82--83, -95, -106, -107
- probable maximum flood (PMF)
 - and exploratory shaft flooding, 8.4.3-10
 - and flooding potential (Issue 1.8 potentially adverse condition 1), 8.3.5.17-19--20
 - and infiltration, 8.4.3-68--71
 - and U.S. National Weather Service, 8.3.1.16-12
 - and preclosure hydrology program, 8.3.1.16-12
 - and shaft locations, 8.4.3-68
 - see also floods
- procedures, QA, 8.6-23--47
- product 1.11.3-1, see area needed determination
- product 1.11.3-2, see usable area and flexibility evaluation
- product 1.11.3-3, see vertical vs. horizontal emplacement decision
- product 1.11.3-4, see drainage and moisture control plan
- product 1.11.3-5, see criteria for contingency plan
- product 1.11.4-1, see material inventory criteria
- product 1.11.4-2, see water usage criteria
- product 1.11.5-1, see excavation methods criteria
- product 1.11.5-2, see long-term subsidence control strategy
- product 1.11.6-1, see areal power density
- product 1.11.6-2, see borehole spacing
- product 1.11.6-3, see sensitivity studies
- product 1.11.6-4, see strategy for containment enhancement
- product 1.11.6-5, see reference calculations
- program element interfaces, logic diagram, 8.5-105, -106**
- programmatic method, general, technical
 - procedures for, 8.3.1.8-110, -114, -117, -120, -122
- Project, see Yucca Mountain Project
- Project quality assurance plan
 - functions, 8.6-2
 - summary, 8.6-1--7
- prototype boring machine, see development
 - prototype boring machine
- prototype test program, and drilling fluids, 8.4.2-86
- prototype testing
 - artificial infiltration, 8.3.1.2-173
 - borehole nuclear logging, 8.3.1.2-160
 - bulk-permeability test, 8.3.1.2-235
 - geotomography studies, 8.3.1.2-174
 - intact-fracture test--ESF, 8.3.1.2-238
 - and matrix hydrologic properties, 8.3.1.2-182, -184
 - neutron access hole studies, 8.3.1.2-165
 - radial borehole tests, 8.3.1.2-235
 - shallow surface seismic studies, 8.3.1.2-161
 - unsaturated-zone activities, 8.3.1.2-49, -150
- prototype tests
 - G-Tunnel, 8.3.4.2-57
 - Rainier Mesa, 8.3.4.2-57
- Prow Pass
 - and geologic investigations areal extent, 8.3.1.4-29
 - and mapping, 8.3.1.4-66
- Prow Pass Member
 - and crushed column experiments, 8.3.1.3-101--102
 - and drift-pumpback tests, 8.3.1.2-402**
 - mass transfer kinetics, 8.3.1.3-106
 - stratigraphic studies, 8.3.1.4-35
 - and test well configurations, 8.3.1.2-386**, -388**, -391**
 - volcanic stratigraphy, 8.3.1.4-36*
- Prow Pass nonwelded unit
 - GWTT confidence levels, 8.3.5.12-19
 - GWTT estimate (matrix flow), 8.3.5.13-63*
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**
 - isopach contour map showing thickness, 8.3.5.12-12**
 - performance parameters, 8.3.5.12-21*
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- Prow Pass welded unit
 - GWTT confidence levels, 8.3.5.12-19
 - GWTT estimate (matrix flow), 8.3.5.13-63*
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**

PART B INDEX (Chapter 8)

- Prow Pass welded unit (continued)
 - isopach contour map showing thickness, 8.3.5.12-12**
 - performance parameters, 8.3.5.12-21*
 - travel time plot, 8.3.5.12-14**
 - and unsaturated zone, 8.3.5.12-11
- public and institutional technical concerns
 - and site characterization plan correlation, 8.2-18*-49*
- public doses--gaseous pathway (Information Need 1.2.2), 8.3.5.14-10--13
 - activities, 8.3.5.14-12--13
 - carbon-14 dioxide transport calculation, 8.3.5.14-12
 - carbon-14 gaseous pathway land-surface and public dose calculation, 8.3.5.14-12--13
 - application of results, 8.3.5.14-13
 - link to supporting information, 8.3.5.14-10--11
 - logic, 8.3.5.14-11--12
 - parameters, 8.3.5.14-11
 - technical basis, 8.3.5.14-10--11
- public doses--liquid pathway (Information Need 1.2.1), 8.3.5.14-9--10
 - activity, 8.3.5.14-10
 - ground-water pathway dose calculation, 8.3.5.14-10
 - application of results, 8.3.5.14-10
 - link to supporting information, 8.3.5.14-9
 - logic, 8.3.5.14-9
 - parameters, 8.3.5.14-9
 - technical basis, 8.3.5.14-9
- public radiological exposure
 - and agricultural data, 8.3.1.13-1, -2
 - and cultural data, 8.3.1.13-1, -2
- public radiological exposures--normal conditions (Issue 2.1), 8.3.5.3-1--29
 - and accidental radiological releases (Issue 2.3), 8.3.5.5-1, -2**
 - application of results, 8.3.5.3-25
 - approach, 8.3.5.3-4--18
 - and as low as reasonably achievable (ALARA), 8.3.5.3-1, -3, -18
 - and compliance with regulatory limits, 8.3.2.3-11, -12, -15
 - data requirements, 8.3.5.3-21*-22*
 - design criteria development, 8.3.5.3-9
 - and design performance assessment, 8.3.2.3-36, -42
 - functional requirement identification, 8.3.5.3-8
- public radiological exposures--normal conditions (Issue 2.1) (continued)
 - functions, performance measures/goals, 8.3.5.3-10*
 - geohydrology program parameter calls, 8.3.1.2-10*-11*
 - information needs, 8.3.5.3-20--25
 - site and design information needed (preclosure radiological safety) (2.2.1), 8.3.5.3-20--25
 - see specific information need for activity listings
 - input item identification, 8.3.5.3-9
 - interrelationships of information needs, 8.3.5.3-19--20
 - issue resolution strategy, 8.3.5.3-1--20
 - and land ownership and mineral rights program, 8.3.1.11-1
 - licensing strategy overview, 8.3.5.3-4--5
 - logic diagram, 8.3.5.3-6*-7**
 - logic diagram for repository design criteria for radiological safety (Issue 2.7), 8.3.2.3-13*-14**
 - major events and completion dates, 8.3.5.3-27*-28*; 8.5-58, -59**
 - and meteorology program, 8.3.1.12-1, -2*, -4**, -5--6; 8.3.5.3-11*, -13*, -21*-22*
 - and offsite installations program, 8.3.1.13-1, -2; 8.3.5.13-61*
 - and other design and performance assessment issues, 8.3.2.1-2**;
 - 8.3.4.1-2**;
 - 8.3.5.3-2**
 - performance allocation to system elements, 8.3.5.3-9
 - performance and design parameter calls, 8.3.5.3-11*-14*
 - performance evaluation, 8.3.5.3-18
 - and population centers and wind patterns investigation, 8.3.1.12-25--26
 - and population density and distribution program, 8.3.1.10-1; 8.3.5.3-4, -21*
 - and preclosure design and technical feasibility (Issue 4.4), 8.3.5.3-2**, -6**
 - and preclosure radiological safety qualifying and disqualifying conditions, 8.3.5.6-6*
 - and public radiological safety assessment package, 8.3.5.3-6*-7**
 - and radiological safety (preclosure) qualifying and disqualifying conditions, 8.3.5.6-6*

public radiological exposures--normal
 conditions (Issue 2.1) (continued)
 regulatory basis, 8.3.5.3-3--4
 and repository design criteria for radio-
 logical safety (Issue 2.7), 8.3.2.3-1,
 -2**; 8.3.5.3-2**, -6**
 schedule, 8.3.5.3-25--29; 8.5-58, -59**
 site data requests, 8.3.5.3-11*--14*
 and surface water data, 8.3.5.3-21*
 and thermal and mechanical properties
 program, 8.3.5.3-13*
 and worker radiological safety (Issue
 2.2), 8.3.5.4-1, -2**

public radiological safety
 analytical approach, 8.3.5.1-13--17
 and design evaluation, 8.3.5.1-13
 and preclosure risk assessment methodology
 (PRAM) program, 8.3.5.3-9, -16, -23,
 -24
 and public radiation exposure, 8.3.5.1-15
 and radiation source characteristics,
 8.3.5.1-14
 and radionuclide transport, 8.3.5.1-15

public radiological safety assessment package
 design evaluation, 8.3.5.3-9, -15
 public radiation exposure calculation,
 8.3.5.3-17--18
 and public radiological exposures (Issue
 2.1), 8.3.5.3-6***-7**
 radiation source characteristics,
 8.3.5.3-15--16
 radionuclide transport evaluation,
 8.3.5.3-16--17

public radiological safety--normal
 operations, advanced conceptual design
 assessment, see advanced conceptual design
 assessment public radiological safety--
 normal operations

public radiological safety site data parameter
 refinement (Performance Assessment
 Activity 2.1.1.1), 8.3.5.3-23--24
 description, 8.3.5.3-23--24
 objectives, 8.3.5.3-23
 parameters, 8.3.5.3-23

pumping tests
 large scale, technical procedures,
 8.3.1.2-398--400
 technical procedures for, 8.3.1.2-373,
 -375, -398--400
 test well configurations, 8.3.1.2-386**,
 -388**, -391**

pumping tests (continued)
 and unsaturated-zone exploration,
 8.4.2-78--79
 water use estimates, 8.4.2-85*
 at wells throughout site, 8.3.1.2-409

QA

 application, 8.6-19--23
 before site characterization, 8.6-19
 during site characterization, 8.6-19--23
 organization of project, 8.6-10--19
 organizational responsibilities,
 8.6-10--19
 Contracts and Property Division,
 8.6-16
 Department of Energy Headquarters,
 8.6-10--12
 Department of Energy, Nevada
 Operations, 8.6-12
 Department of Energy, Project Office,
 8.6-12, -13**, -14--16
 Health Physics and Environmental
 Division, 8.6-16
 Nevada Test Site support contractors,
 8.6-17--18
 participating organizations,
 8.6-17--19
 Project participants, 8.6-18--19
 Safety and Health Division, 8.6-16
 SAIC/T&MSS, 8.6-16--17
 Project approach, 8.6-2--7
 site characterization plan, 8.3.1.1-8

QA Level I
 application, 8.6-5--6
 description, 8.6-4--5

QA Level II
 application, 8.6-6--7
 description, 8.6-6

QA Level III
 description and application, 8.6-7

QA levels
 applications, 8.6-4--7
 assignment, 8.6-2--4
 description, 8.6-2--7

QA plan
 summary, 8.6-1--7
 and 10 CFR 60 Subpart G, 8.6-1

QA plan criterion 1, organization
 Project procedures, 8.6-25*

QA plan criterion 2, QA program
 Project procedures, 8.6-26*--27*

PART B INDEX (Chapter 8)

- QA plan criterion 3, scientific investigations and design control
 - Project procedures, 8.6-28*-30*
- QA plan criterion 4, procurement document control
 - Project procedures, 8.6-31*
- QA plan criterion 5, instructions, procedures, plans, and drawings
 - Project procedures, 8.6-32*-33*
- QA plan criterion 6, document control
 - Project procedures, 8.6-34*
- QA plan criterion 7, control of prepurchased items and services
 - Project procedures, 8.6-35*
- QA plan criterion 8, identification and control of items
 - Project procedures, 8.6-36*
- QA plan criterion 9, control of processes
 - Project procedures, 8.6-37*
- QA plan criterion 10, inspection
 - Project procedures, 8.6-38*
- QA plan criterion 11, test control
 - Project procedures, 8.6-39*
- QA plan criterion 12, control of measuring and test equipment
 - Project procedures, 8.6-40*
- QA plan criterion 13, handling, shipping, and storing
 - Project procedures, 8.6-41*
- QA plan criterion 14, inspection, test, and operating status
 - Project procedures, 8.6-42*
- QA plan criterion 15, control of nonconforming items
 - Project procedures, 8.6-43*
- QA plan criterion 16, corrective action
 - Project procedures, 8.6-44*
- QA plan criterion 17, quality assurance records
 - Project procedures, 8.6-45*
- QA plan criterion 18, audits
 - Project procedures, 8.6-46*
- QA procedures, 8.6-23--47
- QA program, 8.4.1-2--3; 8.6-1--47
- QA program plan criteria, 8.6-24*
- QA program plans
 - functions, 8.6-2
 - participating organizations, 8.6-2, -3*
- QA requirements, 8.6-7--10
 - sources of criteria, 8.6-8**
- Q-list, 8.3.5.1-11, -12; 8.3.5.5-19, -28 and preclosure safety assessment, 8.3.5.1-2, -3**, -5**
 - and Project quality assurance, 8.6-3--4 and 10 CFR 60 Subpart G, 8.6-3--4
 - see also facilities important to safety, importance analyses, important to safety, and items important to safety
- Q-list items, preliminary, 8.6-20
- qualifying and disqualifying conditions--findings, 8.3.5.6-2*
 - definition, 8.3.5.7-2*; 8.3.5.18-2*, -3
- quality activities
 - definition, 8.6-21
 - preliminary list, 8.6-21
- quality assurance, see QA
- quality of liquid water contacting containers, engineered environment, impacts on, 8.4.3-77--78
- quantity of liquid water contacting containers, engineered environment, impacts on, 8.4.3-75--78
- Quaternary datum offset, mapping and analysis, 8.3.1.17-159--161
 - technical procedures for, 8.3.1.17-162--167
- Quaternary deposit dating, technical procedures for, 8.3.1.17-97
- Quaternary discharge areas, 8.3.1.5-100
- Quaternary fault displacement and Rock Valley fault zone, 8.3.1.17-133--137
- Quaternary fault movement age and recurrence activity, 8.3.1.17-157--168
 - description, 8.3.1.17-158--161
 - methods and technical procedures, 8.3.1.17-162--167
 - objectives, 8.3.1.17-157
 - parameters, 8.3.1.17-157--158
- Quaternary fault offset and ground-water flow, 8.3.1.8-81
- Quaternary faulting at Nevada Test Site, synthesis, technical procedure for, 8.3.1.17-203
- Quaternary faulting proximal to site study, 8.3.1.17-132--143
 - activities, 8.3.1.17-133--143
 - Cane Spring fault system evaluation, 8.3.1.17-142--143
 - Mine Mountain fault system evaluation, 8.3.1.17-138--139
 - Rock Valley fault system evaluation, 8.3.1.17-133--136

Quaternary faulting proximal to site study
(continued)

activities (continued)

Stagecoach Road fault zone evaluation,
8.3.1.17-139--141

objectives, 8.3.1.17-132--133

Quaternary faulting within 100 km of Yucca

Mountain activity, 8.3.1.17-119--127

description, 8.3.1.17-120--123

methods and technical procedures,
8.3.1.17-124--127

objectives, 8.3.1.17-119--120

parameters, 8.3.1.17-120

Quaternary faulting within 100 km of Yucca

Mountain study, 8.3.1.17-97--132

activities, 8.3.1.17-105--132

Bare Mountain fault zone evaluation,
8.3.1.17-128--130

Cedar Mountain earthquake and Walker
Lane wrench tectonics,
8.3.1.17-127--128

fault and fracture regional pattern
evaluation, 8.3.1.17-131--132

geophysical surveys in east-west
transect crossing site,
8.3.1.17-105--106, -115--119

Quaternary faulting within 100 km of
Yucca Mountain, 8.3.1.17-119--127

Quaternary faulting within 100 km of Yucca

Mountain--morphometric and morphologic
analysis activity, 8.3.1.17-191--193

description, 8.3.1.17-192

methods and technical procedures,
8.3.1.17-193

objectives, 8.3.1.17-191

parameters, 8.3.1.17-191

Quaternary faulting within site area study,
8.3.1.17-154--168

activities, 8.3.1.17-155--168

Quaternary fault age and movement-
recurrence, 8.3.1.17-157--168

Quaternary geology and faults at Yucca
Mountain, 8.3.1.17-155--157

Quaternary faults, 8.3.1.8-68, -69

and earthquake sources, 8.3.1.17-82

mapping, plans and technical procedures
for, 8.3.1.17-121, -122, -124--126,
-156, -157, -160, -161, -162--167

and Midway Valley, 8.3.1.17-28

recurrence intervals, 8.3.1.8-94

and rock geochemical properties,
8.3.1.8-101

Quaternary faults (continued)

and tectonic model, 8.3.1.8-52

and Walker Lane, 8.3.1.17-97, -100**,
-102, -103, -155

and waste package, 8.3.1.8-27, -68, -69

and waste package rupture, 8.3.1.8-69

Yucca Mountain, 8.3.1.17-104**

Quaternary faults at Yucca Mountain,

(subsurface geometry and extensions) study,
8.3.1.17-168--178

activities, 8.3.1.17-169--178

aeromagnetic survey (detailed),
8.3.1.17-172

buried fault detection using gamma-ray
measurements, 8.3.1.17-175--176

gravity survey (detailed),
8.3.1.17-171

ground magnetic survey (detailed),
8.3.1.17-172--173

reflection and refraction (inter-
mediate depth) methods,
8.3.1.17-169--171

shallow seismic reflection method
evaluation, 8.3.1.17-177--178

surface geoelectric method evaluation,
8.3.1.17-173--174

thermal infrared method evaluation,
8.3.1.17-176--177

Quaternary geology and faults at Yucca

Mountain, activity, 8.3.1.17-155--157

description, 8.3.1.17-156

methods and technical procedures,
8.3.1.17-157

objectives, 8.3.1.17-155

parameters, 8.3.1.17-155--156

Quaternary ground-water conditions,
8.3.1.5-92--93

levels and past discharge, 8.3.1.5-100

Quaternary igneous activity

and heat flow, 8.3.1.8-128

Quaternary normal and detachment faults--Yucca

Mountain, location map, 8.3.1.17-29**

Quaternary processes affecting isolation

(Issue 1.8 favorable condition 1)

text of condition and discussion,
8.3.5.17-2*, -89, -91

Quaternary regional hydrology characterization
study, 8.3.1.5-93--118

activities, 8.3.1.5-94--118

analog recharge studies,
8.3.1.5-106--110

- Quaternary regional hydrology characterization study (continued)
 - activities (continued)
 - calcite and opaline silica vein deposits studies, 8.3.1.5-110--118
 - evaluation of past discharge areas, 8.3.1.5-98--106
 - Quaternary unsaturated-zone hydrochemical analysis, 8.3.1.5-96--98
 - regional paleoflood evaluation, 8.3.1.5-94--96
 - objectives, 8.3.1.5-93
- Quaternary scarps, plans and technical procedures, 8.3.1.17-121, -122, -124, -125--126
- Quaternary silicic volcanism literature survey activity, 8.3.1.17-54
 - description, 8.3.1.17-54
 - methods and technical procedures, 8.3.1.17-54
 - objectives, 8.3.1.17-54
 - parameters, 8.3.1.17-54
- Quaternary slip rates, 8.3.1.8-84
- Quaternary (major) structural features, location of, 8.3.1.17-100**
- Quaternary subsidence, 8.3.1.8-87
- Quaternary tectonic activity and erosion, 8.3.1.6-23
- Quaternary uplift, 8.3.1.8-84
- Quaternary uplift and subsidence evaluation activity, 8.3.1.17-189--191
 - description, 8.3.1.17-189--190
 - methods and technical procedures, 8.3.1.17-190--191
 - objectives, 8.3.1.17-189--171
 - parameters, 8.3.1.17-189
- Quaternary unsaturated-zone hydrochemical analysis activity, 8.3.1.5-96--98
 - description, 8.3.1.5-96--97
 - methods and technical procedures, 8.3.1.5-97--98
 - objectives, 8.3.1.5-96
 - parameters, 8.3.1.5-96
- Quaternary wrench faulting--synthesis, technical procedures for, 8.3.1.17-202
- radial borehole tests in ESF, 8.3.1.2-233, -235, -281--292
 - constraints and zones of influence, 8.4.2-137
- radial borehole tests in ESF (continued)
 - purpose and operations, 8.4.2-136
 - schematic, 8.3.1.2-283**
- radial borehole tests in ESF activity, 8.3.1.2-281--292
 - description, 8.3.1.2-282--285
 - methods and technical procedures, 8.3.1.2-285--292
 - objectives, 8.3.1.2-281
 - parameters, 8.3.1.2-281--282
- radiation effect on water chemistry (Activity 1.10.4.1.5), 8.3.4.2-47--48
 - description, 8.3.4.2-47--48
 - objectives, 8.3.4.2-47
 - parameters, 8.3.4.2-47
- radiation environment (worker) (Information Need 2.2.1), 8.3.5.4-18--21
 - activities, 8.3.5.4-20--21
 - advanced conceptual design assessment of radiation environment--normal operations, 8.3.5.4-20--21
 - radiation environment site data refinement, 8.3.5.4-20
 - application of results, 8.3.5.4-21
 - link to supporting information, 8.3.5.4-18--19
 - logic, 8.3.5.4-19
 - parameters, 8.3.5.4-19
 - technical basis for, 8.3.5.4-18--19
- radiation environment site data refinement (Activity 2.2.1.1), 8.3.5.4-20
 - description, 8.3.5.4-20
 - objectives, 8.3.5.4-20
 - parameters, 8.3.5.4-20
- radiation safety design, see repository design criteria for radiological safety (Issue 2.7)
- radioactive material decontamination, 8.7-2
- radiocarbon dating of pack rat midden macrofossils, technical procedures for, 8.3.1.5-56
- radio-frequency ground-conductivity surveys, technical procedures for, 8.3.1.5-106
- radiological exposures
 - and agricultural data, 8.3.1.13-1, -2
 - assessment of, 8.3.1.13-11
 - and cultural data, 8.3.1.13-1, -2
 - and offsite installations program, 8.3.1.13-7
 - see also radiological protection
- Radiological Monitoring Plan, 8.3.1.13-6
 - and offsite installations program, 8.3.1.13-2

- Radiological Monitoring Plan (continued)
 - and population density and distribution program, 8.3.1.10-1
 - and radiological safety design data, 8.3.2.3-40*-41*
- radiological protection
 - and ground-water and repository rock data, 8.3.2.3-40
 - as low as reasonably achievable (ALARA), 8.3.2.3-36
 - and meteorological data, 8.3.2.3-40
 - surface characteristics program parameter calls, 8.3.1.14-19*, -21*, -64
- radiological protection (Information Need 2.7.1), 8.3.2.3-39--45
 - agricultural and cultural data, 8.3.2.3-41
 - application of results, 8.3.2.3-42
 - design activity
 - compliance with radiological safety design criteria and performance goals, 8.3.2.3-42
 - interrelationships, 8.3.2.3-36--39
 - link to the technical data, 8.3.2.3-39
 - logic, 8.3.2.3-41--42
 - meteorological data, 8.3.2.3-40
 - parameters, 8.3.2.3-39--41
 - repository rock and ground-water data, 8.3.2.3-40
 - technical basis for, 8.3.2.3-39
- radiological protection, function 1
 - functional requirements of mined geologic disposal system, 8.3.2.3-12, -15, -17*-23*
- radiological releases
 - and meteorology, 8.3.1.12-3
 - from nuclear facilities (not nuclear fuel cycle), 8.3.1.13-10
 - and Nuclear Waste Policy Act, 8.3.1.12-14
 - offsite, 8.3.1.13-1
 - and offsite installations, 8.3.1.13-3
 - offsite nuclear fuel cycle facilities, 8.3.1.13-4
 - regulatory limits, 8.3.1.2-1--2
 - and resource extraction, 8.3.1.9-21
 - and seal program, 8.3.3.2-24--25
 - and Strombolian eruptions, 8.3.1.8-59
- radiological releases (accidental) (Information Need 2.3.2), 8.3.5.5-24--29
 - application of results, 8.3.5.5-29
 - link to supporting information, 8.3.5.5-24
 - logic, 8.3.5.5-26
- radiological releases (accidental) (Information Need 2.3.2) (continued)
 - parameters, 8.3.5.5-24--26
 - performance assessment activities, 8.3.5.5-26--29
 - accident consequence analyses, 8.3.5.5-27
 - accident sensitivity and importance analyses, 8.3.5.5-28
 - accidental radiological releases safety analyses, documentation, 8.3.5.5-28--29
 - accidental radiological releases site data refinement, 8.3.5.5-26--27
 - technical basis for, 8.3.5.5-24--26
- radiological risk
 - accident sequence analysis, 8.3.5.1-10--11
 - accidents, 8.3.5.1-4--6, -7--12; 8.3.5.5-11
 - assessment, general approach, 8.3.5.5-11, -17
 - categories, 8.3.5.1-2, -3**, -5**
 - common cause failure analysis, 8.3.5.1-10
 - and consequence analysis, 8.3.5.1-11
 - decommissioning accidents, 8.3.5.1-6
 - event tree development, 8.3.5.1-9
 - human reliability analysis, 8.3.5.1-10
 - and importance analyses, 8.3.5.1-11--12; 8.3.5.5-17
 - initiating events identification, 8.3.5.1-7--9
 - in-plant consequence analysis, 8.3.5.1-11
 - offsite consequence analysis, 8.3.5.1-11
 - and preclosure risk assessment methodology (PRAM) program 8.3.5.1-2, -10--11, -19--20
 - repository systems analysis, 8.3.5.1-9--10
 - retrieval accidents, 8.3.5.1-6
 - from routine operations, analytical approach, 8.3.5.1-12--21
 - scenarios, 8.3.5.1-5--6
 - uncertainty, sensitivity, and importance analysis, 8.3.5.1-11--12
- radiological safety
 - compliance (Design Activity 2.7.1.1), 8.3.2.3-42
 - design assessment, 8.3.2.3-36
 - design criteria, 8.3.2.3-1--39
 - design objectives, 8.3.2.3-16, -17*-29*, -36
 - and geologic repository operations area, 8.3.2.3-3

radiological safety (continued)

- identification of functional requirements
 - for issue resolution strategy, 8.3.2.3-12
- and land ownership and mineral rights program, 8.3.1.11-1
- and Radiological Monitoring Plan, 8.3.2.3-40*-41*
- and radon, 8.3.2.3-41
- see also repository design criteria for radiological safety (Issue 1.7); public radiological exposures--normal conditions (Issue 2.1); and worker radiological safety--normal conditions (Issue 2.2)
- radiological safety (preclosure), higher level findings, see higher level findings--preclosure radiological safety (Issue 2.5)
- radiological safety assessment of accidents
 - analytical approach, 8.3.5.5-7**, -11, -17, -19, -20
- radiological safety (preclosure) qualifying and disqualifying conditions
 - preliminary findings, 8.3.5.6-3*
 - and public radiological exposures--normal conditions (Issue 2.1), 8.3.5.6-6*
 - and worker radiological safety--normal conditions (Issue 2.2), 8.3.5.6-6*
- radiometric and remote sensing methods
 - geophysical activities, 8.3.1.4-50*-51*
 - preclosure and postclosure tectonics, 8.3.1.17-110*
- radionuclide
 - concentrations
 - and airborne radioactive materials, 8.3.5.1-15, -19; 8.3.5.3-16; 8.3.5.4-15, -19
 - data considered, higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-10*
 - and glass performance modeling, 8.3.5.10-69
 - ground-water regulatory limits, 8.3.5.3-4; 8.3.5.4-3; 8.3.5.15-1
 - and near-field environment, 8.3.5.10-79
 - and sorption model, 8.3.5.10-66
 - elution rate, 8.3.1.3-105--106
 - inventory
 - values used in system-level models, 8.3.5.13-68*-69*

radionuclide (continued)

- migration
 - and mineral assemblages, 8.3.5.17-2*, -93
 - in near-field host rock performance allocation, 8.3.5.10-31*
- releases
 - and accessible environment, 8.3.5.8-8
 - EBS, see EBS release rates (Issue 1.5)
 - exploratory drilling, 8.3.5.13-85*
 - and waste package design, see waste package design features (affecting radionuclide release) needed from waste package near-field environment, see waste package near-field releases (Information Need 1.5.5)
 - see also radiological releases retardation, Calico Hills, 8.3.5.8-9
 - solubility, 8.3.5.10-36--37
 - source term for near-field host rock performance measures/parameters/goals, 8.3.5.10-32*-33*
- sources, natural, see radon
- transport evaluation
 - worker radiological safety, 8.3.5.1-19
- travel, fastest path of
 - determination of, 8.3.5.12-13
- radionuclide dispersion, diffusion, advection
 - investigation, 8.3.1.3-95--115
- activities
 - crushed tuff column experiments, 8.3.1.3-101--105
 - diffusion through saturated tuff slab, 8.3.1.3-113--114
 - diffusion through unsaturated tuff block, 8.3.1.3-114--115
 - filtration, 8.3.1.3-110--111
 - fractured tuff column studies, 8.3.1.3-109--110
 - mass transfer kinetics, 8.3.1.3-105--107
 - radiometric uptake on rock beakers, 8.3.1.3-112--113
 - unsaturated tuff columns, 8.3.1.3-107--108
 - application of results, 8.3.1.3-115
 - interrelationships, 8.3.1.3-31, -32**
 - link to supporting information, 8.3.1.3-95
 - logic diagram, 8.3.1.3-32**
 - parameters, 8.3.1.3-95--96
 - purpose and objectives, 8.3.1.3-96--97

- radionuclide dispersion, diffusion, advection investigation (continued)
 - studies, 8.3.1.3-100--114
 - diffusion, 8.3.1.3-112--114
 - dynamic transport column experiments, 8.3.1.3-100--111
 - technical basis for, 8.3.1.3-95--114
 - technical rationale, 8.3.1.3-97, -99--100
- radionuclide distribution in tuff wafers (Subactivity 1.5.5.1.1), 8.3.5.10-80--81
- radionuclide movement (gaseous) (Issue 1.8 potentially adverse condition 24)
 - discussion, 8.3.5.17-89
 - performance parameters and goals, 8.3.5.17-90*
 - related studies and activities, 8.3.5.17-90*
 - scenario classes, 8.3.5.17-90*
 - text of condition, 8.3.5.17-7*
- radionuclide precipitation investigation, 8.3.1.3-85--95
 - activities
 - colloid formation characterization and stability, 8.3.1.3-93--94
 - colloid modeling, 8.3.1.3-94
 - solubility measurements, 8.3.1.3-88--91
 - solubility modeling, 8.3.1.3-92
 - speciation measurements, 8.3.1.3-91--92
 - application of results, 8.3.1.3-94--95
 - interrelationships, 8.3.1.3-28, -30**, -31
 - link to supporting information, 8.3.1.3-85
 - logic diagram, 8.3.1.3-30**
 - parameters, 8.3.1.3-85--86
 - purpose and objectives, 8.3.1.3-86
 - studies, 8.3.1.3-88--93
 - colloid behavior, 8.3.1.3-93--95
 - dissolved species concentration limits, 8.3.1.3-88--92
 - technical basis for, 8.3.1.3-85--94
 - technical rationale, 8.3.1.3-86--88
- radionuclide releases for scenario classes (Information Need 1.1.4), 8.3.5.13-135--139
 - application of results, 8.3.5.13-139
 - link to supporting information, 8.3.5.13-135
 - logic, 8.3.5.13-136--137
 - parameters, 8.3.5.13-136
- radionuclide releases for scenario classes (Information Need 1.1.4) (continued)
 - performance assessment activities, 8.3.5.13-137--139
 - scenario class vs. relative consequence screening, 8.3.5.13-137--138
 - scenario classes for significant processes and events, 8.3.5.13-138--139
 - performance assessment subactivities
 - scenario class final screening, 8.3.5.13-137--138
 - scenario-class model (final) development, 8.3.5.13-139
 - scenario-class model (preliminary) development, 8.3.5.13-138
 - scenario class preliminary screening, 8.3.5.13-137
 - technical basis, 8.3.5.13-135--136
- radionuclide retardation, gaseous investigation, 8.3.1.3-134--138 (see also gaseous radionuclide retardation investigation)
- radionuclide retardation investigation, 8.3.1.3-116--133
 - activities
 - geochemical/geophysical model, 8.3.1.3-123--125
 - physical/chemical processes affecting transport, 8.3.1.3-119--122
 - transport models and related support, 8.3.1.3-125--127
 - applicability of laboratory data, 8.3.1.3-127--132
 - application of results, 8.3.1.3-133
 - interrelationships, 8.3.1.3-31, -33**, -34
 - link to supporting information, 8.3.1.3-116
 - logic diagram, 8.3.1.3-33**
 - parameters, 8.3.1.3-116
 - purpose and objectives, 8.3.1.3-117
 - studies, 8.3.1.3-118--138
 - laboratory data applicability to transport calculation, 8.3.1.3-127--128
 - retardation sensitivity analysis, 8.3.1.3-118--127
 - technical basis for, 8.3.1.3-116--133
 - technical rationale, 8.3.1.3-117

- radionuclide sorption investigation,
 - 8.3.1.3-65--85
 - activities
 - batch sorption measurements,
 - 8.3.1.3-69--73, -73*
 - sorption as function of ground-water composition, 8.3.1.3-76--77
 - sorption as function of element concentrations, 8.3.1.3-74--76
 - sorption data statistical analysis, 8.3.1.3-79
 - sorption on particulates and colloids, 8.3.1.3-77--79
 - application of results, 8.3.1.3-84--85
 - interrelationships, 8.3.1.3-28, -29**
 - link to supporting information, 8.3.1.3-65--66
 - logic diagram, 8.3.1.3-29**
 - parameters, 8.3.1.3-66--67
 - purpose and objectives, 8.3.1.3-67--68
 - studies, 8.3.1.3-68--83
 - batch sorption studies, 8.3.1.3-68--79
 - biological sorption and transport, 8.3.1.3-80--82
 - sorption models development, 8.3.1.3-83
 - technical basis for, 8.3.1.3-65--83
 - technical rationale, 8.3.1.3-67--68
 - radionuclide transport, see transport
 - radionuclide transport modeling--near-field waste package envelope (Activity 1.5.5.2), 8.3.5.10-81
 - subactivities, 8.3.5.10-81--82
 - near-field transport model application, 8.3.5.10-82
 - near-field transport model validation, 8.3.5.10-81
 - radionuclide transport parameter determination (Activity 1.5.5.1), 8.3.5.10-80--81
 - subactivities, 8.3.5.10-80--81
 - radionuclide distribution in tuff cores, 8.3.5.10-81
 - radionuclide distribution in tuff wafers, 8.3.5.10-80--81
 - radionuclide travel pathways
 - and effects of fault offset, 8.3.1.8-103--104
 - see also GWTT (Issue 1.6)
 - radionuclide uptake on rock beakers in saturated system activity, 8.3.1.3-112--113
 - description, 8.3.1.3-112--113
 - radionuclide uptake on rock beakers in saturated system activity (continued)
 - methods and technical procedures, 8.3.1.3-113
 - objectives, 8.3.1.3-112
 - parameters, 8.3.1.3-112
 - radium-226, sorption, 8.3.1.3-67
 - radon, 8.3.5.3-5
 - monitoring and Mine Safety and Health Administration, 8.3.5.4-4, -8
 - and radiological safety design, 8.3.2.3-42
 - radon emanation rate, 8.3.5.1-14; 8.3.5.3-16
 - public radiological exposures--normal conditions (Issue 2.1) parameter calls, 8.3.5.3-22*
 - radon emission measurements
 - and canister-scale experiment, 8.3.1.15-55
 - technical procedures for, 8.3.1.15-56, -75
 - Railroad Valley
 - and hydrocarbon assessment, 8.3.1.9-38
 - rainfall simulation studies, 8.3.1.2-164, -170, -175--196
 - technical procedures for, 8.3.1.2-177--178
 - Rainier Mesa
 - and anelastic strain recovery experiments, 8.3.1.15-79
 - and current understanding of mechanical response of tuff, 8.3.2.5-68
 - geomechanical analyses, 8.3.2.1-21
 - prototype tests, 8.3.4.2-57
 - and recharge, 8.3.1.5-122
 - see also G-Tunnel
 - RAYGUN, sorption, 8.3.1.3-65
 - reactive tracer testing
 - at C-hole sites, 8.3.1.2-400, -417--423
 - models, 8.3.1.2-419, -423--424
 - at wells throughout site, 8.3.1.2-423--424
 - see also tracers
 - reactive tracers, technical procedures for identification and characterization, 8.3.1.2-421
 - test modeling, 8.3.1.2-421
 - receiving, system element 1.2.2.1
 - and equipment demonstration, 8.3.2.5-59
 - recharge
 - data needs, 8.3.1.2-89--90
 - estimation, technical procedures for, 8.3.1.5-110

recharge (continued)

- and pluvial conditions, 8.3.1.5-92

recharge due to climate changes, saturated

- zone activity, 8.3.1.5-121--122

- description, 8.3.1.5-121--122

- methods and technical procedures, 8.3.1.5-122

- objectives, 8.3.1.5-121

- parameters, 8.3.1.5-121

recharge studies

- analog activity, 8.3.1.5-106--110

- analog sites, 8.3.1.5-107

- Fortymile Wash, 8.3.1.2-97, -125--133, -146

- ground-water level effects,

- 8.3.1.2-146--147

recreation, and human interference, 8.3.1.9-23

recurrence curve frequency calculation,

- technical procedures for, 8.3.1.17-84

recurrence intervals of extreme weather

- investigation, see extreme weather

- recurrence intervals investigation

reference calculations

- analysis of underground repository and

- reference information base, 8.3.2.5-75

- information needed, 8.3.2.2-68*

- product 1.11.6-5, thermal/thermomechanical modeling, 8.3.2.2-38

- rationale for analysis of underground

- repository facilities, 8.3.2.5-75, -81

- status, 8.3.2.2-71

reference calculations (Design Activity

- 1.11.6.5), 8.3.2.2-74

- objective, 8.3.2.2-74

reference information base (RIB)

- and credible accident sequences, 8.3.5.5-20

- and postclosure performance assessment strategy, 8.3.5.8-4

- and preclosure radiological safety, 8.3.5.3-20

- and reference calculations for analysis of underground repository, 8.3.2.5-75

- and reference preclosure repository design, 8.3.2.5-52--53

- and public radiological safety evaluation, 8.3.5.1-13; 8.3.5.3-9; 8.3.5.5-24

- and sealing performance goals, 8.3.3.2-6

- three-dimensional thermal/mechanical stratigraphy, 8.3.2.2-40

- and worker radiological safety evaluation

- 8.3.5.1-17; 8.3.5.4-14; 8.3.5.5-24

reference information base (RIB) (continued)

- and worker radiological safety--normal

- conditions (Issue 2.2), 8.3.5.4-14, -22

- reference postclosure design (Design Activity 1.11.7.1), 8.3.2.2-77

- reference postclosure underground designs

- (Information Need 1.11.7), 8.3.2.2-75--88

- application of results, 8.3.2.2-77--78

- and containment by waste package (Issue 1.4), 8.3.2.2-76, -78

- design activities, 8.3.2.2-77

- documentation of compliance,

- 8.3.2.2-77

- reference postclosure repository

- design, 8.3.2.2-77

- and EBS release rates (Issue 1.5),

- 8.3.2.2-76, -78

- and ground-water protection (Issue 1.3),

- 8.3.2.2-76, -78

- and GWT (Issue 1.6), 8.3.2.2-76, -78

- and higher level findings--postclosure

- (Issue 1.9), 8.3.2.2-76, -78

- interrelationships, 8.3.2.2-20--23, -22**

- introduction, 8.3.2.2-75

- link to supporting information,

- 8.3.2.2-75--76

- logic, 8.3.2.2-76--77

- and NRC siting criteria (Issue 1.8),

- 8.3.2.2-76, -78

- parameters, 8.3.2.2-76

- technical basis for, 8.3.2.2-75--76

- and total system performance (Issue 1.1),

- 8.3.2.2-76, -78

reference postclosure underground facility

- design and postclosure design and technical

- feasibility (Issue 4.4), 8.3.2.2-76

reference preclosure repository design

- (Information Need 4.4.5), 8.3.2.5-52--56

- and advanced conceptual design,

- 8.3.2.5-52--53

- application of results, 8.3.2.5-56

- introduction, 8.3.2.5-52--53

- and license application design,

- 8.3.2.5-53

- link to supporting information, 8.3.2.5-53

- logic, 8.3.2.5-54

- parameters, 8.3.2.5-53

- reference information base, 8.3.2.5-53

- and site characterization plan-conceptual

- design report, 8.3.2.5-52

PART B INDEX (Chapter 8)

- reference preclosure repository design
 (Information Need 4.4.5) (continued)
 supporting activities not requiring site data, 8.3.2.5-54--55
 supporting activities requiring site data, 8.3.2.5-55--56
 technical basis for, 8.3.2.5-53--56
- reference properties for reference information base (Design Activity 1.11.1.4), 8.3.2.2-40
 objectives, 8.3.2.2-40
- reference seal designs (Information Need 1.12.4), 8.3.3.2-64--69
 - application of results, 8.3.3.2-69
 - design activities, 8.3.3.2-65--69
 - advanced conceptual design for sealing, 8.3.3.2-65--67
 - license application design for sealing, 8.3.3.2-67--69
 - design subactivities
 - advanced conceptual design for seals, 8.3.3.2-67
 - license application design for seals, 8.3.3.2-69
 - subsystem design requirements for advanced conceptual design, 8.3.3.2-65--66
 - subsystem design requirements for license application design, 8.3.3.2-68
 - tradeoffs for advanced conceptual design, 8.3.3.2-66--67
 - tradeoffs for license application design, 8.3.3.2-68--69
 - link to supporting information, 8.3.3.2-64
 - logic, 8.3.3.2-65
 - parameters, 8.3.3.2-65
 - technical basis for, 8.3.3.2-64--69
- reference thermal/mechanical stratigraphy, product site characteristics for underground facility design (Information Need 1.11.1), 8.3.2.2-23
- reference waste package designs (Information Need 1.10.2), 8.3.4.2-35--36
 - application of results, 8.3.4.2-36
 - link to supporting information, 8.3.4.2-35
 - logic, 8.3.4.2-36
 - parameters, 8.3.4.2-35--36
 - technical basis for, 8.3.4.2-35--36
- reference waste package emplacement configuration (Information Need 1.10.3), 8.3.4.2-37--39
 - application of results, 8.3.4.2-39
- reference waste package emplacement configuration (Information Need 1.10.3) (continued)
 - link to supporting information, 8.3.4.2-37
 - logic, 8.3.4.2-38
 - parameters, 8.3.4.2-37--38
 - technical basis for, 8.3.4.2-37--39
- reference water
 - well J-13, 8.3.4.1-4; 8.3.4.2-23
 - see also well J-13
- reflection and refraction (intermediate depth) method evaluation activity, 8.3.1.17-169--171
 - description, 8.3.1.17-170
 - methods and technical procedures, 8.3.1.17-170--171
 - objectives, 8.3.1.17-169--170
 - parameters, 8.3.1.17-170
- reflection surveys, technical procedures for, 8.3.1.17-171
- regional carbonate aquifer
 - and ground-water discharge, 8.3.1.5-100
- regional changes in tectonic regimes
 - disruptive scenario classes, evaluation of, 8.4.3-71
- regional climate
 - future, 8.3.1.5-78--88
 - synoptic characterization, 8.3.1.5-40--42
- regional climate modeling activity, 8.3.1.5-83--84
 - description, 8.3.1.5-83--84
 - methods and technical procedures, 8.3.1.5-84
 - objective, 8.3.1.5-83
 - parameters, 8.3.1.5-83
- regional ground-water flow model, technical procedures for, 8.3.1.5-122
- regional ground-water flow system
 - characterization study, 8.3.1.2-114--137 (see also ground-water flow system (regional) study)
- regional hydrochemical characterization activity, 8.3.1.2-431--433
- regional hydrologic system investigation, 8.3.1.2-92--147 (see also hydrologic system (regional) investigation)
- regional hydrologic system synthesis and modeling study, 8.3.1.2-137--147 (see also hydrologic system synthesis and modeling (regional) study)

regional lateral crustal movement, see
 crustal movement (lateral), regional
 characterization study

regional meteorology investigation,
 8.3.1.12-1, -3, -4**, -6--13 (see also
 meteorology investigation (regional))

regional model, climate program
 current representation and alternative
 hypotheses, 8.3.1.5-18*-21*

regional paleoflood evaluation activity,
 8.3.1.5-94--96
 description, 8.3.1.5-94--95
 methods and technical procedures,
 8.3.1.5-95--96
 objectives, 8.3.1.5-94
 parameters, 8.3.1.5-94

regulations, and issues, 8.3.1.2-2--3

regulatory and institutional activities
 milestone descriptions, 8.5-112
 milestones, 8.5-111**

regulatory and technical positions, see issue
 resolution reports

regulatory documents
 preparation, 8.5-116, -117**

regulatory guides
 and atmospheric release evaluation,
 8.3.1.12-16

regulatory requirements
 and EBS release rates (Issue 1.5),
 8.3.1.2-2
 and ground-water movement, 8.3.1.2-2
 and ground-water protection (Issue 1.3),
 8.3.1.2-2
 and GWTT (Issue 1.6), 8.3.1.2-2
 and higher level findings (postclosure)
 (Issue 1.9), 8.3.1.2-3
 and human interference, 8.3.1.9-1--3
 and land ownership and mineral rights
 program, 8.3.1.11-1
 and NRC siting criteria (Issue 1.8),
 8.3.1.2-2
 and population density and distribution
 program, 8.3.1.10-1
 radioactive releases, 8.3.1.2-1--2
 and total system performance (Issue 1.1),
 8.3.1.2-2
 and waste package containment (Issue 1.4),
 8.3.1.2-2
see also U.S. Nuclear Regulatory
 Commission

relative density--soil, technical procedures
 for, 8.3.1.14-48

relative permeability
 determination of, 8.3.1.2-190
 technical procedures for, 8.3.1.2-198--199

release rates
 and 10 CFR 60.113, 8.3.5.18-21 (see also
 waste package and EBS release rates
 (Information Need 1.5.4))

release scenario classes
 calculational models, see calculational
 models for release scenario classes
 (Information Need 1.1.3)
 and complementary cumulative distribution
 function (CCDF), 8.3.5.13-135, -136,
 -137

disturbed case (A-1): direct release in
 basaltic volcanism, 8.3.5.13-80--81

disturbed case (A-2): direct release via
 human intrusion, 8.3.5.13-82--84

disturbed case (C-1): increased flux
 through unsaturated zone,
 8.3.5.13-84--86

disturbed case (C-2): foreshortening of
 the unsaturated zone, 8.3.5.13-86--87

disturbed case (C-3): altered unsaturated-
 zone rock properties and geochemistry,
 8.3.5.13-87--88

disturbed case (D-1): foreshortening of
 flow paths in the saturated zone,
 8.3.5.13-88

disturbed case (D-2): altered saturated-
 zone properties, 8.3.5.13-88--89
see also NRC siting criteria (Issue 1.8)
 and Ross study

release scenario classes (final selection)
 (Performance Assessment Activity 1.1.2.2)
 description, 8.3.5.13-128
 objectives, 8.3.5.13-127--128
 parameters, 8.3.5.13-128

release scenario classes (preliminary
 identification) (Performance Assessment
 Activity 1.1.2.1), 8.3.5.13-126--127
 subactivities, 8.3.5.13-126--127
 events and process sequence
 preliminary identification,
 8.3.5.13-126--127
 release scenario classes, preliminary
 identification, 8.3.5.13-127

release scenario classes (preliminary
 identification) (Subactivity 1.1.2.1.2),
 8.3.5.13-127
 description, 8.3.5.13-127
 objectives, 8.3.5.13-127

PART B INDEX (Chapter 8)

- release scenario classes (preliminary identification) (Subactivity 1.1.2.1.2) (continued)
 - parameters, 8.3.5.13-127
- release scenario classes (preliminary selection)
 - decision aiding methodology study, 8.3.5.13-26
- release scenario screening, 8.3.5.13-117**, -126--128
 - and modeling, 8.3.5.13-132--135
 - and relative consequences, 8.3.5.13-137--138
- releases to accessible environment
 - information for calculations, see site information needed for calculations (Information Need 1.1.1)
 - and 40 CFR 191.13, 8.3.5.18-8
- releases (1,000-year) to special sources (Activity 1.3.2.1.1), 8.3.5.15-10
 - description, 8.3.5.15-10
 - objectives, 8.3.5.15-10
 - parameters, 8.3.5.15-10
- relevel base-station network activity, 8.3.1.17-194--196
 - description, 8.3.1.17-195
 - methods and technical procedures, 8.3.1.17-195--196
 - objectives, 8.3.1.17-194
 - parameters, 8.3.1.17-195
- releveling data analysis activity, 8.3.1.17-197--198
 - description, 8.3.1.17-197
 - methods and technical procedures, 8.3.1.17-197--198
 - objectives, 8.3.1.17-197
 - parameters, 8.3.1.17-197
- remote sensing
 - analysis
 - geophysical activities, 8.3.1.4-50*--51*
 - technical procedures for, 8.3.1.5-102
 - field verification, technical procedures for, 8.3.1.5-102
 - methods
 - infiltration-runoff units, 8.3.1.2-159
 - technical procedures for, 8.3.1.2-171
 - tectonics, 8.3.1.17-110*
- removable shaft liner, design consideration, 8.4.3-35
- removal of waste from boreholes, see waste removal from boreholes
- repository
 - and decommissioning, 8.7-3
 - design, and ESF relationship, 8.7-3
 - design criteria and design requirements, 8.3.2.5-49--51
 - design phases, summary, 8.3.2.1-6--8
 - design plan, 8.3.2.1-1; 8.3.2.5-49--51
 - considerations in generation of, 8.3.2.5-47, -49, -50--51
 - design requirements document, 8.3.2.5-49--50, -50*--51*
 - and Mine Safety and Health Administration, 8.3.2.5-49
 - and repository design criteria, 8.3.2.5-49
 - disruption probabilities, basaltic magma, 8.3.1.8-57--58
 - and ESF use, 8.7-3
 - exhumation
 - and erosion, 8.3.1.6-27
 - folding and deformation, 8.3.1.8-71--72
 - layout, 8.4.2-92**
 - modeling
 - geochemical analyses, 8.3.2.1-20--23
 - safety analyses, 8.3.2.1-25
 - seismic analyses, 8.3.2.1-24
 - summary, 8.3.2.1-19--24
 - validation, 8.3.2.1-19--21
 - ventilation analyses, 8.3.2.1-24--25
 - operations plan, see plans for repository operation (Information Need 4.4.3)
 - penetration, volcanic eruption studies, 8.3.1.8-51--62
 - program overview, 8.3.2.1-1--25
 - and repository design criteria, 8.3.2.5-49--50
 - rock and ground-water data
 - and radiological protection, 8.3.2.3-40
 - rock-water interactions, and seals, 8.3.3.1-5
 - surface element analyses, summary, 8.3.2.5-75
 - underground facility configuration
 - selection, postclosure design function 1, 8.3.2.2-7, -11

PART B INDEX (Chapter 8)

repository access shafts, thermal effects on stability, 8.4.3-27

repository accidents (credible) (Information Need 2.3.1), 8.3.5.5-19--23

- application of results, 8.3.5.5-23
- link to supporting information, 8.3.5.5-19
- logic, 8.3.5.5-21
- parameters, 8.3.5.5-19--21
- performance assessment activities, 8.3.5.5-22--23
 - accident sequences and frequencies, 8.3.5.5-22
 - accidental radiological releases site data refinement (Information Need 2.3.1), 8.3.5.5-22
 - design-basis accident development, 8.3.5.5-23
- technical basis for, 8.3.5.5-19

repository and waste package design

- milestone descriptions, 8.5-113
- milestones, 8.5-111**

repository block, and drifting, 8.4.2-31--32

repository design activities

- milestones, 8.5-80--98
- summary schedules, 8.5-80--98
- see also design entries

repository design and ESF integration, compatibility concerns, 8.4.2-216--217

repository design criteria for radiological safety (Issue 2.7), 8.3.2.3-47*

- accidental radiological releases (Issue 2.3), 8.3.2.3-1, -2**; 8.3.5.5-1, -2**, -5**, -11
- allocation of performance, 8.3.2.3-16
- application, 8.3.2.3-12, -15--16, -30*-35*
- approach, 8.3.2.3-3, -12, -15--36
- development of design criteria and constraints, 8.3.2.3-16--36
- functions and performance measures and functional requirements, 8.3.2.3-12, -15--16, -17*-29**
- and geologic repository operations area, 8.3.2.3-4*-11*
- goals, 8.3.2.3-17*-29*
- identification of functional requirements, 8.3.2.3-12
- information needs
 - criticality control (2.7.3), 8.3.2.3-37, -38
 - items important to safety (2.7.2), 8.3.2.3-37

repository design criteria for radiological safety (Issue 2.7) (continued)

- information needs (continued)
 - radiological protection (2.7.1), 8.3.2.3-37
- interrelationships, 8.3.2.3-2**, -36--39
- issue resolution strategy, 8.3.2.3-3, -13*-14**
- and land ownership and mineral rights program, 8.3.1.11-1
- licensing strategy overview, 8.3.2.3-3
- logic diagram, 8.3.2.3-13*-14**
- major events and completion dates, 8.3.2.3-47*; 8.5-87**, -88
- and meteorology program, 8.3.1.12-1, -2*, -4**, -5
- and modeling, 8.3.2.1-20
- and offsite installations program, 8.3.1.13-1
- and other design and performance assessment issues, 8.3.2.1-2**
- parameters required, 8.3.2.3-30*-35*
- performance goals and measures, 8.3.2.3-17*-29*
- preclosure tectonics program parameter calls, 8.3.1.17-1, -2**, -63, -86
- public radiological exposures--normal conditions (Issue 2.1), 8.3.2.3-1, -2**; 8.3.5.3-2**, -6**
- regulatory basis for, 8.3.2.3-1
- safety analyses, 8.3.2.1-25
- schedule, 8.3.2.3-45--48; 8.5-86, -87**, -88
- test that all goals are met, 8.3.2.3-36
- thermal and mechanical rock properties program parameter calls, 8.3.1.15-1, -2*, -10*, -15**
- ventilation analyses, 8.3.2.1-24--25
- worker radiological safety--normal conditions (Issue 2.2), 8.3.2.3-1, -2**, -12, -36, -42; 8.3.5.4-1, -2**, -3, -5, -6**

repository design requirements (Information Need 4.4.4), 8.3.2.5-47--52

- application of results, 8.3.2.5-51--52
- design activity
 - repository design requirements for license application design, 8.3.2.5-49--51
- introduction, 8.3.2.5-47
- link to supporting information, 8.3.2.5-47
- logic, 8.3.2.5-49--50

PART B INDEX (Chapter 8)

- repository design requirements (Information Need 4.4.4) (continued)
 - organization, 8.3.2.5-50*-51*
 - parameters, 8.3.2.5-47, -49
 - summary, 8.3.2.5-47
 - technical basis for, 8.3.2.5-47--52
- repository design requirements for license application design (Design Activity 4.4.4.1), 8.3.2.5-51
 - description, 8.3.2.5-51
 - objectives, 8.3.2.5-51
- repository horizon
 - and biological degradation and transport of induced materials, 8.4.3-24
 - and introduced organic matter, 8.4.3-24
 - potential impacts of introduced materials, 8.4.3-23--24
 - see also host rock and Topopah Spring Member
- repository material effect on water (Activity 1.10.4.1.2), 8.3.4.2-45
 - objectives, 8.3.4.2-45
- repository operations plans, see plans for repository operation (Information Need 4.4.3)
- repository performance
 - and multiple barriers, 8.4.3-2--3
 - and natural and engineered barriers, 8.4.3-2--3
- repository program overview, 8.3.2.1-1--25
- repository systems analysis
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.1-9
 - and radiological risk, 8.3.5.1-9
- requirements documents, regulatory hierarchy of, 8.3.2.5-48**
- research and development, technical procedures for, 8.3.1.2-322, -423
- resonant column test--soils, technical procedures for, 8.3.1.14-52
- resonant method test--rock, technical procedures for, 8.3.1.14-52
- resource evaluation
 - and postclosure performance evaluations, 8.4.2-4*-7*, -8
- resource exploration and extraction
 - and controlled area, 8.3.1.9-21, -23
 - effects of, 8.3.1.9-41, -45, -49, -50
 - and human interference program, 8.3.1.9-11
 - and radionuclide release, 8.3.1.9-21
- resource mining
 - disruptive scenario classes, evaluation of, 8.4.3-66
- resource potential assessment
 - and human interference scenarios, 8.3.1.9-3
- resource value investigation, 8.3.1.9-20--44
 - activities
 - geochemical assessment and mineralization potential, 8.3.1.9-30--33
 - geophysics/geologic appraisal and mineral resources, 8.3.1.9-33--34
 - geothermal energy potential assessment, 8.3.1.9-34--36
 - ground-water development trends and withdrawal rates, 8.3.1.9-43--44
 - hydrocarbon resource assessment, 8.3.1.9-37--39
 - mineral and energy assessment, 8.3.1.9-39--42
 - application of results, 8.3.1.9-44
 - link to supporting information, 8.3.1.9-45
 - logic diagram, 8.3.1.9-22**
 - parameters, 8.3.1.9-20--21
 - purpose and objectives, 8.3.1.9-21
 - studies, 8.3.1.9-27--44
 - natural resource assessment at Yucca Mountain, 8.3.1.9-27--42
 - water resource assessment at Yucca Mountain, 8.3.1.9-42--44
 - technical basis for, 8.3.1.9-20
 - technical rationale, 8.3.1.9-21--24
- resources
 - energy, 8.3.1.9-20, -24
 - ground water, 8.3.1.9-11--12, -21, -22**, -24
 - hydrocarbon, 8.3.1.9-37--39
 - land, 8.3.1.9-23
 - metal, 8.3.1.9-21
 - Nye County, 8.3.1.9-27, -38
 - see also mineral and energy assessment; resource value investigation; and natural resource assessment of Yucca Mountain study
- resurvey of quadrilaterals, technical procedure for, 8.3.1.17-195*
- retardation mechanism
 - and transport, 8.3.1.3-34, -116, -135--136
- retardation sensitivity analysis
 - study, 8.3.1.3-118--127
 - activities, 8.3.1.3-119--127

- retardation sensitivity analysis
 - study (continued)
 - activities (continued)
 - geochemical/geophysical model, 8.3.1.3-123--125
 - physical/chemical processes affecting transport, 8.3.1.3-119--122
 - transport models and related support, 8.3.1.3-125--127
 - retardation tracers, 8.3.1.3-109
- retrievability
 - discussion directory, 8.3.5.2-8*-9*
 - period of, 8.3.5.2-10
 - potential abnormal conditions, 8.3.5.2-29*-30*
 - reasonably available technology, 8.3.5.2-46--52
 - site and design information needed, see site and design information needed (retrieval) (Information Need 2.4.1)
 - of waste, see waste retrievability (Issue 2.4)
- retrieval
 - abnormal conditions, 8.3.5.2-29*-30*
 - accidents, radiological risk, 8.3.5.1-6
 - design criteria, 8.3.5.2-27--28
 - design purposes time frame, 8.3.5.2-13**
 - function 1, see emplacement borehole access
 - function 2, see waste package access (Information Need 2.4.3)
 - function 3, see waste removal from boreholes
 - function 4, see waste delivery to surface
 - routine operations, radiological risk, 8.3.5.1-6
- retrieval, system element 1.2.2.5
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-91, -94
 - and equipment demonstration, 8.3.2.5-59
 - functions and processes, 8.3.2.5-30*
 - parameters for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-89--90
 - performance measures and goals for nonradiological health and safety, 8.3.2.4-22*
 - preliminary performance allocation, 8.3.2.5-30*
 - retrieval, system element 1.2.2.5 (continued)
 - underground facilities technology, 8.3.2.5-91, -94
 - retrieval requirement compliance (Information Need 2.4.6), 8.3.5.2-46--52
 - application of results, 8.3.5.2-49
 - link to supporting information, 8.3.5.2-47
 - logic, 8.3.5.2-47, -49
 - parameters, 8.3.5.2-47, -48*
 - technical basis for, 8.3.5.2-46--47
 - RIB, see reference information base
 - right-lateral faults, 8.3.1.8-130
 - right-of-way, 8.7-1, -2--3
 - risk, see radiological risk
 - risk assessment, see preclosure risk assessment methodology (PRAM) program
 - roads, and potential surface disturbance, 8.4.2-48*, -54, -59
 - rock and matrix-hydrologic property
 - determination, technical procedures for, 8.3.1.2-212--213, -224--225
 - rock beakers, uptake of radionuclides, 8.3.1.3-112--113
 - rock bolt technical procedures
 - installation, 8.3.1.15-49, -51, -64
 - load cell use, 8.3.1.15-49, -51, -67
 - 70
 - rock bolts
 - near emplacement drifts, thermal/mechanical analyses, 8.4.3-29
 - shaft and drift analyses, 8.4.3-29
 - rock characteristics
 - effects of tectonic stress or strain changes, 8.3.1.8-96, -97
 - and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-12*
 - and higher level findings--postclosure (Issue 1.9(a)), 8.3.5.18-13*
 - modeling, 8.3.1.4-81, -84--103
 - resource exploitation effects on, 8.3.1.9-46
 - and travel pathway, 8.3.1.8-28, -98
 - and 10 CFR 60.113, 8.3.5.18-12
 - see also rock properties
 - rock characteristics model evaluation, technical procedures for, 8.3.1.4-102
 - rock characteristics program, 8.3.1.4-1--108
 - activity parameters provided by, 8.3.1.4-2, -4*-15*, -16
 - alternative conceptual models, 8.3.1.4-17--24

PART B INDEX (Chapter 8)

- rock characteristics program (continued)
 - approach used, 8.3.1.4-1--2, -16--17
 - current representation and alternative hypotheses, 8.3.1.4-19*--23*
 - design issue calls, 8.3.1.4-4*--15* and GWT (Issue 1.6), 8.3.5.12-26**
 - hypothesis-testing table, 8.3.1.5-19*--23*
 - interrelationships, 8.3.1.4-24
 - investigations, 8.3.1.4-24--103
 - geologic framework, 8.3.1.4-28--84
 - integrated drilling program, 8.3.1.4-24--27
 - three-dimensional rock characteristics model, 8.3.1.4-84--103
 - see specific investigation for study and activity listings
 - logic diagram, 8.3.1.4-3**
 - major events and completion dates, 8.3.1.4-106*--108*; 8.5-11, -12**, -13
 - overview, 8.3.1.4-1--24
 - parameter calls, 8.3.1.4-4*--15*
 - performance and design requirements, summary, 8.3.1.4-1, -16--17
 - performance issue calls, 8.3.1.4-4*--15*
 - preclosure tectonics program parameter calls, 8.3.1.17-1, -2**, -206*--207*
 - schedule, 8.3.1.4-103--108; 8.5-11, -12**
 - surface characteristics program parameter calls, 8.3.1.14-2**, -3*, -15, -20*, -25, -26
- rock characteristics qualifying condition, 8.3.5.18-12--13, -13*
 - and containment by waste package (Issue 1.4), 8.3.5.18-7
 - and EBS release rates (Issue 1.5), 8.3.5.18-7
 - and ground-water protection (Issue 1.3), 8.3.5.18-7
 - and GWT (Issue 1.6), 8.3.5.18-7
 - and individual protection (Issue 1.2), 8.3.5.18-8
 - and postclosure performance issues, 8.3.5.18-7--8
 - preliminary finding, 8.3.5.18-4*
 - statement of, 8.3.5.18-11--12
 - and total system performance (Issue 1.1), 8.3.5.18-7
 - and 10 CFR 960.4-2-3(a), 8.3.5.18-11
- rock characteristics technical guideline
 - and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-9--11, -12*
 - and higher level findings--postclosure (Issue 1.9(a)), 8.3.5.18-12--13, -13* and qualifying and disqualifying conditions, 8.3.5.7-7*, -9--11
- rock dissolution program, 8.3.1.7-1--2
 - and higher level finding (postclosure) (Issue 1.9), 8.3.1.7-2
 - investigation
 - dissolution rates, 8.3.1.7-1--2
 - and NRC siting criteria (Issue 1.8), 8.3.1.7-2
 - overview, 8.3.1.7-1
 - and 10 CFR Part 60, 8.3.1.7-2
- rock fabric analysis, technical procedures for, 8.3.1.15-82
- rock geochemical changes from igneous intrusions activity, 8.3.1.8-101--102
 - description, 8.3.1.8-102
 - methods and technical procedures, 8.3.1.8-102
 - objectives, 8.3.1.8-101
 - parameters, 8.3.1.8-102
- rock geochemical properties changes
 - postclosure tectonic studies, 8.3.1.8-19*--21*
 - tectonic effects study, 8.3.1.8-101--105
- rock/ground-water conditions and technical feasibility (Issue 1.8 potentially adverse condition 20)
 - discussion, 8.3.5.17-78, -80
 - text of condition, 8.3.5.17-6*
- rock/ground-water data
 - worker radiological safety parameter calls, 8.3.5.4-13*, -22*
- rock handling, system element 1.2.1.4
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-91, -93
 - functions and processes, 8.3.2.5-25*
 - preliminary performance allocation, 8.3.2.5-25*
 - underground facilities technology, 8.3.2.5-91, -94
- rock-induced load on waste package
 - design goal, 8.3.4.2-28
 - engineered environment, impacts on, 8.4.3-78--79

PART B INDEX (Chapter 8)

rock mass classification data, 8.3.1.14-55,
-58

rock mass classification technical procedures,
8.3.1.15-73

rock mass rating, 8.3.1.14-56

tunneling quality, 8.3.1.14-56

rock mass discontinuities technical procedures

quantitative description, 8.3.1.14-56

shear strength, 8.3.1.14-59

rock mass (fractured) hydraulic conductivity,
technical procedures for, 8.3.1.2-344,
-348--349

rock mass permeability, excavation-induced
effects, 8.4.3-25--26

rock-mass strength experiment

constraints and zones of influence,
8.4.2-129

purpose and operations, 8.4.2-129

rock-mass strength experiment activity,
8.3.1.15-68--70

description, 8.3.1.15-68

methods and technical procedures,
8.3.1.15-68--70

objectives, 8.3.1.15-68

parameters, 8.3.1.15-68

rock mass thermal response

analytical tools, 8.3.2.1-21--22;
8.3.2.5-72

rock-matrix lithologic testing, technical
procedures for, 8.3.1.2-277--278

rock mechanical behavior, code validation,
8.3.1.15-45, -50

rock moisture content, technical procedures
for, 8.3.1.14-48

rock movement and preferential pathways

limitation

design thermal loading, postclosure design
function 4, 8.3.2.2-19

rock porosity/density, technical procedures
for, 8.3.1.14-48

rock properties

alteration along travel paths (postclosure
tectonics) 8.3.1.8-17*-18*

characterization experiments,
8.3.1.15-32*

current representation and hypotheses for
modeling, 8.3.1.15-19*-21*

data acquisition, logic diagram,
8.3.1.15-15**

and issues, data relationship,
8.3.1.15-15**

rock properties (continued)

see also soil and rock properties
investigation

rock saturation, effects of ventilation,
8.4.3-22--23

rock specific gravity, technical procedures
for, 8.3.1.14-48

rock strength

and emplacement drifts, 8.4.3-28--29

and porosity, 8.4.3-28--29

rock support, underground support systems,
8.4.2-197--198

rock unit characteristics

geohydrology program parameters,
8.3.1.2-42*-44*

rock characteristics parameters,
8.3.1.4-4*-9*, -16

Rock Valley fault, 8.3.1.8-130;
8.3.1.17-28

displacement evaluation, technical
procedures for, 8.3.1.17-136--137

and shallow seismic reflection,
8.3.1.17-134**, -178

Rock Valley fault system evaluation activity,
8.3.1.17-133--137

description, 8.3.1.17-135

methods and technical procedures,
8.3.1.17-136--137

objectives, 8.3.1.17-133

parameters, 8.3.1.17-134

rock varnish

dating, 8.3.1.6-14; 8.3.1.17-187--188

studies, technical procedures for,
8.3.1.8-118*

and tectonically stable areas,
8.3.1.17-187--188*

rock-water interaction analysis (Activity
1.10.4.1.7), 8.3.4.2-49--51

description, 8.3.4.2-49

methods and technical procedures,
8.3.4.2-49--51

objectives, 8.3.4.2-49

parameters, 8.3.4.2-49

rock-water interaction in repository horizon
(Activity 1.10.4.4.2), 8.3.4.2-58--61

description, 8.3.4.2-58

methods and technical procedures,
8.3.4.2-58--61

objectives, 8.3.4.2-58

parameters, 8.3.4.2-58

- rock-water interactions
 - electron microprobe, 8.3.4.2-43
 - EQ3/6, 8.3.4.2-49
 - numerical analysis, 8.3.4.2-49
 - x-ray diffraction, 8.3.4.2-43
- rock-water interactions (Activity 1.10.4.1.1), 8.3.4.2-42--45
 - description, 8.3.4.2-43
 - methods and technical procedures, 8.3.4.2-44--45
 - objectives, 8.3.4.2-42
 - parameters, 8.3.4.2-42--43
- rod extensometer measurements, technical procedures for, 8.3.1.15-47, -49, -51, -63
- Ross study, 8.3.5.13-26--56
 - barrier impact on scenario classes, 8.3.5.13-55*
 - defined scenario classes, 8.3.5.13-44--45
 - potentially significant scenarios, 8.3.5.13-27*
 - sequences, 8.3.5.13-28--42, -51--53
 - chemical reaction of waste package with rock, 8.3.5.13-40
 - climate control, 8.3.5.13-36--37
 - corrosion, 8.3.5.13-39
 - differential elastic response to heating, 8.3.5.13-37
 - exploratory drilling, 8.3.5.13-35
 - extrusive magmatic activity, 8.3.5.13-32
 - faulting and seismicity, 8.3.5.13-30, -51
 - faulty waste emplacement, 8.3.5.13-32--33
 - flooding, 8.3.5.13-29
 - folding, uplift, and subsidence, 8.3.5.13-52--53
 - geochemical alteration, 8.3.5.13-41--42
 - geochemical changes, 8.3.5.13-31
 - ground-water recharge or withdrawal, 8.3.5.13-33--34
 - irrigation, 8.3.5.13-33
 - large-scale alterations of hydrology, 8.3.5.13-34
 - magmatic intrusion, 8.3.5.13-52
 - mechanical fracturing, 8.3.5.13-39
 - nonelastic responses to heating, 8.3.5.13-38
 - regional changes in the tectonic region, 8.3.5.13-52
 - resource mining, 8.3.5.13-36
- Ross study (continued)
 - sequences (continued)
 - stream erosion, 8.3.5.13-28--29
 - surface flooding or impoundments, 8.3.5.13-51
 - temperature-driven fluid migration, 8.3.5.13-38
 - undetected dikes, 8.3.5.13-32
 - undetected faults and shear zone, 8.3.5.13-31
 - undiscovered borehole, 8.3.5.13-34
 - undiscovered mine shafts, 8.3.5.13-35
 - sequences dismissed or not identified, 8.3.5.13-42--44
 - site-characterization program scenario classes, 8.3.5.13-46--56
 - disruptive scenario classes, 8.3.5.13-49*--50*
 - 10 CFR 60.122 conditions, 8.3.5.13-45
 - routine operations
 - and radiological risk, 8.3.5.1-12--20
 - runoff coring, technical procedures for, 8.3.1.2-307
 - runoff
 - and climate, 8.3.1.5-3
 - and climatic change, 8.3.1.6-2
 - data collection, 8.3.1.2-173--176
 - data needs, 8.3.1.2-96
 - and debris transport, 8.3.1.2-112--114
 - and erosion, 8.3.1.6-4, -9
 - and infiltration, 8.3.1.2-169
 - monitoring, 8.3.1.5-107; 8.3.1.16-8, -11
 - and paleoflooding, 8.3.1.5-92, -94
 - and precipitation model, technical procedures for, 8.3.1.5-119
 - recurrence, 8.3.1.16-6, -7
 - and surface hydrology, 8.3.1.5-119
 - runoff and streamflow characterization study, 8.3.1.2-102--114
 - activities, 8.3.1.2-103--114
 - debris transport by runoff, 8.3.1.2-112--114
 - surface-water runoff monitoring, 8.3.1.2-102--112
- safety
 - analyses, repository modeling, 8.3.2.1-25
 - items important to, 8.3.2.3-43--45
 - (see also items important to safety (Information Need 2.7.2))

PART B INDEX (Chapter 8)

safety assessment (preclosure)
 overview, 8.3.5.1-2--6 (see also
 preclosure safety assessment)
 safety assessment documentation
 and preclosure risk assessment methodology
 (PRAM) program, 8.3.5.1-12; 8.3.5.5-29
 SAGUARO
 and COVE 2, 8.3.5.20-4*
 SAGUARO/FEMTRAN
 and COVE 1, 8.3.5.20-3, -4*
 and performance assessment, 8.3.5.19-2*,
 -4*, -6*
 sampling, technical procedures,
 analysis, 8.3.1.2-181
 collection and measurements,
 8.3.1.18-115, -118
 core and outcrop, 8.3.1.4-63
 drillbit cuttings and core, 8.3.1.4-39
 field geologic studies, 8.3.1.8-118
 for geochronology studies, 8.3.1.8-115
 fracture-filling materials, 8.3.1.4-78
 geochemical cycles, 8.3.1.8-123
 handling (solid and solutions),
 8.3.1.2-420
 identification, 8.3.1.2-421; 8.3.1.4-100
 methods, 8.3.1.15-70
 paleomagnetism, 8.3.1.4-64
 petrologic examination, 8.3.1.8-126
 preparation, 8.3.1.2-422; 8.3.1.8-111
 sampling, testing, and mapping technical
 procedures, 8.3.1.2-163
 sampling bias
 and feature sampling, 8.4.2-26--28
 and systematic sampling, 8.4.2-23, -26--27
 statistical representativeness, 8.4.2-26
 sampling program, systematic, 8.3.1.4-99**
 sand content test, technical procedures for,
 8.3.1.16-19, -21, -23
 Sandia National Laboratories
 and COVE 1, 8.3.5.20-4*
 and COVE 2, 8.3.5.20-4*
 and COVE 3, 8.3.5.20-5*
 satellite mapping and interpretation,
 technical procedures for, 8.3.1.5-71
 saturated permeability, technical procedures
 for, 8.3.1.2-197--198
 saturated zone
 borehole locations, 8.3.1.2-117**
 diffusion activity, 8.3.1.3-113
 flow path, flux, velocity calculations,
 8.3.1.2-441--443

saturated zone (continued)
 hydrology
 logic diagram, 8.3.1.2-8**
 parameters provided by geohydrology
 program, 8.3.1.2-31*--42*
 synthesis and modeling study,
 8.3.1.2-434--443
 models
 hydrologic hypotheses,
 8.3.1.2-68*--87*
 parameters, 8.3.1.2-8**, 39*--42*
 potentiometric surface map, 8.3.1.2-368**
 regional hydrogeologic data needs,
 8.3.1.2-114--118
 Solitario Canyon fault study,
 8.3.1.2-372--375
 summary of studies, 8.3.1.2-89--90
 water chemistry, 8.3.1.3-38
 wells and tracer tests, 8.3.1.2-410**
 saturated-zone altered properties (disturbed
 case scenario D-2), 8.3.5.13-88--89
 expected partial performance measures
 (EPPM), 8.3.5.13-106*--107*
 initiating events or processes,
 8.3.5.13-88--89
 performance parameters,
 8.3.5.13-106*--107*
 saturated-zone boreholes
 potential impact of geochemical
 disturbance, 8.4.3-42--43
 potential impact of hydrologic
 disturbance, 8.4.3-42
 potential impact of thermal/
 mechanical disturbance,
 8.4.3-43
 saturated-zone exploration
 boreholes, 8.4.2-80
 description, 8.4.2-77--79
 hydrologic borehole USW H-7, 8.4.2-78
 other testing, 8.4.2-78--79
 pumping tests, 8.4.2-78--79
 regional potentiometric-level
 drillholes, 8.4.2-79
 water table borehole sampling, 8.4.2-78
 water table boreholes, 8.4.2-77--78
 saturated-zone flow analysis (Subactivity
 1.6.3.1.2), 8.3.5.12-51
 description, 8.3.5.12-51
 objectives, 8.3.5.12-51
 saturated-zone flow models within accessible
 environment activity, 8.3.1.2-435--436
 description, 8.3.1.2-435

- saturated-zone flow models within accessible environment activity (continued)
 - methods and technical procedures, 8.3.1.2-435--436
 - objectives, 8.3.1.2-435
 - parameters, 8.3.1.2-435
- saturated-zone foreshortened flow paths (disturbed case scenario D-1), 8.3.5.13-88
 - expected partial performance measures (EPPM), 8.3.5.13-104*--105*
 - initiating events or processes, 8.3.5.13-88
 - performance parameters and EPPM, 8.3.5.13-104*--105*
- saturated-zone ground-water flow system (site) study, 8.3.1.2-371--424
 - activities, 8.3.1.2-372--424
 - C-hole site testing with conservative tracers, 8.3.1.2-400--408
 - C-hole site testing with reactive tracers, 8.3.1.2-417--423
 - hydraulic-stress tests analysis, 8.3.1.2-383--393
 - multiple-well interference testing, 8.3.1.2-393--400
 - potentiometric-level evaluation (site), 8.3.1.2-375--382
 - Solitario Canyon fault study--saturated zone, 8.3.1.2-372--375
 - well testing with conservative tracers, 8.3.1.2-408--417
 - well testing with reactive tracers, 8.3.1.2-423--424
 - objectives, 8.3.1.2-371
- saturated-zone hydrochemistry (site) study, 8.3.1.2-424--434
 - activities, 8.3.1.2-425--434
 - hydrochemical characterization (regional), 8.3.1.2-431--433
 - hydrochemical data availability assessment (site), 8.3.1.2-425--426
 - hydrochemistry of upper site saturated-zone water, 8.3.1.2-426--431
 - hydrochemistry synthesis (saturated zone), 8.3.1.2-433--434
- saturated-zone hydrochemistry synthesis, 8.3.1.2-433--434
- saturated-zone hydrogeologic data needs (regional) activity, 8.3.1.2-114--116
- saturated-zone hydrologic properties and conditions parameters provided by geohydrology program, 8.3.1.2-31*--42*
- saturated-zone hydrologic system (site) investigation, 8.3.1.2-364--443
 - activities
 - C-hole site testing with conservative tracers, 8.3.1.2-400--408
 - C-hole site testing with reactive tracers, 8.3.1.2-417--423
 - flow path/flux/velocity calculations, 8.3.1.2-441--443
 - fracture network model development, 8.3.1.2-436--441
 - hydraulic-stress tests analysis, 8.3.1.2-383--393
 - hydrochemical characterization (regional), 8.3.1.2-431-433
 - hydrochemistry data availability assessment (site), 8.3.1.2-425--426
 - hydrochemistry of upper site saturated-zone water, 8.3.1.2-426--431
 - hydrochemistry synthesis (saturated zone), 8.3.1.2-433--434
 - multiple-well interference testing, 8.3.1.2-393--400
 - potentiometric-level evaluation (site), 8.3.1.2-375--382
 - saturated-zone flow models within accessible environment, 8.3.1.2-435--436
 - Solitario Canyon fault study--saturated zone, 8.3.1.2-372--375
 - well testing with conservative tracers, 8.3.1.2-408--417
 - well testing with reactive tracers, 8.3.1.2-423--424
 - application of results, 8.3.1.2-444
 - aquifer properties, 8.3.1.2-369--371
 - boundary conditions, 8.3.1.2-366
 - hydraulic gradients, 8.3.1.2-367--369
 - link to supporting information, 8.3.1.2-364--365
 - parameters, 8.3.1.2-365
 - purpose and objective, 8.3.1.2-366
 - studies, 8.3.1.2-371--443
 - hydrochemistry of site saturated zone, 8.3.1.2-424--434
 - saturated-zone ground-water flow system (site), 8.3.1.2-372--424

- saturated-zone hydrologic system (site)
 - investigation (continued)
 - studies (continued)
 - saturated-zone hydrologic system
 - synthesis and modeling, 8.3.1.2-434--443
 - synthesis and modeling, 8.3.1.2-371
 - technical basis for, 8.3.1.2-364--371
 - technical rationale, 8.3.1.2-366
- saturated-zone hydrologic system conceptual models, current representation and alternative hypotheses, 8.3.1.2-68*-87*
- saturated-zone hydrologic system synthesis and modeling study, 8.3.1.2-434--443
 - activities, 8.3.1.2-435--443
 - flow path/flux/velocity calculations, 8.3.1.2-441--443
 - fracture network model development, 8.3.1.2-436--441
 - saturated zone flow models within accessible environment, 8.3.1.2-435--436
 - objectives, 8.3.1.2-434
- saturated-zone single-well testing, conditional site characterization activity, 8.4.2-36
- saturation
 - and matric potential, 8.4.1-15--20
 - and ventilation effects, 8.4.3-22--23
- saturation magnetization, 8.3.1.4-61, -62
- saturation/matric potential for fractures and rock matrix, 8.4.1-17**
- scanning electron microscope
 - and rock-water interactions, 8.3.4.2-46
 - technical procedures for, 8.3.1.3-48
- scenario-class final screening (Subactivity 1.1.4.1.2), 8.3.5.13-137--138
 - description, 8.3.5.13-138
 - objectives, 8.3.5.13-137
 - parameters, 8.3.5.13-137
- scenario-class model development (Performance Assessment Activity 1.1.3.1), 8.3.5.13-133--135
 - subactivities, 8.3.5.13-133--135
 - basaltic volcanism release model development, 8.3.5.13-134
 - gas-phase release model development, 8.3.5.13-134
 - human intrusion release model development, 8.3.5.13-135
 - water pathway release model development, 8.3.5.13-133
- scenario-class model (final) development (Subactivity 1.1.4.2.2), 8.3.5.13-139
 - description, 8.3.5.13-139
 - objectives, 8.3.5.13-139
 - parameters, 8.3.5.13-139
- scenario-class model (preliminary) development (Subactivity 1.1.4.2.1), 8.3.5.13-138
 - description, 8.3.5.13-138
 - objectives, 8.3.5.13-138
 - parameters, 8.3.5.13-138
- scenario-class preliminary screening (Subactivity 1.1.4.1.1), 8.3.5.13-137
 - description, 8.3.5.13-137
 - objectives, 8.3.5.13-137
 - parameters, 8.3.5.13-137
- scenario-class vs. relative consequence screening (Performance Assessment Activity 1.1.4.1), 8.3.5.13-137--138
 - subactivities, 8.3.5.13-137--138
 - scenario-class final screening, 8.3.5.13-137--138
 - scenario-class preliminary screening, 8.3.5.13-137
- scenario classes (Ross study)
 - barrier impact on, 8.3.5.13-55*
 - defined, 8.3.5.13-44--45
 - disruptive, 8.3.5.13-49*-50**
 - for site characterization program, 8.3.5.13-46--56
 - see also release scenario classes and Ross study
- scenario classes for significant processes and events (Performance Assessment Activity 1.1.4.2), 8.3.5.13-138--139
 - subactivities, 8.3.5.13-138--139
 - scenario-class model (final) development, 8.3.5.13-139
 - scenario-class model (preliminary) development, 8.3.5.13-138
- scenario development
 - and performance issue resolution, 8.3.5.8-4, -5**, -6
- scenarios and models, see EBS scenarios and models (Information Need 1.5.3) and waste package scenarios and models (Information Need 1.4.3)
- schedule
 - accidental radiological releases (Issue 2.3), 8.3.5.5-29--35
 - climate program, 8.3.1.5-123--127

PART B INDEX (Chapter 8)

schedule (continued)

configuration of underground facilities
(postclosure) (Issue 1.11),
8.3.2.2-78--96
containment by waste package (Issue 1.4),
8.3.5.9-114--119
engineered barrier system release rates
(Issue 1.5), 8.3.5.10-82--93
erosion program, 8.3.1.6-28--31
geochemistry program, 8.3.1.3-138--158
geohydrology program, 8.3.2.4-445--459
ground-water protection (Issue 1.3),
8.3.5.15-10--13
ground-water travel time (Issue 1.11),
8.3.5.12-63--69
human interference program, 8.3.1.9-51--55
individual protection (Issue 1.2),
8.3.5.14-13--15
meteorology program, 8.3.1.12-28--31
nonradiological health and safety
(Issue 4.2), 8.3.2.4-31--33
offsite installations program,
8.3.1.13-11--15
postclosure tectonics program,
8.3.1.8-131--141
preclosure design and technical feasibility
(Issue 4.4), 8.3.2.5-97--108
preclosure hydrology program,
8.3.1.16-28--31
preclosure tectonics program,
8.3.1.17-207--226
public radiological exposures-normal
conditions (Issue 2.1), 8.3.5.3-25--29
repository design criteria for radiological
safety (Issue 2.7),
8.3.2.3-45--48
rock characteristics program,
8.3.1.4-103--108
seal characteristics (Issue 1.12),
8.3.3.2-70--74
surface characteristics program,
8.3.1.14-64--69
thermal and mechanical properties program,
8.3.1.15-84--96
total system performance (Issue 1.1),
8.3.5.13-142--148
waste package characteristics (post-
closure) (Issue 1.10), 8.3.4.2-65--74
waste package characteristics (pre-
closure) (Issue 2.6), 8.3.4.3-9--12
waste package production technologies
(Issue 4.3), 8.3.4.4-6--9

schedule (continued)

waste retrievability (Issue 2.4),
8.3.5.2-50--52
worker radiological safety-normal con-
ditions (Issue 2.2), 8.3.5.4-25--29
schedule, construction
and DOE Order 4700.1, 8.3.2.1-7
and license application design, 8.3.2.1-7
schedule, overall summary
site characterization program, 8.5-110,
-111**
schedule events, major, and completion dates
accidental radiological releases, 8.5-62,
-63**, -64
climate program, 8.5-13, -14**, -15
configuration of underground facilities,
8.5-81**--83**, -84--86
containment by waste package, 8.5-65,
-66**, -67
engineered barrier system release rates,
8.5-68, -69**, -70
erosion program, 8.5-15, -16**, -17
geochemistry program, 8.5-5, -6**--7**,
-8--11
geohydrology program, 8.5-3, -4**, -5
ground-water protection, 8.5-78, -79**
ground-water travel time, 8.5-71, -72**,
-73
human interference program, 8.5-20**, -21
individual protection, 8.5-76, -77**, -78
meteorology program, 8.5-22, -23**
nonradiological health and safety, 8.5-88,
-89**, -90
offsite installations and operations
program, 8.5-24, -25**
postclosure tectonics program, 8.5-17,
-18**, -19
preclosure design and technical
feasibility, 8.5-90, -91**--93**,
-94--95
preclosure hydrology program, 8.5-30,
-31**
preclosure tectonics, 8.5-32, -33**, -34
public radiological exposures--normal
conditions, 8.5-58, -59**
repository design criteria for
radiological safety, 8.5-87**, -88
rock characteristics program, 8.5-11,
-12**, -13
seal characteristics, 8.5-95, -96**,
-97--98

PART B INDEX (Chapter 8)

schedule events, major, and completion dates (continued)

site characterization program,
8.5-112--116
summary schedule, 8.5-11, -12**, -13
surface-based drilling and testing,
8.5-39, -40**--42**, -43*--47*
surface characteristics program, 8.5-26,
-27**
thermal and mechanical rock properties
program, 8.5-28, -29**
total system performance, 8.5-74**,
-75--76
waste package characteristics
(postclosure), 8.5-99**, -100--101
waste package characteristics
(preclosure), 8.5-101, -102**, -103
waste package production technologies,
8.5-103, -104**, -105
waste retrievability, 8.5-56, -57**
worker radiological safety-normal
conditions, 8.5-60, -61**
schedule summaries
accidental radiological releases, 8.5-62,
-63*
climate program, 8.5-13, -14**
configuration of underground facilities,
8.5-80, -81**--83**, -84
containment by waste package, 8.5-65,
-66**
engineered barrier system release rates,
8.5-68, -69**
erosion program, 8.5-15, -16**
exploratory shaft, 8.5-34, -35**
geochemistry program, 8.5-5, -6***-7**
geohydrology program, 8.5-3, -4**
ground-water protection, 8.5-78, -79**
ground-water travel time, 8.5-71, -72**
human interference program, 8.5-19, -20**
individual protection, 8.5-76, -77**
meteorology program, 8.5-22, -23**
nonradiological health and safety, 8.5-88,
-89**
offsite installations and operations
program, 8.5-24, -25**
postclosure tectonics program, 8.5-17,
-18**
preclosure design and technical
feasibility, 8.5-90, -91**--93**
preclosure hydrology program, 8.5-30,
-31**
preclosure tectonics, 8.5-32, -33**

schedule summaries (continued)

public radiological exposures-normal
conditions, 8.5-58, -59**
repository design criteria for
radiological safety, 8.5-86, -87**
rock characteristics program, 8.5-11,
-12**
seal characteristics, 8.5-95, -96**
site characterization program, 8.5-1--118
surface-based drilling and testing,
8.5-39, -40***-42**
surface characteristics program, 8.5-26,
-27**
thermal and mechanical rock properties
program, 8.5-28, -29**
total system performance, 8.5-73, -74**
waste package characteristics
(postclosure), 8.5-98, -99**, -100
waste package characteristics
(preclosure), 8.5-101, -102**
waste package production technologies,
8.5-103, -104**
waste retrievability, 8.5-56, -57**
worker radiological safety-normal
conditions, 8.5-60, -61**
scoria cone dating, 8.3.1.8-113
scoria sequences
and Crater Flat area, 8.3.1.8-116, -119
geochemistry of, 8.3.1.8-116, -119--120
and Lathrop Wells volcanic center,
8.3.1.8-117, -119
scour chains, 8.3.1.2-105
SCOV, 8.3.1.3-62
screening, ESF, 8.4.2-154--156
seal characteristics (Issue 1.12),
8.3.3.2-1--74
approach, 8.3.3.2-3--31
and configuration of underground
facilities (Issue 1.11), 8.3.3.2-6
design-basis performance goals,
8.3.3.2-27, -28*
design constraints, 8.3.3.2-29--30
erosion program parameter calls,
8.3.1.6-1, -3*, -5**
geochemistry program parameter calls,
8.3.1.3-2**, -3, -9*, -11**
geohydrology program parameter calls,
8.3.1.2-5**, -10**, -17*, 19**,
-21*--23*, -25*--30*, -42*--47*, -363
hydrologic-related site parameters,
8.3.3.2-16*, -18*, 32--35

PART B INDEX (Chapter 8)

- seal characteristics (Issue 1.12) (continued)
 - information needs, 8.3.3.2-32--69
 - information needed for seal design and placement (1.12.1), 8.3.3.2-32--36
 - placement methods (1.12.3), 8.3.3.2-62--64
 - reference seal designs (1.12.4), 8.3.3.2-64--69
 - seal materials (1.12.2), 8.3.3.2-36--62
 - see specific information need for study and activity listings
 - interrelationships, 8.3.3.2-31
 - issue resolution strategy, 8.3.3.2-1--74
 - logic diagram, 8.3.3.2-4**--5**
 - major events and completion dates, 8.3.3.2-72**--74*; 8.5-95, -96**, -97--98
 - nonhydrogeologic site parameters, 8.3.3.2-19**--22*, -32--35
 - and other design and performance assessment issues, 8.3.2.1-2**;
8.3.4.1-2**
 - performance allocation 8.3.3.2-3, -4**--5**, -6--31
 - and postclosure performance assessment strategy, 8.3.5.8-3*
 - preclosure hydrology program parameter calls, 8.3.1.16-1, -4*, -5**
 - preclosure tectonics program parameter calls, 8.3.1.17-1, -2**, -15*, -22*
 - regulatory basis for, 8.3.3.2-1--3
 - schedule, 8.3.3.2-70--74; 8.5-95, -96**
 - thermal and mechanical rock properties program parameter calls, 8.3.1.15-1, -3**--4*, -6*, -9*, -11**--12*, -15**
- seal design approach steps, 8.3.5.11-1
- seal material properties development (Study 1.12.2.1), 8.3.3.2-39--40
 - activities, 8.3.3.2-39--40
 - hydraulic conductivity and consolidation of crushed tuff, 8.3.3.2-40
 - cementitious and earthen material properties, 8.3.3.2-39
- seal materials (Information Need 1.12.2), 8.3.3.2-62
 - activities, 8.3.3.2-39--40
 - cementitious and earthen material properties, 8.3.3.2-39
 - hydraulic conductivity and consolidation of crushed tuff, 8.3.3.2-40
- seal materials (Information Need 1.12.2) (continued)
 - application of results, 8.3.3.2-62
 - design activity
 - degradation model for cementitious materials, 8.3.3.2-40
 - link to supporting information, 8.3.3.2-36--37
 - logic, 8.3.3.2-37, -39
 - parameters, 8.3.3.2-37, -38*
 - studies, 8.3.3.2-39--62
 - in situ testing of seal components, 8.3.3.2-41--62
 - seal material properties development, 8.3.3.2-39--40
 - technical basis for, 8.3.3.2-36--39
- seal performance
 - Calico Hills tuff, 8.3.5.11-5
- seal program
 - activities of, 8.3.3.1-3--4
 - functional requirements, 8.3.3.2-24--26
 - objective, 8.3.3.1-1
 - options, 8.3.3.1-6
 - overview, 8.3.3.1-1--6
 - performance goal logic, 8.3.5.11-3**
 - performance measures and goals, 8.3.3.2-26--28
 - and radionuclide releases, 8.3.3.2-24--25
 - sequencing of testing, 8.3.3.1-1, 2**
 - strategy, 8.3.5.11-4
- seal system
 - components, 8.3.5.11-1
 - performance assessment
 - approach, 8.3.5.11-2**
 - plans, 8.3.5.11-1--5
 - subtasks, 8.3.5.11-4--5
- seal use, design consideration, 8.4.3-35
- sealing concepts, exploratory shafts, 8.4.3-67**
- sealing drillholes
 - and decommissioning for surface-based activities, 8.7-5
- sealing options
 - preferred, 8.3.3.2-47, -48**--51*
 - secondary, 8.3.3.2-47, -52**--56*
- seals
 - characteristics
 - and performance goals, 8.3.3.2-23**, -26--28, -28*

PART B INDEX (Chapter 8)

seals (continued)

components, 8.3.3.2-7, -8**, -9*--12*,
-24
and boreholes, 8.3.3.1-5
exploratory boreholes, 8.3.3.2-7,
-8**, -11*--12*, -24
and functions and processes,
8.3.3.2-9*--12*
identification of, 8.3.3.2-7--24
information required, 8.3.3.2-42,
-46*, -47, -48*--56*, 57
in situ testing, 8.3.3.2-41--62
long-term capability, 8.3.3.1-5
material properties, 8.3.3.2-9*--12*,
-37, -38*
performance goals, 8.3.3.2-9*--12*
performance measures, 8.3.3.2-9*--12*
possible in situ tests, 8.3.3.2-61--62
properties
information required, 8.3.3.2-41--61
and shaft, 8.3.3.1-5
shafts and ramps, 8.3.3.2-7, -8**, -9*
and site, 8.3.3.1-4--6
site properties, information required,
8.3.3.2-42, -43*--45*, -45
state-of-art consideration, 8.3.3.2
-57--61
summary, 8.3.3.1-4--7
underground facility, 8.3.3.2-7, -8**,
-10*--11*
design constraints
for configuration of underground
facilities (Issue 1.11),
8.3.3.2-13*--15*
designs
advanced conceptual design,
8.3.3.1-2**, -3, -8
and license application design,
8.3.3.1-1, -2*, -3, -4, -8
and site characterization plan-
conceptual design report,
8.3.3.1-2**, -8
summary, 8.3.3.1-8
emplacement
material effects, 8.3.3.2-63
technology, 8.3.2.5-96--97
environment
design information needed summary,
8.3.3.1-4
and discrete fault, 8.3.3.1-5
and fracture zone, 8.3.3.1-5
summary, 8.3.3.1-4

seals (continued)

environment (continued)
and Topopah Spring Member,
8.3.3.1-4
and horizontal emplacement, 8.3.3.2-35
and hydrologic performance goals,
8.3.3.2-23**, -27, -28*
locations, 8.3.3.2-8**
material properties, 8.3.3.2-37, -38*
material tests, 8.3.5.11-4--5
materials, 8.3.3.1-6--7
modeling, 8.3.3.1-8--9
post-license application tests, 8.3.3.1-3
potential flow conditions, 8.3.3.2-23**,
-27
pre-license application tests, 8.3.3.1-3
subsystem, 8.3.3.2-8**
and Topopah Spring Member, 8.3.3.2-7,
-24
and vertical emplacement, 8.3.3.2-35
use of, design consideration, 8.4.3-67**
and waste emplacement mode, 8.3.3.2-35
sediment component of runoff determinations,
technical procedures for, 8.3.1.2-114
sedimentology, marsh, lacustrine, and playa
deposits, 8.3.1.5-47--49
sediments, eolian, 8.3.1.5-72--26
sediments (bulk) element analyses, 8.3.1.5-50
seismic, tectonic, volcanic hazards data
synthesis activity, 8.3.1.9-19
seismic activity, and marker system,
8.3.1.9-15, -16, -18, -19
seismic analyses
repository modeling, 8.3.2.1-24
of underground repository facilities,
summary, 8.3.2.5-75
seismic and geologic data integration,
technical procedures for, 8.3.1.17-84
seismic code validation
for underground facility analysis,
8.3.2.5-83
seismic data for volcanic activity
evaluation, 8.3.1.8-52
seismic design basis, 8.3.1.17-65--69
seismic event caused ground motion, study,
8.3.1.17-80--82 (see also ground motion from
seismic event study)
seismic fracture studies, 8.3.1.2-161
seismic hazards analyses study,
8.3.1.17-82--85
activities, 8.3.1.17-82--85

- seismic hazards analyses study (continued)
 - activities (continued)
 - earthquake source evaluation, 8.3.1.17-82--84
 - ground motion probabilities evaluation, 8.3.1.17-84--85
- seismic investigation summary, preclosure and postclosure tectonics, 8.3.1.17-107*, -111*
- seismic reflection surveys
 - Beatty scarp, 8.3.1.17-122, -176--178
 - plans and technical procedures for, 8.3.1.17-115, -117, -119
 - Yucca Mountain, 8.3.1.4-54**
- seismic refraction surveys, 8.3.1.17-115, -116**, -117, -119*
 - location map (traverses), 8.3.1.17-116**
 - profile area, 8.3.1.4-52, -53**
 - technical procedures for, 8.3.1.4-56--57; 8.3.1.17-119
 - Yucca Wash, 8.3.1.4-53**
- seismic shotholes, and potential surface disturbance, 8.4.2-48*, -61
- seismic tomography/vertical seismic profiling
 - constraints and zones of influence, 8.4.2-108--109
 - purpose and operations, 8.4.2-108
- seismic tomography/vertical seismic profiling activity, 8.3.1.4-79--80
 - description, 8.3.1.4-79--80
 - methods and technical procedures, 8.3.1.4-80
 - objectives, 8.3.1.4-79
 - parameters, 8.3.1.4-79
- seismic zoning, technical procedure for, 8.3.1.7-84
- seismicity
 - from coal mining, 8.3.1.17-93
 - and geophysical activities, 8.3.1.4-42*, -46*--47*
 - and Lake Mead (induced), 8.3.1.17-92
- seismicity (induced) evaluation activity, 8.3.1.17-91--93
 - description, 8.3.1.17-92--93
 - objectives, 8.3.1.17-91
 - parameters, 8.3.1.17-91--92
- seismicity (current) monitoring activity, 8.3.1.17-89--91
 - description, 8.3.1.17-90--91
 - objectives, 8.3.1.17-89
 - parameters, 8.3.1.17-89--90
- seismicity (historical and current) study, 8.3.1.17-87--93 (see also historical and current seismicity study)
- seismogenic source cumulative slip earthquake activity, 8.3.1.17-72--74
 - description, 8.3.1.17-72--74
 - objectives, 8.3.1.17-72
- seismograph network, southern Great Basin, 8.3.1.17-90--91
- sensitivity
 - analyses
 - and fluid modeling, 8.3.5.10-63
 - GWTT, 8.3.5.12-54
 - and preclosure risk assessment methodology (PRAM) program, 8.3.5.5-28
 - radiological risks from accidents, 8.3.5.1-11, -12
 - and release scenarios, 8.3.5.13-115--132
 - retardation, 8.3.1.3-118--127
 - technical procedures for, 8.3.1.2-144, -360
 - and transport models, 8.3.1.3-125--127
 - two-dimensional ground water flow model, 8.3.1.2-115
 - of transport times, 8.3.5.13-74
 - sensitivity analysis rationale, summary for underground facility analyses, 8.3.2.5-83--84
 - sensitivity studies, 8.3.2.2-74
 - emplacement drifts, 8.4.3-29
 - information needed, 8.3.2.2-68*
 - shaft and drift analyses, 8.4.3-29
 - status, 8.3.2.2-71
 - thermal/mechanical analyses, 8.4.3-29
 - sensitivity studies (Design Activity 1.11.6.3), 8.3.2.2-74
 - sensitivity studies, product 1.11.6-3
 - thermal/thermomechanical modeling, 8.3.2.2-38
 - separation, ESF tests and potential emplacement drifts, 8.4.3-34
 - sequences, potentially disruptive, 8.3.5.13-28--42, -51--53 (see also Ross study)
 - sequencing constraints, and ESF tests, 8.4.2-98, -99*--101*
 - sequential drift mining
 - constraints and zones of influence, 8.4.2-114
 - drifts, 8.4.2-116**

PART B INDEX (Chapter 8)

- sequential drift mining (continued)
 - instrumentation drifts, 8.4.2-115**
 - purpose and operations, 8.4.2-114
- sequential drift mining activity,
 - 8.3.1.15-49--52
 - description, 8.3.1.15-50
 - methods and technical procedures,
 - 8.3.1.15-50--52
 - objectives, 8.3.1.15-49--50
 - parameters, 8.3.1.15-50
- sequential drift mining experiments
 - effects of, 8.4.3-32
 - in situ experiment analyses, 8.4.3-31--32
 - stress altered region, 8.4.3-32
 - thermal/mechanical analyses, 8.4.3-31--32
- SETS
 - and preclosure safety assessment,
 - 8.3.5.19-9*, -10*
- SGB, see southern Great Basin
- shaft, analyses of stability of unlined,
 - 8.4.3-26--27
- shaft and drift analyses
 - blast damage to ESF pad, 8.4.3-30--31
 - drift shape and pillar width and
 - stability, 8.4.3-28
 - excavation-induced effects on permeability, 8.4.3-25--26
 - porosity and rock strength, 8.4.3-28--29
 - rock bolts and stresses near emplacement drifts, 8.4.3-29
 - sensitivity study for drift failure,
 - 8.4.3-29
 - stability of panel access drifts,
 - 8.4.3-29--30
 - stability of unlined shaft, 8.4.3-26--27
 - stresses of unventilated drift intersection, 8.4.3-29
 - thermal effects on stability, 8.4.3-27
 - thermal stresses and displacements,
 - 8.4.3-27--28
 - thermal stresses on arched emplacement drifts, 8.4.3-29
- shaft collars
 - ESF, 8.4.2-163, -164**
 - ESF construction, 8.4.2-179--180
- shaft convergence
 - constraints and zones of influence,
 - 8.4.2-109
 - purpose and operations, 8.4.2-109
- shaft convergence activity, 8.3.1.15-46--47
 - description, 8.3.1.15-46
- shaft convergence activity (continued)
 - methods and technical procedures,
 - 8.3.1.15-46--47
 - objectives, 8.3.1.15-46
 - parameters, 8.3.1.15-46
- shaft convergence effects
 - in situ experiment analyses, 8.4.3-31--32
 - thermal/mechanical analyses, 8.4.3-31--32
- shaft convergence experiments
 - effects of, 8.4.3-31
 - stress altered region, 8.4.3-31
- shaft convergence test
 - measurement details, 8.4.2-110**
 - multiple point borehole extensometers,
 - 8.4.2-110**
- shaft liner, removable
 - design configuration, 8.4.3-35
- shaft stations, ESF construction, 8.4.2-181**
- shaft-wall seepage flow measurements,
 - technical procedures for, 8.3.1.2-301--302
- shafts and drifts
 - thermal/mechanical analyses and data,
 - 8.4.3-25--31
- shafts and ramps
 - analytical structural design
 - parameters, 8.3.2.5-69--70
 - empirical structural design
 - parameters, 8.3.2.5-69--70
 - sealing components, 8.3.3.1-5;
 - 8.3.3.2-7, -8**, -9*
- shallow borehole in situ hydrofracture tests,
 - 8.3.1.17-182--183
 - technical procedures for, 8.3.1.17-183
- shallow borings drilled dry
 - potential impacts of geochemical
 - disturbance, 8.4.3-39--40
 - potential impacts of hydrologic
 - disturbance, 8.4.3-39
 - potential impacts of thermal/
 - mechanical disturbance, 8.4.3-40
- shallow seismic reflection method evaluation
 - activity, 8.3.1.17-177--178
 - description, 8.3.1.17-178
 - methods and technical procedures,
 - 8.3.1.17-178
 - objectives, 8.3.1.17-177
 - parameters, 8.3.1.17-177
- shallow seismic reflection surveys,
 - 8.3.1.17-122
- shallow surface seismic surveys, technical
 - procedures for, 8.3.1.2-164

PART B INDEX (Chapter 8)

shallow trench excavation at key sites,
 technical procedures for, 8.3.1.5-71
 Sheep Mountains, detachment fault comparison,
 8.3.1.17-150
 shielding
 host rock, 8.3.2.3-1, -41
 significant processes and events
 and complementary cumulative distribution
 functions (CCDFs), 8.3.5.13-3--4
 DOE interpretation, 8.3.5.13-2
 treatment of, 8.3.5.13-8--24
 significant source of ground water
 40 CFR Part 191 definition, 8.3.5.14-1
 silica geothermometry, 8.3.1.8-128
 technical procedures for, 8.3.1.8-129
 silicic volcanism, and Great Basin,
 8.3.1.17-52
 sills, 8.3.1.8-83, -125
 silt accumulation, exploratory shaft sump,
 8.4.3-10--11
 single-phase fluid system properties
 (Activity 1.10.4.2.1), 8.3.4.2-52--54
 description, 8.3.4.2-52
 methods and technical procedures,
 8.3.4.2-53--54
 objectives, 8.3.4.2-52
 parameters, 8.3.4.2-52
 single-phase permeability laboratory tests,
 8.3.1.2-246--247
 single-well tests (site), 8.3.1.2-383--392,
 -400, -409
 hydraulic stress activity,
 8.3.1.2-383--393
 technical procedures for, 8.3.1.2-412--414
 sinking deck, ESF construction, 8.4.2-182**
 site ambient stress condition characteriza-
 tion study, 8.3.1.15-78--82
 site and design information needed (GWTT)
 (Information Need 1.6.1), 8.3.5.12-25--40
 application of results, 8.3.5.12-40
 link to supporting information,
 8.3.5.12-27
 logic, 8.3.5.12-27, -34--39
 parameters, 8.3.5.12-27--33*
 technical basis for, 8.3.5.12-27--40
 site and design information needed (preclosure
 radiological safety) (Information Need
 2.1.1), 8.3.5.3-20--25
 interrelationships of information need,
 8.3.5.3-19
 link to supporting information, 8.3.5.3-20
 logic, 8.3.5.3-23

site and design information needed (preclosure
 radiological safety) (Information Need
 2.1.1) (continued)
 parameters, 8.3.5.3-20
 performance assessment activities,
 8.3.5.3-23--25
 advanced conceptual design assessment
 of public radiological safety--
 normal operations, 8.3.5.3-24--25
 performance assessment activity
 development through preclosure risk
 assessment methodology (PRAM)
 program, 8.3.5.3-24
 public radiological safety site
 data parameter refinement,
 8.3.5.3-23--24
 technical basis for, 8.3.5.3-20--23
 site and design information needed (retrieval)
 (Information Need 2.4.1), 8.3.5.2-23--30
 application of results, 8.3.5.2-24
 design and performance goals,
 8.3.5.2-27*--28*
 link to supporting information,
 8.3.5.2-23--24
 parameters, 8.3.5.2-24, -25*--30*
 technical basis for, 8.3.5.2-23--24
 site and performance information needed for
 design (nonradiological health and safety)
 (Information Need 4.2.1), 8.3.2.4-23--32
 application of results, 8.3.2.4-30
 design activities, 8.3.2.4-27--30
 access and drift usability,
 8.3.2.4-27--30
 air quality and ventilation,
 8.3.2.4-30
 link to supporting information, 8.3.2.4-24
 logic, 8.3.2.4-26--27
 parameters, 8.3.2.4-24--26
 technical basis, 8.3.2.4-23--27
 site and performance information needed for
 design (preclosure design and technical
 feasibility) (Information Need 4.4.1),
 8.3.2.5-35--38
 application of results, 8.3.2.5-38
 link to supporting information, 8.3.2.5-36
 logic, 8.3.2.5-36--38
 objectives, 8.3.2.5-35--36
 parameters, 8.3.2.5-36
 technical basis for, 8.3.2.5-36--38
 site area, preliminary
 definition, 8.3.1.4-29, -30**

PART B INDEX (Chapter 8)

- site area, preliminary (continued)
 - and geologic investigations, 8.3.1.4-29--32
- site area structural features study, 8.3.1.4-65--80 (see also structural features within the site area study)
- Site Atlas, and planned activities, 8.4.2-39
- site characteristics for underground facility design (Information Need 1.11.1), 8.3.2.2-23--40
 - application of results, 8.3.2.2-40
 - data requirements list, 8.3.2.2-23
 - design activities, 8.3.2.2-39--40
 - adequacy of existing site data, 8.3.2.2-39
 - information required to resolve issue, 8.3.2.2-39
 - reference properties for reference information base, 8.3.2.2-40
 - three-dimensional thermal/mechanical stratigraphy, 8.3.2.2-40
 - interrelationships, 8.3.2.2-20--23, -22**
 - introduction, 8.3.2.2-23
 - link to supporting information, 8.3.2.2-24
 - logic, 8.3.2.2-24, -37--39
 - parameters, 8.3.2.2-24
 - products, 8.3.2.2-23, -37--39
 - technical basis for, 8.3.2.2-24--39
- site characterization
 - and decontamination and decommissioning, 8.7-2
 - Department of Energy approach, 8.4.1-1--3
 - issue-based approach, 8.1-1--5
 - phased approach, 8.4.1-1--3
 - phenomenological focus, 8.3.1.1-7--8
 - study plans, 8.2-66, -67**
 - and 10 CFR 60, 8.4.1-3--12
- site characterization activities
 - and data needs, 8.4.2-18--21
 - description and location, 8.4.2-1--221
 - effects on waste package containment design criteria, 8.4.3-75--79
 - impacts on engineered barrier system, 8.4.3-81--85
 - impacts on ground-water travel time, 8.4.3-85--88
 - impacts on total system performance, 8.4.3-50--72
 - impacts on waste package containment, 8.4.3-73--81
 - and postclosure performance objectives, 8.4.3-1--8
- site characterization activities (continued)
 - potential impacts, 8.4-1--2; 8.4.1-1--21; 8.4.2-1--221; 8.4.3-1--88
 - potential impacts on postclosure performance, 8.4.3-50--88
 - quality activities, 8.6-21--22
 - rationale for, 8.4.2-1--36
 - and regulations, 8.4.3-1--3
 - representativeness of, 8.4.2-21--32
 - and unsaturated zone, 8.4.3-5
 - water introduced to unsaturated zone, 8.4.3-17--19
- site characterization activities, conditional Calico Hills characterization, 8.4.2-32--35
 - in situ stress, 8.4.2-36
 - perched water, 8.4.2-36
 - saturated-zone single-well testing, 8.4.2-36
 - systematic drilling program, 8.4.2-36
- site characterization activities, planned map, 8.4.2-41**
 - summary, 8.4-1--2; 8.4.1-1--21; 8.4.2-1--221; 8.4.3-1--88
- site characterization effects, potential
 - on current conditions, 8.4.3-36--50
 - and design features, 8.4.3-34--35
 - geochemical analyses and data, 8.4.3-23--25
 - hydrologic analyses and data, 8.4.3-8--23
 - on postclosure performance, 8.4.3-50--88
 - thermal/mechanical analyses and data, 8.4.3-25--33
- site characterization impacts, potential
 - approach to assessing, 8.4.3-5--8
 - geochemical analyses and data, 8.4.3-23--25
 - hydrologic analyses and data, 8.4.3-8--23
 - net infiltration, 8.4.3-9
 - summary technical analyses and data, 8.4.3-54--56
 - supporting technical analyses and data, 8.4.3-8--50
 - surface ponding, 8.4.3-9--10
 - water accumulation in exploratory shaft, 8.4.3-10--11
 - water infiltration from surface, 8.4.3-8--11
- site characterization plan
 - conceptual design, 8.3.1.4-30**
 - and issues hierarchy, 8.1-4--5

PART B INDEX (Chapter 8)

- site characterization plan (continued)
 - Part B content and organization, 8.0-2--5, 8.3-1, -2*
 - and quality assurance, 8.3.1.1-8
- site characterization plan-conceptual design report
 - reference preclosure repository design, 8.3.2.5-52
 - and seal design, 8.3.3.1-8
- site characterization program
 - major events and completion dates, 8.5-112--116
 - organization, 8.2-62*
 - overall summary schedule, 8.5-110, -111**
 - and performance assessment and design data, 8.2-67**
 - priorities, 8.0-9--10
 - purposes, 8.0-2
 - rationale, 8.1-1--17
 - and regulatory documents, 8.2-67**
 - scenario classes, 8.3.5.13-46--56
 - and technical review, 8.3.1.1-8
- site characterization testing, general description, 8.4.2-40
- site data, methods for obtaining, 8.4.2-15--18
- site data use
 - performance assessment and design, 8.2-67**
 - regulatory document preparation, 8.2-67**
- site flood and debris hazards activity, 8.3.1.16-10--14
- site geology effects on ground motion, study, 8.3.1.17-77--79
 - activities, 8.3.1.17-78--79
 - ground motion site effects from recordings, 8.3.1.17-78--79
 - ground motion site effects using wave properties, 8.3.1.17-79
 - objectives, 8.3.1.17-77
- site hydrochemical data availability
 - activity, 8.3.1.2-425--426
 - description, 8.3.1.2-425
 - objectives, 8.3.1.2-425
 - parameters, 8.3.1.2-425
- site information
 - acquisition of, 8.3.1.1-1--8
 - and design, 8.3.1.1-3
 - confidence in acquiring, 8.3.1.1-1--8
 - sources of, 8.3.1.1-4
 - uncertainties in, 8.3.1.1-4
- site information needed for calculations (Information Need 1.1.1), 8.3.5.13-124
 - application of results, 8.3.5.13-124
 - link to supporting information, 8.3.5.13-124
 - logic diagrams, 8.3.5.13-117**--123**
 - parameters, 8.3.5.13-124
 - performance assessment activities, 8.3.5.13-124
 - technical basis for, 8.3.5.13-124
- site meteorological monitoring program
 - activity, 8.3.1.12-16--22
 - description, 8.3.1.12-16--22
 - methods and technical procedures, 8.3.1.12-21--22
 - objectives, 8.3.1.12-16
 - parameters, 8.3.1.12-16--17
- site meteorology investigation, 8.3.1.12-1, -3, -4**, -15--25 (see also meteorology investigation (site))
- site ownership and control qualifying condition, 8.3.5.18-21
 - and controlled area, 8.3.5.18-21
 - and postclosure performance issues, 8.3.5.18-7--8
 - preliminary finding, 8.3.5.18-4*
 - and qualifying condition, 8.3.5.6-6*, -11
 - statement of, 8.3.5.18-21
 - and 10 CFR 960.4-2-8-2(a), 8.3.5.18-21
- site ownership and control technical guideline and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-11
- site ownership program, see land ownership and mineral rights program
- site pad, ESF construction, 8.4.2-179
- site performance
 - deterministic evaluations, 8.3.1.1-8
 - and probabilistic evaluations, 8.3.1.1-8
- site potentiometric level evaluation activity, 8.3.1.2-375--382
- site program
 - and alternative conceptual models, 8.3.1.1-6--7
 - hypothesis testing, 8.3.1.1-6--7
 - milestone descriptions, 8.5-113--115
 - milestones, 8.5-111**
 - organization of investigations, 8.3.1.1-9
 - overview, 8.3.1.1-1--9
 - performance allocation, 8.3.1.1-5--6
 - structure, 8.3.1-1
 - summary schedules, 8.5-1--34

PART B INDEX (Chapter 8)

site program (continued)
 testing strategy, 8.3.1.1-1, -2**, -5
 and uncertainties, 8.3.1.1-1--7

site properties
 and seals, 8.3.3.2-42, -43*--45*

site reconnaissance activity, 8.3.1.14-33--40
 description, 8.3.1.14-36
 methods and technical procedures,
 8.3.1.14-36, -40
 objectives, 8.3.1.14-33
 parameters, 8.3.1.14-33, -36

site-related technical concern correlations,
 8.2-18*--49*

site saturated-zone ground-water flow system
 study, see saturated-zone ground-water flow
 system (site) study

site saturated-zone hydrochemistry charac-
 terization study, see saturated-zone
 hydrochemistry (site) study

site-specific subsurface information
 acquisition study, 8.3.1.4-87--100
 activity
 systematic drilling program,
 8.3.1.4-87--100

site unsaturated zone, see unsaturated-zone
entries

site vertical borehole studies, see vertical
 borehole (site) studies

Skull Mountain
 and Cane Spring fault system, 8.3.1.17-142
 paleomagnetic sampling, 8.3.1.17-123
 and precipitation and streamflow station,
 8.3.1.2-100*
 stratigraphy, 8.3.1.4-35

slip rates, 8.3.1.8-94, -96
 and mineral changes, 8.3.1.8-103
 Quaternary, 8.3.1.8-84

slot cutting, technical procedures for,
 8.3.1.15-58, -60, -69

small-diameter heater experiment
 in situ experiment analyses, 8.4.3-32--33
 thermal/mechanical analyses, 8.4.3-32--33

small-plot rainfall simulation studies,
 8.3.1.2-173, -175
 and artificial infiltration, 8.3.1.2-175
 and natural infiltration, 8.3.1.2-169
 site distribution, 8.3.1.2-169
 technical procedures for, 8.3.1.2-177--178

smectite, zeolite, manganese minerals, glass
 dehydration and transformation activity,
 8.3.1.3-52--54
 description, 8.3.1.3-52--53

smectite, zeolite, manganese minerals, glass
 dehydration and transformation activity
 (continued)
 methods and technical procedures,
 8.3.1.3-53
 objectives, 8.3.1.3-52
 parameters, 8.3.1.3-52

SNLS1E, 8.3.1.3-62

snow pillow data, 8.3.1.2-126--127

socioeconomic data sources--water use,
 8.3.1.9-44

socioeconomic planning process
 and population data, 8.3.1.10-1

software
 quality assurance, technical procedures
 for, 8.3.1.2-181, -322, -420
 technical procedures, 8.3.1.8-110, -114,
 -117, -120, -122

soil and rock properties investigation,
 8.3.1.14-27--64
 activities
 detailed exploration, 8.3.1.14-43--44
 geophysical field measurements,
 8.3.1.14-59--63
 mechanical and dynamic laboratory
 property tests, 8.3.1.14-48--53
 mechanical property field tests,
 8.3.1.14-57--59
 physical property and index laboratory
 tests, 8.3.1.14-45--48
 physical property field tests and
 characterization measurements,
 8.3.1.14-54--56
 preliminary exploration,
 8.3.1.14-40--43
 site reconnaissance, 8.3.1.14-33--40
 application of results, 8.3.1.14-63--64
 link to supporting information,
 8.3.1.14-27
 logic diagram, 8.3.1.14-17**
 parameters, 8.3.1.14-27--28
 and preclosure design and technical
 feasibility (Issue 4.4), 8.3.1.14-29,
 -30
 purpose and objectives, 8.3.1.14-28--29
 studies, 8.3.1.14-31--63
 exploration program, 8.3.1.14-31--44
 field tests and characterization
 measurements, 8.3.1.14-53--63
 laboratory tests and material property
 measurements, 8.3.1.14-45--53
 technical basis for, 8.3.1.14-27--31

- soil and rock properties investigation (continued)
 - technical rationale, 8.3.1.14-29--31
- soil and rock strata, three-dimensional models, 8.3.1.14-60
- soil moisture, technical procedures, 8.3.1.2-132
- soil parameters, 8.3.1.14-45
- soil properties, preliminary evaluations, 8.3.1.14-41
- soil properties (modeling) activity, 8.3.1.5-61--65
 - description, 8.3.1.5-62--63
 - methods and technical procedures, 8.3.1.5-64--65
 - objectives, 8.3.1.5-61
 - parameters, 8.3.1.5-61--62
- soil technical procedures
 - available water-holding capacity, 8.3.1.5-64
 - chemical properties, 8.3.1.5-64
 - classification, 8.3.1.14-42, -43
 - dating, 8.3.1.5-65
 - density, 8.3.1.14-47, -48, -56
 - development rates, 8.3.1.5-64
 - gradation, 8.3.1.14-47
 - lysimeter studies (leachates), 8.3.1.5-64
 - pCO₂ field measurements, 8.3.1.5-64
 - properties, 8.3.1.5-64
 - sample preparation, 8.3.1.14-46
 - specific gravity, 8.3.1.14-47
 - trenching, sampling, description, 8.3.1.5-64
 - water samples, 8.3.1.5-64, -71
- solid sample handling, technical procedures for, 8.3.1.2-420
- solid solution description of clinoptilolite, heulandite and analcime activity, 8.3.1.3-63--64
 - description, 8.3.1.3-63--64
 - methods and technical procedures, 8.3.1.3-64
 - objectives, 8.3.1.3-63
 - parameters, 8.3.1.3-63
- Solitario Canyon
 - and faulting study area boundary, 8.3.1.17-154
 - gaseous-phase test location, 8.3.1.2-325*
 - horizontal borehole study, 8.3.1.2-221--232; 8.4.2-76
 - hydrogeologic section, 8.3.5.12-4**
- Solitario Canyon (continued)
 - and Quaternary fault study area, 8.3.1.17-103, -104**
- Solitario Canyon fault, 8.3.1.8-69; 8.3.1.17-28, -29*, -34
 - and gaseous-phase test holes, 8.3.1.2-329
 - as ground-water flow barrier, 8.3.1.2-373
 - and neutron logging, 8.3.1.2-372
 - and Quaternary movement, 8.3.1.17-154
 - and relevel network, 8.3.1.17-195
 - and repository boundary condition, 8.3.1.2-366--367
 - and water-table drillholes, 8.3.1.2-376
- Solitario Canyon fault study (saturated zone) activity, 8.3.1.2-372--375
 - description, 8.3.1.2-372--373
 - methods and procedures, 8.3.1.2-373, -375
 - objectives, 8.3.1.2-372
 - parameters, 8.3.1.2-372
 - proposed drillholes, 8.3.1.2-374
- Solitario Canyon fault zone
 - and perimeter drift, 8.3.1.4-29
 - Quaternary offset, plans and technical procedures, 8.3.1.17-161, -166--167
- Solitario Canyon horizontal borehole studies activity, 8.3.1.2-221--232
 - description, 8.3.1.2-222--223
 - methods and technical procedures, 8.3.1.2-224--232
 - objectives, 8.3.1.2-221--222
 - parameters, 8.3.1.2-222
- solubility measurements
 - and concentration limits, 8.3.1.3-89
- solubility measurements activity, 8.3.1.3-88--91
 - description, 8.3.1.3-89--90
 - methods and technical procedures, 8.3.1.3-90--91
 - objectives, 8.3.1.3-88
 - parameters, 8.3.1.3-88--89
 - test conditions, 8.3.1.3-89*
- solubility modeling
 - and EQ3/6, 8.3.1.3-92
 - and waste elements, 8.3.1.3-88
- solubility modeling activity, 8.3.1.3-92
 - description, 8.3.1.3-92
 - methods and technical procedures, 8.3.1.3-92
 - objectives, 8.3.1.3-92
 - parameters, 8.3.1.3-92
- solution sample handling, technical procedures for, 8.3.1.2-420

- solvents, introduced
 - and ESF, 8.4.3-23--24
- sorption
 - and bacteria, 8.3.1.3-80--81
 - batch, 8.3.1.3-68--79 (see also batch sorption study)
 - coefficients, 8.3.1.3-75, -76, -77*
 - element concentrations, 8.3.1.3-74, -75*
 - and ground-water composition, 8.3.1.3-76--77, 77*
 - investigation (see radionuclide sorption investigation)
 - iodine-129, 8.3.1.3-67
 - isotherms, 8.3.1.3-74--76
 - and particulates, 8.3.1.3-77--79
 - plutonium, 8.3.1.3-67
 - statistical analysis, 8.3.1.3-79
 - technetium-99, 8.3.1.3-67
 - uranium, 8.3.1.3-67
 - zirconium-99, 8.3.1.3-67
- sorption (biological) and transport study, 8.3.1.3-80--82
- sorption as function of element concentration activity, 8.3.1.3-74--76
 - description, 8.3.1.3-74--75, -75*
 - methods and technical procedures, 8.3.1.3-75--76
 - objectives, 8.3.1.3-74
 - parameters, 8.3.1.3-74
- sorption as function of ground-water composition activity, 8.3.1.3-76--77
 - description, 8.3.1.3-76--77
 - methods and technical procedures, 8.3.1.3-77
 - objectives, 8.3.1.3-76
 - parameters, 8.3.1.3-76
- sorption data statistical analysis activity, 8.3.1.3-79
 - description, 8.3.1.3-79
 - objectives, 8.3.1.3-79
 - parameters, 8.3.1.3-79
- sorption model, 8.3.5.10-66
 - and geochemistry program, 8.3.1.3-28
 - and ground-water composition, 8.3.1.3-76
- sorption model development study, 8.3.1.3-83
 - description, 8.3.1.3-83
 - objectives, 8.3.1.3-83
 - parameters, 8.3.1.3-83
- sorption on particulates and colloids
 - activity, 8.3.1.3-77--79
 - description, 8.3.1.3-78
 - sorption on particulates and colloids activity (continued)
 - methods and technical procedures, 8.3.1.3-79
 - objectives, 8.3.1.3-77--78
 - parameters, 8.3.1.3-78
 - SOSI, 8.3.1.3-79
 - source term
 - near-field host rock, 8.3.5.10-32*--33*
 - South African Council for Scientific and Industrial Research, rock mass classification, 8.3.1.14-54, -55
 - southern Death Valley
 - eruption trends, 8.3.1.8-121
 - southern Great Basin
 - earthquake catalog, 8.3.1.17-92
 - and erosion, 8.3.1.6-7, -20
 - seismograph network, 8.3.1.17-89--91
 - volcanic field data, 8.3.1.8-121
 - see also Great Basin
 - SPARTAN
 - and performance assessment, 8.3.5.19-2*, -7*
 - spatial correlation structure
 - performance parameters, 8.3.5.12-32*
 - spatial distribution ambient stress and thermal conditions investigation, 8.3.1.15-77--84
 - activities, 8.3.1.15-78--83
 - anelastic strain recovery experiments, 8.3.1.15-78--80
 - overcore stress experiments in ESF, 8.3.1.15-80--82
 - surface-based evaluation of ambient thermal conditions, 8.3.1.15-82--83
 - application of results, 8.3.1.15-83--84
 - link to supporting information, 8.3.1.15-77
 - logic diagram, 8.3.1.15-17**
 - parameters, 8.3.1.15-77
 - purpose and objectives, 8.3.1.15-77--78
 - study
 - ambient stress conditions (site), 8.3.1.15-78--82
 - technical basis for, 8.3.1.15-77--78
 - technical rationale, 8.3.1.15-78
 - spatial distribution thermal/mechanical properties investigation, 8.3.1.15-23--76
 - activities
 - air quality and ventilation experiment, 8.3.1.15-74--76

spatial distribution thermal/mechanical
properties investigation (continued)
activities (continued)

canister-scale heater experiment,
8.3.1.15-54--56
compressive mechanical properties--
environmental condition effects,
8.3.1.15-41--42
compressive mechanical properties of
intact rock, 8.3.1.15-40--41
demonstration breakout rooms,
8.3.1.15-48--49
density and porosity characterization,
8.3.1.15-31--34
drift stability monitoring,
8.3.1.15-73--74
fracture mechanical properties--
baseline, 8.3.1.15-43--44
fracture mechanical properties--
environmental effects,
8.3.1.15-44--45
ground support monitoring,
8.3.1.15-72--73
heated room experiment,
8.3.1.15-62--65
heater experiment of unit TSW1,
8.3.1.15-52--54
mining methods, 8.3.1.15-71
plate loading tests, 8.3.1.15-65--67
rock-mass strength experiment,
8.3.1.15-68--70
sequential drift mining,
8.3.1.15-49--52
shaft convergence, 8.3.1.15-46--47
thermal conductivity characterization,
8.3.1.15-36--38
thermal expansion characterization,
8.3.1.15-38--39
thermal stress measurements,
8.3.1.15-60--62
volumetric heat capacity charac-
terization, 8.3.1.15-34--36
Yucca Mountain heated block,
8.3.1.15-57--59
application of results, 8.3.1.15-76
link to supporting information,
8.3.1.15-23
logic diagram, 8.3.1.15-16**
other issue requirements, 8.3.1.15-24*
parameters, 8.3.1.15-23
purpose and objectives, 8.3.1.15-23

spatial distribution thermal/mechanical
properties investigation (continued)
studies, 8.3.1.15-31--76

excavation investigations,
8.3.1.15-45--52
fracture mechanical properties
(laboratory determination),
8.3.1.15-43--45
in situ design verification,
8.3.1.15-70--76
in situ mechanical properties,
8.3.1.15-65--70
in situ thermomechanical properties,
8.3.1.15-52--65
intact rock mechanical properties
(laboratory determination),
8.3.1.15-40--42
thermal expansion testing (labora-
tory), 8.3.1.15-38--39
thermal properties (laboratory),
8.3.1.15-31--38
technical basis for, 8.3.1.15-23--24
technical rationale, 8.3.1.15-24--31
spatial variability
and geostatistical methods, 8.4.2-27--31
and postclosure performance evaluations,
8.4.2-4*-7*, -8
spatial variability of thermal expansion
behavior, see thermal expansion
characterization activity
SPECANAL, 8.3.1.3-73
special source
criteria for designation, 8.3.5.15-2
speciation measurements activity,
8.3.1.3-91--92
description, 8.3.1.3-91
methods and technical procedures,
8.3.1.3-91--92
objectives, 8.3.1.3-91
parameters, 8.3.1.3-91
specific gravity, technical procedures
rock, 8.3.1.14-47
soil, 8.3.1.14-48
Specter Range and Camp Desert Rock
detachment faults activity,
8.3.1.17-150--151*
description, 8.3.1.17-150--151
methods and technical procedures,
8.3.1.17-151
objectives, 8.3.1.17-150
parameters, 8.3.1.17-150

- SPECTROM-31
and performance assessment,
8.3.5.19-2*, -7*
- SPECTROM-41
drift analysis, 8.3.2.5-73
and performance assessment, 8.3.5.19-2*,
-7*
ventilation analysis, 8.3.2.5-73
- spent fuel
gas release model
input and needed confidence,
8.3.5.10-8*-9*
and waste package model hierarchy,
8.3.5.9-7**
release model, 8.3.5.10-66--68
input and needed confidence,
8.3.5.10-5*-6*
and waste package model hierarchy,
8.3.5.9-7**; 8.3.5.10-3**
waste form
actinide solubility performance
measures, 8.3.5.9-21*-22*,
-32, -34
carbon-14 rapid release, 8.3.5.9-21*,
-34; 8.3.5.14-4--5
cladding performance measures,
8.3.5.9-20*-21*, -32--33
gap and grain boundary release
performance measures,
8.3.5.9-21*, -22*, -33--34
performance goals, 8.3.5.9-26,
-27, -29; 8.3.5.10-37
release rates, performance parameters
and goals, 8.3.5.9-20*-22*, -23,
-31, -32; 8.3.5.10-20*-27*
- spent fuel container, 8.3.5.9-2**
- spent fuel dissolution and leaching
(Subactivity 1.5.2.1.1), 8.3.5.10-44--45
description, 8.3.5.10-45
objectives, 8.3.5.10-44
parameters, 8.3.5.10-45
- spent fuel information integration
(Subactivity 1.5.1.1.1), 8.3.5.10-41--42
- spent fuel oxidation (Subactivity 1.5.2.1.2),
8.3.5.10-46
description, 8.3.5.10-46
objectives, 8.3.5.10-46
parameters, 8.3.5.10-46
- spent fuel release model (Subactivity
1.5.3.3.1), 8.3.5.10-66--68
description, 8.3.5.10-67--68
objectives, 8.3.5.10-66
- spent fuel release model (Subactivity
1.5.3.3.1) (continued)
parameters, 8.3.5.10-66--67
- spent fuel release models (Activity 1.5.3.3),
8.3.5.10-66--68
subactivity, 8.3.5.10-66--68
spent fuel release model,
8.3.5.10-66--68
- spent fuel waste form additional experiments
(Subactivity 1.5.2.1.6), 8.3.5.10-50--51
description, 8.3.5.10-51
objectives, 8.3.5.10-50--51
- spent fuel waste form characterization
(Activity 1.5.2.1), 8.3.5.10-44--51
subactivities, 8.3.5.10-44--51
spent fuel dissolution and leaching,
8.3.5.10-44--45
spent fuel oxidation, 8.3.5.10-46
spent fuel waste form additional
experiments, 8.3.5.10-50--51
spent fuel waste form
materials--corrosion and release,
8.3.5.10-49
Zircaloy cladding carbon-14 release,
8.3.5.10-49--50
Zircaloy corrosion, 8.3.5.10-46--48
- spent fuel waste form materials--corrosion
and releases (Subactivity 1.5.2.1.4),
8.3.5.10-49
description, 8.3.5.10-49
objectives, 8.3.5.10-49
parameters, 8.3.5.10-49
- spent fuel waste packages, 8.3.4.1-5
- Spotted Range-Mine Mountain fault zone,
8.3.1.17-100**
- springs and seeps discharge, and past
discharge areas, 8.3.1.5-99--100
- SPT, see Standard Penetration Test
- stable isotopes
analyses, technical procedures for,
8.3.1.3-51; 8.3.1.5-72, -117
and geochemical analysis of sediments,
8.3.1.5-50
- stability, panel access drifts, 8.4.3-29--30
shaft and drift analyses, 8.4.3-29--30
thermal/mechanical analyses, 8.4.3-29--30
- stability, shaft
analysis of thermal effects on, 8.4.3-27
- stability, thermal effects on
thermal mechanical analyses, 8.4.3-27

- stability, unlined shaft
 - shaft and drift analyses, 8.4.3-26--27
 - thermal/mechanical analyses, 8.4.3-26--27
- Stagecoach Road fault, 8.3.1.17-28, -29**, -133, -134**
 - buried extensions and gamma-ray measurements, 8.3.1.17-175
 - and faulting study area boundary, 8.3.1.17-154
 - and Quaternary fault study area, 8.3.1.17-103, -104**
- Stagecoach Road fault zone evaluation
 - activity, 8.3.1.17-139--141
 - description, 8.3.1.17-140
 - methods and technical procedures, 8.3.1.17-141
 - objectives, 8.3.1.17-139
 - parameters, 8.3.1.17-139--140
- Standard Penetration Test, blow count data, 8.3.1.14-41, -54, -55, -57
- State of Nevada
 - Employment Security Department
 - and socioeconomic data for water-use assessment, 8.3.1.9-44
 - and meteorological data reporting requirements, 8.3.1.12-21
 - and mitigation plans, 8.7-6
 - site characterization plan comments, 8.3.1-1
 - as source of meteorological data, 8.3.1.12-10
 - water permit for site characterization, 8.4.2-80
- static sounding-penetration resistance
 - methods, technical procedures for, 8.3.1.14-43
- statistical analysis of data, including
 - fractals, technical procedures for, 8.3.1.4-72
- steady-state flow processes, approximation of, 8.3.1.2-165
- STEALTH
 - and excavation-induced effects on permeability, 8.4.3-25--26
 - finite difference code, 8.4.3-25--26
- stemming, technical procedures for, 8.3.1.2-215--217, -227--228
- step drawdown test, technical procedures for, 8.3.1.16-19, -21, -23
- stereophotographic recording of geologic features, technical procedures for, 8.3.1.4-78
- stochastic modeling and uncertainty analysis
 - activity, 8.3.1.2-359--360
 - description, 8.3.1.2-359--360
 - methods and technical procedures, 8.3.1.2-360
 - objectives, 8.3.1.2-359
 - parameters, 8.3.1.2-359
- stochastic continuum modeling, technical procedures for, 8.3.1.2-345, -349--350
- stone stripes, erosion scars, and other debris deposits, technical procedures for, 8.3.1.5-95
- storage coefficient estimation, technical procedures for, 8.3.1.5-106
- storm events
 - and erosion, 8.3.1.6-9
- strain change effects on water-table elevation
 - activity, 8.3.1.8-91--92
 - description, 8.3.1.8-91--92
 - methods and technical procedures, 8.3.1.8-92
 - objectives, 8.3.1.8-91
 - parameters, 8.3.1.8-91
- strain gage measurements, technical procedures for, 8.3.1.15-58
- strategy, top level, 8.0-4--10
- strategy for containment enhancement
 - (Design Activity 1.11.6.4), 8.3.2.2-74
 - objective, 8.3.2.2-74
- strategy for containment enhancement, Product 1.11.6-4
 - information needed, 8.3.2.2-68*
 - status, 8.3.2.2-71
 - thermal/thermomechanical modeling, 8.3.2.2-38
- strategy for postclosure performance
 - assessment, 8.3.5.8-1--10 (see also postclosure performance assessment, strategy)
- strategy for preclosure performance assessment
 - 8.3.5.1-1--21
- stratigraphic correlations
 - and magnetic properties, 8.3.1.4-60--64
- stratigraphic locations, thermal and mechanical properties parameters, 8.3.1.15-2**--13*
- stratigraphic modeling
 - and geophysical constraints, 8.3.1.4-41
 - parameter calls, 8.3.1.15-15**
- stratigraphic studies, surface-based
 - geophysical surveys, 8.3.1.4-41--57
 - location, 8.3.1.4-35, -37**, -38**

PART B INDEX (Chapter 8)

- stratigraphic studies, surface-based
 - (continued)
 - Pah Canyon Member, 8.3.1.4-35, -38**
 - and Topopah Spring Member, 8.3.1.4-35, -37**
 - Yucca Mountain Member, 8.3.1.4-35, -37**
- stratigraphic studies (surface and subsurface)
 - activity, 8.3.1.4-32--64
- stratigraphic units
 - vertical/lateral distribution, 8.3.1.4-32--64
- stratigraphy
 - and geohydrology investigations, 8.3.1.2-88
 - Skull Mountain, 8.3.1.4-35
 - volcanic, 8.3.1.4-39, -36*
- stratigraphy-sedimentology of marsh, lacustrine, and playas activity, 8.3.1.5-47--49
 - description, 8.3.1.5-48
 - methods and technical procedures, 8.3.1.5-48--49
 - objectives, 8.3.1.5-47
 - parameters, 8.3.1.5-47--48
- stream erosion disruptive scenario classes, evaluation of, 8.4.3-64
- stream gaging measurements
 - and analog recharge, 8.3.1.5-107
 - Beatty, 8.3.1.2-105
 - and storm events, 8.3.1.6-9
- stream-incision rates
 - and Fortymile Wash, 8.3.1.6-12
- stream technical procedures
 - channel deposit dating, 8.3.1.5-95
 - gradients from terrace profiles, 8.3.1.6-13
 - gravel lithology, 8.3.1.6-13
 - trench, map, and analyze channel deposits, 8.3.1.5-95
- streamflow
 - crest-stage gage network, 8.3.1.2-105--106
 - data, lack of, 8.3.1.2-96 (see also runoff)
 - measurements and monitoring
 - Fortymile Wash, 8.3.1.2-90, -126, -127
 - and preclosure hydrology program, 8.3.1.16-11
 - station locations, 8.3.1.2-99**, -100*--101*, -107**, -108*--109*
 - technical procedures for, 8.3.1.2-111--112; 8.3.1.16-13
 - streamflow (continued)
 - and runoff characterization study, 8.3.1.2-102--114 (see also runoff and streamflow characterization study)
 - streamflow and precipitation measurements, technical procedures for, 8.3.1.2-129--131
 - strength testing of supports, technical procedures for, 8.3.1.15-73
 - stress altered region
 - sequential drift mining experiment, 8.4.3-32
 - shaft convergence experiments, 8.4.3-31
 - stress analyses, demonstration breakout room, 8.4.3-31--32
 - stress and thermal conditions, spatial distribution investigation, 8.3.1.15-77--84 (see also spatial distribution ambient stress and thermal conditions investigation)
 - stress cancellation testing, technical procedures for, 8.3.1.15-62
 - stress (ambient) conditions at site study, 8.3.1.15-78--82 (see also ambient stress conditions (site) study)
 - stress corrosion cracking
 - copper-based alloys, 8.3.5.9-71
 - as mode of cladding failure, 8.3.5.10-47--48
 - waste containers, 8.3.5.9-47
 - see also intergranular stress corrosion cracking (waste containers) and transgranular stress corrosion cracking (waste containers)
 - stress corrosion cracking (copper)
 - (Subactivity 1.4.3.1.6), 8.3.5.9-95--97
 - description, 8.3.5.9-96--97
 - objectives, 8.3.5.9-95
 - parameters, 8.3.5.9-96
 - stress distributions (theoretical) and tectonic setting activity, 8.3.1.17-185--186
 - description, 8.3.1.17-185--186
 - methods and technical procedures, 8.3.1.17-186
 - objectives, 8.3.1.17-185
 - parameters, 8.3.1.17-185--186
 - stress field (present) evaluation activity, 8.3.1.17-180--181
 - description, 8.3.1.17-181
 - methods and technical procedures, 8.3.1.17-181
 - objectives, 8.3.1.17-180
 - parameters, 8.3.1.17-181

- stress field within and proximal to site study, 8.3.1.17-179--186
 - activities, 8.3.1.17-180--186
 - borehole (shallow) hydrofracture and triaxial strain recovery methods, 8.3.1.17-182--183
 - paleostress orientation data evaluation, 8.3.1.17-183--184
 - stress distributions (theoretical) and tectonic setting, 8.3.1.17-185--186
 - stress field (present) evaluation, 8.3.1.17-180--181
 - objectives, 8.3.1.17-179--180
- stress measurement
 - in situ, methods evaluation activity, 8.3.1.17-182--183
 - technical procedures for, 8.3.1.15-47, -82
- stress (thermal) measurements activity, 8.3.1.15-60--62
- stress/strain effects on hydrological rock mass properties activity, 8.3.1.8-96--97
 - description, 8.3.1.8-97
 - methods and technical procedures, 8.3.1.8-97
 - models, 8.3.1.8-97
 - objectives, 8.3.1.8-96--97
 - parameters, 8.3.1.8-97
- stress tests, at C-hole complex, 8.3.1.2-385
- stress trajectories, mathematical modeling, technical procedures for, 8.3.1.17-186
- stresses, and emplacement drifts, 8.4.3-29
- stresses at unventilated drift intersection
 - shaft and drift analyses, 8.4.3-29
 - thermal/mechanical analyses, 8.4.3-29
- stresses near emplacement drifts
 - shaft and drift analyses, 8.4.3-29
- stress trajectories, mathematical modeling procedure, 8.3.1.17-186*
- Stripa Task Force on sealing materials and techniques, 8.3.3.1-6--7
- Striped Hills
 - and in situ stress measurements, 8.3.1.17-182
- Strombolian eruption effects activity, 8.3.1.8-59--60
 - description, 8.3.1.8-60
 - methods and technical procedures, 8.3.1.8-60
 - objectives, 8.3.1.8-59
 - parameters, 8.3.1.8-59
- Strombolian eruptions, 8.3.1.8-59--60, -62, -83
- structural controls of basaltic volcanism activity, 8.3.1.8-52--54
 - description, 8.3.1.8-53--54
 - methods and technical procedures, 8.3.1.8-54
 - objectives, 8.3.1.8-52
 - parameters, 8.3.1.8-52--53
- structural deformation
 - and Issue 1.8 potentially adverse condition 22, 8.3.5.17-80--81
- structural deformation (Issue 1.8 potentially adverse condition 4)
 - discussion, 8.3.5.17-27, -30
 - performance parameters and goals, 8.3.5.17-31*--34*
 - related studies and activities, 8.3.5.17-31*--34*
 - scenario classes, 8.3.5.17-31*--34*
 - text of condition, 8.3.5.17-4*
- structural deformation (Quaternary) (Issue 1.8 potentially adverse condition 11)
 - discussion, 8.3.5.17-61
 - performance parameters and goals, 8.3.5.17-63*--69*
 - related studies and activities, 8.3.5.17-63*--69*
 - scenario classes, 8.3.5.17-63*--69*
 - text of condition, 8.3.5.17-5*
- structural domain and fault and fracture patterns activity, 8.3.1.17-131--132
 - description, 8.3.1.17-131--132
 - methods and technical procedures, 8.3.1.17-132
 - objectives, 8.3.1.17-131
 - parameters, 8.3.1.17-131
- structural features within the site area study, 8.3.1.4-65--80
 - activities, 8.3.1.4-65--80
 - borehole evaluation of faults and fractures, 8.3.1.4-70--74
 - geologic mapping of exploratory shaft and drifts, 8.3.1.4-74--79
 - geologic mapping zonal features in Paintbrush Tuff, 8.3.1.4-66--68
 - seismic tomography/vertical seismic profiling, 8.3.1.4-79--80
 - surface-fracture network studies, 8.3.1.4-68--70
- structural-thermal analysis
 - boreholes, summary, 8.3.2.5-73
 - boundary element techniques, 8.3.2.5-69
 - compliant-jointed media, 8.3.2.5-68

PART B INDEX (Chapter 8)

- structural-thermal analysis (continued)
 - drifts, summary, 8.3.2.5-71--73
 - elastic media, 8.3.2.5-68
 - elastic-plastic media, 8.3.2.5-68
 - finite-element methods, 8.3.2.5-69
 - shafts and ramps, summary, 8.3.2.5-68--70
 - tunnel index methods, 8.3.2.5-69
 - of underground repository facilities,
 - summary, 8.3.2.5-68--75
- structure of Section 8.3, 8.3.1--2, -3*
- study plans
 - climate program, 8.5-50*
 - erosion program, 8.5-50*
 - geochemistry program, 8.5-48*--49*
 - geohydrology program, 8.5-48*
 - human interference program, 8.5-51*--52*
 - meteorological program, 8.5-52*
 - preclosure hydrology program, 8.5-53*
 - rock characteristics program, 8.5-49*--50*
 - shaft and borehole seal characteristics,
 - 8.5-54*
 - site characterization, 8.5-39, -48*--54*
 - surface characteristics program, 8.5-52*
 - tectonics program (postclosure), 8.5-51*
 - tectonics program (preclosure),
 - 8.5-53*--54*
 - waste package characteristics, 8.5-54*
 - see also site characterization, study plans
- subregional two-dimensional areal hydrologic model activity, 8.3.1.2-139--141
- subregional two-dimensional cross-sectional model, 8.3.1.2-142--144
 - flow-line location, 8.3.1.2-143**
- subsidence
 - control, see long-term subsidence control
 - effect on water-table elevation activity,
 - 8.3.1.8-92
 - Quaternary, 8.3.1.8-87
 - rates, and erosion, 8.3.1.6-23
- substantially complete containment, 8.3.4-3--4
 - design objectives, 8.3.5.9-1, -5
 - DOE interpretation, 8.3.5.9-1
 - EPA requirements, 8.3.5.13-6**
 - and testing program, 8.3.5.9-15
- substantially complete containment determination (Activity 1.4.5.1), 8.3.5.9-113--114
 - description, 8.3.5.9-114
 - objectives, 8.3.5.9-113
 - parameters, 8.3.5.9-114
- substantially complete containment of waste (Information Need 1.4.5), 8.3.5.9-112--114
 - activity
 - substantially complete containment determination, 8.3.5.9-113--114
 - application of results, 8.3.5.9-114
 - link to supporting information,
 - 8.3.5.9-112
 - logic, 8.3.5.9-113
 - parameters, 8.3.5.9-112--113
 - technical basis, 8.3.5.9-112--113
- subsurface, system element 1.1.2
 - data needed for technology for underground facilities (Information Need 4.4.9),
 - 8.3.2.5-90, -91, -92
 - functions and processes, 8.3.2.5-13*--17*
 - parameters for technology for underground facilities (Information Need 4.4.9),
 - 8.3.2.5-89--91
 - preliminary performance allocation,
 - 8.3.2.5-13*--17*
 - underground facilities technology,
 - 8.3.2.5-88--89
- subsurface activities, general description, 8.3.2-90--221
- subsurface data, obtaining, 8.4.2-16--18
 - and indirect methods, 8.4.2-17--18
 - and subsurface methods, 8.4.2-17
 - and surface-based methods, 8.4.2-16--17
- subsurface excavations, 8.4-1
 - Calico Hills nonwelded unit, 8.4.2-32--35
 - conditionally planned, 8.4.2-32--36
 - representativeness of, 8.4.2-22--24
- subsurface information (site-specific)
 - data acquisition study, 8.3.1.4-87--100
- activity
 - systematic drilling program,
 - 8.3.1.4-87--100
- subsurface mining
 - and disturbed-case scenario classes,
 - 8.3.5.13-86, -89
 - and Issue 1.8 potentially adverse condition 2, 8.3.5.17-20--21, -27
 - and Issue 1.8 potentially adverse condition 17, 8.3.5.17-76--77
- subsurface mining evidence (Issue 1.8 potentially adverse condition 18)
 - discussion, 8.3.5.17-78
 - text of condition, 8.3.5.17-6*
- subsurface strata properties
 - geophysical methods, 8.3.1.14-42

- subsystem design requirements for advanced conceptual design (Design Subactivity 1.12.4.1.1), 8.3.3.2-65--66
 - description, 8.3.3.2-66
 - objectives, 8.3.3.2-65
- subsystem design requirements for license application design (Design Subactivity 1.12.4.2.1), 8.3.3.2-68
 - description, 8.3.3.2-68
 - objectives, 8.3.3.2-68
- support facilities, ESF, 8.4.2-163, -165
- support strength testing, technical procedures for, 8.3.1.15-73
- surface
 - facilities technology, 8.3.2.5-84--88
 - impact limitation
 - design thermal loading, postclosure design function 4, 8.3.2.2-19
 - subsidence limitation
 - excavation-induced change limitation, postclosure design function 3, 8.3.2.2-16
- surface, system element 1.1.1
 - functions and processes, 8.3.2.5-7*--12*
 - preliminary performance allocation, 8.3.2.5-7*--12*
- surface and subsurface stratigraphic studies activity, 8.3.1.4-32--41
 - description, 8.3.1.4-33--39
 - methods and technical procedures, 8.3.1.4-39--41
 - objectives, 8.3.1.4-32
 - parameters, 8.3.1.4-32--33
- surface-area analysis, technical procedures for, 8.3.1.2-422
- surface-based activities, 8.4-1; 8.4.2-37--90
 - and decommissioning for surface-based activities, 8.7-3--4
 - existing, map, 8.4.2-37***-38**
 - location, operation, and construction, 8.4.2-40--87
 - summary, 8.4.2-43*--45*
- surface-based drilling
 - milestone descriptions, 8.5-116
 - milestones, 8.5-111**
- surface-based drilling and testing
 - major events and completion dates, 8.5-39, -40***-42**, -43*--47*
 - summary schedule, 8.5-39, -40***-42**
- surface-based geophysical surveys
 - activity, 8.3.1.4-41--57
 - description, 8.3.1.4-41--56
 - methods and technical procedures, 8.3.1.4-56--57
 - objectives, 8.3.1.4-41
 - parameters, 8.3.1.4-41
 - Surface-Based Investigations Plan, and planned activities, 8.4.2-39
 - surface-based testing, representativeness of, 8.4.2-22--24
 - surface characteristics
 - and accidental radiological releases (Issue 2.3) parameter calls, 8.3.5.5-12*, -20*
 - data
 - and criticality control (Information Need 2.7.3), 8.3.2.3-45--48
 - and items important to safety (Information Need 2.7.2), 8.3.2.3-45--48
 - and higher level finding--ease and cost of construction (Issue 4.1), 8.3.5.7-8--10*
 - and post-waste-emplacement environment, 8.3.2.1-12--13
 - program, 8.3.1.14-1--69
 - and post-subsurface-excavation environment, 8.3.2.1-11--12
 - and pre-waste-emplacement environment, 8.3.2.1-9--11
 - see also surface characteristics program
 - and technical guideline qualifying condition, 8.3.5.7-7*--9
- surface characteristics program, 8.3.1.14-1--69
 - approach, 8.3.1.14-16
 - and configuration of underground facilities (postclosure) (Issue 1.11), 8.3.1.14-2*, -3*, -20*, -25, -26
 - erosion program parameter calls, 8.3.1.6-1, -21**
 - and geohydrology program, 8.3.1.2-147, -364
 - and higher level findings--ease and cost of construction (Issue 4.1), 8.3.1.14-15, -19*, -26
 - interrelationships, 8.3.1.14-16--18, -19*--23*
 - investigations, 8.3.1.14-18--64
 - soil and rock properties, 8.3.1.14-27--64

surface characteristics program (continued)
 investigations (continued)
 topography, 8.3.1.14-18--27
 see also specific investigation for
 study and activity listings
 logic diagram, 8.3.1.14-2**
 major events and completion dates,
 8.3.1.12-14*--15*; 8.5-26, -27**
 and meteorology program, 8.3.1.12-5--6
 and nonradiological health and safety
 (Issue 4.2), 8.3.1.14-19*, -22*, -26,
 -64
 and NRC siting criteria (Issue 1.8),
 8.3.1.14-1, -15, -27
 overview, 8.3.1.14-1--18
 parameter calls, 8.3.1.14-23*
 performance allocation table,
 8.3.1.14-3*--14*
 performance and design requirements,
 summary, 8.3.1.14-1--15
 and preclosure design and technical
 feasibility (Issue 4.4), 8.3.1.14-2**,
 -3*--14*, -15, -19*, -22*, -24, -26,
 -27, -29, -30, -33, -45, -64
 and preclosure hydrology program,
 8.3.1.14-2**, -3*, -15, -20, -24, -26
 and preclosure tectonics program,
 8.3.1.14-2*, -4*, -6*--7*, -8*, -10*,
 -12*--13*, -15, -22*, -64
 and radiological protection information
 need, 8.3.1.14-19*, -21*, -64
 schedule, 8.3.1.14-64--69; 8.5-26, -27**
 summary of studies, 8.3.1.14-18
 and 10 CFR Part 960, 8.3.1.14-15
 surface characteristics technical concerns
 SCP section correlations, 8.2-30*--34*
 surface data, methods for obtaining,
 8.4.2-15--16
 surface disturbance
 definition, 8.4.2-40
 pre-site characterization testing,
 8.4.2-45*--47*
 surface evaluation of ambient thermal
 conditions activity, 8.3.1.15-82--83
 description, 8.3.1.15-82--83
 methods and technical procedures,
 8.3.1.15-83
 objectives, 8.3.1.15-82
 parameters, 8.3.1.15-82
 surface facilities
 design, preclosure performance evalua-
 tions, 8.4.2-9, -10*--13*, -14

surface facilities (continued)
 design and operational safety,
 8.4.2-220--221
 flooding (see flooding recurrence
 intervals investigation)
 and topography of potential locations,
 8.3.1.14-18--27
 and utilities, ESF construction,
 8.4.2-179
 surface facilities important to safety
 and preclosure volcanic activity
 investigation, 8.3.1.17-3*--4*
 see also facilities important to safety
 surface facility parameters
 and preclosure fault displacement
 investigation, 8.3.1.17-7*--9*
 and vibratory ground motion investigation,
 8.3.1.17-13--18*
 surface faulting potential at surface
 facilities important to safety activity,
 8.3.1.17-60--61
 description, 8.3.1.17-61
 methods and technical procedures,
 8.3.1.17-61
 objectives, 8.3.1.17-60
 parameters, 8.3.1.17-61
 surface flooding or impoundments disruptive
 scenario classes, evaluation of,
 8.4.3-66--71
 surface fracture network studies
 activity, 8.3.1.4-68--70
 description, 8.3.1.4-68--70
 methods and technical procedures,
 8.3.1.4-70
 objectives, 8.3.1.4-68
 parameters, 8.3.1.4-68
 surface geoelectric method evaluation
 activity, 8.3.1.17-173--174
 description, 8.3.1.17-174
 methods and technical procedures,
 8.3.1.17-174
 objectives, 8.3.1.17-173
 parameters, 8.3.1.17-173
 surface geologic feature evaluation, technical
 procedures for, 8.3.1.17-95
 surface geologic mapping, technical procedures
 for, 8.3.1.17-95, -96
 surface geology and faults, Exile Hill
 vicinity, 8.3.1.14-37**
 surface hydrology
 and climate changes, 8.3.1.5-118--119

- surface marker warning system, see degradation of markers investigation
- surface outcrop mapping, technical procedures for, 8.3.1.4-40
- surface ponding
 - deep percolation, 8.4.3-9
 - hydrological analyses and data, 8.4.3-9--10
 - and site characterization activities, 8.4.3-9--10
- surface-related activities
 - and ground-water travel time, 8.4.3-86
 - minimal or no disturbance, 8.4.2-50--54, -51*-53*
 - and potential disturbance, 8.4.2-50--64
 - and potentially significant disturbance, 8.4.2-48*-49*, -54--64, -55*-58*
 - surface strain gage use, technical procedures for, 8.3.1.15-69
- surface test pits, location of, 8.3.1.14-33, -34**
- surface topography at site, 8.3.1.14-18--27
- surface water
 - conditions, technical procedures for, 8.3.1.5-119
 - hydrology
 - and geohydrology parameters, 8.3.1.2-11*-13*
 - logic diagram, 8.3.1.2-6***-8**
 - model, 8.3.1.2-3, -6***-8**
- surface water data
 - public radiological exposures--normal conditions (Issue 2.1) parameter calls, 8.3.5.3-21*
- surface water impoundment, avoidance of design consideration, 8.4.3-35
- surface water runoff monitoring activity, 8.3.1.2-103--112
 - description, 8.3.1.2-103--110
 - methods and technical procedures, 8.3.1.2-110--112
 - objectives, 8.3.1.2-103
 - parameters, 8.3.1.2-103
- surficial deposits
 - mapping boundaries, 8.3.1.5-68**
 - and nivation basins, 8.3.1.5-70
 - and paleotemperatures, 8.3.1.5-70
 - and soil, technical procedures for chemical properties analyses, 8.3.1.5-71
 - mineralogic properties, 8.3.1.5-71
- surficial deposits (continued)
 - and soil, technical procedures for (continued)
 - physical properties analyses, 8.3.1.5-71
- surficial deposits mapping of Yucca Mountain, 8.3.1.17-156
- surficial deposits mapping of Yucca Mountain area activity, 8.3.1.5-66--72
 - description, 8.3.1.5-66--70
 - methods and technical procedures, 8.3.1.5-71--72
 - objectives, 8.3.1.5-66
 - parameters, 8.3.1.5-66
- surficial hydrogeologic units
 - definition of, 8.3.1.2-158
 - geostatistical analyses, 8.3.1.2-158, -159
- surficial materials activity, hydrologic properties of, 8.3.1.2-157--164
- synoptic characterization of regional climate activity, 8.3.1.5-40--42
 - description, 8.3.1.5-40--41
 - methods and technical procedures, 8.3.1.5-41--42
 - objectives, 8.3.1.5-40
 - parameters, 8.3.1.5-40
- synoptic snapshots of climate extremes, technical procedures for, 8.3.1.5-59
- synthesis studies and activities
 - erosion and deposition effects on marker survivability, 8.3.1.9-19--20
 - future climate and erosion, 8.3.1.6-18--19
 - meteorological monitoring, 8.3.1.12-11--12; 8.3.1.6-18--19
 - paleoclimatic-paleoenvironment, 8.3.1.5-76--78
 - regional hydrologic system, 8.3.1.2-137--147
 - saturated-zone hydrochemistry, 8.3.1.2-433--434
 - site saturated zone hydrologic system, 8.3.1.2-371, -434--443 (see also saturated-zone hydrologic system synthesis and modeling study)
 - site unsaturated-zone hydrologic system, 8.3.1.2-350--362 (see also unsaturated-zone modeling and synthesis (site) study)
 - tectonic models, 8.3.1.17-203--205
 - tectonic/seismic/volcanic hazards data, 8.3.1.9-19

- synthesis technical procedures
 Basin and Range published information, 8.3.1.17-199
 Beatty quadrangle geology, 8.3.1.17-202
 geologic and geophysical data, 8.3.1.4-82
 left-lateral strike-slip fault, 8.3.1.17-201
 Nevada Test Site detachment fault, 8.3.1.17-201
 Quaternary wrench faulting, 8.3.1.17-201
 regional gravity, 8.3.1.17-200
 regional magnetism, 8.3.1.17-200
 unsaturated-zone hydrologic system, 8.3.1.2-362
 Yucca Mountain Project meteorological monitoring, 8.3.1.12-11--12
- system description
 elements of, 8.3.1.1-1, -3
- system element 1.1.1 (surface) data
 requirements
 preclosure hydrology program, 8.3.1.16-3*
 see also surface, system element 1.1.1
- system element 1.1.2 (subsurface) data
 requirements
 preclosure hydrology program, 8.3.1.16-4*
 see also subsurface, system element 1.1.2
- system element 1.2.1.1, see access
 construction, system element 1.2.1.1
- system element 1.2.1.2, see drift
 construction, system element 1.2.1.2
- system element 1.2.1.3, see borehole
 construction, system element 1.2.1.3
- system element 1.2.1.4, see rock handling,
 system element 1.2.1.4
- system element 1.2.1.5, see water removal,
 system element 1.2.1.5
- system element 1.2.1.6, see mining
 ventilation, system element 1.2.1.6
- system element 1.2.2.1, see receiving, system
 element 1.2.2.1
- system element 1.2.2.4, see emplacement,
 system element 1.2.2.4
- system element 1.2.2.5, see retrieval, system
 element 1.2.2.5
- system element 1.2.2.7, see waste-handling
 ventilation, system element 1.2.2.7
- system element 1.2.4.1, see underground
 closure, system element 1.2.4.1
- system elements
 addressed by each information need, 8.3.2.5-33*--34*
 preclosure design and technical
 feasibility, 8.3.2.5-4--6
- system engineering development and management
 contractor
 and design phases, 8.3.2.1-7--8
- system guideline qualifying condition
 ease and cost of construction, 8.3.5.7-6,
 -7*, -8
 preclosure radiological safety,
 8.3.5.6-6*, -7--8
- system guideline qualifying condition--
 postclosure, 8.3.5.18-7--8
 and containment by waste package (Issue
 1.4), 8.3.5.18-7, -10*
 and EBS release rates (Issue 1.5),
 8.3.5.18-7--8, -10*
 and GWTT (Issue 1.6), 8.3.5.18-7--8,
 -9, -10*
 and ground-water protection (Issue 1.3),
 8.3.5.18-7--8, -9, -10*
 and higher level findings--ease and cost
 of construction (Issue 4.1), 8.3.5.7-8
 and higher level findings--postclosure
 (Issue 1.9(a)), 8.3.5.18-9--10
 and individual protection (Issue 1.2),
 8.3.5.18-7--8, -10*
 and postclosure performance issues,
 8.3.5.18-7--8, -9--10
 preliminary finding, 8.3.5.18-4*
 statement of, 8.3.5.18-7--8
 and total system performance (Issue 1.1),
 8.3.5.18-7--8, -9, -10*
 and 10 CFR Part 60, 8.3.5.18-7
 and 10 CFR Part 960.4-1(a), 8.3.5.18-7
 and 40 CFR Part 191, Subpart B, 8.3.5.18-7
- system integration, and synthesis, technical
 procedures for, 8.3.1.2-362
- system model development (waste package
 performance assessment) (Subactivity
 1.5.3.5.1), 8.3.5.10-70--73
 description, 8.3.5.10-72--73
 objectives, 8.3.5.10-70--71
 parameters, 8.3.5.10-71--72
- systematic drilling program
 as conditional site characterization
 activity, 8.4.2-36

PART B INDEX (Chapter 8)

- systematic drilling program (continued)
 - description, 8.4.2-75--77
 - geologic coreholes, 8.4.2-76--77
 - Solitario Canyon horizontal borehole study, 8.4.2-76
- systematic drilling program activity, 8.3.1.4-87--100
 - areal coverage scheme, 8.3.1.4-90***-91**
 - description, 8.3.1.4-88--100;
 - histogram of data pairs for geo-statistical analysis, 8.3.1.4-96***-97**
 - methods and technical procedures, 8.3.1.4-100
 - objectives, 8.3.1.4-87
 - parameters, 8.3.1.4-87--88
 - small-scale variability test drill hole location, 8.3.1.4-94***-95**
- systematic sampling, and sampling bias in planned tests, 8.4.2-26--28
- systematic sampling program, 8.3.1.4-99**

- TACO2D, and performance assessment, 8.3.5.19-2*, -7*
- tape extensometer measurements, technical procedures for, 8.3.1.15-74
- technetium-99, sorption, 8.3.1.3-67
- technical concern correlations
 - engineered system-related, 8.2-50*--60*
 - site-related, 8.2-18*--49*
- Technical Data Base, three-dimensional rock characteristics model, 8.3.1.4-101
- technical feasibility, see preclosure design and technical feasibility (Issue 4.4)
- technology for fabrication, closure, and inspection (Information Need 4.3.1), see fabrication, closure, inspection technology (Information Need 4.3.1)
- technology for seals emplacement (Information Need 4.4.10), 8.3.2.5-96--97
 - application of results, 8.3.2.5-97
 - introduction, 8.3.2.5-9
 - link to supporting information, 8.3.2.5-96
 - logic, 8.3.2.5-96--97
 - parameters, 8.3.2.5-96
 - technical basis for, 8.3.2.5-96--97
- technology for surface facilities (Information Need 4.4.8), 8.3.2.5-85--88
 - application of results, 8.3.2.5-88
 - introduction, 8.3.2.5-85
 - link to supporting information, 8.3.2.5-86--87
 - logic, 8.3.2.5-87--88
 - parameters, 8.3.2.5-86--87
 - technical basis for, 8.3.2.5-86--88
- technology for underground facilities (Information Need 4.4.9), 8.3.2.5-88--96
 - access construction data needed, 8.3.2.5-92
 - access construction parameters, 8.3.2.5-92
 - application of results, 8.3.2.5-95
 - borehole construction data needed, 8.3.2.5-90, -93
 - borehole construction parameters, 8.3.2.5-93
 - drift construction data needed, 8.3.2.5-90, -91, -93
 - drift construction parameters, 8.3.2.5-93
 - emplacement data needed, 8.3.2.5-91, -94
 - emplacement parameters, 8.3.2.5-94
 - introduction, 8.3.2.5-88--89
 - link to supporting information, 8.3.2.5-89
 - logic, 8.3.2.5-91--95
 - mining ventilation data needed, 8.3.2.5-91, -94
 - parameters, 8.3.2.5-94
 - retrieval data needed, 8.3.2.5-91, -94
 - retrieval parameters, 8.3.2.5-94
 - rock handling data needed, 8.3.2.5-91, -93
 - subsurface data needed, 8.3.2.5-91, -92
 - subsurface parameters, 8.3.2.5-92
 - technical basis for, 8.3.2.5-89--91
 - underground closure data needed, 8.3.2.5-91, -94--95
 - waste handling ventilation data needed, 8.3.2.5-91, -94
 - and waste retrievability (Issue 2.4), 8.3.2.5-91, -94
 - water removal data needed, 8.3.2.5-91, -94
 - water removal parameters, 8.3.2.5-94
- technical procedures
 - and Project Quality Assurance Plan, 8.6-47
- tectonic activity
 - and geohydrology investigations, 8.3.1.2-88

- tectonic activity (continued)
 - and marker system, 8.3.1.9-19
 - Walker Lane, 8.3.1.6-20
- tectonic data
 - and criticality control (Information Need 2.7.3), 8.3.2.3-45
 - and items important to safety (Information Need 2.7.2), 8.3.2.3-46
- tectonic disruption sequence evaluation
 - activity, 8.3.1.17-205
 - description, 8.3.1.17-205
 - methods and technical procedures, 8.3.1.17-205
 - objectives, 8.3.1.17-205
 - parameters, 8.3.1.17-205
- tectonic effects on erosion investigation, 8.3.1.6-19--23
 - activity
 - uplift and faulting impact on erosion, 8.3.1.6-22--23
 - application of results, 8.3.1.6-23
 - interrelationships, 8.3.1.6-4, -5**
 - link to supporting information, 8.3.1.6-19
 - logic diagram, 8.3.1.6-21**
 - parameters, 8.3.1.6-19--20
 - purpose and objectives, 8.3.1.6-20--22
 - study
 - future tectonic effects on erosion, 8.3.1.6-22--23
 - technical basis for, 8.3.1.6-19--22
- tectonic effects on flux rates study, 8.3.1.8-82--88
 - activities, 8.3.1.8-82--88
 - faulting effects on flux rates (modeling), 8.3.1.8-85
 - faulting effects on flux rates assessment, 8.3.1.8-85--86
 - faulting rates, recurrence intervals, probable, cumulative offset in 10,000 years, 8.3.1.8-84--85
 - folding, uplift, and subsidence effects on flux rates, 8.3.1.8-87--88
 - igneous/volcanic event effects on flux rates, 8.3.1.8-83--84
 - uplift rates in controlled area, 8.3.1.8-87
 - volcanic/igneous event probability in controlled area, 8.3.1.8-82--83
- tectonic effects on flux rates study (continued)
 - logic diagram, 8.3.1.8-76**
- tectonic effects on geochemistry investigation, 8.3.1.8-98--105
 - activities
 - fault offset effects on travel pathway, 8.3.1.8-103--104
 - mineral change along fault zones, 8.3.1.8-102--103
 - mineral change from tectonic water-table changes, 8.3.1.8-104--105
 - rock geochemical changes from igneous intrusion, 8.3.1.8-101--102
 - application of results, 8.3.1.8-105
 - approach used, 8.3.1.8-29
 - interrelationships, 8.3.1.8-46
 - parameters, 8.3.1.8-98
 - purpose and objectives, 8.3.1.8-99
 - study
 - tectonic effects on rock geochemical properties, 8.3.1.8-101--105
 - technical basis for, 8.3.1.8-98
 - technical rationale, 8.3.1.8-99, -101
- tectonic effects on hydrology investigation, 8.3.1.8-73--98
 - activities
 - faulting effects on flux rates (modeling), 8.3.1.8-85
 - faulting effects on flux rates assessment, 8.3.1.8-85--86
 - faulting effects on porosity and permeability, 8.3.1.8-94
 - faulting effects on water-table elevation, 8.3.1.8-93
 - faulting effects on water-table elevation assessment, 8.3.1.8-93--94
 - faulting rates, recurrence intervals, probable cumulative offset in 10,000 years, 8.3.1.8-84--85
 - folding, uplift, and subsidence effects on flux rates, 8.3.1.8-87--88
 - folding, uplift, and subsidence effects on water-table elevation, 8.3.1.8-92
 - igneous intrusion effects, 8.3.1.8-95
 - igneous intrusion effects on water-table elevation, 8.3.1.8-89--90

tectonic effects on hydrology investigation
(continued)

activities (continued)

- igneous/volcanic event effects on flux rates, 8.3.1.8-83--84
- strain change effects on water-table elevation, 8.3.1.8-91--92
- stress/strain effects on hydrologic properties, 8.3.1.8-96--97
- thermal/barrier-to-flow effects of igneous intrusion, 8.3.1.8-88--89
- uplift rates in controlled area, 8.3.1.8-87
- volcanic/igneous event probability in controlled area, 8.3.1.8-82--83
- application of results, 8.3.1.8-97
- approach used, 8.3.1.8-28--29
- interrelationships, 8.3.1.8-46--47
- link to supporting information, 8.3.1.8-83
- logic diagrams, 8.3.1.8-76**--78**
- parameters, 8.3.1.8-73--74
- purpose and objectives, 8.3.1.8-75
- studies, 8.3.1.8-82--98
 - tectonic effects on flux rates, 8.3.1.8-82--88
 - tectonic effects on local fracture permeability, effective porosity, 8.3.1.8-94--98
 - tectonic effects on water-table elevation, 8.3.1.8-88--94
 - technical basis for, 8.3.1.8-73--82
 - technical rationale, 8.3.1.8-75, -79--82
- tectonic effects on local fracture permeability and effective porosity study, 8.3.1.8-94--97
 - activities, 8.3.1.8-95--97
 - igneous intrusion effects, 8.3.1.8-95
 - stress/strain effects on hydrologic properties, 8.3.1.8-96--97
 - faulting effects on permeability and porosity, 8.3.1.8-95--96
 - logic diagram, 8.3.1.8-78**
- tectonic effects on rock geochemical properties study, 8.3.1.8-101--105
 - activities, 8.3.1.8-101--105
 - fault offset effects on travel pathway, 8.3.1.8-103--104

tectonic effects on rock geochemical properties study (continued)

activities (continued)

- mineral change along fault zones, 8.3.1.8-104--105
- mineral change from tectonic water-table changes, 8.3.1.8-102
- rock geochemical changes from igneous intrusion, 8.3.1.8-101--102
- logic diagram, 8.3.1.8-100**
- tectonic effects on waste package, investigation, 8.3.1.8-63--73
 - activities
 - folding and deformation in repository horizon, 8.3.1.8-71--72
 - postclosure ground motion in the subsurface, 8.3.1.8-70--71
 - probability and rate of faulting, 8.3.1.8-68--69
 - waste package rupture due to folding and deformation, 8.3.1.8-72
 - waste package rupture due to igneous intrusion, 8.3.1.8-66--67
 - waste package rupture from faulting, 8.3.1.8-69--70
 - waste packages intersected by a fault, 8.3.1.8-67--68
 - application of results, 8.3.1.8-72--73
 - approach used, 8.3.1.8-27--28
 - interrelationships, 8.3.1.8-27
 - links to supporting information, 8.3.1.8-63
 - logic diagram, 8.3.1.8-65**
 - parameters, 8.3.1.8-63
 - purpose and objectives, 8.3.1.8-63--64
 - study
 - waste package rupture from tectonic events, 8.3.1.8-66--72
 - technical basis for, 8.3.1.8-63--66
 - technical rationale, 8.3.1.8-64, -66
- tectonic effects on water-table elevation study, 8.3.1.8-88--94
 - activities, 8.3.1.8-88--94
 - faulting effects on water-table elevation, 8.3.1.8-93
 - faulting effects on water-table elevation (assessment), 8.3.1.8-93--94
 - folding, uplift, and subsidence effects on water-table elevation, 8.3.1.8-92

PART B INDEX (Chapter 8)

tectonic effects on water-table elevation study (continued)
 activities (continued)
 igneous intrusion effects on water-table elevation, 8.3.1.8-89--90
 strain change effects on water-table elevation, 8.3.1.8-91--92
 thermal/barrier-to-flow effects of igneous intrusions, 8.3.1.8-88--89
 logic diagram, 8.3.1.8-27**
 technical rationale, 8.3.1.8-79--80
 tectonic environment (local) review, 8.3.1.17-28--30
 tectonic geomorphology of Yucca Mountain region study, 8.3.1.17-186--193
 activities, 8.3.1.17-187--193
 Quaternary faulting within 100 km of Yucca Mountain--morphometric and morphologic analysis, 8.3.1.17-191--193
 Quaternary uplift and subsidence evaluation, 8.3.1.17-189--190
 tectonically stable area age and extent, 8.3.1.17-187--188
 objectives, 8.3.1.17-186--187
 tectonic information
 higher level finding--ease and cost of construction (Issue 4.1), 8.3.5.7-15*--16*
 tectonic model
 and basaltic volcanic activity, 8.3.1.8-52, -110, -119
 and Neogene strain, 8.3.1.8-130
 synthesis, 8.3.1.6-20, -22; 8.3.1.17-199--206
 validation, geomorphology data, 8.3.1.17-187
 tectonic model evaluation activity, 8.3.1.17-203--205
 description, 8.3.1.17-204
 methods and technical procedures, 8.3.1.17-205
 objectives, 8.3.1.17-203--204
 parameters, 8.3.1.17-204
 tectonic models and synthesis study, 8.3.1.17-199--206
 activities, 8.3.1.17-200--206
 tectonic disruption sequence evaluation, 8.3.1.17-205--206
 tectonic model evaluation, 8.3.1.17-203--205

tectonic models and synthesis study (continued)
 activities (continued)
 tectonic processes and stability at site, 8.3.1.17-200--203
 tectonic processes and controlled area, 8.3.1.8-29
 tectonic processes and stability activity, 8.3.1.17-200--203
 description, 8.3.1.17-201--202
 methods and technical procedures, 8.3.1.17-202--203
 objectives, 8.3.1.17-200--201
 parameters, 8.3.1.17-201
 tectonic region, regional changes in (Ross study), 8.3.5.13-52
 tectonic/seismic/volcanic hazards data
 synthesis activity, 8.3.1.9-19
 description, 8.3.1.9-19
 methods and technical procedures, 8.3.1.9-19
 objectives, 8.3.1.9-19
 parameters, 8.3.1.9-19
 tectonic setting and stress distribution activity, 8.3.1.17-185--186
 tectonically stable area age and extent activity, 8.3.1.17-187--188
 description, 8.3.1.17-187--188
 methods and technical procedures, 8.3.1.17-188
 objectives, 8.3.1.17-187
 parameters, 8.3.1.17-187
 tectonics disqualifying condition, 8.3.5.18-18
 and postclosure performance issues, 8.3.5.18-7--8
 preliminary finding, 8.3.5.18-4*
 statement of, 8.3.5.18-18
 and total system performance (Issue 1.1), 8.3.5.18-7
 tectonics (postclosure) disqualifying condition
 and 10 CFR 960.4-2-7(d), 8.3.5.18
 tectonics programs, see preclosure tectonics program and postclosure tectonics program
 tectonics qualifying condition--postclosure, 8.3.5.18-17
 and postclosure performance issues, preliminary finding, 8.3.5.18-4*
 statement of, 8.3.5.18-17
 and total system performance (Issue 1.1), 8.3.5.18-7
 and 10 CFR 960.4-2-7(a), 8.3.5.18-17

- tectonics technical concerns
 - SCP section correlation, 8.2-34*-49*
- tectonics technical guidelines--postclosure
 - and higher level findings (Issue 1.9(a)), 8.3.5.18-17--18, -18*
 - and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-13--14, -15*-16*
 - and qualifying and disqualifying conditions, 8.3.5.7-7*, -13--16
- television camera logs, and excavation effects test, 8.3.1.2-295
- temperature
 - and geothermal assessment, 8.3.1.9-35
 - logs, 8.3.1.2-385
 - measurements, technical procedures for, 8.3.1.15-53, -56, -59, -61
- temperature change limitation in adjacent strata
 - design thermal loading, postclosure design function 4, 8.3.2.2-16, -19
- temperature control systems monitoring,
 - technical procedures for, 8.3.1.15-64
- temperature driven fluid migration
 - potentially likely conditions, evaluation, 8.4.3-60
- temperature measurement control devices,
 - technical procedures for, 8.3.1.2-422
- tensile strength testing, technical procedures for, 8.3.1.15-42
- tentative goals, 8.1-9
- tephra deposits, 8.3.1.8-116, -117
- tephrachronology
 - and chronologic analyses, 8.3.1.5-52
- terrestrial paleoecologic studies
 - and paleoenvironmental conditions, 8.3.1.5-75
 - technical procedures for, 8.3.1.5-76
- test block excavation and preparation,
 - technical procedures for, 8.3.1.2-257--258
- test hole instrumentation and monitoring,
 - technical procedures for, 8.3.1.2-267--270
- test holes
 - and past discharge, 8.3.1.5-100
- test matrix
 - (dynamic and diffusion), 8.3.1.3-98*
- test pits (surface), location of, 8.3.1.14-33, -34**
- test plans
 - and Project Quality Assurance Plan, 8.6-47
- test room, technical procedures for
 - location and excavation, 8.3.1.2-257
 - preparation, 8.3.1.2-264--265
- test well configurations, 8.3.1.2-386***-388*, -391**
- testing, conditional, see conditional testing
- testing matrix
 - batch sorption measurements, 8.3.1.3-69*
 - testing strategy, 8.1-10
- textural and mineralogic analyses, technical procedures for, 8.3.1.5-51
- TGCC, see transgranular stress corrosion cracking
- thermal and mechanical laboratory tests
 - constraints and zones of influence, 8.4.2-144
 - purpose and operations, 8.4.2-143
- thermal and mechanical properties
 - data acquisition, technical procedures for 8.3.1.15-47, -49, -51, -54, -56, -59, -61, -64, -67, -70, -73, -74, -76
 - model inputs, 8.3.4.2-7*
 - and post-waste-emplacement environment, 8.3.2.1-12--13
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
 - see also spatial distribution thermal/mechanical properties investigation and thermal/mechanical entries
- thermal and mechanical rock properties
 - program, 8.3.1.15-1--96
 - alternative conceptual models, 8.3.1.15-18--22
 - approach, 8.3.1.15-14--18
 - characterization parameters, 8.3.1.15-2*-13*
 - and configuration of underground facilities (postclosure) (Issue 1.11), 8.3.1.15-1, -2*-12*, -15**
 - current representation and alternative hypotheses, 8.3.1.15-19*-21*
 - and GWTT (Issue 1.6), 8.3.1.15-1, -2*, -4*-5*, -12*, -15**
 - hypothesis-testing tables, 8.3.1.15-19*-21*
 - interrelationships, 8.3.1.15-22
 - investigations, 8.3.1.15-23--96
 - spatial distribution, ambient stress and thermal conditions, 8.3.1.15-77--84

thermal and mechanical rock properties
program (continued)

investigations (continued)

spatial distribution thermal/
mechanical properties,
8.3.1.15-23--76

see also specific investigation for
study and activity listings

logic diagrams, 8.3.1.15-15**,
-16**, -17**

major events and completion dates,
8.3.1.15-87*-96*; 8.5-28, -29**

and nonradiological health and safety
(Issue 4.2), 8.3.1.15-15**

overview, 8.3.1.15-1--22

parameter calls, 8.3.1.15-2*-13*, -15**,
-23

performance and design requirements
summary, 8.3.1.15-1, -2*-13*, -14

and post-subsurface-excavation
environment, 8.3.2.1-11--12

and preclosure design and technical
feasibility (Issue 4.4), 8.3.1.15-1,
-3*, -5*-13*, -15**

and pre-waste-emplacement environment,
8.3.2.1-9--11

public radiological exposures--normal
conditions (Issue 2.1) parameter calls,
8.3.5.3-13*

and repository design criteria for radio-
logical safety (Issue 2.7), 8.3.1.15-1,
-2*, -10*, -15**

schedule, 8.3.1.15-84--96; 8.5-28, -29**

and seal characteristics (Issue 1.12),
8.3.1.15-1, -3*-4*, -6*, -9*,
-11*-12*, -15**

statistical approach, 8.3.1.15-27--31

surface characteristics program parameter
calls, 8.3.1.14-2**, -3*, -15, -20*,
-25, -26

tentative goals, 8.3.1.15-2*-13*

and waste package characteristics (post-
closure) (Issue 1.10), 8.3.1.15-1, -2*,
-4*, -12*, -15**

worker radiological safety (Issue 2.2)
parameter calls, 8.3.1.15-1, -2*, -10*;
8.3.5.4-13*

thermal and thermomechanical code validation
and canister-scale heater experiment,
8.3.1.15-54--56

thermal and thermomechanical model
near-field sensitivity studies, 8.3.2.2-38

thermal and thermomechanical response
analyses, 8.3.2.2-71--72
parameters, 8.3.2.2-69*-70*

thermal barrier-to-flow effects of igneous
intrusions on water-table elevation
activity, 8.3.1.8-88--89

description, 8.3.1.8-89

methods and technical procedures,
8.3.1.8-89

objectives, 8.3.1.8-88

parameters, 8.3.1.8-88

thermal code validation

for underground facility analysis,
8.3.2.5-82

thermal conditions characterization (site
ambient) study, 8.3.1.15-82--84 (see also
ambient thermal conditions (site) study)

thermal conductivity characterization
activity, 8.3.1.15-36--38

description, 8.3.1.15-36--37

methods and technical procedures,
8.3.1.15-37--38

objectives, 8.3.1.15-36

parameters, 8.3.1.15-36

thermal conductivity technical procedures
determination of, 8.3.1.15-38

laboratory measurements, 8.3.1.15-83

thermal decay characteristics of waste
and allowed areal power density,
8.3.2.2-42--43

information needed, 8.3.2.2-43

use of information, 8.3.2.5-40--41

thermal demagnetization, 8.3.1.4-61, -62

thermal expansion characterization
activity, 8.3.1.15-38--39

description, 8.3.1.15-38--39

methods and technical procedures,
8.3.1.15-39

objectives, 8.3.1.15-38

parameters, 8.3.1.15-38

thermal expansion measurement, technical
procedures for, 8.3.1.15-39

thermal expansion testing (laboratory) study,
8.3.1.15-38--39

activity

thermal expansion characterization,
8.3.1.15-38--39

thermal factor, zone of influence

and ESF tests, 8.4.2-98, -102*-104*

thermal history of Yucca Mountain

and hydrocarbon assessment, 8.3.1.9-38

- thermal infrared method evaluation activity, 8.3.1.17-176--177
 - description, 8.3.1.17-176--177
 - methods and technical procedures, 8.3.1.17-177
 - objectives, 8.3.1.17-176
 - parameters, 8.3.1.17-176
- thermal loading
 - and model inputs for Issue 1.10 (waste package characteristics--postclosure), 8.3.4.2-7*, -10
 - waste package, design goal, 8.3.4.2-28--29
 - of the waste package and repository layout, 8.3.4.2--28
- thermal loading for underground facility (Design Activity 1.11.6.1), 8.3.2.2-73--74
- thermal loading model
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- thermal loading/thermomechanical rock response (Information Need 1.11.6), 8.3.2.2-65--75
 - application of results, 8.3.2.2-75
 - design activities, 8.3.2.2-73--74
 - borehole spacing strategy, 8.3.2.2-74
 - reference calculations, 8.3.2.2-74
 - sensitivity studies, 8.3.2.2-74
 - strategy for containment enhancement, 8.3.2.2-74
 - thermal loading for underground facility, 8.3.2.2-73--74
 - interrelationships, 8.3.2.2-20--23, -22**
 - introduction, 8.3.2.2-65
 - link to supporting information, 8.3.2.2-67
 - logic, 8.3.2.2-67--73
 - parameters and information needs, 8.3.2.2-67--68*
 - processes associated with postclosure design function 4 (design thermal loading), 8.3.2.2-66*
 - products, 8.3.2.2-66*
 - technical basis for, 8.3.2.2-65--73
- thermal maturation techniques
 - and hydrocarbon assessment, 8.3.1.9-37
 - technical procedures for, 8.3.1.9-39
- thermal/mechanical analyses and data
 - blast damage to ESF pad, 8.4.3-30--31
 - demonstration breakout room effects, 8.4.3-31--32
 - drift shape and pillar width and stability, 8.4.3-28
 - excavation-induced effects on permeability, 8.4.3-25--26
- thermal/mechanical analyses and data (continued)
 - G-Tunnel heated block experiment, 8.4.3-32
 - G-Tunnel small-diameter heater experiment, 8.4.3-32--33
 - in situ experiments, 8.4.3-31--33
 - porosity on rock strength, 8.4.3-28--29
 - rock bolts and stresses near emplacement drifts, 8.4.3-29
 - sensitivity study for drift failure, 8.4.3-29
 - sequential drift mining effects, 8.4.3-31--32
 - shaft convergence effects, 8.4.3-31--32
 - shafts and drifts, 8.4.3-25--31
 - stability of panel access drifts, 8.4.3-29--30
 - stability of unlined shaft, 8.4.3-26--27
 - stresses at unventilated drift intersection, 8.4.3-29
 - thermal effects on stability, 8.4.3-27
 - thermal stresses and displacements, 8.4.3-27--28
 - thermal stresses on arched emplacement drifts, 8.4.3-27--28
 - thermal zone influence, 8.4.3-33
- thermal/mechanical attributes of waste package environment (Study 1.10.4.3)
 - activities, 8.3.4.2-56
 - waste package environment stress field analysis, 8.3.4.2-56
 - objectives, 8.3.4.2-56
- thermal/mechanical disturbance, potential impact
 - from deep borings drilled dry, 8.4.3-41
 - from ESF activities, 8.4.3-49--50
 - from exploratory shaft construction, 8.4.3-45--46
 - from saturated-zone boreholes, 8.4.3-43
 - from shallow borings drilled dry, 8.4.3-40
 - from underground construction, 8.4.3-47--48
- thermal/mechanical parameters
 - and three-dimensional rock characteristics model, 8.3.1.4-101--102
- thermal/mechanical properties, spatial distribution, see spatial distribution
- thermal/mechanical properties investigation
- thermal potential, instrumentation for, 8.3.1.2-210

PART B INDEX (Chapter 8)

- thermal probe measurements, technical procedures for, 8.3.1.15-59
- thermal properties (laboratory) study, 8.3.1.15-31--38
 - activities, 8.3.1.15-31--38
 - density and porosity characterization, 8.3.1.15-31--34
 - thermal conductivity characterization, 8.3.1.15-36--38
 - volumetric heat capacity characterization, 8.3.1.15-34--36
- thermal stress measurements
 - conceptual design, 8.4.2-123**
 - constraints and zones of influence, 8.4.2-122, -124
 - purpose and operations, 8.4.2-122
- thermal stress measurements activity, 8.3.1.15-60--62
 - description, 8.3.1.15-60
 - methods and technical procedures, 8.3.1.15-60--62
 - objectives, 8.3.1.15-60
 - parameters, 8.3.1.15-60
- thermal stresses
 - on arched emplacement drifts, thermal/mechanical analyses, 8.4.3-29
 - and emplacement drifts, 8.4.3-29
- thermal stresses and displacements
 - shaft and drift analyses, 8.4.3-27--28, -29
 - thermal/mechanical analyses, 8.4.3-27--28
- thermal surveys, technical procedures for, 8.3.1.2-316, -319
- thermal/thermomechanical analyses
 - information required, 8.3.2.2-69*--70*
 - parameters, 8.3.2.2-69*--70*
 - products, 8.3.2.2-69*--70*
- thermal/thermomechanical modeling
 - allowable areal power density, 8.3.2.2-38
 - borehole spacing strategy, 8.3.2.2-38
 - products, 8.3.2.2-38
- thermal zone influence
 - analyses to establish, 8.4.3-33
 - and ESF canister scale heater experiment, 8.4.3-33
 - and heated room experiment, 8.4.3-33
 - and thermal stress test, 8.4.3-33
 - thermal/mechanical analyses, 8.4.3-33
- thermocouples, technical procedures for, 8.3.1.15-64
- thermodynamic models
 - for waste element solubilities, 8.3.1.3-92
- thermodynamics of mineral evolution, 8.3.1.3-59--60
- thermogravimetric analysis, technical procedures for, 8.3.1.15-36
- thermoluminescent dating
 - and chronologic analyses, 8.3.1.5-52
 - fine eolian silt, technical procedures for, 8.3.1.5-76
- thermomechanical model, and emplacement drifts, 8.4.3-28
- thermomechanical properties
 - and lithophysae, 8.3.1.15-52
- thermomechanical properties (in situ) study, see in situ thermomechanical properties study
- three-dimensional geologic model development
 - activity, 8.3.1.4-81--82
 - description, 8.3.1.4-82
 - methods and technical procedures, 8.3.1.4-82
 - objectives, 8.3.1.4-81
 - parameters, 8.3.1.4-81--82
 - three-dimensional geologic model study, 8.3.1.4-81--84
 - activity
 - three-dimensional geologic model development, 8.3.1.4-81--82
 - objective, 8.3.1.4-81
- three-dimensional hydrologic model
 - calibration, and refinement, technical procedures for, 8.3.1.2-147
- three-dimensional hydrologic modeling (regional) activity, 8.3.1.2-144--147
 - description, 8.3.1.2-145--147
 - methods and technical procedures, 8.3.1.2-147
 - objectives, 8.3.1.2-144
 - parameters, 8.3.1.2-145
- three-dimensional rock characteristics model
 - development activity, 8.3.1.4-100--103
 - description, 8.3.1.4-100--102
 - methods and technical procedures, 8.3.1.4-102
 - objectives, 8.3.1.4-100
- three-dimensional rock characteristics model investigation, 8.3.1.4-84--103
 - activities
 - systematic drilling program, 8.3.1.4-87--100
 - three-dimensional rock characteristics model development, 8.3.1.4-100--103
 - application of results, 8.3.1.4-102--103

- three-dimensional rock characteristics model investigation (continued)
 - link to supporting information, 8.3.1.4-84
 - logic diagram, 8.3.1.4-3**
 - parameters, 8.3.1.4-85--86
 - purpose and objectives, 8.3.1.4-86
 - studies, 8.3.1.4-87--103
 - subsurface information (site-specific) data acquisition, 8.3.1.4-87--100
 - three-dimensional rock characteristics model, 8.3.1.4-100--103
 - technical basis for, 8.3.1.4-84--86
 - technical rationale, 8.3.1.4-86
- three-dimensional rock characteristics model study, 8.3.1.4-100--103
 - activity
 - three-dimensional rock characteristics model development, 8.3.1.4-100--103
- three-dimensional stratigraphic model
 - parameter calls, 8.3.1.15-15**
- three-dimensional thermal/mechanical model
 - parameter calls, 8.3.1.15-15**
- three-dimensional thermal/mechanical stratigraphy (Design Activity 1.11.1.3), 8.3.2.2-40
 - and interactive graphic information system, 8.3.2.2-40
 - objectives, 8.3.2.2-40
- tiltmeter measurements, technical procedures for, 8.3.1.15-59, -64
- Timber Mountain, and recharge, 8.3.1.5-122
- time series of paleoclimate history, technical procedures for, 8.3.1.5-88
- tin-126, sorption, 8.3.1.3-59
- Title I and II
 - and design phases, 8.3.2.1-7--8
- Tiva Canyon Member
 - gaseous-phase test location, 8.3.1.2-325*
 - and intact-fracture test, 8.3.1.2-239
 - and paleomagnetic sampling, 8.3.1.17-123
- Tiva Canyon welded unit
 - and fracture flow, 8.3.5.8-8
 - fracture system flow channeling in, 8.3.1.2-156
 - hydrogeologic sections, 8.3.5.12-4**
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
 - hydrogeologic section showing pinchouts, 8.3.5.12-15**
- tomography/vertical seismic profiling surveys, technical procedures for, 8.3.1.4-80
- Tonopah climatic analog site, 8.3.1.5-61
- top-level strategy, 8.0-4--10
- topography investigation, 8.3.1.14-18--27
 - application of results, 8.3.1.14-26--27
 - link to supporting information, 8.3.1.14-18
 - parameters, 8.3.1.14-24
 - purpose and objectives, 8.3.1.14-24--25
 - technical basis for, 8.3.1.14-18--25
 - technical rationale, 8.3.1.14-25
- topography of site, 8.3.1.14-18--27
- Topopah Spring Member
 - boreholes, 8.3.3.2-24
 - and candidate disposal horizon, 8.3.2.4-25
 - diffusion tests in, 8.3.1.2-320--321
 - and disturbed-zone performance goals, 8.3.5.12-56
 - excavation effects tests, 8.3.1.2-236
 - fluid transport property assessment, 8.3.1.2-272
 - fracture mineralogy studies, 8.4.2-108
 - gaseous-phase test location, 8.3.1.2-325*
 - horizontal borehole penetration, 8.3.1.2-223
 - and intact-fracture test, 8.3.1.2-239
 - and long-term change in saturation, 8.3.2.2-58
 - mass transfer kinetics, 8.3.1.3-105
 - mineralogic/geochemical alteration, 8.3.1.3-49--51
 - petrologic stratigraphy, 8.3.1.3-43--45
 - rock beakers, 8.3.1.3-112
 - and seal environment, 8.3.3.1-4
 - and seal performance, 8.3.5.11-5
 - and seals, 8.3.3.2-7, -25
 - significant properties of, 8.3.1.2-150--151
 - stratigraphic studies, 8.3.1.4-35, -37**
 - tuff block, 8.3.1.3-114
 - tuff characteristics, 8.3.4.2-23
 - tuff column experiments, 8.3.1.3-101--105, -107--108
 - tuff slab, 8.3.1.3-113
 - see also host rock, repository horizon, and Yucca Mountain
- Topopah Spring tuff
 - actinides and fission product distribution measurements, 8.3.5.10-80
 - core and wafer waste-form dissolution tests, 8.3.5.10-81
 - excavation-induced response, 8.3.5.2-35
 - Grouse Canyon comparison, 8.3.5.2-35

Topopah Spring tuff (continued)
 and radionuclide source term for
 near-field host rock, 8.3.5.10-32*-33*
 temperature and saturation profiles,
 8.3.5.20-4
see also Topopah Spring unit and Topopah
 Spring Member
 Topopah Spring unit
 and ground-water flow path, 8.3.5.8-7--8
 ground-water percolation flux,
 8.3.5.12-62*
 and GWTT, 8.3.5.12-13
 GWTT confidence levels, 8.3.5.12-19
 GWTT estimate (matrix flow), 8.3.5.13-63*
 hydrogeologic section at Yucca Mountain,
 8.3.5.13-57**
 hydrogeologic section showing pinchouts,
 8.3.5.12-15**
 and hydrologic property changes,
 8.3.5.12-57, -58
 isopach contour map showing thickness,
 8.3.5.12-12**
 percolation flux, 8.3.5.13-22**
 performance allocation for disturbed zone
 definition, 8.3.5.12-59*
 performance parameters, 8.3.5.12-21*
 and permeability barrier, 8.3.5.17-96
 and radionuclide retardation, 8.3.5.8-9
 and repository location, 8.3.5.13-56
 travel time plot, 8.3.5.12-14**
 and unsaturated zone, 8.3.5.12-11, -13
 TOSPAC, 8.3.1.3-96
 and COVE 2, 8.3.5.20-4*
 and performance assessment, 8.3.5.19-2*,
 -7*
 and water pathway models, 8.3.5.13-131
 total system costs (Issue 4.5)
 and higher level findings--ease and cost
 of construction (Issue 4.1), 8.3.5.7-7*
 total system performance (Issue 1.1),
 8.3.5.13-1--148
 and climate program, 8.3.1.5-1--3, -2**
 and containment by waste package
 (Issue 1.4), 8.3.5.9-7**
 and contingency plan, 8.3.2.2-38
 and drainage and moisture control plan,
 8.3.2.2-37
 and EBS release rates (Issue 1.5),
 8.3.5.10-1--2, -3**, -30
 and effects of human interference
 investigation, 8.3.1.9-45, -51

total system performance (Issue 1.1)
 (continued)
 erosion program parameter calls,
 8.3.1.6-2, -3*, -5**
 geochemistry program parameter calls,
 8.3.1.3-1, -2**, -4*-9*, -10**
 and geohydrology program, 8.3.1.2-5**,
 -362, -444
 and higher level findings--100,000-year
 releases (Issue 1.9(b)),
 8.3.5.18-22, -23*, -24--25,
 and human interference program, 8.3.1.9-1,
 -4*-9*, -12, -13**, -16
 and individual protection (Issue 1.2),
 8.3.5.14-9
 information needs, 8.3.5.13-124--142
 calculational models for release
 scenario classes (1.1.3),
 8.3.5.13-129--135
 potentially significant release
 scenario classes (1.1.2),
 8.3.5.13-124--128
 probabilistic release estimates
 (1.1.5), 8.3.5.13-139--142
 radionuclide releases for scenario
 classes (1.1.4), 8.3.5.13-135--139
 site information needed for
 calculations (1.1.1),
 8.3.5.13-124
 interrelationships, 8.3.5.13-116
 issue resolution strategy, 8.3.5.13-1--116
 licensing and issue-resolution strategy
 summary, 8.3.5.13-114--116
 major events and completion dates,
 8.3.5.13-144*-147*; 8.5-74**, -75--76
 and other design and performance
 assessment issues, 8.3.2.1-2**,
 8.3.4.1-2*
 overview of the performance assessments,
 8.3.5.13-2--116
 and postclosure performance assessment,
 8.3.5.8-1, -2, -3**, -4
 postclosure tectonics program parameter
 calls, 8.3.1.8-1, -2**, -3*, -9*, -13*,
 -17*, -19*, -22, -23
 and preclosure tectonics program,
 8.3.1.17-206*
 preliminary performance allocation,
 8.3.5.13-89--114
 preliminary performance allocation by
 release scenario class,
 8.3.5.13-90*-91*

total system performance (Issue 1.1)

(continued)

and qualifying and disqualifying

conditions of Issue 1.9 (a),

8.3.5.18-7--8

and reference postclosure repository

design (Information Need 1.11.7),

8.3.2.2-78

regulatory basis, 8.3.5.13-1--2

release-scenario classes, preliminary

selection, 8.3.5.13-25--26

release-scenario classes, technical

discussion, 8.3.5.13-56--89

schedule, 8.3.5.13-142--148; 8.5-73, -74**

site characterization activity impacts on,

8.4.3-50--72

supporting parameters, 8.3.5.13-108*--113*

and system guideline qualifying

condition--postclosure, 8.3.5.18-7--8

and 10 CFR Part 60, 8.3.1.5-1

and 40 CFR 191.13, 8.3.1.5-1

Total System Performance Assessment Code, see
TOSPAC

total system releases

complementary cumulative distribution

function, 8.4.3-50, -52--53

impact evaluation, 8.4.3-51--72

issue resolution strategy summary,

8.4.3-50--51

postclosure performance objectives,

8.4.3-1, -2, -3

total system simulator construction

(Subactivity 1.1.5.1.1), 8.3.5.13-140--141

description, 8.3.5.13-141

objectives, 8.3.5.13-140

parameters, 8.3.5.13-141

TOUGH

and COVE 2, 8.3.5.20-4*

and COVE 3, 8.3.5.20-5*

and performance assessment, 8.3.5.19-2*,
-7*

trace elements technical procedures

eolian sediments, 8.3.1.5-76

water sample analysis, 8.3.1.3-62

tracejector, surveys, 8.3.1.2-384--385

tracer concentration analysis of core,

technical procedures for, 8.3.1.2-322

tracer employment locations, 8.3.1.2-321

tracer injection tests

technical procedures for,

8.3.1.2-249--250, -322; 8.3.1.5-117

tracer tests

at C-hole sites, 8.3.1.2-371, -400--408,
-417--423

and design and modeling, 8.3.1.2-385

gas diffusion, 8.3.1.2-91, -153, -182,
-207, -209*

locations of possible saturated-zone

wells, 8.3.1.2-410**

technical procedures for,

8.3.1.2-214--215, -333--334, -408

water movement study, 8.3.1.2-179--181

tracers

actinide, 8.3.1.3-73

and aqueous-phase chemical investigations,
8.3.1.2-338

chemical

borehole drilling, 8.4.2-87

chloride, 8.3.1.3-94

and dust suppression, 8.4.2-88

and pumping tests, 8.4.2-79

diffusion, 8.3.1.3-104

and drilling, 8.4.2-87

field tests, technical procedures for,
8.3.1.2-214--215

gaseous, 8.4.2-73, -74

and diffusion studies, 8.4.2-74

and gaseous-phase circulation study,
8.3.1.2-329ground-water dye, 8.3.1.2-162, -174, -175,
-233

and hydrochemistry tests, 8.3.1.2-305

and multiple-well tests, 8.3.1.2-424

nonabsorbing, 8.3.1.2-320; 8.3.1.3-104

nonradioactive, 8.3.1.3-102

nonsorbing, 8.3.1.3-102

particulate, 8.3.1.3-111

and pumping tests, 8.3.1.2-409

radioactive, 8.3.1.3-69

saline, 8.3.1.2-162

sorbing, 8.3.1.3-99

velocity and effective porosity,
8.3.1.2-234

well testing with, 8.3.1.2-371, -420--423

TRACR3D, 8.3.1.3-121, -122, -127

and COVE 1, 8.3.5.20-3, -4*

and COVE 2, 8.3.5.20-4*

radionuclide uptake, 8.3.1.3-112--113

retardation, 8.3.1.3-110

tradeoff analyses

design, 8.3.2.1-19, -20*; 8.3.3.1-3

- tradeoff analyses (continued)
 - seals, 8.3.3.1-3
 - advanced conceptual design, 8.3.3.2-66--67
 - license application design, 8.3.3.2-68--69
- tradeoffs for advanced conceptual design (Design Subactivity 1.12.4.1.2), 8.3.3.2-66--67
 - description, 8.3.3.2-66--67
 - objectives, 8.3.3.2-66
- tradeoffs for license application design (Design Subactivity 1.12.4.2.2), 8.3.3.2-68--69
 - description, 8.3.3.2-68--69
 - objectives, 8.3.3.2-68
- Tram Member
 - and drift-pumpback tests, 8.3.1.2-402**
 - and well configurations test, 8.3.1.2-386**--388**, -391**
- Tram welded unit
 - hydrogeologic section at Yucca Mountain, 8.3.5.13-57**
- TRANQL, 8.3.1.3-121, -122, -127
- transgranular stress corrosion cracking (austenitic) (Subactivity 1.4.3.2.7), 8.3.5.9-105--106
 - description, 8.3.5.9-105--106
 - objectives, 8.3.5.9-105
 - parameters, 8.3.5.9-105
- transgranular stress corrosion cracking (waste containers), 8.3.5.9-46
- transpiration, see evapotranspiration
- transport, 8.3.1.3-55
 - and accessible environment, 8.3.1.3-38, -86, -135, -136, -138
 - and biological sorption, 8.3.1.3-80--82
 - chemical processes, 8.3.1.3-119--122
 - codes, validation of, 8.3.5.20-7--9
 - and coupled phenomena, 8.3.1.3-119--122
 - debris, technical procedures for, 8.3.1.16-13
 - physical mechanisms, 8.3.1.3-119--122, -136--137
 - retardation mechanisms, 8.3.1.3-135--136
- transport analysis
 - in laboratory systems, 8.3.4.2-55
 - in near field, 8.3.4.2-61--64
- transport calculations
 - applicability of laboratory data, 8.3.1.3-127--132
 - benchmarking, 8.3.1.3-126
- transport calculations (continued)
 - gaseous, 8.3.1.3-136--138
 - geochemical, 8.3.1.3-123--125
 - heat load effects, 8.3.1.3-119--122
 - see also geochemical-geophysical model
- transport characteristics of a fracture, technical procedures for, 8.3.1.2-343--344, -348
- transport characteristics of fractured rock mass, technical procedures for, 8.3.1.2-344, -345
- transport models
 - and C-holes, 8.3.1.2-403
 - and fractured tuff column studies, 8.3.1.3-109
 - hydrothermal, 8.3.4.2-51, -61
 - and hydrologic properties of waste package, 8.3.4.2-51
 - validation and calibration of, 8.3.4.2-61
 - and retardation, 8.3.1.3-34, -117
 - sensitivity analysis, 8.3.1.3-125, -126
 - TOSPAC, 8.3.1.3-96
 - verification and validation, 8.3.1.3-126
- transport models and related support activity, 8.3.1.3-125--127
 - description, 8.3.1.3-126
 - methods and technical procedures, 8.3.1.3-126--127
 - objectives, 8.3.1.3-125
 - parameters, 8.3.1.3-125
- transport of debris by runoff activity, 8.3.1.2-112--114
- transport pathway mineralogy, petrology, and chemistry
 - fracture mineralogy, 8.3.1.3-47--49
 - mineral distributions, 8.3.1.3-45--47
 - petrologic stratigraphy of Topopah Spring Member, 8.3.1.3-43--45
- transportation impacts, 8.3.1.13-10
- travel pathways
 - alteration of rock properties (postclosure tectonic studies), 8.3.1.8-17*--18*
 - and rock characteristics, 8.3.1.8-28, -81
- travel time
 - and flux estimates, 8.3.1.2-153, -234
 - and fracture network, 8.3.1.2-369
 - gas parameters, 8.3.1.2-304, -305, -334, -338
 - see also GWT (Issue 1.6)

- tree-ring data, and vegetation-climate relationships, 8.3.1.5-58
- trenches, and potential surface disturbance, 8.4.2-48*, -60
- trenching
 - location map, 8.3.1.17-104**
 - Midway Valley exploratory, 8.3.1.17-95--96
 - Midway Valley location identification, 8.3.1.17-93--95
 - and paleoflood evaluation, 8.3.1.5-82
 - wall logging/mapping, technical procedure for, 8.3.1.17-96
- triaxial compression testing, technical procedures for, 8.3.1.14-52, -53
- triaxial strain recovery method evaluation activity, 8.3.1.17-182--183
- triaxial strain recovery stress measurement, technical procedures for, 8.3.1.17-183
- trilateration surveys, technical procedures for, 8.3.1.17-199
- tritium profiling studies, technical procedures for, 8.3.1.2-171
- TRUST
 - and COVE 2, 8.3.5.20-4*
- TRUST/TRUMP
 - and COVE 1, 8.3.5.20-3, 4*
 - and performance assessment, 8.3.5.19-2*, -7*--8*
- TSW1 unit
 - thermomechanical properties, 8.3.1.15-52--54
- TSW2 unit
 - mechanical properties, 8.3.1.15-65--70
 - thermomechanical properties, 8.3.1.15-54--56
- tuff
 - Crater Flat, see Crater Flat tuff
 - crushed column experiments, 8.3.1.3-101--105
 - diffusion studies, 8.3.1.3-112--115
 - and filtration, 8.3.1.3-110--111
 - fractured column, 8.3.1.3-109--110
 - Paintbrush, see Paintbrush tuff
 - saturated, diffusion through slab, 8.3.1.3-113--114
 - Tiva Canyon, see Tiva Canyon welded unit
 - Topopah Spring, see Topopah Spring tuff
 - unsaturated columns, 8.3.1.3-107--108
- tuff wafers, radionuclide distributions (Subactivity 1.5.5.1.1), 8.3.5.10-80--81
- tuffaceous beds of Calico Hills
 - batch sorption, 8.3.1.3-69
 - and seal performance, 8.3.5.11-5
 - surface outcrop mapping, technical procedures for, 8.3.1.4-40
 - see also Calico Hills tuff
- tuffaceous rock, drying of
 - and unsaturated zone, 8.4.3-22
- tunnel index methods
 - and geomechanical analyses, 8.3.2.1-21
 - and structural-thermal analysis, 8.3.2.5-69
- two- and three-well tests, technical procedures for, 8.3.1.2-421
- two-dimensional areal hydrologic model (subregional) activity, 8.3.1.2-139--141
 - description, 8.3.1.2-139--141
 - methods and technical procedures, 8.3.1.2-141
 - objectives, 8.3.1.2-139
 - parameters, 8.3.1.2-139
- two-dimensional cross-sectional hydrologic model (subregional) activity, 8.3.1.2-142--144
 - description, 8.3.1.2-142--143
 - methods and technical procedures, 8.3.1.2-144
 - objectives, 8.3.1.2-142
 - parameters, 8.3.1.2-142
- two-dimensional ground-water flow model, sensitivity analyses, 8.3.1.2-115
- two-dimensional ground-water system model and evapotranspiration studies, 8.3.1.2-134
- two-dimensional, steady-state, cross-sectional model, technical procedures for, 8.3.1.2-144
- two-layer model of Yucca Mountain saturated zone, technical procedures for, 8.3.1.2-147
- two-phase fluid system properties (Activity 1.10.4.2.2), 8.3.4.2-54--55
 - description, 8.3.4.2-55
 - objectives, 8.3.4.2-54
 - parameters, 8.3.4.2-54
- two-phase permeability laboratory tests, technical procedures for, 8.3.1.2-247--249
- two-well convergent tests, technical procedures for, 8.3.1.2-407--408
- two-well recirculating tests
 - at C-hole sites, 8.3.1.2-403
 - technical procedures for, 8.3.1.2-405--407

- ubiquitous-joint model, drift analyses, 8.4.3-28
- UDBR, see upper demonstration breakout room
- ultrasonic pulse techniques--rock, technical procedures for, 8.3.1.14-52
- uncertainty
 - and accident risk assessment, 8.3.5.5-28
 - analyses
 - and analytical approach for radiological safety assessment, 8.3.5.5-17
 - and radiological risks, 8.3.5.1-11--12
 - stochastic modeling activity, 8.3.1.2-359--361
 - methodologies
 - and probabilistic analysis of waste package container performance, 8.3.5.9-17--18, -111--112; 8.3.5.10-78
 - and performance issue resolution, 8.3.5.8-5**, -6
 - and radiological risk, 8.3.5.1-11--12
 - and sensitivity analyses of ground-water travel time, 8.3.5.12-54
 - and stochastic modeling, 8.3.1.2-359--360
 - and strategy for assessing ground-water travel time, 8.3.5.12-13, -17, -24, -44, -52--53
 - uncertainty, assessment and reduction for containment, 8.3.5.9-17--18
 - uncertainty methodology development (waste package) (Subactivity 1.5.3.5.2), 8.3.5.10-73--74
 - description, 8.3.5.10-73--74
 - objectives, 8.3.5.10-73
 - parameters, 8.3.5.10-73
 - unconfined compressive deformability--rock core, technical procedures for, 8.3.1.14-53
 - unconfined compressive strength testing, technical procedures for, 8.3.1.14-52, -53
 - unconsolidated stream-channel deposits, dating, technical procedures for, 8.3.1.5-95
 - underground closure, system element 1.2.4.1
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-91, -94--95
 - functions and processes, 8.3.2.5-32*
 - performance measures and goals for nonradiological health and safety, 8.3.2.4-20*
 - preliminary performance allocation, 8.3.2.5-32*
 - underground construction
 - ESF construction, 8.4.2-180--195
 - and ground-water travel time, 8.4.3-87
 - potential impacts, 8.4.3-46--48
 - of geochemical disturbance, 8.4.3-47
 - of hydrologic disturbance, 8.4.3-46--47
 - of thermal/mechanical disturbance, 8.4.3-47--48
 - underground excavations, design and operational safety, 8.4.2-220--221
 - underground facilities
 - analyses
 - hydrologic, 8.3.2.5-74
 - mechanical code validation, 8.3.2.5-82--83
 - seismic code validation, 8.3.2.5-83
 - and sensitivity analysis, 8.3.2.5-81--82
 - and thermal code validation, 8.3.2.5-82
 - underground ventilation code validation, 8.3.2.5-83--84
 - validation of codes, 8.3.2.5-82
 - design and site characteristics, 8.3.2.2-23--40
 - sealing components, 8.3.3.2-7, -8**, -10*--11*
 - technology, 8.3.2.5-88--96
 - access construction, system element 1.2.1.1, 8.3.2.5-90, -91, -92
 - borehole construction, system element 1.2.1.3, 8.3.2.5-90, -91, -93
 - drift construction, system element 1.2.1.2, 8.3.2.5-90, -91, -93
 - emplacement, system element 1.2.2.4, 8.3.2.5-91, -94
 - mining ventilation, system element 1.2.1.6, 8.3.2.5-91, -94
 - retrieval, system element 1.2.2.5, 8.3.2.5-91, -94
 - rock handling, system element 1.2.1.4, 8.3.2.5-91, -93
 - subsurface, system element 1.1.2, 8.3.2.5-90, -91, -92
 - waste handling ventilation, system element 1.2.2.7, 8.3.2.5-91, -94
 - water removal, system element 1.2.1.5, 8.3.2.5-91, -94

- underground facilities configuration (Issue 1.11), see configuration of underground facilities (Issue 1.11)
- underground facility configuration selection,
 - postclosure design function 1, 8.3.2.2-7--11, -8*--10*
 - container environment, 8.3.2.2-11
 - flexibility, 8.3.2.2-7, -11, -44
 - needed confidence, 8.3.2.2-8*--10*
 - performance goals, 8.3.2.2-8*--10*
 - performance measures, 8.3.2.2-8*--10*
 - repository configuration, 8.3.2.2-7, -11
- underground facility design, preclosure
 - performance evaluations, 8.4.2-10*--13*, -14
- underground facility orientation and layout (Information Need 1.11.3), 8.3.2.2-44--54
 - application of results, 8.3.2.2-54
 - design activities, 8.3.2.2-52--54
 - area needed determination, 8.3.2.2-52--53
 - criteria for contingency plan, 8.3.2.2-54
 - drainage and moisture control plan, 8.3.2.2-53
 - usable area and flexibility evaluation, 8.3.2.2-53
 - vertical or horizontal orientation, 8.3.2.2-53
 - interrelationships, 8.3.2.2-20--23, -22**
 - introduction, 8.3.2.2-44--45
 - link to supporting information, 8.3.2.2-46
 - logic, 8.3.2.2-46--52
 - parameters, 8.3.2.2-46
 - parameters required, 8.3.2.2-47*--49*
 - and postclosure design function 1 (underground facility configuration selection), 8.3.2.2-45*
 - products and information required, 8.3.2.2-47*--49*
 - products and parameters required, 8.3.2.2-47*--49*
 - technical basis for, 8.3.2.2-45--52
- underground facility parameters
 - and preclosure fault displacement investigation, 8.3.1.17-10*--12*
 - and preclosure volcanic activity (preclosure) investigation, 8.3.1.17-5*--6*
 - and vibratory ground motion investigation, 8.3.1.17-19*--25*
- underground nuclear explosion ground motion
 - model activity, 8.3.1.17-77
 - description, 8.3.1.17-77
 - objectives, 8.3.1.17-77
 - parameters, 8.3.1.17-77
- underground nuclear explosion ground motion study, 8.3.1.17-76--77
- underground nuclear explosion maximum source
 - activity, 8.3.1.17-75
 - description, 8.3.1.17-75
 - objectives, 8.3.1.17-75
- underground nuclear explosion source range
 - activity, 8.3.1.17-75
 - description, 8.3.1.17-75
 - objectives, 8.3.1.17-75
- underground nuclear explosion sources study, 8.3.1.17-74--75
 - activities, 8.3.1.17-75
 - underground nuclear explosion maximum source, 8.3.1.17-75
 - underground nuclear explosion source range determination, 8.3.1.17-75
- underground nuclear explosions
 - and seismic design basis, 8.3.1.17-66, -69
 - and vibratory ground motion, 8.3.1.17-35, -36
- underground room constructibility
 - and lithophyses, 8.3.1.15-48
- underground support systems
 - airflow available for ventilation, 8.4.2-196
 - analytic analyses of rock support, 8.4.2-198
 - description, 8.4.2-195--200
 - dust control, 8.4.2-197
 - empirical analyses of rock support, 8.4.2-198
 - evacuation and rescue, 8.4.2-200
 - fire protection system, 8.4.2-199
 - health and safety systems, 8.4.2-199--200
 - life safety systems, 8.4.2-199
 - mine ventilation, 8.4.2-195--197
 - rock support, 8.4.2-197--198
- underground ventilation code validation
 - for underground facility analysis, 8.3.2.5-83--84
- undetected dikes
 - potentially likely conditions, evaluation, 8.4.3-59
- undetected faults and shear zones
 - potentially likely conditions, evaluation, 8.4.3-58--59

- undiscovered boreholes
 - potentially likely conditions, evaluation, 8.4.3-59
- undiscovered mine shafts
 - potentially likely conditions, evaluation, 8.4.3-59
- unit cost development, ground-water pumping, technical procedures for, 8.3.1.16-19, -21, -23
- unsaturated flow system analysis (Activity 1.6.3.1), 8.3.5.12-51--52
 - subactivities, 8.3.5.12-51
 - saturated-zone flow analysis, 8.3.5.12-51
 - unsaturated-zone flow analysis, 8.3.5.12-51
- unsaturated tuff columns activity, 8.3.1.3-107--108
 - description, 8.3.1.3-108
 - methods and technical procedures, 8.3.1.3-108
 - objectives, 8.3.1.3-107
 - parameters, 8.3.1.3-108
- unsaturated zone
 - boreholes, location of, 8.3.1.2-202**
 - diffusion activity, 8.3.1.3-114
 - and engineered environment enhancement, 8.3.5.9-12
 - flow
 - behavior, data needs, 8.3.1.2-92
 - concepts, 8.4.1-14--20
 - description, 8.4.1-13--21
 - drilling fluid and fracture-matrix saturation, 8.4.3-14--15
 - drilling fluid migration, 8.4.3-15--16
 - effects of flux change on travel time, 8.4.3-13
 - effects of increased flux on saturation, 8.4.3-13
 - fluid loss in borehole USW G-4, 8.4.3-16--17
 - flux penetration into discrete fractures, 8.4.3-14
 - fracture aperture size, 8.4.3-12
 - and major water-table rise, 8.4.3-13--14
 - and matrix and fractures, 8.4.3-12--17
 - matrix hydraulic conductivity, 8.4.3-12
 - matrix response to flux increases, 8.4.3-12--13
 - matrix wetting, 8.4.3-15
- unsaturated zone (continued)
 - flow (continued)
 - modeling, 8.3.1.2-7***-8**, -341--362
 - and site excavation impact, 8.4.1-14
 - studies, and agricultural soil conditions, 8.3.1.2-151
 - and Yucca Mountain, 8.4.1-13--21
 - and fracture hydrology, 8.3.1.2-151
 - gaseous-phase movement study, 8.3.1.2-322--334
 - gases, age determination of, 8.3.1.2-305, -335
 - geohydrology activity parameters, 8.3.1.2-13*-30*
 - hydrochemical characterization, 8.3.1.2-334--341
 - hydrology, 8.3.1.5-96
 - description, 8.4.1-14--20
 - future, 8.3.1.5-119--120
 - logic diagrams, 8.3.1.2-6***-8**
 - leakance layer (model), 8.3.1.2-145
 - model
 - hydrologic hypotheses, 8.3.1.2-52*-67*
 - parameters, 8.3.1.2-7**
 - purpose of, 8.3.1.2-152
 - moisture flow, 8.4.1-13--14
 - as natural barrier, 8.3.1.2-151
 - percolation
 - ESF shaft study, 8.3.1.2-232--320
 - surface-based study, 8.3.1.2-181--232
 - see also percolation in unsaturated zone--ESF study and percolation in unsaturated zone--surface study
 - performance assessment, 8.4.3-5, -6
 - and performance objectives, 8.4.3-3
 - quantity of water in, 8.4.3-17--19
 - status of drillhole logging activities, 8.3.1.2-207, -208*
 - summary of studies, 8.3.1.2-90--92
 - thickness of, 8.3.1.2-3--4
 - uncertainty as effective barrier, 8.3.1.2-4
 - water, age dating of, 8.3.1.2-305, -339
 - water chemistry, 8.3.1.2-154, -156; 8.3.1.3-37--38, see also hydrochemistry entries
 - water introduced, 8.4.3-17--19

- unsaturated-zone altered rock properties and geochemistry (disturbed scenario C-3), 8.3.5.13-87--88
 - expected partial performance measures, 8.3.5.13-102*--103*
 - initiating events or processes, 8.3.5.13-87--88
 - performance parameters, 8.3.5.13-102*--103*
- unsaturated-zone drilling program description, 8.4.2-64--74
- unsaturated-zone flow analysis (Subactivity 1.6.3.1.1), 8.3.5.12-51
 - description, 8.3.5.12-51
 - objectives, 8.3.5.12-51
- unsaturated-zone foreshortening releases (disturbed case scenario C-2)
 - expected partial performance measures (EPPM), 8.3.5.13-100*--101*
 - initiating events or processes, 8.3.5.13-86--87
 - performance parameters, 8.3.5.13-100*--101*
- unsaturated-zone gaseous-phase movement study, 8.3.1.2-322--334 (see also gaseous-phase movement (unsaturated zone) study)
- unsaturated-zone gases, age dating, 8.3.1.2-305, -335
- unsaturated-zone ground-water travel model
 - performance parameters, 8.3.5.12-28*--30*
- unsaturated-zone hydrogeologic system
 - conceptualization activity, 8.3.1.2-351--353
 - description, 8.3.1.2-351--353
 - methods and technical procedures, 8.3.1.2-353
 - objectives, 8.3.1.2-351
 - parameters, 8.3.1.2-351
- unsaturated-zone hydrologic characteristics
 - synthesis activity, 8.3.1.16-26
 - description, 8.3.1.16-26
 - methods and technical procedures, 8.3.1.16-26
 - objectives, 8.3.1.16-26
 - parameters, 8.3.1.16-26
- unsaturated-zone hydrogeologic conceptualization activity, 8.3.1.2-351--353
 - description, 8.3.1.2-351--353
 - methods and technical procedures, 8.3.1.2-353
 - objectives, 8.3.1.2-351
 - parameters, 8.3.1.2-351
- unsaturated-zone hydrologic data and sample requirements
 - and construction control, 8.4.2-81, -86
- unsaturated-zone hydrologic properties and conditions
 - parameters provided by geohydrology program, 8.3.1.2-13*--30*
 - site data needs, 8.3.1.2-148--157
- unsaturated-zone hydrologic system (site) investigation, 8.3.1.2-148--364
 - activities
 - aqueous phase chemical investigations, 8.3.1.2-337--341
 - artificial infiltration evaluation, 8.3.1.2-172--179
 - bulk permeability test in ESF, 8.3.1.2-271--281
 - Calico Hills test in ESF, 8.3.1.2-300
 - chloride and Cl-36 percolation measurements, 8.3.1.2-180--181
 - diffusion tests in ESF, 8.3.1.2-320--322
 - excavation test in ESF, 8.3.1.2-293--299
 - fluid flow in unsaturated, fractured rock model development, 8.3.1.2-342--345
 - fluid flow in unsaturated, fractured rock model validation, 8.3.1.2-345--350
 - gaseous-phase chemical investigations, 8.3.1.2-334--337
 - gaseous-phase circulation, 8.3.1.2-323--334
 - hydrochemistry tests in ESF, 8.3.1.2-304--308
 - hydrogeologic system (natural) simulation, 8.3.1.2-356--359
 - hydrologic-modeling computer codes, 8.3.1.2-353
 - hydrologic properties of faults encountered in ESF, 8.3.1.2-316--320
 - hydrologic properties of surficial materials, 8.3.1.2-157--164
 - intact-fracture test in ESF, 8.3.1.2-238--252
 - matrix hydrologic properties testing, 8.3.1.2-183--200
 - multipurpose borehole testing near ESF, 8.3.1.2-308--316

- unsaturated-zone hydrologic system (site)
 - investigation (continued)
 - activities (continued)
 - natural infiltration evaluation, 8.3.1.2-164--172
 - perched water test in ESF, 8.3.1.2-300--304
 - percolation tests in ESF, 8.3.1.2-252--271
 - radial borehole tests in ESF, 8.3.1.2-281--292
 - Solitario Canyon horizontal borehole study, 8.3.1.2-221--232
 - stochastic modeling and uncertainty analysis, 8.3.1.2-359--360
 - unsaturated-zone hydrogeologic system conceptualization, 8.3.1.2-351--353
 - unsaturated-zone integration and synthesis (site), 8.3.1.2-361--362
 - vertical borehole studies (site), 8.3.1.2-200--221
 - application of results, 8.3.1.2-362--364
 - link to supporting information, 8.3.1.2-148
 - parameters, 8.3.1.2-148--149
 - purpose and objectives, 8.3.1.2-149--150
 - studies, 8.3.1.2-157--362
 - diffusion tests in ESF, 8.3.1.2-320--322
 - fluid flow in unsaturated, fractured rock, 8.3.1.2-341--350
 - gaseous-phase movement (unsaturated zone), 8.3.1.2-322--334
 - hydrochemical characterization (unsaturated zone), 8.3.1.2-334--341
 - percolation in unsaturated zone--ESF, 8.3.1.2-232--320
 - percolation in unsaturated zone--surface study, 8.3.1.2-181--232
 - unsaturated-zone infiltration, 8.3.1.2-157--179
 - unsaturated-zone modeling and synthesis, 8.3.1.2-350--362
 - water movement tracer tests (chloride and Cl-36), 8.3.1.2-172--181
 - summary of major studies, 8.3.1.2-150--156
 - technical basis for, 8.3.1.2-148--156
 - technical rationale, 8.3.1.2-150--156
 - unsaturated-zone hydrologic system conceptual models, current representation and alternative hypotheses, 8.3.1.2-52*--67*
- unsaturated-zone hydrology model sensitivity analysis, technical procedures for, 8.3.1.5-120
- unsaturated-zone increased flux release (disturbed case scenario C-1), 8.3.5.13-84, -86
 - expected partial performance measures (EPPM), 8.3.5.13-98*--99*
 - initiating events or processes, 8.3.5.13-86
 - performance parameters, 8.3.5.13-98*--99*
- unsaturated-zone infiltration
 - characterization study, 8.3.1.2-157--179
 - activities, 8.3.1.2-157--179
 - artificial infiltration evaluation, 8.3.1.2-172--179
 - hydrologic properties of surficial materials, 8.3.1.2-157--164
 - natural infiltration evaluation, 8.3.1.2-164--172
 - objective, 8.3.1.2-157
 - unsaturated-zone integration and synthesis (site) activity, 8.3.1.2-361--362
 - description, 8.3.1.2-361--362
 - methods and technical procedures, 8.3.1.2-362
 - objectives, 8.3.1.2-361
 - parameters, 8.3.1.2-361
- unsaturated-zone modeling and synthesis (site) study, 8.3.1.2-350--362
 - activities, 8.3.1.2-351--362
 - hydrogeologic system (natural) simulation, 8.3.1.2-356--359
 - hydrologic modeling computer codes, 8.3.1.2-353--355
 - stochastic modeling and uncertainty analysis, 8.3.1.2-359--359
 - unsaturated-zone hydrogeologic system conceptualization, 8.3.1.2-351--353
 - unsaturated-zone integration and synthesis (site), 8.3.1.2-361--362
- up-hole seismic, technical procedures for, 8.3.1.14-63
- uplift
 - effect on water-table elevation activity, 8.3.1.8-92
 - and erosion, 8.3.1.6-22
 - Quaternary, 8.3.1.8-87
 - see also folding, uplift, and subsidence effects on flux rates, activity

PART B INDEX (Chapter 8)

- uplift and faulting impact on erosion
 - activity, 8.3.1.6-22--23
 - description, 8.3.1.6-23
 - methods and technical procedures, 8.3.1.6-23
 - objectives, 8.3.1.6-22
 - parameters, 8.3.1.6-22--23
- uplift and subsidence--Quaternary history, technical procedures for, 8.3.1.17-190
- uplift and subsidence study boundaries, 8.3.1.17-190
- uplift rate analysis, technical procedures for, 8.3.1.17-198
- uplift rates in the controlled area
 - activity, 8.3.1.8-87
 - description, 8.3.1.8-87
 - methods and technical procedures, 8.3.1.8-87
 - objectives, 8.3.1.8-87
 - parameters, 8.3.1.8-87
- uplift/subsidence/folding/faulting and structural deformation (Issue 1.8 potentially adverse condition 4), 8.3.5.17-27, -30, -31*--34*
- upper demonstration breakout room
 - plan view, 8.4.2-112**
 - and station, ESF construction, 8.4.2-189, -190**
- uranium
 - batch sorption, 8.3.1.3-68, -70, -72*
 - sorption, 8.3.1.3-67
- uranium-series dating
 - and chronologic analyses, 8.3.1.5-52
 - and eolian deposits, 8.3.1.5-73
 - and surficial deposits, 8.3.1.5-69
 - technical procedures, 8.3.1.5-72, -76
- uranium-thorium disequilibrium, technical procedures for, 8.3.1.8-115
- uranium-trend and uranium-series dating
 - and chronologic analyses, 8.3.1.5-52
 - plans and technical procedures, 8.3.1.5-69; 8.3.1.17-162, -163, -164, -165, -166, -167
- U.S. Bureau of Land Management
 - and land administration at site, 8.3.1.11-2
 - and plans for mitigation, 8.7-1
 - and Yucca Mountain site, 8.3.1-1
- U.S. Bureau of Reclamation, and water supply information, 8.3.1.9-44
- U.S. Department of the Air Force
 - and land administration at site, 8.3.1.11-2
 - see also Nellis Air Force Base
- U.S. Department of Commerce
 - and socioeconomic data for water-use assessment, 8.3.1.9-44
- U.S. Department of Energy
 - approach to choosing scenario classes, 8.3.5.13-12--16
 - Mission Plan, 8.2-1, -15, -17** (see also Mission Plan)
 - Order 6430 and surface characteristics program, 8.3.1.14-16
 - and Yucca Mountain site, 8.3.1-1
- U.S. Department of the Interior
 - and land administration at site, 8.3.1.11-2
- U.S. Environmental Protection Agency
 - and dispersion parameters, 8.3.1.12-23--24
 - and meteorological data reporting requirements, 8.3.1.12-21
 - source of meteorological data, 8.3.1.12-10
- U.S. Geological Survey
 - and COVE 2, 8.3.5.20-4*
 - and water supply information, 8.3.1.9-44
- U.S. National Weather Service
 - precipitation gage network, 8.3.1.2-98
 - and probable maximum flood, 8.3.1.16-12
 - as source of meteorological data, 8.3.1.12-10
- U.S. Nuclear Regulatory Commission
 - and dispersion parameters, 8.3.1.12-22
- U.S. Nuclear Regulatory Commission
 - and meteorological data reporting requirements, 8.3.1.12-21
 - site characterization plan comments, 8.3.1-1
 - see also NRC entries
- usable area and flexibility evaluation, product 1.11.3-2
 - status, 8.3.2.2-37, -50
- usable area and flexibility evaluation (Design Activity 1.11.3.2), 8.3.2.2-53
 - information needed, 8.3.2.2-47*--48*
 - objective, 8.3.2.2-53
- USW G-1, drilling fluid migration, 8.4.3-15--16
- USW G-4
 - drilling fluid loss in, 8.4.3-16--17
 - and unsaturated zone flow, 8.4.3-16--17

- USW H-7
 and conceptual perimeter drift boundary,
 8.4.3-42
 saturated-zone borehole, 8.4.3-42
 and saturated-zone exploration, 8.4.2-78
- USW UZ-1
 drilling fluid migration, 8.4.3-15--16
 and perched water, 8.4.3-16
- USW UZ-6, -6s
 and air exchange with atmosphere, 8.4.3-19
- utilization of site data
 by performance assessment and design,
 8.2-67**
- V-series drillholes, see volcanism drillholes
- activity
- vadose water composition (Activity
 1.10.4.1.3), 8.3.4.2-45--46
 description, 8.3.4.2-46
 objectives, 8.3.4.2-45
 parameters, 8.3.4.2-46
- vadose-zone water movement, and impact of
 exploration, 8.3.1.9-28
- validation, 8.3.5.19-13
 of analytical techniques, plans,
 8.3.5.20-1--9
 codes for underground facility analysis,
 8.3.2.5-82--84
 computer models, 8.3.2.5-82
 coupled hydraulic-mechanical finite
 element model, 8.3.1.2-295
 hydrologic codes, 8.3.5.20-7--9
 information needs, 8.3.5.20-8--9
 performance assessment models,
 8.3.5.20-5--9
 information needs, 8.3.5.20-7
 plans, 8.3.5.20-6--7
 physical models, 8.3.5.20-8--9
 rock mechanical behavior, 8.3.1.15-45, -50
 software, technical procedures for,
 8.3.1.8-110, -114, -117, -120, -122
 transport codes, 8.3.5.20-7--9
 information needs, 8.3.5.20-8--9
 transport models, 8.3.1.3-125;
 8.3.4.2-61--64
 see also verification
- value of resources investigation,
 8.3.1.9-20--44 (see also resource value
 investigation)
- vegetation-climate relationships activity
 description, 8.3.1.5-57--59
 methods and technical procedures,
 8.3.1.5-59
 objectives, 8.3.1.5-57
 parameters, 8.3.1.5-58
- ventilation analyses
 codes, 8.3.2.5-83--84
 effects on drift wall saturation,
 8.4.3-22
 effects on rock saturation, 8.4.3-22--23
 mining, summary, 8.3.2.5-73
 repository modeling, 8.3.2.1-24--25
 waste handling, summary, 8.3.2.5-74
 underground repository facilities
 summary, 8.3.2.5-74--75
- ventilation experiment, see air quality and
 ventilation experiment activity
- ventilation systems and water removal, design
 consideration, 8.4.3-35
- verification, 8.3.5.19-13
 of analytical techniques, plans,
 8.3.5.20-1--9
 computer models, 8.3.2.5-82
 COVE, 8.3.5.20-3--5
 gas transport models, 8.3.1.3-137--138
 performance assessment techniques,
 8.3.5.20-2--3
 transport models, 8.3.1.3-125
 see also validation
- vertical borehole drilling and coring,
 technical procedures for, 8.3.1.2-211--212
- vertical borehole (site) studies
 activity, 8.3.1.2-200--221
 description, 8.3.1.2-201--211;
 8.4.2-73--74
 methods and technical procedures,
 8.3.1.2-211--221
 objectives, 8.3.1.2-200
 parameters, 8.3.1.2-200--201
- vertical boreholes
 construction detail summary,
 8.3.1.2-203*--205*
 instrumentation of, 8.3.1.2-210
 studies, description, 8.4.2-73--74
- vertical emplacement
 container, 8.3.5.9-3**
 drift analyses, 8.4.3-28, -29
 and seals, 8.3.3.2-35

- vertical/lateral stratigraphic units within
 - site area study, 8.3.1.4-32--64
 - activities, 8.3.1.4-32--64
 - borehole geophysical surveys, 8.3.1.4-57--59
 - geophysical activities integration, 8.3.1.4-64
 - magnetic properties and stratigraphic correlations, 8.3.1.4-60--64
 - petrophysical properties testing, 8.3.1.4-59--60
 - surface and subsurface stratigraphic studies, 8.3.1.4-32--41
 - surface-based geophysical surveys, 8.3.1.4-41--57
 - objective, 8.3.1.4-32
- vertical or horizontal orientation
 - (Design Activity 1.11.3.3), 8.3.2.2-53
 - objective, 8.3.2.2-53
- vertical seismic profiling
 - activity, 8.3.1.4-79--80
 - boreholes required, 8.3.1.2-201, -209**
 - technical procedures for, 8.3.1.2-215
- vertical vs. horizontal orientation decision,
 - product 1.11.3-3
 - information needed, 8.3.2.2-48*
 - status, 8.3.2.2-37, -50
- vibratory ground motion considerations
 - preclosure tectonics program, 8.3.1.17-34--37
- vibratory ground motion investigation, 8.3.1.17-63--86
 - activities
 - earthquake ground motion models, 8.3.1.17-76
 - earthquake (relevant) sources identification, 8.3.1.17-69--72, -71**
 - earthquake source evaluation, 8.3.1.17-82--84
 - ground motion from seismic events
 - characterization, 8.3.1.17-81--82
 - ground motion probabilities evaluation, 8.3.1.17-84--85
 - ground motion site effects from recordings, 8.3.1.17-78--79
 - ground motion site effects using wave properties, 8.3.1.17-79
 - seismic event (controlling) identification, 8.3.1.17-80
 - seismogenic source cumulative slip earthquake, 8.3.1.17-72--74
 - vibratory ground motion investigation
 - (continued)
 - activities (continued)
 - underground nuclear explosion ground motion models, 8.3.1.17-77
 - underground nuclear explosion maximum source, 8.3.1.17-75
 - underground nuclear explosion source range determination, 8.3.1.17-75
 - application of results, 8.3.1.17-85--86
 - link to supporting information, 8.3.1.17-63
 - logic diagram, 8.3.1.17-67**
 - parameters, 8.3.1.17-63--64
 - purpose and objectives, 8.3.1.17-65
 - studies, 8.3.1.17-69--85
 - earthquake (relevant) sources, 8.3.1.17-69--74
 - ground motion--earthquakes/underground nuclear explosions, 8.3.1.17-76--77
 - ground motion from seismic events, 8.3.1.17-80--82
 - seismic hazards analysis (probabilistic), 8.3.1.17-82--85
 - site geology effects on ground motion, 8.3.1.17-77--79
 - underground nuclear explosion sources, 8.3.1.17-74--75
 - technical basis, 8.3.1.17-63--64
 - technical rationale, 8.3.1.17-66--69
 - video camera surveys, technical procedures for, 8.3.1.4-74
 - video logs
 - inspection, technical procedures for, 8.3.1.16-19, -21, -23
 - video surveys, technical procedures for, 8.3.1.2-279, -315, -319, -322
- VISCOT
 - drift analysis, 8.3.2.5-72
 - ventilation analysis, 8.3.2.5-73
- VNET, ventilation analysis, 8.3.2.5-73
- volcanic activity
 - basaltic, 8.3.1.8-52--54
 - causing chemical or physical changes, 8.3.1.8-125--127
 - decreased magma volume - increased eruptive frequency, 8.3.1.8-37
 - direct releases (postclosure tectonic studies), 8.3.1.8-3*-5*
 - flux rate effects, 8.3.1.8-83--84
 - hypersthene- to nepheline-normative basalt, 8.3.1.8-53

PART B INDEX (Chapter 8)

volcanic activity (continued)
 and marker system, 8.3.1.9-15, -16, -18, -19
 and potassium-argon dating, 8.3.1.8-112--114, -115
 volcanic activity (postclosure) investigation, 8.3.1.8-48--62
 activities
 basaltic volcanism structural controls, 8.3.1.8-52--54
 hydrovolcanic eruption effects, 8.3.1.8-60--62
 magma bodies in site vicinity, 8.3.1.8-55--57
 volcanic eruption probability calculations and assessment, 8.3.1.8-57--59
 volcanic event location and timing, 8.3.1.8-51, -52
 application of results, 8.3.1.8-62
 approach used, 8.3.1.8-26
 interrelationships, 8.3.1.8-46--47
 link to supporting information, 8.3.1.8-48
 logic diagram, 8.3.1.8-50**
 parameters, 8.3.1.8-48
 and preclosure tectonics program, 8.3.1.17-31
 purpose and objectives, 8.3.1.8-48
 studies, 8.3.1.8-51--62
 volcanic eruption penetrating repository effects, 8.3.1.8-59--62
 volcanic eruption penetrating repository probability, 8.3.1.8-51--59
 technical basis for, 8.3.1.8-48--49
 technical rationale, 8.3.1.8-48--49
 volcanic activity (preclosure) investigation, 8.3.1.17-51--56
 activities
 ash-fall particle density and size assessment, 8.3.1.17-55--56
 ash-fall thickness (potential), 8.3.1.17-54--55
 Quaternary silicic volcanism literature survey, 8.3.1.17-54
 application of results, 8.3.1.17-56
 link to supporting information, 8.3.1.17-51
 logic diagram, 8.3.1.17-53**
 parameters, 8.3.1.17-51
 purpose and objectives, 8.3.1.17-51--52

volcanic activity (preclosure) investigation (continued)
 study
 ash-fall potential at site, 8.3.1.17-54--56
 technical basis, 8.3.1.17-51--52
 technical rationale, 8.3.1.17-52
 volcanic ash
 and eolian sediments, 8.3.1.5-73
 Lava Creek, 8.3.1.5-73
 Quaternary correlation and dating, plans and technical procedures, 8.3.1.17-161, -168
 volcanic centers
 geologic field studies, 8.3.1.8-52, -116--117
 Lathrop Wells, 8.3.1.8-113, -117, -119--120, -127
 volcanic centers in the western Great Basin (literature survey), 8.3.1.17-54
 volcanic eruption probability calculations and assessment activity, 8.3.1.8-57--59
 description, 8.3.1.8-58
 methods and technical procedures, 8.3.1.8-59
 objectives, 8.3.1.8-57
 parameters, 8.3.1.8-57--58
 volcanic eruptions penetrating repository effects study, 8.3.1.8-59--62
 activities, 8.3.1.8-59--62
 hydrovolcanic eruption effects, 8.3.1.8-60--62
 Strombolian eruptions effects, 8.3.1.8-59--62
 volcanic eruptions penetrating repository probability study, 8.3.1.8-51--59
 activities, 8.3.1.8-52--59
 basaltic volcanism structural controls, 8.3.1.8-52--54
 magma bodies in site vicinity, 8.3.1.8-55--57
 volcanic eruption probability calculations and assessment, 8.3.1.8-57--59
 volcanic events location and timing, 8.3.1.8-51--52
 volcanic event location and timing activity, 8.3.1.8-51--52
 description, 8.3.1.8-51
 methods and technical procedures, 8.3.1.8-51, -52
 objectives, 8.3.1.8-51

PART B INDEX (Chapter 8)

- volcanic event location and timing activity
(continued)
 - parameters, 8.3.1.8-51
- volcanic features characterization
 - study, 8.3.1.8-107--123
 - activities, 8.3.1.8-108--123
 - field geologic studies, 8.3.1.8-116--118
 - geochemical cycles of basaltic volcanic fields, 8.3.1.8-121--123
 - geochemistry of scoria sequences, 8.3.1.8-119--120
 - geochronology studies, 8.3.1.8-112--115
 - volcanism drillholes, 8.3.1.8-108--112
 - objectives, 8.3.1.8-107
 - volcanic hazards investigations, technical procedures for, 8.3.1.8-110, -122
 - volcanic/igneous event probability in controlled area, 8.3.1.8-26, -75, -106, -107
 - volcanic/igneous event probability in controlled area activity, 8.3.1.8-82--83
 - description, 8.3.1.8-82
 - methods and technical procedures, 8.3.1.8-83
 - objectives, 8.3.1.8-82
 - parameters, 8.3.1.8-82
 - volcanic stratigraphy, 8.3.1.4-36*, -39
 - and geostatistical methods, 8.4.2-28--31
 - volcanic/tectonic model, 8.3.1.8-122
 - geologic evidence, 8.3.1.8-52
 - volcanic/tectonic/seismic hazards data synthesis activity, 8.3.1.9-19--20
 - volcanism, basaltic, 8.3.5.13-132, -134
 - volcanism drillholes activity, 8.3.1.8-108--111
 - description, 8.3.1.8-108, -110
 - methods and technical procedures, 8.3.1.8-110--111
 - objectives, 8.3.1.8-108
 - parameters, 8.3.1.8-108
 - volcanism (basaltic) structural controls activity, 8.3.1.8-52--54
 - description, 8.3.1.8-53--54
 - methods and technical procedures, 8.3.1.8-54
 - objectives, 8.3.1.8-52
 - parameters, 8.3.1.8-52--53
 - volumetric heat capacity characterization activity, 8.3.1.15-34--36
 - description, 8.3.1.15-34--35
 - volumetric heat capacity characterization activity (continued)
 - methods and technical procedures, 8.3.1.15-35--36
 - objectives, 8.3.1.15-34
 - parameters, 8.3.1.15-34
 - volumetric water content, technical procedures for, 8.3.1.2-192
 - VSFAST
 - and COVE 2, 8.3.5.20-4*
 - and performance assessment, 8.3.5.19-2, -8*
 - WAFE, 8.3.1.3-121, -122, -124, -127
 - and COVE 3, 8.3.5.20-5*
 - WAFE/TRACR3D
 - and performance assessment, 8.3.5.19-2*, -7*--8*
 - Walker Lane, 8.3.1.17-121, -204
 - and Cedar Mountain earthquake, 8.3.1.17-127--128
 - and deep geophysical survey activity, 8.3.1.17-105--106, -115--119
 - and Quaternary faulting, 8.3.1.17-97, -100**, -101, -103, -122, -155
 - and relevel network, 8.3.1.17-195
 - and stress field, 8.3.1.17-180
 - and uplift and subsidence boundaries, 8.3.1.17-194
 - and vertical tectonic activity, 8.3.1.6-20
 - and wrench faulting, 8.3.1.17-122, -201, -204
 - WAPPA
 - and performance assessment, 8.3.5.19-2*, -8*
 - Warm Springs
 - and relevel network, 8.3.1.17-195
 - and uplift and subsidence boundary study region, 8.3.1.17-194
 - warning system, 8.3.1.9-16
 - Wasatch Plateau
 - and coal mining seismicity, 8.3.1.17-93
 - waste acceptance specifications (Information Need 2.6.3), 8.3.4.3-8--12
 - application of results, 8.3.4.3-9
 - link to supporting information, 8.3.4.3-8
 - logic, 8.3.4.3-8--9
 - parameters, 8.3.4.3-8
 - technical basis for, 8.3.4.3-8--9

waste containers

- degradation models, 8.3.5.9-36, -41*-44*
- degradation modes, 8.3.5.9-37*-40*
- environment, characterization of, 8.3.1.2-154
- hydrogen effects, 8.3.5.9-45
- impacts on, 8.4.3-79
- intergranular attack, 8.3.5.9-45--46
- intergranular stress corrosion cracking, 8.3.5.9-45--46
- localized attack, 8.3.5.9-46
- metallurgical and mechanical effects, 8.3.5.9-44--45
- oxidation and aqueous corrosion, 8.3.5.9-45
- performance parameter goals, 8.3.5.9-35--44
- radiation level estimates, 8.3.5.2-39
- stress corrosion cracking, 8.3.5.9-47
- transgranular stress corrosion cracking, 8.3.5.9-46

see also entries under container

- waste containment, substantially complete, see substantially complete containment of waste (Information Need 1.4.5)

waste delivery to surface

- performance measures and goals, 8.3.5.2-20*-21*

waste delivery to surface (Information Need 2.4.5), 8.3.5.2-43--46

- application of results, 8.3.5.2-46
- link to supporting information, 8.3.5.2-43--44
- logic, 8.3.5.2-44, -46
- parameters, 8.3.5.2-44, -45*
- technical basis for, 8.3.5.2-43--44

waste element solubility modeling, 8.3.1.3-88, -92

waste emplacement depth (Issue 1.8 favorable condition 5)

- text of condition and discussion, 8.3.5.17-2*, -94

waste emplacement mode

- and seals, 8.3.3.2-35

waste form

- definition, 8.3.5.10-30, -34--35
- dissolution rates, 8.3.5.10-36--37
- glass, performance parameters, 8.3.5.9-20*, -31--32 (see also glass waste form)
- and EBS release, 8.4.3-84--85

waste form (continued)

impacts on, 8.4.3-79

release model

- input and needed confidence, 8.3.5.10-5*
- and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- spent fuel, 8.3.5.9-20*-22*, -32 (see also spent fuel)
- storage and handling
 - postacceptance/preemplacement, 8.3.5.10-35--36

waste form and waste package design data

integration (Activity 1.5.1.1), 8.3.5.10-41--42

- subactivities, 8.3.5.10-41--42
 - glass waste form information
 - integration, 8.3.5.10-42
 - spent fuel information integration, 8.3.5.10-41--42
 - waste package and repository design
 - information integration, 8.3.5.10-42

waste-form design information (Information Need 2.6.2), 8.3.4.3-7--8

- application of results, 8.3.4.3-8
- link to supporting information, 8.3.4.3-7
- logic, 8.3.4.3-7--8
- parameters, 8.3.4.3-7
- technical basis for, 8.3.4.3-7--8

waste form material properties (Information Need 1.5.2), 8.3.5.10-42--55

- activities, 8.3.5.10-44--54
 - glass waste form characteristics, 8.3.5.10-51--54
 - spent fuel waste form characterization, 8.3.5.10-44--51
- application of results, 8.3.5.10-54--55
- link to supporting information, 8.3.5.10-43
- logic, 8.3.5.10-43--44
- parameters, 8.3.5.10-43
- subactivities

- glass leach testing, 8.3.5.10-51--52
- glass leaching and materials
 - interactions, 8.3.5.10-52--53
- spent fuel dissolution and leaching, 8.3.5.10-44--45
- spent fuel oxidation, 8.3.5.10-46
- spent fuel waste form additional experiments, 8.3.5.10-50--51
- spent fuel waste form materials--corrosion and release, 8.3.5.10-49

PART B INDEX (Chapter 8)

waste form material properties (Information Need 1.5.2) (continued)

subactivities (continued)

waste producer cooperative testing,
8.3.5.10-53--54

Zircaloy cladding carbon-14 release,
8.3.5.10-49--50

Zircaloy corrosion, 8.3.5.10-46--48

technical basis for, 8.3.5.10-42--44

waste-handling ventilation, system element
1.2.2.7

data needed for technology for underground
facilities (Information Need 4.4.9),
8.3.2.5-88--91

functions and processes, 8.3.2.5-31*
preliminary performance allocation,
8.3.2.5-31*

underground facilities technology,
8.3.2.5-88--91

waste isolation

and major system elements affecting,
8.0-6**

waste package

access

performance measures and goals,
8.3.5.2-15*--16*

closure, design goal, 8.3.4.2--30

components, overview, 8.3.4.1-5--6

container material

description, 8.3.4.2-29

design envelope, 8.3.4.2-29

design goal, 8.3.4.2-29--30

design envelope

emplacement hole and near-field

hydrologic system, 8.3.4.2-25--26

emplacement hole configuration and
stability, 8.3.4.2-27--28

emplacement hole drainage,
8.3.4.2-26--27

emplacement hole geochemical system,
8.3.4.2-23--24

environment alteration from nonwaste
package components, 8.3.4.2-31--32

waste package container material,
8.3.4.2-29--30

waste package fabrication and handling
before emplacement, 8.3.4.2-30--31

waste package thermal loading and
repository layout, 8.3.4.2-28--29

design features

and design criteria, 8.4.3-79--81

impacts on, 8.4.3-79--81

waste package (continued)

design features (continued)

and postclosure performance,
8.4.3-79--81

designs

overview, 8.3.4.1-5--6

postclosure performance objectives,
8.3.4.1-6

reference, 8.3.4.2-36

emplacement configuration

reference, 8.3.4.2-37--39

environment

hydrologic properties, 8.3.4.2-51--55

hydrology, 8.3.4.2-25

mechanical properties, 8.3.4.2-56

model inputs, 8.3.4.2-6*

overview, 8.3.4.1-4--5

and postclosure performance evalua-
tions, 8.4.2-4*--7*, -8

fabrication

design activity, 8.3.4.4-3--4

design goal, 8.3.4.2-30

feasibility, alternative barrier
designs (Subactivity 1.4.1.2.1),
8.3.5.9-60--61

and handling before emplacement

description, 8.3.4.2-30--31

generic requirements for mined geologic
disposal system, 8.3.4.1-1

modeling, 8.3.4.1-7

and Nuclear Waste Policy Act, 8.3.4-1

performance allocation, 8.3.4.3-5*

performance assessment calculations and
hydrologic properties, 8.3.4.2-51

postclosure compliance strategy,
8.3.4-1, -2**, -3--4

preclosure functions and characteristics,
8.3.4.3-5*

temperature limits

and emplacement borehole spacing,
8.3.2.2-43

methods of determining, 8.3.2.2-43

thermal loading and repository layout
description, 8.3.4.2-28

design envelope, 8.3.4.2-28--29

thermal loading design goal,
8.3.4.2-28--29

and transport model, 8.3.4.2-52

waste package, containment, see containment
by waste package (Issue 1.4)

PART B INDEX (Chapter 8)

waste package access (Information Need 2.4.3), 8.3.5.2-36--40
 application of results, 8.3.5.2-39--40
 link to supporting information, 8.3.5.2-36 logic, 8.3.5.2-38--39
 parameters, 8.3.5.2-36, -37*, -38
 preclosure design and technical feasibility (Issue 4.4) input items, 8.3.5.2-37*
 technical basis for, 8.3.5.2-36--39
 waste package adequacy of design determination (Subactivity 1.5.3.14), 8.3.5.10-61--62
 description, 8.3.5.10-62
 objectives, 8.3.5.10-61
 parameters, 8.3.5.10-61--62
 waste package and EBS release rates (Information Need 1.5.4), 8.3.5.10-76--79
 activities, 8.3.5.10-77--78
 waste package releases--deterministic calculation, 8.3.5.10-77
 waste package releases--probabilistic calculation, 8.3.5.10-78
 application of results, 8.3.5.10-79
 link to supporting information, 8.3.5.10-76
 logic, 8.3.5.10-77
 parameters, 8.3.5.10-76
 technical basis, 8.3.5.10-76--77
 waste package and repository design information integration (Subactivity 1.5.1.1.3), 8.3.5.10-42
 waste package and tectonic effects investigation, 8.3.1.8-63--73 (see also tectonic effects on waste package investigation)
 waste package characteristics--postclosure (Issue 1.10), 8.3.4.2-1--74
 approach, 8.3.4.2-4--33
 compliance strategy, 8.3.4-2**
 and EBS release rates (Issue 1.5), 8.3.5.10-24
 geochemistry program parameter calls, 8.3.1.3-2**, -3, -4**--9*
 information needs, 8.3.4.2-33--74
 near-field environment (1.10.4), 8.3.4.2-39--74
 reference emplacement configuration (1.10.3), 8.3.4.2-37--39
 reference waste package designs (1.10.2), 8.3.4.2-35--36
 waste package design information needed (1.10.1), 8.3.4.2-33--35

waste package characteristics--postclosure (Issue 1.10) (continued)
 information needs (continued)
 see also specific information need for study and activity listings
 interrelationships, 8.3.4.2-33
 issue resolution strategy, 8.3.4.2-2**--3**, -4--33
 logic diagram, 8.3.4.2-2**--3**
 major events and completion dates, 8.3.4.2-68*--73*; 8.5-99**, -100--101
 model hierarchy, 8.3.4.2-5*--8*
 model inputs, 8.3.4.2-6*--8*
 and other design and performance assessment issues, 8.3.2.1-2**;
 8.3.4.1-1, -2**, -3, -4
 parameters called for, 8.3.4.2-11*--22*
 performance measures and goals, 8.3.4.2-9*, -10*
 planned completion dates, 8.3.4.2-68--73
 and postclosure performance assessment strategy, 8.3.5.8-3*
 regulatory basis, 8.3.4.2-1--4
 schedule, 8.3.4.2-65--74; 8.5-98, -99**, -100
 thermal and mechanical rock properties program parameter calls, 8.3.1.15-1, -2*, -4*, -12*, -15**
 and waste package characteristics--preclosure (Issue 2.6), 8.3.4.3-2
 waste package characteristics--preclosure (Issue 2.6), 8.3.4.3-1--12
 approach, 8.3.4.3-1--2, -3**--4**
 information needs, 8.3.4.3-2, -5--12
 waste acceptance specifications (2.6.3), 8.3.4.3-8--9
 waste package design information needed (2.6.1), 8.3.4.3-2, -5--7
 waste-form design information (2.6.2), 8.3.4.3-8--9
 issue resolution strategy, 8.3.4.3-3**--4**
 logic diagram, 8.3.4.3-3**--4**
 and other design and performance assessment issues, 8.3.2.1-2**, 8.3.4.1-2**, -3, -4
 major events and completion dates, 8.3.4.3-11*; 8.5-101, -102**, -103
 performance allocation, 8.3.4.3-5*
 and preclosure design and technical feasibility (Issue 4.4), 8.3.4.3-2
 regulatory basis, 8.3.4.3-1

- waste package characteristics--preclosure (Issue 2.6) (continued)
 - schedule, 8.3.4.3-9--12; 8.5-101, -102**
 - and waste package characteristics--
 - postclosure (Issue 1.10), 8.3.4.3-2
 - and waste package production technologies (Issue 4.3), 8.3.4.3-2; 8.3.4.4-1, -5
- waste package characteristics needed for design (Information Need 1.11.2), 8.3.2.2-41--44
 - application of results, 8.3.2.2-44
 - design activity
 - compile waste package information needed, 8.3.2.2-44
 - interrelationships, 8.3.2.2-20--23, -22**
 - introduction, 8.3.2.2-41
 - link to supporting information, 8.3.2.2-41--42
 - logic, 8.3.2.2-42--43
 - parameters, 8.3.2.2-42
 - technical basis for, 8.3.2.2-43--46
- waste package closure (Design Activity 4.3.1.2), 8.3.4.4-4--5
 - description, 8.3.4.4-4--5
 - objectives, 8.3.4.4-4
 - parameters, 8.3.4.4-4
- waste package closure inspection (Design Activity 4.3.1.3), 8.3.4.4-5
 - description, 8.3.4.4-5
 - objectives, 8.3.4.4-5
 - parameters, 8.3.4.4-5
- waste package containment
 - design consideration, 8.4.3-35
 - design criteria, effects of site characterization activities, 8.4.3-75--79
 - impacts on, 8.4.3-73--81
 - issue resolution strategy
 - summary, 8.4.3-73--75
 - postclosure performance objectives, 8.4.3-1, -2, -3
 - site characterization activity
 - impacts, 8.4.3-73--81
- waste package design activities
 - milestones, 8.5-98--105
 - summary schedule, 8.5-98--105
- waste package design and fabrication program, 8.3.5.9-16--17
- waste package design features (affecting container performance) needed (Information Need 1.4.1), 8.3.5.9-47--66
 - activities, 8.3.5.9-51--66
 - metal/ceramic container information integration, 8.3.5.9-59--64
 - metal container information integration, 8.3.5.9-51--59
 - application of results, 8.3.5.9-65--66
 - link to supporting information, 8.3.5.9-48
 - logic, 8.3.5.9-50--51
 - parameters, 8.3.5.9-48--49
 - subactivities
 - alternative barrier designs, materials, and processes, 8.3.5.9-60--61
 - container mechanical properties (alternative barrier), 8.3.5.9-61
 - container mechanical properties (metal), 8.3.5.9-51--52
 - container microstructural properties (alternative barrier), 8.3.5.9-62--63
 - container microstructural properties (metal), 8.3.5.9-52--54
 - container physical properties (metal), 8.3.5.9-54--55
 - container stress state (metal), 8.3.5.9-55--56
 - container surface (metal), 8.3.5.9-58--59
 - container thermophysical properties (alternative barrier), 8.3.5.9-63
 - container weld integrity (metal), 8.3.5.9-56--58
 - nondestructive characterization of alternate barrier, 8.3.5.9-63--64
 - technical basis for, 8.3.5.9-47--51
- waste package design features (affecting radionuclide release) needed (Information Need 1.5.1), 8.3.5.10-39--42
 - activity, 8.3.5.10-41
 - waste form and waste package design data integration, 8.3.5.10-41
 - application of results, 8.3.5.10-42
 - link to supporting information, 8.3.5.10-39
 - logic, 8.3.5.10-41
 - parameters, 8.3.5.10-39--41

PART B INDEX (Chapter 8)

waste package design features (affecting radionuclide release) needed (Information Need 1.5.1) (continued)
 subactivities, 8.3.5.10-41--42
 glass waste form information integration, 8.3.5.10-42
 spent fuel information integration, 8.3.5.10-41--42
 waste package and repository design information integration, 8.3.5.10-42
 technical basis for, 8.3.5.10-39--41
 waste package design information needed (postclosure) (Information Need 1.10.1), 8.3.4.2-33--35
 application of results, 8.3.4.2-33
 design activity
 10 CFR 60.135(a) factors, 8.3.4.2-34
 link to supporting information, 8.3.4.2-33--34
 logic, 8.3.4.2-34
 parameters, 8.3.4.2-34
 technical basis for, 8.3.4.2-34
 waste package design information needed (preclosure) (Information Need 2.6.1), 8.3.4.3-2, -5--7
 application of results, 8.3.4.3-7
 link to supporting information, 8.3.4.3-5
 logic, 8.3.4.3-5--6
 parameters, 8.3.4.3-6
 technical basis for, 8.3.4.3-2, -5--7
 waste package design objective, 8.3.5.9-5
 waste package designs, alternative, 8.3.5.9-15
 waste package environment model
 and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
 waste package environment stress field analysis (Activity 1.10.4.3.1), 8.3.4.2-56
 description, 8.3.4.2-56
 objectives, 8.3.4.2-56
 parameters, 8.3.4.2-56
 waste package fabrication (Design Activity 4.3.1.1), 8.3.4.4-3--4
 description, 8.3.4.4-4
 objectives, 8.3.4.4-3
 parameters, 8.3.4.4-4
 waste package geometry and thermal/mechanical properties model
 input and needed confidence, 8.3.5.10-9*--10*

waste package geometry and thermal/mechanical properties model (continued)
 and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3*
 waste package information compilation (Design Activity 1.11.2.1), 8.3.2.2-44
 waste package information needed for design (Information Need 4.4.2), 8.3.2.5-38--43
 application of results, 8.3.2.5-42--43
 design, 8.3.2.5-43*
 link to supporting information, 8.3.2.5-39
 logic, 8.3.2.5-39--42
 material, 8.3.2.5-41
 objectives, 8.3.2.5-38
 parameters, 8.3.2.5-39
 radiation output, 8.3.2.5-42
 size, 8.3.2.5-42
 technical basis for, 8.3.2.5-39--42
 temperature limits, 8.3.2.5-42
 thermal decay characteristics, 8.3.2.5-42
 thermal output, 8.3.2.5-42
 waste quantities, 8.3.2.5-42
 waste package mechanical model
 input and needed confidence, 8.3.5.10-10*
 waste package model hierarchy, 8.3.5.9-7**;
 8.3.5.10-3**
 waste package near-field releases (Information Need 1.5.5), 8.3.5.10-79--82
 activities, 8.3.5.10-80--82
 radionuclide transport modeling--
 near-field waste package environment, 8.3.5.10-81
 radionuclide transport parameter determination, 8.3.5.10-80
 application of results, 8.3.5.10-82
 link to supporting information, 8.3.5.10-79
 logic, 8.3.5.10-79--80
 parameters, 8.3.5.10-79
 subactivities
 near-field transport model
 application, 8.3.5.10-81
 near-field transport model validation, 8.3.5.10-81--82
 radionuclide distribution in tuff cores, 8.3.5.10-81
 radionuclide distribution in tuff wafers, 8.3.5.10-80--81
 technical basis for, 8.3.5.10-79--80

- waste package performance
 - deterministic calculations, 8.3.5.10-77
 - and postclosure performance assessment, 8.5-64--65
 - probabilistic calculations, 8.3.5.10-78
- waste package performance assessment model
 - input and needed confidence, 8.3.5.10-4*
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- waste package performance assessment model (Activity 1.5.3.5), 8.3.5.10-70--75
 - subactivities, 8.3.5.10-70--75
 - breached container and water flow, 8.3.5.10-74--75
 - system model development (waste package performance assessment), 8.3.5.10-70--73
 - uncertainty methodology development (waste package), 8.3.5.10-73--74
- waste package production technologies (Issue 4.3), 8.3.4.4-1--9
 - approach, 8.3.4.4-1, -2**
 - and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-7*
 - information needs, 8.3.4.4-3--9
 - fabrication, closure, inspection technology (4.3.1), 8.3.4.4-3--9
 - see also specific information need for design activity listings
 - issue resolution strategy, 8.3.4.4-2**
 - logic diagram, 8.3.4.4-2**
 - major events and completion dates, 8.3.4.4-8*-9*; 8.5-103, -104**, -105
 - and other performance assessment and design issues, 8.3.2.1-2**; 8.3.4.1-2**, -3, -4
 - regulatory basis, 8.3.4.4-1--2*
 - schedule, 8.3.4.4-6--9; 8.5-103, -104**
 - and waste package characteristics --preclosure (Issue 2.6), 8.3.4.3-2; 8.3.4.4-1, -5
- waste package program
 - introduction, 8.3.4-1--4
 - issue interrelationships, 8.3.4.1-1, -2**, -3--4
 - overview, 8.3.4.1-1--7
 - strategy, 8.3.4-1, -2**, -3--4
- waste package release models
 - assumptions, 8.3.5.8-8
 - hierarchy of, 8.3.5.9-7**; 8.3.5.10-3**
- waste package release scenario integration (Activity 1.5.3.1), 8.3.5.10-58--62
 - subactivities, 8.3.5.10-58--62
 - waste package adequacy of design determination, 8.3.5.10-61--62
 - waste package release scenario categories, 8.3.5.10-59--60
 - waste package release scenario identification, 8.3.5.10-58--59
 - waste package release scenario parameters, 8.3.5.10-60--61
- waste package releases--deterministic calculation (Activity 1.5.4.1), 8.3.5.10-77
 - description, 8.3.5.10-77
 - objectives, 8.3.5.10-77
 - parameters, 8.3.5.10-77
- waste package releases, goals, 8.3.5.9-18--19
- waste package releases--probabilistic calculation (Activity 1.5.4.2), 8.3.5.10-78
 - description, 8.3.5.10-78
 - objectives, 8.3.5.10-78
 - parameters, 8.3.5.10-78
- waste package release scenario categories (Subactivity 1.5.3.1.2), 8.3.5.10-59--60
 - description, 8.3.5.10-59--60
 - objectives, 8.3.5.10-59
 - parameters, 8.3.5.10-59
- waste package release scenario identifications (Subactivity 1.5.3.1.1), 8.3.5.10-58--59
 - description, 8.3.5.10-59
 - objectives, 8.3.5.10-58
 - parameters, 8.3.5.10-58
- waste package release scenario parameters (Subactivity 1.5.3.1.3), 8.3.5.10-60--61
 - description, 8.3.5.10-60--61
 - objectives, 8.3.5.10-60
 - parameters, 8.3.5.10-60
- waste package rupture due to faulting activity, 8.3.1.8-69--70
 - description, 8.3.1.8-69--70
 - methods and technical procedures, 8.3.1.8-70
 - objectives, 8.3.1.8-69
 - parameters, 8.3.1.8-69
- waste package rupture due to folding and deformation activity, 8.3.1.8-72
 - description, 8.3.1.8-72
 - methods and technical procedures, 8.3.1.8-72

PART B INDEX (Chapter 8)

waste package rupture due to folding and deformation activity (continued)
 objectives, 8.3.1.8-72
 parameters, 8.3.1.8-72

waste package rupture due to igneous intrusion activity, 8.3.1.8-66--67
 description, 8.3.1.8-67
 methods and technical procedures, 8.3.1.8-67
 objectives, 8.3.1.8-66--67
 parameters, 8.3.1.8-67

waste package rupture due to tectonic events
 parameter summary, 8.3.1.8-6*-8*
 see also tectonic effects on waste package investigation

waste package rupture due to tectonic events study, 8.3.1.8-66--72
 activities, 8.3.1.8-66--72
 folding and deformation in repository horizon, 8.3.1.8-71--72
 postclosure ground motion in the subsurface, 8.3.1.8-70--71
 probability and rate of faulting, 8.3.1.8-68--69
 waste package rupture due to faulting, 8.3.1.8-69--70
 waste package rupture due to folding and deformation, 8.3.1.8-72
 waste package rupture due to igneous intrusion, 8.3.1.8-66--67
 waste packages intersected by a fault, 8.3.1.8-67--68
 completion dates, 8.3.1.8-135*--136*

waste package scenario model, and waste package model hierarchy, 8.3.5.9-7**

waste package scenarios and models needed (Information Need 1.4.3), 8.3.5.9-86--109
 activities, 8.3.5.9-88--109
 austenitic material degradation models, 8.3.5.9-97--106
 ceramic-metal, bimetallic/single metal, and coatings and fillers degradation models, 8.3.5.9-106--108
 copper and copper alloy degradation models, 8.3.5.9-88--97
 application of results, 8.3.5.9-108--109
 link to supporting information, 8.3.5.9-87
 logic, 8.3.5.9-88
 parameters, 8.3.5.9-87--88
 subactivities
 aqueous (general) corrosion (austenitic), 8.3.5.9-100--101

waste package scenarios and models needed (Information Need 1.4.3) (continued)
 subactivities (continued)
 aqueous (general) corrosion (copper), 8.3.5.9-91--92
 bimetallic/single metal degradation models, 8.3.5.9-107--108
 ceramic-metal system degradation models, 8.3.5.9-107
 coatings and filler, systems degradation models, 8.3.5.9-108
 degradation modes (other austenitic), 8.3.5.9-106
 degradation modes (other copper), 8.3.5.9-97
 hydrogen entry and embrittlement (austenitic), 8.3.5.9-103--104
 hydrogen entry and embrittlement (copper), 8.3.5.9-93
 intergranular attack and cracking (austenitic), 8.3.5.9-101--103
 low temperature oxidation (austenitic), 8.3.5.9-99--100
 low temperature oxidation (copper), 8.3.5.9-90--91
 metallurgical aging and phase stability (copper), 8.3.5.9-89--90
 metallurgical aging and phase transformations (austenitic), 8.3.5.9-98--99
 pitting, crevice, and other localized attack (austenitic), 8.3.5.9-104--105
 pitting, crevice, and other localized attack (copper), 8.3.5.9-94--95
 stress corrosion cracking (copper), 8.3.5.9-95--97
 transgranular stress corrosion cracking (austenitic), 8.3.5.9-105--106
 technical basis, 8.3.5.9-86--88

waste package testing program, 8.3.5.9-5--11

waste packages intersected by a fault activity, 8.3.1.8-67
 description, 8.3.1.8-68
 methods and technical procedures, 8.3.1.8-68
 objectives, 8.3.1.8-67
 parameters, 8.3.1.8-67

waste producer cooperative testing (Subactivity 1.5.2.2.3), 8.3.5.10-53--54
 description, 8.3.5.10-54

- waste producer cooperative testing
 - (Subactivity 1.5.2.2.3) (continued)
 - objectives, 8.3.5.10-53--54
 - parameters, 8.3.5.10-54
- waste removal from boreholes
 - performance measures and goals, 8.3.5.2-17*-18*
- waste removal from boreholes (Information Need 2.4.4), 8.3.5.2-40--43
 - application of results, 8.3.5.2-43
 - link to supporting information, 8.3.5.2-40
 - logic, 8.3.5.2-42--43
 - parameters, 8.3.5.2-40, -41*, -42
 - preclosure design and technical feasibility (Issue 4.4) input items, 8.3.5.2-41*
 - technical basis for, 8.3.5.2-40--43
- waste retrievability (Issue 2.4), 8.3.5.2-1--52
 - analytical tools, 8.3.2.1-21--22
 - approach, 8.3.5.2-3--21
 - and geohydrology program, 8.3.1.2-363
 - information needs, 8.3.5.2-23--52
 - emplacement borehole access (2.4.2), 8.3.5.2-30--36
 - retrieval requirement compliance, (2.4.6), 8.3.5.2-46--52
 - site and design information needed (retrieval) (2.4.1), 8.3.5.2-23--30
 - waste delivery to surface (2.4.5), 8.3.5.2-43--46
 - waste package access (2.4.3), 8.3.5.2-36--40
 - waste removal from boreholes (2.4.4), 8.3.5.2-40--43
 - interrelationships, 8.3.5.2-22--23
 - issue resolution strategy, 8.3.5.2-1--22
 - logic diagram, 8.3.5.2-4*-5**
 - major events and completion dates, 8.3.5.2-51*; 8.5-56, -57**
 - and Nuclear Waste Policy Act, 8.3.5.2-1, -2
 - and other design and performance assessment issues, 8.3.2.1-2**; 8.3.4.1-2**
 - major events and completion dates, 8.5-56, -57**
 - and preclosure design and technical feasibility (Issue 4.4), 8.3.5.2-6**, -22, -25*-28*
 - preclosure tectonics program parameter calls, 8.3.1.17-1, -2**, -63, -86
- waste retrievability (Issue 2.4) (continued)
 - regulatory basis, 8.3.5.2-1--3
 - schedule, 8.3.5.2-50--52; 8.5-56, -57**
 - and technology for underground facilities (Information Need 4.4.9), 8.3.2.5-88
 - waste transport to surface facilities, see waste delivery to surface
 - waste treatment (Information Need 2.7.5) interrelationships, 8.3.2.3-37, -38
 - waste treatment, function 5
 - functional requirements of mined geologic disposal system, 8.3.2.3-16, -29*
 - waste ventilation
 - performance measures and goals for nonradiological health and safety, 8.3.2.4-19*
 - waste water, ESF, 8.4.2-162--163
 - water
 - appropriation for site characterization, 8.4.2-80
 - budget studies
 - mass-balance equation, 8.3.1.2-169
 - net infiltration, 8.3.1.2-165, -176
 - purpose of, 8.3.1.2-169
 - technical procedures for, 8.3.1.2-171
 - chemistry
 - alteration limits, 8.3.4.2-32
 - attributes that affect, 8.3.4.2-41
 - characterization goal, 8.3.4.2-23--24
 - characterization parameters, 8.3.4.2-11*-20*, -23--24, -32
 - and climate, 8.3.1.5-46, -50
 - and conservative tracers, 8.3.1.2-97
 - and container and liner corrosion, 8.3.4.2-48
 - design goal, 8.3.4.2-31--32
 - and emplacement hole geochemical system, 8.3.4.2-23--24
 - and failed containers, 8.3.5.10-36
 - and geochemical processes, 8.3.1.3-119
 - and geohydrology investigations, 8.3.1.2-88
 - and hydrochemical analysis, 8.3.1.5-97
 - investigation, 8.3.1.3-36--40
 - radiation effect, 8.3.4.2-47--48
 - test bases, 8.3.4.2-24
 - and waste package performance, 8.3.4.2-41
 - see also hydrochemistry entries
 - consumption, see water, use
 - ESF, 8.4.2-162

water (continued)

flux design goal, 8.3.4.2-26
infiltration from surface
and net infiltration, 8.4.3-8--9
and site characterization activities,
8.4.3-8--11
and surface ponding, 8.4.3-9--10
water accumulation in exploratory
shaft, 8.4.3-10--11
inflow and seals, 8.3.3.2-23*, -27--28
ostracodes, 8.3.1.5-44
permit for site characterization, 8.4.2-80
potentials
determination of, 8.3.1.2-189
instrumentation for, 8.3.1.2-210
technical procedures for, 8.3.1.2-196
removal by ventilation systems, design
consideration, 8.4.3-35
repository material effect, 8.3.4.2-45
rights, 8.3.1.11-1, -2
and rock interactions, 8.3.1.3-36, -90
saturated zone, 8.3.1.3-38
and soil, 8.3.1.5-63, -66
and sorptive behavior, 8.3.1.3-86
table, see water-table entries
temperature, and geothermal assessment,
8.3.1.9-35
in unsaturated zone
from ESF construction, 8.4.3-18
and modified permeability zone,
8.4.3-18--19
from surface activities, 8.4.3-17--18
unsaturated zone flow paths, 8.3.1.2-154,
-156; 8.3.1.3-38, -39
use
control, design consideration,
8.4.3-34--35
design constraints to limit,
8.3.2.2-54--59
during site characterization,
8.4.2-80--81, -82*--85*
dust control, 8.4.2-81
estimates for planned surface-
based drilling and testing,
8.4.2-82*--84*
estimates for planned surface-
based pumping tests, 8.4.2-85*
waste (ESF), 8.4.2-162--163
wells, see well J-12 and well J-13
water accumulation in exploratory shaft
hydrologic analyses and data, 8.4.3-10--11

water accumulation in exploratory shaft
(continued)

and site characterization activities,
8.4.3-10--11
water chemistry investigation, 8.3.1.3-36--40
application of results, 8.3.1.3-39--40
interrelationships, 8.3.1.3-23, -36
link to supporting information,
8.3.1.3-24**, -36
logic diagram, 8.3.1.3-24**
parameters, 8.3.1.3-36
purpose and objectives, 8.3.1.3-36--37
study
ground-water chemistry model,
8.3.1.3-37--39
summary, 8.3.1.3-23
technical basis for, 8.3.1.3-36--39
technical rationale, 8.3.1.3-37
water composition performance parameters and
goals, EBS release rates, 8.3.5.10-19*
water extraction from core and rubble samples,
technical procedures for, 8.3.1.2-307, -340
water flow rate measurements and pumping
tests, technical procedures for,
8.3.1.2-316
water flow velocities
and tritium analyses, 8.3.1.2-165
measurement, technical procedures for,
8.3.1.2-303
water-holding capacity, field measurements,
technical procedures for, 8.3.1.5-64
water injection test, technical procedures
for, 8.3.1.2-214, -227
water level measurement, technical procedures
for, 8.3.1.2-123--124, -381--382;
8.3.1.16-19, -20, -23
water management criteria (Design Activity
1.11.4.3), 8.3.2.2-59
objective, 8.3.2.2-59
water management criteria, product 1.11.4-2
information required, 8.3.2.2-56*
status, 8.3.2.2-58
water movement tracer tests (chloride and
Cl-36) study, 8.3.1.2-179--181
activity
chloride and Cl-36 percolation
measurements, 8.3.1.2-180--181
objective, 8.3.1.2-179
water pathway models, 8.3.5.13-131

PART B INDEX (Chapter 8)

- water pathway release model (nominal case scenario class), 8.3.5.13-56--75
 - performance parameters and expected partial performance measures, 8.3.5.13-93*--95*
 - system elements, 8.3.5.13-90*
 - technical discussion, 8.3.5.13-56--75
- water pathway release model development (Subactivity 1.1.3.1.1), 8.3.5.13-133
 - description, 8.3.5.13-133
 - objectives, 8.3.5.13-133
 - parameters, 8.3.5.13-133
- water permeability equipment use, technical procedures for, 8.3.1.15-51
- water quality model
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- water quality performance parameters and goals and containment by waste package (Issue 1.4), 8.3.5.9-13*--14*
- and well J-13 water, 8.3.5.10-16, -19*
- water quantity model
 - and waste package model hierarchy, 8.3.5.9-7**; 8.3.5.10-3**
- water removal, system element 1.2.1.5
 - data needed for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-88, -91
 - functions and processes, 8.3.2.5-26*
 - parameters for technology for underground facilities (Information Need 4.4.9), 8.3.2.5-89--91
 - preliminary performance allocation, 8.3.2.5-26*
 - underground facilities technology, 8.3.2.5-88--89
- water resource assessment of Yucca Mountain study, 8.3.1.9-42--44
 - activity
 - ground-water development trends and withdrawal rates, 8.3.1.9-43--44
- water resources, and water supply entries
- water-rock interactions, see rock-water interactions
- water sample analysis, technical procedures for, 8.3.1.5-97--98
- water sampling
 - and geothermal assessment, 8.3.1.9-35
 - noble gas measurement, technical procedures for, 8.3.1.8-57
- water sampling (continued)
 - technical procedures for, 8.3.1.2-133, -307--308, -340--341, -373, -380, -429, -430, -432--433; 8.3.1.3-62
- water supplies investigation, 8.3.1.16-14--25
 - activities
 - water supply location (alternative), 8.3.1.16-22--23
 - water supply location (primary), 8.3.1.16-20--21
 - water withdrawal effects, 8.3.1.16-24
 - wells J-12 and J-13 assessment, 8.3.1.16-16--19
 - application of results, 8.3.1.16-25
 - link to supporting information, 8.3.1.16-14
 - logic diagram, 8.3.1.16-15**
 - parameters, 8.3.1.16-14
 - purpose and objectives, 8.3.1.16-14
 - study
 - water supply locations (adequate), 8.3.1.16-16--24
 - summary, 8.3.1.16-6
 - technical basis for, 8.3.1.16-14--16
 - technical rationale, 8.3.1.16-14--16
- water supply
 - data compilation, 8.3.1.16-18, -21, -22
 - data sources, 8.3.1.9-44
- water supply location (alternative) activity, 8.3.1.16-22
 - description, 8.3.1.16-22
 - methods and technical procedures, 8.3.1.16-22--23
 - objectives, 8.3.1.16-22
 - parameters, 8.3.1.16-22
- water supply location (primary) activity, 8.3.1.16-20
 - description, 8.3.1.16-20
 - methods and technical procedures, 8.3.1.16-20--21
 - objectives, 8.3.1.16-20
 - parameters, 8.3.1.16-20
- water supply location (adequate) study
 - activities, 8.3.1.16-16--24
 - water supply location (alternative), 8.3.1.16-22--23
 - water supply location (primary), 8.3.1.16-20--21
 - water withdrawal effects, 8.3.1.16-24

PART B INDEX (Chapter 8)

water supply location (adequate) study
(continued)

activities (continued)

wells J-12 and J-13 assessment,
8.3.1.16-16--19

water table, 8.3.1.5-92

and controlled area, 8.3.5.17-35

depth of, 8.3.1.2-91, -150, -153

isopach contour map of distance to
disturbed zone, 8.3.5.12-12**

and Issue 1.8 favorable condition 1
(Quaternary processes affecting
isolation), 8.3.5.17-89, -91

pathway from disturbed zone, 8.3.5.12-11,
-18**

water-table boreholes

sampling and unsaturated-zone exploration,
8.4.2-78

and saturated-zone exploration,
8.4.2-77--78

water-table drillholes

drilling, technical procedures for,
8.3.1.2-380

existing and planned, 8.3.1.2-115--116,
-117**

and monitoring network, 8.3.1.2-376
and site potentiometric-level evaluation,
8.3.1.2-377**

water-table elevation

effects of tectonics activity,
8.3.1.8-28, -79--80

and faulting, 8.3.1.8-93--94, -104
and folding, uplift, or subsidence,
8.3.1.8-92

and igneous intrusions, 8.3.1.8-89--90

and mineral changes, 8.3.1.8-101

postclosure tectonic studies,
8.3.1.8-13*--16*

and strain changes, 8.3.1.8-91--92

tectonic effects study, 8.3.1.8-88--94

thermal/barrier-to-flow effects of igneous
intrusions, 8.3.1.8-88--89

water-table holes, technical procedures for,
8.3.1.2-122

water-table rise

composite fracture-matrix model,
8.4.3-13--14

hydrologic analyses and data, 8.4.3-13--14

and unsaturated-zone flow, 8.4.3-13--14

water-table rise potential (Issue 1.8
potentially adverse condition 22)

discussion, 8.3.5.17-80--81

water-table rise potential (Issue 1.8
potentially adverse condition 22)

(continued)

performance parameters and goals,
8.3.5.17-82*--86*

related studies and activities,
8.3.5.17-82*--86*

scenario classes, 8.3.5.17-81, -82*--86*

text of condition, 8.3.5.17-6*

water-table wells

identification of, 8.3.1.2-428*

sampling and logging in, 8.3.1.2-428--429

water usage criteria, product 1.11.4-2
status, 8.3.2.2-38

water use and chemical change limitation,
postclosure, design function 2,

8.3.2.2-12--14, -13*

adverse chemical changes limitation,
8.3.2.2-12

and control water use during construction,
8.3.2.2-12, -14

needed confidence, 8.3.2.2-13*

performance goals, 8.3.2.2-13*

water vapor flow

air and water vapor flow, 8.4.3-21

air drilling effects on saturation,
8.4.3-21--22

air flow through backfill, 8.4.3-21

barometric effects on air flow in
exploratory shaft, 8.4.3-21

drift ventilation effects, 8.4.3-22--23

and drying of tuffaceous rock, 8.4.3-22

effects of ventilation on drift
saturation, 8.4.3-22

in open borehole, 8.4.3-19, -21

and unsaturated zone, 8.4.3-19, -21

water withdrawal potential effects activity,
8.3.1.16-24

description, 8.3.1.16-24

methods and technical procedures,
8.3.1.16-24

objectives, 8.3.1.16-24

parameters, 8.3.1.16-24

see also potential effects of water
withdrawals activity

water withdrawals

and cost, 8.3.1.16-18

and local water supplies, 8.3.1.16-14, -16

WATSORE data base

compilation of hydrogeologic data,
8.3.1.2-146

- weapons testing,
 - ground motion from, 8.3.1.13-11;
 - 8.3.1.17-35, -36, -64, -67**, -68, -74--76
 - and hydrogeologic conditions, 8.3.5.17-21
 - and seismic effects, 8.3.5.17-21
 - and tritium concentrations, 8.3.1.2-164
- weather, see extreme weather entries
- weather stations, proposed, 8.3.1.2-107**
- well hydraulic-stress tests (single and multiple well), 8.3.1.2-383--393
- well interference testing (multiple), 8.3.1.2-393--400
- well J-12
 - assessment activity, 8.3.1.16-16--19
 - and Fortymile Wash recharge study, 8.3.1.2-128**
- well J-13, 8.3.1.2-128**
 - and actinides, 8.3.1.3-75
 - assessment activity, 8.3.1.16-16--19
 - and precipitation and streamflow stations, 8.3.1.2-100*
 - reference water, 8.3.4.1-4; 8.3.4.2-23
 - sampling, technical procedures for, 8.3.1.16-19
 - and site characterization, 8.4.2-80--81
 - solubility measurements, 8.3.1.3-89
 - and sorption, 8.3.1.3-75, -77*, -81
 - and water quality performance goals, 8.3.5.10-16, -19*
- well sampling, technical procedures for, 8.3.1.16-21, -23
- well test analysis, technical procedures for, 8.3.1.2-441
- well testing with conservative tracers
 - activity, 8.3.1.2-408--412
 - description, 8.3.1.2-409--412
 - methods and technical procedures, 8.3.1.2-412--417
 - objectives, 8.3.1.2-408
 - parameters, 8.3.1.2-408
- well testing with reactive tracers activity, 8.3.1.2-423--424
 - description, 8.3.1.2-423--424
 - methods and technical procedures, 8.3.1.2-424
 - objectives, 8.3.1.2-423
 - parameters, 8.3.1.2-423
- well testing with tracers, 8.3.1.2-371
- wells J-12 and J-13 assessment activity, 8.3.1.16-16--19
 - description, 8.3.1.16-18
- wells J-12 and J-13 assessment activity (continued)
 - location map, 8.3.1.16-17**
 - methods and technical procedures, 8.3.1.16-18, -19
 - objectives, 8.3.1.16-16
 - parameters, 8.3.1.16-16, -18
- Whittemore pin measurements, technical procedures for, 8.3.1.15-58, -61
- wind patterns, see population centers and wind patterns investigation
- Windy Wash
 - buried extensions and gamma-ray measurements, 8.3.1.17-175
 - and geologic investigations, 8.3.1.4-29
 - and mapping, 8.3.1.4-66
 - and Quaternary deposits, 8.3.1.8-64
- Windy Wash fault, 8.3.1.8-69; 8.3.1.17-28, -29**, -30
 - age and recurrence of movement, 8.3.1.17-157, -158
 - and detachment faults, 8.3.1.17-145
 - faulting sequences, 8.3.1.17-34
 - and Quaternary movement, 8.3.1.17-154
 - and relevel network, 8.3.1.17-195
- Windy Wash fault zone, Quaternary offset, plans and technical procedures, 8.3.1.17-160, -164--165
- withdrawal of land
 - and controlled area, 8.3.1.11-2--3
- worker exposure site data refinement (Activity 2.2.2.1), 8.3.5.4-23--24
 - description, 8.3.5.4-23--24
 - objectives, 8.3.5.4-23
 - parameters, 8.3.5.4-23
- worker exposures--normal conditions (Information Need 2.2.2), 8.3.5.4-21--25
 - activities, 8.3.5.4-23--25
 - advanced conceptual design assessment of worker exposures (normal operations), 8.3.5.4-24--25
 - performance assessment activity development through preclosure risk assessment methodology (PRAM) program, 8.3.5.4-24
 - worker exposure site data refinement, 8.3.5.4-23--24
 - application of results, 8.3.5.4-25
 - link to supporting information, 8.3.5.4-21
 - logic, 8.3.5.4-23
 - parameters, 8.3.5.4-21--22
 - technical basis for, 8.3.5.4-21--22

PART B INDEX (Chapter 8)

worker radiological safety
 analytical approach, 8.3.5.1-17--21
 and as low as reasonably achievable
 (ALARA), 8.3.5.4-1, -3, -17
 design evaluation, 8.3.5.1-17
 major events and completion dates, 8.5-60,
 -61**
 and Mine Safety and Health Administration,
 8.3.5.4-4, -8
 radiation source characteristics,
 8.3.5.1-18
 radionuclide transport, 8.3.5.1-19
 worker radiation exposure, 8.3.5.1-19
 worker radiological safety assessment package
 design evaluation, 8.3.5.4-14--15
 radiation source characteristics
 identification, 8.3.5.4-15--16
 radionuclide transport evaluation,
 8.3.5.4-15--16
 worker radiation exposure calculation,
 8.3.5.4-16--17
 worker radiological safety--normal conditions,
 advanced conceptual design assessment, see
 advanced conceptual design assessment of
 worker radiological safety--normal
 operations
 worker radiological safety--normal conditions
 (Issue 2.2), 8.3.5.4-1--25
 and accidental radiological releases
 (Issue 2.3), 8.3.5.5-1, -2**
 approach, 8.3.5.4-5--17
 compliance with regulations, 8.3.2.3-3,
 -12
 design criteria development, 8.3.5.4-9
 and design performance assessment,
 8.3.2.3-36, -42
 functional requirement identification,
 8.3.5.4-8--14
 functions, performance measures/goal,
 8.3.5.4-10*--11*
 geohydrology program parameter calls,
 8.3.1.2-10*--11*
 and higher level findings--preclosure
 radiological safety (Issue 2.5),
 8.3.5.6-6*
 information needs, 8.3.5.4-18--25
 radiation environment (2.2.1),
 8.3.5.4-18--21
 worker exposure (normal conditions)
 (2.2.2), 8.3.5.4-21--25
see specific information need for
activity listing

worker radiological safety--normal conditions
 (Issue 2.2) (continued)
 input item identification, 8.3.5.4-9
 interrelationships, 8.3.5.4-18
 issue resolution strategy, 8.3.5.4-1--18
 issue resolution strategy application,
 8.3.5.4-5--17
 and land ownership and mineral rights
 program, 8.3.1.11-1
 licensing strategy overview, 8.3.5.4-5
 logic diagram, 8.3.5.4-6***-7**
 major events and completion dates,
 8.3.5.4-28*; 8.5-60, -61**
 and meteorology program, 8.3.1.12-1, -2*,
 -4**, -5
 and offsite installations program,
 8.3.1.13-1, -11--12
 and other performance assessment and
 design issues, 8.3.2.1-2**; 8.3.4.1-2**
 performance allocation to system elements,
 8.3.5.4-9
 performance evaluation, 8.3.5.4-17
 and preclosure design and technical
 feasibility (Issue 4.4), 8.3.5.4-1,
 -2**, -6**
 and preclosure radiological safety quali-
 fying and disqualifying conditions,
 8.3.5.6-6*
 and preclosure risk assessment methodology
 (PRAM) program, 8.3.5.4-9, -15, -18,
 -20, -21, -24
 public radiological exposures--normal
 conditions (Issue 2.1) parameter calls,
 8.3.5.3-1, -2**
 and radiological safety (preclosure)
 qualifying and disqualifying conditions,
 8.3.5.6-6*
 and reference information base,
 8.3.5.4-14, -22
 regulatory basis for, 8.3.5.4-1--4
 relationships with other issues and
 programs, 8.3.5.4-2**
 and repository design criteria for radio-
 logical safety (Issue 2.7), 8.3.2.3-1,
 -2**, -12, -36, -42; 8.3.5.4-1, -2**,
 -3, -5, -6**
 schedule, 8.3.5.4-25--29; 8.5-60, -61**
 and thermal and mechanical properties
 program, 8.3.5.4-13*
 worker radiological safety assessment
 package, 8.3.5.4-9, -14--17

- x-ray diffraction
 - and rock-water interactions, 8.3.4.2-43
 - technical procedures for, 8.3.1.3-45, -46, -47, -48, -50, -51
- x-ray fluorescence analysis, technical procedures for, 8.3.1.3-45, -47; 8.3.1.8-110, -111, -122
- Yucca Flats
 - and seismicity evaluation, 8.3.1.17-92
- Yucca Mountain
 - area definition, 8.3.1.4-29, -30**
 - and decontamination and decommissioning, 8.7-1, -3, -4
 - eolian history, 8.3.1.5-72--76
 - fault mapping, 8.3.1.17-104**, -122, -124, -157
 - faulting studies, 8.3.1.17-154--168
 - flux character, 8.3.1.2-151
 - and geochemical-geophysical model, 8.3.1.3-10
 - global positioning satellite survey, 8.3.1.17-196
 - hydrocarbon assessment, 8.3.1.9-37--39
 - land ownership, 8.3.1.11-2
 - meteorological towers, 8.3.1.12-17--19
 - mining rights, 8.3.1.11-2
 - natural resource assessment study, 8.3.1.9-27--44
 - paleoenvironmental history, 8.3.1.5-59--76
 - precipitation stations, 8.3.1.2-106, -107**, -108**--109**
 - quality assurance approach, 8.6-2--7
 - Quaternary faults, 8.3.1.17-29**
 - site boundaries, 8.3.1-1
 - soil properties, 8.3.1.5-60, -61--65
 - stress field study, 8.3.1.17-179--186
 - surface deposits mapping, 8.3.1.5-66--72
 - surface topography, 8.3.1.14-18--27
 - tectonic geomorphology study, 8.3.1.17-186--193
 - thermal history, 8.3.1.9-39
 - water resource assessment, 8.3.1.9-42--44
 - water withdrawal effects, 8.3.1.9-50
 - see also host rock, mined geologic disposal system, repository, and Yucca Mountain
- Yucca Mountain heated block activity, 8.3.1.15-57--59
 - description, 8.3.1.15-57--58
- Yucca Mountain heated block activity (continued)
 - methods and technical procedures, 8.3.1.15-58--59
 - objectives, 8.3.1.15-57
 - parameters, 8.3.1.15-57
- Yucca Mountain Member
 - stratigraphic studies, 8.3.1.4-35, -38**
- Yucca Mountain physical system
 - elements of, 8.3.1.1-1, -3
- Yucca Mountain Project
 - organization 8.6-11**
- Yucca Mountain Project Office
 - organization, 8.6-13**
- Yucca Wash, 8.3.1.2-104
 - fault, 8.3.1.17-28
 - and faulting study area boundary, 8.3.1.17-154
 - proposed seismic refraction survey, 8.3.1.4-53**
 - and Quaternary fault study area, 8.3.1.17-103
- zeolites
 - Calico Hills, 8.3.5.17-92, -93
 - crystals, mass transfer kinetics, 8.3.1.3-107
 - dehydration and transformation activity, 8.3.1.3-52--54
 - kinetic studies, 8.3.1.3-60
 - potassium-argon dating procedures, 8.3.1.3-51
 - rehydration, 8.3.1.3-52
 - stability, 8.3.1.3-59--60
 - temperature-time behavior, 8.3.1.3-52
 - zero point of charge, technical procedures for, 8.3.1.2-421
- Zircaloy cladding carbon-14 release (Subactivity 1.5.2.1.5), 8.3.5.10-49--50
 - description, 8.3.5.10-50
 - objectives, 8.3.5.10-49
 - parameters, 8.3.5.10-49--50
- Zircaloy corrosion (Subactivity 1.5.2.1.3), 8.3.5.10-46--48
 - description, 8.3.5.10-47--48
 - objectives, 8.3.5.10-46
 - parameters, 8.3.5.10-47
- zone of influence factors, and ESF tests, 8.4.2-98, -102*--104*, -105--107

PART B INDEX (Chapter 8)

zones of influence

- and air quality and ventilation experiment, 8.4.2-131
- and bulk-permeability test, 8.4.2-136
- and canister heater experiment, 8.4.2-117, -120
- and chloride and chlorine-36 tests, 8.4.2-141
- and demonstration breakout rooms, 8.4.2-111
- and diffusion tests, 8.4.2-140
- and drift stability, 8.4.2-131
- and engineered barrier system field tests, 8.4.2-141, -143
- and equipment development and demonstration, 8.4.2-127
- and excavation effects test, 8.4.2-137, -139
- and fracture mineralogy studies, 8.4.2-108
- and geologic mapping of exploratory shafts and drifts, 8.4.2-107
- and ground-support systems, 8.4.2-130
- and heated block experiment, 8.4.2-122
- and heated room experiment, 8.4.2-126
- and heater experiment, 8.4.2-117
- and hydrochemistry tests, 8.4.2-140
- hydrologic and mechanical, exploratory shafts, 8.4.2-214**
- and hydrologic properties of major faults encountered, 8.4.2-144--145
- and in situ testing of seal components, 8.4.2-132
- and intact-fracture test, 8.4.2-135
- and main test level experiments, 8.4.2-208--210, 209**
- and matrix hydrologic properties testing, 8.4.2-133
- and mining methods evaluation, 8.4.2-130
- and multipurpose borehole testing, 8.4.2-147
- and overcore stress experiments, 8.4.2-133
- and perched water test, 8.4.2-139
- and percolation tests, 8.4.2-135
- and plate loading tests, 8.4.2-127, -129
- and radial borehole tests, 8.4.2-137
- and rock-mass strength experiment, 8.4.2-129
- seismic tomography and vertical seismic profiling, 8.4.2-108--109
- and sequential drift mining, 8.4.2-114
- and shaft convergence, 8.4.2-109

zones of influence (continued)

- and thermal and mechanical laboratory tests, 8.4.2-144
- and thermal stress measurements, 8.4.2-122, -124

10 CFR Part 20

- and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-3
- and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-7--8, -11
- and issues, 8.2-1, -2*
- and performance verification, 8.3.5.3-5
- and public radiological exposures--normal conditions (Issue 2.1), 8.3.5.3-1, -3--5, -20
- and repository design criteria for radiological safety (Issue 2.7), 8.3.2.3-1, -16, -17*
- and worker radiological safety--normal conditions (Issue 2.2), 8.3.5.4-1, -3--4, -5, -8, -18

10 CFR Part 60

- accessible environment definition, 8.3.5.12-1
- and accidental radiological releases (Issue 2.3), 8.3.5.5-1, -4
- and carbon-14 release rates, 8.3.5.10-14
- and containment by waste package (Issue 1.4), 8.3.5.9-4
- design criteria, 8.3.2.3-1, -3
- design requirements and performance objectives, 8.3.2.1-7
- disturbed zone definition, 8.3.5.12-1, -55
- and EBS rates (Issue 1.5), 8.3.5.10-1
- and geohydrology program, 8.3.1.2-2
- and GWT (Issue 1.6), 8.3.5.12-17
- and higher level findings--ease and cost of construction (Issue 4.1), 8.3.5.7-3
- and higher level findings--postclosure (Issue 1.9(a)), 8.3.5.18-3, -6
- and higher level findings--preclosure radiological safety (Issue 2.5), 8.3.5.6-4, -7--9, -11
- and human interference program, 8.3.1.9-1, -2
- and issues, 8.1-3--4; 8.2-1, -2*
- and marker system, 8.3.1.9-15

10 CFR Part 60 (continued)

and meteorological data, 8.3.1.12-15
 and mineral and energy assessment of site,
 8.3.1.9-40
 and NRC siting criteria (Issue 1.8),
 8.3.1.5-1
 and NRC siting criteria (Issue 1.8,
 favorable condition resolution),
 8.3.5.17-7
 and NRC siting criteria (Issue 1.8,
 potentially adverse condition
 resolution), 8.3.5.17-1
 and overburden, 8.3.1.14-24, -26, -27
 overview of guidelines, 8.3.5.18-3
 performance objectives, 8.3.2.1-6
 and performance verification,
 8.3.5.3-5
 and population density and distribution
 program, 8.3.1.10-1
 and postclosure performance assessment,
 8.3.5.8-1--2, -6--7
 and postclosure performance objectives,
 8.4.1-6, -7*-8*
 and preclosure safety assessment,
 8.3.5.1-1
 and principal requirements, 8.4.1-4*-5*
 and public radiological exposure,
 8.3.5.3-1, -3, -4
 radionuclide release limits for cumulative
 release calculations, 8.3.5.13-1
 and radionuclide release rates, 8.3.5.10-1
 and repository design criteria for
 radiological safety (Issue 2.7),
 8.3.2.3-1, -16
 and retrievability requirements,
 8.3.5.2-46
 and retrieval compliance demonstrations,
 8.3.5.2-9
 and rock dissolution program,
 8.3.1.7-2
 and seal system performance, 8.3.5.11-1
 and sealing, 8.3.3.2-1--3
 and site characterization, 8.4.1-3--12
 and system guideline (postclosure)
 qualifying condition, 8.3.5.18-7--8
 technical criteria, 8.4.1-9, -10*-12*
 and total system performance (Issue 1.1),
 8.3.1.5-1; 8.3.5.13-1--5
 and use of backfill during retrievability,
 8.3.5.2-10
 and waste package, 8.3.4-1

10 CFR Part 60 (continued)

and waste retrievability (Issue 2.4),
 8.3.5.2-1, -2, -3
 and worker radiological safety, 8.3.5.4-1,
 -3, -4, -5
 and 40 CFR Part 191, relationship, 8.2-1,
 -12*-14**
 10 CFR Part 60 Subpart G
 and quality assurance plan, 8.6-1
 and site characterization, 8.6-19
 10 CFR 60.15
 site characterization, 8.4.1-4*-5*, -6
 10 CFR 60.17
 site characterization, 8.4.2-5*, -6
 10 CFR 60.2, 8.3.1.9-2
 and containment by waste package (Issue
 1.4), 8.3.5.9-1
 10 CFR 60.21
 license application requirements,
 8.3.2.1-7
 10 CFR 60.21(c)(1)(ii)(B)
 and postclosure tectonics, 8.3.1.8-24
 10 CFR 60.21(c)(1)(ii)(D), 8.3.5.9-15
 10 CFR 60.111
 and repository design criteria for
 radiological safety (Issue 2.7),
 8.3.2.3-1, -3
 10 CFR 60.112
 and overall system performance, 8.3.3.2-2;
 8.3.5.18-7--8
 site characterization, 8.4.2-6, -7*
 10 CFR 60.113
 and geochemical setting, 8.3.5.18-11--12
 and geohydrologic setting, 8.3.5.18-9
 and release rates, 8.3.5.18-24
 and rock characteristics, 8.3.5.18-11--13,
 -13*
 and sealing requirements, 8.3.3.2-2
 site characterization, 8.4.2-6, -7*-8*
 10 CFR 60.113(a)(1)(ii)
 and containment by waste package (Issue
 1.4), 8.3.5.9-1
 and site characterization, 8.4.1-9--12*
 10 CFR 60.113(a)(1)(ii)(B)
 and release rates, 8.3.4.1-6
 10 CFR 60.122
 and conditions for the Ross study,
 8.3.5.13-45
 and postclosure tectonics, 8.3.1.8-24

PART B INDEX (Chapter 8)

10 CFR 60.130
and repository design criteria for
radiological safety (Issue 2.7),
-137; 8.3.2.3-1, -3

10 CFR 60.131--133
and design criteria, 8.3.2.3-3, -4*-11*,
-37--38
and functional requirements of mined
geologic disposal system,
8.3.2.3-12--13, -15--16

10 CFR 60.133
and preclosure design and technical
feasibility (Issue 4.4), 8.3.2.5-1, -4
site characterization, 8.4.1-9--12*

10 CFR 60.134
and seal design, 8.3.3.2-1
and site characterization, 8.4.1-9, -12*

10 CFR 60.135
waste package design criteria, 8.3.4.3-1

10 CFR 60.135(a) considerations (Design
Activity 1.10.1.1)
application of results, 8.3.4.2-35
description, 8.3.4.2-34--35
objectives, 8.3.4.2-34
parameters, 8.3.4.2-34

10 CFR 60.137
site characterization, 8.4.1-12*

10 CFR 60.140
site characterization, 8.4.1-12*

10 CFR 60.142
seal performance, 8.3.3.2-2--3
and seal testing, 8.3.3.1-1

10 CFR Part 960
EBS release rates (Issue 1.5), 8.3.5.10-2
and geohydrology program, 8.3.1.2-3
higher level findings, 8.2-67; 8.3.2.1-5
and higher level findings--ease and cost
of construction (Issue 4.1), 8.3.5.7-1,
-3--4, -6, -8--11, -13--14
and higher level findings--preclosure
radiological safety (Issue 2.5),
8.3.5.6-1, -3, -7--9, -11--12
and issues, 8.1-3--4; 8.2-1, -2*
and offsite installations program,
8.3.1.13-1
and overburden, 8.3.1.14-24, -26, -27
and overview of guidelines, 8.3.5.18-3
and population density and distribution
program, 8.3.1.10-1
and postclosure performance assessment,
8.3.5.8-1--2

10 CFR Part 960 (continued)
and preclosure design and technical
feasibility (Issue 4.4), 8.3.2.5-1, -4
and public radiological exposure,
8.3.5.3-1, -4
and retrievability compliance, 8.3.5.2-9,
-46
and suitability assessment, 8.2-67**
and surface characteristics program,
8.3.1.14-15
and waste package, 8.3.4-1
and waste retrievability (Issue 2.4),
8.3.5.2-1, -2

10 CFR Part 960, Appendix III
and findings for qualifying and
disqualifying conditions, 8.3.5.18-1,
-2*

10 CFR 960.3-1-5
and higher level findings--postclosure
(Issue 1.9(a)), 8.3.5.18-1
and higher level findings--100,000-year
releases (Issue 1.9(b)), 8.3.5.18-24

10 CFR 960.4-1
and geochemical setting, 8.3.5.18-11

10 CFR 960.4-1(a)
and system guideline (postclosure)
qualifying condition, 8.3.5.18-8--9

10 CFR 960.4-2-1
and higher level findings--postclosure
(Issue 1.9), 8.3.1.5-1

10 CFR 960.4-2-1(a)
and geohydrology qualifying condition,
8.3.5.18-8, 10*

10 CFR 960.4-2-1(d)
and geohydrology disqualifying condition,
8.3.5.18-9

10 CFR 960.4-2-2(a)
and geochemistry qualifying condition,
8.3.5.18-9, -11

10 CFR 960.4-2-3(a)
and rock characteristics qualifying
condition, 8.3.5.18-11--12

10 CFR 960.4-2-4
and higher level findings--postclosure
(Issue 1.9), 8.3.1.5-1

10 CFR 960.4-2-4(a)
and climatic changes qualifying condition,
8.3.5.18-14--15

10 CFR 960.4-2-5(a)
and erosion qualifying condition,
8.3.5.18-15--16

PART B INDEX (Chapter 8)

- 10 CFR 960.4-2-5(d)
and erosion disqualifying condition,
8.3.5.18-16
- 10 CFR 960.4-2-6(a)
and dissolution qualifying condition,
8.3.5.18-16
- 10 CFR 960.4-2-6(d)
and dissolution disqualifying condition,
8.3.5.18-18
- 10 CFR 960.4-2-7
and postclosure tectonics, 8.3.1.8-24
- 10 CFR 960.4-2-7(a)
and tectonics (postclosure) qualifying
condition, 8.3.5.18-17
- 10 CFR 960.4-2-7(d)
and tectonics (postclosure) disqualifying
condition, 8.3.5.18-18
- 10 CFR 960.4-2-8-1(a)
and natural resources qualifying
condition, 8.3.5.18-20
- 10 CFR 960.4-2-8-1(d)
and natural resources disqualifying
condition, 8.3.5.18-20
- 10 CFR 960.4-2-8-2(a)
and site ownership and control qualifying
condition, 8.3.5.18-21
- 10 CFR 960.5-1
and waste package production technologies
(Issue 4.3), 8.3.4.4-1
- 30 CFR Part 57
and worker radiological safety--normal
conditions (Issue 2.2), 8.3.5.4-4, -8
- 33 CFR 60.135(b)(1)--(4)
waste package design criteria,
8.3.4.3-5, -7
- 33 CFR 60.135(c)(1)--(3)
high-level waste form design criteria,
8.3.4.3-8
- 40 CFR Part 191, 8.2-1, -12**
controlled area definition, 8.3.5.12-1
and geohydrology program, 8.3.1.2-1--2
and ground-water protection (Issue 1.3),
8.3.5.15-1, -2, -4*, -10
and higher level findings--ease and cost
of construction (Issue 4.1), 8.3.5.7-3
and higher level findings--preclosure
radiological safety (Issue 2.5),
8.3.5.6-7--8, -11
and human interference program,
8.3.1.9-2
and individual protection requirements,
8.3.5.14-1
- 40 CFR Part 191 (continued)
and issues, 8.1-3
and marker system, 8.3.1.9-15
and population density and distribution
program, 8.3.1.10-1
and postclosure performance assessment,
8.3.5.8-1--2
and preclosure safety assessment,
8.3.5.1-1
and public radiological exposure,
8.3.5.3-1, -3--5, -9, -19, -20
significant source of ground water
definition, 8.3.5.14-1
and total system performance (Issue 1.1),
8.3.5.13-1--3
and waste package, 8.3.4-1
and worker radiological safety, 8.3.5.4-1
- 40 CFR Part 191 Subpart B
abnormal conditions for retrieval,
8.3.5.2-29*--30*
and system guideline qualifying
condition--postclosure, 8.3.5.18-7--8
- 40 CFR 191.13
and releases to accessible environment,
8.3.5.18-8
and total system performance (Issue 1.1),
8.3.1.5-1
- 40 CFR 191.15
and individual doses in accessible
environment, 8.3.5.18-8
- 40 CFR 191.16
and ground-water protection (Issue 1.3),
8.3.5.18-7--8

ACRONYMS

ACD	advanced conceptual design
ACM	alternative conceptual models
AEC	U.S. Atomic Energy Commission
ALARA	as low as reasonably achievable
ANSI	American National Standards Institute
ASTM	American Society of Testing Materials
BLM	Bureau of Land Management
CCDF	complementary cumulative distribution function
CCM	Community Climate Model
CD	conceptual design
CDF	cumulative distribution function
CDR	conceptual design report
CIT	computed impedance tomography
CLAMS	common Los Alamos mathematical software
COCORP	Consortium For Continental Reflection Profiling
CODATA	Committee on Data for Science and Technology
CPDB	conceptual perimeter drift boundary
CSIR	South African Council For Scientific and Industrial Research
DAF	U.S. Department of the Air Force
DBA	design basis accidents
DBR	demonstration breakout room
DOC	U.S. Department of Commerce
DOE	U.S. Department of Energy
DOI	U.S. Department of the Interior
DOT	U.S. Department of Transportation
DPBM	development prototype boring machine
DRI	Desert Research Institute
EBS	engineered barrier system
EPA	U.S. Environmental Protection Agency
EPPM	expected partial performance measure
ERCP	Environmental Regulatory Compliance Plan
ES	exploratory shaft
ESF	exploratory shaft facility
FLMPA	Federal Land Management Policy Act
FPCD	final procurement and construction design
GROA	geologic repository operations area
GWT	ground-water travel time
IDAS	Integrated Data Acquisition System
IGIS	Interactive Graphic Information System
IGSCC	intergranular stress corrosion cracking
INAA	instrumental neutron activation analysis
ISFSI	independent spent fuel storage installation
LA	license application
LAD	license application design
MGDS	Mined Geologic Disposal System
MPBH	multipurpose boreholes
MPBX	multiple-point borehole extensometers
MPZ	modified permeability zone
MSHA	Mine Safety and Health Administration
NAFB	Nellis Air Force Base
NCAR	National Center for Atmospheric Research
NEA	Nuclear Energy Agency

NGI	Norwegian Geotechnical Institute
NRC	U.S. Nuclear Regulatory Commission
NTS	Nevada Test Site
NWPA	Nuclear Waste Policy Act of 1982
NWPAA	Nuclear Waste Policy Amendment Act of 1987
NWS	U.S. National Weather Service
OCRWM	Office of Civilian Radioactive Waste Management (DOE)
OGR	Office of Geologic Repositories (DOE)
PMF	probable maximum flood
PRAM	preclosure risk assessment methodology
QA	quality assurance
RIB	reference information base
RLCC	repository life cycle cost
SAIC/T&MSS	Science Applications International Corporation/Technical and Management Support Services
SCC	stress corrosion cracking
SCP	site characterization plan
SGB	southern Great Basin
TGSCC	transgranular stress corrosion cracking
TOSPAC	total system performance assessment code
TSLCC	total system life cycle costs
UDBR	Upper Demonstration Breakout Room
UNE	underground nuclear explosion
UZ	unsaturated zone
XRD	x-ray technique of powder diffraction