KANSAS
DEPARTMENT OF HEALTH & ENVIRONMENT
BILL GRAVES, GOVERNOR
Gary R. Mitchell, Secretary

DOE/R8/10599--T6

National Industrial Competitiveness Through
Energy, Environment, Economics (NICE³)
Grant No. DE-FG48-96R810599
April, 1998 through August 31, 1998

The Kansas Department of Health and Environment has been kept apprised of the on-going development of the infrared drying system by Catalytic Industrial Group. There were some early delays in the delivery of equipment needed to build the prototype machine. The design changes identified during the experimental phase of the development of the infrared dryer have been resolved and a process-testing device has been developed. The attached technical report outlines the progress made to date.

A meeting was conducted on August 25, 1998 to review and discuss the progress to date. Lignetics, Inc. did not attend the meeting. A certified letter has been sent to Lenn Scheibal, President, Lignetics, Inc., to determine their participation status.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

**Portions of this document may be illegible
electronic image products. Images are
produced from the best available original
document.**

DOE/R8/10599--T6

DEHYDRATION PROJECT REPORT

AUGUST 31, 1998

Prepared by:

CATALYTIC INDUSTRIAL GROUP, INC.

P.O. Box 827

Independence, KS 67301

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

Flameless Catalytic Heaters • Industrial Oven Systems

August 31, 1998

RECEIVED

SEP 1 1998

DEPT. OF PLANNING & ENVIRONMENT

Mr. Lenn J. Scheibal
Chief Operating Officer
Lignetics, Inc.
Suite E, Foothill Executive Plaza
1150 Foothill Blvd.
La Canada, CA 910011

Dear Lenn:

I have tried to contact you three times in the last two weeks, and I have left messages at both your St. Louis and California offices.

We had a meeting on the DOE Project, with Teresa Hodges from the State of Kansas. The thrust of the meeting was to bring everyone up to date on the project. We built a prototype machine that incorporates a unique conveying system which has allowed us in test runs to remove 97% of the moisture from sawdust. We have developed a database from the experiments to date, and are able to replicate the results.

In looking at the results to date, it is evident that we can build a piece of equipment that would remove the quantities of moisture that we had originally set as a goal. However, the ability to deliver a unit to Lignetics, Inc. that would process ten tons an hour, cannot be done with the remaining grant money. A ten ton per hour machine would cost at least \$750,000.00, and there is no realistic way to come up with the piece of equipment we had anticipated under the grant. We have discussed this with the State of Kansas and they are agreeable to a grant revision that would allow us to do the remaining engineering, testing and environmental data gathering with the balance of the grant money. Catalytic Industrial Group has expended \$207,816.00 of the \$273,340.00 that we committed to support the grant. I think that with your agreement we can get the grant revised and relieve Lignetics, Inc. of their commitment for the \$273,400.00.

Please call me and let's discuss how we can proceed with this project.

Sincerely,

Virgil Macaluso
President

TABLE OF CONTENTS

1. PROJECT HISTORY
2. EXPERIMENTAL PHASES
3. SUMMARY OF PROTOTYPE PERFORMANCE
4. DOCUMENTATION & DISCUSSION OF TEST #15
5. TECHNICAL BULLETIN
6. LISTING OF MARKET POTENTIAL
7. PROJECT COMPLETION
8. BUDGET INFORMATION
9. PHOTOGRAPHS

1. PROJECT HISTORY

PROJECT HISTORY

Catalytic Industrial Group became interested in the ability to use its catalytic infrared technology for the removal of moisture in substances after having had very positive experience in removing moisture from water-based coatings which are becoming increasingly popular as industry strives to comply with clean air mandates. The first attempts were crude but showed that the moisture could be removed, and intriguing enough that we started to think about a conveying-based system that would remove moisture from products. The initial tests were designed around sawdust. We felt that the market in particleboard and in the MDF board by itself justified the research into this concept.

As we talked to other people interested in this subject, we were able to get some interest from the Pellet Fuels Institute the trade association of manufacturers of pellet fuels equipment and products. Shortly after that, we entered into a product development agreement with Lignetics to try and develop a system utilizing our infrared technology, and some conveying equipment that Lignetics owned at the Doniphan, Missouri Plant and we sent a team of technicians to the Doniphan plant to experiment with some raw sawdust. Initial tests were interesting but we could not operate the equipment in a manner that would yield definitive results. We decided to move the experiment back to Catalytic's facility in Independence, Kansas, and proceeded to construct a series of devices utilizing some flat line conveyors, modified with some high temperature belting and a variety of agitation methods.

All of the work to this point had yielded interesting results but still pointed to problem areas. The two most important problems were conveying the product in a manner that exposed it to IR and the use of air recirculation. It was during this process that the decision was made to apply for a grant through the Department of Energy to secure the funding necessary to thoroughly research the concept and determine if a piece of equipment could be designed that would accomplish the desired moisture removal utilizing IR.

When the project was selected by the DOE and the grant was awarded, Catalytic Group moved ahead to develop the piece of equipment, which we now have in place that has proven that our concept was valid. Prior to the DOE grant, Catalytic Group had applied for it and was granted a patent on the concept. With the grant in place, the search for the proper conveying technology was successful when CAT-Tec provided the designs. A prototype machine was designed using the conveying device, IR and recirculating air, that has given us great encouragement that this technology can be applied to many moisture removal problems throughout industry. These will be discussed in greater detail towards the end of this report.

2. EXPERIMENTAL PHASES

EXPERIMENTAL PHASES

In the early part of 1995, the CIS Test Lab started drying sawdust. This was done in a cake pan under a single 12" X 60" heater. The results were promising. From the first test, questions were raised as to how to agitate the product, how to move it in and out of a drying device and how to move recirculation air over or through the product.

In the next phase of the testing, we used an auger with heaters mounted over it and on the sides. CIS had Lignetics of Doniphan, Missouri, in the lab for a round of testing using the auger system. After these tests, a team went to Lignetics for a tour of their plant and to take 9 each 12" X 60" heaters, to make a flat line conveyor type oven with 3 levels of conveyor. The recirculation air and product agitation was addressed.

CIS reworked an old flat line conveyor. This conveyor had a shaker device that would bounce the belt up and down to try to keep the product in suspension. This also showed promising results, but the method could not be used on the pelletized chicken manure that we were trying to dry. It created too many fines. We also used recirculation air that came up through the conveyor belt. This type of recirculation air worked well, but we had too much dust in the air vents.

From here, we went to a triple pass auger system using cut and folder flights with heaters above and below. This method used conduction through the bottom of the auger.

From all the testing, we have found that the product needs to be in suspension when it is in the infrared with the recirculation air being blown over it. The conveyor system also must not damage the product. This has brought us to the present conveyor system we have now.

3. SUMMARY OF PROTOTYPE PERFORMANCE

SUMMARY OF PROTOTYPE PERFORMANCE

To date, fifteen tests have been performed. They were designed to test the machine mechanically and thermally.

Tests numbers 1 through 4 were primarily a mechanical shakedown. Heater function, recirculation air system, product flow, conveyor speed, and conveyor angle were explored.

Test numbers 5, 6, and 7 experimented with product feed rates and same-zone air recirculation. Progress was cautious to insure safe operating procedures were developed.

Three tests, numbers 8, 9, and 10 were all run on the same day. Recirculation air for Zones 2 and 3 was pulled from Zone 1 exclusively. The oven was shut down at the end of each test and restarted for the following test. The same product (sawdust) was used consecutively in all three tests. At the end of Test #8, the product was tested for moisture and moved to become the product for Test #9. Likewise, Test #9 product became product for Test #10. Inclusive from Test #8 to Test #10, 16.2 points of moisture were removed.

With remaining test numbers 11 through 15, the conveyor ran continuously while the sawdust was shuttled from the outlet end to the inlet end in large crates and was cycled through four times. This process enabled the sawdust to retain more heat and kept the oven up to temperature. With this procedure, test result became more repeatable and predictable.

In Test #15, four passes removed 97.4% of the sawdust moisture to reduce the sawdust from 61.5% to 2.6% moisture content.. By calculations, 674 pounds of water were removed.

Product flow rate for the prototype machine has been measured at approximately one-half ton per hour of sawdust at 12% moisture.

4. DOCUMENTATION & DISCUSSION OF TEST #15

DISCUSSION OF TEST NUMBER 15

Documentation of Test #15 consists of:

- Moisture Dehydrator Test Form, 2 pages.
- Drawing titled "Location of Blast Gates in Recirc Duct", 1 page.
- Drawing titled "Thermocouple Locations", 1 page.
- Print out of an Excel data collection file named SAW15.XLS, 10 pages.
- Charts of temperature readings for Zones 1, 2 and 3, 3 pages.

The Moisture Dehydrator Test Form is a handwritten record of mechanical settings for the oven. Conveyor speed and angle are noted. The number of heaters that are on and their gas pressure is recorded. Product depth is estimated and damper (blast gate) settings are recorded. Important occurrences are noted in the comments section.

The drawing titled "Location of Blast Gates in Recirc Duct" is the key to the damper settings recorded on the Moisture Dehydrator Test Form.

Data collected from the thermocouple inputs is recorded in Excel spreadsheet format. Thermocouple inputs are recorded versus time. Location of thermocouple numbers 1 through 9 is shown on the drawing titled "Thermocouple Locations". Thermocouple numbers 10, 11, and 12 are spares recording ambient temperature near the oven. Thermocouple numbers 13 and 14 record product (sawdust) temperature during moisture sampling. Notes of occurrences are made as required throughout the data table.

Charts of temperature readings for Zones 1, 2 and 3 were made from the temperatures collected from thermocouple numbers 1 through 9.

DISCUSSION OF RESULTS

One observation from the charts is that Zone 1 temperatures are significantly higher than in Zones 2 and 3. This occurs because Zone 1 contains high intensity infrared (IR) heaters that operate at high temperatures and relative short wavelength IR. Zones 2 and 3 contain catalytic heaters that emit medium wavelength IR. The combination of the two types of catalytic heaters gives a broader spectrum of IR.

Another thing to notice on the charts is that it takes approximately 20 minutes for the oven to get up to temperature and stabilize.

Recirculation air for Zones 2 and 3 is taken from Zone 1. Higher temperatures generated in Zone 1 raises the Zone 2 and Zone 3 recirculation temperatures on the average approximately 100°F.

Four passes through the oven reduced the moisture content from 61.5% to 2.6%. By calculations, 674 pounds of water were removed. At 12% moisture content, product flow rate was approximately one-half ton per hour.

MOISTURE DEHYDRATOR TEST FORM

Date: 8-13-98
Customer: C15

Tech: CMB
Ambient Temp: 80°
Rel. Humidity %: 66%

Test#: 15 Repeat of 14
File Name: SAW15

Product: Sandust

Product Input Temp. (degrees F): 81

Last Sample Temp.: 109

Moisture % of Input Product: 61.5

Moisture % of Output Product: 2.6

Zone 1 Conveyor Speed (Hz): 60

Conveyor Angle: 0.7

Zone 2 & 3 Conveyor Speed (Hz): 60

Incline or Decline

ZONE 1

@ 10.4" w.c.

Heater 1:	ON
Heater 2:	↓
Heater 3:	↓
Heater 4:	↓

Time ON
100%
↓
↓
↓

Time OFF

ZONE 2

Heater 21:	On
Heater 22:	↓
Heater 23:	↓
Heater 24:	↓

Heater 25:	On
Heater 26:	↓
Heater 27:	↓
Heater 28:	↓

Gas Press.(WC")

4"

Height of Heaters

19"

ZONE 3

Heater 31:	On
Heater 32:	↓
Heater 33:	↓
Heater 34:	↓

Heater 35:	On
Heater 36:	↓
Heater 37:	↓
Heater 38:	↓

Gas Press.(WC")

4"

Height of Heaters

19"

Product Depth: 3-4"

MOISTURE DEHYDRATOR TEST FORM

Date: 8-13-98
 Customer: C15

Tech: CBB
 Ambient Temp:
 Rel. Humidity %:

Test#: 15
 File Name: SAW15

Product:

Damper Settings Same as 8,9,10,11,12,13, & 14

Damper 1:	0	%OPEN
Damper 2:	100	%OPEN
Damper 3:	0	%OPEN
Damper 4:	100	%OPEN
Damper 5:	100	%OPEN
Damper 6:	0	%OPEN
Damper 7:	100	%OPEN
Damper 8:	0	%OPEN
Damper 9:	0	%OPEN
Damper 10:	100	%OPEN
Damper 11:	0	%OPEN
Damper 12:	100	%OPEN

Damper 13:	0	%OPEN
Damper 14:	0	%OPEN
Damper 15:	100	%OPEN
Damper 16:	0	%OPEN
Damper 17:	100	%OPEN
Damper 18:	0	%OPEN
Damper 19:	100	%OPEN
Damper 20:		%OPEN
Damper 21:		%OPEN
Damper 22:		%OPEN
Damper 23:		%OPEN
Damper 24:		%OPEN

Comments: Moisture meters calibrated at start,
 Used dyed sawdust to mark end of runs.

Start 61.5			
Run 1	53.4	8.1	$\frac{(61.5 - 2.6)}{4} = \frac{59.5}{4} = 14.875 \text{ per run}$
Run 2	39.4	14.10	
Run 3	16.6	22.8	
Run 4	2.6	14.0	

Flow rate:
 61 sec, 15 lb @ 2.6% moisture $\Rightarrow$ 885 lb/hr or 0.443 ton/hr
 or @ 12% moisture $\Rightarrow$ 980 lb/hr or 0.49 ton/hr

TOLERANCES		FRACTIONS	DECIMALS	ANGLES	BDX 827 INDEPENDENCE, KANSAS 67301 C316331-0750 F-800-835-0957 FAX: 316331-3402	
DATE		25 AUG 98	SHEET		DRUG DESC: THE LOCATIONS	
JOB NO.		153-1304	SCALE	1" = 1'	FILES: INDUSTRIAL TC-1	
DWG BY		CHK'D	MECHANICAL	DWG.		
DATE	SYN	REVISION	SHIP TO: N/A		SOLD TO: N/A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.						

[illegible]

8:00:31	214	268	406	214	217	529	216	223	466	90	90	90	81	80
8:00:46	215	271	417	219	216	537	215	222	460	92	91	90	81	81
8:01:01	215	269	428	221	217	533	219	225	455	91	90	91	81	80
8:01:16	215	270	420	222	217	533	220	227	459	90	88	69	51	81
8:01:31	217	273	437	217	218	521	221	226	455	91	89	90	81	81
8:01:46	217	275	418	215	218	533	222	229	467	91	90	90	81	81
8:02:01	218	277	404	215	221	543	224	231	477	90	90	89	81	81
8:02:17	220	280	414	219	222	538	222	229	477	90	89	90	81	81
8:02:32	219	278	435	220	220	560	222	230	466	92	92	90	81	81
8:04:42	222	281	418	222	220	547	221	228	472	89	89	90	81	81
8:04:42	221	281	447	222	222	557	222	230	469	91	88	90	81	81
8:04:42	223	283	402	218	224	554	227	235	482	90	89	89	81	81
8:04:42	223	284	416	220	223	546	229	237	478	92	90	91	81	81
8:04:42	224	284	437	222	223	547	227	234	479	90	89	89	81	81
8:04:42	222	282	449	223	227	534	228	234	475	88	88	87	81	81
8:04:42	223	282	461	224	228	558	227	235	472	91	90	90	82	82
8:04:42	225	284	426	221	229	551	231	239	482	90	89	90	83	81
8:04:46	226	285	427	220	227	557	230	238	486	92	91	91	82	82
8:05:02	224	284	438	224	227	558	229	237	482	90	88	88	82	82
8:05:17	225	284	449	219	226	555	228	236	489	90	89	90	82	82
8:05:31	224	285	449	222	228	554	231	240	487	90	89	90	82	81
8:05:47	228	288	452	222	227	575	233	242	497	92	90	91	82	82
8:06:02	231	295	464	223	229	576	234	242	506	89	88	90	82	82
8:06:17	232	296	453	226	232	591	236	244	506	89	88	90	82	82
8:06:32	232	298	438	228	234	599	241	250	524	88	88	89	82	82
8:06:46	236	302	447	231	235	612	243	253	519	89	88	89	82	82
8:07:01	235	300	472	230	236	599	241	251	516	90	90	91	82	82
8:07:16	236	302	468	224	235	603	242	251	515	90	89	90	82	82
8:07:31	236	302	494	228	236	612	243	252	517	89	87	89	82	82
8:07:46	238	304	474	229	236	619	248	256	521	92	90	91	82	82
8:08:01	237	303	476	228	236	597	244	254	528	90	89	90	82	82
8:08:16	238	305	481	227	237	624	247	256	520	91	90	90	82	82
8:08:31	236	303	492	235	240	634	250	260	524	90	89	89	82	82
8:08:46	239	307	476	233	241	629	253	264	523	91	89	90	82	82
8:09:01	241	310	480	232	241	608	248	258	529	90	90	90	82	82
8:09:17	241	309	476	232	239	619	251	261	530	90	90	90	82	82
8:09:31	242	311	469	231	241	635	254	262	526	90	88	90	83	82
8:09:46	241	309	469	233	244	595	254	264	520	91	90	90	82	82
8:10:01	238	305	483	232	241	599	248	259	512	89	89	90	82	82
8:10:17	236	303	465	230	241	597	252	261	511	89	87	90	82	82
8:10:32	236	302	463	230	242	586	250	259	517	91	91	91	82	82
8:10:47	238	306	431	225	242	576	255	265	526	90	90	91	83	82
8:11:02	237	304	456	228	242	572	252	260	520	89	88	89	82	82
8:11:17	235	300	453	232	244	569	252	261	521	89	89	90	82	82
8:11:32	236	300	471	231	244	599	251	261	515	90	88	90	82	82
8:11:47	236	303	434	233	244	578	254	265	526	90	89	90	82	82
8:12:02	236	301	456	234	242	587	250	261	520	91	90	91	82	82
8:12:16	237	304	469	231	241	583	249	259	514	91	91	90	82	82
8:12:31	237	302	474	230	242	581	248	258	511	88	87	91	82	82
8:12:46	236	303	454	233	243	575	248	258	535	90	89	91	82	81
8:13:01	236	301	492	229	245	608	248	258	524	89	88	90	82	82
8:13:16	238	305	464	233	246	592	249	261	524	91	90	91	83	82
8:13:31	236	303	500	231	247	594	248	260	513	89	88	90	83	82
8:13:46	239	306	470	230	247	608	253	264	507	90	89	90	82	82
8:14:00	241	308	472	230	246	607	253	264	501	93	91	93	82	82
8:14:15	238	307	482	232	247	589	250	262	514	90	89	91	82	82
8:14:30	238	305	478	237	248	591	249	262	516	89	88	89	82	82
8:14:45	240	307	466	230	249	611	245	259	531	89	88	90	82	82
8:15:00	241	309	481	235	248	604	246	259	522	90	89	90	82	82
8:15:15	242	310	481	232	246	608	251	262	507	90	89	91	82	82

8:15:31	241	308	492	229	244	590	247	261	515	88	87	90	83	82
8:15:46	240	306	470	234	247	587	248	259	525	88	88	88	82	82
8:16:10	242	311	477	237	247	609	250	260	519	87	87	89	83	83
8:16:15	242	309	491	235	247	607	246	259	517	87	87	89	83	83
8:16:31	241	310	491	231	247	612	248	259	521	88	87	89	83	83
8:16:45	242	310	473	237	248	598	249	259	528	89	88	90	83	83
8:17:01	247	318	467	235	247	601	255	264	503	88	88	90	83	83
8:17:15	244	316	487	235	249	595	247	259	521	89	88	90	83	83
8:17:30	244	313	464	231	249	587	251	261	529	89	89	90	83	83
8:17:45	245	316	451	233	250	625	248	261	532	88	88	89	83	83
8:18:00	244	316	445	236	250	618	247	260	540	89	88	88	83	83
8:18:15	246	317	462	233	249	595	242	256	534	89	88	89	83	83
8:18:31	246	317	469	234	248	601	244	255	531	88	87	90	84	83
8:18:46	247	317	454	236	251	614	244	255	538	90	89	90	84	83
8:19:01	246	319	441	236	252	630	246	259	537	92	92	91	83	83
8:19:17	246	319	476	238	251	597	242	255	545	90	89	91	84	83
8:19:31	249	323	451	235	253	599	240	252	536	89	88	89	84	84
8:19:46	249	320	451	234	253	599	241	253	541	90	89	90	84	84
8:20:01	248	320	469	238	253	594	241	253	553	89	89	90	84	83
8:20:16	247	319	457	235	253	612	241	253	545	90	86	90	84	83
8:20:31	250	323	454	237	252	602	239	251	540	89	89	90	84	83
8:20:46	249	322	446	238	253	592	240	253	543	90	90	90	84	83
8:21:01	249	322	438	232	254	603	242	255	549	88	88	90	83	83
8:21:16	250	322	441	233	254	623	246	261	535	88	87	90	84	83
8:21:31	250	323	472	233	255	600	242	253	540	90	89	90	84	83
8:21:46	249	321	460	235	255	606	241	253	547	89	89	90	83	83
8:22:01	249	322	453	237	254	606	241	252	556	89	88	90	84	83
8:22:16	250	321	448	226	255	628	243	255	551	89	88	91	84	83
8:22:31	250	324	467	233	255	604	239	250	554	90	88	90	84	83
8:22:47	250	324	448	238	255	612	241	251	543	90	88	90	83	83
8:23:02	249	321	434	238	257	605	243	254	552	90	89	91	83	83
8:23:17	248	322	484	237	255	608	243	256	551	89	88	90	83	83
8:23:32	251	326	453	238	256	612	243	255	539	88	86	89	84	83
8:23:47	252	326	444	238	257	614	245	257	531	87	87	90	83	83
8:24:02	250	323	439	238	258	629	244	256	550	87	87	89	82	83
8:24:17	250	325	466	238	256	610	240	251	550	87	87	89	83	83
8:24:32	251	326	441	233	256	617	243	255	547	87	87	89	83	83
8:24:46	251	325	448	239	257	621	241	253	555	87	88	90	83	82
8:25:01	252	323	456	236	256	616	243	255	557	87	87	89	83	83
8:25:16	252	326	437	235	256	608	248	260	537	87	86	89	83	83
8:25:31	251	323	449	237	257	593	244	257	545	87	87	89	83	83
8:25:47	250	321	450	235	258	606	245	259	547	87	87	88	83	83
8:26:00	250	322	445	238	257	598	246	258	551	88	87	89	83	83
8:26:16	249	321	477	238	256	585	246	258	539	88	87	89	83	83
8:26:30	247	318	486	236	256	582	246	260	538	88	88	89	83	83
8:26:45	246	315	486	237	258	602	251	263	541	87	88	90	83	83
8:27:01	248	320	492	239	257	618	255	267	528	91	90	90	83	83
8:27:17	245	315	493	236	257	602	253	264	535	94	93	92	83	83
8:27:31	245	316	465	240	257	586	253	266	545	95	95	95	84	84
8:27:47	248	318	476	238	255	572	252	263	548	95	95	95	83	84
8:28:01	248	317	492	236	254	583	248	260	538	95	95	95	84	84
8:28:16	248	316	487	241	257	584	251	262	537	94	94	94	84	84
8:28:30	248	318	476	237	257	583	247	260	553	93	94	94	84	84
8:28:47	248	316	503	235	257	588	246	260	543	95	95	95	84	84
8:29:01	246	315	503	239	257	599	246	260	545	95	96	95	84	84
8:29:17	248	318	511	237	259	606	247	260	533	95	95	95	85	85
8:29:30	248	317	504	241	257	609	251	265	524	93	94	93	84	84
8:29:46	252	325	471	240	258	602	258	271	527	94	94	94	84	85
8:30:00	251	322	493	234	257	597	252	265	539	93	93	93	84	85
8:30:16	250	322	477	241	257	599	252	265	531	93	93	92	84	84

	8:30:30	253	326	476	237	257	600	257	270	524	95	94	94	85	84
	8:30:46	254	328	462	239	259	615	253	265	527	95	96	95	85	85
	8:31:02	253	325	480	239	258	604	252	265	531	93	93	93	85	84
	8:31:16	254	329	468	241	258	590	258	270	520	93	92	92	84	85
	8:31:32	255	329	467	240	258	591	256	271	518	94	93	93	85	85
	8:31:47	252	324	497	240	259	593	254	266	526	95	94	95	85	85
	8:32:02	255	329	458	243	258	578	260	273	531	95	96	95	85	85
	8:32:17	255	329	487	242	258	597	257	269	535	95	96	95	85	85
	8:32:31	254	326	489	241	260	612	258	270	506	96	96	96	85	86
	8:32:46	258	333	478	241	259	603	258	273	509	95	96	95	85	85
	8:33:01	262	339	472	242	258	585	263	278	494	97	97	97	85	85
	8:33:16	257	330	486	242	260	586	257	272	521	95	95	96	85	85
	8:33:32	254	328	485	242	261	597	254	269	529	94	95	94	85	86
Row Skipped															
Row Skipped															
Row Skipped															
	8:33:45	255	326	444	242	262	604	254	268	538	96	95	95	85	85
	8:34:24	256	330	466	241	261	623	257	270	520	95	94	95	85	85
	8:34:24	256	329	486	242	258	612	254	269	525	97	97	96	96	96
	8:34:30	254	324	499	242	259	594	253	266	535	96	96	96	106	106
	8:34:45	254	326	440	244	260	598	255	267	543	96	97	96	109	109
	8:35:00	255	327	471	238	259	605	246	260	540	96	97	97	111	111
	8:35:34	256	331	447	240	259	613	249	262	527	97	96	96	111	111
	8:35:35	257	331	444	243	260	600	249	263	528	96	95	95	111	111
	8:35:46	255	328	436	243	261	613	249	262	533	96	95	95	111	111
	8:36:00	255	330	478	239	259	609	245	258	529	97	96	96	111	111
	8:36:16	257	331	448	242	261	606	247	261	530	96	98	96	110	111
	8:36:32	255	329	451	243	260	605	243	258	544	96	97	97	110	111
	8:36:46	257	332	428	240	259	618	255	268	532	96	98	96	110	111
	8:37:00	256	331	466	243	262	606	245	259	542	96	96	96	110	111
	8:37:16	258	335	450	241	262	618	247	261	532	95	96	97	110	111
	8:37:30	256	331	462	239	261	599	244	258	547	95	95	96	109	110
	8:37:45	255	326	457	243	263	641	244	259	549	95	96	96	109	110
	8:38:00	254	330	468	240	263	625	245	259	548	95	95	95	101	102
	8:38:16	255	330	445	241	263	609	246	259	553	95	95	94	98	99
	8:38:32	257	333	439	240	263	598	251	266	546	95	96	96	95	95
	8:38:50	255	329	442	242	264	634	250	265	548	96	96	97	95	94
	8:39:01	255	329	471	242	265	621	244	256	550	96	97	96	94	93
	8:39:15	256	329	465	243	265	626	242	256	544	96	97	95	93	93
	8:39:31	255	328	439	236	264	633	244	258	548	97	96	95	92	92
	8:39:45	254	327	465	244	264	626	244	258	544	97	96	96	92	91
	8:40:00	252	327	473	240	265	609	243	257	549	96	97	97	91	90
	8:40:15	253	327	461	244	265	603	244	256	557	94	96	96	90	89
	8:40:30	253	326	476	241	264	631	242	256	553	96	96	95	89	89
	8:40:45	259	337	468	237	264	615	244	258	521	95	95	95	89	89
	8:41:00	263	343	459	241	265	604	255	269	522	96	96	95	90	89
	8:41:15	258	336	477	242	268	626	249	265	542	96	95	96	89	88
Row Skipped															
Row Skipped															
Row Skipped															
	8:41:40	257	331	473	242	268	610	246	260	545	96	95	95	89	88
	8:41:45	259	334	457	240	266	627	248	260	534	96	95	95	88	87
	8:42:20	257	329	449	242	265	604	243	256	556	95	96	95	88	88
	8:42:20	254	329	465	242	266	634	244	256	553	95	96	97	87	86
	8:42:55	257	332	461	243	267	616	241	254	547	95	96	96	87	86
	8:42:55	260	338	442	244	266	616	252	264	528	96	96	96	87	86
	8:43:01	261	340	424	242	265	605	259	273	533	96	96	97	87	86
	8:43:35	259	336	447	244	267	587	260	275	529	97	99	97	87	86
	8:43:35	256	330	474	246	267	615	248	263	541	98	97	96	87	85
	8:43:47	256	330	438	244	267	603	248	261	547	97	96	96	86	86

8:44:02	254	328	428	235	267	609	256	271	545	96	94	96	85	85
8:44:17	253	327	431	241	266	585	255	269	543	94	95	94	86	85
8:44:32	253	325	451	241	266	616	248	262	547	94	94	94	85	84
8:44:46	254	328	424	241	266	606	255	269	535	96	95	94	85	84
8:45:02	253	325	473	245	267	604	254	269	525	96	96	95	85	84
8:45:17	252	323	469	241	267	621	249	261	542	97	97	96	85	85
8:45:32	252	324	465	242	266	612	246	259	548	97	97	96	85	85
8:45:47	252	324	451	240	267	613	249	263	553	95	95	93	85	84
8:46:02	250	323	484	241	267	612	249	262	531	95	94	94	85	84
8:46:17	251	325	496	240	268	630	246	260	542	96	96	96	85	84
8:46:32	252	323	496	245	268	619	250	262	535	96	95	94	85	84
8:46:45	249	321	493	243	269	617	251	264	534	96	96	96	85	84
8:47:00	254	328	450	245	267	603	254	267	536	96	96	96	85	84
8:47:15	254	327	428	241	266	603	263	275	540	96	95	94	84	84
8:47:30	252	325	467	244	270	642	258	273	543	97	97	96	84	84
8:47:45	251	325	484	242	270	604	255	267	535	95	94	94	84	84
8:48:01	252	324	491	238	269	621	251	262	540	95	94	94	84	84
8:48:15	252	325	494	244	270	631	254	265	529	95	95	94	84	83
8:48:31	250	322	504	246	269	619	257	268	533	93	92	92	84	83
8:48:45	251	325	452	245	267	611	254	266	542	94	92	92	84	83
8:49:01	254	327	438	242	266	608	261	274	539	96	96	95	84	83
8:49:15	253	327	461	245	271	626	264	275	537	98	97	96	84	84
8:49:31	253	326	481	243	272	641	257	271	539	93	93	92	84	83
8:49:47	251	323	474	245	270	618	252	266	538	93	93	91	84	83
8:50:01	253	325	507	243	268	604	251	264	529	95	94	94	83	83
8:50:16	252	325	490	246	271	611	254	268	530	96	95	95	84	83
8:50:30	251	322	493	247	269	593	252	268	533	98	97	97	83	83
8:50:46	254	329	432	240	266	609	258	274	532	98	98	98	84	83
8:51:00	255	330	428	245	268	612	265	279	533	96	96	95	84	83
8:51:16	255	327	447	245	271	617	263	279	535	97	97	97	84	83
8:51:31	252	325	456	248	271	601	257	271	536	97	96	96	83	83
8:51:46	255	330	431	245	271	599	261	275	532	95	94	93	83	83
8:52:01	254	327	463	244	272	630	260	275	530	96	95	96	84	83
8:52:16	254	326	474	246	272	595	255	270	540	95	96	96	84	83
8:52:31	256	330	437	247	271	613	259	272	529	96	97	96	84	83
8:52:46	257	332	425	241	270	614	267	280	532	97	97	97	84	83
8:53:01	255	328	451	247	275	632	261	277	540	95	95	94	84	83
8:53:16	253	325	467	249	272	603	256	271	532	94	94	93	84	84
8:53:31	251	323	502	248	271	627	253	267	529	95	94	94	85	84
8:53:45	252	322	498	247	272	614	256	271	537	95	95	94	85	83
8:54:00	252	323	468	249	271	598	259	272	540	97	97	97	84	84
8:54:15	254	327	450	243	271	622	259	273	525	95	95	94	85	84
8:54:30	254	327	433	246	272	606	264	279	531	96	95	96	85	84
8:54:45	253	327	472	249	275	625	261	275	538	97	95	95	85	84
8:55:00	253	324	493	250	274	607	256	269	529	99	98	98	84	84
8:55:15	252	325	505	250	273	618	252	267	526	97	97	95	85	84
8:55:30	253	327	505	251	273	628	255	268	522	96	95	95	85	84
8:55:45	252	326	475	249	272	605	257	273	534	98	95	95	85	84
8:56:00	254	326	456	247	273	606	258	273	533	98	96	96	85	84
8:56:15	253	327	486	252	272	604	256	270	527	98	98	97	85	84
8:56:31	253	326	497	253	273	603	258	272	523	100	97	97	85	84
8:56:46	253	323	493	249	273	590	257	270	530	100	99	99	85	84
8:57:01	253	325	492	249	273	619	253	266	530	98	98	96	85	84
8:57:16	254	325	496	249	273	615	254	266	527	97	98	97	85	85
8:57:31	253	324	466	251	274	610	261	273	538	99	98	97	85	84
8:57:45	252	324	461	253	273	603	255	270	538	99	98	97	85	85
8:58:00	255	328	435	250	272	600	261	275	536	98	97	96	85	85
8:58:15	254	328	468	251	273	632	261	276	536	98	98	96	85	85
8:58:30	254	325	494	253	274	607	259	271	528	98	97	96	85	85
8:58:45	254	327	497	251	273	641	256	269	524	99	97	96	85	85

8:59:01	254	327	493	249	273	630	257	269	521	97	96	96	85	85
8:59:17	253	326	489	250	275	594	259	273	530	97	96	96	86	86
8:59:39	254	328	448	255	274	604	258	272	533	97	97	96	86	86
8:59:46	255	328	441	246	271	597	263	277	533	99	98	93	86	85
9:00:01	253	328	469	253	274	638	265	277	538	98	98	98	86	86
9:00:15	254	326	482	250	274	610	259	273	539	97	97	97	86	86
9:00:31	254	326	449	249	274	600	258	270	532	97	98	97	86	86
9:00:45	255	327	459	249	274	610	263	277	534	98	98	98	86	86
9:01:01	254	326	497	252	276	605	259	272	528	98	98	98	86	86
9:01:15	255	328	459	255	275	613	259	272	526	98	96	97	86	86
9:01:30	255	329	425	249	273	601	263	278	531	99	97	97	86	86
9:01:45	255	328	471	247	276	608	261	274	535	96	96	96	86	86
9:02:01	256	328	461	253	276	594	256	270	546	99	96	98	86	86
9:02:15	254	328	478	252	276	612	255	269	536	99	98	98	87	86
9:02:30	255	327	443	253	274	590	259	271	535	99	99	98	86	86
9:02:45	255	326	459	255	275	632	260	274	542	100	99	98	87	86
9:03:00	253	323	485	252	275	604	255	270	539	100	99	99	86	87
9:03:16	255	326	495	250	274	639	254	267	533	99	98	98	86	86
9:03:31	255	328	506	254	275	625	251	267	527	98	98	96	86	86
9:03:46	256	330	502	252	275	617	256	269	528	98	99	98	86	87
9:04:01	255	326	475	250	274	591	255	268	536	99	99	98	86	86
9:04:16	255	326	498	250	275	614	253	267	538	99	98	99	87	86
9:04:31	256	331	518	251	275	617	251	262	525	99	98	99	86	86
9:04:46	256	331	517	250	275	624	251	263	522	99	98	98	87	86
9:05:01	258	332	470	255	275	618	251	263	536	98	97	99	86	87
9:05:15	255	330	461	251	275	615	251	264	542	98	96	96	87	86
9:05:30	255	328	462	254	274	619	256	268	531	97	97	97	87	86
9:05:45	254	326	460	254	276	634	257	271	537	100	99	99	87	87
9:06:00	256	328	483	255	275	618	254	267	533	99	99	98	86	86
9:06:15	257	330	518	248	273	613	251	264	528	99	98	98	86	86
9:06:30	256	331	494	251	274	622	252	264	529	98	97	95	86	86
9:06:45	257	330	461	253	274	612	252	264	542	98	97	97	87	86
9:07:00	257	331	516	250	275	588	248	260	529	97	97	96	87	86
Row Skipped														
Row Skipped														
Row Skipped														
9:07:16	256	327	484	254	276	604	252	265	526	95	95	95	86	87
9:07:51	253	328	480	249	275	601	251	264	535	96	95	96	87	86
9:07:51	257	330	507	252	276	621	249	264	527	98	98	97	87	87
9:08:00	254	325	496	249	276	608	253	268	534	98	98	97	101	97
9:08:16	254	327	493	254	276	599	253	266	539	96	97	96	105	103
9:08:31	254	327	493	251	275	630	249	263	534	98	97	98	106	105
9:08:46	254	327	441	255	274	603	253	266	544	98	97	96	104	106
Row Skipped														
Row Skipped														
Row Skipped														
SAMPLE # 1 OF RUN # 2 39.4%														
9:09:00	252	327	454	253	274	625	261	276	533	96	96	96	102	104
9:09:15	255	326	469	256	274	592	256	269	539	95	95	95	101	104
9:09:31	255	327	506	255	274	614	253	265	531	96	97	96	101	104
9:09:48	257	329	504	257	274	630	253	265	518	99	99	97	101	104
9:10:00	257	333	521	253	274	629	252	264	516	97	97	97	100	103
9:10:16	255	329	497	250	272	604	254	268	542	98	98	97	100	102
9:10:30	254	326	496	249	276	616	252	265	532	97	97	96	100	101
9:10:45	254	326	468	254	277	619	252	265	535	97	96	96	100	102
9:11:00	254	328	478	251	276	625	257	270	539	98	97	97	100	101
9:11:15	254	326	474	254	276	605	254	268	536	98	98	97	100	101
9:11:30	254	327	449	246	276	605	257	271	540	97	97	97	101	100
9:11:45	255	330	433	254	275	602	265	278	539	97	96	95	100	101
9:12:00	254	328	448	255	275	629	262	278	538	97	97	97	100	100
9:12:15	255	326	471	255	278	610	259	270	529	98	98	98	100	100

9:12:30	255	330	501	252	279	630	255	266	526	100	99	98	98	98
9:12:45	256	331	508	255	277	611	256	266	526	98	98	98	96	96
9:13:01	255	327	485	251	275	602	255	268	533	98	98	98	94	93
9:13:15	256	329	509	254	276	619	254	264	532	100	99	98	93	93
9:13:30	259	334	513	254	277	618	252	263	519	99	99	98	93	92
9:13:46	258	331	497	250	275	615	251	266	525	99	97	98	92	91
9:14:01	257	332	468	251	278	597	253	267	536	98	97	96	92	91
9:14:16	259	332	436	246	276	602	259	271	544	98	97	96	90	91
9:14:31	258	334	459	253	276	625	267	281	526	98	97	96	90	90
9:14:46	258	333	450	251	277	589	261	274	540	97	96	95	90	90
9:15:01	256	331	488	259	277	621	256	269	525	96	94	95	89	90
9:15:16	256	331	509	255	276	610	256	269	523	99	98	97	89	89
9:15:31	258	333	511	256	277	605	255	267	514	99	99	98	89	89
9:15:47	258	331	484	253	279	592	256	268	534	99	98	98	89	89
9:16:02	258	329	476	256	279	623	251	264	530	98	99	99	88	89
9:16:17	257	331	437	253	277	601	260	271	537	99	99	99	89	89
Row Skipped														
Row Skipped		END OF RUN # 2												
Row Skipped														
9:16:37	257	329	464	255	280	618	261	274	544	100	99	98	89	89
9:16:47	257	330	468	257	277	590	258	272	545	100	99	98	88	88
9:17:01	257	332	442	256	276	619	260	272	531	98	96	97	89	89
9:17:16	257	332	430	257	277	599	263	276	537	101	100	99	89	88
9:17:30	257	333	474	256	280	611	264	277	533	100	100	100	89	88
9:17:46	257	331	462	253	280	618	261	274	543	100	100	100	89	89
9:18:00	255	327	488	255	278	610	258	270	537	99	100	100	88	89
9:18:16	255	329	505	257	279	602	257	269	526	100	100	100	88	88
9:18:30	255	326	469	257	281	610	257	271	535	100	100	100	88	88
9:18:46	255	327	472	253	279	582	260	273	537	100	102	101	88	88
9:19:01	254	328	445	254	279	600	257	270	540	100	100	101	89	88
9:19:16	257	331	428	258	277	595	262	273	539	102	101	100	88	88
9:19:31	257	331	464	249	279	613	263	278	535	101	100	100	88	88
9:19:46	256	327	484	252	282	638	262	276	542	100	100	100	88	87
9:20:01	256	328	476	255	279	619	259	273	528	99	97	99	87	88
9:20:16	257	330	497	253	279	623	257	268	530	100	100	100	87	88
9:20:31	258	331	483	252	281	617	258	272	537	100	99	100	87	87
9:20:44	257	331	473	253	281	608	262	274	543	102	102	103	87	87
9:21:00	258	332	452	255	281	597	259	273	547	102	102	102	87	87
9:21:17	257	333	434	254	278	604	264	277	549	102	104	103	87	87
9:21:30	259	333	466	257	280	612	265	279	537	103	102	102	87	87
9:21:45	257	332	474	255	282	607	263	277	532	103	104	103	87	87
9:22:00	258	331	458	252	283	611	263	273	541	102	102	102	87	88
9:22:16	259	333	437	257	281	617	266	279	543	102	102	102	87	87
9:22:31	259	333	487	255	280	626	264	278	550	103	104	104	87	88
9:22:46	260	333	470	257	282	604	262	274	545	105	103	104	87	88
9:23:01	260	333	438	257	282	604	262	276	553	104	103	103	87	87
9:23:16	261	336	425	254	279	615	269	282	548	103	103	103	87	88
9:23:31	260	334	477	258	282	612	269	283	539	102	102	103	87	88
9:23:46	260	333	462	257	282	640	266	280	542	103	102	102	87	88
9:24:02	258	332	485	250	281	638	263	277	538	102	101	102	87	88
9:24:15	259	331	498	255	281	612	262	275	525	103	103	103	88	88
9:24:32	262	335	514	250	283	614	263	276	525	102	102	101	88	88
9:24:45	259	333	467	255	283	618	264	279	537	104	104	104	88	87
9:25:01	259	334	485	254	283	612	262	276	536	103	104	104	87	88
9:25:16	259	332	474	257	283	606	260	273	542	103	103	104	88	88
9:25:31	261	337	513	257	284	602	260	272	530	103	101	103	88	89
9:25:46	259	334	494	258	284	612	262	276	538	103	104	103	88	88
9:26:01	259	333	493	255	283	619	260	273	542	103	104	104	88	89
9:26:16	260	335	490	255	284	600	257	271	540	103	102	104	88	89
9:26:31	262	335	506	259	286	625	260	273	538	104	105	104	88	89

9:26:46	261	335	497	260	286	611	263	274	538	103	105	105	88	89
9:27:00	260	333	467	251	285	602	259	272	533	101	101	103	89	88
9:27:15	260	333	475	252	284	598	256	270	536	101	101	102	89	89
9:27:30	261	335	493	260	286	617	262	273	539	101	101	103	89	89
9:27:45	260	333	491	257	285	627	261	272	533	100	101	102	89	89
9:28:00	260	335	490	257	284	631	260	271	525	100	100	101	89	89
9:28:15	259	331	474	254	284	628	258	268	534	101	101	101	89	89
9:28:30	259	332	471	260	285	634	266	277	526	101	101	101	89	89
9:28:45	258	330	479	260	284	612	264	278	528	101	101	102	90	89
9:29:01	259	330	467	260	284	605	261	273	534	101	101	100	90	89
9:29:16	257	328	456	257	282	605	261	273	534	100	100	101	90	90
9:29:31	259	332	482	261	285	622	263	274	540	99	100	101	90	90
9:29:46	257	332	467	258	284	630	261	275	541	101	101	101	89	90
9:30:00	258	331	486	260	283	602	263	274	530	101	100	101	90	90
9:30:16	258	330	468	259	283	612	260	270	533	101	100	102	90	90
9:30:30	258	332	462	261	285	623	262	273	529	101	101	103	90	90
9:30:46	259	333	479	260	284	604	262	274	532	103	104	105	89	90
9:30:59	259	332	461	260	285	607	261	272	535	102	104	105	90	90
9:31:15	258	332	435	261	283	619	261	275	533	102	102	104	90	90
9:31:29	258	333	477	257	286	626	265	278	535	102	102	103	90	90
9:31:45	258	332	462	251	285	635	265	276	535	103	103	103	90	90
9:32:01	259	333	485	261	284	638	265	277	523	102	102	103	90	90
9:32:15	261	335	507	260	283	623	259	270	524	103	103	103	90	90
9:32:31	262	337	505	260	286	624	262	271	519	102	103	103	90	90
9:32:45	259	333	474	258	285	616	262	274	527	102	103	102	90	90
9:33:00	260	334	486	258	286	612	260	271	528	102	102	102	90	90
9:33:16	261	334	461	264	285	636	263	277	532	102	103	102	90	90
9:33:30	258	334	469	264	286	623	267	281	535	103	103	104	90	90
9:33:46	259	334	492	260	284	607	264	279	533	102	102	102	90	90
9:33:59	259	332	460	262	285	607	262	275	535	101	101	102	90	90
9:34:15	262	336	468	261	283	621	270	282	531	102	102	102	90	90
9:34:31	261	335	501	260	288	630	267	279	528	104	104	103	90	90
9:34:45	261	334	483	262	287	603	264	274	530	104	105	104	90	90
9:35:01	261	332	448	261	285	605	265	276	540	106	106	107	91	91
Row Skipped														
Row Skipped		SAMPLE # 1 OF RUN # 3 16.6%												
Row Skipped														
9:35:18	259	332	441	262	284	601	266	277	543	104	106	106	90	90
9:35:38	259	334	477	261	286	648	267	278	541	102	103	104	108	106
9:35:45	261	335	495	261	286	621	267	277	530	103	103	105	114	113
9:36:01	260	333	452	260	286	612	265	277	535	103	104	105	117	115
9:36:14	260	332	450	263	285	623	271	283	530	102	103	104	117	116
9:36:31	259	331	493	264	288	613	267	278	529	101	102	102	116	115
9:36:45	261	331	486	262	286	634	264	275	528	102	103	103	115	115
9:37:01	260	331	445	263	284	607	265	275	537	102	103	103	115	115
9:37:15	258	331	449	263	284	622	269	279	533	100	100	101	115	114
		DUMP GREEN DYE IN HOPPER TO MARK END OF RUN 3												
9:38:03	259	331	484	261	288	628	264	274	533	100	100	100	114	114
9:38:03	257	331	445	263	287	617	264	275	547	100	101	101	114	114
9:38:16	258	332	475	260	286	629	268	281	543	101	101	101	113	113
9:38:31	259	333	488	260	288	643	264	278	544	102	102	104	112	112
9:38:45	260	334	501	263	287	602	265	277	543	102	102	102	112	112
9:39:00	261	335	500	262	288	633	262	272	533	102	103	104	112	111
9:39:15	259	333	461	263	287	648	266	276	534	103	103	104	110	111
9:39:30	258	332	472	261	290	642	269	282	537	102	102	102	110	110
9:39:45	261	334	496	264	291	638	265	279	535	101	102	101	109	110
9:40:00	261	335	504	260	289	631	266	277	534	101	99	102	109	110

SAVINGS

9:40:15	258	332	463	259	288	630	264	275	549	101	102	102	109	109
9:40:31	260	334	488	257	289	630	268	281	538	102	101	102	108	109
9:40:46	261	334	497	260	289	614	267	279	545	101	101	101	108	108
9:41:01	261	336	500	263	287	654	266	278	534	101	100	101	107	108
9:41:16	261	335	512	264	288	642	265	276	535	101	102	103	106	107
9:41:29	261	336	515	261	290	627	265	275	538	102	104	105	106	106
9:41:44	261	337	490	263	290	627	261	274	545	101	101	103	106	106
9:41:59	263	339	497	263	290	616	265	277	550	102	102	102	106	106
9:42:14	262	334	485	268	291	620	264	275	549	103	103	104	105	106
9:42:29	261	334	475	263	291	656	267	281	538	102	102	102	105	106
9:42:44	262	337	498	266	290	627	263	278	530	102	101	102	105	105
9:42:59	261	336	507	263	290	638	263	276	532	99	100	100	104	104
9:43:14	262	336	493	261	290	641	264	275	542	99	99	101	104	104
9:43:30	262	335	476	262	288	600	265	276	541	102	102	102	103	104
9:43:45	262	335	485	266	288	632	259	270	535	102	102	102	103	104
9:44:00	258	329	493	263	289	622	259	272	536	101	102	101	102	103
9:44:15	261	334	500	262	288	628	264	275	534	102	102	102	102	102
9:44:30	260	333	481	260	290	632	266	278	538	104	104	104	102	102
9:44:44	259	330	482	264	290	616	264	276	540	102	102	103	102	102
9:45:00	260	333	438	258	289	608	266	277	540	101	101	101	102	102
9:45:16	261	334	501	265	291	614	263	275	542	100	100	101	102	102
9:45:30	262	335	497	259	291	602	266	278	547	103	102	103	101	102
9:45:46	261	335	483	261	290	608	262	274	529	102	102	102	101	101
9:46:00	259	332	463	264	289	600	262	274	533	102	103	103	101	102
9:46:16	260	335	478	265	288	624	266	277	535	102	102	103	101	102
9:46:29	260	334	480	264	291	620	264	276	532	103	104	103	100	101
9:46:45	260	334	493	265	291	618	263	275	532	103	103	104	97	98
9:46:59	259	332	472	262	289	609	261	275	534	103	102	103	95	96
9:47:15	262	336	507	260	291	623	262	274	525	103	102	103	94	95
9:47:30	262	336	495	264	291	606	264	277	535	103	103	104	93	95
9:47:46	262	336	489	261	291	623	262	274	535	100	102	103	93	94
9:48:01	261	335	468	265	290	607	264	276	546	103	102	103	93	94
Row Skipped														
Row Skipped					END OF RUN # 3									
Row Skipped					IT TOOK 10 MINUTES FOR THE GREEN SAWDUST TO MOVE THROUGH THE OVEN									
9:48:42	263	335	462	264	290	629	271	284	525	103	103	104	92	94
9:48:46	262	335	448	260	289	615	268	282	539	104	104	103	92	94
9:49:28	262	335	481	261	290	621	268	281	523	104	104	105	93	94
9:49:28	263	336	503	267	291	619	264	275	522	103	104	105	92	94
9:49:31	263	339	513	268	294	648	263	275	531	105	106	108	92	94
9:50:02	264	339	503	267	292	625	265	276	528	106	105	107	93	94
9:50:02	262	337	478	266	292	621	263	275	531	104	105	106	92	94
9:50:15	262	336	481	260	291	603	264	277	536	105	107	107	93	94
9:50:30	260	335	466	266	292	631	270	283	533	104	105	105	93	94
9:51:03	261	336	463	267	295	643	266	280	530	104	103	103	93	94
9:51:03	259	336	490	262	294	618	265	278	529	103	101	102	93	94
9:51:15	262	336	451	267	292	613	269	282	540	101	100	102	93	94
9:51:30	261	336	464	264	292	617	269	281	533	100	99	100	94	94
9:51:45	260	334	489	266	295	627	264	277	533	100	101	102	110	108
9:52:35	263	338	492	266	294	615	266	278	526	102	102	104	117	115
9:52:35	259	332	479	264	293	618	262	273	532	103	103	104	118	116
9:52:35	262	336	482	266	292	595	264	275	538	102	102	103	118	115
9:52:46	263	339	470	267	294	636	264	277	536	101	100	102	110	110
9:53:00	264	340	491	269	293	620	262	275	525	100	99	100	103	105
9:53:16	264	341	495	266	295	616	261	275	530	101	100	101	101	103
9:53:29	261	335	472	264	293	603	263	276	542	101	101	100	100	101
9:53:46	261	336	444	267	294	626	266	280	541	101	101	103	99	100
9:54:01	263	338	477	268	295	611	264	277	532	104	103	104	99	100
9:54:15	263	336	452	270	289	605	261	276	541	102	103	105	99	98

[illegible]

Test 15 Zone 1

Test 15 Zone 2

Test 15 Zone 3

5. TECHNICAL BULLETIN

**FLAMELESS
CATALYTIC
GAS FIRED
INFRA-RED
HEATERS**

**TECHNICAL
BULLETIN**

1-800-835-0557

20th & Sycamore
Independence, KS

° The infrared energy emitted by a surface, per unit time and per unit area, depends upon the nature of the surface and upon its temperature. At low temperatures the rate of radiation is small and the infrared energy is chiefly of relatively long wave lengths. As the temperature is increased, the rate of radiation increases very rapidly, in proportion to the fourth power of the absolute temperature. For example, a gold block at a temperature of 212°F (672°R), radiates about 6 BTU/HR from each square foot of its surface. At a temperature of 1000°F (1460°R), it radiates about 273 BTU/HR from each square foot of its surface, and at 2000°F (2460°R), it radiates about 2196 BTU/HR per square foot. This rate is 360 times that at a temperature of 212°F.

At each of these temperatures the infrared energy emitted is a mixture of waves of different length. At a temperature of 572°F the most intense of these waves has a wavelength of about 2×10^4 in. It is evident that as the temperature increases, the rate of emission increases and the wavelength of the most intense wave becomes shorter, and at temperatures in excess of 1400°F, a body emits enough visible radiation to be self-luminous, and appears "red hot."

It has been found that a good absorber is a good emitter, in fact the emissivity and absorptivity of a surface are equal, differing only in direction. The best emitter will be that surface which is the best absorber. But no surface can absorb more than all of the infrared energy which strikes it. Any surface which does absorb all of the incident energy will be the best emitting surface possible.

Such a surface would reflect no infrared energy, and hence would appear black in color thus the name "black body" (Provided its temperature is not so high that it is self-luminous.) The emissivity of a perfect black body is equal to unity; all real substances have an emissivity less than 1, varying from zero to 1. Emissivity varies with temperature.

OPERATING PRINCIPLE

The fuel enters the back of the air tight heater pan and is dispersed through a catalyst pad (at the face). At the same time oxygen from the air diffuses through the catalyst pad from the front and where they meet oxidation, (counter current combustion), occurs and hence a

catalytic combustion below the flame ignition temperature of the gas is experienced. This reaction, which is stimulated by the promoted platinum catalyst, occurs below the normal flame ignition temperature of the gas therefore there is no flame involved in the combustion process.

Once the oxidation starts, the action is continuous and there is very little chance, if any, that the process will stop as long as there is no interruption of the gas or air supply.

HOW IT WORKS

- Fuel enters the gas tight pan (1) through the orifice in back.
- The fuel is dispersed by means of the dispersion plate (2) which has a series of holes in it.
- The fuel then passes through an insulation pad (3) which serves two purposes. First, it restricts the heat from being transferred to the back of the heater. Secondly, it aids in the dispersion of the gas by acting as a resistance to flow.
- The fuel next enters the catalyst pad (5) which has been pre-heated by the electrical element (4). The startup element can be either a 12V, 120V, 240/480V system.
- Oxidation occurs where the fuel and oxygen from the air meet within the catalyst pad. The catalyst pad is protected by a wire mesh screen (6) which in turn is retained in place by the trim (7).

CATALYTIC COMBUSTION

The complete combustion of methane gas is—

The complete oxidation of CH_4 is shown in the following formula.

HEATER SHAPES

Interest in infrared energy as an industrial tool has increased tremendously in recent years with many new and unusual applications. However, even the most basic principles governing infrared energy applications are rather complex but the possibility of unusual and unique applications are legion.

Infrared energy, like light, is electromagnetic wave energy, travels in straight lines at 186,000 miles per second, casts shadows, may be transmitted, absorbed or reflected by matter, may be focused or dispersed by lenses or prisms of proper material; in fact it has many of the same properties as light waves except it has a longer wave length. (See Figure 1.)

ELECTROMAGNETIC SPECTRUM

WAVE LENGTH

SOURCE

FIGURE 1

The presence of infrared energy is practically undetectable except for its effectiveness in raising the temperature of matter when it is absorbed. A source of infrared energy floods the area around it with energy in just the same way light floods the area with light. The intensity of the infrared energy varies with the square of the distance as does light and it travels any distance without loss as long as it does not meet with matter which absorbs it. The absorption of infrared energy by various materials is a specific property of each material; certain wave lengths will be absorbed, some to a considerable extent, others less and some very little or not at all. Thus each substance has an infrared absorption spectrum which is characteristic of that substance. These have been determined for a great many substances and can be found in an atlas of infrared absorption spectra. Thus the absorption of infrared energy is highly selective which leads to the possibility of many selective applications, a possibility not open to other forms of heating. By selection of proper substances to act as a filter between the source and object to be heated, it is possible to filter out all but the desired wave lengths required to heat certain substances in a mixture.

Wave lengths of infrared rays are described as either FAR (long) or NEAR (short). NEAR infrared is a short wave length which is nearest to light such as is generated by an electric bulb with temperatures of as high as 4500°F. Much of this energy is light of short wave length and, as such, is much more easily reflected. The small part which is absorbed, is re-emitted as longer wave length light rather than heat. It is true that a portion of it is converted to heat, but much less than the longer wave lengths.

FAR infrared is a longer wave and is the farthest from light. It is much more readily absorbed by most materials. CIS Flameless Gas Heaters are low temperature FAR infrared emitters. Consequently, they are excellent for heating, drying and curing at much lower cost than the NEAR infrared emitters.

According to the Atlas of Infrared absorption Spectra, the following graph shows how the absorption of the infrared energy is related to the wave length. Notice that as the wave length increases the % absorption also increases.

With a peak emission of 4 microns (at 850°F), CIS Heaters are among the most efficient of Infrared Heaters.

The graph below shows a comparison of emitted wave lengths of three different types of infrared generators.

RADIANT ENERGY

% RADIANT ENERGY ABSORBED BY WHITE BOX

- 1 Peak .7 microns infrared lamp 4300°F — 30%
- 2 Peak 3 microns electric sheath wire 1350°F — 70%
- 3 Peak 4 microns CIS Gas heater 850°F — 90%

PRODUCT ACCEPTANCE

- 0-2 — 2% — Poor absorption
- 2-4 — 35% — Fair absorption
- 4-7 — 90% — Excellent absorption

• CIS HEATERS ARE SAFER

Heat produced by catalytic reaction provides a safety factor that cannot be obtained with a flame, lamps or quartz tubes. Direct application of heat by flame in the presence of flammable materials is unthinkable. Broken lamps or tubes present the hazard of explosion in addition to cleanup problems and the possibility of material spoilage. CIS Heaters introduce heat directly and safely.

• CIS HEATERS ARE FAST

Because CIS Heaters emit infrared they heat objects and not air. You realize a much faster temperature rise of your product.

• CIS FLAMELESS HEATERS OPERATE CLEANLY

Because there is no flame, CIS Heaters operate without leaving the carbon deposits normally associated with flame. Because there are no blowers necessary to circulate the air when using CIS Infrared Heaters, dust and dirt will not settle on your product.

• CIS HEATERS PAY FOR THEMSELVES

Because of the low cost of gas (as a fuel) CIS Heaters show a very short payout.

• CIS HEATERS ARE SILENT

Most forced air systems are associated with considerable noise. Working around a CIS Infrared Heating System is quiet and allows personnel to get their work done under better working conditions. There is no visible light in connection with CIS Heaters thus eliminating distraction and eye strain.

• CIS HEATERS ARE MAINTENANCE FREE

Because of the lack of moving parts there is little if any maintenance to consider in your operation. The catalyst within the heater is not consumed in the operation.

CONVERSION OF KILOWATTS TO BTU

1 K.W. = 3412 BTU

PROPER FUEL/AIR MIXTURES

GAS	BTU/CU.FT.	CU. FT. AIR/ CU. FT. GAS
Natural Gas	1000	9.53
Propane	2520	23.40
Butane	3260	30.00

• CIS HEATERS ARE CONTROLLABLE

CIS Heaters may be controlled thermostatically for space heating and controlled through the use of highly accurate temperature controllers for industrial process ovens.

• OPERATING PRESSURES

It is important that the following operating pressures be maintained.

Natural Gas — 3½" Inch Water Column = 2 oz./in²

Propane-Butane — 11 Inch Water Column = 6.3 oz./in²

• QUALITY CONTROL (100%)

CIS Heaters must all pass rigid inspection to assure that all meet the high workmanship standards which have always been important to CIS. Each and every CIS Heater is also operated and checked for performance before it can leave our plant.

• RESEARCH & DEVELOPMENT

CIS products are the result of extensive laboratory and field testing. All products are designed according to strict engineering requirements. CIS maintains both an engineering design department and an engineering test laboratory.

• CATALYST LIFE

With reasonable care the catalyst should last for an extended period of years.

• SAFETY

CIS Heaters are extremely safe and may be operated in hazardous areas.

USEFUL TECHNICAL INFORMATION

* DILUTION REQUIREMENTS:

Ventilation required to dilute the CO₂ in the products of combustion to less than 5000 ppm, assuming 600 ppm CO₂ in the supply air.

NATURAL GAS:

227 CFH/1000 BTUH

3.8 CFM/1000 BTUH

PROPANE GAS:

273 CFH/1000 BTUH

4.55 CFM/1000 BTUH

If these requirements are satisfied, CO₂ concentration should never exceed 20 ppm.

Sections marked with asterisk(*) have been computed using the appropriate resistance value (R), or have been determined from field practice. All other portions are abstracted by permission from HEATING VENTILATION AIR CONDITIONING GUIDE 1958, Chapter 9.

Providing better answers for your process heating needs.

APPROVALS: FX-N and FX-LP models are approved by: Factory Mutual Engineering Division for use in **Class I, Division 2, Group D** hazardous areas. The Canadian Gas Association has approved usage in **Class 1, Division 1 and 2, Group D** hazardous area.

20th and Sycamore, Independence, Kansas 67301
(316) 331-0750 • 1-800-835-0557

6. LISTING OF MARKET POTENTIAL

MARKETS FOR DEHYDRATION EQUIPMENT

I. Forest Products Industry

- A. Particleboard plants
- B. Waferboard plants
- C. Flakeboard plants
- D. Strandboard (O.S.B.) plants
- E. Medium density fiberboard (M.D.F.) plants
 - 1. Overlayment & lamination drying
- F. Fuel preparation for solid fuel burners
- G. Fireplace log extruders
- H. Wood pellet plants
- I. Charcoal briquets (Kingsford)
- J. Pre drying

II. Food Industry

- A. Spent coffee (i.e.) Folgers
- B. Spent tea leaves (i.e.) Nestle
- C. Bakery waste
- D. Vegetable canning waste
- E. Crab and shrimp waste
- F. Texturized vegetable protein (TVP)
- G. Fish oil extraction (Menhaden)
- H. Parboiled rice

III. Agriculture Industry

- A. Alfalfa pelleting plants
- B. Small grains
 - 1. Wheat
 - 2. Soybeans
 - 3. Corn
- C. Pineapple waste
- D. Kelp - seaweed
- E. Taro root (poi)
- F. Sugar - cane and beet residue
- G. Cereal grasses

IV. Chemical Processing Industry

- A. Polyvinyl chloride pellets (PVC)
- B. Carbon black

V. Brewing and Distillation Industry

- A. Brewers grain (beer) (i.e.) Pearl
- B. Distillers grain (D.D.G.S.)
 - 1. Ethanol plants (i.e.) A.D.M.
- C. Wineries - grape and apple pomace (i.e.) Gallo

VI. Paper and Pulp Industry

- A. Sludge
- B. Boiler Fuel (bark, et al)

VII. Animal Industry

- A. Dried poultry waste (D.P.W.)
- B. Manures
- C. Bedding/litter
- D. Poultry feathers

VIII. Horticulture Industry

- A. Peat moss
- B. Compost
- C. Hydroponic waste

IX. Municipal

- A. Solid waste (MSW)
- B. Sewage (milorganite)

7. PROJECT COMPLETION

PROJECT COMPLETION

The results that we have been able to achieve with the prototype machine have given us the data necessary to lead us to the next phase of the project, selection of target applications. We must be able to do testing with this prototype to gather the data necessary to design and build systems. This equipment will offer a variety of industries an unusual opportunity to reduce operating cost, better manage environmental problems, and pay for itself by bringing the benefits that we are seeing to these industries.

In order for us to move to the market, with equipment that can bring the benefits identified to date to these industries, we must have the ability to conduct tests on variety of materials that potential customers want to remove the moisture from. The same process occurs here at Catalytic Industrial Group, when we design process ovens for paint drying. We have to test the process for each one; it is inherent in the nature of infrared. The prototype machine has shown us engineering changes that must be incorporated in order for it to function as a process-testing device. The environmental testing must also be completed, as well as developing the testing protocols necessary to prove a process, prior to designing and building a production piece of equipment.

The remaining balance in the grant is inadequate to provide Lignetics, Inc. with the piece of equipment anticipated in the grant application. We now know it would require seven hundred fifty thousand plus dollars (\$750,000.00+) to build that equipment which is more than double the grant amount. This in no way diminishes the acceptability of the technology to accomplish the dehydration; it merely reflects the results of the development of the system that will accomplish the goal.

Catalytic Industrial Group would like to request a revision of the grant to allow us to use the balance of the grant to complete the Engineering and testing of the prototype to give us the capabilities to test and then design and build production of equipment.

Some of the dehydration applications are listed in the market potential section of this report. It is our belief that the market for dehydration using this technology is enormous and we are prepared to move into the market place with our technology as soon as this prototype can be fully operational.

It is our belief that the marketing of this type of equipment will also benefit our community by increasing our labor force, and increase our company revenues and profits. In the long run, the amount of the grant from DOE will be repaid in taxes by our company many times over. The conclusion is that without the grant this piece of equipment might not be available for us to market, and so we think that the grant process has worked as it was intended to in this project.

*Budget information
removed*

9. PHOTOGRAPHS