**Cover Sheet for a Hanford
Historical Document
Released for Public Availability**

Released 1994

**Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

(CLASSIFICATION)

RICHLAND, WASHINGTON

Hanford Category C-65

SERIES AND COPY NO.

DATE _____

January 10, 1968

RESTRICTED DATA

THIS DOCUMENT CONTAINS INFORMATION AS
DEFINED IN EXECUTIVE ORDER 12958 OF 1954.
ITS TRANSMISSION OR DISCLOSURE OF ITS
CONTENT IN ANY MANNER TO AN UNAUTHORIZED
PERSON IS PROHIBITED.

TITLE

Status of
Special Reactor Process Tube Loadings
January 1, 1968

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C. , SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

R. P. Walton

THIS DOCUMENT MUST BE LEFT UNATTENDED OR WHERE AN UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. WHEN NOT IN USE, IT MUST BE STORED IN AN APPROVED LOCKED REPOSITORY WITHIN AN APPROVED GUARDED AREA WHILE IT IS YOUR RESPONSIBILITY AND UNTIL YOU HAVE OBTAINED A SIGNED RECEIPT FROM CLASSIFIED FILES, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THE PROJECT AND FROM ANY UNAUTHORIZED PERSON. ITS TRANSMITTAL TO, AND STORAGE AT YOUR PLACE OF RESIDENCE IS PROHIBITED. IT IS NOT TO BE REPRODUCED. IF ADDITIONAL COPIES ARE REQUIRED, OBTAIN THEM FROM THE RELATED ISSUING OFFICE. THE PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

54-5100-166 (10-65)
AEC-BLOO RICHLAND, WASH.

(CLASSIFICATION)

DECLASSIFIED

This document classified by

This document consists of 29 pages,

1. GT Orton - AEC-RL
2. AP Larrick - Battelle NW
3. JT Baker
4. RP Walton
5. JP Schmidt
6. RG Geier
7. KE Fields
8. LJ Newell

9. RE Baars
10. WA Blanton
11. LH Rice
12. AE Guay
13. JR Bolliger
14. WK Alexander
15. EE Leitz
16. SA Wood

17. DW Peacock
18. EJ Filip
19. RV Myers
20. RG Clough
21. T Prudich
22. KL Fowler
23. DUN File
24. DUN Record

January 10, 1968

STATUS OF SPECIAL REACTOR-PROCESS TUBE LOADINGS
JANUARY 1, 1968

The attached pages show the status of production test control tube loadings in reactor process tubes containing significant amounts of SS materials. For further description of column headings and the current discharge goal exposure plan refer to Document DUN-3443.

This document contains Restricted Data as defined in the Atomic Energy Act of 1954, and its amendments, or the disclosure of its contents in any manner to any unauthorized person is prohibited.

Classification Cancelled and Changed To

DECLASSIFIED

DOUGLAS UNITED NUCLEAR, INC.
RICHLAND, WASHINGTON

By Authority of CA Bauman
CG-NMP-1, 9-7-94

By J E Savely 11-15-94

Verified By B Burtis 12-21-94

NOTICE

THIS REPORT WAS PREPARED FOR USE WITHIN DOUGLAS UNITED NUCLEAR, INC. IN THE COURSE OF WORK UNDER ATOMIC ENERGY COMMISSION CONTRACT AT(45-1) - 1857, AND ANY VIEWS OR OPINIONS EXPRESSED IN THE REPORT ARE THOSE OF THE AUTHOR ONLY. THIS REPORT IS SUBJECT TO REVISION UPON COLLECTION OF ADDITIONAL DATA.

NOT UCN!

LEGAL NOTICE

THIS REPORT WAS PREPARED AS AN ACCOUNT OF GOVERNMENT SPONSORED WORK. NEITHER THE UNITED STATES, NOR THE COMMISSION, NOR ANY PERSON ACTING ON BEHALF OF THE COMMISSION:

A. MAKES ANY WARRANTY OR REPRESENTATION, EXPRESSED OR IMPLIED, WITH RESPECT TO THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE INFORMATION CONTAINED IN THIS REPORT, OR THAT THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THIS REPORT MAY NOT INFRINGE PRIVATELY OWNED RIGHTS; OR

B. ASSUMES ANY LIABILITIES WITH RESPECT TO THE USE OF, OR FOR DAMAGES RESULTING FROM THE USE OF ANY INFORMATION, APPARATUS, METHOD, OR PROCESS DISCLOSED IN THIS REPORT.

AS USED IN THE ABOVE, "PERSON ACTING ON BEHALF OF THE COMMISSION" INCLUDES ANY EMPLOYEE OR CONTRACTOR OF THE COMMISSION, OR EMPLOYEE OF SUCH CONTRACTOR, TO THE EXTENT THAT SUCH EMPLOYEE OR CONTRACTOR OF THE COMMISSION, OR EMPLOYEE OF SUCH CONTRACTOR PREPARES, DISSEMINATES, OR PROVIDES ACCESS TO, ANY INFORMATION PURSUANT TO HIS EMPLOYMENT OR CONTRACT WITH THE COMMISSION, OR HIS EMPLOYMENT WITH SUCH CONTRACTOR.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DECLASSIFIED

SPECIALS STATUS

DUN-3651

PAGE 2

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
1066 B	011 03	DZ563	10 18 67 8423		1.225 49.6	575 108	621	36	31 1	7.84 5.36
1070 B	011 03	DZ561	10 18 67 8423		1.209 51.1	575 107	613	36	31 1	7.84 5.36
1076 B	011 03	KZ077	10 18 67 8423		1.212 51.6	575 111	636	26	31 1	7.42 5.36
1080 B	011 03	DZ559	10 18 67 8423		1.236 51.3	575 108	620	36	31 1	7.84 5.36
1081 B	011 03	DZ562	10 18 67 8423		1.232 52.1	575 108	623	36	31 1	7.84 5.36
1082 B	011 03	KZ075	10 18 67 8423		1.170 51.1	575 107	617	26	31 1	7.42 5.36
1083 B	011 03	KZ076	10 18 67 8423		1.141 49.7	575 107	616	26	31 1	7.42 5.36
1085 B	011 03	DZ560	10 18 67 8423		1.143 48.8	575 101	582	36	31 1	7.84 5.36
1086 B	011 03	KZ073	10 18 67 8423		1.114 49.7	575 104	595	26	31 1	7.42 5.36
1087 B	011 03	KZ074	10 18 67 8423		1.115 52.2	575 103	589	26	31 1	7.42 5.36
1162 B	057 03	Z06T	7 10 67 8323		1.244 49.3	1400 99	1380	26	31 1	7.42 5.36
1166 B	057 03	Z97S	7 10 67 8323		1.286 51.4	1400 105	1467	26	31 1	7.42 5.36
1182 B	057 03	Z95S	7 10 67 8323		1.219 50.9	1400 100	1395	26	31 1	7.42 5.36

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
1187 B	057 03	Z04T	7 10 67 8323		1.165 48.8	1400 96	1342	26	31 1	7.42 5.36
1361 B	057 03	Z88S	7 10 67 8323		1.279 49.2	1400 100	1398	26	31 1	7.42 5.36
1365 B	057 03	Z99S	7 10 67 8323		1.295 49.8	1400 104	1451	26	31 1	7.42 5.36
1366 B	057 03	Z01T	7 10 67 8323		1.298 49.6	1400 105	1462	26	31 1	7.42 5.36
1367 B	057 03	Z91S	7 10 67 8323		1.277 50.9	1400 103	1442	26	31 1	7.42 5.36
1369 B	057 03	Z92S	7 10 67 8323		1.262 49.7	1400 103	1437	26	31 1	7.42 5.36
1382 B	057 03	Z02T	7 10 67 8323		1.249 51.2	1400 102	1425	26	31 1	7.42 5.36
1559 B	057 03	Z89S	7 10 67 8323		1.172 48.3	1400 92	1289	26	31 1	7.42 5.36
1567 B	057 03	Z90S	7 10 67 8323		1.238 50.1	1400 100	1404	26	31 1	7.42 5.36
1569 B	057 03	Z87S	7 10 67 8323		1.252 50.5	1400 102	1422	26	31 1	7.42 5.36
1582 B	057 03	Z98S	7 10 67 8323		1.245 50.4	1400 101	1418	26	31 1	7.42 5.36
1584 B	057 03	Z05T	7 10 67 8323		1.231 49.7	1400 101	1415	26	31 1	7.42 5.36
1585 B	057 03	Z93S	7 10 67 8323		1.210 48.5	1400 99	1387	26	31 1	7.42 5.36

DECLASSIFIED

SPECIALS STATUS

DUN-3651

PAGE 4

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
1586 B	057 03	Z07T	7 10 67 8323		1.233 49.3	1400 100	1406	26	31 1	7.42 5.36
1778 B	057 03	Z96S	7 10 67 8323		1.239 49.4	1400 99	1387	26	31 1	7.42 5.36
1787 B	057 03	Z03T	7 10 67 8323		1.280 52.1	1400 101	1414	26	31 1	7.42 5.36
1979 B	057 03	Z94S	7 10 67 8323		1.256 49.6	1400 99	1383	26	31 1	7.42 5.36
1278 B	069A 00	KZ037T	8 2 67 8346		1.244 54.2	1500 107	1610	24	24	7.42
1279 B	069A 00	KZ038T	8 2 67 8346		1.219 54.9	1800 89	1592	24	24	7.42
1378 B	069A 00	KZ040T	8 2 67 8346		1.248 54.7	1500 106	1594	24	24	7.42
1379 B	069A 00	KZ039T	8 2 67 8346		1.227 54.9	1800 88	1589	24	24	7.42
0883 C	084 00	J26U	9 24 67 8399	12 27 67 8493	1.154 53.7	700 104	731	24	32	7.36
1059 C	084 00	J22U	9 24 67 8399	12 27 67 8493	1.089 53.3	700 101	709	24	32	7.36
1269 C	084 00	J29U	9 24 67 8399	12 27 67 8493	1.121 52.2	700 104	730	24	32	7.36
1880 C	084 00	J33U	9 24 67 8399	12 27 67 8493	1.107 53.1	700 105	733	24	32	7.36
2062 C	084 00	J10U	9 24 67 8399	12 27 67 8493	1.175 54.2	700 110	770	24	32	7.36

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
2382 C	084 00	J08U	9 24 67 8399	12 27 67 8493	1.131 53.7	700 106	744	24	32	7.36
2589 C	084 00	J17U	9 24 67 8399	12 27 67 8493	1.157 54.9	700 108	758	24	32	7.36
2660 C	011 03	AJ553	9 24 67 8399		1.194 53.5	1450 49	713	36	31 1	8.00 5.29
2664 C	011 03	AJ554	9 24 67 8399		1.121 52.2	1450 47	681	36	31 1	8.00 5.29
2665 C	011 03	CJ032	9 24 67 8399		1.070 52.4	1450 49	704	26	31 1	7.36 5.29
2666 C	011 03	AJ555	9 24 67 8399		1.110 52.7	1450 47	679	36	31 1	8.00 5.29
2670 C	011 03	CJ033	9 24 67 8399		1.066 52.2	1450 50	726	26	31 1	7.36 5.29
2679 C	011 03	CJ039	9 24 67 8399		1.118 54.7	1450 52	747	26	31 1	7.36 5.29
2681 C	011 03	AJ556	9 24 67 8399		1.178 53.8	1450 51	731	36	31 1	8.00 5.29
2685 C	011 03	CJ040	9 24 67 8399		1.119 54.2	1450 52	749	26	31 1	7.36 5.29
2686 C	011 03	AJ557	9 24 67 8399		1.189 53.8	1450 50	727	36	31 1	8.00 5.29
2687 C	011 03	CJ041	9 24 67 8399		1.153 54.2	1450 53	761	26	31 1	7.36 5.29
0669 C	084 00	J66W	10 27 67 8432		1.081 54.6	1400 32	444	24	32	7.36

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
0683	C 084 00	J59W	10 27 67 8432		1.069 52.9	1400 30	420	24	32	7.36
0887	C 084 00	J25U	9 24 67 8399		1.096 53.1	1750 40	699	24	32	7.36
0984	C 084 00	J27U	9 24 67 8399		1.138 53.5	2000 37	732	24	32	7.36
1064	C 084 00	J24U	9 24 67 8399		1.125 52.4	1750 43	745	24	32	7.36
1068	C 084 00	J34U	9 24 67 8399		1.132 52.7	2000 38	754	24	32	7.36
1081	C 084 00	J35U	9 24 67 8399		1.169 52.9	2000 38	753	24	32	7.36
1262	C 084 00	J63W	10 27 67 8432		1.127 53.5	1400 34	473	24	32	7.36
1284	C 084 00	J47U	9 24 67 8399		1.095 52.0	2000 37	735	24	32	7.36
1584	C 084 00	J62W	10 27 67 8432		1.129 53.1	1400 34	480	24	32	7.36
1658	C 084 00	J28U	9 24 67 8399		1.111 53.8	1750 41	716	24	32	7.36
1863	C 084 00	J09U	9 24 67 8399		1.066 52.2	2000 36	714	24	32	7.36
1866	C 084 00	J61W	10 27 67 8432		1.083 54.7	1400 33	457	24	32	7.36
1984	C 084 00	J45U	9 24 67 8399		1.160 54.0	1750 45	778	24	32	7.36

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
2083 C	084 00	J46U	9 24 67 8399		1.160 54.0	2000 38	768	24	32	7.36
2184 C	084 00	J19U	9 24 67 8399		1.178 53.8	2000 39	773	24	32	7.36
2281 C	084 00	J21U	9 24 67 8399		1.152 52.6	2000 38	756	24	32	7.36
2283 C	084 00	J60W	10 27 67 8432		1.110 52.2	1400 33	465	24	32	7.36
2466 C	084 00	J41U	9 24 67 8399		1.141 52.6	2000 38	752	24	32	7.36
2479 C	084 00	J16U	9 24 67 8399		1.108 51.6	1750 41	714	24	32	7.36
2480 C	084 00	J15U	9 24 67 8399		1.134 53.3	2000 38	752	24	32	7.36
2580 C	084 00	J37U	9 24 67 8399		1.125 52.9	2000 38	754	24	32	7.36
2581 C	084 00	J43U	9 24 67 8399		1.111 53.3	2000 38	760	24	32	7.36
2586 C	084 00	J65W	10 27 67 8432		1.127 53.5	1400 34	468	24	32	7.36
2659 C	084 00	J64W	10 27 67 8432		1.145 53.3	1400 33	462	24	32	7.36
2668 C	084 00	J44U	9 24 67 8399		1.070 52.4	700 101	705	24	32	7.36
2669 C	084 00	J39U	9 24 67 8399		1.108 53.7	1750 43	744	24	32	7.36

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT. □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
2683 C	084 00	J38U	9 24 67 8399		1.132 52.7	1750 44	766	24	32	7.36
3283 C	084 00	J11U	9 24 67 8399		1.138 53.5	2000 38	754	24	32	7.36
3288 C	084 00	J40U	9 24 67 8399		1.166 54.4	2000 38	758	24	32	7.36
3865 C	084 00	J14U	9 24 67 8399		1.147 52.9	2000 37	746	24	32	7.36
3887 C	084 00	J12U	9 24 67 8399		1.191 54.4	2000 38	757	24	32	7.36
4963 E	030 03	KF796A	10 12 67 8417	12 14 67 8480	1.134 71.8	650 82	533	21	38	7.28
2555 E	063A 00	KG18RE	9 24 67 8399	12 14 67 8480	1.139 68.0	1100 101	1110	53	35	5.50
2556 E	063A 00	KG16RE	9 24 67 8399	12 14 67 8480	1.142 68.9	1100 102	1122	53	35	5.50
2557 E	063A 00	KG19RE	9 24 67 8399	12 14 67 8480	1.159 70.7	1100 103	1127	53	35	5.50
2559 E	063A 00	KG15RE	9 24 67 8399	12 14 67 8480	1.164 70.2	1100 101	1106	53	35	5.50
2560 E	063A 00	KG17RE	9 24 67 8399	12 14 67 8480	1.181 69.5	1100 100	1104	53	35	5.50
2659 E	063A 00	G22R	10 12 67 8417	12 14 67 8480	0.987 66.9	1200 77	921	53	27	5.50
2755 E	063A 00	F84S	10 12 67 8417	12 14 67 8480	0.855 63.2	850 98	832	26	19 1	7.28 5.21

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
2761 E	063 00	F85S	10 12 67 8417	12 14 67 8480	1.028 62.3	780 93	725	26	25 1	7.28 5.21
2857 E	063 01	NEPT	9 26 67 8401	12 1 67 8467	1.130 21.5		81	86	IN 8	39.6
2956 E	063A 00	KG358E	10 12 67 8417	12 14 67 8480	1.026 69.8	1200 82	986	53	27	5.50
2957 E	063A 00	G24R	10 12 67 8417	12 14 67 8480	1.054 71.4	1200 82	978	53	27	5.50
2958 E	063A 00	F83S	10 12 67 8417	12 14 67 8480	0.938 59.0	850 96	816	26	19 1	7.28 5.21
2960 E	063 01	NEPT	5 6 67 8258	12 1 67 8467	1.158 21.2		251	86	IN 12	39.6
3055 E	063A 00	G23R	10 12 67 8417	12 14 67 8480	1.028 70.9	1200 82	985	53	27	5.50
3056 E	063A 00	G21R	10 12 67 8417	12 14 67 8480	1.019 69.6	1200 81	967	53	27	5.50
3057 E	063A 00	KG358E	10 12 67 8417	12 14 67 8480	1.059 70.6	1200 83	990	53	27	5.50
3058 E	063A 00	G20R	10 12 67 8417	12 14 67 8480	1.120 72.3	1200 85	1015	53	27	5.50
3059 E	063A 00	KG358E	10 12 67 8417	12 14 67 8480	1.140 70.6	1200 85	1024	53	27	5.50
3060 E	063A 00	KG358E	10 12 67 8417	12 14 67 8480	1.110 69.8	1200 83	996	53	27	5.50
3155 E	063 00	F86S	10 12 67 8417	12 14 67 8480	1.062 64.3	780 92	715	26	25 1	7.28 5.21

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
3159 E	063A 00	KG358E	10 12 67 8417	12 14 67 8480	1.166 74.4	1200 87	1043	53	27	5.50
4167 E	008 03	QV804D	10 12 67 8417		1.153 65.5	650 100	646	23	38	7.86
4575 E	008 03	KV503D	11 22 67 8458		1.137 67.4	650 49	318	23	38	7.86
5458 E	008A 09	KG358E	10 12 67 8417		1.134 73.5	VAR 66	776	53	46	5.50
4351 E	011 03	QV107	11 22 67 8458		1.067 66.1	650 46	298	23	38	7.86
4352 E	011 03	KV122	11 22 67 8458		1.154 69.6	650 50	323	23	38	7.86
4548 E	011 03	KV119	11 22 67 8458		0.955 70.2	650 41	267	23	38	7.86
4551 E	011 03	KV118	11 22 67 8458		1.161 70.0	650 50	325	23	38	7.86
4559 E	011 03	QV104	11 22 67 8458		1.181 67.8	650 51	330	23	38	7.86
4562 E	011 03	QV103	11 22 67 8458		1.206 68.2	650 52	337	23	38	7.86
4568 E	011 03	KV121	11 22 67 8458		1.175 68.4	650 51	329	23	38	7.86
4587 E	011 03	KV120	11 22 67 8458		1.105 65.7	650 48	309	23	38	7.86
4589 E	011 03	QV106	11 22 67 8458		1.178 69.3	650 51	330	23	38	7.86

DECLASSIFIED

TUBE NO	PT NO	GOAL BASIS	FUEL IDENT	CHARGE DATE	DISCHG DATE	TUBE FACT	GOAL, MWD/T	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
				HAPO	HAPO	FLOW	%GR				
4592 E	011	03	QV105	11 22 67		1.010	650	282	23	38	7.86
				8458		69.3	44				
5351 E	012	09	KG363D	11 22 67		1.074	VAR	355	53	46	5.50
				8458		75.6	30				
3865 E	021	00	XMINO	11 22 67		1.708	500	287	29	28	17.73
				8458		91.3	58				
2952 E	030	03	KF47TB	10 12 67		0.992	650	646	23	38	7.28
				8417		73.0	100				
3050 E	030	03	KF48TB	10 12 67		0.932	650	616	23	38	7.28
				8417		72.1	95				
4364 E	030	03	QV61TD	10 12 67		1.245	650	704	23	38	7.86
				8417		68.4	108				
4557 E	030	03	KF50TB	10 12 67		1.136	650	693	23	38	7.28
				8417		66.8	107				
4660 E	030	03	QV62TD	10 12 67		1.220	650	689	23	38	7.86
				8417		66.1	106				
4863 E	030	03	KF51TB	10 12 67		1.120	650	691	23	38	7.28
				8417		63.1	106				
4963 E	030	03	KF60T	12 14 67		1.134	650	163	21	38	7.28
				8480			25				
5063 E	030	03	KF52TB	10 12 67		1.068	650	662	23	38	7.28
				8417		74.9	102				
1758 E	048	00	2LU05R	1 9 67		0.829	2750	1970	11	38	7.29
				8141		58.1	72				
2173 E	048	00	DP13R	3 22 67		0.813	2750	1479	13	38	7.86
				8213		66.7	54				

DELETED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
2582 E	048 00	2LU03R	1 9 67 8141		0.861 58.6	2750 77	2116	11	38	7.29
3958 E	048 00	DP12R	3 22 67 8213		0.886 64.9	2750 57	1553	13	38	7.86
4066 E	048 00	DP9R	2 13 67 8176		0.861 65.1	2750 63	1740	13	38	7.86
4357 E	048 00	DP110R	2 13 67 8176		0.937 67.4	2750 68	1858	13	38	7.86
4460 E	048 00	DP8R	2 13 67 8176		0.950 66.3	2750 69	1886	13	38	7.86
1767 E	060 00	X86T	11 22 67 8458		1.217 68.2	650 51	332	33	38	8.07
1768 E	060 00	X87T	11 22 67 8458		1.222 68.2	650 51	333	33	38	8.07
2252 E	060 00	X84T	11 22 67 8458		1.225 71.3	650 51	334	33	38	8.07
2687 E	060 00	X85T	11 22 67 8458		1.207 67.2	650 51	329	33	38	8.07
2788 E	060 00	X566	11 22 67 8458		1.207 67.2	300 105	314	33	31 7	8.53 8.07
3189 E	060 00	X93T	11 22 67 8458		1.220 70.0	650 51	332	33	38	8.07
3587 E	060 00	V564	11 22 67 8458		1.270 70.4	300 109	327	33	38	8.53
3589 E	060 00	V79T	11 22 67 8458		1.267 69.1	650 50	327	33	38	8.53

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
3651 E	060 00	X88T	11 22 67 8458		1.110 68.2	650 47	302	33	38	8.07
3652 E	060 00	X90T	11 22 67 8458		1.122 68.2	650 47	306	33	38	8.07
3750 E	060 00	X89T	11 22 67 8458		1.065 69.1	650 45	290	33	38	8.07
3751 E	060 00	X91T	11 22 67 8458		1.110 69.5	650 47	302	33	38	8.07
3781 E	060 00	X92T	11 22 67 8458		1.135 68.2	650 48	309	33	38	8.07
3787 E	060 00	V81T	11 22 67 8458		1.235 68.2	650 49	318	33	38	8.53
3790 E	060 00	X83T	11 22 67 8458		1.240 71.1	650 52	338	33	38	8.07
3951 E	060 00	V73T	11 22 67 8458		1.110 68.5	650 44	286	33	38	8.53
3989 E	060 00	X94T	11 22 67 8458		1.254 70.0	650 53	342	33	38	8.07
4084 E	060 00	V82T	11 22 67 8458		1.222 68.7	650 49	315	33	38	8.53
4087 E	060 00	X565	11 22 67 8458		1.230 68.9	300 112	335	33	38	8.07
4088 E	060 00	V78T	11 22 67 8458		1.280 68.7	650 51	330	33	38	8.53
4187 E	060 00	V76T	11 22 67 8458		1.235 67.1	650 49	318	33	38	8.53

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
4189 E	060 00	V80T	11 22 67 8458		1.289 68.5	650 51	332	33	38	8.53
4382 E	060 00	V77T	11 22 67 8458		1.263 69.8	650 50	326	33	38	8.53
4450 E	060 00	V74T	11 22 67 8458		1.154 69.6	650 46	297	33	38	8.53
4453 E	060 00	V71T	11 22 67 8458		1.243 68.9	650 49	320	33	38	8.53
4554 E	060 00	V72T	11 22 67 8458		1.226 68.7	650 49	316	33	38	8.53
4583 E	060 00	V75T	11 22 67 8458		1.243 68.5	650 49	320	33	38	8.53
4355 E	070 03	HX360	10 12 67 8417		1.157 74.7	650 106	689	23	38	7.68
4456 E	070 03	HX359	10 12 67 8417		1.129 73.2	650 106	688	21	38	7.68
1756 E	093 00	S75U	11 22 67 8458		0.455 63.6	1500 8	117	13	38	8.52
2654 E	093 00	S77U	11 22 67 8458		0.431 64.7	3600 3	120	13	38	7.86
2657 E	093 00	S68U	11 22 67 8458		0.418 64.5	1500 8	117	13	38	7.86
2759 E	093 00	S79U	11 22 67 8458		0.430 64.5	3600 3	120	13	38	7.86
2955 E	093 00	S83U	11 22 67 8458		0.452 66.7	3600 3	116	13	38	8.52

DECLASSIFIED

SPECIALS STATUS

DUN-3651

PAGE 15

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
3157 E	093 00	S81U	11 22 67 8458		0.454 66.9	3600 3	.117	13	38	8.52
3754 E	093 00	S67U	11 22 67 8458		0.450 66.9	2500 5	126	13	38	7.86
4553 E	093 00	S69U	11 22 67 8458		0.457 66.7	2500 5	128	13	38	7.86
4578 E	093 00	S73U	11 22 67 8458		0.452 65.5	1500 8	116	13	38	8.52
4586 E	093 00	S74U	11 22 67 8458		0.451 67.6	2500 5	116	53	51	5.50
1867 E	807 09	KG358E	10 12 67 8417		1.298 65.7	VAR 98	795	53	51	5.50
1877 E	807 09	KG358E	10 12 67 8417		1.355 70.2	VAR 102	836	53	51	5.50
2465 E	807 09	KG358E	10 12 67 8417		1.309 69.5	VAR 90	800	53	51	5.50
2479 E	807 09	KG358E	10 12 67 8417		1.315 68.7	VAR 96	808	53	51	5.50
2571 E	807 09	KG358E	10 12 67 8417		1.316 70.4	VAR 91	804	53	51	5.50
2577 E	807 09	KG358E	10 12 67 8417		1.324 70.6	VAR 96	818	53	51	5.50
4372 E	807 09	KG358E	10 12 67 8417		1.370 71.4	VAR 101	841			

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
0962 W	011 03	QV128	10 6 67 8411	12 30 67 8496	1.252 72.9	650 123	799	23	38	7.86
0963 W	011 03	QV129	10 6 67 8411	12 30 67 8496	1.202 70.0	650 119	773	23	38	7.86
0965 W	011 03	QV133	10 6 67 8411	12 30 67 8496	1.202 71.3	650 121	785	23	38	7.86
0966 W	011 03	QV130	10 6 67 8411	12 30 67 8496	1.180 72.3	650 120	781	23	38	7.86
0968 W	011 03	QV132	10 6 67 8411	12 30 67 8496	1.133 71.3	650 118	766	23	38	7.86
0969 W	011 03	QV131	10 6 67 8411	12 30 67 8496	1.089 70.7	650 114	739	23	38	7.86
0971 W	011 03	QV139	10 6 67 8411	12 30 67 8496	1.042 69.3	650 111	718	23	38	7.86
0972 W	011 03	QV135	10 6 67 8411	12 30 67 8496	1.114 73.2	650 118	767	23	38	7.86
0974 W	011 03	QV136	10 6 67 8411	12 30 67 8496	1.109 72.9	650 116	755	23	38	7.86
0975 W	011 03	QV134	10 6 67 8411	12 30 67 8496	1.107 72.5	650 116	753	23	38	7.86
4286 W	048 00	DP14RC	2 21 67 8184	12 4 67 8470	0.873 71.8	1500 108	1616	13	38	7.86
0885 W	088 03	V03W	10 23 67 8428	12 30 67 8496	1.230 74.6	650 89	580	33	35 3	8.53 7.86
1087 W	088 03	V04W	10 23 67 8428	12 30 67 8496	1.246 71.8	650 88	573	33	34 4	8.53 7.86

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
1688 W	088 03	V01W	10 23 67 8428	12 30 67 8496	1.381 73.4	650 95	.617	33	34 4	8.53 7.86
1888 W	088 03	V02W	10 23 67 8428	12 30 67 8496	1.386 73.2	650 96	621	33	35 3	8.53 7.86
3551 W	088 00	V14W	10 23 67 8428	12 4 67 8470	1.274 74.7	300 129	386	33	35 3	8.53 7.86
3588 W	088 00	V12W	10 23 67 8428	12 4 67 8470	1.307 74.7	300 133	397	33	35 3	8.53 7.86
3751 W	088 03	V97U	10 23 67 8428	12 30 67 8496	1.283 74.2	650 94	608	33	34 4	8.53 7.86
3854 W	088 03	V05W	10 23 67 8428	12 30 67 8496	1.301 72.9	650 94	610	33	35 3	8.53 7.86
3954 W	088 03	V06W	10 23 67 8428	12 30 67 8496	1.353 75.1	650 97	631	33	35 3	8.53 7.86
4078 W	088 03	V11W	10 23 67 8428	12 30 67 8496	1.263 73.0	650 91	589	33	35 3	8.53 7.86
4184 W	088 03	V96U	10 23 67 8428	12 30 67 8496	1.333 74.7	650 91	588	33	35 3	8.53 7.86
4281 W	088 00	V13W	10 23 67 8428	12 4 67 8470	1.190 73.9	300 120	360	33	34 4	8.53 7.86
4368 W	088 03	V09W	10 23 67 8428	12 30 67 8496	1.431 76.3	650 100	647	33	35 3	8.53 7.86
4381 W	088 03	V99U	10 23 67 8428	12 30 67 8496	1.309 72.9	650 91	591	33	35 3	8.53 7.86
4382 W	088 03	V98U	10 23 67 8428	12 30 67 8496	1.299 75.1	650 90	587	33	35 3	8.53 7.86

DECLASSIFIED

[REDACTED]

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT. FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1. WT2
4884 W	088. 03	V10W	10 23 67 8428	12 30 67 8496	1.243 73.2	650 89	580	33	34 4	8.53 7.86
5086 W	088 03	V08W	10 23 67 8428	12 30 67 8496	1.306 73.7	650 94	610	33	35 3	8.53 7.86
5087 W	088 03	V07W	10 23 67 8428	12 30 67 8496	1.332 74.4	650 96	623	33	34 4	8.53 7.86
3879 W	807 03	KV532D	9 17 67 8392	12 4 67 8470	1.208 71.3	650 113	735	23	38	7.86
0962 W	011 03	KV540D	10 6 67 8411		1.252 72.9	650 123	799	23	38	7.86
0963 W	011 03	KV523D	10 6 67 8411		1.202 70.0	650 119	773	23	38	7.86
0965 W	011 03	KV540D	10 6 67 8411		1.202 71.3	650 121	785	23	38	7.86
0966 W	011 03	KV540D	10 6 67 8411		1.180 72.3	650 120	781	23	38	7.86
0968 W	011 03	KV540D	10 6 67 8411		1.133 71.3	650 118	766	23	38	7.86
0969 W	011 03	KV540D	10 6 67 8411		1.089 70.7	650 114	739	23	38	7.86
0971 W	011 03	KV520D	10 6 67 8411		1.042 69.3	650 111	718	23	38	7.86
0972 W	011 03	KV540D	10 6 67 8411		1.114 73.2	650 118	767	23	38	7.86
0974 W	011 03	KV540D	10 6 67 8411		1.109 72.9	650 116	755	23	38	7.86

[REDACTED]

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
0975 W	011 03	KV540D	10 6 67 8411		1.107 72.5	650 116	753	23	38	7.86
2982 W	041 03	QV015D	10 6 67 8411		1.265 70.4	650 118	767	21	38	7.86
2988 W	041 03	QV015D	10 23 67 8428		1.219 70.0	650 92	600	21	38	7.86
1284 W	048 00	DP17R	2 21 67 8184		0.898 71.6	2750 64	1746	13	38	7.86
2269 W	048 00	DP15RC	2 21 67 8184		0.897 69.5	2750 61	1682	13	38	7.86
2976 W	048 00	2LU01R	12 25 66 8126		0.794 62.1	2750 75	2051	11	38	7.29
3764 W	048 00	2LU98P	12 25 66 8126		0.881 64.0	2750 77	2124	11	38	7.29
4167 W	048 00	DP017R	4 17 67 8239		0.893 70.9	2750 48	1331	13	38	7.86
5268 W	048 00	DP16R	2 21 67 8184		0.883 72.9	2750 60	1657	13	38	7.86
1368 W	093 00	S80U	12 4 67 8470		0.454 69.1	3600 2	78	13	38	8.52
1558 W	093 00	S82U	12 4 67 8470		0.475 70.9	3600 2	81	13	38	8.52
1981 W	093 00	S71U	12 4 67 8470		0.478 70.2	2500 3	81	13	38	8.52
2561 W	093 00	S72U	12 4 67 8470		0.472 70.4	2500 3	79	13	38	8.52

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
2674 W	093 00	S78U	12 4 67 8470		0.462 69.6	3600 2	85	13	38	7.86
3570 W	093 00	S65U	12 4 67 8470		0.470 70.2	2500 4	86	13	38	7.86
3879 W	093 00	S76U	12 4 67 8470		0.472 70.4	3600 2	87	13	38	7.86
4656 W	093 00	S64U	12 4 67 8470		0.428 68.9	1500 5	79	13	38	7.86
4684 W	093 00	S66U	12 4 67 8470		0.457 69.5	1500 6	83	13	38	7.86
4871 W	093 00	S70U	12 4 67 8470		0.507 76.3	1500 6	86	13	38	8.52
4252 W	105 00	G21W	10 23 67 8428		1.337 73.2	800 89	708	53	51	5.50
4254 W	105 00	G22W	10 23 67 8428		1.355 72.5	1200 60	718	53	51	5.50
4256 W	105 00	G23W	10 23 67 8428		1.338 72.3	1600 45	715	53	51	5.50
4259 W	105 00	G24W	10 23 67 8428		1.334 72.3	2000 36	709	53	51	5.50
4260 W	105 00	G16W	10 23 67 8428		1.391 73.2	800 92	732	53	51	5.50
4261 W	105 00	G25W	10 23 67 8428		1.394 71.6	1200 61	734	53	51	5.50
4262 W	105 00	G17W	10 23 67 8428		1.412 73.4	1600 46	739	53	51	5.50

DECLASSIFIED

SPECIALS STATUS

DUN-3651

PAGE 21

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
4264 W	105 00	G18W	10 23 67 8428		1.377 72.5	2000 36	716	53	51	5.50
4266 W	105 00	G19W	10 23 67 8428		1.403 73.2	1200 61	726	53	51	5.50
4267 W	105 00	G26W	10 23 67 8428		1.397 72.2	800 91	723	53	51	5.50
4269 W	105 00	G20W	10 23 67 8428		1.382 72.3	2000 36	723	53	51	5.50
4270 W	105 00	G27W	10 23 67 8428		1.368 71.6	1600 45	725	53	51	5.50
4272 W	105 00	G28W	10 23 67 8428		1.372 72.0	800 92	731	53	51	5.50
4273 W	105 00	G29W	10 23 67 8428		1.362 72.2	1200 61	735	53	51	5.50
4274 W	105 00	G30W	10 23 67 8428		1.329 72.3	1600 45	720	53	51	5.50
4276 W	105 00	G31W	10 23 67 8428		1.263 69.6	2000 34	682	53	51	5.50
4277 W	105 00	G32W	10 23 67 8428		1.323 72.2	800 89	712	53	51	5.50
4279 W	105 00	G33W	10 23 67 8428		1.324 70.6	1200 58	701	53	51	5.50
4280 W	105 00	G34W	10 23 67 8428		1.398 72.7	1600 46	734	53	51	5.50
4366 W	105 00	G35W	10 23 67 8428		1.387 72.3	2000 37	734	53	51	5.50

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT. □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
4459 W	105 00	G36W	10 23 67 8428		1.394 73.4	800 92	739	53	51	5.50
4461 W	105 00	G37W	10 23 67 8428		1.429 72.9	800 94	754	53	51	5.50
4463 W	105 00	G38W	10 23 67 8428		1.391 72.3	1200 61	735	53	51	5.50
4464 W	105 00	G41W	10 23 67 8428		1.398 72.9	1200 62	742	53	51	5.50
4465 W	105 00	G39W	10 23 67 8428		1.408 72.5	1200 62	745	53	51	5.50
4467 W	105 00	G40W	10 23 67 8428		1.413 72.3	1200 62	744	53	51	5.50
4468 W	105 00	G42W	10 23 67 8428		1.373 70.7	800 90	719	53	51	5.50
4469 W	105 00	G43W	10 23 67 8428		1.364 72.3	800 91	723	53	51	5.50
4470 W	105 00	G44W	10 23 67 8428		1.403 73.4	800 94	752	53	51	5.50
4472 W	105 00	G45W	10 23 67 8428		1.325 71.6	1200 60	724	53	51	5.50
4473 W	105 00	G46W	10 23 67 8428		1.281 71.8	1200 59	701	53	51	5.50
4475 W	105 00	G47W	10 23 67 8428		1.291 72.9	1200 59	709	53	51	5.50
4476 W	105 00	G48W	10 23 67 8428		1.277 71.6	1200 59	702	53	51	5.50

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
4478 W	105 00	G49W	10 23 67 8428		1.346 72.5	800 90	722	53	51	5.50
4479 W	105 00	G50W	10 23 67 8428		1.325 70.9	800 88	705	53	51	5.50
4481 W	105 00	G51W	10 23 67 8428		1.391 72.3	800 92	737	53	51	5.50
4482 W	105 00	G52W	10 23 67 8428		1.394 73.2	800 92	734	53	51	5.50
4484 W	105 00	G53W	10 23 67 8428		1.381 73.4	800 91	729	53	51	5.50
4485 W	105 00	G54W	10 23 67 8428		1.358 72.2	1200 60	725	53	51	5.50
4487 W	105 00	G55W	10 23 67 8428		1.315 71.8	1200 60	716	53	51	5.50
1357 W	807 09	QG831L	10 23 67 8428		1.326 75.1	VAR 76	702	53	51	5.50
1761 W	807 09	QG831L	10 23 67 8428		1.367 75.1	VAR 93	749	53	51	5.50
1773 W	807 03	KV523D	10 23 67 8428		1.225 70.6	650 94	609	23	38	7.86
2461 W	807 09	KG362E	10 23 67 8428		1.282 73.9	VAR 87	725	53	51	5.50
2467 W	807 09	KG362E	10 23 67 8428		1.341 74.4	VAR 81	714	53	51	5.50
2473 W	807 09	KG362E	10 23 67 8428		1.360 73.5	VAR 94	744	53	51	5.50

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
2970 W	807 03	KV522D	12 4 67 8470		1.190 70.6	650 34	221	23	38	7.86
3160 W	807 09	KG355E	10 23 67 8428		1.387 75.9	VAR 94	755	53	51	5.50
3172 W	807 09	KG363E	10 23 67 8428		1.353 73.4	VAR 87	720	53	51	5.50
3761 W	807 03	KV500D	12 4 67 8470		1.211 73.4	650 34	223	23	38	7.86
3966 W	807 09	KG361E	10 23 67 8428		1.368 74.9	VAR 82	719	53	51	5.50
0550 N	04M 00	NO DATA	3 12 67 8203		1.160	3000 42	1249	622	12 4	46.0 40.8
0647 N	04M 00	NO DATA	3 12 67 8203		0.997	1500 74	1104	622	12 4	46.0 40.8
0769 N	04M 00	NO DATA	3 12 67 8203		1.017	2000 57	1144	622	12 4	46.0 40.8
2745 N	04M 00	NO DATA	3 12 67 8203		1.061	3000 38	1150	622	12 4	46.0 40.8
2770 N	04M 00	NO DATA	3 12 67 8203		1.023	3000 37	1115	622	12 4	46.0 40.8
2254 N	066 00	NO DATA	10 25 66 8065		1.020	5500 72	3951	401	13	31.3 80.1
2255 N	066 00	NO DATA	10 3 66 8043		0.994	5000 80	3973	401	13	31.3 80.1
2259 N	066 00	NO DATA	10 3 66 8043		1.025	5000 82	4107	401	13	31.3 80.1

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
2260	N 066 00	NO DATA	10 25 66 8065		1.016	5000 81	4024	401	13	31.3 80.1
2355	N 066 00	NO DATA	10 3 66 8043		1.074	5000 85	4253	401	13	31.3 80.1
2359	N 066 00	NO DATA	10 3 66 8043		1.015	5000 82	4108	401	13	31.3 80.1
2360	N 066 00	NO DATA	10 25 66 8065		1.033	4000 103	4108	401	13	31.3 80.1
2459	N 066 00	NO DATA	10 3 66 8043		1.010	5000 82	4111	401	13	31.3 80.1
0353	N 076A 00	NO DATA	2 6 67 8169		0.885	2600 48	1235	517	17 3	40.8 08.1
0354	N 076A 00	NO DATA	2 6 67 8169		0.903	2900 44	1277	517	17 3	40.8 08.1
0355	N 076A 00	NO DATA	2 6 67 8169		0.902	3200 40	1273	517	17 3	40.8 08.1
3253	N 076A 03	NO DATA	8 28 67 8372		0.929	2100 1	10	517	17 3	40.8 81.4
3254	N 076A 00	NO DATA	2 6 67 8169		0.935	1700 76	1286	517	17 3	40.8 08.1
3255	N 076A 00	NO DATA	2 6 67 8169		0.963	2300 57	1319	517	17 3	40.8 08.1
0853	N 094 03	NO DATA	8 26 67 8370		1.131	2100 1	18	611	12	52.4
1256	N 094A 00	NO DATA	8 29 67 8373		1.116	2100 1	16	519	14	51.2

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
2455 N	094A 00	NO DATA	8 29 67 8373		1.138	2100 1	16	519	14	51.2
2157 N	6633 03	NO DATA	1 2 67 8134		1.055	5000 61	3051	401	13	31.3 80.1
2159 N	6633 00	NO DATA	12 20 66 8121		1.063	5000 64	3213	401	13	31.3 80.1
0664 N	7833 03	NO DATA	6 21 67 8304		1.004	2100 23	472	511	18	40.8
0867 N	7833 00	NO DATA	2 6 67 8169		0.966	2100 64	1349	511	18	40.8
0868 N	7833 03	NO DATA	3 12 67 8203		0.983	2100 51	1075	511	18	40.8
0968 N	7833 00	NO DATA	2 6 67 8169		1.022	2100 67	1396	511	18	40.8
1646 N	9433 03	NO DATA	8 26 67 8370		1.119	2100 1	18	611	12	52.4
1946 N	9433 03	NO DATA	8 26 67 8370		1.131	2100 1	18	611	12	52.4
1370 N	NR75 03	NO DATA	5 15 67 8267		1.077	4000 31	1229	641	14	31.3 80.0
1470 N	NR75 03	NO DATA	5 15 67 8267		1.026	3000 39	1174	641	14	31.3 80.0
1472 N	NR75 03	NO DATA	5 15 67 8267		0.952	3000 35	1057	651	14	32.2 80.0
1551 N	NR75 03	NO DATA	6 21 67 8304		1.135	2100 42	890	411	14	31.3 80.1

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
1560	N	NR75 03	NO DATA	6 21 67 8304	1.055	2100 39	822	411	14	31.3 80.1
1650	N	NR75 03	NO DATA	6 21 67 8304	1.137	2100 43	892	411	14	31.3 80.1
1667	N	NR75 03	NO DATA	6 21 67 8304	1.033	3000 27	814	411	14	31.3 80.1
1672	N	NR75 03	NO DATA	5 15 67 8267	0.952	4000 27	1093	641	14	31.3 80.0
1752	N	NR75 03	NO DATA	6 21 67 8304	1.141	3000 30	895	411	14	31.3 80.1
1759	N	NR75 03	NO DATA	2 6 67 8169	1.092	4000 62	2472	411	14	31.3 80.1
1760	N	NR75 03	NO DATA	2 6 67 8169	1.071	5000 49	2430	411	14	31.3 80.1
1761	N	NR75 03	NO DATA	6 21 67 8304	1.085	3000 28	845	411	14	31.3 80.1
1765	N	NR75 03	NO DATA	6 21 67 8304	1.053	3000 28	828	411	14	31.3 80.1
1770	N	NR75 03	NO DATA	5 15 67 8267	1.081	6000 21	1257	641	14	31.3 80.0
1772	N	NR75 03	NO DATA	5 15 67 8267	0.948	6000 18	1062	651	14	32.2 80.0
1856	N	NR75 03	NO DATA	2 6 67 8169	1.125	6000 42	2517	411	14	31.3 80.1
1857	N	NR75 03	NO DATA	6 21 67 8304	1.108	6000 14	865	411	14	31.3 80.1

DECLASSIFIED

TUBE NO	PT NO □GOAL BASIS	FUEL IDENT	CHARGE DATE □HAPO	DISCHG DATE □HAPO	TUBE FACT □FLOW	GOAL, MWD/T □%GR	CUR EXP MWD/T	CHARGE CLASS	PC1 □PC2	WT1 □WT2
1858	N	NR75 03	NO DATA	5 15 67 8267		1.099 2100 58	1209	411	14	31.3 80.1
1859	N	NR75 03	NO DATA	2 6 67 8169		1.072 5000 49	2456	411	14	31.3 80.1
1860	N	NR75 03	NO DATA	6 21 67 8304		1.065 4000 21	832	411	14	31.3 80.1
1861	N	NR75 03	NO DATA	2 6 67 8169		1.071 5000 50	2479	411	14	31.3 80.1
1870	N	NR75 03	NO DATA	5 15 67 8267		1.058 5000 24	1193	651	14	32.2 80.0
1872	N	NR75 03	NO DATA	5 15 67 8267		0.930 5000 21	1044	651	14	32.2 80.0
1958	N	NR75 03	NO DATA	4 18 67 8240		1.102 4000 39	1562	411	14	31.3 80.1
1959	N	NR75 03	NO DATA	4 18 67 8240		1.085 4000 38	1524	411	14	31.3 80.1
2156	N	NR75 03	NO DATA	2 6 67 8169		1.078 6000 41	2446	411	14	31.3 80.1
2158	N	NR75 03	NO DATA	2 6 67 8169		1.105 6000 42	2521	411	14	31.3 80.1
2257	N	NR75 03	NO DATA	3 12 67 8203		1.086 5000 40	1977	411	14	31.3 80.1
2258	N	NR75 03	NO DATA	3 12 67 8203		1.068 5000 39	1947	411	14	31.3 80.1
2458	N	NR75 03	NO DATA	3 12 67 8203		1.075 3000 66	1975	411	14	31.3 80.1

DECLASSIFIED

TUBE NO	PT NO GOAL BASIS	FUEL IDENT	CHARGE DATE HAPO	DISCHG DATE HAPO	TUBE FACT FLOW	GOAL, MWD/T %GR	CUR EXP MWD/T	CHARGE CLASS	PC1 PC2	WT1 WT2
3145	N	NR75 03	NO DATA	2 6 67 8169		0.781 3000	1696 57	411	14	31.3 80.1
3160	N	NR75 03	NO DATA	6 21 67 8304		1.069 2100	817 39	651	14	32.2 80.0
3161	N	NR75 03	NO DATA	6 21 67 8304		1.072 2100	819 39	651	14	32.2 80.0
3162	N	NR75 03	NO DATA	6 21 67 8304		1.056 2100	808 39	651	14	32.2 80.0

DECLASSIFIED