ENGINEERING CHANGE NOTICE

Page 1 of 2

1. ECN 551564

Proj.
ECN

2. ECN Category (mark one) Supplemental ☐ Direct Revision ☒ Change ECN ☐ Temporary ☐ Standby ☐ Supersedeure ☐ Cancel/Void ☐	3. Originator's Name, Organization, MSIN, and Telephone No. Clarence Homi, Evaluation and Planning, R2-12, 373-1097		3a. USQ Required? ☐ Yes ☒ No	4. Date 05/09/96
11a. Modification Work ☐ Yes (fill out Blk. 11b) ☒ No (NA Blks. 11b, 11c, 11d)	11b. Work Package No. N/A	11c. Modification Work Complete N/A Cog. Engineer Signature & Date _____	11d. Restored to Original Condition (Temp. or Standby ECN only) N/A Cog. Engineer Signature & Date _____	
12. Description of Change Complete revision.				
13a. Justification (mark one) Criteria Change ☒ Design Improvement ☐ Environmental ☐ Facility Deactivation ☐ As-Found ☐ Facilitate Const ☐ Const. Error/Omission ☐ Design Error/Omission ☐				
13b. Justification Details Changed to comply with new template and DOE-RL recommended modifications.				
14. Distribution (include name, MSIN, and no. of copies) See attached distribution.				

RELEASE STAMP

MAY 10 1996

DATE: _____

STA: _____

4

RELEASE

10

A-7900-013-3 (11/94) GEF096

Tank 241-SX-115 Tank Characterization Plan

C. S. Homi

Westinghouse Hanford Company, Richland, WA 99352

U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: ECN-631564

UC: 2070

Org Code: 79200

Charge Code: N4G6A

B&R Code: EW 3120074

Total Pages: 10

Key Words: Characterization, General Safety Issues, Specific Safety Issues, Information Requirements, Schedule

Abstract: This document is a plan that identifies the information needed to address relevant issues concerning short-term and long-term storage and long-term management of single-shell tank 241-SX-115.

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Kara J. [Signature] 5/9/96
Release Approval Date

Approved for Public Release

Tank 241-SX-115

Tank Characterization Plan

B. C. Simpson
Westinghouse Hanford Company

Date Published
April 1996

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management

Westinghouse
Hanford Company

P. O. Box 1970
Richland, Washington

Management and Operations Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	PROGRAM ELEMENTS REQUIRING INFORMATION FOR 241-SX-115	2
2.1	GENERAL SAFETY ISSUES	2
2.2	SPECIFIC SAFETY ISSUES	2
2.2.1	Ferrocyanide	2
2.2.2	Organic	2
2.2.3	High Heat	2
2.2.4	Flammable Gas	2
2.2.5	Vapor	2
2.2.6	Criticality	3
2.3	CONTINUING OPERATIONS	3
2.3.1	Compatibility/Stabilization	3
2.3.2	Evaporator	3
2.4	DOUBLE-SHELL TANK WASTE ANALYSIS PLAN	3
2.5	DISPOSAL	3
2.5.1	Retrieval	3
2.5.2	Pretreatment/Vitrification	3
2.6	HISTORICAL MODEL EVALUATION	4
3.0	HOW INFORMATION WILL BE OBTAINED	4
4.0	PRIORITY OF INFORMATION REQUIREMENTS	4
5.0	WHEN INFORMATION WILL BE AVAILABLE	5
6.0	REFERENCES	6

LIST OF TABLES

Table 4-1:	Integrated DQO Requirements and Priorities	4
------------	--	---

1.0 INTRODUCTION

This Tank Characterization Plan (TCP) identifies the information needed to address relevant issues concerning short-term safe storage and long-term management of single-shell tank 241-SX-115 (SX-115). It should be understood that the various needs and issues surrounding tank SX-115 are evolving as new information about the tank is uncovered. As a result of this progression, this TCP addresses only the issues that, to this date, have been identified. It is expected that deviations from this plan may occur as additional issues or needs arise which impact the management of SX-115. As necessary, this TCP will be revised to reflect those changes or deviations. This plan reflects the best information available as of May 1996.

Tank SX-115 was constructed between 1953 and 1954 and was put into service in the third quarter of 1958. Tank SX-115 received Reduction Oxidation (REDOX) waste from the process plant until 1965. In 1965, the tank was removed from service because of an assumed leak with an assumed leak volume of 189 kL (50 kgal). Tank SX-115 is passively ventilated. This tank was interim stabilized in September of 1978, and intrusion prevention was completed in December 1982 (Agnew 1996).

Tank SX-115 currently contains a total volume of 45 kL (12 kgal) of waste, which is equivalent to 24 cm (9.6 in) of waste as measured from the baseline of the tank (Hanlon 1996).

This tank is not on any Watch List.

Near-term sampling and analysis activities are focused on either verifying or changing Watch List tank status, and identifying any new safety issues. Should any safety issues be identified, additional analysis will occur consistent with the identified issue.

In addition to the resolution of the safety issues, it is intended that all tank waste will be subject to pretreatment and retrieval to prepare for final storage or disposal. Presently, these long-range plans have yet to be fully identified and are, therefore, not included in this document.

2.0 PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-SX-115

This section identifies the various program elements, and identifies which of these programs require characterization data from tank SX-115.

2.1 GENERAL SAFETY ISSUES

The *Tank Safety Screening Data Quality Objective* (Dukelow et al. 1995) describes the sampling and analytical requirements that are used to screen waste tanks for unidentified safety issues. Analytical requirements for the safety screening of a tank are energetics, total alpha activity, moisture content, density, and flammable gas concentration.

2.2 SPECIFIC SAFETY ISSUES

2.2.1 Ferrocyanide

This tank is not on the Ferrocyanide Watch List, therefore, there are no information needs currently identified for this program element.

2.2.2 Organic

This tank is not on the Organic Watch List, therefore there are no information needs currently identified for this program element.

2.2.3 High Heat

This tank is not on the High Heat Watch List, therefore there are no information needs currently identified for this program element.

2.2.4 Flammable Gas

This tank is not on the Flammable Gas Watch List, therefore there are no information needs currently identified for this program element.

2.2.5 Vapor

All 177 underground tanks must be vapor-sampled for organic solvent screening as per *Recommendation 93-5 Implementation Plan* (DOE-RL 1996). Some tanks may require additional vapor sampling due to other program needs. These tanks may be classified into four categories: (1) those tanks which are to be rotary mode core sampled (as a consequence of the rotary sampling system exhaust permit requirements); (2) tanks on the Organic or Ferrocyanide Watch Lists; (3) tanks in C farm; and (4) tank 241-BX-104, due to vapor exposure. Information needs must satisfy *Data Quality Objectives for Tank Hazardous Vapor Safety Screening* (Osborne and Buckley 1995), and for rotary mode only, *Rotary Core Vapor Sampling*

Data Quality Objective (Price 1994) and *Data Quality Objective for Regulatory Requirements for Hazardous and Radioactive Air Emissions Sampling and Analysis* (Mulkey and Markillie 1995) as amended by *Status of the Current Understanding of the Toxic Air Pollutants (TAPS) and Hanford Tank Farm Vapor Space Characterization; Recommended Path Forward and Justification for Continued RMCS Exhauster Operations* (Laws 1996).

2.2.6 Criticality

No information separate from that for the general safety issue of tank SX-115 are currently identified for this program element. However, if the general safety screening of tank SX-115 identifies a potential criticality concern, analyses for fissile materials and neutron absorbers and poisons will be performed as identified in the safety screening data quality objective (DQO).

2.3 CONTINUING OPERATIONS

2.3.1 Compatibility/Stabilization

This section does not apply to tank SX-115.

2.3.2 Evaporator

This section does not apply to tank SX-115.

2.4 DOUBLE-SHELL TANK WASTE ANALYSIS PLAN

This section does not apply because tank SX-115 is a single-shell tank.

2.5 DISPOSAL

2.5.1 Retrieval

Current retrieval needs (Bloom and Nguyen 1995) do not call for test samples to be taken from tank SX-115.

2.5.2 Pretreatment/Vitrification

Tank SX-115 is not identified as a bounding tank for pretreatment/disposal process development strategy (Kupfer et al. 1995). All tanks were prioritized using the pretreatment strategy in the *Tank Waste Characterization Basis* (Brown et al. 1995) document and a portion of the archive material could be used for pretreatment testing, if available. The strategy does not require any specific analyses to be done on the samples.

2.6 HISTORICAL MODEL EVALUATION

Bounding tanks and data requirements for historical model evaluations are found in *Historical Model Evaluation Data Requirements* (Simpson and McCain 1995). Tank SX-115 is not identified as a primary bounding tank for historical model evaluations.

3.0 HOW INFORMATION WILL BE OBTAINED

The number of samples required to characterize a tank is a function of waste heterogeneity and the desired confidence to make a correct decision. As directed by the safety screening DQO, if inadequate information exists to determine an appropriate number of samples, two vertical profiles will be obtained. These vertical profiles may be obtained using core, auger (for shallow tanks), or grab samples. Recent video surveillance (WHC 1996) revealed a nearly empty tank with a thin crust of waste incompletely covering the tank bottom, suggesting very little waste may be present. If analysis of these profiles reveals that additional profiles are necessary to meet data needs, more sample profiles will be requested..

4.0 PRIORITY OF INFORMATION REQUIREMENTS

Auger sampling was completed in May 1995, but failed to obtain sufficient material to analyze. Subsequent auger sampling is scheduled in July 1996. Vapor sampling is scheduled in December 1997 (Stanton 1996). Refer to Table 4-1 for the current DQO requirements and planned sampling and analytical requirements.

Table 4-1: Integrated DQO Requirements and Priorities

Sampling Event	Applicable Issues	Sampling Requirements*	Analytical Requirements*
Vapor	-Organic Solvent Layer 93-5 Vapor Issue - Hazardous Vapor DQO	Steel canisters, Triple Sorbent Traps, Sorbent Trap Systems	Flammable Gas Organic Vapors Permanent Gases
Auger Sampling	-Safety Screening DQO	Core samples from 2 risers separated radially to the maximum extent possible Combustible gas measurement	Flammability, Energetics, Moisture, Density, Total alpha activity

* Consult each applicable DQO in force at the time for sampling and analytical requirements.

5.0 WHEN INFORMATION WILL BE AVAILABLE

According to Stanton (1996), data are expected to be available from the auger sampling event for tank SX-115 in November 1996. Vapor sampling data are expected in February 1998. These times may be altered if the if the sampling schedule changes.

6.0 REFERENCES

- Agnew, S. F., R. A. Corbin, T. B. Duran, K. A. Jurgensen, T. P. Ortiz, and B. L. Young, 1996, *Waste Status and Transaction Record Summary for the Southwest Quadrant of the Hanford 200 Area*, Revision 1, WHC-SD-WM-TI-614, Westinghouse Hanford Company, Richland, Washington.
- Bloom, G. R., and Q. H. Nguyen, 1995, *Characterization Data Needs for Development, Design, and Operation of Retrieval Equipment Developed Through the Data Quality Objective Process*, WHC-SD-WM-DQO-008, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Brown, T. M., S. J. Eberlein, and T. J. Kunthara, 1995, *Tank Waste Characterization Basis*, WHC-SD-WM-TA-164, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- DOE-RL, 1996, Recommendation 93-5 Implementation Plan, DOE/RL-94-0001, Rev. 1 U.S. Department of Energy, Richland, Washington.
- Dukelow, G. T., J. W. Hunt, H. Babad, and J. E. Meacham, 1995, *Tank Safety Screening Data Quality Objective*, WHC-SD-WM-SP-004, Rev 1, Westinghouse Hanford Company, Richland, Washington.
- Hanlon, B. M., 1995, *Waste Tank Summary for Month Ending January 31, 1996*, WHC-EP-0182-94, Westinghouse Hanford Company, Richland, Washington.
- Kupfer, M. J., W. W. Schultz, and J. T. Slankas, 1995, *Strategy for Sampling Hanford Site Tank Wastes for Development of Disposal Technology*, WHC-SD-WM-TA-154, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Laws, G. L., 1996, *Status of the Current Understanding of the Toxic Air Pollutants (TAPS) and Hanford Tank Farm Vapor Space Characterization; Recommended Path Forward and Justification for Continued RMCS Exhauster Operations*, (telephone conference memorandum 01830-96-022, to Distribution, March 8), Westinghouse Hanford Company, Richland, Washington.
- Mulkey, C.H., and K. D. Markillie, 1995, *Data Quality Objective for Regulatory Requirements for Hazardous and Radioactive Air Emissions Sampling and Analysis*, WHC-SD-WM-DQO-021, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Osborne, J. W., and L. L. Buckley, 1995, *Data Quality Objectives for Tank Hazardous Vapor Safety Screening*, WHC-SD-WM-DQO-002, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Price, D. N., 1994, *Rotary Core Vapor Sampling Data Quality Objective*, WHC-SD-WM-SP-003, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

WHC-SD-WM-TP-325 REV 1

Simpson, B. C., and D. J. McCain, 1995, *Historical Model Evaluation Data Requirements*, WHC-SD-WM-DQO-018, Rev. 0-A, Westinghouse Hanford Company, Richland, Washington.

Stanton, G. A., 1996, *Baseline Sampling Schedule, Change 96-02*, (Internal memo 75610-96-06 to Distribution, April 17) Westinghouse Hanford Company, Richland, Washington.

WHC 1996, Video surveillance of tank 241-SX-115, Riser 6, Work Package Number WS-95-289, March 8, 1996.

DISTRIBUTION SHEET

To	From	Page 1 of 1			
Distribution	Evaluation and Planning	Date 05/09/96			
Project Title/Work Order		EDT No. N/A			
WHC-SD-WM-TP-325, Rev. 1, "Tank 241-SX-115 Tank Characterization Plan"		ECN No. ECN-631564			

Name	MSIN	Text With All Attach.	Text Only	Attach./Appendix Only	EDT/ECN Only
------	------	-----------------------	-----------	-----------------------	--------------

ONSITE

U. S. Department of Energy - Richland Field Office

W. Liou	S7-54	X
N. W. Willis	S7-54	X

Westinghouse Hanford Company

G. D. Forehand	S7-21	X
C. S. Homi	R2-12	X
B. C. Simpson	R2-12	X
Central Files	A3-88	X
T.C.R.C.	R2-12	X

OFFSITE

U. S. Department of Energy - Headquarters Office of Environmental Restoration and Waste Management EM-563 12800 Middlebrook Road Germantown, MD 20874

J. A. Poppiti		X
---------------	--	---