MAY 10 1996

ENGINEERING DATA TRANSMITTAL

Page 1 of 1

1. EDT No 615385

2. To: (Receiving Organization) Distribution		3. From: (Originating Organization) Evaluation and Planning		4. Related EDT No.: N/A							
5. Proj./Prog./Dept./Div.: Tank 241-U-101/Waste Management/E&P/Characteriza- tion Technical Basis		6. Cog. Engr.: C. S. Homi		7. Purchase Order No.: N/A							
8. Originator Remarks: This document is being released into the supporting document system for retrievability purposes.				9. Equip./Component No.: N/A							
				10. System/Bldg./Facility: 241-U-101							
11. Receiver Remarks: For release.				12. Major Assm. Dwg. No.: N/A							
				13. Permit/Permit Application No.: N/A							
				14. Required Response Date: 05/13/96							
15. DATA TRANSMITTED											
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	(F) Approval Design- ator	(G) Reason for Trans- mittal	(H) Orig- inator Dispo- sition	(I) Receiv- er Dispo- sition			
1	WHC-SD-WM-TP-370	N/A	0	Tank 241-U-101 Tank Characterization Plan	N/A	2	1	1			
16. KEY											
Approval Designator (F)		Reason for Transmittal (G)			Disposition (H) & (I)						
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)		1. Approval 2. Release 3. Information 4. Review 5. Post-Review 6. Dist. (Receipt Acknow. Required)			1. Approved 2. Approved w/comment 3. Disapproved w/comment 4. Reviewed no/comment 5. Reviewed w/comment 6. Receipt acknowledged						
17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)						(G)	(H)				
Reason	Disp.	(J) Name	(K) Signature	(L) Date	(M) MSIN	(J) Name	(K) Signature	(L) Date	(M) MSIN	Reason	Disp.
2	1	Cog.Eng. C.S. Homi	<i>C.S. Homi</i>	5/9/96							
2	1	Cog. Mgr. J.W. Hunt	<i>J.W. Hunt</i>	5/9/96							
		QA									
		Safety									
		Env.									
1	1	T.M. Brown	<i>T.M. Brown</i>	5/9/96							
18.		19.		20.		21. DOE APPROVAL (if required) Ctrl. No.					
A.E. Young <i>A.E. Young</i> 5/9/96 Signature of EDT Date Originator		N/A Authorized Representative Date for Receiving Organization		<i>J.W. Hunt</i> <i>J.W. Hunt</i> 5/9/96 Cognizant Manager Date		☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments					

BD-7400-172-2 (04/94) GEF097

BD-7400-172-1

Tank 241-U-101 Tank Characterization Plan

C. S. Homi

Westinghouse Hanford Company, Richland, WA 99352

U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: EDT-615385

UC: 2070

Org Code: 79200

Charge Code: N4G6A

B&R Code: EW 3120074

Total Pages: 7

Key Words: Characterization, General Safety Issues, Specific Safety Issues, Information Requirements, Schedule

Abstract: This document is a plan that identifies the information needed to address relevant issues concerning short-term and long-term storage and long-term management of single-shell tank 241-U-101.

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Release Approval _____ Date 5/9/96

Approved for Public Release

Tank 241-U-101

Tank Characterization Plan

T. M. Brown

Westinghouse Hanford Company

Date Published

May 1996

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management

Westinghouse
Hanford Company

P.O. Box 1970

Richland, Washington

Management and Operations Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

Approved for Public Release

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-U-101	2
2.1	GENERAL SAFETY ISSUES	2
2.2	SPECIFIC SAFETY ISSUES	2
2.2.1	Ferrocyanide	2
2.2.2	Organic	2
2.2.3	High Heat	2
2.2.4	Flammable Gas	2
2.2.5	Vapor	2
2.2.6	Criticality	3
2.3	CONTINUING OPERATIONS	3
2.3.1	Compatibility/Stabilization	3
2.3.2	Evaporator	3
2.4	DOUBLE-SHELL TANK WASTE ANALYSIS PLAN	3
2.5	DISPOSAL	3
2.5.1	Retrieval	3
2.5.2	Pretreatment/Vitrification	3
2.6	HISTORICAL MODEL EVALUATION	3
3.0	HOW INFORMATION WILL BE OBTAINED	4
4.0	PRIORITY OF INFORMATION REQUIREMENTS	4
5.0	WHEN INFORMATION WILL BE AVAILABLE	4
6.0	REFERENCES	5

LIST OF TABLES

4-1	Integrated DQO Requirements and Priorities	4
-----	--	---

1.0 INTRODUCTION

This Tank Characterization Plan (TCP) identifies the information needed to address relevant issues concerning short-term and long-term safe storage and long-term management of single-shell tank 241-U-101 (U-101). It should be understood that the various needs and issues surrounding tank U-101 are evolving as new information about the tank is uncovered. As a result of this progression, this TCP addresses only the issues that, to this date, have been identified. It is expected that deviations from this plan may occur as additional issues or needs arise which impact the management of tank U-101. As necessary, this TCP will be revised to reflect those changes or deviations. This plan reflects the best information available as of May 1996.

Tank 241-U-101 was filled with metal waste from the first quarter of 1946 until the first quarter of 1957. The tank was sluiced in the second quarter of 1955 and in the third quarter of 1956. The tank was declared empty in the first quarter of 1957 and was filled with Reduction Oxidation (REDOX) waste the following quarter. In the second quarter of 1978, the waste was classified as non-complexed. The tank contained 6 cask loads of experimental fuel elements; shroud tubes and samarium "poison" ceramic balls; 1,530 g of 4.5% enriched uranium and 6 g of plutonium; 180 Ci of ^{60}Co and 130 Ci of mixed fission products; ^{60}Co slugs with 70 Ci ^{60}Co . Presently, the waste is classified as non-complexed. The tank was removed from service and labeled an assumed leaker with a 30,000-gal loss in 1959. It was partially isolated in 1978 and interim stabilized in September 1979. Intrusion prevention was completed in September 1982 (Brevick et al. 1995).

Tank U-101 currently contains a total waste volume of 95 kL (25 kgal), which is equivalent to 11.5 cm (4.5 in) of waste as measured from the baseline of the tank (Hanlon 1996).

This tank is not on any Watch List.

Near-term sampling and analysis activities are focused on either verifying or changing the Watch List tank status, and identifying any new safety issues. Should any safety issues be identified, additional analysis will occur consistent with the identified issue.

In addition to the resolution of the safety issues, it is intended that all tank waste will be subject to pretreatment and retrieval to prepare for final storage or disposal. Presently, these long-range plans have yet to be fully identified and are, therefore, not included in this document.

2.0 PROGRAM ELEMENTS REQUIRING INFORMATION FOR TANK 241-U-101

This section identifies the various program elements, and identifies which of these programs require characterization data from tank U-101.

2.1 GENERAL SAFETY ISSUES

The *Tank Safety Screening Data Quality Objective* (Dukelow et al. 1995) describes the sampling and analytical requirements that are used to screen waste tanks for unidentified safety issues. Analytical requirements for the safety screening of a tank are energetics, total alpha activity, moisture content, density, and flammable gas concentration.

2.2 SPECIFIC SAFETY ISSUES

2.2.1 Ferrocyanide

This tank is not on the Ferrocyanide Watch List; therefore, no information needs are currently identified for this program element.

2.2.2 Organic

This tank is not on the Organic Watch List; therefore, no information needs are currently identified for this program element.

2.2.3 High Heat

This tank is not on the High Heat Watch List; therefore, no information needs are currently identified for this program element.

2.2.4 Flammable Gas

This tank is not on the Flammable Gas Watch List; therefore, no information needs are currently identified for this program element.

2.2.5 Vapor

All 177 underground tanks must be vapor-sampled for organic solvent screening as per *Recommendation 93-5 Implementation Plan* (DOE-RL 1996). Some tanks may require additional vapor sampling due to other program needs. These tanks may be classified into four categories: (1) those tanks which are to be rotary mode core sampled (as a consequence of the rotary sampling system exhaust permit requirements); (2) tanks on the Organic or Ferrocyanide Watch Lists; (3) tanks in C farm; and (4) tank 241-BX-104, due to vapor exposure. Information needs must satisfy *Data Quality Objectives for Tank Hazardous Vapor Safety Screening* (Osborne and Buckley 1995), and for rotary mode only, *Rotary Core Vapor Sampling Data Quality Objective* (Price 1994), and *Data Quality Objective for Regulatory Requirements for Hazardous and Radioactive Air Emissions Sampling and Analysis* (Mulkey and Markillie 1995) as amended by *Status of the Current Understanding of*

the Toxic Air Pollutants (TAPS) and Hanford Tank Farm Vapor Space Characterization; Recommended Path Forward and Justification for Continued RMCS Exhauster Operations (Laws 1996).

2.2.6 Criticality

No information separate from that for the general safety issue of tank U-101 are currently identified for this program element. However, if the general safety screening of tank U-101 identifies a potential criticality concern, analyses for fissile materials and neutron sorbers and poisons will be performed as identified in the safety screening data quality objective (DQO).

2.3 CONTINUING OPERATIONS

2.3.1 Compatibility/Stabilization

This section does not apply to tank U-101.

2.3.2 Evaporator

This section does not apply to tank U-101.

2.4 DOUBLE-SHELL TANK WASTE ANALYSIS PLAN

This section does not apply because tank U-101 is a single-shell tank.

2.5 DISPOSAL

2.5.1 Retrieval

Current retrieval needs (Bloom and Nguyen 1995) do not call for test samples to be taken from tank U-101.

2.5.2 Pretreatment/Vitrification

Tank U-101 has not been identified as a bounding tank for pretreatment/disposal process development strategy (Kupfer et al. 1995). All tanks were prioritized using the pretreatment strategy in the *Tank Waste Characterization Basis* (Brown et al. 1995) document and a portion of archive sample material could be used for pretreatment testing if available. The strategy does not require any specific analyses to be done on the samples.

2.6 HISTORICAL MODEL EVALUATION

Bounding tanks and data requirements for historical model evaluations are found in *Historical Model Evaluation Data Requirements* (Simpson and McCain 1995). Tank U-101 is not identified as a primary bounding tank for historical model evaluations.

3.0 HOW INFORMATION WILL BE OBTAINED

The number of samples required to characterize a tank is a function of waste heterogeneity and the desired confidence to make a correct decision. As directed by the safety screening DQO, if inadequate information exists to determine an appropriate number of samples, two vertical profiles will be obtained. These vertical profiles may be obtained using core, auger (for shallow tanks), or grab samples. If analysis of these profiles reveals that additional profiles are necessary to meet data needs, more sample profiles will be requested.

4.0 PRIORITY OF INFORMATION REQUIREMENTS

Vapor sampling is scheduled for February 1998. Grab sampling is scheduled for June 1996. Auger sampling is scheduled for March 1997 (Stanton 1996). Refer to Table 4-1 for the current DQO requirements and planned sampling and analysis requirements.

Table 4-1: Integrated DQO Requirements and Priorities

Sampling Event	Applicable DQO	Sampling Requirements*	Analytical Requirements*
Vapor Sampling	-Organic Solvent Layer 93-5 Vapor Issue -Hazardous Vapor DQO	Steel canisters, Triple Sorbent Traps, Sorbent Trap Systems.	Flammable Gas Organic Vapors Permanent Gases
Grab Sampling	-Safety Screening DQO	Grab samples from 2 risers separated radially to the maximum extent possible. Combustible gas measurement.	Flammability, Energetics, Total Alpha activity, Specific Gravity.

* Consult each applicable DQO in force at the time for sampling and analytical requirements.

** The auger sampling event is not included in this table because it is believed that grab sampling should be able to meet the needs of the safety screening DQO.

5.0 WHEN INFORMATION WILL BE AVAILABLE

According to Stanton (1996), data are expected to be available from the grab sampling event for tank U-101 in October 1996. The vapor sampling data are expected in April 1998. If auger sampling is conducted, data are expected in July 1997. These times may be altered if the sampling schedule changes.

6.0 REFERENCES

- Bloom, G. R. and Q. H. Nguyen, 1995, *Characterization Data Needs for Development, Design and Operation of Retrieval Equipment Developed Through the Data Quality Objective Process*, WHC-SD-WM-DQO-008, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Brevick, C. H., L. A. Gaddis, and E. D. Johnson, 1995, *Supporting Document for the Southwest Quadrant Historical Tank Content Estimate Report for U Tank Farm*, Vol I, WHC-SD-WM-ER-325, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Brown, T. M., S. J. Eberlein, and T. J. Kunthara, 1995, *Tank Waste Characterization Basis*, WHC-SD-WM-TA-164, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- DOE-RL, 1996, *Recommendation 93-5 Implementation Plan*, DOE/RL-94-0001, Rev. 1, U.S. Department of Energy, Richland, Washington.
- Dukelow, G.T., J.W. Hunt, H.Babad, and J.E. Meacham, 1995, *Tank Safety Screening Data Quality Objective* WHC-SD-WM-SP-004, Rev 1, Westinghouse Hanford Company, Richland, Washington.
- Hanlon, B.M., 1996, *Waste Tank Summary for Month Ending January 31, 1996*, WHC-EP-0182-94, Westinghouse Hanford Company, Richland, Washington.
- Kupfer, M. J., W. W. Schultz, and J. T. Slankas, 1995, *Strategy for Sampling Hanford Site Tank Wastes for Development of Disposal Technology*, WHC-SD-WM-TA-154, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- Laws, G. L., 1996, *Status of the Current Understanding of the Toxic Air Pollutants (TAPS) and Hanford Tank Farm Vapor Space Characterization; Recommended Path Forward and Justification for Continued RMCS Exhauster Operations*, (telephone conference memorandum 01830-96-022, to Distribution, March 8), Westinghouse Hanford Company, Richland, Washington.
- Mulkey, C.H., and K. D. Markillie, 1995, *Data Quality Objective for Regulatory Requirements for Hazardous and Radioactive Air Emissions Sampling and Analysis*, WHC-SD-WM-DQO-021, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Osborne, J. W., and L. L. Buckley, 1995, *Data Quality Objectives for Tank Hazardous Vapor Safety Screening*, WHC-SD-WM-DQO-002, Rev. 2, Westinghouse Hanford Company, Richland, Washington.
- Price, D. N., 1994, *Rotary Core Vapor Sampling Data Quality Objective*, WHC-SD-WM-SP-003, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

WHC-SD-WM-TP-370, REV 0

Simpson, B. C., and D. J. McCain, 1995, *Historical Model Evaluation Data Requirements*, WHC-SD-WM-DQO-018, Rev. 0A, Westinghouse Hanford Company, Richland, Washington.

Stanton, G. A., 1996, *Baseline Sampling Schedule*, Change 96-02 (Internal memo 75610-96-06 to Distribution, April 1996), Westinghouse Hanford Company, Richland, Washington.

DISTRIBUTION SHEET

To	From	Page 1 of 1			
Distribution	Evaluation and Planning	Date 05/09/96			
Project Title/Work Order		EDT No. EDT-615385			
WHC-SD-WM-TP-370, Rev. 0, "Tank 241-U-101 Tank Characterization Plan"		ECN No. N/A			
Name	MSIN	Text With All Attach.	Text Only	Attach./Appendix Only	EDT/ECN Only

ONSITEU. S. Department of Energy -
Richland Field Office

W. Liou	S7-54	X
N. W. Willis	S7-54	X

Westinghouse Hanford Company

T. M. Brown	R2-12	X
G. D. Forehand	S7-21	X
C. S. Homi	R2-12	X
Central Files	A3-88	X
T.C.R.C.	R2-12	X

OFFSITEU. S. Department of Energy - Headquarters
Office of Environmental Restoration and
Waste Management EM-563
12800 Middlebrook Road
Germantown, MD 20874

J. A. Poppiti	X
---------------	---