Final Technical Report

Department of Energy Research Grant No. DE-FG03-93ER61683

Origins of subsurface microorganisms:
Relating laboratory microcosm studies to a geologic time scale.

Thomas L. Kieft
Department of Biology
New Mexico Institute of Mining and Technology
(New Mexico Tech)
Socorro, NM 87801

Penny S. Amy
Department of Biological Sciences
University of Nevada, Las Vegas
Las Vegas, NV

Fred M. Phillips
Department of Earth and Environmental Sciences
New Mexico Institute of Mining and Technology
(New Mexico Tech)
Socorro, NM 87801

December 1998

RECEIVED
MAR 02 1999
OSTI

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

This project was conducted as part of the Department of Energy's Deep Subsurface Science Program. It was part of a larger effort to determine the origins of subsurface microorganisms. Two hypotheses have been suggested for the origins of subsurface microorganisms: 1) microorganisms were deposited at the time of (or shortly after) geologic deposition of rocks and sediments (the in situ survival hypothesis), and 2) microorganisms have been transported from surface environments to subsurface rocks and sediments since the time of geologic deposition (transport hypothesis). These two hypotheses are not mutually exclusive. Depending on the geological setting, either one or both of these hypotheses may best explain microbial origins. Our project focused on the in situ survival hypothesis. We tested the hypothesis that microorganisms (individuals populations and communities) can survive long-term sequestration within subsurface sediments. Other objectives were to identify geologic conditions that favor long-term survival, identify physiological traits of microorganisms that favor long-term survival, and determine which groups of microorganisms are most likely to survive long-term sequestration in subsurface sediments. We tested this hypothesis using a combination of pure culture techniques in laboratory microcosms under controlled conditions and field experiments with buried subsurface sediments.

Laboratory Microcosms

Lab microcosm studies demonstrated the influence of sediment type and moisture conditions on long-term survival. Physiological responses to long-term starvation were determined. Results of this research have been published (Kieft et al., 1994, 1997, attached)

Field studies

Field studies were conducted in eastern Washington state. This effort focused on survival and transport of microorganisms under unsaturated conditions. Results of this work are in press (Kieft et al., 1999, in press, attached)

We also participated in a major field effort at Cerro Negro, New Mexico. Besides providing on-site microbiological expertise throughout the six-month drilling and sampling campaign, we conducted a geohydrological characterization of regional groundwater flow in the vicinity of Cerro Negro. The results of this work have been submitted for publication (Walvoord et al, submitted, attached)

Other studies

An unusual thermophilic, iron-reducing bacterium that appears to survive and grow in deep subsurface thermal environments was characterized. The results of this study have been submitted for publication (Kieft et al., submitted, attached).

Reviews of research from this project have been presented at several national meetings and international symposia. Proceedings papers from two of these symposia are attached.

Bibliography (New Mexico Tech):

- Kieft, T. L., J. K. Fredrickson, T. C. Onstott, Y. A. Gorby, H. M. Kostandarithes, T. J. Bailey, D. W. Kennedy, S. W. Li, A. Plymale, C. M. Spadoni, and M. S. Gray. Dissimilatory reduction of Fe(III) and other electron acceptors by a *Thermus* isolate. Submitted to: *Applied and Environmental Microbiology*
- Walvoord, M. A., F. Phillips, T. L. Kieft, J. K. Fredrickson, P. Pegram, and M. Person, Groundwater flow and geochemistry in the southeastern San Juan Basin: implications for microbial transport and activity. Submitted to: *Water Resources Research*.
- Kieft, T. L., E. M. Murphy, D. L. Haldeman, P. S. Amy, B. N. Bjornstadt, E. V. McDonald, D. B. Ringelberg, D. C. White, J. O. Stair, R. P. Griffiths, T. C. Gsell, W. E. Holben, and D. R. Boone. 1999. Microbial transport, survival, and succession in a sequence of buried sediments. *Microbial Ecology*. (In press).
- Kieft, T. L., E. Wilch, K. O'Connor, D. B. Ringelberg, and D. C. White. 1997. Survival and phospholipid fatty acid profiles of surface and subsurface bacteria in natural sediment microcosms. *Applied and Environmental Microbiology*. 63:1531--1542.
- Kieft, T. L., D. B. Ringelberg and D. C. White. 1994. Changes in ester-linked phospholipid fatty acid profiles of subsurface bacteria during starvation and desiccation in a porous medium. *Applied and Environmental Microbiology* 60:3292--3299.
- Kieft, T. L., E. M. Murphy, P. S. Amy, D. L. Haldeman, D. B. Ringelberg. 1997. Laboratory and Field evidence for Long-term Starvation Survival of Microorganisms in Subsurface Terrestrial Environments. Proceedings of SPIE, Instruments, Methods, and Missions for the Investigation of Extraterrestrial Microorganisms, San Diego, CA, 27 July - 1 August, 1997. (R. B. Hoover, Editor), SPIE, Vol. 3111, pp. 366--377.
- Kieft, T. L. Microbial Ecology of the Vadose Zone, in Proceedings of the 8th International Symposium on Microbial Ecology, Halifax, Nova Scotia, August 1998, Atlantic Canada Society for Microbial Ecology (In press)

Bibliography (UNLV):

- Haldeman, D.L., P.S. Amy, D.C. White and D.B. Ringelberg. 1994. Changes in bacteria recoverable from subsurface volcanic rock samples during storage at 4°C. *Appl. Environ. Microbiol.* 60:2697-2703.
- Fredrickson, J.K., S.W. Li, F.J. Brockman, D.L. Haldeman, P.S. Amy and D.L. Balkwill. 1995. Time-dependent changes in viable count and activities of heterotrophic bacteria in subsurface samples. *J. Microbiol. Meth.* 21:253-265.
- Haldeman, D.L., P.S. Amy, C.E. Russell and R. Jacobson. 1995. Comparison of the microbiology of deep subsurface volcanic tuff obtained by drilling and mining. *J. Microbiol. Meth.* 21:305-316.
- Haldeman, D.L., P.S. Amy, D. Ringelberg, D.C. White, R.E. Garen and W.C. Ghiorse. 1995. Microbial growth and resuscitation alter community structure after perturbation. *FEMS Microbiol. Ecol.* 17:27-38.
- Story, S.P., P.S. Amy, C.W. Bishop and F. Colwell. 1996. Bacterial transport in volcanic tuff cores under saturated flow conditions. *Geomicrobiology J.* 13:249-264.

Manuscripts Submitted

- Khalil, M., D.H. Haldeman, Y. Wu, P.S. Amy and C. Crow. Phylogenetic characterization of calcium precipitating bacteria isolated from calcified paleosol horizons. *Molecular Ecology*.

Abstracts

- Haldeman, D.L. and P.S. Amy. 1993. Changes in recoverable microbiota from deep subsurface rock samples. The Second International Symposium on Subsurface Microbiology. Bath, UK.
- Kieft, T.L., P.S. Amy and F.M. Phillips. 1993. Long-term in situ survival of subsurface microorganisms: relating microcosm experiments to a geological time scale. The Second International Symposium on Subsurface Microbiology. Bath, UK.
- *Story, S.P., P.S. Amy, R. Colwell and C. Bishop. 1994. Bacterial transport in saturated volcanic tuff cores. ASM National Meetings, Las Vegas, NV.
- *Story, S., D. Haldeman and P. Amy. 1994. Comparisons of microbial communities from fracture water and rock at a 450 m depth in Rainier Mesa, Nevada Test Site. ASM National Meetings, Las Vegas, NV.

*Haldeman, D.L., P.S. Amy, T. Kieft, W. Spangenberg, D. Ringelberg and D.C. White. 1995.
The microbiology of a chronosequence of buried paleosols from the channeled scabland of
arid eastern Washington. ASM National Meetings, Washington, D.C.

*Haldeman, D.L., L.E. Ragatz and P.S. Amy. 1995. Starvation-survival of deep subsurface
bacteria in liquid and sand microcosms. ASM National Meetings, Washington, D.C.

Kieft, T.L., D.L. Haldeman, P.S. Amy, E.M. Murphy, B.N. Bjornstad, E.V. McDonald, D.B.
Ringelberg, D.C. White, J. Stair, R.P. Griffiths, T.C. Gsell, W.E. Holben, and D.R.
Boone. 1996. Microbiology of a paleosol chronosequence: Survival and succession during
the last 200,000 years. American Geophysical Union. 9/96.

Kieft, T.L., D.L. Haldeman, P.S. Amy, E.M. Murphy, B.N. Bjornstad, E.V. McDonald, D.B.
Ringelberg, D.C. White, J. Stair, R.P. Griffiths, T.C. Gsell, W.E. Holben, and D.R.
Boone. 1996. Microbial survival and succession in a sequence of buried sediments during
the last 1 million years. American Geophysical Union. Submitted 9/11/96.

Arizona-Nevada Branch of the American Society for Microbiology meeting, Tucson, AZ. 1996.
Took 10 students, presented four papers, one student won the outstanding poster award.

Arizona-Nevada Branch of the American Society for Microbiology meeting, Tucson, AZ. 1997.
Took 5 students, presented three papers, outstanding undergraduate, outstanding poster
and outstanding graduate awards.

* Signifies a published abstract

UNLV Students graduated during 1993-1996

Dr. Dana Haldeman

Dr. Beth Pitonzo

Ms. Sandra Story

Mr. Michael Staudaher