ORNL/M-6701

ornl

**OAK RIDGE
NATIONAL
LABORATORY**

LOCKHEED MARTIN

RECEIVED

JUN 23 1999

Energy Division **OSTI**

**Method For Developing Descriptions
of Hard-To-Price Products:
Results of the Telecommunications
Products Study**

Bruce Tonn
Fred Conrad[†]

[†]Bureau of Labor Statistics

May 1999

MANAGED AND OPERATED BY
LOCKHEED MARTIN ENERGY RESEARCH CORPORATION
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

ORNL-27 (3-96)

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

**METHOD FOR DEVELOPING DESCRIPTIONS OF HARD-TO-PRICE
PRODUCTS: RESULTS OF THE
TELECOMMUNICATIONS PRODUCTS STUDY**

Bruce Tonn
Oak Ridge National Laboratory

Fred Conrad
Bureau of Labor Statistics

May 1999

"This submitted manuscript has been authored by a contractor of the U.S. Government under contract No. DE-AC05-96OR22464. Accordingly, the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U.S. Government purposes."

Prepared for
Department of Labor
Bureau of Labor Statistics

Prepared by
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831
managed by
LOCKHEED MARTIN ENERGY RESEARCH CORP.
for the
U.S. DEPARTMENT OF ENERGY
under Contract No. DE-AC05-96OR22464

TABLE OF CONTENTS

EXECUTIVE SUMMARY	v
1.0 INTRODUCTION	1
2.0 METHOD	1
3.0 RESULTS	3
4.0 OBSERVATIONS AND CONCLUSIONS	7
5.0 ACKNOWLEDGMENTS	11
APPENDIX A	A - 3
APPENDIX B	A - 5
APPENDIX C	A - 15
APPENDIX D	A - 20
APPENDIX E	A - 33
APPENDIX F	A - 36
APPENDIX G	A - 47

EXECUTIVE SUMMARY

This report presents the results of a study to test a new method for developing descriptions of hard-to-price products. The Bureau of Labor Statistics (BLS) is responsible for collecting data to estimate price indices such as the Consumers Price Index (CPI). BLS accomplishes this task by sending field staff to places of business to price actual products. The field staff are given product checklists to help them determine whether products found today are comparable to products priced the previous month. Prices for non-comparable products are not included in the current month's price index calculations. A serious problem facing BLS is developing product checklists for dynamic product areas, new industries, and the service sector. It is difficult to keep checklists up-to-date and quite often simply to develop checklists for service industry products. Some people estimate that upwards of 50% of U.S. economic activity is not accounted for in the CPI.

The objective of this project was to test a method for helping BLS staff build new product checklists quickly and efficiently. The domain of study was the telecommunications industry. The approach is to test a method developed by Oak Ridge National Laboratory (ORNL) which is based on behavioral science and knowledge engineering principles. The method has ten steps, which include: developing a sample of domain experts, asking experts to list products in the domain, culling the list of products to a manageable number, asking experts to group the remaining products, identifying product clusters using multi-dimensional scaling and cluster analysis techniques, asking experts to compare pairs of products within clusters, and finally developing checklists with the comparison data.

The method performed as expected. Several prototype checklists for products in the telecommunications domain were developed, including checklists for paging services, digital cell phones, web browsers, routers, and LAN modems. It was particularly difficult, however, to find experts to participate in the project. Attending a professional meeting and contacting experts from the conference's mailing list proved to be the best approach for this domain.

The method has performed well in two domains, the telecommunications industry, as demonstrated in this project, and the PC software industry, as demonstrated in a previous project. It is recommended that the method be further tested in additional service industries, such as nursing homes. Also, further

attention needs to be devoted to proceduralizing the method to improve its cost and time efficiency.

For example, if automated methods were used to collect information from the experts and if the experts could be assembled at one time, it could be possible to create prototype checklists in one day.

1.0 INTRODUCTION

This report presents the results of a study to test a new method for developing descriptions of hard-to-price products. This study is a follow-up study to a project that developed and tested the method on PC software products.¹ This project focused on the telecommunications industry.

This report has the following sections. Section 2.0 presents a concise description of the method tested in this project. Section 3.0 presents the results (as augmented by several appendices). The report concludes with observations and recommendations in Section 4.0.

2.0 METHOD

The purpose of this method is to provide a structured approach based on sound behavioral science principles to elicit from experts several types of information about hard-to-price products in order to quickly and efficiently build checklists for those products. Commodity analysts (CAs) at BLS would be responsible for using the method and assembling panels of experts to provide the required information. Implementing the method entails the following ten steps.

1. *Choose an industry or product area that needs product checklist development.*
2. *Develop a sampling frame of experts in the appropriate industry.* Sampling frames can be developed from: lists of members of appropriate professional organizations; lists of attendees of appropriate professional meetings, and contacting people directly in appropriate professional networks.
3. *Contact a sample of experts to participate in three information elicitation tasks.* How this is done depends upon the sampling frame chosen. For example, mailing requests

¹ See Bruce Tonn and Fred Conrad. 1995. Product Features Elicitation Project. ORNL/M-4598, Oak Ridge National Laboratory, Oak Ridge, TN, July.

along with the first task to potential participants is most expeditious if one has an extensive mail list.

4. *Prepare and send to the experts the first task, Product Listing.* The purpose of this task is to elicit from a group of experts lists of names of products in their industry, what companies produce the products, and how familiar the experts are with each listed product. Either generic product names can be elicited or specific product names.
5. *Cull the list of products provided by the experts to the 100 most mentioned and most familiar products.* A group of experts as small as 20 could provide several hundred products. Only 100 are needed for the second task.
6. *Prepare and send to the experts the second task, Product Grouping.* The purpose of this task is to elicit from the experts what products fall into similar product categories (analogous to BLS entry level items or ELI's). Each expert is asked to put each product into a group. There is no limit to how many groups or how many products need to be in a group.
7. *Conduct multi-dimensional scaling.* The results of Task 2 needed to be coded into 100x100 matrices, one matrix for each subject. There is one row for each of the 100 products covered in Task 2 and one column for each of these 100 products. The 1's in the matrices indicate that the product represented by the row and the product represented by the column were grouped together by the expert. 0's indicate that the products were not in the same group. These data are submitted to SAS or a similar statistical package that has a multi-dimensional scaling procedure. This procedure produces multidimensional scale scores for each product. These scores represent positions of the products in a multi-dimensional space. It is recommended that the first three scores be used, plotted and interpreted to see which products are close to each other in the multi-dimensional space. Save these scores in a data set that has 100 records, one record per product with three multidimensional scaling score variables.
8. *Conduct cluster analysis on the product grouping data to place all 100 products into an appropriate number of clusters.* Specifically, a cluster analysis needs to be run on the 100 product records with the three scale scores. The number of clusters that balances

statistical precision and common sense grouping of products should be chosen. These clusters then form the basis of potential new and/or revised ELI's.

9. *Prepare and send to the experts the third task, Product Comparison (or Repertory Grid).*

In this task, for each product cluster chosen (one may choose not to use all the clusters resulting from task three because of time and other constraints), each expert is asked to answer open-ended questions about why a series of two products from a cluster are similar and dissimilar. If specific product names were not elicited in the previous tasks (i.e., only general product labels are available), each expert can be asked to list two specific products by product name and then answer the open-ended questions.

10. *Use the results of task three to prepare checklists for each product cluster encompassed in the third task.* Even with only a small number of experts participating in the third task, this method can result in a rich set of product descriptors for many potentially new or revised ELI's. At this point, it is the task of the CA to use his or her knowledge of checklist requirements to distill important product characteristics from the data and synthesize this information into draft product checklists.

3.0 RESULTS

This section describes the results of a project that focused on the telecommunications industry. The reasoning and results follow the ten steps introduced above.

1. *Choose an industry or product area that needs product checklist development.*

The industry chosen for this project was the telecommunications industry. This industry was chosen because it is very dynamic and a very important part of the U.S. economy. The industry and its products are currently being addressed by BLS, so the results of this project could be compared to existing efforts.

2. *Develop a sampling frame of experts in the appropriate industry.*

This proved to be a challenging task. Over the course of the project several sampling frames were used. The first frame was a list of telecommunications experts that were part of a Department of Defense panel. This frame was augmented by a list of telecommunications experts in the Oak Ridge, Tennessee, area known to the project team. These two sources of potential subjects proved insufficient, as finding people to agree to participate in this project was quite difficult.

Three other approaches were adopted. First, project team members visited in person several places of business in Knoxville, Tennessee, to recruit subjects. Second, the authors of this report attended the 1997 COMNET conference in Washington, DC. This conference draws together several thousand telecommunications experts. The authors attempted to recruit participants at this conference but this also proved difficult. The third approach, which was the most successful, was to develop a mailing list of potential subjects from the COMNET conference participants list and business cards picked up in the exhibition area. Primary letters and secondary and tertiary follow-up letters eventually resulted in sufficient participation to complete this project.

3. *Contact a sample of experts to participate in three information elicitation tasks.*

As noted above, it was difficult to find telecommunications experts to participate in this project. There were several reasons. Many people simply failed to respond to phone calls, e-mails, and letters. Many of those who did stated they were too busy to participate. Some felt that they were not 'expert' enough to participate. With respect to the in-person visits to several businesses in Knoxville, it was hard to find the 'right' person, as project team members were continually shunted from one office to another. Many that we talked to in person had difficulty understanding the purpose of the project. The larger number of people contacted by a mass mailing overcame these problems to the extent needed to successfully complete the project.

4. *Prepare and send to the experts the first task, Product Listing.*

The form for this task is found in Appendix A. It was completed by 14 subjects.

5. *Cull the list of products provided by the experts to the 100 most mentioned and most familiar.*

A list of approximately 360 products resulted from Task 1. The raw data are found in Appendix B. This list was culled to 100. These 100 products are included in the Task 2 form, which is found in Appendix C. One interesting observation about this data is that by-and-large the products provided by the experts were generic (e.g., routers, fax/modems). In the PC software products project cited above, the experts provided specific product names (e.g., WordPerfect, SAS). It appears that respondents will provide generic names for products in more broadly defined industries, such as telecommunications, and specific product names for narrowly defined industries, such as PC software. Either approach is fine. However, respondents need guidance on whether to provide generic or specific product names. A mixing of approaches will cause data analysis difficulties in the following steps.

6. *Prepare and send to the experts the second task, Product Grouping.*

As noted above, the Task 2 form is found in Appendix C. It was filled out by 15 subjects.

7. *Conduct multi-dimensional scaling.*

Fifteen 100x100 matrices, one for each subject, were used in this data analysis portion of the method and project. A multi-dimensional scaling procedure in SAS was run on these data. This procedure resulted in 3 strong dimensions:

- ▶ Dimension 1 - This dimension captures the systems aspects of the product. On one end, there are telecommunications infrastructure products, such as routers, lan switches, modems, and lan bridges. At the other end are telecommunications services, such as voicemail, paging services, and debit cards. In the middle of this scale are middleware products, such as laptop PCs, pagers, and hand-held global positioning devices.
- ▶ Dimension 2 - This dimension captures the data nature of the product. On one end of this scale are traditional analog phone services, such as phones, pagers, PBX systems, and answering machines. At the other end of this scale are traditional digital computing products, such as web browsers, lan switches, and frame relay systems. In the middle of the scale are hybrid products such as ISDN service and fiber cable.
- ▶ Dimension 3 - This dimension captures the functionality of the products. In this case, products fall into two major groups, traditional personal computing products (e.g., digital assistants, palmtops) at one end and traditional telecommunications industry products (e.g., fract 1 lines, ISDN routers) at the other end.

8. *Conduct cluster analysis on the product grouping data to place all 100 products into an appropriate number of clusters.*

The scores for each of the 100 products were output into a second data set. These one hundred records were run through a cluster analysis procedure, in this case FASTCLUS in SAS. Several analyses with different numbers of clusters were run. The best fit with the data, in our judgment, involved fourteen clusters. This number of clusters resulted in an R^2 of 0.88. In general, the products fell into 'recognizable' categories, such as: data and video services, consumer telephone equipment, networking options, phone services, computer network technologies, PC software, PC hardware, telecommunications system hardware, and computer networking hardware. The MDS and cluster analysis results are in Appendix D.

9. *Prepare and send to the experts the third task, Product Comparison (or Repertory Grid).*

The form for Task 3 is found in Appendix E. As indicated, only eight of the fourteen clusters were included in Task 3. In addition, the subjects were asked to specify two products in each of the eight clusters to make similarity and dissimilarity comparisons. Seven experts returned the Task 3 forms. No expert provided data for every cluster. Typically, each expert only provided information for one or two clusters. Every cluster, though, had data from two experts. Two clusters had four experts providing information. The raw data are found in Appendix F.

10. *Use the results of task three to prepare checklists for each product cluster encompassed in the third task.*

Appendix G contains draft product descriptions for the eight clusters included in Task 3. Two observations are worth mentioning about these descriptions. First, they need to be augmented with more detail and specification structures before they could be considered checklists and used in the field. Second, many of the product description headings were similar to headings developed in the PC software project. This indicates that there may be important cross-cutting product characteristics in many of the dynamic computer and telecommunications based industries.

4.0 OBSERVATIONS AND CONCLUSIONS

The following observations follow the ten elements of the method first laid out in Section 2.0. These observations and conclusions are based mostly on the project that is the focus of this report, the telecommunications project, but also on the initial PC software project and on some knowledge of a third effort that is focusing on the nursing home industry.

1. *Choose an industry or product area that needs product checklist development.*

The method appears flexible enough to be useful for almost every industry that is characterized by dynamic and/or hard-to-price products. However, the choice of the level of

aggregation of the industry to focus on is very important. The first study, which entailed PC software, entailed a much more specifically defined industry than the second study, which focused on the telecommunications industry. As a result, data provided by experts were much more specific in the first case than the second.

A second observation is that the method works best in contexts where products have specific names (such as PC software products) or widely recognizable generic names (e.g., cellular phones). There would be some difficulty in applying the method to an industry where products do not have specific names or recognizable generic names. This seems to be a problem being encountered in the nursing home study, where this industry appears to have few if any discernable 'products' as opposed to a portfolio of services which is tailored for each individual customer.

2. *Develop a sampling frame of experts in the appropriate industry.*

This step in the method is key. In other words, finding names of people to participate in the project is one-half the battle. It was a source of difficulty for the telecommunications industry. However, it appears that working through professional organizations and/or professional conference organizers to build sampling frames is a viable approach. Working with the organizers of the COMNET conference was successful for the telecommunications project. On the PC software project, everyone on a list-serve associated with the Social Science Computing Association was contacted, with great success.

3. *Contact a sample of experts to participate in three information elicitation tasks.*

Getting experts to participate can also be a source of difficulty. In other words, recruiting subjects is the other half of the battle. Because of this difficulty, the elapsed time from beginning to end of the telecommunications project was quite long. Actually processing the data collected during Tasks 1, 2, and 3 took only a few days by comparison. Conducting the project solely through the mail could, even in the best of circumstances, require many months, especially if

second and third reminders need to be sent to prospective participants. Using the Internet or directing subjects to a website to complete forms may reduce this time somewhat, but not much if subjects are given the customary several weeks to complete each task.

For future projects, it is suggested that consideration be given to another design which entails bringing together ten to twenty experts for a one-day 'workshop' to complete all the tasks during the same day. We have found that the method can produce very good product characteristics with this few number of experts. Using automated support, experts could complete task 1 in fifteen minutes or so and commodity analysts could have a culled list of 100 products within an hour. Experts could conduct the product grouping task (2) on-line. Creation of 100x100 matrices from this data could be automated, as could the ensuing MDS and cluster analyses. This task could be turned around also in an hour. Finally, task 3 could be supported by automated techniques to record answers. The experts could work in small groups to fashion product descriptions. In one-half a day's work, very good product characterizations could be produced. While this approach would probably be more expensive if honorariums were paid to the subjects, it would be more time efficient.

4. *Prepare and send to the experts the first task, Product Listing.*

This task is fairly straightforward. However, some additional thought needs to be given to better explain the purpose of the project and what is entailed. This is especially important if the first task form is included with the initial letter of contact.

5. *Cull the list of products provided by the experts to the 100 most mentioned and most familiar.*

This task is also straightforward. In the first two studies, there were many specific and generic products that were mentioned multiple times. The familiarity ratings help, too. Choosing all products with multiple mentions and then working down the list of singularly mentioned products

from most to least familiar till 100 products is reached is very effective. Some judgement is needed, though, in cases where products are not highly differentiated from one another (such as WordPerfect 5.0 and WordPerfect 6.0).

6. *Prepare and send to the experts the second task, Product Grouping.*

This is also a straightforward task. Illustrating what the subjects need to do with an example is useful. We did not encounter any subjects who had problems with this task, once they decided to do it.

7. *Conduct multi-dimensional scaling.*

Preparing the 100x100 matrices is straightforward. CAs can be given clear instructions about how to use SAS to conduct the MDS and cluster analyses. A special SAS application could be developed as well. Advice to CA's from people with expertise in MDS and cluster analysis might be needed to help decide how many dimensions to include in the analysis and how many clusters to settle upon. However, we believe that in most cases, these decisions will be obvious.

8. *Conduct cluster analysis on the product grouping data to place all 100 products into an appropriate number of clusters.*

See discussion under Step 7.

9. *Prepare and send to the experts the third task, Product Comparison (or Repertory Grid).*

This is a very key task. The challenge of this task is to choose product clusters for which product checklists could eventually be made (if they don't exist already). It does not make sense to choose clusters which, while containing a group of products that can be distinguished from all the others, is too small with respect to its role in the economy and/or would cost more to collect

data on than its worth to a price index. For example, this might be the case for some of the PC software clusters, such as statistical analysis software. On the other hand, the clusters chosen should not be too broad, because then the checklist would be rife with inconsistencies and definitional problems. Value-added networks might be such a case in the telecommunications study. So, CAs need to bring to this task some additional insights into the scope of the industry, and the range of potential ELI's that could be considered.

10. *Use the results of task three to prepare checklists for each product cluster encompassed in the third task.*

While this task may take some time for CAs, it is generally very straightforward. Their expertise in using raw product data to create checklists will make this an easy task. Difficulties may be encountered, however, in cases where the data do not help CAs determine which specifications could be A specs versus B specs, etc.

5.0 ACKNOWLEDGMENTS

The authors wish to thank Sheila Moore and Danny Moore (unrelated) for their help with this project. They were particularly helpful in contacting businesses in the Knoxville area. We also wish to thank Jenna Tonn for helping to input Task 2 information into the matrix formats. We wish to thank Mark Austen for running the statistical analyses and to Jean Peretz for making Mark's time available to this project. Kim Tripp provided information on telecommunication experts in the Department of Defense. Finally, we wish to thank the participants in this project.

APPENDICES

Appendix A: Task 1 Form

Appendix B: Task 1 Raw Data

Appendix C: Task 2 Form

Appendix D: Multi-dimensional Scaling and Cluster Analysis Results

Appendix E: Task 3 Instructions

Appendix F: Task 3 Raw Data

Appendix G: Draft Product Descriptions

APPENDIX A: TASK 1 FORM

Bureau of Labor Statistics Survey
for
Telecommunications Industry

Listing Task Instructions

Please provide the names for ten or more (10+) specific telecommunications products that you are familiar with that are sold DIRECTLY to consumers. We would like as broad a range of products as possible, so please do not limit yourself to only those products that you work with. Please provide the vendor name, if you know it. Also, please indicate how familiar you are with the product on a scale of 1-5, where 1 indicates low familiarity and 5 indicates high familiarity. This task should require 10-15 minutes of your time. Thank you very much for your assistance on this first task.

NAME OF PRODUCT	VENDOR (if applicable and known)	FAMILIARITY WITH PRODUCT (1=LOW, 5=HIGH)
1. _____		
2. _____		
3. _____		
4. _____		
5. _____		
6. _____		
7. _____		
8. _____		
9. _____		

10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____
21. _____
22. _____
23. _____
24. _____
25. _____

APPENDIX B: TASK 1 RAW DATA

Products	Vendors	Familiarity with Product (1= low, 5=high)
Routers	Cisco	4
TA/Router	Gandalf	2
TA/Router	Shira	2
Router	Cisco	4
Router	Ascend	3
Cisco 7000 Router	Cisco	4
Routers	Cisco et.al	3
ISDN Router	Fasallon	5
Pagers	Motorola	3
Pagers	?	2
Pager	Motorola	5
Paging Service	Skytel and others	4
Pager	Motorola	4
Pager	Motorola	2
Pager	Motorola	3
Paging Service	Skytel	4
Pager	" "	5
Pagers	Motorola	5
Pagers	STS	5
Paging Equip.	Bogen	3
Pager	Motorola, Nixxo	5
Pagers	Many	3
Narrowband pager	Motorola	5
Telephone	Multiple	4
Telephone	Meridian et.al	5
Telephone	Duofone	5
Cordless telephone	various	4
Telephone for home use	Various	4
Telephone	Various	5
Telephone	Bell South	4
Cordless Phone (analog)	Toshiba	4
Multi-Button Phone	AT&T	4
Multi-Button Phone	GTE	4
Multi-Button Phone	Panasonic	4
Phone	AT&T	5
900 MHZ Cordless Phone	Panasonic	3
Phones	AT&T, Panasonic	5

Telephone	AT&T	3
Cordless phone	Panasonic	4
Cordless Phone	AT&T	5
Standard wired telephone	Bell operating companies?	4
Hands-Free headset		2
Do-it-yourself home telephone		
wire, jacks, extension cords, etc.		4
KHT 500 telephone	Panasonic	3
Push Button Phone	GE	4
Wireless Phone	Motorola	5
Fax (standalone or plug in cord)		4
Fax	" "	5
Fax Machine	Canon et.al	4
Fax Machine	Sharp	3
Fax Machines	Hewlett Packard, Canon, Ricoh, etc.	3
Fax machines	Hewlett-Packard	5
Fax Machines	HP	5
Fax Machines	?	2
Fax/Modem/Phone Sharing Device	Command Communications	4
Digital Fax & FC connections	Enhanced Throughout Cellular	1
" "	Motorola	1
" "	Toshiba	1
" "	Megahertz	1
" "	Mitsubishi	1
" "	ORA Electronics	1
" "	U.S. Wireless Data, Inc.	1
" "	Pacific Communications Sciences, Inc.	1
" "	Sierra Wireless	1
Answering machine	Panasonic	5
Answering machine	Panasonic	4
Answering machines	AT&T, Panasonic	5
Phone/Answering Machine	GE	5
Answering Machine	AT&T	4
Cellular phone (analog)	Motorola	2
Car Phone	Motorola	3
Cellular phones		
Cellphone	Ericcson	5

Cellphone	Nokia	5
Cellular Phone	Audiovox, Motorola,	
" "	Ericsson, Nokia	4
Cellular Phones	Motorola	5
" "	Uniden	5
" "	Nokia	5
" "	Ericsson	1
" "	Oki Telecom	1
" "	Audiovox	4
" "	GE	1
" "	Mitsubishi	1
" "	NEC	5
Mobile Phone	Qualcomm	4
Mobile Phone	Molsar	4
cellular telephone	Motorola	4
Cellular Phone	Motorola	5
Digital Cellular Phone	Sony Qualcomm	3
Cellular Phones	Nynex	3
Cellular Phone	Motorola	3
Cellular Telephones	Motorola, Nokia, etc	
Cell Phone	" "	5
Cellular Phones	Motorola, Nokia	5
Cellular Phone Accessories	Sell Star	5
" "	Superior Cellular Products	5
" "	Advanced Fox Cellular	3
" "	Walnex Technologies	2
" "	S-L Electronics	2
" "	EDCO, Eastern Dynamics	
	Co. LTD.	2
Cellular Phone Antennas	Antenna Specialists	5
" "	STI-CO Industries	1
" "	Valor Wireless Products	1
" "	Mobile Mark Communications	1
Mobile Base Station	Encsson	2
Mobile Base Station	Nortel	3
Pocket PDA	US Robotics Pilot	3
PCS phone (digital)	Motorola	2
PCS Phone	Sony/Qualcomm, Motorola,	
" "	Ericsson, Nokia	5

(US Domestic Long distance Telephone service)	AT&T, MCI, Sprint, etc.	4
Local telephone service	Bell Atlantic (in Baltimore area)	4
Long Distance Service	AT&T	3
IT long distance service	Telegroup	
Long Distance Svc.	" "	5
Local Service	Bell Atlantic	3
Basic Dial Tone	Bell South	5
Long Distance Serv.	AT&T	5
One Plus Long Distance Service	STS	5
Cellular telephone service	Various	4
Cellular Service	ATT Wireless	4
Cellular service		
Cellular Service	Cell One	5
Personal Communications Service (similar to cellular)	Sprint Spectrum (In Baltimore and Washington, D.C. areas)	4
International long distance Telephone service	AT&T, MCI, others	4
Telephone Lines	RBOCS	4
Calling Card	AT&T	4
Debit card program	" "	
Calling cards	" "	
Pre Paid Card	" "	5
Prepaid Cellular	STS	5
Calling Card	" "	5
Prepaid Calling Cards	STS	5
Voice mail	Bell Atlantic	2
Voice Mail	STS	5
Wild Fire-Automated Secretary	STS	5
Voice Mail	Octel	3
Caller ID Display	Bell Operating Companies	2
Caller ID Device	TT Systems	3
Call back service	" "	
Modems	Multiple	5
Modems	Hayes et.al.	3
Modems	Zoom	3
28.8 Modem	US Robotics	5
Digital Modem	Bit Surfer Pro	2

Wireless modem	US Robotics	5
Wireline modem	Cobbal Village	4
ADSL Modem	Amati	3
ADSL Modem	Orjsit	3
Modem Internal	IBM	5
Modem	Digicom Sys.	5
Modem communications	US Robotics	5
Modem (28.8 kbps e.g.)	US Robotics	4
Impact IQ modem	3 Com	5
Ricochet modem	Metricom	5
Lan Plus Modem	3 Com	5
Modem	" "	5
Modems	Cisco Systems, US Robotics	5
Cable Modem	" "	4
Wireless Modem	Motorola	5
Wireline Modem	USR	3
PC Modem	US Robotics	5
33.6 Kpbs Modems	USR, Hayes, Microcom	5
Fax/Modem	Data Fax Modem	5
Fax/Modem	Hayes	3
Ethernet Switches	3 Com	4
Lan Switch	IBM Cisco	5
ATM Switch	Fore	5
PBX Switch	Nortel	3
PBX	AT&T	2
Telephone System, PBX (Large)	Northern Telec.(Nortel)	5
"",key(small/med)	" "	3
Switches	Lucent et.al	2
Ethernet Hubs	Multiple	5
Intelligent HUB	IBM	5
Lan Hubs	Cabletron/3Com/Bay	3
Bridge (Lan)	3 Com	4
Lan Bridge	IBM	5
Net. Mgmt.	Vertel	3
Cat. 5 Cable	Mohawk & Belden	5
Copper cable	Amixter et.al	1
Fiber cable	3M et.al	1

Patch Panels(Networking)	Multiple	5
Software	Multiple	3
cc:Mail (e-mail software)	Lotus/IBM&Microsoft	5
MS Mail	Microsoft	4
MS Exchange	Microsoft	4
Fax software	Delrina et.al	3
Fax software	Symantec, Microsoft	5
Fax Software	?	2
Procomm Plus	Datastorm	4
PC Anywhere	Symantec	5
Windows 95	Microsoft	5
Windows 3.11	Microsoft	5
Fax Serve	Cheyenne	4
Windows NT	Microsoft	4
COMit for Windows	Tradewind Software	5
PCAnywhere 32	Symantec	5
Remote Possibilities	?	3
Qmodem	?	3
Remote 2	Crosstalk	4
Crosstalk	Crosstalk	3
Exceed for Windows	Hummingbird	4
Email Software	FTP	3
SmartCom	Hayes	3
ReachOut	Ocean Isle	4
ProComm	?	3
OnNet	FTP Software	4
SmartTerm	?	3
Wireless Network Products	Multiple	4
Laptop computers		2
Laptop	IBM	4
Palmtop computer	CASIO	2
Laptop PC	Apple	5
Palmtop PC	Hewlett Packard	4
Portable Laptop	IBM, Compaq, NEC,	
Newton organizer	Apple Computer	2
(Pentium)	Toshiba, etc.	5
Personal computers	Compaq, Gateway	5
Laptop computers	Compaq, Toshiba	5
Computers	Apple, etc.	3

Laptop accessories		1
Personal digital assistant	Apple	2
PDA	Apple, US Robotics	2
Satellite dish	RCA	5
Satellites	STS	5
Satellite Dish	RCA	2
Satellite TV dishes	Phillips	1
DBS satellite dish	RCA	2
Satellite dishes	Direct TV (RCA)	4
Digital Satellite	RCA	2
Satellite Disk	Sony	5
GDS handheld unit		5
Time + Frequency systems	Oderics	5
Cable TV Service--basic channels	TCI, others nationally	4
Cable Service	Time Warner	5
Cable TV	Local Franchisers	4
Television	Sony	5
Radio	Mitsubishi	5
Direct-to-home satellite TV Service	USSB and DirecTV	4
Cable converter	Radio Shack	3
Cable Decoder	Zenith	3
Computer on-line information service(1), (2)	Compuserve, America Online(AOL)	4
Internet access provider service	various	4
Internet Access	ATT, MindSprings, etc.	
ISP	IGN	5
Internet Service Provider	AOL	3
Internet Service	Advantis	5
Online Services	AOL, CompuServe, Prodigy, Netcom	
CompuServe	Spry Mosaci	4
America Online	IBM	3

On Line Services	AOL, CompuServe	3
"Pure" Internet Service	TIAC Providers Netcom	3
ISDN Term. Adapter	Motorola	4
ISDN Terminal Adapter	Motorola	3
ISDN Adapters	ISDN.TEK, Megaherty USR	3
ISDN Access Device	" "	4
Lan Streamer Adapter	IBM	5
Fract. T-1	Verilink	4
directly via telephone company leased line		2
Leased Line	ATT	3
ISDN Service	RBOCS	4
Terminal Server	3 Com	3
Lan Server	Novell	3
Wan Server	Cisco Sys.	3
Front end Processor	IBM	5
Network computer	Oracle, Sun	3
Atone Junction Box	Asalte	3
Protocol Converter	Andrews	4
Remote Access device	Shiva	5
Web TV set top box		1
Web TV		3
Web TV	Philips/Magnavox/Sony	3
Web Browsers	Netscape	3
Browsers	Netscape/Microsoft	5
Web browsers	Netscape	4
Alarm System connected		
Microwave		1
transmitters/receivers		
satellite, transmitters/receivers	Hughes	1
Frame Relay	" "	4
X.25 Service	" "	5
ISDN service		
Groupwise	Novell	3

Lotus Notes	IBM	3
Video-Conferencing	CLI(Compression Labs,Inc)	3
Telecommunications Device for the Deaf (TDD)		3
Portable CB Radio	Cobra	4
Data Services	Lexis	1
*		
box that allows you to receive T.V. listings via cell phone call		2
Wireless Wide Area Network	Ardis	5
Value-Added Network	Sprint	3
X.25 Cards	Elcon	3
PBX	Panasonic	3
Pan-Way	Panduit	5
Mini-Cam	" "	5
Pentascanner	Microtest	5
CSUID8V	Adtran	3
OTDR	Server	3
&		
Winle Device	Casio	3
DSUS	Lucent et.al	1
Win Frame	Citrix	3
WinView	Citrix	2
Win Frame	Citrix	2
Co Session	Lantastic/Artisoft	4
Winport	Lansource	4
GSM	France Telecom	5
ADSL	France Telecom	5
"Orchestrata" Multipoint Control Unit (MCU)	Compuntix	5
"Contex" Audio Conferencing System	Compuntix	5
MCS (MCU)	Videoserver	3
System 70 (MCU)	Multilink	3
System 80 (MCU)	Multilink	3
Concorde 4500 Coder	Pictoretel	3
System 4000 Coder	Pictoretel	4
PCS 100 Coder	Pictoretel	5
Radiance Coder	CLI	3

Z240 Coder	Zydacon	4
Multiland Plus (IMUX) Inverter		
Multiplexer	Ascend	4
ISV512 (IMUX)	Adtron	4
VC7000 (Coder)	BT	4
Data Multiplexer	Coastcom	4
ISDN Interface Group	ADTRAN	4
Clid Telephones	Nortel	3
Network Services	BellSouth	4
IVR Systems	Octel	2
Telephone jacks, Cat.5	Nortel	5
Automatic Call Distributor	" "	4
Data Network Concentrator	Bay Networks	3
UPS Systems	BEST	4
SMR/ESMR	Uniden, Motorola	3

APPENDIX C: TASK 2 FORM

Dear :

Thank you very much for providing names of telecommunications products for Task 1 of this project. The number of telecommunications products received numbered over 300. We have reduced this number to 100 for this task, Task 2.

The purpose of Task 2 is to group the 100 telecommunications products into groups of products that are similar to each other. Product grouping is an important task for BLS because price changes must be tracked and reported for groups of products that have similar characteristics. Failure to do this may bias inflation and productivity estimates.

Thus, your task is to group the 100 telecommunications products listed below, that is to place products in the same group that you believe belong together. There is no right or wrong answer; we are simply interested in how you would group these products on the basis of what you know about them. The criteria you use to decide if a product belongs in the same group as other products, are entirely up to you. You can make groups as large or as small as you like. You can define as many categories as you wish.

We would like you to use one of two techniques to indicate your grouping judgments to us. First, you can number each product in the list where the number corresponds to a category. Simply place a category number to the left of each product. If you do this, it might be useful (but it is not necessary) to create a numbered list of product category names so that the number you place next to an individual product also corresponds to a category name. A blank list is provided just below these instructions where you can enter category names. Please add product category names to the list as you go along and please feel free to re-categorize products as necessary.

Here is an example. Imagine a set of letters, A through J. If you decide that A, E and I belong in the same group -- let's say group #1 -- then you would place a 1 in the column to the left of these products and you might label the group "vowels." You would enter "vowels" in the line following the '1' in the blank list below the instructions. Similarly, if B, C, D, F, G, H and J belong in another category -- let's say category #2 -- then you would enter a 2 in the left column next to these products, and if you have a name for the group -- let's say consonants -- you would place it in the line following '2' in the blank list.

As an alternative way to convey your grouping decisions, you can use your text editor to physically move the software products into groups. If you choose this approach, it is not necessary place numbers beside the product names. If you wish to label the groups, that may be helpful, but again, it is not necessary. Just make sure that each group of products is separated from the other groups by blank lines or some other sign when you send your results back.

If a product is totally unfamiliar to you and you cannot place it into a group, please place it into a group labeled something like "unknown."

The data you provide will be used to statistically determine the number and nature of product categories represented by the software products you helped provide. Task 3 will focus on eliciting features of products.

Please complete this task and return the results by ??????.

Telecommunications Products Category Names

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.
- 18.
- 19.
- 20.

Telecommunications Products to Place into Telecommunications Product Categories

Category Number	Product
	Router
	ISDN Router
	Pagers
	Paging Service
	Narrowband pager
	Telephone

Cordless telephone
Hands-Free headset
Wireless Phone
Fax Machine
Answering machine
Cellular phone (analog)
Digital Cellular Phone
Cellular Phone Antennas
Mobile Base Station
US Domestic Long distance Telephone service
Local telephone service
Cellular telephone service
Personal Communications Service
International long distance Service
Debit card program
Prepaid Calling Cards
Voicemail
Caller ID Display
Call back service
28.8 Modem
Wireless modem
ADSL Modem
Lan Plus Modem
Cable Modem
Fax/Modem
Ethernet Switches
Lan Switch
ATM Switch
PBX Switch
PBX
Ethernet Hubs
Lan Bridge
Cat. 5 Cable
Copper cable
Fiber cable
cc:Mail (e-mail software)
Fax software
Windows 95
Windows NT
SmartTerm
Palmtop computer
Newton organizer
Personal computers

Personal digital assistant
Satellite dish
Satellites
GPS handheld unit
Cable Service
Direct-to-home satellite TV Service
Cable converter
Computer on-line information service
Internet Service Provider
ISDN Term. Adapter
Lan Streamer Adapter
Fract. T-1
Leased Line
ISDN Service
Terminal Server
Lan Server
Wan Server
Front end Processor
Network computer
Atone Junction Box
Protocol Converter
Web TV set top box
Web TV
Web Browsers
Microwave transmitters/receivers
Frame Relay
X.25 Service
Lotus Notes
Video-Conferencing
Telecommunications Device for the Deaf (TDD)
Portable CB Radio
Data Services
Wireless Wide Area Network
Value-Added Network
X.25 Cards
Pentascanner
Win Frame
"Orchestrata" Multipoint Control Unit (MCU)
"Context" Audio Conferencing
MCS (MCU)
System 80 (MCU)
System 4000 Coder
Z240 Coder

Multiland Plus (IMUX) Inverter
Multiplexer
ISDN Interface Group
IVR Systems
Automatic Call Distributor
Data Network Concentrator
UPS Systems
SMR/ESMR

APPENDIX D: MULTI-DIMENSIONAL SCALING AND CLUSTER ANALYSIS RESULTS

The SAS System 8

09:19 Wednesday, November 12, 1997

ASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=13 Maxiter=1

Initial Seeds

Cluster	DIM1	DIM2	DIM3
1	-1.34577	0.50707	1.01425
2	1.58507	0.21439	0.28332
3	-0.18443	-0.78451	1.45930
4	-0.64128	-0.88970	-1.46761
5	-0.67726	1.36622	-0.66120
6	0.59667	-0.30515	-1.56225
7	-0.12041	-1.70876	-0.29479
8	-1.29503	-0.78400	0.89745
9	1.31227	-0.70566	0.83686
10	1.09606	-1.30475	-0.03638
11	-1.73152	-0.17823	-0.32554
12	0.66609	1.26990	-0.93463
13	0.66503	1.38892	0.62741

Criterion Based on Final Seeds = 0.2321

Cluster Summary

Cluster	Frequency	RMS Std Deviation	Maximum Distance from Seed to Observation
1	11	0.2612	1.1110
2	8	0.2853	0.6858
3	4	0.2283	0.5465
4	11	0.2195	0.6294
5	14	0.1751	0.8492
6	4	0.2639	0.5491
7	9	0.2594	0.7691
8	10	0.2143	0.5288
9	14	0.1951	0.6332
10	3	0.1441	0.2724
11	2	0.3791	0.9286
12	5	0.3082	0.7052
13	6	0.3583	1.0061

The SAS System 9
09:19 Wednesday, November 12, 1997

FASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=13 Maxiter=1

Cluster	Nearest Cluster	Distance Between Cluster Centroids
1	8	0.7742
2	9	1.1330
3	8	1.0491
4	7	1.1039
5	12	1.3766
6	4	1.1391
7	4	1.1039
8	1	0.7742
9	10	0.9106
10	9	0.9106
11	4	1.3802
12	2	1.2169
13	2	1.2889

Statistics for Variables

Variable	Total STD	Within STD	R-Squared	RSQ/(1-RSQ)
DIM1	1.023700	0.214135	0.961495	24.970881
DIM2	1.000148	0.254977	0.942884	16.508308
DIM3	0.986704	0.252940	0.942251	16.316265
OVER-ALL	1.003702	0.241318	0.949178	18.676351

Pseudo F Statistic = 136.96
Approximate Expected Over-All R-Squared = 0.86057
Cubic Clustering Criterion = 14.854
WARNING: The two above values are invalid for correlated variables.

The SAS System 10
09:19 Wednesday, November 12, 1997

FASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=13 Maxiter=1

Cluster Means

Cluster	DIM1	DIM2	DIM3
1	-1.35676	0.39027	0.95568
2	1.43886	0.52037	0.43118
3	-0.41152	-0.51687	1.52169
4	-0.51266	-0.89558	-1.44463
5	-0.25842	1.50157	-0.76617
6	0.10802	0.02836	-1.68665
7	-0.00885	-1.55881	-0.72011
8	-1.32968	-0.37954	1.03302
9	1.36798	-0.56650	0.74329
10	1.15080	-1.23171	0.16056
11	-1.52795	-0.29841	-0.72516
12	1.03955	1.08756	-0.56866
13	0.49602	1.38746	0.57440

Cluster Standard Deviations

Cluster	DIM1	DIM2	DIM3
1	0.100751	0.383103	0.218487
2	0.130330	0.333411	0.340688
3	0.227942	0.319930	0.045973
4	0.152249	0.289837	0.193319
5	0.221345	0.121833	0.167844
6	0.381250	0.236842	0.086388
7	0.252747	0.137797	0.344934
8	0.180989	0.202597	0.252978
9	0.110192	0.230193	0.221413
10	0.061625	0.095142	0.222370
11	0.287887	0.169972	0.565145
12	0.298370	0.339259	0.284320
13	0.434467	0.214709	0.387574

The SAS System 11
09:19 Wednesday, November 12, 1997

OBS DIM3	_TYPE_ CLUSTER	_LABEL_ DISTANCE	_NAME_	OBS	DIM1	DIM2
	1CRITERION			1	0.46102	.
	13	0.30229				
55 3	. CONFIG SATL_TV	SATL_TV	-1.34577	0.50707	1.01425	1 0.1628
50 3	. CONFIG INT_SERV	INT_SERV	-1.38605	0.14132	1.08227	1 0.23161
46 3	. CONFIG PAGIN_SR	PAGIN_SR	-1.40391	0.08316	1.08409	1 0.28812
42 3	. CONFIG CEL_SERV	CEL_SERV	-1.39298	0.14121	1.07642	1 0.23052
25 3	. CONFIG CALIDDIS	CALIDDIS	-1.09472	1.24879	0.38548	1 1.11100
3	VOICMAIL	VOICMAIL	3	-1.24576	1.00127	0.69224
1	0.72315					
17	PHON_LNG	PHON_LNG	17	-1.39226	0.25028	1.04621
1	0.12378					
18	PHON_LOC	PHON_LOC	18	-1.39225	0.25027	1.04622
1	0.1237					
20	P_CONSER	P_CONSER	20	-1.42145	0.24443	1.02417
1	0.13280					
22	CALBCK_S	CALBCK_S	22	-1.43177	0.18318	1.02875
1	0.18972					
23	PRPD_CAL	PRPD_CAL	23	-1.41740	0.24203	1.03242
1	0.13528					
75 3	. CONFIG MICROWAV	MICROWAV	1.30309	0.93138	0.48126	2 0.49918
60 3	. CONFIG ISDN_TER	ISDN_TER	1.56567	0.19141	0.41220	2 0.28973
47 3	. CONFIG FBR_CBLE	FBR_CBLE	1.27759	0.32304	1.07188	2 0.68528
45 3	. CONFIG ADSL_MOD	ADSL_MOD	1.58507	0.21439	0.28332	2 0.31090
33 3	. CONFIG CABL_MOD	CABL_MOD	1.51076	0.53165	0.31307	2 0.14280
30 3	. CONFIG LAN_MOD	LAN_MOD	1.54749	0.20553	0.57051	2 0.30636
27 3	. CONFIG HS288MOD	HS288MOD	1.42294	0.82569	-0.15388	2 0.68583

8	SATELLIT	SATELLIT	8	1.29822	0.93985	0.47107
2	0.50768					
93	3 . CONFIG FRAC_T1	FRAC_T1	-0.30852	-0.52770	1.56460	3 0.11211
83	3 . CONFIG WIREL_WI	WIREL_WI	-0.43653	-0.69111	1.51699	3 0.17609
76	3 . CONFIG FRAME_RE	FRAME_RE	-0.18443	-0.78451	1.45930	3 0.35650
63	3 . CONFIG LEASED_L	LEASED_L	-0.71659	-0.06415	1.54587	3 0.54645
100	3 . CONFIG NEWTON	NEWTON	-0.38162	-0.36371	-1.72763	4 0.62937
101	3 . CONFIG SMR_ESMR	SMR_ESMR	-0.35558	-1.36872	-1.14814	4 0.57189
43	3 . CONFIG CC_MAIL	CC_MAIL	-0.60675	-0.80137	-1.51012	4 0.15947
44	3 . CONFIG FAX_SOFT	FAX_SOFT	-0.58205	-0.78018	-1.53241	4 0.17623
78	3 . CONFIG LOTUS_NO	LOTUS_NO	-0.56406	-0.96329	-1.44284	4 0.09674
92	3 . CONFIG WEBBROWS	WEBBROWS	-0.76393	-0.98686	-1.29541	4 0.28432
90	3 . CONFIG ATONE_BO	ATONE_BO	-0.20920	-0.53545	-1.69438	4 0.55149
86	3 . CONFIG PENTASCA	PENTASCA	-0.47629	-1.30324	-1.11835	4 0.5085
19	SMRTTERM	SMRTTERM	19	-0.64128	-0.88970	-1.46761
4	0.13526					
9	WIN_95	WIN_95	9	-0.52923	-0.92935	-1.47709
4	0.08536					
5	WIN_NT	WIN_NT	5	-0.52926	-0.92951	
-1.47697	4	0.08535				
81	3 . CONFIG TDD	TDD	-0.67726	1.36622	-0.66120	5 0.41943
53	3 . CONFIG CORDLESS	CORDLESS	-0.24875	1.57903	-0.69037	5 0.07899
51	3 . CONFIG ANSWERIN	ANSWERIN	-0.01392	1.62372	-0.51750	5 0.36563
37	3 . CONFIG DIGCELP	DIGCELP	-0.30068	1.54856	-0.74718	5 0.02637
35	3 . CONFIG WIRLESPH	WIRLESPH	-0.27308	1.56794	-0.70254	5 0.05217
32	3 . CONFIG GPS_HNDH	GPS_HNDH	-0.18337	1.49452	-0.91472	5 0.22065
29	3 . CONFIG HNDS_FRE	HNDS_FRE	-0.30486	1.52749	-0.74961	5 0.02222
15	CELL_ANT	CELL_ANT	15	-0.13675	1.57716	-0.69695
5	0.17017					
11	FAX	FAX	11	0.24383	1.13376	-1.25017
5	0.84919					
12	PORT_CB	PORT_CB	12	-0.20287	1.51201	-0.86156
5	0.16363					
13	CELL_PHO	CELL_PHO	13	-0.25248	1.53595	-0.79465
5	0.07963					
4	PAGERS	PAGERS	4	-0.49196	1.53092	
-0.67617	5	0.20193				
6	NBAND_PG	NBAND_PG	6	-0.51748	1.47359	-0.75909
5	0.22948					
7	TELEPHON	TELEPHON	7	-0.25826	1.55111	-0.70474
5	0.05042					
79	3 . CONFIG DIGIT_AS	DIGIT_AS	-0.30153	0.17653	-1.72208	6 0.50375
69	3 . CONFIG NETWK_CM	NETWK_CM	0.59667	-0.30515	-1.56225	6 0.54906
48	3 . CONFIG PALMTOP	PALMTOP	0.18338	0.21570	-1.70195	6 0.18802
21	PC	PC	21	-0.04644	0.02636	
-1.76030	6	0.23682				
96	3 . CONFIG ISDN_GRP	ISDN_GRP	-0.12041	-1.70876	-0.29479	7 0.38666

94	3	. CONFIG	IMUX_INV	IMUX_INV	0.46566	-1.67280	-0.07373	7	0.76906
91	3	. CONFIG	SYSTEM80	SYSTEM80	-0.05774	-1.56008	-0.85469	7	0.20503
87	3	. CONFIG	WIN_FRAM	WIN_FRAM	-0.09724	-1.63294	-0.72500	7	0.10126
88	3	. CONFIG	ORCH_MCU	ORCH_MCU	0.09246	-1.61535	-0.72549	7	0.14444
74	3	. CONFIG	SYST4000	SYST4000	0.18044	-1.23794	-1.24137	7	0.72079
67	3	. CONFIG	MCS	MCS	0.01555	-1.56810	-0.83872	7	0.19243
61	3	. CONFIG	Z240_COD	Z240_COD	-0.09160	-1.54048	-0.92685	7	0.28431
57	3	. CONFIG	UPS	UPS	-0.46679	-1.49283	-0.80038	7	0.47010
95	3	. CONFIG	CABL_SRV	CABL_SRV	-1.25128	-0.12678	1.28606	8	0.4068
82	3	. CONFIG	WEB_TV	WEB_TV	-1.44217	-0.18378	1.02615	8	0.24764
80	3	. CONFIG	VIDEO_CO	VIDEO_CO	-1.57297	-0.24095	0.68208	8	0.43246
73	3	. CONFIG	DATA_SER	DATA_SER	-1.18202	-0.38460	1.24403	8	0.28664
77	3	. CONFIG	X25_SERV	X25_SERV	-1.08786	-0.58243	1.23018	8	0.37957
85	3	. CONFIG	NETSRV_P	NETSRV_P	-1.14444	-0.44115	1.26033	8	0.32247
64	3	. CONFIG	ISDN_SER	ISDN_SER	-1.28300	-0.24094	1.17952	8	0.24767
62	3	. CONFIG	VALU_ADN	VALU_ADN	-1.29503	-0.78400	0.89745	8	0.39380
58	3	. CONFIG	ONL_INFO	ONL_INFO	-1.40246	-0.50252	0.94539	8	0.12904
41	3	. CONFIG	DEBITCRD	DEBITCRD	-1.63554	-0.30823	0.57898	8	0.52876
84	3	. CONFIG	LAN_ST_A	LAN_ST_A	1.17154	-0.95977	0.83026	9	0.44812
99	3	. CONFIG	DA_NETWK	DA_NETWK	1.21653	-0.94271	0.75794	9	0.40581
71	3	. CONFIG	PROTOK_C	PROTOK_C	1.28415	-0.77455	0.80157	9	0.23175
68	3	. CONFIG	FRNT_EP	FRNT_EP	1.55929	-0.64622	0.14502	9	0.63315
59	3	. CONFIG	X25_CARD	X25_CARD	1.53934	-0.38877	0.37423	9	0.44402
56	3	. CONFIG	MULTIPLX	MULTIPLX	1.44530	-0.29930	0.80484	9	0.28489
52	3	. CONFIG	ISDN_ROU	ISDN_ROU	1.44095	-0.43376	0.76090	9	0.15249
34	3	. CONFIG	LAN_SWIT	LAN_SWIT	1.41098	-0.54132	0.72991	9	0.05159
31	3	. CONFIG	ETHERNET	ETHERNET	1.41004	-0.44387	0.78362	9	0.13577
38	3	. CONFIG	ETHETHUB	ETHETHUB	1.31227	-0.70566	0.83686	9	0.17670
39	3	. CONFIG	LANBRIDG	LANBRIDG	1.32797	-0.68405	0.83045	9	0.15171
40	3	. CONFIG	CAT5CBLE	CAT5CBLE	1.35025	-0.17451	0.99531	9	0.46635
2			ROUTER	ROUTER			1.37318	-0.45092	
0.80626			9	0.13172					
10			ATM_SW	ATM_SW	10	1.30993	-0.48558	0.94888	
9			0.22845						
98	3	. CONFIG	TERM_SRV	TERM_SRV	1.21755	-1.12412	0.40172	10	0.27237
70	3	. CONFIG	WAN_SERV	WAN_SERV	1.13880	-1.26627	0.11634	10	0.05739
66	3	. CONFIG	LAN_SERV	LAN_SERV	1.09606	-1.30475	-0.03638	10	0.21706
97	3	. CONFIG	IVR_SYST	IVR_SYST	-1.32439	-0.41860	-1.12478	11	0.92861
89	3	. CONFIG	CONTEXAU	CONTEXAU	-1.73152	-0.17823	-0.32554	11	0.00000
72	3	. CONFIG	WEBTV_ST	WEBTV_ST	0.66609	1.26990	-0.93463	12	0.39013
54	3	. CONFIG	FAX_MOD	FAX_MOD	1.29386	0.99259	-0.24747	12	0.59100
49	3	. CONFIG	CBLE_CNV	CBLE_CNV	1.34619	0.55466	-0.79195	12	0.70515
28	3	. CONFIG	WRLS_MOD	WRLS_MOD	1.08782	1.17823	-0.44984	12	0.30597
24	3	. CONFIG	SATELLIT	SATELLIT	0.80377	1.44240	-0.41939	12	0.4474
65	3	. CONFIG	AUTCAL_D	AUTCAL_D	-0.34021	1.53149	0.66828	13	1.00611

13	14	PBX	PBX	14	0.66503	1.38892	0.62741
		0.1076					
	16	MOBIL_BS	MOBIL_BS	16	0.61441	1.59080	-0.05824
13		0.67560					
	36	3 . CONFIG PBX_SWIT	PBX_SWIT	0.66485	1.38837	0.62883	13 0.10814
	26	3 . CONFIG COP_CBLE	COP_CBLE	0.91102	1.03774	1.00572	13 0.59394

FASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=14 Maxiter=1

Initial Seeds

Cluster	DIM1	DIM2	DIM3
1	1.09606	-1.30475	-0.03638
2	1.58507	0.21439	0.28332
3	-0.76393	-0.98686	-1.29541
4	0.59667	-0.30515	-1.56225
5	-0.67726	1.36622	-0.66120
6	-0.12041	-1.70876	-0.29479
7	-0.18443	-0.78451	1.45930
8	-1.34577	0.50707	1.01425
9	1.31227	-0.70566	0.83686
10	0.66609	1.26990	-0.93463
11	-1.73152	-0.17823	-0.32554
12	-0.30153	0.17653	-1.72208
13	0.66503	1.38892	0.62741
14	-1.29503	-0.78400	0.89745

Criterion Based on Final Seeds = 0.22618

Cluster Summary

Cluster	Frequency	RMS Std Deviation	Maximum Distance from Seed to Observation
1	3	0.1441	0.2724
2	8	0.2853	0.6858
3	9	0.1633	0.4966
4	2	.	0.1175
5	14	0.1751	0.8492
6	9	0.2594	0.7691
7	4	0.2283	0.5465
8	11	0.2612	1.1110
9	14	0.1951	0.6332
10	5	0.3082	0.7052
11	2	0.3791	0.9286
12	5	0.2338	0.4577
13	5	0.3794	1.0061
14	10	0.2143	0.5288

The SAS System
09:19 Wednesday, November 12, 1997

15

FASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=14 Maxiter=1

Cluster	Nearest Cluster	Distance Between Cluster Centroids
1	9	0.9106
2	9	1.1330
3	6	1.0323
4	12	0.7289
5	10	1.3766
6	3	1.0323
7	14	1.0491
8	14	0.7742
9	1	0.9106
10	2	1.2169
11	3	1.3623
12	4	0.7289
13	2	1.2838
14	8	0.7742

Statistics for Variables

Variable	Total STD	Within STD	R-Squared	RSQ/(1-RSQ)
DIM1	1.023700	0.205627	0.964898	27.488369
DIM2	1.000148	0.251462	0.945086	17.210421
DIM3	0.986704	0.249940	0.944261	16.940686
OVER-ALL	1.003702	0.236521	0.951737	19.719830

Pseudo F Statistic = 131.97
 Approximate Expected Over-All R-Squared = 0.87036
 Cubic Clustering Criterion = 14.347
 WARNING: The two above values are invalid for correlated variables.

The SAS System
 09:19 Wednesday, November 12, 1997

16

FASTCLUS Procedure: Replace=FULL Radius=0 Maxclusters=14 Maxiter=1

Cluster Means

Cluster	DIM1	DIM2	DIM3
1	1.15080	-1.23171	0.16056
2	1.43886	0.52037	0.43118
3	-0.56094	-0.99469	-1.38544
4	0.52885	-0.30515	-1.56225
5	-0.25842	1.50157	-0.76617
6	-0.00885	-1.55881	-0.72011
7	-0.41152	-0.51687	1.52169
8	-1.35676	0.39027	0.95568
9	1.36798	-0.56650	0.74329
10	1.03955	1.08756	-0.56866
11	-1.52795	-0.29841	-0.72516
12	-0.15108	-0.09612	-1.72127
13	0.50302	1.38746	0.57440
14	-1.32968	-0.37954	1.03302

Cluster Standard Deviations

Cluster	DIM1	DIM2	DIM3
1	0.061625	0.095142	0.222370
2	0.130330	0.333411	0.340688
3	0.112674	0.205875	0.158005
4	0.095918	.	.
5	0.221345	0.121833	0.167844
6	0.252747	0.137797	0.344934
7	0.227942	0.319930	0.045973
8	0.100751	0.383103	0.218487
9	0.110192	0.230193	0.221413
10	0.298370	0.339259	0.284320
11	0.287887	0.169972	0.565145
12	0.224710	0.335852	0.025789
13	0.485370	0.214709	0.387574
14	0.180989	0.202597	0.252978

OBS CLUSTER	<u> </u> LABEL DISTANCE	<u> </u> NAME	OBS	DIM1	DIM2	DIM3
	1CRITERION		1	0.46102	.	4
	0.11748					
98 3 .	CONFIG	TERM_SRV TERM_SRV	1.21755	-1.12412	0.40172	1 0.27237
70 3 .	CONFIG	WAN_SERV WAN_SERV	1.13880	-1.26627	0.11634	1 0.05739
66 3 .	CONFIG	LAN_SERV LAN_SERV	1.09606	-1.30475	-0.03638	1 0.21706
75 3 .	CONFIG	MICROWAV MICROWAV	1.30309	0.93138	0.48126	2 0.49918
60 3 .	CONFIG	ISDN_TER ISDN_TER	1.56567	0.19141	0.41220	2 0.28973
47 3 .	CONFIG	FBR_CBLE FBR_CBLE	1.27759	0.32304	1.07188	2 0.68528
45 3 .	CONFIG	ADSL_MOD ADSL_MOD	1.58507	0.21439	0.28332	2 0.31090
33 3 .	CONFIG	CABL_MOD CABL_MOD	1.51076	0.53165	0.31307	2 0.14280
30 3 .	CONFIG	LAN_MOD LAN_MOD	1.54749	0.20553	0.57051	2 0.30636
27 3 .	CONFIG	HS288MOD HS288MOD	1.42294	0.82569	-0.15388	2 0.68583
8	SATELLIT	SATELLIT	8	1.29822	0.93985	
0.47107	2	0.50768				
101 3 .	CONFIG	SMR_ESMR SMR_ESMR	-0.35558	-1.36872	-1.14814	3 0.49664
92 3 .	CONFIG	WEBBROWS WEBBROWS	-0.76393	-0.98686	-1.29541	3 0.20912
86 3 .	CONFIG	PENTASCA PENTASCA	-0.47629	-1.30324	-1.11835	3 0.41873
78 3 .	CONFIG	LOTUS_NO LOTUS_NO	-0.56406	-0.96329	-1.44284	3 0.09421
43 3 .	CONFIG	CC_MAIL CC_MAIL	-0.60675	-0.80137	-1.51012	3 0.23363
44 3 .	CONFIG	FAX_SOFT FAX_SOFT	-0.58205	-0.78018	-1.53241	3 0.26093
19	SMRTTERM	SMRTTERM	19	-0.64128	-0.88970	
-1.46761	3	0.16085				
5	WIN_NT	WIN_NT	5	-0.52926	-0.92951	
-1.47697	3	0.13719				
9	WIN_95	WIN_95	9	-0.52923	-0.92935	
-1.47709	3	0.13735				
69 3 .	CONFIG	NETWK_CM NETWK_CM	0.59667	-0.30515	-1.56225	4 0.06782
81 3 .	CONFIG	TDD TDD	-0.67726	1.36622	-0.66120	5 0.41943
53 3 .	CONFIG	CORDLESS CORDLESS	-0.24875	1.57903	-0.69037	5 0.07899
51 3 .	CONFIG	ANSWERIN ANSWERIN	-0.01392	1.62372	-0.51750	5 0.36563
37 3 .	CONFIG	DIGCELPH DIGCELPH	-0.30068	1.54856	-0.74718	5 0.02637
35 3 .	CONFIG	WIRLESPH WIRLESPH	-0.27308	1.56794	-0.70254	5 0.05217
32 3 .	CONFIG	GPS_HNDH GPS_HNDH	-0.18337	1.49452	-0.91472	5 0.22065
29 3 .	CONFIG	HNDS_FRE HNDS_FRE	-0.30486	1.52749	-0.74961	5 0.02222
15	CELL_ANT	CELL_ANT	15	-0.13675	1.57716	
-0.69695	5	0.17017				
11	FAX	FAX	11	0.24383	1.13376	
-1.25017	5	0.84919				
12	PORT_CB	PORT_CB	12	-0.20287	1.51201	
-0.86156	5	0.16363				

13	CELL_PHO	CELL_PHO	13	-0.25248	1.53595
-0.79465	5	0.07963			
6	NBAND_PG	NBAND_PG	6	-0.51748	1.47359
-0.75909	5	.22948			
7	TELEPHON	TELEPHON	7	-0.25826	1.55111
-0.70474	5	0.05042			
4	PAGERS	PAGERS	4	-0.49196	1.53092
-0.67617	5	0.20193			
94	3 . CONFIG IMUX_INV	IMUX_INV	0.46566	-1.67280	-0.07373 6 0.76906
96	3 . CONFIG ISDN_GRP	ISDN_GRP	-0.12041	-1.70876	-0.29479 6 0.38666
91	3 . CONFIG SYSTEM80	SYSTEM80	-0.05774	-1.56008	-0.85469 6 0.20503
87	3 . CONFIG WIN_FRAM	WIN_FRAM	-0.09724	-1.63294	-0.72500 6 0.10126
88	3 . CONFIG ORCH_MCU	ORCH_MCU	0.09246	-1.61535	-0.72549 6 0.14444
74	3 . CONFIG SYST4000	SYST4000	0.18044	-1.23794	-1.24137 6 0.72079
67	3 . CONFIG MCS	MCS	0.01555	-1.56810	-0.83872 6 0.19243
61	3 . CONFIG Z240_COD	Z240_COD	-0.09160	-1.54048	-0.92685 6 0.28431
57	3 . CONFIG UPS	UPS	-0.46679	-1.49283	-0.80038 6 0.47010
93	3 . CONFIG FRAC_T1	FRAC_T1	-0.30852	-0.52770	1.56460 7 0.1121
83	3 . CONFIG WIREL_WI	WIREL_WI	-0.43653	-0.69111	1.51699 7 0.17609
76	3 . CONFIG FRAME_RE	FRAME_RE	-0.18443	-0.78451	1.45930 7 0.35650
63	3 . CONFIG LEASED_L	LEASED_L	-0.71659	-0.06415	1.54587 7 0.54645
55	3 . CONFIG SATL_TVS	SATL_TVS	-1.34577	0.50707	1.01425 8 0.16289
50	3 . CONFIG INT_SERV	INT_SERV	-1.38605	0.14132	1.08227 8 0.23161
46	3 . CONFIG PAGIN_SR	PAGIN_SR	-1.40391	0.08316	1.08409 8 0.28812
42	3 . CONFIG CEL_SERV	CEL_SERV	-1.39298	0.14121	1.07642 8 0.23052
25	3 . CONFIG CALIDDIS	CALIDDIS	-1.09472	1.24879	0.38548 8 1.11100
22	CALBCK_S	CALBCK_S	22	-1.43177	0.18318
1.02875	8	0.18972			
23	PRPD_CAL	PRPD_CAL	23	-1.41740	0.24203
1.03242	8	0.13528			
20	P_CONSER	P_CONSER	20	-1.42145	0.24443
1.02417	8	.13280	17	PHON_LNG	PHON_LNG 17
-1.39226	0.25028	1.04621	8	0.12378	
18	PHON_LOC	PHON_LOC	18	-1.39225	0.25027
1.04622	8	0.12378			
3	VOICMAIL	VOICMAIL	3	-1.24576	1.00127 0.69224
8	0.72315				
99	3 . CONFIG DA_NETWK	DA_NETWK	1.21653	-0.94271	0.75794 9 0.40581
84	3 . CONFIG LAN_ST_A	LAN_ST_A	1.17154	-0.95977	0.83026 9 0.44812
71	3 . CONFIG PROTOC_C	PROTOC_C	1.28415	-0.77455	0.80157 9 0.23175
68	3 . CONFIG FRNT_EP	FRNT_EP	1.55929	-0.64622	0.14502 9 0.63315
38	3 . CONFIG ETHETHUB	ETHETHUB	1.31227	-0.70566	0.83686 9 0.17670
39	3 . CONFIG LANBRIDG	LANBRIDG	1.32797	-0.68405	0.83045 9 0.15171
40	3 . CONFIG CAT5CBLE	CAT5CBLE	1.35025	-0.17451	0.99531 9 0.46635
34	3 . CONFIG LAN_SWIT	LAN_SWIT	1.41098	-0.54132	0.72991 9 0.05159
31	3 . CONFIG ETHERNET	ETHERNET	1.41004	-0.44387	0.78362 9 0.13577
2	ROUTER	ROUTER	2	1.37318	-0.45092
0.80626	9	0.13172			

10	ATM_SW	ATM_SW	10	1.30993	-0.48558		
0.94888	9	0.22845					
59	3 . CONFIG X25_CARD	X25_CARD	1.53934	-0.38877	0.37423	9	0.44402
56	3 . CONFIG MULTIPLX	MULTIPLX	1.44530	-0.29930	0.80484	9	0.28489
52	3 . CONFIG ISDN_ROU	ISDN_ROU	1.44095	-0.43376	0.76090	9	0.1524
54	3 . CONFIG FAX_MOD	FAX_MOD	1.29386	0.99259	-0.24747	10	0.59100
49	3 . CONFIG CBLE_CNV	CBLE_CNV	1.34619	0.55466	-0.79195	10	0.70515
28	3 . CONFIG WRLS_MOD	WRLS_MOD	1.08782	1.17823	-0.44984	10	0.30597
24	3 . CONFIG SATELLIT	SATELLIT	0.80377	1.44240	-0.41939	10	0.44749
72	3 . CONFIG WEBTV_ST	WEBTV_ST	0.66609	1.26990	-0.93463	10	0.39013
97	3 . CONFIG IVR_SYST	IVR_SYST	-1.32439	-0.41860	-1.12478	11	0.92861
89	3 . CONFIG CONTEXAU	CONTEXAU	-1.73152	-0.17823	-0.32554	11	0.00000
100	3 . CONFIG NEWTON	NEWTON	-0.38162	-0.36371	-1.72763	12	0.35326
90	3 . CONFIG ATONE_BO	ATONE_BO	-0.20920	-0.53545	-1.69438	12	0.44398
79	3 . CONFIG DIGIT_AS	DIGIT_AS	-0.30153	0.17653	-1.72208	12	0.31140
48	3 . CONFIG PALMTOP	PALMTOP	0.18338	0.21570	-1.70195	12	0.4576
21	PC	PC	21	-0.04644	0.02636		
-1.76030	12	0.16575					
65	3 . CONFIG AUTCAL_D	AUTCAL_D	-0.34021	1.53149	0.66828	13	1.00611
36	3 . CONFIG PBX_SWIT	PBX_SWIT	0.66485	1.38837	0.62883	13	0.10814
26	3 . CONFIG COP_CBLE	COP_CBLE	0.91102	1.03774	1.00572	13	0.59394
16	MOBIL_BS	MOBIL_BS	16	0.61441	1.59080		
-0.05824	13	0.67560					
14	PBX	PBX	14	0.66503	1.38892		
0.62741	13	0.10764					
85	3 . CONFIG NETSRV_P	NETSRV_P	-1.14444	-0.44115	1.26033	14	0.32247
82	3 . CONFIG WEB_TV	WEB_TV	-1.44217	-0.18378	1.02615	14	0.24764
80	3 . CONFIG VIDEO_CO	VIDEO_CO	-1.57297	-0.24095	0.68208	14	0.43246
77	3 . CONFIG X25_SERV	X25_SERV	-1.08786	-0.58243	1.23018	14	0.37957
73	3 . CONFIG DATA_SER	DATA_SER	-1.18202	-0.38460	1.24403	14	0.28664
95	3 . CONFIG CABL_SRV	CABL_SRV	-1.25128	-0.12678	1.28606	14	0.40684
64	3 . CONFIG ISDN_SER	ISDN_SER	-1.28300	-0.24094	1.17952	14	0.24767
62	3 . CONFIG VALU_ADN	VALU_ADN	-1.29503	-0.78400	0.89745	14	0.39380
58	3 . CONFIG ONL_INFO	ONL_INFO	-1.40246	-0.50252	0.94539	14	0.12904
41	3 . CONFIG DEBITCRD	DEBITCRD	-1.63554	-0.30823	0.57898	14	0.52876

APPENDIX E: TASK 3 INSTRUCTIONS

Dear:

Please find a few minutes in the next few days to complete the enclosed exercise. This is the last task being asked of experts in the telecommunications field such as yourself for this project. The first two tasks involved listing and grouping telecommunications products, respectively. This final task is, by far, the most important of the three because it draws directly upon your expertise and knowledge to help describe the features of telecommunications products. Product descriptions provided by yourself and other experts will be compiled to create summary product descriptions that can be used by the Bureau of Labor Statistics in its processes to calculate the Consumer Price Index and other price indices.

I want to thank those of you who have completed one or both of the previous two exercises. Now is your chance to finish what you have begun. For those of you who have not yet contributed, now is your chance to help out on this most important task. Please carefully read over the instructions on the enclosed sheet. If you are interested in receiving a copy of the results of this project, please indicate this in the appropriate place on the exercise sheet. Do not hesitate to contact me if you have any questions. Please send back the filled out exercise sheet by XXXX.

Sincerely,

Bruce E. Tonn

DIRECTIONS

Below and on the other side of this sheet are **eight** types of telecommunications products. For each product type, list two specific products of that type (under P1 and P2, respectively). Then, for each product couple {P1 and P2}, indicate what makes products P1 and P2 similar to each other and enter the reasons in the row(s) labeled "S" and then indicate what makes products P1 and P2 different from each other and enter the reasons in the row(s) labeled "D". Feel free to add extra lines for your reasons. Only provide similarity and difference explanations for those product couples that you are familiar with. If you want, please indicate which version of the product you are comparing. Please review the following example before proceeding.

Example Product Description Exercise

Do you want a copy the report that describes the results of this project?

_____ Yes

_____ No

Product Type: Television Game Shows

P1: Jeopardy

P2: Let's Make a Deal

S: Both give away money and prizes.

Both had male hosts.

Both are half-hour shows.

Both have low budget sets and production costs.

D: In P1, the contestants have to be smart; in P2, the contestants have to be outrageously dressed.

In P1, winning is based on knowledge; in P2 winning is based on luck.

<p>1. Product Type: Paging Services</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
--	--

<p>3. Product Type: Web Browsers</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>7. Product Type: Palm Tops</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

APPENDIX F: TASK 3 RAW DATA

<p>1. Product Type: Paging Services</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: Sprint PCS P2: AT&T Cellular_</p> <p>S: small sized, digital _____ _____ _____</p> <p>D: different digital standards. Sprint usable in some areas, AT&T nationally_ _____</p>
<p>3. Product Type: Web Browsers</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>

<p>5. Product Type: Routers</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>
<p>7. Product Type: Palm Tops</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____ _____ _____</p> <p>D: _____ _____ _____</p>

<p>1. Product Type: Paging Services</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>3. Product Type: Web Browsers</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: CISCO 7500 _____ P2: Avici TSR _____</p> <p>S: Both are IP centered _____</p> <p>Both facilitate data networking</p> <p>Bothe support standard routing protocols</p> <p>D: Cisco does forwarding in software, Avici does</p> <p>forwarding in hardware, max. throughput is</p> <p>megabits/sec for Cisco and terabits/sec. for Avici</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

<p>7. Product Type: Palm Tops</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
---	--

<p>1. Product Type: Paging Services</p> <p>P1: Palm Pilot (3Com) P2: Bravo (Motorola)</p> <p>S: Alpha numeric paging _____</p> <p>Two-way paging functions _____</p> <p>_____</p> <p>D: P1 combines telephone lists and storage</p> <p>P1 synchronizes telephone books with PC</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
--	---

<p>3. Product Type: Web Browsers</p> <p>P1: Netscape_____ P2: IE (Microsoft)_____</p> <p>S: http browser_____</p> <p>store favorite sites_____</p> <p>_____</p> <p>D: P2 takes up significant disk space_____</p> <p>P1 is a more intuitive interface_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: 3COM Netbuilder P2: Cisco 2501_____</p> <p>S: packet forwarding_____</p> <p>LAN + WAN interface options_____</p> <p>_____</p> <p>D: P2 is complex to configure_____</p> <p>P2 software + cable options are to complex</p> <p>P2 is intimidating to order or configure</p>	<p>6. Product Type: Lan Modems</p> <p>P1: Ascend Pipeline P2: 3Com OC DA_____</p> <p>S: Economical internet or large net connection</p> <p>small LAN to internet_____</p> <p>_____</p> <p>D: P1 has difficult command_____</p> <p>P2 has graphical interface_____</p> <p>_____</p>
<p>7. Product Type: Palm Tops</p> <p>P1: Palm Pilot 3Com P2: Casio_____</p> <p>S: Compact storage/entry of user data</p> <p>light weight, hand writing input_____</p> <p>_____</p> <p>D: P1 fits in shirt pocket_____</p> <p>P1 integrates e-mail and pager_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: UUNet Extralink P2: Compuserve_____</p> <p>S: Site-to-site connectivity_____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

<p>1. Product Type: Paging Services</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>3. Product Type: Web Browsers</p> <p>P1: Microsoft _____ P2: Netscape _____</p> <p>S: Both allow display of web pages from a server. _____</p> <p>_____</p> <p>D: P1 is bundled into the operating system, P2 must be added in. _____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: CISCO _____ P2: IBM _____</p> <p>S: Both look at network IDs and forward packets toward destination _____</p> <p>_____</p> <p>D: P1 uses proprietary mechanism, P2 uses open, standard methods _____</p> <p>_____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____ P2: _____</p> <p>S: I do not know what a LAN modem is. Don't think this a valid category.</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

<p>7. Product Type: Palm Tops</p> <p>P1: 3M/USRobotics__ P2: SEICO__</p> <p>S: Manage calendars and contacts__</p> <p>_____</p> <p>_____</p> <p>D: P1 has much more power__</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: IBM Global__ P2:AT&T__</p> <p>S: Both allow private transactions over a public network__</p> <p>_____</p> <p>D: P1 has much greater worldwide presence</p> <p>_____</p> <p>_____</p>
--	---

<p>1. Product Type: Paging Services</p> <p>P1: Pagenet__ P2: Skytel__</p> <p>S: Don't know details of paging__</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1:____ P2:_____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
---	--

<p>3. Product Type: Web Browsers</p> <p>P1: Navigator_____ P2: IIE_____</p> <p>S: similar look_____</p> <p>similar response times_____</p> <p>_____</p> <p>D: more value add for Navigator_____</p> <p>_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: Lucent ???_____ P2: Nortel Meridian</p> <p>S: similar features_____</p> <p>_____</p> <p>_____</p> <p>D: voice mail flow_____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: CISCO_____ P2: Bay_____</p> <p>S: OJPF_____</p> <p>Reports_____</p> <p>_____</p> <p>D: IGRP_____</p> <p>Network management_____</p> <p>_____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: USRobotics_____ P2: Gobal Village</p> <p>S: similar look and feel_____</p> <p>Ease of use_____</p> <p>_____</p> <p>D: different modulation_____</p> <p>Apple vs. Intel_____</p> <p>_____</p>
<p>7. Product Type: Palm Tops</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

<p>1. Product Type: Paging Services</p> <p>P1: beeper_____ P2: Text message_____</p> <p>S: Both send limited information_____</p> <p>Both send text_____</p> <p>_____</p> <p>D: P1 is more limited in terms of amount of text</p> <p>P2 sometimes allows return message_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: single phone___ P2: integrated system</p> <p>S: Both allow 2-way voice conversations</p> <p>_____</p> <p>_____</p> <p>D: P2 is integrated with office phone, staffed</p> <p>Answering, and voice mail_____</p> <p>_____</p>
<p>3. Product Type: Web Browsers</p> <p>P1: Netscape_____ P2: IE _____</p> <p>S: both provide access to web_____</p> <p>_____</p> <p>_____</p> <p>D: IE is part of a manipulative corporate_</p> <p>Empire, Netscape is still trying_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

<p>7. Product Type: Palm Tops</p> <p>P1: Palm Pilot_____ P2: Newton_____</p> <p>S: Both are portable</p> <p>light weight, hand writing input_</p> <p>_____</p> <p>D: Newton is being discontinued_____</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
---	--

<p>1. Product Type: Paging Services</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>2. Product Type: Digital Cell Phones</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
---	---

<p>3. Product Type: Web Browsers</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>4. Product Type: PBX systems</p> <p>P1: Lucent Destiny_ P2: Nortel Meridian</p> <p>S: ~ 480 talkslots, distributed processing architecture, full feature display phones</p> <p>_____</p> <p>D: Lucent TDMBus for suites; Nortel cross Matrix for suite _____</p> <p>_____</p>
<p>5. Product Type: Routers</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>6. Product Type: Lan Modems</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>
<p>7. Product Type: Palm Tops</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>	<p>8. Product Type: Value-Added Networks</p> <p>P1: _____ P2: _____</p> <p>S: _____</p> <p>_____</p> <p>_____</p> <p>D: _____</p> <p>_____</p> <p>_____</p>

APPENDIX G: DRAFT PRODUCT DESCRIPTIONS

1. Product Type: Paging Services

Example Products: Palm Pilot (3Com), Bravo (Motorola)

COMMUNICATIONS CAPABILITIES

1. One-way paging functions
2. Two-way paging functions

TYPES OF DATA COMMUNICATED

1. Alpha numeric paging

PAGING SERVICES

1. Beeper only
2. Beeper and limited text messages
3. Beeper and extensive text messages

COMPLEMENTARY FEATURES

1. Combines telephone lists and storage
2. Synchronizes telephone books with PC

2. Product Type: Digital Cell Phones

Example Products: Sprint PCS, AT&T Cellular

TYPE OF COMMUNICATION

1. Analogue
2. Digital

SCOPE OF SERVICE

1. Limited coverage
2. National coverage

PRODUCT DESIGN

1. Small size
2. Larger size

COMMUNICATION STANDARDS

1. Different digital standards
2. Sprint usable

COMPLEMENTARY FEATURES

1. Single phone
2. Integrated office system
3. Integrated with answering and voice mail services

3. Product Type: Web Browsers

Example Products: Navigator (Netscape), Internet Explorer (Microsoft)

ACCESSIBILITY OF SOFTWARE TO USERS

1. Bundled into the operating system
2. Must be added in

USER FRIENDLINESS

1. User friendly interface
2. Experience needed to use product

FUNCTIONALITY

1. Extensive functionality
2. Added value

TECHNICAL QUALITY

1. Response time
2. Disk space requirements

PRODUCT SUPPORT

1. Large company product
2. Small company product

4. Product Type: PBX systems

Example Products: Lucent Destiny, Nortel Meridian

TECHNICAL FEATURES

1. ~ 480 talkslots
2. Distributed processing architecture
3. Full feature display phones
4. Voice mail flow

TECHNICAL APPROACH

1. TDMBus for suites
2. Cross matrix for suites

5. Product Type: Routers

Example Products: CISCO 7500, Cisco 2501, Avici TSR, 3COM Netbuilder, Bay, IBM

PACKET FORWARDING APPROACH

1. Forwarding in software
2. Forwarding in hardware

DATA TRANSFER SPEEDS

1. Megabits/sec
2. Terabits/sec

PRODUCT COMPLEXITY

1. Straightforward to configure
2. Complex to configure
3. Intimidating to order
4. Software + cable options are to complex

INTEROPERABILITY

1. Uses open standards and methods
2. Uses proprietary mechanisms

OTHER FEATURES

1. IP centered
2. Facilitates data networking
3. Support standard routing protocols
4. LAN + WAN interface options
5. OJPF
6. IGRP
7. Network management
8. Reports

6. Product Type: Lan Modems

Example Products: Ascend Pipeline, 3Com OC DA, USRobotics, Global Village

CONNECTIVITY

1. Large net connection
2. Small LAN to internet
3. Economical internet

EASE OF USE

1. Difficult command language
2. Graphical interface
3. Look and feel

TECHNICAL FEATURES

1. Modulation approach

7. Product Type: Palm Tops

Example Products: Palm Pilot 3Com, Casio, 3M/USRobotics, SEICO

PRODUCT DESIGN

1. Fits in shirt pocket
2. Light weight

DATA ENTRY FEATURES

1. Compact storage/entry of user data
2. Hand writing input

COMPLEMENTARY FEATURES

1. Integrates e-mail and pager
2. Manage calendars and contacts

PROCESSING CAPABILITIES

1. Has much more power

8. Product Type: Value-Added Networks

Example Products: UUNet Extralink, Compuserve , IBM Global, AT&T

TECHNICAL FEATURES

1. Site-to-site connectivity
2. Allows private transactions over a public network

SCOPE OF SERVICE

1. Worldwide presence

INTERNAL DISTRIBUTION

1. J. B. Cannon	8. R. B. Shelton
2. S. Carnes	9. B. E. Tonn
3. G. E. Courville	10. Central Research Library
4. T. R. Curlee	11. Document Reference Section
5. S. G. Hildebrand	12. Laboratory Records
6. R. Lee	13. Laboratory Records - RC
7. C. I. Moser	

EXTERNAL DISTRIBUTION

14. Dr. Lilia A. Abron, President, PEER Consultants, P.C., 1460 Gulf Blvd., 11th Floor, Clearwater, FL 34630.
15. Fred Conrad, Bureau of Labor Statistics, Room 4930, Two Massachusetts Avenue, NE, Washington, DC 20212.
16. Dr. Susan L. Cutter, Department of Geography, University of South Carolina, Columbia, SC 29208.
17. Mr. P. Richard Rittelmann, FAIA, Executive Vice President, Burt Hill Kosar Rittelmann Associates, 400 Morgan Center, Butler, PA 16001-5977.
18. Dr. Susan F. Tierney, The Economic Resource Group, Inc., One Mifflin Place, Cambridge, MA 02138.
19. Dr. C. Michael Walton, Department of Civil Engineering, College of Engineering, The University of Texas at Austin, Cockrell Hall, Suite 4.2, Austin, TX 78712.
20. Office of Scientific and Technical Information, U.S. Department of Energy, P.O. Box 62, Oak Ridge, TN 37831.