DE-FG02-99ER62850

Principal Investigator: Carol Bult 207-288-6324

Institution: The Jackson Laboratory

Title: Informatics for Mouse-Human Comparative Genomics

SC Division: SC-72

Program Manager: John C. Houghton 301-903-8288

Research Areas: Genome Informatics

Final Technical Report

December 1, 2003

The publication of the human and mouse genome sequences represents a significant landmark in the biological sciences. These resources (along with the genomes of other organisms) will serve as the platform for comparative and systems biology for decades to come. Numerous informatics groups, including the Sanger Institute/European Bioinformatics Institute (EBI), the National Center for Biotechnology Information (NCBI), and the Genome Annotation Consortium at Oak Ridge National Laboratory (ORNL), have developed impressive computational capacities and infrastructures to accomplish this goal. **What makes computationally derived gene models useful to the scientific community in the long run, however, is their integration with information on expression patterns, homology, functional annotation, and associations with phenotype.**

The primary goal of the DOE-funded Mouse Genome Sequence (MGS) project was to build the database infrastructure to integrate biological sequence and biology in the laboratory mouse with an eye toward facilitating the comparison of mouse and human genomes. **The three major objectives of the Mouse Genome Sequence project were met as planned or exceeded.** The overall progress for each of the specific aims is summarized briefly below.

***Specific Aim 1.** Develop a data annotation and integration system for connecting the emerging mouse BAC sequence data from C57BL/6J with existing biological knowledgebases.*

A flexible, extensible software system for sequence analysis, annotation and integration was developed to support the integration of sequence data with the biological knowledge available for the laboratory mouse and mouse genes represented in the Mouse Genome Informatics database (<http://www.informatics.jax.org>). This system, called MASS for Mouse Annotation Sequence System, is outlined briefly below.

Functional Goal 1: Data acquisition

The MASS system automatically detects finished BAC sequences for C57BL/6J in the GenBank daily cumulative update on a daily basis using a software product called the “Listener” and notifies the MGS staff when new data relevant to MGS goals are available.

Functional Goal 2: Genome sequence curation status tracking

The sequence annotation/curation system registers all of the sequences detected by the Listener with a Work Tracking System by creating a tracking record for each unique sequence. The tracking record stores information about the sequence (GenBank accession id, sequence version, etc.) and its annotation status. There is a web interface for the Work Tracking System that supports queries of the tracking records by such criteria as the annotation state of the sequences, the curator responsible for the analysis, etc. During the registration process, the system checks to see if a sequence is already registered and retrieves the most recent version (unless another version has been specified by the curator).

When a curator begins annotation of a BAC sequence, he/she “signs out” the tracking record to prevent other curators from annotating the same sequence. The annotation status of the sequence is changed and the curator’s name is appended to the tracking record. Upon “sign out”, the MASS system checks the mouse gene nomenclature and MGI databases to see if there are any genes already known to be associated with the BAC sequence and records this fact in the tracking record. Upon completion of the annotation process, the curator manually changes the status of a tracking record to “done” and migrates the results of the sequence annotation process to the MGI database.

Functional Goal 3: Baseline sequence analysis

A modular, configurable sequence analysis pipeline was implemented that runs a suite of computational tools and database searches to assist with gene finding and with data integration into the Mouse Genome Informatics (MGI) database. The pipeline has a default analysis mode that includes all of the analysis programs in the pipeline. However, it also can be configured to run only user specified analysis programs. New databases or analysis programs can easily be added to this pipeline. If a sequence obtained from GenBank already has annotations in the Feature Table, this information is parsed from the GenBank record and included as a separate line of evidence in the analysis pipeline visualization tool (CloneCurator) that is described below. The primary goal of the pipeline is not as a large-scale gene prediction pipeline. Rather it serves as a graphical editorial interface that allows curators to evaluate predicted genes to see if they are genomic representations of previously known genes or are potentially novel genes in the MGI database.

Functional Goal 4: Sequence Data Integration with the MGI database

Following the evaluation of the MASS pipeline output, curators focus on determining if a gene identified on a BAC clone for C57Bl/6J represents a novel gene or if it is a genomic representative of a gene already known in the MGI database. If a gene is determined to be equivalent to an already known gene, a sequence-to-gene association is recorded in MGI. Although there may be subsequent refinements to the gene model or to the underlying gene sequence, the gene to sequence association is stable unless additional evidence is found that shows that this association is incorrect.

If a gene is determined by a curator to be novel (either new to science or new to the MGI database), the gene is subjected to the standard curatorial workflow for all new genes submitted to MGI (i.e., reviews for nomenclature, homology, and functional annotation). This process worked well as a migration path for getting the results of MGS curation into the MGI database. A drawback is that much of the data entry is manual because the original process was intended mostly for new genes described in the scientific literature, not from a sequence analysis pipeline. Manual data entry has not proved to be a bottleneck so far. However in the renewal period we propose to write software to automate some of the MGS-to-MGI data migration.

Specific Aim 2. Develop a Web-based interface to support public access to the results of sequence integration.

The Mouse Genome Informatics Web site is hosted at The Jackson Laboratory (<http://www.informatics.jax.org>) and is the primary vehicle for delivery of the results of the MGS project to the scientific community. The MGI Web site typically received over 28,000 requests per day.

Prior to the formation of the MGS project, there was no mechanism in place for sequence-based access to the information in the Mouse Genome Informatics (MGI) database. Early in the MGS project period we implemented a publicly accessible BLAST server that allows users to query MGI by nucleotide or protein sequence similarity. In addition to the standard BLAST output showing pairwise alignments of high scoring pairs (HSPs), the MouseBLAST resource provides hypertext links to the MGI Gene Detail Pages for those genes in the public sequence databases that have a curated association with a gene object in the MGI database. MouseBLAST is more than a simple sequence similarity server, rather it combines sequence similarity with database queries to provide users with easy access to the rich biological knowledge associated with the genes that the sequence queries represent.

To encourage feedback from the scientific community, a “Your Input Welcome” button was placed on the MGI Gene Detail Page (this is the web page that summarizes all of the available information about a particular gene in the database). When a database user mouse clicks the button she/he is presented with a pre-formatted email that is routed directly to a curator for action. MGI curators currently get feedback from an average of 4 to 5 users per week using this mechanism. Most of the requests relate to questions or suggestions regarding functional gene annotation terms, references, and allele representations.

Specific Aim 3. Work cooperatively with other informatics groups and resources on the annotation of the mouse genome.

We had originally envisioned a coordinated effort between MGS staff and sequencing centers for annotation of BAC clones for the mouse. However, when the strategy for sequencing the mouse genome shifted to a whole genome shotgun sequence we instead

focused our attention on working relationships with other informatics groups involved in genome annotation. During the prior funding period we established relationships with a number of informatics groups that involve exchange of data and/or co-curation of sequence data. As of now, cooperative relationships are in place with the Sanger Institute (ENSEMBL), University of California at Santa Cruz (Human Genome Browser), NCBI (LocusLink/RefSeq), Lawrence Berkeley National Laboratory (VISTA) and Oak Ridge National Laboratory (Genome Channel).

Our collaboration with NCBI's LocusLink/RefSeq involves providing LocusLink curators with official gene nomenclature for mouse genes, curated sequence-to-gene associations, mapping data, and functional annotation (GO terms). Curators from MGS, MGD, and LocusLink work on a daily basis to update and refine sequence-to-gene associations and to identify transcript sequences for the RefSeq resource. MGS provides the University of California at Santa Cruz curated mouse-human homology assertions that are, in turn, incorporated into the UCSC Human Genome Browser. We have a collaboration with Lawrence Berkeley National Laboratory to provide links between their VISTA generated mouse-human genome sequence alignments and the mouse gene representations in MGI. Finally MGS is currently providing ENSEMBL and the Genome Channel with files of curated sequence-to-gene associations to use as a means to link the predicted gene models for known genes in their respective annotation views directly to the data in MGI.

Presentations and Publications related to the Project

Publications:

Bult CJ, JE Richardson, JA Blake, JA Kadin, M Ringwald, JT Eppig, et al. 2000. Mouse genome informatics in a new age of biological inquiry. *Proceedings of the IEEE International Symposium on Bio-Informatics and Biomedical Engineering*, Washington, D.C., November 8-10, pp 29-32.

The RIKEN Genome Exploration Research Group Phase II Team and the FANTOM Consortium. 2001. Functional annotation of a full-length mouse cDNA collection. *Nature* 409:685-690. (Note: Because of the large number of international collaborators, it was not possible to list all of the contributing funding agencies in this manuscript even though a specific acknowledgement of DOE was requested.)

Peterson KA, BL King, A Hagge-Greenberg, JJ Roix, CJ Bult, and TP O'Brien. 2002. Functional and comparative genomic analysis of the piebald deletion region of mouse chromosome 14. *Genomics* 80:172-184.

The FANTOM Consortium and the RIKEN Genome Exploration Research Group Phase I & II Team. 2002. Analysis of the mouse transcriptome based upon functional annotation of 60,770 full length cDNAs. *Nature* 420: 563-573. (Note: Because of the large number of international collaborators, it was not possible to list all of the contributing funding agencies in this manuscript even though a specific acknowledgement of DOE was requested.)

Bult CJ 2002. Data integration standards in model organisms: from genotype to phenotype in the laboratory mouse. *Targets/Drug Discovery Today* 1:163-168.

Blake JA, Richardson JE, Bult CJ, Kadin JA, Eppig JT and the Mouse Genome Database Group. 2002. The Mouse Genome Database (MGD): The Model Organism Database for the Laboratory Mouse. *Nucl Acids Res* 30: 113-115.

Zhu Y, BL King, B Parvizi, B Brunks, C Stoeckert, J Quackenbush, J Richardson, and CJ Bult. 2003. Integrating computationally assembled mouse transcript sequences with the Mouse Genome Informatics (MGI) database. *Genome Biology*, 4: R16.

Blake JA, Eppig JT, Bult CJ. "Mouse and Rat Genome Informatics". In: *Genetic Bioinformatics: A Bioinformatics Guide for the Geneticists* (Barnes M , Gray IC, eds). John Wiley and Sons (London), pps. 119-142.

Baldarelli RM, DP Hill, JA Blake, J Adachi, M Furuno, D Bradt, LE Corbani, S Cousins, KS Frazer, D. Qi., L Yang, S Ramachandran, D Reed, Y Zhu, T Kasukawa, M Ringwald, BL King, LJ Maltais, LM McKenzie, L Schriml, D Maglott, D Church, K Pruitt, Y Okazaki, Y Hayashizaki, JT Eppig, JE Richardson, JA Kadin, CJ Bult. Connecting sequence and biology in the laboratory mouse. *Genome Research*, in press.

Platform presentations:

- Genome Informatics, Hinxton UK, 2002
- Advances in Genome Biology and Technology, Marco Island, Florida, 2002
- Genome Sequence and Analysis Conference, Miami, Florida, 2001
- Genome Informatics, Hinxton, UK, 2001
- 15th International Mouse Genome Conference, Edinburgh, Scotland, 2001
- 8th DOE Contractors and Grantees Meeting, Santa Fe, NM, 2000
- IEEE International Symposium on Bio-Informatics and Biomedical Engineering, Washington, DC, 2000
- XIIIth International Workshop on Genetic Systems in the Rat, Gothenburg, Sweden, 2000
- 13th International Mouse Genome Conference, Philadelphia, PA, 1999.
- 3rd Annual Conference on Computational Genomics, Baltimore, MD, 1999.

Summary

The results of the DOE-funded MGS project include a significant enhancement in the capacity of the community to connect biological knowledge with the mouse genome sequence in a comparative context. The resources developed as the result of the activities of the MGS project staff are used extensively by both individual researchers and other informatics groups.