Sta 5
DEC 09 1999

12

ENGINEERING DATA TRANSMITTAL

Page 1 of 1
1. EDT 628055

2. To: (Receiving Organization) Distribution		3. From: (Originating Organization) 222-S Laboratory		4. Related EDT No.: - N/A	
5. Proj./Prog./Dept./Div.: Tank 241-AP-103 Liquid Grab Waste/Grab Management/PPC/FDH		6. Design Authority/ Design Agent/Cog. Engr.: Kevin E. Bell		7. Purchase Order No.: N/A	
8. Originator Remarks: This document is being released into the supporting document system for retrievability purposes.				9. Equip./Component No.: N/A	
11. Receiver Remarks: For release. 11A. Design Baseline Document? ☐ Yes ☒ No				10. System/Bldg./Facility: 241-AP-103	
				12. Major Assm. Dwg. No.: N/A	
				13. Permit/Permit Application No.: N/A	
14. Required Response Date: 12/09/99					

15. DATA TRANSMITTED					(F)	(G)	(H)	(I)
(A) Item No.	(B) Document/Drawing No.	(C) Sheet No.	(D) Rev. No.	(E) Title or Description of Data Transmitted	Approval Designator	Reason for Transmittal	Originator Disposition	Receiver Disposition
1	HNF-1683	N/A	0	Tank 241 AP-103, August 1999 Compatibility Grab Samples, Analytical Results for the Final Report	Q	2	1	1

16. KEY		
Approval Designator (F)	Reason for Transmittal (G)	Disposition (H) & (I)
E, S, Q, D or N/A (see WHC-CM-3-5, Sec.12.7)	1. Approval 4. Review 2. Release 5. Post-Review 3. Information 6. Dist. (Receipt Acknow. Required)	1. Approved 4. Reviewed no/comment 2. Approved w/comment 5. Reviewed w/comment 3. Disapproved w/comment 6. Receipt acknowledge

17. SIGNATURE/DISTRIBUTION (See Approval Designator for required signatures)									
(G) Reason	(H) Dis p.	(J) Name	(K) Signature (M) MSIN	(L) Date	(G) Reason	(H) Dis p.	(J) Name	(K) Signature (M) MSIN	(L) Date
		Design Authority							
		Design Agent							
2	1	Cog.Eng. K. E. Bell	<i>Kevin E. Bell</i>	12/9/99	T6-12				
2	1	Cog. Mgr. L. L. Lockrem	<i>L. L. Lockrem</i>	12/9/99	T6-07				
2	1	QA T. L. Tung	<i>T. L. Tung</i>	12/9/99	T6-12				
		Safety							
		Env.							

18. <i>Jose Diaz</i> L. A. Diaz Signature of EDT Date 12/19/99 Originator		19. N/A Authorized Representative Date for Receiving Organization		20. <i>L. L. Lockrem</i> L. L. Lockrem Design Authority Date Cognizant Manager		21. DOE APPROVAL (if required) Ctrl. No. ☐ Approved ☐ Approved w/comments ☐ Disapproved w/comments	
---	--	--	--	--	--	---	--

2 Tank 241-AP-103, August 1999 Compatibility Grab Samples, Analytical Results for the Final Report

Kevin E. Bell

Fluor Daniel Hanford, Inc., Richland, WA 99352
U.S. Department of Energy Contract DE-AC06-96RL13200

EDT/ECN: EDT-628055 UC: 2070
Org Code: 31100 Charge Code: 103429/EJ00
B&R Code: EW 3120074 Total Pages: 334

Key Words: Tank-241-AP-103 AP Farm, AP-103, 241-AP-103 Tank
Characterization, Grab, Liquid Grab, Analytical Results, Final Report

Abstract: N/A

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: Document Control Services, P.O. Box 950, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

12/9/99
Release Approval Date

Approved for Public Release

HNF-1683 REV. 0

222-S LABORATORY

**TANK 241-AP-103, AUGUST 1999 COMPATIBILITY
GRAB SAMPLES,
ANALYTICAL RESULTS FOR THE FINAL REPORT**

Project Coordinator: Kevin Bell

**Prepared for the U.S. Department of Energy
Office of Environmental Restoration
and Waste Management**

by

**222-S Laboratory
Fluor Daniel Hanford, Inc.
P.O. Box 1000
Richland, Washington**

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

Narrative	1
AP-103 Sample Breakdown (Attachment 1)	12
Chain of Custody (Attachment 2)	17
Sample Data Summary (Attachment 3)	22
Sample Handling	27
Breakdown Worklist # 30784 (1382, 1383, 1384)	29
Inorganic Analysis	31
Differential Scanning Calorimetry (DSC)	
DSC Worklist # 30803 (1385, 1386)	33
DSC Worklist # 30804 (1387)	40
DSC Worklist # 30904 (1385, 1386, 1387)	44
Thermogravimetric Analysis (TGA)	
TGA Worklist # 30805 (1385, 1386)	45
TGA Worklist # 30806 (1387)	52
Specific Gravity Analysis (SpG)	
SpG Worklist # 30807 (1385, 1386, 1387)	56
pH Analysis	
pH Worklist # 30813 (1385, 1386, 1387)	64
Hydroxide Analysis (OH)	
OH Worklist # 30812 (1385, 1386, 1387)	65
Ammonia Analysis (NH ₃)	
NH ₃ Worklist # 30810 (1386)	77
NH ₃ Worklist # 30811 (1385, 1387)	91
Ion Chromatographic Analysis (IC)	
IC Worklist # 30808 (1388, 1389)	107
IC Worklist # 30809 (1390)	118
IC Worklist # 31261 (1390)	126
Inductively Coupled Plasma Analysis (ICP)	
ICP Worklist # 30865 (1388, 1389, 1390)	134
Inductive Coupled Plasma / Mass Spectrometer (ICP/MS)	
ICP/MS Worklist # 31034 (1385, 1386, 1387)	141

TABLE OF CONTENTS (Continued)

Total Inorganic Carbon/Total Organic Carbon Analysis (TICTOC)	
TICTOC Worklist # 30801 (1388, 1389, 1390)	161
Radiochemical Analysis	195
Total Alpha Analysis (AT)	
AT Worklist # 30814 (1388, 1389, 1390)	197
Gamma Energy Analysis (GEA)	
GEA Worklist # 30816 (1388, 1389, 1390)	208
Strontium 90 Analysis (Sr90)	
Sr90 Worklist # 30906 (1388, 1389, 1390)	245
Americium 241 Analysis (Am241)	
Am241 Worklist # 30815 (1388, 1389, 1390)	255
Plutonium 239 Analysis (Pu239)	
Pu239 Worklist # 30817 (1388, 1389, 1390)	290
Opportunistic Analyte Results (Appendix A)	325
This document consists of pages 1 to 329. Pages ii, 2, 13, 23, 28, 32, 196 and 326 were intentionally left blank.	

TRADEMARKS:

Perkin-Elmer is a Registered Trademark of Research and Manufacturing Company, Inc.

Dionex is a Trademark of Dionex Corporation.

HNF-1683 REV. 0

NARRATIVE

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

222-S LABORATORY

TANK 241-AP-103, AUGUST 1999 COMPATIBILITY GRAB SAMPLES,
ANALYTICAL RESULTS FOR THE FINAL REPORT

1.0 INTRODUCTION

This document is the format IV, final report for the tank 241-AP-103 (AP-103) grab samples taken in August 1999 to address waste compatibility concerns. Chemical, radiochemical, and physical analyses on the tank AP-103 samples were performed as directed in *Compatibility Grab Sampling and Analysis Plan for Fiscal Year 1999* (Sasaki 1999a). Any deviations from the instructions provided in the tank sampling and analysis plan (TSAP) were discussed in this narrative. No notification limits were exceeded.

2.0 SAMPLE RECEIVING AND APPEARANCE

Three liquid grab samples were taken from riser 002 of tank AP-103 in August 1999 by the River Protection Project per revision 0-D of the TSAP (Sasaki 1999b) and delivered to the 222-S Laboratory. No field or trip blank samples were delivered to the laboratory. Sampling and appearance information for each sample is provided in Table 1. Sampling depths were obtained from field data sheets and varied slightly from the depths requested in the TSAP. Table 2 provides sample number information and the analytical disposition of each sample. The tank supernate samples were loaded into the 222-S Laboratory 11A hot cells where they were subsampled. Sample breakdown diagrams included as Attachment 1 show how each sample was subsampled.

Table 1. Sampling and Appearance Information for Tank AP-103 Grab Samples.

Sample Number	Date Sampled (m/d/y)	Date Received (m/d/y)	Sampling Depth ¹ (ft. - in.)	Settled Solids (%)	Sample Description
3AP-99-1	8/12/99	8/13/99	49 - 10	< 1	Clear, amber liquid. No organic layer was observed.
3AP-99-2	8/12/99	8/13/99	51 - 10	< 1	Clear, amber liquid. No organic layer was observed.
3AP-99-3	8/12/99	8/13/99	55 - 2	< 1	Clear, amber liquid. No organic layer was observed.

¹ Measured as the cable length from top of riser to mouth of sample bottle.

Table 2. Tank AP-103 Sample and Analysis Information.

Customer Sample Number	Lab. Sample Number	Sample Type	Analyses
3AP-99-1	S99T001382	Tank Supernate Parent	Appearance Information
3AP-99-1	S99T001385	Tank Supernate Subsample	Inorganic
3AP-99-1	S99T001388	Tank Supernate Subsample	Inorganic & Radiochemical
3AP-99-2	S99T001383	Tank Supernate Parent	Appearance Information
3AP-99-2	S99T001386	Tank Supernate Subsample	Inorganic
3AP-99-2	S99T001389	Tank Supernate Subsample	Inorganic & Radiochemical
3AP-99-3	S99T001384	Tank Supernate Parent	Appearance Information
3AP-99-3	S99T001387	Tank Supernate Subsample	Inorganic
3AP-99-3	S99T001390	Tank Supernate Subsample	Inorganic & Radiochemical

3.0 SAMPLE HANDLING

Copies of the chain-of-custody forms accompanying the samples are provided as Attachment 2. All three samples were clear and were allowed to stand three days before they were subsampled, therefore they were neither centrifuged nor filtered. Subsampling was performed using a pipette rather than by decantation so as not to disturb any settled solids.

4.0 ANALYSIS REQUIREMENTS

Analyses required by the TSAP (Sasaki 1999a) are presented in Table 3. Results of all requested analytes are reported in the data summary tables as Attachment 3. Some of the analytical methods reported results that were not specifically requested. Those analyte results were opportunistic and are reported in Appendix A. Quality control (QC) parameters for opportunistic results were not evaluated. The second column in the data tables is labeled "A#". This indicates the type of sample preparation performed before analysis. A "D" in column 2 indicates that an acid dilution was performed. No letter designation in the column indicates that the sample was analyzed directly or following dilution with water.

The QC criteria associated with an analysis varied depending on the analysis. The laboratory quality assurance plan (Markel 1999), Table 3-1 of revision 0-B of the TSAP (Sasaki 1999a), and Table 4-1 of revision 0 of the TSAP (Sasaki 1999c) were used in determining whether the QC results were acceptable. All sample analyses were performed in duplicate or triplicate.

5.0 ANALYTICAL RESULTS DISCUSSION BY TEST

Each analysis was discussed in the inorganic or radiochemical section of this narrative. No analysis exceeded its notification limit. Analysis for acetone was not performed. The TSAP

indicated that this analysis was not required on all samples. It was not clear if analysis for acetone was required on any of the AP-103 samples. Analyses will be performed at the customer's request.

Table 3. Tank AP-103 Required Analytes and Analytical Procedures Used.

Method	Required Analyte	Analytical Procedure
Visual	Organic Layer, Settled Solids	LA-519-151, Rev. G-0
Differential Scanning Calorimetry	Reaction Exotherm	LA-514-114, Rev. D-2
Differential Scanning Calorimetry	Reaction Exotherm (Dry-Weight)	LA-514-114, Rev. D-2
Thermogravimetric Analysis	Percent Water	LA-514-114, Rev. D-2
Gravimetry	Specific Gravity	LA-510-112, Rev. E-0
Oxidation/Coulometry	Total Organic Carbon	LA-342-100, Rev. F-3
Coulometry	Total Inorganic Carbon	LA-342-100, Rev. F-3
Hydrogen Ion Electrode	pH	LA-212-106, Rev. C-5
Titration	Hydroxide	LA-211-102, Rev. D-1
Ammonia Electrode	Ammonia	LA-631-001, Rev. D-0
Ion Chromatography ¹	Cl ⁻ , F ⁻ , NO ₂ ⁻ , NO ₃ ⁻ , SO ₄ ²⁻ , PO ₄ ³⁻	LA-533-105, Rev. F-1
Inductively Coupled Plasma ¹	Al, Na, Fe, Mn, Ni, Cr, Zr	LA-505-161, Rev. C-4
ICP/Mass Spectroscopy	Uranium Isotopics	LA-506-101, Rev. A-1
Alpha Counting	Total Alpha Activity	LA-508-101, Rev. G-0
Separation/Beta Counting	⁹⁰ Sr	LA-220-101, Rev. E-4
Gamma Energy Analysis ¹	¹³⁷ Cs	LA-548-121, Rev. F-0
Separation/Alpha Energy Analysis ¹	^{239/240} Pu, ²⁴¹ Am	LA-953-104, Rev. B-1

¹ Method provides opportunistic data.

5.1 INORGANIC ANALYSES

5.1.1 Ammonia by Ion-Specific Electrode (ISE)

Ammonia was measured on each supernate sample using an ammonia-specific electrode. No ammonia was detected in any of the samples. The detection limit was 250 µg/mL, well below the 5,000 µg/mL Notification Limit. All QC requirements were met.

5.1.2 Differential Scanning Calorimetry (DSC)

The supernate samples were analyzed by DSC. Heat absorbed by the sample from a net endothermic reaction or process, or heat given up by the sample from a net exothermic

reaction or process was measured as a function of temperature. The samples were heated from approximately 25 to 500° C. None of the sample exhibited any net exotherms, thus the 480 J/g notification limit was not exceeded. There were no QC failures.

5.1.3 Hydroxide

Hydroxide concentrations were determined by titration. The mean hydroxide concentration in the three samples ranged from 9.20×10^3 $\mu\text{g/mL}$ in sample 3AP-99-1 to 9.90×10^3 $\mu\text{g/mL}$ in sample 3AP-99-2. There were no QC failures.

5.1.4 Anions by Ion Chromatography (IC)

The concentrations of the anions chloride, fluoride, nitrite, nitrate, phosphate, and sulfate were measured by IC. The results for bromide and oxalate were opportunistic and appear in Appendix A. Nitrate was the most abundant reported anion in the supernate samples. Sample 3AP-99-1 had 1.38×10^5 $\mu\text{g/mL}$, while both 3AP-99-2 and -3 had average concentrations of 1.34×10^5 $\mu\text{g/mL}$. The samples were nearly as concentrated in nitrite. Mean values were in the 1.04×10^5 to 1.10×10^5 $\mu\text{g/mL}$ range. Chloride, fluoride, phosphate, and sulfate concentrations were similar. Respective concentrations were approximately 2.8×10^3 , 2.1×10^3 , 2.0×10^3 , and 4.0×10^3 $\mu\text{g/mL}$.

Standard recoveries were between 94.5 and 108.2% and all spike recoveries were also within the TSAP limit. The RPD value for phosphate in sample 3AP-99-1 (S99T001388) was 28.2, which was above the TSAP limit of 20. The sample was not re-run because the RPD was not very high and the phosphate concentration was less than three times the detection limit.

5.1.5 Metals by Inductively Coupled Plasma (ICP)

Inductively coupled plasma together with atomic emission spectroscopy was used to determine the concentrations of Al, Cr, Fe, Na, Ni, Mn, and Zr in the supernate samples. Concentrations of additional metals were determined opportunistically. These results are shown in Appendix A.

As expected, sodium was the most abundant element found in the samples. Average concentrations were similar, only varying from 1.70×10^5 (3AP-99-1) to 1.88×10^5 $\mu\text{g/mL}$ (3AP-99-3). The next most plentiful metal was aluminum, which ranged from 7.90×10^3 to 8.74×10^3 $\mu\text{g/mL}$ in samples 3AP-99-1 and 3AP-99-3, respectively. Compared to Al, the samples were 20 to 30 times less concentrated in chromium and 60 to 70 times less concentrated in nickel. Iron, manganese, and zirconium were not detected in any samples. The respective detection limits were 30.1, 6.01, and 6.01 $\mu\text{g/mL}$.

A matrix spike was added to sample 3AP-99-2. All QC parameters were within the TSAP limits. In addition to matrix spikes, serial dilutions were performed to assess the accuracy of the ICP method. The 5X serial dilution results in the raw data were denoted with a "L" suffix on the sample number. The 10X dilution results in the raw data were denoted with a "X" suffix on the sample number. The serial dilution results should be within 10% of the initial dilution. Serial dilution results for the detected metals are shown in Table 4. As shown, the results indicate that the accuracy of these analyses were acceptable.

Table 4. Tank AP-103 ICP Serial Dilution Results.

Sample No.	Analyte	Sample Result ($\mu\text{g/mL}$)	Serial Dilution Result ($\mu\text{g/mL}$)	Percent Difference
S99T001389	Al	9.05×10^3	8.95×10^3	1.11
S99T001389	Na	1.98×10^5	1.92×10^5	3.08
S99T001389	Cr	3.90×10^2	4.04×10^2	3.53
S99T001389	Ni	1.26×10^2	1.31×10^2	3.89

5.1.6 Percent Water by Thermogravimetric Analysis (TGA)

Thermogravimetric analysis was performed on all supernate samples. The percentage of water in a sample was determined through TGA by measuring the total weight loss of the sample between 25 and approximately 230° C. Additional information may be obtained by examining the raw data.

The mean percent water values in the grab samples were very similar. All were between 61.34 and 62.02%. There were no QC failures.

5.1.7 pH

The pH of all three samples was in excess of 13.5 pH units, the upper limit of the analytical procedure. All QC parameters were met.

5.1.8 Specific Gravity

Mean specific gravity results ranged from 1.292 on sample 3AP-99-2 to 1.331 on sample 3AP-99-1. These results were consistent with the relatively low water content of the samples. All QC parameters were met.

5.1.9 Total Inorganic Carbon (TIC)

Total inorganic carbon was measured by acid addition followed by coulometric titration of the resulting carbon dioxide. Levels of TIC in the supernate samples were very similar, averaging approximately $1.5 \times 10^4 \mu\text{g/mL}$.

For TIC analyses, Total Inorganic Carbon Analysis Report worksheets are included for each sample in the raw data section. Due to programming limitations with the instrument software, the sample size listed on the worksheet is sometimes incorrect. The incorrect values are not used to calculate the TIC concentrations and have no bearing on the reported results. All raw data in the spreadsheets are correct.

All QC requirements were met. A very small amount of TIC, less than $0.30 \mu\text{g/mL}$, was found in the analytical blank. The source of the TIC was most likely carbon dioxide absorbed from the atmosphere. The level was considered negligible compared to the supernate sample levels. A matrix spike was added to sample 3AP-99-2. The spike recovery was 86.1%.

5.1.10 Total Organic Carbon (TOC)

Persulfate oxidation followed by coulometric titration of the resulting carbon dioxide was used to determine TOC in the samples. The TOC concentrations were very similar from sample to sample, averaging approximately $3.8 \times 10^3 \mu\text{g/mL}$. Using the highest percent water result of 62.73, this is equivalent to a concentration of $1.0 \times 10^4 \mu\text{g/g}$ on a dry-weight basis, more than four times below the notification limit of $4.5 \times 10^4 \mu\text{g/g}$.

For TOC analyses, Total Organic Carbon Analysis Report worksheets are included for each sample in the raw data section. Due to programming limitations with the instrument software, the sample size listed on the worksheet is sometimes incorrect. The incorrect values are not used to calculate the TOC concentrations and have no bearing on the reported results. All raw data in the spreadsheets are correct.

Small amounts of TOC were detected in the analytical blanks. The source of the TOC was most likely the ion exchange resin used to deionize the analytical water. This amount was considered insignificant. All QC parameters were met.

Sample S99T001389 was analyzed in triplicate. The triplicate TIC and TOC results are shown in Table 5.

Table 5. Tank AP-103 Sample S99T001389 TIC and TOC Results.

Analyte	Sample Result ($\mu\text{g/mL}$)	Duplicate Result ($\mu\text{g/mL}$)	Triplicate Result ($\mu\text{g/mL}$)
TIC	1.55×10^4	1.40×10^4	1.56×10^4
TOC	3.93×10^3	3.46×10^3	3.99×10^3

5.1.11 Uranium Isotopics by ICP/Mass Spectroscopy (MS)

All supernate samples were analyzed for the isotopes ^{233}U , ^{234}U , ^{235}U , ^{236}U , and ^{238}U by ICP/MS. Only ^{238}U was detected, despite detection limits of $0.648\text{ }\mu\text{g/mL}$ or less. Mean concentrations of ^{238}U were in the 27.45 to $32.11\text{ }\mu\text{g/mL}$ range.

Standards and spikes were only available for the ^{235}U and ^{238}U isotopes. A matrix spike was added to sample S99T001386. The spike and standard recoveries and the RPD results were within the TSAP limits.

5.2 RADIOCHEMICAL ANALYSES

5.2.1 Americium-241

The ^{241}Am activity was determined by chemical separation followed by alpha counting. The activities of $^{243/244}\text{Cm}$ were determined opportunistically and are available in Appendix A. Small but detectable activities of ^{241}Am were present in all samples. Mean results varied from 4.91×10^{-4} to $5.07 \times 10^{-4}\text{ }\mu\text{Ci/mL}$. The reported results have been corrected for the ^{243}Am tracer recovery. All QC parameters were met.

5.2.2 Gamma Energy Analysis (GEA)

The activity of ^{137}Cs was determined by GEA. Additional radionuclide activities were reported in Appendix A on an opportunistic basis. Measured activities were very similar, only varying from 247.0 and $249.5\text{ }\mu\text{Ci/mL}$. There is no spike associated with this analysis, but the standard recovery and RPD values were well within the TSAP limits.

5.2.3 Plutonium-239/240

Determined by chemical separation followed by alpha counting was the $^{239/240}\text{Pu}$ activity. The activity of ^{238}Pu was determined opportunistically. The $^{239/240}\text{Pu}$ activities in the three samples were between 2.25×10^{-3} and $2.29 \times 10^{-3}\text{ }\mu\text{Ci/mL}$. The Notification Limit was $61.5\text{ }\mu\text{Ci/mL}$. All QC requirements were met and the reported results have been corrected for the ^{236}Pu tracer recovery.

5.2.4 Strontium-89/90

Chemical separation followed by beta counting provided the activity of $^{89/90}\text{Sr}$ in each sample. As with most other analyses, results were very similar for the three samples averaging approximately $0.54\text{ }\mu\text{Ci/mL}$. All QC parameters were met, although a small amount of activity was found in the preparation blank. It was over 100 times less than the activity in the samples and was negligible. The activities have been corrected for carrier recoveries.

5.2.5 Total Alpha

Low total alpha activities were found in all three samples. Mean results were between 8.42×10^{-3} and 1.01×10^{-2} $\mu\text{Ci/mL}$.

All the RPD values were over the TSAP limit of 20. The highest RPD was 65.6 on sample 3AP-99-2 (S99T001389). The samples were not re-run because the results were very close to the minimum detectable activity and re-analysis would probably have not improved the precision. The minimum detectable activities and counting uncertainties were higher than usual. This was due to the high ^{137}Cs activity. Large dilutions were required to reduce the beta activity (from ^{137}Cs) below the counting room limit. All other QC requirements were met.

6.0 WASTE COMPATIBILITY CONCERNS

6.1 Nitrate (NO_3^-), Hydroxide (OH^-) and Nitrite (NO_2^-) - Corrosion Decision Rule

The results with respect to the waste compatibility corrosion rules are presented in Table 6. The NO_3^- , OH^- , and NO_2^- results are reported in $\mu\text{g/mL}$ and molarity (M) units. The spreadsheet compares the results to the concentration ranges specified in Sasaki (1999a) for double-shell tanks with temperatures below 212° F and with nitrate concentrations such that $1.0\text{M} < [\text{NO}_3^-] \leq 3.0\text{M}$. A "YES" appeared in the appropriate space for the condition that was met. Only one of three sets of conditions must be met for OH^- and NO_2^- based on the range in which the NO_3^- concentration falls. If "NO" appears in the space under a condition, that condition is not met and a notification is required. All results for the four samples analyzed were within the acceptable concentration ranges required for corrosion control.

7.0 REFERENCES

- Markel, L. P., 1999, *Quality Assurance Plan for 222-S Laboratories*, HNF-SD-CP-QAPP-016, Rev. 3C, Waste Management of Hanford, Inc., Richland, Washington, 99352.
- Sasaki, L. M., 1999a, *Compatibility Grab Sampling and Analysis Plan for Fiscal Year 1999*, HNF-3528, Rev. 0-B, Lockheed Martin Hanford Corporation, Richland, WA 99352.
- Sasaki, L. M., 1999b, *Compatibility Grab Sampling and Analysis Plan for Fiscal Year 1999*, HNF-3528, Rev. 0-D, Lockheed Martin Hanford Corporation, Richland, WA 99352.
- Sasaki, L. M., 1999c, *Compatibility Grab Sampling and Analysis Plan for Fiscal Year 1999*, HNF-3528, Rev. 0, Lockheed Martin Hanford Corporation, Richland, WA 99352.

Table 6. Tank AP-103 Waste Compatibility Corrosion Rules for DSTs with Temperatures Below 212° F.

Sample ID, Description	Analyte	Mean Result (ug/mL)	Mean Result (M)	Is [NO ₃]...	Is [OH ⁻]...	Is [NO ₂]...
3AP-99-1, Supernate	NO ₃ ⁻	1.38E+05	2.23	1.0M < [NO ₃] ≤ 3.0M YES	(0.10)[NO ₃] ≤ [OH ⁻] ≤ 10.0 M? YES	([OH ⁻]+[NO ₂]) ≥ 0.04[NO ₃]? YES
	OH ⁻	9.20E+03	0.541			
	NO ₂ ⁻	1.10E+05	2.39			

Sample ID, Description	Analyte	Mean Result (ug/mL)	Mean Result (M)	Is [NO ₃]...	Is [OH ⁻]...	Is [NO ₂]...
3AP-99-2, Supernate	NO ₃ ⁻	1.34E+05	2.16	1.0M < [NO ₃] ≤ 3.0M YES	(0.10)[NO ₃] ≤ [OH ⁻] ≤ 10.0 M? YES	([OH ⁻]+[NO ₂]) ≥ 0.04[NO ₃]? YES
	OH ⁻	9.90E+03	0.582			
	NO ₂ ⁻	1.06E+05	2.30			

Sample ID, Description	Analyte	Mean Result (ug/mL)	Mean Result (M)	Is [NO ₃]...	Is [OH ⁻]...	Is [NO ₂]...
3AP-99-3, Supernate	NO ₃ ⁻	1.34E+05	2.16	1.0M < [NO ₃] ≤ 3.0M YES	(0.10)[NO ₃] ≤ [OH ⁻] ≤ 10.0 M? YES	([OH ⁻]+[NO ₂]) ≥ 0.04[NO ₃]? YES
	OH ⁻	9.42E+03	0.554			
	NO ₂ ⁻	1.04E+05	2.26			

HNH-1683 REV. 0

SAMPLE BREAKDOWN
(ATTACHMENT 1)

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

AP-103 Grab Sample Breakdown

Project AP103 GRAB99
 Sample 3AP-99-1, Supernate for Inorganic/Radchem
 LABCORE group 99000326
 Parent Sample S99T001382

AP-103 Grab Sample Breakdown

Project AP103 GRAB99
Sample 3AP-99-2, Supernate for Inorganic/Radchem
LABCORE group 99000326
Parent Sample S99T001383

AP-103 Grab Sample Breakdown

Project AP103 GRAB99
Sample 3AP-99-3, Supernate for Inorganic/Radchem
LABCORE group 99000326
Parent Sample S99T001384

HNF-1683 REV. 0

CHAIN OF CUSTODY
(ATTACHMENT 2)

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

CHAIN-OF-CUSTODY RECORD FOR CPO

(1) Sample Number 3AP-99-		(2) Supervisor/Sampler Robert J. Szaznik		(9) Seal Intact Upon Release? ☒ Yes ☐ No
(3) Tank AP-103	(4) Riser #002	(5) Cask/Pig Serial No. B-23	(10) Seal Intact Upon Receipt? ☒ Yes ☐ No	
(6) Shipment Description: A. Work Package Number ES-99-0024/b B. Cask/Pig Seal Number 12612 C. Date Sample Collected 8.12.99 D. Time Sample Collected 1010 hrs			(11) Seal Number AND Cask/Pig SERIAL Number consistent with this record? (Block 5 & 6b) ☒ Yes ☐ No	
(7) Sampling Data Y N - Lithium Bromide ☐ ☐ Amount _____ Concentration _____ - X-Ray ☐ ☐ - Partial Sample ☐ ☐ Retrieved Partial Sample Stroke Length _____			(12) Laboratory Comments:	
(8) Field Comments:				

(13) Relinquished By (Sign and PRINT) [Signature]	(14) Received By (Sign and PRINT) V. Matthews V. Matthews	(15) Date/Time 9:20am 8-13-99	(16) Receiver Comments
(17) Relinquished By (Sign and PRINT) V. Matthews V. Matthews	(18) Received By (Sign and PRINT) [Signature]	(19) Date/Time 1030 8-13-99	(20) Receiver Comments
(21) Relinquished By (Sign and PRINT)	(22) Received By (Sign and PRINT)	(23) Date/Time	(24) Receiver Comments
(25) Relinquished By (Sign and PRINT)	(26) Received By (Sign and PRINT)	(27) Date/Time	(28) Receiver Comments

HNF-1683 REV. 0

CHAIN-OF-CUSTODY RECORD FOR CPO

HNF-1683 REV. 0

(1) Sample Number 3AP-99-2		(2) Supervisor/Sampler Robert J. Frazewick		(9) Seal Intact Upon Release? ☒ Yes ☐ No
(3) Tank AP-103	(4) Riser #002	(5) Cask/Pig Serial No. B-14		(10) Seal Intact Upon Receipt? ☒ Yes ☐ No
(6) Shipment Description:				(11) Seal Number AND Cask/Pig SERIAL Number consistent with this record? (Block 5 & 6b) ☒ Yes ☐ No
A. Work Package Number ES-99-00219/0		(7) Sampling Data		(12) Laboratory Comments:
B. Cask/Pig Seal Number 12613		Y N Lithium Bromide ☐ ☐		
C. Date Sample Collected 8-12-99		Amount 110		
D. Time Sample Collected 1019 hrs		Concentration - X-Ray ☐ ☐ - Partial Sample ☐ ☐		
		Retrieved Partial Sample Stroke Length _____		
(8) Field Comments:				
(13) Relinquished By (Sign and PRINT) Robert J. Frazewick		(14) Received By (Sign and PRINT) [Signature]		(15) Date/Time 9:20 AM
(17) Relinquished By (Sign and PRINT) [Signature]		(18) Received By (Sign and PRINT) Richard R. Chambers		(19) Date/Time 8-13-99
(21) Relinquished By (Sign and PRINT) [Signature]		(22) Received By (Sign and PRINT) [Signature]		(20) Receiver Comments 1030
(25) Relinquished By (Sign and PRINT)		(26) Received By (Sign and PRINT)		(23) Date/Time 8-13-99
				(24) Receiver Comments
				(27) Date/Time
				(28) Receiver Comments

CHAIN-OF-CUSTODY RECORD FOR CPO

(1) Sample Number 3AP-99-3		(2) Supervisor/Sampler Robert J. Raznik		(9) Seal Intact Upon Release? ☒ Yes ☐ No
(3) Tank AP-103	(4) Riser #002	(5) Cask/Pig Serial No. TF-3		(10) Seal Intact Upon Receipt? ☒ Yes ☐ No
(6) Shipment Description:				(11) Seal Number AND Cask/Pig SERIAL Number consistent with this record? (Block 5 & 6b) ☒ Yes ☐ No
A. Work Package Number ES99-0021916	(7) Sampling Data			(12) Laboratory Comments:
B. Cask/Pig Seal Number 12614	<div> <div>Y</div> <div>N</div> <div>☐</div> <div>☐</div> </div>			
C. Date Sample Collected 8-12-99	<div> <div>Amount</div> <div>Concentration</div> <div>- X-Ray</div> <div>- Partial Sample</div> </div>			
D. Time Sample Collected 1027 hrs	<div> <div>Retrieved Partial Sample Stroke Length</div> </div>			
(8) Field Comments:				
(13) Relinquished By (Sign and PRINT) V.M. Matthews		(14) Received By (Sign and PRINT) V. Matthews		(15) Date/Time 7:20 AM 8-13-99
(17) Relinquished By (Sign and PRINT) V.M. Matthews		(18) Received By (Sign and PRINT) P. D. ...		(19) Date/Time 1030 8-13-99
(21) Relinquished By (Sign and PRINT)		(22) Received By (Sign and PRINT)		(23) Date/Time
(25) Relinquished By (Sign and PRINT)		(26) Received By (Sign and PRINT)		(27) Date/Time
				(28) Receiver Comments

HNF-1683 REV. 0

HNF-1683 REV. 0

SAMPLE DATA SUMMARY
(ATTACHMENT 3)

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

TANK 241-AP-103 -- DATA SUMMARY REPORT FOR PROJECT
AP103 GRAB99CORE NUMBER: n/a
SEGMENT #: 3AP-99-1

SEGMENT PORTION: Supernate

Sample#	R A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count Err%
S99T001382		Organic Vol Present / hotcell	ml	n/a	n/a	0.00e+00	n/a	n/a	n/a	n/a	n/a	n/a
S99T001382		Volume % Settled Solids	%	n/a	n/a	<1	n/a	n/a	n/a	n/a	1.00e-01	n/a
S99T001385		DSC Exotherm Dry Calculated	Joules/g Dry	n/a	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001385		DSC Exotherm on Perkin Elmer	Joules/g	102.9	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001385		Ammonia by ISE-std Additions	ug/ml	95.23	<250.0	<2.50e+02	<2.50E+2	n/a	n/a	n/a	250.0	n/a
S99T001385		OH- by Pot. Titration	ug/ml	100.0	<2500.0	9.50e+03	8.89e+03	9.20e+03	6.63	n/a	2.50e+03	n/a
S99T001385		pH Direct	pH	n/a	n/a	> 13.50	>13.5	n/a	n/a	n/a	1.00e-02	n/a
S99T001385		Specific Gravity	Sp. G.	99.06	n/a	1.355	1.306	1.331	3.68	n/a	1.00e-03	n/a
S99T001385		% Water by TGA on Perkin Elmer	%	47.79	n/a	61.58	61.42	61.50	0.26	n/a	n/a	n/a
S99T001385		Uranium-233 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001385		Uranium-234 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001385		Uranium-235 by ICP/MS Acid Add	ug/ml	99.41	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001385		Uranium-236 by ICP/MS Acid Add	ug/ml	n/a	<1.60e-05	<6.48e-01	<6.48e-1	n/a	n/a	n/a	6.48e-01	n/a
S99T001385		Uranium-238 by ICP/MS Acid Add	ug/ml	97.91	<1.20e-05	27.21	27.70	27.45	1.82	n/a	4.86e-01	n/a
S99T001388		TIC by Acid/Coulometry	ug/ml	99.67	3.00e-01	1.51e+04	1.52e+04	1.52e+04	0.66	n/a	5.000	n/a
S99T001388		TOC by Persulfate/Coulometry	ug/ml	92.33	6.000	3.74e+03	3.80e+03	3.77e+03	1.59	n/a	40.00	n/a
S99T001388		Strontium-89/90 High Level	uCi/ml	98.31	4.00e-03	5.60e-01	5.26e-01	5.43e-01	6.26	n/a	6.00e-03	3.37E+00
S99T001388		Pu-239/240 by TRU-SPEC Resin	uCi/ml	99.21	<1.72e-04	2.24e-03	2.30e-03	2.27e-03	2.64	n/a	n/a	2.52E+00
S99T001388		Aluminum-ICP-Acid Dil.	ug/ml	99.00	<5.00e-02	8.55e+03	7.24e+03	7.90e+03	16.6	n/a	30.10	n/a
S99T001388		Chromium-ICP-Acid Dil.	ug/ml	100.4	<1.00e-02	3.77e+02	321.0	349.0	16.0	n/a	6.010	n/a
S99T001388		Iron-ICP-Acid Dil.	ug/ml	102.2	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388		Manganese-ICP-Acid Dil.	ug/ml	95.40	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001388		Sodium-ICP-Acid Dil.	ug/ml	104.0	<1.00e-01	1.84e+05	1.56e+05	1.70e+05	16.5	n/a	60.10	n/a
S99T001388		Nickel-ICP-Acid Dil.	ug/ml	100.2	<2.00e-02	1.27e+02	105.0	116.0	19.0	n/a	12.00	n/a
S99T001388		Zirconium-ICP-Acid Dil.	ug/ml	96.80	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001388		Fluoride-IC-Dionex 4000/4500	ug/ml	108.2	<1.20e-02	2.11e+03	2.21e+03	2.16e+03	4.63	n/a	49.69	n/a
S99T001388		Chloride-IC-Dionex 4000/4500	ug/ml	101.5	<1.70e-02	2.92e+03	2.87e+03	2.89e+03	1.73	n/a	70.40	n/a
S99T001388		Nitrite-IC - Dionex 4000/4500	ug/ml	94.49	<1.08e-01	1.08e+05	1.12e+05	1.10e+05	3.64	n/a	447.2	n/a
S99T001388		Nitrate by IC-Dionex 4000/4500	ug/ml	104.5	<1.39e-01	1.38e+05	1.38e+05	1.38e+05	0.00	n/a	575.6	n/a
S99T001388		Phosphate-IC-Dionex 4000/4500	ug/ml	106.8	<1.20e-01	1.83e+03	2.43e+03	2.13e+03	28.2	n/a	496.9	n/a
S99T001388		Sulfate by IC-Dionex 4000/4500	ug/ml	96.52	<1.38e-01	3.93e+03	4.09e+03	4.01e+03	3.99	n/a	571.5	n/a
S99T001388		Cesium-137 by GEA	uCi/ml	102.8	<4.01e-04	2.52e+02	246.0	249.0	2.41	n/a	n/a	0.100
S99T001388		Am-241 by Extraction	uCi/ml	106.5	<1.30e-04	4.53e-04	5.30e-04	4.91e-04	15.7	n/a	n/a	4.56E+00
S99T001388		Alpha in Liquid Samples	uCi/ml	100.4	<8.29e-03	8.41e-03	1.18e-02	1.01e-02	33.5	n/a	1.10e-02	1.06E+02

TANK 241-AP-103 -- DATA SUMMARY REPORT FOR PROJECT
AP103 GRAB99CORE NUMBER: n/a
SEGMENT #: 3AP-99-2

SEGMENT PORTION: Supernate

Sample#	R A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count Err%
S99T001383		Organic Vol Present / hotcell	ml	n/a	n/a	0.00e+00	n/a	n/a	n/a	n/a	n/a	n/a
S99T001383		Volume % Settled Solids	%	n/a	n/a	0.00e+00	n/a	n/a	n/a	n/a	n/a	n/a
S99T001386		DSC Exotherm Dry Calculated	Joules/g Dry	n/a	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001386		DSC Exotherm on Perkin Elmer	Joules/g	102.9	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001386		Ammonia by ISE-Std Additions	ug/ml	95.23	<250.0	<2.50e+02	<2.50E+2	n/a	n/a	75.00	250.0	n/a
S99T001386		OH- by Pot. Titration	ug/ml	100.0	<2500.0	9.83e+03	9.97e+03	9.90e+03	1.41	n/a	2.50e+03	n/a
S99T001386		pH Direct	pH	n/a	n/a	> 13.50	>13.5	n/a	n/a	n/a	1.00e-02	n/a
S99T001386		Specific Gravity	Sp. G.	99.06	n/a	1.302	1.282	1.292	1.55	n/a	1.00e-03	n/a
S99T001386		% Water by IGA on Perkin Elmer	%	99.75	n/a	61.78	60.89	61.34	1.45	n/a	n/a	n/a
S99T001386	D	Uranium-234 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001386	D	Uranium-234 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001386	D	Uranium-235 by ICP/MS Acid Add	ug/ml	99.41	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	98.59	4.86e-01	n/a
S99T001386	D	Uranium-236 by ICP/MS Acid Add	ug/ml	n/a	<1.60e-05	<6.48e-01	<6.48e-1	n/a	n/a	n/a	6.48e-01	n/a
S99T001386	D	Uranium-238 by ICP/MS Acid Add	ug/ml	97.91	<1.20e-05	32.22	32.00	32.11	0.62	97.00	4.86e-01	n/a
S99T001389		TIC by Acid/Coulometry	ug/ml	99.67	3.00e-01	1.55e+04	1.40e+04	1.48e+04	10.2	86.10	5.000	n/a
S99T001389		TOC by Persulfate/Coulometry	ug/ml	92.33	6.000	3.93e+03	3.46e+03	3.70e+03	12.7	92.80	40.00	n/a
S99T001389		Strontium-89/90 High Level	uCi/ml	98.31	4.00e-03	5.30e-01	5.34e-01	5.32e-01	0.75	n/a	4.00e-03	2.95E+00
S99T001389		Pu-239/240 by TRU-SPEC Resin	uCi/ml	99.21	<1.72e-04	2.23e-03	2.27e-03	2.25e-03	1.78	n/a	n/a	2.41E+00
S99T001389	D	Aluminum-ICP-Acid Dil.	ug/ml	99.00	<5.00e-02	9.05e+03	8.24e+03	8.64e+03	9.37	98.20	301.0	n/a
S99T001389	D	Chromium-ICP-Acid Dil.	ug/ml	100.4	<1.00e-02	3.90e+02	369.0	379.5	5.53	96.20	6.010	n/a
S99T001389	D	Iron-ICP-Acid Dil.	ug/ml	102.2	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	99.70	30.10	n/a
S99T001389	D	Manganese-ICP-Acid Dil.	ug/ml	95.40	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	90.30	6.010	n/a
S99T001389	D	Sodium-ICP-Acid Dil.	ug/ml	104.0	<1.00e-01	1.98e+05	1.74e+05	1.86e+05	12.9	96.30	601.0	n/a
S99T001389	D	Nickel-ICP-Acid Dil.	ug/ml	100.2	<2.00e-02	1.26e+02	121.0	123.5	4.05	98.10	12.00	n/a
S99T001389	D	Zirconium-ICP-Acid Dil.	ug/ml	96.80	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	94.60	6.010	n/a
S99T001389		Fluoride-IC-Dionex 4000/4500	ug/ml	108.2	<1.20e-02	2.12e+03	2.05e+03	2.08e+03	3.36	108.7	49.69	n/a
S99T001389		Chloride-IC-Dionex 4000/4500	ug/ml	101.5	<1.70e-02	2.76e+03	2.78e+03	2.77e+03	0.72	107.9	70.40	n/a
S99T001389		Nitrite-IC - Dionex 4000/4500	ug/ml	94.49	<1.08e-01	1.06e+05	1.05e+05	1.06e+05	0.95	99.81	447.2	n/a
S99T001389		Nitrate by IC-Dionex 4000/4500	ug/ml	104.5	<1.39e-01	1.33e+05	1.35e+05	1.34e+05	1.49	118.6	575.6	n/a
S99T001389		Phosphate-IC-Dionex 4000/4500	ug/ml	106.8	<1.20e-01	2.05e+03	2.10e+03	2.08e+03	2.41	112.0	496.9	n/a
S99T001389		Sulfate by IC-Dionex 4000/4500	ug/ml	96.52	<1.38e-01	3.78e+03	3.75e+03	3.77e+03	0.80	105.1	571.5	n/a
S99T001389		Cesium-137 by GEA	uCi/ml	102.8	<4.01e-04	2.48e+02	246.0	247.0	0.81	n/a	n/a	0.100
S99T001389		Am-241 by Extraction	uCi/ml	106.5	<1.30e-04	4.95e-04	5.19e-04	5.07e-04	4.73	n/a	n/a	4.40E+00
S99T001389		Alpha in Liquid Samples	uCi/ml	100.4	<8.29e-03	4.25e-02	2.15e-02	3.20e-02	65.6	90.29	1.10e-02	4.35E+01

TANK 241-AP-103 -- DATA SUMMARY REPORT FOR PROJECT
APT03 GRAB99

CORE NUMBER: n/a
SEGMENT #: 3AP-99-3

SEGMENT PORTION: Supernate

Sample#	R A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count Err%
S99T001384		Organic Vol Present / hotcell	ml	n/a	n/a	0.00e+00	n/a	n/a	n/a	n/a	n/a	n/a
S99T001384		Volume % Settled Solids	%	n/a	n/a	0.00e+00	n/a	n/a	n/a	n/a	n/a	n/a
S99T001387		DSC Exotherm Dry Calculated	Joules/g Dry	n/a	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001387		DSC Exotherm on Perkin Elmer	Joules/g	96.66	n/a	0.00e+00	0.00e+00	0.00e+00	0.00	n/a	n/a	n/a
S99T001387		Ammonia by ISE-Std Additions	ug/ml	95.23	<250.0	<2.50e+02	<2.50E+2	n/a	n/a	n/a	250.0	n/a
S99T001387		OH- by Pot. Titration	ug/ml	100.0	<2500.0	9.29e+03	9.56e+03	9.42e+03	2.86	n/a	2.50e+03	n/a
S99T001387		pH Direct	pH	n/a	n/a	> 13.50	>13.5	n/a	n/a	n/a	1.00e-02	n/a
S99T001387		Specific Gravity	Sp.G.	99.06	n/a	1.322	1.301	1.312	1.60	n/a	1.00e-03	n/a
S99T001387		% Water by TGA on Perkin Elmer	%	99.02	n/a	62.73	61.30	62.02	2.31	n/a	n/a	n/a
S99T001387	D	Uranium-233 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001387	D	Uranium-234 by ICP/MS Acid Add	ug/ml	n/a	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001387	D	Uranium-235 by ICP/MS Acid Add	ug/ml	99.41	<1.20e-05	<4.86e-01	<4.86e-1	n/a	n/a	n/a	4.86e-01	n/a
S99T001387	D	Uranium-236 by ICP/MS Acid Add	ug/ml	n/a	<1.60e-05	<6.48e-01	<6.48e-1	n/a	n/a	n/a	6.48e-01	n/a
S99T001387	D	Uranium-238 by ICP/MS Acid Add	ug/ml	97.91	<1.20e-05	30.78	31.60	31.19	2.56	n/a	4.86e-01	n/a
S99T001390		TIC by Acid/Coulometry	ug/ml	99.67	3.00e-01	1.42e+04	1.62e+04	1.52e+04	13.2	n/a	5.000	n/a
S99T001390		TOC by Persulfate/Coulometry	ug/ml	92.33	6.000	3.69e+03	4.18e+03	3.94e+03	12.5	n/a	40.00	n/a
S99T001390		Strontium-89/90 High Level	uCi/ml	98.31	4.00e-03	5.59e-01	5.69e-01	5.64e-01	1.77	n/a	4.00e-03	2.88E+00
S99T001390	D	Pu-239/240 by TRU-SPEC Resin	uCi/ml	99.21	<1.72e-04	2.35e-03	2.23e-03	2.29e-03	5.24	n/a	n/a	2.40E+00
S99T001390	D	Aluminum-ICP-Acid Dil.	ug/ml	99.00	<5.00e-02	8.72e+03	8.77e+03	8.74e+03	0.57	n/a	30.10	n/a
S99T001390	D	Chromium-ICP-Acid Dil.	ug/ml	100.4	<1.00e-02	3.84e+02	389.0	386.5	1.29	n/a	6.010	n/a
S99T001390	D	Iron-ICP-Acid Dil.	ug/ml	102.2	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Manganese-ICP-Acid Dil.	ug/ml	95.40	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001390	D	Sodium-ICP-Acid Dil.	ug/ml	104.0	<1.00e-01	1.88e+05	1.88e+05	1.88e+05	0.00	n/a	60.10	n/a
S99T001390	D	Nickel-ICP-Acid Dil.	ug/ml	100.2	<2.00e-02	1.25e+02	127.0	126.0	1.59	n/a	12.00	n/a
S99T001390	D	Zirconium-ICP-Acid Dil.	ug/ml	96.80	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001390		Fluoride-IC-Dionex 4000/4500	ug/ml	96.41	<1.20e-02	2.03e+03	2.00e+03	2.01e+03	1.49	n/a	61.81	n/a
S99T001390		Chloride-IC-Dionex 4000/4500	ug/ml	100.9	<1.70e-02	2.86e+03	2.72e+03	2.79e+03	5.02	n/a	87.57	n/a
S99T001390		Nitrite-IC - Dionex 4000/4500	ug/ml	96.23	<1.08e-01	1.04e+05	1.03e+05	1.04e+05	0.97	n/a	556.3	n/a
S99T001390		Nitrate by IC-Dionex 4000/4500	ug/ml	100.6	<1.39e-01	1.33e+05	1.34e+05	1.34e+05	0.75	n/a	716.0	n/a
S99T001390		Phosphate-IC-Dionex 4000/4500	ug/ml	103.9	<1.20e-01	1.28e+03	1.50e+03	1.39e+03	15.8	n/a	254.5	n/a
S99T001390		Sulfate by IC-Dionex 4000/4500	ug/ml	95.25	<1.38e-01	4.47e+03	4.05e+03	4.26e+03	9.86	n/a	710.8	n/a
S99T001390		Cesium-137 by GEA	uCi/ml	102.8	<4.01e-04	2.54e+02	245.0	249.5	3.61	n/a	n/a	0.100
S99T001390		Am-241 by Extraction	uCi/ml	106.5	<1.30e-04	4.88e-04	5.14e-04	5.01e-04	5.19	n/a	n/a	4.35E+00
S99T001390		Alpha in Liquid Samples	uCi/ml	100.4	<8.29e-03	1.07e-02	6.14e-03	8.42e-03	54.2	n/a	1.10e-02	1.21E+02

HNF-1683 REV. 0

SAMPLE HANDLING

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95

Page: 1

08/16/99 09:14

LABCORE Data Entry Template for Worklist# 30784

Analyst:

99

Instrument: NONE

Book #

N/A

Method: AdminDataEntry Rev/Mod

G-0

Worklist Comment: AP103 GRAB99 @BRKDWN1 skm

GROUP	PROJECT	S	TYPE	SAMPLE#	R	A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 DOSE-01	LIQUID	N/A	700		mrad/hour
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 SEALNUM	LIQUID	N/A	12612		
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 ETCHNUM	LIQUID	N/A	3AP99-1		
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 APPEAR01	LIQUID	N/A	clear		
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 SAMPAMT1	LIQUID	N/A	125		8 ml
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 STLSD01	LIQUID	N/A	trace <1		28 11/11/99 %
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 COLOR-01	LIQUID	N/A	amber		
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 ORGVOL01	LIQUID	N/A	Ø		ml
99000326	AP103 GRAB99	1	SAMPLE	S99T001382	0		@BRKDWN1 PHOTO-01	LIQUID	N/A	complete		
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 DOSE-01	LIQUID	N/A	1200		mrad/hour
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 SEALNUM	LIQUID	N/A	12613		
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 ETCHNUM	LIQUID	N/A	3AP99-2		
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 APPEAR01	LIQUID	N/A	clear		
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 SAMPAMT1	LIQUID	N/A	125		8 ml
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 STLSD01	LIQUID	N/A	Ø		%
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 COLOR-01	LIQUID	N/A	amber		
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 ORGVOL01	LIQUID	N/A	Ø		ml
99000326	AP103 GRAB99	2	SAMPLE	S99T001383	0		@BRKDWN1 PHOTO-01	LIQUID	N/A	complete		

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

worklistrpt Version 2.1 05/15/95
08/16/99 09:14

HNF-1683 REV. 0

Page: 2

LABCORE Data Entry Template for Worklist# 30784

GROUP	PROJECT	S	TYPE	SAMPLE#	R	A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 DOSE-01	LIQUID	N/A	1500		mrad/hour
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 SEALNUM	LIQUID	N/A	12614		
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 ETCHNUM	LIQUID	N/A	3AP-99-3		
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 APPEAR01	LIQUID	N/A	clear		mg/L
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 SAMPAMT1	LIQUID	N/A	125		g/ml
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 STLSLD01	LIQUID	N/A	0		%
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 COLOR-01	LIQUID	N/A	amber		
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 ORGVOLO1	LIQUID	N/A	0		ml
99000326	AP103 GRAB99	3	SAMPLE	S99T001384	0		ABRKDOWN1 PHOTO-01	LIQUID	N/A	complete		

Final page for worklist # 30784

A. J. [Signature] 8-16-99
Analyst Signature Date

[Signature] 8-16-99
Analyst Signature Date

[Signature] 8-16-99

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

INORGANIC ANALYSIS

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

LABCORE Completed Worklist Report for Worklist# 30803

Analyst: jmv

Instrument: DSC03

Book#: 12N14B

Method: LA-514-114 Rev/Mod D-2

Worklist Comment: AP103 GRAB99, DSC-03, Run under nitrogen. skm

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
1	STD		0		DSC-03	LIQUID	28.45	29.27	102.882 % Recovery	
2	SAMPLE	S99T001385	0		DSC-03	LIQUID	N/A	0		Joules/g
3	DUP	S99T001385	0		DSC-03	LIQUID	0	0	0.000 RPD	
4	SAMPLE	S99T001386	0		DSC-03	LIQUID	N/A	0		Joules/g
5	DUP	S99T001386	0		DSC-03	LIQUID	0	0	0.000 RPD	

Final page for worklist# 30803

Analyst Signature

Date

Analyst Signature

Date

Reviewer Signature

Date

worklistrpt Version 2.1 05/15/95
08/17/99 09:18

HNF-1683 REV. 0

Page: 1

LABCORE Data Entry Template for Worklist# 30803

Analyst: _____ Instrument: DSC0 _____ Book # _____

Method: LA-514-114 Rev/Mod DZ

Worklist Comment: AP103 GRAB99, DSC-03, Run under nitrogen. skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 STD			DSC-03	LIQUID		29.27	N/A	Joules/g
99000326	AP103 GRAB99	2 SAMPLE	S99T001385	0	DSC-03	LIQUID	N/A	0		Joules/g
99000326	AP103 GRAB99	3 DUP	S99T001385	0	DSC-03	LIQUID	0	0	N/A	Joules/g
99000326	AP103 GRAB99	4 SAMPLE	S99T001386	0	DSC-03	LIQUID	N/A	0		Joules/g
99000326	AP103 GRAB99	5 DUP	S99T001386	0	DSC-03	LIQUID	0	0	N/A	Joules/g

Final page for worklist # 30803

Analyst Signature

Date

Analyst Signature

Date

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

Curve 1: DSC
 File info: IND0827 Fri Aug 27 09:15:49 1999
 Sample Weight: 19.991 mg
 STD 12N14-B

SIGNATURE BELOW REPRESENTS CHEMICAL TECHNOLOGIST/CHEMIST THAT
 HAS REVIEWED THE CALCULATION AND/OR ON PAGES 35 TO 39

N2, EXOTHERM DOWN
 TEMP1: 140.0 °C TIME1:
 TEMP2: 180.0 °C TIME2:
 0.0 min RATE1: 10.0 °C/min

Temperature (°C)

JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 09:17:09 1999

Curve 1: DSC
 File info: SAM082703 Fri Aug 27 13:32:37 1999
 Sample Weight: 13.060 mg
 S99T001388 DSC 8/27/99
 1385

JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 13:37:58 1999

N2 100/min
 TEMP: 35.0 °C
 TIME: 0.0 min RATE: 10.0 °C/min
 TEMP: 500.0 °C

Curve 1: DSC
 File info: SAM082704 Fri Aug 27 14:30:19 1999
 Sample Weight: 13.360 mg
 S99T001385 DUP

JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 15:00:04 1999

N2 100/min
 TEMP: 35.0 °C
 TEMPE: 500.0 °C
 TIME: 0.0 min RATE: 10.0 °C/min

Curve 1: DSC
 File info: SAM082701 Fri Aug 27 10:33:24 1999
 Sample Weight: 13.270 mg
 S99T001387-15 8/27/99
 1386

N2 10C/min
 TEMP1: 35.0 °C
 TEMP2: 500.0 °C
 TIME1: 0.0 min
 RATE1: 10.0 °C/min
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 10:51:20 1999

Curve 1: DSC
 File info: SAM082702 Fri Aug 27 11:44:02 1999
 Sample Weight: 13.690 mg
 S99T001356 DUP

N2 10C/min
 TEMP1: 35.0 °C
 TEMP2: 500.0 °C
 TIME1: 0.0 min
 RATE1: 10.0 °C/min
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 12:42:07 1999

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95
08/17/99 09:19

Page: 1

LABCORE Data Entry Template for Worklist# 30804Analyst: JmV Instrument: DSC0 3 Book # 12N14-8Method: LA-514-114 Rev/Mod D-2

Worklist Comment: AP103 GRAB99, DSC-03, Run under nitrogen. skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	-----TEST-----	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 STD			DSC-03	LIQUID		<u>27.50</u>	<u>N/A</u>	Joules/g
99000326	AP103 GRAB99	2 SAMPLE	S99T001387	0	DSC-03	LIQUID	<u>N/A</u>	<u>0</u>		Joules/g
99000326	AP103 GRAB99	3 DUP	S99T001387	0	DSC-03	LIQUID	<u>0</u>	<u>0</u>	<u>N/A</u>	Joules/g

Final page for worklist # 30804JmV 8/25/99
Analyst Signature DateC. J. Quinn 8/27/99
Analyst Signature DateMLA 8/30/99
REVIEWER SIGNATURE DATE

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

Curve 1: DSC

File info: IND082503 Wed Aug 25 08:53:01 1999

Sample Weight: 19.991 mg

STD 12N14-B

SIGNATURE BELOW REPRESENTS CHEMICAL TECHNOLOGIST/CHEMIST THAT
COMPLETED/VERIFIED THE CALIBRATION/ANALYSIS ON PAGES 41 TO 43.

N2, EXOTHERM DOWN

TEMP1: 140.0 °C TIME1: 0.0 min RATE1: 10.0 °C/min

JM VANSANT
PERKIN-ELMER
7 Series Thermal Analysis System
Wed Aug 25 09:10:53 1999

Jm Vansant 82599

HNF-1683 REV. 0

Curve 1: DSC

File info: SAM080501 Wed Aug 25 11:06:20 1999

Sample Weight: 14.140 mg

S99T001387

HNF-1683 REV. 0

Curve 1: DSC

File info: SAM082502 Wed Aug 25 14:08:45 1999

Sample Weight: 12.400 mg

S99T001387DUP

LABCORE Data Entry Template for Worklist# 30904

Analyst: _____ Instrument: DSC0 _____ Book # _____

Method: LA-514-113 Rev/Mod D-2

Worklist Comment: AP103 GRAB99, DSC02 cjo

GROUP	PROJECT	S TYPE	SAMPLE#	R A	-----TEST-----	MATRIX	ACTUAL	FOUND	DL	UNIT
99000326	AP103 GRAB99	1 SAMPLE	S99T001385	0	DSC-02	LIQUID	N/A	0		Joules/g Dry
99000326	AP103 GRAB99	2 DUP	S99T001385	0	DSC-02	LIQUID	0	0	N/A	Joules/g Dry
99000326	AP103 GRAB99	3 SAMPLE	S99T001386	0	DSC-02	LIQUID	N/A	0		Joules/g Dry
99000326	AP103 GRAB99	4 DUP	S99T001386	0	DSC-02	LIQUID	0	0	N/A	Joules/g Dry
99000326	AP103 GRAB99	5 SAMPLE	S99T001387	0	DSC-02	LIQUID	N/A	0		Joules/g Dry
99000326	AP103 GRAB99	6 DUP	S99T001387	0	DSC-02	LIQUID	0	0	N/A	Joules/g Dry

Final page for worklist # 30904

Carol J. Oprien 8/27/99
Analyst Signature Date

Carol J. Oprien 8/20/99
Analyst Signature Date

Reviewed By
M/L 8/31/99

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

LABCORE Completed Worklist Report for Worklist# 30805

Analyst: jmv

Instrument: TGA03

Book#: 117N8A

Method: LA-514-114 Rev/Mod D-2

Worklist Comment: AP103 GRAB99, TGA-03, Run under nitrogen. skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD		0	TGA-03	LIQUID	5.94e1	59.25	99.747 % Recovery	
2 SAMPLE	S99T001385	0	TGA-03	LIQUID	N/A	61.58	%	
3 DUP	S99T001385	0	TGA-03	LIQUID	61.58	61.42	0.260 RPD	
4 SAMPLE	S99T001386	0	TGA-03	LIQUID	N/A	61.78	%	
5 DUP	S99T001386	0	TGA-03	LIQUID	61.78	60.89	1.451 RPD	

Final page for worklist# 30805

Analyst Signature

Date

Mary Stracy 8/30/99
Analyst Signature Date

[Signature] 9/2/99
Reviewer Signature Date

worklistrpt Version 2.1 05/15/95
08/17/99 09:20

Page: 1

LABCORE Data Entry Template for Worklist# 30805

Analyst: _____ Instrument: TGA0 _____ Book # _____

Method: LA-514-114 Rev/Mod D-2

Worklist Comment: AP103 GRAB99, TGA-03, Run under nitrogen. skm

GROUP	PROJECT	S	TYPE	SAMPLE#	R	A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1	STD				TGA-03	LIQUID		59.25	N/A	%
99000326	AP103 GRAB99	2	SAMPLE	S99T001385	0		TGA-03	LIQUID	N/A	61.58		%
99000326	AP103 GRAB99	3	DUP	S99T001385	0		TGA-03	LIQUID	61.58	61.42	N/A	%
99000326	AP103 GRAB99	4	SAMPLE	S99T001386	0		TGA-03	LIQUID	N/A	61.78		%
99000326	AP103 GRAB99	5	DUP	S99T001386	0		TGA-03	LIQUID	61.78	60.89	N/A	%

Final page for worklist # 30805

Analyst Signature

Date

Analyst Signature

Date

Received By
M/LA 8/30/99

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

Curve 1: TGA
 File info: TER0827 Fri Aug 27 09:42:49 1999
 Sample Weight: 12.144 mg
 117N8-A

CONDUCTED BY JIM VANSANT, PERKIN-ELMER, THERMAL ANALYSIS SYSTEM
 7 Series Thermal Analysis System
 Fri Aug 27 09:47:57 1999

10C/MIN N2
 TEMP1: 35.0 °C
 TEMP2: 300.0 °C
 TIME1: 0.0 min
 RATE1: 10.0 °C/min
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 09:47:57 1999

Curve 1: TGA
 File info: SAM082701 Fri Aug 27 10:55:04 1999
 Sample Weight: 11.462 mg
 S99T004387VS 8/22/99
 1385

100/MIN N2
 TEMP1: 35.0 °C
 TEMP2: 500.0 °C
 TIME1: 0.0 min RATE1: 10.0 °C/min
 Temperature (°C)
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 10:58:33 1999

Curve 1: TGA
 File info: qsav1 Fri Aug 27 12:00:13 1999
 Sample Weight: 11.306 mg
 S99T001385 DUP

100/MIN N2
 TEMP1: 38.8 °C TIME1: 0.0 min RATE1: 10.0 °C/min
 TEMP2: 500.0 °C
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 12:39:18 1999

Curve 1: TGA
 File info: SAM082703 Fri Aug 27 13:36:55 1999
 Sample Weight: 12.116 mg
 S99T001386

JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Fri Aug 27 15:09:52 1999

10C/MIN N2
 TEMP1: 35.0 C
 TEMP2: 500.0 C
 TIME1: 0.0 min
 RATE1: 10.0 C/min

Curve 1: TGA
File info: SAM082704 Fri Aug 27 14:44:12 1999
Sample Weight: 12.300 mg
S99T001386DUP

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95
08/17/99 09:21

HNF-1683 REV. 0

Page: 1

LABCORE Data Entry Template for Worklist# 30806Analyst: JMV

Instrument: TGA0

Book # 117N8A

Method: LA-514-114 Rev/Mod _____

Worklist Comment: AP103 GRAB99, TGA-03, Run under nitrogen. skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 STD			TGA-03	LIQUID	<u>59.5</u>	<u>58.3</u>	<u>N/A</u>	%
99000326	AP103 GRAB99	2 SAMPLE	S99T001387	0	TGA-03	LIQUID	<u>N/A</u>	<u>62.73</u>		%
99000326	AP103 GRAB99	3 DUP	S99T001387	0	TGA-03	LIQUID	<u>62.73</u>	<u>61.30</u>	<u>N/A</u>	%

Final page for worklist # 30806

JMV 8.25.99
Analyst Signature Date

CJ. Owens 8/27/99
Analyst Signature Date

MLH 8/30/99
REVIEWER SIGNATURE DATE

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

Curve 1: TGA

File info: TER082501 Wed Aug 25 08:54:00 1999

Sample Weight: 12.556 mg

117N8-A

SCOUTING FOR OTHERS' PAPERWORKS
 COURTESY OF THE TGA
 53 TO 55

10C/MIN N2

TEMP1: 35.0 C
 TEMP2: 300.0 C

TIME1: 0.0 min RATE1: 10.0 C/min

Temperature (°C)

JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Wed Aug 25 09:24:38 1999

Joem Van Sant 82599

Curve 1: TGA
 File info: SAM082501 Wed Aug 25 11:00:03 1999
 Sample Weight: 13.526 mg
 S99T001387

54

10C/MIN N2
 TEMP: 35.0 °C
 RATE: 10.0 °C/min
 TIME: 0.0 min
 J.M. VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Wed Aug 25 13:22:44 1999

Curve 1: TGA
 File info: SAM082506 Wed Aug 25 14:14:44 1999
 Sample Weight: 17.773 mg
 S99T001387DUP

10C/MIN N2
 TEMP1: 35.0 C
 TEMP2: 500.0 C
 TIME1: 0.0 min
 RATE1: 10.0 C/min
 JM VANSANT
 PERKIN-ELMER
 7 Series Thermal Analysis System
 Wed Aug 25 15:05:07 1999

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95
08/17/99 10:25

Page: 1

LABCORE Data Entry Template for Worklist# 30807

Analyst: JIS Instrument: BA001 Book # 134N16-CMethod: LA-510-112 Rev/Mod E-O

Worklist Comment: AP103 GRAB99, SPG-01 skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 STD			SPG-01	LIQUID	<u>1.3779</u>	<u>1.365</u>	<u>N/A</u>	Sp.G.
99000326	AP103 GRAB99	2 SAMPLE	S99T001385	0	SPG-01	LIQUID	<u>N/A</u>	<u>1.355</u>		Sp.G.
99000326	AP103 GRAB99	3 DUP	S99T001385	0	SPG-01	LIQUID	<u>1.355</u>	<u>1.306</u>	<u>N/A</u>	Sp.G.
99000326	AP103 GRAB99	4 SAMPLE	S99T001386	0	SPG-01	LIQUID	<u>N/A</u>	<u>1.302</u>		Sp.G.
99000326	AP103 GRAB99	5 DUP	S99T001386	0	SPG-01	LIQUID	<u>1.302</u>	<u>1.282</u>	<u>N/A</u>	Sp.G.
99000326	AP103 GRAB99	6 SAMPLE	S99T001387	0	SPG-01	LIQUID	<u>N/A</u>	<u>1.322</u>		Sp.G.
99000326	AP103 GRAB99	7 DUP	S99T001387	0	SPG-01	LIQUID	<u>1.322</u>	<u>1.301</u>	<u>N/A</u>	Sp.G.

Final page for worklist # 30807

Analyst Signature

Date

Analyst Signature

Date

<u>[Signature]</u>	<u>8/30/99</u>
REVIEWER SIGNATURE	DATE

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		STD	REPLICATE
STD	Gross Weight (W2)	1.4535	1.5004
Work List	Tare Weight (W1)	1.3171	1.3638
30807	Weight of Solution (W2-W1)	0.1364	0.1366
Test Code	Volume of Solution μ L	100.0000	100.0000
SPG-01	Specific Gravity	1.3640	1.3660
Matrix	Specific Gravity (Average)	1.3650	
LIQUID			
Sample #			
STD			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L/mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g/mL}]$		
Date			
08/27/99			
Time			
02:40 PM			
	$\vee$ RESULT $\vee$		
	Specific Gravity Average =	1.365	

Data Entry by:		Date:	08/27/99
Approved by:	NA	Date:	

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		SAMPLE	REPLICATE
SAMPLE	Gross Weight (W2)	1.4427	
Work List	Tare Weight (W1)	1.3072	
30807	Weight of Solution (W2-W1)	0.1355	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.3550	NA
Matrix			
LIQUID			
Sample #			
S99T001385			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L}/\text{mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g}/\text{mL}]$		
Date			
08/27/99			
Time	Specific Gravity =	1.355	
02:40 PM			

Data Entry by:	Date: 08/27/99
Approved by: <i>NA</i>	Date:

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		DUP	REPLICATE
DUP	Gross Weight (W2)	1.4822	
Work List	Tare Weight (W1)	1.3516	
30807	Weight of Solution (W2-W1)	0.1306	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.3060	NA
Matrix			
LIQUID			
Sample #			
S99T001385			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L}/\text{mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g/mL}]$		
Date			
08/27/99	v RESULT v		
Time	Specific Gravity =	1.306	
02:40 PM			

Data Entry by:

Date: 08/27/99

Approved by:

Date:

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		SAMPLE	REPLICATE
SAMPLE	Gross Weight (W2)	1.4843	
Work List	Tare Weight (W1)	1.3541	
30807	Weight of Solution (W2-W1)	0.1302	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.3020	NA
Matrix			
LIQUID			
Sample #			
S99T001386			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L}/\text{mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g}/\text{mL}]$		
Date			
08/27/99			
Time			
02:40 PM			

v RESULT v	
Specific Gravity =	1.302

Data Entry by:

Date: 08/27/99

Approved by:

Date:

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		DUP	REPLICATE
DUP	Gross Weight (W2)	1.4094	
Work List	Tare Weight (W1)	1.2812	
30807	Weight of Solution (W2-W1)	0.1282	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.2820	NA
Matrix			
LIQUID			
Sample #			
S99T001386			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L/mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g/mL}]$		
Date			
08/27/99	v RESULT v		
Time	Specific Gravity =	1.282	
02:40 PM			

Data Entry by:

Date: 08/27/99

Approved by:

Date:

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		SAMPLE	REPLICATE
SAMPLE	Gross Weight (W2)	1.4555	
Work List	Tare Weight (W1)	1.3233	
30807	Weight of Solution (W2-W1)	0.1322	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.3220	NA
Matrix			
LIQUID			
Sample #			
S99T001387			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L/mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g/mL}]$		
Date			
08/27/99			
Time	v RESULT v		
02:40 PM	Specific Gravity =	1.322	

Data Entry by:

Date: 08/27/99

Approved by:

Date:

PLACE ANALYTICAL CARD IN BOX BELOW OR ATTACH TRAVELER

SPECIFIC GRAVITY : LA-510-112 (E-0)

Type		DUP	REPLICATE
DUP	Gross Weight (W2)	1.4598	
Work List	Tare Weight (W1)	1.3297	
30807	Weight of Solution (W2-W1)	0.1301	0
Test Code	Volume of Solution μ L	100.0000	
SPG-01	Specific Gravity	1.3010	NA
Matrix			
LIQUID			
Sample #			
S99T001387			
Instrument Code	Gross Weight (W2) = Wt. of vial + cap + cotton + solution		
BA001	Tare Weight (W1) = Wt. of vial + cap + cotton		
Analyst			
JIS	Specific Gravity = $[(W2-W1) * 1000 \mu\text{L/mL}] / [\text{Vol. of Solution } \mu\text{L} * 1.000 \text{ g/mL}]$		
Date			
08/27/99			
Time			
02:40 PM			
	v RESULT v		
	Specific Gravity =	1.301	

Data Entry by:	Date: 08/27/99
Approved by: <i>NA</i>	Date:

LABCORE Data Entry Template for Worklist# 30813

Analyst: KRM Instrument: PH01 Book # 18N196Method: LA-212-106 Rev/Mod C-5

Worklist Comment: AP103 GRAB99, pH-01 skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 STOPH			PH-01	LIQUID	8.00	8.01	N/A	pH
99000326	AP103 GRAB99	2 SAMPLE	S99T001385	0	PH-01	LIQUID	N/A	>13.5 13.57 m/L	8/27/99	pH
99000326	AP103 GRAB99	3 DUP	S99T001385	0	PH-01	LIQUID		>13.5 13.60 m/L	8/27/99	pH
99000326	AP103 GRAB99	4 SAMPLE	S99T001386	0	PH-01	LIQUID	N/A	>13.5 13.59 m/L	8/27/99	pH
99000326	AP103 GRAB99	5 DUP	S99T001386	0	PH-01	LIQUID		>13.5 13.63 m/L	8/27/99	pH
99000326	AP103 GRAB99	6 SAMPLE	S99T001387	0	PH-01	LIQUID	N/A	>13.5 13.69 m/L	8/27/99	pH
99000326	AP103 GRAB99	7 DUP	S99T001387	0	PH-01	LIQUID		>13.5 13.70 m/L	8/27/99	pH

Final page for worklist # 30813

Analyst Signature

Date

8-26-99

Analyst Signature

Date

8/27/99

Reviewed By
James Krebs 8/27/99

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

LABCORE Completed Worklist Report for Worklist# 30812

Analyst: rdm

Instrument: PH01

Book#: 33N15A

Method: LA-211-102 Rev/Mod D-1

Worklist Comment: AP103 GRAB99, OH-01 skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 BLNK		0	OH-01	LIQUID	1	<2500		ug/mL
2 STD		0	OH-01	LIQUID	1.56e4	1.56e4	100.000 % Recovery	
3 SAMPLE	S99T001385	0	OH-01	LIQUID	N/A	9.50e+3	2500.000	ug/mL
4 DUP	S99T001385	0	OH-01	LIQUID	9.50e+3	8.89e+3	6.634	RPD
5 SAMPLE	S99T001386	0	OH-01	LIQUID	N/A	9.83e+3	2500.000	ug/mL
6 DUP	S99T001386	0	OH-01	LIQUID	9.83e3	9.97e+3	1.414	RPD
7 SAMPLE	S99T001387	0	OH-01	LIQUID	N/A	9.29e+3	2500.000	ug/mL
8 DUP	S99T001387	0	OH-01	LIQUID	9.29e+3	9.56e+3	2.865	RPD

Final page for worklist# 30812

Analyst Signature

Date

Analyst Signature

Date

Reviewer Signature

Date

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95

08/17/99 09:30

Page: 1

LABCORE Data Entry Template for Worklist# 30812

Analyst: Rom Instrument: PH01 Book # 33N15AMethod: LA-211-102 Rev/Mod D-1

Worklist Comment: AP103 GRAB99, OH-01 skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 BLNK			OH-01	LIQUID		<u>2.50E+3</u> <u>1.56E+4</u>	<u>9/18/27</u> N/A	ug/mL
		2 STD			OH-01	LIQUID		<u>1.56E+4</u>	N/A	ug/mL
99000326	AP103 GRAB99	3 SAMPLE	S99T001385	0	OH-01	LIQUID	N/A	<u>9.50E+3</u>	<u>2500</u>	ug/mL
99000326	AP103 GRAB99	4 DUP	S99T001385	0	OH-01	LIQUID	<u>9.50E+3</u>	<u>8.89E+3</u>	N/A	ug/mL
99000326	AP103 GRAB99	5 SAMPLE	S99T001386	0	OH-01	LIQUID	N/A	<u>9.83E+3</u>	<u>2500</u>	ug/mL
99000326	AP103 GRAB99	6 DUP	S99T001386	0	OH-01	LIQUID	<u>9.83E+3</u>	<u>9.97E+3</u>	N/A	ug/mL
99000326	AP103 GRAB99	7 SAMPLE	S99T001387	0	OH-01	LIQUID	N/A	<u>9.29E+3</u>	<u>2500</u>	ug/mL
99000326	AP103 GRAB99	8 DUP	S99T001387	0	OH-01	LIQUID	<u>9.29E+3</u>	<u>9.56E+3</u>	N/A	ug/mL

Final page for worklist # 30812

Rom 8/25/99
 Analyst Signature Date

C. J. O'Brien 8/27/99
 Analyst Signature Date

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number,
 R = Replicate Number, A = Aliquot Code.

date 99-08-25 time 13:50
 GET pH 12 # 36
 Id.#1 893-2
 Id.#2 .1981 *1385*
 pH(init) 11.53
 V/ml pH
 EP1 .141 10.11
 EP2 .238 8.40
 EP3 .307 7.50
 EP4 .445 6.89
 EP5 .561 6.38
 manual stop
 =====

date 99-08-25 time 10:43
 GET pH 12 # 34
 Id.#1 893-2
 Id.#2 .1981 *BK*
 pH(init) 4.92
 V/ml pH
 EP1 .008 4.40
 stop volt.reached
 =====

date 99-08-25 time 10:43
 GET pH 12 # 34
 .10ml/div Δ pH=1/div
 start V .000 ml

date 99-08-25 time 10:48
 GET pH 12 # 35
 Id.#1 893-2
 Id.#2 .1981
 pH(init) 11.73
 V/ml pH
 EP1 .231 9.87
 EP2 .308 6.94
 stop volt.reached
 =====

date 99-08-25 time 10:48
 GET pH 12 # 35
 .10ml/div Δ pH=1/div
 start V .000 ml

date 99-08-25 time 13:51
 GET pH 12 # 36
 .10ml/div Δ pH=1/div
 start V .000 ml

date 99-08-25 time 13:56
 GET pH 12 # 37
 Id.#1 893-2
 Id.#2 .1981 *1385*
 pH(init) 11.47 *Dnp*
 V/ml pH
 EP1 .132 10.00
 EP2 .227 8.30
 manual stop
 =====

date 99-08-25 time 13:56
 GET pH 12 # 37
 .10ml/div Δ pH=1/div
 start V .000 ml

HNF-1683 REV. 0

date 99-08-25 time 14:03
 GET pH 12 # 38
 Id.#1 893-2
 Id.#2 .1981 *1386*
 pH(init) 11.52
 V/ml pH
 EP1 .146 10.00
 EP2 .242 8.39
 stop volt.reached
 =====

date 99-08-25 time 14:03
 GET pH 12 # 38
 .10ml/div Δ pH=1/div
 start V .000 ml

date 99-08-25 time 14:08
 GET pH 12 # 39
 Id.#1 893-2
 Id.#2 .1981 *1386*
 pH(init) 11.50 *Dnp*
 V/ml pH
 EP1 .148 10.03
 EP2 .242 8.53
 stop volt.reached
 =====

date 99-08-25 time 14:08
 GET pH 12 # 39
 .10ml/div Δ pH=1/div
 start V .000 ml

HNF-1683 REV. 0

date 99-08-25 time 14:19
GET pH 12 # 40
Id.#1 893-2
Id.#2 .1981 1387
pH(init) 11.50
V/ml pH
EP1 .138 10.83
EP2 .233 8.37
stop volt.reached
=====

date 99-08-25 time 14:22
GET pH 12 # 40
.10ml/div Δ pH=1/div
start V .000 ml

date 99-08-25 time 14:27
GET pH 12 # 41
Id.#1 893-2
Id.#2 .1981 1387
pH(init) 11.50 04P
V/ml pH
EP1 .142 10.85
EP2 .240 8.41
stop volt.reached
=====

date 99-08-25 time 14:27
GET pH 12 # 41
.10ml/div Δ pH=1/div
start V .000 ml

OH (AUTO) : LA-211-102 (D-1)

OH (AUTO) : LA-211-102 (D-1)		STANDARD
Type	Sample Size (mL) SS	0.050
STANDARD	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.231
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	9.15E-01
Matrix	Concentration of Sample in PPM	1.56E+04
LIQUID		
Sample #		
STD	Detection Limit $= (125\mu\text{g}/\text{SS}) * \text{DF}$	
Instrument Code		
PH01		2.50E+03
Analyst		
RDM	OH Molarity $= ((\text{mL HNO}_3) * (\text{M HNO}_3)) / \text{Sample Size in mL} * \text{Dilution Factor}$	
Date	OH in $\mu\text{g}/\text{mL} = (\text{OH MOLARITY}) * (17.0\text{g}/\text{mole}) * (1000000\mu\text{g}/\text{g}) / (1000\text{mL}/\text{L})$	
08/25/99		
Time		
02:27 PM		
		STANDARD
	Concentration of Sample (MOLARITY)	9.15E-01
	Concentration of Sample in PPM	1.56E+04

OH (AUTO) : LA-211-102 (D-1)

OH (AUTO) : LA-211-102 (D-1)		BLANK
Type	Sample Size (mL) SS	0.050
BLANK	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.008
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	3.17E-02
Matrix	Concentration of Sample in PPM	5.39E+02
LIQUID		
Sample #		
BLANK	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		
		BLANK
	Concentration of Sample (MOLARITY)	3.17E-02
	Concentration of Sample in PPM	<2500
	The Result is < Detection Limit	

OH (AUTO) : LA-211-102 (D-1)

OH (AUTO) : LA-211-102 (D-1)		SAMPLE
Type	Sample Size (mL) SS	0.050
SAMPLE	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.141
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.59E-01
Matrix	Concentration of Sample in PPM	9.50E+03
LIQUID		
Sample #		
S99T001385	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		
		SAMPLE
	Concentration of Sample (MOLARITY)	5.59E-01
	Concentration of Sample in PPM	9.50E+03

OH (AUTO) : LA-211-102 (D-1)

		DUP
Type	Sample Size (mL) SS	0.050
DUP	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.132
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.23E-01
Matrix	Concentration of Sample in PPM	8.89E+03
LIQUID		
Sample #		
S99T001385	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		DUP
	Concentration of Sample (MOLARITY)	5.23E-01
	Concentration of Sample in PPM	8.89E+03

OH (AUTO) : LA-211-102 (D-1)

OH (AUTO) : LA-211-102 (D-1)		SAMPLE
Type	Sample Size (mL) SS	0.050
SAMPLE	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.146
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.78E-01
Matrix	Concentration of Sample in PPM	9.83E+03
LIQUID		
Sample #		
S99T001386	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		
		SAMPLE
	Concentration of Sample (MOLARITY)	5.78E-01
	Concentration of Sample in PPM	9.83E+03

OH (AUTO) : LA-211-102 (D-1)

		DUP
Type	Sample Size (mL) SS	0.050
DUP	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.148
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.86E-01
Matrix	Concentration of Sample in PPM	9.97E+03
LIQUID		
Sample #		
S99T001386	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		DUP
	Concentration of Sample (MOLARITY)	5.86E-01
	Concentration of Sample in PPM	9.97E+03

OH (AUTO) : LA-211-102 (D-1)

OH (AUTO) : LA-211-102 (D-1)		SAMPLE
Type	Sample Size (mL) SS	0.050
SAMPLE	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.138
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.47E-01
Matrix	Concentration of Sample in PPM	9.29E+03
LIQUID		
Sample #		
S99T001387	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		
		SAMPLE
	Concentration of Sample (MOLARITY)	5.47E-01
	Concentration of Sample in PPM	9.29E+03

OH (AUTO) : LA-211-102 (D-1)

		DUP
Type	Sample Size (mL) SS	0.050
DUP	Concentration of Titrant (Molarity)	0.1981
Work List	Titrant volume at end-point in mL	0.142
30812	*** Enter Dilution Factor (DF) or 1 ***	1
Test Code		
OH-01	Concentration of Sample (MOLARITY)	5.63E-01
Matrix	Concentration of Sample in PPM	9.56E+03
LIQUID		
Sample #		
S99T001387	Detection Limit =(125µg/SS)*DF	
Instrument Code		
PH01	Detection Limit (PPM)	2.50E+03
Analyst		
RDM	OH Molarity =((mL HNO3)*(M HNO3))/Sample Size in mL)*Dilution Factor	
Date		
08/25/99	OH in µg/mL = (OH MOLARITY)*(17.0g/mole)*(1000000µg/g)/(1000mL/L)	
Time		
02:27 PM		DUP
	Concentration of Sample (MOLARITY)	5.63E-01
	Concentration of Sample in PPM	9.56E+03

LABCORE Completed Worklist Report for Worklist# 30810

Analyst: slh

Instrument: NH301

Book#: _____

Method: LA-631-001 Rev/Mod D-0

Worklist Comment: AP103 GRAB99, NH3-01, STD=1.0mL skm

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
1	BLNK		0		NH3-01	LIQUID	1	<2.50E+2		ug/mL
2	STD		0		NH3-01	LIQUID	4.40E+02	4.43E+2	100.682 % Recovery	
3	SAMPLE	S99T001386	0		NH3-01	LIQUID	N/A	< 2.50E+02	250.000	ug/mL
4	DUP	S99T001386	0		NH3-01	LIQUID	<2.50E+2	<2.50E+2		RPD
5	SPK	S99T001386	0		NH3-01	LIQUID	1.10E+02	8.25E+01	75.000 % Recovery	
6	STD		0		NH3-01	LIQUID	4.40E+02	4.19E+2	95.227 % Recovery	

Final page for worklist# 30810

Analyst Signature

Date

Analyst Signature

Date

Reviewer Signature

Date

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95

Page: 1

08/17/99 09:27

LABCORE Data Entry Template for Worklist# 30810Analyst: SLH Instrument: NH301 Book # S9N19-DMethod: LA-631-001 Rev/Mod DC

Worklist Comment: AP103 GRAB99, NH3-01, STD=1.0mL skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 BLNK			NH3-01	LIQUID			N/A	ug/mL
		2 STD			NH3-01	LIQUID			N/A	ug/mL
99000326	AP103 GRAB99	3 SAMPLE	S99T001386	0	NH3-01	LIQUID	N/A			ug/mL
99000326	AP103 GRAB99	4 DUP	S99T001386	0	NH3-01	LIQUID			N/A	ug/mL
99000326	AP103 GRAB99	5 SPK	S99T001386	0	NH3-01	LIQUID			N/A	ug/mL
		6 STD			NH3-01	LIQUID			N/A	ug/mL

Final page for worklist # 30810Analyst Signature Pandra Hood Date 8-29-99Analyst Signature Mary Franz Date 8/30/99

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 08:02, 08-29-99

SAMPLE VOL= 25.000 AT 08:02, 08-29-99
ENTERED

EMF=-62.7 mV AT 08:02, 08-29-99

EMF=-62.9 mV AT 08:02, 08-29-99

EMF=-63.0 mV AT 08:03, 08-29-99

EMF=-63.3 mV AT 08:03, 08-29-99
ENTERED

STD CONC= 997 AT 08:03, 08-29-99
ENTERED

STD VOL= .25000 AT 08:07, 08-29-99
ENTERED

EMF=-81.6 mV AT 08:07, 08-29-99

EMF=-81.6 mV AT 08:07, 08-29-99

EMF=-81.9 mV AT 08:08, 08-29-99

EMF=-82.1 mV AT 08:08, 08-29-99

EMF=-82.2 mV AT 08:09, 08-29-99
ENTERED

STD VOL= 2.5000 AT 08:17, 08-29-99
ENTERED

EMF=-128.1 mV AT 08:17, 08-29-99

EMF=-128.2 mV AT 08:18, 08-29-99

EMF=-128.3 mV AT 08:19, 08-29-99

EMF=-128.4 mV AT 08:19, 08-29-99

EMF=-128.5 mV AT 08:20, 08-29-99
ENTERED

1:NH3 SLOPE=-62.4 mV/DEC
AT 08:20, 08-29-99

1:NH3 CONC= 9.69

WL 30810

STD 35.500ml

59N19-1

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 09:11, 08-29-99

SAMPLE VOL= 25.000 AT 09:12, 08-29-99
ENTERED

EMF= 0.3 mV AT 09:15, 08-29-99

EMF= 0.2 mV AT 09:16, 08-29-99

EMF= 0.2 mV AT 09:16, 08-29-99

EMF= 0.3 mV AT 09:16, 08-29-99

EMF= 0.5 mV AT 09:17, 08-29-99

EMF= 0.6 mV AT 09:17, 08-29-99
ENTERED

STD CONCN= 997 AT 09:17, 08-29-99
ENTERED

STD VOL= .25000 AT 09:24, 08-29-99
ENTERED

EMF=-66.7 mV AT 09:24, 08-29-99

EMF=-66.9 mV AT 09:25, 08-29-99

EMF=-67.1 mV AT 09:26, 08-29-99

EMF=-67.1 mV AT 09:26, 08-29-99
ENTERED

STD VOL= 2.5000 AT 09:35, 08-29-99
ENTERED

EMF=-125.8 mV AT 09:36, 08-29-99

EMF=-125.9 mV AT 09:36, 08-29-99

EMF=-125.9 mV AT 09:36, 08-29-99

EMF=-126.1 mV AT 09:37, 08-29-99
ENTERED

1:NH3 SLOPE=-60.9 mV/DEC
AT 09:37, 08-29-99

1:NH3 CONCN= .826

BIL

WL 30810

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 09:55. 08-29-99

SAMPLE VOL= 25.000 AT 09:55. 08-29-99
ENTERED

EMF=-7.7 mV AT 09:55. 08-29-99

EMF=-7.5 mV AT 09:56. 08-29-99

EMF=-7.2 mV AT 09:56. 08-29-99

EMF=-6.9 mV AT 09:57. 08-29-99
ENTERED

STD CONC= 997 AT 09:57. 08-29-99
ENTERED

STD VOL= .25000 AT 10:01. 08-29-99
ENTERED

EMF=-65.0 mV AT 10:01. 08-29-99

EMF=-65.1 mV AT 10:01. 08-29-99

EMF=-65.3 mV AT 10:01. 08-29-99

EMF=-65.4 mV AT 10:02. 08-29-99

EMF=-65.4 mV AT 10:02. 08-29-99
ENTERED

STD VOL= 2.5000 AT 10:07. 08-29-99
ENTERED

EMF=-121.7 mV AT 10:07. 08-29-99

EMF=-121.8 mV AT 10:08. 08-29-99

EMF=-121.9 mV AT 10:08. 08-29-99

EMF=-122.1 mV AT 10:09. 08-29-99

EMF=-122.1 mV AT 10:09. 08-29-99
ENTERED

1:NH3 SLOPE=-59.2 mV/DEC
AT 10:09. 08-29-99

1:NH3 CONC= 1.13

SS = .100ml

S99T001386 am

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 10:28, 08-29-99

SAMPLE VOL= 25.000 AT 10:28, 08-29-99
ENTERED

EMF=-1.2 mV AT 10:28, 08-29-99

EMF=-1.0 mV AT 10:28, 08-29-99

EMF=-0.8 mV AT 10:29, 08-29-99

EMF=-0.7 mV AT 10:30, 08-29-99

EMF=-0.6 mV AT 10:30, 08-29-99

EMF=-0.4 mV AT 10:30, 08-29-99

EMF= 0 mV AT 10:31, 08-29-99
ENTERED

STD CONCN= 997 AT 10:31, 08-29-99
ENTERED

STD VOL= .25000 AT 10:36, 08-29-99
ENTERED

EMF=-57.6 mV AT 10:37, 08-29-99

EMF=-57.9 mV AT 10:37, 08-29-99

EMF=-58.2 mV AT 10:38, 08-29-99

EMF=-58.3 mV AT 10:38, 08-29-99
ENTERED

STD VOL= 2.5000 AT 10:44, 08-29-99
ENTERED

EMF=-116.4 mV AT 10:44, 08-29-99

EMF=-116.6 mV AT 10:44, 08-29-99

EMF=-116.8 mV AT 10:45, 08-29-99

EMF=-117.0 mV AT 10:45, 08-29-99

EMF=-117.0 mV AT 10:45, 08-29-99
ENTERED

1:NH3 SLOPE=-61.5 mV/DEC
AT 10:45, 08-29-99

1:NH3 CONCN= 1.25

S99T 001386 Dup
SS = .100 ml

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 14:06, 08-29-99

SAMPLE VOL= 25.000 AT 14:06, 08-29-99
ENTERED

EMF=-3.2 mV AT 14:06, 08-29-99

EMF=-3.6 mV AT 14:07, 08-29-99

EMF=-4.0 mV AT 14:07, 08-29-99

EMF=-3.6 mV AT 14:08, 08-29-99

EMF=-4.6 mV AT 14:08, 08-29-99
ENTERED

STD CONCN= 997 AT 14:09, 08-29-99
ENTERED

STD VOL= .25000 AT 14:13, 08-29-99
ENTERED

EMF=-34.3 mV AT 14:13, 08-29-99

EMF=-34.6 mV AT 14:13, 08-29-99

EMF=-34.9 mV AT 14:14, 08-29-99

EMF=-35.2 mV AT 14:14, 08-29-99

EMF=-35.2 mV AT 14:14, 08-29-99
ENTERED

STD VOL= 2.5000 AT 14:17, 08-29-99
ENTERED

EMF=-86.2 mV AT 14:18, 08-29-99

EMF=-86.5 mV AT 14:18, 08-29-99

EMF=-86.7 mV AT 14:18, 08-29-99

EMF=-86.9 mV AT 14:19, 08-29-99
ENTERED

1:NH3 SLOPE=-60.3 mV/DEC
AT 14:19, 08-29-99

1:NH3 CONCN= 4.43

S99T00 1386 Sph
SS .100ml
+ .250ml Sph
S9N19-D

DOUBLE KNOWN ADDITION SELECTED
AT 16:57, 08-29-99

SAMPLE VOL= 25.000 AT 16:57, 08-29-99
ENTERED

EMF=-50.9 mV AT 16:57, 08-29-99

EMF=-51.1 mV AT 16:58, 08-29-99

EMF=-51.3 mV AT 16:58, 08-29-99

EMF=-51.4 mV AT 16:58, 08-29-99
ENTERED

STD CONC= 997 AT 16:58, 08-29-99
ENTERED

STD VOL= .25000 AT 17:03, 08-29-99
ENTERED

EMF=-70.9 mV AT 17:04, 08-29-99

EMF=-71.1 mV AT 17:04, 08-29-99

EMF=-71.3 mV AT 17:05, 08-29-99

EMF=-71.4 mV AT 17:05, 08-29-99
ENTERED

STD VOL= 2.5000 AT 17:14, 08-29-99
ENTERED

EMF=-118.4 mV AT 17:14, 08-29-99

EMF=-118.5 mV AT 17:14, 08-29-99

EMF=-118.6 mV AT 17:15, 08-29-99

EMF=-118.9 mV AT 17:15, 08-29-99

EMF=-119.0 mV AT 17:16, 08-29-99

EMF=-119.2 mV AT 17:16, 08-29-99

EMF=-119.2 mV AT 17:16, 08-29-99
ENTERED

1:NH3 SLOPE=-63.6 mV/DEC
AT 17:17, 08-29-99

1:NH3 CONC= 9.21

Endo Std

WORKBOOK PAGE: BLANK1

AMMONIA (NH3) : LA-631-001 (C-0) ^{DMD} 11/11/99

LIQUIDS/SOLIDS

Type	Instrument Data (µg/mL)	ID	BLNK	0.000
BLNK	Blank Result from the Instrument (µg/mL)	BR		0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM		0.100
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL		25.0
Test Code				
NH3-01				
Matrix				
LIQUID	Dilution Factor	DF		1.000
Batch Number				
99003188				
Rerun				
0				
Sample Prep				
N/A	NH3 Concentration (µg/mL)	NH3 CONC	<	2.50E+02
Sample #				
BLNK	Detection Limit (µg/mL)			2.50E+02
Instrument Code				
NH301	Detection Limit = 1.000µg * (FVOL/VSAM)			
Prepared By				
MF	NH3 Concentration (µg/mL) = (BR) * (FVOL / VSAM) * DDF			
Chemist				
MJL				
Analyst				
SLH				
Date Complete				
08/30/99				
Analysis Date				
08/29/99				
Analysis Time				
05:17 PM				
Sample Point	NH3 Concentration (µg/mL)			< 2.50E+02
AP103 GRAB99				

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: STD2

AMMONIA (NH3) : LA-631-001 (C-0) *11/11/99*

LIQUIDS/SOLIDS

		STD
Type	Instrument Data (µg/mL)	ID 9.690
STD	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.500
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code	LCS Standard Book Number	LCS 59N19D
NH3-01	LCS Standard Concentration (µg/mL)	STD VAL 4.40E+02
Matrix		
LIQUID		
Batch Number		
99003188		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC 4.43E+02
Sample #		
STD	Detection Limit (µg/mL)	5.00E+01
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM)	
Prepared By		
MF	NH3 Concentration (µg/mL) = (ID-BR)*(FVOL /VSAM)	
Chemist		
MJL	QC ACTUAL = STD VAL	
Analyst	QC FOUND = (ID-BR) * (FVOL/VSAM)	
SLH		
Date Complete		
08/30/99		
Analysis Date	QC ACTUAL (µg)	4.40E+02
08/29/99	QC FOUND (µg)	4.43E+02
Analysis Time		
05:17 PM		
Sample Point		
AP103 GRAB99		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: SAM3

AMMONIA (NH3) : LA-631-001 (C-0) ^{11/1/99} _{LAD}

LIQUIDS/SOLIDS

		SAMPLE
Type	Instrument Data (µg/mL)	ID 1.130
SAMPLE	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.100
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor	DF 1.000
Batch Number		
99003188		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC < 2.50E+02
Sample #		
S99T001386	Detection Limit (µg/mL)	2.50E+02
Instrument Code		
NH301	Detection Limit = $1.000\mu\text{g} \cdot (\text{FVOL}/\text{VSAM}) \cdot \text{DF}$	
Prepared By		
MF	NH3 Concentration (µg/mL) = $(\text{ID}-\text{BR}) \cdot (\text{FVOL} / \text{VSAM}) \cdot \text{DF}$	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103 GRAB99		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: DUP4

AMMONIA (NH3) : LA-631-001 (C-0) ^{0.0001}

LIQUIDS/SOLIDS

		DUP
Type	Instrument Data (µg/mL)	ID 1.250
DUP	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.100
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor	DF 1.000
Batch Number		
99003188		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC < 2.50E+02
Sample #		
S99T001386	Detection Limit (µg/mL)	2.50E+02
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM) * DF	
Prepared By		
MF	NH3 Concentration (µg/mL) = (ID-BR) * (FVOL / VSAM)*DF	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103 GRAB99		

Analyst:	SLH Date: 08/30/99
Signature of Chemist: <i>NA</i>	MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: SPIKE5

AMMONIA (NH3) : LA-631-001 (C-0) 11/11/99

LIQUIDS/SOLIDS

Type	Instrument Data (µg/mL)	ID	SPK
SPK	Blank Result from the Instrument (µg/mL)	BR	4.430
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM	0.826
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL	0.100
Test Code	Spike Book Number	SPK	25.0
NH3-01	Spike Value (µg/mL)	SPK VAL	59N19D
Matrix	Vol of Spike Standard Used (mL)	VOL SPK	4.40E+02
LIQUID			0.250
Batch Number			
99003188			
Rerun	Sample Instrument Data (µg/mL)	SAM ID	1.13
0	Sample Volume of Sample (mL)	SAM VSAM	0.100
Sample Prep	Sample Final Volume (mL)	SAM FVOL	25.0
N/A			
Sample #			
S99T001386			
Instrument Code			
NH301			
Prepared By			
MF			
Chemist			
MJL	QC ACTUAL = SPK VAL * VOL SPK		
Analyst	QC FOUND = (((ID-BR) * FVOL) - (SAM ID - BR) * SAM FVOL * (VSAM / SAM VSAM))		
SLH			
Date Complete			
08/30/99			
Analysis Date	QC ACTUAL (µg)		1.10E+02
08/29/99	QC FOUND (µg)		8.25E+01
Analysis Time			
05:17 PM			
Sample Point			
AP103 GRAB99			

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: ST_END6

AMMONIA (NH3) : LA-631-001 (C-0) *LA-D 11/11/99*

LIQUIDS/SOLIDS

		STD
Type	Instrument Data (µg/mL) ID	9.210
STD	Blank Result from the Instrument (µg/mL) BR	0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL) VSAM	0.500
30810	Final Vol of Dilution (mL) or Vol of Sample Direct (mL) FVOL	25.0
Test Code	LCS Standard Book Number LCS	59N19D
NH3-01	LCS Standard Concentration (µg/mL) STD VAL	4.40E+02
Matrix		
LIQUID		
Batch Number		
99003188		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL) NH3 CONC	4.19E+02
Sample #		
STD	Detection Limit (µg/mL) 5.00E+01	
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM)	
Prepared By		
MF	NH3 Concentration (µg/mL) = (ID-BR)*(FVOL /VSAM)	
Chemist		
MJL	QC ACTUAL = STD VAL	
Analyst	QC FOUND = (ID-BR) * (FVOL/VSAM)	
SLH		
Date Complete		
08/30/99		
Analysis Date	QC ACTUAL (µg)	4.40E+02
08/29/99	QC FOUND (µg)	4.19E+02
Analysis Time		
05:17 PM		
Sample Point		
AP103 GRAB99		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

LABCORE Completed Worklist Report for Worklist# 30811

Analyst: slh

Instrument: NH301

Book#: _____

Method: LA-631-001 Rev/Mod D-C

Worklist Comment: AP103 GRAB99, NH3-01, STD=1.0mL skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 BLNK		0	NH3-01	LIQUID	1	<2.50E+2		ug/mL
2 STD		0	NH3-01	LIQUID	4.40E+02	4.43E+2	100.682 % Recovery	
3 SAMPLE	S99T001385	0	NH3-01	LIQUID	N/A <	2.50E+02	250.000	ug/mL
4 DUP	S99T001385	0	NH3-01	LIQUID	<2.50E+2	<2.50E+2		RPD
5 SAMPLE	S99T001387	0	NH3-01	LIQUID	N/A <	2.50E+02	250.000	ug/mL
6 DUP	S99T001387	0	NH3-01	LIQUID	<2.50E+2	<2.50E+2		RPD
7 STD		0	NH3-01	LIQUID	4.40E+02	4.19E+2	95.227 % Recovery	

Final page for worklist# 30811

Analyst Signature

Date

Analyst Signature

Date

Reviewer Signature

Date

HNF-1683 REV. 0

worklistrpt Version 2.1 05/15/95

08/17/99 09:27

Page: 1

LABCORE Data Entry Template for Worklist# 30811Analyst: SLH Instrument: NH301 Book # 59N19-DMethod: LA-631-001 Rev/Mod D-0

Worklist Comment: AP103 GRAB99, NH3-01, STD=1.0mL skm

GROUP	PROJECT	S TYPE	SAMPLE#	R A	TEST	MATRIX	ACTUAL	FOUND	DL	UNIT
		1 BLNK			NH3-01	LIQUID			N/A	ug/mL
		2 STD			NH3-01	LIQUID			N/A	ug/mL
99000326	AP103 GRAB99	3 SAMPLE	S99T001385	0	NH3-01	LIQUID	N/A			ug/mL
99000326	AP103 GRAB99	4 DUP	S99T001385	0	NH3-01	LIQUID			N/A	ug/mL
99000326	AP103 GRAB99	5 SAMPLE	S99T001387	0	NH3-01	LIQUID	N/A			ug/mL
99000326	AP103 GRAB99	6 DUP	S99T001387	0	NH3-01	LIQUID			N/A	ug/mL
		7 STD			NH3-01	LIQUID			N/A	ug/mL

Final page for worklist # 30811

Jamie H. Boatright
Analyst Signature Date 8-29-99

Mary Tracy 8/30/99
Analyst Signature Date

Data Entry Comments:

Units shown for QC (SPK & STD) may not reflect the actual units. DL = Detection Limit, S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 08:02, 08-29-99

SAMPLE VOL= 25.000 AT 08:02, 08-29-99
ENTERED

EMF=-62.7 mV AT 08:02, 08-29-99

EMF=-62.9 mV AT 08:02, 08-29-99

EMF=-63.0 mV AT 08:03, 08-29-99

EMF=-63.3 mV AT 08:03, 08-29-99
ENTERED

STD CONC= 997 AT 08:03, 08-29-99
ENTERED

STD VOL= .25000 AT 08:07, 08-29-99
ENTERED

EMF=-81.6 mV AT 08:07, 08-29-99

EMF=-81.6 mV AT 08:07, 08-29-99

EMF=-81.9 mV AT 08:08, 08-29-99

EMF=-82.1 mV AT 08:08, 08-29-99

EMF=-82.2 mV AT 08:09, 08-29-99
ENTERED

STD VOL= 2.5000 AT 08:17, 08-29-99
ENTERED

EMF=-128.1 mV AT 08:17, 08-29-99

EMF=-128.2 mV AT 08:18, 08-29-99

EMF=-128.3 mV AT 08:19, 08-29-99

EMF=-128.4 mV AT 08:19, 08-29-99

EMF=-128.5 mV AT 08:20, 08-29-99
ENTERED

1:NH3 SLOPE=-62.4 mV/DEC
AT 08:20, 08-29-99

1:NH3 CONC= 9.69

WL 30811

STD ~~SS~~ = .500 mV
59N19-1

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 09:11, 08-29-99

SAMPLE VOL= 25.000 AT 09:12, 08-29-99
ENTERED

EMF= 0.3 mV AT 09:15, 08-29-99

EMF= 0.2 mV AT 09:16, 08-29-99

EMF= 0.2 mV AT 09:16, 08-29-99

EMF= 0.3 mV AT 09:16, 08-29-99

EMF= 0.5 mV AT 09:17, 08-29-99

EMF= 0.6 mV AT 09:17, 08-29-99
ENTERED

STD CONCN= 997 AT 09:17, 08-29-99
ENTERED

STD VOL= .25000 AT 09:24, 08-29-99
ENTERED

EMF=-66.7 mV AT 09:24, 08-29-99

EMF=-66.9 mV AT 09:25, 08-29-99

EMF=-67.1 mV AT 09:26, 08-29-99

EMF=-67.1 mV AT 09:26, 08-29-99
ENTERED

STD VOL= 2.5000 AT 09:35, 08-29-99
ENTERED

EMF=-125.8 mV AT 09:36, 08-29-99

EMF=-125.9 mV AT 09:36, 08-29-99

EMF=-125.9 mV AT 09:36, 08-29-99

EMF=-126.1 mV AT 09:37, 08-29-99
ENTERED

1:NH3 SLOPE=-60.9 mV/DEC
AT 09:37, 08-29-99

1:NH3 CONCN= .826

WL 30811

BIL

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 15:04, 08-29-99

SAMPLE VOL= 25.000 AT 15:04, 08-29-99
ENTERED

EMF= 7.9 mV AT 15:04, 08-29-99

EMF= 8.1 mV AT 15:05, 08-29-99

EMF= 8.4 mV AT 15:06, 08-29-99

EMF= 8.4 mV AT 15:06, 08-29-99
ENTERED

STD CONC= 997 AT 15:07, 08-29-99
ENTERED

STD VOL= .25000 AT 15:11, 08-29-99
ENTERED

EMF=-51.2 mV AT 15:11, 08-29-99

EMF=-51.4 mV AT 15:11, 08-29-99

EMF=-52.0 mV AT 15:12, 08-29-99

EMF=-52.3 mV AT 15:13, 08-29-99

EMF=-52.3 mV AT 15:13, 08-29-99
ENTERED

STD VOL= 2.5000 AT 15:17, 08-29-99
ENTERED

EMF=-110.5 mV AT 15:17, 08-29-99

EMF=-110.8 mV AT 15:18, 08-29-99

EMF=-110.9 mV AT 15:18, 08-29-99

EMF=-111.1 mV AT 15:18, 08-29-99
ENTERED

1:NH3 SLOPE=-61.4 mV/DEC
AT 15:18, 08-29-99

1:NH3 CONC= 1.13

SS = .100 ml

599T00 1385 sam

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 14:33, 08-29-99

SAMPLE VOL= 25.000 AT 14:33, 08-29-99
ENTERED

EMF= 17.9 mV AT 14:33, 08-29-99

EMF= 18.1 mV AT 14:34, 08-29-99

EMF= 18.3 mV AT 14:34, 08-29-99

EMF= 18.4 mV AT 14:35, 08-29-99

EMF= 18.5 mV AT 14:35, 08-29-99

EMF= 18.6 mV AT 14:36, 08-29-99
ENTERED

STD CONCN= 997 AT 14:36, 08-29-99
ENTERED

STD VOL= .25000 AT 14:39, 08-29-99
ENTERED

EMF=-46.3 mV AT 14:39, 08-29-99

EMF=-46.9 mV AT 14:40, 08-29-99

EMF=-47.1 mV AT 14:40, 08-29-99

EMF=-47.2 mV AT 14:40, 08-29-99
ENTERED

STD VOL= 2.5000 AT 14:44, 08-29-99
ENTERED

EMF=-106.4 mV AT 14:44, 08-29-99

EMF=-106.7 mV AT 14:45, 08-29-99

EMF=-107.6 mV AT 14:46, 08-29-99

EMF=-107.8 mV AT 14:47, 08-29-99

EMF=-107.9 mV AT 14:47, 08-29-99
ENTERED

1:NH3 SLOPE=-63.0 mV/DEC
AT 14:47, 08-29-99

1:NH3 CONCN= .978

S99 T00 1385 Dup
SS = .100ml

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 16:01, 08-29-99

SAMPLE VOL= 25.000 AT 16:04, 08-29-99
ENTERED

EMF= 4.4 mV AT 16:05, 08-29-99

EMF= 4.5 mV AT 16:05, 08-29-99

EMF= 4.6 mV AT 16:06, 08-29-99

EMF= 4.7 mV AT 16:06, 08-29-99

EMF= 4.8 mV AT 16:06, 08-29-99

EMF= 4.8 mV AT 16:06, 08-29-99
ENTERED

STD CONCN= 997 AT 16:07, 08-29-99
ENTERED

STD VOL= .25000 AT 16:10, 08-29-99
ENTERED

EMF=-57.4 mV AT 16:11, 08-29-99

EMF=-57.7 mV AT 16:11, 08-29-99

EMF=-58.0 mV AT 16:12, 08-29-99

EMF=-58.1 mV AT 16:12, 08-29-99
ENTERED

STD VOL= 2.5000 AT 16:15, 08-29-99
ENTERED

EMF=-115.7 mV AT 16:15, 08-29-99

EMF=-116.0 mV AT 16:15, 08-29-99

EMF=-116.2 mV AT 16:15, 08-29-99

EMF=-116.3 mV AT 16:16, 08-29-99
ENTERED

1:NH3 SLOPE=-60.4 mV/DEC
AT 16:16, 08-29-99

1:NH3 CONCN= .987

599T00 1387 *slm*

SS = .100m

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 16:28, 08-29-99

SAMPLE VOL= 25.000 AT 16:28, 08-29-99
ENTERED

EMF= 4.0 mV AT 16:28, 08-29-99

EMF= 4.0 mV AT 16:29, 08-29-99

EMF= 4.1 mV AT 16:29, 08-29-99

EMF= 4.5 mV AT 16:30, 08-29-99

EMF= 4.9 mV AT 16:30, 08-29-99

EMF= 4.9 mV AT 16:30, 08-29-99
ENTERED

STD CONCN= 997 AT 16:30, 08-29-99
ENTERED

STD VOL= .25000 AT 16:36, 08-29-99
ENTERED

EMF=-56.0 mV AT 16:36, 08-29-99

EMF=-56.4 mV AT 16:37, 08-29-99

EMF=-56.5 mV AT 16:37, 08-29-99

EMF=-56.7 mV AT 16:38, 08-29-99

EMF=-56.5 mV AT 16:38, 08-29-99
ENTERED

STD VOL= 2.5000 AT 16:41, 08-29-99
ENTERED

EMF=-115.2 mV AT 16:42, 08-29-99

EMF=-115.4 mV AT 16:42, 08-29-99

EMF=-115.7 mV AT 16:42, 08-29-99

EMF=-115.9 mV AT 16:43, 08-29-99
ENTERED

1:NH3 SLOPE=-62.0 mV/DEC
AT 16:43, 08-29-99

1:NH3 CONCN= 1.12

SS = .100ml

S99T001387 Dup

HNF-1683 REV. 0

DOUBLE KNOWN ADDITION SELECTED
AT 16:57, 08-29-99

SAMPLE VOL= 25.000 AT 16:57, 08-29-99
ENTERED

EMF=-50.9 mV AT 16:57, 08-29-99

EMF=-51.1 mV AT 16:58, 08-29-99

EMF=-51.3 mV AT 16:58, 08-29-99

EMF=-51.4 mV AT 16:58, 08-29-99
ENTERED

STD CONC= 997 AT 16:58, 08-29-99
ENTERED

STD VOL= .25000 AT 17:03, 08-29-99
ENTERED

EMF=-70.9 mV AT 17:04, 08-29-99

EMF=-71.1 mV AT 17:04, 08-29-99

EMF=-71.3 mV AT 17:05, 08-29-99

EMF=-71.4 mV AT 17:05, 08-29-99
ENTERED

STD VOL= 2.5000 AT 17:14, 08-29-99
ENTERED

EMF=-118.4 mV AT 17:14, 08-29-99

EMF=-118.5 mV AT 17:14, 08-29-99

EMF=-118.6 mV AT 17:15, 08-29-99

EMF=-118.9 mV AT 17:15, 08-29-99

EMF=-119.0 mV AT 17:16, 08-29-99

EMF=-119.2 mV AT 17:16, 08-29-99

EMF=-119.2 mV AT 17:16, 08-29-99
ENTERED

1:NH3 SLOPE=-63.6 mV/DEC
AT 17:17, 08-29-99

1:NH3 CONC= 9.21

Ending Std

AMMONIA (NH3) : LA-631-001 (C-0) *Handwritten: 11/1/99*

LIQUIDS/SOLIDS

		BLNK
Type	Instrument Data (µg/mL)	ID 0.000
BLNK	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.100
30811	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor	DF 1.000
Batch Number		
99003189		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC < 2.50E+02
Sample #		
BLNK	Detection Limit (µg/mL)	2.50E+02
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM)	
Prepared By		
MF	NH3 Concentration (µg/mL) = (BR) * (FVOL / VSAM) * DDF	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103		

Analyst:	SLH Date: 08/30/99
Signature of Chemist: <i>Handwritten: NA</i>	MJL Date:

This page cannot be converted.
Please view the native document
for the original page.

WORKBOOK PAGE: SAM3

AMMONIA (NH3) : LA-631-001 (C-0) *ul*

LIQUIDS/SOLIDS

		SAMPLE
Type	Instrument Data (µg/mL)	ID 1.130
SAMPLE	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.100
30811	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor	DF 1.000
Batch Number		
99003189		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC < 2.50E+02
Sample #		
S99T001385	Detection Limit (µg/mL)	2.50E+02
Instrument Code		
NH301	Detection Limit = $1.000\mu\text{g} * (\text{FVOL}/\text{VSAM}) * \text{DF}$	
Prepared By		
MF	NH3 Concentration (µg/mL) = $(\text{ID}-\text{BR}) * (\text{FVOL} / \text{VSAM}) * \text{DF}$	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: DUP4

AMMONIA (NH3) : LA-631-001 (C-0) 11/1/99 L&D

LIQUIDS/SOLIDS

		DUP
Type	Instrument Data (µg/mL) ID	0.978
DUP	Blank Result from the Instrument (µg/mL) BR	0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL) VSAM	0.100
30811	Final Vol of Dilution (mL) or Vol of Sample Direct (mL) FVOL	25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor DF	1.000
Batch Number		
99003189		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL) NH3 CONC	< 2.50E+02
Sample #		
S99T001385	Detection Limit (µg/mL) 2.50E+02	
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM) * DF	
Prepared By		
MF	NH3 Concentration (µg/mL) = (ID-BR) * (FVOL / VSAM)*DF	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

WORKBOOK PAGE: SAM5

AMMONIA (NH3) : LA-631-001 (C-0) *11/1/99*

LIQUIDS/SOLIDS

		SAMPLE
Type	Instrument Data (µg/mL)	ID 0.987
SAMPLE	Blank Result from the Instrument (µg/mL)	BR 0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM 0.100
30811	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL 25.0
Test Code		
NH3-01		
Matrix		
LIQUID	Dilution Factor	DF 1.000
Batch Number		
99003189		
Rerun		
0		
Sample Prep		
N/A	NH3 Concentration (µg/mL)	NH3 CONC < 2.50E+02
Sample #		
S99T001387	Detection Limit (µg/mL)	2.50E+02
Instrument Code		
NH301	Detection Limit = 1.000µg * (FVOL/VSAM) * DF	
Prepared By		
MF	NH3 Concentration (µg/mL) = (ID-BR) * (FVOL / VSAM)*DF	
Chemist		
MJL		
Analyst		
SLH		
Date Complete		
08/30/99		
Analysis Date		
08/29/99		
Analysis Time		
05:17 PM		
Sample Point	NH3 Concentration (µg/mL)	< 2.50E+02
AP103		

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

This page cannot be converted.
Please view the native document
for the original page.

WORKBOOK PAGE: ST_END7

AMMONIA (NH3) : LA-631-001 (C-0) *LD 14/14/99*

LIQUIDS/SOLIDS

Type	Instrument Data (µg/mL)	ID	STD
STD	Blank Result from the Instrument (µg/mL)	BR	0.826
Work List	Vol of Sample for Dilution (mL) or Vol of Sample Direct (mL)	VSAM	0.500
30811	Final Vol of Dilution (mL) or Vol of Sample Direct (mL)	FVOL	25.0
Test Code	LCS Standard Book Number	LCS	59N19D
NH3-01	LCS Standard Concentration (µg/mL)	STD VAL	4.40E+02
Matrix			
LIQUID			
Batch Number			
99003189			
Rerun			
0			
Sample Prep			
N/A	NH3 Concentration (µg/mL)	NH3 CONC	4.19E+02
Sample #			
STD	Detection Limit (µg/mL)	5.00E+01	
Instrument Code			
NH301	Detection Limit = 1.000µg * (FVOL/VSAM)		
Prepared By			
MF	NH3 Concentration (µg/mL) = (ID-BR)*(FVOL /VSAM)		
Chemist			
MJL	QC ACTUAL = STD VAL		
Analyst	QC FOUND = (ID-BR) * (FVOL/VSAM)		
SLH			
Date Complete			
08/30/99			
Analysis Date	QC ACTUAL (µg)		4.40E+02
08/29/99	QC FOUND (µg)		4.19E+02
Analysis Time			
05:17 PM			
Sample Point			
AP103			

Analyst:

SLH Date: 08/30/99

Signature of Chemist:

MJL Date:

SAMPLE.WB1 REV 1.0

631001ML

LABCORE Completed Worklist Report for Worklist# 30808

Analyst: adp

Instrument: IC40S1

Book#: 91N21C

Method: LA-533-105 Rev/Mod F-1

Worklist Comment: AP103 GRAB99, @IC-01 skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 CCB	0	@IC-QC	F	QC	1	<1.20e-2		ug/mL
1 CCB	0	@IC-QC	CL	QC	1	<1.70e-2		ug/mL
1 CCB	0	@IC-QC	NO2	QC	1	<1.08e-1		ug/mL
1 CCB	0	@IC-QC	BR	QC	1	<1.25e-1		ug/mL
1 CCB	0	@IC-QC	NO3	QC	1	<1.39e-1		ug/mL
1 CCB	0	@IC-QC	PO4	QC	1	<1.20e-1		ug/mL
1 CCB	0	@IC-QC	SO4	QC	1	<1.38e-1		ug/mL
1 CCB	0	@IC-QC	OXALATE2	QC	1	<1.05e-1		ug/mL
2 LCS-INST	0	@IC-QC	F	QC	6.35e1	6.87e+01	108.189 % Recovery	
2 LCS-INST	0	@IC-QC	CL	QC	8.95e1	9.08e+01	101.453 % Recovery	
2 LCS-INST	0	@IC-QC	NO2	QC	5.26e2	4.97e+02	94.487 % Recovery	
2 LCS-INST	0	@IC-QC	BR	QC	6.25e2	6.14e+02	98.240 % Recovery	
2 LCS-INST	0	@IC-QC	NO3	QC	6.90e2	7.21e+02	104.493 % Recovery	
2 LCS-INST	0	@IC-QC	PO4	QC	6.35e2	6.78e+02	106.772 % Recovery	
2 LCS-INST	0	@IC-QC	SO4	QC	6.90e2	6.66e+02	96.522 % Recovery	
2 LCS-INST	0	@IC-QC	OXALATE2	QC	5.16e2	5.60e+02	108.527 % Recovery	
3 CCV	0	@IC-QC	F	QC	6.35e1	6.85e+01	107.874 % Recovery	
3 CCV	0	@IC-QC	CL	QC	8.75e1	9.61e+01	109.829 % Recovery	
3 CCV	0	@IC-QC	NO2	QC	5.33e2	5.82e+02	109.193 % Recovery	
3 CCV	0	@IC-QC	BR	QC	6.30e2	6.63e+02	105.238 % Recovery	
3 CCV	0	@IC-QC	NO3	QC	7.00e2	7.61e+02	108.714 % Recovery	
3 CCV	0	@IC-QC	PO4	QC	6.35e2	6.78e+02	106.772 % Recovery	
3 CCV	0	@IC-QC	SO4	QC	6.90e2	7.57e+02	109.710 % Recovery	
3 CCV	0	@IC-QC	OXALATE2	QC	5.16e2	5.32e+02	103.101 % Recovery	
4 SAMPLE	S99T001388	0	@IC-01	F-02	LIQUID	N/A	2.111e+03	49.690 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	CL-02	LIQUID	N/A	2.918e+03	70.400 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	NO2-02	LIQUID	N/A	1.077e+05	447.200 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	BR-02	LIQUID	N/A	5.176e+02	517.600 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	NO3-02	LIQUID	N/A	1.380e+05	575.600 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	PO4-02	LIQUID	N/A	1.829e+03	496.900 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	SO4-02	LIQUID	N/A	3.927e+03	571.500 ug/mL
4 SAMPLE	S99T001388	0	@IC-01	OXALATE2	LIQUID	N/A	6.672e+02	434.800 ug/mL
5 DUP	S99T001388	0	@IC-01	F-02	LIQUID	2.11e+03	2.21e+03	4.630 RPD
5 DUP	S99T001388	0	@IC-01	CL-02	LIQUID	2.92e+03	2.87e+03	1.727 RPD
5 DUP	S99T001388	0	@IC-01	NO2-02	LIQUID	1.08e+05	1.12e+05	3.636 RPD
5 DUP	S99T001388	0	@IC-01	BR-02	LIQUID	<5.18e2	<5.18e2	RPD
5 DUP	S99T001388	0	@IC-01	NO3-02	LIQUID	1.38e+05	1.38e+05	0.000 RPD
5 DUP	S99T001388	0	@IC-01	PO4-02	LIQUID	1.83e+03	2.43e+03	28.169 RPD
5 DUP	S99T001388	0	@IC-01	SO4-02	LIQUID	3.93e+03	4.09e+03	3.990 RPD
5 DUP	S99T001388	0	@IC-01	OXALATE2	LIQUID	6.67e+02	5.86e+02	12.929 RPD
6 SAMPLE	S99T001389	0	@IC-01	F-02	LIQUID	N/A	2.118e+03	49.690 ug/mL

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30808

Seq Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
6 SAMPLE	S99T001389	0		@IC-01	CL-02	LIQUID	N/A	2.756e+03	70.400 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	NO2-02	LIQUID	N/A	1.060e+05	447.200 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	BR-02	LIQUID	N/A	5.176e+02	517.600 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	NO3-02	LIQUID	N/A	1.325e+05	575.600 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	PO4-02	LIQUID	N/A	2.054e+03	496.900 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	SO4-02	LIQUID	N/A	3.785e+03	571.500 ug/mL
6 SAMPLE	S99T001389	0		@IC-01	OXALATE2	LIQUID	N/A	7.117e+02	434.800 ug/mL
7 DUP	S99T001389	0		@IC-01	F-02	LIQUID	2.12e+03	2.05e+03	3.357 RPD
7 DUP	S99T001389	0		@IC-01	CL-02	LIQUID	2.76e+03	2.78e+03	0.722 RPD
7 DUP	S99T001389	0		@IC-01	NO2-02	LIQUID	1.06e+05	1.05e+05	0.948 RPD
7 DUP	S99T001389	0		@IC-01	BR-02	LIQUID	<5.18e2	<5.18e2	RPD
7 DUP	S99T001389	0		@IC-01	NO3-02	LIQUID	1.33e+05	1.35e+05	1.493 RPD
7 DUP	S99T001389	0		@IC-01	PO4-02	LIQUID	2.05e+03	2.10e+03	2.410 RPD
7 DUP	S99T001389	0		@IC-01	SO4-02	LIQUID	3.78e+03	3.75e+03	0.797 RPD
7 DUP	S99T001389	0		@IC-01	OXALATE2	LIQUID	7.12e+02	6.34e+02	11.590 RPD
8 SPK	S99T001389	0		@IC-01	F-02	LIQUID	6.35e1	6.90e+01	108.661 % Recovery
8 SPK	S99T001389	0		@IC-01	CL-02	LIQUID	8.95e1	9.66e+01	107.933 % Recovery
8 SPK	S99T001389	0		@IC-01	NO2-02	LIQUID	5.26e2	5.25e+02	99.810 % Recovery
8 SPK	S99T001389	0		@IC-01	BR-02	LIQUID	6.25e2	6.43e+02	102.880 % Recovery
8 SPK	S99T001389	0		@IC-01	NO3-02	LIQUID	6.90e2	8.18e+02	118.551 % Recovery
8 SPK	S99T001389	0		@IC-01	PO4-02	LIQUID	6.35e2	7.11e+02	111.969 % Recovery
8 SPK	S99T001389	0		@IC-01	SO4-02	LIQUID	6.90e2	7.25e+02	105.072 % Recovery
8 SPK	S99T001389	0		@IC-01	OXALATE2	LIQUID	5.16e2	5.56e+02	107.752 % Recovery

Final page for worklist# 30808

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

James M. Dye 8/31/99
 Reviewer Signature _____ Date _____

HNF-1683 REV. 0

08/17/99 09:24

Page: 1

ws2

LABCORE Data Entry Template for Worklist# 30808Analyst: ADP Instrument: IC 4051Book# 91N21-C LCSMethod: LA-533-105 Rev/Mod F-196N21-A CCR

Worklist Comment: AP103 GRAB99, @IC-01 skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 CCB			@IC-QC	QC		
2 LCS-INST			@IC-QC	QC		
3 CCB			@IC-QC	QC		
4 SAMPLE	S99T001388 0		@IC-01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: BR-02 , CL-02 , F-02 , NO2-02 , NO3-02 , OXALATE2, PO4-02 , SO4-02						
5 DUP	S99T001388 0		@IC-01	LIQUID		
6 SAMPLE	S99T001389 0		@IC-01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: BR-02 , CL-02 , F-02 , NO2-02 , NO3-02 , OXALATE2, PO4-02 , SO4-02						
7 DUP	S99T001389 0		@IC-01	LIQUID		
8 SPK	S99T001389 0		@IC-01	LIQUID		

Final page for worklist # 30808

Anthony Purno 08-28-99
Signature Date

Signature Date

Data Entry Comments:

uploaded 8-30-99John Worell30808AUG.CSVValidated 8/31/99 JMM/rye

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

Data Reprocessed On 08/29/1999 09:58:17

Sample Name: LCS 91N21-C Date: 08/28/1999 18:51:20
 Data File : C:\DX\DATA\99040941.D02
 Method : C:\DX\METHOD\AUTOMEL.met
 ACI Address: System: 1 Inject#: 2 Detector: CDM-1
 Analyst : *Anthony P. Smith* Column: AG4A/AS4A anion column

Calibration Volume Dilution Points Rate Start Stop Area Reject
 External 1 101 3300 5Hz 0.00 11.00 30

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	88	361	2	
2	1.03	fluoride	68.676	2304	12238	2	0.32
3	1.58	chloride	90.761	2283	11026	1	0.85
4	1.90	nitrite	496.888	7446	42134	1	-0.52
5	2.87	bromide	614.202	5041	35173	1	0.47
6	3.27	nitrate	721.117	6487	52057	1	0.72
7	4.62	phosphate	678.279	1565	22133	1	2.44
8	6.01	sulfate	666.461	2876	63541	1	1.81
9	7.93	oxalate	559.723	1560	41603	1	2.81
Totals			3896.107	29649	280267

SIGNATURE ABOVE REPRESENTS CHEMICAL TECHNOLOGIES/INSTRUMENT THAT
 OPERATES UNDER THE CALIFORNIA LABORATORY ACT OF 1975 110 117


```
=====
Sample Name: CCB                               Date: 08/28/1999 12:36:35
Data File  : C:\DX\DATA\99082811.D01
Method     : C:\DX\METHOD\AUTOMBL.met
ACI Address: 1 System: 1 Inject#: 1           Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====
```

Calibration	Volume	Dilution	Points	Rate	Start	Stop	Area	Reject
External	1	1	3300	5Hz	0.00	11.00		30

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
Totals			0.000	0	0		

File: 99082811.D01 Sample: CCB

Data Reprocessed On 08/28/1999 14:19:07

Sample Name: CCV 90N21-A Date: 08/28/1999 13:03:51
 Data File : C:\DX\DATA\99082811.D03
 Method : C:\DX\METHOD\AUTOMEL.met
 ACI Address: 1 System: 1 Inject#: 3 Detector: CDM-1
 Analyst : *Anthony Paruto* Column: AG4A/AS4A anion column

08-28-99

Calibration	Volume	Dilution	Points	Rate	Start	Stop	Area	Reject
External	1	101	3300	5Hz	0.00	11.00		30

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	97	433	2	
2	1.03	fluoride	68.466	2315	12201	2	0.32
3	1.58	chloride	96.124	2435	11688	1	0.85
4	1.90	nitrite	581.901	8722	49426	1	-0.52
5	2.87	bromide	662.976	5569	38022	1	0.47
6	3.26	nitrate	761.254	6603	55014	1	0.31
7	4.62	phosphate	677.500	1679	22107	1	2.44
8	6.01	sulfate	756.606	3444	72322	1	1.81
9	7.93	oxalate	531.873	1672	39519	1	2.81
Totals			4136.699	32535	300732		

File: 99082811.D03 Sample: CCV 90N21-A

```

=====
Sample Name: S99T001388 SAM                      Date: 08/28/1999 13:17:31
Data File  : C:\DX\DATA\99082811.D04
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1 System: 1 Inject#: 4              Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1         4141   3300   5Hz   0.00 11.00         30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	317	1394	2	
2	1.03	fluoride	2110.770	1506	9148	2	0.32
3	1.57	chloride	2918.093	1501	8618	1	0.00
4	1.90	nitrite	107735.618	37958	232991	1	-0.52
5	3.18	nitrate	138015.046	28575	263243	1	-2.15
6	4.62	phosphate	1829.109	118	1426	1	2.44
7	6.01	sulfate	3926.613	348	8987	1	1.81
8	8.03	oxalate	667.177	50	1202	1	4.19
Totals			257202.426	70374	527008		

File: 99082811.D04 Sample: S99T001388 SAM

HNF-1683 REV. 0

Sample Name: S99T001388 DUP

Date: 08/28/1999 13:31:09

Data File : C:\DX\DATA\99082811.D05

Method : C:\DX\METHOD\AUTOMEL.met

ACI Address: 1 System: 1 Inject#: 5

Detector: CDM-1

Analyst : Column: AG4A/AS4A anion column

Calibration	Volume	Dilution	Points	Rate	Start	Stop	Area	Reject
External	1	4141	3300	5Hz	0.00	11.00		30

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	327	1423	2	
2	1.03	fluoride	2208.048	1563	9574	2	0.32
3	1.57	chloride	2869.798	1530	8473	1	0.00
4	1.90	nitrite	111546.491	38973	241738	1	-0.52
5	3.18	nitrate	137662.247	28798	262492	1	-2.15
6	4.62	phosphate	2425.031	125	1891	1	2.44
7	6.01	sulfate	4085.958	381	9353	1	1.81
8	8.03	oxalate	586.070	53	1056	1	4.19
Totals			261383.644	71750	536000		

File: 99082811.D05 Sample: S99T001388 DUP

HNF-1683 REV. 0

```

=====
Sample Name: S99T001389 SAM                      Date: 08/28/1999 13:44:49
Data File  : C:\DX\DATA\99082811.D06
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1 System: 1 Inject#: 6                Detector: CDM-1
Analyst    :                                     Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1         4141  3300  5Hz   0.00 11.00         30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	322	1416	2	
2	1.03	fluoride	2118.241	1502	9181	2	0.32
3	1.57	chloride	2755.594	1477	8132	1	0.00
4	1.90	nitrite	105961.844	37454	228933	1	-0.52
5	3.18	nitrate	132450.031	27223	251460	1	-2.15
6	3.97		0.000	15	112	1	
7	4.62	phosphate	2053.765	106	1601	1	2.44
8	6.01	sulfate	3784.972	334	8662	1	1.81
9	8.03	oxalate	711.698	51	1282	1	4.19
Totals			249836.146	68485	510779		

File: 99082811.D06 Sample: S99T001389 SAM

```

=====
Sample Name: S99T001389  DUP                      Date: 08/28/1999 13:58:28
Data File  : C:\DX\DATA\99082811.D07
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1  System: 1  Inject#: 7              Detector: CDM-1
Analyst    :                      Column: AG4A/AS4A anion column
=====

```

```

=====
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          4141   3300   5Hz   0.00 11.00          30
=====

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	307	1367	2	
2	1.03	fluoride	2045.290	1466	8862	2	0.32
3	1.57	chloride	2779.850	1452	8205	1	0.00
4	1.90	nitrite	104619.855	37006	225868	1	-0.52
5	3.18	nitrate	134729.786	27356	256272	1	-2.15
6	4.62	phosphate	2104.987	110	1641	1	2.44
7	6.01	sulfate	3747.183	337	8576	1	1.81
8	8.03	oxalate	634.091	55	1142	1	4.19
Totals			250661.042	68090	511933		

File: 99082811.D07 Sample: S99T001389 DUP

HNF-1683 REV. 0

```

=====
Sample Name: S99T001389 SPK                      Date: 08/28/1999 14:12:08
Data File  : C:\DX\DATA\99082811.D08
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1 System: 1 Inject#: 8                Detector: CDM-1
Analyst    :                      Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1         4141   3300  5Hz   0.00 11.00          30

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.89		0.000	422	1874	2	
2	1.03	fluoride	4900.455	4131	21483	2	0.32
3	1.57	chloride	6652.665	3665	19957	1	0.00
4	1.90	nitrite	127137.374	44645	277937	1	-0.52
5	2.86	bromide	25934.830	5527	36244	1	0.00
6	3.17	nitrate	165452.883	34679	323220	1	-2.56
7	4.57	phosphate	30703.701	1531	24496	1	1.26
8	6.01	sulfate	33007.812	4110	77061	1	1.81
9	7.93	oxalate	23135.394	1798	41943	1	2.81
Totals			416925.114	100509	824216		

File: 99082811.D08 Sample: S99T001389 SPK

LABCORE Completed Worklist Report for Worklist# 30809

Analyst: adp

Instrument: IC40S1

Book#: 95N21A

Method: LA-533-105 Rev/Mod E-1

Worklist Comment: AP103 GRAB99, @IC-01 skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 CCB	0	@IC-QC	F	QC	1	<1.20e-2		ug/mL
1 CCB	0	@IC-QC	CL	QC	1	<1.70e-2		ug/mL
1 CCB	0	@IC-QC	NO2	QC	1	<1.08e-1		ug/mL
1 CCB	0	@IC-QC	BR	QC	1	<1.25e-1		ug/mL
1 CCB	0	@IC-QC	NO3	QC	1	<1.39e-1		ug/mL
1 CCB	0	@IC-QC	PO4	QC	1	<1.20e-1		ug/mL
1 CCB	0	@IC-QC	SO4	QC	1	<1.38e-1		ug/mL
1 CCB	0	@IC-QC	OXALATE2	QC	1	<1.05e-1		ug/mL
2 LCS-INST	0	@IC-QC	F	QC	6.40e1	6.17e+01	96.406 % Recovery	
2 LCS-INST	0	@IC-QC	CL	QC	9.00e1	9.08e+01	100.889 % Recovery	
2 LCS-INST	0	@IC-QC	NO2	QC	5.84e2	5.62e+02	96.233 % Recovery	
2 LCS-INST	0	@IC-QC	BR	QC	6.25e2	6.18e+02	98.880 % Recovery	
2 LCS-INST	0	@IC-QC	NO3	QC	6.90e2	6.94e+02	100.580 % Recovery	
2 LCS-INST	0	@IC-QC	PO4	QC	6.35e2	5.79e+02	91.181 % Recovery	
2 LCS-INST	0	@IC-QC	SO4	QC	6.95e2	6.62e+02	95.252 % Recovery	
2 LCS-INST	0	@IC-QC	OXALATE2	QC	5.75e2	5.96e+02	103.652 % Recovery	
3 CCV	0	@IC-QC	F	QC	6.35e1	6.04e+01	95.118 % Recovery	
3 CCV	0	@IC-QC	CL	QC	8.75e1	9.19e+01	105.029 % Recovery	
3 CCV	0	@IC-QC	NO2	QC	5.89e2	5.74e+02	97.453 % Recovery	
3 CCV	0	@IC-QC	BR	QC	6.30e2	6.09e+02	96.667 % Recovery	
3 CCV	0	@IC-QC	NO3	QC	7.00e2	6.94e+02	99.143 % Recovery	
3 CCV	0	@IC-QC	PO4	QC	6.35e2	6.07e+02	95.591 % Recovery	
3 CCV	0	@IC-QC	SO4	QC	6.90e2	6.82e+02	98.841 % Recovery	
3 CCV	0	@IC-QC	OXALATE2	QC	5.23e2	5.30e+02	101.338 % Recovery	
4 SAMPLE	S99T001390	0	@IC-01	F-02	LIQUID	N/A	2.029e+03	61.810 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	CL-02	LIQUID	N/A	2.860e+03	87.570 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	NO2-02	LIQUID	N/A	1.041e+05	556.300 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	BR-02	LIQUID	N/A	6.439e+02	643.900 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	NO3-02	LIQUID	N/A	1.330e+05	716.000 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	PO4-02	LIQUID	N/A	2.010e+03	618.100 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	SO4-02	LIQUID	N/A	4.466e+03	710.800 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	OXALATE2	LIQUID	N/A	1.184e+03	540.900 ug/mL
5 DUP	S99T001390	0	@IC-01	F-02	LIQUID	2.03e+03	2.00e+03	1.489 RPD
5 DUP	S99T001390	0	@IC-01	CL-02	LIQUID	2.86e+03	2.72e+03	5.018 RPD
5 DUP	S99T001390	0	@IC-01	NO2-02	LIQUID	1.04e+05	1.03e+05	0.966 RPD
5 DUP	S99T001390	0	@IC-01	BR-02	LIQUID	<6.44e2	<6.44e2	RPD
5 DUP	S99T001390	0	@IC-01	NO3-02	LIQUID	1.33e+05	1.34e+05	0.749 RPD
5 DUP	S99T001390	0	@IC-01	PO4-02	LIQUID	2.01e+03	1.29e+03	43.636 RPD
5 DUP	S99T001390	0	@IC-01	SO4-02	LIQUID	4.47e+03	4.05e+03	9.859 RPD
5 DUP	S99T001390	0	@IC-01	OXALATE2	LIQUID	1.18e+03	6.55e+02	57.221 RPD

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30809

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
-----	------	---------	---	---	------	--------	--------	-------	-------------	------

Final page for worklist# 30809

Analyst Signature Date

Analyst Signature Date

James M. Lyle *9/9/99*

Reviewer Signature Date

HNF-1683 REV. 0

09/17/99 09:25

Page: 1

MS2

LABCORE Data Entry Template for Worklist# 30809

Analyst: ADP Instrument: IC 4051 Book# 95N21-A LCS
94N21-A CCV
 Method: LA-533-105 Rev/Mod F-1
 Worklist Comment: AP103 GRAB99, @IC-01 skm

S	Type	Sample#	R	A	Test	Matrix	Group#	Project
1	CCB				@IC-QC	QC		
2	LCS-INST				@IC-QC	QC		
3	CCV				@IC-QC	QC		
4	SAMPLE	S99T001390 0			@IC-01	LIQUID	99000326	AP103 GRAB99
		Analytes Requested: BR-02, CL-02, F-02, NO2-02, NO3-02, OXALATE2, PO4-02, SO4-02						
5	DUP	S99T001390 0			@IC-01	LIQUID		

Final page for worklist # 30809

John Waneel 9-8-99
 Signature Date

 Signature Date

Data Entry Comments:

uploaded 9-9-99 PO4³⁻ Oxalate had high RPD's
John Waneel but a very near detection
30809SEPCSV limit. Validated 9/9/99
S - Worklist Slot Number, R = Replicate Number, A = Aliquot Code. JMW

PO4³⁻ and Oxalate were
re-analyzed on Worklist 31261.

Kevin Bell
11/11/99

Data Reprocessed On 09/09/1999 13:18:54

```

=====
Sample Name: CCB                               Date: 09/02/1999 15:31:26
Data File  : F:\DATA\99090201.D01
Method     : C:\DX\METHOD\KIT.MET
ACI Address: 1 System: 1 Inject#: 1           Detector: CDM-1
Analyst    : M. J. Punt 9-8-99             Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          1    3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.87		0.000	15	61	1	
2	1.42		0.000	32	178	1	
Totals			0.000	47	239

121 125

Data Reprocessed On 09/09/1999 13:19:19

```

=====
Sample Name: LCS 95N21A                      Date: 09/08/1999 15:34:47
Data File  : F:\DATA\99090821.D02
Method     : C:\DX\METHOD\KIT.MET
ACI Address: 1 System: 1 Inject#: 2           Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          101    3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	103	458	2	
2	1.03	fluoride	61.729	2359	12159	2	0.32
3	1.57	chloride	90.753	2379	12263	1	0.00
4	1.89	nitrite	561.633	9327	54271	1	0.00
5	2.86	bromide	617.789	5442	38883	1	0.00
6	3.25	nitrate	694.399	6564	55409	1	-0.71
7	3.91		0.000	14	77	1	
8	4.62	phosphate	579.152	1538	22473	1	0.00
9	6.01	sulfate	662.298	4387	70821	1	-0.06
10	7.93	oxalate	596.205	2263	47199	1	-0.04

```

-----
Totals          3863.958          34376          314013
-----

```

File: 99090821.D02 Sample: LCS 95N21A

Data Reprocessed On 09/09/1999 13:19:36

```

=====
Sample Name: 94N21-A   CCV                               Date: 09/08/1999 15:57:14
Data File  : F:\DATA\99090821.D03
Method     : C:\DX\METHOD\KIT.MET
ACI Address: 1   System: 1   Inject#: 3                   Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          101   3300   5Hz   0.00  11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.10		0.000	34	85	1	
2	0.87		0.000	114	457	2	
3	1.03	fluoride	60.365	2410	11887	2	0.32
4	1.57	chloride	91.943	2411	12426	1	0.00
5	1.89	nitrite	574.099	9643	55486	1	0.00
6	2.85	bromide	608.662	5406	38296	1	-0.47
7	3.23	nitrate	694.097	6600	55385	1	-1.12
8	4.62	phosphate	607.292	1578	23586	1	0.00
9	6.01	sulfate	682.140	4641	72986	1	-0.06
10	7.93	oxalate	529.720	2048	41902	1	-0.04
Totals			3848.319	34886	312496		

File: 99090821.D03 Sample: 94N21-A CCV

Data Reprocessed On 09/09/1999 13:19:43

```

=====
Sample Name: S99T001390  SAM                      Date: 09/08/1999 16:12:19
Data File   : F:\DATA\99090821.D04
Method      : C:\DX\METHOD\KIT.MET
ACI Address: 1  System: 1  Inject#: 4              Detector: CDM-1
Analyst     :                      Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          5151   3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	296	1301	2	
2	1.03	fluoride	2028.778	1317	7801	2	0.32
3	1.57	chloride	2860.311	1377	7531	1	0.00
4	1.89	nitrite	104128.185	33510	201796	1	0.00
5	3.17	nitrate	133034.421	24826	222255	1	-3.16
6	3.97		0.000	30	367	1	
7	4.62	phosphate	2010.204	83	1504	1	0.00
8	6.01	sulfate	4465.858	473	9207	1	-0.06
9	7.93	oxalate	1183.715	70	1825	1	-0.04
Totals			249711.473	61983	453587		

File: 99090821.D04 Sample: S99T001390 SAM

Data Reprocessed On 09/09/1999 13:19:59

```

=====
| Sample Name: S99T001390  DUP                      Date: 09/08/1999 16:26:11
| Data File   : F:\DATA\99090821.D05
| Method      : C:\DX\METHOD\KIT.MET
| ACI Address: 1  System: 1  Inject#: 5              Detector: CDM-1
| Analyst     :                      Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          5151   3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	287	1244	1	
2	1.03	fluoride	2001.917	1321	7697	1	0.32
3	1.57	chloride	2722.921	1390	7165	1	0.00
4	1.89	nitrite	102695.447	33815	198931	1	0.00
5	3.17	nitrate	134487.589	24928	224927	1	-3.16
6	3.94		0.000	24	176	1	
7	4.62	phosphate	1292.526	77	967	1	0.00
8	6.01	sulfate	4048.801	476	8345	1	-0.06
9	8.03	oxalate	654.917	42	1010	1	1.30
10	10.17		0.000	337	4746	1	
Totals			247904.119	62698	455208		

File: 99090821.D05 Sample: S99T001390 DUP

LABCORE Completed Worklist Report for Worklist# 31261

Analyst: adp

Instrument: IC40S1

Book#: 95N21B

Method: LA-533-105 Rev/Mod F-1

Worklist Comment: ^{ADP 103}
~~SY 103~~ GRAB 99 DF=2121 FOR PO4&OX JHW
^{LAD 10/19/99}

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 CCB	0	@IC-QC	F	QC	1	<1.20e-2		ug/mL
1 CCB	0	@IC-QC	CL	QC	1	<1.70e-2		ug/mL
1 CCB	0	@IC-QC	NO2	QC	1	<1.08e-1		ug/mL
1 CCB	0	@IC-QC	BR	QC	1	<1.25e-1		ug/mL
1 CCB	0	@IC-QC	NO3	QC	1	<1.39e-1		ug/mL
1 CCB	0	@IC-QC	PO4	QC	1	<1.20e-1		ug/mL
1 CCB	0	@IC-QC	SO4	QC	1	<1.38e-1		ug/mL
1 CCB	0	@IC-QC	OXALATE2	QC	1	<1.05e-1		ug/mL
2 LCS-INST	0	@IC-QC	F	QC	6.40e1	6.45e+01	100.781 % Recovery	
2 LCS-INST	0	@IC-QC	CL	QC	9.00e1	9.39e+01	104.333 % Recovery	
2 LCS-INST	0	@IC-QC	NO2	QC	6.16e2	6.13e+02	99.513 % Recovery	
2 LCS-INST	0	@IC-QC	BR	QC	6.25e2	6.23e+02	99.680 % Recovery	
2 LCS-INST	0	@IC-QC	NO3	QC	6.90e2	7.43e+02	107.681 % Recovery	
2 LCS-INST	0	@IC-QC	PO4	QC	6.35e2	6.60e+02	103.937 % Recovery	
2 LCS-INST	0	@IC-QC	SO4	QC	6.95e2	6.99e+02	100.576 % Recovery	
2 LCS-INST	0	@IC-QC	OXALATE2	QC	5.33e2	5.62e+02	105.441 % Recovery	
3 CCV	0	@IC-QC	F	QC	6.35e1	6.57e+01	103.465 % Recovery	
3 CCV	0	@IC-QC	CL	QC	8.75e1	9.16e+01	104.686 % Recovery	
3 CCV	0	@IC-QC	NO2	QC	6.16e2	6.14e+02	99.675 % Recovery	
3 CCV	0	@IC-QC	BR	QC	6.30e2	6.33e+02	100.476 % Recovery	
3 CCV	0	@IC-QC	NO3	QC	7.00e2	7.21e+02	103.000 % Recovery	
3 CCV	0	@IC-QC	PO4	QC	6.35e2	6.68e+02	105.197 % Recovery	
3 CCV	0	@IC-QC	SO4	QC	6.90e2	7.11e+02	103.043 % Recovery	
3 CCV	0	@IC-QC	OXALATE2	QC	5.48e2	5.91e+02	107.847 % Recovery	
4 SAMPLE	S99T001390	0	@IC-01	PO4-02	LIQUID	N/A	1.285e+03	254.500 ug/mL
4 SAMPLE	S99T001390	0	@IC-01	OXALATE2	LIQUID	N/A	9.375e+02	222.700 ug/mL
5 DUP	S99T001390	0	@IC-01	F-02	LIQUID	?	2.63e+03	RPD
5 DUP	S99T001390	0	@IC-01	CL-02	LIQUID	?	2.52e+03	RPD
5 DUP	S99T001390	0	@IC-01	NO2-02	LIQUID	?	1.02e+05	RPD
5 DUP	S99T001390	0	@IC-01	BR-02	LIQUID	?	<2.65e2	RPD
5 DUP	S99T001390	0	@IC-01	NO3-02	LIQUID	?	1.29e+05	RPD
5 DUP	S99T001390	0	@IC-01	PO4-02	LIQUID	1.28e+03	1.50e+03	15.827 RPD
5 DUP	S99T001390	0	@IC-01	SO4-02	LIQUID	?	4.02e+03	RPD
5 DUP	S99T001390	0	@IC-01	OXALATE2	LIQUID	9.38e+02	5.67e+02	49.302 RPD

Final page for worklist# 31261

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 31261

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
-----	------	---------	---	---	------	--------	--------	-------	-------------	------

[Signature]
Reviewer Signature

10/7/99
Date

HNF-1683 REV. 0

10/05/99 10:45

Page: 1

ws2

LABCORE Data Entry Template for Worklist# 31261

Analyst: ADP Instrument: IC 4051 Book# 95N21-B LCS
94N21-B CCV
Method: LA-533-105 Rev/Mod F-1

Worklist Comment: SY103 GRAB 99 DF=2121 FOR PO4&OX JHW

S	Type	Sample#	R	A	Test	Matrix	Group#	Project
1	CCB				@IC-QC	QC		
2	LCS-INST				@IC-QC	QC		
3	CCV				@IC-QC	QC		
4	SAMPLE	S99T001390 0			@IC-01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: OXALATE2, PO4-02								
5	DUP	S99T001390 0			@IC-01	LIQUID		

Final page for worklist # 31261

Anthony Punter 10-6-99
Signature Date

Signature Date

Data Entry Comments:

uploaded 10-6-99
John Howell
31261 OCT, CCV

validated 10/7/99 JMF

KPD still good on oxalate
Latex did not let me
the RPD failure on nitrate.

S Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

Sample Name: LCS 95N21-B Date: 10/06/1999 10:37:57
 Data File : C:\DX\DATA\99100531.D02
 Method : C:\DX\METHOD\AUTOMEL.met
 ACI Address: 1 System: 1 Inject#: 2 Detector: CDM-1
 Analyst : *Anthony K...* Column: AG4A/AS4A anion column

Calibration Volume Dilution Points Rate Start Stop Area Reject
 External 1 101 3300 5Hz 0.00 11.00 30

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	109	471	2	
2	1.03	fluoride	64.471	2623	12706	2	0.32
3	1.57	chloride	93.888	2741	12694	1	0.00
4	1.89	nitrite	612.996	10960	59280	1	0.00
5	2.85	bromide	622.531	5893	39188	1	-0.47
6	3.22	nitrate	743.442	7141	59413	1	-1.53
7	4.51	phosphate	660.383	1749	25691	1	-2.31
8	6.01	sulfate	699.291	4575	74860	1	-0.06
9	7.93	oxalate	561.613	2155	44442	1	-0.04
Totals			4058.617	37946	328745		

File: 99100531.D02 Sample: LCS 95N21-B

SIGNATURE ABOVE REPRESENTS CHEMICAL TECHNOLOGIST/ANALYST THAT
 CONTROLLED THE CALIBRATION/ANALYSIS ON PAGES 129 TO 133.

HNF-1683 REV. 0

```

=====
Sample Name: CCV BLANK                      Date: 10/06/1999 10:24:19
Data File  : C:\DX\DATA\99100531.D01
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1 System: 1 Inject#: 1          Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====

```

```

=====
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1           1 3300 5Hz 0.00 11.00           30
=====

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	1.15		0.000	25	69	1	
2	1.37		0.000	35	302	1	
Totals			0.000	59	371

HNF-1683 REV. 0

```

=====
Sample Name: CCV 94N21-B                      Date: 10/06/1999 10:51:37
Data File  : C:\DX\DATA\99100531.D03
Method     : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1 System: 1 Inject#: 3            Detector: CDM-1
Analyst    :                               Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          101    3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.87		0.000	103	425	2	
2	1.03	fluoride	65.740	2612	12960	2	-0.32
3	1.55	chloride	91.552	2487	12373	1	-0.85
4	1.87	nitrite	613.540	10742	59333	1	-0.71
5	2.83	bromide	633.390	5880	39887	1	-0.93
6	3.22	nitrate	720.559	7206	57544	1	-1.53
7	4.51	phosphate	668.225	1811	26003	1	-2.31
8	6.01	sulfate	711.485	4871	76193	1	-0.06
9	7.93	oxalate	591.359	2279	46812	1	-0.04
Totals			4095.849	37992	331528		

File: 99100531.D03 Sample: CCV 94N21-B

```

=====
| Sample Name: S99T001390  SAM                               Date: 10/06/1999 11:05:16
| Data File   : F:\DATA\99100531.D04
| Method      : C:\DX\METHOD\AUTOMEL.met
| ACI Address: 1  System: 1  Inject#: 4                      Detector: CDM-1
| Analyst     :                               Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          2121   3300   5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.87		0.000	726	3420	2	
2	1.03	fluoride	2681.607	3492	25497	2	-0.32
3	1.54	chloride	2631.234	2954	17039	1	-1.70
4	1.90	nitrite	101409.199	75382	500381	1	0.71
5	3.06	nitrate	128335.013	59963	621500	1	0.00
6	3.97		0.000	45	458	1	
7	4.51	phosphate	1284.914	190	2336	1	-2.31
8	6.01	sulfate	4090.450	1173	20544	1	-0.06
9	7.93	oxalate	937.465	114	3511	1	-0.04
Totals			241369.882	144039	1194687

Data Reprocessed On 10/06/1999 12:58:14

```

=====
Sample Name: S99T001390  DUP                      Date: 10/06/1999 11:18:54
Data File   : F:\DATA\99100521.D05
Method      : C:\DX\METHOD\AUTOMEL.met
ACI Address: 1  System: 1  Inject#: 5              Detector: CDM-1
Analyst     :                      Column: AG4A/AS4A anion column
=====

```

```

-----
Calibration Volume Dilution Points Rate Start Stop Area Reject
-----
External          1          2121   3300  5Hz   0.00 11.00          30
-----

```

***** Peak Report: All Peaks *****

Pk. Num	Ret Time	Component Name	Concentration ug/ml	Height	Area	Bl. Code	%Delta
1	0.88		0.000	686	3067	2	
2	1.03	fluoride	2634.273	3504	25035	2	-0.32
3	1.54	chloride	2523.534	2918	16326	1	-1.70
4	1.89	nitrite	101576.272	72675	501278	1	0.00
5	3.06	nitrate	128537.993	60818	622909	1	0.00
6	3.97		0.000	36	314	1	
7	4.51	phosphate	1502.445	199	2733	1	-2.31
8	6.01	sulfate	4022.175	1173	20199	1	-0.06
9	7.93	oxalate	567.055	101	2123	1	-0.04
Totals			241363.747	142110	1193985

08/24/99 12:40
ws2

File #: 98266

HNF-1683 REV. 0

Page: 1

LABCORE Data Entry Template for Worklist# 30865

Analyst: DK Se70 Instrument: ICP012 8-25-99 Book# 808480
 Method: LA-505-151/161 Rev/Mod C-4 Ensure dose rate at 30cm
8-25-99 is ≤ 50 mrem/hr prior to
 Worklist Comment: ICP AP-103 (DIRECT) performing this analysis

S Type	Sample#	R A	Test	Matrix	Group#	Project
1	ICV		@ICP-QC	QC		
2	ICB		@ICP-QC	QC		
3	LLS		@ICP-QC	QC		
4	ICSA		@ICP-QC	QC		
5	ICSAB		@ICP-QC	QC		
6	SAMPLE	S99T001388 0 D	@ICP-D01	LIQUID	99000326 AP103	GRAB99
Analytes Requested: AG-D-01 , AL-D-01 , AS-D-01 , B-D-01 , BA-D-01 , BE-D-01 , BI-D-01 , CA-D-01 , CD-D-01 , CE-D-01 , CO-D-01 , CR-D-01 , CU-D-01 , FE-D-01 , K-D-01 , LA-D-01 , LI-D-01 , MG-D-01 , MN-D-01 , MO-D-01 , NA-D-01 , ND-D-01 , NI-D-01 , P-D-01 , PB-D-01 , S-D-01 , SB-D-01 , SE-D-01 , SI-D-01 , SM-D-01 , SR-D-01 , TI-D-01 , TL-D-01 , U-D-01 , V-D-01 , ZN-D-01 , ZR-D-01						
7	DUP	S99T001388 0 D	@ICP-D01	LIQUID		
8	CCV		@ICP-QC	QC		
9	CCB		@ICP-QC	QC		
10	SERDIL	S99T001389 0 D	@ICP-D01	LIQUID		
11	SAMPLE	S99T001389 0 D	@ICP-D01	LIQUID	99000326 AP103	GRAB99
Analytes Requested: AG-D-01 , AL-D-01 , AS-D-01 , B-D-01 , BA-D-01 , BE-D-01 , BI-D-01 , CA-D-01 , CD-D-01 , CE-D-01 , CO-D-01 , CR-D-01 , CU-D-01 , FE-D-01 , K-D-01 , LA-D-01 , LI-D-01 , MG-D-01 , MN-D-01 , MO-D-01 , NA-D-01 , ND-D-01 , NI-D-01 , P-D-01 , PB-D-01 , S-D-01 , SB-D-01 , SE-D-01 , SI-D-01 , SM-D-01 , SR-D-01 , TI-D-01 , TL-D-01 , U-D-01 , V-D-01 , ZN-D-01 , ZR-D-01						
12	DUP	S99T001389 0 D	@ICP-D01	LIQUID		

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

Uploaded & Validated by:
Sail M. Pang
08/26/1999

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

08/24/99 12:40

Page: 2

ws2

LABCORE Data Entry Template for Worklist# 30865

S Type	Sample#	R A	Test	Matrix	Group#	Project
13 SPK-POST (1ppm)	S99T001389	0 D	@ICP-D01	LIQUID		
14 SAMPLE Spike 6X (10ppm)	S99T001390	0 D	@ICP-D01	LIQUID	99000326	API03 GRAB99
Analytes Requested: AG-D-01 , AL-D-01 , AS-D-01 , B-D-01 , BA-D-01 , BE-D-01 , BI-D-01 , CA-D-01 , CD-D-01 , CE-D-01 , CO-D-01 , CR-D-01 , CU-D-01 , FE-D-01 , K-D-01 , LA-D-01 , LI-D-01 , MG-D-01 , MN-D-01 , MO-D-01 , NA-D-01 , ND-D-01 , NI-D-01 , P-D-01 , PB-D-01 , S-D-01 , SB-D-01 , SE-D-01 , SI-D-01 , SM-D-01 , SR-D-01 , TI-D-01 , TL-D-01 , U-D-01 , V-D-01 , ZN-D-01 , ZR-D-01						
15 DUP	S99T001390	0 D	@ICP-D01	LIQUID		
16 ICSA			@ICP-QC	QC		
17 ICSAB			@ICP-QC	QC		
18 CCV			@ICP-QC	QC		
19 CCB			@ICP-QC	QC		

Final page for worklist # 30865

Signature	Date
5997001388	025-15 , DF 601
5997001388	025-15 601
5997001389-L	025-15-2-8 , DF 3005
5997001389	025-15 601
5997001389-D	025-15 601
5997001389-G	025-15 601
5997001389-X	025-15-1-9 6010
5997001389-GX	025-15-1-9 6010
5997001390	025-15 , DF 601
5997001390-D	025-15 601

Signature	Date
-----------	------

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

HNF-1683 REV. 0

Analysis Report

Summary

08/26/99 12:20:58 PM

page 1

#	Sample Name	File	Method	Date	Time	OpID	Type	Mode
1	ICV	9826A	ICP2	08/26/99	10:03	DKS	Q	CONC
2	ICB	9826A	ICP2	08/26/99	10:07	DKS	Q	CONC
3	LLS	9826A	ICP2	08/26/99	10:10	DKS	Q	CONC
4	ICSA	9826A	ICP2	08/26/99	10:12	DKS	Q	CONC
5	ICSAB	9826A	ICP2	08/26/99	10:15	DKS	Q	CONC
6	S99T001388	9826A	ICP2	08/26/99	10:19	DKS	S	CONC
7	S99T001388_D	9826A	ICP2	08/26/99	10:22	DKS	S	CONC
8	CCV	9826A	ICP2	08/26/99	11:16	DKS	Q	CONC
9	CCB	9826A	ICP2	08/26/99	11:19	DKS	Q	CONC
10	S99T001389_L	9826A	ICP2	08/26/99	11:23	DKS	S	CONC
11	S99T001389	9826A	ICP2	08/26/99	11:26	DKS	S	CONC
12	S99T001389_D	9826A	ICP2	08/26/99	11:29	DKS	S	CONC
13	S99T001389_A	9826A	ICP2	08/26/99	11:35	DKS	S	CONC
14	S99T001389_X	9826A	ICP2	08/26/99	11:39	DKS	S	CONC
15	S99T001389_AX	9826A	ICP2	08/26/99	11:42	DKS	S	CONC
16	S99T001390	9826A	ICP2	08/26/99	11:59	DKS	S	CONC
17	S99T001390_D	9826A	ICP2	08/26/99	12:02	DKS	S	CONC
18	ICSA	9826A	ICP2	08/26/99	12:08	DKS	Q	CONC
19	ICSAB	9826A	ICP2	08/26/99	12:11	DKS	Q	CONC
20	CCV	9826A	ICP2	08/26/99	12:14	DKS	Q	CONC
21	CCB	9826A	ICP2	08/26/99	12:17	DKS	Q	CONC

DK 19/10
08-26-99
Work list # 30865

Op-103
599T001388
599T001389
599T001390

S99T001389

Post Spike:

$$Al = \frac{\left(\frac{68075}{6010}\right) - \left(\frac{9046.2}{6010}\right)}{10} \times 100 = 98.2\%$$

$$K = \frac{\left(\frac{74070}{6010}\right) - \left(\frac{13474}{6010}\right)}{10} \times 100 = 100.8\%$$

$$Na = \frac{\left(\frac{255990}{6010}\right) - \left(\frac{197980}{6010}\right)}{10} \times 100 = 96.5\%$$

SIGNATURE ABOVE REPRESENTS ANALYST'S ANALYSIS OF THE SAMPLES THAT
COMPLETELY AGREE THE ANALYST'S ANALYSIS ON PAGES 136 TO 140.

HNF-1683 REV.0

Analysis Report

Averages

08/26/99 12:20:58 PM

page 2

#	Sample Name	Ag	Al	As	B	Ba	Be
1	ICV	4.8458	4.9460	5.0332	5.1400	4.9641	4.8997
2	ICB	.00404	.01866	.01104	.00849	.00032	.00001
3	LLS	.02214	.12024	.20212	.10606	.09921	.01000
4	ICSA	.00296	247.78	.05006	.00614	.00093	.00012
5	ICSAB	.94896	247.02	.03581	.00664	.46291	.46245
6	S99T001388	15.687	8547.5	-5.9485	24.116	.27162	.36344
7	S99T001388_D	13.213	7238.5	-3.7806	21.484	.22436	.27198
8	CCV	4.8354	4.9314	5.0671	5.1339	4.9463	4.9340
9	CCB	.00386	.02781	.01086	.00644	.00036	.00006
10	S99T001389_L	22.034	8947.2	1.7346	23.765	.81780	.62331
11	S99T001389	15.450	8789.6	-12.041	22.187	.28244	.32483
12	S99T001389_D	13.770	8239.2	-7.5882	18.497	.25127	.33449
13	S99T001389_A	517.82	8988.4	598.58	615.01	559.38	572.48
14	S99T001389_X	30.282	9046.2	28.991	24.693	.72125	.86315
15	S99T001389_AX	59277.	68075.	60222.	59945.	60293.	59636.
16	S99T001390	15.259	8715.9	-17.442	23.416	.19491	.45029
17	S99T001390_D	16.087	8766.4	-10.104	24.300	.29348	.43591
18	ICSA	.00278	245.55	.05715	.00201	.00086	.00022
19	ICSAB	.93956	244.69	.05359	.00811	.45807	.45827
20	CCV	4.8212	4.9377	5.0331	5.1134	4.9700	4.9105
21	CCB	.00404	.03208	.00433	.00497	.00030	.00012
<hr/>							
#	Sample Name	Bi	Ca	Cd	Ce	Co	Cr
1	ICV	5.0380	5.1724	5.0361	5.0573	4.9896	5.0224
2	ICB	.00340	.01536	.00218	.02928	.00412	.00156
3	LLS	.18324	.23264	.01175	.22453	.04473	.02205
4	ICSA	.01073	259.76	-.00303	.03771	.00375	.00013
5	ICSAB	-.00251	259.77	.94069	.03770	.46667	.47466
6	S99T001388	7.1657	45.421	16.065	13.034	4.1188	376.50
7	S99T001388_D	-1.3659	39.056	14.350	12.033	3.4426	320.89
8	CCV	4.9978	5.2007	5.0493	5.0644	4.9841	5.0292
9	CCB	.00459	.01486	.00239	.02908	.00370	.00230
10	S99T001389_L	-34.969	74.809	21.048	60.695	11.252	404.10
11	S99T001389	-13.556	103.27	16.606	15.435	2.4402	390.38
12	S99T001389_D	-10.921	42.498	15.777	12.521	4.1859	369.29
13	S99T001389_A	575.14	661.75	611.03	592.55	590.35	968.34
14	S99T001389_X	-203.29	52.718	28.245	115.49	7.0079	392.84
15	S99T001389_AX	60364.	60313.	59958.	59635.	59668.	60401.
16	S99T001390	5.6979	43.333	16.306	8.7841	4.2126	384.26
17	S99T001390_D	12.323	46.960	17.126	15.608	5.2155	388.93
18	ICSA	-.00406	257.22	-.00431	.02824	.00210	-.00019
19	ICSAB	-.02874	257.87	.93200	.03762	.46323	.46987
20	CCV	4.9930	5.1759	4.9977	5.0488	4.9669	5.0116
21	CCB	-.00817	.01758	.00247	.03001	.00434	.00160

HNF-1683 REV. 0

Analysis Report Averages 08/26/99 12:20:58 PM page 3

#	Sample Name	Cu	Eu	Fe	K	La	Li
1	ICV	4.9828	.03001	5.1076	5.3472	5.0951	5.0120
2	ICB	.00118	.00135	.00256	.24019	.00384	.00072
3	LLS	.01957	.00185	.10778	.47053	.10616	.02165
4	ICSA	.00076	.24164	98.499	.05680	-.00224	.00309
5	ICSAB	.48570	.24421	98.246	.09565	-.00191	.97637
6	S99T001388	6.6042	.58780	3.5608	13898.	2.5812	.27085
7	S99T001388_D	4.5958	.33424	1.8347	11633.	2.6024	.21380
8	CCV	4.9734	.02937	5.1063	5.0308	5.1053	4.8881
9	CCB	.00090	.00214	.00201	.24381	.00414	.00127
10	S99T001389_L	10.181	3.5146	6.4714	14665.	10.375	1.6354
11	S99T001389	5.7640	1.3955	2.9010	13765.	2.5561	.87194
12	S99T001389_D	5.0827	1.1282	2.0782	12930.	2.4340	.81426
13	S99T001389_A	577.61	4.0704	599.27	13875.	592.56	551.26
14	S99T001389_X	6.9640	8.9312	6.2498	13474.	17.728	6.5512
15	S99T001389_AX	59197.	348.73	59797.	74070.	59508.	59416.
16	S99T001390	6.1886	.41438	1.6480	13928.	1.4663	.26945
17	S99T001390_D	7.0224	.51438	2.8404	14041.	3.0460	.59633
18	ICSA	.00001	.24161	97.566	.02272	-.00366	.00372
19	ICSAB	.47922	.24229	97.411	.15929	-.00289	.97145
20	CCV	4.9772	.03049	5.0659	5.2436	5.1036	5.0093
21	CCB	.00094	.00163	.00184	-.01082	.00419	.00063

#	Sample Name	Mg	Mn	Mo	Na	Nd	Ni
1	ICV	5.0256	4.7653	4.9814	5.2047	5.0370	5.0107
2	ICB	.02305	.00025	.00147	.00651	.00528	.00060
3	LLS	.22458	.01964	.10166	.21796	.20883	.04468
4	ICSA	252.14	-.00819	-.01012	192.87	.01280	.00144
5	ICSAB	250.48	.43061	-.01093	191.54	.01369	.92984
6	S99T001388	17.246	.11367	37.023	183860.	2.5843	126.99
7	S99T001388_D	17.885	.09737	31.703	155770.	1.0003	104.93
8	CCV	5.0121	4.7491	4.9761	5.0625	5.0440	5.0264
9	CCB	.03267	.00052	.00232	-.00268	.00491	.00209
10	S99T001389_L	75.812	1.0238	41.579	192300.	10.081	131.06
11	S99T001389	21.081	.31829	38.295	186730.	1.0394	125.97
12	S99T001389_D	14.277	.29934	35.935	173990.	1.6823	120.61
13	S99T001389_A	582.41	542.86	628.18	179100.	581.54	715.77
14	S99T001389_X	109.71	2.4396	42.987	197980.	-5.3541	108.55
15	S99T001389_AX	59425.	59734.	59905.	255990.	59437.	60149.
16	S99T001390	10.858	.11092	38.800	187660.	2.1920	124.54
17	S99T001390_D	21.695	.21039	39.191	188060.	4.3194	127.06
18	ICSA	248.97	-.00789	-.01157	190.35	.00922	-.00798
19	ICSAB	248.00	.42614	-.00808	189.78	.01048	.91451
20	CCV	4.9818	4.7262	4.9583	5.1372	5.0126	4.9815
21	CCB	.03214	.00045	.00096	-.00204	.00298	-.00258

HNF-1683 REV. 0

Analysis Report Averages 08/26/99 12:20:58 PM page 4

#	Sample Name	P	Pb	S	Sb	Se	Si
1	ICV	5.0202	4.9431	4.8102	4.9527	4.9101	5.1286
2	ICB	.00448	.02157	.00434	.01390	.01712	.00935
3	LLS	.41347	.22197	.18778	.10959	.20333	.16858
4	ICSA	-.01484	.07479	-.03058	.01127	-.00447	-.00457
5	ICSAB	-.01121	1.0343	-.04158	.01848	-.01109	-.00265
6	S99T001388	1093.3	41.993	1530.3	6.5835	20.054	162.76
7	S99T001388_D	932.34	29.188	1278.9	7.7854	39.622	141.19
8	CCV	5.0451	4.9453	4.8382	4.9684	4.9458	5.1159
9	CCB	.01765	.01329	.00743	.01278	.03275	.00832
10	S99T001389_L	1322.2	89.159	1507.1	28.604	99.813	276.29
11	S99T001389	1287.3	34.570	1592.9	9.4831	30.808	165.33
12	S99T001389_D	988.87	37.047	1481.2	11.528	48.999	153.30
13	S99T001389_A	1683.4	609.51	2054.0	593.41	698.25	836.39
14	S99T001389_X	1358.2	50.581	1522.1	60.004	238.08	500.90
15	S99T001389_AX	60926.	60020.	61324.	59820.	59831.	62746.
16	S99T001390	1191.5	44.698	1556.8	9.9825	32.613	157.50
17	S99T001390_D	1221.3	40.916	1565.3	10.453	47.399	163.95
18	ICSA	.00081	.06600	-.04461	.01816	.01455	.00816
19	ICSAB	.01139	1.0528	-.03811	.01650	.01323	.00595
20	CCV	5.0053	4.9057	4.8133	4.9626	4.9384	5.1003
21	CCB	.01509	.01497	-.00183	.01699	.03811	.01453

#	Sample Name	Sm	Sr	Th	Ti	Tl	U
1	ICV	5.0599	4.8962	.38088	5.0358	4.9763	9.8974
2	ICB	.00755	.00009	.01867	.00097	-.00937	.03349
3	LLS	.20426	.02011	.02841	.02044	.41007	.52214
4	ICSA	-.01006	.00159	.10576	.00231	-.04630	.08977
5	ICSAB	-.01056	.00166	.10691	.00232	-.04679	.07539
6	S99T001388	.85802	.05179	12.049	.29277	-3.7650	53.518
7	S99T001388_D	1.1640	.06763	3.8476	.14917	-8.3081	96.198
8	CCV	5.0621	4.9080	.39625	5.0407	4.9719	9.8839
9	CCB	.01572	.00021	.01798	.00066	-.00818	.06491
10	S99T001389_L	15.347	.37319	31.268	1.8955	-15.678	130.68
11	S99T001389	8.1978	.16409	6.1821	-.00279	-10.774	74.768
12	S99T001389_D	8.6263	.14206	4.7990	.23789	-16.500	129.21
13	S99T001389_A	590.69	564.45	42.005	585.72	589.45	1292.1
14	S99T001389_X	57.741	.74234	36.559	.04633	-10.869	345.91
15	S99T001389_AX	59577.	59502.	4561.5	59325.	60380.	118560.
16	S99T001390	2.7643	.06895	3.7446	.52396	-4.6462	79.435
17	S99T001390_D	4.8943	.10492	9.8857	.80826	4.3369	109.37
18	ICSA	-.00625	.00171	.08633	.00163	-.06958	.10171
19	ICSAB	-.00354	.00166	.09693	.00258	-.03862	.10666
20	CCV	5.0871	4.9046	.40923	5.0424	4.9602	9.9368
21	CCB	.00780	.00012	.02498	.00023	-.00768	.04863

HNF-1683 REV. 0

Analysis Report Averages 08/26/99 12:20:58 PM page 5

#	Sample Name	V	Y	Zn	Zr
1	ICV	4.9691	.01283	4.9928	4.8448
2	ICB	.00132	.00077	.00136	-.00016
3	LLS	.10145	.00095	.02170	.01797
4	ICSA	-.00497	.01048	-.00536	-.00318
5	ICSAB	.46510	.01017	.99901	-.00316
6	S99T001388	.48409	.11883	1.7575	1.5844
7	S99T001388_D	.56787	.14788	1.2158	1.7804
8	CCV	4.9755	.01276	4.9914	4.8511
9	CCB	.00369	.00130	.00125	.00134
10	S99T001389_L	5.9182	2.3041	6.8227	3.8847
11	S99T001389	1.9825	.53453	2.6517	3.0154
12	S99T001389_D	1.8932	.60578	2.0451	2.9468
13	S99T001389_A	584.82	1.8105	592.39	568.77
14	S99T001389_X	15.126	4.1004	14.750	10.931
15	S99T001389_AX	59548.	151.60	59744.	59069.
16	S99T001390	.92118	.15501	1.7791	2.1779
17	S99T001390_D	1.1814	.28387	2.0031	2.0747
18	ICSA	-.00319	.01040	-.00483	-.00089
19	ICSAB	.46332	.01086	.99049	-.00159
20	CCV	4.9632	.01258	4.9498	4.8350
21	CCB	.00227	.00060	.00247	-.00021

JK GA
08-26-99

LABCORE Completed Worklist Report for Worklist# 31034

Analyst: bjg

Instrument: ICPMS1

Book#: 42B55

Method: LA-506-101 Rev/Mod A-1

Worklist Comment: ICPMS AP-103 (DIRECT) Iso-U

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 ICV	0		QMSU-QC U235	QC	0.000170	1.69e-04	99.412 % Recovery	
1 ICV	0		QMSU-QC U238	QC	0.0239	2.34e-02	97.908 % Recovery	
2 ICB	0		QMSU-QC U233	QC	1	<1.20e-5		ug/mL
2 ICB	0		QMSU-QC U234	QC	1	<1.20e-5		ug/mL
2 ICB	0		QMSU-QC U235	QC	1	<1.20e-5		ug/mL
2 ICB	0		QMSU-QC U236	QC	1	<1.60e-5		ug/mL
2 ICB	0		QMSU-QC U238	QC	1	<1.20e-5		ug/mL
3 SAMPLE	S99T001385	0 D	QMSU-D1 U233-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
3 SAMPLE	S99T001385	0 D	QMSU-D1 U234-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
3 SAMPLE	S99T001385	0 D	QMSU-D1 U235-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
3 SAMPLE	S99T001385	0 D	QMSU-D1 U236-D1	LIQUID	N/A	< 6.480e-01	0.648	ug/mL
3 SAMPLE	S99T001385	0 D	QMSU-D1 U238-D1	LIQUID	N/A	2.721e+01	0.486	ug/mL
4 DUP	S99T001385	0 D	QMSU-D1 U233-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
4 DUP	S99T001385	0 D	QMSU-D1 U234-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
4 DUP	S99T001385	0 D	QMSU-D1 U235-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
4 DUP	S99T001385	0 D	QMSU-D1 U236-D1	LIQUID	<6.48e-1	<6.48e-1		RPD
4 DUP	S99T001385	0 D	QMSU-D1 U238-D1	LIQUID	2.72e+01	2.77e+01	1.821	RPD
5 SAMPLE	S99T001386	0 D	QMSU-D1 U233-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
5 SAMPLE	S99T001386	0 D	QMSU-D1 U234-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
5 SAMPLE	S99T001386	0 D	QMSU-D1 U235-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
5 SAMPLE	S99T001386	0 D	QMSU-D1 U236-D1	LIQUID	N/A	< 6.480e-01	0.648	ug/mL
5 SAMPLE	S99T001386	0 D	QMSU-D1 U238-D1	LIQUID	N/A	3.222e+01	0.486	ug/mL
6 DUP	S99T001386	0 D	QMSU-D1 U233-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
6 DUP	S99T001386	0 D	QMSU-D1 U234-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
6 DUP	S99T001386	0 D	QMSU-D1 U235-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
6 DUP	S99T001386	0 D	QMSU-D1 U236-D1	LIQUID	<6.48e-1	<6.48e-1		RPD
6 DUP	S99T001386	0 D	QMSU-D1 U238-D1	LIQUID	3.22e+01	3.20e+01	0.623	RPD
7 SPK-POST	S99T001386	0 D	QMSU-D1 U235-D1	LIQUID	0.000142	1.40e-04	98.592 % Recovery	
7 SPK-POST	S99T001386	0 D	QMSU-D1 U238-D1	LIQUID	0.020	1.94e-02	97.000 % Recovery	
8 SAMPLE	S99T001387	0 D	QMSU-D1 U233-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
8 SAMPLE	S99T001387	0 D	QMSU-D1 U234-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
8 SAMPLE	S99T001387	0 D	QMSU-D1 U235-D1	LIQUID	N/A	< 4.860e-01	0.486	ug/mL
8 SAMPLE	S99T001387	0 D	QMSU-D1 U236-D1	LIQUID	N/A	< 6.480e-01	0.648	ug/mL
8 SAMPLE	S99T001387	0 D	QMSU-D1 U238-D1	LIQUID	N/A	3.078e+01	0.486	ug/mL
9 DUP	S99T001387	0 D	QMSU-D1 U233-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
9 DUP	S99T001387	0 D	QMSU-D1 U234-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
9 DUP	S99T001387	0 D	QMSU-D1 U235-D1	LIQUID	<4.86e-1	<4.86e-1		RPD
9 DUP	S99T001387	0 D	QMSU-D1 U236-D1	LIQUID	<6.48e-1	<6.48e-1		RPD
9 DUP	S99T001387	0 D	QMSU-D1 U238-D1	LIQUID	3.08e+01	3.16e+01	2.564	RPD
10 CCV	0		QMSU-QC U235	QC	0.000170	1.59e-04	93.529 % Recovery	
10 CCV	0		QMSU-QC U238	QC	0.0239	2.30e-02	96.234 % Recovery	

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 31034

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
11	CCB	0			@MSU-QC U233	QC	1	<1.20e-5		ug/mL
11	CCB	0			@MSU-QC U234	QC	1	<1.20e-5		ug/mL
11	CCB	0			@MSU-QC U235	QC	1	<1.20e-5		ug/mL
11	CCB	0			@MSU-QC U236	QC	1	<1.60e-5		ug/mL
11	CCB	0			@MSU-QC U238	QC	1	<1.20e-5		ug/mL

Final page for worklist# 31034

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

09/22/99
Reviewer Signature _____ Date _____

09/08/99 12:15

File # 00922A.TXT

Page: 1

ws2

LABCORE Data Entry Template for Worklist# 31034

Analyst: BTG Instrument: ICPMS1 Book# 42655Method: LA-506-101 Rev/Mod A-1

Worklist Comment: ICPMS AP-103 (DIRECT) Iso-U

S	Type	Sample#	R	A	Test	Matrix	Group#	Project
1	ICV				@MSU-QC	QC		
2	ICB				@MSU-QC	QC		
3	SAMPLE	S99T001385	0	D	@MSU-D1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: U233-D1 , U234-D1 , U235-D1 , U236-D1 , U238-D1								
4	DUP	S99T001385	0	D	@MSU-D1	LIQUID		
5	SAMPLE	S99T001386	0	D	@MSU-D1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: U233-D1 , U234-D1 , U235-D1 , U236-D1 , U238-D1								
6	DUP	S99T001386	0	D	@MSU-D1	LIQUID		
7	SPK-Post of 9/22/99	S99T001386	0	D	@MSU-D1	LIQUID		
8	SAMPLE	S99T001387	0	D	@MSU-D1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: U233-D1 , U234-D1 , U235-D1 , U236-D1 , U238-D1								
9	DUP	S99T001387	0	D	@MSU-D1	LIQUID		
10	CCV				@MSU-QC	QC		
11	CCB				@MSU-QC	QC		

Final page for worklist # 31034

[Signature] 9-22-99
Signature Date

[Signature] 9-22-99
Signature Date

S99T001385
1385-D
1386
1386-D
1386-A
1387
1387-D
Data Entry Comments:

1 ml - 10 ml - .025 ml - 1 - 10 - 1

DF
40501

SCANS = 1385, 1386, 1387

POST SPK = .02 ml of 10 ppm U STD

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

Analysis Report

09/22/99 09:03:54

page 1

Method: MS_TUNE Sample Name: ms-tune

Operator: bjg

Comment:

Run Time: 09/22/99 09:03 Type: Unk

Mode: INT

Corr.Fact: 1.000000

Elem	In[115]
Line	115/pulse
Units	Cts/S
Avg	61170.
Stddev	1033.
%RSD	1.690

#1	60900.
#2	59050.
#3	62660.
#4	61770.
#5	61380.
#6	60280.
#7	62120.
#8	60480.
#9	61430.
#10	61610.

9-22-99

AP-103

599T001385-87

FILE # U0922A.TRT

W.L.A 31034

Uploaded & Validated by:

09/22/99

SIGNATURE ABOVE REPRESENTS ONE QUAL TECH/OLO/ST/CH/EMIST THAT
COMPLETELY VERIFIED THE CALIBRATION ANALYSIS ON PAGES 144 TO 160.

Analysis Report

09/22/99 09:05:48

page 1

Method: ISOU

Sample Name: BLANK

Operator:

Comment:

Run Time: 09/22/99 09:04 Type: Std

Mode: IR

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	19.54	18.92	19.31	20.51	21.58
Stddev	1.28	2.57	3.70	3.32	1.79
%RSD	6.548	13.57	19.14	16.17	8.293

#1	20.77	21.87	18.34	21.43	23.64
#2	18.93	17.80	16.45	25.01	20.95
#3	20.78	15.16	25.76	16.89	20.57
#4	17.77	19.49	17.56	21.63	19.49
#5	19.48	20.31	18.43	17.59	23.25

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	1.0028
Stddev	.0648
%RSD	2.8154

#1	0.2874
#2	0.171
#3	0.095
#4	0.350
#5	0.0875

Method : ISOU

Standardzn Report

09/22/99 09:06:32

page 1

U_[233]	316.4666	19.5448	1.0000000	09/22/99 09:05:47
U_[234]	317.3387	18.9248	1.0000000	09/22/99 09:05:47
U_[235]	316.8014	19.3068	1.0000000	09/22/99 09:05:47
U_[236]	315.1112	20.5086	1.0000000	09/22/99 09:05:47
U_[238]	300.0470	21.5780	1.0000000	09/22/99 09:05:47

Analysis Report

09/22/99 09:08:43

page 1

Method: ISOU Sample Name: 100ppb U

Operator:

Comment:

Run Time: 09/22/99 09:07 Type: Std Mode: IR Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	233.2	233.2	233.2	233.2	26840.
Stddev	5.8	5.8	5.8	5.8	722.
%RSD	2.507	2.507	2.507	2.507	2.689
#1	235.3	235.3	235.3	235.3	27670.
#2	229.6	229.6	229.6	229.6	26230.
#3	230.7	230.7	230.7	230.7	26750.
#4	242.4	242.4	242.4	242.4	27490.
#5	227.8	227.8	227.8	227.8	26070.

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.2986
Stddev	.0329
%RSD	1.4293

#1	2.2499
#2	2.2539
#3	2.3040
#4	2.2042
#5	2.3416

Method : ISOU

Standardzn Report

09/22/99 09:08:52

page 1

U_ [233]	300.4478	19.5448	1.0000000	09/22/99 09:08:43
U_ [234]	301.3199	18.9248	1.0000000	09/22/99 09:08:43
U_ [235]	300.7826	19.3068	1.0000000	09/22/99 09:08:43
U_ [236]	299.0924	20.5086	1.0000000	09/22/99 09:08:43
U_ [238]	270.0830	21.5780	1.0000000	09/22/99 09:08:43

Analysis Report

09/22/99 09:17:53

page 1

Method: ISOU Sample Name: blank

Operator: bjg

Comment: background

Run Time: 09/22/99 09:16 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0008	.0021	.0037	-.0043	-.0041
Stddev	.0098	.0050	.0048	.0044	.0070
%RSD	1304.	240.7	130.3	100.7	171.3
#1	.0010	.0024	.0032	-.0001	-.0048
#2	-.0094	.0096	.0006	-.0049	-.0086
#3	-.0110	.0034	.0008	-.0046	.0016
#4	.0023	-.0031	.0018	-.0111	.0041
#5	.0132	-.0019	.0120	-.0010	-.0127

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.4086
Stddev	.0385
%RSD	1.6005

#1	2.3872
#2	2.3819
#3	2.4315
#4	2.4451
#5	2.4233

Analysis Report

09/22/99 09:20:55 HNF-1683 REV.0 page 1

Method: ISOU Sample Name: icv

Operator: bjg

Comment: iso-u lcs

Run Time: 09/22/99 09:19 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	.0013	.0000	.1691	.0030	23.38
Stddev	.0054	.0080	.0162	.0084	.90
%RSD	419.8	99230.	9.603	284.7	3.833
#1	-.0042	-.0075	.1647	.0014	22.63
#2	.0046	.0006	.1713	-.0109	23.17
#3	.0014	.0124	.1929	.0072	24.89
#4	.0083	-.0064	.1476	.0105	22.81
#5	-.0037	.0011	.1688	.0066	23.41

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.4467
Stddev	.0284
%RSD	1.1580

#1	2.4623
#2	2.4355
#3	2.4050
#4	2.4723
#5	2.4655

Analysis Report

09/22/99 09:28:03

page 1

Method: ISOU Sample Name: icb

Operator: bjg

Comment: 2% hno3

Run Time: 09/22/99 09:26 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0058	-.0012	-.0023	-.0088	-.0075
Stddev	.0043	.0123	.0076	.0047	.0062
%RSD	73.75	1008.	328.5	53.66	82.43
#1	-.0050	.0067	.0081	-.0095	-.0095
#2	-.0134	-.0120	-.0073	-.0134	-.0136
#3	-.0027	-.0130	.0021	-.0098	-.0061
#4	-.0041	-.0034	-.0112	-.0008	-.0107
#5	-.0040	.0155	-.0032	-.0105	.0024

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.5454
Stddev	.0251
%RSD	.98711

#1	2.5770
#2	2.5119
#3	2.3587
#4	2.5408
#5	2.3630

Analysis Report

09/22/99 09:33:37 HNF-1683 REV.0 page 1

Method: ISOU Sample Name: s99t001385 Operator: bjg
 Comment: 40501 df
 Run Time: 09/22/99 09:32 Type: Unk Mode: CONC Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	.0004	-.0008	.0048	-.0022	.6718
Stddev	.0013	.0069	.0072	.0054	.0170
%RSD	341.4	892.5	151.9	248.8	2.531
#1	.0006	-.0073	.0001	-.0086	.6978
#2	-.0006	-.0088	.0173	-.0066	.6599
#3	.0006	.0069	.0035	.0016	.6781
#4	.0024	.0015	.0031	-.0016	.6684
#5	-.0011	.0038	-.0003	.0043	.6548

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.3906
Stddev	.0658
%RSD	2.7512

#1	2.4829
#2	2.4171
#3	2.5815
#4	2.3207
#5	2.3410

Analysis Report

09/22/99 09:36:08 HNF-1683 REV. 0 page 1

Method: ISOU Sample Name: s99t001385_d Operator: bjg
 Comment: 40501 df
 Run Time: 09/22/99 09:34 Type: Unk Mode: CONC Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	2337/pulse	2347/pulse	2357/pulse	2367/pulse	2387/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	.0020	.0080	.0053	.0003	.6841
Stddev	.0093	.0094	.0107	.0088	.0368
%RSD	463.1	117.6	200.5	2638.	5.382

#1	-.0068	-.0016	.0132	-.0085	.6949
#2	.0030	.0217	.0174	.0150	.7253
#3	.0166	.0076	.0012	.0002	.7091
#4	-.0054	.0122	.0046	-.0037	.6504
#5	.0026	.0003	-.0098	-.0013	.6410

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.2479
Stddev	.0674
%RSD	2.9985

#1	2.1696
#2	2.2005
#3	2.2020
#4	2.3449
#5	2.2624

Analysis Report

09/22/99 09:38:12

page 1

Method: ISOU Sample Name: s99t001386 Operator: bjg
 Comment: 40501 df
 Run Time: 09/22/99 09:36 Type: Unk Mode: CONC Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	2337/pulse	2347/pulse	2357/pulse	2367/pulse	2387/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0044	.0051	.0097	.0037	.7955
Stddev	.0064	.0107	.0022	.0082	.0178
%RSD	147.4	210.1	22.25	218.7	2.237

#1	-.0149	.0122	.0109	.0120	.7909
#2	.0024	-.0127	.0118	-.0073	.8183
#3	-.0019	.0045	.0082	-.0015	.7704
#4	-.0039	.0143	.0109	.0106	.8050
#5	-.0034	.0072	.0067	.0049	.7930

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.3087
Stddev	.0276
%RSD	1.1955

#1	2.3238
#2	2.3184
#3	2.3186
#4	2.3595
#5	2.3215

Analysis Report

09/22/99 09:40:21

page 1

Method: ISOU

Sample Name: s99t001386_d

Operator: bjg

Comment: 40501 df

Run Time: 09/22/99 09:39 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0006	-.0022	.0092	-.0008	.7901
Stddev	.0029	.0087	.0054	.0061	.0374
%RSD	469.5	400.2	59.19	751.4	4.730
#1	.0020	-.0053	.0160	-.0035	.8440
#2	-.0045	-.0046	.0111	.0034	.8063
#3	-.0011	.0085	.0103	.0071	.7855
#4	.0026	-.0138	.0013	-.0028	.7464
#5	-.0022	.0042	.0073	-.0083	.7681

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.1411
Stddev	.0831
%RSD	3.7044

#1	2.1340
#2	2.1520
#3	2.1800
#4	2.1308
#5	2.1061

Analysis Report

09/22/99 09:43:05

page 1

Method: ISOU

Sample Name: s99t001386_a

Operator: bjg

Comment: 40501 df

Run Time: 09/22/99 09:41 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	.0009	-.0019	.1404	-.0009	20.23
Stddev	.0074	.0089	.0088	.0069	.51
%RSD	842.6	467.6	6.295	811.5	2.529
#1	-.0074	.0134	.1393	.0014	20.79
#2	.0001	-.0088	.1485	.0005	20.67
#3	.0087	-.0056	.1263	-.0102	19.97
#4	-.0051	-.0066	.1407	.0083	20.17
#5	.0081	-.0019	.1472	-.0044	19.55

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.2981
Stddev	.0522
%RSD	2.2691

#1	2.2217
#2	2.2744
#3	2.3475
#4	2.3039
#5	2.3409

Analysis Report

09/22/99 09:51:00

page 1

Method: ISOU

Sample Name: s99t001387

Operator: bjg

Comment: 40501 df

Run Time: 09/22/99 09:49 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	.0022	.0022	.0103	-.0002	.7599
Stddev	.0081	.0055	.0079	.0080	.0180
%RSD	368.1	253.8	76.38	4176.	2.375

#1	.0110	.0090	.0104	.0051	.7374
#2	.0110	-.0058	.0145	.0099	.7706
#3	-.0026	.0051	.0211	-.0086	.7691
#4	-.0025	.0023	.0032	-.0078	.7784
#5	-.0059	.0003	.0024	.0004	.7440

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.4149
Stddev	.0314
%RSD	1.3021

#1	2.4510
#2	2.5557
#3	2.5904
#4	2.3941
#5	2.1170

Analysis Report

09/22/99 09:55:35 HNF-1683 REV. 0 page 1

Method: ISOU Sample Name: s99t001387_d Operator: bjg
 Comment: 40501 df
 Run Time: 09/22/99 09:54 Type: Unk Mode: CONC Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	- .0027	.0003	.0068	.0002	.7796
Stddev	.0019	.0041	.0050	.0074	.0356
%RSD	71.51	1301.	74.69	4500.	4.564

#1	- .0015	.0020	.0063	.0016	.8044
#2	- .0001	.0041	.0049	- .0098	.7986
#3	- .0052	- .0066	.0005	- .0049	.8064
#4	- .0035	.0000	.0144	.0062	.7652
#5	- .0033	.0022	.0077	.0078	.7234

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.3367
Stddev	.0508
%RSD	2.1393

#1	2.3324
#2	2.3528
#3	2.3691
#4	2.3260
#5	2.4521

Analysis Report

09/22/99 09:58:43

HNF-1683 REV. 0

page 1

Method: ISOU Sample Name: ccv

Operator: bjg

Comment: iso-u lcs

Run Time: 09/22/99 09:57 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0015	.0062	.1587	-.0059	23.00
Stddev	.0021	.0105	.0132	.0086	.30
%RSD	133.0	168.7	8.311	146.5	1.321
#1	.0016	-.0077	.1715	-.0031	23.20
#2	-.0013	.0132	.1558	.0010	23.02
#3	-.0011	.0174	.1376	-.0209	22.61
#4	-.0037	-.0016	.1672	-.0035	23.37
#5	-.0031	.0099	.1613	-.0029	22.81

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.4011
Stddev	.0302
%RSD	1.2590

#1	2.3468
#2	2.4030
#3	2.4216
#4	2.4139
#5	2.4183

Analysis Report

HNF-1683 REV. 0
09/22/99 10:04:45

page 1

Method: ISOU

Sample Name: ccb

Operator: bjg

Comment: 2% hno3

Run Time: 09/22/99 10:03 Type: Unk

Mode: CONC

Corr.Fact: 1.000000

Elem	U [233]	U [234]	U [235]	U [236]	U [238]
Line	233/pulse	234/pulse	235/pulse	236/pulse	238/pulse
Units	ppb	ppb	ppb	ppb	ppb
Avg	-.0042	.0007	.0029	-.0085	-.0086
Stddev	.0099	.0069	.0060	.0069	.0058
%RSD	234.2	935.4	208.8	81.20	67.39

#1	.0105	.0085	.0046	-.0067	-.0047
#2	-.0062	.0073	-.0034	.0007	-.0047
#3	-.0024	-.0055	.0120	-.0186	-.0145
#4	-.0058	-.0005	-.0012	-.0097	-.0154
#5	-.0173	-.0061	.0023	-.0082	-.0037

Int. Std.	Ir[193]
Line	193/pulse
Units	Cts/S
Avg	2.5401
Stddev	.0532
%RSD	2.0946

#1	2.5127
#2	2.4621
#3	2.5749
#4	2.5746
#5	2.5766

Spencer
9-22-99

LABCORE Completed Worklist Report for Worklist# 30801

Analyst: pjm

Instrument: CARB2

Book#: _____

Method: LA-342-100 Rev/Mod F-3

Worklist Comment: AP103 GRAB99, @TICTOC1, STD: TIC=1.0mL, TOC=0.200mL skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 BLNK		0	@TICTOC1 TIC-02	LIQUID	1	3.00E-1	0.300	ug/mL
1 BLNK		0	@TICTOC1 TOC-02	LIQUID	1	6.00E+0	6.000	ug/mL
2 STD		0	@TICTOC1 TIC-02	LIQUID	6.02E+02	6.00E+2	99.668	% Recovery
2 STD		0	@TICTOC1 TOC-02	LIQUID	3.00E+03	2.77E+3	92.333	% Recovery
3 SAMPLE	S99T001388	0	@TICTOC1 TIC-02	LIQUID	N/A	1.51E+04	5.000	ug/mL
3 SAMPLE	S99T001388	0	@TICTOC1 TOC-02	LIQUID	N/A	3.74E+03	40.000	ug/mL
4 DUP	S99T001388	0	@TICTOC1 TIC-02	LIQUID	1.51E+4	1.52E+4	0.660	RPD
4 DUP	S99T001388	0	@TICTOC1 TOC-02	LIQUID	3.74E+3	3.80E+3	1.592	RPD
5 SAMPLE	S99T001389	0	@TICTOC1 TIC-02	LIQUID	N/A	1.55E+04	5.000	ug/mL
5 SAMPLE	S99T001389	0	@TICTOC1 TOC-02	LIQUID	N/A	3.93E+03	40.000	ug/mL
6 DUP	S99T001389	0	@TICTOC1 TIC-02	LIQUID	1.55E+4	1.40E+4	10.169	RPD
6 DUP	S99T001389	0	@TICTOC1 TOC-02	LIQUID	3.93E+3	3.46E+3	12.720	RPD
7 TRIPL	S99T001389	0	@TICTOC1 TIC-02	LIQUID	1.55E+4	1.56E+4	0.643	RPD
7 TRIPL	S99T001389	0	@TICTOC1 TOC-02	LIQUID	3.93E+3	3.99E+3	1.515	RPD
8 SPK	S99T001389	0	@TICTOC1 TIC-02	LIQUID	1.00E+02	8.61E+01	86.100	% Recovery
8 SPK	S99T001389	0	@TICTOC1 TOC-02	LIQUID	1.00E+02	9.28E+01	92.800	% Recovery
9 SAMPLE	S99T001390	0	@TICTOC1 TIC-02	LIQUID	N/A	1.42E+04	5.000	ug/mL
9 SAMPLE	S99T001390	0	@TICTOC1 TOC-02	LIQUID	N/A	3.69E+03	40.000	ug/mL
10 DUP	S99T001390	0	@TICTOC1 TIC-02	LIQUID	1.42E+4	1.62E+4	13.158	RPD
10 DUP	S99T001390	0	@TICTOC1 TOC-02	LIQUID	3.69E+3	4.18E+3	12.452	RPD
11 TRIPL	S99T001390	0	@TICTOC1 TIC-02	LIQUID	1.42E+4 N/A	1.56E+4 N/A 2/B	15.584	RPD
11 TRIPL	S99T001390	0	@TICTOC1 TOC-02	LIQUID	3.69E+3 N/A	5.08E+3 N/A 8/31/99	31.699	RPD

Final page for worklist# 30801

Analyst Signature

Date

Analyst Signature

Date

Reviewer Signature

Date

08/17/99 09:10
ws2

Page: 1

LABCORE Data Entry Template for Worklist# 30801

Analyst: RJM Instrument: CARB2 Book# TIC 25N12EMethod: LA-342-100 Rev/Mod F-3 TOC 34N12B

Worklist Comment: AP103 GRAB99, @TICTOC1, STD: TIC=1.0mL, TOC=0.200mL skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 BLNK			@TICTOC1	LIQUID		
2 STD			@TICTOC1	LIQUID		
3 SAMPLE	S99T001388 0		@TICTOC1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: TIC-02 , TOC-02						
4 DUP	S99T001388 0		@TICTOC1	LIQUID		
5 SAMPLE	S99T001389 0		@TICTOC1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: TIC-02 , TOC-02						
6 DUP	S99T001389 0		@TICTOC1	LIQUID		
* TRIPh	S99T001389 0		@TICTOC1	LIQUID		
7 SPK	S99T001389 0		@TICTOC1	LIQUID		
8 SAMPLE	S99T001390 0		@TICTOC1	LIQUID	99000326	AP103 GRAB99
Analytes Requested: TIC-02 , TOC-02						
9 DUP	S99T001390 0		@TICTOC1	LIQUID		

* TRIPL

Final page for worklist # 30801

RJM 8/30/99
Signature Date

Yancy Jones 8/31/99
Signature Date

Data Entry Comments:

1389 & 1390 run in triplicate

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
 TICTOC REV 2.0
 <<< BLANK ANALYSIS >>>

Sample: BASE-1

Date: 08/30/99

Time: 19:33:48

Sample Size = 1 uL
 Dil Factor = 1
 Blank ID # = BASE-1
 Blank Value = N/A

Analyst : PJ MCCOWN
 Min Readings = 22
 Max Readings = 22
 % Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	0.30	0.00
2	1.01	0.50	40.00
3	1.51	0.80	37.50
4	2.00	1.00	20.00
5	2.50	1.30	23.08
6	3.00	1.60	18.75
7	3.50	1.80	11.11
8	4.00	2.10	14.29
9	4.50	2.30	8.70
10	5.00	2.60	11.54
11	5.50	2.70	3.70
12	6.00	3.00	10.00
13	6.50	3.20	6.25
14	7.00	3.40	5.88
15	7.50	3.60	5.56
16	8.00	3.90	7.69
17	8.50	4.10	4.88
18	9.00	4.40	6.82
19	9.50	4.50	2.22
20	10.00	4.70	4.26
21	10.50	4.90	4.08
22	11.00	5.10	3.92

BLANK VALUE = 5.1 micrograms carbon

BLANK FACTOR = 5.1 / 10.99805 = +4.6E-01 ug/min Carbon

SIGNATURE BELOW REPRESENTS CHEMICAL TECHNOLOGIST/CHEMIST THAT
 COMPLETELY REVIEWED THE CALCULATIONS/ANALYSIS ON PAGES 163 TO 196

Sample Run By:

PJ MCCOWN

00000

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
 TICTOC REV 2.0
 <<< BLANK ANALYSIS >>>

Sample: BASE-1

Date: 08/30/99

Time: 20:50:06

Sample Size = 1 uL
 Dil Factor = 1
 Blank ID # = BASE-1
 Blank Value = N/A

Analyst : PJ MCCOWN
 Min Readings = 22
 Max Readings = 22
 % Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	0.20	0.00
2	1.01	0.50	60.00
3	1.50	2.70	81.48
4	2.00	6.40	57.81
5	2.50	9.30	31.18
6	3.00	11.40	18.42
7	3.50	12.80	10.94
8	4.00	13.80	7.25
9	4.50	14.70	6.12
10	5.00	15.40	4.55
11	5.50	16.10	4.35
12	6.00	16.70	3.59
13	6.50	17.20	2.91
14	7.00	17.60	2.27
15	7.50	18.20	3.30
16	8.00	18.60	2.15
17	8.50	19.00	2.11
18	9.00	19.30	1.55
19	9.50	19.60	1.53
20	10.00	20.00	2.00
21	10.50	20.20	0.99
22	11.00	20.40	0.98

BLANK VALUE = 20.4 micrograms carbon
 BLANK FACTOR = 20.4 / 10.99768 = +1.85E+00 ug/min Carbon

<<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: STD-1

Date: 08/30/99

Time: 21:06:57

Sample Size = 1000 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	0.70	0.00
2	1.01	36.20	98.07
3	1.50	168.60	78.53
4	2.00	326.50	48.36
5	2.50	448.70	27.23
6	3.00	524.00	14.37
7	3.50	566.80	7.55
8	4.00	587.10	3.46
9	4.50	595.50	1.41
10	5.00	599.00	0.58
11	5.50	600.40	0.23
12	6.00	601.20	0.13
13	6.50	601.80	0.10
14	7.00	602.20	0.07
15	7.50	602.70	0.08
16	8.00	603.10	0.07
17	8.50	603.50	0.07
18	9.00	603.90	0.07
19	9.50	604.20	0.05
20	10.00	604.60	0.07
21	10.50	604.80	0.03
22	11.00	605.10	0.05

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(605.1 - 5.059494) (1) / (1000) = +6.000E-01 g/L Carbon
 (605.1 - 5.059494) (1) / (1000) (12) = +5.000E-02 Molar Carbon

Sample Run By:

PJ MCCOWN

PJ McCown 8/30/99
 00000

1.0 mL 25NIRE

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: STD-1

Date: 08/30/99

Time: 21:20:55

Sample Size = ~~1~~ ^{RM 8/30/99} ~~uL~~ 200 uL
Dil Factor = 1
Blank ID # =
Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN
Min Readings = 22
Max Readings = 22
% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	0.30	0.00
2	1.00	0.80	62.50
3	1.50	13.50	94.07
4	2.00	88.30	84.71
5	2.50	262.70	66.39
6	3.00	428.00	38.62
7	3.50	510.50	16.16
8	4.00	545.10	6.35
9	4.50	558.00	2.31
10	5.00	562.80	0.85
11	5.50	565.00	0.39
12	6.00	566.40	0.25
13	6.50	567.70	0.23
14	7.00	568.90	0.21
15	7.50	570.00	0.19
16	8.00	570.90	0.16
17	8.50	571.80	0.16
18	9.00	572.40	0.10
19	9.50	573.00	0.10
20	10.00	573.60	0.10
21	10.50	574.20	0.10
22	11.00	574.60	0.07

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

200 RM 8/30/99
(574.6 - 20.34594) (1) / ~~11~~ = +5.543E+02 g/L Carbon
(574.6 - 20.34594) (1) / ~~11~~ (12) = +4.619E+01 Molar Carbon
<<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

PJ MCCOWN 8/30/99
00000
- 200ML 34N12B

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: BLNK-1

Date: 08/30/99

Time: 21:50:26

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading	==== Analysis Time	==== Coulometer	==== % Difference
1	0.51	0.20	0.00
2	1.01	0.50	60.00
3	1.50	0.70	28.57
4	2.00	1.00	30.00
5	2.50	1.30	23.08
6	3.00	1.50	13.33
7	3.50	1.70	11.76
8	4.00	2.00	15.00
9	4.50	2.20	9.09
10	5.00	2.40	8.33
11	5.50	2.70	11.11
12	6.00	3.00	10.00
13	6.50	3.10	3.23
14	7.00	3.40	8.82
15	7.50	3.60	5.56
16	8.00	3.90	7.69
17	8.50	4.20	7.14
18	9.00	4.40	4.55
19	9.50	4.60	4.35
20	10.00	4.90	6.12
21	10.50	5.10	3.92
22	11.00	5.40	5.56

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 =

+4.6E-01

ug/min Carbon

SAMPLE RESULTS:

(5.4 - 5.059494) (1)/(1) =

+3.4E-01

g/L Carbon

(5.4 - 5.059494) (1)/(1) (12) =

+2.8E-02

Molar Carbon

Sample Run By:

PJ MCCOWN

00000

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: BLNK-1

Date: 08/30/99

Time: 22:07:08

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	0.20	0.00
2	1.01	0.40	50.00
3	1.50	0.60	33.33
4	2.00	0.80	25.00
5	2.50	1.20	33.33
6	3.00	2.50	52.00
7	3.50	4.90	48.98
8	4.00	7.60	35.53
9	4.50	9.30	18.28
10	5.00	10.40	10.58
11	5.50	11.10	6.31
12	6.00	11.70	5.13
13	6.50	12.10	3.31
14	7.00	12.40	2.42
15	7.50	12.70	2.36
16	8.00	13.00	2.31
17	8.50	13.30	2.26
18	9.00	13.50	1.48
19	9.50	13.70	1.46
20	10.00	14.00	2.14
21	10.50	14.20	1.41
22	11.00	14.40	1.39

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(14.4 - 20.34639) (1)/(1) = < 5.00 E-3 g/L Carbon

(14.4 - 20.34639) (1)/(1)(12) = < 4.17 E-4 Molar Carbon

<<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001388

Date: 08/30/99

Time: 22:27:37

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

Reading	Analysis Time	Coulometer	% Difference
1	0.51	0.20	0.00
2	1.01	2.60	92.31
3	1.50	201.30	98.71
4	2.00	664.80	69.72
5	2.50	1039.20	36.03
6	3.00	1266.20	17.93
7	3.50	1383.30	8.47
8	4.00	1444.60	4.24
9	4.50	1475.20	2.07
10	5.00	1488.60	0.90
11	5.50	1494.30	0.38
12	6.00	1497.70	0.23
13	6.50	1500.40	0.18
14	7.00	1502.60	0.15
15	7.50	1504.40	0.12
16	8.00	1506.20	0.12
17	8.50	1507.80	0.11
18	9.00	1509.20	0.09
19	9.50	1510.60	0.09
20	10.00	1512.10	0.10
21	10.50	1513.20	0.07
22	11.00	1514.30	0.07

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1514.3 - 5.05899) (1) / (1) = +1.5092E+03 g/L Carbon
 (1514.3 - 5.05899) (1) / (1) (12) = +1.2577E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

.100 mL

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001388

Date: 08/30/99

Time: 22:40:18

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

Reading	Analysis Time	Coulometer	% Difference
1	0.51	0.60	0.00
2	1.01	2.20	72.73
3	1.50	24.70	91.09
4	2.00	107.20	76.96
5	2.50	216.60	50.51
6	3.00	293.10	26.10
7	3.50	336.70	12.95
8	4.00	358.90	6.19
9	4.50	369.70	2.92
10	5.00	375.10	1.44
11	5.50	378.70	0.95
12	6.00	381.00	0.60
13	6.50	383.20	0.57
14	7.00	385.00	0.47
15	7.50	386.30	0.34
16	8.00	387.70	0.36
17	8.50	389.20	0.39
18	9.00	390.60	0.36
19	9.50	391.80	0.31
20	10.00	392.70	0.23
21	10.50	393.50	0.20
22	11.00	394.20	0.18

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(394.2 - 20.34594) (1) / (1) = +3.739E+02 g/L Carbon
 (394.2 - 20.34594) (1) / (1) (12) = +3.115E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

100 mL

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1388 DUP

Date: 08/30/99

Time: 22:52:43

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading	==== Analysis Time	==== Coulometer	==== % Difference ==
1	0.51	0.40	0.00
2	1.01	21.50	98.14
3	1.51	372.70	94.23
4	2.00	839.20	55.59
5	2.50	1154.70	27.32
6	3.00	1330.90	13.24
7	3.50	1419.20	6.22
8	4.00	1468.80	3.38
9	4.50	1492.00	1.55
10	5.00	1501.00	0.60
11	5.50	1505.40	0.29
12	6.00	1508.30	0.19
13	6.50	1510.50	0.15
14	7.00	1512.50	0.13
15	7.50	1514.40	0.13
16	8.00	1516.10	0.11
17	8.50	1517.60	0.10
18	9.00	1519.10	0.10
19	9.50	1520.30	0.08
20	10.00	1521.70	0.09
21	10.50	1522.80	0.07
22	11.00	1524.00	0.08

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1524 - 5.059045) (1)/(1) =

+1.5189E+03 g/L Carbon

(1524 - 5.059045) (1)/(1) (12) =

+1.2658E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

100 MC

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1388 DUP

Date: 08/30/99

Time: 23:05:41

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	Analysis Time ==	Coulometer ==	% Difference ==
1	0.51	0.90	0.00
2	1.01	2.20	59.09
3	1.50	12.60	82.54
4	2.00	71.80	82.45
5	2.50	177.00	59.44
6	3.00	269.10	34.23
7	3.50	325.90	17.43
8	4.00	357.40	8.81
9	4.50	372.60	4.08
10	5.00	380.10	1.97
11	5.50	384.50	1.14
12	6.00	387.90	0.88
13	6.50	390.30	0.61
14	7.00	392.30	0.51
15	7.50	394.00	0.43
16	8.00	395.20	0.30
17	8.50	396.30	0.28
18	9.00	397.40	0.28
19	9.50	398.30	0.23
20	10.00	399.10	0.20
21	10.50	399.80	0.18
22	11.00	400.50	0.17

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(400.5 - 20.34435) (1)/(1) = +3.802E+02 g/L Carbon
 (400.5 - 20.34435) (1)/(1) (12) = +3.168E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

- 100 mL

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001389

Date: 08/30/99

Time: 23:18:06

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	Analysis Time ==	Coulometer ==	% Difference ==
1	0.51	0.70	0.00
2	1.01	2.30	69.57
3	1.51	190.10	98.79
4	2.00	704.90	73.03
5	2.50	1078.40	34.63
6	3.00	1304.70	17.34
7	3.50	1418.30	8.01
8	4.00	1481.50	4.27
9	4.50	1515.20	2.22
10	5.04	1528.40	0.86
11	5.54	1534.00	0.37
12	6.04	1537.30	0.21
13	6.54	1539.90	0.17
14	7.04	1541.90	0.13
15	7.54	1544.00	0.14
16	8.03	1545.70	0.11
17	8.53	1547.50	0.12
18	9.03	1548.90	0.09
19	9.53	1550.40	0.10
20	10.03	1551.80	0.09
21	10.53	1553.00	0.08
22	11.03	1554.40	0.09

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1554.4 - 5.075049) (1)/(1) =

+1.5493E+03 g/L Carbon

(1554.4 - 5.075049) (1)/(1) (12) =

+1.2911E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

.100 mL

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001389

Date: 08/30/99

Time: 23:36:47

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading	==== Analysis Time	==== Coulometer	==== % Difference ==
1	0.51	1.20	0.00
2	1.01	2.30	47.83
3	1.50	6.60	65.15
4	2.00	34.50	80.87
5	2.50	112.80	69.41
6	3.00	221.10	48.98
7	3.50	301.90	26.76
8	4.00	350.10	13.77
9	4.50	376.10	6.91
10	5.00	387.80	3.02
11	5.50	394.00	1.57
12	6.00	398.20	1.05
13	6.50	401.00	0.70
14	7.00	403.30	0.57
15	7.50	405.20	0.47
16	8.00	407.00	0.44
17	8.50	408.40	0.34
18	9.00	409.70	0.32
19	9.50	410.80	0.27
20	10.00	411.80	0.24
21	10.50	412.70	0.22
22	11.00	413.50	0.19

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(413.5 - 20.34571) (1)/(1) = +3.932E+02 g/L Carbon
 (413.5 - 20.34571) (1)/(1) (12) = +3.276E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

.100mL

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 DUP

Date: 08/30/99

Time: 23:55:06

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	0.50	0.00
2	1.01	1.00	50.00
3	1.50	70.30	98.58
4	2.00	454.00	84.52
5	2.50	841.10	46.02
6	3.00	1102.80	23.73
7	3.50	1239.60	11.04
8	4.00	1313.60	5.63
9	4.50	1358.20	3.28
10	5.00	1379.00	1.51
11	5.50	1386.70	0.56
12	6.00	1390.60	0.28
13	6.50	1393.40	0.20
14	7.00	1395.50	0.15
15	7.50	1397.50	0.14
16	8.00	1399.10	0.11
17	8.50	1400.80	0.12
18	9.00	1402.40	0.11
19	9.50	1403.70	0.09
20	10.00	1405.10	0.10
21	10.50	1406.40	0.09
22	11.00	1407.70	0.09

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1407.7 - 5.059439) (1)/(1) = +1.4026E+03 g/L Carbon
 (1407.7 - 5.059439) (1)/(1)(12) = +1.1689E+02 Molar Carbon

Sample Run By: PJM

PJ MCCOWN

00000

.100 mL

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 DUP

Date: 08/31/99

Time: 01:07:37

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	0.70	0.00
2	1.01	2.60	73.08
3	1.50	27.80	90.65
4	2.00	105.70	73.70
5	%-1437.50	207.80	49.13
6	%-1437.00	275.40	24.55
7	%-1436.50	315.30	12.65
8	%-1436.00	336.20	6.22
9	%-1435.50	345.90	2.80
10	%-1435.00	350.90	1.42
11	%-1434.50	353.80	0.82
12	%-1434.00	356.00	0.62
13	%-1433.50	358.00	0.56
14	%-1433.00	359.50	0.42
15	%-1432.50	360.70	0.33
16	%-1432.00	361.90	0.33
17	%-1431.50	362.80	0.25
18	%-1431.00	363.70	0.25
19	%-1430.50	364.50	0.22
20	%-1430.00	365.20	0.19
21	%-1429.50	365.90	0.19
22	%-1429.00	366.70	0.22

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(366.7 --2643.654) (1)/(1) = +3.010E+03 g/L Carbon
 (366.7 --2643.654) (1)/(1)(12) = +2.509E+02 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

1100 mL

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 TRIP

Date: 08/31/99

Time: 01:22:01

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	0.50	0.00
2	1.01	1.50	66.67
3	1.50	135.70	98.89
4	2.00	675.00	79.90
5	2.50	1074.10	37.16
6	3.00	1299.20	17.33
7	3.50	1410.30	7.88
8	4.00	1474.20	4.33
9	4.50	1512.10	2.51
10	5.00	1529.60	1.14
11	5.50	1536.50	0.45
12	6.00	1540.50	0.26
13	6.50	1543.40	0.19
14	7.00	1545.80	0.16
15	7.50	1548.00	0.14
16	8.00	1550.00	0.13
17	8.50	1551.90	0.12
18	9.00	1553.70	0.12
19	9.50	1555.60	0.12
20	10.00	1557.30	0.11
21	10.50	1558.80	0.10
22	11.00	1560.50	0.11

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1560.5 - 5.059463) (1) / (1) =

+1.5554E+03 g/L Carbon

(1560.5 - 5.059463) (1) / (1) (12) =

+1.2962E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

100 mL

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 TRIP

Date: 08/31/99

Time: 01:34:37

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	1.40	0.00
2	1.01	3.50	60.00
3	1.50	12.60	72.22
4	2.00	54.20	76.75
5	2.50	151.70	64.27
6	3.00	255.00	40.51
7	3.50	319.20	20.11
8	4.00	357.90	10.81
9	4.50	379.80	5.77
10	5.00	390.40	2.72
11	5.50	396.50	1.54
12	6.00	400.60	1.02
13	6.50	403.80	0.79
14	7.00	406.40	0.64
15	7.50	408.70	0.56
16	8.00	410.60	0.46
17	8.50	412.30	0.41
18	9.00	414.00	0.41
19	9.50	415.60	0.38
20	10.00	416.90	0.31
21	10.50	418.30	0.33
22	11.00	419.50	0.29

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(419.5 - 20.34784) (1)/(1) = +3.992E+02 g/L Carbon
 (419.5 - 20.34784) (1)/(1)(12) = +3.326E+01 Molar Carbon

<<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

.100 mL

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 SPK

Date: 08/31/99

Time: 01:47:31

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	1.60	0.00
2	1.00	3.20	50.00
3	1.50	45.30	92.94
4	2.00	346.10	86.91
5	2.50	838.60	58.73
6	3.00	1268.00	33.86
7	3.50	1525.40	16.87
8	4.00	1649.30	7.51
9	4.50	1718.30	4.02
10	5.00	1759.00	2.31
11	5.50	1777.50	1.04
12	6.00	1785.00	0.42
13	6.50	1789.30	0.24
14	7.00	1793.00	0.21
15	7.50	1796.20	0.18
16	8.00	1798.90	0.15
17	8.50	1801.90	0.17
18	9.00	1804.30	0.13
19	9.50	1806.80	0.14
20	10.00	1809.20	0.13
21	10.50	1811.70	0.14
22	11.00	1813.70	0.11

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1813.7 - 5.058621) (1)/(1) = +1.8086E+03 g/L Carbon
 (1813.7 - 5.058621) (1)/(1)(12) = +1.5072E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

.100 mL

+ .500 mL 25 N/2 E

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1389 SPK

Date: 08/31/99

Time: 01:59:57

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	2.10	0.00
2	1.01	4.30	51.16
3	1.50	13.00	66.92
4	2.00	53.60	75.75
5	2.50	185.50	71.11
6	3.00	406.00	54.31
7	3.50	531.10	23.55
8	4.00	592.30	10.33
9	4.50	630.30	6.03
10	5.00	651.00	3.18
11	5.50	660.80	1.48
12	6.00	666.60	0.87
13	6.50	670.90	0.64
14	7.00	674.40	0.52
15	7.50	677.30	0.43
16	8.00	679.90	0.38
17	8.50	682.30	0.35
18	9.00	684.40	0.31
19	9.50	686.70	0.33
20	10.00	688.40	0.25
21	10.50	690.10	0.25
22	11.00	691.80	0.25

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(691.8 - 20.34444) (1)/(1) = +6.715E+02 g/L Carbon
 (691.8 - 20.34444) (1)/(1)(12) = +5.595E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

.100 mL

+ .100 mL 34N12B

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001390

Date: 08/31/99

Time: 02:12:22

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	1.70	0.00
2	1.04	3.30	48.48
3	1.54	69.60	95.26
4	2.04	454.10	84.67
5	2.54	839.40	45.90
6	3.04	1103.40	23.93
7	3.54	1241.60	11.13
8	4.04	1315.50	5.62
9	4.54	1360.90	3.34
10	5.04	1383.60	1.64
11	5.54	1392.50	0.64
12	6.03	1397.70	0.37
13	6.53	1401.20	0.25
14	7.03	1404.40	0.23
15	7.53	1407.30	0.21
16	8.03	1410.00	0.19
17	8.53	1412.90	0.21
18	9.03	1415.10	0.16
19	9.53	1417.40	0.16
20	10.03	1419.60	0.15
21	10.53	1421.90	0.16
22	11.03	1424.10	0.15

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1424.1 - 5.074185) (1)/(1) = +1.4190E+03 g/L Carbon
 (1424.1 - 5.074185) (1)/(1)(12) = +1.1825E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

.100 mL

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: S99T001390

Date: 08/31/99

Time: 02:25:07

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	==== Analysis Time ==	==== Coulometer ==	==== % Difference ==
1	0.51	2.10	0.00
2	1.01	4.20	50.00
3	1.50	11.00	61.82
4	2.00	44.80	75.45
5	2.50	122.20	63.34
6	3.00	215.90	43.40
7	3.50	281.90	23.41
8	4.00	323.70	12.91
9	4.50	347.20	6.77
10	5.00	358.40	3.12
11	5.50	364.50	1.67
12	6.00	368.70	1.14
13	6.50	371.90	0.86
14	7.00	374.80	0.77
15	7.50	377.20	0.64
16	8.00	379.20	0.53
17	8.50	381.20	0.52
18	9.00	383.00	0.47
19	9.50	384.50	0.39
20	10.00	386.30	0.47
21	10.50	387.90	0.41
22	11.00	389.30	0.36

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(389.3 - 20.34599) (1)/(1) = +3.690E+02 g/L Carbon
 (389.3 - 20.34599) (1)/(1) (12) = +3.075E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

 PJ MCCOWN

00000

-100ML

HNF-1683 REV. 0

TIC- TOTAL INORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1390 DUP

Date: 08/31/99

Time: 02:37:37

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = .46 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading	==== Analysis Time	==== Coulometer	==== % Difference ==
1	0.50	1.30	0.00
2	1.00	3.00	56.67
3	1.50	107.10	97.20
4	2.00	622.60	82.80
5	2.50	1052.10	40.82
6	3.00	1316.30	20.07
7	3.50	1448.40	9.12
8	4.00	1520.10	4.72
9	4.50	1563.30	2.76
10	5.00	1584.30	1.33
11	5.50	1592.90	0.54
12	6.00	1597.60	0.29
13	6.50	1601.50	0.24
14	7.00	1604.30	0.17
15	7.50	1607.40	0.19
16	8.00	1610.10	0.17
17	8.50	1612.70	0.16
18	9.00	1615.10	0.15
19	9.50	1617.60	0.15
20	10.00	1619.90	0.14
21	10.50	1621.90	0.12
22	11.00	1624.30	0.15

USER INPUT BLANK VALUE

BLANK VALUE = 5.058933 micrograms carbon

BLANK FACTOR = 5.058933 / 10.99768 = +4.6E-01 ug/min Carbon

SAMPLE RESULTS:

(1624.3 - 5.058617) (1)/(1) =

+1.6192E+03 g/L Carbon

(1624.3 - 5.058617) (1)/(1) (12) =

+1.3494E+02 Molar Carbon

Sample Run By:

PJ MCCOWN

00000

.100ML

HNF-1683 REV. 0

TOC- TOTAL ORGANIC CARBON ANALYSIS REPORT
TICTOC REV 2.0

Sample: 1390 DUP

Date: 08/31/99

Time: 02:50:04

Sample Size = 1 uL

Dil Factor = 1

Blank ID # =

Blank Value = 1.85 ug/minute C

Analyst : PJ MCCOWN

Min Readings = 22

Max Readings = 22

% Difference = 10

== Reading ==	== Analysis Time ==	== Coulometer ==	== % Difference ==
1	0.51	1.90	0.00
2	1.01	4.00	52.50
3	1.50	8.90	55.06
4	2.00	34.70	74.35
5	2.50	110.60	68.63
6	3.00	226.10	51.08
7	3.50	307.00	26.35
8	4.00	357.70	14.17
9	4.50	388.60	7.95
10	5.00	404.00	3.81
11	5.50	411.50	1.82
12	6.00	416.20	1.13
13	6.50	419.90	0.88
14	7.00	423.10	0.76
15	7.50	425.80	0.63
16	8.00	427.80	0.47
17	8.50	429.90	0.49
18	9.00	431.80	0.44
19	9.50	433.50	0.39
20	10.00	435.20	0.39
21	10.50	437.10	0.43
22	11.00	438.70	0.36

USER INPUT BLANK VALUE

BLANK VALUE = 20.34571 micrograms carbon

BLANK FACTOR = 20.34571 / 10.99768 = +1.9E+00 ug/min Carbon

SAMPLE RESULTS:

(438.7 - 20.3463) (1)/(1) = +4.184E+02 g/L Carbon
 (438.7 - 20.3463) (1)/(1)(12) = +3.486E+01 Molar Carbon
 <<<< WARNING - BLANK VALUE EXCEEDS 1.5 ug/min Carbon!!!!>>>>

Sample Run By:

PJ MCCOWN

00000

.100mL

WORKBOOK PAGE: BLANK1

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.0000	0.0000
BLNK	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	5.4	14.4
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code			
@TICTOC1			
Matrix			
LIQUID			
Batch Number			
99003176			
Rerun	µg of Carbon = C1-C2		
0			
Sample Prep			
N/A			
Sample #			
BLNK			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	5	40
04:30 AM			
Sample Point	µg of Carbon	3.00E-01	6.00E+00
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>MF</i>	Date:	

BLANK.WB1 REV 1.0

342100ML

WORKBOOK PAGE: STD2

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	1.0000	0.2000
STD	Dilution Factor (DF)	1	1
Work List	Final Coulometer Reading in µg (C1)	605.1	574.6
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code	Standard Book Number	25N12E	34N12B
@TIC/TOC1	Standard Value (µg/ml)	602	3000
Matrix	QC Actual in µg/mL = Standard Value (µg/mL) QC Found in µg/mL = (C1 - C2) * DF / SS QC Found in µg/mL for TIC = 5 if C1 < C2 QC Found in µg/mL for TOC = 40 if C1 < C2 % Recovery = QC Found / QC Actual * 100		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
STD			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	5	40
04:30 AM	QC Actual in µg/mL	6.02E+02	3.00E+03
Sample Point	QC Found in µg/mL	6.00E+02	2.77E+03
AP103 GRAB99	Percent Standard Recovery	99.7	92.4

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>MF</i>	Date:	

STANDARD.WB1 REV 1.0

342100ML

WORKBOOK PAGE: SAM3

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
SAMPLE	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1514.3	394.2
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code			
@TICTOC1			
Matrix			
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001388			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	TIC	TOC
04:30 AM		5	40
Sample Point	µg of Carbon/mL	1.51E+04	3.74E+03
AP103 GRAB99			

$\mu\text{g of Carbon/mL} = (C1 - C2) * DF / SS$
 $\mu\text{g of Carbon/mL for TIC} = 5 \text{ if } C1 < C2$
 $\mu\text{g of Carbon/mL for TOC} = 40 \text{ if } C1 < C2$

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	NA	Date:	

WORKBOOK PAGE: DUP4

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
DUP	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1524	400.5
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code	Known µg of C from Original Sample	1.51E+4	3.74E+3
@TICTOC1			
Matrix	µg of Carbon/mL = (C1-C2) * DF / SS µg of Carbon/mL for TIC = 5 if C1 < C2 µg of Carbon/mL for TOC = 40 if C1 < C2		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001388			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	TIC	TOC
04:30 AM		5	40
Sample Point	µg of Carbon/mL	1.52E+04	3.80E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

SAMPLE.WB1 REV 1.0

342100ML

WORKBOOK PAGE: SAM5

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
SAMPLE	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1554.4	413.5
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code			
@TICTOC1			
Matrix	µg of Carbon/mL = (C1-C2) * DF / SS µg of Carbon/mL for TIC = 5 if C1 < C2 µg of Carbon/mL for TOC = 40 if C1 < C2		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001389			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	TIC	TOC
04:30 AM		5	40
Sample Point	µg of Carbon/mL	1.55E+04	3.93E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

WORKBOOK PAGE: DUP6

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
DUP	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1407.7	366.7
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code	Known µg of C from Original Sample	1.55E+4	3.93E+3
@TICTOC1			
Matrix	µg of Carbon/mL = (C1-C2) * DF / SS µg of Carbon/mL for TIC = 5 if C1 < C2 µg of Carbon/mL for TOC = 40 if C1 < C2		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001389			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	5	40
04:30 AM			
Sample Point	µg of Carbon/mL	1.40E+04	3.46E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

SAMPLE WB1 REV 1.0

342100ML

190

WORKBOOK PAGE: TRIPL7

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
TRIPL	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1560.5	419.5
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code	Known µg of C from Original Sample	1.55E+4	3.93E+3
@TICTOC1	Duplicate Result	1.40E+4	3.46E+3
Matrix	µg of Carbon/mL = (C1-C2) * DF / SS µg of Carbon/mL for TIC = 5 if C1 < C2 µg of Carbon/mL for TOC = 40 if C1 < C2		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001389			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	TIC	TOC
04:30 AM		5	40
Sample Point	µg of Carbon/mL	1.56E+04	3.99E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

WORKBOOK PAGE: SPIKE8

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

Type	Sample Vial Data	TIC	TOC
SPK	Sample Volume in mL (SS)	0.1000	0.1000
Work List	Final Coulometer Reading in µg (C1)	1554.4	413.5
30801	Spiked Vial Data		
Test Code	Sample Volume in mL (SPK SS)	0.1000	0.1000
@TICTOC1	Amount of Spike Std. in mL (SPK VOL)	0.500	0.100
Matrix	Final Coulometer Reading in µg (C2)	1813.7	691.8
LIQUID	Spike Book Number	25N12E	34N12B
Batch Number	Spike Standard Value in µg/mL (SPK CONC)	602	3000
99003176	µg C in baseline (BL)	5.1	20.4
Rerun			
0			
Sample Prep			
N/A			
Sample #	Percent Spike Recovery = ((C2-BL) - (C1-BL) * (SPK SS) / SS) / ((SPK CONC) * (SPK VOL)) * 100		
S99T001389			
Instrument Code	QC Actual in µg/mL = Spike Value (µg/mL)		
CARB2	QC Found in µg/mL = (Percent Spike Recovery)*(QC Actual) / 100		
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time			
04:30 AM	QC Actual in µg/mL	6.02E+02	3.00E+03
Sample Point	QC Found in µg/mL	5.19E+02	2.78E+03
AP103 GRAB99	Percent Spike Recovery	86.1	92.8

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

SPIKE.WB1 REV 1.3

342100ML

WORKBOOK PAGE: SAM9

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
SAMPLE	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1424.1	389.3
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code			
@TICTOC1			
Matrix			
LIQUID			
Batch Number			
99003176			
Rerun	µg of Carbon/mL = (C1-C2) * DF / SS		
0	µg of Carbon/mL for TIC = 5 if C1 < C2		
Sample Prep	µg of Carbon/mL for TOC = 40 if C1 < C2		
N/A			
Sample #			
S99T001390			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	5	40
04:30 AM			
Sample Point	µg of Carbon/mL	1.42E+04	3.69E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

WORKBOOK PAGE: DUP10

TIC/TOC : LA-342-100 (F-2)

LIQUIDS

		TIC	TOC
Type	Sample Size in mL (SS)	0.1000	0.1000
DUP	Dilution Factor (DF)	1	1
Work List	µg of Carbon in Sample (C1)	1624.3	438.7
30801	µg of Carbon from Baseline (C2)	5.1	20.4
Test Code	Known µg of C from Original Sample	1.42E+4	3.69E+3
@TICTOC1			
Matrix	µg of Carbon/mL = (C1-C2) * DF / SS µg of Carbon/mL for TIC = 5 if C1 < C2 µg of Carbon/mL for TOC = 40 if C1 < C2		
LIQUID			
Batch Number			
99003176			
Rerun			
0			
Sample Prep			
N/A			
Sample #			
S99T001390			
Instrument Code			
CARB2			
Prepared By			
MF			
Chemist			
MJL			
Analyst			
PJM			
Date Complete			
08/31/99			
Analysis Date			
08/30/99			
Analysis Time	Method Detection Limit in µg/mL	TIC	TOC
04:30 AM		5	40
Sample Point	µg of Carbon/mL	1.62E+04	4.18E+03
AP103 GRAB99			

Data Entered By:	MF	Date:	08/31/99
Signature of Chemist:	<i>NA</i>	Date:	

SAMPLE.WB1 REV 1.0

342100ML

HNF-1683 REV. 0

RADIOCHEMICAL ANALYSIS

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

LABCORE Completed Worklist Report for Worklist# 30814

Analyst: aki

Instrument: AB15

Book#: _____

Method: LA-508-101 Rev/Mod G-0

Worklist Comment: AP103 GRAB99, @ALPHA01, STD=1.0mL, SS by Ludlum. skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD	0	0	ALPHA01 ALPHA01	LIQUID	2.28E-04	2.29E-4	100.439	% Recovery
1 STD	0	0	ALPHA01 ALPHA01E	LIQUID	1.00	3.09E+00	3.090	% Ct. Error
2 BLNK	0	0	ALPHA01 ALPHA01	LIQUID	1	<8.29E-3		uCi/mL
2 BLNK	0	0	ALPHA01 ALPHA01E	LIQUID	1.00	2.55E+02	255.000	uCi/mL
3 BLNK/BKG	0	0	ALPHA01 ALPHA01	LIQUID	1.00E+00	2.14E+00	2.140	BLNK/BKG
4 SAMPLE	S99T001388	0	ALPHA01 ALPHA01	LIQUID	N/A	8.41E-03	1.08E-002	uCi/mL
4 SAMPLE	S99T001388	0	ALPHA01 ALPHA01E	LIQUID	N/A	1.06E+02		% Ct. Error
5 DUP	S99T001388	0	ALPHA01 ALPHA01	LIQUID	8.41E-3	1.18E-2	33.548	RPD
5 DUP	S99T001388	0	ALPHA01 ALPHA01E	LIQUID	1.00	7.43E+01	74.300	% Ct. Error
6 SAMPLE	S99T001389	0	ALPHA01 ALPHA01	LIQUID	N/A	4.25E-02	1.08E-002	uCi/mL
6 SAMPLE	S99T001389	0	ALPHA01 ALPHA01E	LIQUID	N/A	4.35E+01		% Ct. Error
7 DUP	S99T001389	0	ALPHA01 ALPHA01	LIQUID	4.25E-2	2.15E-2	65.625	RPD
7 DUP	S99T001389	0	ALPHA01 ALPHA01E	LIQUID	1.00	6.00E+01	60.000	% Ct. Error
8 SPK	S99T001389	0	ALPHA01 ALPHA01	LIQUID	3.81E-02	3.44E-02	90.289	% Recovery
9 SAMPLE	S99T001390	0	ALPHA01 ALPHA01	LIQUID	N/A	1.07E-02	1.08E-002	uCi/mL
9 SAMPLE	S99T001390	0	ALPHA01 ALPHA01E	LIQUID	N/A	1.21E+02		% Ct. Error
10 DUP	S99T001390	0	ALPHA01 ALPHA01	LIQUID	1.07E-2	6.14E-3	54.157	RPD
10 DUP	S99T001390	0	ALPHA01 ALPHA01E	LIQUID	1.00	1.21E+02	121.000	% Ct. Error

Final page for worklist# 30814

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

[Signature]
Reviewer Signature _____ Date 98

Result accepted. Counting uncertainties are high, reanalysis would not likely improve the results.

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Data Entry Template for Worklist# 30814

Analyst: ALL Instrument: AB00 15 Book# 52657

Method: LA-508-101 Rev/Mod GO

Worklist Comment: AP103 GRAB99, @ALPHA01, STD=1.0mL, SS by Ludlum. skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 STD			@ALPHA01	LIQUID		
2 BLNK			@ALPHA01	LIQUID		
3 BLNK/BKG			@ALPHA01	LIQUID		
4 SAMPLE	S99T001388 0		@ALPHA01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: ALPHA01 , ALPHA01E						
5 DUP	S99T001388 0		@ALPHA01	LIQUID		
6 SAMPLE	S99T001389 0		@ALPHA01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: ALPHA01 , ALPHA01E						
7 DUP	S99T001389 0		@ALPHA01	LIQUID		
8 SPK	S99T001389 0		@ALPHA01	LIQUID		
9 SAMPLE	S99T001390 0		@ALPHA01	LIQUID	99000326	AP103 GRAB99
Analytes Requested: ALPHA01 , ALPHA01E						
10 DUP	S99T001390 0		@ALPHA01	LIQUID		

Final page for worklist # 30814

Alita Hansen 8/25/99
Signature Date

[Signature] 8-26-99
Signature Date
[Signature] 8/26/99

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

WORKBOOK PAGE: STD1

AT : LA-508-101 (G-0) LA-508-113 (B-0) STANDARD

		STANDARD	REPLICATE
Type	DETECTOR NUMBER	15	15
STD	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	4205	4018
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	1.000	1.000
Test Code	DILUTION FACTOR (DF)	1	1
@ALPHA01	STANDARD BOOK NUMBER (Std BN)	52B57	52B57
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	140.097	133.863
Batch Number	Standard Value in $\mu\text{Ci/mL}$	2.28E-04	
99003196	Concentration in $\mu\text{Ci/L}$ =	2.34E-01	
Rerun	Replicate Concentration in $\mu\text{Ci/L}$ =	2.24E-01	
0	AVERAGE CONCENTRATION in $\mu\text{Ci/L}$ =	2.2895E-01	
Sample Prep			
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$		
Sample #	ALPHA TOTAL $\mu\text{Ci/L}$ = $R_s * 1000\text{mL/L} * DF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$		
WL30814-STD	ALPHA TOTAL $\mu\text{Ci/mL}$ = ALPHA TOTAL $\mu\text{Ci/L}$ / 1000mL/L		
Instrument Code	Relative Counting Error = $[(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$		
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.		
Prepared By			
GLL			
Chemist			
SAC	ALPHA TOTAL CONCENTRATION in $\mu\text{Ci/mL}$ =	2.29E-04	DETECTION LEVEL
Analyst			
AKL			
Date Complete			5.28E-07 $\mu\text{Ci/mL}$
08/26/99	RELATIVE COUNTING ERROR =	3.1%	
Analysis Date			
08/25/99			
Analysis Time			
04:00 PM			
Sample Point			
AP103 GRAB99			

Analyst:	GLL	Date: 26-Aug-99
Signature of Chemist:		SAC Date: 27 Aug 99

STANDARD.WB1 Rev. 1.0

508101ML

WORKBOOK PAGE: BLANK2

AT : LA-508-101 (G-0)

LIQUIDS

		BLNK	REPLICATE
Type	DETECTOR NUMBER	15	15
BLNK	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	5	4
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	0.243	0.199
Batch Number			
99003196	Blank Concentration in $\mu\text{Ci/L}$	< 8.29E+00	
Rerun	Replicate Concentration in $\mu\text{Ci/L}$	< 6.79E+00	
0	Maximum Concentration in $\mu\text{Ci/L}$	< 8.2939E+00	
Sample Prep			
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$		
Sample #	ALPHA TOTAL $\mu\text{Ci/L}$ = $R_s * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$		
WL30814-BLK	ALPHA TOTAL $\mu\text{Ci/mL}$ = ALPHA TOTAL $\mu\text{Ci/L} / 1000\text{mL/L}$		
Instrument Code	Relative Counting Error = $[(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$		
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.		
Prepared By			
GLL			
Chemist			
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Maximum) =	< 8.29E-03	DETECTION LEVEL
Analyst			
AKL	LESS THAN Value was Determined from Rmax.		
Date Complete			1.08E-02 $\mu\text{Ci/mL}$
08/26/99	RELATIVE COUNTING ERROR	254.8%	
Analysis Date			
08/25/99			
Analysis Time			
04:00 PM			
Sample Point			
AP103 GRAB99			

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:	SAC	Date: 27 Aug 99
BLANK.WB1 Rev. 1.0	508101ML	

WORKBOOK PAGE: SAM4

AT : LA-508-101 (G-0) LIQUIDS

		SAMPLE	REPLICATE
Type	DETECTOR NUMBER	15	15
SAMPLE	DISH SIZE (1 , 2 , or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	11	8
30814	COUNT TIME In MINUTES (CT)	30	30
AT or TB ?	BACKGROUND In cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	0.297	0.197
Batch Number			
99003196	Blank Concentration in $\mu\text{Ci/L}$	1.01E+01	
Rerun	Replicate Concentration in $\mu\text{Ci/L}$	6.71E+00	
0	Average Concentration in $\mu\text{Ci/L}$	8.4115E+00	
Sample Prep			
N/A	Rs (Sample Count Rate) = (TC / CT) - BKG		
Sample #	ALPHA TOTAL $\mu\text{Ci/L}$ = Rs * 1000mL/L * DF * DDF / (EFF * SS * 2220000dpm/ μCi)		
S99T001388	ALPHA TOTAL $\mu\text{Ci/mL}$ = ALPHA TOTAL $\mu\text{Ci/L}$ / 1000mL/L		
Instrument Code	Relative Counting Error = [(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100		
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.		
Prepared By			
GLL			
Chemist			
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average)	=	8.41E-03
Analyst			DETECTION LEVEL
AKL			
Date Complete			1.08E-02
08/26/99	RELATIVE COUNTING ERROR	105.6%	$\mu\text{Ci/mL}$
Analysis Date			
08/25/99			
Analysis Time			
04:00 PM			
Sample Point			
AP103 GRAB99			

{/ system;exit}yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:	SAC	Date: 27 Aug 99

SAMPLE.WB1 Rev. 1.0

508101ML

WORKBOOK PAGE: DUP5

AT : LA-508-101 (G-0) LIQUIDS

		DUP	REPLICATE
Type	DETECTOR NUMBER	15	15
DUP	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	12	13
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs,(SAMPLE RATE) as APPROPRIATE	0.330	0.363

Batch Number	
99003196	Blank Concentration in $\mu\text{Ci/L}$ 1.13E+01
Rerun	Replicate Concentration in $\mu\text{Ci/L}$ 1.24E+01
0	Average Concentration in $\mu\text{Ci/L}$ 1.1822E+01

Sample Prep	
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$
Sample #	$\text{ALPHA TOTAL } \mu\text{Ci/L} = R_s * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$
S99T001388	$\text{ALPHA TOTAL } \mu\text{Ci/mL} = \text{ALPHA TOTAL } \mu\text{Ci/L} / 1000\text{mL/L}$
Instrument Code	Relative Counting Error = $[(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.

Prepared By	
GLL	
Chemist	
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average) = 1.18E-02
Analyst	
AKL	
Date Complete	
08/26/99	RELATIVE COUNTING ERROR 74.3%
Analysis Date	
08/25/99	
Analysis Time	
04:00 PM	
Sample Point	
AP103 GRAB99	

DETECTION
LEVEL1.08E-02
 $\mu\text{Ci/mL}$

{/ system;exit}yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:	SAC	Date: 27 Aug 99

SAMPLE.WB1 Rev. 1.0

508101ML

WORKBOOK PAGE: SAM6

AT : LA-508-101 (G-0) LIQUIDS

		SAMPLE	REPLICATE
Type	DETECTOR NUMBER	15	15
SAMPLE	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	26	53
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs,(SAMPLE RATE) as APPROPRIATE	0.797	1.697

Batch Number	
99003196	Blank Concentration in $\mu\text{Ci/L}$ 2.72E+01
Rerun	Replicate Concentration in $\mu\text{Ci/L}$ 5.79E+01
0	Average Concentration in $\mu\text{Ci/L}$ 4.2512E+01

Sample Prep	
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$
Sample #	ALPHA TOTAL $\mu\text{Ci/L}$ = $R_s * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$
S99T001389	ALPHA TOTAL $\mu\text{Ci/mL}$ = ALPHA TOTAL $\mu\text{Ci/L} / 1000\text{mL/L}$
Instrument Code	Relative Counting Error = $[(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.

Prepared By	
GLL	
Chemist	
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average) = 4.25E-02
Analyst	
AKL	
Date Complete	
08/26/99	RELATIVE COUNTING ERROR 43.5%
Analysis Date	
08/25/99	
Analysis Time	
04:00 PM	
Sample Point	
AP103 GRAB99	

DETECTION
LEVEL1.08E-02
 $\mu\text{Ci/mL}$

{/ system:exit}yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:		SAC Date: 27-Aug-99

SAMPLE.WB1 Rev. 1.0

508101ML

WORKBOOK PAGE: DUP7

AT : LA-508-101 (G-0) LIQUIDS

		DUP	REPLICATE
Type	DETECTOR NUMBER	15	15
DUP	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	26	16
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	0.797	0.463
Batch Number			
99003196	Blank Concentration in $\mu\text{Ci/L}$	2.72E+01	
Rerun	Replicate Concentration in $\mu\text{Ci/L}$	1.58E+01	
0	Average Concentration in $\mu\text{Ci/L}$	2.1483E+01	

Sample Prep	
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$
Sample #	$\text{ALPHA TOTAL } \mu\text{Ci/L} = R_s * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$
S99T001389	$\text{ALPHA TOTAL } \mu\text{Ci/mL} = \text{ALPHA TOTAL } \mu\text{Ci/L} / 1000\text{mL/L}$
Instrument Code	Relative Counting Error = $[(The \text{ Square Root of } TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.

Prepared By			
GLL			
Chemist			
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average) =	2.15E-02	DETECTION LEVEL
Analyst			
AKL			
Date Complete			1.08E-02 $\mu\text{Ci/mL}$
08/26/99	RELATIVE COUNTING ERROR	60.0%	
Analysis Date			
08/25/99			
Analysis Time			
04:00 PM			
Sample Point			
AP103 GRAB99			

{/ system:exit}yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:	SAC	Date: 27 Aug 99
SAMPLE.WB1 Rev. 1.0	508101ML	

WORKBOOK PAGE: SPK8

AT : LA-508-101 (G-0) LA-508-113 (B-0) SPIKED SAMPLE

		SPIKE	REPLICATE
Type	DETECTOR NUMBER	15	15
SPK	DISH SIZE 1, 2, or 5 (MS)	2	2
Work List	TOTAL COUNTS (TC)	61379	62238
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE VOLUME in mL (Spiked Vial) (SS)	0.500	0.500
Test Code	SAMPLE DILUTION FACTOR (Spiked Vial) (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	SPIKE VOLUME in mL (SVol)	0.100	0.100
LIQUID	SPIKE DILUTION FACTOR (SDF)	1	1
Batch Number	SPIKE BOOK NUMBER (Spk BN)	12B59	12B59
99003196	SPIKE VALUE in $\mu\text{Ci/mL}$ (SVal)	3.8110E-02	3.8110E-02
Rerun	INSTRUMENT EFFICIENCY FACTOR (EFF)	0.2695	0.2695
0	SAMPLE + SPIKE $\mu\text{Ci/mL}$ (S+S)	6.98E+01	7.07E+01
Sample Prep	AVERAGE or MAXIMUM $\mu\text{Ci/mL}$ in SAMPLE	4.2512E-02	
N/A			
Sample #			
S99T001389			
Instrument Code	Rs (Sample Count Rate) = (TC / CT) - BKG		
WB26872	SAMPLE + SPIKE $\mu\text{Ci/mL}$ = Rs * DF * DDF / (EFF * SS * 2220000dpm/ μCi)		
Prepared By	QC ACTUAL = SVal		
GLL	QC FOUND = (((S+S $\mu\text{Ci/mL}$ - SAMPLE $\mu\text{Ci/mL}$) * ((SDF/SVol)/(DF*DDF/SS))))		
Chemist	PERCENT SPIKE RECOVERY = (QC FOUND / QC ACTUAL) * 100		
SAC			
Analyst			
AKL			
Date Complete			
08/26/99			
Analysis Date			
08/25/99	QC ACTUAL =	3.81E-02	
Analysis Time	QC FOUND =	3.44E-02	
04:00 PM	AVG. PERCENT SPIKE RECOVERY =	90.3%	
Sample Point			
AP103 GRAB99			

Analyst:	GLL	Date: 26-Aug-99
Signature of Chemist:	<i>[Signature]</i>	Date: 27-Aug-99
SPIKE.WB1 Rev. 1.0	508101ML	

WORKBOOK PAGE: SAM9

AT : LA-508-101 (G-0) LIQUIDS

		SAMPLE	REPLICATE
Type	DETECTOR NUMBER	15	15
SAMPLE	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	7	16
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	0.163	0.463

Batch Number	
99003196	Blank Concentration in $\mu\text{Ci/L}$ 5.57E+00
Rerun	Replicate Concentration in $\mu\text{Ci/L}$ 1.58E+01
0	Average Concentration in $\mu\text{Ci/L}$ 1.0685E+01

Sample Prep	
N/A	$Rs \text{ (Sample Count Rate)} = (TC / CT) - BKG$
Sample #	$ALPHA \text{ TOTAL } \mu\text{Ci/L} = Rs * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$
S99T001390	$ALPHA \text{ TOTAL } \mu\text{Ci/mL} = ALPHA \text{ TOTAL } \mu\text{Ci/L} / 1000\text{mL/L}$
Instrument Code	Relative Counting Error = $[(The \text{ Square Root of } TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.

Prepared By	
GLL	
Chemist	
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average) = 1.07E-02
Analyst	
AKL	
Date Complete	
08/26/99	RELATIVE COUNTING ERROR 120.7%
Analysis Date	
08/25/99	
Analysis Time	
04:00 PM	
Sample Point	
AP103 GRAB99	

DETECTION
LEVEL1.08E-02
 $\mu\text{Ci/mL}$

(/ system:exit)yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:		SAC Date: 27 Aug 99

SAMPLE.WB1 Rev. 1.0

508101ML

WORKBOOK PAGE: DUP10

AT : LA-508-101 (G-0) LIQUIDS

		DUP	REPLICATE
Type	DETECTOR NUMBER	15	15
DUP	DISH SIZE (1, 2, or 5) (MS)	2	2
Work List	GROSS COUNTS (GC)	7	8
30814	COUNT TIME in MINUTES (CT)	30	30
AT or TB ?	BACKGROUND in cpm (BKG)	0.07	0.07
AT	SAMPLE SIZE in mL (SS)	0.500	0.500
Test Code	DILUTION FACTOR (DF)	10201	10201
@ALPHA01	DIGEST DILUTION FACTOR (DDF)	1	1
Matrix	EFFICIENCY FACTOR (EFF)	0.2695	0.2695
LIQUID	Lc, Rmax, or Rs, (SAMPLE RATE) as APPROPRIATE	0.163	0.197
Batch Number			
99003196	Blank Concentration in $\mu\text{Ci/L}$	5.57E+00	
Rerun	Replicate Concentration in $\mu\text{Ci/L}$	6.71E+00	
0	Average Concentration in $\mu\text{Ci/L}$	6.1381E+00	
Sample Prep			
N/A	R_s (Sample Count Rate) = $(TC / CT) - BKG$		
Sample #	ALPHA TOTAL $\mu\text{Ci/L}$ = $R_s * 1000\text{mL/L} * DF * DDF / (EFF * SS * 2220000\text{dpm}/\mu\text{Ci})$		
S99T001390	ALPHA TOTAL $\mu\text{Ci/mL}$ = ALPHA TOTAL $\mu\text{Ci/L}$ / 1000mL/L		
Instrument Code	Relative Counting Error = $[(The Square Root of TC + BKG * CT) / (TC - BKG * CT)] * 1.96 * 100$		
WB26872	Detection Levels and Less Than Values are determined from Procedure LA-508-002.		
Prepared By			
GLL			
Chemist			
SAC	ALPHA TOTAL in $\mu\text{Ci/mL}$ (Average) =	6.14E-03	DETECTION LEVEL
Analyst			
AKL			
Date Complete			1.08E-02 $\mu\text{Ci/mL}$
08/26/99	RELATIVE COUNTING ERROR	120.7%	
Analysis Date			
08/25/99			
Analysis Time			
04:00 PM			
Sample Point			
AP103 GRAB99			

(/ system;exit)yes~

Analyst:	AKL	Date: 26-Aug-99
Signature of Chemist:	SAC	Date: 27 Aug 99

SAMPLE.WB1 Rev. 1.0

508101ML

LABCORE Completed Worklist Report for Worklist# 30816

Analyst: gll

Instrument: GEA02

Book#: 46B57

Method: LA-548-121 Rev/Mod F-φ

Worklist Comment: AP103 GRAB99, @GEA-03, STD=1.0mL skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD	0	0	GEA-03	CO60-02	LIQUID	5.083e-03	5.41e-03	106.433 % Recovery
1 STD	0	0	GEA-03	CO60-02E	LIQUID	1	2.97	% Ct Error
1 STD	0	0	GEA-03	CS13702	LIQUID	8.037e-03	8.26e-03	102.775 % Recovery
1 STD	0	0	GEA-03	CS13702E	LIQUID	1	2.93	% Ct Error
2 BLNK	0	0	GEA-03	CO60-02	LIQUID	1	<2.04e-4	uCi/mL
2 BLNK	0	0	GEA-03	NB94-02	LIQUID	1	<1.89e-4	uCi/mL
2 BLNK	0	0	GEA-03	RU10602	LIQUID	1	<3.23e-3	uCi/mL
2 BLNK	0	0	GEA-03	CS13402	LIQUID	1	<1.55e-4	uCi/mL
2 BLNK	0	0	GEA-03	CS13702	LIQUID	1	<4.01e-4	uCi/mL
2 BLNK	0	0	GEA-03	CE14402	LIQUID	1	<1.66e-3	uCi/mL
2 BLNK	0	0	GEA-03	EU15402	LIQUID	1	<5.76e-4	uCi/mL
2 BLNK	0	0	GEA-03	EU15502	LIQUID	1	<4.10e-4	uCi/mL
2 BLNK	0	0	GEA-03	RA22602	LIQUID	1	<2.88e-3	uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	CO60-02	LIQUID	N/A	3.530e-02	uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	CO60-02E	LIQUID	N/A	9.73	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	NB94-02	LIQUID	N/A	< 5.145e-03	5.15e-003 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	NB94-02E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	RU10602	LIQUID	N/A	< 7.759e-01	0.776 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	RU10602E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	CS13402	LIQUID	N/A	< 3.939e-02	3.94e-002 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	CS13402E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	CS13702	LIQUID	N/A	2.520e+02	uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	CS13702E	LIQUID	N/A	0.100	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	CE14402	LIQUID	N/A	< 6.277e-01	0.628 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	CE14402E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	EU15402	LIQUID	N/A	< 8.404e-03	8.40e-003 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	EU15402E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	EU15502	LIQUID	N/A	< 1.540e-01	0.154 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	EU15502E	LIQUID	N/A	n/a	% Ct. Error
3 SAMPLE	S99T001388	0	GEA-03	RA22602	LIQUID	N/A	< 1.132e+00	1.132 uCi/mL
3 SAMPLE	S99T001388	0	GEA-03	RA22602E	LIQUID	N/A	n/a	% Ct. Error
4 DUP	S99T001388	0	GEA-03	CO60-02	LIQUID	3.53e-02	3.54e-02	0.283 RPD
4 DUP	S99T001388	0	GEA-03	CO60-02E	LIQUID	1	9.32	9.320 % Ct Error
4 DUP	S99T001388	0	GEA-03	NB94-02	LIQUID	<5.15e-3	<5.00e-3	RPD
4 DUP	S99T001388	0	GEA-03	NB94-02E	LIQUID	1	n/a	% Ct Error
4 DUP	S99T001388	0	GEA-03	RU10602	LIQUID	<7.76e-1	<7.92e-1	RPD
4 DUP	S99T001388	0	GEA-03	RU10602E	LIQUID	1	n/a	% Ct Error
4 DUP	S99T001388	0	GEA-03	CS13402	LIQUID	<3.94e-2	<3.94e-2	RPD
4 DUP	S99T001388	0	GEA-03	CS13402E	LIQUID	1	n/a	% Ct Error
4 DUP	S99T001388	0	GEA-03	CS13702	LIQUID	2.52e+02	2.46e+02	2.410 RPD
4 DUP	S99T001388	0	GEA-03	CS13702E	LIQUID	1	0.100	0.100 % Ct Error

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30816

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
4 DUP	S99T001388	0	@GEA-03 CE14402	LIQUID	<6.28e-1	<6.48e-1		RPD
4 DUP	S99T001388	0	@GEA-03 CE14402E	LIQUID	1	n/a		% Ct Error
4 DUP	S99T001388	0	@GEA-03 EU15402	LIQUID	<8.40e-3	<9.53e-3		RPD
4 DUP	S99T001388	0	@GEA-03 EU15402E	LIQUID	1	n/a		% Ct Error
4 DUP	S99T001388	0	@GEA-03 EU15502	LIQUID	<1.54e-1	<1.53e-1		RPD
4 DUP	S99T001388	0	@GEA-03 EU15502E	LIQUID	1	n/a		% Ct Error
4 DUP	S99T001388	0	@GEA-03 RA22602	LIQUID	<1.13e0	<1.12e0		RPD
4 DUP	S99T001388	0	@GEA-03 RA22602E	LIQUID	1	n/a		% Ct Error
5 SAMPLE	S99T001389	0	@GEA-03 CO60-02	LIQUID	N/A	3.790e-02		uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 CO60-02E	LIQUID	N/A	8.19		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 NB94-02	LIQUID	N/A	5.084e-03	5.08e-003	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 NB94-02E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 RU10602	LIQUID	N/A	7.692e-01	0.769	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 RU10602E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 CS13402	LIQUID	N/A	3.909e-02	3.91e-002	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 CS13402E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 CS13702	LIQUID	N/A	2.480e+02		uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 CS13702E	LIQUID	N/A	0.100		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 CE14402	LIQUID	N/A	6.221e-01	0.622	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 CE14402E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 EU15402	LIQUID	N/A	8.078e-03	8.08e-003	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 EU15402E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 EU15502	LIQUID	N/A	1.522e-01	0.152	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 EU15502E	LIQUID	N/A	n/a		% Ct. Error
5 SAMPLE	S99T001389	0	@GEA-03 RA22602	LIQUID	N/A	1.122e+00	1.122	uCi/mL
5 SAMPLE	S99T001389	0	@GEA-03 RA22602E	LIQUID	N/A	n/a		% Ct. Error
6 DUP	S99T001389	0	@GEA-03 CO60-02	LIQUID	3.79e-02	3.77e-02	0.529	RPD
6 DUP	S99T001389	0	@GEA-03 CO60-02E	LIQUID	1	8.60	8.600	% Ct Error
6 DUP	S99T001389	0	@GEA-03 NB94-02	LIQUID	<5.08e-3	<4.97e-3		RPD
6 DUP	S99T001389	0	@GEA-03 NB94-02E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 RU10602	LIQUID	<7.69e-1	<7.70e-1		RPD
6 DUP	S99T001389	0	@GEA-03 RU10602E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 CS13402	LIQUID	<3.91e-2	<3.88e-2		RPD
6 DUP	S99T001389	0	@GEA-03 CS13402E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 CS13702	LIQUID	2.48e+02	2.46e+02	0.810	RPD
6 DUP	S99T001389	0	@GEA-03 CS13702E	LIQUID	1	0.100	0.100	% Ct Error
6 DUP	S99T001389	0	@GEA-03 CE14402	LIQUID	<6.22e-1	<6.19e-1		RPD
6 DUP	S99T001389	0	@GEA-03 CE14402E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 EU15402	LIQUID	<8.08e-3	<9.41e-3		RPD
6 DUP	S99T001389	0	@GEA-03 EU15402E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 EU15502	LIQUID	<1.52e-1	<1.52e-1		RPD
6 DUP	S99T001389	0	@GEA-03 EU15502E	LIQUID	1	n/a		% Ct Error
6 DUP	S99T001389	0	@GEA-03 RA22602	LIQUID	<1.12e0	<1.12e0		RPD
6 DUP	S99T001389	0	@GEA-03 RA22602E	LIQUID	1	n/a		% Ct Error
7 SAMPLE	S99T001390	0	@GEA-03 CO60-02	LIQUID	N/A	3.940e-02		uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 CO60-02E	LIQUID	N/A	8.47		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 NB94-02	LIQUID	N/A	5.499e-03	5.50e-003	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 NB94-02E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 RU10602	LIQUID	N/A	7.852e-01	0.785	uCi/mL

Units shown for QC (BLK/BKG) may not reflect the actual units.

HNF-1683 REV. 0

LABCORE Completed Worklist Report for Worklist# 30816

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
7 SAMPLE	S99T001390	0	@GEA-03 RU10602E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 CS13402	LIQUID	N/A	3.949e-02	3.95e-002	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 CS13402E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 CS13702	LIQUID	N/A	2.540e+02		uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 CS13702E	LIQUID	N/A	0.100		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 CE14402	LIQUID	N/A	6.308e-01	0.631	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 CE14402E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 EU15402	LIQUID	N/A	8.837e-03	8.84e-003	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 EU15402E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 EU15502	LIQUID	N/A	1.549e-01	0.155	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 EU15502E	LIQUID	N/A	n/a		% Ct. Error
7 SAMPLE	S99T001390	0	@GEA-03 RA22602	LIQUID	N/A	1.136e+00	1.136	uCi/mL
7 SAMPLE	S99T001390	0	@GEA-03 RA22602E	LIQUID	N/A	n/a		% Ct. Error
8 DUP	S99T001390	0	@GEA-03 CO60-02	LIQUID	3.94e-02	3.42e-02	14.130	RPD
8 DUP	S99T001390	0	@GEA-03 CO60-02E	LIQUID	1	9.17	9.170	% Ct Error
8 DUP	S99T001390	0	@GEA-03 NB94-02	LIQUID	<5.50e-3	<5.12e-3		RPD
8 DUP	S99T001390	0	@GEA-03 NB94-02E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 RU10602	LIQUID	<7.85e-1	<7.68e-1		RPD
8 DUP	S99T001390	0	@GEA-03 RU10602E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 CS13402	LIQUID	<3.95e-2	<3.88e-2		RPD
8 DUP	S99T001390	0	@GEA-03 CS13402E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 CS13702	LIQUID	2.54e+02	2.45e+02	3.607	RPD
8 DUP	S99T001390	0	@GEA-03 CS13702E	LIQUID	1	0.100	0.100	% Ct Error
8 DUP	S99T001390	0	@GEA-03 CE14402	LIQUID	<6.31e-1	<6.20e-1		RPD
8 DUP	S99T001390	0	@GEA-03 CE14402E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 EU15402	LIQUID	<8.84e-3	<8.41e-3		RPD
8 DUP	S99T001390	0	@GEA-03 EU15402E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 EU15502	LIQUID	<1.55e-1	<1.52e-1		RPD
8 DUP	S99T001390	0	@GEA-03 EU15502E	LIQUID	1	n/a		% Ct Error
8 DUP	S99T001390	0	@GEA-03 RA22602	LIQUID	<1.14e0	<1.11e0		RPD
8 DUP	S99T001390	0	@GEA-03 RA22602E	LIQUID	1	n/a		% Ct Error

Comments Section:

Comments for sample# S99T001388 and test @GEA-03 .
DL=0 => n/a.

Comments for sample# S99T001389 and test @GEA-03 .
DL=0 => n/a.

Comments for sample# S99T001390 and test @GEA-03 .
DL=0 => n/a.

Final page for worklist# 30816

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30816

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
Analyst Signature			Date			Analyst Signature		Date

Reviewer Signature	Date

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Data Entry Template for Worklist# 30816

Analyst: gll Instrument: GEA00 Book# 46857Method: LA-548-121 Rev/Mod F-0

Worklist Comment: AP103 GRAB99, @GEA-03, STD=1.0mL skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 STD			@GEA-03	LIQUID		
2 BLNK			@GEA-03	LIQUID		
3 SAMPLE	S99T001388 0		@GEA-03	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: CE14402 , CE14402E, CO60-02 , CO60-02E, CS13402 , CS13402E, CS13702 , CS13702E, EU15402 , EU15402E, EU15502 , EU15502E, NB94-02 , NB94-02E, RA22602 , RA22602E, RU10602 , RU10602E					
4 DUP	S99T001388 0		@GEA-03	LIQUID		
5 SAMPLE	S99T001389 0		@GEA-03	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: CE14402 , CE14402E, CO60-02 , CO60-02E, CS13402 , CS13402E, CS13702 , CS13702E, EU15402 , EU15402E, EU15502 , EU15502E, NB94-02 , NB94-02E, RA22602 , RA22602E, RU10602 , RU10602E					
6 DUP	S99T001389 0		@GEA-03	LIQUID		
7 SAMPLE	S99T001390 0		@GEA-03	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: CE14402 , CE14402E, CO60-02 , CO60-02E, CS13402 , CS13402E, CS13702 , CS13702E, EU15402 , EU15402E, EU15502 , EU15502E, NB94-02 , NB94-02E, RA22602 , RA22602E, RU10602 , RU10602E					
8 DUP	S99T001390 0		@GEA-03	LIQUID		

Final page for worklist # 30816

gll 8-25-99
Signature Date[Signature] 8/24/99
Signature Date

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

 * 222-S Laboratory Counting Room 25-AUG-1999 13:20:14.63 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<<

Worklist #: 30816
 Sample ID: WL30816-STD
 Sample Size: 1.00000E-03 L
 Dilution Factor: 1.00000E+00

Removed by:

[Signature]

>>>>>>>> COUNT INFORMATION <<<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2602.cnf
 Geometry: 42
 Count Time: 0 00:50:00.00 sec
 Real Time: 0 00:50:23.89 sec
 Dead Time: 0.8%

Verified by:

[Signature] 8-26-99

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<<

Sample Count Time: 25-AUG-1999 12:29:18.34
 Decayed to: 25-AUG-1999 12:29:18.34
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: MB
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 14:49:59.73

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw	%Err	Fit	Nuclides	Activity uCi/L
0	661.71*	5652	1.47	1323.30	1315	15	2.9		CS-137	8.25
0	1173.18	2792	1.99	2346.37	2336	21	4.3		CO-60	5.51
0	1332.38	2440	1.90	2664.85	2655	17	4.1		CO-60	5.32

Summary of Nuclide Activity

Page : 2

Sample ID : WL30816-STD

Acquisition date : 25-AUG-1999 12:29:18

Total number of lines in spectrum	3	
Number of unidentified lines	0	
Number of lines tentatively identified by NID	3	100.00%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
CO-60	5.27Y	1.00	5.408E+00	5.408E+00	0.161E+00	2.97	
CS-137	30.00Y	1.00	8.255E+00	8.255E+00	0.242E+00	2.93	
Total Activity :			1.366E+01	1.366E+01			

Grand Total Activity :	1.366E+01	1.366E+01
------------------------	-----------	-----------

Flags: "K" = Keyline not found
 "E" = Manually edited

"M" = Manually accepted
 "A" = Nuclide specific abn. limit

Minimum Detectable Activity Report

Sample ID : WL30816-STD

Page : 3

Acquisition date : 25-AUG-1999 12:29:18

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	278.	477.59	7.2037E-01
NA-24	3.	1368.55	2.5637E-02
K-40	101.	1460.75	1.0908E+00
AR-41	18.	1293.60	5.6372E-02
SC-46	106.	1120.55	9.6145E-02
CR-51	274.	320.08	5.0470E-01
MN-54	143.	834.83	8.8018E-02
CO-56	174.	846.76	9.7882E-02
CO-58	143.	810.78	8.6520E-02
FE-59	147.	1099.25	1.9574E-01
ZN-65	166.	1115.55	2.3438E-01
SE-75	384.	264.66	8.6941E-02
KR-85	223.	514.00	1.6513E+01
SR-85	223.	514.01	7.4650E-02
Y-88	7.	1836.06	4.3024E-02
Y-91	50.	1204.67	2.3962E+01
NB-94	165.	871.09	9.7641E-02
ZRNB-95	124.	724.20	3.3124E-01
RU-103	228.	497.08	7.7231E-02
RURH-106	145.	621.93	1.3968E+00
AG-108m	126.	722.94	8.1206E-02
CD-109	303.	88.03	1.3994E+00
AG-110M	251.	657.76	9.9886E-02
SN-113	268.	391.69	9.4844E-02
TE-123m	388.	159.00	4.6211E-02
SB-124	157.	602.73	7.1442E-02
SB-125	278.	427.89	2.2873E-01
TE-125m	290.	109.27	1.3414E+01
I-129	248.	39.60	1.3892E+01
I-131	293.	364.48	7.3052E-02
XE-131m	336.	163.93	1.8593E+00
BA-133	272.	356.02	9.0106E-02
CS-134	145.	604.70	6.9094E-02
CS-136	149.	818.51	8.8654E-02
CS-138	9.	1435.86	8.4065E-02
CE-139	330.	165.85	4.5320E-02
BA-140	179.	537.31	2.7582E-01
LA-140	7.	1596.21	4.1379E-02
CE-141	340.	145.44	7.5136E-02
CE-144	312.	133.51	3.1696E-01
CEPR-144	312.	133.51	6.3345E-01
EU-152	329.	121.78	1.3145E-01
EU-154	34.	1274.51	1.8294E-01
EU-155	307.	86.54	1.5944E-01
HF-181	259.	482.18	9.0188E-02
TA-182	248.	67.75	2.0231E-01
HG-203	314.	279.20	5.9180E-02
BI-207	178.	569.70	7.2217E-02
TL-208	349.	277.36	7.9946E-01
PB-210	269.	46.50	1.0134E+01
BI-212	127.	727.18	1.1154E+00

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : WL30816-STD

Acquisition date : 25-AUG-1999 12:29:18

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
PB-212	369.	238.63	1.0556E-01
BI-214	176.	609.31	1.6659E-01
PB-214	306.	351.92	2.9283E-01
RA-224	336.	240.99	1.1196E+00
RA-226	394.	186.10	1.1709E+00
AC-228	181.	911.21	3.9714E-01
TH-228	309.	84.37	4.3383E+00
TH-229	296.	88.47	2.0042E-01
U-232	255.	57.78	7.2853E+01
PA-233	348.	312.17	1.4472E-01
UTH-233	376.	245.34	4.3123E+01
PA-234M	159.	1001.03	1.6459E+01
TH-234	258.	63.29	2.7714E+00
U-235	393.	185.71	7.1101E-02
NP-237	305.	86.48	4.2129E-01
U-237	306.	101.07	1.6527E-01
NP-238	150.	984.45	3.7131E-01
NP-239	317.	106.12	1.7789E-01
PU-239	326.	129.30	5.6579E+02
AM-241	284.	59.54	3.8112E-01
AM-243	283.	74.67	1.1395E-01

 * 222-S Laboratory Counting Room 25-AUG-1999 15:55:18.07 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: WL30816-BLNK
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2603.cnf
 Geometry: 42
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:30:23.58 sec
 Dead Time: 0.3%

Verified by:

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 25-AUG-1999 13:24:23.60
 Decayed to: 25-AUG-1999 13:24:23.60
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: SZC
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 14:49:59.73

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw %Err	Fit	Nuclides	Activity uCi/L
0	1460.74*	24	1.82	2921.65	2912	15180.1		K-40	1.79

Summary of Nuclide Activity

Page : 2

Sample ID : WL30816-BLNK

Acquisition date : 25-AUG-1999 13:24:23

Total number of lines in spectrum 1
 Number of unidentified lines 0
 Number of lines tentatively identified by NID 1 100.00%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
K-40	1.28E+09Y	1.00	1.791E+00	1.791E+00	3.224E+00	180.07	MF
Total Activity :			1.791E+00	1.791E+00			8-26-99

Grand Total Activity : 1.791E+00 1.791E+00

Flags: "K" = Keyline not found
 "E" = Manually edited

"M" = Manually accepted
 "A" = Nuclide specific abn. limit

Minimum Detectable Activity Report
Sample ID : WL30816-BLNK

Page : 3
Acquisition date : 25-AUG-1999 13:24:23

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	90.	477.59	1.3981E+00
NA-24	21.	1368.55	1.8816E-01
AR-41	21.	1293.60	2.6734E-01
SC-46	58.	1120.55	2.4199E-01
CR-51	147.	320.08	1.2510E+00
MN-54	38.	834.83	1.5761E-01
CO-56	37.	846.76	1.5738E-01
CO-58	47.	810.78	1.7113E-01
FE-59	34.	1099.25	3.3205E-01
CO-60	30.	1332.50	2.0354E-01
ZN-65	41.	1115.55	4.0490E-01
SE-75	160.	264.66	1.8977E-01
KR-85	145.	514.00	4.4739E+01
SR-85	144.	514.01	2.0200E-01
Y-88	13.	1836.06	1.8949E-01
Y-91	33.	1204.67	6.5948E+01
NB-94	52.	871.09	1.8930E-01
ZRNB-95	45.	724.20	6.8489E-01
RU-103	98.	497.08	1.7209E-01
RURH-106	67.	621.93	3.2300E+00
AG-108m	48.	722.94	1.7261E-01
CD-109	179.	88.03	3.6220E+00
AG-110M	57.	657.76	1.6525E-01
SN-113	100.	391.69	1.9726E-01
TE-123m	206.	159.00	1.1344E-01
SB-124	69.	602.73	1.6164E-01
SB-125	85.	427.89	4.3294E-01
TE-125m	170.	109.27	3.4534E+01
I-129	140.	39.60	3.5191E+01
I-131	140.	364.48	1.7152E-01
XE-131m	207.	163.93	4.9218E+00
BA-133	135.	356.02	2.1474E-01
CS-134	62.	604.70	1.5506E-01
CS-136	40.	818.51	1.6025E-01
CS-137	293.	661.66	4.0082E-01
CS-138	25.	1435.86	8.8773E-01
CE-139	199.	165.85	1.1820E-01
BA-140	75.	537.31	6.0899E-01
LA-140	6.	1596.21	1.2997E-01
CE-141	207.	145.44	1.9749E-01
CE-144	189.	133.51	8.2973E-01
CEPR-144	189.	133.51	1.6584E+00
EU-152	207.	121.78	3.5078E-01
EU-154	30.	1274.51	5.7611E-01
EU-155	179.	86.54	4.1043E-01
HF-181	89.	482.18	1.8044E-01
TA-182	161.	67.75	5.4924E-01
HG-203	159.	279.20	1.4214E-01
BI-207	59.	569.70	1.4309E-01
TL-208	162.	277.36	1.8414E+00
PB-210	138.	46.50	2.4548E+01

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : WL30816-BLNK

Acquisition date : 25-AUG-1999 13:24:23

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BI-212	58.	727.18	2.5764E+00
PB-212	216.	238.63	2.7151E-01
BI-214	128.	609.31	4.7635E-01
PB-214	178.	351.92	1.6671E+00
RA-224	205.	240.99	2.9614E+00
RA-226	210.	186.10	2.8796E+00
AC-228	76.	911.21	8.7754E-01
TH-228	190.	84.37	1.1455E+01
TH-229	180.	88.47	5.2621E-01
U-232	168.	57.78	1.9838E+02
PA-233	139.	312.17	3.1074E-01
UTH-233	171.	245.34	9.8184E+01
PA-234M	34.	1001.03	2.6623E+01
TH-234	172.	63.29	7.5986E+00
U-235	207.	185.71	1.7413E-01
NP-237	180.	86.48	1.0881E+00
U-237	179.	101.07	4.2736E-01
NP-238	52.	984.45	7.5751E-01
NP-239	175.	106.12	4.5000E-01
PU-239	204.	129.30	1.5046E+03
AM-241	176.	59.54	1.0092E+00
AM-243	174.	74.67	3.0105E-01

 * 222-S Laboratory Counting Room 25-AUG-1999 18:52:52.22 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1388-SAM
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

S. Wall

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2604.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:53:11.70 sec
 Dead Time: 13%

Verified by:

RA Jones 8-26-99

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 25-AUG-1999 15:59:10.88
 Decayed to: 25-AUG-1999 15:59:10.88
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: MB
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw %Err	Fit	Nuclides	Activity uCi/L
0	74.91*	2585	1.00	149.74	147	7 50.5		AM-243	191.
0	84.63	4141	1.48	169.19	167	7 31.9		PB-212	1.086E+03
0	661.80*	4476211	1.51	1323.48	1315	17 0.1		TH-228	1.063E+04
0	795.94	472	1.42	1591.77	1586	13 25.3		CS-137	2.524E+05
0	1173.37	470	1.57	2346.76	2338	16 14.9		CO-60	35.7
0	1323.07	909	2.30	2646.23	2638	16 8.1			
0	1332.66	417	2.20	2665.40	2658	16 12.8		CO-60	35.1

Pb x-rays

Summary of Nuclide Activity
Sample ID : S99T1388-SAM

Page : 2
Acquisition date : 25-AUG-1999 15:59:10

Total number of lines in spectrum 7
Number of unidentified lines 1
Number of lines tentatively identified by NID 6 85.71%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
CO-60	5.27Y	1.00	3.533E+01	3.533E+01	0.344E+01	9.73	
CS-137	30.00Y	1.00	2.524E+05	2.524E+05	0.002E+05	0.10	
PB-212	1.91Y	1.00	1.086E+03	1.086E+03	0.548E+03	50.46	RRJ
TH-228	1.91Y	1.00	1.063E+04	1.063E+04	0.339E+04	31.89	RRJ
AM-243	7380.00Y*****	1.911E+02	1.911E+02	1.911E+02	0.964E+02	50.46	RRJ
Total Activity :			2.643E+05	2.643E+05	8-16-99		

Grand Total Activity : 2.643E+05 2.643E+05

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report
Sample ID : S99T1388-SAM

Page : 3
Acquisition date : 25-AUG-1999 15:59:10

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	144942.	477.59	6.2962E+02
NA-24	24.	1368.55	2.3554E+00
K-40	318.	1460.75	7.2662E+01
AR-41	47.	1293.60	4.6943E+00
SC-46	188.	1120.55	4.8630E+00
CR-51	134279.	320.08	4.4861E+02
MN-54	381.	834.83	5.4147E+00
CO-56	409.	846.76	5.6724E+00
CO-58	472.	810.78	5.9058E+00
FE-59	165.	1099.25	7.9730E+00
ZN-65	150.	1115.55	8.5693E+00
SE-75	145846.	264.66	6.9848E+01
KR-85	75389.	514.00	1.1509E+04
SR-85	75378.	514.01	5.2060E+01
Y-88	7.	1836.06	1.6101E+00
Y-91	64.	1204.67	1.0316E+03
NB-94	319.	871.09	5.1449E+00
ZRNB-95	2304.	724.20	5.2869E+01
RU-103	92201.	497.08	5.9087E+01
RURH-106	32605.	621.93	7.7586E+02
AG-108m	2308.	722.94	1.2853E+01
CD-109	123498.	88.03	1.3491E+03
AG-110M	79986.	657.76	6.6617E+01
SN-113	141085.	391.69	8.5161E+01
TE-123m	160846.	159.00	4.0957E+01
SB-124	33845.	602.73	3.9094E+01
SB-125	157375.	427.89	2.1060E+02
TE-125m	138131.	109.27	1.3281E+04
I-129	105315.	39.60	2.8739E+04
I-131	135148.	364.48	6.2225E+01
XE-131m	161579.	163.93	1.7693E+03
BA-133	134404.	356.02	7.9258E+01
CS-134	34074.	604.70	3.9386E+01
CS-136	447.	818.51	5.7950E+00
CS-138	15.	1435.86	9.1684E+00
CE-139	162013.	165.85	4.3393E+01
BA-140	55583.	537.31	1.8309E+02
LA-140	7.	1596.21	1.6011E+00
CE-141	158748.	145.44	7.1257E+01
CE-144	156735.	133.51	3.1412E+02
CEPR-144	156734.	133.51	6.2769E+02
EU-152	152570.	121.78	1.2671E+02
EU-154	50.	1274.51	8.4041E+00
EU-155	124011.	86.54	1.5400E+02
HF-181	118423.	482.18	7.3784E+01
TA-182	110194.	67.75	2.2787E+02
HG-203	141439.	279.20	5.1340E+01
BI-207	37385.	569.70	3.9195E+01
TL-208	141796.	277.36	6.5989E+02
PB-210	105483.	46.50	1.5454E+04
BI-212	2261.	727.18	1.7454E+02

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1388-SAM

Acquisition date : 25-AUG-1999 15:59:10

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BI-214	33492.	609.31	8.5598E+01
PB-214	134136.	351.92	6.1599E+02
RA-224	156262.	240.99	1.0125E+03
RA-226	200444.	186.10	1.1316E+03
AC-228	303.	911.21	1.9534E+01
TH-229	123233.	88.47	1.9505E+02
U-232	106405.	57.78	8.9272E+04
PA-233	135074.	312.17	1.1523E+02
UTH-233	154353.	245.34	3.6312E+04
PA-234M	175.	1001.03	6.6149E+02
TH-234	108181.	63.29	3.1698E+03
U-235	197852.	185.71	6.8389E+01
NP-237	124157.	86.48	4.0823E+02
U-237	130994.	101.07	1.5833E+02
NP-238	195.	984.45	1.6386E+01
NP-239	133655.	106.12	1.6897E+02
PU-239	156520.	129.30	5.5025E+05
AM-241	107100.	59.54	4.3398E+02

 * 222-S Laboratory Counting Room 26-AUG-1999 01:16:27.99 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1388-DUP
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

Slade

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2606.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:52:33.51 sec
 Dead Time: 13%

Verified by:

RA Jones 8-26-99

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 25-AUG-1999 22:23:23.24
 Decayed to: 9-AUG-1999 00:00:00.00
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: SLH2
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw	%Err	Fit	Nuclides	Activity uCi/L
0	74.99*	3448	0.85	149.90	148	6	32.9	} pb + rays	AM-243	255.
0	84.50	2568	1.34	168.91	167	7	50.8		PB-212	1.473E+03
0	661.76*	4357572	1.51	1323.40	1315	17	0.1		TH-228	6.705E+03
0	795.96	439	2.02	1591.82	1586	12	25.7		CS-137	2.460E+05
0	1173.40	466	1.69	2346.82	2338	18	15.4		CO-60	35.6
0	1323.06	927	1.87	2646.20	2638	17	7.5			
0	1332.51	416	2.07	2665.11	2656	16	11.7		CO-60	35.2

Summary of Nuclide Activity
Sample ID : S99T1388-DUP

Page : 2
Acquisition date : 25-AUG-1999 22:23:23

Total number of lines in spectrum 7
Number of unidentified lines 1
Number of lines tentatively identified by NID 6 85.71%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean	Wtd Mean	Decay Corr	2-Sigma	Flags
			Uncorrected	Decay Corr			
			uCi/L	uCi/L	2-Sigma Error	%Error	
CO-60	5.27Y	1.01	3.514E+01	3.536E+01	0.330E+01	9.32	
CS-137	30.00Y	1.00	2.457E+05	2.460E+05	0.002E+05	0.10	
PB-212	1.91Y	1.02	1.449E+03	1.473E+03	0.485E+03	32.93	K
TH-228	1.91Y	1.02	6.593E+03	6.705E+03	3.409E+03	50.83	K
AM-243	7380.00Y	1.00	2.549E+02	2.549E+02	0.839E+02	32.93	K
Total Activity :			2.540E+05	2.544E+05			

8-26-99

Grand Total Activity : 2.540E+05 2.544E+05

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report

Sample ID : S99T1388-DUP

Page : 3

Acquisition date : 25-AUG-1999 22:23:23

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	140181.	477.59	7.7177E+02
NA-24	0.	1368.55	Half-Life too short
K-40	316.	1460.75	7.2440E+01
AR-41	0.	1293.60	Half-Life too short
SC-46	159.	1120.55	5.1610E+00
CR-51	130423.	320.08	6.7537E+02
MN-54	366.	834.83	5.5168E+00
CO-56	372.	846.76	6.3106E+00
CO-58	446.	810.78	6.7817E+00
FE-59	185.	1099.25	1.0956E+01
ZN-65	161.	1115.55	9.3123E+00
SE-75	142002.	264.66	7.6019E+01
KR-85	73605.	514.00	1.1406E+04
SR-85	73595.	514.01	6.1650E+01
Y-88	16.	1836.06	2.5907E+00
Y-91	74.	1204.67	1.3533E+03
NB-94	301.	871.09	5.0012E+00
ZRNB-95	2117.	724.20	6.0910E+01
RU-103	89821.	497.08	7.8643E+01
RURH-106	31918.	621.93	7.9217E+02
AG-108m	2139.	722.94	1.2382E+01
CD-109	120734.	88.03	1.3682E+03
AG-110M	82672.	657.76	7.0983E+01
SN-113	137218.	391.69	9.3004E+01
TE-123m	156854.	159.00	4.4613E+01
SB-124	33306.	602.73	4.7131E+01
SB-125	153429.	427.89	2.1041E+02
TE-125m	135490.	109.27	1.3310E+04
I-129	102953.	39.60	2.8415E+04
I-131	132505.	364.48	2.6526E+02
XE-131m	157814.	163.93	4.6886E+03
BA-133	131077.	356.02	7.8512E+01
CS-134	33038.	604.70	3.9394E+01
CS-136	427.	818.51	1.3828E+01
CS-138	0.	1435.86	Half-Life too short
CE-139	158341.	165.85	4.6718E+01
BA-140	53874.	537.31	4.5251E+02
LA-140	0.	1596.21	Half-Life too short
CE-141	153906.	145.44	1.0068E+02
CE-144	153649.	133.51	3.2410E+02
CEPR-144	153645.	133.51	6.4762E+02
EU-152	148591.	121.78	1.2535E+02
EU-154	65.	1274.51	9.5261E+00
EU-155	120857.	86.54	1.5308E+02
HF-181	115137.	482.18	9.5963E+01
TA-182	107694.	67.75	2.4961E+02
HG-203	138118.	279.20	6.5261E+01
BI-207	36392.	569.70	3.8711E+01
TL-208	138422.	277.36	6.6307E+02
PB-210	101570.	46.50	6.4128E+04
BI-212	2146.	727.18	1.7296E+02

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1388-DUP

Acquisition date : 25-AUG-1999 22:23:23

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BI-214	32564.	609.31	8.4442E+01
PB-214	0.	351.92	Half-Life too short
RA-224	152499.	240.99	2.5596E+04
RA-226	195410.	186.10	1.1174E+03
AC-228	299.	911.21	1.9492E+01
TH-229	120571.	88.47	1.9293E+02
U-232	103545.	57.78	8.8107E+04
PA-233	132381.	312.17	1.7507E+02
UTH-233	150051.	245.34	3.5803E+04
PA-234M	203.	1001.03	7.1030E+02
TH-234	105221.	63.29	3.1263E+03
U-235	192761.	185.71	6.7504E+01
NP-237	120974.	86.48	4.0297E+02
U-237	127053.	101.07	8.8735E+02
NP-238	191.	984.45	4.1446E+03
NP-239	130837.	106.12	2.4414E+04
PU-239	152106.	129.30	5.4245E+05
AM-241	103766.	59.54	4.2721E+02

 * 222-S Laboratory Counting Room 26-AUG-1999 04:15:22.72 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1389-SAM
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

SLU

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2607.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:52:46.93 sec
 Dead Time: 13%

Verified by:

RA Jones 8-26-99

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 26-AUG-1999 01:22:04.41
 Decayed to: 26-AUG-1999 01:22:04.41
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: SLH2
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw	%Err	Fit	Nuclides	Activity uCi/L
0	75.01*	3615	1.11	149.95	148	6	31.5		AM-243	267.
0	84.72	3422	1.08	169.35	167	7	38.3		PB-212	1.519E+03
0	661.77*	4406465	1.51	1323.42	1315	17	0.1		TH-228	8.787E+03
0	795.94	471	1.80	1591.78	1587	11	22.5		CS-137	2.485E+05
0	1173.47	507	1.72	2346.94	2340	15	13.2		CO-60	38.5
0	1323.06	957	2.13	2646.20	2636	20	7.4		CO-60	37.5
0	1332.52	446	1.76	2665.12	2659	14	10.4		CO-60	37.5
0	1460.79*	29	1.84	2921.73	2912	16	156.9		K-40	25.0

Summary of Nuclide Activity
Sample ID : S99T1389-SAM

Page : 2
Acquisition date : 26-AUG-1999 01:22:04

Total number of lines in spectrum 8
Number of unidentified lines 1
Number of lines tentatively identified by NID 7 87.50%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean	Wtd Mean	Decay Corr	2-Sigma	Flags
			Uncorrected	Decay Corr			
			uCi/L	uCi/L	2-Sigma Error	%Error	
K-40	1.28E+09Y	1.00	2.499E+01	2.499E+01	3.921E+01	156.94	RAJ
CO-60	5.27Y	1.00	3.788E+01	3.788E+01	0.310E+01	8.19	
CS-137	30.00Y	1.00	2.485E+05	2.485E+05	0.002E+05	0.10	
PB-212	1.91Y	1.00	1.519E+03	1.519E+03	0.479E+03	31.55	RAJ
TH-228	1.91Y	1.00	8.787E+03	8.787E+03	3.363E+03	38.27	RAJ
AM-243	7380.00Y*****		2.672E+02	2.672E+02	0.843E+02	31.55	RAJ
Total Activity :			2.591E+05	2.591E+05			

Grand Total Activity : 2.591E+05 2.591E+05

8-26-99

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report
 Sample ID : S99T1389-SAM

Page : 3
 Acquisition date : 26-AUG-1999 01:22:04

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	141600.	477.59	6.2233E+02
NA-24	25.	1368.55	2.3719E+00
AR-41	47.	1293.60	4.7169E+00
SC-46	164.	1120.55	4.5580E+00
CR-51	132633.	320.08	4.4586E+02
MN-54	392.	834.83	5.4913E+00
CO-56	394.	846.76	5.5689E+00
CO-58	477.	810.78	5.9334E+00
FE-59	163.	1099.25	7.9214E+00
ZN-65	165.	1115.55	8.9730E+00
SE-75	142618.	264.66	6.9072E+01
KR-85	74165.	514.00	1.1415E+04
SR-85	74152.	514.01	5.1636E+01
Y-88	5.	1836.06	1.4456E+00
Y-91	82.	1204.67	1.1596E+03
NB-94	312.	871.09	5.0843E+00
ZRNB-95	2318.	724.20	5.3023E+01
RU-103	90705.	497.08	5.8607E+01
RURH-106	32044.	621.93	7.6918E+02
AG-108m	2359.	722.94	1.2992E+01
CD-109	121089.	88.03	1.3359E+03
AG-110M	81932.	657.76	6.7421E+01
SN-113	138702.	391.69	8.4439E+01
TE-123m	158436.	159.00	4.0650E+01
SB-124	33422.	602.73	3.8850E+01
SB-125	154898.	427.89	2.0894E+02
TE-125m	135634.	109.27	1.3161E+04
I-129	103720.	39.60	2.8521E+04
I-131	134172.	364.48	6.2000E+01
XE-131m	158643.	163.93	1.7532E+03
BA-133	132437.	356.02	7.8677E+01
CS-134	33563.	604.70	3.9090E+01
CS-136	427.	818.51	5.6645E+00
CS-138	21.	1435.86	1.0790E+01
CE-139	158552.	165.85	4.2928E+01
BA-140	54563.	537.31	1.8141E+02
LA-140	11.	1596.21	1.9023E+00
CE-141	156716.	145.44	7.0800E+01
CE-144	153969.	133.51	3.1134E+02
CEPR-144	153966.	133.51	6.2213E+02
EU-152	150106.	121.78	1.2569E+02
EU-154	46.	1274.51	8.0781E+00
EU-155	121121.	86.54	1.5220E+02
HF-181	116170.	482.18	7.3079E+01
TA-182	108481.	67.75	2.2609E+02
HG-203	138497.	279.20	5.0803E+01
BI-207	36634.	569.70	3.8801E+01
TL-208	138950.	277.36	6.5325E+02
PB-210	102895.	46.50	1.5263E+04
BI-212	2208.	727.18	1.7249E+02
BI-214	33231.	609.31	8.5266E+01

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1389-SAM

Acquisition date : 26-AUG-1999 01:22:04

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
PB-214	132054.	351.92	6.0981E+02
RA-224	154243.	240.99	1.0059E+03
RA-226	197080.	186.10	1.1221E+03
AC-228	304.	911.21	1.9554E+01
TH-229	121295.	88.47	1.9351E+02
U-232	104733.	57.78	8.8568E+04
PA-233	133314.	312.17	1.1448E+02
UTH-233	151630.	245.34	3.5990E+04
PA-234M	178.	1001.03	6.6690E+02
TH-234	106245.	63.29	3.1414E+03
U-235	194400.	185.71	6.7790E+01
NP-237	121261.	86.48	4.0345E+02
U-237	127896.	101.07	1.5645E+02
NP-238	218.	984.45	1.7263E+01
NP-239	131901.	106.12	1.6786E+02
PU-239	152394.	129.30	5.4296E+05
AM-241	105220.	59.54	4.3015E+02

 * 222-S Laboratory Counting Room 26-AUG-1999 07:43:38.42 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1389-DUP
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2609.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:52:32.90 sec
 Dead Time: 13%

Verified by:

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 26-AUG-1999 04:50:34.62
 Decayed to: 26-AUG-1999 04:50:34.62
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: SLH2
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw %Err	Fit	Nuclides	Activity uCi/L
0	75.32*	1985	0.94	150.56	147	7 64.8	} Pb x-rays	AM-243	147.
0	84.64	3167	1.32	169.20	167	7 41.2		PB-212	834.
0	661.78*	4357242	1.51	1323.43	1315	17 0.1		TH-228	8.132E+03
0	796.03	345	1.52	1591.95	1586	11 31.4		CS-137	2.457E+05
0	1173.31	527	1.55	2346.64	2338	18 12.4		CO-60	40.0
0	1323.04	900	1.93	2646.17	2637	18 7.6			
0	1332.66	428	1.63	2665.40	2658	16 11.9		CO-60	36.0
0	1460.88*	36	2.10	2921.92	2914	16 116.1		K-40	30.8

Summary of Nuclide Activity
Sample ID : S99T1389-DUP

HNF-1683 REV.0

Page : 2

Acquisition date : 26-AUG-1999 04:50:34

Total number of lines in spectrum 8
Number of unidentified lines 1
Number of lines tentatively identified by NID 7 87.50%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
K-40	1.28E+09Y	1.00	3.075E+01	3.075E+01	3.572E+01	116.15	RAJ
CO-60	5.27Y	1.00	3.771E+01	3.771E+01	0.324E+01	8.60	
CS-137	30.00Y	1.00	2.457E+05	2.457E+05	0.002E+05	0.10	
PB-212	1.91Y	1.00	8.340E+02	8.340E+02	5.404E+02	64.80	RAJ
TH-228	1.91Y	1.00	8.131E+03	8.132E+03	3.351E+03	41.21	RAJ
AM-243	7380.00Y*****	1.00	1.467E+02	1.467E+02	0.951E+02	64.80	RAJ
Total Activity :			2.549E+05	2.549E+05			

8-26-99

Grand Total Activity : 2.549E+05 2.549E+05

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report
Sample ID : S99T1389-DUP

Page : 3
Acquisition date : 26-AUG-1999 04:50:34

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	139433.	477.59	6.1755E+02
NA-24	16.	1368.55	1.9549E+00
AR-41	65.	1293.60	5.4672E+00
SC-46	191.	1120.55	4.8971E+00
CR-51	130412.	320.08	4.4211E+02
MN-54	384.	834.83	5.4329E+00
CO-56	408.	846.76	5.6664E+00
CO-58	477.	810.78	5.9349E+00
FE-59	177.	1099.25	8.2368E+00
ZN-65	150.	1115.55	8.5882E+00
SE-75	141286.	264.66	6.8749E+01
KR-85	73966.	514.00	1.1400E+04
SR-85	73954.	514.01	5.1567E+01
Y-88	13.	1836.06	2.1268E+00
Y-91	70.	1204.67	1.0783E+03
NB-94	297.	871.09	4.9676E+00
ZRNB-95	2298.	724.20	5.2799E+01
RU-103	89512.	497.08	5.8221E+01
RURH-106	32070.	621.93	7.6950E+02
AG-108m	2276.	722.94	1.2763E+01
CD-109	120814.	88.03	1.3344E+03
AG-110M	80647.	657.76	6.6891E+01
SN-113	137595.	391.69	8.4102E+01
TE-123m	156527.	159.00	4.0404E+01
SB-124	32711.	602.73	3.8436E+01
SB-125	153015.	427.89	2.0766E+02
TE-125m	134233.	109.27	1.3093E+04
I-129	102825.	39.60	2.8398E+04
I-131	132282.	364.48	6.1562E+01
XE-131m	157796.	163.93	1.7485E+03
BA-133	130757.	356.02	7.8177E+01
CS-134	33142.	604.70	3.8845E+01
CS-136	416.	818.51	5.5976E+00
CS-138	17.	1435.86	9.7496E+00
CE-139	158146.	165.85	4.2873E+01
BA-140	54122.	537.31	1.8067E+02
LA-140	15.	1596.21	2.1974E+00
CE-141	154592.	145.44	7.0319E+01
CE-144	152658.	133.51	3.1002E+02
CEPR-144	152657.	133.51	6.1948E+02
EU-152	149485.	121.78	1.2543E+02
EU-154	64.	1274.51	9.4117E+00
EU-155	121324.	86.54	1.5233E+02
HF-181	115744.	482.18	7.2945E+01
TA-182	107307.	67.75	2.2487E+02
HG-203	137571.	279.20	5.0633E+01
BI-207	36407.	569.70	3.8681E+01
TL-208	137882.	277.36	6.5074E+02
PB-210	101969.	46.50	1.5195E+04
BI-212	2223.	727.18	1.7309E+02
BI-214	32546.	609.31	8.4386E+01

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1389-DUP

Acquisition date : 26-AUG-1999 04:50:34

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
PB-214	130466.	351.92	6.0536E+02
RA-224	152170.	240.99	9.9909E+02
RA-226	195450.	186.10	1.1175E+03
AC-228	268.	911.21	1.8397E+01
TH-229	120559.	88.47	1.9292E+02
U-232	103297.	57.78	8.7960E+04
PA-233	131634.	312.17	1.1375E+02
UTH-233	149316.	245.34	3.5715E+04
PA-234M	198.	1001.03	7.0045E+02
TH-234	105500.	63.29	3.1304E+03
U-235	192482.	185.71	6.7455E+01
NP-237	121430.	86.48	4.0373E+02
U-237	128057.	101.07	1.5655E+02
NP-238	189.	984.45	1.6143E+01
NP-239	130392.	106.12	1.6689E+02
PU-239	151508.	129.30	5.4139E+05
AM-241	104193.	59.54	4.2805E+02

 * 222-S Laboratory Counting Room 26-AUG-1999 10:44:08.68 *

>>>>>>>> SAMPLE INFORMATION <<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1390-SAM
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

>>>>>>>> COUNT INFORMATION <<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2610.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:53:22.55 sec
 Dead Time: 13%

Verified by:

8-26-99

>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<

Sample Count Time: 26-AUG-1999 07:50:16.24
 Decayed to: 26-AUG-1999 07:50:16.24
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: MB
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw %Err	Fit	Nuclides	Activity uCi/L
0	75.08*	2949	1.00	150.08	147	7 44.4	} Pb x-rays	AM-243	218.
0	84.55	3047	1.38	169.02	167	6 38.5		PB-212	1.239E+03
0	661.76*	4511810	1.51	1323.39	1315	17 0.1		TH-228	7.825E+03
0	795.55	409	1.72	1591.01	1585	13 30.2		CS-137	2.544E+05
0	1173.24	475	1.62	2346.50	2338	17 15.4		CO-60	36.1
0	1323.02	988	1.99	2646.12	2639	18 7.4			
0	1332.61	490	1.81	2665.31	2657	18 10.1		CO-60	41.2
0	1461.00*	31	1.98	2922.16	2913	18 136.2		K-40	26.4

Summary of Nuclide Activity
Sample ID : S99T1390-SAM

Page : 2
Acquisition date : 26-AUG-1999 07:50:16

Total number of lines in spectrum 8
Number of unidentified lines 1
Number of lines tentatively identified by NID 7 87.50%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
K-40	1.28E+09Y	1.00	2.636E+01	2.636E+01	3.590E+01	136.17	RMJ
CO-60	5.27Y	1.00	3.935E+01	3.935E+01	0.333E+01	8.47	
CS-137	30.00Y	1.00	2.544E+05	2.544E+05	0.002E+05	0.10	
PB-212	1.91Y	1.00	1.239E+03	1.239E+03	0.551E+03	44.43	RMJ
TH-228	1.91Y	1.00	7.825E+03	7.825E+03	3.013E+03	38.50	RMJ
AM-243	7380.00Y*****	1.00	2.180E+02	2.180E+02	0.969E+02	44.43	RMJ
Total Activity :			2.637E+05	2.637E+05			8-26-99

Grand Total Activity : 2.637E+05 2.637E+05

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report

Page : 3

Sample ID : S99T1390-SAM

Acquisition date : 26-AUG-1999 07:50:16

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	145773.	477.59	6.3142E+02
NA-24	25.	1368.55	2.3822E+00
AR-41	54.	1293.60	5.0109E+00
SC-46	215.	1120.55	5.1862E+00
CR-51	135194.	320.08	4.5014E+02
MN-54	392.	834.83	5.4925E+00
CO-56	415.	846.76	5.7150E+00
CO-58	512.	810.78	6.1436E+00
FE-59	152.	1099.25	7.6749E+00
ZN-65	158.	1115.55	8.7972E+00
SE-75	146712.	264.66	7.0055E+01
KR-85	76503.	514.00	1.1594E+04
SR-85	76493.	514.01	5.2443E+01
Y-88	6.	1836.06	1.5551E+00
Y-91	77.	1204.67	1.1279E+03
NB-94	366.	871.09	5.4989E+00
ZRNB-95	2368.	724.20	5.3582E+01
RU-103	93519.	497.08	5.9507E+01
RURH-106	33400.	621.93	7.8524E+02
AG-108m	2388.	722.94	1.3071E+01
CD-109	125461.	88.03	1.3598E+03
AG-110M	85648.	657.76	6.8930E+01
SN-113	142162.	391.69	8.5485E+01
TE-123m	162540.	159.00	4.1172E+01
SB-124	34188.	602.73	3.9291E+01
SB-125	158561.	427.89	2.1139E+02
TE-125m	139535.	109.27	1.3349E+04
I-129	105917.	39.60	2.8821E+04
I-131	136069.	364.48	6.2437E+01
XE-131m	164150.	163.93	1.7833E+03
BA-133	136187.	356.02	7.9781E+01
CS-134	34261.	604.70	3.9494E+01
CS-136	460.	818.51	5.8733E+00
CS-138	17.	1435.86	9.8852E+00
CE-139	164545.	165.85	4.3730E+01
BA-140	56377.	537.31	1.8439E+02
LA-140	17.	1596.21	2.2636E+00
CE-141	160301.	145.44	7.1604E+01
CE-144	158290.	133.51	3.1568E+02
CEPR-144	158292.	133.51	6.3080E+02
EU-152	153526.	121.78	1.2711E+02
EU-154	56.	1274.51	8.8367E+00
EU-155	125400.	86.54	1.5486E+02
HF-181	119950.	482.18	7.4257E+01
TA-182	111285.	67.75	2.2899E+02
HG-203	142634.	279.20	5.1556E+01
BI-207	37518.	569.70	3.9265E+01
TL-208	143398.	277.36	6.6360E+02
PB-210	106264.	46.50	1.5511E+04
BI-212	2285.	727.18	1.7543E+02
BI-214	34079.	609.31	8.6344E+01

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1390-SAM

Acquisition date : 26-AUG-1999 07:50:16

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
PB-214	135461.	351.92	6.1963E+02
RA-224	158364.	240.99	1.0192E+03
RA-226	201830.	186.10	1.1355E+03
AC-228	308.	911.21	1.9679E+01
TH-229	125136.	88.47	1.9655E+02
U-232	107039.	57.78	8.9537E+04
PA-233	135590.	312.17	1.1545E+02
UTH-233	155537.	245.34	3.6450E+04
PA-234M	184.	1001.03	6.7698E+02
TH-234	109077.	63.29	3.1829E+03
U-235	198758.	185.71	6.8545E+01
NP-237	125472.	86.48	4.1038E+02
U-237	131433.	101.07	1.5860E+02
NP-238	232.	984.45	1.7793E+01
NP-239	135057.	106.12	1.6986E+02
PU-239	157339.	129.30	5.5169E+05
AM-241	107716.	59.54	4.3522E+02

 * 222-S Laboratory Counting Room 26-AUG-1999 13:49:42.83 *

>>>>>>>>> SAMPLE INFORMATION <<<<<<<<<<

Worklist #: 30816
 Sample ID: S99T1390-DUP
 Sample Size: 1.00000E-04 L
 Dilution Factor: 1.00000E+00

Removed by:

>>>>>>>>> COUNT INFORMATION <<<<<<<<<<

Detector ID: GEA2
 File Number: dka300:[spec.GEA2]2g2611.cnf
 Geometry: 44
 Count Time: 0 02:30:00.00 sec
 Real Time: 0 02:52:30.96 sec
 Dead Time: 13%

Verified by:

>>>>>>>>> ANALYSIS INFORMATION <<<<<<<<<<

Sample Count Time: 26-AUG-1999 10:56:43.16
 Decayed to: 26-AUG-1999 10:56:43.16
 Standard Deviations: 2
 Analysis Library: ENVGEA
 Analyst: MB
 Background Subtract: DKA300:[SPEC.GEA2]2GBACK

>>>>>>>>> CALIBRATION INFORMATION <<<<<<<<<<

Date of last energy calibration: 3-MAY-1999 14:49:30.70
 Date of last efficiency calibration: 3-MAY-1999 15:00:48.42

Post-NID Peak Search Report

It	Energy	Area	FWHM	Channel	Left	Pw	%Err	Fit	Nuclides	Activity uCi/L
0	75.05*	2205	0.98	150.02	147	7	58.3	} Pb x-rays	AM-243	163.
0	84.22	2044	0.90	168.36	167	7	63.8		PB-212	926.
0	661.75*	4351900	1.51	1323.39	1315	17	0.1		TH-228	5.249E+03
0	796.18	469	1.60	1592.26	1587	12	23.5		CS-137	2.454E+05
0	1173.44	433	1.85	2346.89	2339	16	16.1		CO-60	32.9
0	1323.06	924	1.78	2646.19	2636	19	7.9			
0	1332.60	416	2.11	2665.29	2656	16	11.2		CO-60	35.0

Summary of Nuclide Activity
Sample ID : S99T1390-DUP

Page : 2
Acquisition date : 26-AUG-1999 10:56:43

Total number of lines in spectrum 7
Number of unidentified lines 1
Number of lines tentatively identified by NID 6 85.71%

Nuclide Type :

Nuclide	Hlife	Decay	Wtd Mean Uncorrected uCi/L	Wtd Mean Decay Corr uCi/L	Decay Corr 2-Sigma Error	2-Sigma %Error	Flags
CO-60	5.27Y	1.00	3.424E+01	3.424E+01	0.314E+01	9.17	
CS-137	30.00Y	1.00	2.454E+05	2.454E+05	0.002E+05	0.10	
PB-212	1.91Y	1.00	9.263E+02	9.264E+02	5.404E+02	58.34	RAJ
TH-228	1.91Y	1.00	5.249E+03	5.249E+03	3.350E+03	63.82	RAJ
AM-243	7380.00Y	1.00	1.630E+02	1.630E+02	0.951E+02	58.34	RAJ
Total Activity :			2.517E+05	2.517E+05			8-26-99

Grand Total Activity : 2.517E+05 2.517E+05

Flags: "K" = Keyline not found
"E" = Manually edited

"M" = Manually accepted
"A" = Nuclide specific abn. limit

Minimum Detectable Activity Report

Page : 3

Sample ID : S99T1390-DUP

Acquisition date : 26-AUG-1999 10:56:43

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BE-7	140051.	477.59	6.1892E+02
NA-24	31.	1368.55	2.6144E+00
K-40	337.	1460.75	7.4697E+01
AR-41	43.	1293.60	4.5125E+00
SC-46	190.	1120.55	4.8908E+00
CR-51	130728.	320.08	4.4265E+02
MN-54	363.	834.83	5.2863E+00
CO-56	407.	846.76	5.6613E+00
CO-58	408.	810.78	5.4992E+00
FE-59	182.	1099.25	8.3588E+00
ZN-65	165.	1115.55	8.9665E+00
SE-75	141534.	264.66	6.8809E+01
KR-85	73378.	514.00	1.1355E+04
SR-85	73368.	514.01	5.1363E+01
Y-88	4.	1836.06	1.2632E+00
Y-91	66.	1204.67	1.0465E+03
NB-94	316.	871.09	5.1186E+00
ZRNB-95	2274.	724.20	5.2528E+01
RU-103	89868.	497.08	5.8336E+01
RURH-106	31940.	621.93	7.6793E+02
AG-108m	2302.	722.94	1.2835E+01
CD-109	120428.	88.03	1.3323E+03
AG-110M	83083.	657.76	6.7892E+01
SN-113	137187.	391.69	8.3978E+01
TE-123m	156202.	159.00	4.0363E+01
SB-124	32756.	602.73	3.8462E+01
SB-125	152742.	427.89	2.0748E+02
TE-125m	134296.	109.27	1.3096E+04
I-129	102503.	39.60	2.8353E+04
I-131	131214.	364.48	6.1313E+01
XE-131m	156839.	163.93	1.7432E+03
BA-133	131132.	356.02	7.8289E+01
CS-134	33015.	604.70	3.8771E+01
CS-136	436.	818.51	5.7238E+00
CS-138	20.	1435.86	1.0556E+01
CE-139	157992.	165.85	4.2852E+01
BA-140	53546.	537.31	1.7971E+02
LA-140	11.	1596.21	1.8888E+00
CE-141	155732.	145.44	7.0577E+01
CE-144	152718.	133.51	3.1008E+02
CEPR-144	152718.	133.51	6.1961E+02
EU-152	147608.	121.78	1.2464E+02
EU-154	50.	1274.51	8.4062E+00
EU-155	120596.	86.54	1.5187E+02
HF-181	115441.	482.18	7.2850E+01
TA-182	107005.	67.75	2.2455E+02
HG-203	137804.	279.20	5.0676E+01
BI-207	36325.	569.70	3.8637E+01
TL-208	137633.	277.36	6.5015E+02
PB-210	102486.	46.50	1.5233E+04
BI-212	2102.	727.18	1.6835E+02

Minimum Detectable Activity Report (continued)

Page : 4

Sample ID : S99T1390-DUP

Acquisition date : 26-AUG-1999 10:56:43

Nuclide	Bckgnd Sum	Energy (keV)	MDA (uCi/L)
BI-214	32394.	609.31	8.4188E+01
PB-214	130686.	351.92	6.0577E+02
RA-224	152674.	240.99	1.0007E+03
RA-226	194480.	186.10	1.1147E+03
AC-228	301.	911.21	1.9461E+01
TH-229	120140.	88.47	1.9259E+02
U-232	103695.	57.78	8.8129E+04
PA-233	131288.	312.17	1.1360E+02
UTH-233	149534.	245.34	3.5741E+04
PA-234M	191.	1001.03	6.8999E+02
TH-234	105473.	63.29	3.1300E+03
U-235	191608.	185.71	6.7302E+01
NP-237	120763.	86.48	4.0262E+02
U-237	126352.	101.07	1.5550E+02
NP-238	174.	984.45	1.5498E+01
NP-239	130137.	106.12	1.6673E+02
PU-239	151338.	129.30	5.4108E+05
AM-241	104301.	59.54	4.2828E+02

LABCORE Completed Worklist Report for Worklist# 30906

Analyst: scl

Instrument: AB10

Book#: _____

Method: LA-220-101 Rev/Mod E-4

Worklist Comment: Rerun of WL 30818, AP-103 Grab 99. mcb

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD		0	@SR90-01 SR90-01 LIQUID		8.31E-04	8.17E-4	98.315 % Recovery	
1 STD		0	@SR90-01 SR90-01C LIQUID		100	8.85E+01	88.500 % Recovery	
1 STD		0	@SR90-01 SR90-01E LIQUID		1.00	2.39E+00	2.390 % Ct. Error	
2 BLNK		0	@SR90-01 SR90-01 LIQUID		1	4.33E-3	0.004 uCi/mL	
2 BLNK		0	@SR90-01 SR90-01C LIQUID		100	8.56E+01	85.600 % Recovery	
2 BLNK		0	@SR90-01 SR90-01E LIQUID		1.00	8.29E+01	82.900 uCi/mL	
3 BLNK/BKG		0	@SR90-01 SR90-01 LIQUID		1	1.38E+00	1.380 BLNK/BKG	
4 SAMPLE	S99T001388	0	@SR90-01 SR90-01 LIQUID		N/A	5.60E-01	5.89E-003 uCi/mL	
4 SAMPLE	S99T001388	0	@SR90-01 SR90-01C LIQUID		N/A	6.71E+01	% Recovery	
4 SAMPLE	S99T001388	0	@SR90-01 SR90-01E LIQUID		N/A	3.37E+00	% Ct. Error	
5 DUF	S99T001388	0	@SR90-01 SR90-01 LIQUID		5.60E-1	5.26E-1	6.262 RPD	
5 DUF	S99T001388	0	@SR90-01 SR90-01C LIQUID		100	8.98E+01	89.800 % Recovery	
5 DUF	S99T001388	0	@SR90-01 SR90-01E LIQUID		1.00	2.99E+00	2.990 % Cnt Err	
6 SAMPLE	S99T001389	0	@SR90-01 SR90-01 LIQUID		N/A	5.30E-01	4.33E-003 uCi/mL	
6 SAMPLE	S99T001389	0	@SR90-01 SR90-01C LIQUID		N/A	9.10E+01	% Recovery	
6 SAMPLE	S99T001389	0	@SR90-01 SR90-01E LIQUID		N/A	2.95E+00	% Ct. Error	
7 DUF	S99T001389	0	@SR90-01 SR90-01 LIQUID		5.30E-1	5.34E-1	0.752 RPD	
7 DUF	S99T001389	0	@SR90-01 SR90-01C LIQUID		100	8.98E+01	89.800 % Recovery	
7 DUF	S99T001389	0	@SR90-01 SR90-01E LIQUID		1.00	2.96E+00	2.960 % Cnt Err	
8 SAMPLE	S99T001390	0	@SR90-01 SR90-01 LIQUID		N/A	5.59E-01	4.35E-003 uCi/mL	
8 SAMPLE	S99T001390	0	@SR90-01 SR90-01C LIQUID		N/A	9.00E+01	% Recovery	
8 SAMPLE	S99T001390	0	@SR90-01 SR90-01E LIQUID		N/A	2.88E+00	% Ct. Error	
9 DUF	S99T001390	0	@SR90-01 SR90-01 LIQUID		5.59E-1	5.69E-1	1.773 RPD	
9 DUF	S99T001390	0	@SR90-01 SR90-01C LIQUID		100	9.05E+01	90.500 % Recovery	
9 DUF	S99T001390	0	@SR90-01 SR90-01E LIQUID		1.00	2.83E+00	2.830 % Cnt Err	

Final page for worklist# 30906

Analyst Signature

Date

Analyst Signature

Date

31 July 99
Reviewer Signature Date

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Data Entry Template for Worklist# 30906

Analyst: S.L. Instrument: AB00 #10 Book# 4657

Method: LA-220-101 Rev/Mod E-4

Worklist Comment: Rerun of WL 30818, AP-103 Grab 99. mcb

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 STD			@SR90-01	LIQUID		
2 BLNK			@SR90-01	LIQUID		
3 BLNK/BKG			@SR90-01	LIQUID		
4 SAMPLE	S99T001388 0		@SR90-01	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: SR90-01 , SR90-01C, SR90-01E					
5 DUP	S99T001388 0		@SR90-01	LIQUID		
6 SAMPLE	S99T001389 0		@SR90-01	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: SR90-01 , SR90-01C, SR90-01E					
7 DUP	S99T001389 0		@SR90-01	LIQUID		
8 SAMPLE	S99T001390 0		@SR90-01	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: SR90-01 , SR90-01C, SR90-01E					
9 DUP	S99T001390 0		@SR90-01	LIQUID		

Final page for worklist # 30906

Sue Lai 8-31-99
Signature Date

[Signature] 8/31/99
Signature Date
Shen L. Hui 8-31-99

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

WORKBOOK PAGE: STD1 *2/8/99*

Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5) LIQUIDS

				STANDARD
Type	DETECTOR NUMBER	10	CARRIER ADDED in mL (CVA)	1.000
STD	TOTAL COUNTS (TC)	6984	GROSS WEIGHT (W2)	7.4094
Work List	COUNT TIME in MINUTES (CT)	10	TARE WEIGHT (W1)	7.3209
30906	BACKGROUND in cpm (BKG)	9.2	NET WEIGHT (W3)	0.0885
Test Code	SAMPLE VOLUME in mL (SS)	1.000	DELTA TIME (HOURS) (DT)	5.10
@SR90-01	DILUTION FACTOR (DF)	1		
Matrix	DIGEST DILUTION FACTOR DDF	1		
LIQUID	SAMPLE COUNT RATE (Rs)	689.20	SR-90 EFFICIENCY FACTO (C1)	0.4051
Batch Number	CRITICAL LEVEL (Lc)	1.83	Y-90 EFFICIENCY FACTOR (C2)	0.4503
99003293	TIME OF SEPARATION (ST)	11:05	Rmax	N/A
Rerun	DATE OF SEPARATION (SD)	08/30/99	DETECTION LIMIT (Ld)	3.75
0	TIME OF COUNT (TOC)	16:11	Sr-89/90 CONC. in $\mu\text{Ci/L}$ 8.1727E-01	
Sample Prep	DATE OF COUNT (DOC)	08/30/99		
N/A	STANDARD BOOK #	46B57		
Sample #	STANDARD VALUE in $\mu\text{Ci/mL}$	8.3120E-04		
WL30906-STD				
Instrument Code				
WB26870	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)			
Prepared By	Sr-89/90 CONC in $\mu\text{Ci/mL}$ REPLACE RS WITH RMAX IF $RS \leq Lc$ AND $RS \geq 0$ OR REPLACE RS WITH Lc IF $RS < 0$			
MCB	$RS * DF * DDF * 1000 / ((C1 + C2 * (1 - e \text{ to the power of } ((- \text{natural log } 2) / 64.2 * DT))) * SS * REC * 2220000)$			
Chemist	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery $((W2 - W1) / (CVA * 0.1000))$			
SAC	Relative Counting Error = The Square Root of $((TC + BKG * CT) / (TC - BKG * CT) * 1.96)$			
Analyst	Percent Carrier Recovery = (Net Weight / Expected weight) * 100			
SCL	NOTE: Expected weight = CVA * 0.1			
Date Complete	Detection Levels and Less Than Values are determined from Procedure LA-508-002.			
08/31/99	Delta Time (hours) = $((DOC - SD) * 24) + (TOC - ST) / 100$			
Analysis Date				DETECTION LEVEL 4.44E-06 $\mu\text{Ci/L}$
08/30/99	Sr-89/90 CONCENTRATION	8.17E-04	$\mu\text{Ci/mL}$	
Analysis Time				
02:50 PM	RELATIVE COUNTING ERROR	2.4%		
Sample Point				
AP 103	PERCENT CARRIER RECOVERY	88.5%		

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	<i>[Signature]</i>	SAC	Date: <i>31 Aug 99</i>

STANDARD.WB1 REV 2.0

22010NML

WORKBOOK PAGE: BLANK2

LA-220-101 / E-3 Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

					BLNK
Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA) 1.000
BLNK	TOTAL COUNTS	(TC)	127	GROSS WEIGHT	(W2) 7.4171
Work List	COUNT TIME in MINUTES	(CT)	10	TARE WEIGHT	(W1) 7.3315
30906	BACKGROUND in cpm	(BKG)	9.2	NET WEIGHT	(W3) 0.0856
Test Code	SAMPLE VOLUME in mL	(SS)	0.100	DELTA TIME (HOURS)	(DT) 5.28
@SR90-01	DILUTION FACTOR	DF	101		
Matrix	DIGEST DILUTION FACTOR	(DDF)	1		
LIQUID	SAMPLE COUNT RATE	(Rs)	3.50	SR-90 EFFICIENCY FACTOR	(C1) 0.4051
Batch Number	CRITICAL LEVEL	(Lc)	1.83	Y-90 EFFICIENCY FACTOR	(C2) 0.4503
99003293	TIME OF SEPARATION	(ST)	11:05	Rmax	N/A
Rerun	DATE OF SEPARATION	(SD)	08/30/99	DETECTION LIMIT	(Ld) 3.75
0	TIME OF COUNT	(TOC)	16:22	Sr-89/90 CONC in $\mu\text{Ci/L}$	4.3254E+00
Sample Prep	DATE OF COUNT	(DOC)	08/30/99		
N/A					
Sample #					
WL30906-BLNK					
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)				
WB26870	Sr-89/90 CONC in $\mu\text{Ci/L}$ Replace RS with RMAX if RS $\leq$ Lc and RS $\geq$ 0 or Replace RS with Lc if RS $<$ 0				
Prepared By	RS*DF*DDF/((C1+C2*(1-e to the power of ((-natural log 2)/64.2*DT)))*SS*REC*2220000)				
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))				
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT))*1.96				
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100				
Analyst	NOTE: Expected weight = CVA * 0.1				
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.				
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100				
08/31/99					
Analysis Date					
08/30/99	Sr-89/90 CONCENTRATION	4.33E-03		$\mu\text{Ci/mL}$	DETECTION LEVEL 4.63E-03 $\mu\text{Ci/mL}$
Analysis Time					
02:50 PM	RELATIVE COUNTING ERROR	82.9%			
Sample Point					
AP 103	PERCENT CARRIER RECOVERY	85.6%			

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31 Aug 99

BLANK.WB1 REV 2.0

22010NML

WORKBOOK PAGE: SAM4

Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

					SAMPLE
Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA) 1.000
SAMPLE	TOTAL COUNTS (TC)		3652	GROSS WEIGHT	(W2) 7.3840
Work List	COUNT TIME in MINUTES (CT)		10	TARE WEIGHT	(W1) 7.3169
30906	BACKGROUND in cpm (BKG)		9.2	NET WEIGHT	(W3) 0.0671
Test Code	SAMPLE VOLUME in mL (SS)		0.100	DELTA TIME (HOURS)	(DT) 5.45
@SR90-01	DILUTION FACTOR	DF	101		
Matrix	DIGEST DILUTION FACTOR (DDF)		1		
LIQUID	SAMPLE COUNT RATE (Rs)		356.00	SR-90 EFFICIENCY FACTOR (C1)	0.4051
Batch Number	CRITICAL LEVEL (Lc)		1.83	Y-90 EFFICIENCY FACTOR (C2)	0.4503
99003293	TIME OF SEPARATION (ST)		11:05	Rmax	N/A
Rerun	DATE OF SEPARATION (SD)		08/30/99	DETECTION LIMIT (Ld)	3.75
0	TIME OF COUNT (TOC)		16:32	Sr-89/90 CONC in $\mu\text{Ci/L}$ 5.6026E+02	
Sample Prep	DATE OF COUNT (DOC)		08/30/99		
N/A					
Sample #					
S99T001388					
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)				
WB26870	Sr-89/90 CONC in $\mu\text{Ci/L}$ Replace RS with RMAX if RS $\leq$ Lc and RS > 0 or Replace RS with Lc if RS < 0				
Prepared By	RS*DF*DDF/((C1+C2*(1-e to the power of ((-natural log 2)/64.2*DT)))*SS*REC*2220000)				
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))				
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT))*1.96				
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100				
Analyst	NOTE: Expected weight = CVA * 0.1				
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.				
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100				
08/31/99					
Analysis Date					
08/30/99	Sr-89/90 CONCENTRATION		5.60E-01	$\mu\text{Ci/mL}$	DETECTION LEVEL 5.89E-03 $\mu\text{Ci/mL}$
Analysis Time					
02:50 PM	RELATIVE COUNTING ERROR		3.4%		
Sample Point					
AP 103	PERCENT CARRIER RECOVERY		67.1%		

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31 Aug 99

SAMPLE.WB1 REV 2.0

22010NML

WORKBOOK PAGE: DUP5

Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

					DUP
Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA) 1.000
DUP	TOTAL COUNTS (TC)		4575	GROSS WEIGHT (W2)	7.4043
Work List	COUNT TIME in MINUTES (CT)		10	TARE WEIGHT (W1)	7.3145
30906	BACKGROUND in cpm (BKG)		9.2	NET WEIGHT (W3)	0.0898
Test Code	SAMPLE VOLUME in mL (SS)		0.100	DELTA TIME (HOURS) (DT)	5.70
@SR90-01	DILUTION FACTOR (DF)		101		
Matrix	DIGEST DILUTION FACTOR (DDF)		1		
LIQUID	SAMPLE COUNT RATE (Rs)		448.30	SR-90 EFFICIENCY FACTOR (C1)	0.4051
Batch Number	CRITICAL LEVEL (Lc)		1.83	Y-90 EFFICIENCY FACTOR (C2)	0.4503
99003293	TIME OF SEPARATION (ST)		11:05	Rmax	N/A
Rerun	DATE OF SEPARATION (SD)		08/30/99	DETECTION LIMIT (Ld)	3.75
0	TIME OF COUNT (TOC)		16:47	Sr-89/90 CONC in µCi/L 5.2578E+02	
Sample Prep	DATE OF COUNT (DOC)		08/30/99		
N/A					
Sample #					
S99T001388					
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)				
WB26870	Sr-89/90 CONC in µCi/L Replace RS with RMAX if RS ≤ Lc and RS ≥ 0 or Replace RS with Lc if RS < 0				
Prepared By	RS * DF * DDF / ((C1 + C2 * (1 - e to the power of ((-natural log 2) / 64.2 * DT))) * SS * REC * 2220000)				
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2 - W1) / (CVA * 0.1000))				
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT)) * 1.96				
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100				
Analyst	NOTE: Expected weight = CVA * 0.1				
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.				
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100				
08/31/99					
Analysis Date					DETECTION LEVEL 4.39E-03 µCi/mL
08/30/99	Sr-89/90 CONCENTRATION	5.26E-01	µCi/mL		
Analysis Time					
02:50 PM	RELATIVE COUNTING ERROR	3.0%			
Sample Point					
AP 103	PERCENT CARRIER RECOVERY	89.8%			

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31 Aug 99

SAMPLE.WB1 REV 2.0

22010NML

WORKBOOK PAGE: SAM6 *20/11/99*
 Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

					SAMPLE
Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA) 1.000
SAMPLE	TOTAL COUNTS (TC)		4677	GROSS WEIGHT	(W2) 7.3880
Work List	COUNT TIME in MINUTES (CT)		10	TARE WEIGHT	(W1) 7.2970
30906	BACKGROUND in cpm (BKG)		9.2	NET WEIGHT	(W3) 0.0910
Test Code	SAMPLE VOLUME in mL (SS)		0.100	DELTA TIME (HOURS)	(DT) 5.82
@SR90-01	DILUTION FACTOR	DF	101		
Matrix	DIGEST DILUTION FACTOR (DDF)		1		
LIQUID	SAMPLE COUNT RATE (Rs)		458.50	SR-90 EFFICIENCY FACTOR (C1)	0.4051
Batch Number	CRITICAL LEVEL (Lc)		1.83	Y-90 EFFICIENCY FACTOR (C2)	0.4503
99003293	TIME OF SEPARATION (ST)		11:10	Rmax	N/A
Rerun	DATE OF SEPARATION (SD)		08/30/99	DETECTION LIMIT (Ld)	3.75
0	TIME OF COUNT (TOC)		16:59	Sr-89/90 CONC in $\mu\text{Ci/L}$ 5.2999E+02	
Sample Prep	DATE OF COUNT (DOC)		08/30/99		
N/A					
Sample #					
S99T001389					
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)				
WB26870	Sr-89/90 CONC in $\mu\text{Ci/L}$ Replace RS with RMAX if RS <= Lc and RS >= 0 or Replace RS with Lc if RS < 0				
Prepared By	RS * DF * DDF / ((C1 + C2 * (1 - e to the power of ((-natural log 2) / 64.2 * DT))) * SS * REC * 2220000)				
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))				
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT)) * 1.96				
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100				
Analyst	NOTE: Expected weight = CVA * 0.1				
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.				
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100				
08/31/99					
Analysis Date					
08/30/99	Sr-89/90 CONCENTRATION		5.30E-01	$\mu\text{Ci/mL}$	DETECTION LEVEL 4.33E-03 $\mu\text{Ci/mL}$
Analysis Time					
02:50 PM	RELATIVE COUNTING ERROR		3.0%		
Sample Point					
AP 103	PERCENT CARRIER RECOVERY		91.0%		

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31 Aug 99

SAMPLE.WB1 REV 2.0

22010NML

WORKBOOK PAGE: DUP7 ^{7/8} 11/11/99
 Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA)	DUP
DUP	TOTAL COUNTS	(TC)	4667	GROSS WEIGHT	(W2)	1.000
Work List	COUNT TIME in MINUTES	(CT)	10	TARE WEIGHT	(W1)	7.3978
30906	BACKGROUND in cpm	(BKG)	9.2	NET WEIGHT	(W3)	7.3080
Test Code	SAMPLE VOLUME in mL	(SS)	0.100	DELTA TIME (HOURS)	(DT)	0.0898
@SR90-01	DILUTION FACTOR	DF	101			6.10
Matrix	DIGEST DILUTION FACTOR	(DDF)	1			
LIQUID	SAMPLE COUNT RATE	(Rs)	457.50	SR-90 EFFICIENCY FACTOR	(C1)	0.4051
Batch Number	CRITICAL LEVEL	(Lc)	1.83	Y-90 EFFICIENCY FACTOR	(C2)	0.4503
99003293	TIME OF SEPARATION	(ST)	11:10	Rmax		N/A
Rerun	DATE OF SEPARATION	(SD)	08/30/99	DETECTION LIMIT	(Ld)	3.75
0	TIME OF COUNT	(TOC)	17:16	Sr-89/90 CONC in µCi/L		5.3431E+02
Sample Prep	DATE OF COUNT	(DOC)	08/30/99			
N/A						
Sample #						
S99T001389						
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)					
WB26870	Sr-89/90 CONC in µCi/L Replace RS with RMAX if RS ≤ Lc and RS ≥ 0 or Replace RS with Lc if RS < 0					
Prepared By	RS * DF * DDF / ((C1 + C2 * (1 - e to the power of ((-natural log 2) / 64.2 * DT))) * SS * REC * 2220000)					
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))					
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT)) * 1.96					
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100					
Analyst	NOTE: Expected weight = CVA * 0.1					
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.					
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100					
08/31/99						
Analysis Date						
08/30/99	Sr-89/90 CONCENTRATION		5.34E-01	µCi/mL		DETECTION LEVEL 4.37E-03 µCi/mL
Analysis Time						
02:50 PM	RELATIVE COUNTING ERROR		3.0%			
Sample Point						
AP 103	PERCENT CARRIER RECOVERY		89.8%			

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31-Aug-99

SAMPLE.WB1 REV 2.0

22010NML

WORKBOOK PAGE: SAM8 ⁷⁰_{11/11/99} E-4
 Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA)	SAMPLE
SAMPLE	TOTAL COUNTS	(TC)	4901	GROSS WEIGHT	(W2)	7.3909
Work List	COUNT TIME in MINUTES	(CT)	10	TARE WEIGHT	(W1)	7.3009
30906	BACKGROUND in cpm	(BKG)	9.2	NET WEIGHT	(W3)	0.0900
Test Code	SAMPLE VOLUME in mL	(SS)	0.100	DELTA TIME (HOURS)	(DT)	6.40
@SR90-01	DILUTION FACTOR	DF	101			
Matrix	DIGEST DILUTION FACTOR	(DDF)	1			
LIQUID	SAMPLE COUNT RATE	(Rs)	480.90	SR-90 EFFICIENCY FACTOR	(C1)	0.4051
Batch Number	CRITICAL LEVEL	(Lc)	1.83	Y-90 EFFICIENCY FACTOR	(C2)	0.4503
99003293	TIME OF SEPARATION	(ST)	11:10	Rmax		N/A
Rerun	DATE OF SEPARATION	(SD)	08/30/99	DETECTION LIMIT	(Ld)	3.75
0	TIME OF COUNT	(TOC)	17:34	Sr-89/90 CONC in $\mu\text{Ci/L}$ 5.5863E+02		
Sample Prep	DATE OF COUNT	(DOC)	08/30/99			
N/A						
Sample #						
S99T001390						
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)					
WB26870	Sr-89/90 CONC in $\mu\text{Ci/L}$ Replace RS with RMAX if RS $\leq$ Lc and RS $\geq$ 0 or Replace RS with Lc if RS $<$ 0					
Prepared By	RS*DF*DDF/((C1+C2*(1-e to the power of ((-natural log 2)/64.2*DT))) * SS*REC*2220000)					
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))					
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT)) * 1.96					
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100					
Analyst	NOTE: Expected weight = CVA * 0.1					
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.					
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100					
08/31/99						
Analysis Date						
08/30/99	Sr-89/90 CONCENTRATION		5.59E-01	$\mu\text{Ci/mL}$		DETECTION LEVEL 4.35E-03 $\mu\text{Ci/mL}$
Analysis Time						
02:50 PM	RELATIVE COUNTING ERROR		2.9%			
Sample Point						
AP 103	PERCENT CARRIER RECOVERY		90.0%			

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31-Aug-99

SAMPLE.WB1 REV 2.0

22010NML

WORKBOOK PAGE: DUP9 E-4 ²⁸ 4/11/99
 Sr-89/90 : LA-220-101 (E-3), 102 (INACTIVE), 104 (E-5)

					DUP
Type	DETECTOR NUMBER		10	CARRIER ADDED in mL	(CVA) 1.000
DUP	TOTAL COUNTS	(TC)	5057	GROSS WEIGHT	(W2) 7.4125
Work List	COUNT TIME in MINUTES	(CT)	10	TARE WEIGHT	(W1) 7.3220
30906	BACKGROUND in cpm	(BKG)	9.2	NET WEIGHT	(W3) 0.0905
Test Code	SAMPLE VOLUME in mL	(SS)	0.100	DELTA TIME (HOURS)	(DT) 7.25
@SR90-01	DILUTION FACTOR	DF	101		
Matrix	DIGEST DILUTION FACTOR	(DDF)	1		
LIQUID	SAMPLE COUNT RATE	(Rs)	496.50	SR-90 EFFICIENCY FACTOR	(C1) 0.4051
Batch Number	CRITICAL LEVEL	(Lc)	1.83	Y-90 EFFICIENCY FACTOR	(C2) 0.4503
99003293	TIME OF SEPARATION	(ST)	11:10	Rmax	N/A
Rerun	DATE OF SEPARATION	(SD)	08/30/99	DETECTION LIMIT	(Ld) 3.75
0	TIME OF COUNT	(TOC)	18:25	Sr-89/90 CONC in µCi/L 5.6855E+02	
Sample Prep	DATE OF COUNT	(DOC)	08/30/99		
N/A					
Sample #					
S99T001390					
Instrument Code	Sample Count Rate (Rs) = (Total Counts (TC) / Count Time (CT)) - Background in cpm (BKG)				
WB26870	Sr-89/90 CONC in µCi/L Replace RS with RMAX if RS ≤ Lc and RS ≥ 0 or Replace RS with Lc if RS < 0				
Prepared By	RS*DF*DDF/((C1+C2*(1-e to the power of ((-natural log 2)/64.2*DT))) * SS*REC*2220000)				
MCB	NOTE: 64.2 = Half Life for Y-90 and Rec. = Fractional Carrier Recovery ((W2-W1) / (CVA * 0.1000))				
Chemist	Relative Counting Error = (The Square Root of (TC + BKG * CT) / (TC - BKG * CT)) * 1.96				
SAC	Percent Carrier Recovery = (Net Weight / Expected weight) * 100				
Analyst	NOTE: Expected weight = CVA * 0.1				
SCL	Detection Levels and Less Than Values are determined from Procedure LA-508-002.				
Date Complete	Delta Time (hours) = ((DOC - SD) * 24) + (TOC - ST) / 100				
08/31/99					
Analysis Date					
08/30/99	Sr-89/90 CONCENTRATION	5.69E-01	µCi/mL	DETECTION LEVEL 4.29E-03 µCi/mL	
Analysis Time					
02:50 PM	RELATIVE COUNTING ERROR	2.8%			
Sample Point					
AP 103	PERCENT CARRIER RECOVERY	90.5%			

Analyst:	SCL	Date:	31-Aug-99
Signature of Chemist:	SAC	Date:	31-Aug-99

SAMPLE.WB1 REV 2.0 22010NML

LABCORE Completed Worklist Report for Worklist# 30815

Analyst: skl

Instrument: AB15

Book#: _____

Method: LA-953-104 Rev/Mod B-1

Worklist Comment: AP103 GRAB99, @AM24102, STD=1.0mL SS by Ludlum. skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD	0	0	AM24102 AM24101	LIQUID	1.07E-04	1.14E-4	106.542	% Recovery
1 STD	0	0	AM24102 AM24101E	LIQUID	1.00	1.72E+00	1.720	% Ct Error
1 STD	0	0	AM24102 AM24101T	LIQUID	100	1.00E+02	100.000	% Recovery
2 BLNK	0	0	AM24102 AM24101	LIQUID	1	<1.30E-4		uCi/mL
2 BLNK	0	0	AM24102 AM24101E	LIQUID	1.00	1.00E+02	100.000	% Ct Error
2 BLNK	0	0	AM24102 AM24101T	LIQUID	100	1.03E+02	103.000	% Recovery
2 BLNK	0	0	AM24102 CM24301	LIQUID	1	<1.30E-4		uCi/mL
2 BLNK	0	0	AM24102 CM24301E	LIQUID	1.00	1.00E+02	100.000	uCi/mL
3 SAMPLE	S99T001388	0	AM24102 AM24101	LIQUID	N/A	4.53E-04	1.42e-004	uCi/mL
3 SAMPLE	S99T001388	0	AM24102 AM24101E	LIQUID	N/A	4.56E+00		% Ct. Error
3 SAMPLE	S99T001388	0	AM24102 AM24101T	LIQUID	N/A	1.05E+02		% Recovery
3 SAMPLE	S99T001388	0	AM24102 CM24301	LIQUID	N/A	1.42E-04	1.42e-004	uCi/mL
3 SAMPLE	S99T001388	0	AM24102 CM24301E	LIQUID	N/A	1.00E+02		% Ct. Error
4 DUP	S99T001388	0	AM24102 AM24101	LIQUID	4.53E-4	5.30E-4	15.666	RPD
4 DUP	S99T001388	0	AM24102 AM24101E	LIQUID	1.00	4.29E+00	4.290	% Ct Error
4 DUP	S99T001388	0	AM24102 AM24101T	LIQUID	100	1.06E+02	106.000	% Recovery
4 DUP	S99T001388	0	AM24102 CM24301	LIQUID	<1.42E-4	<1.47E-4		RPD
4 DUP	S99T001388	0	AM24102 CM24301E	LIQUID	1.00	1.00E+02	100.000	% Ct. Error
5 SAMPLE	S99T001389	0	AM24102 AM24101	LIQUID	N/A	4.95E-04	1.49e-004	uCi/mL
5 SAMPLE	S99T001389	0	AM24102 AM24101E	LIQUID	N/A	4.40E+00		% Ct. Error
5 SAMPLE	S99T001389	0	AM24102 AM24101T	LIQUID	N/A	1.02E+02		% Recovery
5 SAMPLE	S99T001389	0	AM24102 CM24301	LIQUID	N/A	1.49E-04	1.49e-004	uCi/mL
5 SAMPLE	S99T001389	0	AM24102 CM24301E	LIQUID	N/A	1.00E+02		% Ct. Error
6 DUP	S99T001389	0	AM24102 AM24101	LIQUID	4.95E-4	5.19E-4	4.734	RPD
6 DUP	S99T001389	0	AM24102 AM24101E	LIQUID	1.00	4.20E+00	4.200	% Ct Error
6 DUP	S99T001389	0	AM24102 AM24101T	LIQUID	100	1.11E+02	111.000	% Recovery
6 DUP	S99T001389	0	AM24102 CM24301	LIQUID	<1.49E-4	<1.44E-4		RPD
6 DUP	S99T001389	0	AM24102 CM24301E	LIQUID	1.00	1.00E+02	100.000	% Ct. Error
7 SAMPLE	S99T001390	0	AM24102 AM24101	LIQUID	N/A	4.88E-04	1.40e-004	uCi/mL
7 SAMPLE	S99T001390	0	AM24102 AM24101E	LIQUID	N/A	4.35E+00		% Ct. Error
7 SAMPLE	S99T001390	0	AM24102 AM24101T	LIQUID	N/A	1.16E+02		% Recovery
7 SAMPLE	S99T001390	0	AM24102 CM24301	LIQUID	N/A	1.40E-04	1.40e-004	uCi/mL
7 SAMPLE	S99T001390	0	AM24102 CM24301E	LIQUID	N/A	1.00E+02		% Ct. Error
8 DUP	S99T001390	0	AM24102 AM24101	LIQUID	4.88E-4	5.14E-4	5.190	RPD
8 DUP	S99T001390	0	AM24102 AM24101E	LIQUID	1.00	4.37E+00	4.370	% Ct Error
8 DUP	S99T001390	0	AM24102 AM24101T	LIQUID	100	1.00E+02	100.000	% Recovery
8 DUP	S99T001390	0	AM24102 CM24301	LIQUID	<1.40E-4	<1.46E-4		RPD
8 DUP	S99T001390	0	AM24102 CM24301E	LIQUID	1.00	1.00E+02	100.000	% Ct. Error

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30815

Seq	Type	Sample#	R	A	Test	Matrix	Actual	Found	DL or Yield	Unit
-----	------	---------	---	---	------	--------	--------	-------	-------------	------

Final page for worklist# 30815

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

John Relyea 27 Aug 99
Reviewer Signature _____ Date _____

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Data Entry Template for Worklist# 30815

Analyst: AKL Instrument: AM01 15 Book# 46B57

Method: LA-953-104 Rev/Mod B1

Worklist Comment: AP103 GRAB99, @AM24102, STD=1.0mL SS by Ludlum. skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 STD			@AM24102	LIQUID		
2 BLNK			@AM24102	LIQUID		
3 SAMPLE	S99T001388 0		@AM24102	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: AM24101 , AM24101E, AM24101T, CM24301 , CM24301E					
4 DUP	S99T001388 0		@AM24102	LIQUID		
5 SAMPLE	S99T001389 0		@AM24102	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: AM24101 , AM24101E, AM24101T, CM24301 , CM24301E					
6 DUP	S99T001389 0		@AM24102	LIQUID		
7 SAMPLE	S99T001390 0		@AM24102	LIQUID	99000326	AP103 GRAB99
	Analytes Requested: AM24101 , AM24101E, AM24101T, CM24301 , CM24301E					
8 DUP	S99T001390 0		@AM24102	LIQUID		

Final page for worklist # 30815

Alita Y. Jansen 8/26/99
Signature Date

Em Bauch 8-27-99
Signature Date
MT Bauch 8/27/99

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

222-S Analytical Laboratory
 G E N E R A L A L P H A E N E R G Y A N A L Y S I S
 Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
 WL30815-STD-AM
 File ID: 2a2042.CNF

Counted on: 8/26/99 @19: 9
 Detector: AEA2
 Geometry number: 1
 Count time: 28800. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1060.3	1060.3	300.215	300.215	14.000	7.394	7.000	1.439
2	927.1	927.1	254.325	254.178	12.000	5.099	6.000	0.897

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid				Count	%err	d/m	Activity uCi/ea
			Exp.	Obs.	Diff.	FWHM	Rate c/m	@95		
1	Pu238	0.553	5.487	5.469	0.018	0.03	57.03	1.2	356.0	0.160E-03
	Am241		5.479	5.469	0.010				272.7	0.123E-03
2	Am243	0.495	5.266	5.257	0.009	0.02	51.05	1.3	231.8	0.104E-03
Totals:		1.048	<--valid peaks only-->				108.08			

DETECTOR CALIBRATION

Energy(MEV) = 4.088 + (0.0046)*Channel
 Energy range (MeV): 4.088 TO 6.443
 Efficiency = 0.2225 CPM/DPM
 (Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	49506.0	100.000
Smoothed	49506.0	100.000
Composite fit	51878.7	104.793
Residuals	-2372.7	-4.793

Analyzed by: _____

SLH2

Spectrum 2a2042.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 7839.5

```

2
2
2
  2
..  2
...  2
1.....  2
1.....  2
.1.....2.
..1.....2.....
....1.....2.....
.....1.....2.....
.....1
.....  1
.....1
.....1....
.....1.
.....1
1..

```

Raw Data Dump for AEA Spectrum: 2a2042.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	1.	2.	1.	0.
21	2.	1.	0.	2.	3.	3.	2.	2.	4.	2.
31	1.	0.	0.	4.	0.	0.	0.	1.	3.	1.
41	3.	0.	0.	1.	0.	1.	0.	3.	2.	1.
51	1.	4.	3.	1.	0.	2.	4.	2.	1.	4.
61	4.	1.	3.	2.	2.	0.	2.	2.	1.	3.
71	2.	5.	1.	4.	1.	0.	0.	4.	3.	4.
81	0.	2.	3.	3.	1.	0.	4.	2.	0.	2.
91	1.	1.	3.	0.	2.	2.	5.	2.	4.	3.
101	4.	2.	2.	2.	1.	1.	5.	5.	1.	3.
111	5.	3.	3.	0.	4.	3.	0.	1.	2.	2.
121	3.	3.	3.	3.	4.	1.	0.	1.	4.	4.
131	2.	5.	1.	2.	2.	5.	4.	1.	4.	3.
141	5.	3.	3.	3.	3.	3.	1.	3.	4.	4.
151	4.	6.	4.	2.	3.	2.	4.	5.	1.	2.
161	0.	5.	6.	6.	4.	5.	7.	2.	1.	4.
171	2.	5.	5.	2.	5.	4.	11.	7.	7.	2.
181	2.	5.	7.	5.	2.	7.	6.	2.	4.	11.
191	7.	13.	9.	14.	10.	18.	9.	14.	12.	23.
201	19.	20.	23.	36.	40.	38.	43.	37.	38.	40.
211	43.	63.	49.	83.	70.	70.	82.	88.	116.	127.
221	125.	148.	146.	152.	176.	187.	234.	222.	252.	275.
231	269.	317.	335.	331.	407.	442.	435.	497.	552.	518.
241	598.	658.	681.	714.	800.	795.	896.	869.	916.	939.
251	918.	951.	1023.	1054.	1111.	1074.	918.	765.	425.	276.
261	190.	187.	186.	179.	183.	169.	171.	183.	198.	186.
271	212.	190.	179.	222.	247.	287.	275.	318.	351.	326.
281	395.	400.	479.	476.	556.	574.	613.	653.	674.	714.
291	817.	781.	890.	946.	873.	963.	984.	1049.	1069.	1125.
301	1113.	1112.	989.	715.	523.	344.	218.	179.	148.	124.
311	115.	86.	45.	48.	26.	16.	7.	4.	0.	1.
321	0.	0.	1.	1.	1.	2.	0.	1.	1.	1.
331	3.	0.	0.	2.	2.	0.	1.	0.	0.	1.
341	1.	2.	0.	0.	0.	1.	1.	2.	6.	1.
351	4.	1.	0.	3.	4.	0.	1.	0.	2.	1.
361	1.	4.	0.	2.	4.	0.	0.	1.	0.	4.
371	1.	3.	0.	1.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	1.	1.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	1.	0.	0.	0.	0.	0.
401	1.	0.	0.	0.	1.	0.	1.	0.	0.	3.
411	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
421	0.	0.	0.	0.	0.	0.	0.	0.	2.	0.
431	2.	1.	1.	0.	0.	1.	0.	0.	1.	0.
441	1.	0.	1.	1.	0.	0.	0.	0.	0.	0.
451	0.	1.	0.	0.	0.	0.	0.	0.	0.	1.
461	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
471	1.	0.	1.	1.	2.	0.	2.	1.	3.	0.
481	3.	0.	0.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
 G E N E R A L A L P H A E N E R G Y A N A L Y S I S
 Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
 WL30815-BLKN-AM
 File ID: 3a3582.CNF

Counted on: 8/26/99 @19:11
 Detector: AEA3
 Geometry number: 1
 Count time: 28807. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	573.0	573.0	252.447	252.447	12.000	7.085	6.000	1.913

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid			Count Rate c/m	%err @95	d/m	Activity uCi/ea
			Exp.	Obs.	Diff.				
1	Am243	0.991	5.266	5.251	0.0150.03	24.72	1.8	108.5	0.489E-04
Totals:		0.991	<--valid peaks only-->			24.72			

DETECTOR CALIBRATION

Energy(MEV) = 4.090 + (0.0046)*Channel
 Energy range (MeV): 4.090 TO 6.445
 Efficiency = 0.2302 CPM/DPM
 (Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	11976.0	100.000
Smoothed	11976.0	100.000
Composite fit	11870.6	99.120
Residuals	105.4	0.880

Analyzed by: _____

SLH2

Spectrum 3a3582.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 4253.1

```

1
.1
.. 1
.... 1
..... 1
.....1
.....1....
.....1...
.....1..
.....1
1...

```


Raw Data Dump for AEA Spectrum: 3a3582.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	0.	1.	0.	0.
21	0.	2.	0.	2.	0.	1.	1.	0.	0.	2.
31	1.	0.	0.	1.	1.	0.	2.	1.	1.	1.
41	2.	0.	0.	0.	0.	0.	1.	0.	0.	0.
51	0.	0.	0.	0.	1.	0.	1.	1.	0.	0.
61	0.	0.	0.	0.	0.	3.	1.	1.	0.	0.
71	0.	0.	0.	0.	0.	1.	0.	0.	0.	0.
81	0.	0.	1.	0.	0.	2.	1.	0.	1.	1.
91	1.	0.	0.	0.	0.	1.	0.	0.	0.	3.
101	1.	0.	0.	2.	2.	1.	0.	0.	0.	1.
111	1.	0.	1.	1.	2.	0.	0.	2.	1.	0.
121	0.	0.	1.	1.	1.	1.	1.	0.	0.	2.
131	0.	1.	1.	1.	2.	0.	2.	2.	1.	1.
141	3.	0.	1.	1.	3.	0.	1.	3.	1.	2.
151	0.	2.	1.	0.	0.	1.	1.	2.	2.	1.
161	1.	1.	1.	4.	2.	5.	1.	3.	3.	1.
171	1.	3.	2.	2.	4.	3.	1.	7.	3.	2.
181	4.	2.	2.	5.	3.	5.	4.	2.	4.	6.
191	3.	9.	8.	1.	7.	3.	2.	3.	11.	4.
201	5.	12.	10.	13.	6.	11.	8.	14.	16.	15.
211	19.	17.	22.	13.	33.	29.	29.	34.	28.	21.
221	34.	50.	42.	55.	68.	51.	63.	62.	77.	87.
231	114.	134.	132.	148.	175.	185.	193.	241.	240.	307.
241	270.	314.	335.	380.	431.	455.	492.	491.	517.	548.
251	608.	604.	610.	600.	534.	457.	347.	176.	131.	76.
261	51.	47.	52.	36.	30.	45.	25.	18.	19.	7.
271	9.	11.	6.	6.	4.	2.	2.	0.	0.	0.
281	0.	2.	1.	1.	4.	4.	2.	3.	3.	3.
291	3.	5.	4.	3.	7.	7.	3.	7.	1.	8.
301	2.	2.	2.	4.	1.	0.	1.	0.	1.	1.
311	0.	1.	0.	0.	0.	0.	2.	0.	0.	1.
321	0.	1.	0.	0.	0.	0.	0.	0.	0.	0.
331	0.	0.	1.	2.	1.	0.	2.	3.	2.	1.
341	2.	2.	0.	2.	7.	4.	1.	2.	3.	0.
351	2.	1.	1.	0.	1.	0.	2.	0.	1.	1.
361	1.	1.	3.	0.	0.	0.	2.	0.	0.	1.
371	2.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
391	1.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	1.	0.	0.	0.	1.	0.	0.	1.
411	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
421	0.	0.	0.	0.	0.	1.	1.	0.	0.	0.
431	1.	0.	0.	0.	0.	1.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	0.	0.	0.	1.	0.	0.	0.	0.	0.
461	1.	0.	0.	0.	1.	3.	2.	0.	0.	1.
471	1.	2.	0.	0.	0.	4.	2.	0.	2.	3.
481	0.	4.	0.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1388-SAM-AM
File ID: 4a4072.CNF

Counted on: 8/26/99 @19:11
Detector: AEA4
Geometry number: 1
Count time: 28807. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	82.3	82.3	296.009	296.009	14.000	8.381	7.000	1.618
2	474.3	474.3	249.992	249.936	12.000	7.473	6.000	1.446

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Exp.	Obs.	Diff.	FWHM	Count Rate	%err	d/m	Activity uCi/ea
1	Am241	0.159	5.479	5.451	0.028	0.04	4.54	4.2	21.7	0.976E-05
	Pu238		5.487	5.451	0.036				28.3	0.127E-04
2	Am243	0.902	5.266	5.239	0.027	0.03	25.65	1.8	116.4	0.524E-04
Totals:		1.061	<--valid peaks only-->				30.19			

DETECTOR CALIBRATION

Energy(MEV) = 4.090 + (0.0046)*Channel
Energy range (MeV): 4.090 TO 6.445
Efficiency = 0.2227 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	13658.0	100.000
Smoothed	13658.0	100.000
Composite fit	14495.6	106.133
Residuals	-837.6	-6.133

Analyzed by:

SLH2

Spectrum 4a4072.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 3247.3

```

2
 2
  2
.  2
..   2
..... 2
..... 2
..... 2
..... 2...
..... 2.....
..... 2.....
1..... 2...
.1.....2..
..1..
....1
.....1
.....1.
.....1
1

```

Raw Data Dump for AEA Spectrum: 4a4072.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
21	0.	1.	0.	1.	0.	1.	0.	1.	0.	1.
31	1.	1.	0.	2.	0.	1.	0.	2.	1.	1.
41	0.	0.	1.	1.	1.	0.	1.	1.	3.	0.
51	0.	0.	0.	2.	1.	1.	2.	1.	1.	0.
61	1.	1.	0.	1.	2.	1.	0.	1.	1.	0.
71	1.	0.	0.	2.	1.	0.	0.	2.	2.	0.
81	0.	2.	1.	1.	2.	1.	1.	2.	0.	0.
91	0.	1.	0.	0.	0.	1.	2.	0.	0.	1.
101	0.	0.	2.	0.	0.	1.	1.	2.	0.	2.
111	2.	0.	1.	0.	0.	1.	1.	3.	1.	1.
121	1.	0.	5.	1.	2.	0.	0.	0.	1.	1.
131	3.	0.	2.	1.	0.	2.	1.	0.	5.	1.
141	1.	2.	1.	1.	1.	3.	3.	4.	1.	4.
151	2.	2.	1.	1.	5.	2.	1.	8.	3.	2.
161	0.	1.	2.	2.	4.	3.	2.	3.	2.	0.
171	2.	4.	2.	3.	4.	4.	3.	5.	1.	7.
181	2.	2.	3.	5.	3.	7.	2.	2.	3.	3.
191	6.	8.	8.	3.	7.	6.	12.	5.	8.	14.
201	10.	13.	8.	7.	20.	17.	18.	11.	15.	20.
211	27.	30.	28.	43.	43.	51.	50.	60.	47.	63.
221	83.	78.	86.	85.	124.	106.	132.	148.	157.	170.
231	190.	166.	206.	221.	253.	269.	285.	289.	327.	344.
241	359.	389.	371.	409.	437.	406.	496.	489.	516.	480.
251	513.	485.	446.	373.	256.	180.	93.	46.	59.	40.
261	43.	31.	31.	35.	45.	36.	32.	29.	27.	11.
271	15.	21.	25.	20.	19.	27.	31.	31.	36.	47.
281	39.	44.	38.	44.	47.	52.	66.	67.	81.	75.
291	70.	87.	84.	78.	82.	85.	86.	86.	67.	67.
301	42.	22.	26.	17.	8.	13.	6.	12.	2.	5.
311	3.	0.	0.	1.	1.	0.	0.	0.	2.	0.
321	1.	1.	0.	1.	1.	0.	0.	1.	0.	0.
331	0.	1.	1.	0.	2.	2.	4.	0.	3.	4.
341	2.	4.	4.	3.	2.	2.	3.	1.	2.	1.
351	3.	2.	0.	3.	2.	0.	1.	2.	1.	2.
361	0.	0.	3.	2.	0.	0.	1.	1.	1.	1.
371	1.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
421	0.	0.	1.	1.	0.	0.	0.	1.	0.	0.
431	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
451	0.	0.	0.	0.	0.	0.	0.	0.	1.	1.
461	0.	0.	1.	0.	1.	1.	0.	1.	2.	2.
471	0.	0.	0.	2.	4.	1.	1.	2.	0.	1.
481	0.	2.	1.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1388-DUP-AM
File ID: 5a5494.CNF

Counted on: 8/26/99 @19:13
Detector: AEA5
Geometry number: 1
Count time: 28805. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	67.0	67.0	299.734	299.734	18.000	10.482	9.000	1.299
2	403.9	403.9	253.513	253.451	14.000	8.515	7.000	1.365

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid				Count Rate	%err c/m @95	d/m	Activity uCi/ea
			Exp.	Obs.	Diff.	FWHM				
1	Am241	0.180	5.479	5.470	0.009	0.05	5.25	3.9	23.2	0.105E-04
	Pu238		5.487	5.470	0.017				30.3	0.137E-04
2	Am243	0.873	5.266	5.257	0.009	0.04	25.45	1.8	106.9	0.482E-04
Totals:		1.054	<--valid peaks only-->				30.69			

DETECTOR CALIBRATION

Energy(MEV) = 4.091 + (0.0046)*Channel
Energy range (MeV): 4.091 TO 6.446
Efficiency = 0.2404 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	13986.0	100.000
Smoothed	13986.0	100.000
Composite fit	14734.3	105.351
Residuals	-748.3	-5.351

Analyzed by: _____

SLH2

Spectrum 5a5494.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 3212.1

```

2
2
 2
 2
. 2
.. 2
.... 2
..... 2
..... 2
1..... 2
1.....2.
1.....2.....
.1.....2.....
..1.....2...
.2.1....
....1
.....1
.....1
.....1
...1

```

Raw Data Dump for AEA Spectrum: 5a5494.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
21	2.	0.	2.	2.	0.	1.	0.	1.	0.	0.
31	0.	0.	0.	0.	0.	1.	0.	0.	3.	0.
41	0.	1.	0.	0.	2.	0.	0.	2.	2.	0.
51	2.	0.	0.	1.	1.	0.	1.	1.	0.	2.
61	0.	0.	1.	1.	1.	0.	1.	0.	1.	0.
71	1.	0.	0.	0.	0.	0.	1.	0.	1.	0.
81	4.	2.	1.	0.	1.	2.	0.	2.	0.	2.
91	2.	1.	1.	1.	0.	3.	0.	1.	0.	0.
101	0.	2.	2.	2.	0.	2.	1.	0.	1.	0.
111	1.	0.	1.	0.	1.	2.	1.	1.	0.	0.
121	0.	1.	1.	2.	3.	1.	0.	1.	2.	2.
131	0.	5.	1.	1.	1.	0.	3.	1.	1.	1.
141	3.	1.	2.	2.	1.	2.	1.	0.	1.	2.
151	2.	3.	2.	3.	0.	1.	3.	3.	4.	5.
161	4.	2.	5.	5.	2.	4.	2.	3.	3.	7.
171	4.	1.	2.	2.	2.	5.	5.	5.	2.	6.
181	3.	1.	6.	3.	3.	14.	9.	11.	8.	10.
191	10.	13.	20.	11.	12.	16.	18.	13.	19.	20.
201	10.	25.	30.	32.	26.	36.	31.	43.	34.	41.
211	40.	55.	45.	52.	52.	64.	63.	65.	75.	93.
221	79.	92.	99.	97.	122.	106.	109.	125.	158.	140.
231	172.	170.	172.	177.	186.	193.	228.	217.	263.	270.
241	267.	311.	321.	299.	339.	345.	386.	386.	386.	398.
251	410.	426.	430.	424.	452.	395.	353.	330.	245.	151.
261	83.	62.	48.	39.	40.	56.	47.	36.	35.	29.
271	40.	36.	26.	37.	24.	37.	30.	27.	40.	32.
281	33.	33.	34.	36.	42.	50.	46.	53.	49.	55.
291	51.	62.	46.	63.	78.	56.	66.	65.	73.	66.
301	67.	72.	58.	45.	48.	35.	25.	15.	10.	4.
311	7.	8.	7.	6.	1.	5.	2.	1.	1.	0.
321	0.	0.	2.	1.	1.	0.	2.	1.	0.	0.
331	0.	0.	1.	0.	0.	0.	1.	1.	1.	3.
341	3.	3.	2.	0.	4.	3.	3.	6.	6.	3.
351	4.	2.	1.	1.	1.	1.	0.	2.	1.	0.
361	1.	2.	2.	1.	1.	2.	1.	2.	2.	3.
371	1.	2.	1.	0.	1.	0.	2.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	0.	1.	0.	0.	0.	0.	0.	0.	1.	0.
421	0.	0.	0.	0.	0.	0.	0.	1.	1.	0.
431	1.	0.	0.	1.	0.	1.	1.	0.	0.	0.
441	0.	1.	1.	0.	0.	0.	1.	1.	0.	1.
451	0.	0.	0.	0.	0.	0.	0.	1.	0.	0.
461	0.	0.	0.	0.	0.	2.	0.	1.	0.	1.
471	1.	1.	1.	0.	0.	4.	1.	4.	2.	4.
481	3.	3.	0.	0.	2.	1.	0.	1.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1389-SAM-AM
File ID: 6a6492.CNF

Counted on: 8/26/99 @19:13
Detector: AEA6
Geometry number: 1
Count time: 28807. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	83.3	83.3	295.676	295.676	16.000	13.614	8.000	2.705
2	479.7	479.7	250.608	250.562	14.000	8.307	7.000	1.682

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid	Count Rate	%err @95	d/m	Activity uCi/ea
			Exp. Obs. Diff. FWHM	c/m			
1	Am241	0.166	5.479 5.453 0.026	0.06	4.92	4.0	24.0 0.108E-04
	Pu238		5.487 5.453 0.034				31.3 0.141E-04
2	Am243	0.862	5.266 5.245 0.021	0.04	25.58	1.8	118.2 0.532E-04
Totals:		1.029	<--valid peaks only-->		30.51		

DETECTOR CALIBRATION

Energy(MEV) = 4.093 + (0.0046)*Channel
Energy range (MeV): 4.093 TO 6.448
Efficiency = 0.2187 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	14241.0	100.000
Smoothed	14241.0	100.000
Composite fit	14646.9	102.850
Residuals	-405.9	-2.850

Analyzed by: _____

SLH2

Spectrum 6a6492.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 3429.8

```

2
2
 2
. 2
.. 2
..... 2
..... 2
..... 2
.....2..
.....2.....
1.....2..
.1.....2.
..1..
....1
.....1
.....1
.....1
.1

```

Raw Data Dump for AEA Spectrum: 6a6492.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	1.	1.	0.	0.
21	2.	1.	1.	0.	0.	0.	2.	1.	0.	3.
31	1.	0.	3.	0.	0.	2.	0.	1.	0.	1.
41	0.	0.	2.	0.	0.	2.	3.	4.	0.	0.
51	1.	0.	2.	1.	2.	1.	3.	2.	2.	0.
61	0.	2.	1.	2.	2.	0.	2.	2.	0.	0.
71	1.	0.	1.	0.	1.	1.	0.	2.	0.	0.
81	0.	0.	3.	0.	1.	0.	1.	1.	1.	1.
91	1.	2.	0.	1.	2.	0.	0.	1.	0.	3.
101	1.	1.	1.	2.	2.	1.	0.	0.	2.	4.
111	2.	3.	3.	5.	0.	0.	0.	3.	5.	2.
121	0.	3.	3.	1.	0.	4.	3.	3.	3.	0.
131	0.	3.	3.	0.	3.	1.	1.	3.	2.	3.
141	2.	3.	2.	3.	4.	2.	3.	0.	3.	2.
151	2.	2.	0.	3.	2.	1.	0.	0.	3.	1.
161	2.	0.	4.	4.	2.	1.	4.	2.	2.	1.
171	4.	1.	4.	3.	2.	2.	2.	5.	4.	7.
181	3.	4.	6.	6.	3.	4.	3.	9.	4.	10.
191	8.	4.	7.	5.	10.	5.	13.	9.	9.	6.
201	13.	17.	15.	19.	19.	21.	22.	16.	19.	41.
211	19.	33.	32.	35.	50.	37.	51.	56.	63.	68.
221	82.	69.	104.	88.	96.	123.	119.	141.	128.	154.
231	178.	189.	217.	210.	214.	231.	260.	280.	315.	317.
241	320.	387.	411.	424.	477.	474.	501.	452.	501.	470.
251	504.	519.	480.	405.	342.	237.	150.	122.	91.	61.
261	51.	41.	42.	29.	36.	38.	29.	28.	25.	26.
271	20.	27.	19.	24.	25.	29.	24.	28.	36.	30.
281	48.	43.	62.	52.	55.	66.	67.	60.	70.	74.
291	78.	80.	84.	88.	83.	80.	95.	74.	74.	85.
301	57.	46.	39.	33.	22.	19.	13.	13.	3.	6.
311	6.	6.	0.	0.	1.	1.	0.	0.	0.	0.
321	0.	0.	0.	1.	0.	0.	0.	2.	0.	2.
331	2.	0.	0.	0.	1.	0.	0.	1.	1.	3.
341	3.	1.	0.	0.	1.	2.	1.	2.	1.	0.
351	3.	2.	2.	1.	5.	1.	3.	1.	1.	1.
361	1.	1.	3.	1.	0.	0.	1.	2.	0.	2.
371	2.	0.	0.	0.	0.	1.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	1.	0.	0.	0.	0.
391	0.	0.	0.	0.	1.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
411	0.	0.	0.	0.	0.	0.	1.	0.	0.	0.
421	1.	0.	0.	0.	1.	0.	1.	1.	1.	1.
431	0.	1.	0.	1.	0.	0.	0.	0.	0.	1.
441	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
451	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
461	0.	0.	0.	0.	0.	1.	0.	1.	1.	0.
471	1.	0.	1.	0.	0.	0.	2.	1.	2.	1.
481	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1389-DUP-AM
File ID: 7a7522.CNF

Counted on: 8/26/99 @19:15
Detector: AEA7
Geometry number: 1
Count time: 28802. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	83.9	83.9	298.025	298.025	16.000	9.346	8.000	1.462
2	434.8	434.8	252.306	252.233	16.000	7.721	8.000	1.244

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid Exp.	Obs.	Diff.	FWHM	Count Rate c/m	%err @95	d/m	Activity uCi/ea
1	Am241	0.180	5.479	5.466	0.013	0.04	5.45	3.8	24.3	0.109E-04
	Pu238		5.487	5.466	0.021				31.7	0.143E-04
2	Am243	0.891	5.266	5.256	0.010	0.04	26.94	1.8	113.9	0.513E-04
Totals:		1.072	<--valid peaks only-->				32.39			

DETECTOR CALIBRATION

Energy(MEV) = 4.095 + (0.0046)*Channel
Energy range (MeV): 4.095 TO 6.451
Efficiency = 0.2389 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	14508.0	100.000
Smoothed	14508.0	100.000
Composite fit	15546.8	107.160
Residuals	-1038.8	-7.160

Analyzed by: _____

SLH2

```

2
2
2
2
2
.
...
.....
.....
.....
1.....2...
1.....2.....
.1.....2.....
.1.....2..
2..1..
....1
.....1.
.....1
.....1
..1

```

Raw Data Dump for AEA Spectrum: 7a7522.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
21	2.	1.	0.	0.	0.	0.	0.	0.	1.	1.
31	1.	0.	0.	1.	0.	0.	1.	0.	0.	0.
41	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
51	0.	1.	0.	1.	1.	0.	0.	0.	1.	0.
61	2.	0.	0.	2.	1.	1.	1.	0.	0.	1.
71	1.	1.	1.	1.	2.	0.	0.	1.	2.	0.
81	0.	0.	0.	0.	1.	1.	0.	1.	1.	1.
91	0.	0.	0.	1.	2.	0.	0.	0.	1.	0.
101	0.	0.	2.	0.	0.	0.	1.	0.	1.	1.
111	1.	1.	0.	0.	0.	0.	3.	1.	2.	0.
121	3.	3.	0.	1.	3.	1.	1.	1.	0.	2.
131	1.	1.	3.	2.	0.	2.	1.	1.	1.	2.
141	0.	2.	2.	1.	1.	2.	0.	1.	0.	1.
151	0.	0.	2.	1.	4.	2.	2.	2.	0.	0.
161	0.	2.	0.	2.	3.	2.	0.	2.	0.	2.
171	2.	1.	5.	2.	3.	2.	1.	4.	4.	4.
181	2.	4.	3.	2.	3.	2.	9.	2.	4.	6.
191	10.	0.	9.	10.	13.	10.	14.	12.	15.	8.
201	15.	21.	19.	20.	28.	30.	35.	26.	33.	41.
211	56.	43.	37.	47.	82.	55.	69.	71.	85.	77.
221	92.	108.	113.	107.	139.	116.	145.	158.	146.	165.
231	155.	193.	200.	187.	227.	256.	272.	282.	285.	319.
241	340.	313.	394.	366.	373.	405.	417.	437.	441.	432.
251	436.	469.	469.	432.	444.	393.	304.	180.	94.	78.
261	55.	46.	44.	44.	35.	31.	37.	37.	25.	29.
271	30.	36.	23.	29.	26.	31.	41.	34.	32.	32.
281	44.	33.	60.	55.	52.	55.	64.	61.	62.	70.
291	63.	92.	74.	59.	74.	76.	87.	89.	100.	69.
301	81.	48.	58.	37.	20.	26.	13.	15.	15.	9.
311	4.	4.	3.	4.	0.	2.	0.	1.	0.	0.
321	0.	1.	0.	0.	0.	0.	0.	0.	1.	1.
331	1.	0.	1.	0.	0.	1.	0.	2.	0.	1.
341	0.	0.	0.	2.	2.	5.	0.	1.	3.	2.
351	1.	0.	2.	2.	0.	0.	1.	0.	1.	2.
361	2.	1.	4.	0.	2.	0.	1.	0.	0.	1.
371	1.	1.	1.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	1.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	1.	0.	1.	0.	0.
411	0.	0.	1.	0.	1.	1.	0.	1.	0.	0.
421	0.	0.	1.	0.	0.	0.	0.	1.	1.	1.
431	0.	0.	0.	2.	0.	0.	0.	0.	0.	0.
441	0.	1.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
461	0.	1.	0.	1.	0.	0.	0.	0.	0.	0.
471	0.	0.	1.	0.	0.	0.	0.	1.	5.	1.
481	2.	1.	0.	0.	0.	1.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1390-SAM-AM
File ID: 8a8507.CNF

Counted on: 8/26/99 @19:15
Detector: AEA8
Geometry number: 1
Count time: 28804. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	82.8	82.8	299.465	299.465	12.000	7.802	6.000	1.290
2	452.1	452.1	253.626	253.581	12.000	5.919	6.000	0.980

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Exp.	Obs.	Diff.	FWHM	Count Rate c/m	%err @95	d/m	Activity uCi/ea
1	Am241	0.175	5.479	5.467	0.012	0.04	5.04	4.0	24.5	0.110E-04
	Pu238		5.487	5.467	0.020				31.9	0.144E-04
2	Am243	0.921	5.266	5.256	0.010	0.03	26.53	1.8	122.3	0.551E-04
Totals:		1.095	<--valid peaks only-->				31.57			

DETECTOR CALIBRATION

Energy(MEV) = 4.089 + (0.0046)*Channel
Energy range (MeV): 4.089 TO 6.445
Efficiency = 0.2192 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	13835.0	100.000
Smoothed	13835.0	100.000
Composite fit	15156.2	109.550
Residuals	-1321.2	-9.550

Analyzed by:

SLH2

3468.8

277

Raw Data Dump for AEA Spectrum: 8a8507.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	1.	0.	0.	1.
21	0.	0.	0.	0.	0.	0.	1.	0.	0.	0.
31	0.	0.	0.	0.	1.	0.	0.	0.	0.	0.
41	0.	0.	0.	0.	0.	0.	0.	0.	1.	0.
51	1.	0.	0.	0.	1.	0.	0.	0.	0.	1.
61	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
71	2.	1.	0.	1.	0.	0.	0.	0.	0.	1.
81	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
91	2.	0.	0.	0.	2.	1.	0.	1.	0.	1.
101	1.	0.	0.	0.	0.	0.	0.	0.	0.	1.
111	1.	0.	0.	1.	0.	0.	2.	1.	1.	0.
121	1.	0.	0.	2.	0.	1.	0.	0.	0.	0.
131	0.	1.	1.	0.	0.	0.	0.	0.	0.	0.
141	0.	3.	1.	0.	0.	0.	0.	1.	2.	1.
151	2.	1.	2.	2.	1.	1.	0.	0.	2.	0.
161	1.	2.	1.	1.	0.	1.	1.	2.	2.	0.
171	4.	2.	1.	0.	1.	3.	1.	0.	1.	0.
181	9.	1.	7.	2.	7.	3.	6.	7.	5.	5.
191	2.	8.	3.	10.	12.	9.	7.	17.	12.	19.
201	21.	10.	18.	17.	20.	26.	23.	31.	29.	27.
211	40.	29.	44.	45.	42.	53.	55.	62.	67.	56.
221	65.	72.	66.	89.	96.	112.	106.	127.	147.	131.
231	178.	166.	143.	183.	174.	230.	217.	259.	296.	290.
241	262.	314.	329.	352.	378.	408.	362.	422.	454.	378.
251	457.	425.	483.	507.	464.	464.	363.	255.	148.	72.
261	52.	47.	50.	39.	42.	35.	33.	45.	34.	23.
271	38.	18.	27.	28.	27.	25.	27.	28.	36.	25.
281	30.	36.	42.	47.	34.	55.	59.	58.	70.	60.
291	58.	69.	77.	82.	68.	71.	84.	83.	91.	77.
301	95.	83.	58.	44.	25.	25.	21.	11.	12.	10.
311	10.	11.	2.	6.	4.	0.	2.	1.	1.	1.
321	0.	1.	2.	0.	0.	1.	1.	0.	0.	0.
331	0.	0.	0.	0.	0.	1.	1.	0.	1.	1.
341	2.	0.	0.	2.	2.	1.	3.	4.	3.	1.
351	1.	3.	0.	2.	2.	2.	1.	1.	2.	3.
361	0.	2.	1.	2.	4.	3.	0.	2.	0.	0.
371	1.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	1.	1.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	0.	0.	0.	0.	0.	0.	1.	0.	0.	1.
421	0.	1.	0.	0.	1.	4.	0.	0.	1.	1.
431	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
461	0.	0.	1.	2.	1.	0.	0.	0.	0.	1.
471	0.	1.	2.	0.	0.	0.	4.	1.	4.	3.
481	0.	1.	0.	0.	1.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1390-DUP-AM
File ID: 11a1106.CNF

Counted on: 8/26/99 @19:16
Detector: AEA11
Geometry number: 1
Count time: 28804. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	96.3	96.3	297.203	297.203	14.000	7.486	7.000	1.520
2	476.8	476.8	251.169	251.133	14.000	7.039	7.000	1.392

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Exp.	Obs.	Diff.	FWHM	Count Rate c/m	%err @95	d/m	Activity uCi/ea
1	Am241	0.176	5.479	5.462	0.017	0.03	5.04	4.0	24.7	0.111E-04
	Pu238		5.487	5.462	0.025				32.2	0.145E-04
2	Am243	0.881	5.266	5.250	0.016	0.03	25.18	1.8	117.2	0.528E-04
Totals:		1.057	<--valid peaks only-->				30.21			

DETECTOR CALIBRATION

Energy(MEV) = 4.095 + (0.0046)*Channel
Energy range (MeV): 4.095 TO 6.450
Efficiency = 0.2170 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	13725.0	100.000
Smoothed	13725.0	100.000
Composite fit	14504.7	105.681
Residuals	-779.7	-5.681

Analyzed by: _____

SLH2

Display Max.: 3462.5

280

Raw Data Dump for AEA Spectrum: 11a1106.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	1.	3.	0.	1.	2.
21	0.	0.	0.	0.	0.	0.	1.	0.	1.	0.
31	0.	0.	0.	0.	0.	0.	0.	1.	0.	1.
41	1.	0.	0.	0.	1.	0.	0.	1.	1.	1.
51	0.	0.	0.	1.	0.	1.	0.	0.	0.	0.
61	1.	0.	0.	0.	0.	0.	0.	1.	0.	0.
71	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
81	0.	1.	0.	1.	2.	0.	1.	1.	0.	1.
91	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
101	0.	0.	0.	0.	2.	1.	0.	0.	1.	1.
111	0.	0.	0.	2.	0.	0.	0.	1.	1.	0.
121	1.	2.	2.	0.	1.	1.	1.	1.	1.	0.
131	0.	0.	0.	2.	1.	1.	1.	1.	0.	1.
141	0.	1.	1.	3.	2.	2.	1.	0.	2.	0.
151	1.	0.	1.	1.	0.	1.	1.	1.	1.	1.
161	1.	1.	0.	2.	0.	2.	2.	1.	4.	1.
171	3.	4.	3.	1.	2.	3.	3.	6.	2.	0.
181	2.	3.	4.	5.	0.	3.	2.	2.	8.	2.
191	5.	6.	8.	4.	4.	6.	4.	3.	7.	7.
201	6.	12.	14.	11.	15.	17.	15.	16.	18.	15.
211	17.	20.	27.	30.	33.	31.	48.	55.	52.	56.
221	73.	70.	71.	100.	81.	132.	99.	126.	148.	124.
231	163.	179.	190.	222.	230.	246.	268.	265.	310.	328.
241	315.	361.	350.	441.	442.	408.	467.	441.	491.	480.
251	517.	499.	492.	465.	377.	218.	170.	86.	75.	51.
261	41.	41.	54.	35.	41.	33.	32.	27.	24.	15.
271	19.	16.	32.	20.	21.	25.	26.	36.	42.	37.
281	37.	42.	49.	43.	68.	56.	69.	66.	77.	84.
291	78.	90.	73.	86.	97.	86.	114.	92.	98.	90.
301	65.	36.	38.	24.	15.	15.	17.	8.	7.	9.
311	5.	2.	4.	0.	0.	1.	0.	0.	0.	1.
321	0.	1.	0.	1.	1.	0.	0.	2.	0.	1.
331	1.	2.	0.	1.	3.	1.	1.	0.	1.	1.
341	2.	2.	1.	1.	0.	2.	3.	2.	1.	3.
351	3.	2.	4.	1.	0.	2.	3.	2.	2.	2.
361	3.	2.	0.	0.	1.	0.	3.	0.	3.	0.
371	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
411	0.	0.	0.	0.	0.	1.	0.	0.	0.	0.
421	1.	1.	2.	0.	2.	0.	0.	1.	1.	0.
431	2.	0.	1.	0.	0.	0.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
451	1.	0.	0.	0.	0.	0.	0.	0.	0.	1.
461	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
471	1.	0.	0.	0.	0.	0.	0.	1.	1.	0.
481	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

WORKBOOK PAGE: STD1

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0)) ^{AD} _{11/1/99} LIQUID

				STD
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)	0.553
STD	Sample Volume in mL (SS)	1.000	Am 243 AEA Frac. (C243)	0.495
Work List	Sample D.F. (DF)	1	Cm 243/244 AEA Frac. (Cm)	0
30815	Tracer Volume in mL (SPKV)	0.200	Total AT Counts	3970
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)	30
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)	0.07
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm	57.03
LIQUID	Detector Number	15	Am 243 cpm	51.05
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm	0
99003197	Standard Book No	46B57	AEA Count Time (min)	480
Rerun	Standard Value in $\mu\text{Ci/mL}$	1.070E-04	Am 241 $\mu\text{Ci/L}$ =	1.1373E-01
0			Cm 243/244 $\mu\text{Ci/L}$ =	< 1.0283E-02
Sample Prep				
N/A				
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))			
WL30815-STD	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))			
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) + (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100			
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV			
Prepared By				
EMB				
Chemist				
JFR	Am 241 $\mu\text{Ci/mL}$ =	1.14E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$	
Analyst	Relative Counting Error =	1.7%		
AKL	NOTE: Cm-243/244 Result is a LESS THAN Value.			
Date Complete	Am 241	1.03E-05		
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.03E-05	Cm 243/244	1.03E-05
Analysis Date	Relative Counting Error =	100.0%		
08/26/99	Am 243 Tracer Recovery =	100.1%		
Analysis Time				
01:30 PM				
Sample Point				
AP103 GRAB99				

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99

STANDARD.WB1 REV 1.2

953103ML

WORKBOOK PAGE: BLANK2

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0) ^{AD 11/14} LIQUID / SO

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0))				LIQUID / SO	BLNK
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)		0
BLNK	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)		0.991
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)		0
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts		1026
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)		30
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)		0.07
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm		0
LIQUID	Detector Number	15	Am 243 cpm		24.72
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm		0
99003197			AEA Count Time (min)		480
Rerun			Am 241 µCi/L =	<	1.2969E-01
0			Cm 243/244 µCi/L =	<	1.2969E-01

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99

BLANK.WB1 REV 1.2

953103ML

WORKBOOK PAGE: SAM3

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0) LIQUID / SO

				SAMPLE		
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)	0.159		
SAMPLE	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)	0.902		
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)	0		
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts	1140		
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)	30		
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)	0.07		
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm	4.54		
LIQUID	Detector Number	15	Am 243 cpm	25.65		
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm	0		
99003197			AEA Count Time (min)	480		
Rerun			Am 241 $\mu\text{Ci/L}$ =	4.5311E-01		
0			Cm 243/244 $\mu\text{Ci/L}$ =	< 1.4249E-01		
Sample Prep						
N/A						
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))					
S99T001388	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))					
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) + (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100					
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV					
Prepared By						
EMB						
Chemist						
JFR	Am 241 $\mu\text{Ci/mL}$ =	4.53E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$			
Analyst	Relative Counting Error =	4.6%				
AKL	NOTE: Cm-243/244 Result is a LESS THAN Value.					
Date Complete	Am 241					
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.42E-04	1.42E-04			
Analysis Date	Relative Counting Error =	100.0%	Cm 243/244			
08/26/99	Am 243 Tracer Recovery =	104.6%	1.42E-04			
Analysis Time						
01:30 PM						
Sample Point						
AP103 GRAB99						

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	<i>John Relyea</i> JFR	Date:	27 Aug 99

SAMPLE.WB1 REV 1.2

953103ML

WORKBOOK PAGE: DUP4

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0))				LIQUID / SO	DUP
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)		0.18
DUP	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)		0.873
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)		0
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts		1196
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)		30
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)		0.07
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm		5.25
LIQUID	Detector Number	15	Am 243 cpm		25.45
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm		0
99003197			AEA Count Time (min)		480
Rerun			Am 241 $\mu\text{Ci/L}$ =		5.3000E-01
0			Cm 243/244 $\mu\text{Ci/L}$ =	<	1.4722E-01
Sample Prep					
N/A					
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))				
S99T001388	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))				
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) + (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100				
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV				
Prepared By					
EMB					
Chemist					
JFR	Am 241 $\mu\text{Ci/mL}$ =	5.30E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$		
Analyst	Relative Counting Error =	4.3%			
AKL			Am 241		
Date Complete	NOTE: Cm-243/244 Result is a LESS THAN Value.		1.47E-04		
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.47E-04	Cm 243/244		
Analysis Date	Relative Counting Error =	100.0%	1.47E-04		
08/26/99	Am 243 Tracer Recovery =	106.2%			
Analysis Time					
01:30 PM					
Sample Point					
AP103 GRAB99					

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99

SAMPLE.WB1 REV 1.2

953103ML

WORKBOOK PAGE: SAM5

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0) LIQUID / SO				SAMPLE
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)	0.166
SAMPLE	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)	0.862
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)	0
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts	1158
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)	30
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)	0.07
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm	4.92
LIQUID	Detector Number	15	Am 243 cpm	25.58
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm	0
99003197			AEA Count Time (min)	480
Rerun			Am 241 $\mu\text{Ci/L}$ =	4.9501E-01
0			Cm 243/244 $\mu\text{Ci/L}$ =	< 1.4910E-01
Sample Prep				
N/A				
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))			
S99T001389	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))			
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) * (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100			
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV			
Prepared By				
EMB				
Chemist				
JFR	Am 241 $\mu\text{Ci/mL}$ =	4.95E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$	
Analyst	Relative Counting Error =	4.4%		
AKL			Am 241	
Date Complete	NOTE: Cm-243/244 Result is a LESS THAN Value.		1.49E-04	
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.49E-04	Cm 243/244	
Analysis Date	Relative Counting Error =	100.0%	1.49E-04	
08/26/99	Am 243 Tracer Recovery =	101.6%		
Analysis Time				
01:30 PM				
Sample Point				
AP103 GRAB99				

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99

SAMPLE.WB1 REV 1.2

953103ML

WORKBOOK PAGE: DUP6

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0) ^{LAB} LIQUID / SO DUP

Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)	0.18
DUP	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)	0.891
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)	0
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts	1220
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)	30
@AM24102	Tracer Book No.	10859	Background in cpm (Bkg)	0.07
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm	5.45
LIQUID	Detector Number	15	Am 243 cpm	26.94
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm	0
99003197			AEA Count Time (min)	480
Rerun			Am 241 $\mu\text{Ci/L}$ =	5.1929E-01
0			Cm 243/244 $\mu\text{Ci/L}$ =	< 1.4425E-01

Sample Prep	
N/A	
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))
S99T001389	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))
Instrument Code	
WB26872	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) * (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100
Prepared By	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV

Chemist		
JFR	Am 241 $\mu\text{Ci/mL}$ =	5.19E-04
Analyst	Relative Counting Error =	4.2%
AKL		
Date Complete	NOTE: Cm-243/244 Result is a LESS THAN Value.	
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.44E-04
Analysis Date	Relative Counting Error =	100.0%
08/26/99	Am 243 Tracer Recovery =	110.6%
Analysis Time		
01:30 PM		
Sample Point		
AP103 GRAB99		

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99
SAMPLE.WB1 REV 1.2	953103ML		

WORKBOOK PAGE: SAM7

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0) ¹ _{11/17} LIQUID / SO

				SAMPLE				
Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)		0.175			
SAMPLE	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)		0.921			
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)		0			
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts		1240			
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)		30			
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)		0.07			
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm		5.04			
LIQUID	Detector Number	15	Am 243 cpm		26.53			
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm		0			
99003197			AEA Count Time (min)		480			
Rerun			Am 241 $\mu\text{Ci/L}$ =		4.8842E-01			
0			Cm 243/244 $\mu\text{Ci/L}$ =	<	1.3955E-01			
Sample Prep								
N/A								
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))							
S99T001390	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))							
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) + (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100							
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV							
Prepared By								
EMB								
Chemist								
JFR	Am 241 $\mu\text{Ci/mL}$ =	4.88E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$					
Analyst	Relative Counting Error =	4.3%						
AKL								
Date Complete	NOTE: Cm-243/244 Result is a LESS THAN Value.							
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.40E-04	Am 241					
Analysis Date	Relative Counting Error =	100.0%	1.40E-04					
08/26/99	Am 243 Tracer Recovery =	116.2%	Cm 243/244					
Analysis Time			1.40E-04					
01:30 PM								
Sample Point								
AP103 GRAB99								

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99
SAMPLE.WB1 REV 1.2	953103ML		

WORKBOOK PAGE: DUP8

Am 241 and Cm 243/244: LA-953-103 (VOID) or LA-953-104(B-0)) 1164 LIQUID / SO

Type	Date Counted	AUG-26-99	Am 241 AEA Frac. (C241)	DUP		
DUP	Sample Volume in mL (SS)	2.000	Am 243 AEA Frac. (C243)	0.176		
Work List	Sample D.F. (DF)	101	Cm 243/244 AEA Frac. (Cm)	0.881		
30815	Tracer Volume in mL (SPKV)	0.100	Total AT Counts	0		
Test Code	Digest D.F. (DDF)	1.000	AT Count Time (min) (TC)	1116		
@AM24102	Tracer Book No.	10B59	Background in cpm (Bkg)	30		
Matrix	Am-243 Tracer Value (dpm/mL)	1130	Am 241 cpm	0.07		
LIQUID	Detector Number	15	Am 243 cpm	5.04		
Batch Number	Detector Efficiency (DetEff)	0.2894	Cm 243/244 cpm	25.18		
99003197			AEA Count Time (min)	0		
Rerun			Am 241 $\mu\text{Ci/L}$ =	480		
0			Cm 243/244 $\mu\text{Ci/L}$ =	5.1352E-01		
Sample Prep				< 1.4589E-01		
N/A						
Sample Number	Am-241 $\mu\text{Ci/L}$ = (C241 * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))					
S99T001390	Cm-243/244 $\mu\text{Ci/L}$ = (Cm * Am-243 Tracer Value * SPKV * DF * DDF * (1000mL/L)) / (C243 * SS * (2220000dpm/ μCi))					
Instrument Code	Relative Counting Error = Square Root of [(1/(Am-243 cpm * min)) + (1 / (Am-241 or Cm-243/244 cpm * min))] * 1.96 * 100					
WB26872	Am 243 Tracer Recovery = (Total AT Counts / TC - Bkg) * (1/DetEff) * C243 * 100 / Am-243 Tracer Value * SPKV					
Prepared By						
EMB						
Chemist						
JFR	Am 241 $\mu\text{Ci/mL}$ =	5.14E-04	DETECTION LEVELS in $\mu\text{Ci/mL}$			
Analyst	Relative Counting Error =	4.4%				
AKL						
Date Complete	NOTE: Cm-243/244 Result is a LESS THAN Value.					
08/27/99	Cm 243/244 $\mu\text{Ci/mL}$	< 1.46E-04	Am 241	1.46E-04		
Analysis Date	Relative Counting Error =	100.0%	Cm 243/244	1.46E-04		
08/26/99	Am 243 Tracer Recovery =	100.0%				
Analysis Time						
01:30 PM						
Sample Point						
AP103 GRAB99						

Analyst:	AKL	Date:	08/27/99
Signature of Chemist:	JFR	Date:	27 Aug 99
SAMPLE.WB1 REV 1.2	953103ML		

LABCORE Completed Worklist Report for Worklist# 30817

Analyst: aki

Instrument: AB16

Book#: _____

Method: LA-953-104 Rev/Mod B-1

Worklist Comment: AP103 GRAB99, @PU23902, STD=1.0mL, SS by Ludlum. skm

Seq Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
1 STD		0	@PU23902 PU23901 LIQUID		1.26E-04	1.25E-4	99.206 % Recovery	
1 STD		0	@PU23902 PU23901T LIQUID		100	9.98E+01	99.800 % Recovery	
1 STD		0	@PU23902 PU23901E LIQUID		1.0	1.79E+00	1.790 % Ct Error	
2 BLNK		0	@PU23902 PU23901 LIQUID		1	<1.72E-4		uCi/mL
2 BLNK		0	@PU23902 PU23901T LIQUID		100	9.70E+01	97.000 % Recovery	
2 BLNK		0	@PU23902 PU23901E LIQUID		1.00	1.00E+02	100.000	uCi/mL
2 BLNK		0	@PU23902 PU23801 LIQUID		1	1.89E-4	1.890e-004	uCi/mL
2 BLNK		0	@PU23902 PU23801E LIQUID		1.00	7.03E+00	7.030	uCi/mL
3 SAMPLE	S99T001388	0	@PU23902 PU23901 LIQUID		N/A	2.24E-03	2.81e-004	uCi/mL
3 SAMPLE	S99T001388	0	@PU23902 PU23901T LIQUID		N/A	8.97E+01		% Recovery
3 SAMPLE	S99T001388	0	@PU23902 PU23901E LIQUID		N/A	2.52E+00		% Ct. Error
3 SAMPLE	S99T001388	0	@PU23902 PU23801 LIQUID		N/A	6.80E-04	2.81e-004	uCi/mL
3 SAMPLE	S99T001388	0	@PU23902 PU23801E LIQUID		N/A	4.06E+00		% Ct. Error
4 DUP	S99T001388	0	@PU23902 PU23901 LIQUID		2.24E-3	2.30E-3	2.643	RPD
4 DUP	S99T001388	0	@PU23902 PU23901T LIQUID		100	9.74E+01	97.400 % Recovery	
4 DUP	S99T001388	0	@PU23902 PU23901E LIQUID		1.00	2.44E+00	2.440 % Ct Error	
4 DUP	S99T001388	0	@PU23902 PU23801 LIQUID		6.80E-4	7.27E-4	6.681	RPD
4 DUP	S99T001388	0	@PU23902 PU23801E LIQUID		1.00	3.85E+00	3.850 % Ct. Erro	
5 SAMPLE	S99T001389	0	@PU23902 PU23901 LIQUID		N/A	2.23E-03	2.49e-004	uCi/mL
5 SAMPLE	S99T001389	0	@PU23902 PU23901T LIQUID		N/A	9.88E+01		% Recovery
5 SAMPLE	S99T001389	0	@PU23902 PU23901E LIQUID		N/A	2.41E+00		% Ct. Error
5 SAMPLE	S99T001389	0	@PU23902 PU23801 LIQUID		N/A	6.82E-04	2.49e-004	uCi/mL
5 SAMPLE	S99T001389	0	@PU23902 PU23801E LIQUID		N/A	3.86E+00		% Ct. Error
6 DUP	S99T001389	0	@PU23902 PU23901 LIQUID		2.23E-3	2.27E-3	1.778	RPD
6 DUP	S99T001389	0	@PU23902 PU23901T LIQUID		100	9.85E+01	98.500 % Recovery	
6 DUP	S99T001389	0	@PU23902 PU23901E LIQUID		1.00	2.40E+00	2.400 % Ct Error	
6 DUP	S99T001389	0	@PU23902 PU23801 LIQUID		6.82E-4	7.22E-4	5.698	RPD
6 DUP	S99T001389	0	@PU23902 PU23801E LIQUID		1.00	3.76E+00	3.760 % Ct. Erro	
7 SAMPLE	S99T001390	0	@PU23902 PU23901 LIQUID		N/A	2.35E-03	2.71e-004	uCi/mL
7 SAMPLE	S99T001390	0	@PU23902 PU23901T LIQUID		N/A	9.43E+01		% Recovery
7 SAMPLE	S99T001390	0	@PU23902 PU23901E LIQUID		N/A	2.40E+00		% Ct. Error
7 SAMPLE	S99T001390	0	@PU23902 PU23801 LIQUID		N/A	7.08E-04	2.71e-004	uCi/mL
7 SAMPLE	S99T001390	0	@PU23902 PU23801E LIQUID		N/A	3.85E+00		% Ct. Error
8 DUP	S99T001390	0	@PU23902 PU23901 LIQUID		2.35E-3	2.23E-3	5.240	RPD
8 DUP	S99T001390	0	@PU23902 PU23901T LIQUID		100	9.98E+01	99.800 % Recovery	
8 DUP	S99T001390	0	@PU23902 PU23901E LIQUID		1.00	2.34E+00	2.340 % Ct Error	
8 DUP	S99T001390	0	@PU23902 PU23801 LIQUID		7.08E-4	7.04E-4	0.567	RPD
8 DUP	S99T001390	0	@PU23902 PU23801E LIQUID		1.00	3.69E+00	3.690 % Ct. Erro	

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Completed Worklist Report for Worklist# 30817

Seq	Type	Sample#	R A	Test	Matrix	Actual	Found	DL or Yield	Unit
-----	------	---------	-----	------	--------	--------	-------	-------------	------

Final page for worklist# 30817

Analyst Signature _____ Date _____

Analyst Signature _____ Date _____

27 Aug 99
Reviewer Signature _____ Date _____

Units shown for QC (BLK/BKG) may not reflect the actual units.

LABCORE Data Entry Template for Worklist# 30817

Analyst: AKL Instrument: PU01 16 Book# 46B57

Method: LA-953-104 Rev/Mod B1

Worklist Comment: AP103 GRAB99, @PU23902, STD=1.0mL, SS by Ludlum. skm

S Type	Sample#	R A	Test	Matrix	Group#	Project
1 STD			@PU23902	LIQUID		
2 BLNK			@PU23902	LIQUID		
3 SAMPLE	S99T001388 0		@PU23902	LIQUID	99000326	AP103 GRAB99
Analytes Requested: PU23801 , PU23801E, PU23901 , PU23901E, PU23901T						
4 DUP	S99T001388 0		@PU23902	LIQUID		
5 SAMPLE	S99T001389 0		@PU23902	LIQUID	99000326	AP103 GRAB99
Analytes Requested: PU23801 , PU23801E, PU23901 , PU23901E, PU23901T						
6 DUP	S99T001389 0		@PU23902	LIQUID		
7 SAMPLE	S99T001390 0		@PU23902	LIQUID	99000326	AP103 GRAB99
Analytes Requested: PU23801 , PU23801E, PU23901 , PU23901E, PU23901T						
8 DUP	S99T001390 0		@PU23902	LIQUID		

Final page for worklist # 30817

Alita Huron 8/26/99
Signature Date

McGee 8/27/99
Signature Date
Em Barbu 8-27-99

Data Entry Comments:

S = Worklist Slot Number, R = Replicate Number, A = Aliquot Code.

222-S Analytical Laboratory
 G E N E R A L A L P H A E N E R G Y A N A L Y S I S
 Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
 WL30817-STD-PU
 File ID: 13a1367.CNF

Counted on: 8/26/99 @19:18
 Detector: AEA13
 Geometry number: 1
 Count time: 28801. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1733.1	1733.1	361.581	361.581	8.000	2.551	4.000	1.184
2?	36.2	36.2	303.087	303.024	28.000	4.885	14.000	14.112
3	137.9	137.9	287.259	287.254	10.000	2.826	5.000	2.118
4	40.9	40.9	270.111	269.773	10.000	3.060	5.000	1.385
5	2630.4	2630.4	228.752	228.752	10.000	2.838	5.000	1.857

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid Exp.	Obs.	Diff.	FWHM	Count Rate	%err	d/m	Activity uCi/ea	
1	Pu236	0.399	5.755	5.751	0.004	0.01	44.06	1.3	199.0	0.896E-04	
2		????		5.481			0.80	10.6			
3	Th228	0.026	5.400	5.409	-.009	0.01	2.83	5.4	17.7	0.796E-05	
4		????		5.328			1.10	10.1			
5	Pu239	0.520	5.147	5.140	0.007	0.01	57.31	1.2	253.7	0.114E-03	
	Pu240		5.144	5.140	0.004				253.7	0.114E-03	
Totals:		0.945	---valid peaks only---				104.21				

DETECTOR CALIBRATION

Energy (MEV) = 4.087 + (0.0046)*Channel
 Energy range (MeV): 4.087 TO 6.443
 Efficiency = 0.2259 CPM/DPM
 (Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	52952.0	100.000
Smoothed	52951.8	100.000
Composite fit	50928.9	96.179
Residuals	2023.1	3.821

Analyzed by: _____

Spectrum 13a1367.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 16751.4

```

.
5.
.....5.
.....5
.....5
.....5.....5
.....5...

4
4
4
4
..3
3
2
2

1
...1
.....1.
..... 1
.....1
..

```


Raw Data Dump for AEA Spectrum: 13a1367.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	2.	2.	1.	0.	0.
21	0.	0.	0.	2.	1.	0.	1.	0.	2.	0.
31	0.	2.	0.	0.	1.	1.	1.	0.	0.	1.
41	2.	1.	1.	1.	0.	0.	1.	0.	0.	0.
51	1.	2.	3.	4.	3.	1.	1.	2.	1.	0.
61	2.	1.	1.	3.	1.	1.	0.	0.	1.	1.
71	0.	0.	2.	4.	3.	4.	1.	1.	0.	1.
81	1.	1.	2.	1.	0.	4.	1.	2.	4.	1.
91	1.	2.	0.	3.	3.	0.	2.	0.	0.	2.
101	0.	0.	0.	2.	2.	1.	0.	2.	1.	2.
111	1.	2.	1.	0.	3.	1.	2.	2.	2.	1.
121	2.	2.	1.	2.	1.	2.	1.	5.	4.	1.
131	10.	0.	1.	2.	2.	4.	2.	5.	2.	3.
141	2.	0.	4.	5.	3.	3.	6.	4.	9.	7.
151	1.	4.	3.	6.	10.	6.	6.	10.	5.	6.
161	4.	10.	8.	8.	4.	9.	5.	7.	10.	12.
171	8.	9.	11.	9.	17.	7.	7.	12.	10.	10.
181	17.	15.	12.	15.	17.	16.	30.	26.	26.	29.
191	32.	28.	38.	29.	45.	54.	36.	48.	50.	60.
201	65.	59.	72.	64.	87.	100.	115.	114.	144.	158.
211	151.	195.	248.	246.	323.	428.	528.	615.	645.	745.
221	712.	849.	1010.	1239.	1619.	2056.	2629.	3052.	3285.	2973.
231	2304.	1119.	357.	70.	15.	4.	7.	5.	6.	5.
241	2.	3.	5.	4.	7.	7.	7.	9.	4.	7.
251	4.	14.	12.	8.	14.	14.	14.	10.	8.	12.
261	7.	13.	21.	18.	21.	30.	36.	40.	56.	56.
271	50.	46.	30.	16.	23.	19.	26.	26.	31.	34.
281	40.	59.	70.	100.	116.	139.	168.	192.	130.	73.
291	32.	12.	12.	13.	13.	15.	17.	13.	19.	15.
301	20.	31.	33.	30.	29.	13.	12.	7.	11.	7.
311	4.	11.	6.	10.	8.	8.	16.	18.	10.	16.
321	16.	20.	27.	17.	13.	20.	26.	26.	25.	24.
331	50.	38.	40.	57.	60.	61.	67.	79.	77.	95.
341	94.	130.	130.	181.	195.	247.	293.	338.	440.	579.
351	726.	859.	824.	789.	739.	758.	797.	1053.	1296.	1624.
361	2017.	2235.	1974.	1243.	520.	98.	15.	1.	0.	0.
371	0.	0.	0.	0.	0.	1.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	1.	1.	0.	0.	0.	0.	0.	0.
411	1.	0.	1.	0.	0.	0.	0.	1.	0.	1.
421	0.	0.	0.	1.	1.	1.	0.	1.	1.	0.
431	1.	1.	0.	0.	1.	0.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	2.	0.	0.	0.	0.
451	0.	0.	0.	0.	0.	1.	1.	1.	0.	1.
461	0.	0.	1.	1.	2.	3.	1.	2.	2.	6.
471	3.	9.	13.	8.	14.	12.	2.	3.	3.	2.
481	2.	2.	0.	0.	0.	0.	1.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
WL30817-BLKN-PU
File ID: 14a1456.CNF

Counted on: 8/26/99 @19:19
Detector: AEA14
Geometry number: 1
Count time: 28803. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1595.8	1595.8	360.002	360.002	10.000	2.668	5.000	1.117
2	31.3	31.3	302.352	302.096	30.000	28.232	15.000	15.474
3	131.7	131.7	285.210	285.114	10.000	2.303	5.000	1.530
4	38.2	38.2	268.512	267.951	10.000	3.165	5.000	1.424

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid Exp.	Obs.	Diff.	FWHM	Count Rate	%err c/m	d/m	Activity uCi/ea
1	Pu236	0.874	5.755	5.754	0.001	10.01	43.57	1.4	206.9	0.932E-04
2	Am241	0.034	5.479	5.488	-0.009	90.13	1.68	9.4	8.3	0.375E-05
	Pu238		5.487	5.488	-0.001				10.9	0.490E-05
3	Th228	0.054	5.400	5.410	-0.010	100.01	2.69	5.9	17.7	0.795E-05
4		0.021		5.331		0.01	1.03	11.3	4.8	0.217E-05
Totals:		0.983	<--valid peaks only-->				48.98			

DETECTOR CALIBRATION

Energy(MEV) = 4.098 + (0.0046)*Channel
Energy range (MeV): 4.098 TO 6.453
Efficiency = 0.2149 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	23920.0	100.000
Smoothed	23920.0	100.000
Composite fit	23515.0	98.307
Residuals	405.0	1.693

Analyzed by:

SLH2

Spectrum 14a1456.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 8723.2

```

4
4
4.
.3
2....3
2.
2
2
2
1.
...1
.....1
.....1....
.....1.....
.....1.....
..

```

Raw Data Dump for AEA Spectrum: 14a1456.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	1.	1.	0.	1.
21	1.	0.	1.	1.	0.	0.	0.	0.	0.	1.
31	1.	1.	0.	2.	0.	1.	1.	0.	0.	0.
41	1.	1.	0.	1.	0.	1.	0.	2.	1.	0.
51	0.	1.	0.	0.	1.	0.	1.	1.	2.	1.
61	2.	2.	2.	0.	1.	1.	0.	1.	0.	0.
71	1.	0.	5.	0.	2.	1.	0.	1.	2.	0.
81	1.	3.	0.	1.	0.	0.	1.	1.	0.	1.
91	1.	0.	1.	0.	0.	1.	1.	3.	0.	1.
101	1.	1.	0.	0.	0.	0.	0.	0.	1.	0.
111	0.	0.	2.	0.	1.	0.	3.	0.	1.	0.
121	1.	0.	0.	2.	1.	0.	2.	0.	1.	3.
131	1.	1.	1.	2.	2.	2.	0.	1.	0.	3.
141	0.	3.	1.	1.	1.	1.	3.	0.	0.	2.
151	0.	0.	0.	1.	0.	2.	0.	2.	0.	1.
161	2.	4.	0.	0.	1.	1.	0.	0.	0.	1.
171	0.	3.	0.	1.	3.	1.	2.	1.	1.	1.
181	1.	3.	1.	1.	0.	3.	2.	1.	1.	4.
191	0.	2.	0.	1.	4.	0.	2.	2.	1.	3.
201	4.	1.	1.	1.	3.	1.	1.	1.	2.	0.
211	3.	2.	3.	2.	2.	2.	1.	1.	2.	5.
221	1.	5.	0.	2.	2.	10.	3.	2.	4.	4.
231	3.	2.	4.	1.	6.	6.	5.	3.	2.	9.
241	3.	8.	7.	4.	4.	8.	8.	6.	7.	5.
251	12.	9.	11.	10.	17.	16.	11.	8.	15.	12.
261	16.	19.	25.	20.	32.	54.	40.	50.	65.	42.
271	32.	32.	20.	28.	36.	26.	34.	38.	44.	57.
281	84.	94.	109.	148.	184.	168.	133.	76.	42.	16.
291	13.	18.	13.	11.	19.	11.	18.	24.	18.	22.
301	24.	25.	21.	31.	18.	12.	18.	10.	14.	17.
311	22.	17.	17.	17.	24.	22.	23.	27.	32.	27.
321	23.	49.	39.	48.	48.	44.	52.	59.	64.	58.
331	69.	83.	84.	90.	104.	73.	123.	145.	142.	148.
341	188.	217.	216.	265.	312.	346.	402.	538.	641.	786.
351	852.	789.	821.	694.	800.	948.	1076.	1359.	1749.	1968.
361	1958.	1457.	781.	254.	41.	3.	0.	0.	0.	0.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	1.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	1.	0.	0.	0.	0.	1.	0.	0.	1.	0.
421	2.	0.	0.	0.	1.	0.	0.	0.	1.	0.
431	0.	0.	0.	0.	1.	0.	0.	1.	0.	1.
441	0.	0.	0.	0.	0.	0.	0.	0.	2.	0.
451	1.	1.	1.	0.	0.	0.	0.	0.	1.	1.
461	1.	1.	4.	5.	3.	1.	4.	1.	4.	8.
471	6.	8.	5.	7.	4.	10.	2.	2.	1.	3.
481	4.	0.	0.	0.	1.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1388-SAM-PU
File ID: 15a1527.CNF

Counted on: 8/26/99 @19:20
Detector: AEA15
Geometry number: 1
Count time: 28805. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1262.3	1262.3	361.314	361.314	10.000	3.237	5.000	1.143
2	153.0	153.0	302.556	302.505	10.000	4.229	5.000	1.298
3	76.9	76.9	287.434	286.839	10.000	2.739	5.000	1.091
4	629.5	629.5	228.389	228.388	12.000	4.177	6.000	1.843
5	21.3	21.3	149.444	149.440	16.000	14.264	8.000	4.345

PEAK RESULTS

Peak Error Limit: 30%

Peak		AEA		Peak Centroid			Count		%err	d/m	Activity uCi/ea
ID	Isotope	Frac	Exp.	Obs.	Diff.	FWHM	Rate	c/m			
1	Pu236	0.579	5.755	5.746	0.009	0.01	39.75	1.4		177.5	0.800E-04
2	Pu238	0.081	5.487	5.476	0.011	0.02	5.53	3.9		33.6	0.151E-04
	Am241		5.479	5.476	0.003					25.7	0.116E-04
3	Th228	0.032	5.400	5.404	-0.004	0.01	2.18	9.0		13.4	0.604E-05
4	Pu239	0.267	5.147	5.135	0.012	0.02	18.35	2.1		80.3	0.362E-04
	Pu240		5.144	5.135	0.009					80.3	0.362E-04
5	Np237	0.015	4.769	4.772	-0.003	0.07	1.02	8.9		5.1	0.231E-05
Totals:		0.973	<--valid peaks only-->				66.83				

DETECTOR CALIBRATION

Energy(MEV) = 4.084 + (0.0046)*Channel
Energy range (MeV): 4.084 TO 6.439
Efficiency = 0.2285 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	32959.0	100.000
Smoothed	32959.0	100.000
Composite fit	32083.8	97.345
Residuals	875.2	2.655

Analyzed by: _____

Spectrum 15a1527.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc

Display Max.: 6564.3

5
5
5
5
5
5.
4.

..4.

.....4

.....4

.....4

.....4.

.

.

.

3.

23.

..2.3..

3....2..

.....2

...2.

1.

..1

.....1

..... 1

.....1...

..... 1

.....1

.1...

Raw Data Dump for AEA Spectrum: 15a1527.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	1.	0.	0.	1.	0.	1.
21	2.	0.	1.	2.	0.	0.	1.	1.	1.	0.
31	1.	2.	1.	0.	2.	1.	0.	1.	0.	1.
41	0.	2.	0.	0.	1.	0.	0.	0.	1.	1.
51	0.	0.	1.	0.	0.	1.	1.	0.	1.	0.
61	0.	2.	0.	0.	0.	0.	2.	1.	2.	4.
71	2.	1.	0.	1.	1.	1.	0.	1.	2.	1.
81	1.	0.	1.	2.	1.	0.	0.	2.	2.	1.
91	1.	0.	0.	1.	1.	1.	0.	1.	0.	4.
101	4.	4.	1.	0.	5.	2.	1.	1.	3.	2.
111	6.	1.	5.	3.	2.	7.	4.	3.	2.	8.
121	4.	2.	9.	5.	1.	11.	4.	7.	2.	4.
131	5.	4.	3.	2.	5.	4.	6.	12.	9.	14.
141	19.	15.	17.	17.	17.	19.	14.	20.	26.	24.
151	21.	16.	16.	8.	11.	4.	8.	5.	11.	10.
161	4.	5.	7.	7.	10.	6.	8.	7.	5.	4.
171	6.	4.	2.	7.	10.	9.	6.	10.	9.	9.
181	9.	14.	17.	15.	11.	15.	15.	14.	14.	21.
191	19.	18.	31.	19.	35.	31.	22.	35.	39.	32.
201	45.	42.	42.	52.	62.	62.	50.	65.	78.	75.
211	88.	118.	116.	138.	151.	171.	193.	227.	265.	279.
221	283.	324.	331.	410.	529.	560.	654.	744.	736.	678.
231	463.	326.	227.	94.	37.	16.	8.	7.	3.	4.
241	9.	8.	6.	8.	12.	7.	3.	14.	10.	10.
251	7.	9.	13.	18.	19.	12.	15.	16.	19.	13.
261	18.	11.	20.	26.	26.	29.	33.	44.	47.	40.
271	49.	39.	28.	23.	36.	47.	38.	50.	48.	47.
281	59.	62.	84.	86.	113.	118.	147.	153.	107.	90.
291	85.	77.	88.	97.	87.	93.	95.	109.	109.	135.
301	151.	174.	199.	151.	133.	100.	60.	26.	22.	19.
311	13.	16.	13.	15.	20.	33.	17.	47.	31.	26.
321	27.	44.	35.	40.	47.	58.	42.	60.	53.	67.
331	79.	60.	71.	79.	90.	120.	113.	121.	136.	174.
341	151.	162.	210.	254.	270.	298.	328.	398.	503.	569.
351	624.	734.	731.	671.	698.	703.	780.	881.	1103.	1295.
361	1459.	1574.	1295.	911.	488.	158.	35.	9.	0.	2.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	1.	0.	0.	1.	0.	0.
411	1.	0.	0.	1.	0.	1.	1.	0.	0.	0.
421	0.	1.	0.	0.	0.	0.	0.	1.	1.	0.
431	0.	1.	0.	1.	1.	1.	0.	0.	0.	0.
441	0.	0.	0.	1.	0.	0.	0.	1.	0.	0.
451	0.	1.	0.	0.	0.	0.	1.	0.	0.	2.
461	0.	0.	0.	2.	3.	4.	3.	2.	4.	5.
471	2.	4.	6.	7.	9.	9.	6.	6.	4.	2.
481	1.	3.	1.	1.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	1.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1388-DUP-PU
File ID: 16a1634.CNF

Counted on: 8/26/99 @19:21
Detector: AEA16
Geometry number: 1
Count time: 28801. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1461.7	1461.7	361.795	361.795	10.000	2.853	5.000	1.138
2	193.0	193.0	303.558	303.540	10.000	2.968	5.000	0.992
3	85.6	85.6	287.583	287.040	10.000	2.557	5.000	1.853
4	34.2	34.2	269.872	269.343	10.000	2.415	5.000	0.851
5	720.6	720.6	229.005	229.003	12.000	3.716	6.000	1.750
6	27.1	27.1	148.880	148.878	22.000	17.801	11.000	6.111

PEAK RESULTS

Peak Error Limit: 30%

Peak		AEA		Peak Centroid			Count		%err	Activity	
ID	Isotope	Frac	Exp.	Obs.	Diff.	FWHM	Rate	c/m		d/m	uCi/ea
1	Pu236	0.568	5.755	5.750	0.005	0.01	41.66	1.4		199.6	0.899E-04
2	Pu238	0.085	5.487	5.482	0.005	0.01	6.21	3.6		40.5	0.182E-04
	Am241		5.479	5.482	-.003					31.0	0.140E-04
3	Th228	0.024	5.400	5.406	-.006	0.01	1.73	10.8		11.5	0.516E-05
4		0.014		5.325		0.01	1.03	11.6		4.8	0.217E-05
5	Pu239	0.269	5.147	5.140	0.007	0.02	19.74	2.0		92.7	0.417E-04
	Pu240		5.144	5.140	0.004					92.7	0.417E-04
6	Np237	0.018	4.640	4.771	-.131	0.08	1.33	7.8		103.8	0.468E-04
	Np237		4.769	4.771	-.002					7.2	0.323E-05
Totals:		0.977	<--valid peaks only-->				71.69				

DETECTOR CALIBRATION

Energy (MEV) = 4.086 + (0.0046)*Channel
Energy range (MeV): 4.086 TO 6.441
Efficiency = 0.2130 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	35219.0	100.000
Smoothed	35219.0	100.000
Composite fit	34412.4	97.710
Residuals	806.6	2.290

Spectrum 16a1634.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 7455.9

6
6
6
6
6
6

.
.
.5.
.....5
.....5
.....5
.....5.

.
4
4
.4
4.
.2.3...
3...2..
.....2
....2.

.
1.
...1
.....1
.....1...
.....1
.....1
.1...

Raw Data Dump for AEA Spectrum: 16a1634.CNF

1	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
11	0.	0.	0.	0.	0.	0.	1.	0.	1.	0.
21	2.	0.	0.	1.	1.	1.	1.	1.	1.	1.
31	0.	0.	1.	0.	0.	0.	2.	0.	0.	1.
41	1.	0.	1.	0.	0.	1.	0.	0.	1.	2.
51	1.	0.	2.	0.	2.	1.	1.	1.	1.	0.
61	2.	0.	1.	0.	1.	1.	1.	1.	2.	0.
71	0.	3.	0.	2.	1.	0.	3.	0.	0.	0.
81	0.	1.	1.	0.	1.	0.	1.	0.	3.	2.
91	2.	0.	4.	1.	2.	2.	4.	2.	3.	2.
101	3.	3.	4.	0.	2.	3.	2.	5.	1.	6.
111	5.	2.	4.	2.	4.	4.	9.	8.	8.	5.
121	6.	2.	1.	8.	2.	4.	7.	5.	6.	4.
131	8.	7.	4.	5.	8.	9.	13.	9.	6.	11.
141	11.	9.	20.	12.	24.	20.	36.	22.	32.	30.
151	27.	17.	11.	17.	19.	23.	10.	11.	11.	11.
161	12.	10.	7.	7.	10.	7.	2.	7.	8.	6.
171	6.	9.	4.	12.	8.	5.	7.	10.	9.	9.
181	9.	7.	11.	10.	12.	13.	15.	21.	13.	22.
191	16.	20.	24.	23.	19.	21.	40.	25.	31.	35.
201	40.	44.	44.	44.	58.	48.	56.	59.	63.	77.
211	86.	103.	109.	113.	157.	180.	190.	223.	236.	247.
221	297.	343.	365.	466.	501.	565.	732.	726.	865.	835.
231	675.	467.	263.	137.	50.	24.	9.	3.	6.	5.
241	5.	5.	5.	5.	7.	6.	9.	7.	9.	12.
251	10.	15.	14.	11.	14.	8.	16.	22.	13.	18.
261	27.	20.	21.	21.	23.	26.	39.	36.	65.	46.
271	51.	41.	24.	28.	25.	29.	35.	37.	36.	44.
281	60.	65.	87.	111.	108.	139.	151.	163.	130.	111.
291	74.	73.	87.	91.	100.	107.	99.	98.	107.	133.
301	151.	175.	210.	258.	214.	139.	65.	27.	21.	15.
311	11.	16.	20.	21.	11.	17.	22.	11.	23.	29.
321	25.	37.	39.	36.	38.	52.	52.	47.	32.	50.
331	62.	54.	65.	65.	94.	96.	108.	93.	122.	121.
341	152.	185.	183.	224.	228.	282.	325.	346.	450.	545.
351	639.	779.	760.	717.	752.	687.	756.	894.	1135.	1316.
361	1611.	1786.	1774.	1175.	703.	230.	45.	4.	0.	0.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
411	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
421	0.	0.	1.	1.	1.	1.	1.	0.	0.	0.
431	0.	0.	0.	0.	0.	0.	0.	1.	1.	1.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	1.	2.	0.	1.	1.	0.	1.	0.	0.
461	0.	2.	1.	1.	1.	4.	2.	1.	2.	8.
471	5.	4.	8.	8.	8.	9.	8.	4.	4.	2.
481	4.	0.	1.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1389-SAM-PU
File ID: 17a1770.CNF

Counted on: 8/26/99 @19:23
Detector: AEA17
Geometry number: 1
Count time: 28802. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1627.4	1627.4	362.415	362.415	8.000	2.647	4.000	1.124
2	175.5	175.5	303.656	303.639	10.000	3.121	5.000	0.935
3	89.4	89.4	287.652	287.269	8.000	1.955	4.000	2.184
4?	26.8	26.8	270.490	269.976	10.000	2.183	5.000	1.045
5	800.3	800.3	229.018	229.017	12.000	3.548	6.000	1.943
6	25.4	25.4	148.953	148.952	22.000	13.435	11.000	6.140

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid			Count Rate	%err @95	d/m	Activity uCi/ea
			Exp.	Obs.	Diff. FWHM				
1	Pu236	0.592	5.755	5.761	-0.0060.01	43.97	1.3	185.5	0.835E-04
	Cm243		5.779	5.761	0.018			249.0	0.112E-03
2	Pu238	0.083	5.487	5.491	-0.0040.01	6.13	3.6	35.2	0.159E-04
	Am241		5.479	5.491	-0.012			27.0	0.121E-04
3	Th228	0.019	5.400	5.415	-0.0150.01	1.42	12.6	8.3	0.372E-05
4	????			5.336		0.65	16.0		
5	Pu239	0.271	5.147	5.147	0.0000.02	20.10	2.0	83.1	0.374E-04
	Pu240		5.144	5.147	-0.003			83.1	0.374E-04
6	Np237	0.014	4.769	4.779	-0.0100.06	1.04	8.8	4.9	0.222E-05
Totals:		0.978	<--valid peaks only-->			72.66			

DETECTOR CALIBRATION

Energy(MEV) = 4.094 + (0.0046)*Channel
Energy range (MeV): 4.094 TO 6.449
Efficiency = 0.2419 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	35669.0	100.000
Smoothed	35669.1	100.000
Composite fit	35189.7	98.656
Residuals	479.3	1.344

Spectrum 17a1770.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc Display Max.: 8839.6

6
6
6
6

.
5.
....5
.....5
.....5
.....5

4
4
4
.23..
3..2..
.....2
...2

.
1
..1
..... 1
.....1.
..... 1
.....1
.1....

Raw Data Dump for AEA Spectrum: 17a1770.CNF

1	0.	0.	0.	0.	1.	0.	1.	2.	0.	0.
11	0.	0.	2.	0.	0.	0.	0.	1.	0.	0.
21	0.	0.	0.	0.	1.	0.	0.	0.	0.	1.
31	1.	2.	2.	1.	1.	0.	1.	1.	0.	0.
41	0.	0.	0.	0.	0.	0.	1.	0.	1.	0.
51	2.	0.	2.	0.	0.	0.	1.	1.	1.	1.
61	0.	0.	0.	1.	0.	0.	0.	2.	0.	2.
71	1.	0.	0.	0.	1.	2.	1.	1.	0.	0.
81	1.	1.	1.	1.	2.	1.	0.	0.	1.	2.
91	1.	0.	1.	0.	0.	0.	0.	1.	2.	1.
101	1.	0.	1.	1.	4.	1.	1.	2.	2.	3.
111	1.	1.	1.	3.	3.	1.	5.	8.	5.	3.
121	5.	0.	2.	6.	3.	4.	4.	5.	2.	4.
131	2.	2.	7.	10.	2.	2.	13.	5.	2.	12.
141	12.	10.	13.	18.	19.	29.	19.	23.	34.	26.
151	21.	16.	11.	12.	11.	14.	11.	15.	12.	10.
161	3.	5.	8.	6.	7.	5.	10.	4.	6.	6.
171	6.	5.	6.	6.	5.	5.	5.	5.	8.	4.
181	2.	3.	9.	5.	9.	12.	14.	3.	7.	8.
191	14.	11.	12.	16.	9.	22.	22.	26.	18.	22.
201	24.	36.	28.	32.	30.	43.	42.	46.	57.	73.
211	68.	74.	85.	105.	121.	164.	181.	201.	257.	237.
221	313.	317.	359.	429.	514.	656.	766.	867.	981.	913.
231	735.	532.	279.	122.	47.	21.	6.	2.	1.	1.
241	5.	5.	3.	7.	3.	8.	2.	9.	8.	6.
251	8.	13.	6.	14.	11.	10.	12.	8.	11.	12.
261	9.	14.	16.	23.	17.	27.	22.	38.	35.	50.
271	45.	39.	28.	23.	20.	28.	23.	20.	37.	40.
281	49.	60.	77.	76.	119.	139.	162.	181.	153.	94.
291	79.	52.	79.	96.	102.	102.	92.	92.	100.	111.
301	149.	167.	195.	211.	212.	144.	70.	34.	15.	8.
311	6.	8.	10.	19.	14.	10.	17.	19.	18.	16.
321	25.	22.	23.	18.	25.	32.	27.	27.	35.	38.
331	38.	46.	47.	51.	52.	61.	60.	93.	82.	98.
341	111.	129.	144.	174.	201.	237.	261.	317.	398.	488.
351	677.	787.	820.	823.	709.	689.	786.	855.	1041.	1323.
361	1583.	1880.	2122.	1759.	1075.	397.	118.	12.	1.	1.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
411	0.	0.	1.	1.	0.	0.	0.	0.	0.	1.
421	0.	0.	0.	0.	0.	0.	2.	0.	0.	1.
431	0.	1.	0.	2.	1.	0.	0.	0.	0.	0.
441	0.	0.	0.	0.	2.	0.	0.	0.	1.	0.
451	0.	0.	0.	1.	0.	1.	0.	0.	2.	1.
461	2.	0.	3.	2.	2.	1.	2.	3.	4.	7.
471	2.	5.	6.	7.	9.	8.	10.	11.	8.	6.
481	2.	2.	1.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1389-DUP-PU
File ID: 18a1837.CNF

Counted on: 8/26/99 @19:23
Detector: AEA18
Geometry number: 1
Count time: 28803. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1553.8	1553.8	357.748	357.748	10.000	2.778	5.000	1.119
2	185.6	185.6	299.177	299.157	10.000	3.407	5.000	1.039
3	93.9	93.9	283.197	282.721	8.000	2.172	4.000	1.926
4	27.7	27.7	265.788	265.165	12.000	3.402	6.000	1.192
5	776.2	776.2	224.442	224.440	10.000	3.766	5.000	1.931
6	29.4	29.4	143.834	143.831	24.000	18.928	12.000	7.218

PEAK RESULTS

Peak Error Limit: 30%

Peak		AEA		Peak Centroid			Count		%err	Activity	
ID	Isotope	Frac	Exp.	Obs.	Diff.	FWHM	Rate	c/m		d/m	uCi/ea
1	Pu236	0.572	5.755	5.751	0.004	0.01	43.76	1.4		197.7	0.890E-04
2	Pu238	0.085	5.487	5.481	0.006	0.02	6.50	3.6		39.9	0.180E-04
	Am241		5.479	5.481	-.002					30.6	0.138E-04
3	Th228	0.022	5.400	5.406	-.006	0.01	1.67	11.3		10.4	0.469E-05
4		0.012		5.325		0.02	0.88	13.7		3.9	0.176E-05
5	Pu239	0.267	5.147	5.138	0.009	0.02	20.44	2.0		90.5	0.408E-04
	Pu240		5.144	5.138	0.006					90.5	0.408E-04
6	Np237	0.019	4.640	4.767	-.127	0.09	1.43	7.5		105.3	0.474E-04
	Np237		4.769	4.767	0.002					7.3	0.327E-05
Totals:		0.976	<--valid peaks only-->					74.68			

DETECTOR CALIBRATION

Energy(MEV) = 4.105 + (0.0046)*Channel
Energy range (MeV): 4.105 TO 6.460
Efficiency = 0.2259 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	36743.0	100.000
Smoothed	36743.7	100.002
Composite fit	35848.7	97.566
Residuals	894.3	2.434

Spectrum 18a1837.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc

Display Max.:

9943.0

6
6
6
6
6.
5.

..5

.....5.

.....5

.....5

..

4

4

4

4.

3..

..3...

.....2

.....2

.

.

.1

....1

..... 1

.....1..

..... 1

.....1..

Raw Data Dump for AEA Spectrum: 18a1837.CNF

1	0.	0.	0.	2.	1.	2.	1.	3.	1.	0.
11	1.	0.	0.	3.	2.	0.	1.	0.	0.	0.
21	2.	0.	1.	1.	0.	0.	3.	0.	0.	0.
31	1.	0.	0.	0.	0.	1.	2.	2.	0.	2.
41	2.	1.	2.	0.	1.	3.	2.	0.	1.	0.
51	0.	0.	2.	1.	1.	1.	1.	0.	2.	2.
61	1.	2.	1.	3.	2.	1.	1.	1.	0.	1.
71	0.	1.	1.	2.	0.	1.	1.	3.	0.	4.
81	0.	4.	1.	1.	2.	3.	3.	2.	1.	2.
91	0.	2.	1.	4.	5.	1.	3.	3.	1.	3.
101	1.	7.	2.	2.	6.	6.	6.	3.	2.	7.
111	9.	2.	7.	3.	4.	5.	6.	5.	6.	2.
121	4.	7.	7.	2.	4.	8.	6.	4.	6.	6.
131	6.	10.	9.	9.	14.	11.	16.	14.	18.	33.
141	27.	29.	38.	29.	26.	27.	33.	23.	14.	17.
151	18.	17.	18.	13.	8.	10.	3.	14.	11.	9.
161	9.	6.	8.	8.	9.	4.	6.	9.	3.	9.
171	4.	15.	12.	13.	11.	6.	11.	11.	10.	16.
181	13.	14.	10.	18.	12.	19.	16.	19.	22.	26.
191	29.	34.	24.	38.	41.	37.	46.	38.	38.	47.
201	54.	61.	61.	67.	63.	70.	79.	86.	114.	139.
211	159.	179.	218.	240.	264.	282.	328.	350.	426.	435.
221	589.	670.	823.	904.	961.	800.	598.	378.	220.	98.
231	30.	17.	3.	5.	4.	3.	9.	3.	5.	6.
241	5.	6.	5.	9.	10.	10.	10.	7.	9.	15.
251	13.	13.	13.	16.	16.	16.	18.	17.	19.	19.
261	37.	34.	29.	32.	55.	41.	45.	26.	37.	31.
271	25.	34.	36.	43.	57.	53.	46.	70.	74.	104.
281	135.	159.	189.	155.	136.	92.	90.	75.	85.	81.
291	122.	108.	103.	100.	111.	148.	164.	187.	222.	234.
301	183.	118.	62.	30.	14.	16.	19.	9.	16.	21.
311	23.	18.	14.	22.	22.	37.	24.	17.	31.	31.
321	38.	37.	46.	54.	54.	45.	54.	56.	66.	82.
331	76.	82.	86.	107.	102.	122.	137.	146.	200.	194.
341	252.	282.	304.	374.	488.	573.	708.	802.	912.	798.
351	717.	722.	858.	937.	1168.	1437.	1742.	1929.	1779.	1351.
361	635.	189.	24.	2.	0.	0.	0.	0.	0.	0.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	1.
411	0.	0.	0.	0.	0.	0.	2.	0.	0.	1.
421	1.	0.	0.	0.	1.	0.	0.	0.	1.	0.
431	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	0.	1.	0.	0.	0.	0.	1.	1.	2.
461	1.	2.	1.	1.	5.	4.	5.	4.	6.	6.
471	5.	9.	7.	7.	4.	3.	0.	2.	0.	0.
481	1.	0.	0.	0.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1390-SAM-PU
File ID: 19a1961.CNF

Counted on: 8/26/99 @19:25
Detector: AEA19
Geometry number: 1
Count time: 28803. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1646.3	1646.3	361.896	361.896	10.000	2.535	5.000	1.145
2	203.8	203.8	303.814	303.804	10.000	2.856	5.000	1.031
3	94.3	94.3	287.818	287.383	10.000	1.939	5.000	1.738
4	31.9	31.9	270.249	269.714	10.000	3.217	5.000	1.340
5	861.2	861.2	229.695	229.694	10.000	3.426	5.000	2.044
6	28.4	28.4	149.530	149.530	20.000	13.352	10.000	6.026

PEAK RESULTS

Peak Error Limit: 30%

Peak		AEA		Peak Centroid			Count		%err	Activity	
ID	Isotope	Frac	Exp.	Obs.	Diff.	FWHM	Rate	c/m		d/m	uCi/ea
1	Pu236	0.570	5.755	5.747	0.008	0.01	42.49	1.4		177.9	0.801E-04
2	Pu238	0.083	5.487	5.480	0.007	0.01	6.19	3.6		35.3	0.159E-04
	Am241		5.479	5.480	-.001					27.0	0.122E-04
3	Th228	0.022	5.400	5.404	-.004	0.01	1.61	10.8		9.3	0.420E-05
4		0.012		5.323		0.01	0.91	12.6		3.7	0.168E-05
5	Pu239	0.276	5.147	5.139	0.008	0.02	20.60	2.0		84.5	0.381E-04
	Pu240		5.144	5.139	0.005					84.5	0.381E-04
6	Np237	0.016	4.769	4.770	-.001	0.06	1.16	8.3		5.5	0.246E-05
Totals:		0.979	<--valid peaks only-->				72.95				

DETECTOR CALIBRATION

Energy(MEV) = 4.082 + (0.0046)*Channel
Energy range (MeV): 4.082 TO 6.438
Efficiency = 0.2437 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	35768.0	100.000
Smoothed	35768.4	100.001
Composite fit	35021.6	97.913
Residuals	746.4	2.087

Spectrum 19a1961.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc

Display Max.:

8244.4

6
6
6
6.
5.

...5

.....5

.....5

.....5.

.

4

4

4.

4.

.2.3..

3..2..

.....2

....2

.

1

..1

..... 1

.....1...

..... 1

.....1

1....

Raw Data Dump for AEA Spectrum: 19a1961.CNF

1	0.	0.	0.	0.	1.	1.	0.	2.	1.	0.
11	0.	3.	1.	1.	1.	2.	3.	1.	1.	1.
21	1.	1.	0.	1.	2.	1.	1.	0.	1.	0.
31	1.	0.	0.	1.	1.	0.	2.	2.	3.	1.
41	0.	1.	0.	1.	2.	0.	1.	1.	2.	2.
51	0.	0.	0.	1.	1.	2.	0.	0.	0.	0.
61	0.	1.	1.	1.	1.	1.	2.	1.	0.	1.
71	2.	1.	0.	0.	1.	1.	1.	1.	0.	1.
81	0.	0.	0.	4.	1.	3.	1.	0.	0.	1.
91	0.	2.	1.	3.	1.	0.	2.	4.	2.	0.
101	0.	0.	4.	3.	0.	0.	2.	1.	0.	4.
111	1.	2.	3.	3.	2.	0.	3.	6.	2.	1.
121	6.	9.	5.	9.	3.	2.	5.	8.	1.	2.
131	6.	4.	2.	13.	5.	3.	6.	7.	13.	6.
141	9.	10.	10.	12.	32.	20.	35.	31.	34.	26.
151	29.	29.	27.	13.	21.	15.	13.	13.	8.	11.
161	11.	3.	7.	4.	7.	6.	5.	3.	5.	3.
171	3.	5.	6.	10.	6.	5.	6.	9.	4.	5.
181	4.	9.	4.	5.	6.	5.	11.	7.	13.	10.
191	12.	15.	20.	17.	20.	15.	16.	17.	25.	23.
201	22.	29.	28.	30.	30.	32.	41.	38.	45.	41.
211	62.	71.	59.	91.	98.	117.	163.	194.	217.	235.
221	281.	308.	338.	402.	443.	565.	693.	837.	1017.	1085.
231	932.	702.	441.	245.	107.	29.	8.	2.	4.	3.
241	5.	5.	3.	7.	3.	3.	11.	4.	3.	13.
251	6.	5.	6.	8.	11.	22.	16.	11.	13.	13.
261	7.	13.	24.	22.	14.	27.	32.	41.	45.	51.
271	42.	43.	30.	24.	20.	26.	27.	30.	30.	45.
281	43.	56.	69.	87.	106.	124.	174.	172.	142.	125.
291	61.	58.	84.	72.	115.	97.	108.	117.	94.	131.
301	135.	184.	222.	270.	219.	185.	86.	35.	9.	11.
311	5.	7.	12.	14.	15.	12.	20.	15.	14.	15.
321	12.	24.	22.	22.	23.	15.	29.	34.	27.	37.
331	35.	41.	46.	42.	48.	49.	55.	62.	80.	87.
341	102.	97.	154.	182.	199.	213.	269.	347.	426.	510.
351	696.	797.	837.	865.	705.	702.	756.	858.	1175.	1430.
361	1824.	2072.	1995.	1448.	642.	185.	21.	2.	0.	0.
371	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	0.	0.	0.	0.	1.	0.	1.	1.	1.	0.
421	0.	1.	0.	0.	0.	1.	0.	0.	0.	1.
431	0.	0.	0.	0.	1.	3.	0.	0.	0.	1.
441	1.	0.	0.	1.	1.	0.	0.	0.	1.	0.
451	0.	1.	1.	1.	0.	0.	2.	2.	1.	1.
461	1.	0.	0.	2.	0.	0.	1.	2.	5.	1.
471	3.	2.	4.	6.	9.	8.	10.	5.	3.	2.
481	0.	1.	1.	1.	0.	0.	0.	0.	0.	0.
491	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
511	0.	0.								

222-S Analytical Laboratory
G E N E R A L A L P H A E N E R G Y A N A L Y S I S
Rev. 2.10

DATA REDUCTION REPORT

SAMPLE
S99T1390-DUP-PU
File ID: 20a2029.CNF

Counted on: 8/26/99 @19:25
Detector: AEA20
Geometry number: 1
Count time: 28803. Sec

PEAK ANALYSIS

Peak ID	Peak height		Peak center		FWHM		Tau	
	Initial	Final	Initial	Final	Initial	Final	Initial	Final
1	1430.2	1430.2	361.516	361.516	10.000	2.832	5.000	0.924
2	162.5	162.5	302.894	302.826	10.000	2.869	5.000	0.670
3	79.0	79.0	286.774	286.387	10.000	1.626	5.000	1.079
4	717.3	717.3	227.777	227.775	10.000	3.683	5.000	1.493
5	24.5	24.5	147.112	147.095	22.000	20.661	11.000	5.901

PEAK RESULTS

Peak Error Limit: 30%

Peak ID	Isotope	AEA Frac	Peak Centroid			Count Rate	%err @95	d/m	Activity uCi/ea
			Exp.	Obs.	Diff.	c/m			
1	Pu236	0.601	5.755	5.763	-.0080	46.43	1.3	205.6	0.926E-04
	Cm243		5.779	5.763	0.016			276.0	0.124E-03
2	Pu238	0.087	5.487	5.493	-.0060	6.73	3.6	40.6	0.183E-04
	Am241		5.479	5.493	-.014			31.1	0.140E-04
3	Th228	0.019	5.400	5.418	-.0180	1.49	13.1	9.1	0.409E-05
4	Pu239	0.276	5.147	5.148	-.0010	21.30	1.9	92.4	0.416E-04
	Pu240		5.144	5.148	-.004			92.4	0.416E-04
5	Np237	0.017	4.640	4.777	-.1370	1.35	7.8	97.5	0.439E-04
	Np237		4.769	4.777	-.008			6.7	0.303E-05

Totals:		1.001	<--valid peaks only-->			77.29			

DETECTOR CALIBRATION

Energy(MEV) = 4.101 + (0.0046)*Channel
Energy range (MeV): 4.101 TO 6.456
Efficiency = 0.2304 CPM/DPM
(Data reduction compression factor: 1.)

TOTAL COUNT DATA:

Item	Total	% Recovery
Raw spectrum	37079.0	100.000
Smoothed	37081.8	100.008
Composite fit	37102.9	100.064
Residuals	-23.9	-0.064

Spectrum 20a2029.CNF

1 Legend: Raw = Modeled Peaks = 1,2,..., etc

Display Max.: 7540.4

5
5
5
5
5
5.
4.
...4
.....4
.....4
.....4
.....4
.....4...
2.
32.
..23....
3....2.
.....2
..2.
1
.. 1
..... 1
..... 1
.....1.
..... 1
.....1
1...

Raw Data Dump for AEA Spectrum: 20a2029.CNF

1	0.	0.	1.	0.	3.	0.	2.	0.	0.	0.
11	1.	1.	0.	0.	1.	0.	0.	1.	0.	0.
21	0.	0.	2.	0.	0.	1.	0.	0.	0.	0.
31	0.	1.	3.	1.	0.	0.	0.	0.	0.	0.
41	0.	0.	1.	1.	0.	0.	1.	0.	1.	1.
51	0.	1.	0.	1.	5.	2.	1.	2.	1.	1.
61	1.	1.	1.	1.	0.	2.	1.	1.	1.	0.
71	0.	1.	1.	1.	1.	3.	0.	0.	1.	1.
81	2.	0.	1.	2.	0.	1.	1.	2.	1.	0.
91	1.	0.	0.	0.	2.	1.	2.	2.	0.	4.
101	6.	1.	4.	1.	3.	2.	2.	2.	2.	5.
111	2.	4.	4.	3.	6.	7.	1.	9.	3.	9.
121	8.	6.	3.	5.	6.	8.	12.	5.	2.	6.
131	11.	6.	5.	11.	4.	13.	9.	12.	12.	16.
141	22.	13.	22.	24.	26.	25.	28.	25.	24.	23.
151	15.	21.	14.	12.	16.	14.	13.	7.	7.	8.
161	10.	7.	7.	9.	3.	6.	8.	6.	8.	1.
171	3.	4.	8.	7.	2.	8.	6.	13.	9.	7.
181	9.	12.	9.	11.	14.	12.	12.	18.	20.	20.
191	14.	20.	34.	23.	36.	31.	35.	26.	35.	45.
201	44.	53.	45.	67.	66.	74.	88.	98.	87.	104.
211	125.	155.	151.	172.	204.	219.	251.	357.	366.	339.
221	384.	434.	436.	491.	606.	641.	795.	888.	790.	599.
231	429.	240.	108.	48.	11.	2.	3.	4.	3.	6.
241	4.	6.	7.	7.	2.	4.	10.	2.	7.	12.
251	7.	12.	17.	17.	17.	12.	11.	15.	13.	13.
261	21.	18.	18.	35.	33.	41.	32.	37.	42.	42.
271	37.	35.	44.	28.	39.	36.	47.	49.	59.	52.
281	77.	108.	82.	93.	139.	169.	167.	161.	108.	85.
291	65.	77.	92.	109.	109.	103.	119.	104.	131.	125.
301	145.	182.	205.	190.	163.	96.	31.	17.	15.	11.
311	8.	23.	18.	16.	14.	16.	22.	27.	34.	33.
321	36.	35.	38.	27.	48.	33.	46.	56.	46.	69.
331	55.	72.	79.	89.	92.	97.	123.	145.	155.	167.
341	209.	220.	287.	258.	301.	341.	428.	444.	563.	665.
351	725.	886.	930.	854.	858.	861.	926.	947.	1097.	1361.
361	1550.	1784.	1589.	1125.	452.	128.	9.	0.	0.	0.
371	0.	0.	0.	0.	0.	1.	0.	1.	0.	0.
381	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
391	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
401	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
411	0.	0.	0.	0.	0.	0.	0.	0.	1.	1.
421	0.	0.	0.	0.	1.	0.	1.	0.	1.	1.
431	2.	0.	0.	0.	0.	1.	0.	0.	0.	0.
441	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
451	0.	1.	1.	0.	0.	0.	0.	0.	3.	1.
461	0.	3.	1.	2.	1.	4.	3.	3.	4.	7.
471	5.	4.	8.	5.	6.	10.	7.	10.	8.	4.
481	4.	1.	0.	1.	2.	0.	0.	0.	0.	0.
491	0.	0.	0.	1.	0.	0.	0.	0.	0.	0.
511	0.	0.								

WORKBOOK PAGE: STD1

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0)) ¹AD _{11/1/99} LIQUID

				STD
	DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.399
STD	SAMPLE VOLUME in mL SS	1.000	PU 238 AEA FRAC (C238)	0.000
	SAMPLE DILUTION FACTOR DF	1.000	PU 239 AEA FRAC (C239)	0.520
30817	TRACER VOLUME in mL SPKV	0.100	TOTAL AT COUNTS	4358
	DIGEST DILUTION FACTOR DDF	1.000	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cpm (Bkg)	0.030
	DETECTOR NUMBER	16	PU 236 cpm	44.060
LIQUID	EFFICIENCY FACTOR EFF	0.272	PU 238 cpm	0.000
	TRACER PREPARATION DATE	04/13/99	PU 239 cpm	57.310
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.000	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 µCi/L	1.2545E-01
0	PU-238 TRACER VALUE (dpm/mL)	0.000		
	STANDARD BOOK NO	46B57		
N/A	STANDARD VALUE in µCi/mL	1.260E-04		

WL30817-STD	Decay Time = Date Counted - Tracer Preparation Date		
WB27806	Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(-ln2 * Decay Time/1040.95)}]		
	Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * 1/EFF * C236 * 100 / Pu-236 Decay Corr'd Value * SPKV		
MCB	Pu 239/240 µCi/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(2220000 dpm/µCi)]		
JFR	Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)		
	Pu 238 µCi/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/µCi)(D g/L)(SS)]		
AKL	Relative Counting Error = Square Root of [(1/(Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100		
08/27/99	Pu 239/240 µCi/mL	1.25E-04	DETECTION LEVELS in µCi/mL Pu 239/240 7.25E-06
08/26/99	Relative Counting Error =	1.8%	
01:30 PM			
AP 103	Pu 236 Tracer Recovery =	99.8%	

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	<i>John Relyea</i>	Date:	27 Aug 99
STANDARD WB1 REV 1.0	943128ML		

WORKBOOK PAGE: BLANK2

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) ¹AD _{11/10/99} L

	DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.874
BLNK	SAMPLE VOLUME in mL	SS 2.000	PU 238 AEA FRAC (C238)	0.034
	SAMPLE DILUTION FACTOR	DF 101.000	PU 239 AEA FRAC (C239)	0.000
30817	TRACER VOLUME in mL	SPKV 0.100	TOTAL AT COUNTS	1934
	DIGEST DILUTION FACTOR	DDF 1.0000	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cp (Bkg)	0.030
	DETECTOR NUMBER	16	PU 236 cpm	43.570
LIQUID	EFFICIENCY FACTOR	EFF 0.2717	PU 238 cpm	1.680
	TRACER PREPARATION DATE	04/13/99	PU 239 cpm	0.000
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.00	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	2137.00	Pu 239/240 μ Ci/L =	< 1.720E-01
0	PU-238 TRACER VALUE (dpm/mL)	0.00		

N/A	Decay Time = Date Counted - Tracer Preparation Date
WL30817-BLNK	Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(-ln2 * Decay Time/1040.95)}]
	Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)
WB27806	Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]
	Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)
MCB	Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]
	Relative Counting Error = Square Root of [(1/(Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100

JFR	
AKL	
08/27/99	Pu 239/240 μ Ci/mL < 1.72E-04
08/26/99	Relative Counting Error = 100.0%
01:30 PM	Pu 238 μ Ci/mL 1.89E-04
AP 103	Relative Counting Error = 7.0%
	Pu 236 Tracer Recovery = 97.0%

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	JFR	Date:	27 Aug 99

BLANK.WB1 REV 1.0

943128ML

WORKBOOK PAGE: SAM3

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0)

LIQUID /

SAMPLE

DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.579
SAMPLE	SAMPLE VOLUME in mL SS	PU 238 AEA FRAC (C238)	0.081
30817	SAMPLE DILUTION FACTOR DF	PU 239 AEA FRAC (C239)	0.267
	TRACER VOLUME in mL SPKV	TOTAL AT COUNTS	2700
	DIGEST DILUTION FACTOR DDF	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	BACKGROUND in cpm (Bkg)	0.030
	DETECTOR NUMBER	PU 236 cpm	39.750
LIQUID	EFFICIENCY FACTOR EFF	PU 238 cpm	5.530
	TRACER PREPARATION DATE	PU 239 cpm	18.350
99003199	TRACER PREPARATION VALUE (dpm/mL)	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	Pu 239/240 μ Ci/L	2.2417E+00
0	PU-238 TRACER VALUE (dpm/mL)		

N/A

Decay Time = Date Counted - Tracer Preparation Date

S99T001388

Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(-ln2 * Decay Time/1040.95)}]

Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)

WB27806

Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]

Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)

MCB

Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]

JFR

Relative Counting Error = Square Root of [(1/(Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100

AKL

08/27/99

Pu 239/240 μ Ci/mL

Relative Counting Error = 2.5%

DETECTION
LEVELS
in μ Ci/mL

08/28/99

Pu 239/240

01:30 PM

Pu 238 μ Ci/mL

Relative Counting Error = 4.1%

2.81E-04

AP 103

Pu 236 Tracer Recovery = 89.7%

Pu 238

2.81E-04

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	<i>John Relyea</i>	Date:	27 Aug 99
SAMPLE.WB1 REV 1.0	943128ML		

WORKBOOK PAGE: DUP4

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) ¹ _{10/11/99}

LIQUID /

DUP

	DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.568
DUP	SAMPLE VOLUME in mL	SS 2.000	PU 238 AEA FRAC (C238)	0.085
	SAMPLE DILUTION FACTOR	DF 101.000	PU 239 AEA FRAC (C239)	0.269
30817	TRACER VOLUME in mL	SPKV 0.100	TOTAL AT COUNTS	2988
	DIGEST DILUTION FACTOR	DDF 1.0000	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cpm (Bkg)	0.030
	DETECTOR NUMBER	16	PU 236 cpm	41.660
LIQUID	EFFICIENCY FACTOR	EFF 0.272	PU 238 cpm	6.210
	TRACER PREPARATION DATE	04/13/99	PU 239 cpm	19.740
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.000	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 μ Ci/L	2.3022E+00
0	PU-238 TRACER VALUE (dpm/mL)	0.000		

N/A

Decay Time = Date Counted - Tracer Preparation Date

S99T001388

Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of $\{(-\ln 2 * \text{Decay Time}/1040.95)\}$]

Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)

WB27806

Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]

Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)

MCB

Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]

JFR

Relative Counting Error = Square Root of $\{[1/(\text{Pu 236 cpm} * \text{min})] + [1/(\text{Pu 238 or 239/240 cpm} * \text{min})]\} * 1.96 * 100$

AKL

08/27/99

Pu 239/240 μ Ci/mL = 2.30E-03

Relative Counting Error = 2.4%

DETECTION
LEVELS
in μ Ci/mL

08/26/99

Pu 239/240

01:30 PM

Pu 238 μ Ci/mL = 7.27E-04

Relative Counting Error = 3.8%

Pu 238

AP 103

Pu 236 Tracer Recovery = 97.4%

2.64E-04

Analyst:

AKL

Date:

27-Aug-99

Signature of Chemist:

JFR

Date:

27 Aug 99

SAMPLE.WB1 REV 1.0

843128ML

WORKBOOK PAGE: SAM5

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) (11/14)

LIQUID /

				SAMPLE
	DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.592
SAMPLE	SAMPLE VOLUME in mL SS	2.000	PU 238 AEA FRAC (C238)	0.083
	SAMPLE DILUTION FACTOR DF	101.000	PU 239 AEA FRAC (C239)	0.271
30817	TRACER VOLUME in mL SPKV	0.100	TOTAL AT COUNTS	2907
	DIGEST DILUTION FACTOR DDF	1.0000	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cpm (Bkg)	0.030
	DETECTOR NUMBER	16	PU 236 cpm	43.970
LIQUID	EFFICIENCY FACTOR EFF	0.272	PU 238 cpm	6.130
	TRACER PREPARATION DATE	04/13/99	PU 239 cpm	20.100
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.000	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 μ Ci/L	2.2253E+00
0	PU-238 TRACER VALUE (dpm/mL)	0.000		

N/A

Decay Time = Date Counted - Tracer Preparation Date

S99T001389

Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * $[e$ to the power of $\{(-\ln 2 * \text{Decay Time}/1040.95)\}]$

Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)

WB27806

Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]

Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)

MCB

Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]

JFR

Relative Counting Error = Square Root of $[(1/(\text{Pu 236 cpm} * \text{min})) + (1/(\text{Pu 238 or 239/240 cpm} * \text{min}))] * 1.96 * 100$

AKL

08/27/99

Pu 239/240 μ Ci/mL 2.23E-03

Relative Counting Error = 2.4%

DETECTION

LEVELS

in μ Ci/mL

08/26/99

Pu 239/240

01:30 PM

Pu 238 μ Ci/mL 6.82E-04

Relative Counting Error = 3.9%

Pu 238

AP 103

Pu 236 Tracer Recovery = 98.8%

2.49E-04

Analyst:

AKL

Date:

27-Aug-99

Signature of Chemist:

JFR

Date:

27 Aug 99

SAMPLE.WB1 REV 1.0

843128ML

WORKBOOK PAGE: DUP6

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) LIQUID /

				DUP
	DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)	0.572
DUP	SAMPLE VOLUME in mL	SS 2.000	PU 238 AEA FRAC (C238)	0.085
	SAMPLE DILUTION FACTOR	DF 101.000	PU 239 AEA FRAC (C239)	0.267
30817	TRACER VOLUME in mL	SPKV 0.100	TOTAL AT COUNTS	2999
	DIGEST DILUTION FACTOR	DDF 1.0000	AT COUNT TIME (MIN)	30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cpm (Bkg)	0.030
	DETECTOR NUMBER	16	PU 236 cpm	43.760
LIQUID	EFFICIENCY FACTOR	EFF 0.272	PU 238 cpm	6.500
	TRACER PREPARATION DATE	04/13/99	PU 239 cpm	20.440
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.000	AEA COUNT TIME	480
	PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 μ Ci/L	2.2691E+00
0	PU-238 TRACER VALUE (dpm/mL)	0.000		

N/A

Decay Time = Date Counted - Tracer Preparation Date

S99T001389

Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(-ln2 * Decay Time/1040.95)}]

Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)

WB27808

Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]

Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)

MCB

Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]

Relative Counting Error = Square Root of [(1/(Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100

JFR

AKL

08/27/99	Pu 239/240 μ Ci/mL	2.27E-03	DETECTION LEVELS in μ Ci/mL
	Relative Counting Error =	2.4%	
08/26/99			
01:30 PM	Pu 238 μ Ci/mL	7.22E-04	Pu 239/240
	Relative Counting Error =	3.8%	2.59E-04
AP 103	Pu 236 Tracer Recovery =	98.5%	Pu 238
			2.59E-04

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	<i>John Relyea</i>	JFR	Date: 27 Aug 99

SAMPLE.WB1 REV 1.0

943128ML

WORKBOOK PAGE: SAM7

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) LIQUID /

				SAMPLE
DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)		0.570
SAMPLE	SAMPLE VOLUME in mL SS 2.000	PU 238 AEA FRAC (C238)		0.083
SAMPLE DILUTION FACTOR DF	101.000	PU 239 AEA FRAC (C239)		0.276
30817	TRACER VOLUME in mL SPKV 0.100	TOTAL AT COUNTS		2884
DIGEST DILUTION FACTOR DDF	1.0000	AT COUNT TIME (MIN)		30
@PU23902	TRACER BOOK NO 16B59	BACKGROUND in cpm (Bkg)		0.030
DETECTOR NUMBER	16	PU 236 cpm		42.490
LIQUID	EFFICIENCY FACTOR EFF 0.272	PU 238 cpm		6.190
TRACER PREPARATION DATE	04/13/99	PU 239 cpm		20.600
99003199	TRACER PREPARATION VALUE (dpm/mL) 2338.000	AEA COUNT TIME		480
PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 μ Ci/L		2.3538E+00
0	PU-238 TRACER VALUE (dpm/mL) 0.000			

N/A	Decay Time = Date Counted - Tracer Preparation Date
S99T001390	Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(-ln2 * Decay Time/1040.95)}]
WB27806	Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)
MCB	Pu 239/240 μ Ci/L = (C239) / (Pu 236 Decay Corr'd Value) * (SPKV) * (1000mL/L) * (DF) * (DDF) / [(C236) * (SS) * (D g/L) * (2220000 dpm/ μ Ci)]
JFR	Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)
AKL	Pu 238 μ Ci/L = [(Pu 238 dpm) * (DF) * (DDF) * (1000mL/L)] / [(Pu-236 Tracer Recovery / 100) * (2220000 dpm/ μ Ci) * (D g/L) * (SS)]
AP 103	Relative Counting Error = Square Root of [(1 / (Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100

08/27/99	Pu 239/240 μ Ci/mL	2.35E-03	DETECTION LEVELS in μ Ci/mL
08/26/99	Relative Counting Error =	2.4%	
01:30 PM	Pu 238 μ Ci/mL	7.08E-04	
AP 103	Relative Counting Error =	3.8%	Pu 239/240
	Pu 236 Tracer Recovery =	94.3%	2.71E-04
			Pu 238
			2.71E-04

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	JFR	Date:	27 Aug 99
SAMPLE.WB1 REV 1.0	943128ML		

WORKBOOK PAGE: DUP8

Pu 238 and 239/240 : LA-943-128 (VOID) or LA-953-104(B-0) ^{11/1/99} LIQUID /

				DUP
DATE COUNTED	AUG-26-99	PU 236 AEA FRAC (C236)		0.601
DUP	SAMPLE VOLUME in mL SS	2.000	PU 238 AEA FRAC (C238)	0.087
SAMPLE DILUTION FACTOR DF	101.000	PU 239 AEA FRAC (C239)		0.276
30817	TRACER VOLUME in mL SPKV	0.100	TOTAL AT COUNTS	2894
DIGEST DILUTION FACTOR DDF	1.0000	AT COUNT TIME (MIN)		30
@PU23902	TRACER BOOK NO	16B59	BACKGROUND in cpm (Bkg)	0.030
DETECTOR NUMBER	16	PU 236 cpm		46.430
LIQUID	EFFICIENCY FACTOR EFF	0.272	PU 238 cpm	6.730
TRACER PREPARATION DATE	04/13/99	PU 239 cpm		21.300
99003199	TRACER PREPARATION VALUE (dpm/mL)	2338.000	AEA COUNT TIME	480
PU-236 DECAY CORR'D VALUE (dpm/mL)	2136.998	Pu 239/240 μ Ci/L		2.2324E+00
0	PU-238 TRACER VALUE (dpm/mL)	0.000		

Sample Prep
N/A

Decay Time = Date Counted - Tracer Preparation Date
 Pu-236 Decay Corr'd Value = Pu-236 Preparation Value * [e to the power of {(ln2 * Decay Time/1040.95)}]
 Pu 236 Tracer Recovery = (Total AT Counts / TC - Bkg) * C236 * 100 / (Pu-236 Decay Corr'd Value * SPKV * EFF)
 Pu 239/240 μ Ci/L = (C239)(Pu 236 Decay Corr'd Value)(SPKV)(1000mL/L)(DF)(DDF) / [(C236)(SS)(D g/L)(2220000 dpm/ μ Ci)]
 Pu 238 dpm = [(Total AT Counts / TC) - Bkg * 1/EFF * C238] - (Pu-238 Tracer Value * SPKV * Pu 236 Tracer Recovery / 100)
 Pu 238 μ Ci/L = [(Pu 238 dpm)(DF)(DDF)(1000mL/L)] / [(Pu-236 Tracer Recovery / 100)(2220000 dpm/ μ Ci)(D g/L)(SS)]
 Relative Counting Error = Square Root of [(1/(Pu 236 cpm * min)) + (1 / (Pu 238 or 239/240 cpm * min))] * 1.96 * 100

JFR

Analyst

AKL

(Date Completed)

08/27/99

Analysis Date

08/26/99

Analysis Time

01:30 PM

Sample Room

AP 103

Pu 239/240 μ Ci/mL	2.23E-03	DETECTION LEVELS in μ Ci/mL
Relative Counting Error =	2.3%	
Pu 238 μ Ci/mL	7.04E-04	
Relative Counting Error =	3.7%	
Pu 236 Tracer Recovery =	99.8%	Pu 239/240 2.43E-04
		Pu 238 2.43E-04

Analyst:	AKL	Date:	27-Aug-99
Signature of Chemist:	<i>John Relyea</i>	Date:	27 Aug 99

SAMPLE.WB1 REV 1.0

943128ML

HNF-1683 REV. 0

OPPORTUNISTIC ANALYTES
(APPENDIX A)

HNF-1683 REV. 0

THIS PAGE INTENTIONALLY LEFT BLANK

TANK 241-AP-103 -- OPPORTUNISTIC ANALYSIS REPORT FOR PROJECT
AP103 GRAB99

CORE NUMBER: n/a
SEGMENT #: 3AP-99-1

SEGMENT PORTION: Supernate

Sample#	R A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count Err%
S99T001382		Appearance of Sample- Hot Cell										
S99T001382		Color of Sample		n/a	n/a	Clear	n/a	n/a	n/a	n/a	n/a	n/a
S99T001382		Pu-238 by Ion Exchange	uCi/mL	n/a	0.00e+00	6.80e-04	7.27e-04	7.04e-04	6.88	n/a	n/a	4.06E+00
S99T001388	D	Silver-ICP-Acid Dil.	ug/mL	97.00	<1.00e-02	15.70	13.20	14.45	17.3	n/a	6.010	n/a
S99T001388	D	Arsenic-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388	D	Boron-ICP-Acid Dil.	ug/mL	102.8	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388	D	Barium-ICP-Acid Dil.	ug/mL	99.20	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388	D	Beryllium-ICP-Acid Dil.	ug/mL	98.00	<5.00e-03	< 3.010	<6.01e1	n/a	n/a	n/a	3.010	n/a
S99T001388	D	Bismuth-ICP-Acid Dil.	ug/mL	100.8	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Calcium-ICP-Acid Dil.	ug/mL	103.4	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Cadmium-ICP-Acid Dil.	ug/mL	100.8	<5.00e-03	16.10	14.40	15.25	11.1	n/a	3.010	n/a
S99T001388	D	Cerium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Cobalt-ICP-Acid Dil.	ug/mL	99.80	<2.00e-02	< 12.00	<1.20e1	n/a	n/a	n/a	12.00	n/a
S99T001388	D	Copper-ICP-Acid Dil.	ug/mL	99.60	<1.00e-02	6.600	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001388	D	Potassium-ICP-Acid Dil.	ug/mL	107.0	<5.00e-01	1.39e+04	1.16e+04	1.28e+04	18.0	n/a	301.0	n/a
S99T001388	D	Lanthanum-ICP-Acid Dil.	ug/mL	102.0	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388	D	Lithium-ICP-Acid Dil.	ug/mL	100.2	<1.00e-02	< 60.10	<6.01e0	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Magnesium-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Molybdenum-ICP-Acid Dil.	ug/mL	99.60	<5.00e-02	37.00	31.70	34.35	15.4	n/a	30.10	n/a
S99T001388	D	Neodymium-ICP-Acid Dil.	ug/mL	100.8	<2.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Phosphorus-ICP-Acid Dil.	ug/mL	100.4	<1.00e-01	1.09e+03	932.0	1.01e+03	15.6	n/a	120.0	n/a
S99T001388	D	Lead-ICP-Acid Dil.	ug/mL	98.80	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Sulfur-ICP-Acid Dil.	ug/mL	96.20	<1.00e-01	1.53e+03	1.28e+03	1.40e+03	17.8	n/a	36.10	n/a
S99T001388	D	Antimony-ICP-Acid Dil.	ug/mL	99.00	<6.00e-02	< 36.10	<3.61e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Selenium-ICP-Acid Dil.	ug/mL	98.20	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Silicon-ICP-Acid Dil.	ug/mL	102.6	<5.00e-02	1.63e+02	141.0	152.0	14.5	n/a	30.10	n/a
S99T001388	D	Samarium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Strontium-ICP-Acid Dil.	ug/mL	98.00	<1.00e-02	< 60.10	<6.01e0	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Titanium-ICP-Acid Dil.	ug/mL	100.8	<1.00e-02	< 60.10	<6.01e0	n/a	n/a	n/a	60.10	n/a
S99T001388	D	Thallium-ICP-Acid Dil.	ug/mL	99.60	<2.00e-01	<1.20e2	<1.20e2	n/a	n/a	n/a	120.0	n/a
S99T001388	D	Uranium-ICP-Acid Dil.	ug/mL	99.00	<5.00e-01	<3.01e+02	<3.01e2	n/a	n/a	n/a	301.0	n/a
S99T001388	D	Vanadium-ICP-Acid Dil.	ug/mL	99.40	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001388	D	Zinc-ICP-Acid Dil.	ug/mL	99.80	<1.00e-02	< 60.10	<6.01e0	n/a	n/a	n/a	60.10	n/a
S99T001388		Bromide by Ion Chromatograph	ug/mL	98.24	<1.25e-01	<5.18e+02	<5.18e2	n/a	n/a	n/a	517.6	n/a
S99T001388		Oxalate-60 by GEA	ug/mL	108.5	<1.05e-01	6.67e+02	586.0	626.6	12.9	n/a	434.8	n/a
S99T001388		Cobalt-60 by GEA	uCi/mL	106.4	<2.04e-04	3.53e-02	3.53e-02	3.53e-02	0.28	n/a	n/a	9.73
S99T001388		Niobium-94 by GEA	uCi/mL	n/a	<1.89e-04	5.15e-03	<5.00e-3	n/a	n/a	n/a	5.00e-03	n/a
S99T001388		Ru/Rh-106 by GEA	uCi/mL	n/a	<3.23e-03	<7.76e-01	<7.92e-1	n/a	n/a	n/a	7.76e-01	n/a
S99T001388		Cesium-134 by GEA	uCi/mL	n/a	<1.55e-04	<3.94e-02	<3.94e-2	n/a	n/a	n/a	3.90e-02	n/a
S99T001388		Ce/Pr-144 by GEA	uCi/mL	n/a	<1.66e-03	<6.28e-01	<6.48e-1	n/a	n/a	n/a	6.28e-01	n/a
S99T001388		Europium-154 by GEA	uCi/mL	n/a	<5.76e-04	<8.40e-03	<9.53e-3	n/a	n/a	n/a	8.00e-03	n/a
S99T001388		Europium-155 by GEA	uCi/mL	n/a	<4.10e-04	<1.54e-01	<1.53e-1	n/a	n/a	n/a	1.54e-01	n/a
S99T001388		Radium-226 by GEA	uCi/mL	n/a	<2.88e-03	< 1.132	<1.12e0	n/a	n/a	n/a	1.132	n/a
S99T001388		Cm-243/244 by Extraction	uCi/mL	n/a	<1.30e-04	<1.42e-04	<1.47E-4	n/a	n/a	n/a	n/a	1.00E+02

TANK 241-AP-103 -- OPPORTUNISTIC ANALYSIS REPORT FOR PROJECT
AP103 GRAB99CORE NUMBER: n/a
SEGMENT #: 3AP-99-2

SEGMENT PORTION: Supernate

Sample#	R	A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count	Err%
S99T001383			Appearance of Sample- Hot Cell				Clear	n/a	n/a	n/a	n/a	n/a	n/a	n/a
S99T001383			Color of Sample		n/a	n/a	Amber	n/a	n/a	n/a	n/a	n/a	n/a	n/a
S99T001389			Pu-238 by Ion Exchange	uCi/mL	n/a	0.00e+00	6.82e-04	7.22e-04	7.02e-04	5.70	n/a	n/a	n/a	3.86E+00
S99T001389	D		Silver-ICP-Acid Dil.	ug/mL	97.00	<1.00e-02	15.50	13.80	14.65	11.6	83.60	6.010	60.10	n/a
S99T001389	D		Arsenic-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	99.60	60.10	60.10	n/a
S99T001389	D		Boron-ICP-Acid Dil.	ug/mL	102.8	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	102.0	30.10	30.10	n/a
S99T001389	D		Barium-ICP-Acid Dil.	ug/mL	99.20	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	93.10	30.10	30.10	n/a
S99T001389	D		Beryllium-ICP-Acid Dil.	ug/mL	98.00	<5.00e-03	< 3.010	<3.01e0	n/a	n/a	95.30	3.010	3.010	n/a
S99T001389	D		Bismuth-ICP-Acid Dil.	ug/mL	100.8	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	95.70	60.10	60.10	n/a
S99T001389	D		Calcium-ICP-Acid Dil.	ug/mL	103.4	<1.00e-01	1.03e+02	<6.01e1	n/a	n/a	92.90	60.10	60.10	n/a
S99T001389	D		Cadmium-ICP-Acid Dil.	ug/mL	100.8	<5.00e-03	16.60	15.80	16.20	4.94	98.90	3.010	3.010	n/a
S99T001389	D		Cerium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	98.60	60.10	60.10	n/a
S99T001389	D		Cobalt-ICP-Acid Dil.	ug/mL	99.80	<2.00e-02	< 12.00	<1.20e1	n/a	n/a	98.20	12.00	12.00	n/a
S99T001389	D		Copper-ICP-Acid Dil.	ug/mL	99.60	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	96.10	6.010	6.010	n/a
S99T001389	D		Potassium-ICP-Acid Dil.	ug/mL	107.0	<5.00e-01	< 6.010	<6.01e0	1.32e+04	4.55	101.0	3.01e+03	3.01e+03	n/a
S99T001389	D		Lanthanum-ICP-Acid Dil.	ug/mL	102.0	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	98.60	30.10	30.10	n/a
S99T001389	D		Lithium-ICP-Acid Dil.	ug/mL	100.2	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	91.70	6.010	6.010	n/a
S99T001389	D		Magnesium-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	96.90	60.10	60.10	n/a
S99T001389	D		Molybdenum-ICP-Acid Dil.	ug/mL	99.60	<5.00e-02	38.30	35.90	37.10	6.47	98.20	30.10	30.10	n/a
S99T001389	D		Neodymium-ICP-Acid Dil.	ug/mL	100.8	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	96.80	60.10	60.10	n/a
S99T001389	D		Phosphorus-ICP-Acid Dil.	ug/mL	100.4	<2.00e-01	1.36e+03	989.0	1.17e+03	31.6	99.10	1.20e+03	1.20e+03	n/a
S99T001389	D		Lead-ICP-Acid Dil.	ug/mL	98.80	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	101.0	60.10	60.10	n/a
S99T001389	D		Sulfur-ICP-Acid Dil.	ug/mL	96.20	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	76.70	60.10	60.10	n/a
S99T001389	D		Antimony-ICP-Acid Dil.	ug/mL	99.00	<6.00e-02	< 36.10	<3.61e1	n/a	n/a	98.70	36.10	36.10	n/a
S99T001389	D		Selenium-ICP-Acid Dil.	ug/mL	98.20	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	116.0	60.10	60.10	n/a
S99T001389	D		Silicon-ICP-Acid Dil.	ug/mL	102.6	<5.00e-02	1.65e+02	153.0	159.0	7.55	112.0	30.10	30.10	n/a
S99T001389	D		Samarium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	98.30	60.10	60.10	n/a
S99T001389	D		Strontium-ICP-Acid Dil.	ug/mL	98.00	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	93.90	6.010	6.010	n/a
S99T001389	D		Titanium-ICP-Acid Dil.	ug/mL	100.8	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	97.50	6.010	6.010	n/a
S99T001389	D		Thallium-ICP-Acid Dil.	ug/mL	99.60	<2.00e-01	<1.20e+02	<1.20e2	n/a	n/a	98.10	120.0	120.0	n/a
S99T001389	D		Uranium-ICP-Acid Dil.	ug/mL	99.00	<5.00e-01	<3.01e+02	<3.01e2	n/a	n/a	107.5	301.0	301.0	n/a
S99T001389	D		Vanadium-ICP-Acid Dil.	ug/mL	99.40	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	97.30	30.10	30.10	n/a
S99T001389	D		Zinc-ICP-Acid Dil.	ug/mL	99.80	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	98.60	6.010	6.010	n/a
S99T001389			Bromide by Ion Chromatograph	ug/mL	98.24	<1.25e-01	<5.18e+02	<5.18e2	n/a	n/a	102.9	517.6	517.6	n/a
S99T001389			Oxalate-IC-Dionex 4000/450	ug/mL	108.5	<1.05e-01	7.12e+02	634.0	672.9	11.6	107.8	434.8	434.8	n/a
S99T001389			Cobalt-60 by GEA	uCi/mL	106.4	<2.04e-04	3.79e-02	3.77e-02	3.78e-02	0.53	n/a	n/a	n/a	8.19
S99T001389			Niobium-94 by GEA	uCi/mL	n/a	<1.89e-04	<5.08e-03	<4.97e-3	n/a	n/a	n/a	5.00e-03	5.00e-03	n/a
S99T001389			Ru/Rh-106 by GEA	uCi/mL	n/a	<3.23e-03	<7.69e-01	<7.70e-1	n/a	n/a	n/a	7.69e-01	7.69e-01	n/a
S99T001389			Cesium-134 by GEA	uCi/mL	n/a	<1.55e-04	<3.91e-02	<3.88e-2	n/a	n/a	n/a	3.90e-02	3.90e-02	n/a
S99T001389			Ce/Pr-144 by GEA	uCi/mL	n/a	<1.66e-03	<6.22e-01	<6.19e-1	n/a	n/a	n/a	6.22e-01	6.22e-01	n/a
S99T001389			Europium-154 by GEA	uCi/mL	n/a	<5.76e-04	<8.08e-03	<9.41e-3	n/a	n/a	n/a	8.00e-03	8.00e-03	n/a
S99T001389			Europium-155 by GEA	uCi/mL	n/a	<4.10e-04	<1.52e-01	<1.52e-1	n/a	n/a	n/a	1.52e-01	1.52e-01	n/a
S99T001389			Radium-226 by GEA	uCi/mL	n/a	<2.88e-03	< 1.122	<1.12e0	n/a	n/a	n/a	1.122	1.122	n/a
S99T001389			Cm-243/244 by Extraction	uCi/mL	n/a	<1.30e-04	<1.49e-04	<1.44e-4	n/a	n/a	n/a	n/a	1.00E+02	1.00E+02

TANK 241-AP-103 -- OPPORTUNISTIC ANALYSIS REPORT FOR PROJECT
AP103 GRAB99CORE NUMBER: n/a
SEGMENT #: 3AP-99-3

SEGMENT PORTION: Supernate

Sample#	R A#	Analyte	Unit	Standard %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Count Err%
S99T001384		Appearance of Sample- Hot Cell		n/a	n/a	Clear	n/a	n/a	n/a	n/a	n/a	n/a
S99T001384		Color of Sample		n/a	n/a	Amber	n/a	n/a	n/a	n/a	n/a	n/a
S99T001390	D	Pu-238 by Ion Exchange	uCi/mL	n/a	0.00e+00	7.08e-04	7.04e-04	7.06e-04	0.57	n/a	n/a	3.85E+00
S99T001390	D	Silver-ICP-Acid Dil.	ug/mL	97.00	<1.00e-02	15.30	16.10	15.70	5.10	n/a	6.010	n/a
S99T001390	D	Arsenic-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Boron-ICP-Acid Dil.	ug/mL	102.8	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Barium-ICP-Acid Dil.	ug/mL	99.20	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Beryllium-ICP-Acid Dil.	ug/mL	98.00	<5.00e-03	< 3.010	<3.01e0	n/a	n/a	n/a	3.010	n/a
S99T001390	D	Bismuth-ICP-Acid Dil.	ug/mL	100.8	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Calcium-ICP-Acid Dil.	ug/mL	103.4	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Cadmium-ICP-Acid Dil.	ug/mL	100.8	<5.00e-03	16.30	17.10	16.70	4.79	n/a	3.010	n/a
S99T001390	D	Cerium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Cobalt-ICP-Acid Dil.	ug/mL	99.80	<2.00e-02	< 12.00	<1.20e1	n/a	n/a	n/a	12.00	n/a
S99T001390	D	Copper-ICP-Acid Dil.	ug/mL	99.60	<1.00e-02	6.190	7.020	6.605	12.6	n/a	6.010	n/a
S99T001390	D	Potassium-ICP-Acid Dil.	ug/mL	107.0	<5.00e-01	1.39e+04	1.40e+04	1.40e+04	0.72	n/a	301.0	n/a
S99T001390	D	Lanthanum-ICP-Acid Dil.	ug/mL	102.0	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Lithium-ICP-Acid Dil.	ug/mL	100.2	<1.00e-02	< 60.10	<6.01e0	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Magnesium-ICP-Acid Dil.	ug/mL	100.6	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Molybdenum-ICP-Acid Dil.	ug/mL	99.60	<5.00e-02	38.80	39.20	39.00	1.03	n/a	60.10	n/a
S99T001390	D	Neodymium-ICP-Acid Dil.	ug/mL	100.8	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Phosphorus-ICP-Acid Dil.	ug/mL	100.4	<2.00e-01	1.19e+03	1.22e+03	1.20e+03	2.49	n/a	120.0	n/a
S99T001390	D	Lead-ICP-Acid Dil.	ug/mL	98.80	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Sulfur-ICP-Acid Dil.	ug/mL	96.20	<1.00e-01	1.56e+03	1.57e+03	1.56e+03	0.64	n/a	36.10	n/a
S99T001390	D	Antimony-ICP-Acid Dil.	ug/mL	99.00	<6.00e-02	< 36.10	<3.61e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Selenium-ICP-Acid Dil.	ug/mL	98.20	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Silicon-ICP-Acid Dil.	ug/mL	102.6	<5.00e-02	1.58e+02	164.0	161.0	3.73	n/a	30.10	n/a
S99T001390	D	Samarium-ICP-Acid Dil.	ug/mL	101.2	<1.00e-01	< 60.10	<6.01e1	n/a	n/a	n/a	60.10	n/a
S99T001390	D	Strontium-ICP-Acid Dil.	ug/mL	98.00	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001390	D	Titanium-ICP-Acid Dil.	ug/mL	100.8	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001390	D	Thallium-ICP-Acid Dil.	ug/mL	99.60	<2.00e-01	<1.20e+02	<1.20e2	n/a	n/a	n/a	120.0	n/a
S99T001390	D	Uranium-ICP-Acid Dil.	ug/mL	99.00	<5.00e-01	<3.01e+02	<3.01e2	n/a	n/a	n/a	301.0	n/a
S99T001390	D	Vanadium-ICP-Acid Dil.	ug/mL	99.40	<5.00e-02	< 30.10	<3.01e1	n/a	n/a	n/a	30.10	n/a
S99T001390	D	Zinc-ICP-Acid Dil.	ug/mL	99.80	<1.00e-02	< 6.010	<6.01e0	n/a	n/a	n/a	6.010	n/a
S99T001390		Bromide by Ion Chromatograph	ug/mL	98.88	<1.25e-01	<6.44e+02	<6.44e2	n/a	n/a	n/a	643.9	n/a
S99T001390		Oxalate-IC-Dionex 4000/450	ug/mL	105.4	<1.05e-01	9.38e+02	567.0	752.2	49.3	n/a	222.7	n/a
S99T001390		Cobalt-60 by GEA	uCi/mL	106.4	<2.04e-04	3.94e-02	3.42e-02	3.68e-02	14.1	n/a	n/a	8.47
S99T001390		Niobium-94 by GEA	uCi/mL	n/a	<1.89e-04	<5.50e-03	<5.12e-3	n/a	n/a	n/a	5.00e-03	n/a
S99T001390		Ru/Rh-106 by GEA	uCi/mL	n/a	<3.23e-03	<7.85e-01	<7.68e-1	n/a	n/a	n/a	7.85e-01	n/a
S99T001390		Cesium-134 by GEA	uCi/mL	n/a	<1.55e-04	<3.95e-02	<3.88e-2	n/a	n/a	n/a	3.90e-02	n/a
S99T001390		Ce/Pr-144 by GEA	uCi/mL	n/a	<1.66e-03	<6.31e-01	<6.20e-1	n/a	n/a	n/a	6.31e-01	n/a
S99T001390		Europium-154 by GEA	uCi/mL	n/a	<5.76e-04	<8.84e-03	<8.41e-3	n/a	n/a	n/a	9.00e-03	n/a
S99T001390		Europium-155 by GEA	uCi/mL	n/a	<4.10e-04	<1.55e-01	<1.52e-1	n/a	n/a	n/a	1.55e-01	n/a
S99T001390		Radium-226 by GEA	uCi/mL	n/a	<2.88e-03	< 1.136	<1.11e0	n/a	n/a	n/a	1.136	n/a
S99T001390		Cm-243/244 by Extraction	uCi/mL	n/a	<1.30e-04	<1.40e-04	<1.46E-4	n/a	n/a	n/a	n/a	1.00E+02

DISTRIBUTION SHEET

To Distribution	From 222-S Laboratory	Page 1 of 1
		Date: 12/09/99
Project Title/Work Order HNF-1683 Rev. 0 "Tank 241-AP-103 1999 Compatibility Grab Samples Analytical Results for the Final Report"		EDT NO.: EDT-628055
		ECN NO.: N/A

Name	MSIN	Text With all Attach	EDT/ECN ONLY	
------	------	-------------------------	-----------------	--

U.S. Department of Energy, RL

C. A. Babel

S7-54

X

Lockheed Martin Hanford Corp.

J. N. Appel

A3-03

X

R. A. Bechtold

K7-22

X

T. M. Blaak

S5-13

X

T. M. Brown

S5-05

X

K. G. Carothers

R2-11

X

J. G. Field

R2-12

X

N. L. Hulse

R2-12

X

M. J. Kupfer

R3-75

X

R. E. Larson

T4-07

X

L. M. Sasaki

R2-12

X

J. B. Schaffer

R2-12

X

L. A. Stauffer

R2-11

X

J. A. Voogd

R2-53

X

A. E. Young

R1-10

X

Lockheed Martin Services, Inc.

Central Files

B1-07

X

Pacific Northwest National Laboratory

K. L. Silvers

K9-08

X

Fluor Daniel Hanford, Inc.

K. E. Bell

T6-12

X

B. V. Burrows

H6-30

X

L. A. Diaz

T6-12

X*

L. L. Lockrem

T6-07

X

D. C. Hetzer

S6-31

X

K. L. Powell

S3-30

X

C. M. Seidel

S3-30

X

LTIC

T6-03

X

SGN Eurisys Services Corp.

B. A. Higley

R3-73

X

W. S. Callaway

S3-90

X

Defense Nuclear Federal Safety Board

Rich Tontodonato

X

625 Indiana Ave. N. W.

Washington D.C. 20004

DOE/RL Reading Room

H2-53

X

* Needs only releasing paperwork, not a copy of the released document.