**Cover Sheet for a Hanford
Historical Document
Released for Public Availability**

Released 1994

**Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

DECLASSIFIED

(CLASSIFICATION)

DOUGLAS UNITED NUCLEAR, INC.

RICHLAND, WASHINGTON

DOCUMENT NO.

DUN-1156

Hanford Code C-65

SERIES AND COPY NO.

DATE

June 7, 1966

RESTRICTED DATA

THIS DOCUMENT CONTAINS RESTRICTED DATA AS DEFINED IN EXECUTIVE ORDER 11652 OF 1954. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED.

TITLE

NOTES ON IRRADIATION OF NEODYMIUM

OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C., SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

W. K. Woods

ISSUING FILE NO.

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

FILE NO.

DATE

THIS DOCUMENT IS NOT TO BE LEFT UNATTENDED OR IN THE HANDS OF AN UNAUTHORIZED PERSON WHO MAY HAVE ACCESS TO IT. WHEN IN USE, IT MUST BE STORED IN A SECURED AND PROVED LOCKED CONTAINER WITHIN AN APPROVED GUARANTEED AREA. WHILE IT IS YOUR RESPONSIBILITY TO KEEP IT AND UNTIL YOU OBTAIN A SIGNED RECEIPT FOR IT, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THIS PROJECT AND FROM AN UNAUTHORIZED PERSON. TRANSMISSION TO, AND STORAGE AT YOUR PLACE OF RESIDENCE IS PROHIBITED. IT IS NOT TO BE REPRODUCED. IF ADDITIONAL COPIES ARE REQUIRED, OBTAIN THEM FROM THE RELATED ISSUING OFFICE. ALL PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

ROUTE TO:

PAYROLL NO.

LOCATION

FILES ROUTE DATE

SIGNATURE AND DATE

Battelle:

EA Kochback

38535

326

JUN 21 1966

MASTER

DECLASSIFIED

54-5100-100 DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ARG-RL00 RICHLAND, WASH.

(CLASSIFICATION)

DECLASSIFIED

DUN-1156

Page 1

Hanford Code C-65

This document contains restricted information as defined in the Atomic Energy Act of 1954. Its transmittal or the disclosure of its contents in any manner is an unauthorized act prohibited.

This document consists of 7 pages, [REDACTED]

DISTRIBUTION

<u>DUN</u>	- 1. TW Ambrose	<u>ISOCHEM</u>	- 15. OF Hill
	2. GD Guthrie		16. AJ Scott
	3. PC Jerman		17. MJ Szulinski
	4. CW Kuhlman		
	5. LE Kusler	<u>RLOO-AEC-</u>	18. RL Plum
	6. RH Meichle		19. MR Schneller
	7. R. Nilson		
	8. GF Owsley	<u>BNW</u>	- 20. EA Eschbach
	9. RW Reid		21. CA Rohrmann
	10. HG Spencer		
	11-12. WK Woods	<u>GE/NRD</u>	- 22. JW Riches
	13. DUN Record		
	14. DUN File		

NOTES ON IRRADIATION OF NEODYMIUM

By:

Classification Cancelled and Changed To

W. K. Woods

DECLASSIFIED

June 7, 1966

By Authority of RM-Ofen
CG-NMP-1 8-1-94
By JE Savely 10-17-94
Verified By Cherri Maley,
10-19-94

MASTER

DECLASSIFIED

DISTRIBUTION:

DATE June 7, 1966

TO File

FROM W. K. Woods

SUBJECT NOTES ON IRRADIATION OF NEODYMIUM

The fission product, promethium-147, would be much more desirable as a heat-producing radioisotope if it were not in such short supply. C. A. Rohrmann's chart "Characteristics of Radioisotopic Heat Sources" lists the annual availability of Pm-147 as 5.5 kw, corresponding to about 17 kg. Hence, consideration has been given to irradiation of neodymium-146 in order to augment the supply of Pm-147. A method for separating Nd-146 from other neodymium isotopes does not exist today. This memorandum presents the results of a brief look at the irradiation of mixed neodymium isotopes which are available without isotopic separation.

There appears to be no incentive to recover the mixture of stable neodymium isotopes available as waste fission products in preference to using natural neodymium. The concentration of high cross-section Nd-143 in fission product neodymium is about twice as high as that in natural neodymium, doubling the parasitic neutron losses with the same Pm-147 production rate.

Irradiation of natural neodymium in Hanford reactors could reasonably continue until a product concentration of about 500 grams of Pm-147 per ton of neodymium had been obtained. The in-reactor residence time of the neodymium would be about two years (cf Figure 3). To double the quoted supply of Pm-147 available from fission products (17 kg per year) would require irradiating 35 tons of neodymium per year. Assuming that fifteen percent of the rare earths in the nation's stockpile is neodymium, there should be about 1,800 tons of neodymium in excess of stockpile objective available for irradiation.

It is conceivable that one might take another fission product, cerium-144, which decays with a 285-day half-life to Nd-144, and periodically milk the Nd-144 to get a pure neodymium isotope for irradiation. It is doubtful that this would be economical but, if it were, it would be more attractive for a high flux reactor at Savannah River than for Hanford because it would take Hanford so long to build up a reasonable concentration of Pm-147 (cf Figures 1 and 2).

DECLASSIFIED

We conclude that it is feasible to produce Pm-147 by irradiating natural neodymium. However, this would be extremely uneconomical, for most of the neutrons absorbed in such an irradiation will go to convert Nd-143 to Nd-144; isotopic separation to eliminate at least the high cross-section Nd-143 (330 barns) from the neodymium target will be required. In fact, in the absence of isotopic separation and with driver uranium enriched to 0.95 percent U-235, the Hanford plant capability for producing Pm-147 by reactor irradiation would be limited to only 3 kg of Pm-147 per year.

DISCUSSION

Mr. G. D. Guthrie used the computer to calculate Pm-147 yields as a function of exposure when irradiating individual neodymium isotopes. The results of his calculation for two different neutron flux levels are shown in Figures 1 and 2. The following basic constants were used:

<u>Isotope</u>	<u>Half Life</u>	<u>Thermal Cross-Section Barns</u>	<u>0.045 X resonance Cross-Section Barns</u>	<u>Effective Cross-Section Barns</u>
Nd-142	∞	17.	-	17
143	∞	330.	5.5	336
144	$<\infty$	5.0	-	5
145	∞	50.	11.8	62
146	∞	2.0	-	2
147	11.1 days	--	-	--
Pm-147	2.7 years	230.	186	416

We note that irradiating Nd-146 to make Pm-147 is comparable cross-section-wise to irradiating U-238 to make Pu-239, with small target cross-section and large product cross-section.

The data shown in Figure 3 were obtained by adding the product of the Pm-147 yield for each isotope (from Figure 1 or 2) times the fractional abundance of the isotope in a given mixture, as follows:

<u>Isotope</u>	<u>ABUNDANCE, %</u>		
	<u>Natural</u>	<u>Pu-239 Fission</u>	<u>U-235 Fission</u>
Nd-142	27.11	0	0
143	12.17	27.4	28.4
144	23.85	23.0	26.9
145	8.30	18.4	18.8
146	17.22	15.3	14.6
148	5.73	9.9	8.1
150	5.62	6.0	3.2
	<u>100.00</u>	<u>100.0</u>	<u>100.0</u>

DECLASSIFIED

Finally, for perspective, the effective cross-section of the mixed isotopes was calculated by adding the product of the cross-section for each isotope times the fractional abundance, as follows:

<u>CROSS-SECTION BARNS</u>			
<u>Isotope</u>	<u>Natural</u>	<u>Pu-239 Fission</u>	<u>U-235 Fission</u>
Nd-142	4.6	-	-
143	40.9	92.0	95.4
144	1.2	1.2	1.35
145	5.1	11.4	11.6
146	0.34	.31	0.29
148	0.23	.40	0.32
150	0.09	.09	0.05
	<u>52.5</u>	<u>105.4</u>	<u>109.0</u>

For this table, effective cross-section values for each isotope were as given above, in addition to values of 4.0 barns for Nd-148 and 1.5 barns for Nd-150.

Plant capability was estimated as follows: Total plant capability (excluding N Reactor) is about 3600 kg of Pu-239, or about 15 kg-atomic weights. Twenty percent of this, or 3 kg-atomic weights, can be diverted to other products if 0.95 E-metal is used. If this is all absorbed in Nd isotopes, only 0.34/52.5 goes into making Pm-147. Hence, Pm-147 production initially is (3) (0.34/52.5) (147) kg = 2.8 kg. This rate would increase slowly as Nd-145 is converted to Nd-146.

W.K. Woods

W. K. Woods, Consulting Engineer
Advanced Concepts and Planning

/jek

Attachment

DECLASSIFIED

SEMI-LOGARITHMIC 358-91
KEUFFEL & ESSER CO. MADE IN U.S.A.
5 CYCLES X 70 DIVISIONS

K&E SEMI-LOGARITHMIC 358-91
KEUFFEL & ESSER CO. MADE IN U.S.A.
5 CYCLES X 70 DIVISIONS

FIGURE 3

PRODUCTION OF PROMETHIUM-147

BY IRRADIATION OF MIXED NUCLEAR ISOTOPES