**Cover Sheet for a Hanford
Historical Document
Released for Public Availability**

Released 1995

**Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

5/2/60 201

DECLASSIFIED

DOCUMENT NO.

HW-41274

DATE

FEBRUARY 2, 1956

COPY NO. AND SERIES

6

FILES RETURN TO:
TECHNICAL INFORMATION FILES

(CLASSIFICATION)
HANFORD TECHNICAL RECORD
GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

RECEIVED

☒

RESTRICTED
THIS DOCUMENT CONTAINS RESTRICTED INFORMATION. IT IS TO BE KEPT IN THE RESTRICTED AREA AND NOT TRANSMITTED OR DISCLOSED IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED.

FILE DESIGNATION

FEB 13 1956

300 AREA

TITLE
CLASSIFIED FILES

AMERICIUM-CURIUM CORRECTION

☐

OTHER OFFICIAL CLASSIFIED INFORMATION
THIS MATERIAL CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C., SECS. 793 AND 794, THE TRANSMISSION OR REVELATION OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

AUTHOR

W. H. REAS

THIS DOCUMENT IS NOT TO BE LEFT UNATTENDED OR MADE AVAILABLE TO AN UNAUTHORIZED PERSON. IT MUST BE KEPT IN AN APPROVED LOCKED REPOSITORY WITHIN AN APPROVED GUARDED AREA. WHILE IT IS IN YOUR POSSESSION AND UNTIL YOU HAVE OBTAINED A SIGNED RECEIPT FROM THE ISSUING OFFICE, IT IS YOUR RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE LIMITS OF THE PROJECT AND FROM ANY UNAUTHORIZED PERSON. ITS TRANSMISSION, DISCLOSURE, AND STORAGE AT YOUR RESIDENCE IS PROHIBITED. IT IS NOT TO BE DUPLICATED. ADDITIONAL COPIES ARE NOT TO BE MADE. IF YOU HAVE THEM FROM A PREVIOUS ISSUING FILE, ALL PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN IN THE SPACE PROVIDED BELOW.

ROUTE TO:	PAYROLL NO.	LOCATION	SIGNATURE	DATE
CB McKEE	627	222-T	McKee	2-16-56
W. H. Johnson			W. H. Johnson	12-7-56
J. L. Wight			J. L. Wight	6/1/56
RECORD COPY				
Indefinite Retention		Disposal Date		
Authority		Authority		

C-3195-MS (11-54) AEC-GE RICHLAND, WASH.

T3
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

(CLASSIFICATION)

DECLASSIFIED

MASTER

DECLASSIFIED

HW-41274

CLASSIFICATION CANCELLED AND CHANGED TO
DECLASSIFIED

BY AUTHORITY OF CG-PR-2

DS Lewis 9-24-92

BY JE Savely 10-27-92

VERIFIED BY TL BURDSTE 10-28-92

- #1. VD Donihee
- #2. RJ Brouns
- #3. A Brunstad
- #4. LM Knights
- #5. FJ Leitz-EM Kinderman
- #6. CB McKee
- #7. CJ Shortess, Jr.
- #8. JH Warren
- #9. WH Reas
- #10. 300 Files
- #11. Yellow Copy

NOT UONI

February 2, 1956

This document consists of
4 pages. No. 6 of
11 copies. Series 11.

V. D. Donihee, Manager
SS Accountability Section
FINANCIAL DEPARTMENT

AMERICIUM-CURIUM CORRECTION

Ref.: Confidential Undocumented letter dated October 6, 1955 to
E. M. Kinderman from J. L. Jaech, "Americium-Curium Factor (II)."

We have had occasion to examine the relationship between the ratio of americium-curium counts and total plutonium counts (Am-Cm correction factor) for a wide variety of plant samples. The results of this examination can be expressed in the relationship:

$$R = 1.45 \times 10^{-9} E^{2.64}$$

where R is the correction factor, counts Am-Cm/counts Pu, and E is the exposure in MWD/T. The relationship may prove sufficiently reliable to justify calculation rather than analytical determination of the americium-curium correction for S.S. accountability and plant control purposes.

Plant data from Redox and T-Plant were sampled to obtain 222 independent ratios of americium-curium count to plutonium count. The cooling time of the metal varied, with the major portion of the data sampled representing times for 75 to 120 days. The exposure was for nominal 200, 260, 300, 340, 460, 560, 650, 830, and 1000 MWD/T values. The operating span represented by the samples was approximately two years ending in August, 1955.

DECLASSIFIED

DECLASSIFIED

HW-41274

-2-

The relationship chosen for fitting the data, $y = AX^b$ was selected because there is a power dependence between americium and curium and plutonium production, and the data do not justify the use of a more exact form than the one written.

The fit of the data sampled to the equation reported is shown in the accompanying figure. The straight line with slope 2.64 represents the equation. The slightly curved lines on either side indicate the confidence limits to be placed on the estimate of americium-curium correction predicted by the equation. The solid vertical lines represent the confidence level for the mean value of all experimentally determined corrections at the exposure level indicated. The dotted extensions of these vertical lines represent the confidence line to be placed on a single determination of the correction factor if the individual value corresponds to the observed mean. The comparison of individual assignment of correction ratio by analytical determination or computation from the equation is given also in Table I.

TABLE I

COMPARISON OF CONFIDENCE RANGES FOR DETERMINED AND COMPUTED RATIOS

Exposure MWD/T	No. of Determinations	Ratio, $\frac{\text{Am-Cm Counts}}{\text{Pu Counts}}$					
		Observed from Analysis			Predicted from Equation		
		Mean	2 σ Range For Individual		Mean	2 σ Range For Individual	
			High	Low		High	Low
200	44	0.0035	0.0091	0.0013	0.0017	0.0032	0.0009
260	83	0.0023	0.0064	0.0008	0.0034	0.0057	0.0020
300	4	0.0049	0.0093	0.0026	0.0050	0.0079	0.0032
340	13	0.017	0.054	0.0053	0.0069	0.011	0.0046
460	7	0.0093	0.013	0.0066	0.0145	0.021	0.010
560	17	0.034	0.071	0.016	0.026	0.037	0.018
650	26	0.041	0.078	0.022	0.038	0.054	0.026
830	25	0.083	0.13	0.052	0.072	0.11	0.047
1000	3	0.121	0.14	0.10	0.121	0.19	0.073

The determinations become more precise as the exposure (and the quantity of americium and curium present) increases. Examination of the confidence ranges of Table I illustrates this point and indicates that, at present, analytical determination is more reliable than the equation in evaluating the correction factor at higher exposures.

The accuracy of the relationship between Am-Cm correction and exposure has not been evaluated. It depends upon the bias (or lack of it) existing in the determination at the time of the measurements. If bias does exist, it is most likely to be found in the low correction range and to be positive (results reported greater than true value). If such a bias existed during the measurement, the true relationship could have a steeper slope than reported here, but there would be little change in the computed values at high exposures.

This is confidence interval on data

DECLASSIFIED

HW-41274

-3-

We are calling this information to your attention as it indicates sufficient accountability control may be possible by calculation only, particularly at low exposure levels.

W. H. Reas

Manager - Chemical Research
ENGINEERING DEPARTMENT

WH Reas:EMK:acj

DECLASSIFIED

HW-41274