Development of a Direct Drive Permanent Magnet Generator for Small Wind Turbines

Final Technical Report for the U.S. Department of Energy
Grant Number DE-FG36-03GO13139

Reporting Period: 09/30/2003 – 09/30/2004

DOE Project Officer: Keith Bennett
TIAX Project Director: Paul McTaggart
Phone Number: 617-498-5847
Fax Number: 617-498-7275
E-Mail: mctaggart.p@tiaxllc.com

January 7, 2005

Report prepared by: Allan Chertok and David Hablanian

TIAX LLC
15 Acorn Park
Cambridge, MA
02140-2390

TIAX Reference: D0223

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States government nor any agency thereof, or any of its contractors/subcontractors, or any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Table of Contents

1.0	INTRODUCTION	1-1
2.0	TECHNICAL TASKS.....	2-2
2.1	TASK 1 – SPECIFICATION OF DESIGN REQUIREMENTS	2-3
2.2	TASK 2 – PARAMETRIC CAD MODEL OF ARMATURE AND FIELD GEOMETRY	2-4
2.2.1	<i>Armature Assembly</i>	<i>2-4</i>
2.2.2	<i>Armature Coil Construction.....</i>	<i>2-6</i>
2.2.3	<i>Field Magnet Assembly.....</i>	<i>2-7</i>
2.2.4	<i>Illustrative Integration of Generator and Wind Turbine.....</i>	<i>2-8</i>
2.3	TASK 3 – MATHCAD MODEL PARAMETRIC ANALYSIS.....	2-9
2.3.1	<i>Winding Configuration.....</i>	<i>2-9</i>
2.3.2	<i>MathCAD Procedure Design Results.....</i>	<i>2-9</i>
2.4	TASK 4 – MAGNETO MODEL ANALYSIS	2-11
2.4.1	<i>Analysis Cases.....</i>	<i>2-11</i>
2.4.2	<i>Leveraging Model Symmetry.....</i>	<i>2-12</i>
2.4.3	<i>Magneto Flux Linkage Analysis Results.....</i>	<i>2-13</i>
2.4.4	<i>Magneto Cogging Torque Analysis Results</i>	<i>2-14</i>
2.4.5	<i>Magneto Electromagnetic Reaction Torque Analysis Results.....</i>	<i>2-14</i>
2.5	TASK 5 – PREPARE DRAWING PACKAGE	2-16
2.6	TASK 6 – EXTRAPOLATE RESULTS	2-17
2.7	TASK 7 – PRELIMINARY MANUFACTURING COST ANALYSIS AND POWER ELECTRONIC SYSTEM REQUIREMENTS.....	2-18
2.7.1	<i>Factory Cost Analysis</i>	<i>2-18</i>
2.7.2	<i>Analysis of Manufacturing Cost Sensitivity to Production Rate</i>	<i>2-18</i>
2.7.3	<i>Extrapolation of Manufacturing Cost to smaller and larger ratings</i>	<i>2-19</i>
2.7.4	<i>Comparable Manufacturing Cost for a Conventional Non-Modular PMG</i>	<i>2-20</i>
2.7.5	<i>Power Electronic System Requirements</i>	<i>2-21</i>
2.8	ANNUAL COST SAVINGS	2-22
3.0	CONCLUSIONS AND RECOMMENDATIONS.....	3-1
3.1	CONCLUSIONS	3-1
3.2	RECOMMENDATIONS	3-1
4.0	REFERENCES.....	4-1

List of Tables

Table 1: Program Schedule.....	2-2
Table 2: Target Design Parameters.....	2-3
Table 3: MathCAD Model Inputs and Outputs	2-9
Table 4: PMG Configuration	2-10
Table 5: Design Data	2-10
Table 6: Configurations for 25 and 100 kW Sizes	2-17
Table 7: Manufacturing Costs as A Function of Power Rating.....	2-19
Table 8: Non-Modular 50 kW Design Configuration.....	2-20
Table 9: Modular/Non-Modular Costs	2-20
Table 10: Characteristics of Bergey XL.50 and TIAX's Design.....	2-21

List of Figures

Figure 1: 2D Section View of Armature	2-5
Figure 2: Solid Model of Armature and Field Geometry	2-5
Figure 3: Armature Coil Construction.....	2-7
Figure 4: Magnets and Backiron Plate	2-8
Figure 5: PMG packaging and integration with other Wind Turbine Components	2-8
Figure 6: Partial View of Modeled Section.....	2-12
Figure 7: Phase A, B and C Flux Linkage.....	2-13
Figure 8: Cogging Torque	2-14
Figure 9: Electromagnetic Reaction Torque Ripple.....	2-15
Figure 10: Pro/E Drawings of Armature, Field, and Packaging.....	2-16
Figure 11: Factory Cost Analysis	2-18
Figure 12: Sensitivity of Manufacturing Cost to Production Rate	2-19

Executive Summary

In this program, TIAX performed the conceptual design and analysis of an innovative, modular, direct-drive permanent magnet generator (PMG) for use in small wind turbines that range in power rating from 25 kW to 100 kW¹. TIAX adapted an approach that has been successfully demonstrated in high volume consumer products such as direct-drive washing machines and portable generators.² An electromagnetic model was created and the modular PMG design was compared to an illustrative non-modular design. The resulting projections show that the modular design can achieve significant reductions in size, weight, and manufacturing cost without compromising efficiency. Reducing generator size and weight can also lower the size and weight of other wind turbine components and hence their manufacturing cost.

¹ Related DOE investigations of larger MW-scale direct drive generators have been reported by others [7].

² Fisher-Paykel direct drive vertical axis clothes washing machine and Honda variable speed portable generator sets

1.0 Introduction

The objective of this project was to design and assess an improved Direct Drive Permanent Magnet Generator (DD PMG) architecture for use in small wind turbines ranging from 25 kW to 100 kW in size. In this work TIAX adapted an existing permanent magnet motor/generator architecture now employed in mass-produced consumer products to the wind-turbine application with the objective of reducing the size, weight and manufacturing cost of the generator without compromising efficiency.

Reducing generator size and weight can also lower size and weight of other wind turbine components and hence their manufacturing cost. TIAX also believes that the robust winding insulation system employed in its design will also reduce the likelihood of generator failure and avoid costly repair and lost productivity. It is expected that reduction of manufacturing cost, repair cost and lost productivity will promote use of small wind turbines in low wind speed regions. In summary the benefits are as follows:

- Reduced wind turbine installed cost
 - Lower first cost of generator component
 - Lighter weight PMG lowers tower and foundation cost
- Reduced O&M Cost
 - More reliable insulation – fewer repairs, higher availability
 - Modularity facilitates repairs and lowers repair cost
- Improved efficiency
 - Lower copper loss

During the course of this work TIAX developed an innovative PMG concept to meet the objectives of reducing size, weight and cost – and improving winding insulation reliability. Salient aspects of the TIAX design concept include:

- External rotor configuration
 - Minimize armature size, weight and cost
 - Avoid tensile loading of magnet bonds
- Fractional slot armature winding
 - Low slots/pole/phase to avoid overlapping end turns
 - Enable armature modularity
 - Minimize end turn copper loss
- Modular armature construction³
 - Precisely wound coils
 - Plastic moldings to accurately and robustly insulate and integrate components

³ Modular armature construction employing soft ferromagnet composite core construction for smaller scale, internal rotor machines has been investigated by A.G. Jack et al. [8]

2.0 Technical Tasks

To accomplish the objectives of the program, TIAX LLC performed a project comprising several major tasks. The tasks and the program schedule are shown in Table 1. The completion of these tasks established that the technological approach was feasible in the relevant size range. The program also identified the key cost and performance characteristics. The general approach was a “paper design” supported by engineering analysis to understand and characterize the design. To provide a comparison with conventional, established designs, a simplified, limited design activity was conducted with respect to a conventional surface magnet PMG design of comparable power, speed and efficiency ratings. The latter design was developed only to the extent needed to provide comparative information and not to the point of being a fully developed concept. Throughout these tasks, the focus was on the demonstration of concept feasibility to serve as a basis for future design phases. As a result, the activities were designed to explore central issues bearing on the feasibility of the proposed technology and approach and the program was not designed to produce a final design ready for production and field application.

Table 1: Program Schedule

<i>Task</i>	<i>2003</i>			<i>2004</i>											
	<i>O</i>	<i>N</i>	<i>D</i>	<i>J</i>	<i>F</i>	<i>M</i>	<i>A</i>	<i>M</i>	<i>J</i>	<i>J</i>	<i>A</i>	<i>S</i>	<i>O</i>	<i>N</i>	<i>D</i>
1. <i>Requirements Specification</i>															
2. <i>Develop Parametric Model</i>															
3. <i>Perform Parametric Analysis</i>															
4. <i>Perform Boundary Element Analysis</i>															
5. <i>Prepare Drawing Package</i>															
6. <i>Extrapolate Results</i>															
7. <i>Manufacturing Cost Analysis</i>															

2.1 Task 1 – Specification of Design Requirements

Design requirements presented at the kickoff teleconference (October 24, 2003) were adjusted as a result of suggestions made by the NREL technical advisors.

- Rated speed decreased from 110 to 100 rpm
 - Better match to prospective 50 kW turbine application
 - Lower speed preferred to minimize blade noise
- Winding current density decreased from 800 to 600 A/cm²
 - Avoid potential difficulty with managing copper losses
 - Loss proportional to square of current density
 - Subsequently adopted a 400 a/cm² value to achieve efficiency and synchronous reactance goals

Target design parameters identified in Table 2 were selected for a 50 kW unit.⁴

Table 2: Target Design Parameters

Parameter	Term	Value	Units	Notes	Ref.
Rated Speed	Ω_r	100	rpm	Comparable to Bergey XL50	
Maximum Speed	Ω_m	1.5	pu	Accommodate VS mode and overspeeding	
Rated Power Efficiency	e_r	94	%	Deemed feasible at viable size, weight & cost	
Rated Speed Open Circuit Voltage	V_r	600	V_{rms} L-L	Limit V to 600 V, accommodate 1,200 V IGBTs	
Rated Speed Reactance	X_r	0.5	pu	Target assuming active rectifier	[4]
Armature Conductor Current Density	J_a	400	A/cm ²	Suitable for available forced air cooling	[2], [3]
Armature Winding Fill Factor		70	%	Achievable with bobbin wound coils	
Magnet Energy Product	U_m	28-35	MGOe	Range of sintered NdFeB deemed affordable	
Stator Iron Specific Loss	p_c	3.2	W/lbm	@ 10 kG-24 Ga, M-45 anticipated acceptable	[1]
Magnet Unit Cost	c_m	30	\$/lbm	Preliminary estimate	
Stator iron Unit Cost	c_{si}	3.00	\$/lbm	Preliminary estimate	
Copper Coil Unit Cost	c_{cu}	3.00	\$/lbm	Preliminary estimate	

⁴ The winding fill factor target was established after the kickoff teleconference. Feasibility of achieving at least this value (70%) was confirmed by a detailed geometric layout of the armature core, bobbin and coil cross-section for the illustrative 50 kW design described herein. Somewhat higher fill factor can be achieved by adding coil turns constituting a partial winding layer. Note, too, that PMG manufacturing cost estimates were ultimately determined using vendor provided stator iron, magnet and coil winding costs rather than by application of the unit costs assumed in Table 2.

2.2 Task 2 – Parametric CAD Model of Armature and Field Geometry

A 3D CAD model was created using *Pro/Engineer*[™] to facilitate electromagnetic model geometry definition and mechanical design and development of assembly features. Results of this effort included:

- A 2D axial section view
 - Parameterized details corresponding to variables of PMG design procedure
 - Extracted additional dimensions for a discrete element magnetic analysis model
- Development of modular armature structure
 - Core module and module assembly concept
 - Winding module and terminations –validation of estimated copper fill factor
 - Insulation and encapsulation system concept
- Illustration of potential packaging concepts for wind turbine integration

The 2D view provided required dimensions for the subsequent magnetic field and analysis model.

2.2.1 Armature Assembly

The armature assembly consists of a laminated steel core fitted with bobbin wound coils.⁵ The core is assembled from modular packs of laminations and is secured to a central aluminum hub with threaded fasteners and nut plates fitted in core back iron apertures.⁶ Piloting features and other design details are incorporated to facilitate a robust and precise assembly of these modular units as depicted in Figures 1 and 2.

⁵ As the fundamental core flux frequency is relatively low – e.g., 37 Hz at 100 rpm for an illustrative 50 kW rating, acceptable core loss can be achieved with low-cost M45, non-oriented motor lamination steel. M45, 24 gauge (0.025" thick) steel was assumed for the manufacturing cost analyses.

⁶ Stainless steel fasteners and nut plates with high resistivity would be employed to avoid significant eddy current heat induction due to motional and alternating magnetic fields in the fastener region of the core back iron. Finite element analyses of eddy current induction loss and torque production impact of these back iron fasteners would be conducted as part of the detailed design of a prototype machine – for cases of non-magnetic and magnetic stainless steel alloys. TIAX experience with permanent magnet linear motion machines suggests that a magnetic type Carpenter 430FR stainless steel may be a good candidate.

Figure 1: 2D Section View of Armature

Figure 2: Solid Model of Armature and Field Geometry

2.2.2 Armature Coil Construction

Armature coils were designed to be precisely wound on molded bobbins as depicted in Figure 3. Bobbin material with high thermal conductivity will be selected to facilitate conduction of coil copper dissipation to the armature core tooth and ultimately to air cooled wind turbine structure serving as a heat sink. New high thermal conductivity plastic formulations by Cool Polymers Inc., Warwick RI, are potential candidates for this purpose. Square or rectangular wire (with rounded corners) could be used to increase fill factor and thereby reduce copper loss.

Advantages:

- High degree of ground wall insulation
- Precisely fitted turns
 - High fill factor ~ 70%
 - Controlled voltage gradient across start to finish turns
- Precise control of encapsulation
 - Dips and bakes, or
 - Vacuum pressure injection, or
 - Injection molding
- Avoid need for large encapsulation tank

Figure 3: Armature Coil Construction

2.2.3 Field Magnet Assembly

Rectangular prismatic field magnets of sintered neodymium iron boron (NdFeB) material are configured for bonding to a pressed steel backiron plate (one per pole pair) as illustrated in Figure 4.

Advantages:

- External rotor configuration
 - Avoids magnet bond centrifugal load
 - Permits flat faced magnets
- Least cost rectangular prism magnets
 - Pole employs one or more segments
- Ease of modular assembly/disassembly
 - Pretest and qualify modules before final machine assembly
 - Modules can be installed after rotor is mated with stator – avoid need for very large and stiff assembly/disassembly fixture

Figure 4: Magnets and Backiron Plate

2.2.4 Illustrative Integration of Generator and Wind Turbine

Parametric modeling was extended to include depiction of illustrative PMG packaging and integration with other turbine components as depicted in Figure 5.

Figure 5: PMG packaging and integration with other Wind Turbine Components

2.3 Task 3 – MathCAD Model Parametric Analysis

Our MathCAD based design procedure for permanent magnet electrical machinery was used to quickly minimum size, weight and cost configuration. Salient MathCAD procedure inputs and outputs are identified in Table 3.

Table 3: MathCAD Model Inputs and Outputs

Inputs	Examples
Required operating parameters	Speed, power, open circuit voltage
Geometry	Slot, tooth, backiron and magnet dimensions
Winding configuration	Phase number, slots/pole/phase
Allowables	Wire current density, maximum core flux density
Material properties	Magnet, core and copper

Outputs	Examples
Achieved operating parameters	Torque, reactance, copper and iron losses
Figures of merit	Size, weight

2.3.1 Winding Configuration

A fractional slot armature winding was adopted to achieve a lower cost and higher efficiency modular design.

- Benefit
 - Fractional slot designs with low number of slots per pole per phase (spp) avoid overlapping end turns enabling armature modularity with minimum copper loss
- Tradeoffs
 - Fractional slot windings are used to suppress magnetomotive force (mmf) harmonics but those with a relatively low spp may add sub-harmonic components which increase synchronous reactance
 - Synchronous reactance limiting of power delivery capability may be overcome by capacitor compensation or use of an active rectifier which offers additional benefits – e.g., drive generator as motor to assist stall controlled turbine start up
- SPP selection criteria to achieve best result
 - Enable armature modularity
 - Acceptable synchronous reactance
 - Favorable component dimensions

2.3.2 MathCAD Procedure Design Results

A PMG configuration closely meeting the target requirements was determined by iterations of the MathCAD design procedure. Inputs and outputs are shown in Table 4.

Table 4: PMG Configuration

	Parameter	Value	Units
Key Inputs	Speed	100	Rpm
	Power	50	kW
	Air Gap width	3.0	mm
	Air Gap Diameter	0.8	m
	Air Gap Length	0.16	m
	Current Density	400	A/cm ²
	Core Flux Density	1.8	T max
	Magnet Br	11,000	G
	Magnet Hc	10,200	Oe
	Core	24	Ga, M45
	Efficiency	95.6	%
Key Outputs	Synchronous Reactance ¹	0.68	pu
	Weight (EM Materials)	228	kg

¹Value is greater than the 0.5 pu goal but acceptable if compensated

Other important design data were determined by the MathCAD design tool and are identified in Table 5.

Table 5: Design Data

	Parameter	Value	Units
Winding	Winding Factor for Synchronous Wave	0.95	
	Copper Loss	2,100	W at rated power
	Open Circuit Voltage	486	V _{rms} line-line at 100 rpm
Electromagnetic Material	Armature Core Weight	115	kg
	Copper Weight	58	kg
	Magnet Weight	22	kg
	Magnet Back Iron Weight	33	kg
	Core Loss	215	W at 100 rpm
Other	Air Gap Flux Density	0.8	T
	Armature Current Loading	74	kA/m
	Tractive Force Density	33	kN/m ²

Copper loss is dominant and amounts to 4.2% of the 50 kW rating. Due to the low core flux frequency (e.g., 37 Hz at 100 rpm) the core loss is quite small – even with the assumed low-cost M45 lamination steel -- amounting to only 0.4% of the 50 kW rating. Additional, relatively small loss components, may be expected – e.g., in fasteners used to secure the armature core to the machine hub. Sub-harmonic components of the air gap mmf associated with the low q fractional slot windings employed in this design have potential to induce eddy current losses in the field magnets, magnet back iron and back iron fasteners. These additional loss components and means to suppress them would be investigated by TIAX prior to fabrication of a prototype unit.

2.4 Task 4 – MAGNETO Model Analysis

2.4.1 Analysis Cases

A Magneto 2D boundary element model was constructed and several key analysis cases were conducted. The approach is described below.

- Rationale
 - Verify open circuit voltage predicted by MathCAD procedure
 - Verify reaction torque predicted by MathCAD procedure
 - Assess cogging torque and electromagnetic torque ripple
 - Identify power limitation due to core saturation and assess compensating adjustments
- Method
 - Use Pro/Engineer design to define Magneto model dimensions
 - Assign core and magnet properties
 - Define slot currents as a function of rotor position
- Analysis Cases
 - Open circuit coil flux linkage and voltage – without slot currents
 - Reaction torque as a function of rotor position

2.4.2 Leveraging Model Symmetry

We modeled only a portion of the PMG, taking advantage of symmetry to minimize solution time for each case. A partial view of the Magneto model is depicted in Figure 6.

Figure 6: Partial View of Modeled Section

2.4.3 Magneto Flux Linkage Analysis Results

Plots of total phase A, B and C flux linkage in one of the phase belts, as shown in Figure 7, demonstrated that the design achieves low distortion, near-sinusoidal waveforms.

Figure 7: Phase A, B and C Flux Linkage

Open circuit voltage was derived from the Magneto flux linkage analysis and was in good agreement with the value specified in the MathCAD design procedure.

- MathCAD specified a desired open-circuit line-neutral voltage of 277 V_{rms}
- Magneto found 254 V_{rms} ~ 0.92 pu of the desired value assumed for the MathCAD analysis
- Lower Magneto result can be attributed to
 - mmf drops in core and magnet back iron not included in MathCAD model
 - Magneto analysis tolerance
- This discrepancy can be resolved during detail design of a prototype
- Any open circuit voltage shortfall can be corrected
 - Add a small number of additional coil turns – slot area is available for additional turns
 - Increase magnet strength or magnet thickness

2.4.4 Magneto Cogging Torque Analysis Results

Cogging torque was estimated by Magneto analysis over half a pole pitch with zero coil current with a 2.5 degree electrical analysis interval.

Figure 8: Cogging Torque

Peak cogging torque, as depicted in Figure 8, was only 3% of the 4,777 Nm rated torque a very small value for a low start up wind speed condition to overcome.

2.4.5 Magneto Electromagnetic Reaction Torque Analysis Results

Electromagnetic reaction torque analysis was expedited by use of an automated parametric procedure.

- Torque computed for 12 positions of the rotor with respect to the armature
 - Rotated rotor 30 degrees electrical CCW per analysis step
 - Stepped through rotation of one pole-pair pitch
- Armature coil side amplitudes and directions were adjusted at each step
 - Accounted for sinusoidal current amplitude variation with rotation
 - Accounted for 120 degree shift between phases
 - Adjusted initial position of rotor to obtain maximum torque-per-ampere
- Solved for Electromagnetic Reaction Torque at Each Step

With the initial rotor orientation set for maximum torque-per-ampere the average reaction torque and torque ripple was determined (Figure 9).

- Average torque was 15% lower than predicted with MathCAD
- Peak torque ripple was less than 3% of the average and at this level is not likely to cause any significant structural vibration

Figure 9: Electromagnetic Reaction Torque Ripple

The average reaction torque reported by the initial magneto analysis was lower than predicted by the MathCAD design procedure.

- Rationale
 - MathCAD procedure does not evaluate mmf drops in the armature core and field magnet back iron
 - Magneto revealed reaction torque limited by core saturation, especially in tooth tip region
 - Magneto core material model not defined beyond 1.8 T
- Solutions
 - Modified Magneto core model – M45 core steel induction is not limited to 1.8 T
 - Redesigned tooth tip section to minimize saturation effects
 - Increased slot mmf by adding coil turns – small efficiency and reactance penalty

We implemented the solutions and obtained the desired reaction torque.

2.5 Task 5 – Prepare Drawing Package

Drawings of the leading design candidate were developed using Pro/Engineer™ to illustrate the concepts and to facilitate solicitation of cost estimates for magnet, core module and coil components. Illustrative portions of these drawings are depicted in Figure 10.

- Armature
 - Core, coil and module assembly
 - Modular armature assembly
- Field
 - Field magnet and back iron assembly
- Package concepts
 - Armature and rotor assembly
 - Housing and bearings
 - Illustrative wind turbine integration

Figure 10: Pro/E Drawings of Armature, Field, and Packaging

2.6 Task 6 – Extrapolate Results

We estimated the size, weight and cost of magnet, core and winding materials for the 25 and 100 kW ratings.

- Variable Parameters
 - Rated power – 25 and 100 kW
 - Rated power speed = $1/\sqrt{\text{pu rating}}^7$ – 141 rpm at 25 kW, 71 rpm at 100 kW
- Common Parameters for All Ratings
 - Efficiency
 - Synchronous reactance
 - Open circuit voltage
 - Magnet material properties
 - Core material properties

The 50 kW design was extrapolated to 25 and 100 kW ratings with similar efficiency and synchronous reactance. Configuration data is identified in Table 6. Note that the per unit reaction torques -- normalized by the 50 kW result -- predicted by the MathCAD analytic design tool are in close agreement with the classical $P = k D^2 L$ scaling rule for electrical machines.

Table 6: Configurations for 25 and 100 kW Sizes

Inputs	Parameter	Value			Units
	Power	25	50	100	kW
	Speed	141	100	71	rpm
	Reaction Torque	1.7 (0.35)	4.8 (1.0)	13.5 (2.8)	kNm (pu)
	Air Gap Width	2.5	3.0	4.0	mm
	Air Gap Diameter	0.64	0.8	1.0	m
	Air Gap Length L	0.1	0.16	0.26	m
	D ² L Metric	0.4	1.0	2.5	pu
	Slot Depth	52	62	62	mm
	Current Density	450	400	400	A/cm ²
	Max Core Flux Density	1.8	1.8	1.8	T
	Magnet Br	11,000	11,000	11,000	G
	Magnet Hc	10,200	10,200	10,200	Oe
	Core	24	24	24	Ga, M45

Outputs	Parameter	Value			Units
	Efficiency	95.2	95.6	95.3	%
	Synchronous Reactance	0.64	0.68	0.68	Pu
	Weight (EM Materials)	94 (0.41)	228 (1.0)	507 (2.2)	kg (pu)

⁷ Per unit (pu) base = 50 kW

2.7 Task 7 – Preliminary Manufacturing Cost Analysis and Power Electronic System Requirements

2.7.1 Factory Cost Analysis

A factory cost analysis was performed for a 50 kW rated PMG and found a total of \$3,500 (\$70/kW) at a 500 unit/year production rate. Cost components are identified by Figure 11.

Figure 11: Factory Cost Analysis

Cost and performance tradeoffs are envisioned to achieve an optimal design for a specific wind turbine design and operating wind regime characteristics.

- Magnet cost can be traded for higher reactance and lower efficiency
- Cost and performance tradeoffs would be determined by life cycle COE analysis

2.7.2 Analysis of Manufacturing Cost Sensitivity to Production Rate

We also conducted a sensitivity of manufacturing cost to production rate the results of which are depicted in Figure 12.

Figure 12: Sensitivity of Manufacturing Cost to Production Rate

At 500 units/year the component fabrication and final assembly labor is approximately 43% of total. Tooling capital cost (\$175,000) amortized over 5 years is negligible.

2.7.3 Extrapolation of Manufacturing Cost to smaller and larger ratings

Manufacturing cost was extrapolated to 25 and 100 kW ratings. Results are shown in Table 7. The magnet, core and coil weights reported by MathCAD for 25 and 100 kW ratings used to scale cost of 50 kW PMG electromagnetic materials. The structural materials and labor ("other") proportional to 50 kW reaction torque rating.

Table 7: Manufacturing Costs as A Function of Power Rating

	Costs (\$) Based on 50 kW		
	25 kW	50 kW	100 kW
Magnets	550	1,409	3,579
Core	192	457	978
Coils	171	406	869
EM Total	913	2,272	5,426
Other	491	1,228	3,684
Total (\$)	1,400	3,500	9,100
Total \$ (pu)	0.4	1.0	2.6

Total (\$/kW)	56	70	91
\$/kW (pu)	0.8	1.0	1.3

2.7.4 Comparable Manufacturing Cost for a Conventional Non-Modular PMG

An illustrative *non-modular* 50 kW PMG design was developed using the MathCAD design procedure for comparison with the modular approach. The assumed key design parameters and findings are reported in Table 8.

Table 8: Non-Modular 50 kW Design Configuration

Salient Design Changes	
3.4 x as many slots	Leads to very narrow slots
1.5 vs 2.0 mm slot liner thickness	Minimize slot liner impact on slot fill with narrow slots
50 vs 70% slot fill	Precision bobbin wound coils cannot be employed
1.0 vs 0.8 m air gap diameter	Make up power shortfall due to lower slot fill

Key Findings	
EM material weight much greater	Magnet 1.3x, core 1.5x, copper 1.1x
Small efficiency loss	94.8 vs 95.6%
Lower synchronous reactance	0.36 vs 0.68 pu

Manufacturing cost was then extrapolated for the *non-modular* 50 kW PMG. For purposes of this analysis we made the following assumptions:

- Magnet, core and coil weights reported by MathCAD used to determine cost of electromagnetic (EM) materials
- Structural materials and labor (“other”) scaled by increase of air gap diameter (1.2x) and stack length (1.06x) – a total factor of 1.27x

Results of the analysis are reported in Table 9.

Table 9: Modular/Non-Modular Costs

Costs (\$)		
	Modular	Non-Modular
Magnets	1,409	1,860
Core	457	663
Coils	406	447
EM Total	2,272	2,970
Other	1,228	1,560
Total (\$)	3,500	4,530
Total \$ (pu)	1.0	1.3

The non-modular design is

- 1.3x more costly
- 20% larger in diameter
- 1.3x heavier

Finally, we compared the characteristics of the Bergey 50 kW PMG (provided to TIAX by NREL) with those of the TIAX 50 kW *modular* design. Comparison data is identified in Table 10.

Table 10: Characteristics of Bergey XL.50 and TIAX Design

Parameter	Bergey	TIAX	Units
Rating Speed	105	100	rpm
Overall Diameter	1.22	0.84	m
Efficiency	93	95.6	%
Synchronous reactance	0.35	0.68	pu

The TIAX modular PMG is smaller and more efficient but has a higher synchronous reactance, which can be accommodated with an active rectifier. The weight of the Bergey unit was not available for comparison.

2.7.5 Power Electronic System Requirements

Power electronic system requirements for grid-connected operation of a TIAX modular PMG will be similar to those for non-modular designs.

- Common PMG converter requirements
 - Power capacity Full PMG rating
 - Peak voltage Accommodate 1.5x over speed voltage
 - DC link voltage Boost function to stabilize link voltage for VSWT mode
- Common grid inverter requirements
 - Power capacity Full PMG rating
 - Voltage rating
 - Power quality
 - Protection
- Different modular PMG converter requirements
 - Rectifier Active rectifier to accommodate higher PMG reactance
 - Current RatingSupport PMG rated power and VAR demand

Active rectifier control, required to accommodate higher PMG reactance, avoids a separate boost converter to stabilize DC link voltage and is expected to have minor impact on life-cycle COE. A controlled rectifier also provides reaction torque control and turbine start up capabilities for stall controlled machines.⁸

⁸ The use of an active rectifier for compensation of wind turbine PMG synchronous reactance has been investigated by A. Grauers et al., [9]. Alternative series capacitor compensation of PMG synchronous reactance has been investigated by Muljadi, et al., [10] and Grauers, et al., [11].

2.8 Annual Cost Savings

A simple analysis was performed to determine the potential cost savings that could be realized by manufacturing small wind turbines using the modular PMG design. The projected lower cost of the modular PMG design would in turn lower the initial cost of the wind turbine. A value of \$150/ kW was assumed for the generator cost to the end user of a typical small direct-drive wind turbine. Therefore, the initial cost for the generator for a nominal 50 kW unit is estimated at \$7,500. The estimated cost savings for the modular design is 23%, hence the savings would be $0.23 \times \$7,500 = \$1,700$ per unit.

The AWEA study (Reference 6) was used to estimate the number of wind turbines sold. On page 4, it is stated that 13,400 small wind turbines were sold in 2001. Assuming that 20% of those turbines will employ the modular PMG design, then 2,600 units will be sold per year. Hence, the projected annual savings to end users based on current production is $2,600 \text{ units} \times \$1,700 \text{ per unit} = \4.4 Million .

On page 17 of the AWEA study, Table 5, the US market for small turbines is projected thru 2020. Assuming that half of the Commercial Buildings (Avg size is 25 kW) will be above 25 kW, the sum of the Commercial Buildings and Public Facilities (Avg size is 50 kW) will be about 500,000 units. This is over roughly a 20 year period (the study dates from June 2002), so the projected future production is 25,000 units per year. Assuming that 20% of the turbines will employ the modular PMG design, the annual savings to end users for future production is $25,000 \times 0.2 \times \$1,700 = \$8.5 \text{ Million}$.

3.0 Conclusions and Recommendations

3.1 Conclusions

The TIAX modular PMG design achieves the program objectives of reducing size, weight and cost without compromising efficiency.

- Cost and weight are 23% less than a non-modular design
- Overall diameter is 31% less than an existing PMG
- Efficiency is 2.5% higher than an existing PMG
- Robust bobbin wound coils expected to be more reliable
- Design scales well in the range of 25 to 100 kW
- Higher synchronous reactance accommodated by an active rectifier

The annual cost savings associated with employing the modular PMG was estimated to range from \$4.4 million to \$8.5 million based on AWEA data for the number of turbines sold.

3.2 Recommendations

TIAX recommends demonstrating the weight and cost advantages of the modular PMG in a follow-on program. The program would consist of the following major tasks.

- Design Refinement
 - Thermal analysis – include magnet eddy current loss
 - Structural analysis
 - Design for manufacture
- Build and Test Prototype
 - Laser cut prototype core laminations
 - Final assembly and check out tests at TIAX – open circuit voltage, static torque
 - Dynamometer Test at NREL
- Install and Field Test
 - Prospective wind turbine manufacturer partner
 - NREL test site wind turbine

4.0 References

- [1] Liwischitz-Garik and Whipple, AC Machines, Van Nostrand, 1946
- [2] Lipo, T.A., *Introduction to AC Machine Design*, Wisconsin Power electronics Research Center, University of Wisconsin, 1996
- [3] Hendershot, J.R., *Design of Brushless Permanent Magnet Motors*, Magna Physics Corporation, 1992
- [4] Grauers, A., *Design of Direct-Driven Permanent Magnet Generators for Wind Turbines*, Chalmers Technical University, Report 292, October `1996
- [5] Mapes & Sprowl Steel LTD, maximum core loss table
- [6] AWEA Small Wind Turbine Committee, Roadmap - A 20-year industry plan for small wind turbine technology, June 2002.
- [7] NREL Report No. SR-500-33196, *Alternative Design Study Report: WindPACT Advanced Wind Turbine Drive Train Designs Study*, Nov. 1, 2000 – Feb. 28, 2002
- [8] Jack, A.G., et al., *Permanent-Magnet Machines with Powdered Iron Cores and Pre-pressed Windings*, IEEE Transactions on Industrial Applications, Vol. 36, No. 4, July/August 2000
- [9] Grauers, A., Landstrom, S., *The Rectifier's Influence on the Size of Direct-driven Generators*, Department of Electric Power Engineering, Chalmers University of Technology, SE-412 96 Goteborg, Sweden, Tel. +46-31 772 16 37
- [10] Muljadi, E., et al., *Analysis of Permanent Magnet Generator for Wind Power Battery Charging*, National Wind Technology Center, National Renewable Energy Laboratory, Golden, CO
- [11] Grauers, A., Lindskog, A., *PM Generator with Series Compensated Diode Rectifier*, Department of Electric Power Engineering, Chalmers University of Technology, SE-412 96 Goteborg, Sweden, Tel. +46-31 772 16 37