1995 Solid Waste 30-Year Volume Summary

O. J. Valero
Westinghouse Hanford Company

T. J. DeForest
K. J. Templeton
Pacific Northwest Laboratory

Date Published
June 1995

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management

**Westinghouse
Hanford Company**

P.O. Box 1970
Richland, Washington

Hanford Operations and Engineering Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

Approved for Public Release

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

RELEASE AUTHORIZATION

Document Number: WHC-EP-0865

Document Title: 1995 Solid Waste 30-Year Volume Summary

Release Date: 6/5/95

**This document was reviewed following the
procedures described in WHC-CM-3-4 and is:**

APPROVED FOR PUBLIC RELEASE

WHC Information Release Administration Specialist:

Kara M. Broz

June 5, 1995

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

EXECUTIVE SUMMARY

Solid waste forecast volumes to be generated or received at the U.S. Department of Energy Hanford Site over the next 30 years are described in this report. The volumes described in detail are low-level mixed waste (LLMW) and transuranic/transuranic-mixed (TRU TRUM) waste. Summary level information pertaining to low-level waste (LLW) is described in Appendix B. Emphasis is placed on LLMW and TRU TRUM waste because it will require processing and storage at Hanford Solid Waste's Central Waste Complex (CWC) prior to final disposal. The LLW will generally be sent directly to disposal. The volume data was collected from onsite and offsite waste generators who currently ship or plan to ship solid waste to the Hanford Site.

The total baseline volume of LLMW and TRU TRUM waste expected to be received at the CWC over the next 30 years is forecasted to be over 235,560 cubic meters. Based on ranges provided by the waste generators, this baseline volume could fluctuate between a minimum of 203,690 cubic meters and a maximum of 260,500 cubic meters. The range is primarily due to uncertainties associated with the Tank Waste Remediation System (TWRS) program. Uncertainties include the retrieval of the long-length equipment, scheduling, and tank retrieval technologies.

The Environmental Restoration and TWRS programs are expected to generate the largest portions of solid waste, generating 45% and 42% of the total expected waste volumes, respectively. The Environmental Restoration program waste volumes include decontamination and decommissioning (D&D) of surplus facilities waste, D&D of non-surplus facilities waste, and remediation waste from past practice sites. The TWRS program's waste stream is primarily long-length contaminated equipment (over 80,000 cubic meters). The remaining 13% of the waste expected at the Hanford Site is generated by the Facility Transitions Program, Other Programs (i.e., Spent Nuclear Fuel, Liquid Effluents, PNL, Analytical Services, and Solid Waste) Non-Programmatic Waste Generators (i.e., Buried Equipment, 100 Area Construction Services, Geotechnical Engineering Laboratory, etc.), and Offsite Waste Generators.^(a)

The data reported in this document establish a starting point for solid waste management and planning. It is recognized that forecast estimates will vary as facility planning and missions are more clearly defined. However, the

^(a) Beginning in Fiscal Year 1996, offsite waste generators must have an approved Site Treatment Plan to ship waste to Hanford. The volumes presented in this report for offsite waste do not necessarily reflect the information contained in the Site Treatment Plans.

information provided is useful in obtaining an insight into Hanford's future solid waste management requirements. Efforts such as onsite program integration meetings which were established to develop consistency between the individual waste generators and program volume forecasts, and the collection of minimum and maximum ranges are continually being implemented in order to improve the accuracy of the 30-year solid waste forecasts.

ACRONYMS AND ABBREVIATIONS

CH	contact-handled (waste)
CWC	Central Waste Complex
CY	calendar year
D&D	decontamination and decommissioning
EIS	environmental impact statement
ER	environmental restoration
ERD	Environmental Restoration Division
ETF	Effluent Treatment Facility
FFTF	Fast Flux Test Facility
FUSRAP	Formerly Utilized Sites Remedial Action Program
FY	fiscal year
HLVP	High-Level Waste Vitrification Plant
HLW	high-level (radioactive) waste
LERF	Liquid Effluent Retention Facility
LLMW	low-level (radioactive) mixed waste
LLVP	Low-Level Vitrification Project
LLW	low-level (radioactive) waste
nCi	nanocurie
PFP	Plutonium Finishing Plant
PNL	Pacific Northwest Laboratory
PSTP	Proposed Site Treatment Plans
PUREX	Plutonium-Uranium Extraction (process)
RA	remedial action
RH	remote-handled (radioactive waste)
SNF	Spent Nuclear Fuel
SWD	Solid Waste Disposal
TEDF	Treated Effluent Disposal Facility
TRU	transuranic (waste)
TRUM	transuranic mixed waste
TRUSAF	transuranic Storage and Assay Facility
TSD	treatment, storage, and disposal
TWRS	Tank Waste Remediation System
UST	underground storage tank
WATS	Waste Acid Treatment System
WESF	Waste Encapsulation and Storage Facility
WHC	Westinghouse Hanford Company
WSCF	Waste Sampling and Characterization Facility

WHC-EP-0865

Intentionally Left Blank

CONTENTS

EXECUTIVE SUMMARY	iii
ACRONYMS	v
1.0 INTRODUCTION	1-1
2.0 OVERVIEW OF 30-YEAR WASTE VOLUMES	2-1
2.1 MAJOR HANFORD PROGRAM AREAS	2-1
2.2 WASTE CATEGORIES	2-2
2.3 WASTE GENERATOR LIFE-CYCLE PHASES	2-3
2.4 PROJECTED WASTE VOLUMES	2-4
2.4.1 Waste Volumes by Major Hanford Programs	2-4
2.4.2 Waste Volumes by Waste Category	2-9
2.5 COMPARISON WITH 1994 FORECAST VOLUMES	2-13
2.6 DATA OBSERVATIONS	2-16
3.0 TANK WASTE REMEDIATION SYSTEM	3-1
3.1 BACKGROUND	3-1
3.2 WASTE GENERATORS	3-1
3.3 PROJECTED VOLUMES	3-4
3.3.1 Projected Volumes for TWRS Waste Generator Group	3-4
3.3.2 Projected Volumes by Waste Generator	3-5
3.4 DATA OBSERVATIONS	3-6
4.0 ENVIRONMENTAL RESTORATION	4-1
4.1 BACKGROUND	4-1
4.2 WASTE GENERATORS	4-2

4.3	PROJECTED VOLUMES	4-3
4.3.1	Forecasted Volumes for Environmental Restoration Program	4-3
4.3.2	Forecasted Volumes by Waste Generator	4-5
4.4	DATA OBSERVATIONS	4-7
5.0	TRANSITION FACILITIES	5-1
5.1	BACKGROUND	5-1
5.2	WASTE GENERATORS	5-1
5.3	FORECASTED VOLUMES	5-3
5.3.1	Forecasted Volumes for Transition Facilities Program	5-3
5.3.2	Forecasted Volumes by Waste Generator	5-4
5.4	DATA OBSERVATIONS	5-6
6.0	OTHER PROGRAMS	6-1
6.1	BACKGROUND	6-1
6.2	OTHER PROGRAMS	6-2
6.3	FORECASTED VOLUMES	6-4
6.3.1	Forecasted Volumes for Other Programs	6-4
6.3.2	Forecasted Volume by Program and Waste Generator	6-5
6.4	DATA OBSERVATIONS	6-6
7.0	NON-PROGRAMMATIC	7-1
7.1	BACKGROUND	7-1
7.2	NON-PROGRAMMATIC	7-1
7.3	FORECASTED VOLUMES	7-3
7.3.1	Forecasted Volumes for Non-Programmatic	7-3
7.3.2	Forecasted Volumes by Waste Generator	7-4

7.4 DATA OBSERVATIONS	7-4
8.0 OFFSITE WASTE GENERATORS	8-1
8.1 BACKGROUND	8-1
8.2 WASTE GENERATORS	8-1
8.3 FORECASTED VOLUMES	8-2
8.3.1 Forecasted Volumes for Offsite Waste Generators . . .	8-2
8.3.2 Forecasted Volumes by Program and Waste Generator . .	8-4
8.4 DATA OBSERVATIONS	8-4
9.0 REFERENCES	9-1
APPENDIX A - ASSUMPTIONS FOR SUPPLEMENTARY SOURCES	A-1
APPENDIX B - LOW-LEVEL WASTE VOLUMES	B-1
APPENDIX C - ANNUAL WASTE GENERATOR, WASTE CLASS VOLUMES	C-1
APPENDIX D - ANNUAL WASTE CLASS, WASTE GENERATOR VOLUMES	D-1
APPENDIX E - WASTE GENERATORS BY HANFORD PROGRAM AREA	E-1

FIGURES

2-1	Total 30-Year Solid Waste Volumes by Program Areas	2-4
2-2	Annual 30-Year Solid Waste Volumes	2-5
2-3	TWRS Annual 30-Year Solid Waste Volumes	2-7
2-4	Environmental Restoration Annual 30-Year Solid Waste Volumes . .	2-8
2-5	Facility Transitions Annual 30-Year Solid Waste Volumes	2-9
2-6	Other Programs Annual 30-Year Solid Waste Volumes	2-10
2-7	Non-Programmatic Annual 30-Year Solid Waste Volumes	2-11
2-8	Offsite Annual 30-Year Solid Waste Volumes	2-12
2-9	Total 30-Year Solid Waste Volumes by Waste Category	2-13
2-10	CH_LLMW Annual 30-Year Solid Waste Volumes	2-14
2-11	RH_LLMW Annual 30-Year Solid Waste Volumes	2-15
2-12	CH_TRU-TRUM Annual 30-Year Solid Waste Volumes	2-16
2-13	RH_TRU_TRUM Annual 30-Year Solid Waste Volumes	2-17
3-1	TWRS LLMW and TRU_TRUM Waste Generators	3-2
3-2	TWRS Total 30-Year Solid Waste Volumes by Waste Category	3-4
3-3	TWRS Annual Solid Waste Volumes by Waste Category	3-5
3-4	Forecast Completeness for Primary Activities and Associated Life Cycle TWRS - Manage Tank Waste	3-7
3-5	Forecast Completeness for Primary Activities and Associated Life Cycle TWRS - Process Waste	3-8
3-6	Forecast Completeness for Primary Activities and Associated Life Cycle TWRS - Manage System-Generated Waste	3-8

4-1	Environmental Restoration LLMW and TRU_TRUM Waste Generators . . .	4-2
4-2	Environmental Restoration Total 30-Year Solid Waste Volumes by Waste Category	4-4
4-3	Environmental Restoration Annual Solid Waste Volumes by Waste Category	4-5
5-1	Facility Transitions LLMW and TRU_TRUM Waste Generators	5-2
5-2	Facility Transitions Total 30-Year Solid Waste Volumes by Waste Category	5-4
5-3	Facility Transitions Annual Solid Waste Volumes by Waste Category	5-5
5-4	Forecast Completeness for Primary Activities and Associated Life Cycle Plutonium Finishing Plant Transition Projects	5-7
5-5	Forecast Completeness for Primary Activities and Associated Life Cycle PUREX Transition Projects	5-8
5-6	Forecast Completeness for Primary Activities and Associated Life Cycle B-Plant Transition Projects	5-9
5-7	Forecast Completeness for Primary Activities and Associated Life Cycle 300 Area Fuel Supply Transition Projects	5-10
6-1	Other Programs LLMW and TRU_TRUM Waste Generators	6-2
6-2	Other Programs Total 30-Year Solid Waste Volumes by Waste Category	6-5
6-3	Other Programs Annual Solid Waste Volumes by Waste Category . . .	6-6
6-4	Forecast Completeness for Primary Activities and Associated Life Cycle Liquid Effluents	6-8
6-5	Forecast Completeness for Primary Activities and Associated Life Cycle Analytical Services	6-9
6-6	Forecast Completeness for Primary Activities and Associated Life Cycle Spent Nuclear Fuel	6-10
7-1	Non-Programmatic LLMW and TRU_TRUM Waste Generators	7-1
7-2	Non-Programmatic Total 30-Year Solid Waste Volumes by Waste Category	7-3

WHC-EP-0865

7-3	Non-Programmatic Annual Solid Waste Volumes by Waste Category . .	7-4
8-1	Offsite LLMW and TRU_TRUM Waste Generators	8-1
8-2	Offsite Total 30-Year Solid Waste Volumes by Waste Category . . .	8-3
8-3	Offsite Annual Solid waste Volumes by Waste Category	8-4

TABLES

3-1	TWRS Waste Generator Volumes	3-6
4-1	Environmental Restoration Waste Generator Volumes	4-6
5-1	Transition Facilities Waste Generator Volumes	5-5
6-1	Other Programs Waste Generator Volumes	6-7
7-1	Non-Programmatic Waste Generator Volumes	7-5
8-1	Offsite Waste Generator Volumes	8-5

WHC-EP-0865

Intentionally Left Blank

1.0 INTRODUCTION

This document, prepared by Pacific Northwest Laboratory (PNL)^(a) under the direction of Westinghouse Hanford Company (WHC), provides a description of the annual low-level mixed waste (LLMW) and transuranic/transuranic mixed solid waste (TRU TRUM) volumes expected to be managed by Hanford's Solid Waste Central Waste Complex (CWC) over the next 30 years. The waste generation sources and waste categories are also described.

This document is intended to be used as a reference for short- and long-term planning of the Hanford treatment, storage, and disposal (TSD) activities over the next several decades. By estimating the waste volumes that will be generated in the future, facility planners can determine the timing of key waste management activities, evaluate alternative treatment strategies, and plan storage and disposal capacities. In addition, this document can be used by other waste sites and the general public to gain a better understanding of the types and volumes of waste that will be managed at Hanford.

For the past five years, a 30-year waste volume forecast has been collected annually from onsite and offsite generators that are planning to ship or currently are shipping waste to the Hanford Site. The waste is generated from ongoing operations and maintenance activities, deactivation activities, decontamination and decommissioning (D&D) of facilities, and environmental restoration (ER) activities. The generators provide details about the amount of waste to be generated each year, the containers that will be used to ship the waste, and the specific waste characteristics that help determine the proper TSD requirements. This document, which is primarily based upon the 1994 Solid Waste Forecast, only provides information on the annual LLMW and TRU TRUM waste volumes; a summary of the expected low-level waste (LLW) volumes has been provided as Appendix B. Additional reports will follow that describe the waste characteristics and container types associated with each waste category.

As described in the following list, an additional effort was made this year to enhance the forecast information to improve data quality and provide the data to the users in a more timely manner.

- **Optional Forecasting:** For those waste generators that generate less than 1% of the total waste expected at the Hanford Site, the option to authorize the use of the 1993 forecast instead of completing a new 1994 forecast was provided if changes had not occurred since the last forecast was submitted. In these cases, those waste generator volumes were carried over from the previous year. This allowed for the data to be available in a more timely manner, because volumes were already reviewed

(a) Pacific Northwest Laboratory is operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract DE-AC06-76RLO 1830.

and did not require additional database input. However, some assumptions were used to account for changes in the new forecast request (i.e., maximum and minimum ranges were assumed to be 100% each; therefore, a range was not included).

- **Data Collection Improvements:** The data collection methods were revised slightly from previous years. The addition of maximum and minimum volume ranges was requested to assess the relative certainty of the baseline volume (i.e., best estimate). The baseline volume is the focus of this report; however, the maximum and minimum volumes are reported in the overview section (Section 2.0). In addition, Appendixes C and D display the annual baseline, maximum, and minimum volumes for each waste generator. The maximum and minimum ranges were not available for waste generators that were carried over from previous years and for waste generator information that was obtained from supplementary sources.
- **Onsite Program Integration:** An extensive programmatic document review was conducted to identify programmatic primary activities that are not forecasted completely or accurately. The document review focused on the complete life cycle of each primary activity within a program. The document review findings are currently being resolved in onsite program integration meetings that could potentially provide waste information for those unforecasted activities (i.e., transition of B Plant, Spent Nuclear Fuel disposition activities, etc.). These unforecasted activities are identified in this report; however, waste volume information is currently not available.
- **Additional References:** Several additional references have been used to supplement the forecast information and complete this document. Two sources, which are summarized in Appendix A, were used to further define the potential D&D volumes. An interface control document (Casbon 1993) was used to determine the Remedial Action (RA) volumes; and a PUREX study, WHC-IP-0977 (WHC 1994), was used to provide surveillance and maintenance for that period between transition and D&D.

Because this document must serve several audiences, the information is described at various levels of detail. Section 2.0 of this report provides an overview of the LLMW and TRU/TRUM waste volumes. The information is described by major Hanford program area and waste category:

- The major Hanford program areas, which have been established to provide consistency with Site-wide planning efforts, consist of the Tank Waste Remediation System (TWRS), Facility Transitions, Environmental Restoration, Other Programs (i.e., Pacific Northwest Laboratory, Liquid Effluent, Spent Nuclear Fuel, Solid Waste, and Analytical Services), Non-Programmatic (i.e., Buried Equipment, 100 Area Construction Services, Geotechnical Engineering Laboratory, etc.), and Offsite. Based on the document review conducted by the onsite program integration effort, the waste generators have been grouped according to their appropriate Hanford program area.

- The waste categories that have been used to describe the waste are contact-handled (CH) LLMW, remote-handled (RH) LLMW, CH_TRU_TRUM, and RH_TRU_TRUM.

Sections 3 through 7 provide more detailed descriptions of the six Hanford program areas: TWRS, Environmental Restoration, Facility Transition, Other Programs, Non-Programmatic, and Offsite, respectively. Each section provides a description of the program area, profiles of the primary waste generators, and total and annual waste category volumes for both the program area and specific waste generators. In addition, identification of unfore-casted activities is provided as a result of the onsite program integration effort. Appendix A describes the assumptions used with supplementary sources of solid waste information. Low-level waste (LLW) volumes are reported in Appendix B. Appendixes C and D describe the annual waste generator volumes by waste class and annual waste class volumes by waste generator, respectively. Appendix E provides the Waste Generator List by Hanford program area.

WHC-EP-0865

Intentionally Left Blank

2.0 OVERVIEW OF 30-YEAR WASTE VOLUMES

This section provides an overview of the solid waste volumes expected to be shipped to the Hanford Site over the next 30 years by onsite and offsite waste generators. These waste volumes are being sent or are planned to be shipped to Hanford for TSD and range from LLMW that can be treated and sent to the Hanford burial grounds to TRU TRUM waste that will require repackaging and certification prior to being shipped offsite to the Waste Isolation Pilot Plant.

2.1 MAJOR HANFORD PROGRAM AREAS

The waste volumes described in this document are subdivided into six major program areas that were derived from the Hanford Site Multi-Year Program Plans. For the purposes of this document, several programs that generate minimal amounts of solid waste have been grouped into Other Programs. Waste generators that could not be assigned to specific program areas were included under Non-Programmatic. Offsite waste generators were grouped under the program area Offsite Waste Generators. See Sections 3.0 through 7.0 for specific information for each program (e.g., primary waste generators, assumptions).

- TWRS - Solid waste from this program is generated by current tank farm operations, retrieval of existing tank farm long-length contaminated equipment, retrieval pumps, miscellaneous equipment that will be used for retrieval of tank waste, and future tank waste treatment projects.
- Environmental Restoration (ER) - This program includes both the D&D of Hanford facilities and remediation of past practice sites. The facilities currently listed on the surplus facilities list have been included in this report, as have several facilities that have been identified as potentially requiring D&D in the future. In addition, waste that is generated during ER activities, such as excavated soil, will be included within this program description.
- Facility Transitions - This waste results from terminal cleanout and stabilization activities (deactivation) that are occurring at four Hanford Site facilities: PUREX, Plutonium Finishing Plant (PFP), 300 Area Fuel Supply, and B-Plant. In addition, surveillance and maintenance waste is assumed to be handled by this program.

- Other Programs. Several Hanford programs have forecasted minimal solid waste volumes, and these programs have been grouped into Other Programs. Analytical Services, Liquid Effluent, Spent Nuclear Fuel (only that stored at K-Basins), Pacific Northwest Laboratory, and Solid Waste (secondary solid waste generated during operations of the TSD facilities) have been included in Other Programs.
- Non-Programmatic. Several waste generators that forecast future solid waste are not within a Hanford program (i.e., they are not discussed specifically within any of the Hanford Multi-Year Program Plans). These include facilities such as the Large Sodium Fire Facility, the Fuel Fabrication Building, and the Geotechnical Engineering Laboratory.
- Offsite Facilities. Several offsite facilities have been certified to ship waste to the Hanford Site. Most offsite waste generators are national laboratories, universities, or gaseous diffusion plants conducting activities such as ER, D&D, and operations/maintenance.

2.2 WASTE CATEGORIES

Solid waste can be characterized into four broad categories that will be used to define the waste volumes throughout the document. They are briefly described below:

- Contact-handled low-level mixed waste(CH_LLMW) - This waste has a dose rate equal to or less than 200 mrem/h at contact with the waste container that contains radioactivity not classified as transuranic waste or spent nuclear fuel (concentrations of transuranic radionuclides less than or equal to 100 nCi/g of the waste matrix) and is also defined as dangerous waste in the Washington Administrative Code (WAC) 173-303.
- Remote-handled low-level mixed waste (RH_LLMW) - This waste has a dose rate greater than 200 mrem/h at contact with the waste container that meets the definition for LLW and is also defined as dangerous waste in WAC 173-303.
- Contact-handled transuranic/transuranic mixed waste(CH_TRU TRUM): This radioactive waste has a dose rate equal to or less than 200 mrem/h at contact with the waste container. At the time of assay, this waste contains more than 100 nCi/g of alpha-emitting isotopes with atomic numbers greater than 92 and half-lives greater than 20 years. TRUM waste is TRU waste that is also dangerous waste as defined in WAC 173-303.

- Remote-handled transuranic/transuranic mixed waste (RH TRU TRUM): This waste has a dose rate greater than 200 mrem/h at contact with the waste container. At the time of assay, this waste contains more than 100 nCi/g of alpha-emitting isotopes with atomic numbers greater than 92 and half-lives greater than 20 years. TRUM waste is TRU waste that is also dangerous waste as defined in WAC 173-303.
- Held waste: Waste that is expected to be shipped to the CWC over the next 30 years; however, a shipping schedule has not been determined.

2.3 WASTE GENERATOR LIFE-CYCLE PHASES

Most waste generators within the major Hanford programs undergo four life-cycle phases. The phases are described below:

- Operational - This phase is defined as that period of time in which a waste generator's activities are targeted toward a certain plan, project, end product, or service. Often the type of operational activity can categorize a waste generator into a specific program area.
- Transition (deactivation) - This phase is distinguished by specific deactivation activities to eventually turn over the facility to the D&D program. Facilities in the deactivation phase are generally the responsibility of the Transition Facilities program.
- Surveillance and Maintenance - This phase is defined as that period of time between the completion of transition (deactivation) and D&D. Programmatic responsibility for waste generated in this phase is currently undefined; however, for the purposes of this report, it has been assumed to be the responsibility of Transition Facilities.
- Decontamination and Decommissioning (D&D) - This phase is defined as that period in which the facility/environment is completely remediated after deactivation has occurred. Waste generators in this phase are the responsibility of the Environmental Restoration program (Bechtel).

The four life-cycle phases are important in that each phase may determine the program that is responsible for the waste generator. For example, if a facility within Liquid Effluents phases into a deactivation mode, then responsibility for the facility would generally be transferred from Liquid Effluents to the Transition Facilities program.

2.4 PROJECTED WASTE VOLUMES

The total volume of LLMW and TRU/TRUM waste expected at the Hanford Site over the next 30 years is approximately 235,560 cubic meters. The volume information by major Hanford program and by the four waste categories is provided in the following sections.

2.4.1 Waste Volumes by Major Hanford Programs

Figure 2-1 shows the cumulative baseline, minimum, and maximum waste volumes that are expected to be generated by the six major program areas. The baseline total of 235,560 cubic meters displays approximately 45% of the waste to be generated by Environmental Restoration, 42% by TWRS, 6% by Offsite Waste Generators, 3% by Non-Programmatic Waste Generators, 2% by Other Programs, and 2% by Transition Facilities. The minimum total of 203,680 cubic meters shown is due to a decrease in the baseline for TWRS and Facility Transitions. The TWRS minimum estimate is driven by possible variations of the volume of long-length contaminated equipment being sent to the CWC. Facility Transitions' minimum estimate is driven by the uncertainty of the Plutonium Finishing Plant (PFP) being closed down permanently without completing deactivation. The

Figure 2-1. Total 30-Year Solid Waste Volumes by Program Areas.

maximum total of 260,500 cubic meters displays a slight increase in TWRS solid waste generation due to uncertainties associated with future waste generation. All other programs essentially maintain their baseline with slight fluctuations in the minimum and maximum estimates to account for any uncertainties commonly associated with future forecasts such as schedule delays or slight mission modifications.

It is important to note that the maximum and minimum volumes reported here reflect only ranges provided by generators that completed the 1994 Solid Waste Forecast Request. For all other generators, the minimum and maximum volumes were assumed to be the same as the baseline. This is especially significant for the Environmental Restoration program area. The majority of the waste generators in this program area did not complete a forecast in 1994, which accounts for the consistency between baseline, minimum, and maximum volumes.

Figure 2-2 illustrates the expected timing of the baseline, minimum, and maximum waste volumes. The years shown are from 1995 through 2024, with a

Figure 2-2. Annual 30-Year Solid Waste Volumes.

special designation for "HELD" waste. Figure 2-2 shows that the overall baseline volumes peak at approximately 14,000 cubic meters from 2013 through 2017. The two programs contributing significant volumes during these time periods are TWRS and Environmental Restoration. The TWRS program plans on increasing the pieces of long-length contaminated equipment retrieved each year from 2013 through 2017, which accounts for much of this increase. In addition, Environmental Restoration volumes from 2013 through 2022 are based upon an assumption that D&D of onsite facilities not currently identified on the surplus facility list will begin in 2013 and be completed in 2022. The timing of this waste is currently not known, and, as better data become available for these facilities, refinements will be made. The minimum and maximum estimates shown in Figure 2-2 display the same trends reflected in the baseline volumes. Slight variations occur, due primarily to uncertainties associated with forecasting future waste volumes.

Figures 2-3, 2-4, 2-5, 2-6, 2-7, and 2-8 display the annual baseline, minimum and maximum waste volumes for TWRS, Environmental Restoration, Facility Transitions, Other Programs, Non-Programmatic, and Offsite, respectively. In Figure 2-3, there is a gradual increase in waste volumes from 1995 through 2017. This increase corresponds to the time period when the majority of the long-length contaminated equipment in the underground storage tanks is expected to be retrieved. The large decrease in 2018 indicates that all the single-shell tanks will have been retrieved; however, some residual wastes generated during retrieval will continue to be sent to the CWC for TSD purposes. The minimum and maximum volumes in Figure 2-3 indicate slight variations in the baseline due to volume generation uncertainties for the future.

In Figure 2-4, the minimum and maximum volume ranges are not noticeable since ER did not provide ranges; therefore, only the annual baseline volume is displayed. The volumes are expected to increase steadily from slightly less than 3,000 cubic meters in 2002 to over 5,000 cubic meters in 2006, driven primarily by Past Practice Remediation waste volumes. As shown in the figure, the volumes remain fairly steady from 2006 through 2009 and then drop sharply through 2012. In 2013, there is a substantial volume increase that continues through 2022, which reflects the D&D of facilities not currently listed as surplus. No volumes have been forecasted for 2023 or 2024 since the supplementary references did not provide estimates for these years.

Figure 2-5 displays the baseline, minimum, and maximum waste volumes for Facility Transitions. Most of the waste will be generated through 2009, which reflects the majority of PFP's deactivation waste. A peak of approximately 500 cubic meters occurs from 2005 through 2006, which is driven by PFP deactivation activities. The decrease in waste volumes from 2010 through 2024 is a result of the expected completion of most LLMW and TRU/TRUM waste deactivation

activities for PFP. The maximum range varies most from 2010 through 2024 due to uncertainties associated with future missions and waste generation rates. The minimum range is reflective of the possibility of PFP being completely shut down without further deactivation activities occurring.

The baseline, minimum, and maximum waste volumes for Other Programs is displayed in Figure 2-6. Waste generation is fairly constant at 150 to 200 cubic meters for the baseline volume, approximately 250 cubic meters for the maximum volume, and 100 cubic meters for the minimum volume.

Figure 2-7 essentially displays only the baseline volume since the maximum and minimum ranges are not significant for Non-Programmatic waste generators. As seen in the figure, there are five 350-cubic meter peaks that are driven primarily by Buried Equipment's shipping schedule.

Figure 2-3. TWRS Annual 30-Year Solid Waste Volumes.

Figure 2-4. Environmental Restoration Annual 30-Year Solid Waste Volumes.

Figure 2-8 displays the baseline, minimum, and maximum waste volumes for Offsite waste generators. The baseline volume shows a 600-cubic-meter peak in 1995 and 1996 that is driven by Argonne National Laboratory waste shipments. The next peak is in 2000 at approximately 600 cubic meters, which reflects Portsmouth Gaseous Diffusion Plant - Energy Systems shipping schedule. The maximum volumes show a significant peak in 1995 and 1996 at approximately 1,400 cubic meters. This peak reflects the possibility that Argonne National Laboratory may ship three times the baseline due to underestimation and improved characterization. The minimum volumes are considerably less in 1995 and 1996 due to the potential for Argonne National Laboratory to not send any waste because of shipping schedule uncertainties. The remaining years, for both the maximum and minimum volumes, follow the same trends as the baseline with slight variations to account for future waste generation uncertainties.

Figure 2-5. Facility Transitions Annual 30-Year Solid Waste Volumes.

2.4.2 Waste Volumes by Waste Category

Figure 2-9 has been provided to illustrate the overall waste category volumes expected to be managed at the CWC. According to the baseline volume, the majority of the waste will be CH LLMW, which is expected to exceed 180,000 cubic meters over the next 30 years. The minimum estimates display CH LLMW generation to be approximately 156,000 cubic meters, while the maximum estimate displays 202,000 cubic meters to be generated. In all scenarios, CH_LLMW is the primary waste category that will be received at the CWC.

Figures 2-10, 2-11, 2-12, and 2-13 illustrate the annual baseline, minimum, and maximum volumes for each waste category. The following is a summary of the waste volumes and the primary contributors.

Figure 2-6. Other Programs Annual 30-Year Solid Waste Volumes.

- CH_LLMW: Figure 2-10 displays CH_LLMW baseline volumes gradually increasing from 1995 through 2017, peaking at approximately 10,000 cubic meters from 2015 through 2017. The waste volumes increase significantly during this time period due to Environmental Restoration and TWRS activities. The minimum volume shows CH_LLMW peaking at 8,500 cubic meters from 2015 through 2017. The peak is driven by Environmental Restoration and TWRS. The decrease is due to the scenario that a decrease in retrieval of TWRS long-length contaminated equipment may occur. The maximum volume peaks at approximately 11,000 cubic meters.
- RH_LLMW: Figure 2-11 displays approximately 200 cubic meters of "HELD" RH_LLMW. RH_LLMW generation gradually increases from 1999 through 2008, where it peaks at approximately 500 cubic meters. The next significant peak is in 2012 at 500 cubic meters for the baseline, 900 cubic meters for the maximum, and 200 cubic meters for the minimum. This peak is driven by Double-Shell Tank Retrieval within the TWRS program.

Figure 2-7. Non-Programmatic Annual 30-Year Solid Waste Volumes.

- CH_TRU TRUM: Figure 2-12 displays CH_TRU TRUM waste volumes at less than 900 cubic meters until 2012, when the volumes increase to approximately 2,500 cubic meters per year for 10 years. This volume is from the D&D of non-surplus facilities expected within the Environmental Restoration program. The minimum and maximum volumes vary slightly from the baseline since the Environmental Restoration program did not provide volume ranges.

Figure 2-8. Offsite Annual 30-Year Solid Waste Volumes.

- RH_TRU_TRUM: Figure 2-13 displays Held waste volumes at 700 cubic meters. The RH_TRU_TRUM baseline waste volumes remain insignificant until 2010, with an increase of approximately 300 cubic meters for the baseline, 200 cubic meters for the minimum, and 650 cubic meters for the maximum. This peak is driven by the High-Level Vitrification Project and Double-Shell Tank Retrieval. The major peak in 2013 through 2022 at approximately 1,000 cubic meters is due to the expected D&D of non-surplus facilities. The same trend is noticeable for the maximum and minimum volumes.

Figure 2-9. Total 30-Year Solid Waste Volumes by Waste Category.

2.5 COMPARISON WITH 1994 FORECAST VOLUMES

The *Solid Waste 30-Year Volume Summary*, WHC-EP-0768, (1994) reports that the total 1993 Solid Waste Forecast data for LLMW and TRU_TRUM solid waste for the time period of 1995 through 2023 was expected to be approximately 307,150 cubic meters. The 1994 Solid Waste Forecasts report 235,560 cubic meters as the volume of LLMW and TRU TRUM solid waste to be shipped to the CWC from 1996 through 2024. This is a difference of approximately 71,590 cubic meters from the 1993 Solid Waste Forecasts. The causes of the decrease in forecasted volumes are explained below:

- Cancellation of the Double-Shell Tank Process Tests. This accounts for approximately 20,000 cubic meters.

Figure 2-10. CH_LLMW Annual 30-Year Solid Waste Volumes.

- Elimination of the D&D volumes for the High-Level Vitrification Plant since these D&D volumes are expected to occur after the 30-year forecasting period. This accounts for approximately 7,500 cubic meters.
- A decrease in expected Portsmouth Gaseous Diffusion Plant solid waste shipments of approximately 15,000 cubic meters. Portsmouth has developed a more defined ER program; therefore, they revised last year's forecast volumes.
- A decrease in the LLW treatment facility (tank farms) solid waste volumes of approximately 5,500 cubic meters. This is due to a change in the treatment technology from a grout to a vitrification treatment.

Figure 2-11. RH_LLMW Annual 30-Year Solid Waste Volumes.

- A decrease in the 200 Area Effluent Treatment Facility (ETF) solid waste volumes of approximately 3,400 cubic meters. The ETF has refined its facility plans and expects to generate less solid waste.
- 222-S Analytical Laboratory and Argonne National Laboratory expect a decrease of approximately 1,000 and 1,500 cubic meters, respectively. The decrease is due to a better understanding of future solid waste generation rates.
- The remaining difference of 20,000 cubic meters between the 1993 and 1994 Solid Waste Forecasts is due to minor waste fluctuations in a number of waste generator forecasts.

Figure 2-12. CH_TRU_TRUM Annual 30-Year Solid Waste Volumes.

2.6 DATA OBSERVATIONS

Data presented in this report establish a starting point from which solid waste management plans can be developed, alternative planning scenarios can be evaluated, and full-scale design for specific TSD facilities can be initiated. The volumes in this report are believed to provide a reasonable estimate of the waste that will be managed at the CWC, and although missions and programs will continue to change, analysis of the primary waste sources indicates that the volumes have a strong potential to increase over time. However, several scenarios are being considered within TWRS and Facility Transitions that could cause a decrease in waste volumes. The factors that could cause significant volume increases or decreases are summarized below:

Figure 2-13. RH_TRU_TRUM Annual 30-Year Solid Waste Volumes.

- TWRS - No solid waste estimation has been made for Waste Tank Safety or Waste Characterization activities (i.e., the mitigation pump recently installed in Tank 241-SY-101); therefore, if solid waste is generated from these activities, the waste volumes will increase. In addition, solid waste generated during the storage and transportation of the high-level vitrified waste has not been forecasted. Although these activities could increase waste volumes, the potential scenario that assumes that the long-length contaminated equipment will not be sent to the CWC could significantly decrease current forecasted waste volumes.
- Environmental Restoration - Only those facilities currently identified on the 1993 surplus facilities list and 24 other Hanford facilities have been included in this program. As additional facilities are identified for D&D, it is expected that this waste volume will increase. Fuel

Supply's 18 facilities, Spent Nuclear Fuel disposition facilities, Liquid Effluent facilities, Analytical Services facilities, and the Fast Flux Test Facility (FFTF) currently have not provided D&D waste information. The schedule for the non-surplus facilities has been assumed to occur from 2013 through 2022, since surplus facilities are estimated to be completed by 2013. As better data become available, refinements to the schedule can be made.

- Offsite Waste Generators - Additional waste volumes may be sent by offsite waste generators, causing a slight increase in forecasted waste volumes. Portsmouth Gaseous Diffusion Plant - Energy Systems waste volumes could increase if D&D waste is sent to the Hanford Site. Additional waste could be sent from Paducah Energy Systems if they ship their TRU waste to the CWC.
- Facility Transitions - The four facilities within this program all have potential waste volumes that are not reported in the forecasts. PFP has not included waste information for plutonium stabilization activities or for surveillance and maintenance generated waste. The PUREX tunnels have not reported waste volumes for operations, deactivation, or surveillance and maintenance. The 300 Area Fuel Supply also has not provided waste volumes during surveillance and maintenance. In addition, B-Plant has not provided any solid waste volumes for deactivation or surveillance and maintenance, which could prove to be quite significant. However, if PFP is closed without further deactivation or D&D, waste volumes for this program could decrease significantly, as shown in Figure 2-1.
- Other Programs - Several activities within the Other Programs designation are not currently forecasted. These activities include all Spent Nuclear Fuel disposition activities, several Liquid Effluent activities (i.e., LERF, 200 Area TEDF, and 300 Area process trenches), and the Waste Sampling and Characterization Facility (WSCF).
- Non-Programmatic - The potential for these waste generators to significantly impact the solid waste system is minimal.

3.0 TANK WASTE REMEDIATION SYSTEM

This section provides volumes and waste generator descriptions for LLMW and TRU/TRUM solid waste expected from the tank farms. The waste results from current tank farm operations, retrieval of existing tank farm long-length equipment, retrieval pumps and miscellaneous equipment that will be used for retrieval of tank waste, and future tank waste treatment projects.

3.1 BACKGROUND

The TWRS program mission is to store, treat, immobilize, and dispose or prepare for disposal the Hanford radioactive tank waste in an environmentally sound, safe, and cost-effective manner. Tank waste includes current tank waste, future tank waste, and the cesium and strontium capsules.

The TWRS program has three primary activities identified in the *Hanford Site Tank Waste Remediation System Technical Strategy* (1994) and the Multi-Year Program Plan (1994) that could generate solid waste: managing tank waste, processing waste, and managing system-generated waste. The tasks included under each of these primary activities are listed below. It is expected that each of these primary activities will generate solid waste that could potentially be managed at the CWC.

- Manage Tank Waste: This activity includes tank farm operations and upgrades, waste tank safety and characterization, and waste retrieval.
- Process Waste: This activity includes tank waste pretreatment, HLW/TRU waste immobilization, and storage/transfer of immobilized HLW/TRU waste.
- Manage System Generated Waste: The main task associated with this primary activity is immobilization and disposal of LLW.

All of the data reported in this section were obtained from the 1994 Solid Waste Forecasts. As discussed in Section 3.4, the forecasts include estimates only for the operational life-cycle phase of several facilities and do not include estimates for tank safety or characterization issues. Supplemental data were either not available or not applicable to the 30-year forecast (i.e., occur after 2024) and therefore have not been included.

3.2 WASTE GENERATORS

The total volume of TWRS' LLMW and TRU/TRUM solid waste is expected to be 98,090 cubic meters or 42% of the solid waste at the Hanford Site. Figure 3-1 shows that the top five generators account for 97% of this waste.

Figure 3-1. TWRS LLMW and TRU/TRUM Waste Generators.

Single-Shell Tank (SST) Long-Length Contaminated Equipment is by far the largest generator of LLMW and TRU/TRUM waste from the TWRS program, generating 82% of the total volume. Other generators contributing significant volumes of waste include Single-Shell/Double-Shell Tank Farm Operations, Tank Farm Restoration, and the High-Level Vitrification Project. The following information briefly describes these major waste generators. The waste generator's mission, assumptions, and possible waste volume fluctuations are included.

- SST Long-Length Contaminated Equipment (WHC SSTLLE):** Current planning during tank farm cleanup is to remove the long-length pieces of contaminated equipment from the tanks and send this equipment to the CWC for treatment, storage, and disposal. The long-length equipment has been installed in the tanks and is greater than 12 feet in length, with some pieces in excess of 60 feet. Because of the unusual configuration of these wastes, special storage and handling requirements will be necessary. In addition to the equipment currently in the tanks, estimates have been included for pumps and other miscellaneous equipment that will be used for retrieval of tank waste. The retrieval pumps and equipment are also expected to be sent to the CWC for processing and will have many of the same storage and handling requirements as the long-length equipment currently in the tanks. Equipment used to resolve tank waste safety issues (e.g., the mixer pump in Tank 241-SY-101) have not been included in these estimates.

This generator forecasted all of its waste to be CH_LLMW_III. There is a high possibility, however, that much or all of the waste will be remote-handled. In addition, some of this waste may also be TRUM depending on the degree of decontamination at the time of removal from the waste tank. Both of these issues could significantly affect the TSD options being considered for the long-length contaminated equipment. In addition, there is a possibility that the long-length contaminated

equipment may not be sent to the CWC for processing. This scenario would dramatically reduce the expected volume of waste at the CWC.

The minimum range reported for this waste generator is 85%, and the maximum range is 110%, indicating that the waste generator is fairly confident in the waste volumes forecasted. However, this waste generator assumed that the long-length equipment would be retrieved and sent to the CWC. The ranges do not reflect the possible scenario of the equipment not being shipped to the CWC.

- **SST/DST Tank Farm Operations (WHC_TF_OPER):** The waste generated from this project includes day-to-day operational and maintenance waste from the 200E and 200W tank farm facilities and old tank farm excess equipment. If the generator continues with daily operations and maintenance, the actual waste volumes should be close to the forecasted volumes. Waste characterization activities are not included within this forecast. The minimum range reported for this waste generator is 80%, and the maximum range is 100%, indicating that the reported baseline volume may decrease slightly; however, an increase in waste volumes is not expected.
- **Tank Farm Restoration (WHC_TWP_W314):** This project will perform several upgrades to tank farm infrastructure. Waste generated by this project will generally be contaminated soil, debris from construction activities, and removal of outdated or unused tank farm equipment. A detailed scope of work for this project is still being planned, and it is likely that forecasted volumes, characterization, and schedules will be updated with future analysis and planning. The maximum range reported by this waste generator is 100%, which indicates that waste volumes should not be greater than the reported baseline. However, the minimum range reported is 10%. This range is reported in case little dirt excavation is needed.
- **High Level Vitrification Project (WHC_HLVP):** HLVP is a planned treatment/processing facility for high-activity tank waste. Waste volumes associated with the HLVP are based on preconceptual design criteria. Secondary waste will be generated from activities such as spill cleanup and decontamination, general maintenance and housekeeping, and laboratory activities. The waste will generally consist of contaminated failed equipment, metals, paper, plastic, rubber, and other miscellaneous debris. The minimum range for this waste generator is 0% in the first year of expected operations (2009) and 50% for the remaining years of operation; the maximum range is 200% for all years of operation. This indicates that the waste generator is uncertain regarding waste generation volumes because the facility is not operational yet.

3.3 PROJECTED VOLUMES

A description of the waste category volumes for the TWRS program and for the specific TWRS waste generators is provided in the following sections.

3.3.1 Projected Volumes for TWRS Waste Generator Group

Figure 3-2 graphically displays the distribution of the waste between waste categories. As shown in the figure, the majority of the waste is assumed to be contact-handled. This is primarily because the long-length equipment from the single-shell tanks has been categorized as contact-handled. But it is likely much of this equipment will actually be remote-handled.

Figure 3-3 shows the annual volumes by waste category. It is evident from Figure 3-3 that there will be a steady increase in the volume of waste generated from 2008 to 2017. This increase corresponds to the time period when the majority of the long-length contaminated equipment in the underground storage tanks (USTs) are expected to be retrieved. The large decrease in 2018

Figure 3-2. TWRS Total 30-Year Solid Waste Volumes by Waste Category.

Figure 3-3. TWRS Annual Solid Waste Volumes by Category.

indicates that all the long-length contaminated equipment from the tanks will have been retrieved; however, some residual wastes generated during retrieval will continue to be sent to the CWC for TSD purposes. The remote-handled waste volumes shown in Figure 3-3 result from retrieval of double-shell tank long-length equipment and from the HLVP.

3.3.2 Projected Volumes by Waste Generator

There are 16 waste generators in the TWRS program; 11 of these forecast LLMW or TRU_TRUM solid waste. Table 3-1 shows the waste volumes by waste category generated by the TWRS waste generators. This table also shows that the top three generators forecast only CH_LLMW. HLVP is the largest generator of TRU_TRUM waste.

Table 3-1. TWRS Waste Generator Volumes.^(a)

Waste Generator	CH_LLMW (m ³)	RH_LLMW (m ³)	CH_TRU TRUM (m ³)	RH_TRU TRUM (m ³)	Total (m ³)
SST Long-Length Equipment	80,800	0	0	0	80,800
SST/DST Tank Farm Operations	5,590	0	0	0	5,590
Tank Farm Restoration	4,490	0	0	0	4,490
HLVP	690	0	1,880	1,700	4,260
SST Retrieval	1,080	0	0	0	1,080
DST Retrieval	0	760	0	250	1,010
SST 106C Sluicing	290	0	0	0	290
DST Retrieval Systems	0	260	0	0	260
DST 101AZ Retrieval	0	220	0	0	220
LLVP	50	0	0	0	50
Tank Waste Pretreatment Facility	30	0	0	0	30
Total	93,030	1,230	1,880	1,950	98,090
(a) Sum of individual values may not match totals due to rounding.					

3.4 DATA OBSERVATIONS

Figures 3-4, 3-5, and 3-6 represent the completeness of the forecasts in estimating future waste volumes from the TWRS program by the tasks performed under each primary activity. As shown in Figure 3-4, it has been assumed that only the operations phase of the life cycle is applicable for the Manage Tank Waste activity. This figure also shows that wastes associated with waste tank safety and waste characterization have not been forecasted. Volumes have been provided for the other tasks under this activity.

Figure 3-4. Forecast Completeness for Primary Activities and Associated Life Cycle
TWRS - Manage Tank Waste.

Primary Activity	Operations	Transition (Deactivation)*	Surveillance & Maintenance*	D&D*
Tank Farm Operations	1995-2028 Complete	← Not Applicable →	← Not Applicable →	← Not Applicable →
Tank Farm Upgrades	1996-2005 Incomplete	← Not Applicable →	← Not Applicable →	← Not Applicable →
Waste Tank Safety	1995-2001 ← Not Provided →	← Not Applicable →	← Not Applicable →	← Not Applicable →
Waste Characterization	1999-2028 ← Not Provided →	← Not Applicable →	← Not Applicable →	← Not Applicable →
Waste Retrieval SST DST	1995-2018 1995-2028 Incomplete	← Not Applicable →	← Not Applicable →	← Not Applicable →

*Assumed by reviewer that these life-cycle elements are not applicable.

Figure 3-5. Forecast Completeness for Primary Activities and Associated Life Cycle
TWRS - Process Waste.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
Pretreat Waste	2004-2028 Incomplete	← Not Provided →		
Immobilize HLW/TRU Waste	2009-2028 Incomplete	← Not Provided → ← D & D Study →		
Store & Transfer HLW/TRU Immobilized Waste	2009-2040 Not Provided	← Not Provided →		

Figure 3-6. Forecast Completeness for Primary Activities and Associated Life
Cycle TWRS - Manage System Generated Waste.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
Immobilize & Dispose LLW	2005-2028 Incomplete	← Not Provided → ← D & D Study →		

Figure 3-5 shows that only the operational phases for tank waste pretreatment and HLW/TRU waste immobilization have been forecasted. In addition, no estimates have been provided for storage and transfer of the immobilized HLW/TRU. It is expected, however, that the three life-cycle phases that have not been forecasted will occur after the 30-year forecast period and would therefore not be included in the estimates even if they were available. It is not known whether the storage and transfer of the immobilized HLW/TRU waste will generate significant volumes of solid waste.

As displayed in Figure 3-6, only "Operations" has been forecasted for immobilization and disposal of LLW. As with pretreatment and HLW/TRU immobilization, the other three life-cycle phases are expected to occur after the 30-year forecast period.

Many of the generators in the TWRS program are forecasting waste for projects that are currently in the planning stages and could potentially undergo changes in scope. In addition, changes in the baseline strategy for the TWRS program could significantly impact the amount of waste sent to the CWC over the next 30 years. Leaving the long-length contaminated equipment in the tanks would dramatically decrease the amount of waste generated, while retrieving the single-shell tanks themselves has the potential to substantially increase the amount of waste. Under the current baseline, it is anticipated that the actual volumes might actually be greater than the forecasted volumes. The estimates are believed to be conservative, because several activities have not been forecasted (i.e., Waste Tank Safety, Waste Characterization, and Storage and Transfer of Immobilized HLW/TRU waste).

WHC-EP-0865

Intentionally Left Blank

4.0 ENVIRONMENTAL RESTORATION

This section summarizes waste volumes from environmental restoration activities on the Hanford Site. These wastes include both D&D wastes from facilities and remedial action waste from past practice sites. D&D will be required to some level for all existing and future facilities on the Hanford Site. This document addresses the facilities listed as surplus, which are the responsibility of the Environmental Restoration program, as well as several facilities not currently listed as surplus. The remedial action waste includes waste generated during operations geared toward remediation of contaminated sites, risk mitigation, and regulatory compliance.

4.1 BACKGROUND

The mission of the Environmental Restoration program is to decontaminate and remediate facilities and the environment to a designated end-use state. The end-use state may range from unrestricted use to controlled access and is generally determined on a case-by-case basis.

Information in the 1994 forecasts was used for D&D and remedial action waste volumes; however, this information is limited. Therefore, several additional sources were used to obtain a more complete representation of these waste streams. Additional D&D data were obtained from four data sources:

- Fiscal Year (FY) 1993 Solid Waste Forecasts - Includes solid waste volumes and characteristics for D&D waste of the facilities listed on the surplus facilities list. Forecast volumes from 1993 were used for these facilities, because completion of the 1994 forecast was waived and replaced with an Interface Control Document.
- Draft Report: Waste Stream Evaluation for Long-Term Decontamination Study (D&D Study) - Includes data on the potential D&D waste from 26 Hanford facilities not currently listed as surplus. Waste volumes from this report were not used for PUREX; however, the PUREX shipping schedule was used. In addition, waste volumes for the LLW Grout Facility and Hanford Waste Vittrification Plant were not used since these projects have been cancelled, and the projects that will replace them are not expected to undergo D&D during the 30-year forecasting period.
- Estimation of PUREX Equipment and Materials that are Candidates for Removal and Waste Processing During PUREX Plant Closure, WHC-IP-0977 - Includes detailed volume and characteristic information of PUREX D&D waste. In general, volumes from this document were used in place of those contained in the D&D study for PUREX.

- Additional remedial action volumes were taken from *Remediated Waste Projects*, WHC-SD-ER-002 Rev.0 (Casbon 1993). This document describes the responsibilities of the Solid Waste Disposal (SWD) and the Environmental Restoration Division (ERD) programs in the remediation of Hanford's past practice sites. The document also provides waste volume estimates and indicates each program's responsibility. The ERD's responsibilities include planning; field operations; environmental remediation; and site cleanup of unplanned release sites, inactive waste sites, and other areas contaminated with radioactive or chemical hazards. The SWD is responsible for management of centralized facilities for the receipt, containment, treatment, storage, and disposal of solid waste at Hanford. The SWD will provide storage of LLMW and TRU/TRUM waste; burial of LLW; treatment and disposal of LLMW; and characterization, size reduction, packaging, and shipment of TRU waste to the Waste Isolation Pilot Plant.

At this time, TRU/TRUM waste will not be handled by ERD; therefore, the SWD Program will receive this waste. Any waste that the SWD Program has treatment technologies for will also be sent to this program rather than ERD. A detailed description of information included in these sources and the assumptions made when using these sources are found in Appendix A.

4.2 WASTE GENERATORS

Approximately 106,310 cubic meters of LLMW and TRU/TRUM solid waste is expected from the Environmental Restoration program over the next 30 years. This waste will be generated by 27 waste generators. Other waste generators have been included in the ER program; however, these generators are not expected to generate mixed or transuranic waste. Figure 4-1 shows the primary ER waste generators and the percent of the total waste volume expected from

Figure 4-1. Environmental Restoration LLMW and TRU/TRUM Waste Generators.

each. Past Practice Remediation is the largest, generating 52% of the waste. Other primary ER waste generators include D&D of the PFP, D&D of T-Plant, and Surplus Facilities. These generators are expected to send 22%, 11%, and 8%, respectively, of the ER waste to the CWC. All other ER generators are expected to contribute approximately 7% of the waste.

The primary ER waste generators are described below. The description includes each generator's past or present mission and the assumptions associated with its estimates.

- **Past Practice Remediation Projects (PAST PRAC REM):** It is assumed that the SWD program will be responsible for the TRU TRUM waste and LLMW from past practice sites because SWD will have treatment technologies for this waste. The ERD is responsible for other remediation wastes. The wastes included for this generator are 10% of the LLMW total for treatment, all expected TRU TRUM waste, and greater-than-Category-3 waste. WHC-IP-0977 did not distinguish between LLW and LLMW for greater-than-Category-3 waste; therefore, for the purpose of this document, this waste was assumed to be LLMW.
- **D&D of Plutonium Finishing Plant (TWHC PFP):** In operational mode, the PFP processed plutonium-based chemical solutions and converted them to metals and oxides. The D&D volume estimate includes the canyon building 2345-Z and its associated buildings 241-Z, 242-Z, and 236-Z. Contaminated materials included in the volume estimate are gloveboxes, pedestal storage, ventilation systems, pencil tanks, and ventilation fans.
- **D&D of T-Plant (TWHC TPLANT):** T-Plant, a canyon building, is used to decontaminate equipment and sort and package waste from other facilities. Solid waste from the D&D of T-Plant includes primarily contaminated equipment such as pumps, tanks, jumpers, and silver reactors.
- **Surplus Facilities (WHC SURPLS FAC):** Surplus Facilities includes surplus listed facilities and projects. This generator has indicated that waste minimization, recycling, or reduction technologies could reduce forecasted volumes by 30%.

4.3 PROJECTED VOLUMES

A description of the waste category volumes for the ER program area and for the individual waste generators is provided in the following sections.

4.3.1 Forecasted Volumes for Environmental Restoration Program

As stated above, a total of approximately 106,300 cubic meters of LLMW and TRU TRUM waste is expected to be sent to the CWC by the Environmental Restoration program area. Figure 4-2 displays this waste volume by waste

category. The majority of this waste, approximately 61,100 cubic meters, is expected to be CH_LLMW. Another 30,800 cubic meters is expected to be CH_TRU_TRUM waste. There is also a significant amount of remote-handled waste expected from this program. Roughly 9,400 cubic meters of RH_TRU_TRUM waste and 5,100 cubic meters of RH_LLMW are expected.

Figure 4-3 shows annual volumes by waste category for the ER program's solid waste. The volumes are expected to increase steadily from slightly less than 3,000 cubic meters in 2002 to over 5,000 cubic meters in 2006, driven

Figure 4-2. Environmental Restoration Total 30-Year Solid Waste Volumes by Waste Category.

Figure 4-3. Environmental Restoration Annual Solid Waste Volumes by Waste Category.

primarily by the CH_LLMW volumes from Past Practice Remediation. As shown in the figure, the volumes remain fairly steady from 2006 through 2009 and then drop sharply through 2012. In 2013, there is a substantial increase in CH_TRU_TRUM and RH_TRU_TRUM wastes. These increased volumes continue through 2022 and result from the D&D of facilities not currently listed as surplus. No volumes have been forecasted for 2023 or 2024 since the supplementary references did not provide estimates for these years.

4.3.2 Forecasted Volumes by Waste Generator

Table 4-1 lists the waste volumes from each waste generator in the ER program area. Past Practice Remediation contributes the vast majority of the CH_LLMW and also contributes a significant portion of the CH_TRU_TRUM waste. The D&D of PFP will generate the majority of the CH_TRU_TRUM waste and half of the RH_TRU_TRUM waste. The primary generators of RH_LLMW are Surplus Facilities and the D&D of T-Plant.

Table 4-1. Environmental Restoration Waste Generator Volumes.^(a)

Waste Generator	CH LLMW (m ³)	RH LLMW (m ³)	CH TRU TRUM (m ³)	RH TRU TRUM (m ³)	Total (m ³)
Past Practice Remediation	49,790	0	5,940	0	55,730
D&D of PFP	0	0	18,700	4,680	23,380
D&D of T-Plant	5,440	1,360	3,570	890	11,260
Surplus Facilities	2,850	2,770	1,830	710	8,150
D&D of 200 Area Effluent Treatment Facility (Project C018H)	1,600	0	0	0	1,600
D&D of N Reactor	0	0	0	1,190	1,190
D&D of PUREX	240	60	600	150	1,050
D&D of PNL 327 Building	0	0	30	1,020	1,050
PUREX Tunnel Waste	0	240	0	700	940
D&D of PNL 324 Building	3	420	0	0	430
D&D of 242-A Evaporator	330	20	0	0	350
D&D of 242-S Evaporator	330	20	0	0	350
D&D of B Plant	280	70	0	0	350
D&D of 222-S Analytical Laboratory	40	110	0	0	150
D&D of 308 Fuels Development Laboratory	0	0	90	0	90
D&D of 242-T Evaporator	60	10	0	0	80
100 Area Transition (Bechtel)	60	0	0	0	60
D&D of PNL 231-Z Building	0	0	30	0	30
D&D of PNL 326 Building	20	10	0	0	20
Well Drilling Environmental Projects	20	0	0	0	20
D&D of 340 Waste Neutralization Facility	0	0	0	20	20
D&D of TRUSAF	10	0	0	0	10
Total	61,060	5,090	30,790	9,360	106,310
(a) Sum of individual values may not match totals due to rounding.					

4.4 DATA OBSERVATIONS

The ER program area deals primarily with the final phase (D&D) of the life cycle of a waste generator. Therefore, the other three phases (operations, transition, and surveillance and maintenance) do not apply to these waste generators, and additional waste is not expected due to unforecasted phases. In addition, many of the generators in this section can be used to account for unforecasted D&D phases of generators in other sections of this document (e.g., D&D of the TWRS HLVP).

Only 24 facilities at Hanford, except those included in Surplus Facilities, SURPLUS_FAC, have been included in these D&D estimates. The volumes reported here provide a reasonable basis for a D&D volume estimate, but it should be noted that other potentially large volumes may have been omitted. Specifically, SNF disposition facilities, Liquid Effluent facilities, Analytical Services facilities, Fuel Supply's 18 facilities, and the Fast Flux Test Facility (FFTF) have not provided D&D waste information. These facilities may represent a significant portion of waste and could dramatically increase the amount of ER waste sent to the CWC.

Significant increases in Remedial Action waste volumes are not anticipated, since it is expected that most of the waste generated from past practice sites will be the responsibility of the ER program. For the purpose of this document, it was assumed that 10% of the LLMW for treatment would be the responsibility of the SWD program. The percentage could increase as program responsibilities and waste characteristics are better defined.

WHC-EP-0865

Intentionally Left Blank

5.0 TRANSITION FACILITIES

This section provides waste volumes and waste generator profiles for the Transition Facilities program. This program currently consists of four facilities: the Plutonium Finishing Plant (PFP), B-Plant, PUREX, and the 300 Area Fuel Supply.

5.1 BACKGROUND

The Transition Facilities' mission is to manage the deactivation activities of those facilities that are no longer in the operational phase. As stored material and wastes are removed, the facilities will be deactivated and transferred to the D&D program. The types of waste generated within this program can be operational waste, deactivation waste, and surveillance and maintenance waste. The responsibility of the surveillance and maintenance waste has not been clearly defined, but for this document it has been assumed to be the responsibility of the Transition Facilities program area.

The volumes reported for this program are from the 1994 Solid Waste Forecasts and a document estimating waste generation during PUREX plant closure, WHC-IP-0977 (WHC 1994, pp. 2-6). The PUREX document states that surveillance and maintenance waste will peak at 20% of the current waste generation rate. In addition, waste volumes for the D&D of PUREX were provided in this document (which was discussed in Section 4.0). The schedule was not provided in the PUREX document; therefore, it was assumed that surveillance and maintenance would occur from 1999 through 2012, and D&D would be from 2013 through 2022.

5.2 WASTE GENERATORS

LLMW and TRU TRUM waste generation for the next 30 years is estimated to be approximately 4,400 cubic meters for the Transition Facilities program. This waste volume is approximately 2% of the waste expected at the Site for the next 30 years. However, as facilities transition into a deactivation phase, the expected waste volumes associated with this program should increase. Figure 5-1 displays the waste volumes associated with each facility that is currently within the Transition Facilities program. As seen in the figure, 96% of the waste is forecasted by the PFP, 3% by PUREX, and less than 1% by both B-Plant and the 300 Area Fuel Supply.

Descriptions for each of the four facilities within the Transition Facilities program are provided below. The waste generator's mission, assumptions, and potential waste volume fluctuations are included.

Figure 5-1. Facility Transitions LLMW and TRU/TRUM Waste Generators.

- Plutonium Finishing Plant (WHC PFP):** The PFP consists of 14 facilities that generate solid waste. Currently, these facilities define operations as general maintenance activities, which will continue until transition is complete in 2015. Surveillance and maintenance waste is only included in the forecast for two facilities, 2736-Z and 2736-ZB. It is assumed these facilities will store the stabilized plutonium during the surveillance and maintenance life-cycle phase; therefore, waste volumes are forecasted through 2024. In addition, it is assumed that stabilization of the plutonium will occur in 234-5Z and 236-Z. The plutonium stabilization activities are not forecasted and could result in additional solid waste generation.

The minimum volume range for PFP is 0% due to the possibility of PFP closure, although this scenario is highly unlikely. The maximum range for PFP varies from 100% to 500% due to uncertainties. The 100% scenario is indicated for the near term (1995 through 2009), and 500% is indicated for the out years.

- PUREX (WHC PUREX and WHC PUREX SM):** Three facilities are included within this forecast: PUREX, UO_3 , and the PUREX tunnels. The operational phase currently consists of general maintenance and surveillance. Transition (deactivation) will be complete in July 1998 for PUREX and in December 1995 for UO_3 . The tunnels do not currently have a planned mission for remediation. In fact, solid waste generated by the tunnels during this entire life cycle is not forecasted, with the exception of D&D tunnel volumes abstracted from WHC-IP-0977. Lastly, surveillance and maintenance waste volumes are assumed to be 20% of the volumes forecasted for 1998 based upon the assumption in WHC-IP-0977.

The minimum range for PUREX varies from 50% to 100% due to shipping schedule uncertainties. The maximum range reported is 150% for 1995 and 200% for the remaining years due to waste volume uncertainties associated with deactivation and zone reduction activities.

- **B Plant (WHC BPLANT):** Three facilities are included within this forecast: 221-B, 271-B, and 225-B (Waste Encapsulation and Storage Facility - WESF). The forecast accounts for operational waste only through 2023; however, transitional activities are planned to be initiated in 1997 with completion in 2001 (Bowen et al. 1992). Completion of operations is expected to gradually phase out as transition is completed in 2001. However, the initiation of the transition schedule is uncertain, explaining the lack of this waste type in the forecast.

The minimum range for B-Plant is 75%, and the maximum range is 125%, which indicates that the baseline volumes are fairly stable.

- **300 Area Fuel Supply Transition (WHC_FUEL_TRANS):** Three facilities are included within this waste generator forecast: the 304 Building, the 303-K Building, and the 313 Building (Waste Acid Treatment System - WATS). The 300 Area Fuel Supply is no longer in its operational life-cycle phase but is now in a transitional life-cycle phase. The schedule for completion of deactivation is currently unknown. While in this life-cycle phase, 313 Building will be demolished due to an unstable roof, all radioactive and hazardous wastes will be removed, and the spent nuclear fuel stored there will be dispositioned. Surveillance and maintenance waste has not been provided.

The minimum and maximum ranges for this generator are both 100%, which indicates that the baseline volumes should not fluctuate.

5.3 FORECASTED VOLUMES

A description of the waste category volumes for the Transition Facilities program and for the specific waste generators within the program is provided in the following sections.

5.3.1 Forecasted Volumes for Transition Facilities Program

Figure 5-2 displays the overall solid waste volumes for this program. Fifty-three percent of the waste is CH_LLMW, 47% is CH_TRU_TRUM, and less than 1% is RH_LLMW. No RH_TRU_TRUM waste is forecasted for this program.

Figure 5-2. Facility Transitions Total 30-Year Solid Waste Volumes by Waste Category.

Figure 5-3 shows the annual volumes by waste category. As seen in the figure, most of the waste is forecasted through 2009, which reflects the majority of PFP's deactivation waste. A peak of approximately 500 cubic meters occurs in 2005 through 2006 and is driven by PFP deactivation activities. The decrease in waste volume from 2010 to 2024 is a result of the expected completion of most LLMW and TRU_TRUM waste deactivation activities for PFP.

5.3.2 Forecasted Volumes by Waste Generator

Table 5-1 displays the amount of waste generated for each waste category and waste generator. The majority of the CH_LLMW and CH_TRU_TRUM waste is generated by PFP. RH_LLMW is the only other waste category and is generated

Figure 5-3. Facility Transitions Annual Solid Waste Volumes by Waste Category.

Table 5-1. Transition Facilities Waste Generator Volumes.^(a)

Waste Generator	CH LLMW (m ³)	RH LLMW (m ³)	CH_TRU TRUM (m ³)	RH_TRU TRUM (m ³)	Total (m ³)
Plutonium Finishing Plant	2,190	0	2,030	0	4,210
PUREX	70	0	20	0	90
PUREX - SUR/MAIN	30	0	0	0	30
B-Plant	50	10	0	0	60
300 Area Fuel Supply	10	0	0	0	10
Total	2,350	10	2,050	0	4,400
(a) Sum of individual values may not match totals due to rounding.					

exclusively by B-Plant. As shown in the table, PUREX has two separate waste generator denotations to account for the additional surveillance and maintenance waste information obtained from the PUREX study (WHC 1994). The information obtained from this study is denoted as PUREX - SUR/MAIN.

5.4 DATA OBSERVATIONS

Figures 5-4, 5-5, 5-6, and 5-7 display the forecast completeness for PFP, PUREX, B-Plant, and 300 Area Fuel Supply, respectively. Each life-cycle phase is listed on the horizontal axis with the facilities along the vertical axis. Figure 5-4 displays PFP's forecast completeness for each PFP facility. The D&D life-cycle phase has the D&D Study listed for each facility. This study is currently a draft report on facilities that are not on the Surplus Facilities List and their associated waste volumes entitled, *Waste Stream Evaluation for Long-Term Decontamination Study*. Thus the report provides information for these unforecasted activities (these volumes are reported in Section 4.0).

As seen in Figure 5-4, additional solid waste volumes associated with surveillance and maintenance can be expected for PFP. Operational and transitional activities within 234-5Z and 236-Z are incomplete, because plutonium stabilization activities are not forecasted and could increase waste volumes. PFP waste volumes also have the potential to decrease if the plant is completely shutdown as a result of the Environmental Impact Statement (EIS) that is being prepared.

Figure 5-5 displays PUREX's forecast completeness for each PUREX facility. The PUREX forecast is complete in capturing operations and transitional waste for PUREX and UO_3 ; however, surveillance and maintenance and D&D waste is not forecasted for PUREX and UO_3 . Document WHC-IP-0977 (see Section 5.1) is listed in Figure 5-5 for the surveillance and maintenance and D&D life-cycle phases (D&D volumes are discussed in Section 4.0). As seen in the figure, additional waste volumes can be expected for the PUREX tunnels. Operational, transitional, and surveillance and maintenance wastes are not forecasted for the tunnels.

Figure 5-6 displays B-Plant's forecast completeness for each B-Plant facility. The figure shows that the forecast reports only operations of these facilities and does not include transitional, surveillance and maintenance, or D&D solid waste information. The D&D waste volumes are supplemented with the D&D Study and discussed in Section 4.0. However, the other life-cycle phase waste volumes are not forecasted, which indicates that a significant volume of waste can be expected in the near future if deactivation activities are initiated in 1997 as planned.

Figure 5-4. Forecast Completeness for Primary Activities and Associated Life Cycle Plutonium Finishing Plant Transition Projects.

Facilities	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
232-Z	N/A	N/A	Bechtel	Bechtel
231-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
234-5Z	1994 - 2015 Incomplete		← Not Provided →	← D & D Study →
236-Z	1994 - 2015 Incomplete		← Not Provided →	← D & D Study →
242-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
241-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
291-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
243-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
2736-Z	1994 - 2015 Complete		Complete	← D & D Study →
2736-ZB	1994 - 2015 Complete		Complete	← D & D Study →
2736-ZA	1994 - 2015 Complete		← Not Provided →	← D & D Study →
2731-Z	1994 - 2015 Complete		← Not Provided →	← D & D Study →
2904-ZA	1994 - 2015 Complete		← Not Provided →	← D & D Study →
2904-ZB	1994 - 2015 Complete		← Not Provided →	← D & D Study →

Figure 5-5. Forecast Completeness for Primary Activities and Associated Life Cycle PUREX Transition Projects.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
Terminal Clean Out and Stabilization of PUREX	1998 Complete		WHC-IP-977	WHC-IP-977
Terminal Clean Out and Stabilization of UO ₃	1995 Complete		WHC-IP-977	WHC-IP-977
Tunnels	← Not Provided →			WHC-IP-977

Figure 5-6. Forecast Completeness for Primary Activities and Associated Life Cycle B-Plant Transition Projects.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
221-B	Complete	1997-2001 ← Not Provided →	← Not Provided →	← D&D Study →
271-B	Complete	1997-2001 ← Not Provided →	← Not Provided →	← D&D Study →
225-B (WESF)	Complete	1997-2001 ← Not Provided →	← Not Provided →	← D&D Study →

Figure 5-7. Forecast Completeness for Primary Activities and Associated Life Cycle 300 Area Fuel Supply Transition Projects.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
304 Building	← Not Applicable →	Complete	← Not Provided →	
303K Building	← Not Applicable →	Complete	← Not Provided →	
313 (WATS) Building	← Not Applicable →	Complete	← Not Provided →	

Figure 5-7 displays the 300 Area Fuel Supply's forecast completeness for each facility. The figure shows that the forecasts no longer need to report on operations, because the facilities are in a transitional phase. The forecast is complete in capturing the waste associated with this life-cycle phase; however the surveillance and maintenance and D&D volumes are not provided in the forecast. The schedule for deactivation is not defined in the forecasts.

In short, waste volumes for the Facility Transitions program are likely to increase significantly. Although PFP could be completely closed down without additional solid waste volumes being generated, this scenario seems unlikely. PFP plutonium stabilization activities, activities associated with PUREX tunnels, B-Plant's deactivation activities, and the 300 Area Fuel Supply's surveillance and maintenance volumes are not currently forecasted. Therefore, it is likely that these activities, especially the deactivation of B-Plant, will increase future solid waste volumes.

WHC-EP-0865

Intentionally Left Blank

6.0 OTHER PROGRAMS

This section provides waste volumes and programmatic profiles for those programs that generate minimal solid waste volumes. The programs that will be discussed in this section include Liquid Effluent, Pacific Northwest Laboratory (PNL), Analytical Services, Solid Waste, and Spent Nuclear Fuel.

6.1 BACKGROUND

Each program in this section has a unique mission. In the course of pursuing their respective missions, they often generate solid waste that will eventually be sent to the CWC. The missions are described below:

- Liquid Effluent's mission is to eliminate the use of the soil column for liquid effluent treatment and to manage current and future liquid effluent streams in a safe, responsible, cost-effective and legally compliant manner. This program will generate solid waste during the treatment of liquid effluents from TWRS' 242-A Evaporator and from the 300 Area.
- Pacific Northwest Laboratory is a national research laboratory that conducts research for DOE, other government agencies, and private industry to solve problems of national importance. Solid waste is generated during research and decontamination activities.
- Analytical Services provides analytical field support and process development services to other Site programs, using onsite and offsite analytical laboratories. Analytical Services also provides field sampling, field screening, mobile laboratories, and data deliverables.
- Solid Waste's mission is to receive, store, treat, decontaminate, and dispose of solid radioactive and nonradioactive dangerous waste in a safe, cost-effective, and environmentally compliant manner. Secondary solid waste will be generated to achieve this mission.
- Spent Nuclear Fuel's mission is to provide safe storage of SNF; remedy unsafe conditions; design, construct, operate, and maintain interim storage facilities until final disposition of SNF is determined; and stage the SNF for final disposition once further direction is received. The current program mission, as defined in the Multi-Year Program Plan, addresses the SNF stored at the K-Basins only. Solid waste will be generated during the disposition of the spent fuel at K-Basins.

The volumes reported for each of these programs are taken from the 1994 Solid Waste Forecasts. No additional documentation was obtained that provided solid waste volumes for activities not currently forecasted.

6.2 OTHER PROGRAMS

Low-level mixed waste and TRU/TRUM waste generation for the next 30 years is estimated to be approximately 5,180 cubic meters for these programs. This waste volume is approximately 2% of the waste expected at the Site for the next 30 years. However, many activities within these other programs are currently not forecasted, and the associated waste volumes are expected to increase. Figure 6-1 displays the waste volumes for each of these programs. As seen in the figure, 49% of the waste is forecasted by the Liquid Effluent program, 23% by PNL, 18% by Analytical Services, 8% by Solid Waste, and 2% by Spent Nuclear Fuel.

Following are descriptions of the programs and their primary waste generators, assumptions, and potential waste volume fluctuations.

- **Liquid Effluent:** The Liquid Effluent program consists of three LLMW and TRU/TRUM waste generators as stated in the forecasts: the 200 Area Effluent Treatment Facility (ETF), the 300 Area Treatment Effluent Disposal Facility (TEDF), and the 340/307 Buildings. These facilities provide waste volumes only for the operations life-cycle phase. The 200 Area ETF is being constructed to provide effluent treatment and disposal capabilities required to support the continued operation of the 242-A Evaporator and to process the stored evaporator effluents in the Liquid Effluent Retention Facility (LERF). Operations are expected to begin in July 1995 and continue through 2023.

The 300 Area TEDF provides a system for continuous treatment and disposal of liquid effluents from the 300 area that are discharged to the Columbia River. The treated effluent used to be discharged to the

Figure 6-1. Other Programs LLMW and TRU/TRUM Waste Generators.

300 Area Process Trenches. TEDF began operations in December 1994 and will continue until 2023. The 340/307 Buildings accumulate and provide interim storage for tank waste analysis effluents generated by the PNL 300 Area Laboratories. These facilities also provide on-line monitoring of the 300 Area Retention Process Sewer to ensure protection of the environment prior to the effluents being sent to the 300 Area TEDF. The forecast for operations of the 340 and 307 facilities does not include upgrades planned for 1997.

Several other facilities are not currently included in the forecasts, and it is unknown whether these facilities generate LLMW and TRU TRUM waste. These are the Liquid Effluent Retention Facility (LERF), 200 Area Treatment Effluent Disposal Facility (TEDF), and the 300 Area Process Trenches. LERF is responsible for treating and storing the 242-A Evaporator process condensate until it can be processed by the 200 Area ETF in July 1995. The 200 Area TEDF is intended to provide the collection and disposal system necessary to transport waste streams to a single permitted soil column disposal site. The schedule for this facility is unknown. Lastly, the 300 Area Process Trenches are operated for the disposal of 300 Area effluents; however, they were removed from service in December 1994 with the operation of the TEDF.

- **PNL:** The majority of these waste streams are associated with research and development activities being accomplished at the Hanford Site. The forecasted volumes were based on decontamination activities and research projects. Operational and transitional waste has been included for this program.
- **Analytical Services:** The Analytical Services program consists of one LLMW and TRU TRUM waste generator, which is the 222-S Laboratory. The 222-S Laboratory provides analytical services to the Hanford Site. The general types of solid waste that are generated include miscellaneous laboratory equipment such as rubber gloves, paper, and plastic bottles. Some solid waste is generated from construction activities occurring in the laboratory. Most LLMW and TRU TRUM waste is generated from laboratory analysis of Double-Shell and Single-Shell Tank waste samples. It is forecasted that more waste will be generated in FY 1995 due to an increase in tank farm analysis. Operation of the laboratory is the only life-cycle phase forecasted.

One other onsite facility for this program could be a potential LLMW and TRU TRUM waste generator, the Waste Sampling and Characterization Facility (WSCF). Since it began operations in 1994, it has not provided a forecast, so it is unknown whether additional LLMW and TRU TRUM waste volumes should be included. WSCF will provide analytical support to liquid waste treatment plants and analyze LLW for environmental monitoring purposes. WSCF will generate primarily lab waste and labpacks.

Additional waste volumes are not forecasted which are associated with offsite commercial laboratories. Three offsite laboratories are currently providing analytical support to Hanford. These laboratories are storing solid waste at their respective locations until they become official Hanford waste generators.

- **Solid Waste:** The Solid Waste program has four LLMW and TRU/TRUM waste generators within its program: T-Plant, the Mixed-Waste Storage Facility, the Low-Level Burial Grounds, and TRUSAF. T-Plant is a canyon building that is used to decontaminate equipment and sort and package waste from other onsite facilities. D&D of T-Plant is addressed in Section 4.0. T-Plant forecasts operations and transitional wastes, which include routine activities such as maintenance, decontamination, upgrades, and routine cleanup. The Mixed-Waste Storage Facility currently forecasts only operations that include storage of the LLMW sent to the CWC. The Low-Level Burial Grounds forecasts only operational waste that consists of disposing LLW sent to the CWC by burying the waste in trenches. Lastly, TRUSAF forecasts operational waste that includes only the storage of TRU/TRUM waste sent to the CWC.
- **Spent Nuclear Fuel:** K-Basins is the only waste generator included in the Spent Nuclear Fuel program. Currently, K-Basins provide wet storage for spent fuel. The forecast provides waste volumes only for maintenance of the basins for the next 30 years. The Path Forward document, however, indicates that maintenance activities will be completed in 2001, and several other activities will be initiated that are not currently forecast, including remediation of the K-Basins, interim storage of the fuel prior to stabilization, stabilization of the spent fuel, and 40-year interim storage of the fuel prior to transport to a national repository (Fulton 1994). Not all life-cycle phases for these disposition activities are forecasted.

6.3 FORECASTED VOLUMES

A description of the waste category volumes for Other Programs and for each specific waste generator within the programs is provided in the following sections.

6.3.1 Forecasted Volumes For Other Programs

Figure 6-2 displays the overall volumes by waste category for Other Programs. Eighty-six percent of the waste is CH_LLMW, 6% is RH_LLMW, and RH_TRU/TRUM and CH_TRU/TRUM each represent 4%.

Figure 6-2. Other Programs Total 30-Year Solid Waste Volumes by Waste Category.

Figure 6-3 shows the annual volumes by waste category. As seen in the figure, waste generation is fairly constant at 150 to 200 cubic meters per year. Both CH_LLMW and RH_LLMW remain constant for the 30-year period. CH_TRU_TRUM remains constant from 1996 through 2014, when it is no longer expected to be generated. RH_TRU_TRUM waste generation is constant from 1996 through 2009 with a peak in 1995. PNL is the driver for this peak.

6.3.2 Forecasted Volumes by Program and Waste Generator

Table 6-1 displays the amount of waste generated for each waste category and waste generator within each program. The majority of CH_LLMW is generated by Liquid Effluent's 200 Area ETF. Other contributors of the CH_LLMW volumes are PNL and Analytical Laboratory's 222-S Laboratory. RH_LLMW is primarily generated by PNL and Solid Waste's T-Plant. RH_TRU_TRUM waste volumes are generated mostly by PNL and Spent Nuclear Fuel's K-Basins. And CH_TRU_TRUM waste volumes are primarily generated by PNL.

Figure 6-3. Other Programs Annual Solid Waste Volumes by Waste Category.

6.4 DATA OBSERVATIONS

Figures 6-4, 6-5, and 6-6 display the forecast completeness for Liquid Effluents, Analytical Services, and Spent Nuclear Fuel, respectively. PNL and Solid Waste are completely forecasted since both of these programs expect to be in the operational life-cycle phase for the next 30 years. Additional waste volumes are not expected from these programs unless they undergo mission changes.

Figure 6-4 displays the forecast completeness for all facilities within Liquid Effluents. As seen in the figure, the forecasts for LERF and the Process Trenches are not provided, therefore any potential solid waste generated by these two facilities has not been captured. The figure also shows that the forecast is incomplete in capturing the operational phase of the 200 Area ETF and the 300 Area 340/307 Buildings. The ETF has incomplete characterization

Table 6-1. Other Programs Waste Generator Volumes.^(a)

Program	Waste Generator	CH_LLMW (m ³)	RH_LLMW (m ³)	CH_TRU TRUM (m ³)	RH_TRU TRUM (m ³)	Total (m ³)
Liquid Effluents	200 Area ETF	2,380	0	0	0	2,380
	300 Area TEDF	120	0	0	0	120
	340/307 Buildings	40	0	0	0	40
	Total	2,540	0	0	0	2,540
PNL	PNL	740	190	150	90	1,170
Analytical Services	222-S Laboratory	890	60	0	20	960
Solid Waste	T-Plant	210	90	0	30	330
	Mixed Waste Storage	0	0	40	0	40
	Low-Level Burial Grounds	30	0	0	0	30
	TRUSAF	3	0	0	0	3
	Total	250	90	40	30	400
Spent Nuclear Fuel	K-Basins	40	0	0	70	110
Total		4,450	330	190	200	5,180
(a) Sum of individual values may not match totals due to rounding.						

information, while the 340/307 Buildings' forecasts do not include the planned 1997 upgrades. Lastly, no transitional, surveillance and maintenance, or D&D wastes are included in the forecasts. Therefore, based on these unforecasted activities and life-cycle phases, it seems that waste volumes for Liquid Effluents could increase.

Figure 6-5 shows the forecast completeness for the laboratories within Analytical Services. The figure shows that no waste information has been provided for any life-cycle phases of the WSCF. In addition, transitional, surveillance and maintenance and D&D wastes have not been included for 222-S Laboratory; however, these wastes will not be generated within the next 30 years. Lastly, offsite commercial laboratories have not provided forecasts. Based on these unforecasted life-cycle phases and the lack of waste information for WSCF and the three offsite commercial laboratories, it appears that waste volumes could increase for Analytical Services.

Figure 6-6 displays the forecast completeness for Spent Nuclear Fuel's K-Basins. The figure shows that the only activity forecasted is maintenance of the K-Basins. All other activities and life-cycle phases are not forecasted, which indicates a high probability that waste volumes for Spent Nuclear Fuel will increase.

Figure 6-4. Forecast Completeness for Primary Activities and Associated Life Cycle Liquid Effluents.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
Program Management LERF	← Not Provided →			
200 Area ETF C-018H ETF W-049H TEDF	1995-2023 Incomplete	← Not Provided →		
	← Not Provided →			
300 Area TEDF L045H TEDF 340/307	1994-2023 Complete	← Not Provided →		
	1994 Incomplete*	← Not Provided →		
Process Trenches	← Not Provided →			

*No 1997 upgrades included

Figure 6-5. Forecast Completeness for Primary Activities and Associated Life Cycle Analytical Services.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
222-S Laboratory	1995-2024 Complete	←	Not Provided	→
WSCF*	←	Not Provided	→	→
Offsite Commercial Laboratories	←	Not Provided	→	→

WSCF = Waste Sampling and Characterization Facility

Figure 6-6. Forecast Completeness for Primary Activities and Associated Life Cycle Spent Nuclear Fuel.

Primary Activity	Operations	Transition (Deactivation)	Surveillance & Maintenance	D&D
Remediate K-Basins	1995-2002	2002-2005 Data Not Provided		
Interim Storage of Fuel Prior to Stabilization	1998-2006	Data Not Provided		
Stabilize Fuel	2002-2006	2007-2012* Data Not provided		
40-yr Interim Storage of Fuel	2006-2046	Data Not Provided		
Maintenance of K-Basins	1994-2001 Complete	Data Not provided		

* if stabilization activities are not required during 40-yr interim storage

7.0 NON-PROGRAMMATIC

Two types of waste generators are described in this section: those waste generators that are currently not within a Hanford program and those waste generators about whom uncertainties arise in determining the program that is responsible for their operations. Waste generator volumes and descriptions of the LLMW and TRU/TRUM solid waste expected from these non-programmatic sources are discussed.

7.1 BACKGROUND

The volumes reported for the Non-Programmatic waste generators are taken from the 1994 Solid Waste Forecasts. The Buried Equipment generator did not complete a forecast in 1993 or 1994; therefore, waste volumes from the 1992 forecasts were used for this generator. No additional documentation was used to supplement the forecasts submitted by these waste generators.

7.2 NON-PROGRAMMATIC

LLMW and TRU/TRUM solid waste generation for the next 30 years is estimated to be approximately 7,420 cubic meters for the Non-Programmatic waste generators. This is approximately 3% of the total waste expected at Hanford. Figure 7-1 displays the waste volumes for each waste generator in the Non-Programmatic area. Buried Equipment forecasts approximately 99% of the waste; the remaining 1% is generated by 100 Area Construction Services, the Geotechnical Engineering Laboratory, the Fuels Development Laboratory, and the Large Sodium Fire Facility.

Figure 7-1. Non-Programmatic LLMW and TRU/TRUM Waste Generators.

Descriptions of the five waste generators for the Non-Programmatic area are provided below, including the generator's assumptions and potential waste volume fluctuations.

- **Buried Equipment (WHC_BQUIP):** This generator disposes of general purpose coded equipment, including vehicles and mobile construction units used in tank farms. A 1994 Solid Waste Forecast was not submitted for this generator because of funding issues; therefore, the 1992 forecast was used. The volumes forecasted are based on past experience and waste that has not been buried in 1992-1994 due to lack of funding. The waste that has not been buried is located with the respective waste generators. Thus the schedule for this generator is uncertain, but the volumes are certain because the waste currently exists. Since maximum and minimum ranges were not collected in 1992, these data are not available for Buried Equipment, and 100% minimum and maximum ranges were assumed.
- **100 Area Construction Services (KEH 100):** Construction Services generates LLMW that consists primarily of soil from past practice sites. Therefore, it is assumed that most of this waste exists. Currently, it is planned to ship all the backlog LLMW in 1995, and no further radioactive waste will be generated. The minimum range for this generator is 8%, which reflects the 1994 Solid Waste Forecast baseline. The maximum range is 100%, which indicates that waste volumes will not increase.
- **Geotechnical Engineering Laboratory (WHC 377):** Waste from this generator generally consists of cleanup wastes, sludge, and sampling waste. Only operational waste has been forecasted for this waste generator. The minimum range for the laboratory is 50%, and the maximum range is 300%, which indicates uncertainty about exact waste volume generation over the next 30 years.
- **Fuels Development Laboratory (WHC_FUEL_DEV):** This waste generator forecasts TRU waste generation for the year 1996. The waste will result from deactivation of the TRIGA Fuel Storage Facility and include metal, absorber control rods, and TRIGA Reactor fuel elements. The waste may not be sent to CWC due to uncertainties with resources and schedules, as indicated by the minimum reported range of 0%. The maximum range is 100%; therefore, the waste volumes are not expected to increase.
- **Large Sodium Fire Facility (WHC_SODIUM_FAC):** LLMW is the only waste forecasted for this waste generator from 1996 through 1997. The waste is generated from general facility cleanup, where facility equipment is chemically contaminated with sodium carbonate. The forecast assumes that the facility cleanup plan will be approved by the State in CY 1995. The minimum range for the facility is 0%; the maximum range is 300% due to uncertainties with future waste generation volumes.

7.3 FORECASTED VOLUMES

Descriptions of the waste category volumes for all Non-Programmatic waste generators and for each specific waste generator are provided in the following sections.

7.3.1 Forecasted Volumes for Non-Programmatic

Figure 7-2 displays the overall volumes by waste category for Non-Programmatic waste generators. Over 99% of the waste is CH_LLMW, with less than 1% forecasted to be CH_TRU_TRUM.

Figure 7-3 shows the annual waste volumes by waste category. As seen in the figure, there are five 350-cubic meter peaks that are driven by Buried Equipment.

Figure 7-2. Non-Programmatic Total 30-Year Solid Waste Volumes by Waste Category.

Figure 7-3. Non-Programmatic Annual Solid Waste Volumes by Waste Category.

7.3.2 Forecasted Volumes by Waste Generator

Table 7-1 displays the amount of waste generated for each waste category and Non-Programmatic waste generator. The majority of the waste is CH_LLMW generated primarily by Buried Equipment. The Fuels Development Laboratory is the only CH_TRU_TRUM waste generator.

7.4 DATA OBSERVATIONS

Solid waste volumes for the Non-Programmatic waste generators are unlikely to vary significantly in the future. Buried Equipment, 100 Area Construction Services, the Fuels Development Laboratory, and the Large Sodium Fire Facility all forecast primarily existing waste, so the reported volumes

Table 7-1. Non-Programmatic Waste Generator Volumes.^(a)

Waste Generator	CH LLMW (m ³)	RH LLMW (m ³)	CH_TRU TRUM (m ³)	RH_TRU TRUM (m ³)	Total (m ³)
Buried Equipment	7,400	0	0	0	7,400
100 Area Construction Services	10	0	0	0	10
Geotechnical Engineering Laboratory	10	0	0	0	10
Fuels Development Laboratory	0	0	1	0	1
Large Sodium Fire Facility	1	0	0	0	1
Total	7,420	0	1	0	7,420
(a) Sum of individual values may not match totals due to rounding.					

are fairly certain. The schedule for shipment of this existing waste is not as certain, however, since it is based on mission assumptions. In short, the potential impacts to the solid waste system caused by Non-Programmatic waste generators are minimal.

WHC-EP-0865

Intentionally Left Blank

8.0 OFFSITE WASTE GENERATORS

This section provides waste volumes and profiles for offsite waste generators that are certified to ship waste to the Hanford Site. Most offsite waste generators are national laboratories, universities, or DOE-owned contractor-operated facilities.

8.1 BACKGROUND

Offsite missions include activities such as general maintenance and operations, environmental restoration, D&D, and research and development. The forecasted volumes presented in this section are from the 1994 Solid Waste Forecasts. Additional documentation was not used to supplement these forecasts. It should be noted that the volumes reported for offsite waste generators are considerably greater than what is forecasted for the Proposed Site Treatment Plans (PSTPs).

8.2 WASTE GENERATORS

Offsite waste generators forecast that approximately 14,170 cubic meters of waste will be generated over the next 30 years, which is 6% of the total waste expected at the Hanford Site during this period. Portsmouth Gaseous Diffusion Plant - Energy Systems will generate the largest percentage of offsite waste with 46% (see Figure 8-1). Paducah Energy Services expects to generate 36%, Argonne National Laboratory - East will generate 10%, and all other offsite generators will contribute a total of 8% of the offsite solid waste.

Figure 8-1. Offsite LLMW and TRU/TRUM Waste Generators.

The following text briefly describes each major Offsite waste generator's assumptions, missions, and potential waste fluctuations.

- **Portsmouth Gaseous Diffusion Plant - Energy Systems (PORTSMOUTH ES):** The energy systems element of Portsmouth is responsible for environmental restoration (ER) waste, including past operational waste and past and future ER waste. D&D waste is not included in the forecast. The waste primarily consists of soils, sludges, laboratory wastes, filter cakes, and other miscellaneous past operational waste. Portsmouth does not expect the waste volumes that they forecasted to decrease, but they may increase by 20%.
- **Paducah Energy Systems (PADUCAH ES):** Forecasted waste volumes for this generator include ER and D&D projects only; therefore, the waste exists. However, most of the existing waste that is planned for shipment in FY 1995 through FY 1999 has not been certified for acceptance at the CWC. Therefore, the schedule for this waste is uncertain. It has been assumed that all TRU waste will not be sent to the Hanford Site. The LLMW that will be sent to the site has a minimum range of 50% and a maximum range of 150%.
- **Argonne National Laboratory - East (ANL E):** Most of the waste volumes (approximately 70%) associated with Argonne National Laboratory - East will be generated as a result of site remediation cleanup and D&D activities that will occur from 1995 through 2001. The remaining waste will result from over 100 waste generators that are working on laboratory bench-scale projects, thus the solid waste generated will be operational waste. Argonne National Laboratory - East indicates that the forecasted baseline volume may not be sent to Hanford at all or that the volume may triple. The reason for the 0% scenario is possible programmatic changes, whereas the 300% maximum estimate is due to possible underestimation by Argonne National Laboratory - East.

8.3 FORECASTED VOLUMES

A description of the waste category volumes for all Offsite waste generators is provided in the following sections.

8.3.1 Forecasted Volumes for Offsite Waste Generators

Figure 8-2 shows the overall volumes by waste category for Offsite waste generators. Ninety-eight percent of the expected offsite waste is CH_LLMW; CH_TRU_TRUM and RH_TRU_TRUM each make up of 1% of the total offsite solid waste expected to be shipped to the CWC. No RH_LLMW is expected from offsite waste generators.

Figure 8-2. Offsite Total 30-Year Solid Waste Volumes by Waste Category.

Figure 8-3 displays the annual volumes by waste category. As seen in the figure, 1995 and 1996 waste volumes are approximately 600 cubic meters, which accounts for expected Argonne National Laboratory waste shipments. Waste volumes decrease to approximately 300 cubic meters from 1997 through 1999. In 2000, an increase of about 650 cubic meters is expected. This increase is due to Argonne National Laboratory, which expects to increase shipments from 10 cubic meters to 100 cubic meters in 2000. From 2001 through 2015, waste volumes increase to approximately 500 cubic meters, which reflects Portsmouth Gaseous Diffusion Plant - Energy Systems expected shipping schedule. Volumes level off to approximately 400 cubic meters from 2016 through 2024.

Figure 8-3. Offsite Annual Solid Waste Volumes by Waste Category.

8.3.2 Forecasted Volumes by Program and Waste Generator

Table 8-1 displays the amount of waste to be generated for each waste category and Offsite waste generator. As seen in the table, all waste generators contribute to the large generation of CH_LLMW; however, Portsmouth Gaseous Diffusion Plant - Energy Systems and Paducah Energy Systems are the largest contributors. Argonne National Laboratory - East and Battelle Columbus Laboratory are the only generators of RH_TRU_TRUM. Argonne National Laboratory - East is the only generator of CH_TRU_TRUM.

8.4 DATA OBSERVATIONS

All Offsite generators of LLMW are required by the Federal Facilities Compliance Act to have an approved Site Treatment Plan (STP) by September 30, 1995. As a result of the STPs, several waste streams reported in this document may be directed to another site for treatment, which could significantly

Table 8.1. Offsite Waste Generator Volumes^(a)

Waste Generator	CH_LLMW (m ³)	RH_LLMW (m ³)	CH_TRU TRUM (m ³)	RH_TRU TRUM (m ³)	Total (m ³)
Portsmouth Energy Systems	6,450	0	0	0	6,450
Paducah Energy Systems	5,130	0	0	0	5,130
Argonne National Laboratory - East	1,160	0	190	50	1,400
Lawrence Berkeley Laboratory	230	0	0	0	230
Portsmouth Utility Services	210	0	0	0	210
Bettis Atomic Power Laboratory	200	0	0	0	200
Knolls Atomic Power Laboratory	130	0	0	0	130
Battelle Columbus Laboratory	50	0	0	70	120
FERMI National Accelerator Laboratory	80	0	0	0	80
Brookhaven National Laboratory	60	0	0	0	60
Princeton Plasma Physics Laboratory	50	0	0	0	50
General Atomics	30	0	0	0	30
Paducah - Utility Services	30	0	0	0	30
Rockwell Canoga Park	20	0	0	0	20
University of California - Davis	10	0	0	0	10
Stanford Linear Accelerator	10	0	0	0	10
University of Utah	10	0	0	0	10
Ames Laboratory	1	0	0	0	1
TOTAL	13,850	0	190	120	14,170
(a) Sum of individual values may not match totals due to rounding.					

reduce the volume of waste sent to Hanford. Such waste streams include certain wastes from Paducah and Portsmouth. The volumes presented in this report do not reflect the information contained in the STPs, because the forecast requests were completed before the majority of the STPs were completed.

Offsite waste generators seem to have a high degree of certainty based on the minimum and maximum ranges provided. The waste generators indicate

minimum and maximum ranges that indicate some uncertainty; however, the general range for waste generation is minimal (with the exception of Argonne National Laboratory - East). Some additional waste volumes may be expected if D&D waste volumes from Portsmouth Gaseous Diffusion Plant - Energy Systems are sent to the CWC. Additional waste may also be sent from Paducah Energy Systems if they decide to send TRU waste to the Hanford Site. In addition, the exact schedule for shipment of the existing waste is uncertain.

9.0 REFERENCES

Bowen, W. W. 1992. B Plant Cleanout and Stabilization Program Plan. WHC-SD-WM-AP-023, Rev.0, Westinghouse Hanford Company, Richland, Washington.

Cabson, M. A. 1993. Hanford Restoration Baseline Approach - Interface Control Document. WHC-SD-ER-EE-002, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Fulton, J. C. 1994. Hanford Spent Nuclear Fuel Project Recommended Path Forward. WHC-EP-0830, Vol. 1 & 2, Rev. 0, Westinghouse Hanford Company, Richland, Washington.

Washington State Department of Ecology. 1993. Dangerous Waste Regulations. Washington State Administrative Code, 173-303.

Westinghouse Hanford Company. 1994. Estimation of PUREX Equipment and Materials that are Candidates for Removal and Waste Processing during PUREX Plant Closure. WHC-IP-0977, Richland, Washington.

Valero, O. J., et al. 1994. Solid Waste 30-Year Volume Summary. WHC-EP-0768, Westinghouse Hanford Company, Richland, Washington.

Westinghouse Hanford Company. 1994. Hanford Site Tank Waste Remediation System Technical Strategy, Rev. 0, WHC, Richland, Washington.

WHC-EP-0865

Intentionally Left Blank

APPENDIX A

ASSUMPTIONS FOR SUPPLEMENTARY SOURCES

WHC-EP-0865

Intentionally Left Blank

APPENDIX A

ASSUMPTIONS FOR SUPPLEMENTARY SOURCE

This appendix briefly describes the references used to supplement the FY 1994 Solid Waste Forecasts and any assumptions made in using these references.

Fiscal Year (FY) 1993 Solid Waste Forecasts:

Several generators that completed a FY 1993 forecast did not complete the FY 1994 forecast. These generators include those that were given the option of completing a new forecast (as discussed in Section 1.0) as well as other generators that did not complete forecasts for various reasons. In these cases, the FY 1993 forecast data were included in the FY 1994 data set. Since the FY 1993 forecast covered the years 1994 to 2023, and the FY 1994 forecast covers the years 1995 to 2024, the data for 1994 were not used, and the data for 2023 were duplicated in 2024. The minimum and maximum volumes were assumed to be the same as the baseline.

Draft Report: Waste Stream Evaluation for Long-Term Decontamination Study:

This special study investigated potential D&D waste generators that are not on the surplus facilities list. Hundreds of facilities exist on the Hanford Site that will require D&D. To limit the study, two sources were used to identify 26 facilities with potentially large D&D volumes: the 1992 solid waste forecast database and the programmatic environmental impact statement database. Waste information was gathered primarily through interviews with operational and waste personnel. Some estimates were developed by briefly touring the building and estimating the amount of equipment or contaminated material. Data include rough estimates of the waste volumes by waste class, physical characteristics, and possible container types. The shipment of this waste was assumed to begin in 2013 and conclude in 2022.

For the purpose of completing the 30-Year Summary Report, the following assumptions and data revisions were made:

- Only the volume and waste category data were used.
- Building demolition and soil excavation activities are not expected to be managed by Solid Waste; therefore, the physical waste category *construction material* and the waste generator *Secondary Environmental Restoration* were not used.
- Volumes for PUREX and the PUREX Tunnels were not used since volumes for these facilities were obtained from another source (WHC-IP-0977).

- Volumes for the canyon buildings, B-Plant, T-Plant, and the Plutonium Finishing Plant were used, but a ratio of 80% contact-handled to 20% remote-handled was based upon personal conversation with Ken Hladek of WHC.
- Volumes associated with the Hanford Waste Vitrification Plant and the Grout facility were not used because these projects have been cancelled and the projects that are scheduled to replace them will not undergo D&D until after the 30-year forecast period.

Estimation of PUREX Equipment and Materials that are Candidates for Removal and Waste Processing During PUREX Plant Closure, WHC-IP-0977 (Valero 1994)

This study is a detailed investigation of potential waste from PUREX and the PUREX Tunnels, two facilities not listed on the surplus facilities list that are expected to generate large volumes of D&D waste. Volumes and waste category information were obtained from this study; however, no distinction was made between contact-handled and remote-handled waste. Therefore, a ratio of 80% contact-handled to 20% remote-handled was assumed based upon personal conversation with Ken Hladek.

This document also states that surveillance and maintenance waste will peak at 20% of the current waste generation rate (pp. 2-6). It was assumed that the current generation rates corresponded to the last year (FY 1998) that volumes were provided in the FY 1994 forecasts for PUREX. The volumes provided in the forecast for 1998 were multiplied by 20% to obtain the annual generation rate for PUREX surveillance and maintenance waste. A schedule for this waste was not provided. It was assumed that surveillance and maintenance would occur from 1999 through 2011. This assumption is based on completion of transition (deactivation) in 1998 as estimated in the forecast and D&D beginning in 2012, as assumed by the draft report discussed above.

Hanford Restoration Baseline Approach - Interface Control Document, WHC-SD-ER-EE-002, Rev. 0 (Casbon 1993)

This document describes the responsibilities of the Solid Waste (SWD) and Environmental Restoration (ER) programs in the remediation of Hanford's past practice sites. It also provides waste volume estimates and identifies program responsibilities. The Environmental Restoration Division's responsibilities include planning, field operations, environmental remediation, and site cleanup of unplanned release sites, inactive waste sites, and other areas contaminated with radioactive or chemical hazards. The SWD is responsible for the management of centralized facilities for the receipt, containment, treatment, storage, and disposal of solid waste at Hanford. The SWD program will provide storage of LLMW and TRU/TRUM waste; burial of LLW; treatment and disposal of LLW and LLMW; and characterization, size reduction, certification, packaging and shipment of TRU waste to the Waste Isolation Pilot Plant.

At this time, TRU TRUM waste will not be handled by ERD; therefore, the SWD Program will receive this waste. Any waste that the SWD program has treatment technologies for may also be sent to this program rather than ERD.

The volumes included in the forecast data were developed from estimates of solid waste generation provided in the Hanford Restoration Baseline Approach. This document states the following assumptions for remedial action wastes:

- 10% of the LLMW is expected to be sent to SWD.
- All of the TRU, TRUM, and greater-than-class-III (GTC_III) is expected to be sent to SWD. (Although WHC-SD-ER-002 did not specify the GTC_III waste as LLW or LLMW, it was assumed to be LLMW for the purposes of this document.)
- All waste is expected to be contact-handled.

The volumes were modified according to these guidelines and included in the Forecast Database under the Past Practice Remediation waste generator.

WHC-EP-0865

Intentionally Left Blank

APPENDIX B

LOW-LEVEL WASTE VOLUMES

WHC-EP-0865

Intentionally Left Blank

APPENDIX B

LOW-LEVEL WASTE VOLUME

In addition to the low-level mixed waste (LLMW) and transuranic and transuranic mixed (TRU TRUM) waste described in this document, a large amount of low-level waste (LLW) will also be sent to the Central Waste Complex (CWC) for processing. Because this waste will require little or no treatment before burial or disposal, it has not been included in previous sections. The LLW volumes are provided here, however, as a source of reference. This information, combined with the information in Sections 2 through 7 of this document, represents the total radioactive and mixed solid waste currently forecasted for treatment, storage, and disposal (TSD) at the CWC.

B.1 BACKGROUND

All of the major program areas identified in this document are expected to generate LLW. Although the volumes of LLW are considerably greater than the LLMW and TRU TRUM waste volumes, they do not represent a great concern because the vast majority of this waste can be sent directly to disposal. Therefore, it is unlikely that the volumes presented in this section will have a significant impact on the solid waste system.

The primary source used for obtaining LLW volumes is the 1994 Solid Waste Forecast. As with LLMW and TRU TRUM waste, several additional sources more completely represent the LLW volumes expected at the Hanford Site over the next 30 years. These additional sources include the 1993 Solid Waste Forecasts for generators that did not submit a forecast in 1994, a draft report of decontamination and decommissioning (D&D) waste from facilities not listed as surplus, and a study of D&D waste from PUREX. These sources are explained in greater detail in Section 4.1 and Appendix A.

B.2 LLW VOLUMES BY PROGRAM AREA

As shown in Figure B-1, a baseline total of 1,461,580 cubic meters of LLW is expected at the Hanford Site over the next 30 years. The majority of this waste is from the Environmental Restoration (ER) program, which expects to generate 1,201,750 cubic meters. Other major contributors of LLW include Offsite, TWRS and Other Programs (Analytical Services, Liquid Effluent, PNL, Solid Waste, and Spent Nuclear Fuel), forecasting 143,670 cubic meters, 53,020 cubic meters, and 47,140 cubic meters, respectively. Facility Transitions is expected to generate less than 1% of the total LLW volume. Due to the extremely small amount of waste expected from Non-Programmatic generators, this program area cannot be identified in Figure B-1.

Figure B-1. Total 30-Year Solid Low-Level Waste Volumes by Program Area.

Figure B-1 also shows minimum and maximum estimates of 1,381,860 cubic meters and 1,594,180 cubic meters. These estimates reflect ranges of variation from the baseline volumes provided by the waste generators. TWRS, Off-site Facilities, Other Programs, and Facility Transitions each contribute to the variations from the baseline volume. As with LLMW and TRU/TRUM waste, minimum and maximum estimates were only supplied by generators completing a 1994 forecast. For all other generators, the minimum and maximum volumes were assumed to be the same as the baseline, which accounts for the consistency between the baseline, minimum, and maximum volumes for ER.

Figure B-2 shows the overall baseline, minimum, and maximum annual volumes of LLW. This figure shows a large increase in LLW volumes starting in 2000 and continuing through 2007 where the volumes peak at approximately 220,000 cubic meters. The volumes then decrease rapidly to less than 15,000 cubic meters in 2012. The vast majority of the waste from 2000 to 2012 has been forecasted by Surplus Facilities within the Environmental Restoration program area. Other than the time period from 2000 through 2012, the volumes of LLW are fairly constant, ranging from roughly 5,000 cubic meters to just under 30,000 cubic meters. The overall minimum and maximum volumes vary only slightly from the baseline volumes. This results from the lack of minimum and maximum ranges for the Surplus Facilities generator.

Figure B-2. Total Annual 30-Year Solid Low-Level Waste Volumes.

Figures B-3 through B-8 display annual LLW volumes by program area for the baseline, minimum, and maximum volumes. Figure B-3 shows the annual volumes for the TWRS program. This program forecasts a baseline volume of approximately 500 cubic meters of waste through 2004. In 2005, the volume increases to just under 1,300 cubic meters, coinciding with the expected startup of the Low-Level Vittrification Project. In 2009, the volumes increase again due to the startup of the High-Level Vittrification Project and remain between 2,500 and 3,000 cubic meters through 2024. Figure B-3 also shows that the minimum and maximum volumes for the TWRS program generally correspond to 50% and 200% of the baseline volume, respectively.

Figure B-4 shows the baseline, minimum, and maximum volumes for the Environmental Restoration program. This figure reflects the trends in Figure B-2 of a large increase in waste volumes from 2000 through 2007 followed by a sharp decrease through 2012. The baseline, minimum, and maximum volumes are essentially the same for this program because the primary generator, Surplus Facilities, did not provide minimum and maximum percent ranges.

Figure B-3. TWRS Annual 30-Year Solid Low-Level Waste Volumes.

Figure B-5 contains the annual waste volumes for the Facility Transitions program. The figure shows that the baseline volumes decrease from slightly under 1,200 cubic meters in 1995 to approximately 700 cubic meters by 2009. In 2010, the volume decreases to approximately 300 cubic meters due to completion of PFP deactivation activities. The volumes then decrease gradually to roughly 200 cubic meters and continue at this level for the remainder of the forecast. For the majority of the forecast period, the minimum volume expected approximately 100 cubic meters less than the baseline volume. The maximum volume expected is between 400 cubic meters and 800 cubic meters greater than the baseline volume for the first 15 years of the forecast period and approximately 100 cubic meters greater for the last 15 years.

The LLW volumes from the Other Programs area shown in Figure B-6 are greatest in 1995 at just under 2,000 cubic meters. The volumes decrease over the next four years and remain fairly constant at 1,500 cubic meters each year. The minimum and maximum volumes are roughly 400 cubic meters less than and 300 cubic meters greater than the baseline volumes, respectively.

The Non-Programmatic LLW volumes displayed in Figure B-7 show a peak of 220 cubic meters in 1995. The figure shows approximately 120 cubic meters of

Figure B-4. Environmental Restoration Annual 30-Year Solid Low-Level Waste Volumes.

waste each year for the rest of the forecast period. The minimum and maximum volumes are generally within 25 cubic meters of the baseline volumes.

The waste volumes forecasted by Offsite waste generators vary greatly over the 30-year forecast period. Figure B-8 shows four large peaks occurring from 1995 to 1997, from 2000 to 2004, from 2011 to 2012, and from 2014 to 2015. The peak from 2014 to 2015 is the largest of these at nearly 16,000 cubic meters. The peak from 1995 to 1997 is well over 6,000 cubic meters and the peak from 2000 to 2004 ranges from over 6,000 cubic meters to over 8,000 cubic meters. The peak from 2011 to 2012 is approximately 5,000 cubic meters. The baseline volumes for the remaining years range between 2,000 cubic meters and 3,000 cubic meters. The minimum and maximum volumes are generally within 500 cubic meters to 1,000 cubic meters of the baseline volumes with the exception of the maximum volume indicated from 1995 to 2004. During this time period, the maximum volume exceeds the baseline volume by as much as 3,300 cubic meters.

Figure B-5. Facility Transitions Annual 30-Year Solid Low-Level Waste Volumes.

B.3 LLW VOLUMES BY WASTE CATEGORY

Figure B-9 contains the overall baseline, minimum, and maximum waste volumes by category. The figure shows that the vast majority, 1,403,200 cubic meters, of the LLW is expected to be contact-handled for the baseline, minimum, and maximum volumes. Although the remote-handled LLW is a small percentage of the total LLW volume, it still represents a significant volume, approximately 58,400 cubic meters. This volume may be especially significant because it will be more difficult to transport and dispose of this waste due to remote handling requirements.

Slight variations from the baseline volume for the minimum and maximum volumes of CH LLW can be seen in Figure B-9. No variations in RH LLW are evident from this figure. Variations do occur, but they are too small to be seen on the figure.

Figures B-10 and B-11 show the annual baseline, minimum, and maximum volumes, respectively, by waste category. Figure B-10 shows a dramatic

Figure B-6. Other Programs Annual 30-Year Solid Low-Level Waste Volumes.

increase of CH_LLW from 2000 through 2007, peaking at approximately 210,000 cubic meters. The volume of CH_LLW then decreases rapidly to less than 30,000 cubic meters in 2010. The minimum and maximum volumes of CH_LLW vary only slightly from the baseline volumes. Both the large peak from 2000 to 2012 and the slight differences in the minimum and maximum volumes are caused by the Surplus Facilities forecast.

The RH_LLW volumes shown in Figure B-11 follow the same general trend of increasing from 2000 to 2007 and then decreasing. The peak volume of RH_LLW, however, is only about 7,500 cubic meters. A fairly significant amount of RH_LLW, approximately 1,400 cubic meters each year, is also expected from 2012 to 2022, primarily from the D&D of several non-surplus facilities. As with the CH_LLW, the minimum and maximum volumes for RH_LLW do not vary significantly from the baseline due to the lack of ranges for the Environmental Restoration program.

Figure B-7. Non-Programmatic Annual 30-Year Solid Low-Level Waste Volumes.

B.4 LLW VOLUMES BY WASTE GENERATOR

LLW is expected to be generated by 76 waste generators that will send waste to the CWC. Table B-1 lists the volumes of CH_LLW and RH_LLW by generator and program area. By far the largest generator of both CH_LLW and RH_LLW is Surplus Facilities. This generator expects to ship over a million cubic meters of CH_LLW and nearly 40,000 cubic meters of RH_LLW. Generators expected to ship at least 10,000 cubic meters of LLW are listed below by program area.

- Environmental Restoration - Surplus Facilities, D&D of B-Plant, and D&D of 222-S Analytical Laboratory
- Offsite Facilities - Formerly Utilized Sites Remedial Action Program (FUSRAP), Brookhaven National Laboratory, Lawrence Berkeley Laboratory, and Portsmouth Energy Systems
- TWRS - High-Level Vitrification Project (HLVP) and Low-Level Vitri-fication Project (LLVP)
- PNL - Pacific Northwest Laboratory

Figure B-8. Offsite Annual 30-Year Solid Low-Level Waste Volumes.

- Liquid Effluent - 300 Area Effluent Treatment (Project L045H)
- Analytical Services - 222-S Analytical Laboratory

Facility Transitions, Spent Nuclear Fuel, Non-Programmatic, and Solid Waste do not have any generators that are expected to generate greater than 10,000 cubic meters of LLW.

Most of the primary waste generators of LLW are also primary generators of LLMW and TRU TRUM and have been described in the main document. Those that have not been described are discussed here in order of largest to smallest.

- **FUSRAP:** FUSRAP is one of several Department of Energy (DOE) programs created to address radiological contamination in excess of guidelines at a number of sites throughout the U.S. Generally, these sites, which became contaminated through uranium and thorium operations, were decontaminated and released for use under the regulations in effect at the time. Since radiological guidelines were not as strict then as today, trace amounts of radioactive

Figure B-9. Total 30-Year Solid Low-Level Waste Volumes by Waste Category.

materials remained at some of the sites. Erosion, building demolition, and construction resulted in some of the radioactive residues mixing with large volumes of soil and rubble, thereby spreading the contamination. If FUSRAP becomes responsible for restoring more sites, their waste volumes could increase. Minimum and maximum ranges were not available for this generator.

- D&D of B-Plant (TWHC_BPLANT):** The volume estimates for B-Plant were obtained by determining the volume of the building from its dimensions. An assumption was made that half of the building volume was contaminated material. In addition, one-third of the Waste Encapsulation and Storage Facility (WESF) was assumed contaminated. Contaminated materials include tanks, jumpers, concentrators, ion exchange columns, filters, ducting, piping, and condensers. Minimum and maximum ranges were not available for this generator.
- Brookhaven National Laboratory (BNL):** Brookhaven is a research laboratory that will generate miscellaneous solid laboratory, reactor, and accelerator wastes. Some waste will also be generated

Figure B-10. CH_{LLW} Annual 30-Year Solid Low-Level Waste Volumes.

from D&D activities. The generator has indicated minimum and maximum ranges of 80% to 100% for LLW generation, indicating that the generator is fairly confident that the waste will be generated and that the volume estimate is fairly accurate.

- Lawrence Berkeley Laboratory (LBL): Wastes are generated primarily from laboratory experiments and miscellaneous maintenance activities. LBL does not expect any significant changes to its forecasts and has provided minimum and maximum ranges of 100%.

- D&D of 222-S Analytical Laboratory (TWHC 222S): The volume estimates for D&D of the 222-S Laboratory were based on the following assumptions: 1) One-third of the first floor's volume is CH_{LLW}, 2) one third of the hot tunnel is RH_{LLMW}, and 3) the stainless steel piping in the cold tunnels is CH_{LLW}. The estimates also include four underground storage tanks and two retention basins. Contaminated materials include process piping, ductwork, and hoods. Minimum and maximum ranges were not available for this generator.

- Low-Level Vitrification Project (WHC LLVP): LLVP will be a treatment/processing facility for low-activity tank waste. Second-ary waste will be generated from activities such as spill cleanup

Figure B-11. RH_LLW Annual 30-Year Solid Low-Level Waste Volumes.

and decontamination, general maintenance and housekeeping, and laboratory activities. The waste will generally consist of contaminated failed equipment, metals, paper, plastic, rubber, and other miscellaneous debris. The minimum range for this waste generator is 0% in the first year of expected operations (2005) and 50% for the remaining years of operation. The maximum range is 200% for all years of operation. This indicates that the waste generator is uncertain about waste generation volumes because the facility is not yet operational.

B.5 DATA OBSERVATIONS

Since the majority of the LLW is expected to be generated by one waste generator, Surplus Facilities, the LLW estimates may vary considerably in the future. The estimates could increase or decrease depending on programmatic uncertainties associated with who has responsibility for treatment, storage, and disposal of D&D waste. The forecasts will be updated as these issues are resolved and estimates for waste generation are refined.

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
Environmental Restoration	Surplus Facilities	1,073,020	39,940	1,112,960
	D&D of B Plant	34,270	8,570	42,830
	D&D of 222-S Analytical Laboratory	12,800	0	12,800
	D&D of T Plant	7,140	1,790	8,930
	D&D of 100 Area	8,330	0	8,330
	D&D of PUREX	4,770	1,190	5,960
	D&D of PNL 314 Building	3,180	0	3,180
	D&D of PNL 331 Building	1,910	0	1,910
	D&D of PNL 327 Building	1,150	310	1,460
	100 Area Transition (Bechtel)	1,380	60	1,440
	PUREX Tunnels	0	1,020	1,020
	D&D of PNL 324 Building	360	30	390
	D&D of 340 Waste Neu- tralization Facility	200	0	200
	D&D of 308 Fuels Devel- opment Laboratory	130	0	130
	D&D of PNL 242B/BL Building	100	0	100
	D&D of PNL 306-W Building	50	0	50
	Environmental Projects- RCRA Waste Only	40	0	40

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
Environmental Restoration (cont.)	D&D of PNL 326 Building	20	0	20
	D&D of 306 Development/ Fabrication/Testing Laboratory	10	0	10
	D&D of PNL 231-Z Building	4	0	4
	Total	1,148,840	52,910	1,201,750
Offsite	Formerly Utilized Sites Remedial Action Program	57,450	0	57,450
	Brookhaven National Laboratory	18,980	10	18,990
	Lawrence Berkeley Laboratory	15,780	0	15,780
	Portsmouth Energy Systems	15,480	0	15,480
	Argonne National Laboratory-East	9,760	40	9,790
	Plasma Physics Laboratory	8,160	0	8,160
	Paducah Energy Systems	6,690	0	6,690
	University of California-Davis	1,840	0	1,840
	Portsmouth Utility Services	1,780	0	1,780
	Battelle Columbus Laboratories	1,500	0	1,500

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
Offsite (cont.)	FERMI National Accelerator Laboratory	1,360	0	1,360
	Rockwell-Canoga Park	1,270	0	1,270
	Stanford Linear Accelerator Center	960	0	960
	Paducah Utility Services	930	0	930
	General Atomics	710	130	840
	Knolls Atomic Power-Shipyards	300	0	300
	EG&G Rocky Flats Plant	290	0	290
	Bettis Atomic Power-Laboratory	150	0	150
	Ames Laboratory-Ames, Iowa	100	0	100
	University of Utah	10	0	10
	Bettis Atomic Power-Shipyards	10	0	10
	Bates Accelerator-Massachusetts	2	0	2
	Total	143,490	180	143,670
TWRS	High Level Vitrification Project	20,160	2,030	22,190
	Low Level Vitrification Project	11,340	440	11,780
	SST/DST Tank Farm Operations	8,940	0	8,940
	Tank Waste Pretreatment Facility	5,960	300	6,260

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
TWRS (cont.)	DST Retrieval Systems (10 tanks)	1,980	0	1,980
	W343 DST Retrieval (17 Tanks)	670	0	670
	SST Retrieval (149 tanks)	540	0	540
	Cross-Site Transfer System	370	0	370
	SST Tank 106C Sluicing	190	0	190
	Tank Farm Ventilation Upgrade	60	0	60
	DST 101AZ Retrieval (1 tank)	20	0	20
	SST Tank 106C Manipulator	10	10	10
	Aging Waste Transfer Lines	10	0	10
	W315 Pilot Scale Retrieval	1	0	1
	Total	50,250	2,780	53,020
PNL	Pacific Northwest Laboratory	18,340	1,730	20,070
Facility Transitions	2345Z Plutonium Finish- ing Plant	6,170	0	6,170
	225B B-Plant/WESF Facilities	4,430	610	5,040
	202A Purex Operations	560	0	560
	202A Purex Operations - Close out	320	0	320

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
Facility Transitions (cont.)	303K Fuels Fabrication Transition	220	0	220
	FFTF/FMEF/MASF Maintenance	100	50	150
	Total	11,800	660	12,460
Liquid Effluent	300 Area Effluent Treatment (Project L045H)	11,050	0	11,050
	340 Waste Neutralization Facility	620	0	620
	Total	11,670	0	11,670
Analytical Services	222-S Analytical Laboratory	10,220	0	10,220
Spent Nuclear Fuel	K-Basin Operations	4,430	50	4,470
Non-Programmatic	2724W Laundry/Equipment Decontamination	3,400	0	3,400
	Kaiser Construction Services-100 Area	80	0	80
	377 Geotechnical Eng. Laboratory	30	0	30
	308 Fuels Development Laboratory	20	0	20
	384 Power House, 300 Area	3	0	3
	105DR Large Sodium Fire Facility	2	0	2
	Total	3,530	0	3,530
Solid Waste	221T/2706T T-Plant Operations	430	90	510

Table B-1. Waste Generator Volumes by Program Area.

Program Area	Waste Generator	CH LLW (m ³)	RH LLW (m ³)	Total (m ³)
Solid Waste (cont.)	Low Level Burial Grounds	190	0	190
	224T TRU Storage & Assay Facility	10	0	10
	Total	630	90	710
Grand Total		1,403,200	58,400	1,461,570
(a) Sums of individual values may not match totals due to rounding.				

APPENDIX C

ANNUAL WASTE GENERATOR, WASTE CLASS VOLUMES

WHC-EP-0865

Intentionally Left Blank

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 1a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLW_I																	
ANES	VOL	15.6	6.3	6.3	6.3	6.3	6.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
	MIN	0.0	3.1	3.1	3.1	3.1	3.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	15.6	9.4	9.4	9.4	9.4	9.4	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
ANL_E	VOL	0.0	465.4	605.6	527.5	484.8	946.3	1450.6	389.9	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5
	MIN	0.0	46.5	60.5	52.7	48.4	94.6	145.0	38.9	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2
	MAX	0.0	1396.2	1816.8	1582.5	1454.4	2838.9	4351.8	1169.7	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5
BAPL_SHIPYDS	VOL	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAT_CLBS_LAB	VOL	0.0	226.6	226.6	226.6	283.3	283.3	255.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	29.4	29.4	29.4	28.3	28.3	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	226.6	226.6	226.6	283.3	283.3	255.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BRQHVN	VOL	0.0	444.8	297.5	312.3	327.9	344.3	361.5	379.6	398.6	418.5	439.5	461.4	484.5	508.7	534.2	560.9
	MIN	0.0	355.8	238.0	249.8	262.3	275.4	289.2	303.6	318.8	334.8	351.6	369.1	387.6	406.9	427.3	448.7
	MAX	0.0	533.7	357.0	374.7	393.4	413.1	433.8	455.5	478.3	502.2	527.4	553.6	581.4	610.4	641.0	673.0
B_LEHR_DAV	VOL	0.0	349.0	137.1	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	418.8	137.1	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG&G	VOL	0.0	155.6	27.1	27.1	27.1	27.1	27.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	93.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	311.2	54.2	54.2	54.2	54.2	54.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FERMI	VOL	27.2	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3
	MIN	0.0	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1
	MAX	27.2	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6
FUSRAP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
GEN_ATOM	VOL	0.0	78.6	227.3	227.3	176.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	70.7	204.5	204.5	159.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	117.9	340.9	340.9	265.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-1

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 2a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLW_I																	
KEH_100	VOL	0.0	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	53.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LBL	VOL	0.0	163.6	149.3	38.8	39.5	40.2	2873.7	2873.7	2873.7	2873.7	2873.7	40.8	40.8	40.8	40.8	40.8
	MIN	0.0	163.6	149.3	38.8	39.5	40.2	1436.8	2873.7	2873.7	2873.7	2873.7	40.8	40.8	40.8	40.8	40.8
	MAX	0.0	163.6	149.3	38.8	39.5	40.2	2873.7	4310.5	4310.5	4310.5	4310.5	40.8	40.8	40.8	40.8	40.8
MIT_BATES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
PADUCAH_ES	VOL	1998.3	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4
	MIN	0.0	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2
	MAX	1998.3	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6
PADUCAH_US	VOL	926.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	926.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PNL	VOL	0.0	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6
	MIN	0.0	509.9	509.9	509.9	509.9	509.9	453.2	453.2	453.2	453.2	453.2	424.9	424.9	424.9	424.9	424.9
	MAX	0.0	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2
PORTSMOUTH_ES	VOL	0.0	368.3	368.3	368.3	368.3	368.3	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7
	MIN	0.0	368.3	368.3	368.3	368.3	368.3	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7
	MAX	0.0	441.9	441.9	441.9	441.9	441.9	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6
PORTSMOUTH_US	VOL	1775.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1775.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PRINCETON	VOL	0.0	170.0	283.3	566.6	566.6	283.3	170.0	170.0	170.0	170.0	170.0	170.0	283.3	566.6	566.6	283.3
	MIN	0.0	51.0	84.9	283.3	169.9	84.9	51.0	51.0	51.0	51.0	51.0	51.0	84.9	283.3	169.9	84.9
	MAX	0.0	221.0	566.6	736.5	736.5	368.2	221.0	221.0	221.0	221.0	221.0	221.0	368.2	736.5	736.5	368.2
RW_CANOCA	VOL	21.4	366.7	144.5	287.0	386.7	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	330.0	115.6	229.6	309.3	54.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	21.4	366.7	173.4	344.4	464.0	81.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-2

WMC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Page 3a

WasteGenerator	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LTR_I																
STANFORD	VOL	88.0	88.0	88.0	88.0	88.0	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2
	MIN	0.0	88.0	44.0	88.0	44.0	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2
	MAX	88.0	161.9	88.0	132.0	88.0	17.2	25.8	17.2	25.8	17.2	25.8	17.2 /	25.8	17.2	25.8
TPHL_231Z	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_242B/BL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_306H	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_314	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_326	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_331	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_300N	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-3

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 4a

Waste Generator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LIN_I																
TWMC_2225	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_306	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_308	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_BRLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
U_U	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
WHC_100+	VOL	0.0	318.4	318.4	318.4	233.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	318.4	318.4	318.4	233.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	318.4	318.4	318.4	233.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_300_PMR	VOL	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_300_TEDF	VOL	0.0	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3
	MIN	0.0	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1
	MAX	0.0	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 5a

Waste Generator	Field	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_ILM_I																
WMC_AMLWT_LAB	VOL	0.0	503.5	420.8	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0
	MIN	0.0	453.1	378.7	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2
	MAX	0.0	553.8	462.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8
WMC_B_PLANT	VOL	5.4	255.0	243.6	204.0	192.6	181.3	170.0	158.6	147.3	136.0	124.6	113.3	113.3	113.3	113.3
	MIN	0.0	170.8	160.7	153.0	144.4	135.9	127.5	118.9	110.4	102.0	93.4	84.9	84.9	84.9	84.9
	MAX	5.4	326.4	311.8	255.0	240.7	226.6	212.5	198.2	184.1	170.0	155.7	141.6	141.6	141.6	141.6
WMC_DST_PSRBT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_DST_RET	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_FTF_MAIN	VOL	0.0	14.4	14.4	14.4	14.4	14.4	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	7.2	7.2	7.2	7.2	7.2	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	21.6	21.6	21.6	21.6	21.6	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_FUEL_DEV	VOL	0.0	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_FUEL_TRANS	VOL	0.0	17.3	12.2	81.0	60.8	48.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	17.3	12.2	81.0	60.8	48.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	17.3	12.2	81.0	60.8	48.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_GEOTEC_LAB	VOL	0.0	11.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MIN	0.0	8.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	16.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
WMC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_K_BASIN	VOL	0.0	264.5	261.5	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3
	MIN	0.0	238.0	235.3	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4
	MAX	0.0	290.9	287.6	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 6a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLW_I																	
WHC_LAUNDRY	VOL	0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3
	MIN	0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3
	MAX	0.0	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6
WHC_LLBG	VOL	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
	MIN	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
	MAX	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
WHC_LLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	425.4	425.4	425.4	425.4	425.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	212.7	212.7	212.7	212.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	850.8	850.8	850.8	850.8	850.8
WHC_PFP	VOL	0.0	284.9	277.6	277.6	277.6	277.6	277.6	277.6	312.7	277.6	279.0	277.6	280.3	277.6	277.6	277.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	854.7	832.8	832.8	832.8	832.8	832.8	832.8	938.1	832.8	837.0	832.8	840.9	832.8	832.8	832.8
WHC_PRETRT_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	141.8	141.8	141.8	141.8	141.8	141.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.9	70.9	70.9	70.9	70.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.6	283.6	283.6	283.6	283.6	283.6
WHC_PUREX	VOL	0.0	223.0	113.3	113.3	113.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	111.5	56.6	56.6	56.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	334.5	226.6	226.6	226.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_PUREX_SH	VOL	0.0	0.0	0.0	0.0	0.0	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6
	MIN	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	0.0	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3
WHC_SODIUM_FAC	VOL	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SST_RET	VOL	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	10.9	10.9	14.5	18.1	18.1	25.4
	MIN	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	9.8	9.8	13.0	16.2	16.2	22.8
	MAX	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	11.9	11.9	15.9	19.9	19.9	27.9
WHC_SURPLS_FAC	VOL	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7
	MIN	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7
	MAX	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7

C-6

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_IIR_I																
WHC_TF_OPER	VOL	0.0	271.7	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9
	MIN	0.0	163.0	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3
	MAX	0.0	1132.9	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4
WHC_TRUSAF	VOL	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M028	VOL	0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	29.6	25.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M030	VOL	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	56.6	39.6	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M058	VOL	0.0	35.4	184.1	148.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	26.5	138.0	111.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	44.2	230.1	185.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M151	VOL	0.0	12.2	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	6.1	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	24.4	0.0	0.0	0.0	0.0	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M211	VOL	0.0	0.0	99.2	198.3	99.2	198.3	198.3	198.3	198.3	99.2	99.2	198.3	99.2	99.2	99.2
	MIN	0.0	0.0	49.6	99.1	49.6	99.1	99.1	99.1	99.1	49.6	49.6	99.1	49.6	49.6	49.6
	MAX	0.0	0.0	99.2	198.3	99.2	198.3	198.3	198.3	198.3	99.2	99.2	198.3	99.2	99.2	99.2
WHC_TMP_M320	VOL	0.0	46.1	31.6	92.4	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	18.4	12.6	36.9	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	92.2	63.2	184.8	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TMP_M340	VOL	0.0	0.0	0.0	0.0	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	5.2	5.2	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_I_PLANT	VOL	0.0	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2
	MIN	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 8a

Waste Generator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLW_I																	
WMC_WASTE_NEUT	VOL	13.5	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7
	MIN	0.0	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
	MAX	13.5	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4
WMC_WELL_DRL	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
CH_LLW_I Totals	VOL	4874.2	8600.2	7758.6	10109.7	6383.7	6738.0	17292.6	24799.4	69893.0	89144.1	118993.4	160944.4	170380.8	185066.0	113720.1	43553.9
	MIN	0.0	6276.1	5412.3	7644.2	3931.0	4249.0	12778.2	22936.3	68156.7	87733.7	117478.3	159054.9	168558.9	183214.7	111705.1	41289.2
	MAX	4874.2	12306.4	11855.1	13996.3	9996.2	10971.4	22503.6	29311.9	74099.4	93290.1	123277.8	164225.0	173696.9	188475.5	117199.5	47414.3
Waste Class: CH_LLW_III																	
BAPL	VOL	0.0	55.2	23.0	23.0	23.0	14.6	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	14.3	5.9	5.9	5.9	3.8	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	55.2	23.0	23.0	23.0	14.6	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FUSRAP	VOL	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KAPL_SHIPYDS	VOL	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
LBL	VOL	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
	MIN	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
	MAX	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
PNL	VOL	0.0	56.7	56.7	56.7	56.7	56.7	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5
	MIN	0.0	45.3	45.3	45.3	45.3	45.3	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0
	MAX	0.0	56.7	56.7	56.7	56.7	56.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7
TPNL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-8

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 9a

WasteGenerator	Yield	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LMF_III																
THIC_BPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THIC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THIC_ANALYT_LAB	VOL	0.0	5.8	4.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	MIN	0.0	5.2	4.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	MAX	0.0	6.3	5.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
THIC_B_PLANT	VOL	0.0	18.4	17.6	16.7	15.9	15.0	14.2	13.3	12.5	11.6	10.8	9.9	9.9	9.9	9.9
	MIN	0.0	13.8	13.2	12.5	11.9	11.2	10.6	9.9	9.3	8.7	8.1	7.4	7.4	7.4	7.4
	MAX	0.0	23.0	22.0	20.8	19.8	18.7	17.7	16.6	15.6	14.5	13.5	12.3	12.3	12.3	12.3
THIC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	810.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1620.4
THIC_PFP	VOL	0.0	190.3	91.7	88.6	67.5	67.5	67.5	67.5	70.1	67.5	68.8	143.1	165.2	67.5	67.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	190.3	91.7	88.6	67.5	67.5	67.5	67.5	70.1	67.5	68.8	143.1	165.2	67.5	67.5
THIC_PUREX_TV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	141.8	141.8	141.8	141.8	141.8	141.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.9	70.9	70.9	70.9	70.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.6	283.6	283.6	283.6	283.6	283.6
THIC_PUREX	VOL	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THIC_PUREX_SM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 10a

Waste Generator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLW_III																	
WMC_SURPLS_FAC	VOL	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
	MIN	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
	MAX	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
WMC_TWP_W151	VOL	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_WASTE_NEUT	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
CH_LLW_III Totals	VOL	0.0	3968.4	3837.2	3819.9	172.0	173.8	1425.0	1324.5	3026.1	4439.0	8575.6	9269.7	13257.8	17409.4	13160.1	12270.6
	MIN	0.0	3718.6	3711.4	3697.6	71.0	79.5	1274.3	1184.9	2884.1	4299.8	8293.5	8902.0	12938.9	17188.2	12938.9	11239.2
	MAX	0.0	3976.9	3842.8	3825.2	177.1	178.5	1433.7	1333.0	3034.4	4447.1	8725.3	9561.0	13549.1	17700.7	13451.4	13372.1
Waste Class: CH_LLW_GTCIII																	
TWMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
CH_LLW_GTCIII Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
Waste Class: RH_LLW_I																	
BRKHVN	VOL	0.0	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PNL	VOL	0.0	28.3	28.3	28.3	28.3	28.3	19.8	19.8	19.8	19.8	19.8	14.2	14.2	14.2	14.2	14.2
	MIN	0.0	19.8	19.8	19.8	19.8	19.8	15.8	15.8	15.8	15.8	15.8	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	28.3	28.3	28.3	28.3	28.3	21.7	21.7	21.7	21.7	21.7	17.0	17.0	17.0	17.0	17.0

C-10

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_ILW_I																
TPNL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_BFLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_PUREX_TW	VOL	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_100*	VOL	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_K_BASIN	VOL	0.0	5.9	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	5.3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
	MAX	0.0	6.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
WHC_TWP_H340	VOL	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_T_PLANT	VOL	0.0	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_ILW_I Totals	VOL	1022.3	116.6	43.9	43.9	43.9	41.5	21.2	21.2	21.2	21.2	15.6	15.6	15.6	15.6	15.6
	MIN	1022.3	91.4	20.9	20.9	20.9	21.5	16.9	16.9	16.9	16.9	12.4	12.4	12.4	12.4	12.4
	MAX	1022.3	119.0	43.9	43.9	43.9	45.0	23.1	23.1	23.1	23.1	18.4	18.4	18.4	18.4	18.4

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 12a

Waste Generator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_ILW_III																
ANL_E	VOL	0.0	2.0	11.2	11.2	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.0	33.6	33.6	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GEN_ATOM	VOL	0.0	3.7	46.0	46.0	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3.3	41.4	41.4	32.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	5.5	69.0	69.0	53.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PNL	VOL	0.0	85.0	85.0	85.0	85.0	42.5	42.5	42.5	42.5	42.5	28.3	28.3	28.3	28.3	28.3
	MIN	0.0	76.5	76.5	76.5	76.5	38.2	38.2	38.2	38.2	38.2	19.8	19.8	19.8	19.8	19.8
	MAX	0.0	93.5	93.5	93.5	93.5	63.7	63.7	66.7	66.7	66.7	31.1	31.1	31.1	31.1	31.1
TNPL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_BPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_B_PLANT	VOL	0.0	99.2	105.5	105.5	105.5	6.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	MIN	0.0	0.0	52.7	52.7	52.7	4.8	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MAX	0.0	148.8	158.2	158.2	158.2	8.0	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
TRHC_FTF_MAIN	VOL	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_ILWVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	253.8
TRHC_ILWVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.8	21.8	21.8	21.8	21.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	10.9	10.9	10.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6	43.6	43.6	43.6	43.6

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 13a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_LLW_III																	
WMC_PRETRT_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	14.5	14.5	14.5	14.5	14.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	7.2	7.2	7.2	7.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.0	29.0	29.0	29.0	29.0	29.0
RH_LLW_III Totals	VOL	0.0	205.8	263.6	263.6	237.5	190.5	48.9	46.0	46.0	46.0	60.3	68.1	68.1	68.1	68.1	195.0
	MIN	0.0	95.7	186.5	186.5	161.4	129.2	43.0	40.8	40.8	40.8	40.8	29.6	40.5	40.5	40.5	40.5
	MAX	0.0	269.7	370.2	370.2	339.0	251.7	71.7	68.1	51.1	51.1	80.1	108.1	108.1	108.1	108.1	361.9
Waste Class: RH_LLW_GTCIII																	
PNL	VOL	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
RH_LLW_GTCIII Totals	VOL	0.8	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.8	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
Waste Class: CH_LLMH_I																	
AMES	VOL	0.5	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.5	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ANL_E	VOL	0.0	329.3	329.3	33.1	14.7	16.9	100.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	987.9	987.9	99.3	44.1	50.7	300.0	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3

C-13

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)

WasteGenerator	Heid	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_ILM1_I																
BAPL	0.0	10.9	34.9	28.6	19.5	19.5	19.5	19.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
VOL	0.0	5.4	17.4	14.3	9.7	9.7	9.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MAX	0.0	10.9	34.9	28.6	19.5	19.5	19.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
BAT_CLBS_LAB	0.0	12.6	12.6	12.6	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	12.6	12.6	12.6	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BRKHVN	0.0	4.8	2.8	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
VOL	0.0	2.4	7.2	3.3	2.0	2.0	2.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
MAX	0.0	7.2	3.3	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
B_LEHR_DAV	0.0	9.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOL	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	9.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FERHI	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
HIN	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
MAX	0.0	24.7	2.8	2.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GEN_ATOM	0.0	22.2	2.5	2.5	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOL	0.0	37.0	4.2	4.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
KAPL	0.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
VOL	0.0	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HIN	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KEH_100	0.0	6.5	6.6	6.6	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
VOL	0.0	6.5	6.6	6.6	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
HIN	0.0	6.5	6.6	6.6	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
MAX	0.0	6.5	6.6	6.6	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
PADUCAN_ES	32.4	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0
VOL	32.4	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0
HIN	0.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0
MAX	32.4	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 15a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LIMW_I																	
PADUCAH_US	VOL	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PAST_FRAC_REH	VOL	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
	MIN	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
	MAX	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
PNL	VOL	0.0	12.7	12.7	12.7	12.7	12.7	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
	MIN	0.0	6.3	6.3	6.3	6.3	6.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
	MAX	0.0	19.0	19.0	19.0	19.0	19.0	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
PORTSMOUTH_ES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0
PORTSMOUTH_US	VOL	173.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	173.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PRINCETON	VOL	0.0	0.6	1.4	5.7	5.7	1.4	0.6	0.6	0.6	0.6	0.6	0.6	1.4	5.7	5.7	1.4
	MIN	0.0	0.3	0.7	2.8	2.8	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.7	2.8	2.8	0.7
	MAX	0.0	1.2	2.8	11.4	11.4	2.8	1.2	1.2	1.2	1.2	1.2	1.2	2.8	11.4	11.4	2.8
RPW_CANOGA	VOL	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STANFORD	VOL	4.8	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0
	MIN	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0
	MAX	4.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0
TPNL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_326	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-15

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 16a

Waste Generator	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_ILMFI_I																
TWHC_222S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_242A	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_242S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PX_C018H	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_TRUSAF	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
U_U	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
TWHC_100*	VOL	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MIN	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
TWHC_200 ETF	VOL	0.0	0.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0
	MIN	0.0	0.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
	MAX	0.0	0.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0
TWHC_300 TEDE	VOL	0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	8.5
	MIN	0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	8.5
	MAX	0.0	0.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	17.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 17a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LLMW_I																	
WMC_ANALYT_LAB	VOL	0.0	38.3	32.3	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
	MIN	0.0	34.4	29.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	MAX	0.0	42.1	35.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5
WMC_BQUIP	VOL	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
	MIN	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
	MAX	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
WMC_B_PLANT	VOL	0.3	2.8	2.7	2.5	2.4	2.3	2.1	2.0	1.8	1.7	1.6	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	2.1	2.0	1.8	1.8	1.7	1.5	1.5	1.3	1.2	1.2	1.0	1.0	1.0	1.0	1.0
	MAX	0.3	3.5	3.3	3.1	3.0	2.8	2.6	2.5	2.2	2.1	2.0	1.7	1.7	1.7	1.7	1.7
WMC_FUEL_TRANS	VOL	0.0	0.8	0.0	8.3	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.8	0.0	8.3	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.8	0.0	8.3	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_GEOTEC_LAB	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
WMC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.4
WMC_K_BASIN	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	1.2	1.2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	MAX	0.0	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
WMC_LLBG	VOL	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
	MIN	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
	MAX	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
WMC_LLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2
WMC_PFP	VOL	0.0	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2

C-17

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LMW_I																
WHC_PRETRT_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6
WHC_PUREX	VOL	0.0	17.2	23.5	15.7	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	8.6	11.7	7.8	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	25.8	47.0	31.4	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_PUREX_SH	VOL	0.0	0.0	0.0	0.0	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
	HIN	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
	HAX	0.0	0.0	0.0	0.0	0.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
WHC_SODIUM_FAC	VOL	0.0	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	1.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SST_RET	VOL	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SURPLS_FAC	VOL	0.0	29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	HIN	0.0	29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	HAX	0.0	-29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
WHC_TF_OPER	VOL	0.0	119.0	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9
	HIN	0.0	95.2	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7
	HAX	0.0	119.0	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9
WHC_THUSAF	VOL	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TWP_H314	VOL	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	24.0	41.0	104.3	116.4	75.3	75.3	12.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0
WHC_T_PLANT	VOL	0.0	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1
	HIN	0.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	HAX	0.0	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
 (in cubic meters)

WasteGenerator	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LTRM_I																
WMC_WASTE_NEUT	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	MAX	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
WMC_WELL_DRL	VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Waste Class: CH_LTRM_III																
CM_LTRM_I	VOL	252.5	1281.6	1326.7	3094.6	2808.4	3504.1	4405.7	4508.4	4158.1	4548.2	4275.7	4509.0	4838.5	4842.3	4543.0
	MIN	0.0	651.3	680.9	2751.6	2275.1	2834.8	3081.6	3170.5	3189.8	3580.2	3874.7	4215.4	4544.5	4545.6	4229.3
	MAX	252.5	2084.4	2150.2	3328.5	2990.7	3685.7	4408.6	4747.5	4389.1	4787.3	4507.4	4750.4	5072.6	5080.7	4803.4
Waste Class: CH_LTRM_III																
KAPL	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
LBL	VOL	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MAX	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
PAST_PRCR_REH	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PNT	VOL	0.0	7.1	7.1	7.1	7.1	7.1	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
	MIN	0.0	3.5	3.5	3.5	3.5	3.5	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
	MAX	0.0	10.6	10.6	10.6	10.6	10.6	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7
PORTSMOUTH_US	VOL	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_242A	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**FX-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Page 20a

Waste Generator	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_ILMNT_III																
THHC_242S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_242T	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_BPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_PK_C018H	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
THHC_200_ETF	VOL	0.0	0.0	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2
	MIN	0.0	0.0	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1
	MAX	0.0	0.0	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3
THHC_ANALYT_LAB	VOL	0.0	5.8	4.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	MIN	0.0	5.2	4.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	MAX	0.0	6.3	5.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
THHC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.6
THHC_ILVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0
THHC_PFP	VOL	0.0	14.6	2.9	2.9	2.9	2.9	2.9	2.9	2.9	3.9	10.7	8.1	2.9	2.9	2.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	73.0	14.5	14.5	14.5	14.5	14.5	14.5	14.5	19.5	53.5	40.5	14.5	14.5	14.5

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 21a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_LIMW_III																	
WMC_PRETRT_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0
WMC_PUREX	VOL	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_PUREX_SH	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
WMC_SST_LLE	VOL	0.0	46.4	223.0	598.7	369.4	494.2	544.8	643.0	743.4	797.3	1015.2	1651.3	1934.5	2250.0	2205.6	2633.5
	MIN	0.0	39.4	189.5	508.9	313.9	420.0	463.0	546.5	631.8	677.7	1542.9	1403.6	1644.3	1912.5	1874.7	2238.4
	MAX	0.0	51.0	245.3	658.5	406.3	543.6	599.2	707.3	817.7	877.0	1996.7	1816.4	2127.9	2475.0	2426.1	2896.8
WMC_SST_RET	VOL	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	13.1	13.1	17.4	21.8	21.8	30.5
	MIN	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.4	13.9	17.4	17.4	24.4
	MAX	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	13.1	13.1	17.4	21.8	21.8	30.5
WMC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
WMC_TF_OPER	VOL	0.0	51.0	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1
	MIN	0.0	40.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8
	MAX	0.0	51.0	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1
WMC_TWP_W320	VOL	0.0	40.2	29.0	200.5	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	40.2	29.0	200.5	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIMW_III Totals	VOL	39.9	167.5	373.4	947.0	529.7	643.1	689.4	815.9	916.3	977.8	2067.0	1910.9	2260.1	2574.8	2530.4	2984.1
	MIN	0.0	105.7	278.6	692.2	415.7	525.3	563.3	675.1	760.5	813.9	1746.3	1607.2	1916.2	2187.8	2150.1	2513.1
	MAX	39.9	235.6	436.4	1047.5	607.2	732.9	784.9	921.2	1031.7	1098.6	2294.1	2149.8	2516.9	2842.3	2793.5	3314.8

Waste Class: CH_LIMW_GTCIII

C-21

WMC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Page 22a

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_ILMH_GNCIII																
PAST_PRCM_REH	VOL	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	76.4
	MIN	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	76.4
	MAX	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	76.4
TRHC_222S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_242T	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SURPLS_FHC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6
CH_ILMH_GNCIII Totals																
	VOL	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	43.6	135.3	165.9	176.7	146.1	202.7	218.0
	MIN	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	43.6	135.3	165.9	176.7	146.1	202.7	218.0
	MAX	0.0	0.0	0.0	30.5	30.5	30.5	91.7	45.8	43.6	135.3	165.9	176.7	146.1	202.7	218.0
Waste Class: RH_ILMH_I																
PML	VOL	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
TRML_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRML_326	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-22

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_ILMW_I																
TWMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_PUREX_TH	VOL	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
WHC_I_PLANT	VOL	0.0	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Class: RH_ILMW_I																
RH_ILMW_I Totals	VOL	242.2	14.6	14.6	14.6	14.6	14.9	29.0	29.0	29.0	85.7	85.7	142.3	142.3	142.3	142.3
	MIN	242.2	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	242.2	14.6	14.6	14.6	14.6	14.9	29.0	29.0	29.0	85.7	85.7	142.3	142.3	142.3	142.3
Waste Class: RH_ILMW_III																
PHL	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MAX	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
TPNL_324	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_BPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_LLMW_III																	
WMC_ANALYT_LAB	VOL	0.0	3.4	2.4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
	MIN	0.0	3.0	2.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	0.0	3.7	2.6	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WMC_B_PLANT	VOL	0.0	0.0	1.1	1.1	1.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.2	2.2	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_DST_RET	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
WMC_TWP_W151	VOL	0.0	116.0	0.0	0.0	0.0	0.0	0.0	107.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	104.4	0.0	0.0	0.0	0.0	0.0	107.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	127.6	0.0	0.0	0.0	0.0	0.0	107.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_TWP_W211	VOL	0.0	0.0	0.0	14.2	14.2	14.2	28.3	28.3	28.3	28.3	14.2	14.2	28.3	14.2	14.2	14.2
	MIN	0.0	0.0	0.0	7.1	7.1	7.1	14.1	14.1	14.1	14.1	7.1	7.1	14.1	7.1	7.1	7.1
	MAX	0.0	0.0	0.0	14.2	14.2	14.2	28.3	28.3	28.3	28.3	14.2	14.2	28.3	14.2	14.2	14.2
RH_LLMW_III Totals	VOL	0.0	120.8	4.9	18.5	18.5	18.5	32.6	167.6	59.8	59.8	102.4	102.4	173.1	159.0	159.0	159.0
	MIN	0.0	108.1	2.8	9.9	9.9	9.9	17.0	152.5	44.7	44.7	94.4	94.4	158.0	151.0	151.0	151.0
	MAX	0.0	132.7	6.2	19.7	19.2	19.2	33.3	167.7	59.9	59.9	102.5	102.5	173.2	159.1	159.1	159.1
Waste Class: RH_LLMW_GTCIII																	
PNL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6
TWMC_222S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-24

WMC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_LIHW_OTCIII																
TMC_242A	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMC_242S	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMC_242T	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMC_IPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_DST_RET	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.7	44.7
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	22.3
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89.4	89.4
WHC_SURPLS_ENC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
Waste Class: RH_LIHW_OTCIII Totals																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	11.3	39.6	39.6	39.6	96.3	96.3	152.9	152.9	197.6	197.6
HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	163.9	163.9
HAX	0.0	0.0	0.0	0.0	0.0	0.0	22.6	50.9	50.9	50.9	107.6	107.6	164.2	164.2	253.6	253.6
Waste Class: CH_TRU																
ANES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
ANL_E	VOL	0.0	5.7	18.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	17.1	56.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Page 26a

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_TRU																
PAST_PRC_PEM	VOL	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9
	MIN	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9
	MAX	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9
PML	VOL	70.7	6.5	5.2	5.2	5.2	5.2	5.2	3.9	3.9	3.9	3.9	2.6	2.6	2.6	2.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	70.7	6.5	5.7	5.7	5.7	5.7	5.7	4.8	4.8	4.8	4.8	3.9	3.9	3.9	3.9
TPML_2312	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPML_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_308	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PFP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_EX_M112	VOL	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_FUEL_DEV	VOL	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 27a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_TRU																	
WMC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.2
WMC_PFP	VOL	0.0	82.9	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0	79.2	231.0	377.2	74.0	74.0	74.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	82.9	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0	79.2	231.0	377.2	74.0	74.0	74.0
WMC_PUREX	VOL	0.0	16.9	1.3	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	8.4	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	25.3	2.6	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_SURPLS_FAC	VOL	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
	MIN	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
	MAX	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
CH_TRU Totals	VOL	70.7	158.8	398.0	210.3	207.2	452.0	410.0	147.5	517.6	640.0	467.3	598.6	743.5	440.3	501.5	560.1
	MIN	0.0	55.2	298.1	123.9	122.3	367.1	325.1	63.9	434.0	556.4	378.4	358.0	358.0	358.0	419.2	419.2
	MAX	70.7	178.6	437.2	228.5	219.2	463.9	421.9	159.9	530.0	652.3	479.8	611.0	756.2	453.0	514.2	631.4
Waste Class: RH_TRU																	
ANL_E	VOL	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
BAT_CLBS_LAB	VOL	0.0	0.0	0.0	0.0	25.2	23.1	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	25.2	23.1	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PNL	VOL	5.0	4.8	3.7	3.7	3.7	3.7	3.7	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.0	4.8	3.7	3.7	3.7	3.7	3.7	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
TPNL_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-27

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_TRU																
TMHC_100N	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PFP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PUREX_TH	VOL	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.8
WHC_K_BASIN	VOL	0.0	67.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	60.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	74.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SURELS_FNC	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Class: CH_TRUM																
RH_TRU Totals	VOL	701.6	74.2	8.2	5.4	30.6	28.5	28.5	3.8	3.8	3.8	3.8	3.8	3.8	3.8	53.7
	MIN	696.6	60.9	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	701.6	84.3	11.6	8.8	34.0	31.9	31.9	7.2	7.2	7.2	7.2	7.2	7.2	7.2	107.0

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Page 29a

WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_TROH																
ANES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
ANL_E	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
PUL	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPHL_2312	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PFP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_TRLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TMHC_HUVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.2
TMHC_PFP	VOL	0.0	22.9	22.9	30.7	22.9	22.9	22.9	22.9	22.9	23.9	31.2	28.1	22.9	22.9	22.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	22.9	22.9	30.7	22.9	22.9	22.9	22.9	22.9	23.9	31.2	28.1	22.9	22.9	22.9
TMHC_PUREX	VOL	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C-29

WMC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Page 30a

WasteGenerator	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: CH_TRUM																
WMC_SURPS_FAC	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3
	MIN	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3
CH_TRUM Totals	VOL	0.0	24.2	26.5	31.8	23.7	23.7	79.9	26.0	26.0	26.0	35.6	59.8	141.7	136.5	195.1
	MIN	0.0	0.2	2.8	0.3	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3	113.3	113.3
	MAX	0.0	25.0	27.1	32.7	24.3	24.3	80.5	26.6	26.6	26.6	36.3	60.4	142.3	137.1	254.3
Waste Class: RH_TRUM																
PHL	VOL	0.0	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	0.0	0.0	0.0	0.0
TRNH_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_PFP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWMC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WMC_ANALYT_LAB	VOL	0.0	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	MAX	0.0	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5

C-30

WMC-FP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

WasteGenerator	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: RH_TRUM															
WHC_DST_RET															
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_HLVP															
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.1
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	112.2
WHC_SURPLS_FAC															
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
WHC_T_PLANT															
VOL	0.0	0.0	0.0	7.1	7.1	7.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RM_TRUM															
VOL	0.0	4.5	4.7	11.8	11.8	11.8	4.7	4.7	4.7	118.0	118.0	113.8	113.8	85.5	113.3
MIN	0.0	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	113.7	113.7	113.7	113.7	85.4	57.1
MAX	0.0	4.9	5.1	19.3	19.3	19.3	5.1	5.1	5.1	118.4	118.4	113.8	113.8	85.5	169.4
Waste Class: HAZ															
HEHF															
VOL	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
MIN	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
KEH_100															
VOL	0.0	36.9	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	639.3
MIN	0.0	36.9	36.8	36.9	36.7	36.9	37.1	36.6	36.9	37.4	35.7	37.8	38.6	37.6	33.5
MAX	0.0	40.5	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	639.3
TPHL_326															
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRHC_306															
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Class: HAZ																
WasteGenerator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TWHC_308	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_100*	VOL	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_1154_3000	VOL	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_1163	VOL	0.0	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MAX	0.0	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
WHC_1171H	VOL	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
	MIN	0.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7
	MAX	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
WHC_1171T	VOL	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
	MIN	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WHC_200_ETF	VOL	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	MAX	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WHC_2101H	VOL	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
	MIN	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MAX	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
WHC_2703E	VOL	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MIN	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
WHC_2715EA	VOL	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MIN	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MAX	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 33a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: HAZ																	
WHC_284E	VOL	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
WHC_300_PWR	VOL	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	1.4	1.4	1.4	1.4
	MIN	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.7	0.7	0.7	0.7
	MAX	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
WHC_305	VOL	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MIN	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WHC_306	VOL	0.0	6.3	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
	MIN	0.0	5.9	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	MAX	0.0	6.6	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
WHC_325	VOL	0.0	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	MAX	0.0	0.7	0.8	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
WHC_335	VOL	0.0	0.0	0.5	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	1.5	5.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_3707C	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MAX	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
WHC_3717B	VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MAX	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
WHC_ANALYT_LAB	VOL	0.0	3.3	2.8	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
	MIN	0.0	2.9	2.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
	MAX	0.0	3.6	3.0	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
WHC_B_PLANT	VOL	2.7	8.5	8.1	7.6	7.2	6.8	6.4	5.9	5.5	5.1	4.7	4.2	4.2	4.2	4.2	4.2
	MIN	0.0	6.3	6.0	5.7	5.4	5.1	4.8	4.4	4.1	3.8	3.5	3.1	3.1	3.1	3.1	3.1
	MAX	2.7	10.6	10.1	9.5	9.0	8.5	8.0	7.3	6.8	6.3	5.8	5.2	5.2	5.2	5.2	5.2

C-33

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: HAZ																
WHC_EX_W112	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_FED	VOL	0.0	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_FTFE_MAIN	VOL	0.0	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.4	6.4	6.4	6.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_RHEF	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WHC_FUEL_TRANS	VOL	0.0	1.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_GEOTEC_LAB	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
WHC_HLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4
WHC_K_BASIN	VOL	0.0	2.8	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	2.5	1.8	1.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	MAX	0.0	3.0	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
WHC_LAUNDRY	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MAX	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WHC_LLVP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.8	6.8	6.8	6.8

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 35a

WasteGenerator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Class: HAZ																	
WHC_PFP	VOL	0.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9
WHC_PRETRT_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2
WHC_PUREX	VOL	0.0	4.2	4.8	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	2.1	2.4	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.3	7.2	6.3	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_PUREX_SM	VOL	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	MAX	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
WHC_S300	VOL	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	MIN	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	MAX	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
WHC_SODIUM_FAC	VOL	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_SURPLS_FAC	VOL	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
	MIN	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
	MAX	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
WHC_TF_OPER	VOL	0.0	34.3	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8
	MIN	0.0	27.4	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2
	MAX	0.0	34.3	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8
WHC_T_PLANT	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MAX	0.0	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
WHC_WELL_DRL	VOL	0.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0

C-35

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 36a

Waste Generator		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
MAE Totals	VOL	2.7	235.9	249.0	263.3	266.7	279.8	312.5	457.4	535.2	691.7	996.5	1068.2	1152.7	1118.4	1111.1	1142.0
	MIN	0.0	166.5	168.6	170.9	161.5	158.7	169.2	285.5	328.6	441.6	688.2	690.7	691.2	548.4	402.8	261.1
	MAX	2.7	259.1	270.6	285.4	288.7	297.4	330.0	474.8	549.3	705.7	1012.0	1087.0	1172.9	1138.6	1131.3	1166.9
Grand Totals	VOL	7207.0	14973.1	14309.3	18865.1	10778.9	12214.3	24850.8	33001.4	81111.8	103669.9	141175.2	185795.7	204412.5	227185.1	151056.6	79374.8
	MIN	1961.2	11330.3	10766.5	15329.3	7200.3	8467.0	18376.7	29196.9	77751.5	100587.0	138182.9	182222.1	200696.9	223699.3	147252.8	73880.7
	MAX	7207.0	19691.9	19471.3	23251.6	14804.4	16826.8	30648.3	37936.8	85722.5	108233.3	146133.8	189937.8	208602.0	231491.1	155464.7	85418.5

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 1b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLW_I																		
AMES	VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	97.5	0.0
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	40.9	0.0
	MAX	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	138.4	0.0
ANL_E	VOL	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	9757.6	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	657.0	0.0
	MAX	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	29272.8	2.2
BAPL_SHIPYDS	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0
BAT_CLBS_LAB	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1501.4	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1501.4	0.1
BRKHVN	VOL	589.0	618.4	649.3	681.8	715.9	751.7	789.2	828.7	870.1	913.7	959.3	1007.3	1057.7	1110.6	1166.1	18983.0	1.6
	MIN	471.2	494.7	519.4	545.4	572.7	601.3	631.3	662.9	696.0	730.9	767.4	805.8	846.1	888.4	932.8	15186.4	1.3
	MAX	706.8	742.0	779.1	818.1	859.0	902.0	947.0	994.4	1044.1	1096.4	1151.1	1208.7	1269.2	1332.7	1399.3	22779.6	1.7
B_LEHR_DAV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1835.9	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69.8	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1905.7	0.1
EG&G	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	291.1	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.3	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	582.2	0.0
FERMI	VOL	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	1356.2	0.1
	MIN	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	664.5	0.0
	MAX	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	2685.2	0.2
FUSRAP	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6	1.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6	1.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6	0.9
GEN_ATOM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	710.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	639.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1065.0	0.0

C-37

WMC-EP-0865

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: CH_LIM_I																
KEH_100	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.9
LBL	VOL	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	15615.9
	MIN	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	14179.0
	MAX	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	21363.3
MIT_BATES	VOL	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5
	MIN	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5
	MAX	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	3.0
PADUCAH_ES	VOL	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	6690.3
	MIN	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	2346.0
	MAX	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	9036.3
PADUCAH_US	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	926.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	926.3
FNL	VOL	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	16998.0
	MIN	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	12465.2
	MAX	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	18697.8
PORTSMOUTH_ES	VOL	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	15479.8
	MIN	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	15479.8
	MAX	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	19428.6
PORTSMOUTH_US	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1775.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1775.7
PRINCETON	VOL	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	8159.4
	MIN	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	2674.4
	MAX	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	221.0	10805.5
RMH_CANOGA	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1274.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1038.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1451.5

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 3b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLW_I																		
STANFORD	VOL	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	958.0	0.0
	MIN	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	670.2	0.0
	MAX	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	1223.1	0.1
TPNL_231Z	VOL	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	0.0
	MIN	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	0.0
	MAX	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	0.0
TPNL_242B/BL	VOL	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	0.0
	MIN	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	0.0
	MAX	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	0.0
TPNL_306W	VOL	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	0.0
	MIN	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	0.0
	MAX	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	0.0
TPNL_314	VOL	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	0.2
	MIN	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	0.2
	MAX	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	0.2
TPNL_324	VOL	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	0.0
	MIN	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	0.0
	MAX	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	0.0
TPNL_326	VOL	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	16.0	0.0
	MIN	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	16.0	0.0
	MAX	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	16.0	0.0
TPNL_327	VOL	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	0.0	1148.6	0.1
	MIN	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	0.0	1148.6	0.1
	MAX	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	0.0	1148.6	0.0
TPNL_331	VOL	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	0.1
	MIN	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	0.1
	MAX	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	0.1
TWHC_100N	VOL	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	0.7
	MIN	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	0.7
	MAX	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	0.6

C-39

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 4b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLW_I																		
TWHC_2225	VOL	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	1.0
	MIN	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	1.1
	MAX	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	1.0
TWHC_306	VOL	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	0.0
	MIN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	0.0
	MAX	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	0.0
TWHC_308	VOL	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	0.0
	MIN	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	0.0
	MAX	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	0.0
TWHC_340	VOL	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	0.0
	MIN	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	0.0
	MAX	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	0.0
TWHC_BPLANT	VOL	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	0.5
	MIN	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	0.6
	MAX	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	0.5
TWHC_TPLANT	VOL	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	0.6
	MIN	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	0.6
	MAX	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	0.5
U_U	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.0	0.0
WHC_100*	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1379.5	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1379.5	0.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1379.5	0.1
WHC_300_PWR	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
WHC_300_TEDF	VOL	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	11049.0	0.9
	MIN	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	5524.5	0.5
	MAX	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	16573.5	1.2

C-40

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Page 5b

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Class: CH_ILW_I																
WMC_ANALYT_LAB																
VOL	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	10108.3 0.8
MIN	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	9097.4 0.8
MAX	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	11119.1 0.8
WMC_B_PLANT																
VOL	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	4084.4 0.3
MIN	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	3017.0 0.2
MAX	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	5119.2 0.4
WMC_DST_PSEET																
VOL	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
WMC_DST_RET																
VOL	125.8	52.4	83.9	73.4	73.4	73.4	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	672.6 0.0
MIN	62.9	26.2	41.9	36.7	36.7	36.7	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	336.3 0.0
MAX	251.6	104.8	167.8	146.8	146.8	146.8	83.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1345.2 0.1
WMC_FETE_MAIN																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.8 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	151.2 0.0
WMC_FUEL_DEV																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.8 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2 0.0
WMC_FUEL_TRANS																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 0.0
WMC_GEOTECH_LAB																
VOL	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	31.3 0.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	14.3 0.0
MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	46.9 0.0
WMC_ILWVP																
VOL	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	7195.2 0.6
MIN	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	3372.7 0.3
MAX	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	11390.4 1.1
WMC_K_BASIN																
VOL	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	4426.4 0.3
MIN	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	3593.7 0.3
MAX	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	4479.0 0.3

WMC-EP-0865

Waste Class: CH_ILW_I													Waste Generator

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_ILW_I																		
WMC_TF_OPER	VOL	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	8939.8	0.7
	MIN	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	5363.8	0.4
	MAX	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	37278.8	2.9
WMC_TRUSAF	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0
WMC_TWP_M028	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5	0.0
WMC_TWP_M030	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.2	0.0
WMC_TWP_M058	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.2	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	276.1	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	460.2	0.0
WMC_TWP_M151	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.6	0.0
WMC_TWP_M211	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1983.4	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	991.7	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1983.4	0.1
WMC_TWP_M320	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	191.6	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.6	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	383.2	0.0
WMC_TWP_M340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	0.0
WMC_T_PLANT	VOL	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	426.0	0.0
	MIN	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	340.8	0.0
	MAX	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	852.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 8b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLW_I																		
WHC_WASTE_NEUT	VOL	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	604.5	0.0
	MIN	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	295.5	0.0
	MAX	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	1195.5	0.0
WHC_WELL_DRL	VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	117.0	0.0
CH_LLW_I Totals	VOL	17690.8	7285.5	6196.5	10492.0	9420.8	9454.4	9214.0	9494.9	9463.0	9223.3	9155.9	9203.6	9254.0	5083.2	5138.7	1174023.6	100.0
	MIN	15898.8	5532.2	4409.2	8725.3	7637.6	7685.6	7365.5	7469.8	7428.6	7387.1	7381.3	7428.0	7459.7	3287.0	3322.8	1108838.6	100.0
	MAX	21092.8	10629.1	9569.9	13848.0	12776.1	12798.8	12582.5	12923.0	12883.1	12575.8	12475.2	12540.8	12592.7	8441.1	8499.1	1283722.7	100.0
Waste Class: CH_LLW_III																		
BAPL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	153.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.8	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	153.4	0.0
FUSRAP	VOL	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0	23.9
	MIN	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0	25.6
	MAX	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0	21.6
KAPL_SHIPYDS	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	0.1
LBL	VOL	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	0.0
	MIN	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	0.0
	MAX	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	0.0
PNL	VOL	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	1346.0	0.7
	MIN	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	1045.0	0.6
	MAX	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	1452.2	0.7
TPNL_324	VOL	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	0.0
	MIN	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	0.0
	MAX	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	0.0

C-44

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 9b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pot
Waste Class: CH_LLW_III																		
WHC_BPLANT	VOL	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	14.6
	MIN	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	15.6
	MAX	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	13.2
WHC_PUREX	VOL	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	1.2
	MIN	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	1.3
	MAX	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	1.1
WHC_ANALYT_LAB	VOL	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	114.1	0.0
	MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	102.6	0.0
	MAX	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	125.5	0.0
WHC_B_PLANT	VOL	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	344.0	0.1
	MIN	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	258.1	0.1
	MAX	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	430.1	0.2
WHC_HLVP	VOL	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	12963.2	6.9
	MIN	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	6076.5	3.4
	MAX	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	25926.4	12.5
WHC_LLVP	VOL	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	2836.0	1.5
	MIN	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	1347.1	0.7
	MAX	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	5672.0	2.7
WHC_PFP	VOL	10.2	10.2	10.2	10.2	10.2	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	1476.8	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	51.0	51.0	51.0	51.0	51.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	1952.8	0.9
WHC_PRETRT_TW	VOL	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	2977.8	1.5
	MIN	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	1418.0	0.8
	MAX	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	5955.6	2.8
WHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0
WHC_PUREX_SM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0

C-45

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Page 10b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct		
Waste Class: CH_LYM_III																				
WMC_SURPLS_FNC	VOL	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5	47.9	
	MIN	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5	51.3	
	MAX	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5	43.4	
	WMC_TWP_M151	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	
WMC_WASTE_NEUT	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	
	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0	0.0	
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	30.0	0.0		
CH_LYM_III Totals	VOL	5131.1	7160.7	5744.2	5559.6	17910.9	17907.5	4139.8	4139.8	4139.8	4139.8	4139.8	4139.8	4139.8	1161.7	1161.7	186845.9	100.0	0.0	
	MIN	4560.0	6589.6	5173.1	4988.5	17339.8	17339.8	3572.1	3572.1	3572.1	3572.1	3572.1	3572.1	3572.1	594.0	594.0	174606.6	100.0	0.0	
	MAX	6273.4	8303.0	6886.5	6701.8	19053.1	19036.1	5268.4	5268.4	5268.4	5268.4	5268.4	5268.4	5268.4	2290.3	2290.3	206322.3	100.0	0.0	
	Waste Class: CH_LYM_GRCIIT																			
TWC_PUREX	VOL	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	5.6	0.0	
	MIN	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	5.6	0.0	
	MAX	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	5.6	0.0	
	WMC_SURPLS_FNC	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	94.3	0.0
CH_LYM_GRCIIT Totals	MIN	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	94.3	0.0
	MAX	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	94.3	0.0
	VOL	2266.3	1416.4	708.2	946.6	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	42327.4	100.0	0.0	
	MIN	2266.3	1416.4	708.2	946.6	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	42327.4	100.0	0.0	
MAX	2266.3	1416.4	708.2	946.6	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	42327.4	100.0	0.0		
Waste Class: RH_LYM_I																				
BRKRVN	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	0.1	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.1	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.2	0.0
	PNTL	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	524.5	9.3	0.0
	MIN	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	405.4	7.5	0.0
	MAX	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	591.2	10.4	0.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 11b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: RH_LLW_I																		
TPNL_324	VOL	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	0.2
	MIN	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	0.2
	MAX	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	0.2
TPNL_327	VOL	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	0.0	314.5	5.6
	MIN	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	0.0	314.5	5.8
	MAX	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	0.0	314.5	5.5
TWHC_BPLANT	VOL	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	30.8
	MIN	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	32.0
	MAX	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	30.4
TWHC_PUREX_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1022.3	18.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1022.3	19.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1022.3	18.0
TWHC_TPLANT	VOL	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	31.9
	MIN	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	33.2
	MAX	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	31.5
WHC_100*	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.7	1.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.7	1.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.7	1.0
WHC_K_BASIN	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.5	0.8
	MIN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	37.7	0.7
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	47.0	0.8
WHC_TWP_W340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.1
WHC_T_PLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	1.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	1.5
RH_LLW_I Totals	VOL	15.6	15.6	15.6	398.8	398.8	398.8	398.8	398.8	398.8	398.8	398.8	398.8	398.8	15.6	15.6	5585.1	100.0
	MIN	12.4	12.4	12.4	395.7	395.7	395.7	395.7	395.7	395.7	395.7	395.7	395.7	395.7	12.4	12.4	5368.8	100.0
	MAX	18.4	18.4	18.4	401.6	401.6	401.6	401.6	401.6	401.6	401.6	401.6	401.6	401.6	18.4	18.4	5655.9	100.0

C-47

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 12b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: RH_LLW_III																		
ANL_E	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.6	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	106.8	0.7
GEN_ATOM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	131.5	1.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.3	1.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	197.2	1.3
PNL	VOL	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	1203.5	10.2
	MIN	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	969.9	9.9
	MAX	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	1357.8	8.9
TPNL_324	VOL	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	0.1
	MIN	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	0.1
	MAX	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	0.0
TWHC_BPLANT	VOL	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	58.0
	MIN	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	70.4
	MAX	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	45.2
TWHC_PUREX	VOL	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	1.1
	MIN	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	1.4
	MAX	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	0.9
WHC_B_PLANT	VOL	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	611.6	5.1
	MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	278.9	2.8
	MAX	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	894.9	5.9
WHC_FTFE_MAIN	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7	0.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7	0.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7	0.3
WHC_HLVP	VOL	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	2030.4	17.2
	MIN	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	951.7	9.8
	MAX	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	4060.8	26.8
WHC_LLVP	VOL	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	436.0	3.7
	MIN	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	207.1	2.1
	MAX	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	872.0	5.7

C-48

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 13b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
<u>Waste Class: RH_LLW_III</u>																		
WHC_PRETRT_TW	VOL	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	304.5	2.5
	MIN	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	145.0	1.4
	MAX	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	609.0	4.0
RH_LLW_III Totals	VOL	195.0	195.0	195.0	894.7	894.7	894.7	894.7	894.7	894.7	894.7	894.7	894.7	894.7	195.0	195.0	11798.5	100.0
	MIN	104.0	104.0	104.0	803.8	803.8	803.8	803.8	803.8	803.8	803.8	803.8	803.8	803.8	104.0	104.0	9716.4	100.0
	MAX	361.9	361.9	361.9	1061.6	1061.6	1061.6	1061.6	1061.6	1061.6	1061.6	1061.6	1061.6	1061.6	361.9	361.9	15144.0	100.0
<u>Waste Class: RH_LLW_GTCIII</u>																		
PNL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
TPNL_324	VOL	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0	0.0
	MIN	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0	0.0
	MAX	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0	0.0
TWHC_PUREX	VOL	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	2.5
	MIN	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	2.5
	MAX	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	2.5
WHC_SURPLS_FAC	VOL	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	97.4
	MIN	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	97.4
	MAX	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3	97.4
RH_LLW_GTCIII Totals	VOL	2266.3	1416.4	708.2	814.1	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	0.0	0.0	41003.1	100.0
	MIN	2266.3	1416.4	708.2	814.1	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	0.0	0.0	41002.3	100.0
	MAX	2266.3	1416.4	708.2	814.1	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	105.9	0.0	0.0	41003.1	100.0
<u>Waste Class: CH_LLMW_I</u>																		
AHES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
ANL_E	VOL	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	1161.7	1.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	3485.1	3.6

C-49

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
BAPT	VOL	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	195.3
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	97.6
	MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	195.3
BAT_CLBS_LAB	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4
BRKHVN	VOL	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	55.2
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	42.7
	MAX	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	67.6
B_TCHR_DAV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0
FERMI	VOL	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0
	MAX	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0
GEN_ATCH	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.7
KAPL	VOL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0
	MIN	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0
	MAX	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	420.0
KEH_100	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3
LBL	VOL	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8
	MIN	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8
	MAX	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8
PADUCAH_ES	VOL	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	5132.4
	MIN	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	2550.0
	MAX	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	7682.4

C-50

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Class: CH_ILMFI																
PADUCAH_US																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1
PAST_PRNC_REX																
VOL	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2
MIN	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2
MAX	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2
PNL																
VOL	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	488.5
MIN	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	244.2
MAX	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	732.7
PORTSMOUTH_ES																
VOL	309.2	309.2	309.2	309.2	309.2	309.2	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	6448.4
MIN	309.2	309.2	309.2	309.2	309.2	309.2	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	6448.4
MAX	371.0	371.0	371.0	371.0	371.0	371.0	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	8188.4
PORTSMOUTH_US																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.6
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.6
PRINCETON																
VOL	0.6	0.6	0.6	0.6	0.6	0.6	1.4	5.7	5.7	1.4	0.6	0.6	0.6	0.6	0.6	53.4
MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.7	2.8	2.8	0.7	0.3	0.3	0.3	0.3	0.3	26.7
MAX	0.9	0.9	0.9	0.9	0.9	0.9	2.1	8.5	8.5	2.1	0.9	0.9	0.9	0.9	0.9	96.4
RKW_CANOGA																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8
STANFORD																
VOL	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	10.8
MIN	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	3.0
MAX	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	16.8
TPNL_324																
VOL	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.0
MIN	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.0
MAX	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.0
TPNL_326																
VOL	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	18.0
MIN	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	18.0
MAX	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	18.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 16b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LIMW_I																		
TWHC_222S	VOL	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.0
	MIN	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.0
	MAX	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.0
TWHC_242A	VOL	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
	MIN	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
	MAX	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
TWHC_242S	VOL	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
	MIN	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
	MAX	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	0.2
TWHC_PUREX	VOL	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	0.2
	MIN	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	0.3
	MAX	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	0.2
TWHC_PX_C018H	VOL	0.0	0.0	0.0	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	0.0	0.0	1501.0	1.7
	MIN	0.0	0.0	0.0	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	0.0	0.0	1501.0	2.0
	MAX	0.0	0.0	0.0	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	150.1	0.0	0.0	1501.0	1.5
TWHC_TRUSAF	VOL	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.4	0.0
	MIN	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.4	0.0
	MAX	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.4	0.0
U_U	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.0	0.0
WHC_100*	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.5	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.5	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.5	0.0
WHC_200 ETF	VOL	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	986.0	1.1
	MIN	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	493.0	0.6
	MAX	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	1479.0	1.5
WHC_300 TEDF	VOL	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0	0.1
	MIN	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0	0.1
	MAX	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	238.0	0.2

C-52

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_ILMW_I																	
WHC_ANALYT_LAB																	
VOL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	770.6	0.8
MIN	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	693.5	0.9
MAX	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	847.6	0.8
WHC_BOUIP																	
VOL	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	8.5
MIN	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	10.0
MAX	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	7.7
WHC_B_PLANT																	
VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	50.2	0.0
MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	37.4	0.0
MAX	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	62.7	0.0
WHC_FUEL_TRANS																	
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0
WHC_GEOTEC_LAB																	
VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5	0.0
MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.0	0.0
WHC_HLVP																	
VOL	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	291.2	0.3
MIN	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	136.5	0.1
MAX	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	582.4	0.6
WHC_K_BASIN																	
VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0	0.0
MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.9	0.0
MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.2	0.0
WHC_LLBG																	
VOL	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	0.0
MIN	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	0.0
MAX	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	0.0
WHC_LLVP																	
VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	32.0	0.0
MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	15.2	0.0
MAX	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	64.0	0.0
WHC_PFP																	
VOL	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	2112.0	2.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	2988.0	3.1

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 18b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLMW_I																		
WMC_PRETRI_TW	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	16.8	0.0
	MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	8.0	0.0
	MAX	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	33.6	0.0
WMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.2	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.1	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.8	0.1
WMC_PUREX_SH	VOL	1.9	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.4	0.0
	MIN	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.7	0.0
	MAX	3.9	3.9	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.8	0.0
WMC_SODIUM_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0
WMC_SST_RET	VOL	23.2	29.0	34.8	40.6	49.3	58.0	58.0	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	432.1	0.5
	MIN	18.5	23.2	27.8	32.4	39.4	46.4	46.4	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	345.6	0.4
	MAX	23.2	29.0	34.8	40.6	49.3	58.0	58.0	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	432.1	0.4
WMC_SURPLS_FAC	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1	1.1
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1	1.3
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1	1.0
WMC_TF_OPER	VOL	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	3915.1	4.5
	MIN	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	3132.0	4.2
	MAX	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	3915.1	4.0
WMC_TRUSAF	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0
WMC_TWP_W314	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2	5.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	448.7	0.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2	4.6
WMC_T_PLANT	VOL	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	213.0	0.2
	MIN	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	106.5	0.1
	MAX	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	426.0	0.4

C-54

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 19b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LLMW_I																		
WMC_WASTE_NEUT	VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0	0.0
	MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.5	0.0
	MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0	0.0
WMC_WELL_DRL	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.0	0.0
CH_LLMW_I	VOL	3691.1	2842.9	2205.8	2424.5	2450.7	2492.9	2396.4	2267.2	2204.5	1078.2	1126.0	1194.1	1012.7	629.3	621.2	86385.5	100.0
Totals	MIN	3493.5	2644.4	2005.9	2224.6	2248.8	2295.8	2198.7	2067.5	2016.2	892.3	940.3	1008.6	827.0	443.8	435.5	73923.4	100.0
	MAX	4017.5	3177.4	2532.2	2757.0	2775.1	2800.2	2717.6	2598.6	2527.8	1407.5	1446.8	1523.0	1333.5	958.1	941.9	96051.2	100.0
Waste Class: CH_LLMW_III																		
KAPL	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	63.0	0.0
LBL	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.0
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.0
	MAX	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.0
FAST_FRAC_REH	VOL	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.5
	MIN	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.6
	MAX	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.5
PNL	VOL	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	248.0	0.2
	MIN	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	124.0	0.1
	MAX	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	372.0	0.3
PORTSMOUTH_US	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9	0.0
TWMC_242A	VOL	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1
	MIN	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1
	MAX	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1

C-55

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 20b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_LIMW_III																		
TWHC_242S	VOL	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1
	MIN	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1
	MAX	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	0.1
TWHC_242T	VOL	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	0.0
	MIN	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	0.0
	MAX	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	0.0
TWHC_BPLANT	VOL	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.3
	MIN	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.3
	MAX	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.2
TWHC_PX_C018H	VOL	0.0	0.0	0.0	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	0.0	0.0	98.0	0.1
	MIN	0.0	0.0	0.0	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	0.0	0.0	98.0	0.1
	MAX	0.0	0.0	0.0	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	0.0	0.0	98.0	0.1
TWHC_TPLANT	VOL	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	3.9
	MIN	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	4.6
	MAX	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	3.5
WHC_200_ETF	VOL	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	1397.8	1.5
	MIN	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	698.9	0.9
	MAX	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	2096.7	2.0
WHC_ANALYT_LAB	VOL	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	114.1	0.1
	MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	102.6	0.1
	MAX	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	125.5	0.1
WHC_HLVP	VOL	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	396.8	0.4
	MIN	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	186.0	0.2
	MAX	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	793.6	0.7
WHC_LLVP	VOL	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20.0	0.0
	MIN	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	9.5	0.0
	MAX	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	40.0	0.0
WHC_PFP	VOL	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	74.7	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.0	5.0	5.0	5.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	401.0	0.4

C-56

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: CH_LMW_III																
WHC_PRETINT_IW																
VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.5 0.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.0 0.0
MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21.0 0.0
WHC_PUREX																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 0.0
WHC_PUREX_SH																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.0
WHC_SST_LLE																
VOL	2794.8	3787.0	4185.6	4873.9	5805.5	6549.2	6860.3	7065.8	2090.9	2133.7	2779.3	3245.0	3794.2	3794.2	3794.2	80803.9 88.2
MIN	2375.5	3218.9	3557.7	4142.8	4934.6	5566.8	5831.2	6005.9	1777.2	2068.6	2382.4	2758.2	3225.0	3225.0	3225.0	68683.3 88.5
MAX	3074.2	4165.7	4604.1	5361.2	6386.0	7204.1	7546.3	7772.3	2299.9	2677.0	3057.2	3569.5	4173.6	4173.6	4173.6	88884.2 87.8
WHC_SST_RET																
VOL	34.8	43.5	52.2	60.9	74.0	87.0	87.0	87.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	648.5 0.7
MIN	27.8	34.8	41.7	48.7	59.2	69.6	69.6	69.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	518.8 0.6
MAX	34.8	43.5	52.2	60.9	74.0	87.0	87.0	87.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	648.5 0.6
WHC_SURPLS_FAC																
VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 1.0
MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 1.2
MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 0.9
WHC_IF_OPER																
VOL	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	1677.9 1.8
MIN	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	1342.3 1.7
MAX	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	1677.9 1.6
WHC_TNP_N320																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	294.2 0.3
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 0.1
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	294.2 0.2
CH_LMW_III Totals																
VOL	3062.4	4019.6	4412.8	5525.9	6467.8	7224.3	7535.4	7740.9	2679.0	3006.5	3332.1	3817.8	4367.0	3939.5	3939.5	91518.3 100.0
MIN	2561.2	3387.8	3719.5	4727.6	5527.2	6169.7	6434.1	6608.8	2310.5	2586.6	2880.4	3276.2	3743.0	3315.5	3315.5	77536.2 100.0
MAX	3402.2	4458.6	4891.7	6073.5	7108.5	7937.6	8279.8	8505.9	2946.5	3308.3	3688.4	4200.7	4804.8	4377.3	4377.3	101209.7 100.0

Waste Class: CH_LMW_III

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: CH_LIMW_GTCIII																
PAST_FRAC_REH																
VOL	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1493.8 34.8
MIN	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1493.8 34.8
MAX	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1493.8 34.8
THMC_222S																
VOL	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0 0.1
MIN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0 0.1
MAX	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0 0.1
THMC_242T																
VOL	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0 0.8
MIN	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0 0.8
MAX	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0 0.8
THMC_TPLANT																
VOL	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8 42.5
MIN	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8 42.5
MAX	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8 42.5
WHC_SURPLS_FAC																
VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 21.6
MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 21.6
MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 21.6
CH_LIMW_GTCIII																
VOL	133.1	104.7	75.3	249.1	246.3	246.3	231.0	231.0	215.7	215.7	200.4	200.4	200.4	0.0	0.0	4258.9 100.0
MIN	133.1	104.7	75.3	249.1	246.3	246.3	231.0	231.0	215.7	215.7	200.4	200.4	200.4	0.0	0.0	4258.9 100.0
MAX	133.1	104.7	75.3	249.1	246.3	246.3	231.0	231.0	215.7	215.7	200.4	200.4	200.4	0.0	0.0	4258.9 100.0
Waste Class: RH_LIMW_I																
PNL																
VOL	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	19.5 1.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	19.5 1.2
TPNL_324																
VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 13.7
MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 13.7
MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 13.7
TPNL_326																
VOL	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.7 0.4
MIN	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.7 0.4
MAX	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.7 0.4

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: RH_LIMW_I																
THWC_PUREX																
VOL	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1 3.8
MIN	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1 4.0
MAX	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1 3.8
THWC_PUREX_TH																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242.2 15.6
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242.2 16.7
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242.2 15.6
THWC_SURPLUS_FMC																
VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 59.6
MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 63.9
MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3 59.6
THWC_T_PLANT																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2 5.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2 5.5
THWC_TPLANT_Totals																
VOL	57.4	29.0	14.9	31.2	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	0.7	0.7	1548.0 100.0
MIN	56.7	28.3	14.2	30.5	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	0.0	0.0	1443.3 100.0
MAX	57.4	29.0	14.9	31.2	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	0.7	0.7	1548.0 100.0
Waste Class: RH_LIMW_III																
PHL																
VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0 1.2
MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.0 0.7
MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0 1.0
TPNL_324																
VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 6.3
MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 7.4
MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0 5.3
THWC_BELANT																
VOL	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2 2.0
MIN	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2 2.4
MAX	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2 1.7
THWC_TPLANT																
VOL	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4 27.1
MIN	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4 31.8
MAX	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4 22.6

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 24b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: RH_LLMW_III																		
WHC_ANALYT_LAB	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	56.2	1.6
	MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	50.5	1.7
	MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	61.8	1.5
WHC_B_PLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.2
WHC_DST_RET	VOL	0.0	44.7	442.4	44.7	44.7	44.7	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	643.6	19.2
	MIN	0.0	22.3	221.2	22.3	22.3	22.3	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	321.8	11.3
	MAX	0.0	89.4	884.8	89.4	89.4	89.4	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1287.2	32.1
WHC_SURPLS_FAC	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	27.6
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	32.4
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	23.0
WHC_TWP_W151	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	223.8	6.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	212.2	7.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235.4	5.8
WHC_TWP_W211	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	255.1	7.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.5	4.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	255.1	6.3
RH_LLMW_III Totals	VOL	59.9	76.2	459.8	169.4	166.6	166.6	144.3	121.9	121.9	121.9	121.9	121.9	121.9	3.2	3.2	3337.1	100.0
	MIN	59.0	52.9	237.7	146.2	143.4	143.4	132.2	121.0	121.0	121.0	121.0	121.0	121.0	2.3	2.3	2846.2	100.0
	MAX	60.0	121.0	902.3	214.3	211.5	211.5	166.9	122.1	122.1	122.1	122.1	122.1	122.1	3.3	3.3	4001.7	100.0
Waste Class: RH_LLMW_GTCIII																		
PNL	VOL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	129.5	7.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	242.5	12.0
TWHC_222S	VOL	0.0	0.0	0.0	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	0.0	0.0	107.4	6.0
	MIN	0.0	0.0	0.0	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	0.0	0.0	107.4	6.7
	MAX	0.0	0.0	0.0	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	0.0	0.0	107.4	5.3

C-60

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 25b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: RH_LIMW_GTCIII																		
TWHC_242A	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.2
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.3
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.1
TWHC_242S	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.2
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.3
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	1.1
TWHC_242T	VOL	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	0.6
	MIN	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	0.7
	MAX	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	0.6
TWHC_TPLANT	VOL	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	25.4
	MIN	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	28.4
	MAX	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	22.5
WHC_DST_RET	VOL	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	111.8	6.2
	MIN	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.9	3.5
	MAX	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	223.6	11.1
WHC_SURPLS_FAC	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	51.8
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	57.8
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	46.0
RH_LIMW_GTCIII Totals	VOL	80.2	29.4	15.3	65.5	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	1.1	1.1	1781.2	100.0
	MIN	67.9	28.3	14.2	64.4	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	0.0	0.0	1595.8	100.0
	MAX	102.6	29.4	15.3	65.5	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	1.1	1.1	2006.0	100.0
Waste Class: CH_TRU																		
AHES	VOL	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
ANL_E	VOL	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	184.0	0.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	552.0	2.5

C-61

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_TRU																		
PAST_PRAC_REH	VOL	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	29.1
	MIN	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	33.2
	MAX	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	27.0
PNL	VOL	2.6	2.6	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146.1	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	3.1	3.1	3.1	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	161.4	0.7
TPNL_231Z	VOL	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	0.1
	MIN	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	0.1
	MAX	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	0.1
TPNL_327	VOL	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	0.1
	MIN	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	0.1
	MAX	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	0.1
TWHC_308	VOL	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	0.4
	MIN	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	0.5
	MAX	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	0.4
TWHC_PFP	VOL	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	42.6
	MIN	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	48.5
	MAX	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	39.4
TWHC_PUREX	VOL	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	2.9
	MIN	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	3.3
	MAX	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	2.7
TWHC_TPLANT	VOL	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	4.1
	MIN	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	4.7
	MAX	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	3.8
WHC_EA_W112	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	0.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	0.1
WHC_FUEL_DEV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0

C-62

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 27b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_TRU																		
WMC_HLVP	VOL	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	937.6	4.6
	MIN	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	439.5	2.4
	MAX	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	1875.2	8.5
WMC_PFP	VOL	7.3	7.3	7.3	7.3	7.3	7.3	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	1661.4	8.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	36.5	36.5	36.5	36.5	36.5	36.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	1969.8	8.9
WMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.3	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.2	0.1
WMC_SURPLS_FAC	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	5.6
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	6.4
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	5.2
CH_TRU	VOL	408.4	408.4	347.2	1372.8	1344.6	1341.9	1277.1	1277.1	1216.0	1216.0	1154.8	1154.8	1154.8	68.0	68.0	20334.6	100.0
Totals	MIN	363.5	363.5	302.3	1327.9	1299.6	1299.6	1238.4	1238.4	1177.3	1177.3	1116.1	1116.1	1116.1	29.3	29.3	17832.8	100.0
	MAX	508.1	508.1	446.9	1472.6	1444.5	1441.1	1361.9	1361.9	1300.8	1300.8	1239.6	1239.6	1239.6	152.8	152.8	21980.0	100.0
Waste Class: RH_TRU																		
ANL_E	VOL	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	51.0	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	153.0	2.0
BAT_CLBS_LAB	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.4	1.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.4	0.9
PHL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.2	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.2	0.6
TPNL_327	VOL	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	15.7
	MIN	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	17.4
	MAX	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	13.8

C-63

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: RH_TRU																		
TWHC_100H	VOL	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	18.4
	MIN	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	20.3
	MAX	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	16.1
TWHC_PFP	VOL	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	33.6
	MIN	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	37.1
	MAX	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	29.5
TWHC_PUREX	VOL	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	1.8
	MIN	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	2.0
	MAX	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	1.6
TWHC_PUREX_TW	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	696.6	10.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	696.6	11.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	696.6	9.4
TWHC_TPLANT	VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	3.3
	MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	3.6
	MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	2.8
WHC_HLVP	VOL	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	798.4	12.4
	MIN	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	374.2	6.4
	MAX	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	1596.8	21.7
WHC_K_BASIN	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.7	1.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.9	1.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74.4	1.0
WHC_SURPLS_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
RH_TRU	VOL	51.6	51.6	51.6	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	51.6	51.6	6432.7	100.0
Totals	MIN	24.9	24.9	24.9	494.7	494.7	494.7	494.7	494.7	494.7	494.7	494.7	494.7	494.7	24.9	24.9	5832.2	100.0
	MAX	104.9	104.9	104.9	574.6	574.6	574.6	574.6	574.6	574.6	574.6	574.6	574.6	574.6	104.9	104.9	7339.9	100.0

Waste Class: CH_TRUM

C-64

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(In cubic meters)**

Page 29b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: CH_TFUM																	
ANL_E	VOL	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	MAX	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
ANL_E	VOL	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5 0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	MAX	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	22.5 0.1
PML	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.0
TRML_2312	VOL	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0 0.0
	MIN	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0 0.0
	MAX	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0 0.0
TRMC_PFR	VOL	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4 68.0
	MIN	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4 72.3
	MAX	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4 63.9
TRMC_PUREX	VOL	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	6.7 0.0
	MIN	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	6.7 0.0
	MAX	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	6.7 0.0
TRMC_TPLANT	VOL	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0 18.4
	MIN	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0 19.5
	MAX	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0 17.3
WMC_HLVP	VOL	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	937.6 6.3
	MIN	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	439.5 3.1
	MAX	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	1875.2 11.9
WMC_PFR	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	365.8 2.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	365.8 2.3
WMC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 0.0

C-65

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 30b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: CH_TRUM																		
WHC_SURPLS_FAC	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	4.5
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	4.8
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	4.2
CH_TRUM Totals	VOL	87.1	87.1	87.1	1364.3	1336.1	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	58.8	58.8	14760.4	100.0
	MIN	57.6	57.6	57.6	1334.8	1306.5	1306.5	1306.5	1306.5	1306.5	1306.5	1306.5	1306.5	1306.5	29.3	29.3	13886.0	100.0
	MAX	146.1	146.1	146.1	1423.3	1395.2	1395.0	1395.0	1395.0	1395.0	1395.0	1395.0	1395.0	1395.0	117.8	117.8	15713.7	100.0
Waste Class: RH_TRUM																		
PHL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.2	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.8	0.8
TPNL_327	VOL	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.1
	MIN	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.1
	MAX	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.1
TWHC_340	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	0.4
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	0.5
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	0.3
TWHC_PFP	VOL	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	48.2
	MIN	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	55.5
	MAX	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	39.3
TWHC_PUREX	VOL	0.0	0.0	0.0	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0	31.9	0.6
	MIN	0.0	0.0	0.0	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0	31.9	0.7
	MAX	0.0	0.0	0.0	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	0.0	0.0	31.9	0.5
TWHC_TPLANT	VOL	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	13.0
	MIN	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	15.0
	MAX	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	10.6
WHC_ANALYT_LAB	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	14.8	0.2
	MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.3	0.2
	MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.2	0.2

C-66

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Class: RH_TYUM																
WHC_DST_RET																
VOL	230.9	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	253.3 4.8
MIN	115.4	0.0	0.0	0.0	0.0	0.0	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.6 2.8
MAX	461.8	0.0	0.0	0.0	0.0	0.0	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	506.6 7.9
WHC_HLVP																
VOL	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	897.6 17.2
MIN	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	420.7 9.3
MAX	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	1795.2 28.1
WHC_SURPLS_FAC																
VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1 13.6
MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1 13.6
MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1 13.6
WHC_T_PLANT																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4 0.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.8 0.8
Waste Class: HAZ																
HEHF																
VOL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.0 0.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.4 0.1
MAX	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 0.0
MEH_100																
VOL	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119123.4 93.8
MIN	41.9	39.3	32.7	40.9	25.6	32.0	36.0	35.0	37.5	39.0	39.0	36.6	30.5	38.1	23.8	1078.1 14.5
MAX	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119127.0 93.3
TPNL_326																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
TNHC_306																
VOL	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0 0.0
MIN	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0 0.0
MAX	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	4.0 0.0

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 32b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: HAZ																		
TWHC_308	VOL	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	0.0
	MIN	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	0.9
	MAX	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	0.0
WHC_100*	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	0.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	0.0
WHC_1154_3000	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
WHC_1163	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	0.0
	MIN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	0.5
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	0.0
WHC_1171H	VOL	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	192.0	0.1
	MIN	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	172.8	2.3
	MAX	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	211.2	0.1
WHC_1171T	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.0	0.0
	MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6	0.6
	MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	59.4	0.0
WHC_200_ETF	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	8.7	0.0
	MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.3	0.0
	MAX	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.0	0.0
WHC_2101H	VOL	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0	0.1
	MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0	1.0
	MAX	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0	0.1
WHC_2703E	VOL	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0	0.0
	MIN	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0	0.8
	MAX	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0	0.0
WHC_2715EA	VOL	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0	0.4
	MIN	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0	7.9
	MAX	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0	0.4

C-68

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Class: HAZ																
WHC_284E																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 0.8
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 0.0
WHC_300_FMR																
VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	57.4 0.0
MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	44.1 0.6
MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0 0.0
WHC_303																
VOL	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 0.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 0.0
MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 0.0
WHC_306																
VOL	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	84.6 0.0
MIN	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	80.5 1.0
MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	88.9 0.0
WHC_325																
VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 0.0
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5 0.0
MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	26.7 0.0
WHC_335																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 0.0
WHC_3707C																
VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 0.0
MIN	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 0.2
MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 0.0
WHC_3717B																
VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 0.0
MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 0.3
MAX	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 0.0
WHC_ANALYT_LAB																
VOL	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	70.5 0.0
MIN	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	63.4 0.8
MAX	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	77.5 0.0
WHC_B_PLANT																
VOL	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	152.5 0.1
MIN	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	112.3 1.5
MAX	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	189.9 0.1

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 34b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: HAZ																		
WHC_EA_W112	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
WHC_FED	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0
WHC_FFTF_MAIN	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.3
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.8	0.0
WHC_FMEF	VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0	0.0
	MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.5	0.2
	MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	58.5	0.0
WHC_FUEL_TRANS	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0
WHC_GEOTEC_LAB	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0	0.0
	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5	0.3
	MAX	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	45.0	0.0
WHC_HLVP	VOL	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	75.2	0.0
	MIN	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	35.2	0.4
	MAX	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	150.4	0.1
WHC_K_BASIN	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.2	0.0
	MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.1	0.4
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.7	0.0
WHC_LAUNDRY	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
	MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.1
	MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
WHC_LLVP	VOL	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	68.0	0.0
	MIN	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	32.3	0.4
	MAX	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	136.0	0.1

C-70

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)**

Page 35b

Waste Generator	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Class: HAZ																	
WHC_PFP	VOL	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	675.0	0.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	681.0	0.5
WHC_PFPRT_TM	VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	33.6	0.0
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	16.0	0.2
	MAX	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	67.2	0.0
WHC_PUREX	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.4	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2	0.0
WHC_PUREX_SH	VOL	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	0.0
	MIN	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0
	MAX	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	0.0
WHC_S300	VOL	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0	0.1
	MIN	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0	2.4
	MAX	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0	0.1
WHC_SODIUM_FAC	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0
WHC_SURETS_FAC	VOL	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	3416.2	2.6
	MIN	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	3416.2	46.2
	MAX	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	3416.2	2.6
WHC_TF_OPER	VOL	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	1130.5	0.8
	MIN	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	904.4	12.2
	MAX	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	1130.5	0.8
WHC_T_PLANT	VOL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	63.0	0.0
	MIN	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	42.0	0.5
	MAX	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	84.0	0.0
WHC_WELL_DRIL	VOL	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	195.0	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	390.0	0.3

WHC-EP-0865

C-71

FY-1994 SOLID WASTE FORECAST
WASTE CLASS, WASTE GENERATOR VOLUMES BY YEAR
(in cubic meters)

Page 36b

Waste Generator		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
HAZ Totals	VOL	1195.1	1457.4	1785.2	2201.7	2685.6	3326.0	4126.4	5126.9	6377.6	7940.9	9895.0	12337.7	15391.0	19200.3	23971.1	126901.7	100.0
	MIN	159.9	157.3	150.7	165.9	122.3	128.7	132.7	131.7	134.2	135.7	135.7	133.3	127.2	127.4	113.1	7390.7	100.0
	MAX	1220.4	1482.7	1810.5	2226.1	2710.0	3350.4	4150.8	5151.3	6402.0	7965.3	9919.4	12362.1	15415.4	19224.7	23995.5	127560.4	100.0
Grand Totals	VOL	36707.6	26681.2	23107.9	33442.2	44662.0	46128.5	33055.4	34368.3	30386.1	30910.9	33114.5	36138.7	39610.2	30464.6	35282.8	1824043.8	
	MIN	32277.9	21978.0	17774.7	27822.4	38353.7	39097.5	25104.7	25229.0	20764.3	19876.6	20136.0	20644.4	20955.3	7998.8	8011.9	1592927.9	
	MAX	42634.7	32448.5	29334.6	39327.8	50632.2	52129.0	39110.7	40469.2	35973.3	36470.7	38667.2	41764.0	45283.8	36165.4	40978.0	1982232.2	

MHC-EP-0865

APPENDIX D

ANNUAL WASTE CLASS, WASTE GENERATOR VOLUMES

WHC-EP-0865

Intentionally Left Blank

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: AMES																
CH_LLM_I	VOL	15.6	6.3	6.3	6.3	6.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
	MIN	0.0	3.1	3.1	3.1	3.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	15.6	9.4	9.4	9.4	9.4	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
CH_LLM_I	VOL	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
AMES	VOL	16.1	6.4	6.4	6.3	6.3	3.2	3.2	3.2	3.2	3.4	3.2	3.2	3.2	3.2	3.2
Totals	MIN	0.0	3.2	3.2	3.1	3.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	16.1	9.6	9.6	9.4	9.4	4.8	4.8	4.8	4.8	5.2	4.8	4.8	4.8	4.8	4.8
Waste Generator: ANL E																
CH_LLM_I	VOL	0.0	465.4	605.6	527.5	484.8	946.3	1450.6	389.9	212.5	212.5	212.5	212.5	212.5	212.5	212.5
	MIN	0.0	46.5	60.5	52.7	48.4	94.6	145.0	38.9	21.2	21.2	21.2	21.2	21.2	21.2	21.2
	MAX	0.0	1396.2	1816.8	1582.5	1454.4	2838.9	4351.8	1169.7	637.5	637.5	637.5	637.5	637.5	637.5	637.5
RU_LLM_III	VOL	0.0	2.0	11.2	11.2	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.0	33.6	33.6	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_I	VOL	0.0	329.3	329.3	33.1	14.7	16.9	100.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	987.9	987.9	99.3	44.1	50.7	300.0	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3
CH_TRU	VOL	0.0	5.7	18.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	17.1	56.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1
RU_TRU	VOL	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 2a

WMC-EP-0865

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: ANL_E																	
CH_TRUM	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
ANL_E Totals	VOL	0.0	804.4	966.8	579.5	518.4	970.9	1558.3	411.7	234.3	234.3	234.3	234.3	234.3	234.3	234.3	234.3
	MIN	0.0	46.5	60.5	52.7	48.4	94.6	145.0	38.9	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2
	MAX	0.0	2413.2	2900.4	1738.5	1555.2	2912.7	4674.9	1235.1	702.9	702.9	702.9	702.9	702.9	702.9	702.9	702.9
Waste Generator: BAPL																	
CH_LLW_III	VOL	0.0	55.2	23.0	23.0	23.0	14.6	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	14.3	5.9	5.9	5.9	3.8	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	55.2	23.0	23.0	23.0	14.6	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	10.9	34.9	28.6	19.5	19.5	19.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MIN	0.0	5.4	17.4	14.3	9.7	9.7	9.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MAX	0.0	10.9	34.9	28.6	19.5	19.5	19.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
BAPL Totals	VOL	0.0	66.1	57.9	51.6	42.5	34.1	34.1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MIN	0.0	19.8	23.4	20.2	15.7	13.5	13.5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MAX	0.0	66.1	57.9	51.6	42.5	34.1	34.1	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
Waste Generator: BAPL_SHIPYDS																	
CH_LLW_I	VOL	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAPL_SHIPYDS Totals	VOL	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: BAT_CLBS_LAB																	
CH_LLW_I	VOL	0.0	226.6	226.6	226.6	283.3	283.3	255.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	29.4	29.4	29.4	28.3	28.3	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	226.6	226.6	226.6	283.3	283.3	255.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	12.6	12.6	12.6	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 3a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: BAT_CLBS_LAB																	
CH_LLW_I	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	12.6	12.6	12.6	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRU	VOL	0.0	0.0	0.0	0.0	25.2	23.1	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	25.2	23.1	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAT_CLBS_LAB	VOL	0.0	239.2	239.2	239.2	321.1	306.4	278.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	29.4	29.4	29.4	28.3	28.3	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	239.2	239.2	239.2	321.1	306.4	278.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: BRKHVN																	
CH_LLW_I	VOL	0.0	444.8	297.5	312.3	327.9	344.3	361.5	379.6	398.6	418.5	439.5	461.4	484.5	508.7	534.2	560.9
	MIN	0.0	355.8	238.0	249.8	262.3	275.4	289.2	303.6	318.8	334.8	351.6	369.1	387.6	406.9	427.3	448.7
	MAX	0.0	533.7	357.0	374.7	393.4	413.1	433.8	455.5	478.3	502.2	527.4	553.6	581.4	610.4	641.0	673.0
RH_LLW_I	VOL	0.0	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	4.8	2.8	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
	MIN	0.0	2.4	2.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MAX	0.0	7.2	3.3	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
BRKHVN	VOL	0.0	459.1	300.3	314.0	329.6	346.0	363.2	381.3	400.3	420.2	441.2	463.1	486.2	510.4	535.9	562.6
Totals	MIN	0.0	365.8	240.2	251.2	263.6	276.8	290.5	305.0	320.2	336.1	352.9	370.4	388.9	408.3	428.7	450.0
	MAX	0.0	552.3	360.3	376.8	395.5	415.2	435.8	457.5	480.3	504.2	529.4	555.7	583.4	612.4	643.0	675.1
Waste Generator: B_LEHR_DAV																	
CH_LLW_I	VOL	0.0	349.0	137.1	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	69.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	418.8	137.1	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	9.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	9.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-3

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 4a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
B_LEHR_DAV	VOL	0.0	358.9	138.2	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	73.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	428.7	138.2	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: EG&G																	
CH_LLW_I	VOL	0.0	155.6	27.1	27.1	27.1	27.1	27.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	93.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	311.2	54.2	54.2	54.2	54.2	54.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG&G	VOL	0.0	155.6	27.1	27.1	27.1	27.1	27.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	93.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	311.2	54.2	54.2	54.2	54.2	54.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: FERMI																	
CH_LLW_I	VOL	27.2	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3
	MIN	0.0	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1
	MAX	27.2	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6
CH_LLW_I	VOL	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MIN	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MAX	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
FERMI	VOL	27.2	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9
Totals	MIN	0.0	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4
	MAX	27.2	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8
Waste Generator: FUSRAP																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	217.6	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0	0.0
CH_LLW_III	VOL	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	3620.4	3620.4	3620.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-4

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
FUSRAP	VOL	3620.4	3620.4	3620.4	0.0	217.6	1903.7	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0
	MIN	3620.4	3620.4	3620.4	0.0	217.6	1903.7	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0
	MAX	3620.4	3620.4	3620.4	0.0	217.6	1903.7	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0
	Totals	3620.4	3620.4	3620.4	0.0	217.6	1903.7	1903.7	1903.7	1903.7	4351.3	2447.6	0.0	0.0	0.0
Waste Generator: GEN_ATOM															
CH_LIM_I	VOL	78.6	227.3	227.3	176.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	70.7	204.5	204.5	159.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	117.9	340.9	340.9	265.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RM_LIM_III	VOL	3.7	46.0	46.0	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	3.3	41.4	41.4	32.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.5	69.0	69.0	53.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_I	VOL	24.7	2.8	2.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	22.2	2.5	2.5	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	37.0	4.2	4.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: GEN_ATOM															
CH_LIM_I	VOL	107.0	276.1	276.1	214.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	96.3	248.4	248.4	193.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	160.5	414.1	414.1	322.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: HENF															
HAZ	VOL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
	MIN	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HENF	VOL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
	MIN	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: KAPL															
CH_LIM_III	VOL	0.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_III	VOL	0.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 6a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
KAPL Totals	VOL	0.0	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
	MIN	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
	MAX	0.0	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1
Waste Generator: KAPL_SHIPYDS																	
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
KAPL_SHIPYDS Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
Waste Generator: KEH_100																	
CH_LLW_I	VOL	0.0	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	53.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	36.9	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	671.4	839.3
	MIN	0.0	36.9	36.8	36.9	36.7	36.9	37.1	36.6	36.9	37.4	35.7	37.8	38.6	37.6	33.5	33.5
	MAX	0.0	40.5	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	671.4	839.3
KEH_100 Totals	VOL	0.0	125.1	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	671.4	839.3
	MIN	0.0	91.6	36.8	36.9	36.7	36.9	37.1	36.6	36.9	37.4	35.7	37.8	38.6	37.6	33.5	33.5
	MAX	0.0	128.7	46.1	57.7	72.1	90.1	112.6	140.8	176.0	220.0	275.0	343.8	429.7	537.1	671.4	839.3
Waste Generator: LBL																	
CH_LLW_I	VOL	0.0	163.6	149.3	38.8	39.5	40.2	2873.7	2873.7	2873.7	2873.7	2873.7	40.8	40.8	40.8	40.8	40.8
	MIN	0.0	163.6	149.3	38.8	39.5	40.2	1436.8	2873.7	2873.7	2873.7	2873.7	40.8	40.8	40.8	40.8	40.8
	MAX	0.0	163.6	149.3	38.8	39.5	40.2	2873.7	4310.5	4310.5	4310.5	4310.5	40.8	40.8	40.8	40.8	40.8
CH_LLW_III	VOL	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
	MIN	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
	MAX	0.0	18.2	16.6	4.3	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5

D-6

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 7a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: LBL																	
CH_LLW_I	VOL	0.0	6.5	6.6	6.8	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
	MIN	0.0	6.5	6.6	6.8	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
	MAX	0.0	6.5	6.6	6.8	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
CH_LLW_III	VOL	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MAX	0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
LBL	VOL	0.0	189.0	173.2	50.7	51.6	52.5	2886.0	2886.0	2886.0	2886.0	2886.0	53.1	53.1	53.1	53.1	53.1
Totals	MIN	0.0	189.0	173.2	50.7	51.6	52.5	1449.1	2886.0	2886.0	2886.0	2886.0	53.1	53.1	53.1	53.1	53.1
	MAX	0.0	189.0	173.2	50.7	51.6	52.5	2886.0	4322.8	4322.8	4322.8	4322.8	53.1	53.1	53.1	53.1	53.1
Waste Generator: MIT_BATES																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
MIT_BATES	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Waste Generator: PADUCAH_ES																	
CH_LLW_I	VOL	1998.3	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4
	MIN	0.0	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2
	MAX	1998.3	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6
CH_LLW_I	VOL	32.4	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0
	MIN	0.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0
	MAX	32.4	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0
PADUCAH_ES	VOL	2030.7	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4
Totals	MIN	0.0	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2
	MAX	2030.7	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6

D-7

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 8a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: PADUCAH_US																	
CH_LHM_I	VOL	926.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	926.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LHM_I	VOL	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PADUCAH_US Totals	VOL	951.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	951.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: PAST_PRAC_REM																	
CH_LHM_I	VOL	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
	MIN	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
	MAX	0.0	0.0	0.0	2256.3	1789.8	2126.3	2042.2	2095.7	2164.5	2669.4	2975.3	3319.5	3480.1	3480.1	3480.1	3319.5
CH_LHM_III	VOL	0.0	0.0	0.0	22.9	15.3	22.9	22.9	22.9	22.9	30.5	30.5	30.5	38.2	38.2	38.2	30.5
	MIN	0.0	0.0	0.0	22.9	15.3	22.9	22.9	22.9	22.9	30.5	30.5	30.5	38.2	38.2	38.2	30.5
	MAX	0.0	0.0	0.0	22.9	15.3	22.9	22.9	22.9	22.9	30.5	30.5	30.5	38.2	38.2	38.2	30.5
CH_LHM_GTCIII	VOL	0.0	0.0	0.0	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	61.1	76.4	76.4
	MIN	0.0	0.0	0.0	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	61.1	76.4	76.4
	MAX	0.0	0.0	0.0	30.5	30.5	91.7	45.8	15.3	107.0	137.6	91.7	61.1	61.1	61.1	76.4	76.4
CH_TRU	VOL	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9	305.9
	MIN	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9	305.9
	MAX	0.0	0.0	0.0	122.3	122.3	367.1	183.5	61.1	428.3	550.7	367.1	244.7	244.7	244.7	305.9	305.9
PAST_PRAC_REM Totals	VOL	0.0	0.0	0.0	2432.2	1958.0	2608.2	2294.6	2195.1	2722.9	3388.3	3464.8	3656.0	3824.3	3824.3	3900.8	3732.5
	MIN	0.0	0.0	0.0	2432.2	1958.0	2608.2	2294.6	2195.1	2722.9	3388.3	3464.8	3656.0	3824.3	3824.3	3900.8	3732.5
	MAX	0.0	0.0	0.0	2432.2	1958.0	2608.2	2294.6	2195.1	2722.9	3388.3	3464.8	3656.0	3824.3	3824.3	3900.8	3732.5
Waste Generator: PNL																	
CH_LHM_I	VOL	0.0	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6
	MIN	0.0	509.9	509.9	509.9	509.9	509.9	453.2	453.2	453.2	453.2	453.2	424.9	424.9	424.9	424.9	424.9
	MAX	0.0	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 9a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: PNL																	
CH_LLW_III	VOL	0.0	56.7	56.7	56.7	56.7	56.7	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5
	MIN	0.0	45.3	45.3	45.3	45.3	45.3	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0
	MAX	0.0	56.7	56.7	56.7	56.7	56.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7
RH_LLW_I	VOL	0.0	28.3	28.3	28.3	28.3	28.3	19.8	19.8	19.8	19.8	19.8	14.2	14.2	14.2	14.2	14.2
	MIN	0.0	19.8	19.8	19.8	19.8	19.8	15.8	15.8	15.8	15.8	15.8	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	28.3	28.3	28.3	28.3	28.3	21.7	21.7	21.7	21.7	21.7	17.0	17.0	17.0	17.0	17.0
RH_LLW_III	VOL	0.0	85.0	85.0	85.0	85.0	85.0	42.5	42.5	42.5	42.5	42.5	28.3	28.3	28.3	28.3	28.3
	MIN	0.0	76.5	76.5	76.5	76.5	76.5	38.2	38.2	38.2	38.2	38.2	19.8	19.8	19.8	19.8	19.8
	MAX	0.0	93.5	93.5	93.5	93.5	93.5	63.7	63.7	46.7	46.7	46.7	31.1	31.1	31.1	31.1	31.1
RH_LLW_GTCIII	VOL	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLMW_I	VOL	0.0	12.7	12.7	12.7	12.7	12.7	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
	MIN	0.0	6.3	6.3	6.3	6.3	6.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
	MAX	0.0	19.0	19.0	19.0	19.0	19.0	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
CH_LLMW_III	VOL	0.0	7.1	7.1	7.1	7.1	7.1	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
	MIN	0.0	3.5	3.5	3.5	3.5	3.5	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
	MAX	0.0	10.6	10.6	10.6	10.6	10.6	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7
RH_LLMW_I	VOL	0.0	0.4	0.4	0.4	0.4	0.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.4	0.4	0.4	0.4	0.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
RH_LLMW_III	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	MAX	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
RH_LLMW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6
CH_TRU	VOL	70.7	6.5	5.2	5.2	5.2	5.2	5.2	3.9	3.9	3.9	3.9	3.9	2.6	2.6	2.6	2.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	70.7	6.5	5.7	5.7	5.7	5.7	5.7	4.8	4.8	4.8	4.8	4.8	3.9	3.9	3.9	3.9
RH_TRU	VOL	5.0	4.8	3.7	3.7	3.7	3.7	3.7	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.0	4.8	3.7	3.7	3.7	3.7	3.7	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1

D-9

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 10a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: PNL																	
CH_TRUM	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRUM	VOL	0.0	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	0.0	0.0	0.0	0.0
PNL	VOL	76.5	774.2	771.8	771.8	771.8	771.8	723.4	720.5	720.5	720.5	720.5	700.7	695.2	695.2	695.2	695.2
Totals	MIN	0.0	662.2	662.2	662.2	662.2	662.2	554.8	554.8	554.8	554.8	554.8	503.5	503.5	503.5	503.5	503.5
	MAX	76.5	849.6	847.8	847.8	847.8	847.8	832.5	830.0	813.0	813.0	813.0	792.7	787.1	787.1	787.1	787.1
Waste Generator: PORTSMOUTH_ES																	
CH_LLW_I	VOL	0.0	368.3	368.3	368.3	368.3	368.3	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7
	MIN	0.0	368.3	368.3	368.3	368.3	368.3	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7
	MAX	0.0	441.9	441.9	441.9	441.9	441.9	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0
PORTSMOUTH_ES	VOL	0.0	368.3	368.3	368.3	368.3	368.3	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9
Totals	MIN	0.0	368.3	368.3	368.3	368.3	368.3	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9
	MAX	0.0	441.9	441.9	441.9	441.9	441.9	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6
Waste Generator: PORTSMOUTH_US																	
CH_LLW_I	VOL	1775.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1775.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	173.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	173.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_III	VOL	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-10

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 11a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
PORTSMOUTH_US	VOL	1989.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MAX	1989.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: PRINCETON

CH_LLW_I	VOL	0.0	170.0	283.3	566.6	566.6	283.3	170.0	170.0	170.0	170.0	170.0	170.0	283.3	566.6	566.6	283.3
	MIN	0.0	51.0	84.9	283.3	169.9	84.9	51.0	51.0	51.0	51.0	51.0	51.0	84.9	283.3	169.9	84.9
	MAX	0.0	221.0	566.6	736.5	736.5	368.2	221.0	221.0	221.0	221.0	221.0	221.0	368.2	736.5	736.5	368.2
CH_LLMW_I	VOL	0.0	0.6	1.4	5.7	5.7	1.4	0.6	0.6	0.6	0.6	0.6	0.6	1.4	5.7	5.7	1.4
	MIN	0.0	0.3	0.7	2.8	2.8	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.7	2.8	2.8	0.7
	MAX	0.0	1.2	2.8	11.4	11.4	2.8	1.2	1.2	1.2	1.2	1.2	1.2	2.8	11.4	11.4	2.8
PRINCETON	VOL	0.0	170.6	284.7	572.3	572.3	284.7	170.6	170.6	170.6	170.6	170.6	170.6	284.7	572.3	572.3	284.7
Totals	MIN	0.0	51.3	85.6	286.1	172.8	85.6	51.3	51.3	51.3	51.3	51.3	51.3	85.6	286.1	172.8	85.6
	MAX	0.0	222.2	569.4	747.9	747.9	371.0	222.2	222.2	222.2	222.2	222.2	222.2	371.0	747.9	747.9	371.0

Waste Generator: RKG_CANOGA

CH_LLW_I	VOL	21.4	366.7	144.5	287.0	386.7	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	330.0	115.6	229.6	309.3	54.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	21.4	366.7	173.4	344.4	464.0	81.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLMW_I	VOL	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RKG_CANOGA	VOL	37.2	366.7	144.5	287.0	386.7	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	330.0	115.6	229.6	309.3	54.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	37.2	366.7	173.4	344.4	464.0	81.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: STANFORD

CH_LLW_I	VOL	88.0	88.0	88.0	88.0	88.0	88.0	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2
	MIN	0.0	88.0	44.0	88.0	44.0	88.0	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2
	MAX	88.0	161.9	88.0	132.0	88.0	132.0	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8
CH_LLMW_I	VOL	4.8	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0
	MIN	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0
	MAX	4.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0

D-11

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 12a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
STANFORD	VOL	92.8	88.0	88.4	88.0	88.4	88.0	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2
Totals	MIN	0.0	88.0	44.2	88.0	44.2	88.0	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2
	MAX	92.8	161.9	88.8	132.0	88.8	132.0	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8

Waste Generator: TPNL_231Z

CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_231Z	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: TPNL_242B/BL

CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_242B/BL	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6

Waste Generator: TPNL_306W

CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-12

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 13a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TPNL_306H Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_314																	
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_314 Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_324																	
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LIM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LIM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-13

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 14a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TPNL_324																	
RL_LMW_111	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_324 Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_326																	
CH_LMW_1	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LMW_1	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RL_LMW_1	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HA2	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_326 Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_327																	
CH_LMW_1	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RL_LMW_1	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-14

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 15a

Waste Class		Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TPNL_327																	
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_TRUN	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_327 Totals																	
TPNL_327	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TPNL_331																	
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TPNL_331 Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_100N																	
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_100N Totals																	
TWHC_100N	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)

Page 16a

Waste Class	Yield	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_2228																
CH_ILM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_ILM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_ILM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_ILM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_242A																
CH_ILM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_ILM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_ILM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_242A	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals																

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_2428																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_LIM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_2428 Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_242T																
CH_LIM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_LIM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_242T Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_306																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 18a

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_306																
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_306	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_308																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_308	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_340																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_BPLANT																	
CH_LMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_BPLANT Totals		VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PEP																	
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRUH	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_PFP																
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PFP Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PUREX																
CH_LLM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: TWHC_PUREX																
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PUREX Totals																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PUREX_TW																
RH_ILM_I	VOL	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1022.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_ILM_I	VOL	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRU	VOL	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PUREX_TW Totals																
VOL	1961.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	1961.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	1961.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PX_C018H																
CH_ILM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_ILM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)**

Waste Class	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
THHC_PX_CO18H	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: THHC_TPLANT

CH_LHM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LHM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LHM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LHM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LHM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LHM_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: THWC_TRUSAF																
THWC_TPLANT	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: THWC_TRUSAF																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: THWC_TRUSAF																
THWC_TRUSAF	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: U_U																
CH_LIM_I	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
CH_LIM_I	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Waste Generator: U_U																
U_U	VOL	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Waste Generator: WHC_100*																
CH_LIM_I	VOL	0.0	318.4	318.4	318.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	318.4	318.4	233.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	318.4	318.4	233.4	190.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LIM_I	VOL	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LIM_I	VOL	0.0	11.3	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	11.3	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	11.3	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_100*																
HAZ																
	VOL	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	12.0	12.0	12.0	12.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_100*																
	VOL	0.0	400.4	341.7	256.7	214.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	400.4	341.7	256.7	214.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	400.4	341.7	256.7	214.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_1154_3000																
HAZ																
	VOL	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_1154_3000																
	VOL	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_1163																
HAZ																
	VOL	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MAX	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Waste Generator: WHC_1163																
	VOL	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MAX	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Waste Generator: WHC_1171M																
HAZ																
	VOL	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
	MIN	0.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7
	MAX	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
Waste Generator: WHC_1171M																
	VOL	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
	MIN	0.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7
	MAX	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 25a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_1171T																	
HAZ	VOL	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
	MIN	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WHC_1171T	VOL	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Totals	MIN	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Waste Generator: WHC_200_ETF																	
CH_LLM#_I	VOL	0.0	0.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0
	MIN	0.0	0.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
	MAX	0.0	0.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0
CH_LLM#_III	VOL	0.0	0.0	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2
	MIN	0.0	0.0	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1
	MAX	0.0	0.0	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3
HAZ	VOL	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	MAX	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
WHC_200_ETF	VOL	0.0	0.0	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5
Totals	MIN	0.0	0.0	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2
	MAX	0.0	0.0	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7	123.7
Waste Generator: WHC_2101M																	
HAZ	VOL	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
	MIN	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MAX	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
WHC_2101M	VOL	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
Totals	MIN	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	MAX	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2

D-25

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 26a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_2703E																	
HAZ	VOL	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MIN	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
WHC_2703E Totals	VOL	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MIN	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	MAX	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
Waste Generator: WHC_2715EA																	
HAZ	VOL	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MIN	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MAX	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
WHC_2715EA Totals	VOL	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MIN	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
	MAX	0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
Waste Generator: WHC_284E																	
HAZ	VOL	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
WHC_284E Totals	VOL	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	9.5	10.4	8.4	4.2	4.2	4.2	8.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_300_PWR																	
CH_LLW_I	VOL	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	1.4	1.4	1.4	1.4
	MIN	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.7	0.7	0.7	0.7
	MAX	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8

D-26

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 27a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
WHC_300_PNR	VOL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	1.4	1.4	1.4	1.4
Totals	MIN	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.7	0.7	0.7	0.7
	MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
Waste Generator: WHC_300_TEDF																	
CH_LLW_I	VOL	0.0	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3
	MIN	0.0	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1
	MAX	0.0	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4
CH_LLW_I	VOL	0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5
	MIN	0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5
	MAX	0.0	0.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0
WHC_300_TEDF	VOL	0.0	368.3	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8
Totals	MIN	0.0	184.1	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6
	MAX	0.0	552.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4
Waste Generator: WHC_305																	
HAZ	VOL	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MIN	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
WHC_305	VOL	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Totals	MIN	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	MAX	0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Waste Generator: WHC_306																	
HAZ	VOL	0.0	6.3	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
	MIN	0.0	5.9	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	MAX	0.0	6.6	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
WHC_306	VOL	0.0	6.3	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
Totals	MIN	0.0	5.9	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	MAX	0.0	6.6	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8

D-27

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Waste Class	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_325															
HAZ	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
VOL	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MIN	0.0	0.7	0.6	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
MAX	0.0	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Totals	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
HAZ	0.0	0.5	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOL	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	1.5	5.2	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Waste Generator: WHC_335															
HAZ	0.0	0.0	0.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VOL	0.0	0.0	0.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	1.5	5.2	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Waste Generator: WHC_3707C															
HAZ	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
MIN	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
MAX	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Waste Generator: WHC_3707B															
HAZ	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MIN	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MAX	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Waste Generator: WHC_3717B															
HAZ	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MIN	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MAX	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Waste Generator: WHC_3717A															
HAZ	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MIN	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
MAX	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_ANALYT_LAB																	
CH_LLW_I	VOL	0.0	503.5	420.8	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0
	MIN	0.0	453.1	378.7	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2
	MAX	0.0	553.8	462.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8
CH_LLW_III	VOL	0.0	5.8	4.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	MIN	0.0	5.2	4.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	MAX	0.0	6.3	5.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
CH_LLM_I	VOL	0.0	38.3	32.3	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
	MIN	0.0	34.4	29.0	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
	MAX	0.0	42.1	35.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5
CH_LLM_III	VOL	0.0	5.8	4.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	MIN	0.0	5.2	4.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	MAX	0.0	6.3	5.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
RH_LLM_III	VOL	0.0	3.4	2.4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
	MIN	0.0	3.0	2.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	MAX	0.0	3.7	2.6	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
RH_TRUM	VOL	0.0	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	MAX	0.0	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
HAZ	VOL	0.0	3.3	2.8	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
	MIN	0.0	2.9	2.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
	MAX	0.0	3.6	3.0	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
WHC_ANALYT_LAB	VOL	0.0	560.4	468.2	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0
Totals	MIN	0.0	504.3	421.3	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5
	MAX	0.0	616.4	515.0	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5
Waste Generator: WHC_BQUIP																	
CH_LLM_I	VOL	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
	MIN	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
	MAX	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
WHC_BQUIP	VOL	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
Totals	MIN	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0
	MAX	0.0	326.3	368.3	170.0	170.0	352.7	352.7	352.7	352.7	226.6	226.6	226.6	339.9	339.9	339.9	170.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
 (In cubic meters)

Waste Class	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC B PLANT	CH_LTM_I	VOL	255.0	243.6	204.0	192.6	181.3	170.0	158.6	147.3	136.0	124.6	113.3	113.3	141.6	113.3
		MIN	0.0	170.8	160.7	153.0	144.4	135.9	127.5	118.9	102.0	93.4	84.9	84.9	84.9	84.9
		MAX	5.4	326.4	311.8	255.0	240.7	226.6	212.5	198.2	184.1	155.7	141.6	141.6	141.6	141.6
	CH_LTM_III	VOL	0.0	18.4	17.6	16.7	15.9	15.0	14.2	13.3	12.5	11.6	10.8	9.9	9.9	9.9
		MIN	0.0	13.8	13.2	12.5	11.9	11.2	10.6	9.9	9.3	8.7	8.1	7.4	7.4	7.4
		MAX	0.0	23.0	22.0	20.8	19.8	18.7	17.7	16.6	15.6	14.5	13.5	12.3	12.3	12.3
	RH_LTM_III	VOL	0.0	99.2	105.5	105.5	105.5	105.5	6.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5
		MIN	0.0	0.0	52.7	52.7	52.7	4.8	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
		MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	CH_LTM_I	VOL	0.3	2.8	2.7	2.5	2.4	2.3	2.1	2.0	1.7	1.6	1.4	1.4	1.4	1.4
Waste Generator: WHC DST_PSRRT	CH_LTM_I	VOL	0.3	2.7	2.5	2.4	2.3	2.1	2.0	1.8	1.6	1.4	1.4	1.4	1.4	1.4
		MIN	0.0	2.1	1.8	1.8	1.7	1.5	1.3	1.2	1.2	1.0	1.0	1.0	1.0	1.0
		MAX	0.3	3.5	3.3	3.1	3.0	2.8	2.6	2.5	2.2	2.0	1.7	1.7	1.7	1.7
	RH_LTM_III	VOL	0.0	0.0	1.1	1.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MIN	0.0	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX	0.0	0.0	2.2	2.2	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAZ	VOL	2.7	8.5	8.1	7.6	6.8	6.4	5.9	5.5	5.1	4.7	4.2	4.2	4.2	4.2
		MIN	0.0	6.3	6.0	5.7	5.4	4.8	4.4	4.1	3.8	3.5	3.1	3.1	3.1	3.1
		MAX	2.7	10.6	10.1	9.5	9.0	8.5	8.0	7.3	6.8	6.3	5.8	5.2	5.2	5.2
	WHC_B_PLANT Totals	VOL	8.4	383.9	378.6	337.4	324.7	312.0	200.2	183.3	170.6	157.9	145.2	132.3	132.3	132.3
Waste Generator: WHC DST_PSRRT		MIN	0.0	193.1	234.8	226.4	216.8	207.3	149.8	137.4	127.9	118.4	108.9	99.2	99.2	99.2
		MAX	8.4	512.3	507.7	448.9	432.5	416.6	250.5	229.1	213.2	197.3	181.5	165.3	165.3	165.3
	CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
		MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
		MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
	WHC_DST_PSRRT Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
		MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
		MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
	Waste Generator: WHC B PLANT															
	Waste Generator: WHC DST_PSRRT															

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 31a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_DST_RET																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73.4	75.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.7	37.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146.8	150.0
RH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.7	44.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	22.3
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89.4	89.4
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_DST_RET Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.1	119.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.0	59.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	236.2	239.4
Waste Generator: WHC_EA_W112																	
CH_TRU	VOL	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_EA_W112 Totals	VOL	0.0	38.3	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	38.3	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	38.3	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_FED																	
HAZ	VOL	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-31

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 32a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
WHC_FYD	VOL	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_FFTF_MAIN																	
CH_LLW_I	VOL	0.0	14.4	14.4	14.4	14.4	14.4	14.4	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	7.2	7.2	7.2	7.2	7.2	7.2	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	21.6	21.6	21.6	21.6	21.6	21.6	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLW_III	VOL	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_FFTF_MAIN	VOL	0.0	33.5	33.5	33.5	17.6	17.6	17.6	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	26.3	26.3	26.3	10.4	10.4	10.4	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	43.9	43.9	43.9	28.0	28.0	28.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_FMEF																	
HAZ	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
WHC_FMEF	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Totals	MIN	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	MAX	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Waste Generator: WHC_FUEL_DEV																	
CH_LLW_I	VOL	0.0	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-32

WHC-EP-0865

[illegible]

D-33

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 34a

Waste Class	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_HLVP																
CH_LWM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	449.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	899.4
CH_LWM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	810.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1620.4
RH_LWM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	253.8
CH_LWM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.4
CH_LWM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.6
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.2
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.8
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.2
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	112.2
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4
WHC_HLVP Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1657.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3315.4

D-34

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 35a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_K_BASIN																	
CH_LLW_I	VOL	0.0	264.5	261.5	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3
	MIN	0.0	238.0	235.3	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4
	MAX	0.0	290.9	287.6	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3
RH_LLW_I	VOL	0.0	5.9	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	5.3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
	MAX	0.0	6.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
CH_LIMW_I	VOL	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	1.2	1.2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	MAX	0.0	1.5	1.5	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
RH_TRU	VOL	0.0	67.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	60.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	74.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	2.8	2.8	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	MIN	0.0	2.5	2.5	1.8	1.8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	MAX	0.0	3.0	3.0	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
WHC_K_BASIN Totals	VOL	0.0	342.3	267.1	144.2	144.2	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5
	MIN	0.0	308.0	240.2	115.5	115.5	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6
	MAX	0.0	376.5	293.6	144.2	144.2	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5
Waste Generator: WHC_LAUNDRY																	
CH_LLW_I	VOL	0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3
	MIN	0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3
	MAX	0.0	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6
HAZ	VOL	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MIN	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	MAX	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WHC_LAUNDRY Totals	VOL	0.0	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6
	MIN	0.0	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6
	MAX	0.0	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9

D-35

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 36a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_LLBG																	
CH_LLW_I	VOL	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
	MIN	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
	MAX	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
CH_LLW_I	VOL	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
	MIN	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
	MAX	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
WHC_LLBG Totals	VOL	0.0	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7
	MIN	0.0	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7
	MAX	0.0	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7
Waste Generator: WHC_LLVP																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	425.4	425.4	425.4	425.4	425.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	212.7	212.7	212.7	212.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	850.8	850.8	850.8	850.8	850.8
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	141.8	141.8	141.8	141.8	141.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.9	70.9	70.9	70.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.6	283.6	283.6	283.6	283.6
RH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.8	21.8	21.8	21.8	21.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	10.9	10.9	10.9
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6	43.6	43.6	43.6	43.6
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.8	6.8	6.8	6.8
WHC_LLVP Totals	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	595.0	595.0	595.0	595.0	595.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.5	297.5	297.5	297.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1190.0	1190.0	1190.0	1190.0	1190.0

D-36

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_PFP																
CH_LTM_I	VOL	277.6	277.6	277.6	277.6	277.6	277.6	277.6	312.7	277.6	279.0	277.6	280.3	277.6	277.6	277.6
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	854.7	832.8	832.8	832.8	832.8	832.8	938.1	832.8	832.8	837.0	832.8	840.9	832.8	832.8	832.8
CH_LTM_III	VOL	0.0	190.3	91.7	67.5	67.5	67.5	70.1	67.5	67.5	68.8	143.1	165.2	67.5	67.5	67.5
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	190.3	190.3	91.7	67.5	67.5	67.5	70.1	67.5	67.5	68.8	143.1	165.2	67.5	67.5	67.5
CH_LTM_I	VOL	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2	126.2
CH_LTM_III	VOL	14.6	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	3.9	10.7	8.1	2.9	2.9	2.9
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	14.6	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	3.9	10.7	8.1	2.9	2.9	2.9
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LTM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	VOL	0.0	82.9	74.0	74.0	74.0	74.0	74.0	74.0	74.0	79.2	231.0	377.2	74.0	74.0	74.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	82.9	82.9	74.0	74.0	74.0	74.0	74.0	74.0	74.0	79.2	231.0	377.2	74.0	74.0	74.0
CH_TRUM	VOL	0.0	22.9	22.9	22.9	22.9	22.9	22.9	22.9	22.9	23.9	31.2	28.1	22.9	22.9	22.9
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	22.9	22.9	22.9	22.9	22.9	22.9	22.9	22.9	22.9	23.9	31.2	28.1	22.9	22.9	22.9
HAZ	VOL	0.0	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9	44.9
WHC_PFP Totals	VOL	0.0	766.7	640.2	644.9	616.0	616.0	616.0	653.7	616.0	625.9	864.7	1030.0	616.0	616.0	616.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1394.9	1207.0	1211.7	1182.8	1182.8	1182.8	1182.8	1290.7	1182.8	1199.5	1462.7	1623.0	1182.8	1182.8	1182.8
Waste Generator: WHC_PPREPT_TM																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LTM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_PRETRT_TW															
RU_LLM_III	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	14.5	14.5	14.5	14.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	7.2	7.2	7.2	7.2
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.0	29.0	29.0	29.0	29.0
CH_LLM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6
CH_LLM_III	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0
HA2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2
Waste Generator: WHC_PUREX															
CH_LLM_I	0.0	223.0	113.3	113.3	113.3	0.0	0.0	0.0	0.0	0.0	301.0	301.0	301.0	301.0	301.0
MIN	0.0	111.5	56.6	56.6	56.6	0.0	0.0	0.0	0.0	0.0	150.5	150.5	150.5	150.5	150.5
MAX	0.0	334.5	226.6	226.6	226.6	0.0	0.0	0.0	0.0	0.0	602.0	602.0	602.0	602.0	602.0
CH_LLM_III	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_I	0.0	17.2	23.5	15.7	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	8.6	11.7	7.8	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	25.8	47.0	31.4	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_III	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRU	0.0	16.9	1.3	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	8.4	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	25.3	2.6	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 39a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_PUREX																	
CH_TRUM	VOL	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	4.2	4.8	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	2.1	2.4	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	6.3	7.2	6.3	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_PUREX Totals	VOL	0.0	262.4	143.5	137.2	127.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	130.9	71.4	68.4	63.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	393.9	284.6	275.4	255.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_PUREX_SM																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6	22.6
	MIN	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
	MAX	0.0	0.0	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
CH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
	MAX	0.0	0.0	0.0	0.0	0.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
CH_LLMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	MAX	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
WHC_PUREX_SM Totals	VOL	0.0	0.0	0.0	0.0	0.0	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
	MIN	0.0	0.0	0.0	0.0	0.0	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7
	MAX	0.0	0.0	0.0	0.0	0.0	51.1	51.1	51.1	51.1	51.1	51.1	51.1	51.1	51.1	51.1	51.1

D-39

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
HAZ	VOL	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	HIN	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	HAX	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	MIN	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
	Totals	0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
Waste Generator: WHC_8300																	
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_SODIUM_FAC																	
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_SODIUM_FAC																	
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_88T_ITE																	
CH_LTM_III	VOL	0.0	46.4	223.0	598.7	369.4	494.2	544.8	643.0	743.4	797.3	1815.2	1651.3	1934.5	2250.0	2205.6	2633.5
	HIN	0.0	39.4	189.5	508.9	313.9	420.0	463.0	546.5	631.8	677.7	1542.9	1403.6	1644.3	1912.5	1874.7	2238.4
	HAX	0.0	51.0	245.3	658.5	406.3	543.6	599.2	707.3	817.7	877.0	1996.7	1816.4	2127.9	2475.0	2426.1	2896.8
	MIN	0.0	39.4	189.5	508.9	313.9	420.0	463.0	546.5	631.8	677.7	1542.9	1403.6	1644.3	1912.5	1874.7	2238.4
	Totals	0.0	46.4	223.0	598.7	369.4	494.2	544.8	643.0	743.4	797.3	1815.2	1651.3	1934.5	2250.0	2205.6	2633.5
Waste Generator: WHC_88T_ITE																	
WHC_SODIUM_FAC	VOL	0.0	0.0	2.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HIN	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	HAX	0.0	0.0	5.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	2.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 41a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_SST_RET																	
CH_LLW_I	VOL	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	10.9	10.9	14.5	18.1	18.1	25.4
	MIN	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	9.8	9.8	13.0	16.2	16.2	22.8
	MAX	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	11.9	11.9	15.9	19.9	19.9	27.9
CH_LLW_I	VOL	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	8.7	8.7	11.6	14.5	14.5	20.3
	MIN	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	6.9	6.9	9.2	11.6	11.6	16.2
	MAX	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	8.7	8.7	11.6	14.5	14.5	20.3
CH_LLW_III	VOL	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	13.1	13.1	17.4	21.8	21.8	30.5
	MIN	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.4	13.9	17.4	17.4	24.4
	MAX	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	13.1	13.1	17.4	21.8	21.8	30.5
WHC_SST_RET	VOL	0.0	0.0	0.0	10.9	0.0	0.0	0.0	0.0	0.0	0.0	32.7	32.7	43.5	54.4	54.4	76.2
Totals	MIN	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	27.2	27.2	36.2	45.3	45.3	63.5
	MAX	0.0	0.0	0.0	11.2	0.0	0.0	0.0	0.0	0.0	0.0	33.7	33.7	44.9	56.2	56.2	78.7
Waste Generator: WHC_SURPLS_FAC																	
CH_LLW_I	VOL	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7
	MIN	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7
	MAX	0.0	2039.7	1603.4	3688.4	416.4	1246.5	8215.3	15368.3	60617.6	80178.5	107515.6	153767.7	165410.8	179886.7	108441.9	38073.7
CH_LLW_III	VOL	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
	MIN	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
	MAX	0.0	0.0	5.7	5.7	0.0	11.3	1218.1	1133.1	2832.9	4249.3	8243.6	8781.9	12747.9	16997.2	12747.9	11048.2
CH_LLW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
RH_LLW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	283.3	849.9	1416.4	2549.6	3399.4	5382.4	7365.4	7082.2	6515.6
CH_LLW_I	VOL	0.0	29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	29.7	5.7	5.7	0.0	28.3	1.4	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	5.7	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6

D-41

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 42a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_SURPLS_FAC																	
CH_LLMW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
RH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
RH_LLMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
RH_LLMW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3	28.3	28.3	85.0	85.0	141.6	141.6	141.6	141.6
CH_TRU	VOL	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
	MIN	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
	MAX	0.0	8.5	297.5	0.0	0.0	0.0	141.6	2.8	5.7	5.7	11.3	113.3	113.3	113.3	113.3	113.3
RH_TRU	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_TRUM	VOL	0.0	0.0	2.8	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3	113.3	113.3	113.3
	MIN	0.0	0.0	2.8	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3	113.3	113.3	113.3
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	56.7	2.8	2.8	2.8	11.3	28.3	113.3	113.3	113.3	113.3
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	113.3	113.3	113.3	85.0	56.7
HAZ	VOL	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
	MIN	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
	MAX	0.0	8.5	11.3	11.3	11.3	14.2	36.8	150.1	198.3	311.6	566.6	566.6	566.6	424.9	283.3	141.6
WHC_SURPLS_FAC Totals	VOL	0.0	2086.4	1929.2	3711.1	427.7	1306.0	9669.9	17393.5	65526.9	87750.5	122070.9	170679.9	190679.6	213229.1	136798.7	63427.6
	MIN	0.0	2086.4	1929.2	3711.1	427.7	1306.0	9669.9	17393.5	65526.9	87750.5	122070.9	170679.9	190679.6	213229.1	136798.7	63427.6
	MAX	0.0	2086.4	1929.2	3711.1	427.7	1306.0	9669.9	17393.5	65526.9	87750.5	122070.9	170679.9	190679.6	213229.1	136798.7	63427.6

D-42

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_TF_OPER																	
CH_LLW_I	VOL	0.0	271.7	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9
	MIN	0.0	163.0	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3
	MAX	0.0	1132.9	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4
CH_LLW_I	VOL	0.0	119.0	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9
	MIN	0.0	95.2	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7
	MAX	0.0	119.0	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9
CH_LLW_III	VOL	0.0	51.0	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1
	MIN	0.0	40.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8
	MAX	0.0	51.0	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1
HAZ	VOL	0.0	34.3	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8
	MIN	0.0	27.4	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2
	MAX	0.0	34.3	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8
WHC_TF_OPER Totals	VOL	0.0	476.0	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7
	MIN	0.0	326.4	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1
	MAX	0.0	1337.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2
Waste Generator: WHC_TRUSAF																	
CH_LLW_I	VOL	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	2.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_I	VOL	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TRUSAF Totals	VOL	0.0	1.0	2.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.0	2.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	2.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W028																	
CH_LLW_I	VOL	0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	29.6	25.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-43

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_TWP_W030																
WHC_TWP_W028	VOL	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	29.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W030																
CH_LUM_I	VOL	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	56.6	39.6	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TWP_W030	VOL	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	28.3	19.8	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	56.6	39.6	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W058																
CH_LUM_I	VOL	0.0	35.4	184.1	148.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	26.5	138.0	111.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	44.2	230.1	185.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WHC_TWP_W058	VOL	0.0	35.4	184.1	148.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals	MIN	0.0	26.5	138.0	111.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	44.2	230.1	185.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W151																
CH_LUM_I	VOL	0.0	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LUM_III	VOL	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LUM_III	VOL	0.0	116.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	104.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	127.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 45a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
WHC_TWP_W151	VOL	0.0	130.8	0.0	0.0	0.0	0.0	0.0	111.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	111.8	0.0	0.0	0.0	0.0	0.0	109.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	157.2	0.0	0.0	0.0	0.0	0.0	116.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W211																	
CH_LLW_I	VOL	0.0	0.0	99.2	198.3	99.2	99.2	198.3	198.3	198.3	198.3	99.2	99.2	198.3	99.2	99.2	99.2
	MIN	0.0	0.0	49.6	99.1	49.6	49.6	99.1	99.1	99.1	99.1	49.6	49.6	99.1	49.6	49.6	49.6
	MAX	0.0	0.0	99.2	198.3	99.2	99.2	198.3	198.3	198.3	198.3	99.2	99.2	198.3	99.2	99.2	99.2
RH_LLW_III	VOL	0.0	0.0	0.0	14.2	14.2	14.2	28.3	28.3	28.3	28.3	14.2	14.2	28.3	14.2	14.2	14.2
	MIN	0.0	0.0	0.0	7.1	7.1	7.1	14.1	14.1	14.1	14.1	7.1	7.1	14.1	7.1	7.1	7.1
	MAX	0.0	0.0	0.0	14.2	14.2	14.2	28.3	28.3	28.3	28.3	14.2	14.2	28.3	14.2	14.2	14.2
WHC_TWP_W211	VOL	0.0	0.0	99.2	212.5	113.4	113.4	226.6	226.6	226.6	226.6	113.4	113.4	226.6	113.4	113.4	113.4
	MIN	0.0	0.0	49.6	106.2	56.7	56.7	113.3	113.3	113.3	113.3	56.7	56.7	113.3	56.7	56.7	56.7
	Totals	0.0	0.0	99.2	212.5	113.4	113.4	226.6	226.6	226.6	226.6	113.4	113.4	226.6	113.4	113.4	113.4
Waste Generator: WHC_TWP_W314																	
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	24.0	41.0	104.3	116.4	75.3	75.3	12.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0	0.0
WHC_TWP_W314	VOL	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	24.0	41.0	104.3	116.4	75.3	75.3	12.0	0.0	0.0	0.0	0.0	0.0
	Totals	0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_TWP_W320																	
CH_LLW_I	VOL	0.0	46.1	31.6	92.4	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	18.4	12.6	36.9	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	92.2	63.2	184.8	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLW_III	VOL	0.0	40.2	29.0	200.5	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	40.2	29.0	200.5	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

D-45

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Waste Class	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC_TWP_W320																
VOL	0.0	86.3	60.6	292.9	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	34.5	24.2	117.1	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	132.4	92.2	385.3	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals																
Waste Generator: WHC_TWP_W340																
CH_LLM_I	0.0	0.0	0.0	0.0	0.0	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	5.2	5.2	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_LLM_I	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals																
WHC_TWP_W340	0.0	0.0	0.0	0.0	0.0	2.6	8.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	5.2	12.8	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_T PLANT																
CH_LLM_I	0.0	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2
MIN	0.0	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3
MAX	0.0	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4
RH_LLM_I	0.0	14.2	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	14.2	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_I	0.0	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1
MIN	0.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
MAX	0.0	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2
RH_LLM_I	0.0	14.2	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	14.2	14.2	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RH_TRUM	0.0	0.0	0.0	7.1	7.1	7.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	14.2	14.2	14.2	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HAZ	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
MIN	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
MAX	0.0	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)

Waste Class	Hold	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
WHC T PLANT	VOL	0.0	51.1	51.1	58.2	58.2	58.2	58.2	22.7	22.7	22.7	22.7	22.7	22.7	22.7	22.7
	MIN	0.0	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6
	MAX	0.0	73.1	73.1	87.3	87.3	87.3	87.3	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7
Waste Generator: WHC WASTE_NEUT																
CH_TLM_I	VOL	13.5	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7
	MIN	0.0	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
	MAX	13.5	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4
CH_TLM_III	VOL	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
CH_TLM_I	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	MAX	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
WHC_WASTE_NEUT	VOL	13.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5
	MIN	0.0	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	MAX	13.5	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
Waste Generator: WHC_WELL_DRL																
CH_TLM_I	VOL	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
CH_TLM_I	VOL	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
HAZ	VOL	0.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0
WHC_WELL_DRL	VOL	0.0	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 48a

Waste Class		Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Grand Totals	VOL	7207.0	14973.1	14309.3	18865.1	10778.9	12214.3	24850.8	33001.4	81111.8	103669.9	141175.2	185795.7	204412.5	227185.1	151056.6	79374.8
	MIN	1961.2	11330.3	10766.5	15329.3	7200.3	8467.0	18376.7	29196.9	77751.5	100587.0	138182.9	182222.1	200696.9	223699.3	147252.8	73880.7
	MAX	7207.0	19691.9	19471.3	23251.6	14804.4	16826.8	30648.3	37936.8	85722.5	108233.3	146133.8	189937.8	208602.0	231491.1	155464.7	85418.5

D-48

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 1b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: AMES																		
CH_LLW_I	VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	97.5	98.7
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	40.9	99.6
	MAX	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	138.4	98.7
CH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2
CH_TRUM	VOL	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2
AMES	VOL	1.6	1.6	1.6	1.6	1.8	1.6	1.6	1.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	98.7	100.0
Totals	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	41.1	100.0
	MAX	2.4	2.4	2.4	2.4	2.8	2.4	2.4	2.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	140.2	100.0
Waste Generator: ANL_E																		
CH_LLW_I	VOL	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	212.5	9757.6	87.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	657.0	100.0
	MAX	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	637.5	29272.8	87.1
RH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.6	0.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	106.8	0.3
CH_LLMW_I	VOL	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	1161.7	10.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	42.3	3485.1	10.3
CH_TRU	VOL	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	184.0	1.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	17.1	552.0	1.6
RH_TRU	VOL	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	51.0	0.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	153.0	0.4

D-49

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 2b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: ANL_E																		
CH_TRUM	VOL	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	22.5	0.0
ANL_E Totals	VOL	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	11197.4	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	657.0	100.0
	MAX	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	702.6	33592.2	100.0
Waste Generator: BAPL																		
CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	153.4	43.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.8	29.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	153.4	43.9
CH_LLW_I	VOL	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	195.3	56.0
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	97.6	71.0
	MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	195.3	56.0
BAPL Totals	VOL	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	348.7	100.0
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	137.5	100.0
	MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	348.7	100.0
Waste Generator: BAPL_SHIPYDS																		
CH_LLW_I	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	100.0
BAPL_SHIPYDS Totals	VOL	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	100.0
Waste Generator: BAT_CLBS_LAB																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1501.4	92.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.0	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1501.4	92.5

D-50

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: BAT_CIBS_TAB	CH_LIM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4
	RM_TRU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: BRKGVN	CH_LIM_I	589.0	618.4	649.3	681.8	715.9	751.7	789.2	828.7	870.1	913.7	959.3	1007.3	1057.7	1110.6	1166.1	1898.0
	MIN	471.2	494.7	519.4	545.4	572.7	601.3	631.3	662.9	696.0	730.9	767.4	805.8	846.1	888.4	932.8	1518.6
	MAX	706.8	742.0	779.1	818.1	859.0	902.0	947.0	994.4	1044.1	1096.4	1151.1	1208.7	1269.2	1332.7	1399.3	22779.6
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5
	RM_LIM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VOL	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	55.2
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	42.7
	MAX	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	67.6
Waste Generator: B_IHR_DAV	CH_LIM_I	590.7	620.1	651.0	683.5	717.6	753.4	790.9	830.4	871.8	915.4	961.0	1009.0	1059.4	1112.3	1167.8	19047.7
	MIN	472.5	496.0	520.8	546.8	574.0	602.7	632.7	664.3	697.4	732.3	768.8	807.2	847.5	889.8	934.2	15236.7
	MAX	708.8	744.1	781.2	820.2	861.1	904.0	949.0	996.4	1046.1	1098.4	1153.2	1210.8	1271.2	1334.7	1401.3	22858.6
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
	RM_LIM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: B_IHR_DAV	CH_LIM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	RM_LIM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)**

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
B LEHR DAV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1846.9 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73.7 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1916.7 100.0
	Totals															
Waste Generator: EG&G																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	291.1 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.3 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	582.2 100.0
	Totals															
Waste Generator: EG&G																
K&G	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	291.1 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.3 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	582.2 100.0
	Totals															
Waste Generator: FERM1																
CH_LTM_I	VOL	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	44.3	1356.2 94.5
	MIN	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	22.1	664.5 94.4
	MAX	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	88.6	2685.2 94.5
	Totals															
CH_LTM_I	VOL	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0 5.4
	MIN	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0 5.5
	MAX	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0 5.4
	Totals															
Waste Generator: FERM1																
FERM1	VOL	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	1434.2 100.0
	MIN	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	703.5 100.0
	MAX	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	93.8	2841.2 100.0
	Totals															
Waste Generator: FUSRAP																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6 22.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6 22.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12727.6 22.1
	Totals															
CH_LTM_III	VOL	0.0	3162.7	3162.7	0.0	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0 77.8
	MIN	0.0	3162.7	3162.7	0.0	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0 77.8
	MAX	0.0	3162.7	3162.7	0.0	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44722.0 77.8
	Totals															

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: GEN_ATOM																
FUSRAP	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57449.6 100.0
Totals	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57449.6 100.0
Waste Generator: GEN_ATOM																
CH_LHM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	710.0 81.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	639.0 81.2
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1065.0 81.2
RH_LHM_III	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	131.5 15.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.3 15.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	197.2 15.0
CH_LHM_I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.5 3.7
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2 3.7
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.7 3.7
Waste Generator: GEN_ATOM																
GEN_ATOM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	874.0 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	786.6 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1311.0 100.0
Waste Generator: HEHF																
HAZ	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.0 100.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.4 100.0
MAX	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
Waste Generator: HEHF																
HEHF	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.0 100.0
MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.4 100.0
MAX	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
Waste Generator: KAPL																
CH_LHM_I	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0 66.6
MIN	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0 100.0
MAX	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	420.0 86.9
CH_LHM_III	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0 33.3
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	63.0 13.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 6b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
KAPL	VOL	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	126.0	100.0
Totals	MIN	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0	100.0
	MAX	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	483.0	100.0

Waste Generator: KAPL_SHIPYDS

CH_LLW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0
KAPL_SHIPYDS	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0

Waste Generator: KEH_100

CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.9	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.8	4.7
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.9	0.0
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	0.0
HAZ	VOL	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119123.4	99.9
	MIN	41.9	39.3	32.7	40.9	25.6	32.0	36.0	35.0	37.5	39.0	39.0	36.6	30.5	38.1	23.8	1078.1	95.1
	MAX	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119127.0	99.9
KEH_100	VOL	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119211.6	100.0
Totals	MIN	41.9	39.3	32.7	40.9	25.6	32.0	36.0	35.0	37.5	39.0	39.0	36.6	30.5	38.1	23.8	1132.8	100.0
	MAX	1049.1	1311.4	1639.2	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23854.2	119215.2	100.0

Waste Generator: LBL

CH_LLW_I	VOL	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	15615.9	97.5
	MIN	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	14179.0	97.3
	MAX	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	40.8	21363.3	98.1
CH_LLW_III	VOL	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	1.0
	MIN	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	1.1
	MAX	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	160.5	0.7

D-54

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 7b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: LBL																		
CH_LLMW_I	VOL	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8	1.3
	MIN	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8	1.4
	MAX	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	208.8	0.9
CH_LLMW_III	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.1
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.1
	MAX	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	23.8	0.1
LBL Totals	VOL	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	16009.0	100.0
	MIN	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	14572.1	100.0
	MAX	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	21756.4	100.0
Waste Generator: MIT_BATES																		
CH_LLMW_I	VOL	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5	100.0
	MIN	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5	100.0
	MAX	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	3.0	100.0
MIT_BATES Totals	VOL	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5	100.0
	MIN	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5	100.0
	MAX	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	3.0	100.0
Waste Generator: PADUCAH_ES																		
CH_LLMW_I	VOL	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	156.4	6690.3	56.5
	MIN	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	78.2	2346.0	47.9
	MAX	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	234.6	9036.3	54.0
CH_LLMW_II	VOL	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	170.0	5132.4	43.4
	MIN	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	2550.0	52.0
	MAX	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	255.0	7692.4	45.9
PADUCAH_ES Totals	VOL	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	11822.7	100.0
	MIN	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	163.2	4896.0	100.0
	MAX	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	489.6	16718.7	100.0

D-55

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 8b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: PADUCAH_US																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	926.3	97.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	926.3	97.3
CH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1	2.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1	2.6
PADUCAH_US	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	951.4	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	951.4	100.0
Waste Generator: PAST_PRAC_REM																		
CH_LLW_I	VOL	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2	85.7
	MIN	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2	85.7
	MAX	2669.4	1835.6	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	1154.9	0.0	0.0	0.0	0.0	0.0	0.0	47789.2	85.7
CH_LLMW_III	VOL	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.9
	MIN	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.9
	MAX	30.5	15.3	15.3	15.3	15.3	15.3	15.3	15.3	15.3	0.0	0.0	0.0	0.0	0.0	0.0	520.1	0.9
CH_LLMW_GTCIII	VOL	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1483.8	2.6
	MIN	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1483.8	2.6
	MAX	76.4	76.4	61.1	61.1	61.1	61.1	45.8	45.8	30.5	30.5	15.3	15.3	15.3	0.0	0.0	1483.8	2.6
CH_TRU	VOL	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	10.6
	MIN	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	10.6
	MAX	305.9	305.9	244.7	244.7	244.7	244.7	183.5	183.5	122.3	122.3	61.1	61.1	61.1	0.0	0.0	5935.4	10.6
PAST_PRAC_REM	VOL	3082.4	2233.4	1476.2	1476.2	1476.2	1476.2	1399.7	1399.7	1323.2	152.9	76.4	76.4	76.4	0.0	0.0	55728.6	100.0
Totals	MIN	3082.4	2233.4	1476.2	1476.2	1476.2	1476.2	1399.7	1399.7	1323.2	152.9	76.4	76.4	76.4	0.0	0.0	55728.6	100.0
	MAX	3082.4	2233.4	1476.2	1476.2	1476.2	1476.2	1399.7	1399.7	1323.2	152.9	76.4	76.4	76.4	0.0	0.0	55728.6	100.0
Waste Generator: PNL																		
CH_LLW_I	VOL	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	566.6	16998.0	80.0
	MIN	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	368.2	12465.2	81.6
	MAX	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	623.2	18697.8	78.6

D-56

MHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 9b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: FNL																		
CH_LLW_III	VOL	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	42.5	1346.0	6.3
	MIN	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	1045.0	6.8
	MAX	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	1452.2	6.1
RH_LLW_I	VOL	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	524.5	2.4
	MIN	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	405.4	2.6
	MAX	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	591.2	2.4
RH_LLW_III	VOL	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	1203.5	5.6
	MIN	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	969.9	6.3
	MAX	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	1357.8	5.7
RH_LLW_GTCIII	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
CH_LLW_I	VOL	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	488.5	2.3
	MIN	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	244.2	1.6
	MAX	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	732.7	3.0
CH_LLW_III	VOL	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	248.0	1.1
	MIN	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	124.0	0.8
	MAX	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	372.0	1.5
RH_LLW_I	VOL	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	19.5	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	19.5	0.0
RH_LLW_III	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0	0.2
	MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.0	0.1
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0	0.1
RH_LLW_GTCIII	VOL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	129.5	0.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	242.5	1.0
CH_TRU	VOL	2.6	2.6	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146.1	0.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	3.1	3.1	3.1	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	161.4	0.6
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.2	0.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.2	0.2

D-57

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: FNL																
CH_TRUM																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.0
RI_TRUM																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.2 0.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.8 0.2
FNL	682.9	682.9	682.9	682.9	682.9	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	21242.3 100.0
MIN	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	444.7	15274.8 100.0
MAX	762.7	762.7	762.7	762.7	762.7	759.6	759.6	759.6	759.6	759.6	759.6	759.6	759.6	759.6	759.6	21770.5 100.0
Waste Generator: PORTSMOUTH_ES																
CH_LLW_I																
VOL	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	15479.8 70.5
MIN	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	674.7	15479.8 70.5
MAX	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	809.6	19428.6 70.3
CH_LLW_I																
VOL	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	6448.4 29.4
MIN	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	6448.4 29.4
MAX	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	371.0	8188.4 29.6
PORTSMOUTH_ES	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	21928.2 100.0
MIN	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	21928.2 100.0
MAX	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	1180.6	27617.1 100.0
Waste Generator: PORTSMOUTH_US																
CH_LLW_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1775.7 89.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1775.7 89.2
CH_LLW_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.6 8.7
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	173.6 8.7
CH_LLW_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9 2.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9 2.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 11b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
PORTSMOUTH_US	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1989.2	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1989.2	100.0

Waste Generator: PRINCETON

CH_LLW_I	VOL	170.0	170.0	170.0	170.0	170.0	170.0	283.3	566.6	566.6	283.3	170.0	170.0	170.0	170.0	170.0	8159.4	99.3
	MIN	51.0	51.0	51.0	51.0	51.0	51.0	84.9	169.9	169.9	84.9	51.0	51.0	51.0	51.0	51.0	2674.4	99.0
	MAX	221.0	221.0	221.0	221.0	221.0	221.0	368.2	736.5	736.5	368.2	221.0	221.0	221.0	221.0	221.0	10805.5	99.1
CH_LLMW_I	VOL	0.6	0.6	0.6	0.6	0.6	0.6	1.4	5.7	5.7	1.4	0.6	0.6	0.6	0.6	0.6	53.4	0.6
	MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.7	2.8	2.8	0.7	0.3	0.3	0.3	0.3	0.3	26.7	0.9
	MAX	0.9	0.9	0.9	0.9	0.9	0.9	2.1	8.5	8.5	2.1	0.9	0.9	0.9	0.9	0.9	96.4	0.8
PRINCETON	VOL	170.6	170.6	170.6	170.6	170.6	170.6	284.7	572.3	572.3	284.7	170.6	170.6	170.6	170.6	170.6	8212.8	100.0
Totals	MIN	51.3	51.3	51.3	51.3	51.3	51.3	85.6	172.8	172.8	85.6	51.3	51.3	51.3	51.3	51.3	2701.1	100.0
	MAX	221.9	221.9	221.9	221.9	221.9	221.9	370.3	745.1	745.1	370.3	221.9	221.9	221.9	221.9	221.9	10901.9	100.0

Waste Generator: RKW_CANOGA

CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1274.3	98.7
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1038.9	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1451.5	98.9
CH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8	1.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8	1.0
RKW_CANOGA	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1290.1	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1038.9	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1467.3	100.0

Waste Generator: STANFORD

CH_LLW_I	VOL	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	958.0	98.8
	MIN	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	17.2	8.6	670.2	99.5
	MAX	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	25.8	17.2	1223.1	98.6
CH_LLMW_I	VOL	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	10.8	1.1
	MIN	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	3.0	0.4
	MAX	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.8	16.8	1.3

D-59

WMC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 12b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
STANFORD	VOL	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	968.8	100.0
Totals	MIN	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2	8.8	17.2	8.8	673.2	100.0
	MAX	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8	18.0	25.8	18.0	1239.9	100.0

Waste Generator: TPNL_231Z

CH_LLW_I	VOL	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	10.0
	MIN	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	10.0
	MAX	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8	10.0
CH_TRU	VOL	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	84.6
	MIN	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	84.6
	MAX	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.0	84.6
CH_TRUH	VOL	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0	5.2
	MIN	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0	5.2
	MAX	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0	5.2
TPNL_231Z	VOL	0.0	0.0	0.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0	37.8	100.0
Totals	MIN	0.0	0.0	0.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0	37.8	100.0
	MAX	0.0	0.0	0.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0	37.8	100.0

Waste Generator: TPNL_242B/BL

CH_LLW_I	VOL	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0
	MIN	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0
	MAX	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0
TPNL_242B/BL	VOL	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0
Totals	MIN	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0
	MAX	0.0	0.0	0.0	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	0.0	0.0	96.0	100.0

Waste Generator: TPNL_306W

CH_LLW_I	VOL	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0
	MIN	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0
	MAX	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0

D-60

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 13b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pot
TPNL_306W	VOL	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0
	MIN	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0
	MAX	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	51.0	100.0
Waste Generator: TPNL_314																		
CH_LLW_I	VOL	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
	MIN	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
	MAX	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
TPNL_314	VOL	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
	MIN	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
	MAX	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	3178.2	100.0
Waste Generator: TPNL_324																		
CH_LLW_I	VOL	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	42.9
	MIN	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	42.9
	MAX	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	0.0	0.0	350.4	42.9
CH_LLW_III	VOL	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	1.1
	MIN	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	1.1
	MAX	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.7	1.1
RH_LLW_I	VOL	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	1.4
	MIN	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	1.4
	MAX	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.8	1.4
RH_LLW_III	VOL	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	1.6
	MIN	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	1.6
	MAX	0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.8	1.6
RH_LLW_GTCIII	VOL	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	0.4
	MIN	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	0.4
	MAX	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	0.4
CH_LIMW_I	VOL	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.0	0.3
	MIN	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.0	0.3
	MAX	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.0	0.3
RH_LIMW_I	VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0	25.9
	MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0	25.9
	MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.0	25.9

D-61

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: TPNL_324																
RH_ILMH_III																
VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	212.0 25.9
MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	212.0 25.9
MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	212.0 25.9
TPNL_324																
VOL	0.0	0.0	0.0	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	0.0	816.7 100.0
MIN	0.0	0.0	0.0	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	0.0	816.7 100.0
MAX	0.0	0.0	0.0	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	0.0	816.7 100.0
Waste Generator: TPNL_326																
CH_ILMH_I																
VOL	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	16.0 39.1
MIN	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	16.0 39.1
MAX	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	16.0 39.1
CH_ILMH_I																
VOL	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	18.0 44.0
MIN	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	18.0 44.0
MAX	0.0	0.0	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	18.0 44.0
RH_ILMH_I																
VOL	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	6.7 16.3
MIN	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	6.7 16.3
MAX	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	6.7 16.3
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.4
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.4
TPNL_326																
VOL	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	40.9 100.0
MIN	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	40.9 100.0
MAX	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	40.9 100.0
Waste Generator: TPNL_327																
CH_ILMH_I																
VOL	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	1148.6 45.7
MIN	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	1148.6 45.7
MAX	0.0	0.0	0.0	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	114.8	0.0	1148.6 45.7
RH_ILMH_I																
VOL	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	314.5 12.5
MIN	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	314.5 12.5
MAX	0.0	0.0	0.0	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	31.4	0.0	314.5 12.5

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 15b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TPNL_327																		
CH_TRU	VOL	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	1.0
	MIN	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	1.0
	MAX	0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5	1.0
RH_TRU	VOL	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	40.3
	MIN	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	40.3
	MAX	0.0	0.0	0.0	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	0.0	0.0	1014.6	40.3
RH_TRUM	VOL	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.3
	MIN	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.3
	MAX	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.0	0.3
TPNL_327 Totals	VOL	0.0	0.0	0.0	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	0.0	0.0	2512.2	100.0
	MIN	0.0	0.0	0.0	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	0.0	0.0	2512.2	100.0
	MAX	0.0	0.0	0.0	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	0.0	0.0	2512.2	100.0
Waste Generator: TPNL_331																		
CH_LLW_I	VOL	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
	MIN	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
	MAX	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
TPNL_331 Totals	VOL	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
	MIN	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
	MAX	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0	100.0
Waste Generator: TWHC_100N																		
CH_LLW_I	VOL	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	87.5
	MIN	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	87.5
	MAX	0.0	0.0	0.0	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	832.6	0.0	0.0	8326.1	87.5
RH_TRU	VOL	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	12.4
	MIN	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	12.4
	MAX	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8	12.4
TWHC_100N Totals	VOL	0.0	0.0	0.0	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	0.0	0.0	9511.9	100.0
	MIN	0.0	0.0	0.0	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	0.0	0.0	9511.9	100.0
	MAX	0.0	0.0	0.0	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	0.0	0.0	9511.9	100.0

D-63

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 16b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TWHC_222S																		
CH_LLM_I	VOL	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	98.8
	MIN	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	98.8
	MAX	0.0	0.0	0.0	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	1280.2	0.0	0.0	12802.7	98.8
CH_LLM_I	VOL	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.2
	MIN	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.2
	MAX	0.0	0.0	0.0	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0	0.0	36.3	0.2
CH_LLM_GTCIII	VOL	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0	0.0
	MIN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0	0.0
	MAX	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.0	0.0
RH_LLM_GTCIII	VOL	0.0	0.0	0.0	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	0.0	0.0	1074.4	0.8
	MIN	0.0	0.0	0.0	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	0.0	0.0	1074.4	0.8
	MAX	0.0	0.0	0.0	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	107.7	0.0	0.0	1074.4	0.8
TWHC_222S Totals	VOL	0.0	0.0	0.0	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	0.0	0.0	12951.4	100.0
	MIN	0.0	0.0	0.0	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	0.0	0.0	12951.4	100.0
	MAX	0.0	0.0	0.0	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	0.0	0.0	12951.4	100.0
Waste Generator: TWHC_242A																		
CH_LLM_I	VOL	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
	MIN	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
	MAX	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
CH_LLM_III	VOL	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
	MIN	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
	MAX	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
RH_LLM_GTCIII	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
TWHC_242A Totals	VOL	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0
	MIN	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0
	MAX	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0

D-64

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 17b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TWHC_242S																		
CH_LLM_I	VOL	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
	MIN	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
	MAX	0.0	0.0	0.0	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	0.0	0.0	203.7	58.5
CH_LLM_III	VOL	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
	MIN	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
	MAX	0.0	0.0	0.0	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	0.0	0.0	122.4	35.1
RH_LLM_GTCIII	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.0	6.3
TWHC_242S	VOL	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0
Totals	MIN	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0
	MAX	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1	100.0
Waste Generator: TWHC_242T																		
CH_LLM_III	VOL	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	39.3
	MIN	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	39.3
	MAX	0.0	0.0	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	0.0	0.0	29.9	39.3
CH_LLM_GTCIII	VOL	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0	44.8
	MIN	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0	44.8
	MAX	0.0	0.0	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	0.0	34.0	44.8
RH_LLM_GTCIII	VOL	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	15.8
	MIN	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	15.8
	MAX	0.0	0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0	12.0	15.8
TWHC_242T	VOL	0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9	100.0
Totals	MIN	0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9	100.0
	MAX	0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9	100.0
Waste Generator: TWHC_306																		
CH_LLM_I	VOL	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	57.4
	MIN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	57.4
	MAX	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4	57.4

D-65

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 18b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TWHC_306																		
HAZ	VOL	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	42.5
	MIN	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	42.5
	MAX	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0	42.5
TWHC_306	VOL	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.4	100.0
Totals	MIN	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.4	100.0
	MAX	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.4	100.0
Waste Generator: TWHC_308																		
CH_LLW_I	VOL	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	44.5
	MIN	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	44.5
	MAX	0.0	0.0	0.0	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	0.0	0.0	128.7	44.5
CH_TRU	VOL	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	31.1
	MIN	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	31.1
	MAX	0.0	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	0.0	0.0	90.0	31.1
HAZ	VOL	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	24.2
	MIN	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	24.2
	MAX	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0	24.2
TWHC_308	VOL	0.0	0.0	0.0	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	0.0	0.0	288.7	100.0
Totals	MIN	0.0	0.0	0.0	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	0.0	0.0	288.7	100.0
	MAX	0.0	0.0	0.0	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	0.0	0.0	288.7	100.0
Waste Generator: TWHC_340																		
CH_LLW_I	VOL	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	89.7
	MIN	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	89.7
	MAX	0.0	0.0	0.0	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	0.0	0.0	198.1	89.7
RH_TRUM	VOL	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	10.2
	MIN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	10.2
	MAX	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7	10.2
TWHC_340	VOL	0.0	0.0	0.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	0.0	0.0	220.8	100.0
Totals	MIN	0.0	0.0	0.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	0.0	0.0	220.8	100.0
	MAX	0.0	0.0	0.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	0.0	0.0	220.8	100.0

D-66

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 19b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TWHC_BPLANT																		
CH_LLW_I	VOL	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	15.9
	MIN	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	15.9
	MAX	0.0	0.0	0.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	688.0	0.0	0.0	6880.0	15.9
CH_LLW_III	VOL	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	63.4
	MIN	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	63.4
	MAX	0.0	0.0	0.0	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	2738.7	0.0	0.0	27387.2	63.4
RH_LLW_I	VOL	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	3.9
	MIN	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	3.9
	MAX	0.0	0.0	0.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	172.0	0.0	0.0	1720.0	3.9
RH_LLW_III	VOL	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	15.8
	MIN	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	15.8
	MAX	0.0	0.0	0.0	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	684.6	0.0	0.0	6846.8	15.8
CH_LLMW_III	VOL	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.6
	MIN	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.6
	MAX	0.0	0.0	0.0	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	0.0	0.0	276.8	0.6
RH_LLMW_III	VOL	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2	0.1
	MIN	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2	0.1
	MAX	0.0	0.0	0.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	0.0	69.2	0.1
TWHC_BPLANT	VOL	0.0	0.0	0.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	0.0	0.0	43180.0	100.0
Totals	MIN	0.0	0.0	0.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	0.0	0.0	43180.0	100.0
	MAX	0.0	0.0	0.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	0.0	0.0	43180.0	100.0
Waste Generator: TWHC_PEP																		
CH_TRU	VOL	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	37.0
	MIN	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	37.0
	MAX	0.0	0.0	0.0	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	866.3	0.0	0.0	8663.1	37.0
RH_TRU	VOL	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	9.2
	MIN	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	9.2
	MAX	0.0	0.0	0.0	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	216.5	0.0	0.0	2165.8	9.2
CH_TRUM	VOL	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4	42.9
	MIN	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4	42.9
	MAX	0.0	0.0	0.0	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	1004.1	0.0	0.0	10041.4	42.9

D-67

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 20b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: TWHC_PFP																		
RH_TRUM	VOL	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	10.7
	MIN	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	10.7
	MAX	0.0	0.0	0.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	251.0	0.0	0.0	2510.4	10.7
TWHC_PFP Totals	VOL	0.0	0.0	0.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	0.0	0.0	23380.7	100.0
	MIN	0.0	0.0	0.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	0.0	0.0	23380.7	100.0
	MAX	0.0	0.0	0.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	0.0	0.0	23380.7	100.0
Waste Generator: TWHC_PUREX																		
CH_LLW_III	VOL	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
	MIN	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
	MAX	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
CH_LLW_GTCIII	VOL	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
	MIN	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
	MAX	0.0	0.0	0.0	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	238.4	0.0	0.0	2384.1	34.0
RH_LLW_III	VOL	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	1.9
	MIN	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	1.9
	MAX	0.0	0.0	0.0	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	13.7	0.0	0.0	137.1	1.9
RH_LLW_GTCIII	VOL	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	15.0
	MIN	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	15.0
	MAX	0.0	0.0	0.0	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	105.5	0.0	0.0	1055.0	15.0
CH_LLW_I	VOL	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	3.3
	MIN	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	3.3
	MAX	0.0	0.0	0.0	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	23.6	0.0	0.0	236.4	3.3
RH_LLW_I	VOL	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1	0.8
	MIN	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1	0.8
	MAX	0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	0.0	0.0	59.1	0.8
CH_TRU	VOL	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	8.4
	MIN	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	8.4
	MAX	0.0	0.0	0.0	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	59.5	0.0	0.0	595.0	8.4
RH_TRU	VOL	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	1.7
	MIN	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	1.7
	MAX	0.0	0.0	0.0	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	11.9	0.0	0.0	119.0	1.7

D-68

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: TWHC_PUREX																
CH_TRUM																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_TRUM																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PUREX																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PUREX_TW																
RU_LLM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_LLM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RU_TRU																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TWHC_PUREX_TW																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Totals																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWHC_PX_C018H																
CH_LLM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CH_LLM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 22b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
TWHC_PX_C018H	VOL	0.0	0.0	0.0	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	0.0	0.0	1599.0	100.0
Totals	MIN	0.0	0.0	0.0	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	0.0	0.0	1599.0	100.0
	MAX	0.0	0.0	0.0	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	0.0	0.0	1599.0	100.0

Waste Generator: TWHC_TPLANT

CH_LLW_I	VOL	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	35.3
	MIN	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	35.3
	MAX	0.0	0.0	0.0	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	714.4	0.0	0.0	7144.1	35.3
RH_LLW_I	VOL	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	8.8
	MIN	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	8.8
	MAX	0.0	0.0	0.0	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	178.6	0.0	0.0	1786.0	8.8
CH_LLMW_III	VOL	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	17.9
	MIN	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	17.9
	MAX	0.0	0.0	0.0	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	362.5	0.0	0.0	3625.6	17.9
CH_LLMW_GTCIII	VOL	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8	8.9
	MIN	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8	8.9
	MAX	0.0	0.0	0.0	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	181.2	0.0	0.0	1812.8	8.9
RH_LLMW_III	VOL	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4	4.4
	MIN	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4	4.4
	MAX	0.0	0.0	0.0	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	90.6	0.0	0.0	906.4	4.4
RH_LLMW_GTCIII	VOL	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	2.2
	MIN	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	2.2
	MAX	0.0	0.0	0.0	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3	0.0	0.0	453.2	2.2
CH_TRU	VOL	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	4.2
	MIN	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	4.2
	MAX	0.0	0.0	0.0	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	0.0	0.0	849.6	4.2
RH_TRU	VOL	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	1.0
	MIN	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	1.0
	MAX	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	0.0	212.4	1.0
CH_TRUM	VOL	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0	13.4
	MIN	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0	13.4
	MAX	0.0	0.0	0.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0	0.0	2720.0	13.4
RH_TRUM	VOL	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	3.3
	MIN	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	3.3
	MAX	0.0	0.0	0.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	0.0	0.0	680.0	3.3

D-70

WHC-EP-0865

[illegible][illegible][illegible][illegible]

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 24b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pot
Waste Generator: WHC_100*																		
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	3.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	3.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	3.8
WHC_100*	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1554.7	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1554.7	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1554.7	100.0
Waste Generator: WHC_1154_3000																		
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
WHC_1154_3000	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	100.0
Waste Generator: WHC_1163																		
HAZ	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
	MIN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
WHC_1163	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
Totals	MIN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8	100.0
Waste Generator: WHC_1171M																		
HAZ	VOL	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	192.0	100.0
	MIN	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	172.8	100.0
	MAX	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	211.2	100.0
WHC_1171M	VOL	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	192.0	100.0
Totals	MIN	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	172.8	100.0
	MAX	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	211.2	100.0

D-72

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)**

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: WHC_1171T	HAZ	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.0 100.0
		MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6 100.0
	MAX	VOL	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	59.4 100.0
		MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6 100.0
	Totals	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.0 100.0
		MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6 100.0
	MAX	VOL	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	59.4 100.0
		MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6 100.0
	Totals	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.0 100.0
		MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.6 100.0
Waste Generator: WHC_200_KTF	CH_LIQU_I	VOL	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	986.0 41.2
		MIN	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	493.0 41.2
	MAX	VOL	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	1479.0 41.2
		MIN	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	493.0 41.2
	CH_LIQU_III	VOL	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	1397.8 58.4
		MIN	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	698.9 58.4
	MAX	VOL	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	72.3	2096.7 58.4
		MIN	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	698.9 58.4
	Totals	VOL	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	2392.5 100.0
		MIN	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	41.2	1196.2 100.0
Waste Generator: WHC_2101H	HAZ	VOL	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0 100.0
		MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0 100.0
	MAX	VOL	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0 100.0
		MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0 100.0
	Totals	VOL	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0 100.0
		MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0 100.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
-------------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----------

Waste Generator: WHC_2703R																
HAZ	VOL	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
	MIN	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
	MAX	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
	Totals	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0 100.0
Waste Generator: WHC_2715BA																
HAZ	VOL	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0 100.0
	MIN	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0 100.0
	MAX	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0 100.0
	Totals	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0 100.0
Waste Generator: WHC_284E																
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 100.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1 100.0
Waste Generator: WHC_300_PWR																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.2
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.8
HAZ	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	57.4 95.3
	MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	44.1 100.0
	MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.0 96.7
	Totals	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	141.3 196.7

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 27b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
WHC_300_PWR	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	60.2	100.0
Totals	MIN	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	44.1	100.0
	MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	86.8	100.0
Waste Generator: WHC_300_TEDF																		
CH_LLW_I	VOL	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	368.3	11049.0	98.9
	MIN	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	184.1	5524.5	97.8
	MAX	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	552.4	16573.5	98.5
CH_LLW_I	VOL	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0	1.0
	MIN	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0	2.1
	MAX	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	17.0	0.0	238.0	1.4
WHC_300_TEDF	VOL	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	11168.0	100.0
Totals	MIN	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	192.6	184.1	5643.5	100.0
	MAX	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	569.4	552.4	16811.5	100.0
Waste Generator: WHC_305																		
HAZ	VOL	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
	MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
WHC_305	VOL	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
Totals	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
	MAX	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5	100.0
Waste Generator: WHC_306																		
HAZ	VOL	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	84.6	100.0
	MIN	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	80.5	100.0
	MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	88.9	100.0
WHC_306	VOL	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	84.6	100.0
Totals	MIN	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	80.5	100.0
	MAX	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	88.9	100.0

D-75

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: WHC_325																
HAZ																
VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 100.0
MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5 100.0
MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	26.7 100.0
Totals	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 100.0
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 100.0
Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
Waste Generator: WHC_335																
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 100.0
Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 100.0
Waste Generator: WHC_3707C																
HAZ																
VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 100.0
MIN	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 100.0
MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 100.0
Totals	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 100.0
Waste Generator: WHC_3717B																
HAZ																
VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 100.0
MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 100.0
MAX	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 100.0
Totals	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0 100.0

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 29b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_ANALYT_LAB																		
CH_LLW_I	VOL	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	328.0	10108.3	89.8
	MIN	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	295.2	9097.4	89.8
	MAX	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	360.8	11119.1	89.8
CH_LLW_III	VOL	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	114.1	1.0
	MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	102.6	1.0
	MAX	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	125.5	1.0
CH_LLW_I	VOL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	770.6	6.8
	MIN	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	693.5	6.8
	MAX	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	27.5	847.6	6.8
CH_LLW_III	VOL	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	114.1	1.0
	MIN	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	102.6	1.0
	MAX	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	125.5	1.0
RH_LLW_III	VOL	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	56.2	0.5
	MIN	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	50.5	0.5
	MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	61.8	0.5
RH_TRUM	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	14.8	0.1
	MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.3	0.1
	MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.2	0.1
HAZ	VOL	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	70.5	0.6
	MIN	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	63.4	0.6
	MAX	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	77.5	0.6
WHC_ANALYT_LAB	VOL	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	11248.6	100.0
Totals	MIN	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	328.5	10123.7	100.0
	MAX	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	401.5	12373.4	100.0
Waste Generator: WHC_BQUIP																		
CH_LLW_I	VOL	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0
	MIN	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0
	MAX	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0
WHC_BQUIP	VOL	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0
Totals	MIN	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0
	MAX	170.0	170.0	226.6	226.6	255.0	283.3	339.9	198.3	198.3	226.6	283.3	339.9	170.0	0.0	0.0	7402.7	100.0

D-77

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 30b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_B_PLANT																		
CH_LLW_I	VOL	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	4084.4	77.8
	MIN	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	84.9	3017.0	81.4
	MAX	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	141.6	5119.2	76.3
CH_LLW_III	VOL	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	344.0	6.5
	MIN	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	258.1	6.9
	MAX	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	430.1	6.4
RH_LLW_III	VOL	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	611.6	11.6
	MIN	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	278.9	7.5
	MAX	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	894.9	13.3
CH_LLMW_I	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	50.2	0.9
	MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	37.4	1.0
	MAX	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	62.7	0.9
RH_LLMW_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.1
HAZ	VOL	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	152.5	2.9
	MIN	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	112.3	3.0
	MAX	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	189.9	2.8
WHC_B_PLANT	VOL	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	5248.2	100.0
Totals	MIN	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	3706.1	100.0
	MAX	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	165.3	6706.2	100.0
Waste Generator: WHC_DST_PSRET																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0
WHC_DST_PSRET	VOL	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	100.0

D-78

WHC-EP-0865

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 31b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_DST_RRT																		
CH_LHM_I	VOL	125.8	52.4	83.9	73.4	73.4	73.4	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	672.6	40.0
	MIN	62.9	26.2	41.9	36.7	36.7	36.7	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	336.3	40.0
	MAX	251.6	104.8	167.8	146.8	146.8	146.8	83.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1345.2	40.0
RH_LHM_III	VOL	0.0	44.7	442.4	44.7	44.7	44.7	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	643.6	38.2
	MIN	0.0	22.3	221.2	22.3	22.3	22.3	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	321.8	38.2
	MAX	0.0	89.4	884.8	89.4	89.4	89.4	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1287.2	38.2
RH_LHM_GTCIII	VOL	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	111.8	6.6
	MIN	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.9	6.6
	MAX	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	223.6	6.6
RH_TRM	VOL	230.9	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	253.3	15.0
	MIN	115.4	0.0	0.0	0.0	0.0	0.0	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.6	15.0
	MAX	461.8	0.0	0.0	0.0	0.0	0.0	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	506.6	15.0
Waste Generator: WHC_EA_W112																		
WHC_DST_RRT	VOL	379.1	97.1	526.3	118.1	118.1	118.1	86.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1681.3	100.0
	MIN	189.5	48.5	263.1	59.0	59.0	59.0	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	840.6	100.0
	MAX	758.2	194.2	1052.6	236.2	236.2	236.2	173.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3362.6	100.0
Waste Generator: WHC_EA_W112																		
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	96.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	96.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3	96.4
HA2	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5
Waste Generator: WHC_EA_W112																		
WHC_EA_W112	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	100.0
Waste Generator: WHC_FED																		
HA2	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	100.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
WHC_FPD																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 100.0
Totals																
Waste Generator: WHC_FFTF_MAIN																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.8 58.9
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4 41.8
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	151.2 62.0
RU_LIM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7 27.9
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7 39.5
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7 19.5
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4 13.1
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4 18.5
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.8 18.3
Waste Generator: WHC_FFTF_MAIN																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	170.9 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	120.5 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	243.7 100.0
Totals																
Waste Generator: WHC_FMEF																
HAZ																
VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0 100.0
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.5 100.0
MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	58.5 100.0
Waste Generator: WHC_FMEF																
VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0 100.0
MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.5 100.0
MAX	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	58.5 100.0
Totals																
Waste Generator: WHC_FUEL_DEV																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.8 93.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2 95.5
CH_TRU																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 6.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 4.4

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: WHC_FUEL_TRANS																
WHC_FUEL_DIV	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.1 100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5 100.0
Waste Generator: WHC_FUEL_TRANS																
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 90.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 90.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	219.9 90.4
CH_LIM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3 5.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3 5.8
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3 5.8
HAZ	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8 3.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8 3.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8 3.6
Waste Generator: WHC_FUEL_TRANS																
WHC_FUEL_TRANS	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	243.0 100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	243.0 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	243.0 100.0
Waste Generator: WHC_GEOTEC_IAB																
CH_LIM_I	VOL	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	31.3 56.6
	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	14.3 54.4
	MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	46.9 39.4
CH_LIM_I	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 16.2
	MIN	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5 17.0
	MAX	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.0 22.7
HAZ	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0 27.1
	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5 28.4
	MAX	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	45.0 37.8
Waste Generator: WHC_GEOTEC_IAB																
WHC_GEOTEC_IAB	VOL	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	55.3 100.0
Totals	MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	26.3 100.0
	MAX	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	118.9 100.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 34b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_HLVP																		
CH_LLW_I	VOL	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	449.7	7195.2	27.1
	MIN	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	224.8	3372.7	27.1
	MAX	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	899.4	14390.4	27.1
CH_LLW_III	VOL	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	810.2	12963.2	48.8
	MIN	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	405.1	6076.5	48.8
	MAX	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	1620.4	25926.4	48.8
RH_LLW_III	VOL	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	126.9	2030.4	7.6
	MIN	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	951.7	7.6
	MAX	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	253.8	4060.8	7.6
CH_LLMW_I	VOL	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	291.2	1.1
	MIN	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	9.1	136.5	1.1
	MAX	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4	582.4	1.1
CH_LLMW_III	VOL	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	24.8	396.8	1.5
	MIN	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	186.0	1.5
	MAX	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	793.6	1.5
CH_TRU	VOL	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	937.6	3.5
	MIN	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	439.5	3.5
	MAX	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	1875.2	3.5
RH_TRU	VOL	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	49.9	798.4	3.0
	MIN	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	24.9	374.2	3.0
	MAX	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	99.8	1596.8	3.0
CH_TRUM	VOL	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	58.6	937.6	3.5
	MIN	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	29.3	439.5	3.5
	MAX	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	117.2	1875.2	3.5
RH_TRUM	VOL	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	897.6	3.3
	MIN	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	420.7	3.3
	MAX	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	112.2	1795.2	3.3
HAZ	VOL	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	75.2	0.2
	MIN	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	35.2	0.2
	MAX	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	150.4	0.2
WHC_HLVP		VOL	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	26523.2	100.0
Totals		MIN	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	828.8	12432.7	100.0
		MAX	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	3315.4	53046.4	100.0

D-82

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 35b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_K BASIN																		
CH_LLW_I	VOL	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	4426.4	95.6
	MIN	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	111.4	3593.7	95.5
	MAX	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	139.3	4479.0	95.5
RH_LLW_I	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.5	1.0
	MIN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	37.7	1.0
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	47.0	1.0
CH_LLW_I	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0	0.9
	MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.9	0.8
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.2	0.9
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.7	1.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.9	1.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74.4	1.5
HAZ	VOL	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.2	1.0
	MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.1	0.9
	MAX	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	46.7	1.0
WHC_K BASIN	VOL	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	4628.8	100.0
Totals	MIN	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	114.6	3760.5	100.0
	MAX	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	4689.6	100.0
Waste Generator: WHC_LAUNDRY																		
CH_LLW_I	VOL	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	3399.0	99.7
	MIN	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	3399.0	99.7
	MAX	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	124.6	3738.9	99.7
HAZ	VOL	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.2
	MIN	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.2
	MAX	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.2
WHC_LAUNDRY	VOL	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	3408.0	100.0
Totals	MIN	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	3408.0	100.0
	MAX	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	124.9	3747.9	100.0

D-83

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 36b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_LLBG																		
CH_LLW_I	VOL	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	189.0	86.0
	MIN	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	189.0	86.0
	MAX	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	189.0	86.0
CH_LLW_I	VOL	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	13.9
	MIN	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	13.9
	MAX	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6	13.9
WHC_LLBG Totals	VOL	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	6.3	219.6	100.0
	MIN	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	6.3	219.6	100.0
	MAX	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	6.3	219.6	100.0
Waste Generator: WHC_LLVP																		
CH_LLW_I	VOL	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	425.4	8508.0	71.5
	MIN	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	212.7	4041.3	71.5
	MAX	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	850.8	17016.0	71.5
CH_LLW_III	VOL	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	2836.0	23.8
	MIN	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	1347.1	23.8
	MAX	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	5672.0	23.8
RH_LLW_III	VOL	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	21.8	436.0	3.6
	MIN	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	207.1	3.6
	MAX	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	43.6	872.0	3.6
CH_LLW_I	VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	32.0	0.2
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	15.2	0.2
	MAX	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	64.0	0.2
CH_LLW_III	VOL	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20.0	0.1
	MIN	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	9.5	0.1
	MAX	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	40.0	0.1
HAZ	VOL	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	68.0	0.5
	MIN	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	32.3	0.5
	MAX	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	136.0	0.5
WHC_LLVP Totals	VOL	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	11900.0	100.0
	MIN	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	297.5	5652.5	100.0
	MAX	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	1190.0	23800.0	100.0

D-84

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_PFP																		
CH_LLW_I	VOL	41.6	41.6	41.6	41.6	41.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	27.6	4694.5	42.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	124.8	124.8	124.8	124.8	124.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	14083.5	62.7
CH_LLW_III	VOL	10.2	10.2	10.2	10.2	10.2	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	1476.8	13.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	51.0	51.0	51.0	51.0	51.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	1952.8	8.7
CH_LLW_I	VOL	18.8	18.8	18.8	18.8	18.8	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	2112.0	19.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	94.0	94.0	94.0	94.0	94.0	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	62.5	2988.0	13.3
CH_LLW_III	VOL	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	74.7	0.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	5.0	5.0	5.0	5.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	401.0	1.7
CH_TRU	VOL	7.3	7.3	7.3	7.3	7.3	7.3	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	1661.4	15.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	36.5	36.5	36.5	36.5	36.5	36.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	1969.8	8.7
CH_TRUH	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	365.8	3.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	365.8	1.6
HAZ	VOL	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	675.0	6.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	681.0	3.0
WHC_PFP	VOL	78.5	78.5	78.5	78.5	78.5	54.6	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	11060.2	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
	MAX	311.8	311.8	311.8	311.8	311.8	219.3	201.3	201.3	201.3	201.3	201.3	201.3	201.3	201.3	201.3	22441.9	100.0

Waste Generator: WHC_PRETRT_TW

CH_LLW_I	VOL	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	2977.8	47.1
	MIN	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	1418.0	47.1
	MAX	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	5955.6	47.1
CH_LLW_III	VOL	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	141.8	2977.8	47.1
	MIN	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	70.9	1418.0	47.1
	MAX	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	283.6	5955.6	47.1

D-85

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: WHC_PUREX																
CH_TRUM																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.1
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.1
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 0.1
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.4 2.5
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7 2.6
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2 2.3
WHC_PUREX																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	671.0 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	334.4 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1209.7 100.0
Totals																
Waste Generator: WHC_PUREX_SM																
CH_LLM_I																
VOL	22.6	22.6	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	317.2 88.5
MIN	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158.7 89.0
MAX	45.3	45.3	45.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	634.4 88.5
CH_LLM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.2
CH_LLM_I																
VOL	1.9	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.4 7.6
MIN	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.7 7.6
MAX	3.9	3.9	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.8 7.6
CH_LLM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
MAX	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.2
HAZ																
VOL	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7 3.2
MIN	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8 3.3
MAX	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5 3.2
WHC_PUREX_SM																
VOL	25.5	25.5	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	358.1 100.0
MIN	12.7	12.7	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	178.3 100.0
MAX	51.1	51.1	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	716.2 100.0
Totals																

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(In cubic meters)**

Page 38b

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: WHC_PUREXT_TW																
RH_LHM_III	VOL	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5	304.5
	MIN	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	145.0
	MAX	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	609.0
CH_LHM_I	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	16.8
	MIN	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	8.0
	MAX	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	33.6
CH_LHM_III	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.5
	MIN	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.0
	MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21.0
HMT	VOL	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	33.6
	MIN	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	16.0
	MAX	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	67.2
Waste Generator: WHC_PUREXT_TW																
Waste Generator: WHC_PUREXT_TW	VOL	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	6321.0
	MIN	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	150.5	3010.0
	MAX	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	602.0	12642.0
Waste Generator: WHC_PUREXT_TW																
CH_LHM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	562.9
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	281.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1014.3
CH_LHM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
CH_LHM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.1
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.8
CH_LHM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
CH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.2

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: WHC_S300																
HAZ																
VOL	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
MIN	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
MAX	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
HAZ																
VOL	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
MIN	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
MAX	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0 100.0
Totals																
Waste Generator: WHC_SODIUM_FAC																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 39.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 40.2
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 37.0
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 21.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 19.4
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 25.9
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 39.4
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 40.2
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 37.0
HAZ																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1 100.0
Totals																
Waste Generator: WHC_SST_ILX																
CH_LIM_III																
VOL	2794.8	3787.0	4185.6	4873.9	5805.5	6549.2	6860.3	7065.8	2090.9	2433.7	2779.3	3245.0	3794.2	3794.2	3794.2	80803.9 100.0
MIN	2375.5	3218.9	3557.7	4142.8	4934.6	5566.8	5831.2	6005.9	1777.2	2068.6	2362.4	2758.2	3225.0	3225.0	3225.0	68683.3 100.0
MAX	3074.2	4165.7	4604.1	5361.2	6386.0	7204.1	7546.3	7772.3	2299.9	2677.0	3057.2	3569.5	4173.6	4173.6	4173.6	88884.2 100.0
HAZ																
VOL	2794.8	3787.0	4185.6	4873.9	5805.5	6549.2	6860.3	7065.8	2090.9	2433.7	2779.3	3245.0	3794.2	3794.2	3794.2	80803.9 100.0
MIN	2375.5	3218.9	3557.7	4142.8	4934.6	5566.8	5831.2	6005.9	1777.2	2068.6	2362.4	2758.2	3225.0	3225.0	3225.0	68683.3 100.0
MAX	3074.2	4165.7	4604.1	5361.2	6386.0	7204.1	7546.3	7772.3	2299.9	2677.0	3057.2	3569.5	4173.6	4173.6	4173.6	88884.2 100.0
Totals																

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: WHC_SST_RET																
CH_LUM_I																
VOL	29.0	36.3	43.5	50.8	61.6	72.5	72.5	72.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	540.2 33.3
MIN	26.1	32.6	39.1	45.7	55.4	65.2	65.2	65.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	486.1 36.0
MAX	31.9	39.9	47.8	55.8	67.7	79.7	79.7	79.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	594.2 35.4
CH_LUM_I																
VOL	23.2	29.0	34.8	40.6	49.3	58.0	58.0	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	432.1 26.6
MIN	18.5	23.2	27.8	32.4	39.4	46.4	46.4	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	345.6 25.5
MAX	23.2	29.0	34.8	40.6	49.3	58.0	58.0	58.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	432.1 25.8
CH_LUM_III																
VOL	34.8	43.5	52.2	60.9	74.0	87.0	87.0	87.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	648.5 40.0
MIN	27.8	34.8	41.7	48.7	59.2	69.6	69.6	69.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	518.8 38.4
MAX	34.8	43.5	52.2	60.9	74.0	87.0	87.0	87.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	648.5 38.7
WHC_SST_RET	87.0	108.8	130.5	152.3	184.9	217.5	217.5	217.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1620.8 100.0
MIN	72.5	90.6	108.7	126.9	154.0	181.2	181.2	181.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1350.6 100.0
MAX	89.9	112.4	134.8	157.3	191.0	224.7	224.7	224.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1674.8 100.0
Totals																
Waste Generator: WHC_SURPLS_FAC																
CH_LUM_I																
VOL	12577.9	2209.6	1048.2	1116.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	943422.3 83.8
MIN	12577.9	2209.6	1048.2	1116.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	943422.3 83.8
MAX	12577.9	2209.6	1048.2	1116.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	943422.3 83.8
CH_LUM_III																
VOL	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5 7.9
MIN	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5 7.9
MAX	3966.0	2832.9	1416.4	1416.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89654.5 7.9
CH_LUM_OTCIII																
VOL	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
MIN	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
MAX	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
RU_LUM_OTCIII																
VOL	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
MIN	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
MAX	2266.3	1416.4	708.2	708.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39943.3 3.5
CH_LUM_I																
VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1 0.0
MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1 0.0
MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	994.1 0.0
CH_LUM_III																
VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 0.0
MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 0.0
MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	929.0 0.0

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 42b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_SURPLS_FAC																		
CH_LLMM_GTCIII	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
RH_LLMM_I	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
RH_LLMM_III	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
RH_LLMM_GTCIII	VOL	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MIN	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
	MAX	56.7	28.3	14.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	923.3	0.0
CH_TRU	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	0.1
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	0.1
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1152.8	0.1
RH_TRU	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
CH_TRUM	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	0.0
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	0.0
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	673.9	0.0
RH_TRUM	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1	0.0
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1	0.0
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	708.1	0.0
HAZ	VOL	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3416.2	0.3
	MIN	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3416.2	0.3
	MAX	28.3	28.3	28.3	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3416.2	0.3
WHC_SURPLS_FAC	VOL	21529.9	8158.3	4079.4	4078.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1124533.5	100.0
Totals	MIN	21529.9	8158.3	4079.4	4078.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1124533.5	100.0
	MAX	21529.9	8158.3	4079.4	4078.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1124533.5	100.0

D-90

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 43b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator: WHC_TF_OPER																		
CH_LLW_I	VOL	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	298.9	8939.8	57.0
	MIN	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	179.3	5363.8	49.9
	MAX	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	1246.4	37278.8	84.7
CH_LLW_I	VOL	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	3915.1	25.0
	MIN	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	104.7	3132.0	29.1
	MAX	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	3915.1	8.9
CH_LLW_III	VOL	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	1677.9	10.7
	MIN	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	44.8	1342.3	12.5
	MAX	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	56.1	1677.9	3.8
HAZ	VOL	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	1130.5	7.2
	MIN	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.2	904.4	8.4
	MAX	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	37.8	1130.5	2.5
WHC_TF_OPER	VOL	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	15663.3	100.0
Totals	MIN	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	359.1	10742.6	100.0
	MAX	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	1471.2	44002.3	100.0
Waste Generator: WHC_TRUSAF																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	78.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	78.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	78.5
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	21.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	21.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	21.4
WHC_TRUSAF	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	100.0
Totals	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	100.0
Waste Generator: WHC_TWP_W028																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5	100.0

D-91

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: WHC_TWP_W028																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5 100.0
Totals																
Waste Generator: WHC_TWP_W030																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.2 100.0
Totals																
WHC_TWP_W030																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.2 100.0
Totals																
Waste Generator: WHC_TWP_W058																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.2 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	276.1 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	460.2 100.0
Totals																
WHC_TWP_W058																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.2 100.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	276.1 100.0
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	460.2 100.0
Totals																
Waste Generator: WHC_TWP_W151																
CH_LIM_I																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3 6.7
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1 3.6
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.6 11.9
CH_LIM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 1.0
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 0.5
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2 1.9
RI_LIM_III																
VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	223.8 92.2
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	212.2 95.7
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235.4 86.1

**FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)**

Page 45b

Waste Class	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
HWC_TWP_W151	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242.7 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	221.6 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	273.2 100.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Waste Generator: HWC_TWP_W211																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1983.4 88.6
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	991.7 88.6
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1983.4 88.6
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
RM_LTM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	255.1 11.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.5 11.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	255.1 11.4
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2238.5 100.0
Waste Generator: HWC_TWP_W314																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2 100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	448.7 100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2 100.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2 100.0
Waste Generator: HWC_TWP_W320																
CH_LTM_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	191.6 39.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.6 39.4
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	383.2 56.5
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	294.2 43.4
CH_LTM_III	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	294.2 60.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 60.5
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	294.2 43.4
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

WHC-EP-0865

D-93

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 46b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
WHC_TWP_W320	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	485.8	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	194.3	100.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	677.4	100.0
Waste Generator: WHC_TWP_W340																		
CH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	56.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	67.1
RH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	43.8
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	100.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	32.8
WHC_TWP_W340	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	100.0
	Totals	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.2	100.0
Waste Generator: WHC_T_PLANT																		
CH_LLW_I	VOL	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	426.0	47.2
	MIN	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	340.8	69.6
	MAX	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	28.4	852.0	53.6
RH_LLW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	9.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	5.3
CH_LLMW_I	VOL	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	213.0	23.6
	MIN	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	106.5	21.7
	MAX	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	426.0	26.8
RH_LLMW_I	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	9.4
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.2	5.3
RH_TRUM	VOL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	3.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.8	3.5
HAZ	VOL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	63.0	6.9
	MIN	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	42.0	8.5
	MAX	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	84.0	5.2

D-94

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 47b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
WHC T PLANT Totals	VOL	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	900.8	100.0
	MIN	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	489.3	100.0
	MAX	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	46.1	1589.2	100.0
Waste Generator: WHC_WASTE_NEUT																		
CH_LLW_I	VOL	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	604.5	91.8
	MIN	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	295.5	93.8
	MAX	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	39.4	1195.5	91.7
CH_LLW_III	VOL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0	2.2
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	30.0	2.3
CH_LLW_I	VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0	5.9
	MIN	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.5	6.1
	MAX	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	78.0	5.9
WHC_WASTE_NEUT Totals	VOL	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	658.5	100.0
	MIN	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	315.0	100.0
	MAX	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	1303.5	100.0
Waste Generator: WHC_WELL_DRL																		
CH_LLW_I	VOL	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0	15.1
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	117.0	21.0
CH_LLW_I	VOL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0	9.3
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	48.0	8.6
HAZ	VOL	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	195.0	75.5
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	390.0	70.2
WHC_WELL_DRL Totals	VOL	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	258.0	100.0
	MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAX	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	555.0	100.0

D-95

WHC-EP-0865

FY-1994 SOLID WASTE FORECAST
WASTE GENERATOR, WASTE CLASS VOLUMES BY YEAR
(in cubic meters)

Page 48b

Waste Class		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total
Grand Totals	VOL	36707.6	26601.2	23107.9	33442.2	44662.0	46128.5	33055.4	34368.3	30386.1	30910.9	33114.5	36138.7	39610.2	30464.6	35282.8	1824043.8
	MIN	32277.9	21978.0	17774.7	27822.4	38353.7	39097.5	25104.7	25229.0	20764.3	19876.6	20136.0	20644.4	20955.3	7998.8	8011.9	1592927.9
	MAX	42634.7	32448.5	29334.6	39327.8	50632.2	52129.0	39110.7	40469.2	35973.3	36470.7	38667.2	41764.0	45283.8	36165.4	40978.0	1982232.2

D-96

WMC-EP-0865

APPENDIX E

WASTE GENERATORS BY HANFORD PROGRAM AREA

WHC-EP-0865

Intentionally Left Blank

APPENDIX E

WASTE GENERATOR LIST BY HANFORD PROGRAM AREA

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Analytical Services	222-S Analytical Laboratory	WHC_ANALYT_LAB	WHC_222S
	325 Radiochemistry Laboratory	WHC_325	WHC_325
Environmental Restoration	100 Area Transition (BHI)	WHC_100*	WHC_100
	D&D of 200 Area Effluent Treatment (Project C018H)	TWHC_PX_C018H	TWHC_PX_C018H
	D&D of 222-S Analytical Laboratory	TWHC_222S	TWHC_222S
	D&D of 224T TRU Storage & Assay Facility (TRUSAF)	TWHC_TRUSAF	TWHC_TRUSAF
	D&D of 242-A Evaporator	TWHC_242A	TWHC_242A
	D&D of 242-S Evaporator	TWHC_242S	TWHC_242S
	D&D of 242-T Evaporator	TWHC_242T	TWHC_242T
	D&D of 306 Development/ Fabrication/Test Lab.	TWHC_306	TWHC_306
	D&D of 308 Fuels Development Laboratory	TWHC_308	TWHC_308
	D&D of 340 Waste Neutralization Facility	TWHC_340	TWHC_340
	D&D of B Plant	TWHC_BPLANT	TWHC_225B
	D&D of N Reactor	TWHC_100N	TWHC_100N
	D&D of PFP	TWHC_PFP	TWHC_2345Z
	D&D of PNL 231-Z Building	TPNL_231Z	TPNL_231Z
	D&D of PNL 242 Building	TPNL_242B/BL	TPNL_242B/BL
	D&D of PNL 306W Building	TPNL_306W	TPNL_306W
	D&D of PNL 314 Building	TPNL_314	TPNL_314
	D&D of PNL 326 Building	TPNL_326	TPNL_326
	D&D of PNL 327 Building	TPNL_327	TPNL_327
	D&D of PNL 331 Building	TPNL_331	TPNL_331
	D&D of PNL 324 Building	TPNL_324	TPNL_324

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Environmental Restoration (cont.)	D&D of PUREX	TWHC_PUREX	TWHC_202A
	D&D of T Plant	TWHC_TPLANT	TWHC_221T
	Past Practice Remediation	PAST_PRAC_REM	PAST_PRAC_REM
	PUREX Tunnel Waste	TWHC_PUREX_TW	TWHC_202A_TW
	Surplus Facilities	WHC_SURPLS_FAC	WHC_SURPLS_FAC
	Well Drilling - Environmental Projects	WHC_WELL_DRL	WHC_WELL_DRL
Liquid Effluent	200 Area Effluent Treatment Facility (Project C018H)	WHC_200 ETF	WHC_PX_C018H
	300 Area Treated Effluent Disposal Facility (Project L045H)	WHC_300_TEDF	WHC_L045H
	Waste Neutralization Facility (340/307 Buildings)	WHC_WASTE_NEUT	WHC_340
Non-Programmatic	105DR Large Sodium Fire Facility	WHC_SODIUM_FAC	WHC_105DR
	1154 Radio Maintenance-3000 Area	WHC_RADIO_MAIN	WHC_1154_3000
	1163 Procurement & Material Management	WHC_PROCURMENT	WHC_1163
	1171 FSS Fleet Maintenance	WHC_FLEET_MAIN	WHC_1171M
	1171 FSS Transportation	WHC_TRANSPORT	WHC_1171T
	2101M FSS Electric Utilities	WHC_ELEC_UTIL	WHC_2101M
	2703E Chemical Engineering Laboratory	WHC_CHEM_E_LAB	WHC_2703E
	2715EA General Area Services North	WHC_GAS_NORTH	WHC_2715EA
	2724W Laundry/Equipment Decontamination	WHC_LAUNDRY	WHC_2724W
	284E/284W East & West Powerhouses	WHC_200_PWR	WHC_284E
	305 Engineering Testing Facility	WHC_ENG_TEST	WHC_305
	306 Development/Fabrication/Test Lab.	WHC_ENG_DEV	WHC_306
	308 Fuels Development Laboratory	WHC_FUEL_DEV	WHC_308

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Non-Programmatic (cont.)	335 Sodium Test Facility	WHC_SODIUM_TST	WHC_335
	3707C Safeguards/Security Maintenance	WHC_SS_MAIN	WHC_3707C
	3717B Standards Laboratory	WHC_STAND_LAB	WHC_3717B
	377 Geotechnical Engineering Laboratory	WHC_GEOTEC_LAB	WHC_377
	384 Power House, 300 Area	WHC_300_PWR	WHC_384
	BCSR Computer Service Federal Bldg.	WHC_FED	WHC_FED
	Buried Equipment (OSS/TFS)1992	WHC_BQUIP	WHC_BQUIP
	FFTF/FMEF/MASF Maintenance	WHC_FFTF_MAIN	WHC_FFTF_MAIN T
	Fuel & Materials Examination	WHC_FMEF	WHC_FMEF
	General Area Services South	WHC_GAS_SOUTH	WHC_S300
	Hanford Environmental Health Foundation	HEHF	HEHF
	Kaiser Construction Services-100 Area	KEH_100	KEH_100
Offsite	Ames Laboratory-Ames, Iowa	AMES	AMES
	Argonne National Laboratory-East	ANL_E	ANL_E
	Bates Accelerator-Massachusetts	MIT_BATES	MIT_BATES
	Battelle Columbus Laboratories	BAT_CLBS_LAB	BAT_CLBS_LAB
	Bettis Atomic Power-Laboratory	BAPL	BAPL
	Bettis Atomic Power-Shipyards	BAPL_SHIPYDS	BAPL_SHIPYDS
	Brookhaven National Laboratory	BRKHVN	BRKHVN
	EG&G Rocky Flats Plant	EG&G	EG&G
	FERMI National Accelerator Laboratory	FERMI	FERMI
	Formerly Utilized Sites Remedial Action Program	FUSRAP	FUSRAP
	General Atomics	GEN_ATOM	GEN_ATOM
	Knolls Atomic Power-Laboratory	KAPL	KAPL
	Knolls Atomic Power-Shipyards	KAPL_SHIPYDS	KAPL_SHIPYDS
	Lawrence Berkeley Laboratory	LBL	LBL
	Paducah Energy Systems	PADUCAH_ES	PADUCAH_ES
	Paducah Utility Services	PADUCAH_US	PADUCAH_US

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Offsite (cont.)	Princeton Plasma Physics Laboratory	PRINCETON	PRINCETON
	Portsmouth Energy Systems	PORTSMOUTH_ES	PORTSMOUTH_ES
	Portsmouth Utility Services	PORTSMOUTH_US	PORTSMOUTH_US
	Rockwell-Canoga Park	RKW_CANOGA	RKW_CANOGA
	Stanford Linear Accelerator Center	STANFORD	STANFORD
	University of California-Davis	B_LEHR_DAV	B_LEHR_DAV
	University of Utah	U_U	U_U
PNL	Pacific Northwest Laboratories	PNL	PNL
SNF	100K K-Basin Operations	WHC_K_BASIN	WHC_100K
Solid Waste	218E/W Low Level Burial Grounds	WHC_LLBG	WHC_LLBG
	221T/2706T T-Plant Operations	WHC_T_PLANT	WHC_221T
	224T TRU Storage & Assay Facility (TRUSAF)	WHC_TRUSAF	WHC_TRUSAF
	Mixed Waste Storage Facility	WHC_EA_W112	WHC_EA_W112
Transition Facilities	Purex (202A) Operations	WHC_PUREX	WHC_202A
	Purex (202A) Surveillance & Maintenance	WHC_PUREX_SM	Not Applicable
	B-Plant	WHC_B_PLANT	WHC_225B
	Plutonium Finishing Plant	WHC_PFP	WHC_2345Z
	300 Area Fuel Supply	WHC_FUEL_TRANS	WHC_303K
TWRS	Aging Waste Transfer Lines	WHC_TWP_W028	WHC_TWP_W028
	Cross-Site Transfer System	WHC_TWP_W058	WHC_TWP_W058
	DST 101AZ Retrieval (1 tank)	WHC_TWP_W151	WHC_TWP_W151
	DST Retrieval Systems (10 tanks)	WHC_TWP_W211	WHC_TWP_W211
	Tank Farm Restoration	WHC_TWP_W314	WHC_TWP_W314
	High Level Vitrification Project	WHC_HLVP	WHC_HLVP
	Low Level Vitrification Project	WHC_LLVP	WHC_LLVP
	SST Long Length Equipment	WHC_SST_LLE	WHC_SSTLLE
	SST Retrieval (149 tanks)	WHC_SST_RET	WHC_SSTRET
	SST Tank 106C Manipulator	WHC_TWP_W340	WHC_TWP_W340
	SST Tank 106C Sluicing	WHC_TWP_W320	WHC_TWP_W320

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
TWRS (cont.)	SST/DST Tank Farm Operations	WHC_TF_OPER	WHC_2ETF
	Tank Farm Ventilation Upgrade	WHC_TWP_W030	WHC_TWP_W030
	Tank Waste Pretreatment Facility	WHC_PRETRT_TW	WHC_PRETRT_TW
	W315 Pilot Scale Retrieval	WHC_DST_PSRET	WHC_DSTPSRET
	W343 DST Retrieval (17 Tanks)	WHC_DST_RET	WHC_DST_RET

WHC-EP-0865

Intentionally Left Blank